
Attachment C

Chemical Properties for SSL Development

Attachment C

Chemical Properties

This attachment provides the chemical properties necessary to calculate inhalation and migration to ground water SSLs (see Section 2.5.2) for 110 chemicals commonly found at Superfund sites. The *Technical Background Document for Soil Screening Guidance* describes the derivation and sources for these property values.

- Table C-1 provides soil organic carbon - water partition coefficients (K_{oc}), air and water diffusivities ($D_{i,a}$ and $D_{i,w}$), water solubilities (S), and dimensionless Henry's law constants (H').
- Table C-2 provides pH-specific K_{oc} values for organic contaminants that ionize under natural pH conditions. Site-specific soil pH measurements (see Section 2.3.5) can be used to select appropriate K_{oc} values for these chemicals. Where site-specific soil pH values are not available, values corresponding to a pH of 6.8 should be used (note that the K_{oc} values for these chemicals in Table C-1 are for a pH of 6.8).
- Table C-3 provides the physical state (liquid or solid) for organic contaminants. A contaminant's liquid or solid state is needed to apply and interpret soil saturation limit (C_{sat}) results (see Section 2.5.2, p.23).
- Table C-4 provides pH-specific soil-water partition coefficients (K_d) for metals. Site-specific soil pH measurements (see Section 2.3.5) can be used to select appropriate K_d values for these metals. Where site-specific soil pH values are not available, values corresponding to a pH of 6.8 should be used.

Except for air and water diffusivities, the chemical properties necessary to calculate SSLs for additional chemicals may be found in the Superfund Chemical Data Matrix (SCDM). Additional air and water diffusivities may be obtained from the CHEMDAT8 and WATER8 models, both of which can be downloaded off EPA's SCRAM electronic bulletin board system. Accessing information is

OAQPS SCRAM BBS

(919)541-5742 (24 hr/d, 7 d/wk except Monday AM)

Line Settings: 8 bits, no parity, 1 stop bit

Terminal emulation: VT100 or ANSI

System Operator: (919)541-5384 (normal business hours EST)

Table C-1. Chemical-Specific Properties used in SSL Calculations

CAS No.	Compound	K _{oc} (L/kg)	D _{i,a} (cm ² /s)	D _{i,w} (cm ² /s)	S (mg/L)	H' (dimensionless)
83-32-9	Acenaphthene	7.08E+03	4.21E-02	7.69E-06	4.24E+00	6.36E-03
67-64-1	Acetone	5.75E-01	1.24E-01	1.14E-05	1.00E+06	1.59E-03
309-00-2	Aldrin	2.45E+06	1.32E-02	4.86E-06	1.80E-01	6.97E-03
120-12-7	Anthracene	2.95E+04	3.24E-02	7.74E-06	4.34E-02	2.67E-03
56-55-3	Benz(a)anthracene	3.98E+05	5.10E-02	9.00E-06	9.40E-03	1.37E-04
71-43-2	Benzene	5.89E+01	8.80E-02	9.80E-06	1.75E+03	2.28E-01
205-99-2	Benzo(b)fluoranthene	1.23E+06	2.26E-02	5.56E-06	1.50E-03	4.55E-03
207-08-9	Benzo(k)fluoranthene	1.23E+06	2.26E-02	5.56E-06	8.00E-04	3.40E-05
65-85-0	Benzoic acid	6.00E-01	5.36E-02	7.97E-06	3.50E+03	6.31E-05
50-32-8	Benzo(a)pyrene	1.02E+06	4.30E-02	9.00E-06	1.62E-03	4.63E-05
111-44-4	Bis(2-chloroethyl)ether	1.55E+01	6.92E-02	7.53E-06	1.72E+04	7.38E-04
117-81-7	Bis(2-ethylhexyl)phthalate	1.51E+07	3.51E-02	3.66E-06	3.40E-01	4.18E-06
75-27-4	Bromodichloromethane	5.50E+01	2.98E-02	1.06E-05	6.74E+03	6.56E-02
75-25-2	Bromoform	8.71E+01	1.49E-02	1.03E-05	3.10E+03	2.19E-02
71-36-3	Butanol	6.92E+00	8.00E-02	9.30E-06	7.40E+04	3.61E-04
85-68-7	Butyl benzyl phthalate	5.75E+04	1.74E-02	4.83E-06	2.69E+00	5.17E-05
86-74-8	Carbazole	3.39E+03	3.90E-02	7.03E-06	7.48E+00	6.26E-07
75-15-0	Carbon disulfide	4.57E+01	1.04E-01	1.00E-05	1.19E+03	1.24E+00
56-23-5	Carbon tetrachloride	1.74E+02	7.80E-02	8.80E-06	7.93E+02	1.25E+00
57-74-9	Chlordane	1.20E+05	1.18E-02	4.37E-06	5.60E-02	1.99E-03
106-47-8	<i>p</i> -Chloroaniline	6.61E+01	4.83E-02	1.01E-05	5.30E+03	1.36E-05
108-90-7	Chlorobenzene	2.19E+02	7.30E-02	8.70E-06	4.72E+02	1.52E-01
124-48-1	Chlorodibromomethane	6.31E+01	1.96E-02	1.05E-05	2.60E+03	3.21E-02
67-66-3	Chloroform	3.98E+01	1.04E-01	1.00E-05	7.92E+03	1.50E-01
95-57-8	2-Chlorophenol	3.88E+02	5.01E-02	9.46E-06	2.20E+04	1.60E-02
218-01-9	Chrysene	3.98E+05	2.48E-02	6.21E-06	1.60E-03	3.88E-03
72-54-8	DDD	1.00E+06	1.69E-02	4.76E-06	9.00E-02	1.64E-04
72-55-9	DDE	4.47E+06	1.44E-02	5.87E-06	1.20E-01	8.61E-04
50-29-3	DDT	2.63E+06	1.37E-02	4.95E-06	2.50E-02	3.32E-04
53-70-3	Dibenz(a,h)anthracene	3.80E+06	2.02E-02	5.18E-06	2.49E-03	6.03E-07
84-74-2	Di- <i>n</i> -butyl phthalate	3.39E+04	4.38E-02	7.86E-06	1.12E+01	3.85E-08
95-50-1	1,2-Dichlorobenzene	6.17E+02	6.90E-02	7.90E-06	1.56E+02	7.79E-02
106-46-7	1,4-Dichlorobenzene	6.17E+02	6.90E-02	7.90E-06	7.38E+01	9.96E-02
91-94-1	3,3-Dichlorobenzidine	7.24E+02	1.94E-02	6.74E-06	3.11E+00	1.64E-07
75-34-3	1,1-Dichloroethane	3.16E+01	7.42E-02	1.05E-05	5.06E+03	2.30E-01
107-06-2	1,2-Dichloroethane	1.74E+01	1.04E-01	9.90E-06	8.52E+03	4.01E-02
75-35-4	1,1-Dichloroethylene	5.89E+01	9.00E-02	1.04E-05	2.25E+03	1.07E+00
156-59-2	<i>cis</i> -1,2-Dichloroethylene	3.55E+01	7.36E-02	1.13E-05	3.50E+03	1.67E-01
156-60-5	<i>trans</i> -1,2-Dichloroethylene	5.25E+01	7.07E-02	1.19E-05	6.30E+03	3.85E-01
120-83-2	2,4-Dichlorophenol	1.47E+02	3.46E-02	8.77E-06	4.50E+03	1.30E-04
78-87-5	1,2-Dichloropropane	4.37E+01	7.82E-02	8.73E-06	2.80E+03	1.15E-01
542-75-6	1,3-Dichloropropene	4.57E+01	6.26E-02	1.00E-05	2.80E+03	7.26E-01
60-57-1	Dieldrin	2.14E+04	1.25E-02	4.74E-06	1.95E-01	6.19E-04
84-66-2	Diethylphthalate	2.88E+02	2.56E-02	6.35E-06	1.08E+03	1.85E-05
105-67-9	2,4-Dimethylphenol	2.09E+02	5.84E-02	8.69E-06	7.87E+03	8.20E-05

Table C-1 (continued)

CAS No.	Compound	K _{oc} (L/kg)	D _{i,a} (cm ² /s)	D _{i,w} (cm ² /s)	S (mg/L)	H' (dimensionless)
51-28-5	2,4-Dinitrophenol	1.00E-02	2.73E-02	9.06E-06	2.79E+03	1.82E-05
121-14-2	2,4-Dinitrotoluene	9.55E+01	2.03E-01	7.06E-06	2.70E+02	3.80E-06
606-20-2	2,6-Dinitrotoluene	6.92E+01	3.27E-02	7.26E-06	1.82E+02	3.06E-05
117-84-0	Di- <i>n</i> -octyl phthalate	8.32E+07	1.51E-02	3.58E-06	2.00E-02	2.74E-03
115-29-7	Endosulfan	2.14E+03	1.15E-02	4.55E-06	5.10E-01	4.59E-04
72-20-8	Endrin	1.23E+04	1.25E-02	4.74E-06	2.50E-01	3.08E-04
100-41-4	Ethylbenzene	3.63E+02	7.50E-02	7.80E-06	1.69E+02	3.23E-01
206-44-0	Fluoranthene	1.07E+05	3.02E-02	6.35E-06	2.06E-01	6.60E-04
86-73-7	Fluorene	1.38E+04	3.63E-02	7.88E-06	1.98E+00	2.61E-03
76-44-8	Heptachlor	1.41E+06	1.12E-02	5.69E-06	1.80E-01	4.47E-02
1024-57-3	Heptachlor epoxide	8.32E+04	1.32E-02	4.23E-06	2.00E-01	3.90E-04
118-74-1	Hexachlorobenzene	5.50E+04	5.42E-02	5.91E-06	6.20E+00	5.41E-02
87-68-3	Hexachloro-1,3-butadiene	5.37E+04	5.61E-02	6.16E-06	3.23E+00	3.34E-01
319-84-6	-HCH (-BHC)	1.23E+03	1.42E-02	7.34E-06	2.00E+00	4.35E-04
319-85-7	β-HCH (β-BHC)	1.26E+03	1.42E-02	7.34E-06	2.40E-01	3.05E-05
58-89-9	-HCH (Lindane)	1.07E+03	1.42E-02	7.34E-06	6.80E+00	5.74E-04
77-47-4	Hexachlorocyclopentadiene	2.00E+05	1.61E-02	7.21E-06	1.80E+00	1.11E+00
67-72-1	Hexachloroethane	1.78E+03	2.50E-03	6.80E-06	5.00E+01	1.59E-01
193-39-5	Indeno(1,2,3- <i>cd</i>)pyrene	3.47E+06	1.90E-02	5.66E-06	2.20E-05	6.56E-05
78-59-1	Isophorone	4.68E+01	6.23E-02	6.76E-06	1.20E+04	2.72E-04
7439-97-6	Mercury	---	3.07E-02	6.30E-06	---	4.67E-01
72-43-5	Methoxychlor	9.77E+04	1.56E-02	4.46E-06	4.50E-02	6.48E-04
74-83-9	Methyl bromide	1.05E+01	7.28E-02	1.21E-05	1.52E+04	2.56E-01
75-09-2	Methylene chloride	1.17E+01	1.01E-01	1.17E-05	1.30E+04	8.98E-02
95-48-7	2-Methylphenol	9.12E+01	7.40E-02	8.30E-06	2.60E+04	4.92E-05
91-20-3	Naphthalene	2.00E+03	5.90E-02	7.50E-06	3.10E+01	1.98E-02
98-95-3	Nitrobenzene	6.46E+01	7.60E-02	8.60E-06	2.09E+03	9.84E-04
86-30-6	<i>N</i> -Nitrosodiphenylamine	1.29E+03	3.12E-02	6.35E-06	3.51E+01	2.05E-04
621-64-7	<i>N</i> -Nitrosodi- <i>n</i> -propylamine	2.40E+01	5.45E-02	8.17E-06	9.89E+03	9.23E-05
1336-36-3	PCBs	3.09E+05	---	---	7.00E-01	---
87-86-5	Pentachlorophenol	5.92E+02	5.60E-02	6.10E-06	1.95E+03	1.00E-06
108-95-2	Phenol	2.88E+01	8.20E-02	9.10E-06	8.28E+04	1.63E-05
129-00-0	Pyrene	1.05E+05	2.72E-02	7.24E-06	1.35E-01	4.51E-04
100-42-5	Styrene	7.76E+02	7.10E-02	8.00E-06	3.10E+02	1.13E-01
79-34-5	1,1,2,2-Tetrachloroethane	9.33E+01	7.10E-02	7.90E-06	2.97E+03	1.41E-02
127-18-4	Tetrachloroethylene	1.55E+02	7.20E-02	8.20E-06	2.00E+02	7.54E-01
108-88-3	Toluene	1.82E+02	8.70E-02	8.60E-06	5.26E+02	2.72E-01
8001-35-2	Toxaphene	2.57E+05	1.16E-02	4.34E-06	7.40E-01	2.46E-04
120-82-1	1,2,4-Trichlorobenzene	1.78E+03	3.00E-02	8.23E-06	3.00E+02	5.82E-02
71-55-6	1,1,1-Trichloroethane	1.10E+02	7.80E-02	8.80E-06	1.33E+03	7.05E-01
79-00-5	1,1,2-Trichloroethane	5.01E+01	7.80E-02	8.80E-06	4.42E+03	3.74E-02
79-01-6	Trichloroethylene	1.66E+02	7.90E-02	9.10E-06	1.10E+03	4.22E-01
95-95-4	2,4,5-Trichlorophenol	1.60E+03	2.91E-02	7.03E-06	1.20E+03	1.78E-04
88-06-2	2,4,6-Trichlorophenol	3.81E+02	3.18E-02	6.25E-06	8.00E+02	3.19E-04

Table C-1 (continued)

CAS No.	Compound	K _{oc} (L/kg)	D _{i,a} (cm ² /s)	D _{i,w} (cm ² /s)	S (mg/L)	H' (dimensionless)
108-05-4	Vinyl acetate	5.25E+00	8.50E-02	9.20E-06	2.00E+04	2.10E-02
75-01-4	Vinyl chloride	1.86E+01	1.06E-01	1.23E-06	2.76E+03	1.11E+00
108-38-3	<i>m</i> -Xylene	4.07E+02	7.00E-02	7.80E-06	1.61E+02	3.01E-01
95-47-6	<i>o</i> -Xylene	3.63E+02	8.70E-02	1.00E-05	1.78E+02	2.13E-01
106-42-3	<i>p</i> -Xylene	3.89E+02	7.69E-02	8.44E-06	1.85E+02	3.14E-01

K_{oc} = Soil organic carbon/water partition coefficient.

D_{i,a} = Diffusivity in air (25 °C).

D_{i,w} = Diffusivity in water (25 °C).

S = Solubility in water (20-25 °C).

H' = Dimensionless Henry's law constant (HLC [atm·m³/mol] * 41) (25 °C).

K_d = Soil-water partition coefficient.

Table C-2. Koc Values for Ionizing Organics as a Function of pH

pH	Benzoic Acid	2-Chlorophenol	2,4-Dichlorophenol	2,4-Dinitrophenol	Pentachlorophenol	2,3,4,5-Tetrachlorophenol	2,3,4,6-Tetrachlorophenol	2,4,5-Trichlorophenol	2,4,6-Trichlorophenol
4.9	5.54E+00	3.98E+02	1.59E+02	2.94E-02	9.05E+03	1.73E+04	4.45E+03	2.37E+03	1.04E+03
5.0	4.64E+00	3.98E+02	1.59E+02	2.55E-02	7.96E+03	1.72E+04	4.15E+03	2.36E+03	1.03E+03
5.1	3.88E+00	3.98E+02	1.59E+02	2.23E-02	6.93E+03	1.70E+04	3.83E+03	2.36E+03	1.02E+03
5.2	3.25E+00	3.98E+02	1.59E+02	1.98E-02	5.97E+03	1.67E+04	3.49E+03	2.35E+03	1.01E+03
5.3	2.72E+00	3.98E+02	1.59E+02	1.78E-02	5.10E+03	1.65E+04	3.14E+03	2.34E+03	9.99E+02
5.4	2.29E+00	3.98E+02	1.58E+02	1.62E-02	4.32E+03	1.61E+04	2.79E+03	2.33E+03	9.82E+02
5.5	1.94E+00	3.97E+02	1.58E+02	1.50E-02	3.65E+03	1.57E+04	2.45E+03	2.32E+03	9.62E+02
5.6	1.65E+00	3.97E+02	1.58E+02	1.40E-02	3.07E+03	1.52E+04	2.13E+03	2.31E+03	9.38E+02
5.7	1.42E+00	3.97E+02	1.58E+02	1.32E-02	2.58E+03	1.47E+04	1.83E+03	2.29E+03	9.10E+02
5.8	1.24E+00	3.97E+02	1.58E+02	1.25E-02	2.18E+03	1.40E+04	1.56E+03	2.27E+03	8.77E+02
5.9	1.09E+00	3.97E+02	1.57E+02	1.20E-02	1.84E+03	1.32E+04	1.32E+03	2.24E+03	8.39E+02
6.0	9.69E-01	3.96E+02	1.57E+02	1.16E-02	1.56E+03	1.24E+04	1.11E+03	2.21E+03	7.96E+02
6.1	8.75E-01	3.96E+02	1.57E+02	1.13E-02	1.33E+03	1.15E+04	9.27E+02	2.17E+03	7.48E+02
6.2	7.99E-01	3.96E+02	1.56E+02	1.10E-02	1.15E+03	1.05E+04	7.75E+02	2.12E+03	6.97E+02
6.3	7.36E-01	3.95E+02	1.55E+02	1.08E-02	9.98E+02	9.51E+03	6.47E+02	2.06E+03	6.44E+02
6.4	6.89E-01	3.94E+02	1.54E+02	1.06E-02	8.77E+02	8.48E+03	5.42E+02	1.99E+03	5.89E+02
6.5	6.51E-01	3.93E+02	1.53E+02	1.05E-02	7.81E+02	7.47E+03	4.55E+02	1.91E+03	5.33E+02
6.6	6.20E-01	3.92E+02	1.52E+02	1.04E-02	7.03E+02	6.49E+03	3.84E+02	1.82E+03	4.80E+02
6.7	5.95E-01	3.90E+02	1.50E+02	1.03E-02	6.40E+02	5.58E+03	3.27E+02	1.71E+03	4.29E+02
6.8	5.76E-01	3.88E+02	1.47E+02	1.02E-02	5.92E+02	4.74E+03	2.80E+02	1.60E+03	3.81E+02
6.9	5.60E-01	3.86E+02	1.45E+02	1.02E-02	5.52E+02	3.99E+03	2.42E+02	1.47E+03	3.38E+02
7.0	5.47E-01	3.83E+02	1.41E+02	1.02E-02	5.21E+02	3.33E+03	2.13E+02	1.34E+03	3.00E+02
7.1	5.38E-01	3.79E+02	1.38E+02	1.02E-02	4.96E+02	2.76E+03	1.88E+02	1.21E+03	2.67E+02
7.2	5.32E-01	3.75E+02	1.33E+02	1.01E-02	4.76E+02	2.28E+03	1.69E+02	1.07E+03	2.39E+02
7.3	5.25E-01	3.69E+02	1.28E+02	1.01E-02	4.61E+02	1.87E+03	1.53E+02	9.43E+02	2.15E+02
7.4	5.19E-01	3.62E+02	1.21E+02	1.01E-02	4.47E+02	1.53E+03	1.41E+02	8.19E+02	1.95E+02
7.5	5.16E-01	3.54E+02	1.14E+02	1.01E-02	4.37E+02	1.25E+03	1.31E+02	7.03E+02	1.78E+02
7.6	5.13E-01	3.44E+02	1.07E+02	1.01E-02	4.29E+02	1.02E+03	1.23E+02	5.99E+02	1.64E+02
7.7	5.09E-01	3.33E+02	9.84E+01	1.00E-02	4.23E+02	8.31E+02	1.17E+02	5.07E+02	1.53E+02
7.8	5.06E-01	3.19E+02	8.97E+01	1.00E-02	4.18E+02	6.79E+02	1.13E+02	4.26E+02	1.44E+02
7.9	5.06E-01	3.04E+02	8.07E+01	1.00E-02	4.14E+02	5.56E+02	1.08E+02	3.57E+02	1.37E+02
8.0	5.06E-01	2.86E+02	7.17E+01	1.00E-02	4.10E+02	4.58E+02	1.05E+02	2.98E+02	1.31E+02

Table C-3. Physical State of Organic SSL Chemicals

Compounds liquid at soil temperatures			Compounds solid at soil temperatures		
CAS No.	Chemical	Melting Point (°C)	CAS No.	Chemical	Melting Point (°C)
67-64-1	Acetone	-94.8	83-32-9	Acenaphthene	93.4
71-43-2	Benzene	5.5	309-00-2	Aldrin	104
117-81-7	Bis(2-ethylhexyl)phthalate	-55	120-12-7	Anthracene	215
111-44-4	Bis(2-chloroethyl)ether	-51.9	56-55-3	Benz(<i>a</i>)anthracene	84
75-27-4	Bromodichloromethane	-57	50-32-8	Benzo(<i>a</i>)pyrene	176.5
75-25-2	Bromoform	8	205-99-2	Benzo(<i>b</i>)fluoranthene	168
71-36-3	Butanol	-89.8	207-08-9	Benzo(<i>k</i>)fluoranthene	217
85-68-7	Butyl benzyl phthalate	-35	65-85-0	Benzoic acid	122.4
75-15-0	Carbon disulfide	-115	86-74-8	Carbazole	246.2
56-23-5	Carbon tetrachloride	-23	57-74-9	Chlordane	106
108-90-7	Chlorobenzene	-45.2	106-47-8	<i>p</i> -Chloroaniline	72.5
124-48-1	Chlorodibromomethane	-20	218-01-9	Chrysene	258.2
67-66-3	Chloroform	-63.6	72-54-8	DDD	109.5
95-57-8	2-Chlorophenol	9.8	72-55-9	DDE	89
84-74-2	Di- <i>n</i> -butyl phthalate	-35	50-29-3	DDT	108.5
95-50-1	1,2-Dichlorobenzene	-16.7	53-70-3	Dibenzo(<i>a,h</i>)anthracene	269.5
75-34-3	1,1-Dichloroethane	-96.9	106-46-7	1,4-Dichlorobenzene	52.7
107-06-2	1,2-Dichloroethane	-35.5	91-94-1	3,3-Dichlorobenzidine	132.5
75-35-4	1,1-Dichloroethylene	-122.5	120-83-2	2,4-Dichlorophenol	45
156-59-2	<i>cis</i> -1,2-Dichloroethylene	-80	60-57-1	Dieldrin	175.5
156-60-5	<i>trans</i> -1,2-Dichloroethylene	-49.8	105-67-9	2,4-Dimethylphenol	24.5
78-87-5	1,2-Dichloropropane	-70	51-28-5	2,4-Dinitrophenol	115-116
542-75-6	1,3-Dichloropropene	NA	121-14-2	2,4-Dinitrotoluene	71
84-66-2	Diethylphthalate	-40.5	606-20-2	2,6-Dinitrotoluene	66
117-84-0	Di- <i>n</i> -octyl phthalate	-30	72-20-8	Endrin	200
100-41-4	Ethylbenzene	-94.9	206-44-0	Fluoranthene	107.8
87-68-3	Hexachloro-1,3-butadiene	-21	86-73-7	Fluorene	114.8
77-47-4	Hexachlorocyclopentadiene	-9	76-44-8	Heptachlor	95.5
78-59-1	Isophorone	-8.1	1024-57-3	Heptachlor epoxide	160
74-83-9	Methyl bromide	-93.7	118-74-1	Hexachlorobenzene	231.8
75-09-2	Methylene chloride	-95.1	319-84-6	-HCH (-BHC)	160
98-95-3	Nitrobenzene	5.7	319-85-7	β-HCH (β-BHC)	315
100-42-5	Styrene	-31	58-89-9	-HCH (Lindane)	112.5
79-34-5	1,1,2,2-Tetrachloroethane	-43.8	67-72-1	Hexachloroethane	187
127-18-4	Tetrachloroethylene	-22.3	193-39-5	Indeno(1,2,3- <i>cd</i>)pyrene	161.5
108-88-3	Toluene	-94.9	72-43-5	Methoxychlor	87
120-82-1	1,2,4-Trichlorobenzene	17	95-48-7	2-Methylphenol	29.8
71-55-6	1,1,1-Trichloroethane	-30.4	621-64-7	<i>N</i> -Nitrosodi- <i>n</i> -propylamine	NA
79-00-5	1,1,2-Trichloroethane	-36.6	86-30-6	<i>N</i> -Nitrosodiphenylamine	66.5
79-01-6	Trichloroethylene	-84.7	91-20-3	Naphthalene	80.2
108-05-4	Vinyl acetate	-93.2	87-86-5	Pentachlorophenol	174
75-01-4	Vinyl chloride	-153.7	108-95-2	Phenol	40.9
108-38-3	<i>m</i> -Xylene	-47.8	129-00-0	Pyrene	151.2
95-47-6	<i>o</i> -Xylene	-25.2	8001-35-2	Toxaphene	65-90
106-42-3	<i>p</i> -Xylene	13.2	95-95-4	2,4,5-Trichlorophenol	69
			88-06-2	2,4,6-Trichlorophenol	69
			115-29-7	Endosulfan	106

NA = Not available.

Table C-4. Metal K_d Values (L/kg) as a Function of pH^a

pH	As	Ba	Be	Cd	Cr (+3)	Cr (+6)	Hg	Mn	Ag	Se	Pb	Zn
4.9	2.5E+01	1.1E+01	2.3E+01	1.5E+01	1.2E+03	3.1E+01	4.0E-02	1.6E+01	1.0E-01	1.8E+01	4.4E+01	1.6E+01
5.0	2.5E+01	1.2E+01	2.6E+01	1.7E+01	1.9E+03	3.1E+01	6.0E-02	1.8E+01	1.3E-01	1.7E+01	4.5E+01	1.8E+01
5.1	2.5E+01	1.4E+01	2.8E+01	1.9E+01	3.0E+03	3.0E+01	9.0E-02	2.0E+01	1.6E-01	1.6E+01	4.6E+01	1.9E+01
5.2	2.6E+01	1.5E+01	3.1E+01	2.1E+01	4.9E+03	2.9E+01	1.4E-01	2.2E+01	2.1E-01	1.5E+01	4.7E+01	2.1E+01
5.3	2.6E+01	1.7E+01	3.5E+01	2.3E+01	8.1E+03	2.8E+01	2.0E-01	2.4E+01	2.6E-01	1.4E+01	4.8E+01	2.3E+01
5.4	2.6E+01	1.9E+01	3.8E+01	2.5E+01	1.3E+04	2.7E+01	3.0E-01	2.6E+01	3.3E-01	1.3E+01	5.0E+01	2.5E+01
5.5	2.6E+01	2.1E+01	4.2E+01	2.7E+01	2.1E+04	2.7E+01	4.6E-01	2.8E+01	4.2E-01	1.2E+01	5.1E+01	2.6E+01
5.6	2.6E+01	2.2E+01	4.7E+01	2.9E+01	3.5E+04	2.6E+01	6.9E-01	3.0E+01	5.3E-01	1.1E+01	5.2E+01	2.8E+01
5.7	2.7E+01	2.4E+01	5.3E+01	3.1E+01	5.5E+04	2.5E+01	1.0E+00	3.2E+01	6.7E-01	1.1E+01	5.4E+01	3.0E+01
5.8	2.7E+01	2.6E+01	6.0E+01	3.3E+01	8.7E+04	2.5E+01	1.6E+00	3.4E+01	8.4E-01	9.8E+00	5.5E+01	3.2E+01
5.9	2.7E+01	2.8E+01	6.9E+01	3.5E+01	1.3E+05	2.4E+01	2.3E+00	3.6E+01	1.1E+00	9.2E+00	5.6E+01	3.4E+01
6.0	2.7E+01	3.0E+01	8.2E+01	3.7E+01	2.0E+05	2.3E+01	3.5E+00	3.8E+01	1.3E+00	8.6E+00	5.8E+01	3.6E+01
6.1	2.7E+01	3.1E+01	9.9E+01	4.0E+01	3.0E+05	2.3E+01	5.1E+00	4.0E+01	1.7E+00	8.0E+00	5.9E+01	3.9E+01
6.2	2.8E+01	3.3E+01	1.2E+02	4.2E+01	4.2E+05	2.2E+01	7.5E+00	4.2E+01	2.1E+00	7.5E+00	6.1E+01	4.2E+01
6.3	2.8E+01	3.5E+01	1.6E+02	4.4E+01	5.8E+05	2.2E+01	1.1E+01	4.5E+01	2.7E+00	7.0E+00	6.2E+01	4.4E+01
6.4	2.8E+01	3.6E+01	2.1E+02	4.8E+01	7.7E+05	2.1E+01	1.6E+01	4.7E+01	3.4E+00	6.5E+00	6.4E+01	4.7E+01
6.5	2.8E+01	3.7E+01	2.8E+02	5.2E+01	9.9E+05	2.0E+01	2.2E+01	5.0E+01	4.2E+00	6.1E+00	6.6E+01	5.1E+01
6.6	2.8E+01	3.9E+01	3.9E+02	5.7E+01	1.2E+06	2.0E+01	3.0E+01	5.4E+01	5.3E+00	5.7E+00	6.7E+01	5.4E+01
6.7	2.9E+01	4.0E+01	5.5E+02	6.4E+01	1.5E+06	1.9E+01	4.0E+01	5.8E+01	6.6E+00	5.3E+00	6.9E+01	5.8E+01
6.8	2.9E+01	4.1E+01	7.9E+02	7.5E+01	1.8E+06	1.9E+01	5.2E+01	6.5E+01	8.3E+00	5.0E+00	7.1E+01	6.2E+01
6.9	2.9E+01	4.2E+01	1.1E+03	9.1E+01	2.1E+06	1.8E+01	6.6E+01	7.4E+01	1.0E+01	4.7E+00	7.3E+01	6.8E+01
7.0	2.9E+01	4.2E+01	1.7E+03	1.1E+02	2.5E+06	1.8E+01	8.2E+01	8.8E+01	1.3E+01	4.3E+00	7.4E+01	7.5E+01
7.1	2.9E+01	4.3E+01	2.5E+03	1.5E+02	2.8E+06	1.7E+01	9.9E+01	1.1E+02	1.6E+01	4.1E+00	7.6E+01	8.3E+01
7.2	3.0E+01	4.4E+01	3.8E+03	2.0E+02	3.1E+06	1.7E+01	1.2E+02	1.4E+02	2.0E+01	3.8E+00	7.8E+01	9.5E+01
7.3	3.0E+01	4.4E+01	5.7E+03	2.8E+02	3.4E+06	1.6E+01	1.3E+02	1.8E+02	2.5E+01	3.5E+00	8.0E+01	1.1E+02
7.4	3.0E+01	4.5E+01	8.6E+03	4.0E+02	3.7E+06	1.6E+01	1.5E+02	2.5E+02	3.1E+01	3.3E+00	8.2E+01	1.3E+02
7.5	3.0E+01	4.6E+01	1.3E+04	5.9E+02	3.9E+06	1.6E+01	1.6E+02	3.5E+02	3.9E+01	3.1E+00	8.5E+01	1.6E+02
7.6	3.1E+01	4.6E+01	2.0E+04	8.7E+02	4.1E+06	1.5E+01	1.7E+02	4.9E+02	4.8E+01	2.9E+00	8.7E+01	1.9E+02
7.7	3.1E+01	4.7E+01	3.0E+04	1.3E+03	4.2E+06	1.5E+01	1.8E+02	7.0E+02	5.9E+01	2.7E+00	8.9E+01	2.4E+02
7.8	3.1E+01	4.9E+01	4.6E+04	1.9E+03	4.3E+06	1.4E+01	1.9E+02	9.9E+02	7.3E+01	2.5E+00	9.1E+01	3.1E+02
7.9	3.1E+01	5.0E+01	6.9E+04	2.9E+03	4.3E+06	1.4E+01	1.9E+02	1.4E+03	8.9E+01	2.4E+00	9.4E+01	4.0E+02
8.0	3.1E+01	5.2E+01	1.0E+05	4.3E+03	4.3E+06	1.4E+01	2.0E+02	1.9E+03	1.1E+02	2.2E+00	9.6E+01	5.3E+02

^anon pH-dependent inorganic K_d values for antimony, cyanide, and vanadium are 45, 9.9, and 1,000 respectively.