



**New Bedford Harbor Superfund Site**  
**U.S. Army Corps of Engineers New England District**  
**Final Remedial Action Report for Operable Unit 1**  
**Decontamination of the Dewatering Plant**

**ACE-J23-35BG2000-M17-0078**

**December 2020**



## Table of Contents

1. Site History
2. Remedial Design Description
  - a. Shutdown and Removal of Process Equipment
  - b. Dewatering Plant Decommissioning
    - i. Production Walls, Support Beams, and Ceiling
    - ii. Support Facility Walls
    - iii. Production Floors
    - iv. Support Facility Floors
    - v. Utilities
3. Dewatering Plant Remedy Implementation
  - a. Wall and Ceiling Samples
    - i. Wall and Ceiling Sample Data Quality
    - ii. Hold Times
    - iii. LCS/LCSD Recoveries
    - iv. Surrogate Recoveries
    - v. Blank Contamination
    - vi. Second Column Verification
    - vii. Wall and Ceiling Sample Data Quality Summary
4. Floor Samples
  - a. Floor Sample Data Quality
    - i. Hold Times
    - ii. LCS/LCSD Recoveries
    - iii. Surrogate Recoveries
    - iv. Blank Contamination
    - v. Second Column Verification
    - vi. Floor Sample Data Quality Summary
    - vii. Overall Data Quality Summary
5. Final Inspection

## **Tables**

Table 1	Wipe Sample Locations
Table 2	Results Qualified Due to High Surrogate Recoveries
Table 3	Results Qualified Due to Low Surrogate Recoveries
Table 4	Results Qualified Due to Method Blank Detections
Table 5	Results Qualified Due to Second Column RPD Exceedances
Table 6	Floor Sample Summary
Table 7	Results Qualified Due to Low Surrogate Recoveries
Table 8	Results Qualified Due to Second Column RPD Exceedances

## **Attachments**

Attachment 1	Total Wipe Samples
Attachment 2	Wall and Ceiling Wipe Sample Results
Attachment 3	Initial Sampling Wall and Ceiling Wipe Sample Results
Attachment 4	Wall and Ceiling Wipe Final Resample Results
Attachment 4A	Wall and Ceiling Wipe Resample Summary Results
Attachment 5	Floor Sample Locations
Attachment 6	Floor Sample Results
Attachment 7	Concrete Core Floor Sample Results
Attachment 8	Concrete Core Sump Sample Results
Attachment 9	Support Building Floor Sample Wipe Results
Attachment 10	December 14, 2020 Termination Letter to the New Bedford Harbor Development Commission

## Acronyms and Abbreviations

CDF	confined disposal facility
CSO	combined sewer overflow
cy	cubic yards
DoDQSM	Department of Defense Quality Systems Manual
DQO	data quality objectives
EPA	U.S. Environmental Protection Agency
ESD	Explanation of Significant Difference
GAC	granulated activated carbon
Jacobs	Jacobs Engineering Group, Inc.
LCS	laboratory control sample
LCSD	laboratory control sample duplicate
mg/Kg	milligrams per kilogram
NBHSS	New Bedford Harbor Superfund Site
PCB	polychlorinated biphenyl
QC	quality control
RPD	relative percent difference
ROD	Record of Decision
TSCA	Toxic Substances Control Act
µg	micrograms
USACE	U.S. Army Corps of Engineers

## Site History

In September 2001, the U.S. Environmental Protection Agency (EPA) issued a change to the 1998 harbor cleanup plan using a process known as an Explanation of Significant Difference (ESD) (EPA, 2001). This ESD described five refinements of the remedy that arose as the design phase progressed following issuance of the 1998 Record of Decision (ROD). These changes included: (i) the use of mechanical dewatering for the dredged sediment (to among other things reduce the volume of processed sediment needing disposal); (ii) the incorporation of a rail spur; (iii) a revised wall design at confined disposal cell (CDF) D – the largest of the CDFs, (iv) ongoing use of the pilot CDF at EPA's Sawyer Street facility as an interim Toxic Substances Control Act (TSCA) facility; and (v) the remediation and monitoring of two additional intertidal areas near residential land use areas in the Upper Harbor along the Acushnet River, in order to reduce dermal contact/incidental ingestion risks. The 2001 ESD also noted that the estimate of in situ sediment requiring disposal pursuant to the ROD could be as high as 800,000 cy.

In August 2002, EPA issued a second ESD for the 1998 ROD (EPA, 2002). This ESD eliminated the construction of the 17-acre CDF D, and instead selected off-site disposal for the dredged and dewatered polychlorinated biphenyl (PCB) contaminated sediment slated for the CDF. A smaller shoreline plant, now known as the dewatering plant or Area D, replaced CDF D in the same area to support both the sediment dewatering building and the rail car (or truck or barge) loading area required for off-site disposal of the dredged sediment.

In preparation for full-scale dredging, the construction of a five-acre sediment dewatering and transfer plant (the dewatering plant or Area D) at Hervey Tichon Avenue in New Bedford for processing the dredged sediment was completed in 2004. Relocation of two combined sewer overflows (CSOs) that previously discharged in the area of the dewatering plant at Area D was also completed in 2004. Relocation of a commercial barge pier necessary for construction of Area D was completed in 2005, including removal of abandoned fishing vessels and associated environmental dredging (TTFW, 2005).

During dredging operations, dredged sediment was sent through a pipeline in the harbor to the desanding facility at EPA's Sawyer Street facility, where sand, gravel, shells and other coarse material within the dredged slurry were removed. The slurry was then sent through an underwater pipeline in the harbor to the dewatering plant at Area D. Using a series of mechanical processes, the plant squeezed most of the water out of the slurry so that a "filter cake" was produced. The "filter cake" was then sent off-site to a TSCA disposal facility in Michigan via rail or truck. Decommissioning and decontamination activities commenced at the completion of the hybrid dredging activities at the New Bedford Harbor Superfund Site (NBHSS) in 2019.

## Remedial Design Description

In November 2019, the *Draft Final Area C Desanding Building and Area D Decommissioning and Decontamination Plan* (D&D Plan) was approved by the EPA and the United States Army Corps of Engineers (USACE). The purpose of the D&D Plan was to outline the steps to decontaminate and remove the process equipment from the Area C Desanding Building and Area D, as well as the steps needed to remove the Area C Desanding Building and collect the information needed to determine how to decontaminate the Area D dewatering facility. Final plans for the completion of the decontamination of the interior of Area D building were completed after data collected under this plan was available to the project team. For informational purposes, and to assess the overall cleanliness of the two buildings structures and establish baseline conditions prior to any decontamination activities, a series of wipe samples were collected at the Desanding Building at Area C and Area D in March 2019.

The decontamination of the Area D and associated equipment proceeded using the relevant and appropriate portions of the 40 CFR § 761.61(a) Self-implementing On-Site Cleanup and Disposal of PCB Remediation Waste and 40 CFR § 761.61(c) Risk-Based Disposal Option. However, a formal Risk-Based Application was not required to perform the work.

The EPA provided the following guidelines for overall PCB decontamination concentrations at Area D:

- Equipment leaving the Site: 10 micrograms per 100 square centimeters ( $\mu\text{g}/100\text{ cm}^2$ )
- Remaining non-porous surfaces: 1  $\mu\text{g}/100\text{ cm}^2$
- Concrete floor (and other porous surfaces) 3 milligrams per kilogram (mg/Kg)

## Shutdown and Removal of Process Equipment

Based on this process integration, the process equipment at Area D was demobilized in the following sequence:

- The gravity thickener was the first piece of process equipment cleaned and removed, followed by the fast feed pumps and presses.
- The presses were then stripped of cloths, the plates washed, and removed from the press stands. The press stands were then removed.
- While the presses were being decommissioned, the water treatment system started the decommissioning process by taking one set of sand and carbon vessels off-line.
- The decommissioning of the presses and tanks continued until there was one set of tanks left to treat solids and water in the building.
- Once the final press was removed, the remaining water was captured with a vac truck and either removed from the site in a frac tank or treated through a portable granulated activated carbon (GAC) and discharged to the harbor.
- Once all equipment was out of the building, a final decontamination of the walls and floors was completed, with the water being captured as detailed below.

Water used during decontamination activities was treated through the current operational treatment system as long as at least one treatment train remained in operation. Once the treatment train was taken off-line, the decontamination water was either collected in a frac tank and disposed of off-site or treated with a portable GAC system to meet the current discharge criteria and discharged back into the harbor.

The process equipment was gross decontaminated using brushes and/or scraping to remove dirt and debris. The equipment was decontaminated using Less than Ten™ cleaner (or equivalent) in conjunction with power washing, with the water being sent through the presses and associated tanks as long as the system was operational. Each piece of equipment was wipe sampled at a minimum of three different locations, following SOP TECH-081. In addition to the wipe samples, random plates at the frequency of one (1) wipe sample per every fifty plates on the filter presses was sampled to demonstrate that the cleanliness goal of 10  $\mu\text{g}/100\text{ cm}^2$  had been achieved.

The sump system continued to operate as long as the press and tanks were in operation, with the sumps continually being washed to prevent a buildup of sludge. There are four operational sumps at the Area D facility:

- A 4 x 4 x 4 foot sump adjacent to the decontamination room.
- A 4 x 4 x 4 foot sump adjacent to the rail car load out area.
- An underground tank that is adjacent to the mand door between the filter press room and the wastewater treatment area.

- A sump where the double walled pipeline enters and the single walled pipe exits the northwest corner of the building adjacent to the gravity thickener.

Once the last press and tanks were taken off-line, the sump was cleaned out and blocked to stop any future water or solids intrusion. Any additional water generated once the sumps were blocked was collected and treated. Any small tools and/or miscellaneous equipment was decontaminated and randomly wipe sampled to ensure that PCB concentrations were 10 µg/100 cm<sup>2</sup> or less on items removed from the site.

## **Dewatering Plant Decommissioning**

### **Production Walls, Support Beams, and Ceiling**

During and after removal of the process equipment in Area D, the walls, support beams, and ceiling underwent decontamination to ensure the preliminary cleanup goals were met. Decontamination consisted of gross removal of filter cake, if applicable, as well as power washing and treatment with Less than Ten™ cleaner (or equivalent). Water was directed to the sumps and treated while portions of the water treatment process equipment was still operational. After the process treatment equipment was taken offline, water was collected and treated as described above. Power was disconnected from Area D prior to final washing of the floors and walls, and temporary power was set up for final decontamination activities. Once the cleaning and decontamination process was completed, wipe samples were collected to determine if the walls, support beams, and ceiling achieved the PCB decontamination goals. Wipe sample results for walls, support beams, and ceiling were evaluated after each round of sampling, and if any areas failed, the locations were recleaned and resampled until the cleanup goals were achieved. A more thorough discussion of the walls, support beams, floors and ceiling sampling is described in the Dewatering Plant Remedy Implementation Overview Section below.

### **Support Facility Walls**

Walls in the support facility were cleaned using a combination of Less than Ten™ cleaner (or equivalent) and water. Based on the baseline sampling conducted in March 2019, PCBs were not expected to be present in the support area, however, six (6) wall wipe samples were collected randomly from 5 percent of the total exposed wall area.

### **Production Floors**

Gross contamination on the production floor was swept and cleaned, followed by power washing with Less than Ten™ cleaner (or equivalent). Water used in cleaning the floor was collected and disposed of as described above. Floor drains were flushed and/or pumped out after gross decontamination was removed. Once the production floor and floor drains were cleaned, the underlying concrete was sampled to determine if there were any PCB concentrations exceeding the respective PCB remediation goal. Samples were collected following the EPA Region standard operating procedure (SOP) for Sampling Porous Surfaces for PCBs, included in Attachment B of the D&D Plan. The epoxy cover for the entire production floor was removed based on the results of the epoxy and underlying concrete sampling. A more thorough discussion of the concrete floor sampling is described in the Dewatering Plant Remedy Implementation Overview Section below.

### **Support Facility Floors**

The floors in the support facility were cleaned with a Less than Ten™ cleaner (or equivalent) mix; based on crew decontamination protocols, contamination was not anticipated in these areas, therefore, one wipe sample was collected every 100 square feet, with approximately 24 wipe samples collected on the floor of the support building.

### **Utilities**

Based on discussions with the City of New Bedford on July 11, 2019, the remaining conduit stayed in place and was washed and decontaminated along with the wall and beams. Cable trays and wiring associated with the process equipment was removed and disposed of. Wipe sampling of the conduit and wire in any open conduit trays occurred concurrently with the wall and beam sampling. The wipe sample results for the conduit is tabulated and reported with the wall and beam sample results.

The existing lighting fixtures (50 units) in the production area were removed, decontaminated, and disposed of as Universal Waste. The City of New Bedford provided information on replacement light requirements, and new lighting was installed by a licensed electrician. An electrical installation plan was approved prior to the installation of new lighting fixtures.

The existing gas heaters (11), window vents (15), exhaust fans on the roof (8), and exhaust systems and louvers on the walls were removed, decontaminated and disposed of as Universal Waste. Any openings in the walls and ceiling created by the removal of the HVAC systems were boarded up to prevent water intrusion. Any electrical services to the units were capped and left in place for future use.

The existing fire suppression board was dismantled and removed, and the panel upgraded for future system installation by the subsequent building tenants. The fire suppression piping infrastructure within the building was decontaminated and tested as described in the above sections.



## Dewatering Plant Remedy Implementation

Per the D&D Plan (Jacobs, 2019) and subsequent revisions and agreements between Jacobs, the USACE, and the EPA, Jacobs collected wipe samples and floor concrete core samples at the Area D Dewatering Building located at 40 Hervey Tichon Avenue, New Bedford, Massachusetts to ensure that the building met the decontamination measures as part of the NBHSS demobilization effort. Both wipe samples and floor samples were analyzed for PCBs as Aroclors using EPA Method SW-846/8082A.

The data was validated based on the QC requirements of the analytical methods, the NBHSS Quality Assurance Project Plan (Jacobs, 2018), and the Department of Defense Quality Systems Manual (DoDQSM) Version 5.3 data validation guidelines. The data validation was focused primarily on the following components of the data: holding time and preservation compliance, adequacy of reporting limits, blank contamination, surrogate recoveries, laboratory control sample (LCS)/laboratory control sample duplicate (LCSD) results, and relative percent difference (RPD) of concentrations of detected Aroclors on the two columns, per method SW-846/8082A.

This report is arranged by sampling area, and within each area data quality is discussed as well as any potential impacts to the data from data quality outliers. Data qualifiers are summarized below:

U – The analyte was non-detect at the reporting limit.

J – The analyte was detected; however, the associated result is considered an estimate. In addition to qualifications from data quality outliers, results between the reporting limit and the detection limit are also qualified as estimated.

UJ – The analyte was not detected above the reporting limit; however, the reporting limit is considered an estimate due to one or more data quality outliers.

B – The analyte was detected at less than 10 times the associated method blank concentration. The results may be a false positive or biased high.

In summary, as a result of the validation of this data, it was determined that all data associated with the Area D sampling effort are usable as qualified. There was no rejected data, and completeness was found to be 100% for all data.

## Wall and Ceiling Samples

Following decontamination efforts, wipe samples were collected on the wall and ceiling panels and the wall and ceiling beams and girts to determine if decontamination efforts were successful. Wipe samples were collected as either individual samples or as composite samples of up to three locations per composite sample. Composite samples were collected at locations on similar surfaces; i.e., panel samples were not composited with beam and girt samples. If the results of any of the individual or composite samples were greater than 10 µg/Wipe, the area was recleaned and resampled. It should be noted that when composite samples failed, the locations were resampled individually and not as composite samples. A total of 1,404 samples (both individual and composite) were collected, and 343 additional samples were collected after recleaning in locations where the original results were greater than 10 µg/Wipe limit. The resample results exceeded the 10 µg/Wipe limit at 6 ceiling beam and girt locations. Those locations were cleaned a second time, and resampled, with the ensuing results less than the 10 µg/Wipe limit. The wall and ceiling sample locations are summarized below in Table 1.

Table 1 Wipe Sample Locations

Wall	Locations				
	Wall Panel	Cleaning and Reanalysis	Beams and Girts	Cleaning and Reanalysis	Additional Cleaning and Reanalysis
A	18	-	75	-	-
B	42	-	186	24	-
C	46	-	171	26	-
D	31	-	92	46	-
E	32	-	139	60	-
F	11	-	47	12	-
G	34	-	137	60	-
H	12	-	-	-	-
I	32	-	-	-	-
Support Building	3	-	-	-	-
Stand Alone Beams	-	-	48	42	-
Ceiling Panels	119	2	-	-	-
Ceiling Beams	-	-	129	71	6

A summary of the wipe samples that were collected is included in Attachment 1, results for all wall and ceiling wipe samples are included in Attachment 2, results for just the initial wall and ceiling wipe samples are included in Attachment 3, final resample wipe results are included in Attachment 4, and a summary of all resample wipe results are included in Attachment 4A.

### Wall and Ceiling Sample Data Quality

#### Hold Times

All samples were extracted within 14 days of sample collection, and all sample extracts were analyzed within 40 days of extraction. No qualification of the data was required based on hold times.

#### LCS/LCSD Recoveries

LCS and LCSD recoveries were acceptable; qualification of the data based on LCS/LCSD recoveries was not required.

## Surrogate Recoveries

Surrogate compounds are added to each sample during the extraction process to evaluate extraction efficiency. Several samples had surrogate recoveries on one or both columns greater than their respective upper control limits. Detected results in the impacted samples were qualified as estimated, and are summarized in Table 2, below.

Table 2 - Results Qualified Due to High Surrogate Recoveries

Location	Sample ID	Analyte	Result	Qualifier	Units
ABG034	ABG034-041520	PCB-1242 (AROCLOR 1242)	0.61	J	µg/WIPE
ABG034	ABG034-041520	PCB-1254 (AROCLOR 1254)	0.21	J	µg/WIPE
BBG059-060	BBG059-060-042120-COMP	PCB-1242 (AROCLOR 1242)	4.9	J	µg/WIPE
BBG059-060	BBG059-060-042120-COMP	PCB-1254 (AROCLOR 1254)	1.6	J	µg/WIPE
BBG131	BBG131-042220	PCB-1242 (AROCLOR 1242)	1.4	J	µg/WIPE
BBG131	BBG131-042220	PCB-1254 (AROCLOR 1254)	0.57	J	µg/WIPE
BBG166-167	BBG166-167-042220-COMP	PCB-1242 (AROCLOR 1242)	5.6	J	µg/WIPE
BBG166-167	BBG166-167-042220-COMP	PCB-1254 (AROCLOR 1254)	2.3	J	µg/WIPE
BBG168	BBG168-042220	PCB-1242 (AROCLOR 1242)	1.4	J	µg/WIPE
BBG168	BBG168-042220	PCB-1254 (AROCLOR 1254)	0.55	J	µg/WIPE
BBG184	BBG184-042220	PCB-1242 (AROCLOR 1242)	6.8	J	µg/WIPE
BBG184	BBG184-042220	PCB-1254 (AROCLOR 1254)	3.1	J	µg/WIPE
BBG185	BBG185-042220	PCB-1242 (AROCLOR 1242)	6.4	J	µg/WIPE
BBG185	BBG185-042220	PCB-1254 (AROCLOR 1254)	2.7	J	µg/WIPE
BBG186	BBG186-042220	PCB-1242 (AROCLOR 1242)	5	J	µg/WIPE
BBG186	BBG186-042220	PCB-1254 (AROCLOR 1254)	2.2	J	µg/WIPE
BW027	BW027-042220	PCB-1242 (AROCLOR 1242)	0.49	J	µg/WIPE
BW027	BW027-042220	PCB-1254 (AROCLOR 1254)	0.17	J	µg/WIPE
CBG152-154-155	CBG152-154-155-043020-COM	PCB-1242 (AROCLOR 1242)	6.6	J	µg/WIPE
CBG152-154-155	CBG152-154-155-043020-COM	PCB-1254 (AROCLOR 1254)	2.6	J	µg/WIPE
DW011-012-013	DW011-012-013-050820-COMP	PCB-1242 (AROCLOR 1242)	0.19	J	µg/WIPE
FBG022R	FBG022R-062920	PCB-1242 (AROCLOR 1242)	2	J	µg/WIPE
FBG022R	FBG022R-062920	PCB-1254 (AROCLOR 1254)	0.62	J	µg/WIPE
GBG026R	GBG026R-062920	PCB-1242 (AROCLOR 1242)	3	J	µg/WIPE
GBG026R	GBG026R-062920	PCB-1254 (AROCLOR 1254)	0.97	J	µg/WIPE
GBG089R	GBG089R-062920	PCB-1242 (AROCLOR 1242)	2.3	J	µg/WIPE
GBG089R	GBG089R-062920	PCB-1254 (AROCLOR 1254)	0.63	J	µg/WIPE
SAB010-011-012	SAB010-011-012-051420-COM	PCB-1242 (AROCLOR 1242)	16	J	µg/WIPE
SAB010-011-012	SAB010-011-012-051420-COM	PCB-1254 (AROCLOR 1254)	5.8	J	µg/WIPE

Notes:

J = estimated value

µg/WIPE = micrograms per wipe

Additionally, surrogate recoveries in four samples were less than their respective limits on one or more columns, and both the detected and non-detect results were qualified as estimated (coded "J" and "UJ", respectively). These results are summarized in Table 3, below.

Table 3 - Results Qualified Due to Low Surrogate Recoveries

Location	Sample ID	Analyte	Result	Qualifier	Units
CL083BR	CL083BR-061720	PCB-1016 (AROCLOR 1016)	ND	UJ	µg/WIPE
CL083BR	CL083BR-061720	PCB-1221 (AROCLOR 1221)	ND	UJ	µg/WIPE
CL083BR	CL083BR-061720	PCB-1232 (AROCLOR 1232)	ND	UJ	µg/WIPE
CL083BR	CL083BR-061720	PCB-1242 (AROCLOR 1242)	4	J	µg/WIPE
CL083BR	CL083BR-061720	PCB-1248 (AROCLOR 1248)	ND	UJ	µg/WIPE
CL083BR	CL083BR-061720	PCB-1254 (AROCLOR 1254)	1.2	J	µg/WIPE
CL083BR	CL083BR-061720	PCB-1260 (AROCLOR 1260)	ND	UJ	µg/WIPE
CL235BR	CL235BR-061920	PCB-1016 (AROCLOR 1016)	ND	UJ	µg/WIPE
CL235BR	CL235BR-061920	PCB-1221 (AROCLOR 1221)	ND	UJ	µg/WIPE
CL235BR	CL235BR-061920	PCB-1232 (AROCLOR 1232)	ND	UJ	µg/WIPE
CL235BR	CL235BR-061920	PCB-1242 (AROCLOR 1242)	3.9	J	µg/WIPE
CL235BR	CL235BR-061920	PCB-1248 (AROCLOR 1248)	ND	UJ	µg/WIPE
CL235BR	CL235BR-061920	PCB-1254 (AROCLOR 1254)	1.3	J	µg/WIPE
CL235BR	CL235BR-061920	PCB-1260 (AROCLOR 1260)	ND	UJ	µg/WIPE
EBG052-053	EBG052-053-051120-COMP	PCB-1016 (AROCLOR 1016)	ND	UJ	µg/WIPE
EBG052-053	EBG052-053-051120-COMP	PCB-1221 (AROCLOR 1221)	ND	UJ	µg/WIPE
EBG052-053	EBG052-053-051120-COMP	PCB-1232 (AROCLOR 1232)	ND	UJ	µg/WIPE
EBG052-053	EBG052-053-051120-COMP	PCB-1242 (AROCLOR 1242)	0.97	J	µg/WIPE
EBG052-053	EBG052-053-051120-COMP	PCB-1248 (AROCLOR 1248)	ND	UJ	µg/WIPE
EBG052-053	EBG052-053-051120-COMP	PCB-1254 (AROCLOR 1254)	0.29	J	µg/WIPE
EBG052-053	EBG052-053-051120-COMP	PCB-1260 (AROCLOR 1260)	ND	UJ	µg/WIPE
GBG023R	GBG023R-062920	PCB-1016 (AROCLOR 1016)	ND	UJ	µg/WIPE
GBG023R	GBG023R-062920	PCB-1221 (AROCLOR 1221)	ND	UJ	µg/WIPE
GBG023R	GBG023R-062920	PCB-1232 (AROCLOR 1232)	ND	UJ	µg/WIPE
GBG023R	GBG023R-062920	PCB-1242 (AROCLOR 1242)	0.83	J	µg/WIPE
GBG023R	GBG023R-062920	PCB-1248 (AROCLOR 1248)	ND	UJ	µg/WIPE
GBG023R	GBG023R-062920	PCB-1254 (AROCLOR 1254)	0.41	J	µg/WIPE
GBG023R	GBG023R-062920	PCB-1260 (AROCLOR 1260)	ND	UJ	µg/WIPE

Notes:

J = estimated value

µg/WIPE = microgram per wipe

ND = non-detect

UJ = estimated non-detect

The usability of the results is not impacted by the surrogate outliers. The high surrogate recoveries may indicate high bias or double spiking of surrogate compounds. Regardless, even if the results were biased high, they are still below the action limit, with the exception of sample SAB010-011-012, where the concentration was well above the action limit and would likely have been above the limit regardless of any potential high bias.

The low surrogate recoveries may indicate a slightly low bias, but the detected results are well below the action limit, and any low bias would not artificially lower the results below the action level.

### Blank Contamination

Aroclor 1242 and Aroclor 1254 were detected in one method blank at 0.26 µg/Wipe and 0.1 µg/Wipe, respectively. Aroclor 1242 and Aroclor 1254 detected in associated samples at concentrations less than 10 times the respective method blank value have been qualified with a "B", and the results may be biased high or be a false positive. Impacted samples are summarized in the table below.

Table 4 - Results Qualified Due to Method Blank Detections

Location	Sample ID	Analyte	Result	Qualifier	Units
CL002-004-006	CL002-004-006-051520-COMP	PCB-1242 (AROCLOR 1242)	0.47	B	µg/WIPE
CL002-004-006	CL002-004-006-051520-COMP	PCB-1254 (AROCLOR 1254)	0.18	J,B	µg/WIPE
CL008-010-012	CL008-010-012-051520-COMP	PCB-1242 (AROCLOR 1242)	1.3	B	µg/WIPE
CL008-010-012	CL008-010-012-051520-COMP	PCB-1254 (AROCLOR 1254)	0.65	B	µg/WIPE
CL014-016-018	CL014-016-018-051520-COMP	PCB-1242 (AROCLOR 1242)	0.94	B	µg/WIPE
CL014-016-018	CL014-016-018-051520-COMP	PCB-1254 (AROCLOR 1254)	0.39	B	µg/WIPE
CL020-022-024	CL020-022-024-051520-COMP	PCB-1242 (AROCLOR 1242)	0.21	J,B	µg/WIPE
CL026-028-030	CL026-028-030-051520-COMP	PCB-1242 (AROCLOR 1242)	0.46	B	µg/WIPE
CL026-028-030	CL026-028-030-051520-COMP	PCB-1254 (AROCLOR 1254)	0.22	J,B	µg/WIPE

Notes:

B = detected in associated method blank

J,B = estimated value, detected in associated method blank

µg/WIPE = micrograms per wipe

The impact of the blank contamination is minimal due to the fact that none of the detected results exceeded the 10 µg/Wipe action level. Therefore, any potential false positive or high bias impact on results did not lead to an artificial exceedance of the action level.

### Second Column Verification

Per the SW846/8082A analytical method, positive detects of Aroclors must be verified on two separate columns with different polarity in order to be considered positive detects. If the RPD between the results on the two columns exceeds 40 percent, the reported result is qualified as estimated. The following results, summarized in Table 5, were qualified as estimated due to the RPD exceeding 40 percent for detected Aroclors.

Table 5 - Results Qualified Due to Second Column RPD Exceedances

Location	Sample ID	Analyte	Result	Qual	Units
CBG044-045	CBG044-045-042320-COMP	PCB-1254 (AROCLOR 1254)	2.6	J	µg/WIPE
CBG062-049-063	CBG062-049-063-042420-COM	PCB-1254 (AROCLOR 1254)	2.2	J	µg/WIPE
CBG100	CBG100-042920	PCB-1254 (AROCLOR 1254)	0.57	J	µg/WIPE
CW030	CW030-042920	PCB-1242 (AROCLOR 1242)	0.18	J	µg/WIPE
CW031	CW031-042820	PCB-1242 (AROCLOR 1242)	0.17	J	µg/WIPE
CW035	CW035-042820	PCB-1242 (AROCLOR 1242)	0.21	J	µg/WIPE
DW004	DW004-042820	PCB-1254 (AROCLOR 1254)	0.24	J	µg/WIPE
DW025	DW025-042920	PCB-1254 (AROCLOR 1254)	0.18	J	µg/WIPE
GBG015-016	GBG015-016-051320-COMP	PCB-1254 (AROCLOR 1254)	2	J	µg/WIPE
GBG017	GBG017-051320	PCB-1254 (AROCLOR 1254)	0.49	J	µg/WIPE
GBG035-036	GBG035-036-051320-COMP	PCB-1254 (AROCLOR 1254)	1.2	J	µg/WIPE
GBG037-038	GBG037-038-051320-COMP	PCB-1254 (AROCLOR 1254)	0.54	J	µg/WIPE
GW006-007-008	GW006-007-008-051320-COMP	PCB-1254 (AROCLOR 1254)	0.2	J	µg/WIPE

Notes:

J = estimated value

ug/WIPE = micrograms per wipe

The high RPDs are likely due to non-PCB related interferences in the sample matrix. The impact of the high RPD values is minimal as none of the impacted results exceed the 10 µg/Wipe action level, and the reported detected results were well below any margin of error that would lead to an artificially high value being reported above the action level.

### Wall and Ceiling Sample Data Quality Summary

The wipe samples collected on the walls and ceilings met the project data quality objectives (DQOs) with a few minor QC outliers listed in the discussion and tables above. No data was rejected, and the reported results can be used for decision making without further qualification.

## Floor Samples

Following decontamination efforts, concrete core floor samples were collected in the main Area D building, and wipe samples were collected on the floor of the support building to determine if decontamination efforts were successful. Concrete core samples were collected from 0 – 0.5 inch, 0.5 – 1 inch, 1.0 – 1.5 inch, and 1.5 – 2.0 inch intervals, with only the initial 0 – 0.5 inch interval initially being analyzed to determine if there were any PCB concentrations above the action level. Since all the initial analyses were below the action level, the deeper intervals were not analyzed.

Initially 30 concrete floor core samples were collected prior to removal of the epoxy from the floor. The epoxy layer was scraped aside prior to sampling. The initial results indicated that the underlying concrete was not impacted by PCBs at concentrations above the action level in the shallow interval. Prior to collection of the rest of the concrete core samples, the epoxy layer was removed via scouring in all areas except the large sump and two smaller sumps. Concrete core samples were collected in the sumps after the epoxy layer had been scraped off by hand. Per direction from the EPA, and based on the results from the initial thirty samples, the total number of concrete core samples that were required were reduced from the original D&D Plan (Jacobs 2019). In addition to the concrete core samples, wipe samples were also collected on the support building floor per the D&D Plan (Jacobs 2019). The collected floor sample locations are summarized in Table 6, below.

Table 6 - Floor Sample Summary

Sample Type	Locations
Concrete Floor Core Sample	84
Sump Concrete Core Sample	18
Support Building Floor Wipe Sample	24

A summary of the floor sample locations is included in Attachment 5, results for all the floor samples are included in Attachment 6, results for just the concrete floor core wipe samples are included in Attachment 7, results for just the sump concrete core locations are included in Attachment 8, and the results for just the Support Building Wipe Samples are included in Attachment 9.

## Floor Sample Data Quality

### Hold Times

All samples were extracted within 14 days of sample collection, and all sample extracts were analyzed within 40 days of extraction. No qualification of the data was required based on hold times.

### LCS/LCSD Recoveries

LCS and LCSD recoveries were acceptable; qualification of the data based on LCS/LCSD recoveries was not required.

## Surrogate Recoveries

Surrogate compounds are added to each sample during the extraction process to evaluate extraction efficiency. Surrogate recoveries on concrete core sample were less than their respective limits on one or more columns, and the non-detect results were qualified as estimated (coded "UJ"). These results are summarized in Table 7, below.

Table 7 - Results Qualified Due to Low Surrogate Recoveries

Location	Sample ID	Analyte	Result	Qualifier	Units
E5	E5-01-00-05-033120	PCB-1016 (AROCLOR 1016)	ND	UJ	mg/Kg
E5	E5-01-00-05-033120	PCB-1221 (AROCLOR 1221)	ND	UJ	mg/Kg
E5	E5-01-00-05-033120	PCB-1232 (AROCLOR 1232)	ND	UJ	mg/Kg
E5	E5-01-00-05-033120	PCB-1242 (AROCLOR 1242)	ND	UJ	mg/Kg
E5	E5-01-00-05-033120	PCB-1248 (AROCLOR 1248)	ND	UJ	mg/Kg
E5	E5-01-00-05-033120	PCB-1254 (AROCLOR 1254)	ND	UJ	mg/Kg
E5	E5-01-00-05-033120	PCB-1260 (AROCLOR 1260)	ND	UJ	mg/Kg

Notes:

mg/Kg = milligrams per kilogram

ND = non-detect

UJ = estimated non-detect

The low surrogate recoveries may indicate a slightly low bias, and any low bias would not artificially lower the results below the action level.

## Blank Contamination

Aroclors were not detected in method blanks associated with the floor samples; qualifications were not required.

## Second Column Verification

Per the SW846/8082A analytical method, positive detects of Aroclors must be verified on two separate columns with different polarity in order to be considered positive detects. If the RPD between the results on the two columns exceeds 40 percent, the reported result is qualified as estimated. The following result, summarized in Table 8, was qualified as estimated due to the RPD exceeding 40 percent for detected Aroclor.

Table 8 - Results Qualified Due to Second Column RPD Exceedances

Location	Sample ID	Analyte	Result	Qualifier	Units
E3	E3-01-00-05-033120	PCB-1242 (AROCLOR 1242)	0.092	J	mg/Kg

Notes:

J = estimated value

mg/Kg = milligrams per kilogram

The high RPD value is likely due to non-PCB related interferences in the sample matrix. The impact of the high RPD value is minimal as the impacted result does not exceed the action limit, and the reported detected result was well below any margin of error that would lead to an artificially high value being reported above the action level.



### **Floor Sample Data Quality Summary**

The floor samples met the project data quality objectives DQOs with a few minor QC outliers listed in the discussion and tables above. No data was rejected, and the reported results can be used for decision making without further qualification.

### **Overall Data Quality Summary**

The reporting limits were much less than either the wipe sample or concrete core sample action levels in all of the samples. No data was rejected, and the data generated is valid and may be used with confidence for decision making without further qualification.

## **Final Inspection**

The remedial actions identified to address the decontamination of the dewatering plant remedial activities have been completed at the Site and PCB decontamination standards for the remedy using the relevant and appropriate standards, 40 CFR § 761.61(a) Self-Implementing On-Site Cleanup and Disposal of PCB Remediation Waste, and 40 CFR § 761.61(c) Risk-Based Disposal Option stated in the Draft-Final Area C Desanding Building and Area D Decommissioning and Decontamination Plan have been achieved. This RA report describes the completion of the NBHSS Decontamination of the Dewatering Plant with regard to Operable Unit 1. This does not represent the closeout of construction for the entirety of Operable Unit 1. An inspection was conducted by the City of New Bedford, the USACE, and EPA on November 17, 2020 and no issues were discovered. On December 14, 2020, a letter to the Executive Director of the New Bedford Harbor Development Commission was signed, finalizing the termination of EPA need for access to property for the NBHSS remedy. This letter informed the New Bedford Harbor Development Commission that as of December 31st, 2020 EPA would be ceasing all Superfund operations on the subject properties and will no longer require access under the City's Access Agreement. EPA has completed decontamination of PCBs from the building present on Lot 284 under the standards of CERCLA and the Toxic Substances Control Act (TSCA), 15 U.S.C. § 2601 et seq., so that future unrestricted use of the building, as defined by TSCA, will not pose an unreasonable risk of injury to health or the environment in accordance with TSCA regulatory requirements at 40 C.F.R. §761.61(c).

## References

Jacobs Engineering (Jacobs), 2018. New Bedford Harbor Superfund Site Draft-Final Quality Assurance Project Plan. January 2018.

Jacobs Engineering (Jacobs), 2019. Draft-Final Area C Desanding Building and Area D Decommissioning and Decontamination Plan. November 2019.

Tetra Tech Foster Wheeler Inc. (TTFW), 2005. After Action Report for North Lobe Dredging, OU1, New Bedford Harbor Superfund Site. August 2005.

U. S. Environmental Protection Agency (EPA), 2001. Explanation of Significant Differences for the Upper and Lower Harbor Operable Unit, New Bedford Harbor Superfund Site, New Bedford, MA. September 2001.

U. S. Environmental Protection Agency (EPA), 2002. Explanation of Significant Differences for the Upper and Lower Harbor Operable Unit, New Bedford Harbor Superfund Site, New Bedford, MA. August 2002.

# Attachments

# Attachment 1

Attachment 1 - Total Wipe Samples

Location	Date Sampled	Control No	Sample ID	Sample Type
ABG001	4/15/2020	DD-D001101	ABG001-041520	Beams and Girts
ABG002	4/15/2020	DD-D001102	ABG002-041520	Beams and Girts
ABG003	4/15/2020	DD-D001103	ABG003-041520	Beams and Girts
ABG004	4/15/2020	DD-D001104	ABG004-041520	Beams and Girts
ABG005	4/15/2020	DD-D001105	ABG005-041520	Beams and Girts
ABG006	4/15/2020	DD-D001106	ABG006-041520	Beams and Girts
ABG007	4/15/2020	DD-D001107	ABG007-041520	Beams and Girts
ABG008	4/15/2020	DD-D001108	ABG008-041520	Beams and Girts
ABG009	4/15/2020	DD-D001109	ABG009-041520	Beams and Girts
ABG010	4/15/2020	DD-D001110	ABG010-041520	Beams and Girts
ABG011	4/15/2020	DD-D001201	ABG011-041520	Beams and Girts
ABG012	4/15/2020	DD-D001202	ABG012-041520	Beams and Girts
ABG013	4/15/2020	DD-D001203	ABG013-041520	Beams and Girts
ABG014	4/15/2020	DD-D001204	ABG014-041520	Beams and Girts
ABG015	4/15/2020	DD-D001205	ABG015-041520	Beams and Girts
ABG016	4/15/2020	DD-D001206	ABG016-041520	Beams and Girts
ABG017	4/15/2020	DD-D001207	ABG017-041520	Beams and Girts
ABG018	4/15/2020	DD-D001208	ABG018-041520	Beams and Girts
ABG019	4/15/2020	DD-D001209	ABG019-041520	Beams and Girts
ABG020	4/15/2020	DD-D001210	ABG020-041520	Beams and Girts
ABG021	4/15/2020	DD-D001301	ABG021-041520	Beams and Girts
ABG022	4/15/2020	DD-D001302	ABG022-041520	Beams and Girts
ABG023	4/15/2020	DD-D001303	ABG023-041520	Beams and Girts
ABG024	4/15/2020	DD-D001304	ABG024-041520	Beams and Girts
ABG025	4/15/2020	DD-D001305	ABG025-041520	Beams and Girts
ABG026	4/15/2020	DD-D001306	ABG026-041520	Beams and Girts
ABG027	4/15/2020	DD-D001307	ABG027-041520	Beams and Girts
ABG028	4/15/2020	DD-D001308	ABG028-041520	Beams and Girts
ABG029	4/15/2020	DD-D001309	ABG029-041520	Beams and Girts
ABG030	4/15/2020	DD-D001310	ABG030-041520	Beams and Girts
ABG031	4/15/2020	DD-D001401	ABG031-041520	Beams and Girts
ABG032	4/15/2020	DD-D001402	ABG032-041520	Beams and Girts
ABG033	4/15/2020	DD-D001403	ABG033-041520	Beams and Girts
ABG034	4/15/2020	DD-D001404	ABG034-041520	Beams and Girts
ABG035	4/15/2020	DD-D001405	ABG035-041520	Beams and Girts
ABG036	4/15/2020	DD-D001406	ABG036-041520	Beams and Girts
ABG037	4/15/2020	DD-D001407	ABG037-041520	Beams and Girts
ABG038	4/15/2020	DD-D001408	ABG038-041520	Beams and Girts
ABG039	4/15/2020	DD-D001409	ABG039-041520	Beams and Girts
ABG040	4/15/2020	DD-D001410	ABG040-041520	Beams and Girts
ABG041	4/15/2020	DD-D001501	ABG041-041520	Beams and Girts
ABG042	4/15/2020	DD-D001502	ABG042-041520	Beams and Girts
ABG043	4/15/2020	DD-D001503	ABG043-041520	Beams and Girts
ABG044	4/15/2020	DD-D001504	ABG044-041520	Beams and Girts
ABG045	4/15/2020	DD-D001505	ABG045-041520	Beams and Girts
ABG046	4/15/2020	DD-D001506	ABG046-041520	Beams and Girts
ABG047	4/15/2020	DD-D001507	ABG047-041520	Beams and Girts
ABG048	4/15/2020	DD-D001508	ABG048-041520	Beams and Girts
ABG049	4/15/2020	DD-D001509	ABG049-041520	Beams and Girts
ABG050	4/15/2020	DD-D001510	ABG050-041520	Beams and Girts
ABG051	4/15/2020	DD-D001601	ABG051-041520	Beams and Girts
ABG052	4/15/2020	DD-D001602	ABG052-041520	Beams and Girts

Attachment 1 - Total Wipe Samples

Location	Date Sampled	Control No	Sample ID	Sample Type
ABG053	4/15/2020	DD-D001603	ABG053-041520	Beams and Girts
ABG054	4/15/2020	DD-D001604	ABG054-041520	Beams and Girts
ABG055	4/15/2020	DD-D001605	ABG055-041520	Beams and Girts
ABG056	4/15/2020	DD-D001606	ABG056-041520	Beams and Girts
ABG057	4/15/2020	DD-D001607	ABG057-041520	Beams and Girts
ABG058	4/15/2020	DD-D001608	ABG058-041520	Beams and Girts
ABG059	4/15/2020	DD-D001609	ABG059-041520	Beams and Girts
ABG060	4/15/2020	DD-D001610	ABG060-041520	Beams and Girts
ABG061	4/15/2020	DD-D001701	ABG061-041520	Beams and Girts
ABG062	4/15/2020	DD-D001702	ABG062-041520	Beams and Girts
ABG063	4/15/2020	DD-D001703	ABG063-041520	Beams and Girts
ABG064	4/15/2020	DD-D001704	ABG064-041520	Beams and Girts
ABG065	4/15/2020	DD-D001705	ABG065-041520	Beams and Girts
ABG066	4/15/2020	DD-D001706	ABG066-041520	Beams and Girts
ABG067	4/15/2020	DD-D001707	ABG067-041520	Beams and Girts
ABG068	4/15/2020	DD-D001708	ABG068-041520	Beams and Girts
ABG069	4/15/2020	DD-D001709	ABG069-041520	Beams and Girts
ABG070	4/15/2020	DD-D001710	ABG070-041520	Beams and Girts
ABG071	4/15/2020	DD-D001801	ABG071-041520	Beams and Girts
ABG072	4/15/2020	DD-D001802	ABG072-041520	Beams and Girts
ABG073	4/15/2020	DD-D001803	ABG073-041520	Beams and Girts
ABG074	4/15/2020	DD-D001804	ABG074-041520	Beams and Girts
ABG075	4/15/2020	DD-D001805	ABG075-041520	Beams and Girts
AW001	4/15/2020	DD-D000101	AW001-041520	Wall Panels
AW002	4/15/2020	DD-D000102	AW002-041520	Wall Panels
AW003	4/15/2020	DD-D000103	AW003-041520	Wall Panels
AW004	4/15/2020	DD-D000104	AW004-041520	Wall Panels
AW005	4/15/2020	DD-D000105	AW005-041520	Wall Panels
AW006	4/15/2020	DD-D000106	AW006-041520	Wall Panels
AW007	4/15/2020	DD-D000107	AW007-041520	Wall Panels
AW008	4/15/2020	DD-D000108	AW008-041520	Wall Panels
AW009	4/15/2020	DD-D000109	AW009-041520	Wall Panels
AW010	4/15/2020	DD-D000110	AW010-041520	Wall Panels
AW011	4/15/2020	DD-D000201	AW011-041520	Wall Panels
AW012	4/15/2020	DD-D000202	AW012-041520	Wall Panels
AW013	4/15/2020	DD-D000203	AW013-041520	Wall Panels
AW014	4/15/2020	DD-D000204	AW014-041520	Wall Panels
AW015	4/15/2020	DD-D000205	AW015-041520	Wall Panels
AW016	4/15/2020	DD-D000206	AW016-041520	Wall Panels
AW017	4/15/2020	DD-D000207	AW017-041520	Wall Panels
AW018	4/15/2020	DD-D000208	AW018-041520	Wall Panels
BBG001	4/16/2020	DD-D002401	BBG001-041620	Beams and Girts
BBG002-004	4/16/2020	DD-D002402	BBG002-004-041620-COMP	Beams and Girts
BBG003	4/16/2020	DD-D002403	BBG003-041620	Beams and Girts
BBG005	4/16/2020	DD-D002405	BBG005-041620	Beams and Girts
BBG006	4/16/2020	DD-D002406	BBG006-041620	Beams and Girts
BBG007-008	4/16/2020	DD-D002407	BBG007-008-041620-COMP	Beams and Girts
BBG009	4/16/2020	DD-D002409	BBG009-041620	Beams and Girts
BBG010	4/16/2020	DD-D002410	BBG010-041620	Beams and Girts
BBG011	4/16/2020	DD-D002501	BBG011-041620	Beams and Girts
BBG012	4/16/2020	DD-D002502	BBG012-041620	Beams and Girts
BBG013	4/16/2020	DD-D002503	BBG013-041620	Beams and Girts

Attachment 1 - Total Wipe Samples

Location	Date Sampled	Control No	Sample ID	Sample Type
BBG014-015	4/16/2020	DD-D002504	BBG014-015-041620-COMP	Beams and Girts
BBG016	4/16/2020	DD-D002506	BBG010-041620	Beams and Girts
BBG017	4/16/2020	DD-D002507	BBG010-041620	Beams and Girts
BBG018	4/16/2020	DD-D002508	BBG010-041620	Beams and Girts
BBG019	4/16/2020	DD-D002509	BBG010-041620	Beams and Girts
BBG020	4/16/2020	DD-D002510	BBG010-041620	Beams and Girts
BBG021	4/16/2020	DD-D002601	BBG021-041620	Beams and Girts
BBG022-023	4/16/2020	DD-D002602	BBG022-023-041620-COMP	Beams and Girts
BBG024-025	4/16/2020	DD-D002604	BBG024-025-041620-COMP	Beams and Girts
BBG026	4/21/2020	DD-D002606	BBG026-042120	Beams and Girts
BBG027	4/16/2020	DD-D002607	BBG027-041620	Beams and Girts
BBG028-029	4/21/2020	DD-D002608	BBG028-29-042120-COMP	Beams and Girts
BBG030	4/21/2020	DD-D002610	BBG030-042120	Beams and Girts
BBG031	4/21/2020	DD-D002701	BBG031-042120	Beams and Girts
BBG032	4/21/2020	DD-D002702	BBG032-042120	Beams and Girts
BBG033-034	4/21/2020	DD-D002703	BBG033-034-042120-COMP	Beams and Girts
BBG035	4/21/2020	DD-D002705	BBG035-042120	Beams and Girts
BBG036	4/21/2020	DD-D002706	BBG036-042120	Beams and Girts
BBG037	4/21/2020	DD-D002707	BBG037-042120	Beams and Girts
BBG038	4/21/2020	DD-D002708	BBG038-042120	Beams and Girts
BBG039	4/21/2020	DD-D002709	BBG039-042120	Beams and Girts
BBG040	4/21/2020	DD-D002710	BBG040-042120	Beams and Girts
BBG041-042	4/21/2020	DD-D002801	BBG041-042-042120-COMP	Beams and Girts
BBG043	4/21/2020	DD-D002803	BBG043-042120	Beams and Girts
BBG044	4/21/2020	DD-D002804	BBG044-042120	Beams and Girts
BBG044R	6/29/2020	DD-D020101	BBG044R-062920	Beams and Girts
BBG045-046	4/21/2020	DD-D002805	BBG045-046-042120-COMP	Beams and Girts
BBG047	4/21/2020	DD-D002807	BBG047-042120	Beams and Girts
BBG048-049	4/21/2020	DD-D002808	BBG048-049-042120-COMP	Beams and Girts
BBG050	4/21/2020	DD-D002810	BBG050-042120	Beams and Girts
BBG051	4/21/2020	DD-D002901	BBG051-042120	Beams and Girts
BBG052	4/21/2020	DD-D002902	BBG052-042120	Beams and Girts
BBG053	4/16/2020	DD-D002903	BBG053-041620	Beams and Girts
BBG054	4/16/2020	DD-D002904	BBG054-041620	Beams and Girts
BBG055	4/16/2020	DD-D002905	BBG055-041620	Beams and Girts
BBG056	4/16/2020	DD-D002906	BBG056-041620	Beams and Girts
BBG057-058	4/21/2020	DD-D002907	BBG057-058-042120-COMP	Beams and Girts
BBG059-060	4/21/2020	DD-D002909	BBG059-060-042120-COMP	Beams and Girts
BBG061	4/21/2020	DD-D003001	BBG061-042120	Beams and Girts
BBG062	4/21/2020	DD-D003002	BBG062-042120	Beams and Girts
BBG063	4/21/2020	DD-D003003	BBG063-042120	Beams and Girts
BBG064	4/21/2020	DD-D003004	BBG064-042120	Beams and Girts
BBG065-066	4/21/2020	DD-D003005	BBG065-066-042120-COMP	Beams and Girts
BBG065R	6/29/2020	DD-D020102	BBG065R-062920	Beams and Girts
BBG066R	6/29/2020	DD-D020103	BBG066R-062920	Beams and Girts
BBG067	4/21/2020	DD-D003007	BBG067-042120	Beams and Girts
BBG068	4/21/2020	DD-D003008	BBG068-042120	Beams and Girts
BBG069	4/21/2020	DD-D003009	BBG069-042120	Beams and Girts
BBG070	4/21/2020	DD-D003010	BBG070-042120	Beams and Girts
BBG071	4/16/2020	DD-D003101	BBG071-041620	Beams and Girts
BBG072	4/16/2020	DD-D003102	BBG072-041620	Beams and Girts
BBG073	4/16/2020	DD-D003103	BBG073-041620	Beams and Girts

Attachment 1 - Total Wipe Samples

Location	Date Sampled	Control No	Sample ID	Sample Type
BBG074	4/21/2020	DD-D003104	BBG074-042120	Beams and Girts
BBG075	4/21/2020	DD-D003105	BBG075-042120	Beams and Girts
BBG076-077	4/21/2020	DD-D003106	BBG076-077-042120-COMP	Beams and Girts
BBG076R	6/29/2020	DD-D020104	BBG076R-062920	Beams and Girts
BBG077R	6/29/2020	DD-D020105	BBG077R-062920	Beams and Girts
BBG078-079	4/21/2020	DD-D003108	BBG078-079-042120-COMP	Beams and Girts
BBG080-081	4/21/2020	DD-D003110	BBG080-081-042120-COMP	Beams and Girts
BBG082	4/21/2020	DD-D003202	BBG082-042120	Beams and Girts
BBG082R	6/29/2020	DD-D020106	BBG082R-062920	Beams and Girts
BBG083	4/21/2020	DD-D003203	BBG083-042120	Beams and Girts
BBG084	4/21/2020	DD-D003204	BBG084-042120	Beams and Girts
BBG085	4/21/2020	DD-D003205	BBG085-042120	Beams and Girts
BBG086	4/21/2020	DD-D003206	BBG086-042120	Beams and Girts
BBG087	4/21/2020	DD-D003207	BBG087-042120	Beams and Girts
BBG088	4/21/2020	DD-D003208	BBG088-042120	Beams and Girts
BBG089-090	4/21/2020	DD-D003209	BBG089-090-042120-COMP	Beams and Girts
BBG091	4/21/2020	DD-D003301	BBG091-042120	Beams and Girts
BBG092	4/22/2020	DD-D003302	BBG092-042220	Beams and Girts
BBG093	4/22/2020	DD-D003303	BBG093-042220	Beams and Girts
BBG094	4/22/2020	DD-D003304	BBG094-042220	Beams and Girts
BBG095-096	4/21/2020	DD-D003305	BBG095-096-042120-COMP	Beams and Girts
BBG095R	6/29/2020	DD-D020107	BBG095R-062920	Beams and Girts
BBG096R	6/29/2020	DD-D020108	BBG096R-062920	Beams and Girts
BBG097	4/21/2020	DD-D003307	BBG097-042120	Beams and Girts
BBG097R	6/29/2020	DD-D020109	BBG097R-062920	Beams and Girts
BBG098	4/21/2020	DD-D003308	BBG098-042120	Beams and Girts
BBG099	4/21/2020	DD-D003309	BBG099-042120	Beams and Girts
BBG100	4/21/2020	DD-D003310	BBG100-042120	Beams and Girts
BBG101	4/21/2020	DD-D003401	BBG101-042120	Beams and Girts
BBG102	4/21/2020	DD-D003402	BBG102-042120	Beams and Girts
BBG103-104	4/21/2020	DD-D003403	BBG103-104-042120-COMP	Beams and Girts
BBG105-107	4/21/2020	DD-D003405	BBG105-107-042120-COMP	Beams and Girts
BBG106	4/21/2020	DD-D003406	BBG106-042120	Beams and Girts
BBG108	4/21/2020	DD-D003408	BBG108-042120	Beams and Girts
BBG109	4/21/2020	DD-D003409	BBG109-042120	Beams and Girts
BBG110-111	4/22/2020	DD-D003410	BBG110-111-042220-COMP	Beams and Girts
BBG112	4/22/2020	DD-D003502	BBG112-042220	Beams and Girts
BBG112R	6/29/2020	DD-D020110	BBG112R-062920	Beams and Girts
BBG113	4/22/2020	DD-D003503	BBG113-042220	Beams and Girts
BBG114	4/22/2020	DD-D003504	BBG114-042220	Beams and Girts
BBG115-116	4/22/2020	DD-D003505	BBG115-116-042220-COMP	Beams and Girts
BBG117	4/22/2020	DD-D003507	BBG117-042220	Beams and Girts
BBG118	4/22/2020	DD-D003508	BBG118-042220	Beams and Girts
BBG119	4/22/2020	DD-D003509	BBG119-042220	Beams and Girts
BBG120	4/22/2020	DD-D003510	BBG120-042220	Beams and Girts
BBG121-122	4/22/2020	DD-D003601	BBG121-122-042220-COMP	Beams and Girts
BBG121R	6/29/2020	DD-D020201	BBG121R-062920	Beams and Girts
BBG122R	6/29/2020	DD-D020202	BBG122R-062920	Beams and Girts
BBG123	4/22/2020	DD-D003603	BBG123-042220	Beams and Girts
BBG124	4/22/2020	DD-D003604	BBG124-042220	Beams and Girts
BBG125-126	4/22/2020	DD-D003605	BBG125-126-042220-COMP	Beams and Girts
BBG127	4/22/2020	DD-D003607	BBG127-042220	Beams and Girts



Attachment 1 - Total Wipe Samples

Location	Date Sampled	Control No	Sample ID	Sample Type
BBG128	4/22/2020	DD-D003608	BBG128-042220	Beams and Girts
BBG129	4/22/2020	DD-D003609	BBG129-042220	Beams and Girts
BBG130	4/22/2020	DD-D003610	BBG130-042220	Beams and Girts
BBG131	4/22/2020	DD-D003701	BBG131-042220	Beams and Girts
BBG132	4/22/2020	DD-D003702	BBG132-042220	Beams and Girts
BBG133	4/22/2020	DD-D003703	BBG133-042220	Beams and Girts
BBG134-135	4/22/2020	DD-D003704	BBG134-135-042220-COMP	Beams and Girts
BBG134R	6/29/2020	DD-D020203	BBG134R-062920	Beams and Girts
BBG135R	6/29/2020	DD-D020204	BBG135R-062920	Beams and Girts
BBG136	4/22/2020	DD-D003706	BBG136-042220	Beams and Girts
BBG137-138	4/22/2020	DD-D003707	BBG137-138-042220-COMP	Beams and Girts
BBG137R	6/29/2020	DD-D020205	BBG137R-062920	Beams and Girts
BBG138R	6/29/2020	DD-D020206	BBG138R-062920	Beams and Girts
BBG139	4/22/2020	DD-D003709	BBG139-042220	Beams and Girts
BBG140	4/22/2020	DD-D003710	BBG140-042220	Beams and Girts
BBG141	4/22/2020	DD-D003801	BBG141-042220	Beams and Girts
BBG142-143	4/22/2020	DD-D003802	BBG142-143-042220-COMP	Beams and Girts
BBG144	4/22/2020	DD-D003804	BBG144-042220	Beams and Girts
BBG145	4/22/2020	DD-D003805	BBG145-042220	Beams and Girts
BBG146	4/22/2020	DD-D003806	BBG146-042220	Beams and Girts
BBG147	4/22/2020	DD-D003807	BBG147-042220	Beams and Girts
BBG148	4/22/2020	DD-D003808	BBG148-042220	Beams and Girts
BBG149	4/22/2020	DD-D003809	BBG149-042220	Beams and Girts
BBG150-151	4/22/2020	DD-D003810	BBG150-151-042220-COMP	Beams and Girts
BBG152-153	4/22/2020	DD-D003902	BBG152-153-042220-COMP	Beams and Girts
BBG152R	6/29/2020	DD-D020207	BBG152R-062920	Beams and Girts
BBG153R	6/29/2020	DD-D020208	BBG153R-062920	Beams and Girts
BBG154	4/22/2020	DD-D003904	BBG154-042220	Beams and Girts
BBG155	4/22/2020	DD-D003905	BBG155-042220	Beams and Girts
BBG156	4/22/2020	DD-D003906	BBG156-042220	Beams and Girts
BBG157	4/22/2020	DD-D003907	BBG157-042220	Beams and Girts
BBG158-159	4/22/2020	DD-D003908	BBG158-159-042220-COMP	Beams and Girts
BBG158R	6/29/2020	DD-D020209	BBG158R-062920	Beams and Girts
BBG159R	6/29/2020	DD-D020210	BBG159R-062920	Beams and Girts
BBG160	4/22/2020	DD-D003910	BBG160-042220	Beams and Girts
BBG161	4/22/2020	DD-D004001	BBG161-042220	Beams and Girts
BBG161R	6/29/2020	DD-D020301	BBG161R-062920	Beams and Girts
BBG162	4/22/2020	DD-D004002	BBG162-042220	Beams and Girts
BBG163	4/22/2020	DD-D004003	BBG163-042220	Beams and Girts
BBG164	4/22/2020	DD-D004004	BBG164-042220	Beams and Girts
BBG165	4/22/2020	DD-D004005	BBG165-042220	Beams and Girts
BBG166-167	4/22/2020	DD-D004006	BBG166-167-042220-COMP	Beams and Girts
BBG168	4/22/2020	DD-D004008	BBG168-042220	Beams and Girts
BBG169	4/22/2020	DD-D004009	BBG169-042220	Beams and Girts
BBG170	4/22/2020	DD-D004010	BBG170-042220	Beams and Girts
BBG171-172	4/22/2020	DD-D004101	BBG171-172-042220-COMP	Beams and Girts
BBG171R	6/29/2020	DD-D020302	BBG171R-062920	Beams and Girts
BBG172R	6/29/2020	DD-D020303	BBG172R-062920	Beams and Girts
BBG173	4/22/2020	DD-D004103	BBG173-042220	Beams and Girts
BBG173R	6/29/2020	DD-D020304	BBG173R-062920	Beams and Girts
BBG174	4/22/2020	DD-D004104	BBG174-042220	Beams and Girts
BBG175	4/22/2020	DD-D004105	BBG175-042220	Beams and Girts

Attachment 1 - Total Wipe Samples

Location	Date Sampled	Control No	Sample ID	Sample Type
BBG176	4/22/2020	DD-D004106	BBG176-042220	Beams and Girts
BBG177-178	4/22/2020	DD-D004107	BBG177-178-042220-COMP	Beams and Girts
BBG179	4/22/2020	DD-D004109	BBG179-042220	Beams and Girts
BBG180-181	4/22/2020	DD-D004110	BBG180-181-042220-COMP	Beams and Girts
BBG182	4/22/2020	DD-D004202	BBG182-042220	Beams and Girts
BBG183	4/22/2020	DD-D004203	BBG183-042220	Beams and Girts
BBG184	4/22/2020	DD-D004204	BBG184-042220	Beams and Girts
BBG185	4/22/2020	DD-D004205	BBG185-042220	Beams and Girts
BBG186	4/22/2020	DD-D004206	BBG186-042220	Beams and Girts
BW001	4/16/2020	DD-D001901	BW001-041620	Wall Panels
BW002	4/16/2020	DD-D001902	BW002-041620	Wall Panels
BW003	4/16/2020	DD-D001903	BW003-041620	Wall Panels
BW004	4/16/2020	DD-D001904	BW004-041620	Wall Panels
BW005	4/16/2020	DD-D001905	BW005-041620	Wall Panels
BW006	4/21/2020	DD-D001906	BW006-042120	Wall Panels
BW007	4/21/2020	DD-D001907	BW007-042120	Wall Panels
BW008	4/21/2020	DD-D001908	BW008-042120	Wall Panels
BW009	4/21/2020	DD-D001909	BW009-042120	Wall Panels
BW010	4/21/2020	DD-D001910	BW010-042120	Wall Panels
BW011	4/21/2020	DD-D002001	BW011-042120	Wall Panels
BW012	4/21/2020	DD-D002002	BW012-042120	Wall Panels
BW013	4/21/2020	DD-D002003	BW013-042120	Wall Panels
BW014	4/21/2020	DD-D002004	BW014-042120	Wall Panels
BW015	4/21/2020	DD-D002005	BW015-042120	Wall Panels
BW016	4/21/2020	DD-D002006	BW016-042120	Wall Panels
BW017	4/21/2020	DD-D002007	BW017-042120	Wall Panels
BW018	4/21/2020	DD-D002008	BW018-042120	Wall Panels
BW019	4/21/2020	DD-D002009	BW019-042120	Wall Panels
BW020	4/21/2020	DD-D002010	BW020-042120	Wall Panels
BW021	4/21/2020	DD-D002101	BW021-042120	Wall Panels
BW022	4/21/2020	DD-D002102	BW022-042120	Wall Panels
BW023	4/21/2020	DD-D002103	BW023-042120	Wall Panels
BW024	4/21/2020	DD-D002104	BW024-042120	Wall Panels
BW025	4/22/2020	DD-D002105	BW025-042220	Wall Panels
BW026	4/22/2020	DD-D002106	BW026-042220	Wall Panels
BW027	4/22/2020	DD-D002107	BW027-042220	Wall Panels
BW028	4/22/2020	DD-D002108	BW028-042220	Wall Panels
BW029	4/22/2020	DD-D002109	BW029-042220	Wall Panels
BW030	4/22/2020	DD-D002110	BW030-042220	Wall Panels
BW031	4/22/2020	DD-D002201	BW031-042220	Wall Panels
BW032	4/22/2020	DD-D002202	BW032-042220	Wall Panels
BW033	4/22/2020	DD-D002203	BW033-042220	Wall Panels
BW034	4/22/2020	DD-D002204	BW034-042220	Wall Panels
BW035	4/22/2020	DD-D002205	BW035-042220	Wall Panels
BW036	4/22/2020	DD-D002206	BW036-042220	Wall Panels
BW037	4/22/2020	DD-D002207	BW037-042220	Wall Panels
BW038	4/22/2020	DD-D002208	BW038-042220	Wall Panels
BW039	4/22/2020	DD-D002209	BW039-042220	Wall Panels
BW040	4/22/2020	DD-D002210	BW040-042220	Wall Panels
BW041	4/22/2020	DD-D002301	BW041-042220	Wall Panels
BW042	4/22/2020	DD-D002302	BW042-042220	Wall Panels
CBG001	4/23/2020	DD-D004801	CBG001-04320	Beams and Girts

Attachment 1 - Total Wipe Samples

Location	Date Sampled	Control No	Sample ID	Sample Type
CBG002-003	4/23/2020	DD-D004802	CBG002-003-042320-COMP	Beams and Girts
CBG002R	6/29/2020	DD-D020401	CBG002R-062920	Beams and Girts
CBG003R	6/29/2020	DD-D020402	CBG003R-062920	Beams and Girts
CBG004-005	4/23/2020	DD-D004804	CBG004-005-042320-COMP	Beams and Girts
CBG004R	6/29/2020	DD-D020403	CBG004R-062920	Beams and Girts
CBG005R	6/29/2020	DD-D020404	CBG005R-062920	Beams and Girts
CBG006	4/23/2020	DD-D004806	CBG006-042320	Beams and Girts
CBG007	4/23/2020	DD-D004807	CBG007-042320	Beams and Girts
CBG007R	6/29/2020	DD-D020405	CBG007R-062920	Beams and Girts
CBG008	4/23/2020	DD-D004808	CBG008-042320	Beams and Girts
CBG009	4/23/2020	DD-D004809	CBG009-042320	Beams and Girts
CBG010-011	4/23/2020	DD-D004810	CBG010-011-042320-COMP	Beams and Girts
CBG010R	6/29/2020	DD-D020406	CBG010R-062920	Beams and Girts
CBG011R	6/29/2020	DD-D020407	CBG011R-062920	Beams and Girts
CBG012	4/23/2020	DD-D004902	CBG012-042320	Beams and Girts
CBG013	4/23/2020	DD-D004903	CBG013-042320	Beams and Girts
CBG014-015	4/23/2020	DD-D004904	CBG014-015-042320-COMP	Beams and Girts
CBG016	4/23/2020	DD-D004906	CBG016-042320	Beams and Girts
CBG017	4/23/2020	DD-D004907	CBG017-042320	Beams and Girts
CBG018	4/23/2020	DD-D004908	CBG018-042320	Beams and Girts
CBG019-020	4/23/2020	DD-D004909	CBG019-020-042320-COMP	Beams and Girts
CBG019R	6/29/2020	DD-D020408	CBG019R-062920	Beams and Girts
CBG020R	6/29/2020	DD-D020409	CBG020R-062920	Beams and Girts
CBG021	4/23/2020	DD-D005001	CBG021-042320	Beams and Girts
CBG022-027	4/23/2020	DD-D005002	CBG022-027-042320-COMP	Beams and Girts
CBG023	4/23/2020	DD-D005003	CBG023-042320	Beams and Girts
CBG023R	6/29/2020	DD-D020410	CBG023R-062920	Beams and Girts
CBG024	4/23/2020	DD-D005004	CBG024-042320	Beams and Girts
CBG025-026	4/23/2020	DD-D005005	CBG025-026-042320-COMP	Beams and Girts
CBG028-029	4/23/2020	DD-D005008	CBG028-029-042320-COMP	Beams and Girts
CBG028R	6/29/2020	DD-D020501	CBG028R-062920	Beams and Girts
CBG029R	6/29/2020	DD-D020502	CBG029R-062920	Beams and Girts
CBG030	4/23/2020	DD-D005010	CBG030-042320	Beams and Girts
CBG031	4/23/2020	DD-D005101	CBG031-042320	Beams and Girts
CBG032	4/23/2020	DD-D005102	CBG032-042320	Beams and Girts
CBG033	4/23/2020	DD-D005103	CBG033-042320	Beams and Girts
CBG034-035	4/23/2020	DD-D005104	CBG034-035-042320-COMP	Beams and Girts
CBG036	4/23/2020	DD-D005106	CBG036-042320	Beams and Girts
CBG037	4/23/2020	DD-D005107	CBG037-042320	Beams and Girts
CBG038-039	4/23/2020	DD-D005108	CBG038-039-042320-COMP	Beams and Girts
CBG040	4/23/2020	DD-D005110	CBG040-042320	Beams and Girts
CBG040R	6/29/2020	DD-D020503	CBG040R-062920	Beams and Girts
CBG041	4/23/2020	DD-D005201	CBG041-042320	Beams and Girts
CBG042	4/23/2020	DD-D005202	CBG042-042320	Beams and Girts
CBG043	4/23/2020	DD-D005203	CBG043-042320	Beams and Girts
CBG043R	6/29/2020	DD-D020504	CBG043R-062920	Beams and Girts
CBG044-045	4/23/2020	DD-D005204	CBG044-045-042320-COMP	Beams and Girts
CBG046	4/23/2020	DD-D005206	CBG046-042320	Beams and Girts
CBG047	4/23/2020	DD-D005207	CBG047-042320	Beams and Girts
CBG048	4/23/2020	DD-D005208	CBG048-042320	Beams and Girts
CBG051-056-057	4/24/2020	DD-D005301	CBG051-055-057-042420-COM	Beams and Girts
CBG051R	6/29/2020	DD-D020505	CBG051R-062920	Beams and Girts

Attachment 1 - Total Wipe Samples

Location	Date Sampled	Control No	Sample ID	Sample Type
CBG052	4/24/2020	DD-D005302	CBG052-042420	Beams and Girts
CBG053-054	4/24/2020	DD-D005303	CBG054-054-042420-COMP	Beams and Girts
CBG055	4/24/2020	DD-D005305	CBG055-042420	Beams and Girts
CBG056R	6/29/2020	DD-D020506	CBG056R-062920	Beams and Girts
CBG057R	6/29/2020	DD-D020507	CBG057R-062920	Beams and Girts
CBG058	4/24/2020	DD-D005308	CBG058-042420	Beams and Girts
CBG059	4/24/2020	DD-D005309	CBG059-042420	Beams and Girts
CBG060-050-061	4/24/2020	DD-D005310	CBG060-050-061-042420-COM	Beams and Girts
CBG062-049-063	4/24/2020	DD-D005402	CBG062-049-063-042420-COM	Beams and Girts
CBG064	4/28/2020	DD-D005404	CBG064-042820	Beams and Girts
CBG065	4/29/2020	DD-D005405	CBG065-042920	Beams and Girts
CBG066	4/29/2020	DD-D005406	CBG066-042920	Beams and Girts
CBG067	4/29/2020	DD-D005407	CBG067-042920	Beams and Girts
CBG068-071	4/29/2020	DD-D005408	CBG068-071-042920-COMP	Beams and Girts
CBG069	4/29/2020	DD-D005409	CBG069-042920	Beams and Girts
CBG070	4/29/2020	DD-D005410	CBG070-042920	Beams and Girts
CBG072	4/29/2020	DD-D005502	CBG072-042920	Beams and Girts
CBG073	4/28/2020	DD-D005503	CBG073-042820	Beams and Girts
CBG074	4/28/2020	DD-D005504	CBG074-042820	Beams and Girts
CBG075-076-077	4/28/2020	DD-D005505	CBG075-076-077-042820-COM	Beams and Girts
CBG078	4/29/2020	DD-D005508	CBG078-043020	Beams and Girts
CBG079-088-89	4/29/2020	DD-D005509	CBG079-088-089-042920-COM	Beams and Girts
CBG080-087	4/29/2020	DD-D005510	CBG080-087-042920-COMP	Beams and Girts
CBG081	4/29/2020	DD-D005601	CBG081-042920	Beams and Girts
CBG082	4/29/2020	DD-D005602	CBG082-042920	Beams and Girts
CBG083-084	4/29/2020	DD-D005603	CBG083-084-042920-COMP	Beams and Girts
CBG085	4/29/2020	DD-D005605	CBG085-042920	Beams and Girts
CBG086	4/29/2020	DD-D005606	CBG086-042920	Beams and Girts
CBG090	4/28/2020	DD-D005610	CBG090-042820	Beams and Girts
CBG091-101	4/28/2020	DD-D005701	CBG091-101-042820-COMP	Beams and Girts
CBG092	4/29/2020	DD-D005702	CBG092-042920	Beams and Girts
CBG093-094	4/29/2020	DD-D005703	CBG093-094-042920-COMP	Beams and Girts
CBG093R	6/22/2020	DD-D020508	CBG093R-062220	Beams and Girts
CBG094R	6/22/2020	DD-D020509	CBG094R-062220	Beams and Girts
CBG095	4/29/2020	DD-D005705	CBG095-042920	Beams and Girts
CBG096-098	4/29/2020	DD-D005706	CBG096-098-042920-COMP	Beams and Girts
CBG097	4/29/2020	DD-D005707	CBG097-042920	Beams and Girts
CBG099	4/29/2020	DD-D005709	CBG099-042920	Beams and Girts
CBG100	4/29/2020	DD-D005710	CBG100-042920	Beams and Girts
CBG102-103	4/28/2020	DD-D005802	CBG102-103-042820-COMP	Beams and Girts
CBG104-115	4/28/2020	DD-D005804	CBG104-115-042820-COMP	Beams and Girts
CBG104R	6/22/2020	DD-D020510	CBG104R-062220	Beams and Girts
CBG105	4/29/2020	DD-D005805	CBG105-043020	Beams and Girts
CBG106	4/29/2020	DD-D005806	CBG106-043020	Beams and Girts
CBG107-112	4/29/2020	DD-D005807	CBG107-112-043020-COMP	Beams and Girts
CBG107R	6/22/2020	DD-D020601	CBG107R-062220	Beams and Girts
CBG108	4/29/2020	DD-D005808	CBG108-043020	Beams and Girts
CBG109	4/29/2020	DD-D005809	CBG109-043020	Beams and Girts
CBG110	4/29/2020	DD-D005810	CBG110-043020	Beams and Girts
CBG111	4/29/2020	DD-D005901	CBG111-043020	Beams and Girts
CBG112R	6/22/2020	DD-D020602	CBG112R-062220	Beams and Girts
CBG113	4/29/2020	DD-D005903	CBG113-043020	Beams and Girts

Attachment 1 - Total Wipe Samples

Location	Date Sampled	Control No	Sample ID	Sample Type
CBG114	4/28/2020	DD-D005904	CBG114-042820	Beams and Girts
CBG115R	6/22/2020	DD-D020603	CBG115R-062220	Beams and Girts
CBG116-117	4/28/2020	DD-D005906	CBG116-117-042820-COMP	Beams and Girts
CBG118-125-127	4/29/2020	DD-D005908	CBG118-126-127-043020-COM	Beams and Girts
CBG119	4/29/2020	DD-D005909	CBG119-043020	Beams and Girts
CBG120-125	4/29/2020	DD-D005910	CBG120-125-043020-COMP	Beams and Girts
CBG121	4/29/2020	DD-D006001	CBG121-043020	Beams and Girts
CBG122	4/29/2020	DD-D006002	CBG122-043020	Beams and Girts
CBG123	4/29/2020	DD-D006003	CBG123-043020	Beams and Girts
CBG124	4/29/2020	DD-D006004	CBG124-043020	Beams and Girts
CBG128	4/28/2020	DD-D006008	CBG128-042820	Beams and Girts
CBG129-130-143	4/28/2020	DD-D006009	CBG129-130-143-042820-COM	Beams and Girts
CBG129R	6/22/2020	DD-D020604	CBG129R-062220	Beams and Girts
CBG130R	6/22/2020	DD-D020605	CBG130R-062220	Beams and Girts
CBG131	4/28/2020	DD-D006101	CBG131-042820	Beams and Girts
CBG132-139-141	4/30/2020	DD-D006102	CBG132-139-141-043020-COM	Beams and Girts
CBG133	4/30/2020	DD-D006103	CBG133-043020	Beams and Girts
CBG134	4/30/2020	DD-D006104	CBG134-043020	Beams and Girts
CBG135-137	4/30/2020	DD-D006105	CBG135-137-043020-COMP	Beams and Girts
CBG136	4/30/2020	DD-D006106	CBG136-043020	Beams and Girts
CBG138	4/30/2020	DD-D006108	CBG138-043020	Beams and Girts
CBG140	4/30/2020	DD-D006110	CBG140-043020	Beams and Girts
CBG142	4/28/2020	DD-D006202	CBG142-042820	Beams and Girts
CBG143R	6/22/2020	DD-D020606	CBG143R-062220	Beams and Girts
CBG144-145	4/28/2020	DD-D006204	CBG144-145-042820-COMP	Beams and Girts
CBG146	4/28/2020	DD-D006206	CBG146-042820	Beams and Girts
CBG147-148	4/30/2020	DD-D006207	CBG147-148-043020-COMP	Beams and Girts
CBG149	4/30/2020	DD-D006209	CBG149-043020	Beams and Girts
CBG150	4/30/2020	DD-D006210	CBG150-043020	Beams and Girts
CBG151	4/30/2020	DD-D006301	CBG151-043020	Beams and Girts
CBG152-154-155	4/30/2020	DD-D006302	CBG152-154-155-043020-COM	Beams and Girts
CBG153	4/30/2020	DD-D006303	CBG153-043020	Beams and Girts
CBG156	4/30/2020	DD-D006306	CBG156-043020	Beams and Girts
CBG157	4/30/2020	DD-D006307	CBG157-043020	Beams and Girts
CBG158	4/30/2020	DD-D006308	CBG158-043020	Beams and Girts
CBG159-160	4/28/2020	DD-D006309	CBG159-160-042820-COMP	Beams and Girts
CBG161-162	4/30/2020	DD-D006401	CBG161-162-043020-COMP	Beams and Girts
CBG163-169	4/30/2020	DD-D006403	CBG163-169-043020-COMP	Beams and Girts
CBG164	4/30/2020	DD-D006404	CBG164-043020	Beams and Girts
CBG165	4/30/2020	DD-D006405	CBG165-043020	Beams and Girts
CBG166	4/30/2020	DD-D006406	CBG166-043020	Beams and Girts
CBG167-168	4/30/2020	DD-D006407	CBG167-168-043020-COMP	Beams and Girts
CBG170	4/30/2020	DD-D006410	CBG170-043020	Beams and Girts
CBG171	4/28/2020	DD-D006501	CBG171-042820-COMP	Beams and Girts
CW001	4/23/2020	DD-D004301	CW001-042320	Wall Panels
CW002	4/23/2020	DD-D004302	CW002-042320	Wall Panels
CW003	4/23/2020	DD-D004303	CW003-042320	Wall Panels
CW004	4/23/2020	DD-D004304	CW004-042320	Wall Panels
CW005	4/23/2020	DD-D004305	CW005-042320	Wall Panels
CW006	4/23/2020	DD-D004306	CW006-042320	Wall Panels
CW007	4/23/2020	DD-D004307	CW007-042320	Wall Panels
CW008	4/23/2020	DD-D004308	CW008-042320	Wall Panels



Attachment 1 - Total Wipe Samples

Location	Date Sampled	Control No	Sample ID	Sample Type
CW009	4/23/2020	DD-D004309	CW009-042320	Wall Panels
CW010	4/23/2020	DD-D004310	CW010-042320	Wall Panels
CW011	4/23/2020	DD-D004401	CW011-042320	Wall Panels
CW012	4/23/2020	DD-D004402	CW012-042320	Wall Panels
CW013	4/23/2020	DD-D004403	CW013-042320	Wall Panels
CW014	4/23/2020	DD-D004404	CW014-042320	Wall Panels
CW015	4/23/2020	DD-D004405	CW015-042320	Wall Panels
CW016	4/23/2020	DD-D004406	CW016-042320	Wall Panels
CW017	4/23/2020	DD-D004407	CW017-042320	Wall Panels
CW018	4/23/2020	DD-D004408	CW018-042320	Wall Panels
CW019	4/23/2020	DD-D004409	CW019-042320	Wall Panels
CW020	4/23/2020	DD-D004410	CW020-042320	Wall Panels
CW021	4/29/2020	DD-D004501	CW021-042920	Wall Panels
CW022	4/28/2020	DD-D004502	CW022-042820	Wall Panels
CW023	4/29/2020	DD-D004503	CW023-042920	Wall Panels
CW024	4/29/2020	DD-D004504	CW024-042920	Wall Panels
CW025	4/29/2020	DD-D004505	CW025-042920	Wall Panels
CW026	4/29/2020	DD-D004506	CW026-042920	Wall Panels
CW027	4/29/2020	DD-D004507	CW027-042920	Wall Panels
CW028	4/28/2020	DD-D004508	CW028-042820	Wall Panels
CW029	4/29/2020	DD-D004509	CW029-042920	Wall Panels
CW030	4/29/2020	DD-D004510	CW030-042920	Wall Panels
CW031	4/28/2020	DD-D004601	CW031-042820	Wall Panels
CW032	4/29/2020	DD-D004602	CW032-043020	Wall Panels
CW033	4/29/2020	DD-D004603	CW033-043020	Wall Panels
CW034	4/28/2020	DD-D004604	CW034-042820	Wall Panels
CW035	4/28/2020	DD-D004605	CW035-042820	Wall Panels
CW036	4/28/2020	DD-D004606	CW036-042820	Wall Panels
CW037	4/30/2020	DD-D004607	CW037-043020	Wall Panels
CW038	4/30/2020	DD-D004608	CW038-043020	Wall Panels
CW039	4/30/2020	DD-D004609	CW039-043020	Wall Panels
CW040	4/30/2020	DD-D004610	CW040-043020	Wall Panels
CW041	4/30/2020	DD-D004701	CW041-043020	Wall Panels
CW042	4/30/2020	DD-D004702	CW042-043020	Wall Panels
CW043	4/28/2020	DD-D004703	CW043-042820	Wall Panels
CW044	4/28/2020	DD-D004704	CW044-042820	Wall Panels
CW045	4/30/2020	DD-D004705	CW045-043020	Wall Panels
CW046	4/30/2020	DD-D004706	CW046-043020	Wall Panels
CL001-003-005	5/15/2020	DD-D000401	CL001-003-005-051520-COMP	Ceiling Beams
CL001BR	6/16/2020	DD-D023101	CL001BR-061620	Ceiling Beams
CL002-004-006	5/15/2020	DD-D000402	CL002-004-006-051520-COMP	Ceiling Panels
CL003BR	6/16/2020	DD-D023102	CL003BR-061620	Ceiling Beams
CL005BR	6/16/2020	DD-D023103	CL005BR-061620	Ceiling Beams
CL007-009-011	5/15/2020	DD-D000407	CL007-009-011-051520-COMP	Ceiling Beams
CL007BR	6/16/2020	DD-D023104	CL007BR-061620	Ceiling Beams
CL008-010-012	5/15/2020	DD-D000408	CL008-010-012-051520-COMP	Ceiling Panels
CL009BR	6/16/2020	DD-D023105	CL009BR-061620	Ceiling Beams
CL009BZ	7/24/2020	DD-D024401	CL009BZ-072420	Ceiling Beams
CL011BR	6/16/2020	DD-D023106	CL011BR-061620	Ceiling Beams
CL011BZ	7/24/2020	DD-D024402	CL011BZ-072420	Ceiling Beams
CL013-015-017	5/15/2020	DD-D000503	CL013-015-017-051520-COMP	Ceiling Beams
CL013BR	6/16/2020	DD-D023107	CL013BR-061620	Ceiling Beams

Attachment 1 - Total Wipe Samples

Location	Date Sampled	Control No	Sample ID	Sample Type
CLO13BZ	7/24/2020	DD-D024403	CLO13BZ-072420	Ceiling Beams
CLO14-016-018	5/15/2020	DD-D000504	CLO14-016-018-051520-COMP	Ceiling Panels
CLO15BR	6/16/2020	DD-D023108	CLO15BR-061620	Ceiling Beams
CLO15BZ	7/24/2020	DD-D024404	CLO15BZ-072420	Ceiling Beams
CLO17BR	6/16/2020	DD-D023109	CLO17BR-061620	Ceiling Beams
CLO19-021-023	5/15/2020	DD-D000509	CLO19-021-023-051520-COMP	Ceiling Beams
CLO19BR	6/16/2020	DD-D023110	CLO19BR-061620	Ceiling Beams
CLO19BZ	7/24/2020	DD-D024405	CLO19BZ-072420	Ceiling Beams
CLO20-022-024	5/15/2020	DD-D000510	CLO20-022-024-051520-COMP	Ceiling Panels
CLO21BR	6/16/2020	DD-D023201	CLO21BR-061620	Ceiling Beams
CLO23BR	6/16/2020	DD-D023202	CLO23BR-061620	Ceiling Beams
CLO25-027-029	5/15/2020	DD-D000605	CLO25-027-029-051520-COMP	Ceiling Beams
CLO25BR	6/16/2020	DD-D023203	CLO25BR-061620	Ceiling Beams
CLO26-028-030	5/15/2020	DD-D000606	CLO26-028-030-051520-COMP	Ceiling Panels
CLO27BR	6/16/2020	DD-D023204	CLO27BR-061620	Ceiling Beams
CLO29BR	6/16/2020	DD-D023205	CLO29BR-061620	Ceiling Beams
CLO31-033-035	5/15/2020	DD-D000701	CLO31-033-035-051520-COMP	Ceiling Beams
CLO31BR	6/16/2020	DD-D023206	CLO31BR-061620	Ceiling Beams
CLO31BZ	7/24/2020	DD-D024406	CLO31BZ-072420	Ceiling Beams
CLO32-034-036	5/15/2020	DD-D000702	CLO32-034-036-051520-COMP	Ceiling Panels
CLO33BR	6/16/2020	DD-D023207	CLO33BR-061620	Ceiling Beams
CLO35BR	6/17/2020	DD-D023208	CLO35BR-061720	Ceiling Beams
CLO37-039-041	5/15/2020	DD-D000707	CLO37-039-041-051520-COMP	Ceiling Beams
CLO37BR	6/17/2020	DD-D023209	CLO37BR-061720	Ceiling Beams
CLO38-040-042	5/15/2020	DD-D000708	CLO38-040-042-051520-COMP	Ceiling Panels
CLO39BR	6/17/2020	DD-D023210	CLO39BR-061720	Ceiling Beams
CLO41BR	6/17/2020	DD-D023301	CLO41BR-061720	Ceiling Beams
CLO43-045	5/15/2020	DD-D000803	CLO43-045-051520-COMP-B	Ceiling Beams
CLO43BR	6/17/2020	DD-D023302	CLO43BR-061720	Ceiling Beams
CLO44-046	5/15/2020	DD-D000804	CLO44-046-051520-COMP-P	Ceiling Panels
CLO44PR	6/17/2020	DD-D023304	CLO44PR-061720	Ceiling Panels
CLO45BR	6/17/2020	DD-D023303	CLO45BR-061720	Ceiling Beams
CLO46PR	6/17/2020	DD-D023305	CLO46PR-061720	Ceiling Panels
CLO47-049	5/15/2020	DD-D000807	CLO47-049-051520-COMP-B	Ceiling Beams
CLO48-050	5/15/2020	DD-D000808	CLO48-050-051520-COMP-P	Ceiling Panels
CLO51-053	5/15/2020	DD-D000901	CLO51-053-051520-COMP-B	Ceiling Beams
CLO52-054	5/15/2020	DD-D000902	CLO52-054-051520-COMP-P	Ceiling Panels
CLO55-057	5/15/2020	DD-D000905	CLO55-057-051520-COMP-B	Ceiling Beams
CLO55BR	6/17/2020	DD-D023306	CLO55BR-061720	Ceiling Beams
CLO56-058	5/15/2020	DD-D000906	CLO56-058-051520-COMP-P	Ceiling Panels
CLO57BR	6/17/2020	DD-D023307	CLO57BR-061720	Ceiling Beams
CLO59-061	5/15/2020	DD-D000909	CLO59-061-051520-COMP-B	Ceiling Beams
CLO60-062	5/15/2020	DD-D000910	CLO60-062-051520-COMP-P	Ceiling Panels
CLO63-065	5/18/2020	DD-D001003	CLO63-065-051820-COMP-B	Ceiling Beams
CLO64-066	5/18/2020	DD-D001004	CLO64-066-051820-COMP-P	Ceiling Panels
CLO67-069	5/18/2020	DD-D001007	CLO67-069-051820-COMP-B	Ceiling Beams
CLO68-070	5/18/2020	DD-D001008	CLO68-070-051820-COMP-P	Ceiling Panels
CLO71-073	5/18/2020	DD-D013501	CLO71-073-051820-COMP-B	Ceiling Beams
CLO72-074	5/18/2020	DD-D013502	CLO72-074-051820-COMP-P	Ceiling Panels
CLO75-077	5/18/2020	DD-D013505	CLO75-077-051820-COMP-B	Ceiling Beams
CLO76-078	5/18/2020	DD-D013506	CLO76-078-051820-COMP-P	Ceiling Panels
CLO79-081	5/18/2020	DD-D013509	CLO79-081-051820-COMP-B	Ceiling Beams

Attachment 1 - Total Wipe Samples

Location	Date Sampled	Control No	Sample ID	Sample Type
CL079BR	6/17/2020	DD-D023308	CL079BR-061720	Ceiling Beams
CL080-082	5/18/2020	DD-D013510	CL080-082-051820-COMP-P	Ceiling Panels
CL081BR	6/17/2020	DD-D023309	CL081BR-061720	Ceiling Beams
CL083-085	5/18/2020	DD-D013603	CL083-085-051820-COMP-B	Ceiling Beams
CL083BR	6/17/2020	DD-D023310	CL083BR-061720	Ceiling Beams
CL084-086	5/18/2020	DD-D013604	CL084-086-051820-COMP-P	Ceiling Panels
CL085BR	6/17/2020	DD-D023401	CL085BR-061720	Ceiling Beams
CL087-089	5/18/2020	DD-D013607	CL087-089-051820-COMP-B	Ceiling Beams
CL088-090	5/18/2020	DD-D013608	CL080-082-051820-COMP-P	Ceiling Panels
CL091-093	5/18/2020	DD-D013701	CL091-093-051820-COMP-B	Ceiling Beams
CL092-094	5/18/2020	DD-D013702	CL092-094-051820-COMP-P	Ceiling Panels
CL095-097	5/18/2020	DD-D013705	CL095-097-051820-COMP-B	Ceiling Beams
CL095BR	6/17/2020	DD-D023402	CL095BR-061720	Ceiling Beams
CL096-098	5/18/2020	DD-D013706	CL096-098-051820-COMP-P	Ceiling Panels
CL097BR	6/17/2020	DD-D023403	CL097BR-061720	Ceiling Beams
CL099-101	5/18/2020	DD-D013709	CL099-100-051820-COMP-B	Ceiling Beams
CL100-102	5/18/2020	DD-D013710	CL100-102-051820-COMP-P	Ceiling Panels
CL103-105	5/18/2020	DD-D013803	CL103-105-051820-COMP-B	Ceiling Beams
CL104-106	5/18/2020	DD-D013804	CL104-106-051820-COMP-P	Ceiling Panels
CL107-109	5/18/2020	DD-D013807	CL107-109-051820-COMP-B	Ceiling Beams
CL107BR	6/17/2020	DD-D023404	CL107BR-061720	Ceiling Beams
CL108-110	5/18/2020	DD-D013808	CL108-110-051820-COMP-P	Ceiling Panels
CL109BR	6/17/2020	DD-D023405	CL109BR-061720	Ceiling Beams
CL111-113	5/18/2020	DD-D013901	CL111-113-051820-COMP-B	Ceiling Beams
CL112-114	5/18/2020	DD-D013902	CL112-114-051820-COMP-P	Ceiling Panels
CL115	5/18/2020	DD-D013905	CL115-051820-B	Ceiling Beams
CL116-118	5/18/2020	DD-D013906	CL116-118-051820-COMP-P	Ceiling Panels
CL117-119	5/18/2020	DD-D013907	CL117-119-051820-COMP-B	Ceiling Beams
CL117BR	6/17/2020	DD-D023406	CL117BR-061720	Ceiling Beams
CL119BR	6/17/2020	DD-D023407	CL119BR-061720	Ceiling Beams
CL120-122	5/18/2020	DD-D013910	CL120-122-051820-COMP-P	Ceiling Panels
CL121-123	5/18/2020	DD-D014001	CL121-123-051820-COMP-B	Ceiling Beams
CL121BR	6/17/2020	DD-D023408	CL121BR-061720	Ceiling Beams
CL123BR	6/17/2020	DD-D023409	CL123BR-061720	Ceiling Beams
CL124-126	5/18/2020	DD-D014004	CL124-126-051820-COMP-P	Ceiling Panels
CL125-127	5/18/2020	DD-D014005	CL125-127-051820-COMP-B	Ceiling Beams
CL128-130	5/18/2020	DD-D014008	CL128-130-051820-COMP-P	Ceiling Panels
CL129-131	5/18/2020	DD-D014009	CL129-131-051820-COMP-B	Ceiling Beams
CL129BR	6/17/2020	DD-D023410	CL129BR-061720	Ceiling Beams
CL131BR	6/17/2020	DD-D023501	CL131BR-061720	Ceiling Beams
CL132-134	5/18/2020	DD-D014102	CL132-134-051820-COMP-P	Ceiling Panels
CL133	5/18/2020	DD-D014103	CL133-051820-B	Ceiling Beams
CL135	5/18/2020	DD-D014105	CL135-051820-B	Ceiling Beams
CL136-138	5/18/2020	DD-D014106	CL136-138-051820-COMP-P	Ceiling Panels
CL137-139	5/18/2020	DD-D014107	CL137-139-051820-COMP-B	Ceiling Beams
CL140-142	5/18/2020	DD-D014110	CL140-142-051820-COMP-P	Ceiling Panels
CL141-143	5/18/2020	DD-D014201	CL141-143-051820-COMP-B	Ceiling Beams
CL141BR	6/19/2020	DD-D023502	CL141BR-061920	Ceiling Beams
CL143BR	6/19/2020	DD-D023503	CL143BR-061920	Ceiling Beams
CL144	5/18/2020	DD-D014204	CL144-051820-B	Ceiling Beams
CL145-147	5/18/2020	DD-D014205	CL145-147-051820-COMP-B	Ceiling Beams
CL145BR	6/19/2020	DD-D023504	CL145BR-061920	Ceiling Beams



Attachment 1 - Total Wipe Samples

Location	Date Sampled	Control No	Sample ID	Sample Type
CL146-148	5/18/2020	DD-D014206	CL146-148-051820-COMP-P	Ceiling Panels
CL147BR	6/19/2020	DD-D023505	CL147BR-061920	Ceiling Beams
CL149-151	5/18/2020	DD-D014209	CL149-151-051820-COMP-B	Ceiling Beams
CL150-152	5/18/2020	DD-D014210	CL140-142-051820-COMP-P	Ceiling Panels
CL153	5/18/2020	DD-D014303	CL153-051820-B	Ceiling Beams
CL153BR	6/19/2020	DD-D023506	CL153BR-061920	Ceiling Beams
CL154-156	5/18/2020	DD-D014304	CL154-156-051820-COMP-P	Ceiling Panels
CL155-157	5/18/2020	DD-D014305	CL155-157-051820-COMP-B	Ceiling Beams
CL155BR	6/19/2020	DD-D023507	CL155BR-061920	Ceiling Beams
CL157BR	6/19/2020	DD-D023508	CL157BR-061920	Ceiling Beams
CL158-160	5/18/2020	DD-D014308	CL158-160-051820-COMP-P	Ceiling Panels
CL159-161	5/18/2020	DD-D014309	CL159-161-051820-COMP-B	Ceiling Beams
CL162	5/18/2020	DD-D014402	CL162-051820-B	Ceiling Beams
CL163-165	5/18/2020	DD-D014403	CL163-165-051820-COMP-B	Ceiling Beams
CL163BR	6/19/2020	DD-D023509	CL163BR-061920	Ceiling Beams
CL164-166	5/18/2020	DD-D014404	CL164-166-051820-COMP-P	Ceiling Panels
CL165BR	6/19/2020	DD-D023510	CL165BR-061920	Ceiling Beams
CL167-169	5/18/2020	DD-D014407	CL167-169-051820-COMP-B	Ceiling Beams
CL168-170	5/18/2020	DD-D014408	CL168-170-051820-COMP-P	Ceiling Panels
CL171	5/18/2020	DD-D014501	CL171-051820-B	Ceiling Beams
CL172-174	5/18/2020	DD-D014502	CL172-174-051820-COMP-P	Ceiling Panels
CL173-175	5/18/2020	DD-D014503	CL173-175-051820-COMP-B	Ceiling Beams
CL173BR	6/19/2020	DD-D023601	CL173BR-061920	Ceiling Beams
CL175BR	6/19/2020	DD-D023602	CL175BR-061920	Ceiling Beams
CL176-178	5/18/2020	DD-D014506	CL176-178-051820-COMP-P	Ceiling Panels
CL177-181	5/18/2020	DD-D014507	CL177-181-051820-COMP-B	Ceiling Beams
CL179	5/18/2020	DD-D014509	CL179-051820-B	Ceiling Beams
CL180-182	5/18/2020	DD-D014510	CL180-182-051820-COMP-B	Ceiling Beams
CL183-185	5/18/2020	DD-D014603	CL183-185-051820-COMP-B	Ceiling Beams
CL183BR	6/19/2020	DD-D023603	CL183BR-061920	Ceiling Beams
CL184-186	5/18/2020	DD-D014604	CL176-178-051820-COMP-P	Ceiling Panels
CL185BR	6/19/2020	DD-D023604	CL185BR-061920	Ceiling Beams
CL187	5/18/2020	DD-D014607	CL87-051820-B	Ceiling Beams
CL187BR	6/19/2020	DD-D023605	CL187BR-061920	Ceiling Beams
CL188-190	5/19/2020	DD-D014608	CL188-190-051920-COMP-P	Ceiling Panels
CL189-191	5/19/2020	DD-D014609	CL189-191-051920-COMP-B	Ceiling Beams
CL192-194	5/19/2020	DD-D014702	CL192-194-051920-COMP-P	Ceiling Panels
CL193-195	5/19/2020	DD-D014703	CL193-195-051920-COMP-B	Ceiling Beams
CL196	5/19/2020	DD-D014706	CL196-051920-B	Ceiling Beams
CL197-199	5/19/2020	DD-D014707	CL197-199-051920-COMP-B	Ceiling Beams
CL197BR	6/19/2020	DD-D023606	CL197BR-061920	Ceiling Beams
CL198-200	5/19/2020	DD-D014708	CL198-200-051920-COMP-P	Ceiling Panels
CL199BR	6/19/2020	DD-D023607	CL199BR-061920	Ceiling Beams
CL201-203	5/19/2020	DD-D014801	CL201-203-051920-COMP-B	Ceiling Beams
CL201BR	6/19/2020	DD-D023608	CL201BR-061920	Ceiling Beams
CL202-204	5/19/2020	DD-D014802	CL202-204-051920-COMP-P	Ceiling Panels
CL203BR	6/19/2020	DD-D023609	CL203BR-061920	Ceiling Beams
CL205	5/19/2020	DD-D014805	CL205-051920-B	Ceiling Beams
CL206-208	5/19/2020	DD-D014806	CL206-208-051920-COMP-P	Ceiling Panels
CL207-209	5/19/2020	DD-D014807	CL207-209-051920-COMP-B	Ceiling Beams
CL207BR	6/19/2020	DD-D023610	CL207BR-061920	Ceiling Beams
CL209BR	6/19/2020	DD-D023701	CL209BR-061920	Ceiling Beams

Attachment 1 - Total Wipe Samples

Location	Date Sampled	Control No	Sample ID	Sample Type
CL210-212	5/19/2020	DD-D014810	CL210-212-051920-COMP-P	Ceiling Panels
CL211-213	5/19/2020	DD-D014901	CL211-213-051920-COMP-B	Ceiling Beams
CL214-216	5/19/2020	DD-D014904	CL214-216-051920-COMP-P	Ceiling Panels
CL215-217	5/19/2020	DD-D014905	CL215-217-051920-COMP-B	Ceiling Beams
CL218-219	5/19/2020	DD-D014908	CL218-219-051920-COMP-B	Ceiling Beams
CL218BR	6/19/2020	DD-D023702	CL218BR-061920	Ceiling Beams
CL219BR	6/19/2020	DD-D023703	CL219BR-061920	Ceiling Beams
CL220-222	5/19/2020	DD-D014910	CL220-222-051920-COMP-P	Ceiling Panels
CL221-223	5/19/2020	DD-D015001	CL221-223-051920-COMP-B	Ceiling Beams
CL221BR	6/19/2020	DD-D023704	CL221BR-061920	Ceiling Beams
CL223BR	6/19/2020	DD-D023705	CL223BR-061920	Ceiling Beams
CL224-226	5/19/2020	DD-D015004	CL224-226-051920-COMP-P	Ceiling Panels
CL225-227	5/19/2020	DD-D015005	CL225-227-051920-COMP-B	Ceiling Beams
CL228-230	5/19/2020	DD-D015008	CL228-230-051920-COMP-P	Ceiling Panels
CL229-231	5/19/2020	DD-D015009	CL229-231-051920-COMP-B	Ceiling Beams
CL229BR	6/19/2020	DD-D023706	CL229BR-061920	Ceiling Beams
CL231BR	6/19/2020	DD-D023707	CL231BR-061920	Ceiling Beams
CL232-234	5/19/2020	DD-D015102	CL232-234-051920-COMP-P	Ceiling Panels
CL233-235	5/19/2020	DD-D015103	CL233-235-051920-COMP-B	Ceiling Beams
CL233BR	6/19/2020	DD-D023708	CL233BR-061920	Ceiling Beams
CL235BR	6/19/2020	DD-D023709	CL235BR-061920	Ceiling Beams
CL236-238	5/19/2020	DD-D015106	CL236-238-051920-COMP-P	Ceiling Panels
CL237-239	5/19/2020	DD-D015107	CL237-239-051920-COMP-B	Ceiling Beams
CL240-242	5/19/2020	DD-D015110	CL240-242-051920-COMP-P	Ceiling Panels
CL241-243	5/19/2020	DD-D015201	CL241-243-051920-COMP-B	Ceiling Beams
CL241BR	6/19/2020	DD-D023710	CL241BR-061920	Ceiling Beams
CL243BR	6/19/2020	DD-D023801	CL243BR-061920	Ceiling Beams
CL244-246	5/19/2020	DD-D015204	CL244-246-051920-COMP-P	Ceiling Panels
CL245-247	5/19/2020	DD-D015205	CL245-247-051920-COMP-B	Ceiling Beams
CL245BR	6/19/2020	DD-D023802	CL245BR-061920	Ceiling Beams
CL247BR	6/19/2020	DD-D023803	CL247BR-061920	Ceiling Beams
DBG001	4/28/2020	DD-D007001	DBG001-042820	Beams and Girts
DBG002	4/30/2020	DD-D007002	DBG002-043020	Beams and Girts
DBG003-013	4/30/2020	DD-D007003	DBG003-013-043020-COMP	Beams and Girts
DBG003R	6/22/2020	DD-D020701	DBG003R-062220	Beams and Girts
DBG004	4/30/2020	DD-D007004	DBG004-043020	Beams and Girts
DBG005	4/30/2020	DD-D007005	DBG005-043020	Beams and Girts
DBG006-007-008	4/30/2020	DD-D007006	DBG006-007-008-043020-COM	Beams and Girts
DBG006R	6/22/2020	DD-D020702	DBG006R-062220	Beams and Girts
DBG007R	6/22/2020	DD-D020703	DBG007R-062220	Beams and Girts
DBG008R	6/22/2020	DD-D020704	DBG008R-062220	Beams and Girts
DBG009	4/30/2020	DD-D007009	DBG009-043020	Beams and Girts
DBG010	4/30/2020	DD-D007010	DBG010-043020	Beams and Girts
DBG011-012	4/30/2020	DD-D007101	DBG011-012-043020-COMP	Beams and Girts
DBG013R	6/22/2020	DD-D020705	DBG013R-062220	Beams and Girts
DBG014-015	4/28/2020	DD-D007104	DBG014-015-042820-COMP	Beams and Girts
DBG016	4/28/2020	DD-D007106	DBG016-042820	Beams and Girts
DBG017-018-027	5/8/2020	DD-D007107	DBG017-018-027-050820-COM	Beams and Girts
DBG017R	6/22/2020	DD-D020706	DBG017R-062220	Beams and Girts
DBG018R	6/22/2020	DD-D020707	DBG018R-062220	Beams and Girts
DBG019	5/8/2020	DD-D007109	DBG019-050820	Beams and Girts
DBG020-021-024	5/8/2020	DD-D007110	DBG020-021-024-050820-COM	Beams and Girts

Attachment 1 - Total Wipe Samples

Location	Date Sampled	Control No	Sample ID	Sample Type
DBG020R	6/22/2020	DD-D020708	DBG020R-062220	Beams and Girts
DBG021R	6/22/2020	DD-D020709	DBG021R-062220	Beams and Girts
DBG022-023	5/8/2020	DD-D007202	DBG022-023-050820-COMP	Beams and Girts
DBG024R	6/22/2020	DD-D020710	DBG024R-062220	Beams and Girts
DBG025-026	5/8/2020	DD-D007205	DBG025-026-050820-COMP	Beams and Girts
DBG027R	6/22/2020	DD-D021107	DBG027R-062220	Beams and Girts
DBG028	5/8/2020	DD-D007208	DBG028-050820	Beams and Girts
DBG029-030	4/28/2020	DD-D007209	DBG029-030-042820-COMP	Beams and Girts
DBG031-032	4/28/2020	DD-D007301	DBG031-032-042820-COMP	Beams and Girts
DBG033-034-045	5/8/2020	DD-D007303	DBG033-034-045-050820-COM	Beams and Girts
DBG033R	6/22/2020	DD-D020801	DBG033R-062220	Beams and Girts
DBG034R	6/22/2020	DD-D020802	DBG034R-062220	Beams and Girts
DBG035-044	5/8/2020	DD-D007305	DBG035-044-050820-COMP	Beams and Girts
DBG036	5/8/2020	DD-D007306	DBG036-050820	Beams and Girts
DBG037-038-042	5/8/2020	DD-D007307	DBG037-038-042-050820-COM	Beams and Girts
DBG037R	6/22/2020	DD-D020803	DBG037R-062220	Beams and Girts
DBG038R	6/22/2020	DD-D020804	DBG038R-062220	Beams and Girts
DBG039-040-041	5/8/2020	DD-D007309	DBG039-040-041-050820-COM	Beams and Girts
DBG039R	6/22/2020	DD-D020806	DBG039R-062220	Beams and Girts
DBG040R	6/22/2020	DD-D020807	DBG040R-062220	Beams and Girts
DBG041R	6/22/2020	DD-D020808	DBG041R-062220	Beams and Girts
DBG042R	6/22/2020	DD-D020809	DBG042R-062220	Beams and Girts
DBG043	5/8/2020	DD-D007403	DBG043-050820	Beams and Girts
DBG043R	6/22/2020	DD-D020810	DBG043R-062220	Beams and Girts
DBG045R	7/9/2020	DD-D024301	DBG045R-070920	Beams and Girts
DBG046-047	4/28/2020	DD-D007406	DBG046-047-042820-COMP	Beams and Girts
DBG048	4/28/2020	DD-D007408	DBG048-042820	Beams and Girts
DBG049-050	4/29/2020	DD-D007409	DBG049-050-042920-COMP	Beams and Girts
DBG051-062	5/8/2020	DD-D007501	DBG051-062-050820-COMP	Beams and Girts
DBG052-061	5/8/2020	DD-D007502	DBG052-061-050820-COMP	Beams and Girts
DBG053-060	5/8/2020	DD-D007503	DBG053-060-050820-COMP	Beams and Girts
DBG053R	6/22/2020	DD-D020901	DBG053R-062220	Beams and Girts
DBG054-059	5/8/2020	DD-D007504	DBG054-059-050820-COMP	Beams and Girts
DBG054R	6/22/2020	DD-D020902	DBG054R-062220	Beams and Girts
DBG055-057	5/8/2020	DD-D007505	DBG055-057-050820-COMP	Beams and Girts
DBG055R	6/22/2020	DD-D020903	DBG055R-062220	Beams and Girts
DBG056-058	5/8/2020	DD-D007506	DBG056-058-050820-COMP	Beams and Girts
DBG056R	6/22/2020	DD-D020904	DBG056R-062220	Beams and Girts
DBG057R	6/22/2020	DD-D020905	DBG057R-062220	Beams and Girts
DBG058R	6/22/2020	DD-D020906	DBG058R-062220	Beams and Girts
DBG059R	6/22/2020	DD-D020907	DBG059R-062220	Beams and Girts
DBG060R	6/22/2020	DD-D020908	DBG060R-062220	Beams and Girts
DBG063	4/29/2020	DD-D007603	DBG063-042920	Beams and Girts
DBG064	4/29/2020	DD-D007604	DBG064-042920	Beams and Girts
DBG065	4/29/2020	DD-D007605	DBG065-042920	Beams and Girts
DBG066-076	5/8/2020	DD-D007606	DBG066-076-050820-COMP	Beams and Girts
DBG066R	6/22/2020	DD-D020909	DBG066R-062220	Beams and Girts
DBG067	5/8/2020	DD-D007607	DBG067-COMP	Beams and Girts
DBG068-075	5/8/2020	DD-D007608	DBG068-075-050820-COMP	Beams and Girts
DBG069-070-074	5/8/2020	DD-D007609	DBG069-070-074-050820-COM	Beams and Girts
DBG069R	6/22/2020	DD-D021001	DBG069R-062220	Beams and Girts
DBG070R	6/22/2020	DD-D021002	DBG070R-062220	Beams and Girts

Attachment 1 - Total Wipe Samples

Location	Date Sampled	Control No	Sample ID	Sample Type
DBG071	5/8/2020	DD-D007701	DBG071-050820	Beams and Girts
DBG072-073	5/8/2020	DD-D007702	DBG072-073-050820-COMP	Beams and Girts
DBG072R	6/22/2020	DD-D021003	DBG072R-062220	Beams and Girts
DBG073R	6/22/2020	DD-D021004	DBG073R-062220	Beams and Girts
DBG074R	6/22/2020	DD-D021005	DBG074R-062220	Beams and Girts
DBG076R	6/22/2020	DD-D021106	DBG076R-062220	Beams and Girts
DBG077	5/8/2020	DD-D007707	DBG077-050820-COMP	Beams and Girts
DBG078	4/29/2020	DD-D007708	DBG078-042920	Beams and Girts
DBG079-080	4/29/2020	DD-D007709	DBG079-080-042920-COMP	Beams and Girts
DBG081-092	5/11/2020	DD-D007801	DBG081-092-051120-COMP	Beams and Girts
DBG081R	6/22/2020	DD-D021006	DBG081R-062220	Beams and Girts
DBG082-083-091	5/11/2020	DD-D007802	DBG082-083-091-051120-COM	Beams and Girts
DBG082R	6/22/2020	DD-D021007	DBG082R-062220	Beams and Girts
DBG083R	6/22/2020	DD-D021008	DBG083R-062220	Beams and Girts
DBG084-090	5/11/2020	DD-D007804	DBG084-090-051120-COMP	Beams and Girts
DBG084R	6/22/2020	DD-D021009	DBG084R-062220	Beams and Girts
DBG085-086-089	5/11/2020	DD-D007805	DBG085-086-089-051120-COM	Beams and Girts
DBG085R	6/22/2020	DD-D021010	DBG085R-062220	Beams and Girts
DBG086R	6/22/2020	DD-D021101	DBG086R-062220	Beams and Girts
DBG087-088	5/11/2020	DD-D007807	DBG087-088-051120-COMP	Beams and Girts
DBG089R	6/22/2020	DD-D021102	DBG089R-062220	Beams and Girts
DBG090R	6/22/2020	DD-D021103	DBG090R-062220	Beams and Girts
DBG091R	6/22/2020	DD-D021104	DBG091R-062220	Beams and Girts
DBG092R	6/22/2020	DD-D021105	DBG092R-062220	Beams and Girts
DW001	4/30/2020	DD-D006601	DW001-043020	Wall Panels
DW002	4/30/2020	DD-D006602	DW002-043020	Wall Panels
DW003	4/30/2020	DD-D006603	DW003-043020	Wall Panels
DW004	4/28/2020	DD-D006604	DW004-042820	Wall Panels
DW005	4/28/2020	DD-D006605	DW005-042820	Wall Panels
DW006-007-008	5/8/2020	DD-D006606	DW006-007-008-050820-COMP	Wall Panels
DW009	4/28/2020	DD-D006609	DW009-042820	Wall Panels
DW010	4/28/2020	DD-D006610	DW010-042820	Wall Panels
DW011-012-013	5/8/2020	DD-D006701	DW011-012-013-050820-COMP	Wall Panels
DW014	4/28/2020	DD-D006704	DW014-042820	Wall Panels
DW015	4/28/2020	DD-D006705	DW015-042820	Wall Panels
DW016	4/29/2020	DD-D006706	DW016-042920	Wall Panels
DW017-018-019	5/8/2020	DD-D006707	DW017-018-019-050820-COMP	Wall Panels
DW020-021-022	5/8/2020	DD-D006710	DW020-021-022-050820-COMP	Wall Panels
DW023-024	5/8/2020	DD-D006803	DW023-024-050820-COMP	Wall Panels
DW025	4/29/2020	DD-D006805	DW025-042920	Wall Panels
DW026	4/29/2020	DD-D006806	DW026-042920	Wall Panels
DW027-028	5/11/2020	DD-D006807	DW027-DW028-051120-COMP	Wall Panels
DW029-030-031	5/11/2020	DD-D006809	DW029-030-031-051120-COMP	Wall Panels
EBG001-002-003	5/11/2020	DD-D008401	EBG001-002-003-051120-COM	Beams and Girts
EBG001R	6/24/2020	DD-D021201	EBG001R-062420	Beams and Girts
EBG002R	6/24/2020	DD-D021202	EBG002R-062420	Beams and Girts
EBG003R	6/24/2020	DD-D021203	EBG003R-062420	Beams and Girts
EBG004-005-006	5/11/2020	DD-D008404	EBG004-005-006-051120-COM	Beams and Girts
EBG004R	6/24/2020	DD-D021204	EBG004R-062420	Beams and Girts
EBG005R	6/24/2020	DD-D021205	EBG005R-062420	Beams and Girts
EBG006R	6/24/2020	DD-D021206	EBG006R-062420	Beams and Girts
EBG007	5/11/2020	DD-D008407	EBG007-051120	Beams and Girts

Attachment 1 - Total Wipe Samples

Location	Date Sampled	Control No	Sample ID	Sample Type
EBG008-009-010	5/11/2020	DD-D008408	EBG008-009-010-051120-COM	Beams and Girts
EBG008R	6/24/2020	DD-D021207	EBG008R-062420	Beams and Girts
EBG009R	6/24/2020	DD-D021208	EBG009R-062420	Beams and Girts
EBG010R	6/25/2020	DD-D021209	EBG010R-062520	Beams and Girts
EBG011-012	5/11/2020	DD-D008501	EBG011-012-051120-COMP	Beams and Girts
EBG013-014-015	5/11/2020	DD-D008503	EBG013-014-015-051120-COM	Beams and Girts
EBG013R	6/25/2020	DD-D021210	EBG013R-062520	Beams and Girts
EBG014R	6/25/2020	DD-D021301	EBG014R-062520	Beams and Girts
EBG015R	6/25/2020	DD-D021302	EBG015R-062520	Beams and Girts
EBG016-017	5/11/2020	DD-D008506	EBG016-017-051120-COMP	Beams and Girts
EBG018	5/11/2020	DD-D008508	EBG018-051120	Beams and Girts
EBG019-020	5/11/2020	DD-D008509	EBG019-020-051120-COMP	Beams and Girts
EBG021-022	5/11/2020	DD-D008601	EBG021-022-051120-COMP	Beams and Girts
EBG023-024	5/11/2020	DD-D008603	EBG023-024-051120-COMP	Beams and Girts
EBG023R	6/25/2020	DD-D021303	EBG023R-062520	Beams and Girts
EBG024R	6/25/2020	DD-D021304	EBG024R-062520	Beams and Girts
EBG025-026	5/11/2020	DD-D008605	EBG025-026-051120-COMP	Beams and Girts
EBG025R	6/25/2020	DD-D021305	EBG025R-062520	Beams and Girts
EBG026R	6/25/2020	DD-D021306	EBG026R-062520	Beams and Girts
EBG027	5/11/2020	DD-D008607	EBG027-051120	Beams and Girts
EBG027R	6/25/2020	DD-D021307	EBG027R-062520	Beams and Girts
EBG028-029	5/11/2020	DD-D008608	EBG028-029-051120-COMP	Beams and Girts
EBG030-031	5/11/2020	DD-D008610	EBG030-031-051120-COMP	Beams and Girts
EBG030R	6/25/2020	DD-D021308	EBG030R-062520	Beams and Girts
EBG031R	6/25/2020	DD-D021309	EBG031R-062520	Beams and Girts
EBG032-033	5/11/2020	DD-D008702	EBG032-033-051120-COMP	Beams and Girts
EBG032R	6/25/2020	DD-D021310	EBG032R-062520	Beams and Girts
EBG033R	6/25/2020	DD-D021401	EBG033R-062520	Beams and Girts
EBG034-035	5/11/2020	DD-D008704	EBG034-035-051120-COMP	Beams and Girts
EBG036	5/11/2020	DD-D008706	EBG036-051120	Beams and Girts
EBG037-038	5/11/2020	DD-D008707	EBG037-038-051120-COMP	Beams and Girts
EBG039-040	5/11/2020	DD-D008709	EBG039-040-051120-COMP	Beams and Girts
EBG041-042-043	5/11/2020	DD-D008801	EBG041-042-043-051120-COM	Beams and Girts
EBG041R	6/25/2020	DD-D021402	EBG041R-062520	Beams and Girts
EBG042R	6/25/2020	DD-D021403	EBG042R-062520	Beams and Girts
EBG043R	6/25/2020	DD-D021404	EBG043R-062520	Beams and Girts
EBG044-045	5/11/2020	DD-D008804	EBG044-045-051120-COMP	Beams and Girts
EBG046-047	5/11/2020	DD-D008806	EBG046-047-051120-COMP	Beams and Girts
EBG048-049	5/11/2020	DD-D008808	EBG048-049-051120-COMP	Beams and Girts
EBG050-051	5/11/2020	DD-D008810	EBG050-051-051120-COMP	Beams and Girts
EBG052-053	5/11/2020	DD-D008902	EBG052-053-051120-COMP	Beams and Girts
EBG054	5/11/2020	DD-D008904	EBG054-051120	Beams and Girts
EBG055-056-057	5/11/2020	DD-D008905	EBG055-056-057-051120-COM	Beams and Girts
EBG055R	6/25/2020	DD-D021405	EBG055R-062520	Beams and Girts
EBG056R	6/25/2020	DD-D021406	EBG056R-062520	Beams and Girts
EBG057R	6/25/2020	DD-D021407	EBG057R-062520	Beams and Girts
EBG058-059-060	5/11/2020	DD-D008908	EBG058-059-060-051120-COM	Beams and Girts
EBG061-062-063	5/11/2020	DD-D009001	EBG061-062-063-051120-COM	Beams and Girts
EBG064-066	5/11/2020	DD-D009004	EBG064-066-051120-COMP	Beams and Girts
EBG065-067	5/11/2020	DD-D009005	EBG065-067-051120-COMP	Beams and Girts
EBG065R	6/25/2020	DD-D021408	EBG065R-062520	Beams and Girts
EBG067R	6/25/2020	DD-D021409	EBG067R-062520	Beams and Girts



Attachment 1 - Total Wipe Samples

Location	Date Sampled	Control No	Sample ID	Sample Type
EBG068-069	5/11/2020	DD-D009008	EBG068-069-051120-COMP	Beams and Girts
EBG070-071	5/11/2020	DD-D009010	EBG070-071-051120-COMP	Beams and Girts
EBG072	5/11/2020	DD-D009102	EBG072-051120	Beams and Girts
EBG073	5/11/2020	DD-D009103	EBG073-051120	Beams and Girts
EBG074-075	5/11/2020	DD-D009104	EBG074-075-051120-COMP	Beams and Girts
EBG076-077	5/11/2020	DD-D009106	EBG076-077-051120-COMP	Beams and Girts
EBG078-079	5/12/2020	DD-D009108	EBG078-079-051220-COMP	Beams and Girts
EBG080-081	5/12/2020	DD-D009110	EBG080-081-051220-COMP	Beams and Girts
EBG082-083	5/12/2020	DD-D009202	EBG082-083-051220-COMP	Beams and Girts
EBG084-089	5/12/2020	DD-D009204	EBG084-089-051220-COMP	Beams and Girts
EBG085-088	5/12/2020	DD-D009205	EBG085-088-051220-COMP	Beams and Girts
EBG086-087	5/12/2020	DD-D009206	EBG086-087-051220-COMP	Beams and Girts
EBG090	5/11/2020	DD-D009210	EBG090-051120	Beams and Girts
EBG091-092-093	5/12/2020	DD-D009301	EBG091-092-093-051220-COM	Beams and Girts
EBG091R	6/25/2020	DD-D021410	EBG091R-062520	Beams and Girts
EBG092R	6/25/2020	DD-D021501	EBG092R-062520	Beams and Girts
EBG093R	6/25/2020	DD-D021502	EBG093R-062520	Beams and Girts
EBG094-095-096	5/12/2020	DD-D009304	EBG094-095-096-051220-COM	Beams and Girts
EBG094R	6/25/2020	DD-D021503	EBG094R-062520	Beams and Girts
EBG095R	6/25/2020	DD-D021504	EBG095R-062520	Beams and Girts
EBG096R	6/25/2020	DD-D021505	EBG096R-062520	Beams and Girts
EBG097-098-099	5/12/2020	DD-D009307	EBG097-098-099-051220-COM	Beams and Girts
EBG100-101-102	5/12/2020	DD-D009310	EBG100-101-102-051220-COM	Beams and Girts
EBG100R	6/25/2020	DD-D021506	EBG100R-062520	Beams and Girts
EBG101R	6/25/2020	DD-D021507	EBG101R-062520	Beams and Girts
EBG102R	6/25/2020	DD-D021508	EBG102R-062520	Beams and Girts
EBG103-104-105	5/12/2020	DD-D009403	EBG103-104-105-051220-COM	Beams and Girts
EBG103R	6/25/2020	DD-D021509	EBG103R-062520	Beams and Girts
EBG104R	6/25/2020	DD-D021510	EBG104R-062520	Beams and Girts
EBG105R	6/25/2020	DD-D021601	EBG105R-062520	Beams and Girts
EBG106-107	5/12/2020	DD-D009406	EBG106-107-051220-COMP	Beams and Girts
EBG108	5/12/2020	DD-D009408	EBG108-051220	Beams and Girts
EBG109-110-111	5/12/2020	DD-D009409	EBG109-110-111-051220-COM	Beams and Girts
EBG109R	6/25/2020	DD-D021602	EBG109R-062520	Beams and Girts
EBG110R	6/25/2020	DD-D021603	EBG110R-062520	Beams and Girts
EBG111R	6/25/2020	DD-D021604	EBG111R-062520	Beams and Girts
EBG112-113-114	5/12/2020	DD-D009502	EBG112-113-114-051220-COM	Beams and Girts
EBG115-116-117	5/12/2020	DD-D009505	EBG115-116-117-051220-COM	Beams and Girts
EBG115R	6/26/2020	DD-D021605	EBG115R-062620	Beams and Girts
EBG116R	6/26/2020	DD-D021606	EBG116R-062620	Beams and Girts
EBG117R	6/26/2020	DD-D021607	EBG117R-062620	Beams and Girts
EBG118-119-120	5/12/2020	DD-D009508	EBG118-119-120-051220-COM	Beams and Girts
EBG118R	6/26/2020	DD-D021608	EBG118R-062620	Beams and Girts
EBG119R	6/26/2020	DD-D021609	EBG119R-062620	Beams and Girts
EBG120R	6/26/2020	DD-D021610	EBG120R-062620	Beams and Girts
EBG121-122-123	5/12/2020	DD-D009601	EBG121-122-123-051220-COM	Beams and Girts
EBG121R	6/26/2020	DD-D021701	EBG121R-062620	Beams and Girts
EBG122R	6/26/2020	DD-D021702	EBG122R-062620	Beams and Girts
EBG123R	6/26/2020	DD-D021703	EBG123R-062620	Beams and Girts
EBG124-125	5/12/2020	DD-D009604	EBG124-125-051220-COMP	Beams and Girts
EBG126	5/12/2020	DD-D009606	EBG126-051220	Beams and Girts
EBG127-128	5/12/2020	DD-D009607	EBG127-128-051220-COMP	Beams and Girts

Attachment 1 - Total Wipe Samples

Location	Date Sampled	Control No	Sample ID	Sample Type
EBG129-130-131	5/12/2020	DD-D009609	EBG129-130-131-051220-COM	Beams and Girts
EBG129R	6/26/2020	DD-D021704	EBG129R-062620	Beams and Girts
EBG130R	6/26/2020	DD-D021705	EBG130R-062620	Beams and Girts
EBG131R	6/26/2020	DD-D021706	EBG131R-062620	Beams and Girts
EBG132-133	5/12/2020	DD-D009702	EBG132-133-051220-COMP	Beams and Girts
EBG132R	6/26/2020	DD-D021707	EBG132R-062620	Beams and Girts
EBG133R	6/26/2020	DD-D021708	EBG133R-062620	Beams and Girts
EBG134-135	5/12/2020	DD-D009704	EBG134-135-051220-COMP	Beams and Girts
EBG136-137	5/12/2020	DD-D009706	EBG136-137-051220-COMP	Beams and Girts
EBG138-139	5/12/2020	DD-D009708	EBG138-139-051220-COMP	Beams and Girts
EBG138R	6/26/2020	DD-D021709	EBG138R-062620	Beams and Girts
EBG139R	6/26/2020	DD-D021710	EBG139R-062620	Beams and Girts
EW001-002-003	5/11/2020	DD-D008001	EW001-002-003-051120-COMP	Wall Panels
EW004-005-009	5/11/2020	DD-D008004	EW004-005-009-051120-COMP	Wall Panels
EW006-007-008	5/11/2020	DD-D008006	EW006-007-008-051120-COMP	Wall Panels
EW010-011-012	5/11/2020	DD-D008010	EW010-011-012-051120-COMP	Wall Panels
EW013-014	5/11/2020	DD-D008103	EW013-014-051120-COMP	Wall Panels
EW015-016-017	5/11/2020	DD-D008105	EW015-016-017-051120-COMP	Wall Panels
EW018-022	5/12/2020	DD-D008108	EW018-022-051220-COMP	Wall Panels
EW019-020-021	5/12/2020	DD-D008109	EW019-020-021-051220-COMP	Wall Panels
EW023-024-025	5/12/2020	DD-D008203	EW023-024-025-051220-COMP	Wall Panels
EW026-027-028	5/12/2020	DD-D008206	EW026-027-028-051220-COMP	Wall Panels
EW029-033	5/12/2020	DD-D008209	EW029-033-051220-COMP	Wall Panels
EW030-031-032	5/12/2020	DD-D008210	EW030-031-032-051220-COMP	Wall Panels
FBG001-002-003	5/12/2020	DD-D010001	FBG001-002-003-051220-COM	Beams and Girts
FBG004-005-006	5/12/2020	DD-D010004	FBG004-005-006-051220-COM	Beams and Girts
FBG007-008-009	5/12/2020	DD-D010007	FBG007-008-009-051220-COM	Beams and Girts
FBG010-011-012	5/12/2020	DD-D010010	FBG010-011-012-051220-COM	Beams and Girts
FBG010R	6/29/2020	DD-D021801	FBG010R-062920	Beams and Girts
FBG011R	6/29/2020	DD-D021802	FBG011R-062920	Beams and Girts
FBG012R	6/29/2020	DD-D021803	FBG012R-062920	Beams and Girts
FBG013-014	5/12/2020	DD-D010103	FBG013-014-051220-COMP	Beams and Girts
FBG015-016-017	5/12/2020	DD-D010105	FBG015-016-017-051220-COM	Beams and Girts
FBG015R	6/29/2020	DD-D021804	FBG015R-062920	Beams and Girts
FBG016R	6/29/2020	DD-D021805	FBG016R-062920	Beams and Girts
FBG017R	6/29/2020	DD-D021806	FBG017R-062920	Beams and Girts
FBG018-019-020	5/12/2020	DD-D010108	FBG018-019-020-051220-COM	Beams and Girts
FBG021-024	5/12/2020	DD-D010201	FBG021-024-051220-COMP	Beams and Girts
FBG022-023	5/12/2020	DD-D010202	FBG022-023-051220-COMP	Beams and Girts
FBG022R	6/29/2020	DD-D021807	FBG022R-062920	Beams and Girts
FBG023R	6/29/2020	DD-D021808	FBG023R-062920	Beams and Girts
FBG025-026	5/12/2020	DD-D010205	FBG025-026-051220-COMP	Beams and Girts
FBG027-028	5/12/2020	DD-D010207	FBG027-028-051220-COMP	Beams and Girts
FBG029-030	5/12/2020	DD-D010209	FBG029-030-051220-COMP	Beams and Girts
FBG031-032-033	5/12/2020	DD-D010301	FBG031-032-033-051220-COM	Beams and Girts
FBG034-035	5/12/2020	DD-D010304	FBG034-035-051220-COMP	Beams and Girts
FBG036-037	5/12/2020	DD-D010306	FBG036-037-051220-COMP	Beams and Girts
FBG036R	6/29/2020	DD-D021809	FBG036R-062920	Beams and Girts
FBG037R	6/29/2020	DD-D021810	FBG037R-062920	Beams and Girts
FBG038-039	5/12/2020	DD-D010308	FBG038-039-051220-COMP	Beams and Girts
FBG038R	6/29/2020	DD-D021901	FBG038R-062920	Beams and Girts
FBG039R	6/29/2020	DD-D021902	FBG039R-062920	Beams and Girts

Attachment 1 - Total Wipe Samples

Location	Date Sampled	Control No	Sample ID	Sample Type
FBG040-041	5/12/2020	DD-D010310	FBG040-041-051220-COMP	Beams and Girts
FBG042-043	5/12/2020	DD-D010402	FBG042-043-051220-COMP	Beams and Girts
FBG044-045	5/12/2020	DD-D010404	FBG044-045-051220-COMP	Beams and Girts
FBG045-047	5/12/2020	DD-D010406	FBG046-047-051220-COMP	Beams and Girts
FW001-002-003	5/12/2020	DD-DO09801	FW001-002-003-051220-COMP	Wall Panels
FW004-005	5/12/2020	DD-DO09804	FW004-005-051220-COMP	Wall Panels
FW006-007-008	5/12/2020	DD-DO09806	FW006-007-008-051220-COMP	Wall Panels
FW009-010-011	5/12/2020	DD-DO09809	FW009-010-011-051220-COMP	Wall Panels
GBG001-002	5/13/2020	DD-D011101	GBG001-002-051320-COMP	Beams and Girts
GBG003-004	5/13/2020	DD-D011103	GBG003-004-051320-COMP	Beams and Girts
GBG005-006	5/13/2020	DD-D011105	GBG005-006-051320-COMP	Beams and Girts
GBG007-008	5/13/2020	DD-D011107	GBG007-008-051320-COMP	Beams and Girts
GBG009-010	5/13/2020	DD-D011109	GBG009-010-051320-COMP	Beams and Girts
GBG011-012	5/13/2020	DD-D011201	GBG011-012-051320-COMP	Beams and Girts
GBG013-014	5/13/2020	DD-D011203	GBG013-014-051320-COMP	Beams and Girts
GBG015-016	5/13/2020	DD-D011205	GBG015-016-051320-COMP	Beams and Girts
GBG017	5/13/2020	DD-D011207	GBG017-051320	Beams and Girts
GBG018-019	5/13/2020	DD-D011208	GBG018-019-051320-COMP	Beams and Girts
GBG020-021	5/13/2020	DD-D011210	GBG020-021-051320-COMP	Beams and Girts
GBG020R	6/29/2020	DD-D022001	GBG020R-062920	Beams and Girts
GBG021R	6/29/2020	DD-D022002	GBG021R-062920	Beams and Girts
GBG022-023	5/13/2020	DD-D011302	GBG022-023-051320-COMP	Beams and Girts
GBG022R	6/29/2020	DD-D022003	GBG022R-062920	Beams and Girts
GBG023R	6/29/2020	DD-D022004	GBG023R-062920	Beams and Girts
GBG024-025	5/13/2020	DD-D011304	GBG024-025-051320-COMP	Beams and Girts
GBG024R	6/29/2020	DD-D022005	GBG024R-062920	Beams and Girts
GBG025R	6/29/2020	DD-D022006	GBG025R-062920	Beams and Girts
GBG026-027-028	5/13/2020	DD-D011306	GBG026-027-028-051320-COM	Beams and Girts
GBG026R	6/29/2020	DD-D022007	GBG026R-062920	Beams and Girts
GBG027R	6/29/2020	DD-D022008	GBG027R-062920	Beams and Girts
GBG028R	6/29/2020	DD-D022009	GBG028R-062920	Beams and Girts
GBG029-030-031	5/13/2020	DD-D011309	GBG029-030-031-051320-COM	Beams and Girts
GBG032-034	5/13/2020	DD-D011402	GBG032-034-051320-COMP	Beams and Girts
GBG032R	6/29/2020	DD-D022010	GBG032R-062920	Beams and Girts
GBG033	5/13/2020	DD-D011403	GBG023-051320	Beams and Girts
GBG034R	6/29/2020	DD-D022101	GBG034R-062920	Beams and Girts
GBG035-036	5/13/2020	DD-D011405	GBG035-036-051320-COMP	Beams and Girts
GBG037-038	5/13/2020	DD-D011407	GBG037-038-051320-COMP	Beams and Girts
GBG039-040-041	5/13/2020	DD-D011409	GBG039-040-041-051320-COM	Beams and Girts
GBG039R	6/29/2020	DD-D022102	GBG039R-062920	Beams and Girts
GBG040R	6/29/2020	DD-D022103	GBG040R-062920	Beams and Girts
GBG041R	6/29/2020	DD-D022104	GBG041R-062920	Beams and Girts
GBG042-043	5/13/2020	DD-D011502	GBG042-043-051320-COMP	Beams and Girts
GBG044-045	5/13/2020	DD-D011504	GBG044-045-051320-COMP	Beams and Girts
GBG044R	6/29/2020	DD-D022105	GBG044R-062920	Beams and Girts
GBG045R	6/29/2020	DD-D022106	GBG045R-062920	Beams and Girts
GBG046-047	5/13/2020	DD-D011506	GBG046-047-051320-COMP	Beams and Girts
GBG046R	6/29/2020	DD-D022107	GBG046R-062920	Beams and Girts
GBG047R	6/29/2020	DD-D022108	GBG047R-062920	Beams and Girts
GBG048-049	5/13/2020	DD-D011508	GBG048-049-051320-COMP	Beams and Girts
GBG050-051	5/13/2020	DD-D011510	GBG050-051-051320-COMP	Beams and Girts
GBG050R	6/29/2020	DD-D022109	GBG050R-062920	Beams and Girts



Attachment 1 - Total Wipe Samples

Location	Date Sampled	Control No	Sample ID	Sample Type
GBG051R	6/29/2020	DD-D022110	GBG051R-062920	Beams and Girts
GBG052-053	5/13/2020	DD-D011602	GBG052-053-051320-COMP	Beams and Girts
GBG054-055	5/13/2020	DD-D011604	GBG054-055-051320-COMP	Beams and Girts
GBG056-057	5/13/2020	DD-D011606	GBG056-057-051320-COMP	Beams and Girts
GBG056R	6/29/2020	DD-D022201	GBG056R-062920	Beams and Girts
GBG057R	6/29/2020	DD-D022202	GBG057R-062920	Beams and Girts
GBG058-059	5/13/2020	DD-D011608	GBG058-059-051320-COMP	Beams and Girts
GBG058R	6/29/2020	DD-D022203	GBG058R-062920	Beams and Girts
GBG059R	6/29/2020	DD-D022204	GBG059R-062920	Beams and Girts
GBG060-061	5/13/2020	DD-D011610	GBG060-061-051320-COMP	Beams and Girts
GBG060R	6/29/2020	DD-D022205	GBG060R-062920	Beams and Girts
GBG061R	6/29/2020	DD-D022206	GBG061R-062920	Beams and Girts
GBG062-063	5/13/2020	DD-D011702	GBG062-063-051320-COMP	Beams and Girts
GBG064-065	5/13/2020	DD-D011704	GBG064-065-051320-COMP	Beams and Girts
GBG064R	6/29/2020	DD-D022207	GBG064R-062920	Beams and Girts
GBG065R	6/29/2020	DD-D022208	GBG065R-062920	Beams and Girts
GBG066-067	5/13/2020	DD-D011706	GBG066-067-051320-COMP	Beams and Girts
GBG068-069	5/13/2020	DD-D011708	GBG068-069-051320-COMP	Beams and Girts
GBG070-071	5/13/2020	DD-D011710	GBG070-071-051320-COMP	Beams and Girts
GBG072-073	5/13/2020	DD-D011802	GBG072-073-051320-COMP	Beams and Girts
GBG074-075	5/13/2020	DD-D011804	GBG074-075-051320-COMP	Beams and Girts
GBG074R	6/29/2020	DD-D022209	GBG074R-062920	Beams and Girts
GBG075R	6/29/2020	DD-D022210	GBG075R-062920	Beams and Girts
GBG076-077	5/13/2020	DD-D011806	GBG076-077-051320-COMP	Beams and Girts
GBG078-079	5/13/2020	DD-D011808	GBG078-079-051320-COMP	Beams and Girts
GBG080-081	5/13/2020	DD-D011810	GBG080-081-051320-COMP	Beams and Girts
GBG080R	6/29/2020	DD-D022301	GBG080R-062920	Beams and Girts
GBG081R	6/29/2020	DD-D022302	GBG081R-062920	Beams and Girts
GBG082-083	5/13/2020	DD-D011902	GBG082-083-051320-COMP	Beams and Girts
GBG084-085	5/13/2020	DD-D011904	GBG084-085-051320-COMP	Beams and Girts
GBG084R	6/29/2020	DD-D022303	GBG084R-062920	Beams and Girts
GBG085R	6/29/2020	DD-D022304	GBG085R-062920	Beams and Girts
GBG086-087	5/13/2020	DD-D011906	GBG086-087-051320-COMP	Beams and Girts
GBG088-089	5/13/2020	DD-D011908	GBG088-089-051320-COMP	Beams and Girts
GBG088R	6/29/2020	DD-D022305	GBG088R-062920	Beams and Girts
GBG089R	6/29/2020	DD-D022306	GBG089R-062920	Beams and Girts
GBG090-091	5/13/2020	DD-D011910	GBG090-091-051320-COMP	Beams and Girts
GBG092-093	5/14/2020	DD-D012002	GBG092-093-051420-COMP	Beams and Girts
GBG092R	6/29/2020	DD-D022307	GBG092R-062920	Beams and Girts
GBG093R	6/29/2020	DD-D022308	GBG093R-062920	Beams and Girts
GBG094-095	5/14/2020	DD-D012004	GBG094-095-051420-COMP	Beams and Girts
GBG096-097	5/14/2020	DD-D012006	GBG096-097-051420-COMP	Beams and Girts
GBG096R	6/29/2020	DD-D022309	GBG093R-062920	Beams and Girts
GBG097R	6/29/2020	DD-D022310	GBG097R-062920	Beams and Girts
GBG098-099	5/14/2020	DD-D012008	GBG098-099-051420-COMP	Beams and Girts
GBG100-101	5/14/2020	DD-D012010	GBG100-101-051420-COMP	Beams and Girts
GBG102-103	5/14/2020	DD-D012102	GBG102-103-051420-COMP	Beams and Girts
GBG104-105	5/14/2020	DD-D012104	GBG104-105-051420-COMP	Beams and Girts
GBG104R	6/29/2020	DD-D022401	GBG104R-062920	Beams and Girts
GBG105R	6/29/2020	DD-D022402	GBG105R-062920	Beams and Girts
GBG106	5/14/2020	DD-D012106	GBG106-051420	Beams and Girts
GBG106R	6/29/2020	DD-D022403	GBG106R-062920	Beams and Girts

Attachment 1 - Total Wipe Samples

Location	Date Sampled	Control No	Sample ID	Sample Type
GBG107-108	5/14/2020	DD-D012107	GBG107-108-051420-COMP	Beams and Girts
GBG107R	6/29/2020	DD-D022404	GBG107R-062920	Beams and Girts
GBG108R	6/29/2020	DD-D022405	GBG108R-062920	Beams and Girts
GBG109	5/14/2020	DD-D012109	GBG109-051420	Beams and Girts
GBG109R	6/29/2020	DD-D022406	GBG109R-062920	Beams and Girts
GBG110-111	5/14/2020	DD-D012110	GBG110-111-051420-COMP	Beams and Girts
GBG112-113	5/14/2020	DD-D012202	GBG112-113-051420-COMP	Beams and Girts
GBG112R	6/29/2020	DD-D022407	GBG112R-062920	Beams and Girts
GBG113R	6/29/2020	DD-D022408	GBG113R-062920	Beams and Girts
GBG114-115	5/14/2020	DD-D012204	GBG114-115-051420-COMP	Beams and Girts
GBG116-117	5/14/2020	DD-D012206	GBG116-117-051420-COMP	Beams and Girts
GBG116R	6/29/2020	DD-D022409	GBG116R-062920	Beams and Girts
GBG117R	6/29/2020	DD-D022410	GBG117R-062920	Beams and Girts
GBG118-119	5/14/2020	DD-D012208	GBG118-119-051420-COMP	Beams and Girts
GBG118R	6/29/2020	DD-D022501	GBG118R-062920	Beams and Girts
GBG119R	6/29/2020	DD-D022502	GBG119R-062920	Beams and Girts
GBG120-121	5/14/2020	DD-D012210	GBG120-121-051420-COMP	Beams and Girts
GBG122-123	5/14/2020	DD-D013402	GBG122-123-051420-COMP	Beams and Girts
GBG122R	6/29/2020	DD-D022503	GBG122R-062920	Beams and Girts
GBG123R	6/29/2020	DD-D022504	GBG123R-062920	Beams and Girts
GBG124-125	5/14/2020	DD-D013404	GBG124-125-051420-COMP	Beams and Girts
GBG124R	6/29/2020	DD-D022505	GBG124R-062920	Beams and Girts
GBG125R	6/29/2020	DD-D022506	GBG125R-062920	Beams and Girts
GBG126-127	5/14/2020	DD-D013406	GBG126-127-051420-COMP	Beams and Girts
GBG128-129	5/14/2020	DD-D013408	GBG128-129-051420-COMP	Beams and Girts
GBG130-131	5/14/2020	DD-D013410	GBG130-131-051420-COMP	Beams and Girts
GBG132-133	5/14/2020	DD-D012302	GBG132-133-051420-COMP	Beams and Girts
GBG134-135	5/14/2020	DD-D012304	GBG134-135-051420-COMP	Beams and Girts
GBG134R	6/29/2020	DD-D022507	GBG134R-062920	Beams and Girts
GBG135R	6/29/2020	DD-D022508	GBG135R-062920	Beams and Girts
GBG136-137	5/14/2020	DD-D012306	GBG136-137-051420-COMP	Beams and Girts
GBG136R	6/29/2020	DD-D022509	GBG136R-062920	Beams and Girts
GBG137R	6/29/2020	DD-D022510	GBG137R-062920	Beams and Girts
GW001-005-009	5/13/2020	DD-D010701	GW001-005-009-051320-COMP	Wall Panels
GW002-003-004	5/13/2020	DD-D010702	GW002-003-004-051320-COMP	Wall Panels
GW006-007-008	5/13/2020	DD-D010706	GW006-007-008-051320-COMP	Wall Panels
GW010-011-012	5/13/2020	DD-D010710	GW010-011-012-051320-COMP	Wall Panels
GW013-014-015	5/13/2020	DD-D010803	GW013-014-015-051320-COMP	Wall Panels
GW016-020-025	5/13/2020	DD-D010806	GW016-020-025-051320-COMP	Wall Panels
GW017-018-019	5/13/2020	DD-D010807	GW017-018-019-051320-COMP	Wall Panels
GW021-022-023	5/13/2020	DD-D010901	GW021-022-023-051320-COMP	Wall Panels
GW024-026-030	5/13/2020	DD-D010904	GW024-026-030-051320-COMP	Wall Panels
GW027-028-029	5/13/2020	DD-D010907	GW027-028-029-051320-COMP	Wall Panels
GW031-032-033	5/13/2020	DD-D011001	GW031-032-033-051320-COMP	Wall Panels
GW034	5/13/2020	DD-D011004	GW034-051320	Wall Panels
HW001-002-010	5/14/2020	DD-D010501	HW001-002-010-051420-COMP	Wall Panels
HW003-004-005	5/14/2020	DD-D010503	HW003-004-005-051420-COMP	Wall Panels
HW006-007-008	5/14/2020	DD-D010506	HW006-007-008-051420-COMP	Wall Panels
HW009-011-012	5/14/2020	DD-D010509	HW009-011-012-051420-COMP	Wall Panels
IW001-005-006	5/14/2020	DD-D012401	IW001-005-006-051420-COMP	Wall Panels
IW002-003-004	5/14/2020	DD-D012402	IW002-003-004-051420-COMP	Wall Panels
IW007-008-009	5/14/2020	DD-D012407	IW007-008-009-051420-COMP	Wall Panels

Attachment 1 - Total Wipe Samples

Location	Date Sampled	Control No	Sample ID	Sample Type
IW010-011-013	5/14/2020	DD-D012410	IW010-011-012-051420-COMP	Wall Panels
IW012-014-018	5/14/2020	DD-D012502	IW012-014-018-051420-COMP	Wall Panels
IW015-016-017	5/14/2020	DD-D012505	IW015-016-017-051420-COMP	Wall Panels
IW019-020-021	5/14/2020	DD-D012509	IW019-020-021-051420-COMP	Wall Panels
IW022-023	5/14/2020	DD-D012602	IW022-023-051420-COMP	Wall Panels
IW024-027	5/14/2020	DD-D012604	IW024-027-051420-COMP	Wall Panels
IW025-026-028	5/14/2020	DD-D012605	IW025-026-028-051420-COMP	Wall Panels
IW029-033-034	5/14/2020	DD-D012609	IW029-033-034-051420-COMP	Wall Panels
IW030-031-032	5/14/2020	DD-D012610	IW030-031-032-051420-COMP	Wall Panels
SAB001-002-003	5/14/2020	DD-D012801	SAB001-002-003-051420-COM	Stand Alone Beams
SAB004-005-006	5/14/2020	DD-D012804	SAB004-005-006-051420-COM	Stand Alone Beams
SAB004R	6/25/2020	DD-D022601	SAB004R-062520	Stand Alone Beams
SAB005R	6/29/2020	DD-D022602	SAB005R-062920	Stand Alone Beams
SAB006R	6/29/2020	DD-D022603	SAB006R-062920	Stand Alone Beams
SAB007-008-009	5/14/2020	DD-D012807	SAB007-008-009-051420-COM	Stand Alone Beams
SAB007R	6/25/2020	DD-D022604	SAB007R-062520	Stand Alone Beams
SAB008R	6/29/2020	DD-D022605	SAB008R-062920	Stand Alone Beams
SAB009R	6/29/2020	DD-D022606	SAB009R-062920	Stand Alone Beams
SAB010-011-012	5/14/2020	DD-D012810	SAB010-011-012-051420-COM	Stand Alone Beams
SAB010R	6/8/2020	DD-D017807	SAB010R-060820	Stand Alone Beams
SAB011R	6/8/2020	DD-D017808	SAB011R-060820	Stand Alone Beams
SAB012R	6/8/2020	DD-D017809	SAB012R-060820	Stand Alone Beams
SAB013-014-015	5/14/2020	DD-D012903	SAB013-014-015-051420-COM	Stand Alone Beams
SAB013R	6/8/2020	DD-D017810	SAB013R-060820	Stand Alone Beams
SAB014R	6/8/2020	DD-D017901	SAB014R-060820	Stand Alone Beams
SAB015R	6/8/2020	DD-D017902	SAB015R-060820	Stand Alone Beams
SAB016-017-018	5/14/2020	DD-D012906	SAB016-017-018-051420-COM	Stand Alone Beams
SAB019-020-021	5/14/2020	DD-D012909	SAB019-020-021-051420-COM	Stand Alone Beams
SAB019R	6/8/2020	DD-D017903	SAB019R-060820	Stand Alone Beams
SAB020R	6/8/2020	DD-D017904	SAB020R-060820	Stand Alone Beams
SAB021R	6/8/2020	DD-D017905	SAB021R-060820	Stand Alone Beams
SAB022-023-024	5/15/2020	DD-D013002	SAB022-023-024-051520-COM	Stand Alone Beams
SAB022R	6/25/2020	DD-D022706	SAB022R-062520	Stand Alone Beams
SAB023R	6/29/2020	DD-D022707	SAB023R-062920	Stand Alone Beams
SAB024R	6/29/2020	DD-D022708	SAB024R-062920	Stand Alone Beams
SAB025-026-027	5/15/2020	DD-D013005	SAB025-026-027-051520-COM	Stand Alone Beams
SAB025R	6/25/2020	DD-D022709	SAB025R-062520	Stand Alone Beams
SAB026R	6/29/2020	DD-D022710	SAB026R-062920	Stand Alone Beams
SAB027R	6/29/2020	DD-D022801	SAB027R-062920	Stand Alone Beams
SAB028-029-030	5/15/2020	DD-D013008	SAB028-029-030-051520-COM	Stand Alone Beams
SAB028R	6/25/2020	DD-D022802	SAB028R-062520	Stand Alone Beams
SAB029R	6/29/2020	DD-D022803	SAB029R-062920	Stand Alone Beams
SAB030R	6/29/2020	DD-D022804	SAB030R-062920	Stand Alone Beams
SAB031-032-033	5/15/2020	DD-D013101	SAB031-032-033-051520-COM	Stand Alone Beams
SAB031R	6/25/2020	DD-D022805	SAB031R-062520	Stand Alone Beams
SAB032R	6/29/2020	DD-D022806	SAB032R-062920	Stand Alone Beams
SAB033R	6/29/2020	DD-D022807	SAB033R-062920	Stand Alone Beams
SAB034-035-036	5/15/2020	DD-D013104	SAB034-035-036-051520-COM	Stand Alone Beams
SAB034R	6/25/2020	DD-D022808	SAB034R-062520	Stand Alone Beams
SAB035R	6/29/2020	DD-D022809	SAB035R-062920	Stand Alone Beams
SAB036R	6/29/2020	DD-D022810	SAB036R-062920	Stand Alone Beams
SAB037-038-039	5/15/2020	DD-D013107	SAB037-038-039-051520-COM	Stand Alone Beams

## Attachment 1 - Total Wipe Samples

Location	Date Sampled	Control No	Sample ID	Sample Type
SAB037R	6/25/2020	DD-D022901	SAB037R-062520	Stand Alone Beams
SAB038R	6/29/2020	DD-D022902	SAB038R-062920	Stand Alone Beams
SAB039R	6/29/2020	DD-D022903	SAB039R-062920	Stand Alone Beams
SAB040-041-042	5/15/2020	DD-D013110	SAB040-041-042-051520-COM	Stand Alone Beams
SAB040R	6/25/2020	DD-D022904	SAB040R-062520	Stand Alone Beams
SAB041R	6/29/2020	DD-D022905	SAB041R-062920	Stand Alone Beams
SAB042R	6/29/2020	DD-D022906	SAB042R-062920	Stand Alone Beams
SAB043-044-045	5/14/2020	DD-D013203	SAB043-044-045-051520-COM	Stand Alone Beams
SAB043R	6/29/2020	DD-D022907	SAB043R-062920	Stand Alone Beams
SAB044R	6/29/2020	DD-D022908	SAB044R-062920	Stand Alone Beams
SAB045R	6/29/2020	DD-D022909	SAB045R-062920	Stand Alone Beams
SAB046-047-048	5/14/2020	DD-D013206	SAB046-047-048-051520-COM	Stand Alone Beams
SAB046R	6/29/2020	DD-D022910	SAB046R-062920	Stand Alone Beams
SAB047R	6/29/2020	DD-D023001	SAB047R-062920	Stand Alone Beams
SAB048R	6/29/2020	DD-D023002	SAB048R-062920	Stand Alone Beams
SBW001	5/14/2020	DD-D000301	SBW001-051420	Support Building Walls
SBW002	5/14/2020	DD-D000302	SBW002-051420	Support Building Walls
SBW003	5/14/2020	DD-D000303	SBW003-051420	Support Building Walls

## **Attachment 2**

Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
ABG001	4/15/2020	11:06	N1	DD-D001101	ABG001-041520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG001	4/15/2020	11:06	N1	DD-D001101	ABG001-041520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG001	4/15/2020	11:06	N1	DD-D001101	ABG001-041520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG001	4/15/2020	11:06	N1	DD-D001101	ABG001-041520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1.5		0.088	0.24	ug/WIPE
ABG001	4/15/2020	11:06	N1	DD-D001101	ABG001-041520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG001	4/15/2020	11:06	N1	DD-D001101	ABG001-041520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.63		0.07	0.24	ug/WIPE
ABG001	4/15/2020	11:06	N1	DD-D001101	ABG001-041520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG001	4/15/2020	11:06	N1	DD-D001101	ABG001-041520	SW8082A	SW	TOTAL PCBs	2.13		-	0.24	ug/WIPE
ABG002	4/15/2020	11:11	N1	DD-D001102	ABG002-041520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG002	4/15/2020	11:11	N1	DD-D001102	ABG002-041520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG002	4/15/2020	11:11	N1	DD-D001102	ABG002-041520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG002	4/15/2020	11:11	N1	DD-D001102	ABG002-041520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1.4		0.088	0.24	ug/WIPE
ABG002	4/15/2020	11:11	N1	DD-D001102	ABG002-041520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG002	4/15/2020	11:11	N1	DD-D001102	ABG002-041520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.58		0.07	0.24	ug/WIPE
ABG002	4/15/2020	11:11	N1	DD-D001102	ABG002-041520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG002	4/15/2020	11:11	N1	DD-D001102	ABG002-041520	SW8082A	SW	TOTAL PCBs	1.98		-	0.24	ug/WIPE
ABG003	4/15/2020	11:03	N1	DD-D001103	ABG003-041520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG003	4/15/2020	11:03	N1	DD-D001103	ABG003-041520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG003	4/15/2020	11:03	N1	DD-D001103	ABG003-041520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG003	4/15/2020	11:03	N1	DD-D001103	ABG003-041520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.47		0.088	0.24	ug/WIPE
ABG003	4/15/2020	11:03	N1	DD-D001103	ABG003-041520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG003	4/15/2020	11:03	N1	DD-D001103	ABG003-041520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.19	J	0.07	0.24	ug/WIPE
ABG003	4/15/2020	11:03	N1	DD-D001103	ABG003-041520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG003	4/15/2020	11:03	N1	DD-D001103	ABG003-041520	SW8082A	SW	TOTAL PCBs	0.66		-	0.24	ug/WIPE
ABG004	4/15/2020	10:54	N1	DD-D001104	ABG004-041520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG004	4/15/2020	10:54	N1	DD-D001104	ABG004-041520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG004	4/15/2020	10:54	N1	DD-D001104	ABG004-041520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG004	4/15/2020	10:54	N1	DD-D001104	ABG004-041520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.53		0.088	0.24	ug/WIPE
ABG004	4/15/2020	10:54	N1	DD-D001104	ABG004-041520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG004	4/15/2020	10:54	N1	DD-D001104	ABG004-041520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.22	J	0.07	0.24	ug/WIPE
ABG004	4/15/2020	10:54	N1	DD-D001104	ABG004-041520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG004	4/15/2020	10:54	N1	DD-D001104	ABG004-041520	SW8082A	SW	TOTAL PCBs	0.75		-	0.24	ug/WIPE
ABG005	4/15/2020	10:50	N1	DD-D001105	ABG005-041520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG005	4/15/2020	10:50	N1	DD-D001105	ABG005-041520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG005	4/15/2020	10:50	N1	DD-D001105	ABG005-041520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG005	4/15/2020	10:50	N1	DD-D001105	ABG005-041520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.3		0.088	0.24	ug/WIPE
ABG005	4/15/2020	10:50	N1	DD-D001105	ABG005-041520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG005	4/15/2020	10:50	N1	DD-D001105	ABG005-041520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.12	J	0.07	0.24	ug/WIPE
ABG005	4/15/2020	10:50	N1	DD-D001105	ABG005-041520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG005	4/15/2020	10:50	N1	DD-D001105	ABG005-041520	SW8082A	SW	TOTAL PCBs	0.42		-	0.24	ug/WIPE
ABG006	4/15/2020	10:46	N1	DD-D001106	ABG006-041520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG006	4/15/2020	10:46	N1	DD-D001106	ABG006-041520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG006	4/15/2020	10:46	N1	DD-D001106	ABG006-041520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG006	4/15/2020	10:46	N1	DD-D001106	ABG006-041520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1.7		0.088	0.24	ug/WIPE
ABG006	4/15/2020	10:46	N1	DD-D001106	ABG006-041520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG006	4/15/2020	10:46	N1	DD-D001106	ABG006-041520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.64		0.07	0.24	ug/WIPE
ABG006	4/15/2020	10:46	N1	DD-D001106	ABG006-041520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG006	4/15/2020	10:46	N1	DD-D001106	ABG006-041520	SW8082A	SW	TOTAL PCBs	2.34		-	0.24	ug/WIPE
ABG007	4/15/2020	10:11	N1	DD-D001107	ABG007-041520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG007	4/15/2020	10:11	N1	DD-D001107	ABG007-041520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG007	4/15/2020	10:11	N1	DD-D001107	ABG007-041520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE



Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
ABG007	4/15/2020	10:11	N1	DD-D001107	ABG007-041520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.44		0.088	0.24	ug/WIPE
ABG007	4/15/2020	10:11	N1	DD-D001107	ABG007-041520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG007	4/15/2020	10:11	N1	DD-D001107	ABG007-041520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.2	J	0.07	0.24	ug/WIPE
ABG007	4/15/2020	10:11	N1	DD-D001107	ABG007-041520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG007	4/15/2020	10:11	N1	DD-D001107	ABG007-041520	SW8082A	SW	TOTAL PCBs	0.64		-	0.24	ug/WIPE
ABG008	4/15/2020	10:18	N1	DD-D001108	ABG008-041520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG008	4/15/2020	10:18	N1	DD-D001108	ABG008-041520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG008	4/15/2020	10:18	N1	DD-D001108	ABG008-041520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG008	4/15/2020	10:18	N1	DD-D001108	ABG008-041520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.47		0.088	0.24	ug/WIPE
ABG008	4/15/2020	10:18	N1	DD-D001108	ABG008-041520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG008	4/15/2020	10:18	N1	DD-D001108	ABG008-041520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.24	J	0.07	0.24	ug/WIPE
ABG008	4/15/2020	10:18	N1	DD-D001108	ABG008-041520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG008	4/15/2020	10:18	N1	DD-D001108	ABG008-041520	SW8082A	SW	TOTAL PCBs	0.71		-	0.24	ug/WIPE
ABG009	4/15/2020	10:27	N1	DD-D001109	ABG009-041520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG009	4/15/2020	10:27	N1	DD-D001109	ABG009-041520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG009	4/15/2020	10:27	N1	DD-D001109	ABG009-041520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG009	4/15/2020	10:27	N1	DD-D001109	ABG009-041520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
ABG009	4/15/2020	10:27	N1	DD-D001109	ABG009-041520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG009	4/15/2020	10:27	N1	DD-D001109	ABG009-041520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
ABG009	4/15/2020	10:27	N1	DD-D001109	ABG009-041520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG009	4/15/2020	10:27	N1	DD-D001109	ABG009-041520	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
ABG010	4/15/2020	11:51	N1	DD-D001110	ABG010-041520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG010	4/15/2020	11:51	N1	DD-D001110	ABG010-041520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG010	4/15/2020	11:51	N1	DD-D001110	ABG010-041520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG010	4/15/2020	11:51	N1	DD-D001110	ABG010-041520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.28		0.088	0.24	ug/WIPE
ABG010	4/15/2020	11:51	N1	DD-D001110	ABG010-041520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG010	4/15/2020	11:51	N1	DD-D001110	ABG010-041520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.12	J	0.07	0.24	ug/WIPE
ABG010	4/15/2020	11:51	N1	DD-D001110	ABG010-041520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG010	4/15/2020	11:51	N1	DD-D001110	ABG010-041520	SW8082A	SW	TOTAL PCBs	0.4		-	0.24	ug/WIPE
ABG011	4/15/2020	11:23	N1	DD-D001201	ABG011-041520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG011	4/15/2020	11:23	N1	DD-D001201	ABG011-041520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG011	4/15/2020	11:23	N1	DD-D001201	ABG011-041520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG011	4/15/2020	11:23	N1	DD-D001201	ABG011-041520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.64		0.088	0.24	ug/WIPE
ABG011	4/15/2020	11:23	N1	DD-D001201	ABG011-041520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG011	4/15/2020	11:23	N1	DD-D001201	ABG011-041520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.3		0.07	0.24	ug/WIPE
ABG011	4/15/2020	11:23	N1	DD-D001201	ABG011-041520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG011	4/15/2020	11:23	N1	DD-D001201	ABG011-041520	SW8082A	SW	TOTAL PCBs	0.94		-	0.24	ug/WIPE
ABG012	4/15/2020	11:58	N1	DD-D001202	ABG012-041520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG012	4/15/2020	11:58	N1	DD-D001202	ABG012-041520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG012	4/15/2020	11:58	N1	DD-D001202	ABG012-041520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG012	4/15/2020	11:58	N1	DD-D001202	ABG012-041520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.69		0.088	0.24	ug/WIPE
ABG012	4/15/2020	11:58	N1	DD-D001202	ABG012-041520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG012	4/15/2020	11:58	N1	DD-D001202	ABG012-041520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.3		0.07	0.24	ug/WIPE
ABG012	4/15/2020	11:58	N1	DD-D001202	ABG012-041520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG012	4/15/2020	11:58	N1	DD-D001202	ABG012-041520	SW8082A	SW	TOTAL PCBs	0.99		-	0.24	ug/WIPE
ABG013	4/15/2020	11:28	N1	DD-D001203	ABG013-041520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG013	4/15/2020	11:28	N1	DD-D001203	ABG013-041520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG013	4/15/2020	11:28	N1	DD-D001203	ABG013-041520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG013	4/15/2020	11:28	N1	DD-D001203	ABG013-041520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2		0.088	0.24	ug/WIPE
ABG013	4/15/2020	11:28	N1	DD-D001203	ABG013-041520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG013	4/15/2020	11:28	N1	DD-D001203	ABG013-041520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.81		0.07	0.24	ug/WIPE

Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
ABG013	4/15/2020	11:28	N1	DD-D001203	ABG013-041520	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG013	4/15/2020	11:28	N1	DD-D001203	ABG013-041520	SW8082A	SW	TOTAL PCBs	2.81		-	0.24	ug/WIPE
ABG014	4/15/2020	12:02	N1	DD-D001204	ABG014-041520	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG014	4/15/2020	12:02	N1	DD-D001204	ABG014-041520	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG014	4/15/2020	12:02	N1	DD-D001204	ABG014-041520	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG014	4/15/2020	12:02	N1	DD-D001204	ABG014-041520	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	1.1		0.088	0.24	ug/WIPE
ABG014	4/15/2020	12:02	N1	DD-D001204	ABG014-041520	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG014	4/15/2020	12:02	N1	DD-D001204	ABG014-041520	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.49		0.07	0.24	ug/WIPE
ABG014	4/15/2020	12:02	N1	DD-D001204	ABG014-041520	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG014	4/15/2020	12:02	N1	DD-D001204	ABG014-041520	SW8082A	SW	TOTAL PCBs	1.59		-	0.24	ug/WIPE
ABG015	4/15/2020	11:32	N1	DD-D001205	ABG015-041520	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG015	4/15/2020	11:32	N1	DD-D001205	ABG015-041520	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG015	4/15/2020	11:32	N1	DD-D001205	ABG015-041520	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG015	4/15/2020	11:32	N1	DD-D001205	ABG015-041520	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.38		0.088	0.24	ug/WIPE
ABG015	4/15/2020	11:32	N1	DD-D001205	ABG015-041520	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG015	4/15/2020	11:32	N1	DD-D001205	ABG015-041520	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.25		0.07	0.24	ug/WIPE
ABG015	4/15/2020	11:32	N1	DD-D001205	ABG015-041520	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG015	4/15/2020	11:32	N1	DD-D001205	ABG015-041520	SW8082A	SW	TOTAL PCBs	0.63		-	0.24	ug/WIPE
ABG016	4/15/2020	12:09	N1	DD-D001206	ABG016-041520	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG016	4/15/2020	12:09	N1	DD-D001206	ABG016-041520	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG016	4/15/2020	12:09	N1	DD-D001206	ABG016-041520	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG016	4/15/2020	12:09	N1	DD-D001206	ABG016-041520	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.2		0.088	0.24	ug/WIPE
ABG016	4/15/2020	12:09	N1	DD-D001206	ABG016-041520	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG016	4/15/2020	12:09	N1	DD-D001206	ABG016-041520	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.92		0.07	0.24	ug/WIPE
ABG016	4/15/2020	12:09	N1	DD-D001206	ABG016-041520	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG016	4/15/2020	12:09	N1	DD-D001206	ABG016-041520	SW8082A	SW	TOTAL PCBs	3.12		-	0.24	ug/WIPE
ABG017	4/15/2020	13:32	N1	DD-D001207	ABG017-041520	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG017	4/15/2020	13:32	N1	DD-D001207	ABG017-041520	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG017	4/15/2020	13:32	N1	DD-D001207	ABG017-041520	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG017	4/15/2020	13:32	N1	DD-D001207	ABG017-041520	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.86		0.088	0.24	ug/WIPE
ABG017	4/15/2020	13:32	N1	DD-D001207	ABG017-041520	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG017	4/15/2020	13:32	N1	DD-D001207	ABG017-041520	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.34		0.07	0.24	ug/WIPE
ABG017	4/15/2020	13:32	N1	DD-D001207	ABG017-041520	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG017	4/15/2020	13:32	N1	DD-D001207	ABG017-041520	SW8082A	SW	TOTAL PCBs	1.2		-	0.24	ug/WIPE
ABG018	4/15/2020	11:37	N1	DD-D001208	ABG018-041520	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG018	4/15/2020	11:37	N1	DD-D001208	ABG018-041520	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG018	4/15/2020	11:37	N1	DD-D001208	ABG018-041520	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG018	4/15/2020	11:37	N1	DD-D001208	ABG018-041520	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.48		0.088	0.24	ug/WIPE
ABG018	4/15/2020	11:37	N1	DD-D001208	ABG018-041520	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG018	4/15/2020	11:37	N1	DD-D001208	ABG018-041520	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.22	J	0.07	0.24	ug/WIPE
ABG018	4/15/2020	11:37	N1	DD-D001208	ABG018-041520	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG018	4/15/2020	11:37	N1	DD-D001208	ABG018-041520	SW8082A	SW	TOTAL PCBs	0.7		-	0.24	ug/WIPE
ABG019	4/15/2020	11:40	N1	DD-D001209	ABG019-041520	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG019	4/15/2020	11:40	N1	DD-D001209	ABG019-041520	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG019	4/15/2020	11:40	N1	DD-D001209	ABG019-041520	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG019	4/15/2020	11:40	N1	DD-D001209	ABG019-041520	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	1.2		0.088	0.24	ug/WIPE
ABG019	4/15/2020	11:40	N1	DD-D001209	ABG019-041520	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG019	4/15/2020	11:40	N1	DD-D001209	ABG019-041520	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.49		0.07	0.24	ug/WIPE
ABG019	4/15/2020	11:40	N1	DD-D001209	ABG019-041520	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG019	4/15/2020	11:40	N1	DD-D001209	ABG019-041520	SW8082A	SW	TOTAL PCBs	1.69		-	0.24	ug/WIPE
ABG020	4/15/2020	13:20	N1	DD-D001210	ABG020-041520	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE



Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
ABG020	4/15/2020	13:20	N1	DD-D001210	ABG020-041520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG020	4/15/2020	13:20	N1	DD-D001210	ABG020-041520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG020	4/15/2020	13:20	N1	DD-D001210	ABG020-041520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.75		0.088	0.24	ug/WIPE
ABG020	4/15/2020	13:20	N1	DD-D001210	ABG020-041520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG020	4/15/2020	13:20	N1	DD-D001210	ABG020-041520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.39		0.07	0.24	ug/WIPE
ABG020	4/15/2020	13:20	N1	DD-D001210	ABG020-041520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG020	4/15/2020	13:20	N1	DD-D001210	ABG020-041520	SW8082A	SW	TOTAL PCBs	1.14		-	0.24	ug/WIPE
ABG021	4/15/2020	11:44	N1	DD-D001301	ABG021-041520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG021	4/15/2020	11:44	N1	DD-D001301	ABG021-041520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG021	4/15/2020	11:44	N1	DD-D001301	ABG021-041520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG021	4/15/2020	11:44	N1	DD-D001301	ABG021-041520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1.3		0.088	0.24	ug/WIPE
ABG021	4/15/2020	11:44	N1	DD-D001301	ABG021-041520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG021	4/15/2020	11:44	N1	DD-D001301	ABG021-041520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.4		0.07	0.24	ug/WIPE
ABG021	4/15/2020	11:44	N1	DD-D001301	ABG021-041520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG021	4/15/2020	11:44	N1	DD-D001301	ABG021-041520	SW8082A	SW	TOTAL PCBs	1.7		-	0.24	ug/WIPE
ABG022	4/15/2020	13:28	N1	DD-D001302	ABG022-041520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG022	4/15/2020	13:28	N1	DD-D001302	ABG022-041520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG022	4/15/2020	13:28	N1	DD-D001302	ABG022-041520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG022	4/15/2020	13:28	N1	DD-D001302	ABG022-041520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2		0.088	0.24	ug/WIPE
ABG022	4/15/2020	13:28	N1	DD-D001302	ABG022-041520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG022	4/15/2020	13:28	N1	DD-D001302	ABG022-041520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.68		0.07	0.24	ug/WIPE
ABG022	4/15/2020	13:28	N1	DD-D001302	ABG022-041520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG022	4/15/2020	13:28	N1	DD-D001302	ABG022-041520	SW8082A	SW	TOTAL PCBs	2.68		-	0.24	ug/WIPE
ABG023	4/15/2020	13:58	N1	DD-D001303	ABG023-041520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG023	4/15/2020	13:58	N1	DD-D001303	ABG023-041520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG023	4/15/2020	13:58	N1	DD-D001303	ABG023-041520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG023	4/15/2020	13:58	N1	DD-D001303	ABG023-041520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1		0.088	0.24	ug/WIPE
ABG023	4/15/2020	13:58	N1	DD-D001303	ABG023-041520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG023	4/15/2020	13:58	N1	DD-D001303	ABG023-041520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.38		0.07	0.24	ug/WIPE
ABG023	4/15/2020	13:58	N1	DD-D001303	ABG023-041520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG023	4/15/2020	13:58	N1	DD-D001303	ABG023-041520	SW8082A	SW	TOTAL PCBs	1.38		-	0.24	ug/WIPE
ABG024	4/15/2020	14:00	N1	DD-D001304	ABG024-041520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG024	4/15/2020	14:00	N1	DD-D001304	ABG024-041520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG024	4/15/2020	14:00	N1	DD-D001304	ABG024-041520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG024	4/15/2020	14:00	N1	DD-D001304	ABG024-041520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.75		0.088	0.24	ug/WIPE
ABG024	4/15/2020	14:00	N1	DD-D001304	ABG024-041520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG024	4/15/2020	14:00	N1	DD-D001304	ABG024-041520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.28		0.07	0.24	ug/WIPE
ABG024	4/15/2020	14:00	N1	DD-D001304	ABG024-041520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG024	4/15/2020	14:00	N1	DD-D001304	ABG024-041520	SW8082A	SW	TOTAL PCBs	1.03		-	0.24	ug/WIPE
ABG025	4/15/2020	14:04	N1	DD-D001305	ABG025-041520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG025	4/15/2020	14:04	N1	DD-D001305	ABG025-041520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG025	4/15/2020	14:04	N1	DD-D001305	ABG025-041520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG025	4/15/2020	14:04	N1	DD-D001305	ABG025-041520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.51		0.088	0.24	ug/WIPE
ABG025	4/15/2020	14:04	N1	DD-D001305	ABG025-041520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG025	4/15/2020	14:04	N1	DD-D001305	ABG025-041520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.21	J	0.07	0.24	ug/WIPE
ABG025	4/15/2020	14:04	N1	DD-D001305	ABG025-041520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG025	4/15/2020	14:04	N1	DD-D001305	ABG025-041520	SW8082A	SW	TOTAL PCBs	0.72		-	0.24	ug/WIPE
ABG026	4/15/2020	14:08	N1	DD-D001306	ABG026-041520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG026	4/15/2020	14:08	N1	DD-D001306	ABG026-041520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG026	4/15/2020	14:08	N1	DD-D001306	ABG026-041520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG026	4/15/2020	14:08	N1	DD-D001306	ABG026-041520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1.5		0.088	0.24	ug/WIPE

Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
ABG026	4/15/2020	14:08	N1	DD-D001306	ABG026-041520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG026	4/15/2020	14:08	N1	DD-D001306	ABG026-041520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.53	U	0.07	0.24	ug/WIPE
ABG026	4/15/2020	14:08	N1	DD-D001306	ABG026-041520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG026	4/15/2020	14:08	N1	DD-D001306	ABG026-041520	SW8082A	SW	TOTAL PCBs	2.03		-	0.24	ug/WIPE
ABG027	4/15/2020	13:50	N1	DD-D001307	ABG027-041520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG027	4/15/2020	13:50	N1	DD-D001307	ABG027-041520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG027	4/15/2020	13:50	N1	DD-D001307	ABG027-041520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG027	4/15/2020	13:50	N1	DD-D001307	ABG027-041520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.82		0.088	0.24	ug/WIPE
ABG027	4/15/2020	13:50	N1	DD-D001307	ABG027-041520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG027	4/15/2020	13:50	N1	DD-D001307	ABG027-041520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.31		0.07	0.24	ug/WIPE
ABG027	4/15/2020	13:50	N1	DD-D001307	ABG027-041520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG027	4/15/2020	13:50	N1	DD-D001307	ABG027-041520	SW8082A	SW	TOTAL PCBs	1.13		-	0.24	ug/WIPE
ABG028	4/15/2020	13:54	N1	DD-D001308	ABG028-041520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG028	4/15/2020	13:54	N1	DD-D001308	ABG028-041520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG028	4/15/2020	13:54	N1	DD-D001308	ABG028-041520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG028	4/15/2020	13:54	N1	DD-D001308	ABG028-041520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.66		0.088	0.24	ug/WIPE
ABG028	4/15/2020	13:54	N1	DD-D001308	ABG028-041520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG028	4/15/2020	13:54	N1	DD-D001308	ABG028-041520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.28		0.07	0.24	ug/WIPE
ABG028	4/15/2020	13:54	N1	DD-D001308	ABG028-041520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG028	4/15/2020	13:54	N1	DD-D001308	ABG028-041520	SW8082A	SW	TOTAL PCBs	0.94		-	0.24	ug/WIPE
ABG029	4/15/2020	14:12	N1	DD-D001309	ABG029-041520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG029	4/15/2020	14:12	N1	DD-D001309	ABG029-041520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG029	4/15/2020	14:12	N1	DD-D001309	ABG029-041520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG029	4/15/2020	14:12	N1	DD-D001309	ABG029-041520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1.4		0.088	0.24	ug/WIPE
ABG029	4/15/2020	14:12	N1	DD-D001309	ABG029-041520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG029	4/15/2020	14:12	N1	DD-D001309	ABG029-041520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.5		0.07	0.24	ug/WIPE
ABG029	4/15/2020	14:12	N1	DD-D001309	ABG029-041520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG029	4/15/2020	14:12	N1	DD-D001309	ABG029-041520	SW8082A	SW	TOTAL PCBs	1.9		-	0.24	ug/WIPE
ABG030	4/15/2020	14:20	N1	DD-D001310	ABG030-041520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG030	4/15/2020	14:20	N1	DD-D001310	ABG030-041520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG030	4/15/2020	14:20	N1	DD-D001310	ABG030-041520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG030	4/15/2020	14:20	N1	DD-D001310	ABG030-041520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1		0.088	0.24	ug/WIPE
ABG030	4/15/2020	14:20	N1	DD-D001310	ABG030-041520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG030	4/15/2020	14:20	N1	DD-D001310	ABG030-041520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.39		0.07	0.24	ug/WIPE
ABG030	4/15/2020	14:20	N1	DD-D001310	ABG030-041520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG030	4/15/2020	14:20	N1	DD-D001310	ABG030-041520	SW8082A	SW	TOTAL PCBs	1.39		-	0.24	ug/WIPE
ABG031	4/15/2020	13:37	N1	DD-D001401	ABG031-041520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG031	4/15/2020	13:37	N1	DD-D001401	ABG031-041520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG031	4/15/2020	13:37	N1	DD-D001401	ABG031-041520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG031	4/15/2020	13:37	N1	DD-D001401	ABG031-041520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.53		0.088	0.24	ug/WIPE
ABG031	4/15/2020	13:37	N1	DD-D001401	ABG031-041520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG031	4/15/2020	13:37	N1	DD-D001401	ABG031-041520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.19	J	0.07	0.24	ug/WIPE
ABG031	4/15/2020	13:37	N1	DD-D001401	ABG031-041520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG031	4/15/2020	13:37	N1	DD-D001401	ABG031-041520	SW8082A	SW	TOTAL PCBs	0.72		-	0.24	ug/WIPE
ABG032	4/15/2020	14:22	N1	DD-D001402	ABG032-041520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG032	4/15/2020	14:22	N1	DD-D001402	ABG032-041520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG032	4/15/2020	14:22	N1	DD-D001402	ABG032-041520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG032	4/15/2020	14:22	N1	DD-D001402	ABG032-041520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.29		0.088	0.24	ug/WIPE
ABG032	4/15/2020	14:22	N1	DD-D001402	ABG032-041520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG032	4/15/2020	14:22	N1	DD-D001402	ABG032-041520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.12	J	0.07	0.24	ug/WIPE
ABG032	4/15/2020	14:22	N1	DD-D001402	ABG032-041520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE

Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
ABG032	4/15/2020	14:22	N1	DD-D001402	ABG032-041520	SW8082A	SW	TOTAL PCBs	0.41		-	0.24	ug/WIPE
ABG033	4/15/2020	14:29	N1	DD-D001403	ABG033-041520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG033	4/15/2020	14:29	N1	DD-D001403	ABG033-041520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG033	4/15/2020	14:29	N1	DD-D001403	ABG033-041520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG033	4/15/2020	14:29	N1	DD-D001403	ABG033-041520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.48		0.088	0.24	ug/WIPE
ABG033	4/15/2020	14:29	N1	DD-D001403	ABG033-041520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG033	4/15/2020	14:29	N1	DD-D001403	ABG033-041520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.2	J	0.07	0.24	ug/WIPE
ABG033	4/15/2020	14:29	N1	DD-D001403	ABG033-041520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG033	4/15/2020	14:29	N1	DD-D001403	ABG033-041520	SW8082A	SW	TOTAL PCBs	0.68		-	0.24	ug/WIPE
ABG034	4/15/2020	13:41	N1	DD-D001404	ABG034-041520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG034	4/15/2020	13:41	N1	DD-D001404	ABG034-041520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG034	4/15/2020	13:41	N1	DD-D001404	ABG034-041520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG034	4/15/2020	13:41	N1	DD-D001404	ABG034-041520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.61	J	0.088	0.24	ug/WIPE
ABG034	4/15/2020	13:41	N1	DD-D001404	ABG034-041520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG034	4/15/2020	13:41	N1	DD-D001404	ABG034-041520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.21	J	0.07	0.24	ug/WIPE
ABG034	4/15/2020	13:41	N1	DD-D001404	ABG034-041520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG034	4/15/2020	13:41	N1	DD-D001404	ABG034-041520	SW8082A	SW	TOTAL PCBs	0.82		-	0.24	ug/WIPE
ABG035	4/15/2020	14:36	N1	DD-D001405	ABG035-041520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG035	4/15/2020	14:36	N1	DD-D001405	ABG035-041520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG035	4/15/2020	14:36	N1	DD-D001405	ABG035-041520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG035	4/15/2020	14:36	N1	DD-D001405	ABG035-041520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1.1		0.088	0.24	ug/WIPE
ABG035	4/15/2020	14:36	N1	DD-D001405	ABG035-041520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG035	4/15/2020	14:36	N1	DD-D001405	ABG035-041520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.36		0.07	0.24	ug/WIPE
ABG035	4/15/2020	14:36	N1	DD-D001405	ABG035-041520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG035	4/15/2020	14:36	N1	DD-D001405	ABG035-041520	SW8082A	SW	TOTAL PCBs	1.46		-	0.24	ug/WIPE
ABG036	4/15/2020	15:23	N1	DD-D001406	ABG036-041520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG036	4/15/2020	15:23	N1	DD-D001406	ABG036-041520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG036	4/15/2020	15:23	N1	DD-D001406	ABG036-041520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG036	4/15/2020	15:23	N1	DD-D001406	ABG036-041520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3.7		0.088	0.24	ug/WIPE
ABG036	4/15/2020	15:23	N1	DD-D001406	ABG036-041520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG036	4/15/2020	15:23	N1	DD-D001406	ABG036-041520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.3		0.07	0.24	ug/WIPE
ABG036	4/15/2020	15:23	N1	DD-D001406	ABG036-041520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG036	4/15/2020	15:23	N1	DD-D001406	ABG036-041520	SW8082A	SW	TOTAL PCBs	5		-	0.24	ug/WIPE
ABG037	4/15/2020	15:19	N1	DD-D001407	ABG037-041520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG037	4/15/2020	15:19	N1	DD-D001407	ABG037-041520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG037	4/15/2020	15:19	N1	DD-D001407	ABG037-041520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG037	4/15/2020	15:19	N1	DD-D001407	ABG037-041520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2.5		0.088	0.24	ug/WIPE
ABG037	4/15/2020	15:19	N1	DD-D001407	ABG037-041520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG037	4/15/2020	15:19	N1	DD-D001407	ABG037-041520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1		0.07	0.24	ug/WIPE
ABG037	4/15/2020	15:19	N1	DD-D001407	ABG037-041520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG037	4/15/2020	15:19	N1	DD-D001407	ABG037-041520	SW8082A	SW	TOTAL PCBs	3.5		-	0.24	ug/WIPE
ABG038	4/15/2020	15:17	N1	DD-D001408	ABG038-041520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG038	4/15/2020	15:17	N1	DD-D001408	ABG038-041520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG038	4/15/2020	15:17	N1	DD-D001408	ABG038-041520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG038	4/15/2020	15:17	N1	DD-D001408	ABG038-041520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1.1		0.088	0.24	ug/WIPE
ABG038	4/15/2020	15:17	N1	DD-D001408	ABG038-041520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG038	4/15/2020	15:17	N1	DD-D001408	ABG038-041520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.42		0.07	0.24	ug/WIPE
ABG038	4/15/2020	15:17	N1	DD-D001408	ABG038-041520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG038	4/15/2020	15:17	N1	DD-D001408	ABG038-041520	SW8082A	SW	TOTAL PCBs	1.52		-	0.24	ug/WIPE
ABG039	4/15/2020	15:15	N1	DD-D001409	ABG039-041520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG039	4/15/2020	15:15	N1	DD-D001409	ABG039-041520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE

Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
ABG039	4/15/2020	15:15	N1	DD-D001409	ABG039-041520	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG039	4/15/2020	15:15	N1	DD-D001409	ABG039-041520	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	1.8	U	0.088	0.24	ug/WIPE
ABG039	4/15/2020	15:15	N1	DD-D001409	ABG039-041520	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG039	4/15/2020	15:15	N1	DD-D001409	ABG039-041520	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.71	U	0.07	0.24	ug/WIPE
ABG039	4/15/2020	15:15	N1	DD-D001409	ABG039-041520	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG039	4/15/2020	15:15	N1	DD-D001409	ABG039-041520	SW8082A	SW	TOTAL PCBs	2.51	U	-	0.24	ug/WIPE
ABG040	4/15/2020	14:41	N1	DD-D001410	ABG040-041520	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG040	4/15/2020	14:41	N1	DD-D001410	ABG040-041520	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG040	4/15/2020	14:41	N1	DD-D001410	ABG040-041520	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG040	4/15/2020	14:41	N1	DD-D001410	ABG040-041520	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.2	U	0.088	0.24	ug/WIPE
ABG040	4/15/2020	14:41	N1	DD-D001410	ABG040-041520	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG040	4/15/2020	14:41	N1	DD-D001410	ABG040-041520	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.2	U	0.07	0.24	ug/WIPE
ABG040	4/15/2020	14:41	N1	DD-D001410	ABG040-041520	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG040	4/15/2020	14:41	N1	DD-D001410	ABG040-041520	SW8082A	SW	TOTAL PCBs	4.4	U	-	0.24	ug/WIPE
ABG041	4/15/2020	14:26	N1	DD-D001501	ABG041-041520	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG041	4/15/2020	14:26	N1	DD-D001501	ABG041-041520	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG041	4/15/2020	14:26	N1	DD-D001501	ABG041-041520	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG041	4/15/2020	14:26	N1	DD-D001501	ABG041-041520	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	1.2	U	0.088	0.24	ug/WIPE
ABG041	4/15/2020	14:26	N1	DD-D001501	ABG041-041520	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG041	4/15/2020	14:26	N1	DD-D001501	ABG041-041520	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.44	U	0.07	0.24	ug/WIPE
ABG041	4/15/2020	14:26	N1	DD-D001501	ABG041-041520	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG041	4/15/2020	14:26	N1	DD-D001501	ABG041-041520	SW8082A	SW	TOTAL PCBs	1.64	U	-	0.24	ug/WIPE
ABG042	4/15/2020	14:44	N1	DD-D001502	ABG042-041520	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG042	4/15/2020	14:44	N1	DD-D001502	ABG042-041520	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG042	4/15/2020	14:44	N1	DD-D001502	ABG042-041520	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG042	4/15/2020	14:44	N1	DD-D001502	ABG042-041520	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	1.3	U	0.088	0.24	ug/WIPE
ABG042	4/15/2020	14:44	N1	DD-D001502	ABG042-041520	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG042	4/15/2020	14:44	N1	DD-D001502	ABG042-041520	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.57	U	0.07	0.24	ug/WIPE
ABG042	4/15/2020	14:44	N1	DD-D001502	ABG042-041520	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG042	4/15/2020	14:44	N1	DD-D001502	ABG042-041520	SW8082A	SW	TOTAL PCBs	1.87	U	-	0.24	ug/WIPE
ABG043	4/15/2020	15:10	N1	DD-D001503	ABG043-041520	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG043	4/15/2020	15:10	N1	DD-D001503	ABG043-041520	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG043	4/15/2020	15:10	N1	DD-D001503	ABG043-041520	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG043	4/15/2020	15:10	N1	DD-D001503	ABG043-041520	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	1.9	U	0.088	0.24	ug/WIPE
ABG043	4/15/2020	15:10	N1	DD-D001503	ABG043-041520	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG043	4/15/2020	15:10	N1	DD-D001503	ABG043-041520	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.64	U	0.07	0.24	ug/WIPE
ABG043	4/15/2020	15:10	N1	DD-D001503	ABG043-041520	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG043	4/15/2020	15:10	N1	DD-D001503	ABG043-041520	SW8082A	SW	TOTAL PCBs	2.54	U	-	0.24	ug/WIPE
ABG044	4/15/2020	14:47	N1	DD-D001504	ABG044-041520	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG044	4/15/2020	14:47	N1	DD-D001504	ABG044-041520	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG044	4/15/2020	14:47	N1	DD-D001504	ABG044-041520	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG044	4/15/2020	14:47	N1	DD-D001504	ABG044-041520	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.67	U	0.088	0.24	ug/WIPE
ABG044	4/15/2020	14:47	N1	DD-D001504	ABG044-041520	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG044	4/15/2020	14:47	N1	DD-D001504	ABG044-041520	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.26	U	0.07	0.24	ug/WIPE
ABG044	4/15/2020	14:47	N1	DD-D001504	ABG044-041520	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG044	4/15/2020	14:47	N1	DD-D001504	ABG044-041520	SW8082A	SW	TOTAL PCBs	0.93	U	-	0.24	ug/WIPE
ABG045	4/15/2020	15:26	N1	DD-D001505	ABG045-041520	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG045	4/15/2020	15:26	N1	DD-D001505	ABG045-041520	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG045	4/15/2020	15:26	N1	DD-D001505	ABG045-041520	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG045	4/15/2020	15:26	N1	DD-D001505	ABG045-041520	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.53	U	0.088	0.24	ug/WIPE
ABG045	4/15/2020	15:26	N1	DD-D001505	ABG045-041520	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE

Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
ABG045	4/15/2020	15:26	N1	DD-D001505	ABG045-041520	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.2	J	0.07	0.24	ug/WIPE
ABG045	4/15/2020	15:26	N1	DD-D001505	ABG045-041520	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG045	4/15/2020	15:26	N1	DD-D001505	ABG045-041520	SW8082A	SW	TOTAL PCBs	0.73		-	0.24	ug/WIPE
ABG046	4/15/2020	15:28	N1	DD-D001506	ABG046-041520	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG046	4/15/2020	15:28	N1	DD-D001506	ABG046-041520	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG046	4/15/2020	15:28	N1	DD-D001506	ABG046-041520	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG046	4/15/2020	15:28	N1	DD-D001506	ABG046-041520	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	1.1		0.088	0.24	ug/WIPE
ABG046	4/15/2020	15:28	N1	DD-D001506	ABG046-041520	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG046	4/15/2020	15:28	N1	DD-D001506	ABG046-041520	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.45		0.07	0.24	ug/WIPE
ABG046	4/15/2020	15:28	N1	DD-D001506	ABG046-041520	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG046	4/15/2020	15:28	N1	DD-D001506	ABG046-041520	SW8082A	SW	TOTAL PCBs	1.55		-	0.24	ug/WIPE
ABG047	4/15/2020	15:32	N1	DD-D001507	ABG047-041520	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG047	4/15/2020	15:32	N1	DD-D001507	ABG047-041520	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG047	4/15/2020	15:32	N1	DD-D001507	ABG047-041520	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG047	4/15/2020	15:32	N1	DD-D001507	ABG047-041520	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	1.5		0.088	0.24	ug/WIPE
ABG047	4/15/2020	15:32	N1	DD-D001507	ABG047-041520	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG047	4/15/2020	15:32	N1	DD-D001507	ABG047-041520	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.55		0.07	0.24	ug/WIPE
ABG047	4/15/2020	15:32	N1	DD-D001507	ABG047-041520	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG047	4/15/2020	15:32	N1	DD-D001507	ABG047-041520	SW8082A	SW	TOTAL PCBs	2.05		-	0.24	ug/WIPE
ABG048	4/15/2020	15:34	N1	DD-D001508	ABG048-041520	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG048	4/15/2020	15:34	N1	DD-D001508	ABG048-041520	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG048	4/15/2020	15:34	N1	DD-D001508	ABG048-041520	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG048	4/15/2020	15:34	N1	DD-D001508	ABG048-041520	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	1.4		0.088	0.24	ug/WIPE
ABG048	4/15/2020	15:34	N1	DD-D001508	ABG048-041520	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG048	4/15/2020	15:34	N1	DD-D001508	ABG048-041520	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.47		0.07	0.24	ug/WIPE
ABG048	4/15/2020	15:34	N1	DD-D001508	ABG048-041520	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG048	4/15/2020	15:34	N1	DD-D001508	ABG048-041520	SW8082A	SW	TOTAL PCBs	1.87		-	0.24	ug/WIPE
ABG049	4/15/2020	15:35	N1	DD-D001509	ABG049-041520	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG049	4/15/2020	15:35	N1	DD-D001509	ABG049-041520	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG049	4/15/2020	15:35	N1	DD-D001509	ABG049-041520	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG049	4/15/2020	15:35	N1	DD-D001509	ABG049-041520	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2		0.088	0.24	ug/WIPE
ABG049	4/15/2020	15:35	N1	DD-D001509	ABG049-041520	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG049	4/15/2020	15:35	N1	DD-D001509	ABG049-041520	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.9		0.07	0.24	ug/WIPE
ABG049	4/15/2020	15:35	N1	DD-D001509	ABG049-041520	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG049	4/15/2020	15:35	N1	DD-D001509	ABG049-041520	SW8082A	SW	TOTAL PCBs	2.9		-	0.24	ug/WIPE
ABG050	4/15/2020	15:38	N1	DD-D001510	ABG050-041520	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG050	4/15/2020	15:38	N1	DD-D001510	ABG050-041520	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG050	4/15/2020	15:38	N1	DD-D001510	ABG050-041520	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG050	4/15/2020	15:38	N1	DD-D001510	ABG050-041520	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.5		0.088	0.24	ug/WIPE
ABG050	4/15/2020	15:38	N1	DD-D001510	ABG050-041520	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG050	4/15/2020	15:38	N1	DD-D001510	ABG050-041520	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.82		0.07	0.24	ug/WIPE
ABG050	4/15/2020	15:38	N1	DD-D001510	ABG050-041520	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG050	4/15/2020	15:38	N1	DD-D001510	ABG050-041520	SW8082A	SW	TOTAL PCBs	3.32		-	0.24	ug/WIPE
ABG051	4/15/2020	15:52	N1	DD-D001601	ABG051-041520	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG051	4/15/2020	15:52	N1	DD-D001601	ABG051-041520	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG051	4/15/2020	15:52	N1	DD-D001601	ABG051-041520	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG051	4/15/2020	15:52	N1	DD-D001601	ABG051-041520	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.5		0.088	0.24	ug/WIPE
ABG051	4/15/2020	15:52	N1	DD-D001601	ABG051-041520	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG051	4/15/2020	15:52	N1	DD-D001601	ABG051-041520	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	ND	U	0.07	0.24	ug/WIPE
ABG051	4/15/2020	15:52	N1	DD-D001601	ABG051-041520	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG051	4/15/2020	15:52	N1	DD-D001601	ABG051-041520	SW8082A	SW	TOTAL PCBs	0.5		-	0.24	ug/WIPE



Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
ABG052	4/15/2020	15:50	N1	DD-D001602	ABG052-041520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG052	4/15/2020	15:50	N1	DD-D001602	ABG052-041520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG052	4/15/2020	15:50	N1	DD-D001602	ABG052-041520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG052	4/15/2020	15:50	N1	DD-D001602	ABG052-041520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2.4		0.088	0.24	ug/WIPE
ABG052	4/15/2020	15:50	N1	DD-D001602	ABG052-041520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG052	4/15/2020	15:50	N1	DD-D001602	ABG052-041520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.78		0.07	0.24	ug/WIPE
ABG052	4/15/2020	15:50	N1	DD-D001602	ABG052-041520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG052	4/15/2020	15:50	N1	DD-D001602	ABG052-041520	SW8082A	SW	TOTAL PCBs	3.18		-	0.24	ug/WIPE
ABG053	4/15/2020	15:47	N1	DD-D001603	ABG053-041520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG053	4/15/2020	15:47	N1	DD-D001603	ABG053-041520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG053	4/15/2020	15:47	N1	DD-D001603	ABG053-041520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG053	4/15/2020	15:47	N1	DD-D001603	ABG053-041520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1.2		0.088	0.24	ug/WIPE
ABG053	4/15/2020	15:47	N1	DD-D001603	ABG053-041520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG053	4/15/2020	15:47	N1	DD-D001603	ABG053-041520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.46		0.07	0.24	ug/WIPE
ABG053	4/15/2020	15:47	N1	DD-D001603	ABG053-041520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG053	4/15/2020	15:47	N1	DD-D001603	ABG053-041520	SW8082A	SW	TOTAL PCBs	1.66		-	0.24	ug/WIPE
ABG054	4/15/2020	15:43	N1	DD-D001604	ABG054-041520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG054	4/15/2020	15:43	N1	DD-D001604	ABG054-041520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG054	4/15/2020	15:43	N1	DD-D001604	ABG054-041520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG054	4/15/2020	15:43	N1	DD-D001604	ABG054-041520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1.7		0.088	0.24	ug/WIPE
ABG054	4/15/2020	15:43	N1	DD-D001604	ABG054-041520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG054	4/15/2020	15:43	N1	DD-D001604	ABG054-041520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.62		0.07	0.24	ug/WIPE
ABG054	4/15/2020	15:43	N1	DD-D001604	ABG054-041520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG054	4/15/2020	15:43	N1	DD-D001604	ABG054-041520	SW8082A	SW	TOTAL PCBs	2.32		-	0.24	ug/WIPE
ABG055	4/15/2020	15:41	N1	DD-D001605	ABG055-041520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG055	4/15/2020	15:41	N1	DD-D001605	ABG055-041520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG055	4/15/2020	15:41	N1	DD-D001605	ABG055-041520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG055	4/15/2020	15:41	N1	DD-D001605	ABG055-041520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2		0.088	0.24	ug/WIPE
ABG055	4/15/2020	15:41	N1	DD-D001605	ABG055-041520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG055	4/15/2020	15:41	N1	DD-D001605	ABG055-041520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.71		0.07	0.24	ug/WIPE
ABG055	4/15/2020	15:41	N1	DD-D001605	ABG055-041520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG055	4/15/2020	15:41	N1	DD-D001605	ABG055-041520	SW8082A	SW	TOTAL PCBs	2.71		-	0.24	ug/WIPE
ABG056	4/15/2020	16:25	N1	DD-D001606	ABG056-041520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG056	4/15/2020	16:25	N1	DD-D001606	ABG056-041520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG056	4/15/2020	16:25	N1	DD-D001606	ABG056-041520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG056	4/15/2020	16:25	N1	DD-D001606	ABG056-041520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.42		0.088	0.24	ug/WIPE
ABG056	4/15/2020	16:25	N1	DD-D001606	ABG056-041520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG056	4/15/2020	16:25	N1	DD-D001606	ABG056-041520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.14	J	0.07	0.24	ug/WIPE
ABG056	4/15/2020	16:25	N1	DD-D001606	ABG056-041520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG056	4/15/2020	16:25	N1	DD-D001606	ABG056-041520	SW8082A	SW	TOTAL PCBs	0.56		-	0.24	ug/WIPE
ABG057	4/15/2020	16:20	N1	DD-D001607	ABG057-041520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG057	4/15/2020	16:20	N1	DD-D001607	ABG057-041520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG057	4/15/2020	16:20	N1	DD-D001607	ABG057-041520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG057	4/15/2020	16:20	N1	DD-D001607	ABG057-041520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.9		0.088	0.24	ug/WIPE
ABG057	4/15/2020	16:20	N1	DD-D001607	ABG057-041520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG057	4/15/2020	16:20	N1	DD-D001607	ABG057-041520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.38		0.07	0.24	ug/WIPE
ABG057	4/15/2020	16:20	N1	DD-D001607	ABG057-041520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG057	4/15/2020	16:20	N1	DD-D001607	ABG057-041520	SW8082A	SW	TOTAL PCBs	1.28		-	0.24	ug/WIPE
ABG058	4/15/2020	16:18	N1	DD-D001608	ABG058-041520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG058	4/15/2020	16:18	N1	DD-D001608	ABG058-041520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG058	4/15/2020	16:18	N1	DD-D001608	ABG058-041520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE

Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
ABG058	4/15/2020	16:18	N1	DD-D001608	ABG058-041520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1.3		0.088	0.24	ug/WIPE
ABG058	4/15/2020	16:18	N1	DD-D001608	ABG058-041520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG058	4/15/2020	16:18	N1	DD-D001608	ABG058-041520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.48		0.07	0.24	ug/WIPE
ABG058	4/15/2020	16:18	N1	DD-D001608	ABG058-041520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG058	4/15/2020	16:18	N1	DD-D001608	ABG058-041520	SW8082A	SW	TOTAL PCBs	1.78		-	0.24	ug/WIPE
ABG059	4/15/2020	15:56	N1	DD-D001609	ABG059-041520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG059	4/15/2020	15:56	N1	DD-D001609	ABG059-041520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG059	4/15/2020	15:56	N1	DD-D001609	ABG059-041520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG059	4/15/2020	15:56	N1	DD-D001609	ABG059-041520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1.7		0.088	0.24	ug/WIPE
ABG059	4/15/2020	15:56	N1	DD-D001609	ABG059-041520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG059	4/15/2020	15:56	N1	DD-D001609	ABG059-041520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.65		0.07	0.24	ug/WIPE
ABG059	4/15/2020	15:56	N1	DD-D001609	ABG059-041520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG059	4/15/2020	15:56	N1	DD-D001609	ABG059-041520	SW8082A	SW	TOTAL PCBs	2.35		-	0.24	ug/WIPE
ABG060	4/15/2020	16:15	N1	DD-D001610	ABG060-041520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG060	4/15/2020	16:15	N1	DD-D001610	ABG060-041520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG060	4/15/2020	16:15	N1	DD-D001610	ABG060-041520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG060	4/15/2020	16:15	N1	DD-D001610	ABG060-041520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3		0.088	0.24	ug/WIPE
ABG060	4/15/2020	16:15	N1	DD-D001610	ABG060-041520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG060	4/15/2020	16:15	N1	DD-D001610	ABG060-041520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.3		0.07	0.24	ug/WIPE
ABG060	4/15/2020	16:15	N1	DD-D001610	ABG060-041520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG060	4/15/2020	16:15	N1	DD-D001610	ABG060-041520	SW8082A	SW	TOTAL PCBs	4.3		-	0.24	ug/WIPE
ABG061	4/15/2020	16:00	N1	DD-D001701	ABG061-041520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG061	4/15/2020	16:00	N1	DD-D001701	ABG061-041520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG061	4/15/2020	16:00	N1	DD-D001701	ABG061-041520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG061	4/15/2020	16:00	N1	DD-D001701	ABG061-041520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1.5		0.088	0.24	ug/WIPE
ABG061	4/15/2020	16:00	N1	DD-D001701	ABG061-041520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG061	4/15/2020	16:00	N1	DD-D001701	ABG061-041520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.66		0.07	0.24	ug/WIPE
ABG061	4/15/2020	16:00	N1	DD-D001701	ABG061-041520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG061	4/15/2020	16:00	N1	DD-D001701	ABG061-041520	SW8082A	SW	TOTAL PCBs	2.16		-	0.24	ug/WIPE
ABG062	4/15/2020	16:27	N1	DD-D001702	ABG062-041520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG062	4/15/2020	16:27	N1	DD-D001702	ABG062-041520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG062	4/15/2020	16:27	N1	DD-D001702	ABG062-041520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG062	4/15/2020	16:27	N1	DD-D001702	ABG062-041520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2.8		0.088	0.24	ug/WIPE
ABG062	4/15/2020	16:27	N1	DD-D001702	ABG062-041520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG062	4/15/2020	16:27	N1	DD-D001702	ABG062-041520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.2		0.07	0.24	ug/WIPE
ABG062	4/15/2020	16:27	N1	DD-D001702	ABG062-041520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG062	4/15/2020	16:27	N1	DD-D001702	ABG062-041520	SW8082A	SW	TOTAL PCBs	4		-	0.24	ug/WIPE
ABG063	4/15/2020	16:29	N1	DD-D001703	ABG063-041520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG063	4/15/2020	16:29	N1	DD-D001703	ABG063-041520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG063	4/15/2020	16:29	N1	DD-D001703	ABG063-041520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG063	4/15/2020	16:29	N1	DD-D001703	ABG063-041520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1.9		0.088	0.24	ug/WIPE
ABG063	4/15/2020	16:29	N1	DD-D001703	ABG063-041520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG063	4/15/2020	16:29	N1	DD-D001703	ABG063-041520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.79		0.07	0.24	ug/WIPE
ABG063	4/15/2020	16:29	N1	DD-D001703	ABG063-041520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG063	4/15/2020	16:29	N1	DD-D001703	ABG063-041520	SW8082A	SW	TOTAL PCBs	2.69		-	0.24	ug/WIPE
ABG064	4/15/2020	16:34	N1	DD-D001704	ABG064-041520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG064	4/15/2020	16:34	N1	DD-D001704	ABG064-041520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG064	4/15/2020	16:34	N1	DD-D001704	ABG064-041520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG064	4/15/2020	16:34	N1	DD-D001704	ABG064-041520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1.8		0.088	0.24	ug/WIPE
ABG064	4/15/2020	16:34	N1	DD-D001704	ABG064-041520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG064	4/15/2020	16:34	N1	DD-D001704	ABG064-041520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.75		0.07	0.24	ug/WIPE

Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
ABG064	4/15/2020	16:34	N1	DD-D001704	ABG064-041520	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG064	4/15/2020	16:34	N1	DD-D001704	ABG064-041520	SW8082A	SW	TOTAL PCBs	2.55		-	0.24	ug/WIPE
ABG065	4/15/2020	16:36	N1	DD-D001705	ABG065-041520	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG065	4/15/2020	16:36	N1	DD-D001705	ABG065-041520	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG065	4/15/2020	16:36	N1	DD-D001705	ABG065-041520	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG065	4/15/2020	16:36	N1	DD-D001705	ABG065-041520	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.8		0.088	0.24	ug/WIPE
ABG065	4/15/2020	16:36	N1	DD-D001705	ABG065-041520	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG065	4/15/2020	16:36	N1	DD-D001705	ABG065-041520	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.36		0.07	0.24	ug/WIPE
ABG065	4/15/2020	16:36	N1	DD-D001705	ABG065-041520	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG065	4/15/2020	16:36	N1	DD-D001705	ABG065-041520	SW8082A	SW	TOTAL PCBs	1.16		-	0.24	ug/WIPE
ABG066	4/15/2020	16:38	N1	DD-D001706	ABG066-041520	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG066	4/15/2020	16:38	N1	DD-D001706	ABG066-041520	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG066	4/15/2020	16:38	N1	DD-D001706	ABG066-041520	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG066	4/15/2020	16:38	N1	DD-D001706	ABG066-041520	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.75		0.088	0.24	ug/WIPE
ABG066	4/15/2020	16:38	N1	DD-D001706	ABG066-041520	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG066	4/15/2020	16:38	N1	DD-D001706	ABG066-041520	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.35		0.07	0.24	ug/WIPE
ABG066	4/15/2020	16:38	N1	DD-D001706	ABG066-041520	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG066	4/15/2020	16:38	N1	DD-D001706	ABG066-041520	SW8082A	SW	TOTAL PCBs	1.1		-	0.24	ug/WIPE
ABG067	4/15/2020	16:53	N1	DD-D001707	ABG067-041520	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG067	4/15/2020	16:53	N1	DD-D001707	ABG067-041520	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG067	4/15/2020	16:53	N1	DD-D001707	ABG067-041520	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG067	4/15/2020	16:53	N1	DD-D001707	ABG067-041520	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	1.5		0.088	0.24	ug/WIPE
ABG067	4/15/2020	16:53	N1	DD-D001707	ABG067-041520	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG067	4/15/2020	16:53	N1	DD-D001707	ABG067-041520	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.7		0.07	0.24	ug/WIPE
ABG067	4/15/2020	16:53	N1	DD-D001707	ABG067-041520	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG067	4/15/2020	16:53	N1	DD-D001707	ABG067-041520	SW8082A	SW	TOTAL PCBs	2.2		-	0.24	ug/WIPE
ABG068	4/15/2020	16:50	N1	DD-D001708	ABG068-041520	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG068	4/15/2020	16:50	N1	DD-D001708	ABG068-041520	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG068	4/15/2020	16:50	N1	DD-D001708	ABG068-041520	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG068	4/15/2020	16:50	N1	DD-D001708	ABG068-041520	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.1		0.088	0.24	ug/WIPE
ABG068	4/15/2020	16:50	N1	DD-D001708	ABG068-041520	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG068	4/15/2020	16:50	N1	DD-D001708	ABG068-041520	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.83		0.07	0.24	ug/WIPE
ABG068	4/15/2020	16:50	N1	DD-D001708	ABG068-041520	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG068	4/15/2020	16:50	N1	DD-D001708	ABG068-041520	SW8082A	SW	TOTAL PCBs	2.93		-	0.24	ug/WIPE
ABG069	4/15/2020	16:47	N1	DD-D001709	ABG069-041520	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG069	4/15/2020	16:47	N1	DD-D001709	ABG069-041520	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG069	4/15/2020	16:47	N1	DD-D001709	ABG069-041520	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG069	4/15/2020	16:47	N1	DD-D001709	ABG069-041520	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	1.6		0.088	0.24	ug/WIPE
ABG069	4/15/2020	16:47	N1	DD-D001709	ABG069-041520	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG069	4/15/2020	16:47	N1	DD-D001709	ABG069-041520	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.65		0.07	0.24	ug/WIPE
ABG069	4/15/2020	16:47	N1	DD-D001709	ABG069-041520	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG069	4/15/2020	16:47	N1	DD-D001709	ABG069-041520	SW8082A	SW	TOTAL PCBs	2.25		-	0.24	ug/WIPE
ABG070	4/15/2020	16:43	N1	DD-D001710	ABG070-041520	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG070	4/15/2020	16:43	N1	DD-D001710	ABG070-041520	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG070	4/15/2020	16:43	N1	DD-D001710	ABG070-041520	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG070	4/15/2020	16:43	N1	DD-D001710	ABG070-041520	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	1.5		0.088	0.24	ug/WIPE
ABG070	4/15/2020	16:43	N1	DD-D001710	ABG070-041520	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG070	4/15/2020	16:43	N1	DD-D001710	ABG070-041520	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.66		0.07	0.24	ug/WIPE
ABG070	4/15/2020	16:43	N1	DD-D001710	ABG070-041520	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG070	4/15/2020	16:43	N1	DD-D001710	ABG070-041520	SW8082A	SW	TOTAL PCBs	2.16		-	0.24	ug/WIPE
ABG071	4/15/2020	17:08	N1	DD-D001801	ABG071-041520	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE



Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
ABG071	4/15/2020	17:08	N1	DD-D001801	ABG071-041520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG071	4/15/2020	17:08	N1	DD-D001801	ABG071-041520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG071	4/15/2020	17:08	N1	DD-D001801	ABG071-041520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.43		0.088	0.24	ug/WIPE
ABG071	4/15/2020	17:08	N1	DD-D001801	ABG071-041520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG071	4/15/2020	17:08	N1	DD-D001801	ABG071-041520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.21	J	0.07	0.24	ug/WIPE
ABG071	4/15/2020	17:08	N1	DD-D001801	ABG071-041520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG071	4/15/2020	17:08	N1	DD-D001801	ABG071-041520	SW8082A	SW	TOTAL PCBs	0.64		-	0.24	ug/WIPE
ABG072	4/15/2020	16:58	N1	DD-D001802	ABG072-041520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG072	4/15/2020	16:58	N1	DD-D001802	ABG072-041520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG072	4/15/2020	16:58	N1	DD-D001802	ABG072-041520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG072	4/15/2020	16:58	N1	DD-D001802	ABG072-041520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1.2		0.088	0.24	ug/WIPE
ABG072	4/15/2020	16:58	N1	DD-D001802	ABG072-041520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG072	4/15/2020	16:58	N1	DD-D001802	ABG072-041520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.43		0.07	0.24	ug/WIPE
ABG072	4/15/2020	16:58	N1	DD-D001802	ABG072-041520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG072	4/15/2020	16:58	N1	DD-D001802	ABG072-041520	SW8082A	SW	TOTAL PCBs	1.63		-	0.24	ug/WIPE
ABG073	4/15/2020	17:00	N1	DD-D001803	ABG073-041520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG073	4/15/2020	17:00	N1	DD-D001803	ABG073-041520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG073	4/15/2020	17:00	N1	DD-D001803	ABG073-041520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG073	4/15/2020	17:00	N1	DD-D001803	ABG073-041520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.98		0.088	0.24	ug/WIPE
ABG073	4/15/2020	17:00	N1	DD-D001803	ABG073-041520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG073	4/15/2020	17:00	N1	DD-D001803	ABG073-041520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.4		0.07	0.24	ug/WIPE
ABG073	4/15/2020	17:00	N1	DD-D001803	ABG073-041520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG073	4/15/2020	17:00	N1	DD-D001803	ABG073-041520	SW8082A	SW	TOTAL PCBs	1.38		-	0.24	ug/WIPE
ABG074	4/15/2020	16:41	N1	DD-D001804	ABG074-041520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG074	4/15/2020	16:41	N1	DD-D001804	ABG074-041520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG074	4/15/2020	16:41	N1	DD-D001804	ABG074-041520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG074	4/15/2020	16:41	N1	DD-D001804	ABG074-041520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1		0.088	0.24	ug/WIPE
ABG074	4/15/2020	16:41	N1	DD-D001804	ABG074-041520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG074	4/15/2020	16:41	N1	DD-D001804	ABG074-041520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.42		0.07	0.24	ug/WIPE
ABG074	4/15/2020	16:41	N1	DD-D001804	ABG074-041520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG074	4/15/2020	16:41	N1	DD-D001804	ABG074-041520	SW8082A	SW	TOTAL PCBs	1.42		-	0.24	ug/WIPE
ABG075	4/15/2020	17:03	N1	DD-D001805	ABG075-041520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG075	4/15/2020	17:03	N1	DD-D001805	ABG075-041520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG075	4/15/2020	17:03	N1	DD-D001805	ABG075-041520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG075	4/15/2020	17:03	N1	DD-D001805	ABG075-041520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.64		0.088	0.24	ug/WIPE
ABG075	4/15/2020	17:03	N1	DD-D001805	ABG075-041520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG075	4/15/2020	17:03	N1	DD-D001805	ABG075-041520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.24		0.07	0.24	ug/WIPE
ABG075	4/15/2020	17:03	N1	DD-D001805	ABG075-041520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG075	4/15/2020	17:03	N1	DD-D001805	ABG075-041520	SW8082A	SW	TOTAL PCBs	0.88		-	0.24	ug/WIPE
AW001	4/15/2020	11:17	N1	DD-D000101	AW001-041520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
AW001	4/15/2020	11:17	N1	DD-D000101	AW001-041520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
AW001	4/15/2020	11:17	N1	DD-D000101	AW001-041520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
AW001	4/15/2020	11:17	N1	DD-D000101	AW001-041520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
AW001	4/15/2020	11:17	N1	DD-D000101	AW001-041520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
AW001	4/15/2020	11:17	N1	DD-D000101	AW001-041520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
AW001	4/15/2020	11:17	N1	DD-D000101	AW001-041520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
AW001	4/15/2020	11:17	N1	DD-D000101	AW001-041520	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
AW002	4/15/2020	10:58	N1	DD-D000102	AW002-041520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
AW002	4/15/2020	10:58	N1	DD-D000102	AW002-041520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
AW002	4/15/2020	10:58	N1	DD-D000102	AW002-041520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
AW002	4/15/2020	10:58	N1	DD-D000102	AW002-041520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.25		0.088	0.24	ug/WIPE

Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
AW002	4/15/2020	10:58	N1	DD-D000102	AW002-041520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
AW002	4/15/2020	10:58	N1	DD-D000102	AW002-041520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.093	J	0.07	0.24	ug/WIPE
AW002	4/15/2020	10:58	N1	DD-D000102	AW002-041520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
AW002	4/15/2020	10:58	N1	DD-D000102	AW002-041520	SW8082A	SW	TOTAL PCBs	0.343		-	0.24	ug/WIPE
AW003	4/15/2020	10:23	N1	DD-D000103	AW003-041520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
AW003	4/15/2020	10:23	N1	DD-D000103	AW003-041520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
AW003	4/15/2020	10:23	N1	DD-D000103	AW003-041520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
AW003	4/15/2020	10:23	N1	DD-D000103	AW003-041520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
AW003	4/15/2020	10:23	N1	DD-D000103	AW003-041520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
AW003	4/15/2020	10:23	N1	DD-D000103	AW003-041520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
AW003	4/15/2020	10:23	N1	DD-D000103	AW003-041520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
AW003	4/15/2020	10:23	N1	DD-D000103	AW003-041520	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
AW004	4/15/2020	11:55	N1	DD-D000104	AW004-041520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
AW004	4/15/2020	11:55	N1	DD-D000104	AW004-041520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
AW004	4/15/2020	11:55	N1	DD-D000104	AW004-041520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
AW004	4/15/2020	11:55	N1	DD-D000104	AW004-041520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
AW004	4/15/2020	11:55	N1	DD-D000104	AW004-041520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
AW004	4/15/2020	11:55	N1	DD-D000104	AW004-041520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
AW004	4/15/2020	11:55	N1	DD-D000104	AW004-041520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
AW004	4/15/2020	11:55	N1	DD-D000104	AW004-041520	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
AW005	4/15/2020	12:06	N1	DD-D000105	AW005-041520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
AW005	4/15/2020	12:06	N1	DD-D000105	AW005-041520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
AW005	4/15/2020	12:06	N1	DD-D000105	AW005-041520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
AW005	4/15/2020	12:06	N1	DD-D000105	AW005-041520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.17	J	0.088	0.24	ug/WIPE
AW005	4/15/2020	12:06	N1	DD-D000105	AW005-041520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
AW005	4/15/2020	12:06	N1	DD-D000105	AW005-041520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
AW005	4/15/2020	12:06	N1	DD-D000105	AW005-041520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
AW005	4/15/2020	12:06	N1	DD-D000105	AW005-041520	SW8082A	SW	TOTAL PCBs	0.17		-	0.24	ug/WIPE
AW006	4/15/2020	13:24	N1	DD-D000106	AW006-041520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
AW006	4/15/2020	13:24	N1	DD-D000106	AW006-041520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
AW006	4/15/2020	13:24	N1	DD-D000106	AW006-041520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
AW006	4/15/2020	13:24	N1	DD-D000106	AW006-041520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.13	J	0.088	0.24	ug/WIPE
AW006	4/15/2020	13:24	N1	DD-D000106	AW006-041520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
AW006	4/15/2020	13:24	N1	DD-D000106	AW006-041520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
AW006	4/15/2020	13:24	N1	DD-D000106	AW006-041520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
AW006	4/15/2020	13:24	N1	DD-D000106	AW006-041520	SW8082A	SW	TOTAL PCBs	0.13		-	0.24	ug/WIPE
AW007	4/15/2020	14:18	N1	DD-D000107	AW007-041520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
AW007	4/15/2020	14:18	N1	DD-D000107	AW007-041520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
AW007	4/15/2020	14:18	N1	DD-D000107	AW007-041520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
AW007	4/15/2020	14:18	N1	DD-D000107	AW007-041520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.15	J	0.088	0.24	ug/WIPE
AW007	4/15/2020	14:18	N1	DD-D000107	AW007-041520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
AW007	4/15/2020	14:18	N1	DD-D000107	AW007-041520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
AW007	4/15/2020	14:18	N1	DD-D000107	AW007-041520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
AW007	4/15/2020	14:18	N1	DD-D000107	AW007-041520	SW8082A	SW	TOTAL PCBs	0.15		-	0.24	ug/WIPE
AW008	4/15/2020	14:34	N1	DD-D000108	AW008-041520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
AW008	4/15/2020	14:34	N1	DD-D000108	AW008-041520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
AW008	4/15/2020	14:34	N1	DD-D000108	AW008-041520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
AW008	4/15/2020	14:34	N1	DD-D000108	AW008-041520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
AW008	4/15/2020	14:34	N1	DD-D000108	AW008-041520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
AW008	4/15/2020	14:34	N1	DD-D000108	AW008-041520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
AW008	4/15/2020	14:34	N1	DD-D000108	AW008-041520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE

Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
AW008	4/15/2020	14:34	N1	DD-D000108	AW008-041520	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
AW009	4/15/2020	15:21	N1	DD-D000109	AW009-041520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
AW009	4/15/2020	15:21	N1	DD-D000109	AW009-041520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
AW009	4/15/2020	15:21	N1	DD-D000109	AW009-041520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
AW009	4/15/2020	15:21	N1	DD-D000109	AW009-041520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
AW009	4/15/2020	15:21	N1	DD-D000109	AW009-041520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
AW009	4/15/2020	15:21	N1	DD-D000109	AW009-041520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
AW009	4/15/2020	15:21	N1	DD-D000109	AW009-041520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
AW009	4/15/2020	15:21	N1	DD-D000109	AW009-041520	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
AW010	4/15/2020	14:39	N1	DD-D000110	AW010-041520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
AW010	4/15/2020	14:39	N1	DD-D000110	AW010-041520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
AW010	4/15/2020	14:39	N1	DD-D000110	AW010-041520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
AW010	4/15/2020	14:39	N1	DD-D000110	AW010-041520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.1	J	0.088	0.24	ug/WIPE
AW010	4/15/2020	14:39	N1	DD-D000110	AW010-041520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
AW010	4/15/2020	14:39	N1	DD-D000110	AW010-041520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
AW010	4/15/2020	14:39	N1	DD-D000110	AW010-041520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
AW010	4/15/2020	14:39	N1	DD-D000110	AW010-041520	SW8082A	SW	TOTAL PCBs	0.1		-	0.24	ug/WIPE
AW011	4/15/2020	15:25	N1	DD-D000201	AW011-041520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
AW011	4/15/2020	15:25	N1	DD-D000201	AW011-041520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
AW011	4/15/2020	15:25	N1	DD-D000201	AW011-041520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
AW011	4/15/2020	15:25	N1	DD-D000201	AW011-041520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.31		0.088	0.24	ug/WIPE
AW011	4/15/2020	15:25	N1	DD-D000201	AW011-041520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
AW011	4/15/2020	15:25	N1	DD-D000201	AW011-041520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.11	J	0.07	0.24	ug/WIPE
AW011	4/15/2020	15:25	N1	DD-D000201	AW011-041520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
AW011	4/15/2020	15:25	N1	DD-D000201	AW011-041520	SW8082A	SW	TOTAL PCBs	0.42		-	0.24	ug/WIPE
AW012	4/15/2020	15:30	N1	DD-D000202	AW012-041520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
AW012	4/15/2020	15:30	N1	DD-D000202	AW012-041520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
AW012	4/15/2020	15:30	N1	DD-D000202	AW012-041520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
AW012	4/15/2020	15:30	N1	DD-D000202	AW012-041520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.14	J	0.088	0.24	ug/WIPE
AW012	4/15/2020	15:30	N1	DD-D000202	AW012-041520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
AW012	4/15/2020	15:30	N1	DD-D000202	AW012-041520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
AW012	4/15/2020	15:30	N1	DD-D000202	AW012-041520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
AW012	4/15/2020	15:30	N1	DD-D000202	AW012-041520	SW8082A	SW	TOTAL PCBs	0.14		-	0.24	ug/WIPE
AW013	4/15/2020	15:39	N1	DD-D000203	AW013-041520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
AW013	4/15/2020	15:39	N1	DD-D000203	AW013-041520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
AW013	4/15/2020	15:39	N1	DD-D000203	AW013-041520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
AW013	4/15/2020	15:39	N1	DD-D000203	AW013-041520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.15	J	0.088	0.24	ug/WIPE
AW013	4/15/2020	15:39	N1	DD-D000203	AW013-041520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
AW013	4/15/2020	15:39	N1	DD-D000203	AW013-041520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
AW013	4/15/2020	15:39	N1	DD-D000203	AW013-041520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
AW013	4/15/2020	15:39	N1	DD-D000203	AW013-041520	SW8082A	SW	TOTAL PCBs	0.15		-	0.24	ug/WIPE
AW014	4/15/2020	16:22	N1	DD-D000204	AW014-041520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
AW014	4/15/2020	16:22	N1	DD-D000204	AW014-041520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
AW014	4/15/2020	16:22	N1	DD-D000204	AW014-041520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
AW014	4/15/2020	16:22	N1	DD-D000204	AW014-041520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.31		0.088	0.24	ug/WIPE
AW014	4/15/2020	16:22	N1	DD-D000204	AW014-041520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
AW014	4/15/2020	16:22	N1	DD-D000204	AW014-041520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.13	J	0.07	0.24	ug/WIPE
AW014	4/15/2020	16:22	N1	DD-D000204	AW014-041520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
AW014	4/15/2020	16:22	N1	DD-D000204	AW014-041520	SW8082A	SW	TOTAL PCBs	0.44		-	0.24	ug/WIPE
AW015	4/15/2020	15:58	N1	DD-D000205	AW015-041520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
AW015	4/15/2020	15:58	N1	DD-D000205	AW015-041520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE

Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
AW015	4/15/2020	15:58	N1	DD-D000205	AW015-041520	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
AW015	4/15/2020	15:58	N1	DD-D000205	AW015-041520	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	ND	U	0.088	0.24	ug/WIPE
AW015	4/15/2020	15:58	N1	DD-D000205	AW015-041520	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
AW015	4/15/2020	15:58	N1	DD-D000205	AW015-041520	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	ND	U	0.07	0.24	ug/WIPE
AW015	4/15/2020	15:58	N1	DD-D000205	AW015-041520	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
AW015	4/15/2020	15:58	N1	DD-D000205	AW015-041520	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
AW016	4/15/2020	16:55	N1	DD-D000206	AW016-041520	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
AW016	4/15/2020	16:55	N1	DD-D000206	AW016-041520	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
AW016	4/15/2020	16:55	N1	DD-D000206	AW016-041520	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
AW016	4/15/2020	16:55	N1	DD-D000206	AW016-041520	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	ND	U	0.088	0.24	ug/WIPE
AW016	4/15/2020	16:55	N1	DD-D000206	AW016-041520	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
AW016	4/15/2020	16:55	N1	DD-D000206	AW016-041520	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	ND	U	0.07	0.24	ug/WIPE
AW016	4/15/2020	16:55	N1	DD-D000206	AW016-041520	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
AW016	4/15/2020	16:55	N1	DD-D000206	AW016-041520	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
AW017	4/15/2020	16:45	N1	DD-D000207	AW017-041520	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
AW017	4/15/2020	16:45	N1	DD-D000207	AW017-041520	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
AW017	4/15/2020	16:45	N1	DD-D000207	AW017-041520	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
AW017	4/15/2020	16:45	N1	DD-D000207	AW017-041520	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.13	J	0.088	0.24	ug/WIPE
AW017	4/15/2020	16:45	N1	DD-D000207	AW017-041520	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
AW017	4/15/2020	16:45	N1	DD-D000207	AW017-041520	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	ND	U	0.07	0.24	ug/WIPE
AW017	4/15/2020	16:45	N1	DD-D000207	AW017-041520	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
AW017	4/15/2020	16:45	N1	DD-D000207	AW017-041520	SW8082A	SW	TOTAL PCBs	0.13		-	0.24	ug/WIPE
AW018	4/15/2020	17:06	N1	DD-D000208	AW018-041520	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
AW018	4/15/2020	17:06	N1	DD-D000208	AW018-041520	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
AW018	4/15/2020	17:06	N1	DD-D000208	AW018-041520	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
AW018	4/15/2020	17:06	N1	DD-D000208	AW018-041520	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.45		0.088	0.24	ug/WIPE
AW018	4/15/2020	17:06	N1	DD-D000208	AW018-041520	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
AW018	4/15/2020	17:06	N1	DD-D000208	AW018-041520	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.17	J	0.07	0.24	ug/WIPE
AW018	4/15/2020	17:06	N1	DD-D000208	AW018-041520	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
AW018	4/15/2020	17:06	N1	DD-D000208	AW018-041520	SW8082A	SW	TOTAL PCBs	0.62		-	0.24	ug/WIPE
BBG001	4/16/2020	10:31	N1	DD-D002401	BBG001-041620	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG001	4/16/2020	10:31	N1	DD-D002401	BBG001-041620	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG001	4/16/2020	10:31	N1	DD-D002401	BBG001-041620	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG001	4/16/2020	10:31	N1	DD-D002401	BBG001-041620	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.52		0.088	0.24	ug/WIPE
BBG001	4/16/2020	10:31	N1	DD-D002401	BBG001-041620	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG001	4/16/2020	10:31	N1	DD-D002401	BBG001-041620	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.15	J	0.07	0.24	ug/WIPE
BBG001	4/16/2020	10:31	N1	DD-D002401	BBG001-041620	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG001	4/16/2020	10:31	N1	DD-D002401	BBG001-041620	SW8082A	SW	TOTAL PCBs	0.67		-	0.24	ug/WIPE
BBG002-004	4/16/2020	10:36	N1	DD-D002402	BBG002-004-041620-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG002-004	4/16/2020	10:36	N1	DD-D002402	BBG002-004-041620-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG002-004	4/16/2020	10:36	N1	DD-D002402	BBG002-004-041620-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG002-004	4/16/2020	10:36	N1	DD-D002402	BBG002-004-041620-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.73		0.088	0.24	ug/WIPE
BBG002-004	4/16/2020	10:36	N1	DD-D002402	BBG002-004-041620-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG002-004	4/16/2020	10:36	N1	DD-D002402	BBG002-004-041620-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.28		0.07	0.24	ug/WIPE
BBG002-004	4/16/2020	10:36	N1	DD-D002402	BBG002-004-041620-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG002-004	4/16/2020	10:36	N1	DD-D002402	BBG002-004-041620-COMP	SW8082A	SW	TOTAL PCBs	1.01		-	0.24	ug/WIPE
BBG003	4/16/2020	10:50	N1	DD-D002403	BBG003-041620	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG003	4/16/2020	10:50	N1	DD-D002403	BBG003-041620	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG003	4/16/2020	10:50	N1	DD-D002403	BBG003-041620	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG003	4/16/2020	10:50	N1	DD-D002403	BBG003-041620	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.56		0.088	0.24	ug/WIPE
BBG003	4/16/2020	10:50	N1	DD-D002403	BBG003-041620	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE

Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
BBG003	4/16/2020	10:50	N1	DD-D002403	BBG003-041620	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.26		0.07	0.24	ug/WIPE
BBG003	4/16/2020	10:50	N1	DD-D002403	BBG003-041620	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG003	4/16/2020	10:50	N1	DD-D002403	BBG003-041620	SW8082A	SW	TOTAL PCBs	0.82		-	0.24	ug/WIPE
BBG005	4/16/2020	10:56	N1	DD-D002405	BBG005-041620	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG005	4/16/2020	10:56	N1	DD-D002405	BBG005-041620	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG005	4/16/2020	10:56	N1	DD-D002405	BBG005-041620	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG005	4/16/2020	10:56	N1	DD-D002405	BBG005-041620	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.6		0.088	0.24	ug/WIPE
BBG005	4/16/2020	10:56	N1	DD-D002405	BBG005-041620	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG005	4/16/2020	10:56	N1	DD-D002405	BBG005-041620	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.3		0.07	0.24	ug/WIPE
BBG005	4/16/2020	10:56	N1	DD-D002405	BBG005-041620	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG005	4/16/2020	10:56	N1	DD-D002405	BBG005-041620	SW8082A	SW	TOTAL PCBs	4.9		-	0.24	ug/WIPE
BBG006	4/16/2020	11:02	N1	DD-D002406	BBG006-041620	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG006	4/16/2020	11:02	N1	DD-D002406	BBG006-041620	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG006	4/16/2020	11:02	N1	DD-D002406	BBG006-041620	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG006	4/16/2020	11:02	N1	DD-D002406	BBG006-041620	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	1		0.088	0.24	ug/WIPE
BBG006	4/16/2020	11:02	N1	DD-D002406	BBG006-041620	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG006	4/16/2020	11:02	N1	DD-D002406	BBG006-041620	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.6		0.07	0.24	ug/WIPE
BBG006	4/16/2020	11:02	N1	DD-D002406	BBG006-041620	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG006	4/16/2020	11:02	N1	DD-D002406	BBG006-041620	SW8082A	SW	TOTAL PCBs	1.6		-	0.24	ug/WIPE
BBG007-008	4/16/2020	11:19	N1	DD-D002407	BBG007-008-041620-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG007-008	4/16/2020	11:19	N1	DD-D002407	BBG007-008-041620-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG007-008	4/16/2020	11:19	N1	DD-D002407	BBG007-008-041620-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG007-008	4/16/2020	11:19	N1	DD-D002407	BBG007-008-041620-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.8		0.088	0.24	ug/WIPE
BBG007-008	4/16/2020	11:19	N1	DD-D002407	BBG007-008-041620-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG007-008	4/16/2020	11:19	N1	DD-D002407	BBG007-008-041620-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.5		0.07	0.24	ug/WIPE
BBG007-008	4/16/2020	11:19	N1	DD-D002407	BBG007-008-041620-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG007-008	4/16/2020	11:19	N1	DD-D002407	BBG007-008-041620-COMP	SW8082A	SW	TOTAL PCBs	5.3		-	0.24	ug/WIPE
BBG009	4/16/2020	11:10	N1	DD-D002409	BBG009-041620	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG009	4/16/2020	11:10	N1	DD-D002409	BBG009-041620	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG009	4/16/2020	11:10	N1	DD-D002409	BBG009-041620	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG009	4/16/2020	11:10	N1	DD-D002409	BBG009-041620	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	1.5		0.088	0.24	ug/WIPE
BBG009	4/16/2020	11:10	N1	DD-D002409	BBG009-041620	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG009	4/16/2020	11:10	N1	DD-D002409	BBG009-041620	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.58		0.07	0.24	ug/WIPE
BBG009	4/16/2020	11:10	N1	DD-D002409	BBG009-041620	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG009	4/16/2020	11:10	N1	DD-D002409	BBG009-041620	SW8082A	SW	TOTAL PCBs	2.08		-	0.24	ug/WIPE
BBG010	4/16/2020	11:29	N1	DD-D002410	BBG010-041620	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG010	4/16/2020	11:29	N1	DD-D002410	BBG010-041620	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG010	4/16/2020	11:29	N1	DD-D002410	BBG010-041620	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG010	4/16/2020	11:29	N1	DD-D002410	BBG010-041620	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	1.6		0.088	0.24	ug/WIPE
BBG010	4/16/2020	11:29	N1	DD-D002410	BBG010-041620	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG010	4/16/2020	11:29	N1	DD-D002410	BBG010-041620	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.61		0.07	0.24	ug/WIPE
BBG010	4/16/2020	11:29	N1	DD-D002410	BBG010-041620	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG010	4/16/2020	11:29	N1	DD-D002410	BBG010-041620	SW8082A	SW	TOTAL PCBs	2.21		-	0.24	ug/WIPE
BBG011	4/16/2020	11:34	N1	DD-D002501	BBG011-041620	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG011	4/16/2020	11:34	N1	DD-D002501	BBG011-041620	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG011	4/16/2020	11:34	N1	DD-D002501	BBG011-041620	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG011	4/16/2020	11:34	N1	DD-D002501	BBG011-041620	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	1.8		0.088	0.24	ug/WIPE
BBG011	4/16/2020	11:34	N1	DD-D002501	BBG011-041620	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG011	4/16/2020	11:34	N1	DD-D002501	BBG011-041620	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.75		0.07	0.24	ug/WIPE
BBG011	4/16/2020	11:34	N1	DD-D002501	BBG011-041620	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG011	4/16/2020	11:34	N1	DD-D002501	BBG011-041620	SW8082A	SW	TOTAL PCBs	2.55		-	0.24	ug/WIPE



Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
BBG012	4/16/2020	11:38	N1	DD-D002502	BBG012-041620	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG012	4/16/2020	11:38	N1	DD-D002502	BBG012-041620	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG012	4/16/2020	11:38	N1	DD-D002502	BBG012-041620	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG012	4/16/2020	11:38	N1	DD-D002502	BBG012-041620	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1.9		0.088	0.24	ug/WIPE
BBG012	4/16/2020	11:38	N1	DD-D002502	BBG012-041620	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG012	4/16/2020	11:38	N1	DD-D002502	BBG012-041620	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.67		0.07	0.24	ug/WIPE
BBG012	4/16/2020	11:38	N1	DD-D002502	BBG012-041620	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG012	4/16/2020	11:38	N1	DD-D002502	BBG012-041620	SW8082A	SW	TOTAL PCBs	2.57		-	0.24	ug/WIPE
BBG013	4/16/2020	11:42	N1	DD-D002503	BBG013-041620	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG013	4/16/2020	11:42	N1	DD-D002503	BBG013-041620	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG013	4/16/2020	11:42	N1	DD-D002503	BBG013-041620	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG013	4/16/2020	11:42	N1	DD-D002503	BBG013-041620	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1.1		0.088	0.24	ug/WIPE
BBG013	4/16/2020	11:42	N1	DD-D002503	BBG013-041620	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG013	4/16/2020	11:42	N1	DD-D002503	BBG013-041620	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.45		0.07	0.24	ug/WIPE
BBG013	4/16/2020	11:42	N1	DD-D002503	BBG013-041620	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG013	4/16/2020	11:42	N1	DD-D002503	BBG013-041620	SW8082A	SW	TOTAL PCBs	1.55		-	0.24	ug/WIPE
BBG014-015	4/16/2020	11:50	N1	DD-D002504	BBG014-015-041620-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG014-015	4/16/2020	11:50	N1	DD-D002504	BBG014-015-041620-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG014-015	4/16/2020	11:50	N1	DD-D002504	BBG014-015-041620-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG014-015	4/16/2020	11:50	N1	DD-D002504	BBG014-015-041620-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1.9		0.088	0.24	ug/WIPE
BBG014-015	4/16/2020	11:50	N1	DD-D002504	BBG014-015-041620-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG014-015	4/16/2020	11:50	N1	DD-D002504	BBG014-015-041620-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.9		0.07	0.24	ug/WIPE
BBG014-015	4/16/2020	11:50	N1	DD-D002504	BBG014-015-041620-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG014-015	4/16/2020	11:50	N1	DD-D002504	BBG014-015-041620-COMP	SW8082A	SW	TOTAL PCBs	2.8		-	0.24	ug/WIPE
BBG016	4/16/2020	12:03	N1	DD-D002506	BBG010-041620	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG016	4/16/2020	12:03	N1	DD-D002506	BBG010-041620	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG016	4/16/2020	12:03	N1	DD-D002506	BBG010-041620	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG016	4/16/2020	12:03	N1	DD-D002506	BBG010-041620	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2.2		0.088	0.24	ug/WIPE
BBG016	4/16/2020	12:03	N1	DD-D002506	BBG010-041620	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG016	4/16/2020	12:03	N1	DD-D002506	BBG010-041620	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.88		0.07	0.24	ug/WIPE
BBG016	4/16/2020	12:03	N1	DD-D002506	BBG010-041620	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG016	4/16/2020	12:03	N1	DD-D002506	BBG010-041620	SW8082A	SW	TOTAL PCBs	3.08		-	0.24	ug/WIPE
BBG017	4/16/2020	11:58	N1	DD-D002507	BBG010-041620	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG017	4/16/2020	11:58	N1	DD-D002507	BBG010-041620	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG017	4/16/2020	11:58	N1	DD-D002507	BBG010-041620	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG017	4/16/2020	11:58	N1	DD-D002507	BBG010-041620	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1.7		0.088	0.24	ug/WIPE
BBG017	4/16/2020	11:58	N1	DD-D002507	BBG010-041620	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG017	4/16/2020	11:58	N1	DD-D002507	BBG010-041620	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.67		0.07	0.24	ug/WIPE
BBG017	4/16/2020	11:58	N1	DD-D002507	BBG010-041620	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG017	4/16/2020	11:58	N1	DD-D002507	BBG010-041620	SW8082A	SW	TOTAL PCBs	2.37		-	0.24	ug/WIPE
BBG018	4/16/2020	12:09	N1	DD-D002508	BBG010-041620	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG018	4/16/2020	12:09	N1	DD-D002508	BBG010-041620	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG018	4/16/2020	12:09	N1	DD-D002508	BBG010-041620	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG018	4/16/2020	12:09	N1	DD-D002508	BBG010-041620	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1.6		0.088	0.24	ug/WIPE
BBG018	4/16/2020	12:09	N1	DD-D002508	BBG010-041620	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG018	4/16/2020	12:09	N1	DD-D002508	BBG010-041620	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.56		0.07	0.24	ug/WIPE
BBG018	4/16/2020	12:09	N1	DD-D002508	BBG010-041620	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG018	4/16/2020	12:09	N1	DD-D002508	BBG010-041620	SW8082A	SW	TOTAL PCBs	2.16		-	0.24	ug/WIPE
BBG019	4/16/2020	12:14	N1	DD-D002509	BBG010-041620	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG019	4/16/2020	12:14	N1	DD-D002509	BBG010-041620	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG019	4/16/2020	12:14	N1	DD-D002509	BBG010-041620	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE

Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
BBG019	4/16/2020	12:14	N1	DD-D002509	BBG010-041620	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2		0.088	0.24	ug/WIPE
BBG019	4/16/2020	12:14	N1	DD-D002509	BBG010-041620	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG019	4/16/2020	12:14	N1	DD-D002509	BBG010-041620	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1		0.07	0.24	ug/WIPE
BBG019	4/16/2020	12:14	N1	DD-D002509	BBG010-041620	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG019	4/16/2020	12:14	N1	DD-D002509	BBG010-041620	SW8082A	SW	TOTAL PCBs	3		-	0.24	ug/WIPE
BBG020	4/16/2020	13:29	N1	DD-D002510	BBG010-041620	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG020	4/16/2020	13:29	N1	DD-D002510	BBG010-041620	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG020	4/16/2020	13:29	N1	DD-D002510	BBG010-041620	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG020	4/16/2020	13:29	N1	DD-D002510	BBG010-041620	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	1		0.088	0.24	ug/WIPE
BBG020	4/16/2020	13:29	N1	DD-D002510	BBG010-041620	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG020	4/16/2020	13:29	N1	DD-D002510	BBG010-041620	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.46		0.07	0.24	ug/WIPE
BBG020	4/16/2020	13:29	N1	DD-D002510	BBG010-041620	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG020	4/16/2020	13:29	N1	DD-D002510	BBG010-041620	SW8082A	SW	TOTAL PCBs	1.46		-	0.24	ug/WIPE
BBG021	4/16/2020	13:40	N1	DD-D002601	BBG021-041620	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG021	4/16/2020	13:40	N1	DD-D002601	BBG021-041620	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG021	4/16/2020	13:40	N1	DD-D002601	BBG021-041620	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG021	4/16/2020	13:40	N1	DD-D002601	BBG021-041620	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	1		0.088	0.24	ug/WIPE
BBG021	4/16/2020	13:40	N1	DD-D002601	BBG021-041620	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG021	4/16/2020	13:40	N1	DD-D002601	BBG021-041620	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.37		0.07	0.24	ug/WIPE
BBG021	4/16/2020	13:40	N1	DD-D002601	BBG021-041620	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG021	4/16/2020	13:40	N1	DD-D002601	BBG021-041620	SW8082A	SW	TOTAL PCBs	1.37		-	0.24	ug/WIPE
BBG022-023	4/16/2020	13:47	N1	DD-D002602	BBG022-023-041620-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG022-023	4/16/2020	13:47	N1	DD-D002602	BBG022-023-041620-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG022-023	4/16/2020	13:47	N1	DD-D002602	BBG022-023-041620-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG022-023	4/16/2020	13:47	N1	DD-D002602	BBG022-023-041620-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.8		0.088	0.24	ug/WIPE
BBG022-023	4/16/2020	13:47	N1	DD-D002602	BBG022-023-041620-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG022-023	4/16/2020	13:47	N1	DD-D002602	BBG022-023-041620-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.5		0.07	0.24	ug/WIPE
BBG022-023	4/16/2020	13:47	N1	DD-D002602	BBG022-023-041620-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG022-023	4/16/2020	13:47	N1	DD-D002602	BBG022-023-041620-COMP	SW8082A	SW	TOTAL PCBs	5.3		-	0.24	ug/WIPE
BBG024-025	4/16/2020	13:56	N1	DD-D002604	BBG024-025-041620-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG024-025	4/16/2020	13:56	N1	DD-D002604	BBG024-025-041620-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG024-025	4/16/2020	13:56	N1	DD-D002604	BBG024-025-041620-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG024-025	4/16/2020	13:56	N1	DD-D002604	BBG024-025-041620-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.7		0.088	0.24	ug/WIPE
BBG024-025	4/16/2020	13:56	N1	DD-D002604	BBG024-025-041620-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG024-025	4/16/2020	13:56	N1	DD-D002604	BBG024-025-041620-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.1		0.07	0.24	ug/WIPE
BBG024-025	4/16/2020	13:56	N1	DD-D002604	BBG024-025-041620-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG024-025	4/16/2020	13:56	N1	DD-D002604	BBG024-025-041620-COMP	SW8082A	SW	TOTAL PCBs	3.8		-	0.24	ug/WIPE
BBG026	4/21/2020	9:49	N1	DD-D002606	BBG026-042120	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG026	4/21/2020	9:49	N1	DD-D002606	BBG026-042120	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG026	4/21/2020	9:49	N1	DD-D002606	BBG026-042120	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG026	4/21/2020	9:49	N1	DD-D002606	BBG026-042120	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.7		0.088	0.24	ug/WIPE
BBG026	4/21/2020	9:49	N1	DD-D002606	BBG026-042120	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG026	4/21/2020	9:49	N1	DD-D002606	BBG026-042120	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.5		0.07	0.24	ug/WIPE
BBG026	4/21/2020	9:49	N1	DD-D002606	BBG026-042120	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG026	4/21/2020	9:49	N1	DD-D002606	BBG026-042120	SW8082A	SW	TOTAL PCBs	5.2		-	0.24	ug/WIPE
BBG027	4/16/2020	14:04	N1	DD-D002607	BBG027-041620	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG027	4/16/2020	14:04	N1	DD-D002607	BBG027-041620	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG027	4/16/2020	14:04	N1	DD-D002607	BBG027-041620	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG027	4/16/2020	14:04	N1	DD-D002607	BBG027-041620	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	1.7		0.088	0.24	ug/WIPE
BBG027	4/16/2020	14:04	N1	DD-D002607	BBG027-041620	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG027	4/16/2020	14:04	N1	DD-D002607	BBG027-041620	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.62		0.07	0.24	ug/WIPE



Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
BBG027	4/16/2020	14:04	N1	DD-D002607	BBG027-041620	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG027	4/16/2020	14:04	N1	DD-D002607	BBG027-041620	SW8082A	SW	TOTAL PCBs	2.32		-	0.24	ug/WIPE
BBG028-029	4/21/2020	9:57	N1	DD-D002608	BBG028-29-042120-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG028-029	4/21/2020	9:57	N1	DD-D002608	BBG028-29-042120-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG028-029	4/21/2020	9:57	N1	DD-D002608	BBG028-29-042120-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG028-029	4/21/2020	9:57	N1	DD-D002608	BBG028-29-042120-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	5.6		0.088	0.24	ug/WIPE
BBG028-029	4/21/2020	9:57	N1	DD-D002608	BBG028-29-042120-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG028-029	4/21/2020	9:57	N1	DD-D002608	BBG028-29-042120-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.2		0.07	0.24	ug/WIPE
BBG028-029	4/21/2020	9:57	N1	DD-D002608	BBG028-29-042120-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG028-029	4/21/2020	9:57	N1	DD-D002608	BBG028-29-042120-COMP	SW8082A	SW	TOTAL PCBs	7.8		-	0.24	ug/WIPE
BBG030	4/21/2020	10:12	N1	DD-D002610	BBG030-042120	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG030	4/21/2020	10:12	N1	DD-D002610	BBG030-042120	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG030	4/21/2020	10:12	N1	DD-D002610	BBG030-042120	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG030	4/21/2020	10:12	N1	DD-D002610	BBG030-042120	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	1		0.088	0.24	ug/WIPE
BBG030	4/21/2020	10:12	N1	DD-D002610	BBG030-042120	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG030	4/21/2020	10:12	N1	DD-D002610	BBG030-042120	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.43		0.07	0.24	ug/WIPE
BBG030	4/21/2020	10:12	N1	DD-D002610	BBG030-042120	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG030	4/21/2020	10:12	N1	DD-D002610	BBG030-042120	SW8082A	SW	TOTAL PCBs	1.43		-	0.24	ug/WIPE
BBG031	4/21/2020	10:01	N1	DD-D002701	BBG031-042120	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG031	4/21/2020	10:01	N1	DD-D002701	BBG031-042120	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG031	4/21/2020	10:01	N1	DD-D002701	BBG031-042120	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG031	4/21/2020	10:01	N1	DD-D002701	BBG031-042120	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.7		0.088	0.24	ug/WIPE
BBG031	4/21/2020	10:01	N1	DD-D002701	BBG031-042120	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG031	4/21/2020	10:01	N1	DD-D002701	BBG031-042120	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.97		0.07	0.24	ug/WIPE
BBG031	4/21/2020	10:01	N1	DD-D002701	BBG031-042120	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG031	4/21/2020	10:01	N1	DD-D002701	BBG031-042120	SW8082A	SW	TOTAL PCBs	3.67		-	0.24	ug/WIPE
BBG032	4/21/2020	10:18	N1	DD-D002702	BBG032-042120	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG032	4/21/2020	10:18	N1	DD-D002702	BBG032-042120	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG032	4/21/2020	10:18	N1	DD-D002702	BBG032-042120	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG032	4/21/2020	10:18	N1	DD-D002702	BBG032-042120	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	1.4		0.088	0.24	ug/WIPE
BBG032	4/21/2020	10:18	N1	DD-D002702	BBG032-042120	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG032	4/21/2020	10:18	N1	DD-D002702	BBG032-042120	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.66		0.07	0.24	ug/WIPE
BBG032	4/21/2020	10:18	N1	DD-D002702	BBG032-042120	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG032	4/21/2020	10:18	N1	DD-D002702	BBG032-042120	SW8082A	SW	TOTAL PCBs	2.06		-	0.24	ug/WIPE
BBG033-034	4/21/2020	10:03	N1	DD-D002703	BBG033-034-042120-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG033-034	4/21/2020	10:03	N1	DD-D002703	BBG033-034-042120-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG033-034	4/21/2020	10:03	N1	DD-D002703	BBG033-034-042120-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG033-034	4/21/2020	10:03	N1	DD-D002703	BBG033-034-042120-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	4.6		0.088	0.24	ug/WIPE
BBG033-034	4/21/2020	10:03	N1	DD-D002703	BBG033-034-042120-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG033-034	4/21/2020	10:03	N1	DD-D002703	BBG033-034-042120-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.8		0.07	0.24	ug/WIPE
BBG033-034	4/21/2020	10:03	N1	DD-D002703	BBG033-034-042120-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG033-034	4/21/2020	10:03	N1	DD-D002703	BBG033-034-042120-COMP	SW8082A	SW	TOTAL PCBs	6.4		-	0.24	ug/WIPE
BBG035	4/21/2020	15:00	N1	DD-D002705	BBG035-042120	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG035	4/21/2020	15:00	N1	DD-D002705	BBG035-042120	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG035	4/21/2020	15:00	N1	DD-D002705	BBG035-042120	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG035	4/21/2020	15:00	N1	DD-D002705	BBG035-042120	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.7		0.088	0.24	ug/WIPE
BBG035	4/21/2020	15:00	N1	DD-D002705	BBG035-042120	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG035	4/21/2020	15:00	N1	DD-D002705	BBG035-042120	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1		0.07	0.24	ug/WIPE
BBG035	4/21/2020	15:00	N1	DD-D002705	BBG035-042120	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG035	4/21/2020	15:00	N1	DD-D002705	BBG035-042120	SW8082A	SW	TOTAL PCBs	3.7		-	0.24	ug/WIPE
BBG036	4/21/2020	14:56	N1	DD-D002706	BBG036-042120	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE

Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
BBG036	4/21/2020	14:56	N1	DD-D002706	BBG036-042120	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG036	4/21/2020	14:56	N1	DD-D002706	BBG036-042120	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG036	4/21/2020	14:56	N1	DD-D002706	BBG036-042120	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1.1		0.088	0.24	ug/WIPE
BBG036	4/21/2020	14:56	N1	DD-D002706	BBG036-042120	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG036	4/21/2020	14:56	N1	DD-D002706	BBG036-042120	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.66		0.07	0.24	ug/WIPE
BBG036	4/21/2020	14:56	N1	DD-D002706	BBG036-042120	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG036	4/21/2020	14:56	N1	DD-D002706	BBG036-042120	SW8082A	SW	TOTAL PCBs	1.76		-	0.24	ug/WIPE
BBG037	4/21/2020	14:51	N1	DD-D002707	BBG037-042120	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG037	4/21/2020	14:51	N1	DD-D002707	BBG037-042120	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG037	4/21/2020	14:51	N1	DD-D002707	BBG037-042120	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG037	4/21/2020	14:51	N1	DD-D002707	BBG037-042120	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1.2		0.088	0.24	ug/WIPE
BBG037	4/21/2020	14:51	N1	DD-D002707	BBG037-042120	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG037	4/21/2020	14:51	N1	DD-D002707	BBG037-042120	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.48		0.07	0.24	ug/WIPE
BBG037	4/21/2020	14:51	N1	DD-D002707	BBG037-042120	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG037	4/21/2020	14:51	N1	DD-D002707	BBG037-042120	SW8082A	SW	TOTAL PCBs	1.68		-	0.24	ug/WIPE
BBG038	4/21/2020	14:48	N1	DD-D002708	BBG038-042120	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG038	4/21/2020	14:48	N1	DD-D002708	BBG038-042120	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG038	4/21/2020	14:48	N1	DD-D002708	BBG038-042120	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG038	4/21/2020	14:48	N1	DD-D002708	BBG038-042120	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3.6		0.088	0.24	ug/WIPE
BBG038	4/21/2020	14:48	N1	DD-D002708	BBG038-042120	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG038	4/21/2020	14:48	N1	DD-D002708	BBG038-042120	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.7		0.07	0.24	ug/WIPE
BBG038	4/21/2020	14:48	N1	DD-D002708	BBG038-042120	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG038	4/21/2020	14:48	N1	DD-D002708	BBG038-042120	SW8082A	SW	TOTAL PCBs	5.3		-	0.24	ug/WIPE
BBG039	4/21/2020	10:31	N1	DD-D002709	BBG039-042120	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG039	4/21/2020	10:31	N1	DD-D002709	BBG039-042120	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG039	4/21/2020	10:31	N1	DD-D002709	BBG039-042120	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG039	4/21/2020	10:31	N1	DD-D002709	BBG039-042120	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3.3		0.088	0.24	ug/WIPE
BBG039	4/21/2020	10:31	N1	DD-D002709	BBG039-042120	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG039	4/21/2020	10:31	N1	DD-D002709	BBG039-042120	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.95		0.07	0.24	ug/WIPE
BBG039	4/21/2020	10:31	N1	DD-D002709	BBG039-042120	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG039	4/21/2020	10:31	N1	DD-D002709	BBG039-042120	SW8082A	SW	TOTAL PCBs	4.25		-	0.24	ug/WIPE
BBG040	4/21/2020	10:39	N1	DD-D002710	BBG040-042120	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG040	4/21/2020	10:39	N1	DD-D002710	BBG040-042120	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG040	4/21/2020	10:39	N1	DD-D002710	BBG040-042120	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG040	4/21/2020	10:39	N1	DD-D002710	BBG040-042120	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
BBG040	4/21/2020	10:39	N1	DD-D002710	BBG040-042120	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG040	4/21/2020	10:39	N1	DD-D002710	BBG040-042120	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
BBG040	4/21/2020	10:39	N1	DD-D002710	BBG040-042120	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG040	4/21/2020	10:39	N1	DD-D002710	BBG040-042120	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
BBG041-042	4/21/2020	10:35	N1	DD-D002801	BBG041-042-042120-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG041-042	4/21/2020	10:35	N1	DD-D002801	BBG041-042-042120-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG041-042	4/21/2020	10:35	N1	DD-D002801	BBG041-042-042120-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG041-042	4/21/2020	10:35	N1	DD-D002801	BBG041-042-042120-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	5.2		0.088	0.24	ug/WIPE
BBG041-042	4/21/2020	10:35	N1	DD-D002801	BBG041-042-042120-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG041-042	4/21/2020	10:35	N1	DD-D002801	BBG041-042-042120-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2		0.07	0.24	ug/WIPE
BBG041-042	4/21/2020	10:35	N1	DD-D002801	BBG041-042-042120-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG041-042	4/21/2020	10:35	N1	DD-D002801	BBG041-042-042120-COMP	SW8082A	SW	TOTAL PCBs	7.2		-	0.24	ug/WIPE
BBG043	4/21/2020	10:48	N1	DD-D002803	BBG043-042120	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG043	4/21/2020	10:48	N1	DD-D002803	BBG043-042120	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG043	4/21/2020	10:48	N1	DD-D002803	BBG043-042120	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG043	4/21/2020	10:48	N1	DD-D002803	BBG043-042120	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2.7		0.088	0.24	ug/WIPE

Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
BBG043	4/21/2020	10:48	N1	DD-D002803	BBG043-042120	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG043	4/21/2020	10:48	N1	DD-D002803	BBG043-042120	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.96	U	0.07	0.24	ug/WIPE
BBG043	4/21/2020	10:48	N1	DD-D002803	BBG043-042120	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG043	4/21/2020	10:48	N1	DD-D002803	BBG043-042120	SW8082A	SW	TOTAL PCBs	3.66		-	0.24	ug/WIPE
BBG044	4/21/2020	10:46	N1	DD-D002804	BBG044-042120	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG044	4/21/2020	10:46	N1	DD-D002804	BBG044-042120	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG044	4/21/2020	10:46	N1	DD-D002804	BBG044-042120	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG044	4/21/2020	10:46	N1	DD-D002804	BBG044-042120	SW8082A	SW	PCB-1242 (AROCLOR 1242)	8.9		0.088	0.24	ug/WIPE
BBG044	4/21/2020	10:46	N1	DD-D002804	BBG044-042120	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG044	4/21/2020	10:46	N1	DD-D002804	BBG044-042120	SW8082A	SW	PCB-1254 (AROCLOR 1254)	3.4		0.07	0.24	ug/WIPE
BBG044	4/21/2020	10:46	N1	DD-D002804	BBG044-042120	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG044	4/21/2020	10:46	N1	DD-D002804	BBG044-042120	SW8082A	SW	TOTAL PCBs	12.3		-	0.24	ug/WIPE
BBG044R	6/29/2020	6:28	N1	DD-D020101	BBG044R-062920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG044R	6/29/2020	6:28	N1	DD-D020101	BBG044R-062920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG044R	6/29/2020	6:28	N1	DD-D020101	BBG044R-062920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG044R	6/29/2020	6:28	N1	DD-D020101	BBG044R-062920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3.6		0.088	0.24	ug/WIPE
BBG044R	6/29/2020	6:28	N1	DD-D020101	BBG044R-062920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG044R	6/29/2020	6:28	N1	DD-D020101	BBG044R-062920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.3		0.07	0.24	ug/WIPE
BBG044R	6/29/2020	6:28	N1	DD-D020101	BBG044R-062920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG044R	6/29/2020	6:28	N1	DD-D020101	BBG044R-062920	SW8082A	SW	TOTAL PCBs	4.9		-	0.24	ug/WIPE
BBG045-046	4/21/2020	10:53	N1	DD-D002805	BBG045-046-042120-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG045-046	4/21/2020	10:53	N1	DD-D002805	BBG045-046-042120-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG045-046	4/21/2020	10:53	N1	DD-D002805	BBG045-046-042120-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG045-046	4/21/2020	10:53	N1	DD-D002805	BBG045-046-042120-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	4.2		0.088	0.24	ug/WIPE
BBG045-046	4/21/2020	10:53	N1	DD-D002805	BBG045-046-042120-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG045-046	4/21/2020	10:53	N1	DD-D002805	BBG045-046-042120-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.6		0.07	0.24	ug/WIPE
BBG045-046	4/21/2020	10:53	N1	DD-D002805	BBG045-046-042120-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG045-046	4/21/2020	10:53	N1	DD-D002805	BBG045-046-042120-COMP	SW8082A	SW	TOTAL PCBs	5.8		-	0.24	ug/WIPE
BBG047	4/21/2020	10:57	N1	DD-D002807	BBG047-042120	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG047	4/21/2020	10:57	N1	DD-D002807	BBG047-042120	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG047	4/21/2020	10:57	N1	DD-D002807	BBG047-042120	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG047	4/21/2020	10:57	N1	DD-D002807	BBG047-042120	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2.1		0.088	0.24	ug/WIPE
BBG047	4/21/2020	10:57	N1	DD-D002807	BBG047-042120	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG047	4/21/2020	10:57	N1	DD-D002807	BBG047-042120	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.76		0.07	0.24	ug/WIPE
BBG047	4/21/2020	10:57	N1	DD-D002807	BBG047-042120	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG047	4/21/2020	10:57	N1	DD-D002807	BBG047-042120	SW8082A	SW	TOTAL PCBs	2.86		-	0.24	ug/WIPE
BBG048-049	4/21/2020	11:05	N1	DD-D002808	BBG048-049-042120-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG048-049	4/21/2020	11:05	N1	DD-D002808	BBG048-049-042120-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG048-049	4/21/2020	11:05	N1	DD-D002808	BBG048-049-042120-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG048-049	4/21/2020	11:05	N1	DD-D002808	BBG048-049-042120-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	6.2		0.088	0.24	ug/WIPE
BBG048-049	4/21/2020	11:05	N1	DD-D002808	BBG048-049-042120-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG048-049	4/21/2020	11:05	N1	DD-D002808	BBG048-049-042120-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2.3		0.07	0.24	ug/WIPE
BBG048-049	4/21/2020	11:05	N1	DD-D002808	BBG048-049-042120-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG048-049	4/21/2020	11:05	N1	DD-D002808	BBG048-049-042120-COMP	SW8082A	SW	TOTAL PCBs	8.5		-	0.24	ug/WIPE
BBG050	4/21/2020	11:14	N1	DD-D002810	BBG050-042120	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG050	4/21/2020	11:14	N1	DD-D002810	BBG050-042120	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG050	4/21/2020	11:14	N1	DD-D002810	BBG050-042120	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG050	4/21/2020	11:14	N1	DD-D002810	BBG050-042120	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3.2		0.088	0.24	ug/WIPE
BBG050	4/21/2020	11:14	N1	DD-D002810	BBG050-042120	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG050	4/21/2020	11:14	N1	DD-D002810	BBG050-042120	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.1		0.07	0.24	ug/WIPE
BBG050	4/21/2020	11:14	N1	DD-D002810	BBG050-042120	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE

Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
BBG050	4/21/2020	11:14	N1	DD-D002810	BBG050-042120	SW8082A	SW	TOTAL PCBs	4.3		-	0.24	ug/WIPE
BBG051	4/21/2020	11:10	N1	DD-D002901	BBG051-042120	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG051	4/21/2020	11:10	N1	DD-D002901	BBG051-042120	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG051	4/21/2020	11:10	N1	DD-D002901	BBG051-042120	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG051	4/21/2020	11:10	N1	DD-D002901	BBG051-042120	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	6.1		0.088	0.24	ug/WIPE
BBG051	4/21/2020	11:10	N1	DD-D002901	BBG051-042120	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG051	4/21/2020	11:10	N1	DD-D002901	BBG051-042120	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.3		0.07	0.24	ug/WIPE
BBG051	4/21/2020	11:10	N1	DD-D002901	BBG051-042120	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG051	4/21/2020	11:10	N1	DD-D002901	BBG051-042120	SW8082A	SW	TOTAL PCBs	8.4		-	0.24	ug/WIPE
BBG052	4/21/2020	11:16	N1	DD-D002902	BBG052-042120	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG052	4/21/2020	11:16	N1	DD-D002902	BBG052-042120	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG052	4/21/2020	11:16	N1	DD-D002902	BBG052-042120	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG052	4/21/2020	11:16	N1	DD-D002902	BBG052-042120	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.4		0.088	0.24	ug/WIPE
BBG052	4/21/2020	11:16	N1	DD-D002902	BBG052-042120	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG052	4/21/2020	11:16	N1	DD-D002902	BBG052-042120	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1		0.07	0.24	ug/WIPE
BBG052	4/21/2020	11:16	N1	DD-D002902	BBG052-042120	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG052	4/21/2020	11:16	N1	DD-D002902	BBG052-042120	SW8082A	SW	TOTAL PCBs	3.4		-	0.24	ug/WIPE
BBG053	4/16/2020	15:05	N1	DD-D002903	BBG053-041620	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG053	4/16/2020	15:05	N1	DD-D002903	BBG053-041620	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG053	4/16/2020	15:05	N1	DD-D002903	BBG053-041620	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG053	4/16/2020	15:05	N1	DD-D002903	BBG053-041620	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	5.4		0.088	0.24	ug/WIPE
BBG053	4/16/2020	15:05	N1	DD-D002903	BBG053-041620	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG053	4/16/2020	15:05	N1	DD-D002903	BBG053-041620	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.1		0.07	0.24	ug/WIPE
BBG053	4/16/2020	15:05	N1	DD-D002903	BBG053-041620	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG053	4/16/2020	15:05	N1	DD-D002903	BBG053-041620	SW8082A	SW	TOTAL PCBs	7.5		-	0.24	ug/WIPE
BBG054	4/16/2020	15:07	N1	DD-D002904	BBG054-041620	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG054	4/16/2020	15:07	N1	DD-D002904	BBG054-041620	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG054	4/16/2020	15:07	N1	DD-D002904	BBG054-041620	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG054	4/16/2020	15:07	N1	DD-D002904	BBG054-041620	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	1.6		0.088	0.24	ug/WIPE
BBG054	4/16/2020	15:07	N1	DD-D002904	BBG054-041620	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG054	4/16/2020	15:07	N1	DD-D002904	BBG054-041620	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.72		0.07	0.24	ug/WIPE
BBG054	4/16/2020	15:07	N1	DD-D002904	BBG054-041620	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG054	4/16/2020	15:07	N1	DD-D002904	BBG054-041620	SW8082A	SW	TOTAL PCBs	2.32		-	0.24	ug/WIPE
BBG055	4/16/2020	15:13	N1	DD-D002905	BBG055-041620	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG055	4/16/2020	15:13	N1	DD-D002905	BBG055-041620	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG055	4/16/2020	15:13	N1	DD-D002905	BBG055-041620	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG055	4/16/2020	15:13	N1	DD-D002905	BBG055-041620	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	1.2		0.088	0.24	ug/WIPE
BBG055	4/16/2020	15:13	N1	DD-D002905	BBG055-041620	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG055	4/16/2020	15:13	N1	DD-D002905	BBG055-041620	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.45		0.07	0.24	ug/WIPE
BBG055	4/16/2020	15:13	N1	DD-D002905	BBG055-041620	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG055	4/16/2020	15:13	N1	DD-D002905	BBG055-041620	SW8082A	SW	TOTAL PCBs	1.65		-	0.24	ug/WIPE
BBG056	4/16/2020	15:15	N1	DD-D002906	BBG056-041620	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG056	4/16/2020	15:15	N1	DD-D002906	BBG056-041620	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG056	4/16/2020	15:15	N1	DD-D002906	BBG056-041620	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG056	4/16/2020	15:15	N1	DD-D002906	BBG056-041620	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	5.3		0.088	0.24	ug/WIPE
BBG056	4/16/2020	15:15	N1	DD-D002906	BBG056-041620	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG056	4/16/2020	15:15	N1	DD-D002906	BBG056-041620	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.6		0.07	0.24	ug/WIPE
BBG056	4/16/2020	15:15	N1	DD-D002906	BBG056-041620	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG056	4/16/2020	15:15	N1	DD-D002906	BBG056-041620	SW8082A	SW	TOTAL PCBs	7.9		-	0.24	ug/WIPE
BBG057-058	4/21/2020	11:30	N1	DD-D002907	BBG057-058-042120-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG057-058	4/21/2020	11:30	N1	DD-D002907	BBG057-058-042120-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE

Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
BBG057-058	4/21/2020	11:30	N1	DD-D002907	BBG057-058-042120-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG057-058	4/21/2020	11:30	N1	DD-D002907	BBG057-058-042120-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.4	U	0.088	0.24	ug/WIPE
BBG057-058	4/21/2020	11:30	N1	DD-D002907	BBG057-058-042120-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG057-058	4/21/2020	11:30	N1	DD-D002907	BBG057-058-042120-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.3	U	0.07	0.24	ug/WIPE
BBG057-058	4/21/2020	11:30	N1	DD-D002907	BBG057-058-042120-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG057-058	4/21/2020	11:30	N1	DD-D002907	BBG057-058-042120-COMP	SW8082A	SW	TOTAL PCBs	4.7	U	-	0.24	ug/WIPE
BBG059-060	4/21/2020	11:40	N1	DD-D002909	BBG059-060-042120-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG059-060	4/21/2020	11:40	N1	DD-D002909	BBG059-060-042120-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG059-060	4/21/2020	11:40	N1	DD-D002909	BBG059-060-042120-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG059-060	4/21/2020	11:40	N1	DD-D002909	BBG059-060-042120-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	4.9	J	0.088	0.24	ug/WIPE
BBG059-060	4/21/2020	11:40	N1	DD-D002909	BBG059-060-042120-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG059-060	4/21/2020	11:40	N1	DD-D002909	BBG059-060-042120-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.6	J	0.07	0.24	ug/WIPE
BBG059-060	4/21/2020	11:40	N1	DD-D002909	BBG059-060-042120-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG059-060	4/21/2020	11:40	N1	DD-D002909	BBG059-060-042120-COMP	SW8082A	SW	TOTAL PCBs	6.5	U	-	0.24	ug/WIPE
BBG061	4/21/2020	11:53	N1	DD-D003001	BBG061-042120	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG061	4/21/2020	11:53	N1	DD-D003001	BBG061-042120	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG061	4/21/2020	11:53	N1	DD-D003001	BBG061-042120	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG061	4/21/2020	11:53	N1	DD-D003001	BBG061-042120	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.2	U	0.088	0.24	ug/WIPE
BBG061	4/21/2020	11:53	N1	DD-D003001	BBG061-042120	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG061	4/21/2020	11:53	N1	DD-D003001	BBG061-042120	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.82	U	0.07	0.24	ug/WIPE
BBG061	4/21/2020	11:53	N1	DD-D003001	BBG061-042120	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG061	4/21/2020	11:53	N1	DD-D003001	BBG061-042120	SW8082A	SW	TOTAL PCBs	3.02	U	-	0.24	ug/WIPE
BBG062	4/21/2020	11:46	N1	DD-D003002	BBG062-042120	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG062	4/21/2020	11:46	N1	DD-D003002	BBG062-042120	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG062	4/21/2020	11:46	N1	DD-D003002	BBG062-042120	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG062	4/21/2020	11:46	N1	DD-D003002	BBG062-042120	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	4.9	U	0.088	0.24	ug/WIPE
BBG062	4/21/2020	11:46	N1	DD-D003002	BBG062-042120	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG062	4/21/2020	11:46	N1	DD-D003002	BBG062-042120	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.8	U	0.07	0.24	ug/WIPE
BBG062	4/21/2020	11:46	N1	DD-D003002	BBG062-042120	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG062	4/21/2020	11:46	N1	DD-D003002	BBG062-042120	SW8082A	SW	TOTAL PCBs	6.7	U	-	0.24	ug/WIPE
BBG063	4/21/2020	12:08	N1	DD-D003003	BBG063-042120	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG063	4/21/2020	12:08	N1	DD-D003003	BBG063-042120	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG063	4/21/2020	12:08	N1	DD-D003003	BBG063-042120	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG063	4/21/2020	12:08	N1	DD-D003003	BBG063-042120	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	5.9	U	0.088	0.24	ug/WIPE
BBG063	4/21/2020	12:08	N1	DD-D003003	BBG063-042120	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG063	4/21/2020	12:08	N1	DD-D003003	BBG063-042120	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.9	U	0.07	0.24	ug/WIPE
BBG063	4/21/2020	12:08	N1	DD-D003003	BBG063-042120	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG063	4/21/2020	12:08	N1	DD-D003003	BBG063-042120	SW8082A	SW	TOTAL PCBs	7.8	U	-	0.24	ug/WIPE
BBG064	4/21/2020	11:57	N1	DD-D003004	BBG064-042120	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG064	4/21/2020	11:57	N1	DD-D003004	BBG064-042120	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG064	4/21/2020	11:57	N1	DD-D003004	BBG064-042120	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG064	4/21/2020	11:57	N1	DD-D003004	BBG064-042120	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	6.8	U	0.088	0.24	ug/WIPE
BBG064	4/21/2020	11:57	N1	DD-D003004	BBG064-042120	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG064	4/21/2020	11:57	N1	DD-D003004	BBG064-042120	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.6	U	0.07	0.24	ug/WIPE
BBG064	4/21/2020	11:57	N1	DD-D003004	BBG064-042120	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG064	4/21/2020	11:57	N1	DD-D003004	BBG064-042120	SW8082A	SW	TOTAL PCBs	9.4	U	-	0.24	ug/WIPE
BBG065-066	4/21/2020	12:00	N1	DD-D003005	BBG065-066-042120-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG065-066	4/21/2020	12:00	N1	DD-D003005	BBG065-066-042120-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG065-066	4/21/2020	12:00	N1	DD-D003005	BBG065-066-042120-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG065-066	4/21/2020	12:00	N1	DD-D003005	BBG065-066-042120-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	11	U	0.088	0.24	ug/WIPE
BBG065-066	4/21/2020	12:00	N1	DD-D003005	BBG065-066-042120-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE



Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
BBG065-066	4/21/2020	12:00	N1	DD-D003005	BBG065-066-042120-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	3.8		0.07	0.24	ug/WIPE
BBG065-066	4/21/2020	12:00	N1	DD-D003005	BBG065-066-042120-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG065-066	4/21/2020	12:00	N1	DD-D003005	BBG065-066-042120-COMP	SW8082A	SW	TOTAL PCBs	14.8		-	0.24	ug/WIPE
BBG065R	6/29/2020	6:38	N1	DD-D020102	BBG065R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG065R	6/29/2020	6:38	N1	DD-D020102	BBG065R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG065R	6/29/2020	6:38	N1	DD-D020102	BBG065R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG065R	6/29/2020	6:38	N1	DD-D020102	BBG065R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.9		0.088	0.24	ug/WIPE
BBG065R	6/29/2020	6:38	N1	DD-D020102	BBG065R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG065R	6/29/2020	6:38	N1	DD-D020102	BBG065R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.1		0.07	0.24	ug/WIPE
BBG065R	6/29/2020	6:38	N1	DD-D020102	BBG065R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG065R	6/29/2020	6:38	N1	DD-D020102	BBG065R-062920	SW8082A	SW	TOTAL PCBs	4		-	0.24	ug/WIPE
BBG066R	6/29/2020	6:45	N1	DD-D020103	BBG066R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG066R	6/29/2020	6:45	N1	DD-D020103	BBG066R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG066R	6/29/2020	6:45	N1	DD-D020103	BBG066R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG066R	6/29/2020	6:45	N1	DD-D020103	BBG066R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	1.8		0.088	0.24	ug/WIPE
BBG066R	6/29/2020	6:45	N1	DD-D020103	BBG066R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG066R	6/29/2020	6:45	N1	DD-D020103	BBG066R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.55		0.07	0.24	ug/WIPE
BBG066R	6/29/2020	6:45	N1	DD-D020103	BBG066R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG066R	6/29/2020	6:45	N1	DD-D020103	BBG066R-062920	SW8082A	SW	TOTAL PCBs	2.35		-	0.24	ug/WIPE
BBG067	4/21/2020	12:30	N1	DD-D003007	BBG067-042120	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG067	4/21/2020	12:30	N1	DD-D003007	BBG067-042120	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG067	4/21/2020	12:30	N1	DD-D003007	BBG067-042120	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG067	4/21/2020	12:30	N1	DD-D003007	BBG067-042120	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	5.7		0.088	0.24	ug/WIPE
BBG067	4/21/2020	12:30	N1	DD-D003007	BBG067-042120	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG067	4/21/2020	12:30	N1	DD-D003007	BBG067-042120	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.3		0.07	0.24	ug/WIPE
BBG067	4/21/2020	12:30	N1	DD-D003007	BBG067-042120	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG067	4/21/2020	12:30	N1	DD-D003007	BBG067-042120	SW8082A	SW	TOTAL PCBs	8		-	0.24	ug/WIPE
BBG068	4/21/2020	12:18	N1	DD-D003008	BBG068-042120	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG068	4/21/2020	12:18	N1	DD-D003008	BBG068-042120	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG068	4/21/2020	12:18	N1	DD-D003008	BBG068-042120	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG068	4/21/2020	12:18	N1	DD-D003008	BBG068-042120	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.6		0.088	0.24	ug/WIPE
BBG068	4/21/2020	12:18	N1	DD-D003008	BBG068-042120	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG068	4/21/2020	12:18	N1	DD-D003008	BBG068-042120	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.4		0.07	0.24	ug/WIPE
BBG068	4/21/2020	12:18	N1	DD-D003008	BBG068-042120	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG068	4/21/2020	12:18	N1	DD-D003008	BBG068-042120	SW8082A	SW	TOTAL PCBs	5		-	0.24	ug/WIPE
BBG069	4/21/2020	12:34	N1	DD-D003009	BBG069-042120	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG069	4/21/2020	12:34	N1	DD-D003009	BBG069-042120	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG069	4/21/2020	12:34	N1	DD-D003009	BBG069-042120	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG069	4/21/2020	12:34	N1	DD-D003009	BBG069-042120	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.8		0.088	0.24	ug/WIPE
BBG069	4/21/2020	12:34	N1	DD-D003009	BBG069-042120	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG069	4/21/2020	12:34	N1	DD-D003009	BBG069-042120	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.6		0.07	0.24	ug/WIPE
BBG069	4/21/2020	12:34	N1	DD-D003009	BBG069-042120	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG069	4/21/2020	12:34	N1	DD-D003009	BBG069-042120	SW8082A	SW	TOTAL PCBs	5.4		-	0.24	ug/WIPE
BBG070	4/21/2020	12:22	N1	DD-D003010	BBG070-042120	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG070	4/21/2020	12:22	N1	DD-D003010	BBG070-042120	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG070	4/21/2020	12:22	N1	DD-D003010	BBG070-042120	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG070	4/21/2020	12:22	N1	DD-D003010	BBG070-042120	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	1.6		0.088	0.24	ug/WIPE
BBG070	4/21/2020	12:22	N1	DD-D003010	BBG070-042120	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG070	4/21/2020	12:22	N1	DD-D003010	BBG070-042120	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.79		0.07	0.24	ug/WIPE
BBG070	4/21/2020	12:22	N1	DD-D003010	BBG070-042120	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG070	4/21/2020	12:22	N1	DD-D003010	BBG070-042120	SW8082A	SW	TOTAL PCBs	2.39		-	0.24	ug/WIPE

Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
BBG071	4/16/2020	15:19	N1	DD-D003101	BBG071-041620	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG071	4/16/2020	15:19	N1	DD-D003101	BBG071-041620	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG071	4/16/2020	15:19	N1	DD-D003101	BBG071-041620	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG071	4/16/2020	15:19	N1	DD-D003101	BBG071-041620	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3.3		0.088	0.24	ug/WIPE
BBG071	4/16/2020	15:19	N1	DD-D003101	BBG071-041620	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG071	4/16/2020	15:19	N1	DD-D003101	BBG071-041620	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.7		0.07	0.24	ug/WIPE
BBG071	4/16/2020	15:19	N1	DD-D003101	BBG071-041620	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG071	4/16/2020	15:19	N1	DD-D003101	BBG071-041620	SW8082A	SW	TOTAL PCBs	5		-	0.24	ug/WIPE
BBG072	4/16/2020	15:23	N1	DD-D003102	BBG072-041620	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG072	4/16/2020	15:23	N1	DD-D003102	BBG072-041620	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG072	4/16/2020	15:23	N1	DD-D003102	BBG072-041620	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG072	4/16/2020	15:23	N1	DD-D003102	BBG072-041620	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1.5		0.088	0.24	ug/WIPE
BBG072	4/16/2020	15:23	N1	DD-D003102	BBG072-041620	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG072	4/16/2020	15:23	N1	DD-D003102	BBG072-041620	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.67		0.07	0.24	ug/WIPE
BBG072	4/16/2020	15:23	N1	DD-D003102	BBG072-041620	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG072	4/16/2020	15:23	N1	DD-D003102	BBG072-041620	SW8082A	SW	TOTAL PCBs	2.17		-	0.24	ug/WIPE
BBG073	4/16/2020	15:16	N1	DD-D003103	BBG073-041620	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG073	4/16/2020	15:16	N1	DD-D003103	BBG073-041620	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG073	4/16/2020	15:16	N1	DD-D003103	BBG073-041620	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG073	4/16/2020	15:16	N1	DD-D003103	BBG073-041620	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.92		0.088	0.24	ug/WIPE
BBG073	4/16/2020	15:16	N1	DD-D003103	BBG073-041620	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG073	4/16/2020	15:16	N1	DD-D003103	BBG073-041620	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.36		0.07	0.24	ug/WIPE
BBG073	4/16/2020	15:16	N1	DD-D003103	BBG073-041620	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG073	4/16/2020	15:16	N1	DD-D003103	BBG073-041620	SW8082A	SW	TOTAL PCBs	1.28		-	0.24	ug/WIPE
BBG074	4/21/2020	14:46	N1	DD-D003104	BBG074-042120	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG074	4/21/2020	14:46	N1	DD-D003104	BBG074-042120	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG074	4/21/2020	14:46	N1	DD-D003104	BBG074-042120	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG074	4/21/2020	14:46	N1	DD-D003104	BBG074-042120	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2.5		0.088	0.24	ug/WIPE
BBG074	4/21/2020	14:46	N1	DD-D003104	BBG074-042120	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG074	4/21/2020	14:46	N1	DD-D003104	BBG074-042120	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.99		0.07	0.24	ug/WIPE
BBG074	4/21/2020	14:46	N1	DD-D003104	BBG074-042120	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG074	4/21/2020	14:46	N1	DD-D003104	BBG074-042120	SW8082A	SW	TOTAL PCBs	3.49		-	0.24	ug/WIPE
BBG075	4/21/2020	14:51	N1	DD-D003105	BBG075-042120	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG075	4/21/2020	14:51	N1	DD-D003105	BBG075-042120	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG075	4/21/2020	14:51	N1	DD-D003105	BBG075-042120	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG075	4/21/2020	14:51	N1	DD-D003105	BBG075-042120	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.24		0.088	0.24	ug/WIPE
BBG075	4/21/2020	14:51	N1	DD-D003105	BBG075-042120	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG075	4/21/2020	14:51	N1	DD-D003105	BBG075-042120	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.11	J	0.07	0.24	ug/WIPE
BBG075	4/21/2020	14:51	N1	DD-D003105	BBG075-042120	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG075	4/21/2020	14:51	N1	DD-D003105	BBG075-042120	SW8082A	SW	TOTAL PCBs	0.35		-	0.24	ug/WIPE
BBG076-077	4/21/2020	14:58	N1	DD-D003106	BBG076-077-042120-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG076-077	4/21/2020	14:58	N1	DD-D003106	BBG076-077-042120-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG076-077	4/21/2020	14:58	N1	DD-D003106	BBG076-077-042120-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG076-077	4/21/2020	14:58	N1	DD-D003106	BBG076-077-042120-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	8.5		0.088	0.24	ug/WIPE
BBG076-077	4/21/2020	14:58	N1	DD-D003106	BBG076-077-042120-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG076-077	4/21/2020	14:58	N1	DD-D003106	BBG076-077-042120-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2.9		0.07	0.24	ug/WIPE
BBG076-077	4/21/2020	14:58	N1	DD-D003106	BBG076-077-042120-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG076-077	4/21/2020	14:58	N1	DD-D003106	BBG076-077-042120-COMP	SW8082A	SW	TOTAL PCBs	11.4		-	0.24	ug/WIPE
BBG076R	6/29/2020	6:50	N1	DD-D020104	BBG076R-062920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG076R	6/29/2020	6:50	N1	DD-D020104	BBG076R-062920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG076R	6/29/2020	6:50	N1	DD-D020104	BBG076R-062920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE



Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
BBG076R	6/29/2020	6:50	N1	DD-D020104	BBG076R-062920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1.9		0.088	0.24	ug/WIPE
BBG076R	6/29/2020	6:50	N1	DD-D020104	BBG076R-062920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG076R	6/29/2020	6:50	N1	DD-D020104	BBG076R-062920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.58		0.07	0.24	ug/WIPE
BBG076R	6/29/2020	6:50	N1	DD-D020104	BBG076R-062920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG076R	6/29/2020	6:50	N1	DD-D020104	BBG076R-062920	SW8082A	SW	TOTAL PCBs	2.48		-	0.24	ug/WIPE
BBG077R	6/29/2020	6:53	N1	DD-D020105	BBG077R-062920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG077R	6/29/2020	6:53	N1	DD-D020105	BBG077R-062920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG077R	6/29/2020	6:53	N1	DD-D020105	BBG077R-062920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG077R	6/29/2020	6:53	N1	DD-D020105	BBG077R-062920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2		0.088	0.24	ug/WIPE
BBG077R	6/29/2020	6:53	N1	DD-D020105	BBG077R-062920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG077R	6/29/2020	6:53	N1	DD-D020105	BBG077R-062920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.69		0.07	0.24	ug/WIPE
BBG077R	6/29/2020	6:53	N1	DD-D020105	BBG077R-062920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG077R	6/29/2020	6:53	N1	DD-D020105	BBG077R-062920	SW8082A	SW	TOTAL PCBs	2.69		-	0.24	ug/WIPE
BBG078-079	4/21/2020	15:05	N1	DD-D003108	BBG078-079-042120-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG078-079	4/21/2020	15:05	N1	DD-D003108	BBG078-079-042120-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG078-079	4/21/2020	15:05	N1	DD-D003108	BBG078-079-042120-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG078-079	4/21/2020	15:05	N1	DD-D003108	BBG078-079-042120-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	7		0.088	0.24	ug/WIPE
BBG078-079	4/21/2020	15:05	N1	DD-D003108	BBG078-079-042120-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG078-079	4/21/2020	15:05	N1	DD-D003108	BBG078-079-042120-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2.8		0.07	0.24	ug/WIPE
BBG078-079	4/21/2020	15:05	N1	DD-D003108	BBG078-079-042120-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG078-079	4/21/2020	15:05	N1	DD-D003108	BBG078-079-042120-COMP	SW8082A	SW	TOTAL PCBs	9.8		-	0.24	ug/WIPE
BBG080-081	4/21/2020	15:14	N1	DD-D003110	BBG080-081-042120-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG080-081	4/21/2020	15:14	N1	DD-D003110	BBG080-081-042120-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG080-081	4/21/2020	15:14	N1	DD-D003110	BBG080-081-042120-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG080-081	4/21/2020	15:14	N1	DD-D003110	BBG080-081-042120-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	5.4		0.088	0.24	ug/WIPE
BBG080-081	4/21/2020	15:14	N1	DD-D003110	BBG080-081-042120-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG080-081	4/21/2020	15:14	N1	DD-D003110	BBG080-081-042120-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.9		0.07	0.24	ug/WIPE
BBG080-081	4/21/2020	15:14	N1	DD-D003110	BBG080-081-042120-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG080-081	4/21/2020	15:14	N1	DD-D003110	BBG080-081-042120-COMP	SW8082A	SW	TOTAL PCBs	7.3		-	0.24	ug/WIPE
BBG082	4/21/2020	15:24	N1	DD-D003202	BBG082-042120	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG082	4/21/2020	15:24	N1	DD-D003202	BBG082-042120	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG082	4/21/2020	15:24	N1	DD-D003202	BBG082-042120	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG082	4/21/2020	15:24	N1	DD-D003202	BBG082-042120	SW8082A	SW	PCB-1242 (AROCLOR 1242)	7.8		0.088	0.24	ug/WIPE
BBG082	4/21/2020	15:24	N1	DD-D003202	BBG082-042120	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG082	4/21/2020	15:24	N1	DD-D003202	BBG082-042120	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2.8		0.07	0.24	ug/WIPE
BBG082	4/21/2020	15:24	N1	DD-D003202	BBG082-042120	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG082	4/21/2020	15:24	N1	DD-D003202	BBG082-042120	SW8082A	SW	TOTAL PCBs	10.6		-	0.24	ug/WIPE
BBG082R	6/29/2020	6:55	N1	DD-D020106	BBG082R-062920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG082R	6/29/2020	6:55	N1	DD-D020106	BBG082R-062920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG082R	6/29/2020	6:55	N1	DD-D020106	BBG082R-062920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG082R	6/29/2020	6:55	N1	DD-D020106	BBG082R-062920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2		0.088	0.24	ug/WIPE
BBG082R	6/29/2020	6:55	N1	DD-D020106	BBG082R-062920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG082R	6/29/2020	6:55	N1	DD-D020106	BBG082R-062920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.73		0.07	0.24	ug/WIPE
BBG082R	6/29/2020	6:55	N1	DD-D020106	BBG082R-062920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG082R	6/29/2020	6:55	N1	DD-D020106	BBG082R-062920	SW8082A	SW	TOTAL PCBs	2.73		-	0.24	ug/WIPE
BBG083	4/21/2020	15:28	N1	DD-D003203	BBG083-042120	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG083	4/21/2020	15:28	N1	DD-D003203	BBG083-042120	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG083	4/21/2020	15:28	N1	DD-D003203	BBG083-042120	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG083	4/21/2020	15:28	N1	DD-D003203	BBG083-042120	SW8082A	SW	PCB-1242 (AROCLOR 1242)	4		0.088	0.24	ug/WIPE
BBG083	4/21/2020	15:28	N1	DD-D003203	BBG083-042120	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG083	4/21/2020	15:28	N1	DD-D003203	BBG083-042120	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.4		0.07	0.24	ug/WIPE

Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
BBG083	4/21/2020	15:28	N1	DD-D003203	BBG083-042120	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG083	4/21/2020	15:28	N1	DD-D003203	BBG083-042120	SW8082A	SW	TOTAL PCBs	5.4		-	0.24	ug/WIPE
BBG084	4/21/2020	15:35	N1	DD-D003204	BBG084-042120	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG084	4/21/2020	15:35	N1	DD-D003204	BBG084-042120	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG084	4/21/2020	15:35	N1	DD-D003204	BBG084-042120	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG084	4/21/2020	15:35	N1	DD-D003204	BBG084-042120	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2.9		0.088	0.24	ug/WIPE
BBG084	4/21/2020	15:35	N1	DD-D003204	BBG084-042120	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG084	4/21/2020	15:35	N1	DD-D003204	BBG084-042120	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.2		0.07	0.24	ug/WIPE
BBG084	4/21/2020	15:35	N1	DD-D003204	BBG084-042120	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG084	4/21/2020	15:35	N1	DD-D003204	BBG084-042120	SW8082A	SW	TOTAL PCBs	4.1		-	0.24	ug/WIPE
BBG085	4/21/2020	15:43	N1	DD-D003205	BBG085-042120	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG085	4/21/2020	15:43	N1	DD-D003205	BBG085-042120	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG085	4/21/2020	15:43	N1	DD-D003205	BBG085-042120	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG085	4/21/2020	15:43	N1	DD-D003205	BBG085-042120	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1.6		0.088	0.24	ug/WIPE
BBG085	4/21/2020	15:43	N1	DD-D003205	BBG085-042120	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG085	4/21/2020	15:43	N1	DD-D003205	BBG085-042120	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.74		0.07	0.24	ug/WIPE
BBG085	4/21/2020	15:43	N1	DD-D003205	BBG085-042120	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG085	4/21/2020	15:43	N1	DD-D003205	BBG085-042120	SW8082A	SW	TOTAL PCBs	2.34		-	0.24	ug/WIPE
BBG086	4/21/2020	15:46	N1	DD-D003206	BBG086-042120	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG086	4/21/2020	15:46	N1	DD-D003206	BBG086-042120	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG086	4/21/2020	15:46	N1	DD-D003206	BBG086-042120	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG086	4/21/2020	15:46	N1	DD-D003206	BBG086-042120	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1.6		0.088	0.24	ug/WIPE
BBG086	4/21/2020	15:46	N1	DD-D003206	BBG086-042120	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG086	4/21/2020	15:46	N1	DD-D003206	BBG086-042120	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.56		0.07	0.24	ug/WIPE
BBG086	4/21/2020	15:46	N1	DD-D003206	BBG086-042120	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG086	4/21/2020	15:46	N1	DD-D003206	BBG086-042120	SW8082A	SW	TOTAL PCBs	2.16		-	0.24	ug/WIPE
BBG087	4/21/2020	15:38	N1	DD-D003207	BBG087-042120	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG087	4/21/2020	15:38	N1	DD-D003207	BBG087-042120	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG087	4/21/2020	15:38	N1	DD-D003207	BBG087-042120	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG087	4/21/2020	15:38	N1	DD-D003207	BBG087-042120	SW8082A	SW	PCB-1242 (AROCLOR 1242)	5.4		0.088	0.24	ug/WIPE
BBG087	4/21/2020	15:38	N1	DD-D003207	BBG087-042120	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG087	4/21/2020	15:38	N1	DD-D003207	BBG087-042120	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2.1		0.07	0.24	ug/WIPE
BBG087	4/21/2020	15:38	N1	DD-D003207	BBG087-042120	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG087	4/21/2020	15:38	N1	DD-D003207	BBG087-042120	SW8082A	SW	TOTAL PCBs	7.5		-	0.24	ug/WIPE
BBG088	4/21/2020	15:33	N1	DD-D003208	BBG088-042120	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG088	4/21/2020	15:33	N1	DD-D003208	BBG088-042120	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG088	4/21/2020	15:33	N1	DD-D003208	BBG088-042120	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG088	4/21/2020	15:33	N1	DD-D003208	BBG088-042120	SW8082A	SW	PCB-1242 (AROCLOR 1242)	5.6		0.088	0.24	ug/WIPE
BBG088	4/21/2020	15:33	N1	DD-D003208	BBG088-042120	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG088	4/21/2020	15:33	N1	DD-D003208	BBG088-042120	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2.1		0.07	0.24	ug/WIPE
BBG088	4/21/2020	15:33	N1	DD-D003208	BBG088-042120	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG088	4/21/2020	15:33	N1	DD-D003208	BBG088-042120	SW8082A	SW	TOTAL PCBs	7.7		-	0.24	ug/WIPE
BBG089-090	4/21/2020	16:09	N1	DD-D003209	BBG089-090-042120-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG089-090	4/21/2020	16:09	N1	DD-D003209	BBG089-090-042120-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG089-090	4/21/2020	16:09	N1	DD-D003209	BBG089-090-042120-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG089-090	4/21/2020	16:09	N1	DD-D003209	BBG089-090-042120-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3.9		0.088	0.24	ug/WIPE
BBG089-090	4/21/2020	16:09	N1	DD-D003209	BBG089-090-042120-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG089-090	4/21/2020	16:09	N1	DD-D003209	BBG089-090-042120-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.8		0.07	0.24	ug/WIPE
BBG089-090	4/21/2020	16:09	N1	DD-D003209	BBG089-090-042120-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG089-090	4/21/2020	16:09	N1	DD-D003209	BBG089-090-042120-COMP	SW8082A	SW	TOTAL PCBs	5.7		-	0.24	ug/WIPE
BBG091	4/21/2020	17:32	N1	DD-D003301	BBG091-042120	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE

Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
BBG091	4/21/2020	17:32	N1	DD-D003301	BBG091-042120	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG091	4/21/2020	17:32	N1	DD-D003301	BBG091-042120	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG091	4/21/2020	17:32	N1	DD-D003301	BBG091-042120	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	6.4		0.088	0.24	ug/WIPE
BBG091	4/21/2020	17:32	N1	DD-D003301	BBG091-042120	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG091	4/21/2020	17:32	N1	DD-D003301	BBG091-042120	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.6		0.07	0.24	ug/WIPE
BBG091	4/21/2020	17:32	N1	DD-D003301	BBG091-042120	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG091	4/21/2020	17:32	N1	DD-D003301	BBG091-042120	SW8082A	SW	TOTAL PCBs	9		-	0.24	ug/WIPE
BBG092	4/22/2020	8:01	N1	DD-D003302	BBG092-042220	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG092	4/22/2020	8:01	N1	DD-D003302	BBG092-042220	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG092	4/22/2020	8:01	N1	DD-D003302	BBG092-042220	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG092	4/22/2020	8:01	N1	DD-D003302	BBG092-042220	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	5		0.088	0.24	ug/WIPE
BBG092	4/22/2020	8:01	N1	DD-D003302	BBG092-042220	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG092	4/22/2020	8:01	N1	DD-D003302	BBG092-042220	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.2		0.07	0.24	ug/WIPE
BBG092	4/22/2020	8:01	N1	DD-D003302	BBG092-042220	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG092	4/22/2020	8:01	N1	DD-D003302	BBG092-042220	SW8082A	SW	TOTAL PCBs	7.2		-	0.24	ug/WIPE
BBG093	4/22/2020	7:59	N1	DD-D003303	BBG093-042220	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG093	4/22/2020	7:59	N1	DD-D003303	BBG093-042220	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG093	4/22/2020	7:59	N1	DD-D003303	BBG093-042220	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG093	4/22/2020	7:59	N1	DD-D003303	BBG093-042220	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	1.8		0.088	0.24	ug/WIPE
BBG093	4/22/2020	7:59	N1	DD-D003303	BBG093-042220	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG093	4/22/2020	7:59	N1	DD-D003303	BBG093-042220	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.46		0.07	0.24	ug/WIPE
BBG093	4/22/2020	7:59	N1	DD-D003303	BBG093-042220	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG093	4/22/2020	7:59	N1	DD-D003303	BBG093-042220	SW8082A	SW	TOTAL PCBs	2.26		-	0.24	ug/WIPE
BBG094	4/22/2020	7:55	N1	DD-D003304	BBG094-042220	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG094	4/22/2020	7:55	N1	DD-D003304	BBG094-042220	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG094	4/22/2020	7:55	N1	DD-D003304	BBG094-042220	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG094	4/22/2020	7:55	N1	DD-D003304	BBG094-042220	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.35		0.088	0.24	ug/WIPE
BBG094	4/22/2020	7:55	N1	DD-D003304	BBG094-042220	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG094	4/22/2020	7:55	N1	DD-D003304	BBG094-042220	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.14	J	0.07	0.24	ug/WIPE
BBG094	4/22/2020	7:55	N1	DD-D003304	BBG094-042220	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG094	4/22/2020	7:55	N1	DD-D003304	BBG094-042220	SW8082A	SW	TOTAL PCBs	0.49		-	0.24	ug/WIPE
BBG095-096	4/21/2020	17:11	N1	DD-D003305	BBG095-096-042120-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG095-096	4/21/2020	17:11	N1	DD-D003305	BBG095-096-042120-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG095-096	4/21/2020	17:11	N1	DD-D003305	BBG095-096-042120-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG095-096	4/21/2020	17:11	N1	DD-D003305	BBG095-096-042120-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	12		0.088	0.24	ug/WIPE
BBG095-096	4/21/2020	17:11	N1	DD-D003305	BBG095-096-042120-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG095-096	4/21/2020	17:11	N1	DD-D003305	BBG095-096-042120-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	4.4		0.07	0.24	ug/WIPE
BBG095-096	4/21/2020	17:11	N1	DD-D003305	BBG095-096-042120-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG095-096	4/21/2020	17:11	N1	DD-D003305	BBG095-096-042120-COMP	SW8082A	SW	TOTAL PCBs	16.4		-	0.24	ug/WIPE
BBG095R	6/29/2020	7:02	N1	DD-D020107	BBG095R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG095R	6/29/2020	7:02	N1	DD-D020107	BBG095R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG095R	6/29/2020	7:02	N1	DD-D020107	BBG095R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG095R	6/29/2020	7:02	N1	DD-D020107	BBG095R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.61		0.088	0.24	ug/WIPE
BBG095R	6/29/2020	7:02	N1	DD-D020107	BBG095R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG095R	6/29/2020	7:02	N1	DD-D020107	BBG095R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.25		0.07	0.24	ug/WIPE
BBG095R	6/29/2020	7:02	N1	DD-D020107	BBG095R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG095R	6/29/2020	7:02	N1	DD-D020107	BBG095R-062920	SW8082A	SW	TOTAL PCBs	0.86		-	0.24	ug/WIPE
BBG096R	6/29/2020	7:05	N1	DD-D020108	BBG096R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG096R	6/29/2020	7:05	N1	DD-D020108	BBG096R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG096R	6/29/2020	7:05	N1	DD-D020108	BBG096R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG096R	6/29/2020	7:05	N1	DD-D020108	BBG096R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.13	J	0.088	0.24	ug/WIPE

Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
BBG096R	6/29/2020	7:05	N1	DD-D020108	BBG096R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG096R	6/29/2020	7:05	N1	DD-D020108	BBG096R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	ND	U	0.07	0.24	ug/WIPE
BBG096R	6/29/2020	7:05	N1	DD-D020108	BBG096R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG096R	6/29/2020	7:05	N1	DD-D020108	BBG096R-062920	SW8082A	SW	TOTAL PCBs	0.13		-	0.24	ug/WIPE
BBG097	4/21/2020	17:01	N1	DD-D003307	BBG097-042120	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG097	4/21/2020	17:01	N1	DD-D003307	BBG097-042120	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG097	4/21/2020	17:01	N1	DD-D003307	BBG097-042120	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG097	4/21/2020	17:01	N1	DD-D003307	BBG097-042120	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	8.7		0.088	0.24	ug/WIPE
BBG097	4/21/2020	17:01	N1	DD-D003307	BBG097-042120	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG097	4/21/2020	17:01	N1	DD-D003307	BBG097-042120	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	3.4		0.07	0.24	ug/WIPE
BBG097	4/21/2020	17:01	N1	DD-D003307	BBG097-042120	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG097	4/21/2020	17:01	N1	DD-D003307	BBG097-042120	SW8082A	SW	TOTAL PCBs	12.1		-	0.24	ug/WIPE
BBG097R	6/29/2020	7:07	N1	DD-D020109	BBG097R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG097R	6/29/2020	7:07	N1	DD-D020109	BBG097R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG097R	6/29/2020	7:07	N1	DD-D020109	BBG097R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG097R	6/29/2020	7:07	N1	DD-D020109	BBG097R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	1.5		0.088	0.24	ug/WIPE
BBG097R	6/29/2020	7:07	N1	DD-D020109	BBG097R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG097R	6/29/2020	7:07	N1	DD-D020109	BBG097R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.6		0.07	0.24	ug/WIPE
BBG097R	6/29/2020	7:07	N1	DD-D020109	BBG097R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG097R	6/29/2020	7:07	N1	DD-D020109	BBG097R-062920	SW8082A	SW	TOTAL PCBs	2.1		-	0.24	ug/WIPE
BBG098	4/21/2020	16:55	N1	DD-D003308	BBG098-042120	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG098	4/21/2020	16:55	N1	DD-D003308	BBG098-042120	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG098	4/21/2020	16:55	N1	DD-D003308	BBG098-042120	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG098	4/21/2020	16:55	N1	DD-D003308	BBG098-042120	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.4		0.088	0.24	ug/WIPE
BBG098	4/21/2020	16:55	N1	DD-D003308	BBG098-042120	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG098	4/21/2020	16:55	N1	DD-D003308	BBG098-042120	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1		0.07	0.24	ug/WIPE
BBG098	4/21/2020	16:55	N1	DD-D003308	BBG098-042120	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG098	4/21/2020	16:55	N1	DD-D003308	BBG098-042120	SW8082A	SW	TOTAL PCBs	3.4		-	0.24	ug/WIPE
BBG099	4/21/2020	16:49	N1	DD-D003309	BBG099-042120	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG099	4/21/2020	16:49	N1	DD-D003309	BBG099-042120	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG099	4/21/2020	16:49	N1	DD-D003309	BBG099-042120	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG099	4/21/2020	16:49	N1	DD-D003309	BBG099-042120	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.8		0.088	0.24	ug/WIPE
BBG099	4/21/2020	16:49	N1	DD-D003309	BBG099-042120	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG099	4/21/2020	16:49	N1	DD-D003309	BBG099-042120	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.4		0.07	0.24	ug/WIPE
BBG099	4/21/2020	16:49	N1	DD-D003309	BBG099-042120	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG099	4/21/2020	16:49	N1	DD-D003309	BBG099-042120	SW8082A	SW	TOTAL PCBs	4.2		-	0.24	ug/WIPE
BBG100	4/21/2020	16:52	N1	DD-D003310	BBG100-042120	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG100	4/21/2020	16:52	N1	DD-D003310	BBG100-042120	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG100	4/21/2020	16:52	N1	DD-D003310	BBG100-042120	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG100	4/21/2020	16:52	N1	DD-D003310	BBG100-042120	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.4		0.088	0.24	ug/WIPE
BBG100	4/21/2020	16:52	N1	DD-D003310	BBG100-042120	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG100	4/21/2020	16:52	N1	DD-D003310	BBG100-042120	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.4		0.07	0.24	ug/WIPE
BBG100	4/21/2020	16:52	N1	DD-D003310	BBG100-042120	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG100	4/21/2020	16:52	N1	DD-D003310	BBG100-042120	SW8082A	SW	TOTAL PCBs	4.8		-	0.24	ug/WIPE
BBG101	4/21/2020	17:06	N1	DD-D003401	BBG101-042120	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG101	4/21/2020	17:06	N1	DD-D003401	BBG101-042120	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG101	4/21/2020	17:06	N1	DD-D003401	BBG101-042120	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG101	4/21/2020	17:06	N1	DD-D003401	BBG101-042120	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.7		0.088	0.24	ug/WIPE
BBG101	4/21/2020	17:06	N1	DD-D003401	BBG101-042120	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG101	4/21/2020	17:06	N1	DD-D003401	BBG101-042120	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.2		0.07	0.24	ug/WIPE
BBG101	4/21/2020	17:06	N1	DD-D003401	BBG101-042120	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE

Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
BBG101	4/21/2020	17:06	N1	DD-D003401	BBG101-042120	SW8082A	SW	TOTAL PCBs	3.9		-	0.24	ug/WIPE
BBG102	4/21/2020	16:40	N1	DD-D003402	BBG102-042120	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG102	4/21/2020	16:40	N1	DD-D003402	BBG102-042120	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG102	4/21/2020	16:40	N1	DD-D003402	BBG102-042120	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG102	4/21/2020	16:40	N1	DD-D003402	BBG102-042120	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2.9		0.088	0.24	ug/WIPE
BBG102	4/21/2020	16:40	N1	DD-D003402	BBG102-042120	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG102	4/21/2020	16:40	N1	DD-D003402	BBG102-042120	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.3		0.07	0.24	ug/WIPE
BBG102	4/21/2020	16:40	N1	DD-D003402	BBG102-042120	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG102	4/21/2020	16:40	N1	DD-D003402	BBG102-042120	SW8082A	SW	TOTAL PCBs	4.2		-	0.24	ug/WIPE
BBG103-104	4/21/2020	16:41	N1	DD-D003403	BBG103-104-042120-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG103-104	4/21/2020	16:41	N1	DD-D003403	BBG103-104-042120-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG103-104	4/21/2020	16:41	N1	DD-D003403	BBG103-104-042120-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG103-104	4/21/2020	16:41	N1	DD-D003403	BBG103-104-042120-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	6.4		0.088	0.24	ug/WIPE
BBG103-104	4/21/2020	16:41	N1	DD-D003403	BBG103-104-042120-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG103-104	4/21/2020	16:41	N1	DD-D003403	BBG103-104-042120-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2.4		0.07	0.24	ug/WIPE
BBG103-104	4/21/2020	16:41	N1	DD-D003403	BBG103-104-042120-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG103-104	4/21/2020	16:41	N1	DD-D003403	BBG103-104-042120-COMP	SW8082A	SW	TOTAL PCBs	8.8		-	0.24	ug/WIPE
BBG105-107	4/21/2020	16:25	N1	DD-D003405	BBG105-107-042120-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG105-107	4/21/2020	16:25	N1	DD-D003405	BBG105-107-042120-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG105-107	4/21/2020	16:25	N1	DD-D003405	BBG105-107-042120-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG105-107	4/21/2020	16:25	N1	DD-D003405	BBG105-107-042120-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	4.8		0.088	0.24	ug/WIPE
BBG105-107	4/21/2020	16:25	N1	DD-D003405	BBG105-107-042120-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG105-107	4/21/2020	16:25	N1	DD-D003405	BBG105-107-042120-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.8		0.07	0.24	ug/WIPE
BBG105-107	4/21/2020	16:25	N1	DD-D003405	BBG105-107-042120-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG105-107	4/21/2020	16:25	N1	DD-D003405	BBG105-107-042120-COMP	SW8082A	SW	TOTAL PCBs	6.6		-	0.24	ug/WIPE
BBG106	4/21/2020	16:31	N1	DD-D003406	BBG106-042120	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG106	4/21/2020	16:31	N1	DD-D003406	BBG106-042120	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG106	4/21/2020	16:31	N1	DD-D003406	BBG106-042120	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG106	4/21/2020	16:31	N1	DD-D003406	BBG106-042120	SW8082A	SW	PCB-1242 (AROCLOR 1242)	6.5		0.088	0.24	ug/WIPE
BBG106	4/21/2020	16:31	N1	DD-D003406	BBG106-042120	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG106	4/21/2020	16:31	N1	DD-D003406	BBG106-042120	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2.6		0.07	0.24	ug/WIPE
BBG106	4/21/2020	16:31	N1	DD-D003406	BBG106-042120	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG106	4/21/2020	16:31	N1	DD-D003406	BBG106-042120	SW8082A	SW	TOTAL PCBs	9.1		-	0.24	ug/WIPE
BBG108	4/21/2020	16:19	N1	DD-D003408	BBG108-042120	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG108	4/21/2020	16:19	N1	DD-D003408	BBG108-042120	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG108	4/21/2020	16:19	N1	DD-D003408	BBG108-042120	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG108	4/21/2020	16:19	N1	DD-D003408	BBG108-042120	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2.9		0.088	0.24	ug/WIPE
BBG108	4/21/2020	16:19	N1	DD-D003408	BBG108-042120	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG108	4/21/2020	16:19	N1	DD-D003408	BBG108-042120	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.3		0.07	0.24	ug/WIPE
BBG108	4/21/2020	16:19	N1	DD-D003408	BBG108-042120	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG108	4/21/2020	16:19	N1	DD-D003408	BBG108-042120	SW8082A	SW	TOTAL PCBs	4.2		-	0.24	ug/WIPE
BBG109	4/21/2020	17:27	N1	DD-D003409	BBG109-042120	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG109	4/21/2020	17:27	N1	DD-D003409	BBG109-042120	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG109	4/21/2020	17:27	N1	DD-D003409	BBG109-042120	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG109	4/21/2020	17:27	N1	DD-D003409	BBG109-042120	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2.2		0.088	0.24	ug/WIPE
BBG109	4/21/2020	17:27	N1	DD-D003409	BBG109-042120	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG109	4/21/2020	17:27	N1	DD-D003409	BBG109-042120	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.94		0.07	0.24	ug/WIPE
BBG109	4/21/2020	17:27	N1	DD-D003409	BBG109-042120	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG109	4/21/2020	17:27	N1	DD-D003409	BBG109-042120	SW8082A	SW	TOTAL PCBs	3.14		-	0.24	ug/WIPE
BBG110-111	4/22/2020	8:12	N1	DD-D003410	BBG110-111-042220-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG110-111	4/22/2020	8:12	N1	DD-D003410	BBG110-111-042220-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE



Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
BBG110-111	4/22/2020	8:12	N1	DD-D003410	BBG110-111-042220-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG110-111	4/22/2020	8:12	N1	DD-D003410	BBG110-111-042220-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.4	U	0.088	0.24	ug/WIPE
BBG110-111	4/22/2020	8:12	N1	DD-D003410	BBG110-111-042220-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG110-111	4/22/2020	8:12	N1	DD-D003410	BBG110-111-042220-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1	U	0.07	0.24	ug/WIPE
BBG110-111	4/22/2020	8:12	N1	DD-D003410	BBG110-111-042220-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG110-111	4/22/2020	8:12	N1	DD-D003410	BBG110-111-042220-COMP	SW8082A	SW	TOTAL PCBs	3.4	U	-	0.24	ug/WIPE
BBG112	4/22/2020	8:23	N1	DD-D003502	BBG112-042220	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG112	4/22/2020	8:23	N1	DD-D003502	BBG112-042220	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG112	4/22/2020	8:23	N1	DD-D003502	BBG112-042220	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG112	4/22/2020	8:23	N1	DD-D003502	BBG112-042220	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	11	U	0.088	0.24	ug/WIPE
BBG112	4/22/2020	8:23	N1	DD-D003502	BBG112-042220	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG112	4/22/2020	8:23	N1	DD-D003502	BBG112-042220	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	3.5	U	0.07	0.24	ug/WIPE
BBG112	4/22/2020	8:23	N1	DD-D003502	BBG112-042220	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG112	4/22/2020	8:23	N1	DD-D003502	BBG112-042220	SW8082A	SW	TOTAL PCBs	14.5	U	-	0.24	ug/WIPE
BBG112R	6/29/2020	7:12	N1	DD-D020110	BBG112R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG112R	6/29/2020	7:12	N1	DD-D020110	BBG112R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG112R	6/29/2020	7:12	N1	DD-D020110	BBG112R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG112R	6/29/2020	7:12	N1	DD-D020110	BBG112R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.4	U	0.088	0.24	ug/WIPE
BBG112R	6/29/2020	7:12	N1	DD-D020110	BBG112R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG112R	6/29/2020	7:12	N1	DD-D020110	BBG112R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.74	U	0.07	0.24	ug/WIPE
BBG112R	6/29/2020	7:12	N1	DD-D020110	BBG112R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG112R	6/29/2020	7:12	N1	DD-D020110	BBG112R-062920	SW8082A	SW	TOTAL PCBs	3.14	U	-	0.24	ug/WIPE
BBG113	4/22/2020	8:20	N1	DD-D003503	BBG113-042220	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG113	4/22/2020	8:20	N1	DD-D003503	BBG113-042220	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG113	4/22/2020	8:20	N1	DD-D003503	BBG113-042220	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG113	4/22/2020	8:20	N1	DD-D003503	BBG113-042220	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	5.3	U	0.088	0.24	ug/WIPE
BBG113	4/22/2020	8:20	N1	DD-D003503	BBG113-042220	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG113	4/22/2020	8:20	N1	DD-D003503	BBG113-042220	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2	U	0.07	0.24	ug/WIPE
BBG113	4/22/2020	8:20	N1	DD-D003503	BBG113-042220	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG113	4/22/2020	8:20	N1	DD-D003503	BBG113-042220	SW8082A	SW	TOTAL PCBs	7.3	U	-	0.24	ug/WIPE
BBG114	4/22/2020	8:26	N1	DD-D003504	BBG114-042220	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG114	4/22/2020	8:26	N1	DD-D003504	BBG114-042220	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG114	4/22/2020	8:26	N1	DD-D003504	BBG114-042220	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG114	4/22/2020	8:26	N1	DD-D003504	BBG114-042220	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.5	U	0.088	0.24	ug/WIPE
BBG114	4/22/2020	8:26	N1	DD-D003504	BBG114-042220	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG114	4/22/2020	8:26	N1	DD-D003504	BBG114-042220	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.3	U	0.07	0.24	ug/WIPE
BBG114	4/22/2020	8:26	N1	DD-D003504	BBG114-042220	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG114	4/22/2020	8:26	N1	DD-D003504	BBG114-042220	SW8082A	SW	TOTAL PCBs	4.8	U	-	0.24	ug/WIPE
BBG115-116	4/22/2020	8:29	N1	DD-D003505	BBG115-116-042220-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG115-116	4/22/2020	8:29	N1	DD-D003505	BBG115-116-042220-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG115-116	4/22/2020	8:29	N1	DD-D003505	BBG115-116-042220-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG115-116	4/22/2020	8:29	N1	DD-D003505	BBG115-116-042220-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	6.9	U	0.088	0.24	ug/WIPE
BBG115-116	4/22/2020	8:29	N1	DD-D003505	BBG115-116-042220-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG115-116	4/22/2020	8:29	N1	DD-D003505	BBG115-116-042220-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.8	U	0.07	0.24	ug/WIPE
BBG115-116	4/22/2020	8:29	N1	DD-D003505	BBG115-116-042220-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG115-116	4/22/2020	8:29	N1	DD-D003505	BBG115-116-042220-COMP	SW8082A	SW	TOTAL PCBs	9.7	U	-	0.24	ug/WIPE
BBG117	4/22/2020	8:41	N1	DD-D003507	BBG117-042220	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG117	4/22/2020	8:41	N1	DD-D003507	BBG117-042220	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG117	4/22/2020	8:41	N1	DD-D003507	BBG117-042220	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG117	4/22/2020	8:41	N1	DD-D003507	BBG117-042220	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.5	U	0.088	0.24	ug/WIPE
BBG117	4/22/2020	8:41	N1	DD-D003507	BBG117-042220	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE

Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
BBG117	4/22/2020	8:41	N1	DD-D003507	BBG117-042220	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.4		0.07	0.24	ug/WIPE
BBG117	4/22/2020	8:41	N1	DD-D003507	BBG117-042220	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG117	4/22/2020	8:41	N1	DD-D003507	BBG117-042220	SW8082A	SW	TOTAL PCBs	4.9		-	0.24	ug/WIPE
BBG118	4/22/2020	8:36	N1	DD-D003508	BBG118-042220	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG118	4/22/2020	8:36	N1	DD-D003508	BBG118-042220	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG118	4/22/2020	8:36	N1	DD-D003508	BBG118-042220	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG118	4/22/2020	8:36	N1	DD-D003508	BBG118-042220	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3.8		0.088	0.24	ug/WIPE
BBG118	4/22/2020	8:36	N1	DD-D003508	BBG118-042220	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG118	4/22/2020	8:36	N1	DD-D003508	BBG118-042220	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.3		0.07	0.24	ug/WIPE
BBG118	4/22/2020	8:36	N1	DD-D003508	BBG118-042220	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG118	4/22/2020	8:36	N1	DD-D003508	BBG118-042220	SW8082A	SW	TOTAL PCBs	5.1		-	0.24	ug/WIPE
BBG119	4/22/2020	8:45	N1	DD-D003509	BBG119-042220	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG119	4/22/2020	8:45	N1	DD-D003509	BBG119-042220	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG119	4/22/2020	8:45	N1	DD-D003509	BBG119-042220	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG119	4/22/2020	8:45	N1	DD-D003509	BBG119-042220	SW8082A	SW	PCB-1242 (AROCLOR 1242)	5.9		0.088	0.24	ug/WIPE
BBG119	4/22/2020	8:45	N1	DD-D003509	BBG119-042220	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG119	4/22/2020	8:45	N1	DD-D003509	BBG119-042220	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2.3		0.07	0.24	ug/WIPE
BBG119	4/22/2020	8:45	N1	DD-D003509	BBG119-042220	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG119	4/22/2020	8:45	N1	DD-D003509	BBG119-042220	SW8082A	SW	TOTAL PCBs	8.2		-	0.24	ug/WIPE
BBG120	4/22/2020	8:50	N1	DD-D003510	BBG120-042220	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG120	4/22/2020	8:50	N1	DD-D003510	BBG120-042220	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG120	4/22/2020	8:50	N1	DD-D003510	BBG120-042220	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG120	4/22/2020	8:50	N1	DD-D003510	BBG120-042220	SW8082A	SW	PCB-1242 (AROCLOR 1242)	4		0.088	0.24	ug/WIPE
BBG120	4/22/2020	8:50	N1	DD-D003510	BBG120-042220	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG120	4/22/2020	8:50	N1	DD-D003510	BBG120-042220	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.7		0.07	0.24	ug/WIPE
BBG120	4/22/2020	8:50	N1	DD-D003510	BBG120-042220	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG120	4/22/2020	8:50	N1	DD-D003510	BBG120-042220	SW8082A	SW	TOTAL PCBs	5.7		-	0.24	ug/WIPE
BBG121-122	4/22/2020	8:59	N1	DD-D003601	BBG121-122-042220-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG121-122	4/22/2020	8:59	N1	DD-D003601	BBG121-122-042220-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG121-122	4/22/2020	8:59	N1	DD-D003601	BBG121-122-042220-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG121-122	4/22/2020	8:59	N1	DD-D003601	BBG121-122-042220-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	8.3		0.088	0.24	ug/WIPE
BBG121-122	4/22/2020	8:59	N1	DD-D003601	BBG121-122-042220-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG121-122	4/22/2020	8:59	N1	DD-D003601	BBG121-122-042220-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	3.1		0.07	0.24	ug/WIPE
BBG121-122	4/22/2020	8:59	N1	DD-D003601	BBG121-122-042220-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG121-122	4/22/2020	8:59	N1	DD-D003601	BBG121-122-042220-COMP	SW8082A	SW	TOTAL PCBs	11.4		-	0.24	ug/WIPE
BBG121R	6/29/2020	7:15	N1	DD-D020201	BBG121R-062920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG121R	6/29/2020	7:15	N1	DD-D020201	BBG121R-062920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG121R	6/29/2020	7:15	N1	DD-D020201	BBG121R-062920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG121R	6/29/2020	7:15	N1	DD-D020201	BBG121R-062920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2.2		0.088	0.24	ug/WIPE
BBG121R	6/29/2020	7:15	N1	DD-D020201	BBG121R-062920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG121R	6/29/2020	7:15	N1	DD-D020201	BBG121R-062920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.78		0.07	0.24	ug/WIPE
BBG121R	6/29/2020	7:15	N1	DD-D020201	BBG121R-062920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG121R	6/29/2020	7:15	N1	DD-D020201	BBG121R-062920	SW8082A	SW	TOTAL PCBs	2.98		-	0.24	ug/WIPE
BBG122R	6/29/2020	7:18	N1	DD-D020202	BBG122R-062920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG122R	6/29/2020	7:18	N1	DD-D020202	BBG122R-062920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG122R	6/29/2020	7:18	N1	DD-D020202	BBG122R-062920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG122R	6/29/2020	7:18	N1	DD-D020202	BBG122R-062920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.85		0.088	0.24	ug/WIPE
BBG122R	6/29/2020	7:18	N1	DD-D020202	BBG122R-062920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG122R	6/29/2020	7:18	N1	DD-D020202	BBG122R-062920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.33		0.07	0.24	ug/WIPE
BBG122R	6/29/2020	7:18	N1	DD-D020202	BBG122R-062920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG122R	6/29/2020	7:18	N1	DD-D020202	BBG122R-062920	SW8082A	SW	TOTAL PCBs	1.18		-	0.24	ug/WIPE



Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
BBG123	4/22/2020	9:03	N1	DD-D003603	BBG123-042220	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG123	4/22/2020	9:03	N1	DD-D003603	BBG123-042220	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG123	4/22/2020	9:03	N1	DD-D003603	BBG123-042220	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG123	4/22/2020	9:03	N1	DD-D003603	BBG123-042220	SW8082A	SW	PCB-1242 (AROCLOR 1242)	4.3		0.088	0.24	ug/WIPE
BBG123	4/22/2020	9:03	N1	DD-D003603	BBG123-042220	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG123	4/22/2020	9:03	N1	DD-D003603	BBG123-042220	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.5		0.07	0.24	ug/WIPE
BBG123	4/22/2020	9:03	N1	DD-D003603	BBG123-042220	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG123	4/22/2020	9:03	N1	DD-D003603	BBG123-042220	SW8082A	SW	TOTAL PCBs	5.8		-	0.24	ug/WIPE
BBG124	4/22/2020	9:11	N1	DD-D003604	BBG124-042220	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG124	4/22/2020	9:11	N1	DD-D003604	BBG124-042220	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG124	4/22/2020	9:11	N1	DD-D003604	BBG124-042220	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG124	4/22/2020	9:11	N1	DD-D003604	BBG124-042220	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2.3		0.088	0.24	ug/WIPE
BBG124	4/22/2020	9:11	N1	DD-D003604	BBG124-042220	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG124	4/22/2020	9:11	N1	DD-D003604	BBG124-042220	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.95		0.07	0.24	ug/WIPE
BBG124	4/22/2020	9:11	N1	DD-D003604	BBG124-042220	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG124	4/22/2020	9:11	N1	DD-D003604	BBG124-042220	SW8082A	SW	TOTAL PCBs	3.25		-	0.24	ug/WIPE
BBG125-126	4/22/2020	9:21	N1	DD-D003605	BBG125-126-042220-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG125-126	4/22/2020	9:21	N1	DD-D003605	BBG125-126-042220-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG125-126	4/22/2020	9:21	N1	DD-D003605	BBG125-126-042220-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG125-126	4/22/2020	9:21	N1	DD-D003605	BBG125-126-042220-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	6.2		0.088	0.24	ug/WIPE
BBG125-126	4/22/2020	9:21	N1	DD-D003605	BBG125-126-042220-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG125-126	4/22/2020	9:21	N1	DD-D003605	BBG125-126-042220-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2.5		0.07	0.24	ug/WIPE
BBG125-126	4/22/2020	9:21	N1	DD-D003605	BBG125-126-042220-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG125-126	4/22/2020	9:21	N1	DD-D003605	BBG125-126-042220-COMP	SW8082A	SW	TOTAL PCBs	8.7		-	0.24	ug/WIPE
BBG127	4/22/2020	9:47	N1	DD-D003607	BBG127-042220	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG127	4/22/2020	9:47	N1	DD-D003607	BBG127-042220	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG127	4/22/2020	9:47	N1	DD-D003607	BBG127-042220	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG127	4/22/2020	9:47	N1	DD-D003607	BBG127-042220	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1.1		0.088	0.24	ug/WIPE
BBG127	4/22/2020	9:47	N1	DD-D003607	BBG127-042220	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG127	4/22/2020	9:47	N1	DD-D003607	BBG127-042220	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.49		0.07	0.24	ug/WIPE
BBG127	4/22/2020	9:47	N1	DD-D003607	BBG127-042220	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG127	4/22/2020	9:47	N1	DD-D003607	BBG127-042220	SW8082A	SW	TOTAL PCBs	1.59		-	0.24	ug/WIPE
BBG128	4/22/2020	9:51	N1	DD-D003608	BBG128-042220	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG128	4/22/2020	9:51	N1	DD-D003608	BBG128-042220	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG128	4/22/2020	9:51	N1	DD-D003608	BBG128-042220	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG128	4/22/2020	9:51	N1	DD-D003608	BBG128-042220	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3.6		0.088	0.24	ug/WIPE
BBG128	4/22/2020	9:51	N1	DD-D003608	BBG128-042220	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG128	4/22/2020	9:51	N1	DD-D003608	BBG128-042220	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.5		0.07	0.24	ug/WIPE
BBG128	4/22/2020	9:51	N1	DD-D003608	BBG128-042220	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG128	4/22/2020	9:51	N1	DD-D003608	BBG128-042220	SW8082A	SW	TOTAL PCBs	5.1		-	0.24	ug/WIPE
BBG129	4/22/2020	9:54	N1	DD-D003609	BBG129-042220	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG129	4/22/2020	9:54	N1	DD-D003609	BBG129-042220	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG129	4/22/2020	9:54	N1	DD-D003609	BBG129-042220	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG129	4/22/2020	9:54	N1	DD-D003609	BBG129-042220	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2.5		0.088	0.24	ug/WIPE
BBG129	4/22/2020	9:54	N1	DD-D003609	BBG129-042220	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG129	4/22/2020	9:54	N1	DD-D003609	BBG129-042220	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.2		0.07	0.24	ug/WIPE
BBG129	4/22/2020	9:54	N1	DD-D003609	BBG129-042220	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG129	4/22/2020	9:54	N1	DD-D003609	BBG129-042220	SW8082A	SW	TOTAL PCBs	3.7		-	0.24	ug/WIPE
BBG130	4/22/2020	9:58	N1	DD-D003610	BBG130-042220	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG130	4/22/2020	9:58	N1	DD-D003610	BBG130-042220	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG130	4/22/2020	9:58	N1	DD-D003610	BBG130-042220	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE

Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
BBG130	4/22/2020	9:58	N1	DD-D003610	BBG130-042220	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1.5		0.088	0.24	ug/WIPE
BBG130	4/22/2020	9:58	N1	DD-D003610	BBG130-042220	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG130	4/22/2020	9:58	N1	DD-D003610	BBG130-042220	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.64		0.07	0.24	ug/WIPE
BBG130	4/22/2020	9:58	N1	DD-D003610	BBG130-042220	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG130	4/22/2020	9:58	N1	DD-D003610	BBG130-042220	SW8082A	SW	TOTAL PCBs	2.14		-	0.24	ug/WIPE
BBG131	4/22/2020	10:41	N1	DD-D003701	BBG131-042220	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG131	4/22/2020	10:41	N1	DD-D003701	BBG131-042220	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG131	4/22/2020	10:41	N1	DD-D003701	BBG131-042220	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG131	4/22/2020	10:41	N1	DD-D003701	BBG131-042220	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1.4	J	0.088	0.24	ug/WIPE
BBG131	4/22/2020	10:41	N1	DD-D003701	BBG131-042220	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG131	4/22/2020	10:41	N1	DD-D003701	BBG131-042220	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.57	J	0.07	0.24	ug/WIPE
BBG131	4/22/2020	10:41	N1	DD-D003701	BBG131-042220	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG131	4/22/2020	10:41	N1	DD-D003701	BBG131-042220	SW8082A	SW	TOTAL PCBs	1.97		-	0.24	ug/WIPE
BBG132	4/22/2020	10:46	N1	DD-D003702	BBG132-042220	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG132	4/22/2020	10:46	N1	DD-D003702	BBG132-042220	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG132	4/22/2020	10:46	N1	DD-D003702	BBG132-042220	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG132	4/22/2020	10:46	N1	DD-D003702	BBG132-042220	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.56		0.088	0.24	ug/WIPE
BBG132	4/22/2020	10:46	N1	DD-D003702	BBG132-042220	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG132	4/22/2020	10:46	N1	DD-D003702	BBG132-042220	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.28		0.07	0.24	ug/WIPE
BBG132	4/22/2020	10:46	N1	DD-D003702	BBG132-042220	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG132	4/22/2020	10:46	N1	DD-D003702	BBG132-042220	SW8082A	SW	TOTAL PCBs	0.84		-	0.24	ug/WIPE
BBG133	4/22/2020	10:56	N1	DD-D003703	BBG133-042220	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG133	4/22/2020	10:56	N1	DD-D003703	BBG133-042220	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG133	4/22/2020	10:56	N1	DD-D003703	BBG133-042220	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG133	4/22/2020	10:56	N1	DD-D003703	BBG133-042220	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
BBG133	4/22/2020	10:56	N1	DD-D003703	BBG133-042220	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG133	4/22/2020	10:56	N1	DD-D003703	BBG133-042220	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
BBG133	4/22/2020	10:56	N1	DD-D003703	BBG133-042220	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG133	4/22/2020	10:56	N1	DD-D003703	BBG133-042220	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
BBG134-135	4/22/2020	10:51	N1	DD-D003704	BBG134-135-042220-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG134-135	4/22/2020	10:51	N1	DD-D003704	BBG134-135-042220-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG134-135	4/22/2020	10:51	N1	DD-D003704	BBG134-135-042220-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG134-135	4/22/2020	10:51	N1	DD-D003704	BBG134-135-042220-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	12		0.088	0.24	ug/WIPE
BBG134-135	4/22/2020	10:51	N1	DD-D003704	BBG134-135-042220-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG134-135	4/22/2020	10:51	N1	DD-D003704	BBG134-135-042220-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	4.3		0.07	0.24	ug/WIPE
BBG134-135	4/22/2020	10:51	N1	DD-D003704	BBG134-135-042220-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG134-135	4/22/2020	10:51	N1	DD-D003704	BBG134-135-042220-COMP	SW8082A	SW	TOTAL PCBs	16.3		-	0.24	ug/WIPE
BBG134R	6/29/2020	7:22	N1	DD-D020203	BBG134R-062920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG134R	6/29/2020	7:22	N1	DD-D020203	BBG134R-062920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG134R	6/29/2020	7:22	N1	DD-D020203	BBG134R-062920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG134R	6/29/2020	7:22	N1	DD-D020203	BBG134R-062920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1.3		0.088	0.24	ug/WIPE
BBG134R	6/29/2020	7:22	N1	DD-D020203	BBG134R-062920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG134R	6/29/2020	7:22	N1	DD-D020203	BBG134R-062920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.45		0.07	0.24	ug/WIPE
BBG134R	6/29/2020	7:22	N1	DD-D020203	BBG134R-062920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG134R	6/29/2020	7:22	N1	DD-D020203	BBG134R-062920	SW8082A	SW	TOTAL PCBs	1.75		-	0.24	ug/WIPE
BBG135R	6/29/2020	7:27	N1	DD-D020204	BBG135R-062920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG135R	6/29/2020	7:27	N1	DD-D020204	BBG135R-062920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG135R	6/29/2020	7:27	N1	DD-D020204	BBG135R-062920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG135R	6/29/2020	7:27	N1	DD-D020204	BBG135R-062920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.74		0.088	0.24	ug/WIPE
BBG135R	6/29/2020	7:27	N1	DD-D020204	BBG135R-062920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG135R	6/29/2020	7:27	N1	DD-D020204	BBG135R-062920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.3		0.07	0.24	ug/WIPE

Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
BBG135R	6/29/2020	7:27	N1	DD-D020204	BBG135R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG135R	6/29/2020	7:27	N1	DD-D020204	BBG135R-062920	SW8082A	SW	TOTAL PCBs	1.04		-	0.24	ug/WIPE
BBG136	4/22/2020	11:00	N1	DD-D003706	BBG136-042220	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG136	4/22/2020	11:00	N1	DD-D003706	BBG136-042220	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG136	4/22/2020	11:00	N1	DD-D003706	BBG136-042220	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG136	4/22/2020	11:00	N1	DD-D003706	BBG136-042220	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	1.7		0.088	0.24	ug/WIPE
BBG136	4/22/2020	11:00	N1	DD-D003706	BBG136-042220	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG136	4/22/2020	11:00	N1	DD-D003706	BBG136-042220	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.57		0.07	0.24	ug/WIPE
BBG136	4/22/2020	11:00	N1	DD-D003706	BBG136-042220	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG136	4/22/2020	11:00	N1	DD-D003706	BBG136-042220	SW8082A	SW	TOTAL PCBs	2.27		-	0.24	ug/WIPE
BBG137-138	4/22/2020	11:06	N1	DD-D003707	BBG137-138-042220-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG137-138	4/22/2020	11:06	N1	DD-D003707	BBG137-138-042220-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG137-138	4/22/2020	11:06	N1	DD-D003707	BBG137-138-042220-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG137-138	4/22/2020	11:06	N1	DD-D003707	BBG137-138-042220-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	8.7		0.088	0.24	ug/WIPE
BBG137-138	4/22/2020	11:06	N1	DD-D003707	BBG137-138-042220-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG137-138	4/22/2020	11:06	N1	DD-D003707	BBG137-138-042220-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	3.2		0.07	0.24	ug/WIPE
BBG137-138	4/22/2020	11:06	N1	DD-D003707	BBG137-138-042220-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG137-138	4/22/2020	11:06	N1	DD-D003707	BBG137-138-042220-COMP	SW8082A	SW	TOTAL PCBs	11.9		-	0.24	ug/WIPE
BBG137R	6/29/2020	7:33	N1	DD-D020205	BBG137R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG137R	6/29/2020	7:33	N1	DD-D020205	BBG137R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG137R	6/29/2020	7:33	N1	DD-D020205	BBG137R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG137R	6/29/2020	7:33	N1	DD-D020205	BBG137R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.6		0.088	0.24	ug/WIPE
BBG137R	6/29/2020	7:33	N1	DD-D020205	BBG137R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG137R	6/29/2020	7:33	N1	DD-D020205	BBG137R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.94		0.07	0.24	ug/WIPE
BBG137R	6/29/2020	7:33	N1	DD-D020205	BBG137R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG137R	6/29/2020	7:33	N1	DD-D020205	BBG137R-062920	SW8082A	SW	TOTAL PCBs	3.54		-	0.24	ug/WIPE
BBG138R	6/29/2020	7:37	N1	DD-D020206	BBG138R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG138R	6/29/2020	7:37	N1	DD-D020206	BBG138R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG138R	6/29/2020	7:37	N1	DD-D020206	BBG138R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG138R	6/29/2020	7:37	N1	DD-D020206	BBG138R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.71		0.088	0.24	ug/WIPE
BBG138R	6/29/2020	7:37	N1	DD-D020206	BBG138R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG138R	6/29/2020	7:37	N1	DD-D020206	BBG138R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.3		0.07	0.24	ug/WIPE
BBG138R	6/29/2020	7:37	N1	DD-D020206	BBG138R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG138R	6/29/2020	7:37	N1	DD-D020206	BBG138R-062920	SW8082A	SW	TOTAL PCBs	1.01		-	0.24	ug/WIPE
BBG139	4/22/2020	11:29	N1	DD-D003709	BBG139-042220	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG139	4/22/2020	11:29	N1	DD-D003709	BBG139-042220	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG139	4/22/2020	11:29	N1	DD-D003709	BBG139-042220	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG139	4/22/2020	11:29	N1	DD-D003709	BBG139-042220	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	6.3		0.088	0.24	ug/WIPE
BBG139	4/22/2020	11:29	N1	DD-D003709	BBG139-042220	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG139	4/22/2020	11:29	N1	DD-D003709	BBG139-042220	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.6		0.07	0.24	ug/WIPE
BBG139	4/22/2020	11:29	N1	DD-D003709	BBG139-042220	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG139	4/22/2020	11:29	N1	DD-D003709	BBG139-042220	SW8082A	SW	TOTAL PCBs	8.9		-	0.24	ug/WIPE
BBG140	4/22/2020	11:31	N1	DD-D003710	BBG140-042220	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG140	4/22/2020	11:31	N1	DD-D003710	BBG140-042220	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG140	4/22/2020	11:31	N1	DD-D003710	BBG140-042220	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG140	4/22/2020	11:31	N1	DD-D003710	BBG140-042220	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	7.2		0.088	0.24	ug/WIPE
BBG140	4/22/2020	11:31	N1	DD-D003710	BBG140-042220	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG140	4/22/2020	11:31	N1	DD-D003710	BBG140-042220	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.4		0.07	0.24	ug/WIPE
BBG140	4/22/2020	11:31	N1	DD-D003710	BBG140-042220	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG140	4/22/2020	11:31	N1	DD-D003710	BBG140-042220	SW8082A	SW	TOTAL PCBs	9.6		-	0.24	ug/WIPE
BBG141	4/22/2020	11:27	N1	DD-D003801	BBG141-042220	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE

Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
BBG141	4/22/2020	11:27	N1	DD-D003801	BBG141-042220	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG141	4/22/2020	11:27	N1	DD-D003801	BBG141-042220	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG141	4/22/2020	11:27	N1	DD-D003801	BBG141-042220	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	1		0.088	0.24	ug/WIPE
BBG141	4/22/2020	11:27	N1	DD-D003801	BBG141-042220	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG141	4/22/2020	11:27	N1	DD-D003801	BBG141-042220	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.4		0.07	0.24	ug/WIPE
BBG141	4/22/2020	11:27	N1	DD-D003801	BBG141-042220	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG141	4/22/2020	11:27	N1	DD-D003801	BBG141-042220	SW8082A	SW	TOTAL PCBs	1.4		-	0.24	ug/WIPE
BBG142-143	4/22/2020	11:36	N1	DD-D003802	BBG142-143-042220-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG142-143	4/22/2020	11:36	N1	DD-D003802	BBG142-143-042220-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG142-143	4/22/2020	11:36	N1	DD-D003802	BBG142-143-042220-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG142-143	4/22/2020	11:36	N1	DD-D003802	BBG142-143-042220-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	4.5		0.088	0.24	ug/WIPE
BBG142-143	4/22/2020	11:36	N1	DD-D003802	BBG142-143-042220-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG142-143	4/22/2020	11:36	N1	DD-D003802	BBG142-143-042220-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.5		0.07	0.24	ug/WIPE
BBG142-143	4/22/2020	11:36	N1	DD-D003802	BBG142-143-042220-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG142-143	4/22/2020	11:36	N1	DD-D003802	BBG142-143-042220-COMP	SW8082A	SW	TOTAL PCBs	6		-	0.24	ug/WIPE
BBG144	4/22/2020	11:18	N1	DD-D003804	BBG144-042220	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG144	4/22/2020	11:18	N1	DD-D003804	BBG144-042220	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG144	4/22/2020	11:18	N1	DD-D003804	BBG144-042220	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG144	4/22/2020	11:18	N1	DD-D003804	BBG144-042220	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	6.7		0.088	0.24	ug/WIPE
BBG144	4/22/2020	11:18	N1	DD-D003804	BBG144-042220	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG144	4/22/2020	11:18	N1	DD-D003804	BBG144-042220	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.8		0.07	0.24	ug/WIPE
BBG144	4/22/2020	11:18	N1	DD-D003804	BBG144-042220	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG144	4/22/2020	11:18	N1	DD-D003804	BBG144-042220	SW8082A	SW	TOTAL PCBs	9.5		-	0.24	ug/WIPE
BBG145	4/22/2020	11:12	N1	DD-D003805	BBG145-042220	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG145	4/22/2020	11:12	N1	DD-D003805	BBG145-042220	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG145	4/22/2020	11:12	N1	DD-D003805	BBG145-042220	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG145	4/22/2020	11:12	N1	DD-D003805	BBG145-042220	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.7		0.088	0.24	ug/WIPE
BBG145	4/22/2020	11:12	N1	DD-D003805	BBG145-042220	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG145	4/22/2020	11:12	N1	DD-D003805	BBG145-042220	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.79		0.07	0.24	ug/WIPE
BBG145	4/22/2020	11:12	N1	DD-D003805	BBG145-042220	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG145	4/22/2020	11:12	N1	DD-D003805	BBG145-042220	SW8082A	SW	TOTAL PCBs	3.49		-	0.24	ug/WIPE
BBG146	4/22/2020	11:23	N1	DD-D003806	BBG146-042220	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG146	4/22/2020	11:23	N1	DD-D003806	BBG146-042220	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG146	4/22/2020	11:23	N1	DD-D003806	BBG146-042220	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG146	4/22/2020	11:23	N1	DD-D003806	BBG146-042220	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.1		0.088	0.24	ug/WIPE
BBG146	4/22/2020	11:23	N1	DD-D003806	BBG146-042220	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG146	4/22/2020	11:23	N1	DD-D003806	BBG146-042220	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.85		0.07	0.24	ug/WIPE
BBG146	4/22/2020	11:23	N1	DD-D003806	BBG146-042220	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG146	4/22/2020	11:23	N1	DD-D003806	BBG146-042220	SW8082A	SW	TOTAL PCBs	2.95		-	0.24	ug/WIPE
BBG147	4/22/2020	11:15	N1	DD-D003807	BBG147-042220	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG147	4/22/2020	11:15	N1	DD-D003807	BBG147-042220	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG147	4/22/2020	11:15	N1	DD-D003807	BBG147-042220	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG147	4/22/2020	11:15	N1	DD-D003807	BBG147-042220	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	4.3		0.088	0.24	ug/WIPE
BBG147	4/22/2020	11:15	N1	DD-D003807	BBG147-042220	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG147	4/22/2020	11:15	N1	DD-D003807	BBG147-042220	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.5		0.07	0.24	ug/WIPE
BBG147	4/22/2020	11:15	N1	DD-D003807	BBG147-042220	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG147	4/22/2020	11:15	N1	DD-D003807	BBG147-042220	SW8082A	SW	TOTAL PCBs	5.8		-	0.24	ug/WIPE
BBG148	4/22/2020	9:17	N1	DD-D003808	BBG148-042220	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG148	4/22/2020	9:17	N1	DD-D003808	BBG148-042220	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG148	4/22/2020	9:17	N1	DD-D003808	BBG148-042220	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG148	4/22/2020	9:17	N1	DD-D003808	BBG148-042220	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.2		0.088	0.24	ug/WIPE

Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
BBG148	4/22/2020	9:17	N1	DD-D003808	BBG148-042220	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG148	4/22/2020	9:17	N1	DD-D003808	BBG148-042220	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.85	U	0.07	0.24	ug/WIPE
BBG148	4/22/2020	9:17	N1	DD-D003808	BBG148-042220	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG148	4/22/2020	9:17	N1	DD-D003808	BBG148-042220	SW8082A	SW	TOTAL PCBs	3.05		-	0.24	ug/WIPE
BBG149	4/22/2020	11:49	N1	DD-D003809	BBG149-042220	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG149	4/22/2020	11:49	N1	DD-D003809	BBG149-042220	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG149	4/22/2020	11:49	N1	DD-D003809	BBG149-042220	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG149	4/22/2020	11:49	N1	DD-D003809	BBG149-042220	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3.5		0.088	0.24	ug/WIPE
BBG149	4/22/2020	11:49	N1	DD-D003809	BBG149-042220	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG149	4/22/2020	11:49	N1	DD-D003809	BBG149-042220	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.3		0.07	0.24	ug/WIPE
BBG149	4/22/2020	11:49	N1	DD-D003809	BBG149-042220	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG149	4/22/2020	11:49	N1	DD-D003809	BBG149-042220	SW8082A	SW	TOTAL PCBs	4.8		-	0.24	ug/WIPE
BBG150-151	4/22/2020	13:38	N1	DD-D003810	BBG150-151-042220-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG150-151	4/22/2020	13:38	N1	DD-D003810	BBG150-151-042220-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG150-151	4/22/2020	13:38	N1	DD-D003810	BBG150-151-042220-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG150-151	4/22/2020	13:38	N1	DD-D003810	BBG150-151-042220-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2.2		0.088	0.24	ug/WIPE
BBG150-151	4/22/2020	13:38	N1	DD-D003810	BBG150-151-042220-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG150-151	4/22/2020	13:38	N1	DD-D003810	BBG150-151-042220-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.68		0.07	0.24	ug/WIPE
BBG150-151	4/22/2020	13:38	N1	DD-D003810	BBG150-151-042220-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG150-151	4/22/2020	13:38	N1	DD-D003810	BBG150-151-042220-COMP	SW8082A	SW	TOTAL PCBs	2.88		-	0.24	ug/WIPE
BBG152-153	4/22/2020	14:00	N1	DD-D003902	BBG152-153-042220-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG152-153	4/22/2020	14:00	N1	DD-D003902	BBG152-153-042220-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG152-153	4/22/2020	14:00	N1	DD-D003902	BBG152-153-042220-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG152-153	4/22/2020	14:00	N1	DD-D003902	BBG152-153-042220-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	12		0.088	0.24	ug/WIPE
BBG152-153	4/22/2020	14:00	N1	DD-D003902	BBG152-153-042220-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG152-153	4/22/2020	14:00	N1	DD-D003902	BBG152-153-042220-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	3.7		0.07	0.24	ug/WIPE
BBG152-153	4/22/2020	14:00	N1	DD-D003902	BBG152-153-042220-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG152-153	4/22/2020	14:00	N1	DD-D003902	BBG152-153-042220-COMP	SW8082A	SW	TOTAL PCBs	15.7		-	0.24	ug/WIPE
BBG152R	6/29/2020	7:42	N1	DD-D020207	BBG152R-062920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG152R	6/29/2020	7:42	N1	DD-D020207	BBG152R-062920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG152R	6/29/2020	7:42	N1	DD-D020207	BBG152R-062920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG152R	6/29/2020	7:42	N1	DD-D020207	BBG152R-062920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2.6		0.088	0.24	ug/WIPE
BBG152R	6/29/2020	7:42	N1	DD-D020207	BBG152R-062920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG152R	6/29/2020	7:42	N1	DD-D020207	BBG152R-062920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.76		0.07	0.24	ug/WIPE
BBG152R	6/29/2020	7:42	N1	DD-D020207	BBG152R-062920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG152R	6/29/2020	7:42	N1	DD-D020207	BBG152R-062920	SW8082A	SW	TOTAL PCBs	3.36		-	0.24	ug/WIPE
BBG153R	6/29/2020	7:45	N1	DD-D020208	BBG153R-062920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG153R	6/29/2020	7:45	N1	DD-D020208	BBG153R-062920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG153R	6/29/2020	7:45	N1	DD-D020208	BBG153R-062920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG153R	6/29/2020	7:45	N1	DD-D020208	BBG153R-062920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1.4		0.088	0.24	ug/WIPE
BBG153R	6/29/2020	7:45	N1	DD-D020208	BBG153R-062920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG153R	6/29/2020	7:45	N1	DD-D020208	BBG153R-062920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.42		0.07	0.24	ug/WIPE
BBG153R	6/29/2020	7:45	N1	DD-D020208	BBG153R-062920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG153R	6/29/2020	7:45	N1	DD-D020208	BBG153R-062920	SW8082A	SW	TOTAL PCBs	1.82		-	0.24	ug/WIPE
BBG154	4/22/2020	13:46	N1	DD-D003904	BBG154-042220	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG154	4/22/2020	13:46	N1	DD-D003904	BBG154-042220	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG154	4/22/2020	13:46	N1	DD-D003904	BBG154-042220	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG154	4/22/2020	13:46	N1	DD-D003904	BBG154-042220	SW8082A	SW	PCB-1242 (AROCLOR 1242)	5.7		0.088	0.24	ug/WIPE
BBG154	4/22/2020	13:46	N1	DD-D003904	BBG154-042220	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG154	4/22/2020	13:46	N1	DD-D003904	BBG154-042220	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2		0.07	0.24	ug/WIPE
BBG154	4/22/2020	13:46	N1	DD-D003904	BBG154-042220	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE



Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
BBG154	4/22/2020	13:46	N1	DD-D003904	BBG154-042220	SW8082A	SW	TOTAL PCBs	7.7		-	0.24	ug/WIPE
BBG155	4/22/2020	13:44	N1	DD-D003905	BBG155-042220	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG155	4/22/2020	13:44	N1	DD-D003905	BBG155-042220	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG155	4/22/2020	13:44	N1	DD-D003905	BBG155-042220	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG155	4/22/2020	13:44	N1	DD-D003905	BBG155-042220	SW8082A	SW	PCB-1242 (AROCLOR 1242)	5.1		0.088	0.24	ug/WIPE
BBG155	4/22/2020	13:44	N1	DD-D003905	BBG155-042220	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG155	4/22/2020	13:44	N1	DD-D003905	BBG155-042220	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.6		0.07	0.24	ug/WIPE
BBG155	4/22/2020	13:44	N1	DD-D003905	BBG155-042220	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG155	4/22/2020	13:44	N1	DD-D003905	BBG155-042220	SW8082A	SW	TOTAL PCBs	6.7		-	0.24	ug/WIPE
BBG156	4/22/2020	13:57	N1	DD-D003906	BBG156-042220	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG156	4/22/2020	13:57	N1	DD-D003906	BBG156-042220	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG156	4/22/2020	13:57	N1	DD-D003906	BBG156-042220	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG156	4/22/2020	13:57	N1	DD-D003906	BBG156-042220	SW8082A	SW	PCB-1242 (AROCLOR 1242)	5.8		0.088	0.24	ug/WIPE
BBG156	4/22/2020	13:57	N1	DD-D003906	BBG156-042220	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG156	4/22/2020	13:57	N1	DD-D003906	BBG156-042220	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.9		0.07	0.24	ug/WIPE
BBG156	4/22/2020	13:57	N1	DD-D003906	BBG156-042220	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG156	4/22/2020	13:57	N1	DD-D003906	BBG156-042220	SW8082A	SW	TOTAL PCBs	7.7		-	0.24	ug/WIPE
BBG157	4/22/2020	13:54	N1	DD-D003907	BBG157-042220	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG157	4/22/2020	13:54	N1	DD-D003907	BBG157-042220	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG157	4/22/2020	13:54	N1	DD-D003907	BBG157-042220	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG157	4/22/2020	13:54	N1	DD-D003907	BBG157-042220	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2.6		0.088	0.24	ug/WIPE
BBG157	4/22/2020	13:54	N1	DD-D003907	BBG157-042220	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG157	4/22/2020	13:54	N1	DD-D003907	BBG157-042220	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.88		0.07	0.24	ug/WIPE
BBG157	4/22/2020	13:54	N1	DD-D003907	BBG157-042220	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG157	4/22/2020	13:54	N1	DD-D003907	BBG157-042220	SW8082A	SW	TOTAL PCBs	3.48		-	0.24	ug/WIPE
BBG158-159	4/22/2020	13:51	N1	DD-D003908	BBG158-159-042220-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG158-159	4/22/2020	13:51	N1	DD-D003908	BBG158-159-042220-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG158-159	4/22/2020	13:51	N1	DD-D003908	BBG158-159-042220-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG158-159	4/22/2020	13:51	N1	DD-D003908	BBG158-159-042220-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	12		0.088	0.24	ug/WIPE
BBG158-159	4/22/2020	13:51	N1	DD-D003908	BBG158-159-042220-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG158-159	4/22/2020	13:51	N1	DD-D003908	BBG158-159-042220-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	3.9		0.07	0.24	ug/WIPE
BBG158-159	4/22/2020	13:51	N1	DD-D003908	BBG158-159-042220-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG158-159	4/22/2020	13:51	N1	DD-D003908	BBG158-159-042220-COMP	SW8082A	SW	TOTAL PCBs	15.9		-	0.24	ug/WIPE
BBG158R	6/29/2020	7:50	N1	DD-D020209	BBG158R-062920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG158R	6/29/2020	7:50	N1	DD-D020209	BBG158R-062920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG158R	6/29/2020	7:50	N1	DD-D020209	BBG158R-062920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG158R	6/29/2020	7:50	N1	DD-D020209	BBG158R-062920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.97		0.088	0.24	ug/WIPE
BBG158R	6/29/2020	7:50	N1	DD-D020209	BBG158R-062920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG158R	6/29/2020	7:50	N1	DD-D020209	BBG158R-062920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.37		0.07	0.24	ug/WIPE
BBG158R	6/29/2020	7:50	N1	DD-D020209	BBG158R-062920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG158R	6/29/2020	7:50	N1	DD-D020209	BBG158R-062920	SW8082A	SW	TOTAL PCBs	1.34		-	0.24	ug/WIPE
BBG159R	6/29/2020	7:55	N1	DD-D020210	BBG159R-062920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG159R	6/29/2020	7:55	N1	DD-D020210	BBG159R-062920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG159R	6/29/2020	7:55	N1	DD-D020210	BBG159R-062920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG159R	6/29/2020	7:55	N1	DD-D020210	BBG159R-062920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2.8		0.088	0.24	ug/WIPE
BBG159R	6/29/2020	7:55	N1	DD-D020210	BBG159R-062920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG159R	6/29/2020	7:55	N1	DD-D020210	BBG159R-062920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.91		0.07	0.24	ug/WIPE
BBG159R	6/29/2020	7:55	N1	DD-D020210	BBG159R-062920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG159R	6/29/2020	7:55	N1	DD-D020210	BBG159R-062920	SW8082A	SW	TOTAL PCBs	3.71		-	0.24	ug/WIPE
BBG160	4/22/2020	12:00	N1	DD-D003910	BBG160-042220	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG160	4/22/2020	12:00	N1	DD-D003910	BBG160-042220	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE



Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
BBG160	4/22/2020	12:00	N1	DD-D003910	BBG160-042220	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG160	4/22/2020	12:00	N1	DD-D003910	BBG160-042220	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.5	U	0.088	0.24	ug/WIPE
BBG160	4/22/2020	12:00	N1	DD-D003910	BBG160-042220	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG160	4/22/2020	12:00	N1	DD-D003910	BBG160-042220	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.75	U	0.07	0.24	ug/WIPE
BBG160	4/22/2020	12:00	N1	DD-D003910	BBG160-042220	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG160	4/22/2020	12:00	N1	DD-D003910	BBG160-042220	SW8082A	SW	TOTAL PCBs	3.25	U	-	0.24	ug/WIPE
BBG161	4/22/2020	14:16	N1	DD-D004001	BBG161-042220	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG161	4/22/2020	14:16	N1	DD-D004001	BBG161-042220	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG161	4/22/2020	14:16	N1	DD-D004001	BBG161-042220	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG161	4/22/2020	14:16	N1	DD-D004001	BBG161-042220	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	9.6	U	0.088	0.24	ug/WIPE
BBG161	4/22/2020	14:16	N1	DD-D004001	BBG161-042220	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG161	4/22/2020	14:16	N1	DD-D004001	BBG161-042220	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	3.9	U	0.07	0.24	ug/WIPE
BBG161	4/22/2020	14:16	N1	DD-D004001	BBG161-042220	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG161	4/22/2020	14:16	N1	DD-D004001	BBG161-042220	SW8082A	SW	TOTAL PCBs	13.5	U	-	0.24	ug/WIPE
BBG161R	6/29/2020	7:53	N1	DD-D020301	BBG161R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG161R	6/29/2020	7:53	N1	DD-D020301	BBG161R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG161R	6/29/2020	7:53	N1	DD-D020301	BBG161R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG161R	6/29/2020	7:53	N1	DD-D020301	BBG161R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.35	U	0.088	0.24	ug/WIPE
BBG161R	6/29/2020	7:53	N1	DD-D020301	BBG161R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG161R	6/29/2020	7:53	N1	DD-D020301	BBG161R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.16	J	0.07	0.24	ug/WIPE
BBG161R	6/29/2020	7:53	N1	DD-D020301	BBG161R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG161R	6/29/2020	7:53	N1	DD-D020301	BBG161R-062920	SW8082A	SW	TOTAL PCBs	0.51	U	-	0.24	ug/WIPE
BBG162	4/22/2020	14:10	N1	DD-D004002	BBG162-042220	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG162	4/22/2020	14:10	N1	DD-D004002	BBG162-042220	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG162	4/22/2020	14:10	N1	DD-D004002	BBG162-042220	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG162	4/22/2020	14:10	N1	DD-D004002	BBG162-042220	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	6.7	U	0.088	0.24	ug/WIPE
BBG162	4/22/2020	14:10	N1	DD-D004002	BBG162-042220	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG162	4/22/2020	14:10	N1	DD-D004002	BBG162-042220	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.6	U	0.07	0.24	ug/WIPE
BBG162	4/22/2020	14:10	N1	DD-D004002	BBG162-042220	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG162	4/22/2020	14:10	N1	DD-D004002	BBG162-042220	SW8082A	SW	TOTAL PCBs	9.3	U	-	0.24	ug/WIPE
BBG163	4/22/2020	14:07	N1	DD-D004003	BBG163-042220	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG163	4/22/2020	14:07	N1	DD-D004003	BBG163-042220	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG163	4/22/2020	14:07	N1	DD-D004003	BBG163-042220	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG163	4/22/2020	14:07	N1	DD-D004003	BBG163-042220	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.3	U	0.088	0.24	ug/WIPE
BBG163	4/22/2020	14:07	N1	DD-D004003	BBG163-042220	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG163	4/22/2020	14:07	N1	DD-D004003	BBG163-042220	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.1	U	0.07	0.24	ug/WIPE
BBG163	4/22/2020	14:07	N1	DD-D004003	BBG163-042220	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG163	4/22/2020	14:07	N1	DD-D004003	BBG163-042220	SW8082A	SW	TOTAL PCBs	4.4	U	-	0.24	ug/WIPE
BBG164	4/22/2020	14:04	N1	DD-D004004	BBG164-042220	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG164	4/22/2020	14:04	N1	DD-D004004	BBG164-042220	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG164	4/22/2020	14:04	N1	DD-D004004	BBG164-042220	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG164	4/22/2020	14:04	N1	DD-D004004	BBG164-042220	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	4.6	U	0.088	0.24	ug/WIPE
BBG164	4/22/2020	14:04	N1	DD-D004004	BBG164-042220	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG164	4/22/2020	14:04	N1	DD-D004004	BBG164-042220	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.6	U	0.07	0.24	ug/WIPE
BBG164	4/22/2020	14:04	N1	DD-D004004	BBG164-042220	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG164	4/22/2020	14:04	N1	DD-D004004	BBG164-042220	SW8082A	SW	TOTAL PCBs	6.2	U	-	0.24	ug/WIPE
BBG165	4/22/2020	14:26	N1	DD-D004005	BBG165-042220	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG165	4/22/2020	14:26	N1	DD-D004005	BBG165-042220	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG165	4/22/2020	14:26	N1	DD-D004005	BBG165-042220	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG165	4/22/2020	14:26	N1	DD-D004005	BBG165-042220	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	5.6	U	0.088	0.24	ug/WIPE
BBG165	4/22/2020	14:26	N1	DD-D004005	BBG165-042220	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE

Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
BBG165	4/22/2020	14:26	N1	DD-D004005	BBG165-042220	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.1		0.07	0.24	ug/WIPE
BBG165	4/22/2020	14:26	N1	DD-D004005	BBG165-042220	SW8082A	SW	TOTAL PCBs	13.9		-	0.24	ug/WIPE
BBG165	4/22/2020	14:26	N1	DD-D004005	BBG165-042220	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG166-167	4/22/2020	14:23	N1	DD-D004006	BBG166-167-042220-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG166-167	4/22/2020	14:23	N1	DD-D004006	BBG166-167-042220-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG166-167	4/22/2020	14:23	N1	DD-D004006	BBG166-167-042220-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG166-167	4/22/2020	14:23	N1	DD-D004006	BBG166-167-042220-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	5.6	J	0.088	0.24	ug/WIPE
BBG166-167	4/22/2020	14:23	N1	DD-D004006	BBG166-167-042220-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG166-167	4/22/2020	14:23	N1	DD-D004006	BBG166-167-042220-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.3	J	0.07	0.24	ug/WIPE
BBG166-167	4/22/2020	14:23	N1	DD-D004006	BBG166-167-042220-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG166-167	4/22/2020	14:23	N1	DD-D004006	BBG166-167-042220-COMP	SW8082A	SW	TOTAL PCBs	7.9		-	0.24	ug/WIPE
BBG168	4/22/2020	10:11	N1	DD-D004008	BBG168-042220	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG168	4/22/2020	10:11	N1	DD-D004008	BBG168-042220	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG168	4/22/2020	10:11	N1	DD-D004008	BBG168-042220	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG168	4/22/2020	10:11	N1	DD-D004008	BBG168-042220	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	1.4	J	0.088	0.24	ug/WIPE
BBG168	4/22/2020	10:11	N1	DD-D004008	BBG168-042220	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG168	4/22/2020	10:11	N1	DD-D004008	BBG168-042220	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.55	J	0.07	0.24	ug/WIPE
BBG168	4/22/2020	10:11	N1	DD-D004008	BBG168-042220	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG168	4/22/2020	10:11	N1	DD-D004008	BBG168-042220	SW8082A	SW	TOTAL PCBs	1.95		-	0.24	ug/WIPE
BBG169	4/22/2020	14:43	N1	DD-D004009	BBG169-042220	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG169	4/22/2020	14:43	N1	DD-D004009	BBG169-042220	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG169	4/22/2020	14:43	N1	DD-D004009	BBG169-042220	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG169	4/22/2020	14:43	N1	DD-D004009	BBG169-042220	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.63		0.088	0.24	ug/WIPE
BBG169	4/22/2020	14:43	N1	DD-D004009	BBG169-042220	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG169	4/22/2020	14:43	N1	DD-D004009	BBG169-042220	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.32		0.07	0.24	ug/WIPE
BBG169	4/22/2020	14:43	N1	DD-D004009	BBG169-042220	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG169	4/22/2020	14:43	N1	DD-D004009	BBG169-042220	SW8082A	SW	TOTAL PCBs	0.95		-	0.24	ug/WIPE
BBG170	4/22/2020	14:50	N1	DD-D004010	BBG170-042220	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG170	4/22/2020	14:50	N1	DD-D004010	BBG170-042220	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG170	4/22/2020	14:50	N1	DD-D004010	BBG170-042220	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG170	4/22/2020	14:50	N1	DD-D004010	BBG170-042220	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.9		0.088	0.24	ug/WIPE
BBG170	4/22/2020	14:50	N1	DD-D004010	BBG170-042220	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG170	4/22/2020	14:50	N1	DD-D004010	BBG170-042220	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.33		0.07	0.24	ug/WIPE
BBG170	4/22/2020	14:50	N1	DD-D004010	BBG170-042220	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG170	4/22/2020	14:50	N1	DD-D004010	BBG170-042220	SW8082A	SW	TOTAL PCBs	1.23		-	0.24	ug/WIPE
BBG171-172	4/22/2020	14:48	N1	DD-D004101	BBG171-172-042220-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG171-172	4/22/2020	14:48	N1	DD-D004101	BBG171-172-042220-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG171-172	4/22/2020	14:48	N1	DD-D004101	BBG171-172-042220-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG171-172	4/22/2020	14:48	N1	DD-D004101	BBG171-172-042220-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	10		0.088	0.24	ug/WIPE
BBG171-172	4/22/2020	14:48	N1	DD-D004101	BBG171-172-042220-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG171-172	4/22/2020	14:48	N1	DD-D004101	BBG171-172-042220-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	3.6		0.07	0.24	ug/WIPE
BBG171-172	4/22/2020	14:48	N1	DD-D004101	BBG171-172-042220-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG171-172	4/22/2020	14:48	N1	DD-D004101	BBG171-172-042220-COMP	SW8082A	SW	TOTAL PCBs	13.6		-	0.24	ug/WIPE
BBG171R	6/29/2020	8:05	N1	DD-D020302	BBG171R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG171R	6/29/2020	8:05	N1	DD-D020302	BBG171R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG171R	6/29/2020	8:05	N1	DD-D020302	BBG171R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG171R	6/29/2020	8:05	N1	DD-D020302	BBG171R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.4		0.088	0.24	ug/WIPE
BBG171R	6/29/2020	8:05	N1	DD-D020302	BBG171R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG171R	6/29/2020	8:05	N1	DD-D020302	BBG171R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.75		0.07	0.24	ug/WIPE
BBG171R	6/29/2020	8:05	N1	DD-D020302	BBG171R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG171R	6/29/2020	8:05	N1	DD-D020302	BBG171R-062920	SW8082A	SW	TOTAL PCBs	3.15		-	0.24	ug/WIPE

Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
BBG172R	6/29/2020	8:08	N1	DD-D020303	BBG172R-062920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG172R	6/29/2020	8:08	N1	DD-D020303	BBG172R-062920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG172R	6/29/2020	8:08	N1	DD-D020303	BBG172R-062920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG172R	6/29/2020	8:08	N1	DD-D020303	BBG172R-062920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2.3		0.088	0.24	ug/WIPE
BBG172R	6/29/2020	8:08	N1	DD-D020303	BBG172R-062920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG172R	6/29/2020	8:08	N1	DD-D020303	BBG172R-062920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.76		0.07	0.24	ug/WIPE
BBG172R	6/29/2020	8:08	N1	DD-D020303	BBG172R-062920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG172R	6/29/2020	8:08	N1	DD-D020303	BBG172R-062920	SW8082A	SW	TOTAL PCBs	3.06		-	0.24	ug/WIPE
BBG173	4/22/2020	14:52	N1	DD-D004103	BBG173-042220	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG173	4/22/2020	14:52	N1	DD-D004103	BBG173-042220	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG173	4/22/2020	14:52	N1	DD-D004103	BBG173-042220	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG173	4/22/2020	14:52	N1	DD-D004103	BBG173-042220	SW8082A	SW	PCB-1242 (AROCLOR 1242)	7.2		0.088	0.24	ug/WIPE
BBG173	4/22/2020	14:52	N1	DD-D004103	BBG173-042220	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG173	4/22/2020	14:52	N1	DD-D004103	BBG173-042220	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2.8		0.07	0.24	ug/WIPE
BBG173	4/22/2020	14:52	N1	DD-D004103	BBG173-042220	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG173	4/22/2020	14:52	N1	DD-D004103	BBG173-042220	SW8082A	SW	TOTAL PCBs	10		-	0.24	ug/WIPE
BBG173R	6/29/2020	8:10	N1	DD-D020304	BBG173R-062920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG173R	6/29/2020	8:10	N1	DD-D020304	BBG173R-062920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG173R	6/29/2020	8:10	N1	DD-D020304	BBG173R-062920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG173R	6/29/2020	8:10	N1	DD-D020304	BBG173R-062920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.75		0.088	0.24	ug/WIPE
BBG173R	6/29/2020	8:10	N1	DD-D020304	BBG173R-062920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG173R	6/29/2020	8:10	N1	DD-D020304	BBG173R-062920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.28		0.07	0.24	ug/WIPE
BBG173R	6/29/2020	8:10	N1	DD-D020304	BBG173R-062920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG173R	6/29/2020	8:10	N1	DD-D020304	BBG173R-062920	SW8082A	SW	TOTAL PCBs	1.03		-	0.24	ug/WIPE
BBG174	4/22/2020	14:55	N1	DD-D004104	BBG174-042220	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG174	4/22/2020	14:55	N1	DD-D004104	BBG174-042220	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG174	4/22/2020	14:55	N1	DD-D004104	BBG174-042220	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG174	4/22/2020	14:55	N1	DD-D004104	BBG174-042220	SW8082A	SW	PCB-1242 (AROCLOR 1242)	4.7		0.088	0.24	ug/WIPE
BBG174	4/22/2020	14:55	N1	DD-D004104	BBG174-042220	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG174	4/22/2020	14:55	N1	DD-D004104	BBG174-042220	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.9		0.07	0.24	ug/WIPE
BBG174	4/22/2020	14:55	N1	DD-D004104	BBG174-042220	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG174	4/22/2020	14:55	N1	DD-D004104	BBG174-042220	SW8082A	SW	TOTAL PCBs	6.6		-	0.24	ug/WIPE
BBG175	4/22/2020	14:57	N1	DD-D004105	BBG175-042220	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG175	4/22/2020	14:57	N1	DD-D004105	BBG175-042220	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG175	4/22/2020	14:57	N1	DD-D004105	BBG175-042220	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG175	4/22/2020	14:57	N1	DD-D004105	BBG175-042220	SW8082A	SW	PCB-1242 (AROCLOR 1242)	4.2		0.088	0.24	ug/WIPE
BBG175	4/22/2020	14:57	N1	DD-D004105	BBG175-042220	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG175	4/22/2020	14:57	N1	DD-D004105	BBG175-042220	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.9		0.07	0.24	ug/WIPE
BBG175	4/22/2020	14:57	N1	DD-D004105	BBG175-042220	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG175	4/22/2020	14:57	N1	DD-D004105	BBG175-042220	SW8082A	SW	TOTAL PCBs	6.1		-	0.24	ug/WIPE
BBG176	4/22/2020	15:03	N1	DD-D004106	BBG176-042220	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG176	4/22/2020	15:03	N1	DD-D004106	BBG176-042220	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG176	4/22/2020	15:03	N1	DD-D004106	BBG176-042220	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG176	4/22/2020	15:03	N1	DD-D004106	BBG176-042220	SW8082A	SW	PCB-1242 (AROCLOR 1242)	6.4		0.088	0.24	ug/WIPE
BBG176	4/22/2020	15:03	N1	DD-D004106	BBG176-042220	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG176	4/22/2020	15:03	N1	DD-D004106	BBG176-042220	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2.6		0.07	0.24	ug/WIPE
BBG176	4/22/2020	15:03	N1	DD-D004106	BBG176-042220	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG176	4/22/2020	15:03	N1	DD-D004106	BBG176-042220	SW8082A	SW	TOTAL PCBs	9		-	0.24	ug/WIPE
BBG177-178	4/22/2020	15:07	N1	DD-D004107	BBG177-178-042220-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG177-178	4/22/2020	15:07	N1	DD-D004107	BBG177-178-042220-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG177-178	4/22/2020	15:07	N1	DD-D004107	BBG177-178-042220-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE

Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
BBG177-178	4/22/2020	15:07	N1	DD-D004107	BBG177-178-042220-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	5.4		0.088	0.24	ug/WIPE
BBG177-178	4/22/2020	15:07	N1	DD-D004107	BBG177-178-042220-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG177-178	4/22/2020	15:07	N1	DD-D004107	BBG177-178-042220-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2.1		0.07	0.24	ug/WIPE
BBG177-178	4/22/2020	15:07	N1	DD-D004107	BBG177-178-042220-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG177-178	4/22/2020	15:07	N1	DD-D004107	BBG177-178-042220-COMP	SW8082A	SW	TOTAL PCBs	7.5		-	0.24	ug/WIPE
BBG179	4/22/2020	15:12	N1	DD-D004109	BBG179-042220	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG179	4/22/2020	15:12	N1	DD-D004109	BBG179-042220	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG179	4/22/2020	15:12	N1	DD-D004109	BBG179-042220	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG179	4/22/2020	15:12	N1	DD-D004109	BBG179-042220	SW8082A	SW	PCB-1242 (AROCLOR 1242)	4.9		0.088	0.24	ug/WIPE
BBG179	4/22/2020	15:12	N1	DD-D004109	BBG179-042220	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG179	4/22/2020	15:12	N1	DD-D004109	BBG179-042220	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2.3		0.07	0.24	ug/WIPE
BBG179	4/22/2020	15:12	N1	DD-D004109	BBG179-042220	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG179	4/22/2020	15:12	N1	DD-D004109	BBG179-042220	SW8082A	SW	TOTAL PCBs	7.2		-	0.24	ug/WIPE
BBG180-181	4/22/2020	15:15	N1	DD-D004110	BBG180-181-042220-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG180-181	4/22/2020	15:15	N1	DD-D004110	BBG180-181-042220-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG180-181	4/22/2020	15:15	N1	DD-D004110	BBG180-181-042220-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG180-181	4/22/2020	15:15	N1	DD-D004110	BBG180-181-042220-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	4.1		0.088	0.24	ug/WIPE
BBG180-181	4/22/2020	15:15	N1	DD-D004110	BBG180-181-042220-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG180-181	4/22/2020	15:15	N1	DD-D004110	BBG180-181-042220-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.8		0.07	0.24	ug/WIPE
BBG180-181	4/22/2020	15:15	N1	DD-D004110	BBG180-181-042220-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG180-181	4/22/2020	15:15	N1	DD-D004110	BBG180-181-042220-COMP	SW8082A	SW	TOTAL PCBs	5.9		-	0.24	ug/WIPE
BBG182	4/22/2020	15:27	N1	DD-D004202	BBG182-042220	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG182	4/22/2020	15:27	N1	DD-D004202	BBG182-042220	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG182	4/22/2020	15:27	N1	DD-D004202	BBG182-042220	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG182	4/22/2020	15:27	N1	DD-D004202	BBG182-042220	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3.7		0.088	0.24	ug/WIPE
BBG182	4/22/2020	15:27	N1	DD-D004202	BBG182-042220	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG182	4/22/2020	15:27	N1	DD-D004202	BBG182-042220	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.4		0.07	0.24	ug/WIPE
BBG182	4/22/2020	15:27	N1	DD-D004202	BBG182-042220	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG182	4/22/2020	15:27	N1	DD-D004202	BBG182-042220	SW8082A	SW	TOTAL PCBs	5.1		-	0.24	ug/WIPE
BBG183	4/22/2020	15:25	N1	DD-D004203	BBG183-042220	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG183	4/22/2020	15:25	N1	DD-D004203	BBG183-042220	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG183	4/22/2020	15:25	N1	DD-D004203	BBG183-042220	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG183	4/22/2020	15:25	N1	DD-D004203	BBG183-042220	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2.6		0.088	0.24	ug/WIPE
BBG183	4/22/2020	15:25	N1	DD-D004203	BBG183-042220	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG183	4/22/2020	15:25	N1	DD-D004203	BBG183-042220	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.1		0.07	0.24	ug/WIPE
BBG183	4/22/2020	15:25	N1	DD-D004203	BBG183-042220	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG183	4/22/2020	15:25	N1	DD-D004203	BBG183-042220	SW8082A	SW	TOTAL PCBs	3.7		-	0.24	ug/WIPE
BBG184	4/22/2020	15:19	N1	DD-D004204	BBG184-042220	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG184	4/22/2020	15:19	N1	DD-D004204	BBG184-042220	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG184	4/22/2020	15:19	N1	DD-D004204	BBG184-042220	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG184	4/22/2020	15:19	N1	DD-D004204	BBG184-042220	SW8082A	SW	PCB-1242 (AROCLOR 1242)	6.8	J	0.088	0.24	ug/WIPE
BBG184	4/22/2020	15:19	N1	DD-D004204	BBG184-042220	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG184	4/22/2020	15:19	N1	DD-D004204	BBG184-042220	SW8082A	SW	PCB-1254 (AROCLOR 1254)	3.1	J	0.07	0.24	ug/WIPE
BBG184	4/22/2020	15:19	N1	DD-D004204	BBG184-042220	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG184	4/22/2020	15:19	N1	DD-D004204	BBG184-042220	SW8082A	SW	TOTAL PCBs	9.9		-	0.24	ug/WIPE
BBG185	4/22/2020	10:16	N1	DD-D004205	BBG185-042220	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG185	4/22/2020	10:16	N1	DD-D004205	BBG185-042220	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG185	4/22/2020	10:16	N1	DD-D004205	BBG185-042220	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG185	4/22/2020	10:16	N1	DD-D004205	BBG185-042220	SW8082A	SW	PCB-1242 (AROCLOR 1242)	6.4	J	0.088	0.24	ug/WIPE
BBG185	4/22/2020	10:16	N1	DD-D004205	BBG185-042220	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG185	4/22/2020	10:16	N1	DD-D004205	BBG185-042220	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2.7	J	0.07	0.24	ug/WIPE

Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
BBG185	4/22/2020	10:16	N1	DD-D004205	BBG185-042220	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG185	4/22/2020	10:16	N1	DD-D004205	BBG185-042220	SW8082A	SW	TOTAL PCBs	9.1		-	0.24	ug/WIPE
BBG186	4/22/2020	10:21	N1	DD-D004206	BBG186-042220	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG186	4/22/2020	10:21	N1	DD-D004206	BBG186-042220	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG186	4/22/2020	10:21	N1	DD-D004206	BBG186-042220	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG186	4/22/2020	10:21	N1	DD-D004206	BBG186-042220	SW8082A	SW	PCB-1242 (AROCLOR 1242)	5	J	0.088	0.24	ug/WIPE
BBG186	4/22/2020	10:21	N1	DD-D004206	BBG186-042220	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG186	4/22/2020	10:21	N1	DD-D004206	BBG186-042220	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2.2	J	0.07	0.24	ug/WIPE
BBG186	4/22/2020	10:21	N1	DD-D004206	BBG186-042220	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG186	4/22/2020	10:21	N1	DD-D004206	BBG186-042220	SW8082A	SW	TOTAL PCBs	7.2		-	0.24	ug/WIPE
BW001	4/16/2020	10:52	N1	DD-D001901	BW001-041620	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BW001	4/16/2020	10:52	N1	DD-D001901	BW001-041620	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BW001	4/16/2020	10:52	N1	DD-D001901	BW001-041620	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BW001	4/16/2020	10:52	N1	DD-D001901	BW001-041620	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.11	J	0.088	0.24	ug/WIPE
BW001	4/16/2020	10:52	N1	DD-D001901	BW001-041620	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BW001	4/16/2020	10:52	N1	DD-D001901	BW001-041620	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
BW001	4/16/2020	10:52	N1	DD-D001901	BW001-041620	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BW001	4/16/2020	10:52	N1	DD-D001901	BW001-041620	SW8082A	SW	TOTAL PCBs	0.11		-	0.24	ug/WIPE
BW002	4/16/2020	11:07	N1	DD-D001902	BW002-041620	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BW002	4/16/2020	11:07	N1	DD-D001902	BW002-041620	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BW002	4/16/2020	11:07	N1	DD-D001902	BW002-041620	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BW002	4/16/2020	11:07	N1	DD-D001902	BW002-041620	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.18	J	0.088	0.24	ug/WIPE
BW002	4/16/2020	11:07	N1	DD-D001902	BW002-041620	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BW002	4/16/2020	11:07	N1	DD-D001902	BW002-041620	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
BW002	4/16/2020	11:07	N1	DD-D001902	BW002-041620	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BW002	4/16/2020	11:07	N1	DD-D001902	BW002-041620	SW8082A	SW	TOTAL PCBs	0.18		-	0.24	ug/WIPE
BW003	4/16/2020	11:47	N1	DD-D001903	BW003-041620	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BW003	4/16/2020	11:47	N1	DD-D001903	BW003-041620	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BW003	4/16/2020	11:47	N1	DD-D001903	BW003-041620	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BW003	4/16/2020	11:47	N1	DD-D001903	BW003-041620	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.12	J	0.088	0.24	ug/WIPE
BW003	4/16/2020	11:47	N1	DD-D001903	BW003-041620	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BW003	4/16/2020	11:47	N1	DD-D001903	BW003-041620	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
BW003	4/16/2020	11:47	N1	DD-D001903	BW003-041620	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BW003	4/16/2020	11:47	N1	DD-D001903	BW003-041620	SW8082A	SW	TOTAL PCBs	0.12		-	0.24	ug/WIPE
BW004	4/16/2020	12:11	N1	DD-D001904	BW004-041620	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BW004	4/16/2020	12:11	N1	DD-D001904	BW004-041620	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BW004	4/16/2020	12:11	N1	DD-D001904	BW004-041620	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BW004	4/16/2020	12:11	N1	DD-D001904	BW004-041620	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.11	J	0.088	0.24	ug/WIPE
BW004	4/16/2020	12:11	N1	DD-D001904	BW004-041620	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BW004	4/16/2020	12:11	N1	DD-D001904	BW004-041620	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
BW004	4/16/2020	12:11	N1	DD-D001904	BW004-041620	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BW004	4/16/2020	12:11	N1	DD-D001904	BW004-041620	SW8082A	SW	TOTAL PCBs	0.11		-	0.24	ug/WIPE
BW005	4/16/2020	13:44	N1	DD-D001905	BW005-041620	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BW005	4/16/2020	13:44	N1	DD-D001905	BW005-041620	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BW005	4/16/2020	13:44	N1	DD-D001905	BW005-041620	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BW005	4/16/2020	13:44	N1	DD-D001905	BW005-041620	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.4		0.088	0.24	ug/WIPE
BW005	4/16/2020	13:44	N1	DD-D001905	BW005-041620	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BW005	4/16/2020	13:44	N1	DD-D001905	BW005-041620	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.17	J	0.07	0.24	ug/WIPE
BW005	4/16/2020	13:44	N1	DD-D001905	BW005-041620	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BW005	4/16/2020	13:44	N1	DD-D001905	BW005-041620	SW8082A	SW	TOTAL PCBs	0.57		-	0.24	ug/WIPE
BW006	4/21/2020	9:44	N1	DD-D001906	BW006-042120	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE



Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
BW006	4/21/2020	9:44	N1	DD-D001906	BW006-042120	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BW006	4/21/2020	9:44	N1	DD-D001906	BW006-042120	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BW006	4/21/2020	9:44	N1	DD-D001906	BW006-042120	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.44		0.088	0.24	ug/WIPE
BW006	4/21/2020	9:44	N1	DD-D001906	BW006-042120	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BW006	4/21/2020	9:44	N1	DD-D001906	BW006-042120	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.19	J	0.07	0.24	ug/WIPE
BW006	4/21/2020	9:44	N1	DD-D001906	BW006-042120	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BW006	4/21/2020	9:44	N1	DD-D001906	BW006-042120	SW8082A	SW	TOTAL PCBs	0.63		-	0.24	ug/WIPE
BW007	4/21/2020	9:47	N1	DD-D001907	BW007-042120	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BW007	4/21/2020	9:47	N1	DD-D001907	BW007-042120	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BW007	4/21/2020	9:47	N1	DD-D001907	BW007-042120	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BW007	4/21/2020	9:47	N1	DD-D001907	BW007-042120	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
BW007	4/21/2020	9:47	N1	DD-D001907	BW007-042120	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BW007	4/21/2020	9:47	N1	DD-D001907	BW007-042120	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
BW007	4/21/2020	9:47	N1	DD-D001907	BW007-042120	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BW007	4/21/2020	9:47	N1	DD-D001907	BW007-042120	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
BW008	4/21/2020	10:08	N1	DD-D001908	BW008-042120	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BW008	4/21/2020	10:08	N1	DD-D001908	BW008-042120	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BW008	4/21/2020	10:08	N1	DD-D001908	BW008-042120	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BW008	4/21/2020	10:08	N1	DD-D001908	BW008-042120	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
BW008	4/21/2020	10:08	N1	DD-D001908	BW008-042120	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BW008	4/21/2020	10:08	N1	DD-D001908	BW008-042120	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
BW008	4/21/2020	10:08	N1	DD-D001908	BW008-042120	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BW008	4/21/2020	10:08	N1	DD-D001908	BW008-042120	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
BW009	4/21/2020	10:37	N1	DD-D001909	BW009-042120	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BW009	4/21/2020	10:37	N1	DD-D001909	BW009-042120	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BW009	4/21/2020	10:37	N1	DD-D001909	BW009-042120	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BW009	4/21/2020	10:37	N1	DD-D001909	BW009-042120	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.13	J	0.088	0.24	ug/WIPE
BW009	4/21/2020	10:37	N1	DD-D001909	BW009-042120	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BW009	4/21/2020	10:37	N1	DD-D001909	BW009-042120	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
BW009	4/21/2020	10:37	N1	DD-D001909	BW009-042120	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BW009	4/21/2020	10:37	N1	DD-D001909	BW009-042120	SW8082A	SW	TOTAL PCBs	0.13		-	0.24	ug/WIPE
BW010	4/21/2020	10:42	N1	DD-D001910	BW010-042120	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BW010	4/21/2020	10:42	N1	DD-D001910	BW010-042120	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BW010	4/21/2020	10:42	N1	DD-D001910	BW010-042120	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BW010	4/21/2020	10:42	N1	DD-D001910	BW010-042120	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.21	J	0.088	0.24	ug/WIPE
BW010	4/21/2020	10:42	N1	DD-D001910	BW010-042120	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BW010	4/21/2020	10:42	N1	DD-D001910	BW010-042120	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
BW010	4/21/2020	10:42	N1	DD-D001910	BW010-042120	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BW010	4/21/2020	10:42	N1	DD-D001910	BW010-042120	SW8082A	SW	TOTAL PCBs	0.21		-	0.24	ug/WIPE
BW011	4/21/2020	11:00	N1	DD-D002001	BW011-042120	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BW011	4/21/2020	11:00	N1	DD-D002001	BW011-042120	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BW011	4/21/2020	11:00	N1	DD-D002001	BW011-042120	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BW011	4/21/2020	11:00	N1	DD-D002001	BW011-042120	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.23	J	0.088	0.24	ug/WIPE
BW011	4/21/2020	11:00	N1	DD-D002001	BW011-042120	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BW011	4/21/2020	11:00	N1	DD-D002001	BW011-042120	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
BW011	4/21/2020	11:00	N1	DD-D002001	BW011-042120	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BW011	4/21/2020	11:00	N1	DD-D002001	BW011-042120	SW8082A	SW	TOTAL PCBs	0.23		-	0.24	ug/WIPE
BW012	4/21/2020	11:19	N1	DD-D002002	BW012-042120	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BW012	4/21/2020	11:19	N1	DD-D002002	BW012-042120	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BW012	4/21/2020	11:19	N1	DD-D002002	BW012-042120	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BW012	4/21/2020	11:19	N1	DD-D002002	BW012-042120	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.25		0.088	0.24	ug/WIPE



Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
BW012	4/21/2020	11:19	N1	DD-D002002	BW012-042120	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BW012	4/21/2020	11:19	N1	DD-D002002	BW012-042120	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
BW012	4/21/2020	11:19	N1	DD-D002002	BW012-042120	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BW012	4/21/2020	11:19	N1	DD-D002002	BW012-042120	SW8082A	SW	TOTAL PCBs	0.25		-	0.24	ug/WIPE
BW013	4/21/2020	11:37	N1	DD-D002003	BW013-042120	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BW013	4/21/2020	11:37	N1	DD-D002003	BW013-042120	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BW013	4/21/2020	11:37	N1	DD-D002003	BW013-042120	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BW013	4/21/2020	11:37	N1	DD-D002003	BW013-042120	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.32		0.088	0.24	ug/WIPE
BW013	4/21/2020	11:37	N1	DD-D002003	BW013-042120	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BW013	4/21/2020	11:37	N1	DD-D002003	BW013-042120	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.1	J	0.07	0.24	ug/WIPE
BW013	4/21/2020	11:37	N1	DD-D002003	BW013-042120	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BW013	4/21/2020	11:37	N1	DD-D002003	BW013-042120	SW8082A	SW	TOTAL PCBs	0.42		-	0.24	ug/WIPE
BW014	4/21/2020	11:44	N1	DD-D002004	BW014-042120	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BW014	4/21/2020	11:44	N1	DD-D002004	BW014-042120	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BW014	4/21/2020	11:44	N1	DD-D002004	BW014-042120	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BW014	4/21/2020	11:44	N1	DD-D002004	BW014-042120	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.39		0.088	0.24	ug/WIPE
BW014	4/21/2020	11:44	N1	DD-D002004	BW014-042120	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BW014	4/21/2020	11:44	N1	DD-D002004	BW014-042120	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.13	J	0.07	0.24	ug/WIPE
BW014	4/21/2020	11:44	N1	DD-D002004	BW014-042120	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BW014	4/21/2020	11:44	N1	DD-D002004	BW014-042120	SW8082A	SW	TOTAL PCBs	0.52		-	0.24	ug/WIPE
BW015	4/21/2020	12:25	N1	DD-D002005	BW015-042120	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BW015	4/21/2020	12:25	N1	DD-D002005	BW015-042120	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BW015	4/21/2020	12:25	N1	DD-D002005	BW015-042120	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BW015	4/21/2020	12:25	N1	DD-D002005	BW015-042120	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.29		0.088	0.24	ug/WIPE
BW015	4/21/2020	12:25	N1	DD-D002005	BW015-042120	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BW015	4/21/2020	12:25	N1	DD-D002005	BW015-042120	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.13	J	0.07	0.24	ug/WIPE
BW015	4/21/2020	12:25	N1	DD-D002005	BW015-042120	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BW015	4/21/2020	12:25	N1	DD-D002005	BW015-042120	SW8082A	SW	TOTAL PCBs	0.42		-	0.24	ug/WIPE
BW016	4/21/2020	11:24	N1	DD-D002006	BW016-042120	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BW016	4/21/2020	11:24	N1	DD-D002006	BW016-042120	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BW016	4/21/2020	11:24	N1	DD-D002006	BW016-042120	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BW016	4/21/2020	11:24	N1	DD-D002006	BW016-042120	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
BW016	4/21/2020	11:24	N1	DD-D002006	BW016-042120	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BW016	4/21/2020	11:24	N1	DD-D002006	BW016-042120	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
BW016	4/21/2020	11:24	N1	DD-D002006	BW016-042120	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BW016	4/21/2020	11:24	N1	DD-D002006	BW016-042120	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
BW017	4/21/2020	17:30	N1	DD-D002007	BW017-042120	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BW017	4/21/2020	17:30	N1	DD-D002007	BW017-042120	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BW017	4/21/2020	17:30	N1	DD-D002007	BW017-042120	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BW017	4/21/2020	17:30	N1	DD-D002007	BW017-042120	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.54		0.088	0.24	ug/WIPE
BW017	4/21/2020	17:30	N1	DD-D002007	BW017-042120	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BW017	4/21/2020	17:30	N1	DD-D002007	BW017-042120	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.17	J	0.07	0.24	ug/WIPE
BW017	4/21/2020	17:30	N1	DD-D002007	BW017-042120	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BW017	4/21/2020	17:30	N1	DD-D002007	BW017-042120	SW8082A	SW	TOTAL PCBs	0.71		-	0.24	ug/WIPE
BW018	4/21/2020	16:05	N1	DD-D002008	BW018-042120	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BW018	4/21/2020	16:05	N1	DD-D002008	BW018-042120	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BW018	4/21/2020	16:05	N1	DD-D002008	BW018-042120	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BW018	4/21/2020	16:05	N1	DD-D002008	BW018-042120	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
BW018	4/21/2020	16:05	N1	DD-D002008	BW018-042120	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BW018	4/21/2020	16:05	N1	DD-D002008	BW018-042120	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
BW018	4/21/2020	16:05	N1	DD-D002008	BW018-042120	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE

Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
BW018	4/21/2020	16:05	N1	DD-D002008	BW018-042120	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
BW019	4/21/2020	15:11	N1	DD-D002009	BW019-042120	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BW019	4/21/2020	15:11	N1	DD-D002009	BW019-042120	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BW019	4/21/2020	15:11	N1	DD-D002009	BW019-042120	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BW019	4/21/2020	15:11	N1	DD-D002009	BW019-042120	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.36		0.088	0.24	ug/WIPE
BW019	4/21/2020	15:11	N1	DD-D002009	BW019-042120	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BW019	4/21/2020	15:11	N1	DD-D002009	BW019-042120	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.11	J	0.07	0.24	ug/WIPE
BW019	4/21/2020	15:11	N1	DD-D002009	BW019-042120	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BW019	4/21/2020	15:11	N1	DD-D002009	BW019-042120	SW8082A	SW	TOTAL PCBs	0.47		-	0.24	ug/WIPE
BW020	4/21/2020	14:55	N1	DD-D002010	BW020-042120	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BW020	4/21/2020	14:55	N1	DD-D002010	BW020-042120	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BW020	4/21/2020	14:55	N1	DD-D002010	BW020-042120	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BW020	4/21/2020	14:55	N1	DD-D002010	BW020-042120	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.27		0.088	0.24	ug/WIPE
BW020	4/21/2020	14:55	N1	DD-D002010	BW020-042120	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BW020	4/21/2020	14:55	N1	DD-D002010	BW020-042120	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	ND	U	0.07	0.24	ug/WIPE
BW020	4/21/2020	14:55	N1	DD-D002010	BW020-042120	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BW020	4/21/2020	14:55	N1	DD-D002010	BW020-042120	SW8082A	SW	TOTAL PCBs	0.27		-	0.24	ug/WIPE
BW021	4/21/2020	17:24	N1	DD-D002101	BW021-042120	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BW021	4/21/2020	17:24	N1	DD-D002101	BW021-042120	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BW021	4/21/2020	17:24	N1	DD-D002101	BW021-042120	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BW021	4/21/2020	17:24	N1	DD-D002101	BW021-042120	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	ND	U	0.088	0.24	ug/WIPE
BW021	4/21/2020	17:24	N1	DD-D002101	BW021-042120	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BW021	4/21/2020	17:24	N1	DD-D002101	BW021-042120	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	ND	U	0.07	0.24	ug/WIPE
BW021	4/21/2020	17:24	N1	DD-D002101	BW021-042120	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BW021	4/21/2020	17:24	N1	DD-D002101	BW021-042120	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
BW022	4/21/2020	16:16	N1	DD-D002102	BW022-042120	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BW022	4/21/2020	16:16	N1	DD-D002102	BW022-042120	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BW022	4/21/2020	16:16	N1	DD-D002102	BW022-042120	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BW022	4/21/2020	16:16	N1	DD-D002102	BW022-042120	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	ND	U	0.088	0.24	ug/WIPE
BW022	4/21/2020	16:16	N1	DD-D002102	BW022-042120	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BW022	4/21/2020	16:16	N1	DD-D002102	BW022-042120	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	ND	U	0.07	0.24	ug/WIPE
BW022	4/21/2020	16:16	N1	DD-D002102	BW022-042120	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BW022	4/21/2020	16:16	N1	DD-D002102	BW022-042120	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
BW023	4/21/2020	16:59	N1	DD-D002103	BW023-042120	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BW023	4/21/2020	16:59	N1	DD-D002103	BW023-042120	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BW023	4/21/2020	16:59	N1	DD-D002103	BW023-042120	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BW023	4/21/2020	16:59	N1	DD-D002103	BW023-042120	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.57		0.088	0.24	ug/WIPE
BW023	4/21/2020	16:59	N1	DD-D002103	BW023-042120	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BW023	4/21/2020	16:59	N1	DD-D002103	BW023-042120	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.14	J	0.07	0.24	ug/WIPE
BW023	4/21/2020	16:59	N1	DD-D002103	BW023-042120	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BW023	4/21/2020	16:59	N1	DD-D002103	BW023-042120	SW8082A	SW	TOTAL PCBs	0.71		-	0.24	ug/WIPE
BW024	4/21/2020	17:16	N1	DD-D002104	BW024-042120	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BW024	4/21/2020	17:16	N1	DD-D002104	BW024-042120	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BW024	4/21/2020	17:16	N1	DD-D002104	BW024-042120	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BW024	4/21/2020	17:16	N1	DD-D002104	BW024-042120	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.8		0.088	0.24	ug/WIPE
BW024	4/21/2020	17:16	N1	DD-D002104	BW024-042120	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BW024	4/21/2020	17:16	N1	DD-D002104	BW024-042120	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.96		0.07	0.24	ug/WIPE
BW024	4/21/2020	17:16	N1	DD-D002104	BW024-042120	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BW024	4/21/2020	17:16	N1	DD-D002104	BW024-042120	SW8082A	SW	TOTAL PCBs	4.76		-	0.24	ug/WIPE
BW025	4/22/2020	9:14	N1	DD-D002105	BW025-042220	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BW025	4/22/2020	9:14	N1	DD-D002105	BW025-042220	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE

Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
BW025	4/22/2020	9:14	N1	DD-D002105	BW025-042220	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BW025	4/22/2020	9:14	N1	DD-D002105	BW025-042220	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.21	J	0.088	0.24	ug/WIPE
BW025	4/22/2020	9:14	N1	DD-D002105	BW025-042220	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BW025	4/22/2020	9:14	N1	DD-D002105	BW025-042220	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.096	J	0.07	0.24	ug/WIPE
BW025	4/22/2020	9:14	N1	DD-D002105	BW025-042220	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BW025	4/22/2020	9:14	N1	DD-D002105	BW025-042220	SW8082A	SW	TOTAL PCBs	0.306		-	0.24	ug/WIPE
BW026	4/22/2020	8:55	N1	DD-D002106	BW026-042220	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BW026	4/22/2020	8:55	N1	DD-D002106	BW026-042220	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BW026	4/22/2020	8:55	N1	DD-D002106	BW026-042220	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BW026	4/22/2020	8:55	N1	DD-D002106	BW026-042220	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.26	J	0.088	0.24	ug/WIPE
BW026	4/22/2020	8:55	N1	DD-D002106	BW026-042220	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BW026	4/22/2020	8:55	N1	DD-D002106	BW026-042220	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.093	J	0.07	0.24	ug/WIPE
BW026	4/22/2020	8:55	N1	DD-D002106	BW026-042220	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BW026	4/22/2020	8:55	N1	DD-D002106	BW026-042220	SW8082A	SW	TOTAL PCBs	0.353		-	0.24	ug/WIPE
BW027	4/22/2020	8:34	N1	DD-D002107	BW027-042220	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BW027	4/22/2020	8:34	N1	DD-D002107	BW027-042220	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BW027	4/22/2020	8:34	N1	DD-D002107	BW027-042220	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BW027	4/22/2020	8:34	N1	DD-D002107	BW027-042220	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.49	J	0.088	0.24	ug/WIPE
BW027	4/22/2020	8:34	N1	DD-D002107	BW027-042220	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BW027	4/22/2020	8:34	N1	DD-D002107	BW027-042220	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.17	J	0.07	0.24	ug/WIPE
BW027	4/22/2020	8:34	N1	DD-D002107	BW027-042220	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BW027	4/22/2020	8:34	N1	DD-D002107	BW027-042220	SW8082A	SW	TOTAL PCBs	0.66		-	0.24	ug/WIPE
BW028	4/22/2020	8:17	N1	DD-D002108	BW028-042220	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BW028	4/22/2020	8:17	N1	DD-D002108	BW028-042220	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BW028	4/22/2020	8:17	N1	DD-D002108	BW028-042220	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BW028	4/22/2020	8:17	N1	DD-D002108	BW028-042220	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.18	J	0.088	0.24	ug/WIPE
BW028	4/22/2020	8:17	N1	DD-D002108	BW028-042220	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BW028	4/22/2020	8:17	N1	DD-D002108	BW028-042220	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
BW028	4/22/2020	8:17	N1	DD-D002108	BW028-042220	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BW028	4/22/2020	8:17	N1	DD-D002108	BW028-042220	SW8082A	SW	TOTAL PCBs	0.18		-	0.24	ug/WIPE
BW029	4/22/2020	10:49	N1	DD-D002109	BW029-042220	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BW029	4/22/2020	10:49	N1	DD-D002109	BW029-042220	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BW029	4/22/2020	10:49	N1	DD-D002109	BW029-042220	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BW029	4/22/2020	10:49	N1	DD-D002109	BW029-042220	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
BW029	4/22/2020	10:49	N1	DD-D002109	BW029-042220	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BW029	4/22/2020	10:49	N1	DD-D002109	BW029-042220	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
BW029	4/22/2020	10:49	N1	DD-D002109	BW029-042220	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BW029	4/22/2020	10:49	N1	DD-D002109	BW029-042220	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
BW030	4/22/2020	10:53	N1	DD-D002110	BW030-042220	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BW030	4/22/2020	10:53	N1	DD-D002110	BW030-042220	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BW030	4/22/2020	10:53	N1	DD-D002110	BW030-042220	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BW030	4/22/2020	10:53	N1	DD-D002110	BW030-042220	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.24	J	0.088	0.24	ug/WIPE
BW030	4/22/2020	10:53	N1	DD-D002110	BW030-042220	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BW030	4/22/2020	10:53	N1	DD-D002110	BW030-042220	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.1	J	0.07	0.24	ug/WIPE
BW030	4/22/2020	10:53	N1	DD-D002110	BW030-042220	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BW030	4/22/2020	10:53	N1	DD-D002110	BW030-042220	SW8082A	SW	TOTAL PCBs	0.34		-	0.24	ug/WIPE
BW031	4/22/2020	11:43	N1	DD-D002201	BW031-042220	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BW031	4/22/2020	11:43	N1	DD-D002201	BW031-042220	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BW031	4/22/2020	11:43	N1	DD-D002201	BW031-042220	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BW031	4/22/2020	11:43	N1	DD-D002201	BW031-042220	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.098	J	0.088	0.24	ug/WIPE
BW031	4/22/2020	11:43	N1	DD-D002201	BW031-042220	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE

Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
BW031	4/22/2020	11:43	N1	DD-D002201	BW031-042220	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	ND	U	0.07	0.24	ug/WIPE
BW031	4/22/2020	11:43	N1	DD-D002201	BW031-042220	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BW031	4/22/2020	11:43	N1	DD-D002201	BW031-042220	SW8082A	SW	TOTAL PCBs	0.098		-	0.24	ug/WIPE
BW032	4/22/2020	11:46	N1	DD-D002202	BW032-042220	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BW032	4/22/2020	11:46	N1	DD-D002202	BW032-042220	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BW032	4/22/2020	11:46	N1	DD-D002202	BW032-042220	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BW032	4/22/2020	11:46	N1	DD-D002202	BW032-042220	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	ND	U	0.088	0.24	ug/WIPE
BW032	4/22/2020	11:46	N1	DD-D002202	BW032-042220	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BW032	4/22/2020	11:46	N1	DD-D002202	BW032-042220	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	ND	U	0.07	0.24	ug/WIPE
BW032	4/22/2020	11:46	N1	DD-D002202	BW032-042220	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BW032	4/22/2020	11:46	N1	DD-D002202	BW032-042220	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
BW033	4/22/2020	10:02	N1	DD-D002203	BW033-042220	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BW033	4/22/2020	10:02	N1	DD-D002203	BW033-042220	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BW033	4/22/2020	10:02	N1	DD-D002203	BW033-042220	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BW033	4/22/2020	10:02	N1	DD-D002203	BW033-042220	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	ND	U	0.088	0.24	ug/WIPE
BW033	4/22/2020	10:02	N1	DD-D002203	BW033-042220	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BW033	4/22/2020	10:02	N1	DD-D002203	BW033-042220	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	ND	U	0.07	0.24	ug/WIPE
BW033	4/22/2020	10:02	N1	DD-D002203	BW033-042220	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BW033	4/22/2020	10:02	N1	DD-D002203	BW033-042220	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
BW034	4/22/2020	10:05	N1	DD-D002204	BW034-042220	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BW034	4/22/2020	10:05	N1	DD-D002204	BW034-042220	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BW034	4/22/2020	10:05	N1	DD-D002204	BW034-042220	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BW034	4/22/2020	10:05	N1	DD-D002204	BW034-042220	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	ND	U	0.088	0.24	ug/WIPE
BW034	4/22/2020	10:05	N1	DD-D002204	BW034-042220	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BW034	4/22/2020	10:05	N1	DD-D002204	BW034-042220	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	ND	U	0.07	0.24	ug/WIPE
BW034	4/22/2020	10:05	N1	DD-D002204	BW034-042220	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BW034	4/22/2020	10:05	N1	DD-D002204	BW034-042220	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
BW035	4/22/2020	13:48	N1	DD-D002205	BW035-042220	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BW035	4/22/2020	13:48	N1	DD-D002205	BW035-042220	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BW035	4/22/2020	13:48	N1	DD-D002205	BW035-042220	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BW035	4/22/2020	13:48	N1	DD-D002205	BW035-042220	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.24		0.088	0.24	ug/WIPE
BW035	4/22/2020	13:48	N1	DD-D002205	BW035-042220	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BW035	4/22/2020	13:48	N1	DD-D002205	BW035-042220	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.084	J	0.07	0.24	ug/WIPE
BW035	4/22/2020	13:48	N1	DD-D002205	BW035-042220	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BW035	4/22/2020	13:48	N1	DD-D002205	BW035-042220	SW8082A	SW	TOTAL PCBs	0.324		-	0.24	ug/WIPE
BW036	4/22/2020	11:56	N1	DD-D002206	BW036-042220	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BW036	4/22/2020	11:56	N1	DD-D002206	BW036-042220	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BW036	4/22/2020	11:56	N1	DD-D002206	BW036-042220	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BW036	4/22/2020	11:56	N1	DD-D002206	BW036-042220	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.22	J	0.088	0.24	ug/WIPE
BW036	4/22/2020	11:56	N1	DD-D002206	BW036-042220	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BW036	4/22/2020	11:56	N1	DD-D002206	BW036-042220	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	ND	U	0.07	0.24	ug/WIPE
BW036	4/22/2020	11:56	N1	DD-D002206	BW036-042220	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BW036	4/22/2020	11:56	N1	DD-D002206	BW036-042220	SW8082A	SW	TOTAL PCBs	0.22		-	0.24	ug/WIPE
BW037	4/22/2020	11:54	N1	DD-D002207	BW037-042220	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BW037	4/22/2020	11:54	N1	DD-D002207	BW037-042220	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BW037	4/22/2020	11:54	N1	DD-D002207	BW037-042220	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BW037	4/22/2020	11:54	N1	DD-D002207	BW037-042220	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	ND	U	0.088	0.24	ug/WIPE
BW037	4/22/2020	11:54	N1	DD-D002207	BW037-042220	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BW037	4/22/2020	11:54	N1	DD-D002207	BW037-042220	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	ND	U	0.07	0.24	ug/WIPE
BW037	4/22/2020	11:54	N1	DD-D002207	BW037-042220	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BW037	4/22/2020	11:54	N1	DD-D002207	BW037-042220	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE

Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
BW038	4/22/2020	10:08	N1	DD-D002208	BW038-042220	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BW038	4/22/2020	10:08	N1	DD-D002208	BW038-042220	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BW038	4/22/2020	10:08	N1	DD-D002208	BW038-042220	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BW038	4/22/2020	10:08	N1	DD-D002208	BW038-042220	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
BW038	4/22/2020	10:08	N1	DD-D002208	BW038-042220	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BW038	4/22/2020	10:08	N1	DD-D002208	BW038-042220	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
BW038	4/22/2020	10:08	N1	DD-D002208	BW038-042220	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BW038	4/22/2020	10:08	N1	DD-D002208	BW038-042220	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
BW039	4/22/2020	14:45	N1	DD-D002209	BW039-042220	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BW039	4/22/2020	14:45	N1	DD-D002209	BW039-042220	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BW039	4/22/2020	14:45	N1	DD-D002209	BW039-042220	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BW039	4/22/2020	14:45	N1	DD-D002209	BW039-042220	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.11	J	0.088	0.24	ug/WIPE
BW039	4/22/2020	14:45	N1	DD-D002209	BW039-042220	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BW039	4/22/2020	14:45	N1	DD-D002209	BW039-042220	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
BW039	4/22/2020	14:45	N1	DD-D002209	BW039-042220	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BW039	4/22/2020	14:45	N1	DD-D002209	BW039-042220	SW8082A	SW	TOTAL PCBs	0.11	-	-	0.24	ug/WIPE
BW040	4/22/2020	15:00	N1	DD-D002210	BW040-042220	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BW040	4/22/2020	15:00	N1	DD-D002210	BW040-042220	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BW040	4/22/2020	15:00	N1	DD-D002210	BW040-042220	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BW040	4/22/2020	15:00	N1	DD-D002210	BW040-042220	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
BW040	4/22/2020	15:00	N1	DD-D002210	BW040-042220	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BW040	4/22/2020	15:00	N1	DD-D002210	BW040-042220	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
BW040	4/22/2020	15:00	N1	DD-D002210	BW040-042220	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BW040	4/22/2020	15:00	N1	DD-D002210	BW040-042220	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
BW041	4/22/2020	15:30	N1	DD-D002301	BW041-042220	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BW041	4/22/2020	15:30	N1	DD-D002301	BW041-042220	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BW041	4/22/2020	15:30	N1	DD-D002301	BW041-042220	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BW041	4/22/2020	15:30	N1	DD-D002301	BW041-042220	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
BW041	4/22/2020	15:30	N1	DD-D002301	BW041-042220	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BW041	4/22/2020	15:30	N1	DD-D002301	BW041-042220	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
BW041	4/22/2020	15:30	N1	DD-D002301	BW041-042220	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BW041	4/22/2020	15:30	N1	DD-D002301	BW041-042220	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
BW042	4/22/2020	15:21	N1	DD-D002302	BW042-042220	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BW042	4/22/2020	15:21	N1	DD-D002302	BW042-042220	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BW042	4/22/2020	15:21	N1	DD-D002302	BW042-042220	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BW042	4/22/2020	15:21	N1	DD-D002302	BW042-042220	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.12	J	0.088	0.24	ug/WIPE
BW042	4/22/2020	15:21	N1	DD-D002302	BW042-042220	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BW042	4/22/2020	15:21	N1	DD-D002302	BW042-042220	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
BW042	4/22/2020	15:21	N1	DD-D002302	BW042-042220	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BW042	4/22/2020	15:21	N1	DD-D002302	BW042-042220	SW8082A	SW	TOTAL PCBs	0.12	-	-	0.24	ug/WIPE
CBG001	4/23/2020	11:18	N1	DD-D004801	CBG001-04320	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG001	4/23/2020	11:18	N1	DD-D004801	CBG001-04320	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG001	4/23/2020	11:18	N1	DD-D004801	CBG001-04320	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG001	4/23/2020	11:18	N1	DD-D004801	CBG001-04320	SW8082A	SW	PCB-1242 (AROCLOR 1242)	4.6	-	0.088	0.24	ug/WIPE
CBG001	4/23/2020	11:18	N1	DD-D004801	CBG001-04320	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG001	4/23/2020	11:18	N1	DD-D004801	CBG001-04320	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.5	-	0.07	0.24	ug/WIPE
CBG001	4/23/2020	11:18	N1	DD-D004801	CBG001-04320	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG001	4/23/2020	11:18	N1	DD-D004801	CBG001-04320	SW8082A	SW	TOTAL PCBs	6.1	-	-	0.24	ug/WIPE
CBG002-003	4/23/2020	11:23	N1	DD-D004802	CBG002-003-042320-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG002-003	4/23/2020	11:23	N1	DD-D004802	CBG002-003-042320-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG002-003	4/23/2020	11:23	N1	DD-D004802	CBG002-003-042320-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE



Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
CBG002-003	4/23/2020	11:23	N1	DD-D004802	CBG002-003-042320-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	7.7		0.088	0.24	ug/WIPE
CBG002-003	4/23/2020	11:23	N1	DD-D004802	CBG002-003-042320-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG002-003	4/23/2020	11:23	N1	DD-D004802	CBG002-003-042320-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	3.1		0.07	0.24	ug/WIPE
CBG002-003	4/23/2020	11:23	N1	DD-D004802	CBG002-003-042320-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG002-003	4/23/2020	11:23	N1	DD-D004802	CBG002-003-042320-COMP	SW8082A	SW	TOTAL PCBs	10.8		-	0.24	ug/WIPE
CBG002R	6/29/2020	8:25	N1	DD-D020401	CBG002R-062920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG002R	6/29/2020	8:25	N1	DD-D020401	CBG002R-062920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG002R	6/29/2020	8:25	N1	DD-D020401	CBG002R-062920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG002R	6/29/2020	8:25	N1	DD-D020401	CBG002R-062920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1.9		0.088	0.24	ug/WIPE
CBG002R	6/29/2020	8:25	N1	DD-D020401	CBG002R-062920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG002R	6/29/2020	8:25	N1	DD-D020401	CBG002R-062920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.63		0.07	0.24	ug/WIPE
CBG002R	6/29/2020	8:25	N1	DD-D020401	CBG002R-062920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG002R	6/29/2020	8:25	N1	DD-D020401	CBG002R-062920	SW8082A	SW	TOTAL PCBs	2.53		-	0.24	ug/WIPE
CBG003R	6/29/2020	8:35	N1	DD-D020402	CBG003R-062920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG003R	6/29/2020	8:35	N1	DD-D020402	CBG003R-062920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG003R	6/29/2020	8:35	N1	DD-D020402	CBG003R-062920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG003R	6/29/2020	8:35	N1	DD-D020402	CBG003R-062920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.74		0.088	0.24	ug/WIPE
CBG003R	6/29/2020	8:35	N1	DD-D020402	CBG003R-062920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG003R	6/29/2020	8:35	N1	DD-D020402	CBG003R-062920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.28		0.07	0.24	ug/WIPE
CBG003R	6/29/2020	8:35	N1	DD-D020402	CBG003R-062920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG003R	6/29/2020	8:35	N1	DD-D020402	CBG003R-062920	SW8082A	SW	TOTAL PCBs	1.02		-	0.24	ug/WIPE
CBG004-005	4/23/2020	11:38	N1	DD-D004804	CBG004-005-042320-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG004-005	4/23/2020	11:38	N1	DD-D004804	CBG004-005-042320-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG004-005	4/23/2020	11:38	N1	DD-D004804	CBG004-005-042320-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG004-005	4/23/2020	11:38	N1	DD-D004804	CBG004-005-042320-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	7		0.088	0.24	ug/WIPE
CBG004-005	4/23/2020	11:38	N1	DD-D004804	CBG004-005-042320-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG004-005	4/23/2020	11:38	N1	DD-D004804	CBG004-005-042320-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	3		0.07	0.24	ug/WIPE
CBG004-005	4/23/2020	11:38	N1	DD-D004804	CBG004-005-042320-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG004-005	4/23/2020	11:38	N1	DD-D004804	CBG004-005-042320-COMP	SW8082A	SW	TOTAL PCBs	10		-	0.24	ug/WIPE
CBG004R	6/29/2020	8:37	N1	DD-D020403	CBG004R-062920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG004R	6/29/2020	8:37	N1	DD-D020403	CBG004R-062920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG004R	6/29/2020	8:37	N1	DD-D020403	CBG004R-062920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG004R	6/29/2020	8:37	N1	DD-D020403	CBG004R-062920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2.1		0.088	0.24	ug/WIPE
CBG004R	6/29/2020	8:37	N1	DD-D020403	CBG004R-062920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG004R	6/29/2020	8:37	N1	DD-D020403	CBG004R-062920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.6		0.07	0.24	ug/WIPE
CBG004R	6/29/2020	8:37	N1	DD-D020403	CBG004R-062920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG004R	6/29/2020	8:37	N1	DD-D020403	CBG004R-062920	SW8082A	SW	TOTAL PCBs	2.7		-	0.24	ug/WIPE
CBG005R	6/29/2020	8:41	N1	DD-D020404	CBG005R-062920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG005R	6/29/2020	8:41	N1	DD-D020404	CBG005R-062920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG005R	6/29/2020	8:41	N1	DD-D020404	CBG005R-062920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG005R	6/29/2020	8:41	N1	DD-D020404	CBG005R-062920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.39		0.088	0.24	ug/WIPE
CBG005R	6/29/2020	8:41	N1	DD-D020404	CBG005R-062920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG005R	6/29/2020	8:41	N1	DD-D020404	CBG005R-062920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.15	J	0.07	0.24	ug/WIPE
CBG005R	6/29/2020	8:41	N1	DD-D020404	CBG005R-062920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG005R	6/29/2020	8:41	N1	DD-D020404	CBG005R-062920	SW8082A	SW	TOTAL PCBs	0.54		-	0.24	ug/WIPE
CBG006	4/23/2020	11:29	N1	DD-D004806	CBG006-042320	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG006	4/23/2020	11:29	N1	DD-D004806	CBG006-042320	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG006	4/23/2020	11:29	N1	DD-D004806	CBG006-042320	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG006	4/23/2020	11:29	N1	DD-D004806	CBG006-042320	SW8082A	SW	PCB-1242 (AROCLOR 1242)	5.5		0.088	0.24	ug/WIPE
CBG006	4/23/2020	11:29	N1	DD-D004806	CBG006-042320	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG006	4/23/2020	11:29	N1	DD-D004806	CBG006-042320	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2.3		0.07	0.24	ug/WIPE



Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
CBG006	4/23/2020	11:29	N1	DD-D004806	CBG006-042320	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG006	4/23/2020	11:29	N1	DD-D004806	CBG006-042320	SW8082A	SW	TOTAL PCBs	7.8		-	0.24	ug/WIPE
CBG007	4/23/2020	11:34	N1	DD-D004807	CBG007-042320	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG007	4/23/2020	11:34	N1	DD-D004807	CBG007-042320	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG007	4/23/2020	11:34	N1	DD-D004807	CBG007-042320	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG007	4/23/2020	11:34	N1	DD-D004807	CBG007-042320	SW8082A	SW	PCB-1242 (AROCLOR 1242)	7.2		0.088	0.24	ug/WIPE
CBG007	4/23/2020	11:34	N1	DD-D004807	CBG007-042320	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG007	4/23/2020	11:34	N1	DD-D004807	CBG007-042320	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2.8		0.07	0.24	ug/WIPE
CBG007	4/23/2020	11:34	N1	DD-D004807	CBG007-042320	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG007	4/23/2020	11:34	N1	DD-D004807	CBG007-042320	SW8082A	SW	TOTAL PCBs	10		-	0.24	ug/WIPE
CBG007R	6/29/2020	8:45	N1	DD-D020405	CBG007R-062920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG007R	6/29/2020	8:45	N1	DD-D020405	CBG007R-062920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG007R	6/29/2020	8:45	N1	DD-D020405	CBG007R-062920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG007R	6/29/2020	8:45	N1	DD-D020405	CBG007R-062920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2.3		0.088	0.24	ug/WIPE
CBG007R	6/29/2020	8:45	N1	DD-D020405	CBG007R-062920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG007R	6/29/2020	8:45	N1	DD-D020405	CBG007R-062920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.78		0.07	0.24	ug/WIPE
CBG007R	6/29/2020	8:45	N1	DD-D020405	CBG007R-062920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG007R	6/29/2020	8:45	N1	DD-D020405	CBG007R-062920	SW8082A	SW	TOTAL PCBs	3.08		-	0.24	ug/WIPE
CBG008	4/23/2020	11:45	N1	DD-D004808	CBG008-042320	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG008	4/23/2020	11:45	N1	DD-D004808	CBG008-042320	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG008	4/23/2020	11:45	N1	DD-D004808	CBG008-042320	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG008	4/23/2020	11:45	N1	DD-D004808	CBG008-042320	SW8082A	SW	PCB-1242 (AROCLOR 1242)	4.9		0.088	0.24	ug/WIPE
CBG008	4/23/2020	11:45	N1	DD-D004808	CBG008-042320	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG008	4/23/2020	11:45	N1	DD-D004808	CBG008-042320	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2.1		0.07	0.24	ug/WIPE
CBG008	4/23/2020	11:45	N1	DD-D004808	CBG008-042320	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG008	4/23/2020	11:45	N1	DD-D004808	CBG008-042320	SW8082A	SW	TOTAL PCBs	7		-	0.24	ug/WIPE
CBG009	4/23/2020	11:42	N1	DD-D004809	CBG009-042320	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG009	4/23/2020	11:42	N1	DD-D004809	CBG009-042320	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG009	4/23/2020	11:42	N1	DD-D004809	CBG009-042320	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG009	4/23/2020	11:42	N1	DD-D004809	CBG009-042320	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2.9		0.088	0.24	ug/WIPE
CBG009	4/23/2020	11:42	N1	DD-D004809	CBG009-042320	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG009	4/23/2020	11:42	N1	DD-D004809	CBG009-042320	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.2		0.07	0.24	ug/WIPE
CBG009	4/23/2020	11:42	N1	DD-D004809	CBG009-042320	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG009	4/23/2020	11:42	N1	DD-D004809	CBG009-042320	SW8082A	SW	TOTAL PCBs	4.1		-	0.24	ug/WIPE
CBG010-011	4/23/2020	11:52	N1	DD-D004810	CBG010-011-042320-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG010-011	4/23/2020	11:52	N1	DD-D004810	CBG010-011-042320-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG010-011	4/23/2020	11:52	N1	DD-D004810	CBG010-011-042320-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG010-011	4/23/2020	11:52	N1	DD-D004810	CBG010-011-042320-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	12		0.088	0.24	ug/WIPE
CBG010-011	4/23/2020	11:52	N1	DD-D004810	CBG010-011-042320-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG010-011	4/23/2020	11:52	N1	DD-D004810	CBG010-011-042320-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	4.3		0.07	0.24	ug/WIPE
CBG010-011	4/23/2020	11:52	N1	DD-D004810	CBG010-011-042320-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG010-011	4/23/2020	11:52	N1	DD-D004810	CBG010-011-042320-COMP	SW8082A	SW	TOTAL PCBs	16.3		-	0.24	ug/WIPE
CBG010R	6/29/2020	8:47	N1	DD-D020406	CBG010R-062920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG010R	6/29/2020	8:47	N1	DD-D020406	CBG010R-062920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG010R	6/29/2020	8:47	N1	DD-D020406	CBG010R-062920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG010R	6/29/2020	8:47	N1	DD-D020406	CBG010R-062920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2		0.088	0.24	ug/WIPE
CBG010R	6/29/2020	8:47	N1	DD-D020406	CBG010R-062920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG010R	6/29/2020	8:47	N1	DD-D020406	CBG010R-062920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.62		0.07	0.24	ug/WIPE
CBG010R	6/29/2020	8:47	N1	DD-D020406	CBG010R-062920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG010R	6/29/2020	8:47	N1	DD-D020406	CBG010R-062920	SW8082A	SW	TOTAL PCBs	2.62		-	0.24	ug/WIPE
CBG011R	6/29/2020	8:51	N1	DD-D020407	CBG011R-062920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE

Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
CBG011R	6/29/2020	8:51	N1	DD-D020407	CBG011R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG011R	6/29/2020	8:51	N1	DD-D020407	CBG011R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG011R	6/29/2020	8:51	N1	DD-D020407	CBG011R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2		0.088	0.24	ug/WIPE
CBG011R	6/29/2020	8:51	N1	DD-D020407	CBG011R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG011R	6/29/2020	8:51	N1	DD-D020407	CBG011R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.68		0.07	0.24	ug/WIPE
CBG011R	6/29/2020	8:51	N1	DD-D020407	CBG011R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG011R	6/29/2020	8:51	N1	DD-D020407	CBG011R-062920	SW8082A	SW	TOTAL PCBs	2.68		-	0.24	ug/WIPE
CBG012	4/23/2020	12:09	N1	DD-D004902	CBG012-042320	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG012	4/23/2020	12:09	N1	DD-D004902	CBG012-042320	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG012	4/23/2020	12:09	N1	DD-D004902	CBG012-042320	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG012	4/23/2020	12:09	N1	DD-D004902	CBG012-042320	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	1.6		0.088	0.24	ug/WIPE
CBG012	4/23/2020	12:09	N1	DD-D004902	CBG012-042320	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG012	4/23/2020	12:09	N1	DD-D004902	CBG012-042320	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.69		0.07	0.24	ug/WIPE
CBG012	4/23/2020	12:09	N1	DD-D004902	CBG012-042320	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG012	4/23/2020	12:09	N1	DD-D004902	CBG012-042320	SW8082A	SW	TOTAL PCBs	2.29		-	0.24	ug/WIPE
CBG013	4/23/2020	12:13	N1	DD-D004903	CBG013-042320	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG013	4/23/2020	12:13	N1	DD-D004903	CBG013-042320	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG013	4/23/2020	12:13	N1	DD-D004903	CBG013-042320	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG013	4/23/2020	12:13	N1	DD-D004903	CBG013-042320	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.2		0.088	0.24	ug/WIPE
CBG013	4/23/2020	12:13	N1	DD-D004903	CBG013-042320	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG013	4/23/2020	12:13	N1	DD-D004903	CBG013-042320	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.3		0.07	0.24	ug/WIPE
CBG013	4/23/2020	12:13	N1	DD-D004903	CBG013-042320	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG013	4/23/2020	12:13	N1	DD-D004903	CBG013-042320	SW8082A	SW	TOTAL PCBs	4.5		-	0.24	ug/WIPE
CBG014-015	4/23/2020	12:02	N1	DD-D004904	CBG014-015-042320-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG014-015	4/23/2020	12:02	N1	DD-D004904	CBG014-015-042320-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG014-015	4/23/2020	12:02	N1	DD-D004904	CBG014-015-042320-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG014-015	4/23/2020	12:02	N1	DD-D004904	CBG014-015-042320-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.8		0.088	0.24	ug/WIPE
CBG014-015	4/23/2020	12:02	N1	DD-D004904	CBG014-015-042320-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG014-015	4/23/2020	12:02	N1	DD-D004904	CBG014-015-042320-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.1		0.07	0.24	ug/WIPE
CBG014-015	4/23/2020	12:02	N1	DD-D004904	CBG014-015-042320-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG014-015	4/23/2020	12:02	N1	DD-D004904	CBG014-015-042320-COMP	SW8082A	SW	TOTAL PCBs	3.9		-	0.24	ug/WIPE
CBG016	4/23/2020	11:59	N1	DD-D004906	CBG016-042320	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG016	4/23/2020	11:59	N1	DD-D004906	CBG016-042320	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG016	4/23/2020	11:59	N1	DD-D004906	CBG016-042320	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG016	4/23/2020	11:59	N1	DD-D004906	CBG016-042320	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	4.7		0.088	0.24	ug/WIPE
CBG016	4/23/2020	11:59	N1	DD-D004906	CBG016-042320	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG016	4/23/2020	11:59	N1	DD-D004906	CBG016-042320	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.7		0.07	0.24	ug/WIPE
CBG016	4/23/2020	11:59	N1	DD-D004906	CBG016-042320	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG016	4/23/2020	11:59	N1	DD-D004906	CBG016-042320	SW8082A	SW	TOTAL PCBs	6.4		-	0.24	ug/WIPE
CBG017	4/23/2020	14:25	N1	DD-D004907	CBG017-042320	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG017	4/23/2020	14:25	N1	DD-D004907	CBG017-042320	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG017	4/23/2020	14:25	N1	DD-D004907	CBG017-042320	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG017	4/23/2020	14:25	N1	DD-D004907	CBG017-042320	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3		0.088	0.24	ug/WIPE
CBG017	4/23/2020	14:25	N1	DD-D004907	CBG017-042320	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG017	4/23/2020	14:25	N1	DD-D004907	CBG017-042320	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1		0.07	0.24	ug/WIPE
CBG017	4/23/2020	14:25	N1	DD-D004907	CBG017-042320	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG017	4/23/2020	14:25	N1	DD-D004907	CBG017-042320	SW8082A	SW	TOTAL PCBs	4		-	0.24	ug/WIPE
CBG018	4/23/2020	14:23	N1	DD-D004908	CBG018-042320	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG018	4/23/2020	14:23	N1	DD-D004908	CBG018-042320	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG018	4/23/2020	14:23	N1	DD-D004908	CBG018-042320	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG018	4/23/2020	14:23	N1	DD-D004908	CBG018-042320	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	6.3		0.088	0.24	ug/WIPE

Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
CBG018	4/23/2020	14:23	N1	DD-D004908	CBG018-042320	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG018	4/23/2020	14:23	N1	DD-D004908	CBG018-042320	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.6	U	0.07	0.24	ug/WIPE
CBG018	4/23/2020	14:23	N1	DD-D004908	CBG018-042320	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG018	4/23/2020	14:23	N1	DD-D004908	CBG018-042320	SW8082A	SW	TOTAL PCBs	8.9		-	0.24	ug/WIPE
CBG019-020	4/23/2020	14:02	N1	DD-D004909	CBG019-020-042320-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG019-020	4/23/2020	14:02	N1	DD-D004909	CBG019-020-042320-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG019-020	4/23/2020	14:02	N1	DD-D004909	CBG019-020-042320-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG019-020	4/23/2020	14:02	N1	DD-D004909	CBG019-020-042320-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	8.4		0.088	0.24	ug/WIPE
CBG019-020	4/23/2020	14:02	N1	DD-D004909	CBG019-020-042320-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG019-020	4/23/2020	14:02	N1	DD-D004909	CBG019-020-042320-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	3.3		0.07	0.24	ug/WIPE
CBG019-020	4/23/2020	14:02	N1	DD-D004909	CBG019-020-042320-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG019-020	4/23/2020	14:02	N1	DD-D004909	CBG019-020-042320-COMP	SW8082A	SW	TOTAL PCBs	11.7		-	0.24	ug/WIPE
CBG019R	6/29/2020	8:55	N1	DD-D020408	CBG019R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG019R	6/29/2020	8:55	N1	DD-D020408	CBG019R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG019R	6/29/2020	8:55	N1	DD-D020408	CBG019R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG019R	6/29/2020	8:55	N1	DD-D020408	CBG019R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.57		0.088	0.24	ug/WIPE
CBG019R	6/29/2020	8:55	N1	DD-D020408	CBG019R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG019R	6/29/2020	8:55	N1	DD-D020408	CBG019R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.24	J	0.07	0.24	ug/WIPE
CBG019R	6/29/2020	8:55	N1	DD-D020408	CBG019R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG019R	6/29/2020	8:55	N1	DD-D020408	CBG019R-062920	SW8082A	SW	TOTAL PCBs	0.81		-	0.24	ug/WIPE
CBG020R	6/29/2020	8:58	N1	DD-D020409	CBG020R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG020R	6/29/2020	8:58	N1	DD-D020409	CBG020R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG020R	6/29/2020	8:58	N1	DD-D020409	CBG020R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG020R	6/29/2020	8:58	N1	DD-D020409	CBG020R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	1.7		0.088	0.24	ug/WIPE
CBG020R	6/29/2020	8:58	N1	DD-D020409	CBG020R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG020R	6/29/2020	8:58	N1	DD-D020409	CBG020R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.55		0.07	0.24	ug/WIPE
CBG020R	6/29/2020	8:58	N1	DD-D020409	CBG020R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG020R	6/29/2020	8:58	N1	DD-D020409	CBG020R-062920	SW8082A	SW	TOTAL PCBs	2.25		-	0.24	ug/WIPE
CBG021	4/23/2020	13:57	N1	DD-D005001	CBG021-042320	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG021	4/23/2020	13:57	N1	DD-D005001	CBG021-042320	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG021	4/23/2020	13:57	N1	DD-D005001	CBG021-042320	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG021	4/23/2020	13:57	N1	DD-D005001	CBG021-042320	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2		0.088	0.24	ug/WIPE
CBG021	4/23/2020	13:57	N1	DD-D005001	CBG021-042320	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG021	4/23/2020	13:57	N1	DD-D005001	CBG021-042320	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.95		0.07	0.24	ug/WIPE
CBG021	4/23/2020	13:57	N1	DD-D005001	CBG021-042320	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG021	4/23/2020	13:57	N1	DD-D005001	CBG021-042320	SW8082A	SW	TOTAL PCBs	2.95		-	0.24	ug/WIPE
CBG022-027	4/23/2020	13:39	N1	DD-D005002	CBG022-027-042320-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG022-027	4/23/2020	13:39	N1	DD-D005002	CBG022-027-042320-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG022-027	4/23/2020	13:39	N1	DD-D005002	CBG022-027-042320-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG022-027	4/23/2020	13:39	N1	DD-D005002	CBG022-027-042320-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	6		0.088	0.24	ug/WIPE
CBG022-027	4/23/2020	13:39	N1	DD-D005002	CBG022-027-042320-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG022-027	4/23/2020	13:39	N1	DD-D005002	CBG022-027-042320-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.7		0.07	0.24	ug/WIPE
CBG022-027	4/23/2020	13:39	N1	DD-D005002	CBG022-027-042320-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG022-027	4/23/2020	13:39	N1	DD-D005002	CBG022-027-042320-COMP	SW8082A	SW	TOTAL PCBs	8.7		-	0.24	ug/WIPE
CBG023	4/23/2020	13:32	N1	DD-D005003	CBG023-042320	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG023	4/23/2020	13:32	N1	DD-D005003	CBG023-042320	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG023	4/23/2020	13:32	N1	DD-D005003	CBG023-042320	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG023	4/23/2020	13:32	N1	DD-D005003	CBG023-042320	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	9.6		0.088	0.24	ug/WIPE
CBG023	4/23/2020	13:32	N1	DD-D005003	CBG023-042320	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG023	4/23/2020	13:32	N1	DD-D005003	CBG023-042320	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	4.5		0.07	0.24	ug/WIPE
CBG023	4/23/2020	13:32	N1	DD-D005003	CBG023-042320	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE

Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
CBG023	4/23/2020	13:32	N1	DD-D005003	CBG023-042320	SW8082A	SW	TOTAL PCBs	14.1		-	0.24	ug/WIPE
CBG023R	6/29/2020	9:39	N1	DD-D020410	CBG023R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG023R	6/29/2020	9:39	N1	DD-D020410	CBG023R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG023R	6/29/2020	9:39	N1	DD-D020410	CBG023R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG023R	6/29/2020	9:39	N1	DD-D020410	CBG023R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	1.5		0.088	0.24	ug/WIPE
CBG023R	6/29/2020	9:39	N1	DD-D020410	CBG023R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG023R	6/29/2020	9:39	N1	DD-D020410	CBG023R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.49		0.07	0.24	ug/WIPE
CBG023R	6/29/2020	9:39	N1	DD-D020410	CBG023R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG023R	6/29/2020	9:39	N1	DD-D020410	CBG023R-062920	SW8082A	SW	TOTAL PCBs	1.99		-	0.24	ug/WIPE
CBG024	4/23/2020	13:28	N1	DD-D005004	CBG024-042320	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG024	4/23/2020	13:28	N1	DD-D005004	CBG024-042320	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG024	4/23/2020	13:28	N1	DD-D005004	CBG024-042320	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG024	4/23/2020	13:28	N1	DD-D005004	CBG024-042320	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.2		0.088	0.24	ug/WIPE
CBG024	4/23/2020	13:28	N1	DD-D005004	CBG024-042320	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG024	4/23/2020	13:28	N1	DD-D005004	CBG024-042320	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.3		0.07	0.24	ug/WIPE
CBG024	4/23/2020	13:28	N1	DD-D005004	CBG024-042320	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG024	4/23/2020	13:28	N1	DD-D005004	CBG024-042320	SW8082A	SW	TOTAL PCBs	3.5		-	0.24	ug/WIPE
CBG025-026	4/23/2020	13:42	N1	DD-D005005	CBG025-026-042320-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG025-026	4/23/2020	13:42	N1	DD-D005005	CBG025-026-042320-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG025-026	4/23/2020	13:42	N1	DD-D005005	CBG025-026-042320-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG025-026	4/23/2020	13:42	N1	DD-D005005	CBG025-026-042320-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	5.4		0.088	0.24	ug/WIPE
CBG025-026	4/23/2020	13:42	N1	DD-D005005	CBG025-026-042320-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG025-026	4/23/2020	13:42	N1	DD-D005005	CBG025-026-042320-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.6		0.07	0.24	ug/WIPE
CBG025-026	4/23/2020	13:42	N1	DD-D005005	CBG025-026-042320-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG025-026	4/23/2020	13:42	N1	DD-D005005	CBG025-026-042320-COMP	SW8082A	SW	TOTAL PCBs	8		-	0.24	ug/WIPE
CBG028-029	4/23/2020	13:53	N1	DD-D005008	CBG028-029-042320-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG028-029	4/23/2020	13:53	N1	DD-D005008	CBG028-029-042320-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG028-029	4/23/2020	13:53	N1	DD-D005008	CBG028-029-042320-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG028-029	4/23/2020	13:53	N1	DD-D005008	CBG028-029-042320-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	7.8		0.088	0.24	ug/WIPE
CBG028-029	4/23/2020	13:53	N1	DD-D005008	CBG028-029-042320-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG028-029	4/23/2020	13:53	N1	DD-D005008	CBG028-029-042320-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	3.6		0.07	0.24	ug/WIPE
CBG028-029	4/23/2020	13:53	N1	DD-D005008	CBG028-029-042320-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG028-029	4/23/2020	13:53	N1	DD-D005008	CBG028-029-042320-COMP	SW8082A	SW	TOTAL PCBs	11.4		-	0.24	ug/WIPE
CBG028R	6/29/2020	9:42	N1	DD-D020501	CBG028R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG028R	6/29/2020	9:42	N1	DD-D020501	CBG028R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG028R	6/29/2020	9:42	N1	DD-D020501	CBG028R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG028R	6/29/2020	9:42	N1	DD-D020501	CBG028R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.3		0.088	0.24	ug/WIPE
CBG028R	6/29/2020	9:42	N1	DD-D020501	CBG028R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG028R	6/29/2020	9:42	N1	DD-D020501	CBG028R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.74		0.07	0.24	ug/WIPE
CBG028R	6/29/2020	9:42	N1	DD-D020501	CBG028R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG028R	6/29/2020	9:42	N1	DD-D020501	CBG028R-062920	SW8082A	SW	TOTAL PCBs	3.04		-	0.24	ug/WIPE
CBG029R	6/29/2020	9:45	N1	DD-D020502	CBG029R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG029R	6/29/2020	9:45	N1	DD-D020502	CBG029R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG029R	6/29/2020	9:45	N1	DD-D020502	CBG029R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG029R	6/29/2020	9:45	N1	DD-D020502	CBG029R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	1.1		0.088	0.24	ug/WIPE
CBG029R	6/29/2020	9:45	N1	DD-D020502	CBG029R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG029R	6/29/2020	9:45	N1	DD-D020502	CBG029R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.38		0.07	0.24	ug/WIPE
CBG029R	6/29/2020	9:45	N1	DD-D020502	CBG029R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG029R	6/29/2020	9:45	N1	DD-D020502	CBG029R-062920	SW8082A	SW	TOTAL PCBs	1.48		-	0.24	ug/WIPE
CBG030	4/23/2020	14:06	N1	DD-D005010	CBG030-042320	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG030	4/23/2020	14:06	N1	DD-D005010	CBG030-042320	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE

Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
CBG030	4/23/2020	14:06	N1	DD-D005010	CBG030-042320	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG030	4/23/2020	14:06	N1	DD-D005010	CBG030-042320	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	1.1	U	0.088	0.24	ug/WIPE
CBG030	4/23/2020	14:06	N1	DD-D005010	CBG030-042320	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG030	4/23/2020	14:06	N1	DD-D005010	CBG030-042320	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.59	U	0.07	0.24	ug/WIPE
CBG030	4/23/2020	14:06	N1	DD-D005010	CBG030-042320	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG030	4/23/2020	14:06	N1	DD-D005010	CBG030-042320	SW8082A	SW	TOTAL PCBs	1.69	U	-	0.24	ug/WIPE
CBG031	4/23/2020	14:09	N1	DD-D005101	CBG031-042320	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG031	4/23/2020	14:09	N1	DD-D005101	CBG031-042320	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG031	4/23/2020	14:09	N1	DD-D005101	CBG031-042320	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG031	4/23/2020	14:09	N1	DD-D005101	CBG031-042320	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.9	U	0.088	0.24	ug/WIPE
CBG031	4/23/2020	14:09	N1	DD-D005101	CBG031-042320	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG031	4/23/2020	14:09	N1	DD-D005101	CBG031-042320	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.3	U	0.07	0.24	ug/WIPE
CBG031	4/23/2020	14:09	N1	DD-D005101	CBG031-042320	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG031	4/23/2020	14:09	N1	DD-D005101	CBG031-042320	SW8082A	SW	TOTAL PCBs	4.2	U	-	0.24	ug/WIPE
CBG032	4/23/2020	14:16	N1	DD-D005102	CBG032-042320	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG032	4/23/2020	14:16	N1	DD-D005102	CBG032-042320	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG032	4/23/2020	14:16	N1	DD-D005102	CBG032-042320	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG032	4/23/2020	14:16	N1	DD-D005102	CBG032-042320	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.4	U	0.088	0.24	ug/WIPE
CBG032	4/23/2020	14:16	N1	DD-D005102	CBG032-042320	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG032	4/23/2020	14:16	N1	DD-D005102	CBG032-042320	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.2	U	0.07	0.24	ug/WIPE
CBG032	4/23/2020	14:16	N1	DD-D005102	CBG032-042320	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG032	4/23/2020	14:16	N1	DD-D005102	CBG032-042320	SW8082A	SW	TOTAL PCBs	3.6	U	-	0.24	ug/WIPE
CBG033	4/23/2020	14:32	N1	DD-D005103	CBG033-042320	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG033	4/23/2020	14:32	N1	DD-D005103	CBG033-042320	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG033	4/23/2020	14:32	N1	DD-D005103	CBG033-042320	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG033	4/23/2020	14:32	N1	DD-D005103	CBG033-042320	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	1.3	U	0.088	0.24	ug/WIPE
CBG033	4/23/2020	14:32	N1	DD-D005103	CBG033-042320	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG033	4/23/2020	14:32	N1	DD-D005103	CBG033-042320	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.72	U	0.07	0.24	ug/WIPE
CBG033	4/23/2020	14:32	N1	DD-D005103	CBG033-042320	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG033	4/23/2020	14:32	N1	DD-D005103	CBG033-042320	SW8082A	SW	TOTAL PCBs	2.02	U	-	0.24	ug/WIPE
CBG034-035	4/23/2020	15:43	N1	DD-D005104	CBG034-035-042320-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG034-035	4/23/2020	15:43	N1	DD-D005104	CBG034-035-042320-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG034-035	4/23/2020	15:43	N1	DD-D005104	CBG034-035-042320-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG034-035	4/23/2020	15:43	N1	DD-D005104	CBG034-035-042320-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.4	U	0.088	0.24	ug/WIPE
CBG034-035	4/23/2020	15:43	N1	DD-D005104	CBG034-035-042320-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG034-035	4/23/2020	15:43	N1	DD-D005104	CBG034-035-042320-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.1	U	0.07	0.24	ug/WIPE
CBG034-035	4/23/2020	15:43	N1	DD-D005104	CBG034-035-042320-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG034-035	4/23/2020	15:43	N1	DD-D005104	CBG034-035-042320-COMP	SW8082A	SW	TOTAL PCBs	3.5	U	-	0.24	ug/WIPE
CBG036	4/23/2020	15:26	N1	DD-D005106	CBG036-042320	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG036	4/23/2020	15:26	N1	DD-D005106	CBG036-042320	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG036	4/23/2020	15:26	N1	DD-D005106	CBG036-042320	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG036	4/23/2020	15:26	N1	DD-D005106	CBG036-042320	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.6	U	0.088	0.24	ug/WIPE
CBG036	4/23/2020	15:26	N1	DD-D005106	CBG036-042320	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG036	4/23/2020	15:26	N1	DD-D005106	CBG036-042320	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.7	U	0.07	0.24	ug/WIPE
CBG036	4/23/2020	15:26	N1	DD-D005106	CBG036-042320	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG036	4/23/2020	15:26	N1	DD-D005106	CBG036-042320	SW8082A	SW	TOTAL PCBs	5.3	U	-	0.24	ug/WIPE
CBG037	4/23/2020	15:21	N1	DD-D005107	CBG037-042320	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG037	4/23/2020	15:21	N1	DD-D005107	CBG037-042320	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG037	4/23/2020	15:21	N1	DD-D005107	CBG037-042320	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG037	4/23/2020	15:21	N1	DD-D005107	CBG037-042320	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	4.6	U	0.088	0.24	ug/WIPE
CBG037	4/23/2020	15:21	N1	DD-D005107	CBG037-042320	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE



Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
CBG037	4/23/2020	15:21	N1	DD-D005107	CBG037-042320	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.1		0.07	0.24	ug/WIPE
CBG037	4/23/2020	15:21	N1	DD-D005107	CBG037-042320	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG037	4/23/2020	15:21	N1	DD-D005107	CBG037-042320	SW8082A	SW	TOTAL PCBs	6.7		-	0.24	ug/WIPE
CBG038-039	4/23/2020	15:16	N1	DD-D005108	CBG038-039-042320-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG038-039	4/23/2020	15:16	N1	DD-D005108	CBG038-039-042320-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG038-039	4/23/2020	15:16	N1	DD-D005108	CBG038-039-042320-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG038-039	4/23/2020	15:16	N1	DD-D005108	CBG038-039-042320-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	5.9		0.088	0.24	ug/WIPE
CBG038-039	4/23/2020	15:16	N1	DD-D005108	CBG038-039-042320-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG038-039	4/23/2020	15:16	N1	DD-D005108	CBG038-039-042320-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.5		0.07	0.24	ug/WIPE
CBG038-039	4/23/2020	15:16	N1	DD-D005108	CBG038-039-042320-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG038-039	4/23/2020	15:16	N1	DD-D005108	CBG038-039-042320-COMP	SW8082A	SW	TOTAL PCBs	8.4		-	0.24	ug/WIPE
CBG040	4/23/2020	14:47	N1	DD-D005110	CBG040-042320	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG040	4/23/2020	14:47	N1	DD-D005110	CBG040-042320	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG040	4/23/2020	14:47	N1	DD-D005110	CBG040-042320	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG040	4/23/2020	14:47	N1	DD-D005110	CBG040-042320	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	7		0.088	0.24	ug/WIPE
CBG040	4/23/2020	14:47	N1	DD-D005110	CBG040-042320	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG040	4/23/2020	14:47	N1	DD-D005110	CBG040-042320	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	3.1		0.07	0.24	ug/WIPE
CBG040	4/23/2020	14:47	N1	DD-D005110	CBG040-042320	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG040	4/23/2020	14:47	N1	DD-D005110	CBG040-042320	SW8082A	SW	TOTAL PCBs	10.1		-	0.24	ug/WIPE
CBG040R	6/29/2020	9:53	N1	DD-D020503	CBG040R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG040R	6/29/2020	9:53	N1	DD-D020503	CBG040R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG040R	6/29/2020	9:53	N1	DD-D020503	CBG040R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG040R	6/29/2020	9:53	N1	DD-D020503	CBG040R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.5		0.088	0.24	ug/WIPE
CBG040R	6/29/2020	9:53	N1	DD-D020503	CBG040R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG040R	6/29/2020	9:53	N1	DD-D020503	CBG040R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.83		0.07	0.24	ug/WIPE
CBG040R	6/29/2020	9:53	N1	DD-D020503	CBG040R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG040R	6/29/2020	9:53	N1	DD-D020503	CBG040R-062920	SW8082A	SW	TOTAL PCBs	3.33		-	0.24	ug/WIPE
CBG041	4/23/2020	14:46	N1	DD-D005201	CBG041-042320	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG041	4/23/2020	14:46	N1	DD-D005201	CBG041-042320	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG041	4/23/2020	14:46	N1	DD-D005201	CBG041-042320	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG041	4/23/2020	14:46	N1	DD-D005201	CBG041-042320	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.88		0.088	0.24	ug/WIPE
CBG041	4/23/2020	14:46	N1	DD-D005201	CBG041-042320	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG041	4/23/2020	14:46	N1	DD-D005201	CBG041-042320	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.32		0.07	0.24	ug/WIPE
CBG041	4/23/2020	14:46	N1	DD-D005201	CBG041-042320	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG041	4/23/2020	14:46	N1	DD-D005201	CBG041-042320	SW8082A	SW	TOTAL PCBs	1.2		-	0.24	ug/WIPE
CBG042	4/23/2020	14:53	N1	DD-D005202	CBG042-042320	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG042	4/23/2020	14:53	N1	DD-D005202	CBG042-042320	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG042	4/23/2020	14:53	N1	DD-D005202	CBG042-042320	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG042	4/23/2020	14:53	N1	DD-D005202	CBG042-042320	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	1.3		0.088	0.24	ug/WIPE
CBG042	4/23/2020	14:53	N1	DD-D005202	CBG042-042320	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG042	4/23/2020	14:53	N1	DD-D005202	CBG042-042320	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.63		0.07	0.24	ug/WIPE
CBG042	4/23/2020	14:53	N1	DD-D005202	CBG042-042320	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG042	4/23/2020	14:53	N1	DD-D005202	CBG042-042320	SW8082A	SW	TOTAL PCBs	1.93		-	0.24	ug/WIPE
CBG043	4/23/2020	14:59	N1	DD-D005203	CBG043-042320	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG043	4/23/2020	14:59	N1	DD-D005203	CBG043-042320	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG043	4/23/2020	14:59	N1	DD-D005203	CBG043-042320	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG043	4/23/2020	14:59	N1	DD-D005203	CBG043-042320	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	7.4		0.088	0.24	ug/WIPE
CBG043	4/23/2020	14:59	N1	DD-D005203	CBG043-042320	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG043	4/23/2020	14:59	N1	DD-D005203	CBG043-042320	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	3.6		0.07	0.24	ug/WIPE
CBG043	4/23/2020	14:59	N1	DD-D005203	CBG043-042320	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG043	4/23/2020	14:59	N1	DD-D005203	CBG043-042320	SW8082A	SW	TOTAL PCBs	11		-	0.24	ug/WIPE



Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
CBG043R	6/29/2020	9:56	N1	DD-D020504	CBG043R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG043R	6/29/2020	9:56	N1	DD-D020504	CBG043R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG043R	6/29/2020	9:56	N1	DD-D020504	CBG043R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG043R	6/29/2020	9:56	N1	DD-D020504	CBG043R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.9		0.088	0.24	ug/WIPE
CBG043R	6/29/2020	9:56	N1	DD-D020504	CBG043R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG043R	6/29/2020	9:56	N1	DD-D020504	CBG043R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.1		0.07	0.24	ug/WIPE
CBG043R	6/29/2020	9:56	N1	DD-D020504	CBG043R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG043R	6/29/2020	9:56	N1	DD-D020504	CBG043R-062920	SW8082A	SW	TOTAL PCBs	4		-	0.24	ug/WIPE
CBG044-045	4/23/2020	15:09	N1	DD-D005204	CBG044-045-042320-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG044-045	4/23/2020	15:09	N1	DD-D005204	CBG044-045-042320-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG044-045	4/23/2020	15:09	N1	DD-D005204	CBG044-045-042320-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG044-045	4/23/2020	15:09	N1	DD-D005204	CBG044-045-042320-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3		0.088	0.24	ug/WIPE
CBG044-045	4/23/2020	15:09	N1	DD-D005204	CBG044-045-042320-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG044-045	4/23/2020	15:09	N1	DD-D005204	CBG044-045-042320-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.6	J	0.07	0.24	ug/WIPE
CBG044-045	4/23/2020	15:09	N1	DD-D005204	CBG044-045-042320-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG044-045	4/23/2020	15:09	N1	DD-D005204	CBG044-045-042320-COMP	SW8082A	SW	TOTAL PCBs	5.6		-	0.24	ug/WIPE
CBG046	4/23/2020	15:30	N1	DD-D005206	CBG046-042320	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG046	4/23/2020	15:30	N1	DD-D005206	CBG046-042320	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG046	4/23/2020	15:30	N1	DD-D005206	CBG046-042320	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG046	4/23/2020	15:30	N1	DD-D005206	CBG046-042320	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.54		0.088	0.24	ug/WIPE
CBG046	4/23/2020	15:30	N1	DD-D005206	CBG046-042320	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG046	4/23/2020	15:30	N1	DD-D005206	CBG046-042320	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.27		0.07	0.24	ug/WIPE
CBG046	4/23/2020	15:30	N1	DD-D005206	CBG046-042320	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG046	4/23/2020	15:30	N1	DD-D005206	CBG046-042320	SW8082A	SW	TOTAL PCBs	0.81		-	0.24	ug/WIPE
CBG047	4/23/2020	15:50	N1	DD-D005207	CBG047-042320	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG047	4/23/2020	15:50	N1	DD-D005207	CBG047-042320	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG047	4/23/2020	15:50	N1	DD-D005207	CBG047-042320	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG047	4/23/2020	15:50	N1	DD-D005207	CBG047-042320	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	1.5		0.088	0.24	ug/WIPE
CBG047	4/23/2020	15:50	N1	DD-D005207	CBG047-042320	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG047	4/23/2020	15:50	N1	DD-D005207	CBG047-042320	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.74		0.07	0.24	ug/WIPE
CBG047	4/23/2020	15:50	N1	DD-D005207	CBG047-042320	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG047	4/23/2020	15:50	N1	DD-D005207	CBG047-042320	SW8082A	SW	TOTAL PCBs	2.24		-	0.24	ug/WIPE
CBG048	4/23/2020	15:49	N1	DD-D005208	CBG048-042320	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG048	4/23/2020	15:49	N1	DD-D005208	CBG048-042320	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG048	4/23/2020	15:49	N1	DD-D005208	CBG048-042320	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG048	4/23/2020	15:49	N1	DD-D005208	CBG048-042320	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.2		0.088	0.24	ug/WIPE
CBG048	4/23/2020	15:49	N1	DD-D005208	CBG048-042320	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG048	4/23/2020	15:49	N1	DD-D005208	CBG048-042320	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.2		0.07	0.24	ug/WIPE
CBG048	4/23/2020	15:49	N1	DD-D005208	CBG048-042320	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG048	4/23/2020	15:49	N1	DD-D005208	CBG048-042320	SW8082A	SW	TOTAL PCBs	4.4		-	0.24	ug/WIPE
CBG051-056-057	4/24/2020	7:18	N1	DD-D005301	CBG051-055-057-042420-COM	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG051-056-057	4/24/2020	7:18	N1	DD-D005301	CBG051-055-057-042420-COM	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG051-056-057	4/24/2020	7:18	N1	DD-D005301	CBG051-055-057-042420-COM	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG051-056-057	4/24/2020	7:18	N1	DD-D005301	CBG051-055-057-042420-COM	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	9.5		0.088	0.24	ug/WIPE
CBG051-056-057	4/24/2020	7:18	N1	DD-D005301	CBG051-055-057-042420-COM	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG051-056-057	4/24/2020	7:18	N1	DD-D005301	CBG051-055-057-042420-COM	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	4.5		0.07	0.24	ug/WIPE
CBG051-056-057	4/24/2020	7:18	N1	DD-D005301	CBG051-055-057-042420-COM	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG051-056-057	4/24/2020	7:18	N1	DD-D005301	CBG051-055-057-042420-COM	SW8082A	SW	TOTAL PCBs	14		-	0.24	ug/WIPE
CBG051R	6/29/2020	10:00	N1	DD-D020505	CBG051R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG051R	6/29/2020	10:00	N1	DD-D020505	CBG051R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG051R	6/29/2020	10:00	N1	DD-D020505	CBG051R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE

Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
CBG051R	6/29/2020	10:00	N1	DD-D020505	CBG051R-062920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.39		0.088	0.24	ug/WIPE
CBG051R	6/29/2020	10:00	N1	DD-D020505	CBG051R-062920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG051R	6/29/2020	10:00	N1	DD-D020505	CBG051R-062920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.19	J	0.07	0.24	ug/WIPE
CBG051R	6/29/2020	10:00	N1	DD-D020505	CBG051R-062920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG051R	6/29/2020	10:00	N1	DD-D020505	CBG051R-062920	SW8082A	SW	TOTAL PCBs	0.58		-	0.24	ug/WIPE
CBG052	4/24/2020	6:56	N1	DD-D005302	CBG052-042420	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG052	4/24/2020	6:56	N1	DD-D005302	CBG052-042420	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG052	4/24/2020	6:56	N1	DD-D005302	CBG052-042420	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG052	4/24/2020	6:56	N1	DD-D005302	CBG052-042420	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.71		0.088	0.24	ug/WIPE
CBG052	4/24/2020	6:56	N1	DD-D005302	CBG052-042420	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG052	4/24/2020	6:56	N1	DD-D005302	CBG052-042420	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.44		0.07	0.24	ug/WIPE
CBG052	4/24/2020	6:56	N1	DD-D005302	CBG052-042420	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG052	4/24/2020	6:56	N1	DD-D005302	CBG052-042420	SW8082A	SW	TOTAL PCBs	1.15		-	0.24	ug/WIPE
CBG053-054	4/24/2020	7:00	N1	DD-D005303	CBG054-054-042420-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG053-054	4/24/2020	7:00	N1	DD-D005303	CBG054-054-042420-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG053-054	4/24/2020	7:00	N1	DD-D005303	CBG054-054-042420-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG053-054	4/24/2020	7:00	N1	DD-D005303	CBG054-054-042420-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	5.8		0.088	0.24	ug/WIPE
CBG053-054	4/24/2020	7:00	N1	DD-D005303	CBG054-054-042420-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG053-054	4/24/2020	7:00	N1	DD-D005303	CBG054-054-042420-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2.8		0.07	0.24	ug/WIPE
CBG053-054	4/24/2020	7:00	N1	DD-D005303	CBG054-054-042420-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG053-054	4/24/2020	7:00	N1	DD-D005303	CBG054-054-042420-COMP	SW8082A	SW	TOTAL PCBs	8.6		-	0.24	ug/WIPE
CBG055	4/24/2020	7:12	N1	DD-D005305	CBG055-042420	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG055	4/24/2020	7:12	N1	DD-D005305	CBG055-042420	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG055	4/24/2020	7:12	N1	DD-D005305	CBG055-042420	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG055	4/24/2020	7:12	N1	DD-D005305	CBG055-042420	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1.8		0.088	0.24	ug/WIPE
CBG055	4/24/2020	7:12	N1	DD-D005305	CBG055-042420	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG055	4/24/2020	7:12	N1	DD-D005305	CBG055-042420	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1		0.07	0.24	ug/WIPE
CBG055	4/24/2020	7:12	N1	DD-D005305	CBG055-042420	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG055	4/24/2020	7:12	N1	DD-D005305	CBG055-042420	SW8082A	SW	TOTAL PCBs	2.8		-	0.24	ug/WIPE
CBG056R	6/29/2020	10:03	N1	DD-D020506	CBG056R-062920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG056R	6/29/2020	10:03	N1	DD-D020506	CBG056R-062920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG056R	6/29/2020	10:03	N1	DD-D020506	CBG056R-062920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG056R	6/29/2020	10:03	N1	DD-D020506	CBG056R-062920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1.6		0.088	0.24	ug/WIPE
CBG056R	6/29/2020	10:03	N1	DD-D020506	CBG056R-062920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG056R	6/29/2020	10:03	N1	DD-D020506	CBG056R-062920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.57		0.07	0.24	ug/WIPE
CBG056R	6/29/2020	10:03	N1	DD-D020506	CBG056R-062920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG056R	6/29/2020	10:03	N1	DD-D020506	CBG056R-062920	SW8082A	SW	TOTAL PCBs	2.17		-	0.24	ug/WIPE
CBG057R	6/29/2020	10:06	N1	DD-D020507	CBG057R-062920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG057R	6/29/2020	10:06	N1	DD-D020507	CBG057R-062920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG057R	6/29/2020	10:06	N1	DD-D020507	CBG057R-062920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG057R	6/29/2020	10:06	N1	DD-D020507	CBG057R-062920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1.4		0.088	0.24	ug/WIPE
CBG057R	6/29/2020	10:06	N1	DD-D020507	CBG057R-062920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG057R	6/29/2020	10:06	N1	DD-D020507	CBG057R-062920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.46		0.07	0.24	ug/WIPE
CBG057R	6/29/2020	10:06	N1	DD-D020507	CBG057R-062920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG057R	6/29/2020	10:06	N1	DD-D020507	CBG057R-062920	SW8082A	SW	TOTAL PCBs	1.86		-	0.24	ug/WIPE
CBG058	4/24/2020	7:31	N1	DD-D005308	CBG058-042420	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG058	4/24/2020	7:31	N1	DD-D005308	CBG058-042420	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG058	4/24/2020	7:31	N1	DD-D005308	CBG058-042420	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG058	4/24/2020	7:31	N1	DD-D005308	CBG058-042420	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2.4		0.088	0.24	ug/WIPE
CBG058	4/24/2020	7:31	N1	DD-D005308	CBG058-042420	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG058	4/24/2020	7:31	N1	DD-D005308	CBG058-042420	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.2		0.07	0.24	ug/WIPE

Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
CBG058	4/24/2020	7:31	N1	DD-D005308	CBG058-042420	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG058	4/24/2020	7:31	N1	DD-D005308	CBG058-042420	SW8082A	SW	TOTAL PCBs	3.6		-	0.24	ug/WIPE
CBG059	4/24/2020	7:34	N1	DD-D005309	CBG059-042420	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG059	4/24/2020	7:34	N1	DD-D005309	CBG059-042420	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG059	4/24/2020	7:34	N1	DD-D005309	CBG059-042420	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG059	4/24/2020	7:34	N1	DD-D005309	CBG059-042420	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2.2		0.088	0.24	ug/WIPE
CBG059	4/24/2020	7:34	N1	DD-D005309	CBG059-042420	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG059	4/24/2020	7:34	N1	DD-D005309	CBG059-042420	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.2		0.07	0.24	ug/WIPE
CBG059	4/24/2020	7:34	N1	DD-D005309	CBG059-042420	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG059	4/24/2020	7:34	N1	DD-D005309	CBG059-042420	SW8082A	SW	TOTAL PCBs	3.4		-	0.24	ug/WIPE
CBG060-050-061	4/24/2020	7:40	N1	DD-D005310	CBG060-050-061-042420-COM	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG060-050-061	4/24/2020	7:40	N1	DD-D005310	CBG060-050-061-042420-COM	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG060-050-061	4/24/2020	7:40	N1	DD-D005310	CBG060-050-061-042420-COM	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG060-050-061	4/24/2020	7:40	N1	DD-D005310	CBG060-050-061-042420-COM	SW8082A	SW	PCB-1242 (AROCLOR 1242)	6.3		0.088	0.24	ug/WIPE
CBG060-050-061	4/24/2020	7:40	N1	DD-D005310	CBG060-050-061-042420-COM	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG060-050-061	4/24/2020	7:40	N1	DD-D005310	CBG060-050-061-042420-COM	SW8082A	SW	PCB-1254 (AROCLOR 1254)	3		0.07	0.24	ug/WIPE
CBG060-050-061	4/24/2020	7:40	N1	DD-D005310	CBG060-050-061-042420-COM	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG060-050-061	4/24/2020	7:40	N1	DD-D005310	CBG060-050-061-042420-COM	SW8082A	SW	TOTAL PCBs	9.3		-	0.24	ug/WIPE
CBG062-049-063	4/24/2020	7:52	N1	DD-D005402	CBG062-049-063-042420-COM	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG062-049-063	4/24/2020	7:52	N1	DD-D005402	CBG062-049-063-042420-COM	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG062-049-063	4/24/2020	7:52	N1	DD-D005402	CBG062-049-063-042420-COM	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG062-049-063	4/24/2020	7:52	N1	DD-D005402	CBG062-049-063-042420-COM	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3.3		0.088	0.24	ug/WIPE
CBG062-049-063	4/24/2020	7:52	N1	DD-D005402	CBG062-049-063-042420-COM	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG062-049-063	4/24/2020	7:52	N1	DD-D005402	CBG062-049-063-042420-COM	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2.2	J	0.07	0.24	ug/WIPE
CBG062-049-063	4/24/2020	7:52	N1	DD-D005402	CBG062-049-063-042420-COM	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG062-049-063	4/24/2020	7:52	N1	DD-D005402	CBG062-049-063-042420-COM	SW8082A	SW	TOTAL PCBs	5.5		-	0.24	ug/WIPE
CBG064	4/28/2020	8:14	N1	DD-D005404	CBG064-042820	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG064	4/28/2020	8:14	N1	DD-D005404	CBG064-042820	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG064	4/28/2020	8:14	N1	DD-D005404	CBG064-042820	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG064	4/28/2020	8:14	N1	DD-D005404	CBG064-042820	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.7		0.088	0.24	ug/WIPE
CBG064	4/28/2020	8:14	N1	DD-D005404	CBG064-042820	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG064	4/28/2020	8:14	N1	DD-D005404	CBG064-042820	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.44		0.07	0.24	ug/WIPE
CBG064	4/28/2020	8:14	N1	DD-D005404	CBG064-042820	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG064	4/28/2020	8:14	N1	DD-D005404	CBG064-042820	SW8082A	SW	TOTAL PCBs	1.14		-	0.24	ug/WIPE
CBG065	4/29/2020	9:00	N1	DD-D005405	CBG065-042920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG065	4/29/2020	9:00	N1	DD-D005405	CBG065-042920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG065	4/29/2020	9:00	N1	DD-D005405	CBG065-042920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG065	4/29/2020	9:00	N1	DD-D005405	CBG065-042920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.39		0.088	0.24	ug/WIPE
CBG065	4/29/2020	9:00	N1	DD-D005405	CBG065-042920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG065	4/29/2020	9:00	N1	DD-D005405	CBG065-042920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.24	J	0.07	0.24	ug/WIPE
CBG065	4/29/2020	9:00	N1	DD-D005405	CBG065-042920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG065	4/29/2020	9:00	N1	DD-D005405	CBG065-042920	SW8082A	SW	TOTAL PCBs	0.63		-	0.24	ug/WIPE
CBG066	4/29/2020	8:56	N1	DD-D005406	CBG066-042920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG066	4/29/2020	8:56	N1	DD-D005406	CBG066-042920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG066	4/29/2020	8:56	N1	DD-D005406	CBG066-042920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG066	4/29/2020	8:56	N1	DD-D005406	CBG066-042920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1.2		0.088	0.24	ug/WIPE
CBG066	4/29/2020	8:56	N1	DD-D005406	CBG066-042920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG066	4/29/2020	8:56	N1	DD-D005406	CBG066-042920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.66		0.07	0.24	ug/WIPE
CBG066	4/29/2020	8:56	N1	DD-D005406	CBG066-042920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG066	4/29/2020	8:56	N1	DD-D005406	CBG066-042920	SW8082A	SW	TOTAL PCBs	1.86		-	0.24	ug/WIPE
CBG067	4/29/2020	10:08	N1	DD-D005407	CBG067-042920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE

Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
CBG067	4/29/2020	10:08	N1	DD-D005407	CBG067-042920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG067	4/29/2020	10:08	N1	DD-D005407	CBG067-042920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG067	4/29/2020	10:08	N1	DD-D005407	CBG067-042920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.9		0.088	0.24	ug/WIPE
CBG067	4/29/2020	10:08	N1	DD-D005407	CBG067-042920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG067	4/29/2020	10:08	N1	DD-D005407	CBG067-042920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.3		0.07	0.24	ug/WIPE
CBG067	4/29/2020	10:08	N1	DD-D005407	CBG067-042920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG067	4/29/2020	10:08	N1	DD-D005407	CBG067-042920	SW8082A	SW	TOTAL PCBs	4.2		-	0.24	ug/WIPE
CBG068-071	4/29/2020	9:58	N1	DD-D005408	CBG068-071-042920-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG068-071	4/29/2020	9:58	N1	DD-D005408	CBG068-071-042920-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG068-071	4/29/2020	9:58	N1	DD-D005408	CBG068-071-042920-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG068-071	4/29/2020	9:58	N1	DD-D005408	CBG068-071-042920-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	5.9		0.088	0.24	ug/WIPE
CBG068-071	4/29/2020	9:58	N1	DD-D005408	CBG068-071-042920-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG068-071	4/29/2020	9:58	N1	DD-D005408	CBG068-071-042920-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.8		0.07	0.24	ug/WIPE
CBG068-071	4/29/2020	9:58	N1	DD-D005408	CBG068-071-042920-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG068-071	4/29/2020	9:58	N1	DD-D005408	CBG068-071-042920-COMP	SW8082A	SW	TOTAL PCBs	8.7		-	0.24	ug/WIPE
CBG069	4/29/2020	9:52	N1	DD-D005409	CBG069-042920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG069	4/29/2020	9:52	N1	DD-D005409	CBG069-042920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG069	4/29/2020	9:52	N1	DD-D005409	CBG069-042920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG069	4/29/2020	9:52	N1	DD-D005409	CBG069-042920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.36		0.088	0.24	ug/WIPE
CBG069	4/29/2020	9:52	N1	DD-D005409	CBG069-042920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG069	4/29/2020	9:52	N1	DD-D005409	CBG069-042920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.21	J	0.07	0.24	ug/WIPE
CBG069	4/29/2020	9:52	N1	DD-D005409	CBG069-042920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG069	4/29/2020	9:52	N1	DD-D005409	CBG069-042920	SW8082A	SW	TOTAL PCBs	0.57		-	0.24	ug/WIPE
CBG070	4/29/2020	9:56	N1	DD-D005410	CBG070-042920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG070	4/29/2020	9:56	N1	DD-D005410	CBG070-042920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG070	4/29/2020	9:56	N1	DD-D005410	CBG070-042920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG070	4/29/2020	9:56	N1	DD-D005410	CBG070-042920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.3		0.088	0.24	ug/WIPE
CBG070	4/29/2020	9:56	N1	DD-D005410	CBG070-042920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG070	4/29/2020	9:56	N1	DD-D005410	CBG070-042920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.16	J	0.07	0.24	ug/WIPE
CBG070	4/29/2020	9:56	N1	DD-D005410	CBG070-042920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG070	4/29/2020	9:56	N1	DD-D005410	CBG070-042920	SW8082A	SW	TOTAL PCBs	0.46		-	0.24	ug/WIPE
CBG072	4/29/2020	10:11	N1	DD-D005502	CBG072-042920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG072	4/29/2020	10:11	N1	DD-D005502	CBG072-042920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG072	4/29/2020	10:11	N1	DD-D005502	CBG072-042920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG072	4/29/2020	10:11	N1	DD-D005502	CBG072-042920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	1.5		0.088	0.24	ug/WIPE
CBG072	4/29/2020	10:11	N1	DD-D005502	CBG072-042920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG072	4/29/2020	10:11	N1	DD-D005502	CBG072-042920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.62		0.07	0.24	ug/WIPE
CBG072	4/29/2020	10:11	N1	DD-D005502	CBG072-042920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG072	4/29/2020	10:11	N1	DD-D005502	CBG072-042920	SW8082A	SW	TOTAL PCBs	2.12		-	0.24	ug/WIPE
CBG073	4/28/2020	8:19	N1	DD-D005503	CBG073-042820	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG073	4/28/2020	8:19	N1	DD-D005503	CBG073-042820	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG073	4/28/2020	8:19	N1	DD-D005503	CBG073-042820	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG073	4/28/2020	8:19	N1	DD-D005503	CBG073-042820	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	5.4		0.088	0.24	ug/WIPE
CBG073	4/28/2020	8:19	N1	DD-D005503	CBG073-042820	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG073	4/28/2020	8:19	N1	DD-D005503	CBG073-042820	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.5		0.07	0.24	ug/WIPE
CBG073	4/28/2020	8:19	N1	DD-D005503	CBG073-042820	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG073	4/28/2020	8:19	N1	DD-D005503	CBG073-042820	SW8082A	SW	TOTAL PCBs	7.9		-	0.24	ug/WIPE
CBG074	4/28/2020	8:22	N1	DD-D005504	CBG074-042820	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG074	4/28/2020	8:22	N1	DD-D005504	CBG074-042820	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG074	4/28/2020	8:22	N1	DD-D005504	CBG074-042820	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG074	4/28/2020	8:22	N1	DD-D005504	CBG074-042820	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.4		0.088	0.24	ug/WIPE

Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
CBG074	4/28/2020	8:22	N1	DD-D005504	CBG074-042820	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG074	4/28/2020	8:22	N1	DD-D005504	CBG074-042820	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.1	U	0.07	0.24	ug/WIPE
CBG074	4/28/2020	8:22	N1	DD-D005504	CBG074-042820	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG074	4/28/2020	8:22	N1	DD-D005504	CBG074-042820	SW8082A	SW	TOTAL PCBs	3.5		-	0.24	ug/WIPE
CBG075-076-077	4/28/2020	8:30	N1	DD-D005505	CBG075-076-077-042820-COM	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG075-076-077	4/28/2020	8:30	N1	DD-D005505	CBG075-076-077-042820-COM	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG075-076-077	4/28/2020	8:30	N1	DD-D005505	CBG075-076-077-042820-COM	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG075-076-077	4/28/2020	8:30	N1	DD-D005505	CBG075-076-077-042820-COM	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3.7		0.088	0.24	ug/WIPE
CBG075-076-077	4/28/2020	8:30	N1	DD-D005505	CBG075-076-077-042820-COM	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG075-076-077	4/28/2020	8:30	N1	DD-D005505	CBG075-076-077-042820-COM	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2		0.07	0.24	ug/WIPE
CBG075-076-077	4/28/2020	8:30	N1	DD-D005505	CBG075-076-077-042820-COM	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG075-076-077	4/28/2020	8:30	N1	DD-D005505	CBG075-076-077-042820-COM	SW8082A	SW	TOTAL PCBs	5.7		-	0.24	ug/WIPE
CBG078	4/29/2020	9:06	N1	DD-D005508	CBG078-043020	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG078	4/29/2020	9:06	N1	DD-D005508	CBG078-043020	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG078	4/29/2020	9:06	N1	DD-D005508	CBG078-043020	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG078	4/29/2020	9:06	N1	DD-D005508	CBG078-043020	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1.8		0.088	0.24	ug/WIPE
CBG078	4/29/2020	9:06	N1	DD-D005508	CBG078-043020	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG078	4/29/2020	9:06	N1	DD-D005508	CBG078-043020	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.1		0.07	0.24	ug/WIPE
CBG078	4/29/2020	9:06	N1	DD-D005508	CBG078-043020	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG078	4/29/2020	9:06	N1	DD-D005508	CBG078-043020	SW8082A	SW	TOTAL PCBs	2.9		-	0.24	ug/WIPE
CBG079-088-89	4/29/2020	10:58	N1	DD-D005509	CBG079-088-089-042920-COM	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG079-088-89	4/29/2020	10:58	N1	DD-D005509	CBG079-088-089-042920-COM	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG079-088-89	4/29/2020	10:58	N1	DD-D005509	CBG079-088-089-042920-COM	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG079-088-89	4/29/2020	10:58	N1	DD-D005509	CBG079-088-089-042920-COM	SW8082A	SW	PCB-1242 (AROCLOR 1242)	5.3		0.088	0.24	ug/WIPE
CBG079-088-89	4/29/2020	10:58	N1	DD-D005509	CBG079-088-089-042920-COM	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG079-088-89	4/29/2020	10:58	N1	DD-D005509	CBG079-088-089-042920-COM	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2.3		0.07	0.24	ug/WIPE
CBG079-088-89	4/29/2020	10:58	N1	DD-D005509	CBG079-088-089-042920-COM	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG079-088-89	4/29/2020	10:58	N1	DD-D005509	CBG079-088-089-042920-COM	SW8082A	SW	TOTAL PCBs	7.6		-	0.24	ug/WIPE
CBG080-087	4/29/2020	10:41	N1	DD-D005510	CBG080-087-042920-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG080-087	4/29/2020	10:41	N1	DD-D005510	CBG080-087-042920-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG080-087	4/29/2020	10:41	N1	DD-D005510	CBG080-087-042920-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG080-087	4/29/2020	10:41	N1	DD-D005510	CBG080-087-042920-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3.5		0.088	0.24	ug/WIPE
CBG080-087	4/29/2020	10:41	N1	DD-D005510	CBG080-087-042920-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG080-087	4/29/2020	10:41	N1	DD-D005510	CBG080-087-042920-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.7		0.07	0.24	ug/WIPE
CBG080-087	4/29/2020	10:41	N1	DD-D005510	CBG080-087-042920-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG080-087	4/29/2020	10:41	N1	DD-D005510	CBG080-087-042920-COMP	SW8082A	SW	TOTAL PCBs	5.2		-	0.24	ug/WIPE
CBG081	4/29/2020	10:46	N1	DD-D005601	CBG081-042920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG081	4/29/2020	10:46	N1	DD-D005601	CBG081-042920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG081	4/29/2020	10:46	N1	DD-D005601	CBG081-042920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG081	4/29/2020	10:46	N1	DD-D005601	CBG081-042920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1.6		0.088	0.24	ug/WIPE
CBG081	4/29/2020	10:46	N1	DD-D005601	CBG081-042920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG081	4/29/2020	10:46	N1	DD-D005601	CBG081-042920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.73		0.07	0.24	ug/WIPE
CBG081	4/29/2020	10:46	N1	DD-D005601	CBG081-042920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG081	4/29/2020	10:46	N1	DD-D005601	CBG081-042920	SW8082A	SW	TOTAL PCBs	2.33		-	0.24	ug/WIPE
CBG082	4/29/2020	10:27	N1	DD-D005602	CBG082-042920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG082	4/29/2020	10:27	N1	DD-D005602	CBG082-042920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG082	4/29/2020	10:27	N1	DD-D005602	CBG082-042920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG082	4/29/2020	10:27	N1	DD-D005602	CBG082-042920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2.6		0.088	0.24	ug/WIPE
CBG082	4/29/2020	10:27	N1	DD-D005602	CBG082-042920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG082	4/29/2020	10:27	N1	DD-D005602	CBG082-042920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.2		0.07	0.24	ug/WIPE
CBG082	4/29/2020	10:27	N1	DD-D005602	CBG082-042920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE



Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
CBG082	4/29/2020	10:27	N1	DD-D005602	CBG082-042920	SW8082A	SW	TOTAL PCBs	3.8		-	0.24	ug/WIPE
CBG083-084	4/29/2020	10:24	N1	DD-D005603	CBG083-084-042920-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG083-084	4/29/2020	10:24	N1	DD-D005603	CBG083-084-042920-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG083-084	4/29/2020	10:24	N1	DD-D005603	CBG083-084-042920-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG083-084	4/29/2020	10:24	N1	DD-D005603	CBG083-084-042920-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	1.2		0.088	0.24	ug/WIPE
CBG083-084	4/29/2020	10:24	N1	DD-D005603	CBG083-084-042920-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG083-084	4/29/2020	10:24	N1	DD-D005603	CBG083-084-042920-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.59		0.07	0.24	ug/WIPE
CBG083-084	4/29/2020	10:24	N1	DD-D005603	CBG083-084-042920-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG083-084	4/29/2020	10:24	N1	DD-D005603	CBG083-084-042920-COMP	SW8082A	SW	TOTAL PCBs	1.79		-	0.24	ug/WIPE
CBG085	4/29/2020	10:34	N1	DD-D005605	CBG085-042920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG085	4/29/2020	10:34	N1	DD-D005605	CBG085-042920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG085	4/29/2020	10:34	N1	DD-D005605	CBG085-042920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG085	4/29/2020	10:34	N1	DD-D005605	CBG085-042920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	1.5		0.088	0.24	ug/WIPE
CBG085	4/29/2020	10:34	N1	DD-D005605	CBG085-042920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG085	4/29/2020	10:34	N1	DD-D005605	CBG085-042920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.71		0.07	0.24	ug/WIPE
CBG085	4/29/2020	10:34	N1	DD-D005605	CBG085-042920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG085	4/29/2020	10:34	N1	DD-D005605	CBG085-042920	SW8082A	SW	TOTAL PCBs	2.21		-	0.24	ug/WIPE
CBG086	4/29/2020	10:38	N1	DD-D005606	CBG086-042920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG086	4/29/2020	10:38	N1	DD-D005606	CBG086-042920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG086	4/29/2020	10:38	N1	DD-D005606	CBG086-042920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG086	4/29/2020	10:38	N1	DD-D005606	CBG086-042920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	1.8		0.088	0.24	ug/WIPE
CBG086	4/29/2020	10:38	N1	DD-D005606	CBG086-042920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG086	4/29/2020	10:38	N1	DD-D005606	CBG086-042920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.88		0.07	0.24	ug/WIPE
CBG086	4/29/2020	10:38	N1	DD-D005606	CBG086-042920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG086	4/29/2020	10:38	N1	DD-D005606	CBG086-042920	SW8082A	SW	TOTAL PCBs	2.68		-	0.24	ug/WIPE
CBG090	4/28/2020	8:43	N1	DD-D005610	CBG090-042820	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG090	4/28/2020	8:43	N1	DD-D005610	CBG090-042820	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG090	4/28/2020	8:43	N1	DD-D005610	CBG090-042820	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG090	4/28/2020	8:43	N1	DD-D005610	CBG090-042820	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	1.4		0.088	0.24	ug/WIPE
CBG090	4/28/2020	8:43	N1	DD-D005610	CBG090-042820	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG090	4/28/2020	8:43	N1	DD-D005610	CBG090-042820	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.73		0.07	0.24	ug/WIPE
CBG090	4/28/2020	8:43	N1	DD-D005610	CBG090-042820	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG090	4/28/2020	8:43	N1	DD-D005610	CBG090-042820	SW8082A	SW	TOTAL PCBs	2.13		-	0.24	ug/WIPE
CBG091-101	4/28/2020	8:51	N1	DD-D005701	CBG091-101-042820-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG091-101	4/28/2020	8:51	N1	DD-D005701	CBG091-101-042820-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG091-101	4/28/2020	8:51	N1	DD-D005701	CBG091-101-042820-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG091-101	4/28/2020	8:51	N1	DD-D005701	CBG091-101-042820-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	5.2		0.088	0.24	ug/WIPE
CBG091-101	4/28/2020	8:51	N1	DD-D005701	CBG091-101-042820-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG091-101	4/28/2020	8:51	N1	DD-D005701	CBG091-101-042820-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	4.2		0.07	0.24	ug/WIPE
CBG091-101	4/28/2020	8:51	N1	DD-D005701	CBG091-101-042820-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG091-101	4/28/2020	8:51	N1	DD-D005701	CBG091-101-042820-COMP	SW8082A	SW	TOTAL PCBs	9.4		-	0.24	ug/WIPE
CBG092	4/29/2020	11:54	N1	DD-D005702	CBG092-042920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG092	4/29/2020	11:54	N1	DD-D005702	CBG092-042920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG092	4/29/2020	11:54	N1	DD-D005702	CBG092-042920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG092	4/29/2020	11:54	N1	DD-D005702	CBG092-042920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.85		0.088	0.24	ug/WIPE
CBG092	4/29/2020	11:54	N1	DD-D005702	CBG092-042920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG092	4/29/2020	11:54	N1	DD-D005702	CBG092-042920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.43		0.07	0.24	ug/WIPE
CBG092	4/29/2020	11:54	N1	DD-D005702	CBG092-042920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG092	4/29/2020	11:54	N1	DD-D005702	CBG092-042920	SW8082A	SW	TOTAL PCBs	1.28		-	0.24	ug/WIPE
CBG093-094	4/29/2020	11:58	N1	DD-D005703	CBG093-094-042920-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG093-094	4/29/2020	11:58	N1	DD-D005703	CBG093-094-042920-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE



Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
CBG093-094	4/29/2020	11:58	N1	DD-D005703	CBG093-094-042920-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG093-094	4/29/2020	11:58	N1	DD-D005703	CBG093-094-042920-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	6.2	CB	0.088	0.24	ug/WIPE
CBG093-094	4/29/2020	11:58	N1	DD-D005703	CBG093-094-042920-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG093-094	4/29/2020	11:58	N1	DD-D005703	CBG093-094-042920-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	5	CB	0.07	0.24	ug/WIPE
CBG093-094	4/29/2020	11:58	N1	DD-D005703	CBG093-094-042920-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG093-094	4/29/2020	11:58	N1	DD-D005703	CBG093-094-042920-COMP	SW8082A	SW	TOTAL PCBs	11.2	CB	-	0.24	ug/WIPE
CBG093R	6/22/2020	6:37	N1	DD-D020508	CBG093R-062220	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG093R	6/22/2020	6:37	N1	DD-D020508	CBG093R-062220	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG093R	6/22/2020	6:37	N1	DD-D020508	CBG093R-062220	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG093R	6/22/2020	6:37	N1	DD-D020508	CBG093R-062220	SW8082A	SW	PCB-1242 (AROCLOR 1242)	6.7	CB	0.088	0.24	ug/WIPE
CBG093R	6/22/2020	6:37	N1	DD-D020508	CBG093R-062220	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG093R	6/22/2020	6:37	N1	DD-D020508	CBG093R-062220	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2.8	CB	0.07	0.24	ug/WIPE
CBG093R	6/22/2020	6:37	N1	DD-D020508	CBG093R-062220	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG093R	6/22/2020	6:37	N1	DD-D020508	CBG093R-062220	SW8082A	SW	TOTAL PCBs	9.5	CB	-	0.24	ug/WIPE
CBG094R	6/22/2020	6:47	N1	DD-D020509	CBG094R-062220	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG094R	6/22/2020	6:47	N1	DD-D020509	CBG094R-062220	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG094R	6/22/2020	6:47	N1	DD-D020509	CBG094R-062220	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG094R	6/22/2020	6:47	N1	DD-D020509	CBG094R-062220	SW8082A	SW	PCB-1242 (AROCLOR 1242)	4.9	CB	0.088	0.24	ug/WIPE
CBG094R	6/22/2020	6:47	N1	DD-D020509	CBG094R-062220	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG094R	6/22/2020	6:47	N1	DD-D020509	CBG094R-062220	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2.1	CB	0.07	0.24	ug/WIPE
CBG094R	6/22/2020	6:47	N1	DD-D020509	CBG094R-062220	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG094R	6/22/2020	6:47	N1	DD-D020509	CBG094R-062220	SW8082A	SW	TOTAL PCBs	7	CB	-	0.24	ug/WIPE
CBG095	4/29/2020	11:36	N1	DD-D005705	CBG095-042920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG095	4/29/2020	11:36	N1	DD-D005705	CBG095-042920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG095	4/29/2020	11:36	N1	DD-D005705	CBG095-042920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG095	4/29/2020	11:36	N1	DD-D005705	CBG095-042920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.94	CB	0.088	0.24	ug/WIPE
CBG095	4/29/2020	11:36	N1	DD-D005705	CBG095-042920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG095	4/29/2020	11:36	N1	DD-D005705	CBG095-042920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.56	CB	0.07	0.24	ug/WIPE
CBG095	4/29/2020	11:36	N1	DD-D005705	CBG095-042920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG095	4/29/2020	11:36	N1	DD-D005705	CBG095-042920	SW8082A	SW	TOTAL PCBs	1.5	CB	-	0.24	ug/WIPE
CBG096-098	4/29/2020	11:16	N1	DD-D005706	CBG096-098-042920-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG096-098	4/29/2020	11:16	N1	DD-D005706	CBG096-098-042920-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG096-098	4/29/2020	11:16	N1	DD-D005706	CBG096-098-042920-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG096-098	4/29/2020	11:16	N1	DD-D005706	CBG096-098-042920-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3.1	CB	0.088	0.24	ug/WIPE
CBG096-098	4/29/2020	11:16	N1	DD-D005706	CBG096-098-042920-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG096-098	4/29/2020	11:16	N1	DD-D005706	CBG096-098-042920-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.4	CB	0.07	0.24	ug/WIPE
CBG096-098	4/29/2020	11:16	N1	DD-D005706	CBG096-098-042920-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG096-098	4/29/2020	11:16	N1	DD-D005706	CBG096-098-042920-COMP	SW8082A	SW	TOTAL PCBs	4.5	CB	-	0.24	ug/WIPE
CBG097	4/29/2020	11:18	N1	DD-D005707	CBG097-042920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG097	4/29/2020	11:18	N1	DD-D005707	CBG097-042920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG097	4/29/2020	11:18	N1	DD-D005707	CBG097-042920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG097	4/29/2020	11:18	N1	DD-D005707	CBG097-042920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1.6	CB	0.088	0.24	ug/WIPE
CBG097	4/29/2020	11:18	N1	DD-D005707	CBG097-042920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG097	4/29/2020	11:18	N1	DD-D005707	CBG097-042920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.73	CB	0.07	0.24	ug/WIPE
CBG097	4/29/2020	11:18	N1	DD-D005707	CBG097-042920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG097	4/29/2020	11:18	N1	DD-D005707	CBG097-042920	SW8082A	SW	TOTAL PCBs	2.33	CB	-	0.24	ug/WIPE
CBG099	4/29/2020	11:22	N1	DD-D005709	CBG099-042920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG099	4/29/2020	11:22	N1	DD-D005709	CBG099-042920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG099	4/29/2020	11:22	N1	DD-D005709	CBG099-042920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG099	4/29/2020	11:22	N1	DD-D005709	CBG099-042920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1.2	CB	0.088	0.24	ug/WIPE
CBG099	4/29/2020	11:22	N1	DD-D005709	CBG099-042920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE

Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
CBG099	4/29/2020	11:22	N1	DD-D005709	CBG099-042920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.67		0.07	0.24	ug/WIPE
CBG099	4/29/2020	11:22	N1	DD-D005709	CBG099-042920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG099	4/29/2020	11:22	N1	DD-D005709	CBG099-042920	SW8082A	SW	TOTAL PCBs	1.87		-	0.24	ug/WIPE
CBG100	4/29/2020	11:41	N1	DD-D005710	CBG100-042920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG100	4/29/2020	11:41	N1	DD-D005710	CBG100-042920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG100	4/29/2020	11:41	N1	DD-D005710	CBG100-042920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG100	4/29/2020	11:41	N1	DD-D005710	CBG100-042920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	1.2		0.088	0.24	ug/WIPE
CBG100	4/29/2020	11:41	N1	DD-D005710	CBG100-042920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG100	4/29/2020	11:41	N1	DD-D005710	CBG100-042920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.57	J	0.07	0.24	ug/WIPE
CBG100	4/29/2020	11:41	N1	DD-D005710	CBG100-042920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG100	4/29/2020	11:41	N1	DD-D005710	CBG100-042920	SW8082A	SW	TOTAL PCBs	1.77		-	0.24	ug/WIPE
CBG102-103	4/28/2020	8:57	N1	DD-D005802	CBG102-103-042820-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG102-103	4/28/2020	8:57	N1	DD-D005802	CBG102-103-042820-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG102-103	4/28/2020	8:57	N1	DD-D005802	CBG102-103-042820-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG102-103	4/28/2020	8:57	N1	DD-D005802	CBG102-103-042820-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	1.8		0.088	0.24	ug/WIPE
CBG102-103	4/28/2020	8:57	N1	DD-D005802	CBG102-103-042820-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG102-103	4/28/2020	8:57	N1	DD-D005802	CBG102-103-042820-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.3		0.07	0.24	ug/WIPE
CBG102-103	4/28/2020	8:57	N1	DD-D005802	CBG102-103-042820-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG102-103	4/28/2020	8:57	N1	DD-D005802	CBG102-103-042820-COMP	SW8082A	SW	TOTAL PCBs	3.1		-	0.24	ug/WIPE
CBG104-115	4/28/2020	9:02	N1	DD-D005804	CBG104-115-042820-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG104-115	4/28/2020	9:02	N1	DD-D005804	CBG104-115-042820-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG104-115	4/28/2020	9:02	N1	DD-D005804	CBG104-115-042820-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG104-115	4/28/2020	9:02	N1	DD-D005804	CBG104-115-042820-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	9.1		0.088	0.24	ug/WIPE
CBG104-115	4/28/2020	9:02	N1	DD-D005804	CBG104-115-042820-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG104-115	4/28/2020	9:02	N1	DD-D005804	CBG104-115-042820-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	8		0.07	0.24	ug/WIPE
CBG104-115	4/28/2020	9:02	N1	DD-D005804	CBG104-115-042820-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG104-115	4/28/2020	9:02	N1	DD-D005804	CBG104-115-042820-COMP	SW8082A	SW	TOTAL PCBs	17.1		-	0.24	ug/WIPE
CBG104R	6/22/2020	6:54	N1	DD-D020510	CBG104R-062220	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG104R	6/22/2020	6:54	N1	DD-D020510	CBG104R-062220	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG104R	6/22/2020	6:54	N1	DD-D020510	CBG104R-062220	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG104R	6/22/2020	6:54	N1	DD-D020510	CBG104R-062220	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	4.8		0.088	0.24	ug/WIPE
CBG104R	6/22/2020	6:54	N1	DD-D020510	CBG104R-062220	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG104R	6/22/2020	6:54	N1	DD-D020510	CBG104R-062220	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.4		0.07	0.24	ug/WIPE
CBG104R	6/22/2020	6:54	N1	DD-D020510	CBG104R-062220	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG104R	6/22/2020	6:54	N1	DD-D020510	CBG104R-062220	SW8082A	SW	TOTAL PCBs	7.2		-	0.24	ug/WIPE
CBG105	4/29/2020	14:06	N1	DD-D005805	CBG105-043020	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG105	4/29/2020	14:06	N1	DD-D005805	CBG105-043020	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG105	4/29/2020	14:06	N1	DD-D005805	CBG105-043020	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG105	4/29/2020	14:06	N1	DD-D005805	CBG105-043020	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.85		0.088	0.24	ug/WIPE
CBG105	4/29/2020	14:06	N1	DD-D005805	CBG105-043020	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG105	4/29/2020	14:06	N1	DD-D005805	CBG105-043020	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.61		0.07	0.24	ug/WIPE
CBG105	4/29/2020	14:06	N1	DD-D005805	CBG105-043020	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG105	4/29/2020	14:06	N1	DD-D005805	CBG105-043020	SW8082A	SW	TOTAL PCBs	1.46		-	0.24	ug/WIPE
CBG106	4/29/2020	14:12	N1	DD-D005806	CBG106-043020	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG106	4/29/2020	14:12	N1	DD-D005806	CBG106-043020	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG106	4/29/2020	14:12	N1	DD-D005806	CBG106-043020	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG106	4/29/2020	14:12	N1	DD-D005806	CBG106-043020	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.8		0.088	0.24	ug/WIPE
CBG106	4/29/2020	14:12	N1	DD-D005806	CBG106-043020	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG106	4/29/2020	14:12	N1	DD-D005806	CBG106-043020	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.6		0.07	0.24	ug/WIPE
CBG106	4/29/2020	14:12	N1	DD-D005806	CBG106-043020	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG106	4/29/2020	14:12	N1	DD-D005806	CBG106-043020	SW8082A	SW	TOTAL PCBs	6.4		-	0.24	ug/WIPE

Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
CBG107-112	4/29/2020	13:43	N1	DD-D005807	CBG107-112-043020-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG107-112	4/29/2020	13:43	N1	DD-D005807	CBG107-112-043020-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG107-112	4/29/2020	13:43	N1	DD-D005807	CBG107-112-043020-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG107-112	4/29/2020	13:43	N1	DD-D005807	CBG107-112-043020-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	7.7		0.088	0.24	ug/WIPE
CBG107-112	4/29/2020	13:43	N1	DD-D005807	CBG107-112-043020-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG107-112	4/29/2020	13:43	N1	DD-D005807	CBG107-112-043020-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	3.6		0.07	0.24	ug/WIPE
CBG107-112	4/29/2020	13:43	N1	DD-D005807	CBG107-112-043020-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG107-112	4/29/2020	13:43	N1	DD-D005807	CBG107-112-043020-COMP	SW8082A	SW	TOTAL PCBs	11.3		-	0.24	ug/WIPE
CBG107R	6/22/2020	7:07	N1	DD-D020601	CBG107R-062220	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG107R	6/22/2020	7:07	N1	DD-D020601	CBG107R-062220	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG107R	6/22/2020	7:07	N1	DD-D020601	CBG107R-062220	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG107R	6/22/2020	7:07	N1	DD-D020601	CBG107R-062220	SW8082A	SW	PCB-1242 (AROCLOR 1242)	5.3		0.088	0.24	ug/WIPE
CBG107R	6/22/2020	7:07	N1	DD-D020601	CBG107R-062220	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG107R	6/22/2020	7:07	N1	DD-D020601	CBG107R-062220	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2		0.07	0.24	ug/WIPE
CBG107R	6/22/2020	7:07	N1	DD-D020601	CBG107R-062220	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG107R	6/22/2020	7:07	N1	DD-D020601	CBG107R-062220	SW8082A	SW	TOTAL PCBs	7.3		-	0.24	ug/WIPE
CBG108	4/29/2020	13:19	N1	DD-D005808	CBG108-043020	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG108	4/29/2020	13:19	N1	DD-D005808	CBG108-043020	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG108	4/29/2020	13:19	N1	DD-D005808	CBG108-043020	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG108	4/29/2020	13:19	N1	DD-D005808	CBG108-043020	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1.9		0.088	0.24	ug/WIPE
CBG108	4/29/2020	13:19	N1	DD-D005808	CBG108-043020	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG108	4/29/2020	13:19	N1	DD-D005808	CBG108-043020	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.92		0.07	0.24	ug/WIPE
CBG108	4/29/2020	13:19	N1	DD-D005808	CBG108-043020	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG108	4/29/2020	13:19	N1	DD-D005808	CBG108-043020	SW8082A	SW	TOTAL PCBs	2.82		-	0.24	ug/WIPE
CBG109	4/29/2020	13:15	N1	DD-D005809	CBG109-043020	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG109	4/29/2020	13:15	N1	DD-D005809	CBG109-043020	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG109	4/29/2020	13:15	N1	DD-D005809	CBG109-043020	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG109	4/29/2020	13:15	N1	DD-D005809	CBG109-043020	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.11	J	0.088	0.24	ug/WIPE
CBG109	4/29/2020	13:15	N1	DD-D005809	CBG109-043020	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG109	4/29/2020	13:15	N1	DD-D005809	CBG109-043020	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.076	J	0.07	0.24	ug/WIPE
CBG109	4/29/2020	13:15	N1	DD-D005809	CBG109-043020	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG109	4/29/2020	13:15	N1	DD-D005809	CBG109-043020	SW8082A	SW	TOTAL PCBs	0.186		-	0.24	ug/WIPE
CBG110	4/29/2020	13:23	N1	DD-D005810	CBG110-043020	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG110	4/29/2020	13:23	N1	DD-D005810	CBG110-043020	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG110	4/29/2020	13:23	N1	DD-D005810	CBG110-043020	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG110	4/29/2020	13:23	N1	DD-D005810	CBG110-043020	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3.2		0.088	0.24	ug/WIPE
CBG110	4/29/2020	13:23	N1	DD-D005810	CBG110-043020	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG110	4/29/2020	13:23	N1	DD-D005810	CBG110-043020	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.6		0.07	0.24	ug/WIPE
CBG110	4/29/2020	13:23	N1	DD-D005810	CBG110-043020	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG110	4/29/2020	13:23	N1	DD-D005810	CBG110-043020	SW8082A	SW	TOTAL PCBs	4.8		-	0.24	ug/WIPE
CBG111	4/29/2020	13:35	N1	DD-D005901	CBG111-043020	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG111	4/29/2020	13:35	N1	DD-D005901	CBG111-043020	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG111	4/29/2020	13:35	N1	DD-D005901	CBG111-043020	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG111	4/29/2020	13:35	N1	DD-D005901	CBG111-043020	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1.5		0.088	0.24	ug/WIPE
CBG111	4/29/2020	13:35	N1	DD-D005901	CBG111-043020	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG111	4/29/2020	13:35	N1	DD-D005901	CBG111-043020	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.62		0.07	0.24	ug/WIPE
CBG111	4/29/2020	13:35	N1	DD-D005901	CBG111-043020	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG111	4/29/2020	13:35	N1	DD-D005901	CBG111-043020	SW8082A	SW	TOTAL PCBs	2.12		-	0.24	ug/WIPE
CBG112R	6/22/2020	7:12	N1	DD-D020602	CBG112R-062220	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG112R	6/22/2020	7:12	N1	DD-D020602	CBG112R-062220	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG112R	6/22/2020	7:12	N1	DD-D020602	CBG112R-062220	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE

Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
CBG112R	6/22/2020	7:12	N1	DD-D020602	CBG112R-062220	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	5.1		0.088	0.24	ug/WIPE
CBG112R	6/22/2020	7:12	N1	DD-D020602	CBG112R-062220	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG112R	6/22/2020	7:12	N1	DD-D020602	CBG112R-062220	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.6		0.07	0.24	ug/WIPE
CBG112R	6/22/2020	7:12	N1	DD-D020602	CBG112R-062220	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG112R	6/22/2020	7:12	N1	DD-D020602	CBG112R-062220	SW8082A	SW	TOTAL PCBs	6.7		-	0.24	ug/WIPE
CBG113	4/29/2020	14:15	N1	DD-D005903	CBG113-043020	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG113	4/29/2020	14:15	N1	DD-D005903	CBG113-043020	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG113	4/29/2020	14:15	N1	DD-D005903	CBG113-043020	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG113	4/29/2020	14:15	N1	DD-D005903	CBG113-043020	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.2		0.088	0.24	ug/WIPE
CBG113	4/29/2020	14:15	N1	DD-D005903	CBG113-043020	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG113	4/29/2020	14:15	N1	DD-D005903	CBG113-043020	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.8		0.07	0.24	ug/WIPE
CBG113	4/29/2020	14:15	N1	DD-D005903	CBG113-043020	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG113	4/29/2020	14:15	N1	DD-D005903	CBG113-043020	SW8082A	SW	TOTAL PCBs	5		-	0.24	ug/WIPE
CBG114	4/28/2020	10:17	N1	DD-D005904	CBG114-042820	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG114	4/28/2020	10:17	N1	DD-D005904	CBG114-042820	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG114	4/28/2020	10:17	N1	DD-D005904	CBG114-042820	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG114	4/28/2020	10:17	N1	DD-D005904	CBG114-042820	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	1.4		0.088	0.24	ug/WIPE
CBG114	4/28/2020	10:17	N1	DD-D005904	CBG114-042820	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG114	4/28/2020	10:17	N1	DD-D005904	CBG114-042820	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.66		0.07	0.24	ug/WIPE
CBG114	4/28/2020	10:17	N1	DD-D005904	CBG114-042820	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG114	4/28/2020	10:17	N1	DD-D005904	CBG114-042820	SW8082A	SW	TOTAL PCBs	2.06		-	0.24	ug/WIPE
CBG115R	6/22/2020	7:00	N1	DD-D020603	CBG115R-062220	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG115R	6/22/2020	7:00	N1	DD-D020603	CBG115R-062220	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG115R	6/22/2020	7:00	N1	DD-D020603	CBG115R-062220	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG115R	6/22/2020	7:00	N1	DD-D020603	CBG115R-062220	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	6		0.088	0.24	ug/WIPE
CBG115R	6/22/2020	7:00	N1	DD-D020603	CBG115R-062220	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG115R	6/22/2020	7:00	N1	DD-D020603	CBG115R-062220	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.6		0.07	0.24	ug/WIPE
CBG115R	6/22/2020	7:00	N1	DD-D020603	CBG115R-062220	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG115R	6/22/2020	7:00	N1	DD-D020603	CBG115R-062220	SW8082A	SW	TOTAL PCBs	8.6		-	0.24	ug/WIPE
CBG116-117	4/28/2020	10:21	N1	DD-D005906	CBG116-117-042820-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG116-117	4/28/2020	10:21	N1	DD-D005906	CBG116-117-042820-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG116-117	4/28/2020	10:21	N1	DD-D005906	CBG116-117-042820-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG116-117	4/28/2020	10:21	N1	DD-D005906	CBG116-117-042820-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	6		0.088	0.24	ug/WIPE
CBG116-117	4/28/2020	10:21	N1	DD-D005906	CBG116-117-042820-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG116-117	4/28/2020	10:21	N1	DD-D005906	CBG116-117-042820-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.7		0.07	0.24	ug/WIPE
CBG116-117	4/28/2020	10:21	N1	DD-D005906	CBG116-117-042820-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG116-117	4/28/2020	10:21	N1	DD-D005906	CBG116-117-042820-COMP	SW8082A	SW	TOTAL PCBs	8.7		-	0.24	ug/WIPE
CBG118-125-127	4/29/2020	15:15	N1	DD-D005908	CBG118-126-127-043020-COM	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG118-125-127	4/29/2020	15:15	N1	DD-D005908	CBG118-126-127-043020-COM	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG118-125-127	4/29/2020	15:15	N1	DD-D005908	CBG118-126-127-043020-COM	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG118-125-127	4/29/2020	15:15	N1	DD-D005908	CBG118-126-127-043020-COM	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	4.2		0.088	0.24	ug/WIPE
CBG118-125-127	4/29/2020	15:15	N1	DD-D005908	CBG118-126-127-043020-COM	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG118-125-127	4/29/2020	15:15	N1	DD-D005908	CBG118-126-127-043020-COM	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.9		0.07	0.24	ug/WIPE
CBG118-125-127	4/29/2020	15:15	N1	DD-D005908	CBG118-126-127-043020-COM	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG118-125-127	4/29/2020	15:15	N1	DD-D005908	CBG118-126-127-043020-COM	SW8082A	SW	TOTAL PCBs	6.1		-	0.24	ug/WIPE
CBG119	4/29/2020	15:04	N1	DD-D005909	CBG119-043020	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG119	4/29/2020	15:04	N1	DD-D005909	CBG119-043020	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG119	4/29/2020	15:04	N1	DD-D005909	CBG119-043020	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG119	4/29/2020	15:04	N1	DD-D005909	CBG119-043020	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.69		0.088	0.24	ug/WIPE
CBG119	4/29/2020	15:04	N1	DD-D005909	CBG119-043020	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG119	4/29/2020	15:04	N1	DD-D005909	CBG119-043020	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.27		0.07	0.24	ug/WIPE

## Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
CBG119	4/29/2020	15:04	N1	DD-D005909	CBG119-043020	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG119	4/29/2020	15:04	N1	DD-D005909	CBG119-043020	SW8082A	SW	TOTAL PCBs	0.96		-	0.24	ug/WIPE
CBG120-125	4/29/2020	14:48	N1	DD-D005910	CBG120-125-043020-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG120-125	4/29/2020	14:48	N1	DD-D005910	CBG120-125-043020-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG120-125	4/29/2020	14:48	N1	DD-D005910	CBG120-125-043020-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG120-125	4/29/2020	14:48	N1	DD-D005910	CBG120-125-043020-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	4.6		0.088	0.24	ug/WIPE
CBG120-125	4/29/2020	14:48	N1	DD-D005910	CBG120-125-043020-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG120-125	4/29/2020	14:48	N1	DD-D005910	CBG120-125-043020-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2		0.07	0.24	ug/WIPE
CBG120-125	4/29/2020	14:48	N1	DD-D005910	CBG120-125-043020-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG120-125	4/29/2020	14:48	N1	DD-D005910	CBG120-125-043020-COMP	SW8082A	SW	TOTAL PCBs	6.6		-	0.24	ug/WIPE
CBG121	4/29/2020	14:56	N1	DD-D006001	CBG121-043020	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG121	4/29/2020	14:56	N1	DD-D006001	CBG121-043020	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG121	4/29/2020	14:56	N1	DD-D006001	CBG121-043020	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG121	4/29/2020	14:56	N1	DD-D006001	CBG121-043020	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2.2		0.088	0.24	ug/WIPE
CBG121	4/29/2020	14:56	N1	DD-D006001	CBG121-043020	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG121	4/29/2020	14:56	N1	DD-D006001	CBG121-043020	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.8		0.07	0.24	ug/WIPE
CBG121	4/29/2020	14:56	N1	DD-D006001	CBG121-043020	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG121	4/29/2020	14:56	N1	DD-D006001	CBG121-043020	SW8082A	SW	TOTAL PCBs	3		-	0.24	ug/WIPE
CBG122	4/29/2020	14:31	N1	DD-D006002	CBG122-043020	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG122	4/29/2020	14:31	N1	DD-D006002	CBG122-043020	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG122	4/29/2020	14:31	N1	DD-D006002	CBG122-043020	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG122	4/29/2020	14:31	N1	DD-D006002	CBG122-043020	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3.9		0.088	0.24	ug/WIPE
CBG122	4/29/2020	14:31	N1	DD-D006002	CBG122-043020	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG122	4/29/2020	14:31	N1	DD-D006002	CBG122-043020	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.6		0.07	0.24	ug/WIPE
CBG122	4/29/2020	14:31	N1	DD-D006002	CBG122-043020	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG122	4/29/2020	14:31	N1	DD-D006002	CBG122-043020	SW8082A	SW	TOTAL PCBs	5.5		-	0.24	ug/WIPE
CBG123	4/29/2020	14:26	N1	DD-D006003	CBG123-043020	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG123	4/29/2020	14:26	N1	DD-D006003	CBG123-043020	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG123	4/29/2020	14:26	N1	DD-D006003	CBG123-043020	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG123	4/29/2020	14:26	N1	DD-D006003	CBG123-043020	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2.2		0.088	0.24	ug/WIPE
CBG123	4/29/2020	14:26	N1	DD-D006003	CBG123-043020	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG123	4/29/2020	14:26	N1	DD-D006003	CBG123-043020	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.78		0.07	0.24	ug/WIPE
CBG123	4/29/2020	14:26	N1	DD-D006003	CBG123-043020	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG123	4/29/2020	14:26	N1	DD-D006003	CBG123-043020	SW8082A	SW	TOTAL PCBs	2.98		-	0.24	ug/WIPE
CBG124	4/29/2020	14:43	N1	DD-D006004	CBG124-043020	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG124	4/29/2020	14:43	N1	DD-D006004	CBG124-043020	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG124	4/29/2020	14:43	N1	DD-D006004	CBG124-043020	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG124	4/29/2020	14:43	N1	DD-D006004	CBG124-043020	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1.9		0.088	0.24	ug/WIPE
CBG124	4/29/2020	14:43	N1	DD-D006004	CBG124-043020	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG124	4/29/2020	14:43	N1	DD-D006004	CBG124-043020	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.78		0.07	0.24	ug/WIPE
CBG124	4/29/2020	14:43	N1	DD-D006004	CBG124-043020	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG124	4/29/2020	14:43	N1	DD-D006004	CBG124-043020	SW8082A	SW	TOTAL PCBs	2.68		-	0.24	ug/WIPE
CBG128	4/28/2020	10:35	N1	DD-D006008	CBG128-042820	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG128	4/28/2020	10:35	N1	DD-D006008	CBG128-042820	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG128	4/28/2020	10:35	N1	DD-D006008	CBG128-042820	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG128	4/28/2020	10:35	N1	DD-D006008	CBG128-042820	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3		0.088	0.24	ug/WIPE
CBG128	4/28/2020	10:35	N1	DD-D006008	CBG128-042820	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG128	4/28/2020	10:35	N1	DD-D006008	CBG128-042820	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.3		0.07	0.24	ug/WIPE
CBG128	4/28/2020	10:35	N1	DD-D006008	CBG128-042820	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG128	4/28/2020	10:35	N1	DD-D006008	CBG128-042820	SW8082A	SW	TOTAL PCBs	4.3		-	0.24	ug/WIPE
CBG129-130-143	4/28/2020	11:33	N1	DD-D006009	CBG129-130-143-042820-COM	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE



Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
CBG129-130-143	4/28/2020	11:33	N1	DD-D006009	CBG129-130-143-042820-COM	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG129-130-143	4/28/2020	11:33	N1	DD-D006009	CBG129-130-143-042820-COM	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG129-130-143	4/28/2020	11:33	N1	DD-D006009	CBG129-130-143-042820-COM	SW8082A	SW	PCB-1242 (AROCLOR 1242)	7		0.088	0.24	ug/WIPE
CBG129-130-143	4/28/2020	11:33	N1	DD-D006009	CBG129-130-143-042820-COM	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG129-130-143	4/28/2020	11:33	N1	DD-D006009	CBG129-130-143-042820-COM	SW8082A	SW	PCB-1254 (AROCLOR 1254)	3.8		0.07	0.24	ug/WIPE
CBG129-130-143	4/28/2020	11:33	N1	DD-D006009	CBG129-130-143-042820-COM	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG129-130-143	4/28/2020	11:33	N1	DD-D006009	CBG129-130-143-042820-COM	SW8082A	SW	TOTAL PCBs	10.8		-	0.24	ug/WIPE
CBG129R	6/22/2020	7:20	N1	DD-D020604	CBG129R-062220	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG129R	6/22/2020	7:20	N1	DD-D020604	CBG129R-062220	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG129R	6/22/2020	7:20	N1	DD-D020604	CBG129R-062220	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG129R	6/22/2020	7:20	N1	DD-D020604	CBG129R-062220	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2.4		0.088	0.24	ug/WIPE
CBG129R	6/22/2020	7:20	N1	DD-D020604	CBG129R-062220	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG129R	6/22/2020	7:20	N1	DD-D020604	CBG129R-062220	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.83		0.07	0.24	ug/WIPE
CBG129R	6/22/2020	7:20	N1	DD-D020604	CBG129R-062220	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG129R	6/22/2020	7:20	N1	DD-D020604	CBG129R-062220	SW8082A	SW	TOTAL PCBs	3.23		-	0.24	ug/WIPE
CBG130R	6/22/2020	7:25	N1	DD-D020605	CBG130R-062220	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG130R	6/22/2020	7:25	N1	DD-D020605	CBG130R-062220	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG130R	6/22/2020	7:25	N1	DD-D020605	CBG130R-062220	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG130R	6/22/2020	7:25	N1	DD-D020605	CBG130R-062220	SW8082A	SW	PCB-1242 (AROCLOR 1242)	4.4		0.088	0.24	ug/WIPE
CBG130R	6/22/2020	7:25	N1	DD-D020605	CBG130R-062220	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG130R	6/22/2020	7:25	N1	DD-D020605	CBG130R-062220	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.9		0.07	0.24	ug/WIPE
CBG130R	6/22/2020	7:25	N1	DD-D020605	CBG130R-062220	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG130R	6/22/2020	7:25	N1	DD-D020605	CBG130R-062220	SW8082A	SW	TOTAL PCBs	6.3		-	0.24	ug/WIPE
CBG131	4/28/2020	10:43	N1	DD-D006101	CBG131-042820	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG131	4/28/2020	10:43	N1	DD-D006101	CBG131-042820	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG131	4/28/2020	10:43	N1	DD-D006101	CBG131-042820	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG131	4/28/2020	10:43	N1	DD-D006101	CBG131-042820	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.83		0.088	0.24	ug/WIPE
CBG131	4/28/2020	10:43	N1	DD-D006101	CBG131-042820	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG131	4/28/2020	10:43	N1	DD-D006101	CBG131-042820	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.45		0.07	0.24	ug/WIPE
CBG131	4/28/2020	10:43	N1	DD-D006101	CBG131-042820	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG131	4/28/2020	10:43	N1	DD-D006101	CBG131-042820	SW8082A	SW	TOTAL PCBs	1.28		-	0.24	ug/WIPE
CBG132-139-141	4/30/2020	7:43	N1	DD-D006102	CBG132-139-141-043020-COM	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG132-139-141	4/30/2020	7:43	N1	DD-D006102	CBG132-139-141-043020-COM	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG132-139-141	4/30/2020	7:43	N1	DD-D006102	CBG132-139-141-043020-COM	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG132-139-141	4/30/2020	7:43	N1	DD-D006102	CBG132-139-141-043020-COM	SW8082A	SW	PCB-1242 (AROCLOR 1242)	4.5		0.088	0.24	ug/WIPE
CBG132-139-141	4/30/2020	7:43	N1	DD-D006102	CBG132-139-141-043020-COM	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG132-139-141	4/30/2020	7:43	N1	DD-D006102	CBG132-139-141-043020-COM	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.9		0.07	0.24	ug/WIPE
CBG132-139-141	4/30/2020	7:43	N1	DD-D006102	CBG132-139-141-043020-COM	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG132-139-141	4/30/2020	7:43	N1	DD-D006102	CBG132-139-141-043020-COM	SW8082A	SW	TOTAL PCBs	6.4		-	0.24	ug/WIPE
CBG133	4/30/2020	7:31	N1	DD-D006103	CBG133-043020	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG133	4/30/2020	7:31	N1	DD-D006103	CBG133-043020	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG133	4/30/2020	7:31	N1	DD-D006103	CBG133-043020	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG133	4/30/2020	7:31	N1	DD-D006103	CBG133-043020	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2.1		0.088	0.24	ug/WIPE
CBG133	4/30/2020	7:31	N1	DD-D006103	CBG133-043020	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG133	4/30/2020	7:31	N1	DD-D006103	CBG133-043020	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.94		0.07	0.24	ug/WIPE
CBG133	4/30/2020	7:31	N1	DD-D006103	CBG133-043020	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG133	4/30/2020	7:31	N1	DD-D006103	CBG133-043020	SW8082A	SW	TOTAL PCBs	3.04		-	0.24	ug/WIPE
CBG134	4/30/2020	7:16	N1	DD-D006104	CBG134-043020	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG134	4/30/2020	7:16	N1	DD-D006104	CBG134-043020	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG134	4/30/2020	7:16	N1	DD-D006104	CBG134-043020	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG134	4/30/2020	7:16	N1	DD-D006104	CBG134-043020	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1.9		0.088	0.24	ug/WIPE



Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
CBG134	4/30/2020	7:16	N1	DD-D006104	CBG134-043020	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG134	4/30/2020	7:16	N1	DD-D006104	CBG134-043020	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.7	U	0.07	0.24	ug/WIPE
CBG134	4/30/2020	7:16	N1	DD-D006104	CBG134-043020	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG134	4/30/2020	7:16	N1	DD-D006104	CBG134-043020	SW8082A	SW	TOTAL PCBs	2.6		-	0.24	ug/WIPE
CBG135-137	4/30/2020	7:13	N1	DD-D006105	CBG135-137-043020-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG135-137	4/30/2020	7:13	N1	DD-D006105	CBG135-137-043020-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG135-137	4/30/2020	7:13	N1	DD-D006105	CBG135-137-043020-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG135-137	4/30/2020	7:13	N1	DD-D006105	CBG135-137-043020-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2		0.088	0.24	ug/WIPE
CBG135-137	4/30/2020	7:13	N1	DD-D006105	CBG135-137-043020-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG135-137	4/30/2020	7:13	N1	DD-D006105	CBG135-137-043020-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.78		0.07	0.24	ug/WIPE
CBG135-137	4/30/2020	7:13	N1	DD-D006105	CBG135-137-043020-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG135-137	4/30/2020	7:13	N1	DD-D006105	CBG135-137-043020-COMP	SW8082A	SW	TOTAL PCBs	2.78		-	0.24	ug/WIPE
CBG136	4/30/2020	7:18	N1	DD-D006106	CBG136-043020	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG136	4/30/2020	7:18	N1	DD-D006106	CBG136-043020	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG136	4/30/2020	7:18	N1	DD-D006106	CBG136-043020	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG136	4/30/2020	7:18	N1	DD-D006106	CBG136-043020	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	5		0.088	0.24	ug/WIPE
CBG136	4/30/2020	7:18	N1	DD-D006106	CBG136-043020	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG136	4/30/2020	7:18	N1	DD-D006106	CBG136-043020	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2		0.07	0.24	ug/WIPE
CBG136	4/30/2020	7:18	N1	DD-D006106	CBG136-043020	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG136	4/30/2020	7:18	N1	DD-D006106	CBG136-043020	SW8082A	SW	TOTAL PCBs	7		-	0.24	ug/WIPE
CBG138	4/30/2020	7:25	N1	DD-D006108	CBG138-043020	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG138	4/30/2020	7:25	N1	DD-D006108	CBG138-043020	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG138	4/30/2020	7:25	N1	DD-D006108	CBG138-043020	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG138	4/30/2020	7:25	N1	DD-D006108	CBG138-043020	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	1.2		0.088	0.24	ug/WIPE
CBG138	4/30/2020	7:25	N1	DD-D006108	CBG138-043020	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG138	4/30/2020	7:25	N1	DD-D006108	CBG138-043020	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.52		0.07	0.24	ug/WIPE
CBG138	4/30/2020	7:25	N1	DD-D006108	CBG138-043020	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG138	4/30/2020	7:25	N1	DD-D006108	CBG138-043020	SW8082A	SW	TOTAL PCBs	1.72		-	0.24	ug/WIPE
CBG140	4/30/2020	7:35	N1	DD-D006110	CBG140-043020	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG140	4/30/2020	7:35	N1	DD-D006110	CBG140-043020	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG140	4/30/2020	7:35	N1	DD-D006110	CBG140-043020	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG140	4/30/2020	7:35	N1	DD-D006110	CBG140-043020	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	1.7		0.088	0.24	ug/WIPE
CBG140	4/30/2020	7:35	N1	DD-D006110	CBG140-043020	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG140	4/30/2020	7:35	N1	DD-D006110	CBG140-043020	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.73		0.07	0.24	ug/WIPE
CBG140	4/30/2020	7:35	N1	DD-D006110	CBG140-043020	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG140	4/30/2020	7:35	N1	DD-D006110	CBG140-043020	SW8082A	SW	TOTAL PCBs	2.43		-	0.24	ug/WIPE
CBG142	4/28/2020	11:40	N1	DD-D006202	CBG142-042820	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG142	4/28/2020	11:40	N1	DD-D006202	CBG142-042820	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG142	4/28/2020	11:40	N1	DD-D006202	CBG142-042820	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG142	4/28/2020	11:40	N1	DD-D006202	CBG142-042820	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.46		0.088	0.24	ug/WIPE
CBG142	4/28/2020	11:40	N1	DD-D006202	CBG142-042820	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG142	4/28/2020	11:40	N1	DD-D006202	CBG142-042820	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.17	J	0.07	0.24	ug/WIPE
CBG142	4/28/2020	11:40	N1	DD-D006202	CBG142-042820	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG142	4/28/2020	11:40	N1	DD-D006202	CBG142-042820	SW8082A	SW	TOTAL PCBs	0.63		-	0.24	ug/WIPE
CBG143R	6/22/2020	7:29	N1	DD-D020606	CBG143R-062220	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG143R	6/22/2020	7:29	N1	DD-D020606	CBG143R-062220	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG143R	6/22/2020	7:29	N1	DD-D020606	CBG143R-062220	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG143R	6/22/2020	7:29	N1	DD-D020606	CBG143R-062220	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	5.3		0.088	0.24	ug/WIPE
CBG143R	6/22/2020	7:29	N1	DD-D020606	CBG143R-062220	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG143R	6/22/2020	7:29	N1	DD-D020606	CBG143R-062220	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.8		0.07	0.24	ug/WIPE
CBG143R	6/22/2020	7:29	N1	DD-D020606	CBG143R-062220	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE

Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
CBG143R	6/22/2020	7:29	N1	DD-D020606	CBG143R-062220	SW8082A	SW	TOTAL PCBs	7.1		-	0.24	ug/WIPE
CBG144-145	4/28/2020	11:53	N1	DD-D006204	CBG144-145-042820-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG144-145	4/28/2020	11:53	N1	DD-D006204	CBG144-145-042820-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG144-145	4/28/2020	11:53	N1	DD-D006204	CBG144-145-042820-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG144-145	4/28/2020	11:53	N1	DD-D006204	CBG144-145-042820-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3.1		0.088	0.24	ug/WIPE
CBG144-145	4/28/2020	11:53	N1	DD-D006204	CBG144-145-042820-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG144-145	4/28/2020	11:53	N1	DD-D006204	CBG144-145-042820-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.1		0.07	0.24	ug/WIPE
CBG144-145	4/28/2020	11:53	N1	DD-D006204	CBG144-145-042820-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG144-145	4/28/2020	11:53	N1	DD-D006204	CBG144-145-042820-COMP	SW8082A	SW	TOTAL PCBs	4.2		-	0.24	ug/WIPE
CBG146	4/28/2020	11:59	N1	DD-D006206	CBG146-042820	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG146	4/28/2020	11:59	N1	DD-D006206	CBG146-042820	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG146	4/28/2020	11:59	N1	DD-D006206	CBG146-042820	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG146	4/28/2020	11:59	N1	DD-D006206	CBG146-042820	SW8082A	SW	PCB-1242 (AROCLOR 1242)	6.7		0.088	0.24	ug/WIPE
CBG146	4/28/2020	11:59	N1	DD-D006206	CBG146-042820	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG146	4/28/2020	11:59	N1	DD-D006206	CBG146-042820	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2.4		0.07	0.24	ug/WIPE
CBG146	4/28/2020	11:59	N1	DD-D006206	CBG146-042820	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG146	4/28/2020	11:59	N1	DD-D006206	CBG146-042820	SW8082A	SW	TOTAL PCBs	9.1		-	0.24	ug/WIPE
CBG147-148	4/30/2020	8:28	N1	DD-D006207	CBG147-148-043020-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG147-148	4/30/2020	8:28	N1	DD-D006207	CBG147-148-043020-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG147-148	4/30/2020	8:28	N1	DD-D006207	CBG147-148-043020-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG147-148	4/30/2020	8:28	N1	DD-D006207	CBG147-148-043020-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	4		0.088	0.24	ug/WIPE
CBG147-148	4/30/2020	8:28	N1	DD-D006207	CBG147-148-043020-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG147-148	4/30/2020	8:28	N1	DD-D006207	CBG147-148-043020-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.6		0.07	0.24	ug/WIPE
CBG147-148	4/30/2020	8:28	N1	DD-D006207	CBG147-148-043020-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG147-148	4/30/2020	8:28	N1	DD-D006207	CBG147-148-043020-COMP	SW8082A	SW	TOTAL PCBs	5.6		-	0.24	ug/WIPE
CBG149	4/30/2020	8:19	N1	DD-D006209	CBG149-043020	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG149	4/30/2020	8:19	N1	DD-D006209	CBG149-043020	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG149	4/30/2020	8:19	N1	DD-D006209	CBG149-043020	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG149	4/30/2020	8:19	N1	DD-D006209	CBG149-043020	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1.9		0.088	0.24	ug/WIPE
CBG149	4/30/2020	8:19	N1	DD-D006209	CBG149-043020	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG149	4/30/2020	8:19	N1	DD-D006209	CBG149-043020	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.99		0.07	0.24	ug/WIPE
CBG149	4/30/2020	8:19	N1	DD-D006209	CBG149-043020	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG149	4/30/2020	8:19	N1	DD-D006209	CBG149-043020	SW8082A	SW	TOTAL PCBs	2.89		-	0.24	ug/WIPE
CBG150	4/30/2020	8:14	N1	DD-D006210	CBG150-043020	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG150	4/30/2020	8:14	N1	DD-D006210	CBG150-043020	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG150	4/30/2020	8:14	N1	DD-D006210	CBG150-043020	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG150	4/30/2020	8:14	N1	DD-D006210	CBG150-043020	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1.6		0.088	0.24	ug/WIPE
CBG150	4/30/2020	8:14	N1	DD-D006210	CBG150-043020	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG150	4/30/2020	8:14	N1	DD-D006210	CBG150-043020	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.62		0.07	0.24	ug/WIPE
CBG150	4/30/2020	8:14	N1	DD-D006210	CBG150-043020	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG150	4/30/2020	8:14	N1	DD-D006210	CBG150-043020	SW8082A	SW	TOTAL PCBs	2.22		-	0.24	ug/WIPE
CBG151	4/30/2020	8:23	N1	DD-D006301	CBG151-043020	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG151	4/30/2020	8:23	N1	DD-D006301	CBG151-043020	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG151	4/30/2020	8:23	N1	DD-D006301	CBG151-043020	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG151	4/30/2020	8:23	N1	DD-D006301	CBG151-043020	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3		0.088	0.24	ug/WIPE
CBG151	4/30/2020	8:23	N1	DD-D006301	CBG151-043020	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG151	4/30/2020	8:23	N1	DD-D006301	CBG151-043020	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.4		0.07	0.24	ug/WIPE
CBG151	4/30/2020	8:23	N1	DD-D006301	CBG151-043020	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG151	4/30/2020	8:23	N1	DD-D006301	CBG151-043020	SW8082A	SW	TOTAL PCBs	4.4		-	0.24	ug/WIPE
CBG152-154-155	4/30/2020	8:02	N1	DD-D006302	CBG152-154-155-043020-COM	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG152-154-155	4/30/2020	8:02	N1	DD-D006302	CBG152-154-155-043020-COM	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE

Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
CBG152-154-155	4/30/2020	8:02	N1	DD-D006302	CBG152-154-155-043020-COM	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG152-154-155	4/30/2020	8:02	N1	DD-D006302	CBG152-154-155-043020-COM	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	6.6	J	0.088	0.24	ug/WIPE
CBG152-154-155	4/30/2020	8:02	N1	DD-D006302	CBG152-154-155-043020-COM	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG152-154-155	4/30/2020	8:02	N1	DD-D006302	CBG152-154-155-043020-COM	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.6	J	0.07	0.24	ug/WIPE
CBG152-154-155	4/30/2020	8:02	N1	DD-D006302	CBG152-154-155-043020-COM	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG152-154-155	4/30/2020	8:02	N1	DD-D006302	CBG152-154-155-043020-COM	SW8082A	SW	TOTAL PCBs	9.2		-	0.24	ug/WIPE
CBG153	4/30/2020	7:59	N1	DD-D006303	CBG153-043020	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG153	4/30/2020	7:59	N1	DD-D006303	CBG153-043020	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG153	4/30/2020	7:59	N1	DD-D006303	CBG153-043020	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG153	4/30/2020	7:59	N1	DD-D006303	CBG153-043020	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.53		0.088	0.24	ug/WIPE
CBG153	4/30/2020	7:59	N1	DD-D006303	CBG153-043020	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG153	4/30/2020	7:59	N1	DD-D006303	CBG153-043020	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.26		0.07	0.24	ug/WIPE
CBG153	4/30/2020	7:59	N1	DD-D006303	CBG153-043020	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG153	4/30/2020	7:59	N1	DD-D006303	CBG153-043020	SW8082A	SW	TOTAL PCBs	0.79		-	0.24	ug/WIPE
CBG156	4/30/2020	8:34	N1	DD-D006306	CBG156-043020	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG156	4/30/2020	8:34	N1	DD-D006306	CBG156-043020	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG156	4/30/2020	8:34	N1	DD-D006306	CBG156-043020	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG156	4/30/2020	8:34	N1	DD-D006306	CBG156-043020	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.4		0.088	0.24	ug/WIPE
CBG156	4/30/2020	8:34	N1	DD-D006306	CBG156-043020	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG156	4/30/2020	8:34	N1	DD-D006306	CBG156-043020	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.84		0.07	0.24	ug/WIPE
CBG156	4/30/2020	8:34	N1	DD-D006306	CBG156-043020	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG156	4/30/2020	8:34	N1	DD-D006306	CBG156-043020	SW8082A	SW	TOTAL PCBs	3.24		-	0.24	ug/WIPE
CBG157	4/30/2020	9:32	N1	DD-D006307	CBG157-043020	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG157	4/30/2020	9:32	N1	DD-D006307	CBG157-043020	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG157	4/30/2020	9:32	N1	DD-D006307	CBG157-043020	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG157	4/30/2020	9:32	N1	DD-D006307	CBG157-043020	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.3		0.088	0.24	ug/WIPE
CBG157	4/30/2020	9:32	N1	DD-D006307	CBG157-043020	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG157	4/30/2020	9:32	N1	DD-D006307	CBG157-043020	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.99		0.07	0.24	ug/WIPE
CBG157	4/30/2020	9:32	N1	DD-D006307	CBG157-043020	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG157	4/30/2020	9:32	N1	DD-D006307	CBG157-043020	SW8082A	SW	TOTAL PCBs	3.29		-	0.24	ug/WIPE
CBG158	4/30/2020	9:28	N1	DD-D006308	CBG158-043020	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG158	4/30/2020	9:28	N1	DD-D006308	CBG158-043020	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG158	4/30/2020	9:28	N1	DD-D006308	CBG158-043020	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG158	4/30/2020	9:28	N1	DD-D006308	CBG158-043020	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.6		0.088	0.24	ug/WIPE
CBG158	4/30/2020	9:28	N1	DD-D006308	CBG158-043020	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG158	4/30/2020	9:28	N1	DD-D006308	CBG158-043020	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.26		0.07	0.24	ug/WIPE
CBG158	4/30/2020	9:28	N1	DD-D006308	CBG158-043020	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG158	4/30/2020	9:28	N1	DD-D006308	CBG158-043020	SW8082A	SW	TOTAL PCBs	0.86		-	0.24	ug/WIPE
CBG159-160	4/28/2020	12:05	N1	DD-D006309	CBG159-160-042820-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG159-160	4/28/2020	12:05	N1	DD-D006309	CBG159-160-042820-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG159-160	4/28/2020	12:05	N1	DD-D006309	CBG159-160-042820-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG159-160	4/28/2020	12:05	N1	DD-D006309	CBG159-160-042820-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3		0.088	0.24	ug/WIPE
CBG159-160	4/28/2020	12:05	N1	DD-D006309	CBG159-160-042820-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG159-160	4/28/2020	12:05	N1	DD-D006309	CBG159-160-042820-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.1		0.07	0.24	ug/WIPE
CBG159-160	4/28/2020	12:05	N1	DD-D006309	CBG159-160-042820-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG159-160	4/28/2020	12:05	N1	DD-D006309	CBG159-160-042820-COMP	SW8082A	SW	TOTAL PCBs	4.1		-	0.24	ug/WIPE
CBG161-162	4/30/2020	9:58	N1	DD-D006401	CBG161-162-043020-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG161-162	4/30/2020	9:58	N1	DD-D006401	CBG161-162-043020-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG161-162	4/30/2020	9:58	N1	DD-D006401	CBG161-162-043020-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG161-162	4/30/2020	9:58	N1	DD-D006401	CBG161-162-043020-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	4.8		0.088	0.24	ug/WIPE
CBG161-162	4/30/2020	9:58	N1	DD-D006401	CBG161-162-043020-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE

Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
CBG161-162	4/30/2020	9:58	N1	DD-D006401	CBG161-162-043020-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.2		0.07	0.24	ug/WIPE
CBG161-162	4/30/2020	9:58	N1	DD-D006401	CBG161-162-043020-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG161-162	4/30/2020	9:58	N1	DD-D006401	CBG161-162-043020-COMP	SW8082A	SW	TOTAL PCBs	7		-	0.24	ug/WIPE
CBG163-169	4/30/2020	9:51	N1	DD-D006403	CBG163-169-043020-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG163-169	4/30/2020	9:51	N1	DD-D006403	CBG163-169-043020-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG163-169	4/30/2020	9:51	N1	DD-D006403	CBG163-169-043020-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG163-169	4/30/2020	9:51	N1	DD-D006403	CBG163-169-043020-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	6.1		0.088	0.24	ug/WIPE
CBG163-169	4/30/2020	9:51	N1	DD-D006403	CBG163-169-043020-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG163-169	4/30/2020	9:51	N1	DD-D006403	CBG163-169-043020-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.7		0.07	0.24	ug/WIPE
CBG163-169	4/30/2020	9:51	N1	DD-D006403	CBG163-169-043020-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG163-169	4/30/2020	9:51	N1	DD-D006403	CBG163-169-043020-COMP	SW8082A	SW	TOTAL PCBs	8.8		-	0.24	ug/WIPE
CBG164	4/30/2020	9:40	N1	DD-D006404	CBG164-043020	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG164	4/30/2020	9:40	N1	DD-D006404	CBG164-043020	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG164	4/30/2020	9:40	N1	DD-D006404	CBG164-043020	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG164	4/30/2020	9:40	N1	DD-D006404	CBG164-043020	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	4.9		0.088	0.24	ug/WIPE
CBG164	4/30/2020	9:40	N1	DD-D006404	CBG164-043020	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG164	4/30/2020	9:40	N1	DD-D006404	CBG164-043020	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.7		0.07	0.24	ug/WIPE
CBG164	4/30/2020	9:40	N1	DD-D006404	CBG164-043020	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG164	4/30/2020	9:40	N1	DD-D006404	CBG164-043020	SW8082A	SW	TOTAL PCBs	6.6		-	0.24	ug/WIPE
CBG165	4/30/2020	9:38	N1	DD-D006405	CBG165-043020	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG165	4/30/2020	9:38	N1	DD-D006405	CBG165-043020	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG165	4/30/2020	9:38	N1	DD-D006405	CBG165-043020	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG165	4/30/2020	9:38	N1	DD-D006405	CBG165-043020	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	4.9		0.088	0.24	ug/WIPE
CBG165	4/30/2020	9:38	N1	DD-D006405	CBG165-043020	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG165	4/30/2020	9:38	N1	DD-D006405	CBG165-043020	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.6		0.07	0.24	ug/WIPE
CBG165	4/30/2020	9:38	N1	DD-D006405	CBG165-043020	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG165	4/30/2020	9:38	N1	DD-D006405	CBG165-043020	SW8082A	SW	TOTAL PCBs	6.5		-	0.24	ug/WIPE
CBG166	4/30/2020	9:45	N1	DD-D006406	CBG166-043020	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG166	4/30/2020	9:45	N1	DD-D006406	CBG166-043020	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG166	4/30/2020	9:45	N1	DD-D006406	CBG166-043020	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG166	4/30/2020	9:45	N1	DD-D006406	CBG166-043020	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	4.2		0.088	0.24	ug/WIPE
CBG166	4/30/2020	9:45	N1	DD-D006406	CBG166-043020	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG166	4/30/2020	9:45	N1	DD-D006406	CBG166-043020	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.1		0.07	0.24	ug/WIPE
CBG166	4/30/2020	9:45	N1	DD-D006406	CBG166-043020	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG166	4/30/2020	9:45	N1	DD-D006406	CBG166-043020	SW8082A	SW	TOTAL PCBs	6.3		-	0.24	ug/WIPE
CBG167-168	4/30/2020	9:36	N1	DD-D006407	CBG167-168-043020-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG167-168	4/30/2020	9:36	N1	DD-D006407	CBG167-168-043020-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG167-168	4/30/2020	9:36	N1	DD-D006407	CBG167-168-043020-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG167-168	4/30/2020	9:36	N1	DD-D006407	CBG167-168-043020-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3		0.088	0.24	ug/WIPE
CBG167-168	4/30/2020	9:36	N1	DD-D006407	CBG167-168-043020-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG167-168	4/30/2020	9:36	N1	DD-D006407	CBG167-168-043020-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.3		0.07	0.24	ug/WIPE
CBG167-168	4/30/2020	9:36	N1	DD-D006407	CBG167-168-043020-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG167-168	4/30/2020	9:36	N1	DD-D006407	CBG167-168-043020-COMP	SW8082A	SW	TOTAL PCBs	4.3		-	0.24	ug/WIPE
CBG170	4/30/2020	10:06	N1	DD-D006410	CBG170-043020	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG170	4/30/2020	10:06	N1	DD-D006410	CBG170-043020	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG170	4/30/2020	10:06	N1	DD-D006410	CBG170-043020	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG170	4/30/2020	10:06	N1	DD-D006410	CBG170-043020	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	5.2		0.088	0.24	ug/WIPE
CBG170	4/30/2020	10:06	N1	DD-D006410	CBG170-043020	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG170	4/30/2020	10:06	N1	DD-D006410	CBG170-043020	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.2		0.07	0.24	ug/WIPE
CBG170	4/30/2020	10:06	N1	DD-D006410	CBG170-043020	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG170	4/30/2020	10:06	N1	DD-D006410	CBG170-043020	SW8082A	SW	TOTAL PCBs	7.4		-	0.24	ug/WIPE

Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
CBG171	4/28/2020	12:10	N1	DD-D006501	CBG171-042820-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG171	4/28/2020	12:10	N1	DD-D006501	CBG171-042820-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG171	4/28/2020	12:10	N1	DD-D006501	CBG171-042820-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG171	4/28/2020	12:10	N1	DD-D006501	CBG171-042820-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3.7		0.088	0.24	ug/WIPE
CBG171	4/28/2020	12:10	N1	DD-D006501	CBG171-042820-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG171	4/28/2020	12:10	N1	DD-D006501	CBG171-042820-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.8		0.07	0.24	ug/WIPE
CBG171	4/28/2020	12:10	N1	DD-D006501	CBG171-042820-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG171	4/28/2020	12:10	N1	DD-D006501	CBG171-042820-COMP	SW8082A	SW	TOTAL PCBs	5.5		-	0.24	ug/WIPE
CL001-003-005	5/15/2020	8:59	N1	DD-D000401	CL001-003-005-051520-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL001-003-005	5/15/2020	8:59	N1	DD-D000401	CL001-003-005-051520-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL001-003-005	5/15/2020	8:59	N1	DD-D000401	CL001-003-005-051520-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL001-003-005	5/15/2020	8:59	N1	DD-D000401	CL001-003-005-051520-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	12		0.088	0.24	ug/WIPE
CL001-003-005	5/15/2020	8:59	N1	DD-D000401	CL001-003-005-051520-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL001-003-005	5/15/2020	8:59	N1	DD-D000401	CL001-003-005-051520-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	4		0.07	0.24	ug/WIPE
CL001-003-005	5/15/2020	8:59	N1	DD-D000401	CL001-003-005-051520-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL001-003-005	5/15/2020	8:59	N1	DD-D000401	CL001-003-005-051520-COMP	SW8082A	SW	TOTAL PCBs	16		-	0.24	ug/WIPE
CL001BR	6/16/2020	13:50	N1	DD-D023101	CL001BR-061620	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL001BR	6/16/2020	13:50	N1	DD-D023101	CL001BR-061620	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL001BR	6/16/2020	13:50	N1	DD-D023101	CL001BR-061620	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL001BR	6/16/2020	13:50	N1	DD-D023101	CL001BR-061620	SW8082A	SW	PCB-1242 (AROCLOR 1242)	4.4		0.088	0.24	ug/WIPE
CL001BR	6/16/2020	13:50	N1	DD-D023101	CL001BR-061620	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL001BR	6/16/2020	13:50	N1	DD-D023101	CL001BR-061620	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.4		0.07	0.24	ug/WIPE
CL001BR	6/16/2020	13:50	N1	DD-D023101	CL001BR-061620	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL001BR	6/16/2020	13:50	N1	DD-D023101	CL001BR-061620	SW8082A	SW	TOTAL PCBs	5.8		-	0.24	ug/WIPE
CL002-004-006	5/15/2020	9:05	N1	DD-D000402	CL002-004-006-051520-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL002-004-006	5/15/2020	9:05	N1	DD-D000402	CL002-004-006-051520-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL002-004-006	5/15/2020	9:05	N1	DD-D000402	CL002-004-006-051520-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL002-004-006	5/15/2020	9:05	N1	DD-D000402	CL002-004-006-051520-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.47	B	0.088	0.24	ug/WIPE
CL002-004-006	5/15/2020	9:05	N1	DD-D000402	CL002-004-006-051520-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL002-004-006	5/15/2020	9:05	N1	DD-D000402	CL002-004-006-051520-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.18	JB	0.07	0.24	ug/WIPE
CL002-004-006	5/15/2020	9:05	N1	DD-D000402	CL002-004-006-051520-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL002-004-006	5/15/2020	9:05	N1	DD-D000402	CL002-004-006-051520-COMP	SW8082A	SW	TOTAL PCBs	0.65		-	0.24	ug/WIPE
CL003BR	6/16/2020	13:56	N1	DD-D023102	CL003BR-061620	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL003BR	6/16/2020	13:56	N1	DD-D023102	CL003BR-061620	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL003BR	6/16/2020	13:56	N1	DD-D023102	CL003BR-061620	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL003BR	6/16/2020	13:56	N1	DD-D023102	CL003BR-061620	SW8082A	SW	PCB-1242 (AROCLOR 1242)	4.1		0.088	0.24	ug/WIPE
CL003BR	6/16/2020	13:56	N1	DD-D023102	CL003BR-061620	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL003BR	6/16/2020	13:56	N1	DD-D023102	CL003BR-061620	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1		0.07	0.24	ug/WIPE
CL003BR	6/16/2020	13:56	N1	DD-D023102	CL003BR-061620	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL003BR	6/16/2020	13:56	N1	DD-D023102	CL003BR-061620	SW8082A	SW	TOTAL PCBs	5.1		-	0.24	ug/WIPE
CL005BR	6/16/2020	14:03	N1	DD-D023103	CL005BR-061620	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL005BR	6/16/2020	14:03	N1	DD-D023103	CL005BR-061620	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL005BR	6/16/2020	14:03	N1	DD-D023103	CL005BR-061620	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL005BR	6/16/2020	14:03	N1	DD-D023103	CL005BR-061620	SW8082A	SW	PCB-1242 (AROCLOR 1242)	4.7		0.088	0.24	ug/WIPE
CL005BR	6/16/2020	14:03	N1	DD-D023103	CL005BR-061620	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL005BR	6/16/2020	14:03	N1	DD-D023103	CL005BR-061620	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.2		0.07	0.24	ug/WIPE
CL005BR	6/16/2020	14:03	N1	DD-D023103	CL005BR-061620	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL005BR	6/16/2020	14:03	N1	DD-D023103	CL005BR-061620	SW8082A	SW	TOTAL PCBs	5.9		-	0.24	ug/WIPE
CL007-009-011	5/15/2020	10:05	N1	DD-D000407	CL007-009-011-051520-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL007-009-011	5/15/2020	10:05	N1	DD-D000407	CL007-009-011-051520-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL007-009-011	5/15/2020	10:05	N1	DD-D000407	CL007-009-011-051520-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE



Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
CL007-009-011	5/15/2020	10:05	N1	DD-D000407	CL007-009-011-051520-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	22		0.088	0.24	ug/WIPE
CL007-009-011	5/15/2020	10:05	N1	DD-D000407	CL007-009-011-051520-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL007-009-011	5/15/2020	10:05	N1	DD-D000407	CL007-009-011-051520-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	6.4		0.07	0.24	ug/WIPE
CL007-009-011	5/15/2020	10:05	N1	DD-D000407	CL007-009-011-051520-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL007-009-011	5/15/2020	10:05	N1	DD-D000407	CL007-009-011-051520-COMP	SW8082A	SW	TOTAL PCBs	28.4		-	0.24	ug/WIPE
CL007BR	6/16/2020	14:08	N1	DD-D023104	CL007BR-061620	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL007BR	6/16/2020	14:08	N1	DD-D023104	CL007BR-061620	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL007BR	6/16/2020	14:08	N1	DD-D023104	CL007BR-061620	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL007BR	6/16/2020	14:08	N1	DD-D023104	CL007BR-061620	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	5		0.088	0.24	ug/WIPE
CL007BR	6/16/2020	14:08	N1	DD-D023104	CL007BR-061620	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL007BR	6/16/2020	14:08	N1	DD-D023104	CL007BR-061620	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.5		0.07	0.24	ug/WIPE
CL007BR	6/16/2020	14:08	N1	DD-D023104	CL007BR-061620	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL007BR	6/16/2020	14:08	N1	DD-D023104	CL007BR-061620	SW8082A	SW	TOTAL PCBs	6.5		-	0.24	ug/WIPE
CL008-010-012	5/15/2020	10:12	N1	DD-D000408	CL008-010-012-051520-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL008-010-012	5/15/2020	10:12	N1	DD-D000408	CL008-010-012-051520-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL008-010-012	5/15/2020	10:12	N1	DD-D000408	CL008-010-012-051520-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL008-010-012	5/15/2020	10:12	N1	DD-D000408	CL008-010-012-051520-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	1.3	B	0.088	0.24	ug/WIPE
CL008-010-012	5/15/2020	10:12	N1	DD-D000408	CL008-010-012-051520-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL008-010-012	5/15/2020	10:12	N1	DD-D000408	CL008-010-012-051520-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.65	B	0.07	0.24	ug/WIPE
CL008-010-012	5/15/2020	10:12	N1	DD-D000408	CL008-010-012-051520-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL008-010-012	5/15/2020	10:12	N1	DD-D000408	CL008-010-012-051520-COMP	SW8082A	SW	TOTAL PCBs	1.95		-	0.24	ug/WIPE
CL009BR	6/16/2020	14:13	N1	DD-D023105	CL009BR-061620	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL009BR	6/16/2020	14:13	N1	DD-D023105	CL009BR-061620	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL009BR	6/16/2020	14:13	N1	DD-D023105	CL009BR-061620	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL009BR	6/16/2020	14:13	N1	DD-D023105	CL009BR-061620	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	8.4		0.088	0.24	ug/WIPE
CL009BR	6/16/2020	14:13	N1	DD-D023105	CL009BR-061620	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL009BR	6/16/2020	14:13	N1	DD-D023105	CL009BR-061620	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2		0.07	0.24	ug/WIPE
CL009BR	6/16/2020	14:13	N1	DD-D023105	CL009BR-061620	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL009BR	6/16/2020	14:13	N1	DD-D023105	CL009BR-061620	SW8082A	SW	TOTAL PCBs	10.4		-	0.24	ug/WIPE
CL009BZ	7/24/2020	7:01	N1	DD-D024401	CL009BZ-072420	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL009BZ	7/24/2020	7:01	N1	DD-D024401	CL009BZ-072420	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL009BZ	7/24/2020	7:01	N1	DD-D024401	CL009BZ-072420	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL009BZ	7/24/2020	7:01	N1	DD-D024401	CL009BZ-072420	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.4		0.088	0.24	ug/WIPE
CL009BZ	7/24/2020	7:01	N1	DD-D024401	CL009BZ-072420	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL009BZ	7/24/2020	7:01	N1	DD-D024401	CL009BZ-072420	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.61		0.07	0.24	ug/WIPE
CL009BZ	7/24/2020	7:01	N1	DD-D024401	CL009BZ-072420	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL009BZ	7/24/2020	7:01	N1	DD-D024401	CL009BZ-072420	SW8082A	SW	TOTAL PCBs	3.01		-	0.24	ug/WIPE
CL011BR	6/16/2020	14:25	N1	DD-D023106	CL011BR-061620	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL011BR	6/16/2020	14:25	N1	DD-D023106	CL011BR-061620	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL011BR	6/16/2020	14:25	N1	DD-D023106	CL011BR-061620	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL011BR	6/16/2020	14:25	N1	DD-D023106	CL011BR-061620	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	8.1		0.088	0.24	ug/WIPE
CL011BR	6/16/2020	14:25	N1	DD-D023106	CL011BR-061620	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL011BR	6/16/2020	14:25	N1	DD-D023106	CL011BR-061620	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.3		0.07	0.24	ug/WIPE
CL011BR	6/16/2020	14:25	N1	DD-D023106	CL011BR-061620	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL011BR	6/16/2020	14:25	N1	DD-D023106	CL011BR-061620	SW8082A	SW	TOTAL PCBs	10.4		-	0.24	ug/WIPE
CL011BZ	7/24/2020	7:08	N1	DD-D024402	CL011BZ-072420	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL011BZ	7/24/2020	7:08	N1	DD-D024402	CL011BZ-072420	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL011BZ	7/24/2020	7:08	N1	DD-D024402	CL011BZ-072420	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL011BZ	7/24/2020	7:08	N1	DD-D024402	CL011BZ-072420	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.5		0.088	0.24	ug/WIPE
CL011BZ	7/24/2020	7:08	N1	DD-D024402	CL011BZ-072420	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL011BZ	7/24/2020	7:08	N1	DD-D024402	CL011BZ-072420	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.75		0.07	0.24	ug/WIPE



Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
CL011BZ	7/24/2020	7:08	N1	DD-D024402	CL011BZ-072420	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL011BZ	7/24/2020	7:08	N1	DD-D024402	CL011BZ-072420	SW8082A	SW	TOTAL PCBs	3.25		-	0.24	ug/WIPE
CL013-015-017	5/15/2020	10:34	N1	DD-D000503	CL013-015-017-051520-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL013-015-017	5/15/2020	10:34	N1	DD-D000503	CL013-015-017-051520-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL013-015-017	5/15/2020	10:34	N1	DD-D000503	CL013-015-017-051520-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL013-015-017	5/15/2020	10:34	N1	DD-D000503	CL013-015-017-051520-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	22		0.088	0.24	ug/WIPE
CL013-015-017	5/15/2020	10:34	N1	DD-D000503	CL013-015-017-051520-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL013-015-017	5/15/2020	10:34	N1	DD-D000503	CL013-015-017-051520-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	5.9		0.07	0.24	ug/WIPE
CL013-015-017	5/15/2020	10:34	N1	DD-D000503	CL013-015-017-051520-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL013-015-017	5/15/2020	10:34	N1	DD-D000503	CL013-015-017-051520-COMP	SW8082A	SW	TOTAL PCBs	27.9		-	0.24	ug/WIPE
CL013BR	6/16/2020	14:31	N1	DD-D023107	CL013BR-061620	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL013BR	6/16/2020	14:31	N1	DD-D023107	CL013BR-061620	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL013BR	6/16/2020	14:31	N1	DD-D023107	CL013BR-061620	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL013BR	6/16/2020	14:31	N1	DD-D023107	CL013BR-061620	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	8		0.088	0.24	ug/WIPE
CL013BR	6/16/2020	14:31	N1	DD-D023107	CL013BR-061620	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL013BR	6/16/2020	14:31	N1	DD-D023107	CL013BR-061620	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.2		0.07	0.24	ug/WIPE
CL013BR	6/16/2020	14:31	N1	DD-D023107	CL013BR-061620	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL013BR	6/16/2020	14:31	N1	DD-D023107	CL013BR-061620	SW8082A	SW	TOTAL PCBs	10.2		-	0.24	ug/WIPE
CL013BZ	7/24/2020	7:14	N1	DD-D024403	CL013BZ-072420	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL013BZ	7/24/2020	7:14	N1	DD-D024403	CL013BZ-072420	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL013BZ	7/24/2020	7:14	N1	DD-D024403	CL013BZ-072420	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL013BZ	7/24/2020	7:14	N1	DD-D024403	CL013BZ-072420	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.5		0.088	0.24	ug/WIPE
CL013BZ	7/24/2020	7:14	N1	DD-D024403	CL013BZ-072420	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL013BZ	7/24/2020	7:14	N1	DD-D024403	CL013BZ-072420	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.84		0.07	0.24	ug/WIPE
CL013BZ	7/24/2020	7:14	N1	DD-D024403	CL013BZ-072420	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL013BZ	7/24/2020	7:14	N1	DD-D024403	CL013BZ-072420	SW8082A	SW	TOTAL PCBs	4.34		-	0.24	ug/WIPE
CL014-016-018	5/15/2020	10:44	N1	DD-D000504	CL014-016-018-051520-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL014-016-018	5/15/2020	10:44	N1	DD-D000504	CL014-016-018-051520-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL014-016-018	5/15/2020	10:44	N1	DD-D000504	CL014-016-018-051520-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL014-016-018	5/15/2020	10:44	N1	DD-D000504	CL014-016-018-051520-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.94	B	0.088	0.24	ug/WIPE
CL014-016-018	5/15/2020	10:44	N1	DD-D000504	CL014-016-018-051520-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL014-016-018	5/15/2020	10:44	N1	DD-D000504	CL014-016-018-051520-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.39	B	0.07	0.24	ug/WIPE
CL014-016-018	5/15/2020	10:44	N1	DD-D000504	CL014-016-018-051520-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL014-016-018	5/15/2020	10:44	N1	DD-D000504	CL014-016-018-051520-COMP	SW8082A	SW	TOTAL PCBs	1.33		-	0.24	ug/WIPE
CL015BR	6/16/2020	14:37	N1	DD-D023108	CL015BR-061620	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL015BR	6/16/2020	14:37	N1	DD-D023108	CL015BR-061620	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL015BR	6/16/2020	14:37	N1	DD-D023108	CL015BR-061620	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL015BR	6/16/2020	14:37	N1	DD-D023108	CL015BR-061620	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	8		0.088	0.24	ug/WIPE
CL015BR	6/16/2020	14:37	N1	DD-D023108	CL015BR-061620	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL015BR	6/16/2020	14:37	N1	DD-D023108	CL015BR-061620	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.4		0.07	0.24	ug/WIPE
CL015BR	6/16/2020	14:37	N1	DD-D023108	CL015BR-061620	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL015BR	6/16/2020	14:37	N1	DD-D023108	CL015BR-061620	SW8082A	SW	TOTAL PCBs	10.4		-	0.24	ug/WIPE
CL015BZ	7/24/2020	7:20	N1	DD-D024404	CL015BZ-072420	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL015BZ	7/24/2020	7:20	N1	DD-D024404	CL015BZ-072420	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL015BZ	7/24/2020	7:20	N1	DD-D024404	CL015BZ-072420	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL015BZ	7/24/2020	7:20	N1	DD-D024404	CL015BZ-072420	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	1.8		0.088	0.24	ug/WIPE
CL015BZ	7/24/2020	7:20	N1	DD-D024404	CL015BZ-072420	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL015BZ	7/24/2020	7:20	N1	DD-D024404	CL015BZ-072420	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.56		0.07	0.24	ug/WIPE
CL015BZ	7/24/2020	7:20	N1	DD-D024404	CL015BZ-072420	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL015BZ	7/24/2020	7:20	N1	DD-D024404	CL015BZ-072420	SW8082A	SW	TOTAL PCBs	2.36		-	0.24	ug/WIPE
CL017BR	6/16/2020	14:40	N1	DD-D023109	CL017BR-061620	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE

Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units	
CL017BR	6/16/2020	14:40	N1	DD-D023109	CL017BR-061620	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE	
CL017BR	6/16/2020	14:40	N1	DD-D023109	CL017BR-061620	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE	
CL017BR	6/16/2020	14:40	N1	DD-D023109	CL017BR-061620	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	6.7		0.088	0.24	ug/WIPE	
CL017BR	6/16/2020	14:40	N1	DD-D023109	CL017BR-061620	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE	
CL017BR	6/16/2020	14:40	N1	DD-D023109	CL017BR-061620	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.7		0.07	0.24	ug/WIPE	
CL017BR	6/16/2020	14:40	N1	DD-D023109	CL017BR-061620	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE	
CL017BR	6/16/2020	14:40	N1	DD-D023109	CL017BR-061620	SW8082A	SW	TOTAL PCBs	8.4		-	0.24	ug/WIPE	
CL019-021-023	5/15/2020	11:16	N1	DD-D000509	CL019-021-023-051520-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE	
CL019-021-023	5/15/2020	11:16	N1	DD-D000509	CL019-021-023-051520-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE	
CL019-021-023	5/15/2020	11:16	N1	DD-D000509	CL019-021-023-051520-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE	
CL019-021-023	5/15/2020	11:16	N1	DD-D000509	CL019-021-023-051520-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	14		0.088	0.24	ug/WIPE	
CL019-021-023	5/15/2020	11:16	N1	DD-D000509	CL019-021-023-051520-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE	
CL019-021-023	5/15/2020	11:16	N1	DD-D000509	CL019-021-023-051520-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	4.1		0.07	0.24	ug/WIPE	
CL019-021-023	5/15/2020	11:16	N1	DD-D000509	CL019-021-023-051520-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE	
CL019-021-023	5/15/2020	11:16	N1	DD-D000509	CL019-021-023-051520-COMP	SW8082A	SW	TOTAL PCBs	18.1		-	0.24	ug/WIPE	
CL019BR	6/16/2020	14:44	N1	DD-D023110	CL019BR-061620	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE	
CL019BR	6/16/2020	14:44	N1	DD-D023110	CL019BR-061620	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE	
CL019BR	6/16/2020	14:44	N1	DD-D023110	CL019BR-061620	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE	
CL019BR	6/16/2020	14:44	N1	DD-D023110	CL019BR-061620	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	8		0.088	0.24	ug/WIPE	
CL019BR	6/16/2020	14:44	N1	DD-D023110	CL019BR-061620	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE	
CL019BR	6/16/2020	14:44	N1	DD-D023110	CL019BR-061620	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.1		0.07	0.24	ug/WIPE	
CL019BR	6/16/2020	14:44	N1	DD-D023110	CL019BR-061620	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE	
CL019BR	6/16/2020	14:44	N1	DD-D023110	CL019BR-061620	SW8082A	SW	TOTAL PCBs	10.1		-	0.24	ug/WIPE	
CL019BZ	7/24/2020	7:25	N1	DD-D024405	CL019BZ-072420	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE	
CL019BZ	7/24/2020	7:25	N1	DD-D024405	CL019BZ-072420	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE	
CL019BZ	7/24/2020	7:25	N1	DD-D024405	CL019BZ-072420	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE	
CL019BZ	7/24/2020	7:25	N1	DD-D024405	CL019BZ-072420	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.5		0.088	0.24	ug/WIPE	
CL019BZ	7/24/2020	7:25	N1	DD-D024405	CL019BZ-072420	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE	
CL019BZ	7/24/2020	7:25	N1	DD-D024405	CL019BZ-072420	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.67		0.07	0.24	ug/WIPE	
CL019BZ	7/24/2020	7:25	N1	DD-D024405	CL019BZ-072420	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE	
CL019BZ	7/24/2020	7:25	N1	DD-D024405	CL019BZ-072420	SW8082A	SW	TOTAL PCBs	3.17		-	0.24	ug/WIPE	
CL020-022-024	5/15/2020	11:20	N1	DD-D000510	CL020-022-024-051520-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE	
CL020-022-024	5/15/2020	11:20	N1	DD-D000510	CL020-022-024-051520-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE	
CL020-022-024	5/15/2020	11:20	N1	DD-D000510	CL020-022-024-051520-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE	
CL020-022-024	5/15/2020	11:20	N1	DD-D000510	CL020-022-024-051520-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.21		J.B	0.088	0.24	ug/WIPE
CL020-022-024	5/15/2020	11:20	N1	DD-D000510	CL020-022-024-051520-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE	
CL020-022-024	5/15/2020	11:20	N1	DD-D000510	CL020-022-024-051520-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	ND	U	0.07	0.24	ug/WIPE	
CL020-022-024	5/15/2020	11:20	N1	DD-D000510	CL020-022-024-051520-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE	
CL020-022-024	5/15/2020	11:20	N1	DD-D000510	CL020-022-024-051520-COMP	SW8082A	SW	TOTAL PCBs	0.21		-	0.24	ug/WIPE	
CL021BR	6/16/2020	14:51	N1	DD-D023201	CL021BR-061620	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE	
CL021BR	6/16/2020	14:51	N1	DD-D023201	CL021BR-061620	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE	
CL021BR	6/16/2020	14:51	N1	DD-D023201	CL021BR-061620	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE	
CL021BR	6/16/2020	14:51	N1	DD-D023201	CL021BR-061620	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	7.4		0.088	0.24	ug/WIPE	
CL021BR	6/16/2020	14:51	N1	DD-D023201	CL021BR-061620	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE	
CL021BR	6/16/2020	14:51	N1	DD-D023201	CL021BR-061620	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.3		0.07	0.24	ug/WIPE	
CL021BR	6/16/2020	14:51	N1	DD-D023201	CL021BR-061620	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE	
CL021BR	6/16/2020	14:51	N1	DD-D023201	CL021BR-061620	SW8082A	SW	TOTAL PCBs	9.7		-	0.24	ug/WIPE	
CL023BR	6/16/2020	14:57	N1	DD-D023202	CL023BR-061620	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE	
CL023BR	6/16/2020	14:57	N1	DD-D023202	CL023BR-061620	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE	
CL023BR	6/16/2020	14:57	N1	DD-D023202	CL023BR-061620	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE	
CL023BR	6/16/2020	14:57	N1	DD-D023202	CL023BR-061620	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	4.3		0.088	0.24	ug/WIPE	

Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
CLO23BR	6/16/2020	14:57	N1	DD-D023202	CLO23BR-061620	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CLO23BR	6/16/2020	14:57	N1	DD-D023202	CLO23BR-061620	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.3	U	0.07	0.24	ug/WIPE
CLO23BR	6/16/2020	14:57	N1	DD-D023202	CLO23BR-061620	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CLO23BR	6/16/2020	14:57	N1	DD-D023202	CLO23BR-061620	SW8082A	SW	TOTAL PCBs	5.6		-	0.24	ug/WIPE
CLO25-027-029	5/15/2020	11:40	N1	DD-D000605	CLO25-027-029-051520-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CLO25-027-029	5/15/2020	11:40	N1	DD-D000605	CLO25-027-029-051520-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CLO25-027-029	5/15/2020	11:40	N1	DD-D000605	CLO25-027-029-051520-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CLO25-027-029	5/15/2020	11:40	N1	DD-D000605	CLO25-027-029-051520-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	19		0.088	0.24	ug/WIPE
CLO25-027-029	5/15/2020	11:40	N1	DD-D000605	CLO25-027-029-051520-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CLO25-027-029	5/15/2020	11:40	N1	DD-D000605	CLO25-027-029-051520-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	5.9		0.07	0.24	ug/WIPE
CLO25-027-029	5/15/2020	11:40	N1	DD-D000605	CLO25-027-029-051520-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CLO25-027-029	5/15/2020	11:40	N1	DD-D000605	CLO25-027-029-051520-COMP	SW8082A	SW	TOTAL PCBs	24.9		-	0.24	ug/WIPE
CLO25BR	6/16/2020	16:25	N1	DD-D023203	CLO25BR-061620	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CLO25BR	6/16/2020	16:25	N1	DD-D023203	CLO25BR-061620	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CLO25BR	6/16/2020	16:25	N1	DD-D023203	CLO25BR-061620	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CLO25BR	6/16/2020	16:25	N1	DD-D023203	CLO25BR-061620	SW8082A	SW	PCB-1242 (AROCLOR 1242)	5.9		0.088	0.24	ug/WIPE
CLO25BR	6/16/2020	16:25	N1	DD-D023203	CLO25BR-061620	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CLO25BR	6/16/2020	16:25	N1	DD-D023203	CLO25BR-061620	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.9		0.07	0.24	ug/WIPE
CLO25BR	6/16/2020	16:25	N1	DD-D023203	CLO25BR-061620	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CLO25BR	6/16/2020	16:25	N1	DD-D023203	CLO25BR-061620	SW8082A	SW	TOTAL PCBs	7.8		-	0.24	ug/WIPE
CLO26-028-030	5/15/2020	11:46	N1	DD-D000606	CLO26-028-030-051520-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CLO26-028-030	5/15/2020	11:46	N1	DD-D000606	CLO26-028-030-051520-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CLO26-028-030	5/15/2020	11:46	N1	DD-D000606	CLO26-028-030-051520-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CLO26-028-030	5/15/2020	11:46	N1	DD-D000606	CLO26-028-030-051520-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.46	B	0.088	0.24	ug/WIPE
CLO26-028-030	5/15/2020	11:46	N1	DD-D000606	CLO26-028-030-051520-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CLO26-028-030	5/15/2020	11:46	N1	DD-D000606	CLO26-028-030-051520-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.22	JB	0.07	0.24	ug/WIPE
CLO26-028-030	5/15/2020	11:46	N1	DD-D000606	CLO26-028-030-051520-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CLO26-028-030	5/15/2020	11:46	N1	DD-D000606	CLO26-028-030-051520-COMP	SW8082A	SW	TOTAL PCBs	0.68		-	0.24	ug/WIPE
CLO27BR	6/16/2020	16:28	N1	DD-D023204	CLO27BR-061620	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CLO27BR	6/16/2020	16:28	N1	DD-D023204	CLO27BR-061620	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CLO27BR	6/16/2020	16:28	N1	DD-D023204	CLO27BR-061620	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CLO27BR	6/16/2020	16:28	N1	DD-D023204	CLO27BR-061620	SW8082A	SW	PCB-1242 (AROCLOR 1242)	5.4		0.088	0.24	ug/WIPE
CLO27BR	6/16/2020	16:28	N1	DD-D023204	CLO27BR-061620	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CLO27BR	6/16/2020	16:28	N1	DD-D023204	CLO27BR-061620	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.5		0.07	0.24	ug/WIPE
CLO27BR	6/16/2020	16:28	N1	DD-D023204	CLO27BR-061620	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CLO27BR	6/16/2020	16:28	N1	DD-D023204	CLO27BR-061620	SW8082A	SW	TOTAL PCBs	6.9		-	0.24	ug/WIPE
CLO29BR	6/16/2020	16:33	N1	DD-D023205	CLO29BR-061620	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CLO29BR	6/16/2020	16:33	N1	DD-D023205	CLO29BR-061620	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CLO29BR	6/16/2020	16:33	N1	DD-D023205	CLO29BR-061620	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CLO29BR	6/16/2020	16:33	N1	DD-D023205	CLO29BR-061620	SW8082A	SW	PCB-1242 (AROCLOR 1242)	4.8		0.088	0.24	ug/WIPE
CLO29BR	6/16/2020	16:33	N1	DD-D023205	CLO29BR-061620	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CLO29BR	6/16/2020	16:33	N1	DD-D023205	CLO29BR-061620	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.4		0.07	0.24	ug/WIPE
CLO29BR	6/16/2020	16:33	N1	DD-D023205	CLO29BR-061620	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CLO29BR	6/16/2020	16:33	N1	DD-D023205	CLO29BR-061620	SW8082A	SW	TOTAL PCBs	6.2		-	0.24	ug/WIPE
CLO31-033-035	5/15/2020	13:33	N1	DD-D000701	CLO31-033-035-051520-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CLO31-033-035	5/15/2020	13:33	N1	DD-D000701	CLO31-033-035-051520-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CLO31-033-035	5/15/2020	13:33	N1	DD-D000701	CLO31-033-035-051520-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CLO31-033-035	5/15/2020	13:33	N1	DD-D000701	CLO31-033-035-051520-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	14		0.088	0.24	ug/WIPE
CLO31-033-035	5/15/2020	13:33	N1	DD-D000701	CLO31-033-035-051520-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CLO31-033-035	5/15/2020	13:33	N1	DD-D000701	CLO31-033-035-051520-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	4.2		0.07	0.24	ug/WIPE
CLO31-033-035	5/15/2020	13:33	N1	DD-D000701	CLO31-033-035-051520-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE

Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
CL031-033-035	5/15/2020	13:33	N1	DD-D000701	CL031-033-035-051520-COMP	SW8082A	SW	TOTAL PCBs	18.2		-	0.24	ug/WIPE
CL031BR	6/16/2020	16:38	N1	DD-D023206	CL031BR-061620	SW8082A	SW	PCB-1016 (AROCOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL031BR	6/16/2020	16:38	N1	DD-D023206	CL031BR-061620	SW8082A	SW	PCB-1221 (AROCOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL031BR	6/16/2020	16:38	N1	DD-D023206	CL031BR-061620	SW8082A	SW	PCB-1232 (AROCOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL031BR	6/16/2020	16:38	N1	DD-D023206	CL031BR-061620	SW8082A	SW	PCB-1242 (AROCOR 1242)	8.1		0.088	0.24	ug/WIPE
CL031BR	6/16/2020	16:38	N1	DD-D023206	CL031BR-061620	SW8082A	SW	PCB-1248 (AROCOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL031BR	6/16/2020	16:38	N1	DD-D023206	CL031BR-061620	SW8082A	SW	PCB-1254 (AROCOR 1254)	2.4		0.07	0.24	ug/WIPE
CL031BR	6/16/2020	16:38	N1	DD-D023206	CL031BR-061620	SW8082A	SW	PCB-1260 (AROCOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL031BR	6/16/2020	16:38	N1	DD-D023206	CL031BR-061620	SW8082A	SW	TOTAL PCBs	10.5		-	0.24	ug/WIPE
CL031BZ	7/24/2020	7:30	N1	DD-D024406	CL031BZ-072420	SW8082A	SW	PCB-1016 (AROCOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL031BZ	7/24/2020	7:30	N1	DD-D024406	CL031BZ-072420	SW8082A	SW	PCB-1221 (AROCOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL031BZ	7/24/2020	7:30	N1	DD-D024406	CL031BZ-072420	SW8082A	SW	PCB-1232 (AROCOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL031BZ	7/24/2020	7:30	N1	DD-D024406	CL031BZ-072420	SW8082A	SW	PCB-1242 (AROCOR 1242)	3.1		0.088	0.24	ug/WIPE
CL031BZ	7/24/2020	7:30	N1	DD-D024406	CL031BZ-072420	SW8082A	SW	PCB-1248 (AROCOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL031BZ	7/24/2020	7:30	N1	DD-D024406	CL031BZ-072420	SW8082A	SW	PCB-1254 (AROCOR 1254)	0.91		0.07	0.24	ug/WIPE
CL031BZ	7/24/2020	7:30	N1	DD-D024406	CL031BZ-072420	SW8082A	SW	PCB-1260 (AROCOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL031BZ	7/24/2020	7:30	N1	DD-D024406	CL031BZ-072420	SW8082A	SW	TOTAL PCBs	4.01		-	0.24	ug/WIPE
CL032-034-036	5/15/2020	13:36	N1	DD-D000702	CL032-034-036-051520-COMP	SW8082A	SW	PCB-1016 (AROCOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL032-034-036	5/15/2020	13:36	N1	DD-D000702	CL032-034-036-051520-COMP	SW8082A	SW	PCB-1221 (AROCOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL032-034-036	5/15/2020	13:36	N1	DD-D000702	CL032-034-036-051520-COMP	SW8082A	SW	PCB-1232 (AROCOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL032-034-036	5/15/2020	13:36	N1	DD-D000702	CL032-034-036-051520-COMP	SW8082A	SW	PCB-1242 (AROCOR 1242)	0.64		0.088	0.24	ug/WIPE
CL032-034-036	5/15/2020	13:36	N1	DD-D000702	CL032-034-036-051520-COMP	SW8082A	SW	PCB-1248 (AROCOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL032-034-036	5/15/2020	13:36	N1	DD-D000702	CL032-034-036-051520-COMP	SW8082A	SW	PCB-1254 (AROCOR 1254)	0.3		0.07	0.24	ug/WIPE
CL032-034-036	5/15/2020	13:36	N1	DD-D000702	CL032-034-036-051520-COMP	SW8082A	SW	PCB-1260 (AROCOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL032-034-036	5/15/2020	13:36	N1	DD-D000702	CL032-034-036-051520-COMP	SW8082A	SW	TOTAL PCBs	0.94		-	0.24	ug/WIPE
CL033BR	6/16/2020	16:45	N1	DD-D023207	CL033BR-061620	SW8082A	SW	PCB-1016 (AROCOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL033BR	6/16/2020	16:45	N1	DD-D023207	CL033BR-061620	SW8082A	SW	PCB-1221 (AROCOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL033BR	6/16/2020	16:45	N1	DD-D023207	CL033BR-061620	SW8082A	SW	PCB-1232 (AROCOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL033BR	6/16/2020	16:45	N1	DD-D023207	CL033BR-061620	SW8082A	SW	PCB-1242 (AROCOR 1242)	6.6		0.088	0.24	ug/WIPE
CL033BR	6/16/2020	16:45	N1	DD-D023207	CL033BR-061620	SW8082A	SW	PCB-1248 (AROCOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL033BR	6/16/2020	16:45	N1	DD-D023207	CL033BR-061620	SW8082A	SW	PCB-1254 (AROCOR 1254)	1.8		0.07	0.24	ug/WIPE
CL033BR	6/16/2020	16:45	N1	DD-D023207	CL033BR-061620	SW8082A	SW	PCB-1260 (AROCOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL033BR	6/16/2020	16:45	N1	DD-D023207	CL033BR-061620	SW8082A	SW	TOTAL PCBs	8.4		-	0.24	ug/WIPE
CL035BR	6/17/2020	7:00	N1	DD-D023208	CL035BR-061720	SW8082A	SW	PCB-1016 (AROCOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL035BR	6/17/2020	7:00	N1	DD-D023208	CL035BR-061720	SW8082A	SW	PCB-1221 (AROCOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL035BR	6/17/2020	7:00	N1	DD-D023208	CL035BR-061720	SW8082A	SW	PCB-1232 (AROCOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL035BR	6/17/2020	7:00	N1	DD-D023208	CL035BR-061720	SW8082A	SW	PCB-1242 (AROCOR 1242)	6.5		0.088	0.24	ug/WIPE
CL035BR	6/17/2020	7:00	N1	DD-D023208	CL035BR-061720	SW8082A	SW	PCB-1248 (AROCOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL035BR	6/17/2020	7:00	N1	DD-D023208	CL035BR-061720	SW8082A	SW	PCB-1254 (AROCOR 1254)	2.1		0.07	0.24	ug/WIPE
CL035BR	6/17/2020	7:00	N1	DD-D023208	CL035BR-061720	SW8082A	SW	PCB-1260 (AROCOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL035BR	6/17/2020	7:00	N1	DD-D023208	CL035BR-061720	SW8082A	SW	TOTAL PCBs	8.6		-	0.24	ug/WIPE
CL037-039-041	5/15/2020	14:12	N1	DD-D000707	CL037-039-041-051520-COMP	SW8082A	SW	PCB-1016 (AROCOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL037-039-041	5/15/2020	14:12	N1	DD-D000707	CL037-039-041-051520-COMP	SW8082A	SW	PCB-1221 (AROCOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL037-039-041	5/15/2020	14:12	N1	DD-D000707	CL037-039-041-051520-COMP	SW8082A	SW	PCB-1232 (AROCOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL037-039-041	5/15/2020	14:12	N1	DD-D000707	CL037-039-041-051520-COMP	SW8082A	SW	PCB-1242 (AROCOR 1242)	10		0.088	0.24	ug/WIPE
CL037-039-041	5/15/2020	14:12	N1	DD-D000707	CL037-039-041-051520-COMP	SW8082A	SW	PCB-1248 (AROCOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL037-039-041	5/15/2020	14:12	N1	DD-D000707	CL037-039-041-051520-COMP	SW8082A	SW	PCB-1254 (AROCOR 1254)	2.9		0.07	0.24	ug/WIPE
CL037-039-041	5/15/2020	14:12	N1	DD-D000707	CL037-039-041-051520-COMP	SW8082A	SW	PCB-1260 (AROCOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL037-039-041	5/15/2020	14:12	N1	DD-D000707	CL037-039-041-051520-COMP	SW8082A	SW	TOTAL PCBs	12.9		-	0.24	ug/WIPE
CL037BR	6/17/2020	7:03	N1	DD-D023209	CL037BR-061720	SW8082A	SW	PCB-1016 (AROCOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL037BR	6/17/2020	7:03	N1	DD-D023209	CL037BR-061720	SW8082A	SW	PCB-1221 (AROCOR 1221)	ND	U	0.12	0.24	ug/WIPE

Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
CLO37BR	6/17/2020	7:03	N1	DD-D023209	CLO37BR-061720	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CLO37BR	6/17/2020	7:03	N1	DD-D023209	CLO37BR-061720	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	7	U	0.088	0.24	ug/WIPE
CLO37BR	6/17/2020	7:03	N1	DD-D023209	CLO37BR-061720	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CLO37BR	6/17/2020	7:03	N1	DD-D023209	CLO37BR-061720	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2	U	0.07	0.24	ug/WIPE
CLO37BR	6/17/2020	7:03	N1	DD-D023209	CLO37BR-061720	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CLO37BR	6/17/2020	7:03	N1	DD-D023209	CLO37BR-061720	SW8082A	SW	TOTAL PCBs	9	U	-	0.24	ug/WIPE
CLO38-040-042	5/15/2020	14:20	N1	DD-D000708	CLO38-040-042-051520-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CLO38-040-042	5/15/2020	14:20	N1	DD-D000708	CLO38-040-042-051520-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CLO38-040-042	5/15/2020	14:20	N1	DD-D000708	CLO38-040-042-051520-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CLO38-040-042	5/15/2020	14:20	N1	DD-D000708	CLO38-040-042-051520-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.25	U	0.088	0.24	ug/WIPE
CLO38-040-042	5/15/2020	14:20	N1	DD-D000708	CLO38-040-042-051520-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CLO38-040-042	5/15/2020	14:20	N1	DD-D000708	CLO38-040-042-051520-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	ND	U	0.07	0.24	ug/WIPE
CLO38-040-042	5/15/2020	14:20	N1	DD-D000708	CLO38-040-042-051520-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CLO38-040-042	5/15/2020	14:20	N1	DD-D000708	CLO38-040-042-051520-COMP	SW8082A	SW	TOTAL PCBs	0.25	U	-	0.24	ug/WIPE
CLO39BR	6/17/2020	7:08	N1	DD-D023210	CLO39BR-061720	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CLO39BR	6/17/2020	7:08	N1	DD-D023210	CLO39BR-061720	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CLO39BR	6/17/2020	7:08	N1	DD-D023210	CLO39BR-061720	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CLO39BR	6/17/2020	7:08	N1	DD-D023210	CLO39BR-061720	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	4.4	U	0.088	0.24	ug/WIPE
CLO39BR	6/17/2020	7:08	N1	DD-D023210	CLO39BR-061720	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CLO39BR	6/17/2020	7:08	N1	DD-D023210	CLO39BR-061720	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.3	U	0.07	0.24	ug/WIPE
CLO39BR	6/17/2020	7:08	N1	DD-D023210	CLO39BR-061720	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CLO41BR	6/17/2020	7:14	N1	DD-D023301	CLO41BR-061720	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CLO41BR	6/17/2020	7:14	N1	DD-D023301	CLO41BR-061720	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CLO41BR	6/17/2020	7:14	N1	DD-D023301	CLO41BR-061720	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CLO41BR	6/17/2020	7:14	N1	DD-D023301	CLO41BR-061720	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	4.2	U	0.088	0.24	ug/WIPE
CLO41BR	6/17/2020	7:14	N1	DD-D023301	CLO41BR-061720	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CLO41BR	6/17/2020	7:14	N1	DD-D023301	CLO41BR-061720	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.2	U	0.07	0.24	ug/WIPE
CLO41BR	6/17/2020	7:14	N1	DD-D023301	CLO41BR-061720	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CLO41BR	6/17/2020	7:14	N1	DD-D023301	CLO41BR-061720	SW8082A	SW	TOTAL PCBs	5.4	U	-	0.24	ug/WIPE
CLO43-045	5/15/2020	14:47	N1	DD-D000803	CLO43-045-051520-COMP-B	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CLO43-045	5/15/2020	14:47	N1	DD-D000803	CLO43-045-051520-COMP-B	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CLO43-045	5/15/2020	14:47	N1	DD-D000803	CLO43-045-051520-COMP-B	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CLO43-045	5/15/2020	14:47	N1	DD-D000803	CLO43-045-051520-COMP-B	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	13	U	0.088	0.24	ug/WIPE
CLO43-045	5/15/2020	14:47	N1	DD-D000803	CLO43-045-051520-COMP-B	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CLO43-045	5/15/2020	14:47	N1	DD-D000803	CLO43-045-051520-COMP-B	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	3.8	U	0.07	0.24	ug/WIPE
CLO43-045	5/15/2020	14:47	N1	DD-D000803	CLO43-045-051520-COMP-B	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CLO43-045	5/15/2020	14:47	N1	DD-D000803	CLO43-045-051520-COMP-B	SW8082A	SW	TOTAL PCBs	16.8	U	-	0.24	ug/WIPE
CLO43BR	6/17/2020	7:20	N1	DD-D023302	CLO43BR-061720	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CLO43BR	6/17/2020	7:20	N1	DD-D023302	CLO43BR-061720	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CLO43BR	6/17/2020	7:20	N1	DD-D023302	CLO43BR-061720	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CLO43BR	6/17/2020	7:20	N1	DD-D023302	CLO43BR-061720	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	4.7	U	0.088	0.24	ug/WIPE
CLO43BR	6/17/2020	7:20	N1	DD-D023302	CLO43BR-061720	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CLO43BR	6/17/2020	7:20	N1	DD-D023302	CLO43BR-061720	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.5	U	0.07	0.24	ug/WIPE
CLO43BR	6/17/2020	7:20	N1	DD-D023302	CLO43BR-061720	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CLO43BR	6/17/2020	7:20	N1	DD-D023302	CLO43BR-061720	SW8082A	SW	TOTAL PCBs	6.2	U	-	0.24	ug/WIPE
CLO44-046	5/15/2020	14:52	N1	DD-D000804	CLO44-046-051520-COMP-P	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CLO44-046	5/15/2020	14:52	N1	DD-D000804	CLO44-046-051520-COMP-P	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CLO44-046	5/15/2020	14:52	N1	DD-D000804	CLO44-046-051520-COMP-P	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CLO44-046	5/15/2020	14:52	N1	DD-D000804	CLO44-046-051520-COMP-P	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	11	U	0.088	0.24	ug/WIPE
CLO44-046	5/15/2020	14:52	N1	DD-D000804	CLO44-046-051520-COMP-P	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CLO44-046	5/15/2020	14:52	N1	DD-D000804	CLO44-046-051520-COMP-P	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	3.1	U	0.07	0.24	ug/WIPE



Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
CLO44-046	5/15/2020	14:52	N1	DD-D000804	CLO44-046-051520-COMP-P	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CLO44-046	5/15/2020	14:52	N1	DD-D000804	CLO44-046-051520-COMP-P	SW8082A	SW	TOTAL PCBs	14.1		-	0.24	ug/WIPE
CLO44PR	6/17/2020	7:22	N1	DD-D023304	CLO44PR-061720	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CLO44PR	6/17/2020	7:22	N1	DD-D023304	CLO44PR-061720	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CLO44PR	6/17/2020	7:22	N1	DD-D023304	CLO44PR-061720	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CLO44PR	6/17/2020	7:22	N1	DD-D023304	CLO44PR-061720	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.83		0.088	0.24	ug/WIPE
CLO44PR	6/17/2020	7:22	N1	DD-D023304	CLO44PR-061720	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CLO44PR	6/17/2020	7:22	N1	DD-D023304	CLO44PR-061720	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.26		0.07	0.24	ug/WIPE
CLO44PR	6/17/2020	7:22	N1	DD-D023304	CLO44PR-061720	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CLO44PR	6/17/2020	7:22	N1	DD-D023304	CLO44PR-061720	SW8082A	SW	TOTAL PCBs	1.09		-	0.24	ug/WIPE
CLO45BR	6/17/2020	7:29	N1	DD-D023303	CLO45BR-061720	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CLO45BR	6/17/2020	7:29	N1	DD-D023303	CLO45BR-061720	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CLO45BR	6/17/2020	7:29	N1	DD-D023303	CLO45BR-061720	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CLO45BR	6/17/2020	7:29	N1	DD-D023303	CLO45BR-061720	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	7.2		0.088	0.24	ug/WIPE
CLO45BR	6/17/2020	7:29	N1	DD-D023303	CLO45BR-061720	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CLO45BR	6/17/2020	7:29	N1	DD-D023303	CLO45BR-061720	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2		0.07	0.24	ug/WIPE
CLO45BR	6/17/2020	7:29	N1	DD-D023303	CLO45BR-061720	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CLO45BR	6/17/2020	7:29	N1	DD-D023303	CLO45BR-061720	SW8082A	SW	TOTAL PCBs	9.2		-	0.24	ug/WIPE
CLO46PR	6/17/2020	7:33	N1	DD-D023305	CLO46PR-061720	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CLO46PR	6/17/2020	7:33	N1	DD-D023305	CLO46PR-061720	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CLO46PR	6/17/2020	7:33	N1	DD-D023305	CLO46PR-061720	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CLO46PR	6/17/2020	7:33	N1	DD-D023305	CLO46PR-061720	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.14	J	0.088	0.24	ug/WIPE
CLO46PR	6/17/2020	7:33	N1	DD-D023305	CLO46PR-061720	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CLO46PR	6/17/2020	7:33	N1	DD-D023305	CLO46PR-061720	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	ND	U	0.07	0.24	ug/WIPE
CLO46PR	6/17/2020	7:33	N1	DD-D023305	CLO46PR-061720	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CLO46PR	6/17/2020	7:33	N1	DD-D023305	CLO46PR-061720	SW8082A	SW	TOTAL PCBs	0.14		-	0.24	ug/WIPE
CLO47-049	5/15/2020	15:45	N1	DD-D000807	CLO47-049-051520-COMP-B	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CLO47-049	5/15/2020	15:45	N1	DD-D000807	CLO47-049-051520-COMP-B	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CLO47-049	5/15/2020	15:45	N1	DD-D000807	CLO47-049-051520-COMP-B	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CLO47-049	5/15/2020	15:45	N1	DD-D000807	CLO47-049-051520-COMP-B	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	4.4		0.088	0.24	ug/WIPE
CLO47-049	5/15/2020	15:45	N1	DD-D000807	CLO47-049-051520-COMP-B	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CLO47-049	5/15/2020	15:45	N1	DD-D000807	CLO47-049-051520-COMP-B	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.2		0.07	0.24	ug/WIPE
CLO47-049	5/15/2020	15:45	N1	DD-D000807	CLO47-049-051520-COMP-B	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CLO47-049	5/15/2020	15:45	N1	DD-D000807	CLO47-049-051520-COMP-B	SW8082A	SW	TOTAL PCBs	5.6		-	0.24	ug/WIPE
CLO48-050	5/15/2020	15:50	N1	DD-D000808	CLO48-050-051520-COMP-P	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CLO48-050	5/15/2020	15:50	N1	DD-D000808	CLO48-050-051520-COMP-P	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CLO48-050	5/15/2020	15:50	N1	DD-D000808	CLO48-050-051520-COMP-P	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CLO48-050	5/15/2020	15:50	N1	DD-D000808	CLO48-050-051520-COMP-P	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.3		0.088	0.24	ug/WIPE
CLO48-050	5/15/2020	15:50	N1	DD-D000808	CLO48-050-051520-COMP-P	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CLO48-050	5/15/2020	15:50	N1	DD-D000808	CLO48-050-051520-COMP-P	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	ND	U	0.07	0.24	ug/WIPE
CLO48-050	5/15/2020	15:50	N1	DD-D000808	CLO48-050-051520-COMP-P	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CLO48-050	5/15/2020	15:50	N1	DD-D000808	CLO48-050-051520-COMP-P	SW8082A	SW	TOTAL PCBs	0.3		-	0.24	ug/WIPE
CLO51-053	5/15/2020	16:12	N1	DD-D000901	CLO51-053-051520-COMP-B	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CLO51-053	5/15/2020	16:12	N1	DD-D000901	CLO51-053-051520-COMP-B	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CLO51-053	5/15/2020	16:12	N1	DD-D000901	CLO51-053-051520-COMP-B	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CLO51-053	5/15/2020	16:12	N1	DD-D000901	CLO51-053-051520-COMP-B	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	5.6		0.088	0.24	ug/WIPE
CLO51-053	5/15/2020	16:12	N1	DD-D000901	CLO51-053-051520-COMP-B	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CLO51-053	5/15/2020	16:12	N1	DD-D000901	CLO51-053-051520-COMP-B	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.6		0.07	0.24	ug/WIPE
CLO51-053	5/15/2020	16:12	N1	DD-D000901	CLO51-053-051520-COMP-B	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CLO51-053	5/15/2020	16:12	N1	DD-D000901	CLO51-053-051520-COMP-B	SW8082A	SW	TOTAL PCBs	7.2		-	0.24	ug/WIPE
CLO52-054	5/15/2020	16:41	N1	DD-D000902	CLO52-054-051520-COMP-P	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE



Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
CL052-054	5/15/2020	16:41	N1	DD-D000902	CL052-054-051520-COMP-P	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL052-054	5/15/2020	16:41	N1	DD-D000902	CL052-054-051520-COMP-P	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL052-054	5/15/2020	16:41	N1	DD-D000902	CL052-054-051520-COMP-P	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.18	J	0.088	0.24	ug/WIPE
CL052-054	5/15/2020	16:41	N1	DD-D000902	CL052-054-051520-COMP-P	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL052-054	5/15/2020	16:41	N1	DD-D000902	CL052-054-051520-COMP-P	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	ND	U	0.07	0.24	ug/WIPE
CL052-054	5/15/2020	16:41	N1	DD-D000902	CL052-054-051520-COMP-P	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL052-054	5/15/2020	16:41	N1	DD-D000902	CL052-054-051520-COMP-P	SW8082A	SW	TOTAL PCBs	0.18		-	0.24	ug/WIPE
CL055-057	5/15/2020	16:58	N1	DD-D000905	CL055-057-051520-COMP-B	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL055-057	5/15/2020	16:58	N1	DD-D000905	CL055-057-051520-COMP-B	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL055-057	5/15/2020	16:58	N1	DD-D000905	CL055-057-051520-COMP-B	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL055-057	5/15/2020	16:58	N1	DD-D000905	CL055-057-051520-COMP-B	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	21		0.088	0.24	ug/WIPE
CL055-057	5/15/2020	16:58	N1	DD-D000905	CL055-057-051520-COMP-B	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL055-057	5/15/2020	16:58	N1	DD-D000905	CL055-057-051520-COMP-B	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	6.9		0.07	0.24	ug/WIPE
CL055-057	5/15/2020	16:58	N1	DD-D000905	CL055-057-051520-COMP-B	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL055-057	5/15/2020	16:58	N1	DD-D000905	CL055-057-051520-COMP-B	SW8082A	SW	TOTAL PCBs	27.9		-	0.24	ug/WIPE
CL055BR	6/17/2020	7:40	N1	DD-D023306	CL055BR-061720	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL055BR	6/17/2020	7:40	N1	DD-D023306	CL055BR-061720	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL055BR	6/17/2020	7:40	N1	DD-D023306	CL055BR-061720	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL055BR	6/17/2020	7:40	N1	DD-D023306	CL055BR-061720	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	6.3		0.088	0.24	ug/WIPE
CL055BR	6/17/2020	7:40	N1	DD-D023306	CL055BR-061720	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL055BR	6/17/2020	7:40	N1	DD-D023306	CL055BR-061720	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2		0.07	0.24	ug/WIPE
CL055BR	6/17/2020	7:40	N1	DD-D023306	CL055BR-061720	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL055BR	6/17/2020	7:40	N1	DD-D023306	CL055BR-061720	SW8082A	SW	TOTAL PCBs	8.3		-	0.24	ug/WIPE
CL056-058	5/15/2020	17:10	N1	DD-D000906	CL056-058-051520-COMP-P	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL056-058	5/15/2020	17:10	N1	DD-D000906	CL056-058-051520-COMP-P	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL056-058	5/15/2020	17:10	N1	DD-D000906	CL056-058-051520-COMP-P	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL056-058	5/15/2020	17:10	N1	DD-D000906	CL056-058-051520-COMP-P	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.25		0.088	0.24	ug/WIPE
CL056-058	5/15/2020	17:10	N1	DD-D000906	CL056-058-051520-COMP-P	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL056-058	5/15/2020	17:10	N1	DD-D000906	CL056-058-051520-COMP-P	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.11	J	0.07	0.24	ug/WIPE
CL056-058	5/15/2020	17:10	N1	DD-D000906	CL056-058-051520-COMP-P	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL056-058	5/15/2020	17:10	N1	DD-D000906	CL056-058-051520-COMP-P	SW8082A	SW	TOTAL PCBs	0.36		-	0.24	ug/WIPE
CL057BR	6/17/2020	7:47	N1	DD-D023307	CL057BR-061720	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL057BR	6/17/2020	7:47	N1	DD-D023307	CL057BR-061720	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL057BR	6/17/2020	7:47	N1	DD-D023307	CL057BR-061720	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL057BR	6/17/2020	7:47	N1	DD-D023307	CL057BR-061720	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	6.5		0.088	0.24	ug/WIPE
CL057BR	6/17/2020	7:47	N1	DD-D023307	CL057BR-061720	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL057BR	6/17/2020	7:47	N1	DD-D023307	CL057BR-061720	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.1		0.07	0.24	ug/WIPE
CL057BR	6/17/2020	7:47	N1	DD-D023307	CL057BR-061720	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL057BR	6/17/2020	7:47	N1	DD-D023307	CL057BR-061720	SW8082A	SW	TOTAL PCBs	8.6		-	0.24	ug/WIPE
CL059-061	5/15/2020	17:26	N1	DD-D000909	CL059-061-051520-COMP-B	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL059-061	5/15/2020	17:26	N1	DD-D000909	CL059-061-051520-COMP-B	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL059-061	5/15/2020	17:26	N1	DD-D000909	CL059-061-051520-COMP-B	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL059-061	5/15/2020	17:26	N1	DD-D000909	CL059-061-051520-COMP-B	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	6.9		0.088	0.24	ug/WIPE
CL059-061	5/15/2020	17:26	N1	DD-D000909	CL059-061-051520-COMP-B	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL059-061	5/15/2020	17:26	N1	DD-D000909	CL059-061-051520-COMP-B	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.1		0.07	0.24	ug/WIPE
CL059-061	5/15/2020	17:26	N1	DD-D000909	CL059-061-051520-COMP-B	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL059-061	5/15/2020	17:26	N1	DD-D000909	CL059-061-051520-COMP-B	SW8082A	SW	TOTAL PCBs	9		-	0.24	ug/WIPE
CL060-062	5/15/2020	17:30	N1	DD-D000910	CL060-062-051520-COMP-P	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL060-062	5/15/2020	17:30	N1	DD-D000910	CL060-062-051520-COMP-P	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL060-062	5/15/2020	17:30	N1	DD-D000910	CL060-062-051520-COMP-P	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL060-062	5/15/2020	17:30	N1	DD-D000910	CL060-062-051520-COMP-P	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.55		0.088	0.24	ug/WIPE

## Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
CL060-062	5/15/2020	17:30	N1	DD-D000910	CL060-062-051520-COMP-P	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL060-062	5/15/2020	17:30	N1	DD-D000910	CL060-062-051520-COMP-P	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.25	U	0.07	0.24	ug/WIPE
CL060-062	5/15/2020	17:30	N1	DD-D000910	CL060-062-051520-COMP-P	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL060-062	5/15/2020	17:30	N1	DD-D000910	CL060-062-051520-COMP-P	SW8082A	SW	TOTAL PCBs	0.8		-	0.24	ug/WIPE
CL063-065	5/18/2020	6:31	N1	DD-D001003	CL063-065-051820-COMP-B	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL063-065	5/18/2020	6:31	N1	DD-D001003	CL063-065-051820-COMP-B	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL063-065	5/18/2020	6:31	N1	DD-D001003	CL063-065-051820-COMP-B	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL063-065	5/18/2020	6:31	N1	DD-D001003	CL063-065-051820-COMP-B	SW8082A	SW	PCB-1242 (AROCLOR 1242)	5.2		0.088	0.24	ug/WIPE
CL063-065	5/18/2020	6:31	N1	DD-D001003	CL063-065-051820-COMP-B	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL063-065	5/18/2020	6:31	N1	DD-D001003	CL063-065-051820-COMP-B	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.7		0.07	0.24	ug/WIPE
CL063-065	5/18/2020	6:31	N1	DD-D001003	CL063-065-051820-COMP-B	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL063-065	5/18/2020	6:31	N1	DD-D001003	CL063-065-051820-COMP-B	SW8082A	SW	TOTAL PCBs	6.9		-	0.24	ug/WIPE
CL064-066	5/18/2020	6:37	N1	DD-D001004	CL064-066-051820-COMP-P	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL064-066	5/18/2020	6:37	N1	DD-D001004	CL064-066-051820-COMP-P	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL064-066	5/18/2020	6:37	N1	DD-D001004	CL064-066-051820-COMP-P	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL064-066	5/18/2020	6:37	N1	DD-D001004	CL064-066-051820-COMP-P	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.22	J	0.088	0.24	ug/WIPE
CL064-066	5/18/2020	6:37	N1	DD-D001004	CL064-066-051820-COMP-P	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL064-066	5/18/2020	6:37	N1	DD-D001004	CL064-066-051820-COMP-P	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.084	J	0.07	0.24	ug/WIPE
CL064-066	5/18/2020	6:37	N1	DD-D001004	CL064-066-051820-COMP-P	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL064-066	5/18/2020	6:37	N1	DD-D001004	CL064-066-051820-COMP-P	SW8082A	SW	TOTAL PCBs	0.304		-	0.24	ug/WIPE
CL067-069	5/18/2020	6:46	N1	DD-D001007	CL067-069-051820-COMP-B	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL067-069	5/18/2020	6:46	N1	DD-D001007	CL067-069-051820-COMP-B	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL067-069	5/18/2020	6:46	N1	DD-D001007	CL067-069-051820-COMP-B	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL067-069	5/18/2020	6:46	N1	DD-D001007	CL067-069-051820-COMP-B	SW8082A	SW	PCB-1242 (AROCLOR 1242)	5.4		0.088	0.24	ug/WIPE
CL067-069	5/18/2020	6:46	N1	DD-D001007	CL067-069-051820-COMP-B	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL067-069	5/18/2020	6:46	N1	DD-D001007	CL067-069-051820-COMP-B	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.7		0.07	0.24	ug/WIPE
CL067-069	5/18/2020	6:46	N1	DD-D001007	CL067-069-051820-COMP-B	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL067-069	5/18/2020	6:46	N1	DD-D001007	CL067-069-051820-COMP-B	SW8082A	SW	TOTAL PCBs	7.1		-	0.24	ug/WIPE
CL068-070	5/18/2020	6:52	N1	DD-D001008	CL068-070-051820-COMP-P	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL068-070	5/18/2020	6:52	N1	DD-D001008	CL068-070-051820-COMP-P	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL068-070	5/18/2020	6:52	N1	DD-D001008	CL068-070-051820-COMP-P	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL068-070	5/18/2020	6:52	N1	DD-D001008	CL068-070-051820-COMP-P	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.18	J	0.088	0.24	ug/WIPE
CL068-070	5/18/2020	6:52	N1	DD-D001008	CL068-070-051820-COMP-P	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL068-070	5/18/2020	6:52	N1	DD-D001008	CL068-070-051820-COMP-P	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
CL068-070	5/18/2020	6:52	N1	DD-D001008	CL068-070-051820-COMP-P	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL068-070	5/18/2020	6:52	N1	DD-D001008	CL068-070-051820-COMP-P	SW8082A	SW	TOTAL PCBs	0.18		-	0.24	ug/WIPE
CL071-073	5/18/2020	7:07	N1	DD-D013501	CL071-073-051820-COMP-B	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL071-073	5/18/2020	7:07	N1	DD-D013501	CL071-073-051820-COMP-B	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL071-073	5/18/2020	7:07	N1	DD-D013501	CL071-073-051820-COMP-B	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL071-073	5/18/2020	7:07	N1	DD-D013501	CL071-073-051820-COMP-B	SW8082A	SW	PCB-1242 (AROCLOR 1242)	5.7		0.088	0.24	ug/WIPE
CL071-073	5/18/2020	7:07	N1	DD-D013501	CL071-073-051820-COMP-B	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL071-073	5/18/2020	7:07	N1	DD-D013501	CL071-073-051820-COMP-B	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2.1		0.07	0.24	ug/WIPE
CL071-073	5/18/2020	7:07	N1	DD-D013501	CL071-073-051820-COMP-B	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL071-073	5/18/2020	7:07	N1	DD-D013501	CL071-073-051820-COMP-B	SW8082A	SW	TOTAL PCBs	7.8		-	0.24	ug/WIPE
CL072-074	5/18/2020	7:31	N1	DD-D013502	CL072-074-051820-COMP-P	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL072-074	5/18/2020	7:31	N1	DD-D013502	CL072-074-051820-COMP-P	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL072-074	5/18/2020	7:31	N1	DD-D013502	CL072-074-051820-COMP-P	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL072-074	5/18/2020	7:31	N1	DD-D013502	CL072-074-051820-COMP-P	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.29		0.088	0.24	ug/WIPE
CL072-074	5/18/2020	7:31	N1	DD-D013502	CL072-074-051820-COMP-P	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL072-074	5/18/2020	7:31	N1	DD-D013502	CL072-074-051820-COMP-P	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.1	J	0.07	0.24	ug/WIPE
CL072-074	5/18/2020	7:31	N1	DD-D013502	CL072-074-051820-COMP-P	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE

Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
CL072-074	5/18/2020	7:31	N1	DD-D013502	CL072-074-051820-COMP-P	SW8082A	SW	TOTAL PCBs	0.39		-	0.24	ug/WIPE
CL075-077	5/18/2020	7:47	N1	DD-D013505	CL075-077-051820-COMP-B	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL075-077	5/18/2020	7:47	N1	DD-D013505	CL075-077-051820-COMP-B	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL075-077	5/18/2020	7:47	N1	DD-D013505	CL075-077-051820-COMP-B	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL075-077	5/18/2020	7:47	N1	DD-D013505	CL075-077-051820-COMP-B	SW8082A	SW	PCB-1242 (AROCLOR 1242)	5.3		0.088	0.24	ug/WIPE
CL075-077	5/18/2020	7:47	N1	DD-D013505	CL075-077-051820-COMP-B	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL075-077	5/18/2020	7:47	N1	DD-D013505	CL075-077-051820-COMP-B	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.6		0.07	0.24	ug/WIPE
CL075-077	5/18/2020	7:47	N1	DD-D013505	CL075-077-051820-COMP-B	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL075-077	5/18/2020	7:47	N1	DD-D013505	CL075-077-051820-COMP-B	SW8082A	SW	TOTAL PCBs	6.9		-	0.24	ug/WIPE
CL076-078	5/18/2020	7:50	N1	DD-D013506	CL076-078-051820-COMP-P	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL076-078	5/18/2020	7:50	N1	DD-D013506	CL076-078-051820-COMP-P	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL076-078	5/18/2020	7:50	N1	DD-D013506	CL076-078-051820-COMP-P	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL076-078	5/18/2020	7:50	N1	DD-D013506	CL076-078-051820-COMP-P	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.18	J	0.088	0.24	ug/WIPE
CL076-078	5/18/2020	7:50	N1	DD-D013506	CL076-078-051820-COMP-P	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL076-078	5/18/2020	7:50	N1	DD-D013506	CL076-078-051820-COMP-P	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.07	J	0.07	0.24	ug/WIPE
CL076-078	5/18/2020	7:50	N1	DD-D013506	CL076-078-051820-COMP-P	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL076-078	5/18/2020	7:50	N1	DD-D013506	CL076-078-051820-COMP-P	SW8082A	SW	TOTAL PCBs	0.25		-	0.24	ug/WIPE
CL079-081	5/18/2020	8:02	N1	DD-D013509	CL079-081-051820-COMP-B	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL079-081	5/18/2020	8:02	N1	DD-D013509	CL079-081-051820-COMP-B	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL079-081	5/18/2020	8:02	N1	DD-D013509	CL079-081-051820-COMP-B	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL079-081	5/18/2020	8:02	N1	DD-D013509	CL079-081-051820-COMP-B	SW8082A	SW	PCB-1242 (AROCLOR 1242)	7.9		0.088	0.24	ug/WIPE
CL079-081	5/18/2020	8:02	N1	DD-D013509	CL079-081-051820-COMP-B	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL079-081	5/18/2020	8:02	N1	DD-D013509	CL079-081-051820-COMP-B	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2.7		0.07	0.24	ug/WIPE
CL079-081	5/18/2020	8:02	N1	DD-D013509	CL079-081-051820-COMP-B	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL079-081	5/18/2020	8:02	N1	DD-D013509	CL079-081-051820-COMP-B	SW8082A	SW	TOTAL PCBs	10.6		-	0.24	ug/WIPE
CL079BR	6/17/2020	7:54	N1	DD-D023308	CL079BR-061720	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL079BR	6/17/2020	7:54	N1	DD-D023308	CL079BR-061720	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL079BR	6/17/2020	7:54	N1	DD-D023308	CL079BR-061720	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL079BR	6/17/2020	7:54	N1	DD-D023308	CL079BR-061720	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3.5		0.088	0.24	ug/WIPE
CL079BR	6/17/2020	7:54	N1	DD-D023308	CL079BR-061720	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL079BR	6/17/2020	7:54	N1	DD-D023308	CL079BR-061720	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1		0.07	0.24	ug/WIPE
CL079BR	6/17/2020	7:54	N1	DD-D023308	CL079BR-061720	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL079BR	6/17/2020	7:54	N1	DD-D023308	CL079BR-061720	SW8082A	SW	TOTAL PCBs	4.5		-	0.24	ug/WIPE
CL080-082	5/18/2020	8:06	N1	DD-D013510	CL080-082-051820-COMP-P	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL080-082	5/18/2020	8:06	N1	DD-D013510	CL080-082-051820-COMP-P	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL080-082	5/18/2020	8:06	N1	DD-D013510	CL080-082-051820-COMP-P	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL080-082	5/18/2020	8:06	N1	DD-D013510	CL080-082-051820-COMP-P	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.2	J	0.088	0.24	ug/WIPE
CL080-082	5/18/2020	8:06	N1	DD-D013510	CL080-082-051820-COMP-P	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL080-082	5/18/2020	8:06	N1	DD-D013510	CL080-082-051820-COMP-P	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
CL080-082	5/18/2020	8:06	N1	DD-D013510	CL080-082-051820-COMP-P	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL080-082	5/18/2020	8:06	N1	DD-D013510	CL080-082-051820-COMP-P	SW8082A	SW	TOTAL PCBs	0.2		-	0.24	ug/WIPE
CL081BR	6/17/2020	7:58	N1	DD-D023309	CL081BR-061720	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL081BR	6/17/2020	7:58	N1	DD-D023309	CL081BR-061720	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL081BR	6/17/2020	7:58	N1	DD-D023309	CL081BR-061720	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL081BR	6/17/2020	7:58	N1	DD-D023309	CL081BR-061720	SW8082A	SW	PCB-1242 (AROCLOR 1242)	6		0.088	0.24	ug/WIPE
CL081BR	6/17/2020	7:58	N1	DD-D023309	CL081BR-061720	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL081BR	6/17/2020	7:58	N1	DD-D023309	CL081BR-061720	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.8		0.07	0.24	ug/WIPE
CL081BR	6/17/2020	7:58	N1	DD-D023309	CL081BR-061720	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL081BR	6/17/2020	7:58	N1	DD-D023309	CL081BR-061720	SW8082A	SW	TOTAL PCBs	7.8		-	0.24	ug/WIPE
CL083-085	5/18/2020	8:20	N1	DD-D013603	CL083-085-051820-COMP-B	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL083-085	5/18/2020	8:20	N1	DD-D013603	CL083-085-051820-COMP-B	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE

Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
CL083-085	5/18/2020	8:20	N1	DD-D013603	CL083-085-051820-COMP-B	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL083-085	5/18/2020	8:20	N1	DD-D013603	CL083-085-051820-COMP-B	SW8082A	SW	PCB-1242 (AROCLOR 1242)	14	U	0.088	0.24	ug/WIPE
CL083-085	5/18/2020	8:20	N1	DD-D013603	CL083-085-051820-COMP-B	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL083-085	5/18/2020	8:20	N1	DD-D013603	CL083-085-051820-COMP-B	SW8082A	SW	PCB-1254 (AROCLOR 1254)	4.4	U	0.07	0.24	ug/WIPE
CL083-085	5/18/2020	8:20	N1	DD-D013603	CL083-085-051820-COMP-B	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL083-085	5/18/2020	8:20	N1	DD-D013603	CL083-085-051820-COMP-B	SW8082A	SW	TOTAL PCBs	18.4		-	0.24	ug/WIPE
CL083BR	6/17/2020	8:07	N1	DD-D023310	CL083BR-061720	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	UJ	0.09	0.24	ug/WIPE
CL083BR	6/17/2020	8:07	N1	DD-D023310	CL083BR-061720	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	UJ	0.12	0.24	ug/WIPE
CL083BR	6/17/2020	8:07	N1	DD-D023310	CL083BR-061720	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	UJ	0.14	0.24	ug/WIPE
CL083BR	6/17/2020	8:07	N1	DD-D023310	CL083BR-061720	SW8082A	SW	PCB-1242 (AROCLOR 1242)	4	J	0.088	0.24	ug/WIPE
CL083BR	6/17/2020	8:07	N1	DD-D023310	CL083BR-061720	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	UJ	0.092	0.24	ug/WIPE
CL083BR	6/17/2020	8:07	N1	DD-D023310	CL083BR-061720	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.2	J	0.07	0.24	ug/WIPE
CL083BR	6/17/2020	8:07	N1	DD-D023310	CL083BR-061720	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	UJ	0.09	0.24	ug/WIPE
CL083BR	6/17/2020	8:07	N1	DD-D023310	CL083BR-061720	SW8082A	SW	TOTAL PCBs	5.2		-	0.24	ug/WIPE
CL084-086	5/18/2020	8:24	N1	DD-D013604	CL084-086-051820-COMP-P	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL084-086	5/18/2020	8:24	N1	DD-D013604	CL084-086-051820-COMP-P	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL084-086	5/18/2020	8:24	N1	DD-D013604	CL084-086-051820-COMP-P	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL084-086	5/18/2020	8:24	N1	DD-D013604	CL084-086-051820-COMP-P	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.27		0.088	0.24	ug/WIPE
CL084-086	5/18/2020	8:24	N1	DD-D013604	CL084-086-051820-COMP-P	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL084-086	5/18/2020	8:24	N1	DD-D013604	CL084-086-051820-COMP-P	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.11	J	0.07	0.24	ug/WIPE
CL084-086	5/18/2020	8:24	N1	DD-D013604	CL084-086-051820-COMP-P	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL084-086	5/18/2020	8:24	N1	DD-D013604	CL084-086-051820-COMP-P	SW8082A	SW	TOTAL PCBs	0.38		-	0.24	ug/WIPE
CL085BR	6/17/2020	8:18	N1	DD-D023401	CL085BR-061720	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL085BR	6/17/2020	8:18	N1	DD-D023401	CL085BR-061720	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL085BR	6/17/2020	8:18	N1	DD-D023401	CL085BR-061720	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL085BR	6/17/2020	8:18	N1	DD-D023401	CL085BR-061720	SW8082A	SW	PCB-1242 (AROCLOR 1242)	6.1		0.088	0.24	ug/WIPE
CL085BR	6/17/2020	8:18	N1	DD-D023401	CL085BR-061720	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL085BR	6/17/2020	8:18	N1	DD-D023401	CL085BR-061720	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.7		0.07	0.24	ug/WIPE
CL085BR	6/17/2020	8:18	N1	DD-D023401	CL085BR-061720	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL085BR	6/17/2020	8:18	N1	DD-D023401	CL085BR-061720	SW8082A	SW	TOTAL PCBs	7.8		-	0.24	ug/WIPE
CL087-089	5/18/2020	8:33	N1	DD-D013607	CL087-089-051820-COMP-B	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL087-089	5/18/2020	8:33	N1	DD-D013607	CL087-089-051820-COMP-B	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL087-089	5/18/2020	8:33	N1	DD-D013607	CL087-089-051820-COMP-B	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL087-089	5/18/2020	8:33	N1	DD-D013607	CL087-089-051820-COMP-B	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3.2		0.088	0.24	ug/WIPE
CL087-089	5/18/2020	8:33	N1	DD-D013607	CL087-089-051820-COMP-B	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL087-089	5/18/2020	8:33	N1	DD-D013607	CL087-089-051820-COMP-B	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.2		0.07	0.24	ug/WIPE
CL087-089	5/18/2020	8:33	N1	DD-D013607	CL087-089-051820-COMP-B	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL087-089	5/18/2020	8:33	N1	DD-D013607	CL087-089-051820-COMP-B	SW8082A	SW	TOTAL PCBs	4.4		-	0.24	ug/WIPE
CL088-090	5/18/2020	8:36	N1	DD-D013608	CL080-082-051820-COMP-P	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL088-090	5/18/2020	8:36	N1	DD-D013608	CL080-082-051820-COMP-P	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL088-090	5/18/2020	8:36	N1	DD-D013608	CL080-082-051820-COMP-P	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL088-090	5/18/2020	8:36	N1	DD-D013608	CL080-082-051820-COMP-P	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.32		0.088	0.24	ug/WIPE
CL088-090	5/18/2020	8:36	N1	DD-D013608	CL080-082-051820-COMP-P	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL088-090	5/18/2020	8:36	N1	DD-D013608	CL080-082-051820-COMP-P	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.12	J	0.07	0.24	ug/WIPE
CL088-090	5/18/2020	8:36	N1	DD-D013608	CL080-082-051820-COMP-P	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL088-090	5/18/2020	8:36	N1	DD-D013608	CL080-082-051820-COMP-P	SW8082A	SW	TOTAL PCBs	0.44		-	0.24	ug/WIPE
CL091-093	5/18/2020	9:14	N1	DD-D013701	CL091-093-051820-COMP-B	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL091-093	5/18/2020	9:14	N1	DD-D013701	CL091-093-051820-COMP-B	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL091-093	5/18/2020	9:14	N1	DD-D013701	CL091-093-051820-COMP-B	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL091-093	5/18/2020	9:14	N1	DD-D013701	CL091-093-051820-COMP-B	SW8082A	SW	PCB-1242 (AROCLOR 1242)	6.2		0.088	0.24	ug/WIPE
CL091-093	5/18/2020	9:14	N1	DD-D013701	CL091-093-051820-COMP-B	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE

Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
CL091-093	5/18/2020	9:14	N1	DD-D013701	CL091-093-051820-COMP-B	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2.4		0.07	0.24	ug/WIPE
CL091-093	5/18/2020	9:14	N1	DD-D013701	CL091-093-051820-COMP-B	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL091-093	5/18/2020	9:14	N1	DD-D013701	CL091-093-051820-COMP-B	SW8082A	SW	TOTAL PCBs	8.6		-	0.24	ug/WIPE
CL092-094	5/18/2020	9:17	N1	DD-D013702	CL092-094-051820-COMP-P	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL092-094	5/18/2020	9:17	N1	DD-D013702	CL092-094-051820-COMP-P	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL092-094	5/18/2020	9:17	N1	DD-D013702	CL092-094-051820-COMP-P	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL092-094	5/18/2020	9:17	N1	DD-D013702	CL092-094-051820-COMP-P	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.14	J	0.088	0.24	ug/WIPE
CL092-094	5/18/2020	9:17	N1	DD-D013702	CL092-094-051820-COMP-P	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL092-094	5/18/2020	9:17	N1	DD-D013702	CL092-094-051820-COMP-P	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
CL092-094	5/18/2020	9:17	N1	DD-D013702	CL092-094-051820-COMP-P	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL092-094	5/18/2020	9:17	N1	DD-D013702	CL092-094-051820-COMP-P	SW8082A	SW	TOTAL PCBs	0.14		-	0.24	ug/WIPE
CL095-097	5/18/2020	9:26	N1	DD-D013705	CL095-097-051820-COMP-B	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL095-097	5/18/2020	9:26	N1	DD-D013705	CL095-097-051820-COMP-B	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL095-097	5/18/2020	9:26	N1	DD-D013705	CL095-097-051820-COMP-B	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL095-097	5/18/2020	9:26	N1	DD-D013705	CL095-097-051820-COMP-B	SW8082A	SW	PCB-1242 (AROCLOR 1242)	7.3		0.088	0.24	ug/WIPE
CL095-097	5/18/2020	9:26	N1	DD-D013705	CL095-097-051820-COMP-B	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL095-097	5/18/2020	9:26	N1	DD-D013705	CL095-097-051820-COMP-B	SW8082A	SW	PCB-1254 (AROCLOR 1254)	4.3		0.07	0.24	ug/WIPE
CL095-097	5/18/2020	9:26	N1	DD-D013705	CL095-097-051820-COMP-B	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL095-097	5/18/2020	9:26	N1	DD-D013705	CL095-097-051820-COMP-B	SW8082A	SW	TOTAL PCBs	11.6		-	0.24	ug/WIPE
CL095BR	6/17/2020	8:21	N1	DD-D023402	CL095BR-061720	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL095BR	6/17/2020	8:21	N1	DD-D023402	CL095BR-061720	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL095BR	6/17/2020	8:21	N1	DD-D023402	CL095BR-061720	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL095BR	6/17/2020	8:21	N1	DD-D023402	CL095BR-061720	SW8082A	SW	PCB-1242 (AROCLOR 1242)	5.6		0.088	0.24	ug/WIPE
CL095BR	6/17/2020	8:21	N1	DD-D023402	CL095BR-061720	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL095BR	6/17/2020	8:21	N1	DD-D023402	CL095BR-061720	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2.1		0.07	0.24	ug/WIPE
CL095BR	6/17/2020	8:21	N1	DD-D023402	CL095BR-061720	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL095BR	6/17/2020	8:21	N1	DD-D023402	CL095BR-061720	SW8082A	SW	TOTAL PCBs	7.7		-	0.24	ug/WIPE
CL096-098	5/18/2020	9:30	N1	DD-D013706	CL096-098-051820-COMP-P	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL096-098	5/18/2020	9:30	N1	DD-D013706	CL096-098-051820-COMP-P	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL096-098	5/18/2020	9:30	N1	DD-D013706	CL096-098-051820-COMP-P	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL096-098	5/18/2020	9:30	N1	DD-D013706	CL096-098-051820-COMP-P	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.23	J	0.088	0.24	ug/WIPE
CL096-098	5/18/2020	9:30	N1	DD-D013706	CL096-098-051820-COMP-P	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL096-098	5/18/2020	9:30	N1	DD-D013706	CL096-098-051820-COMP-P	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.095	J	0.07	0.24	ug/WIPE
CL096-098	5/18/2020	9:30	N1	DD-D013706	CL096-098-051820-COMP-P	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL096-098	5/18/2020	9:30	N1	DD-D013706	CL096-098-051820-COMP-P	SW8082A	SW	TOTAL PCBs	0.325		-	0.24	ug/WIPE
CL097BR	6/17/2020	9:32	N1	DD-D023403	CL097BR-061720	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL097BR	6/17/2020	9:32	N1	DD-D023403	CL097BR-061720	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL097BR	6/17/2020	9:32	N1	DD-D023403	CL097BR-061720	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL097BR	6/17/2020	9:32	N1	DD-D023403	CL097BR-061720	SW8082A	SW	PCB-1242 (AROCLOR 1242)	5.2		0.088	0.24	ug/WIPE
CL097BR	6/17/2020	9:32	N1	DD-D023403	CL097BR-061720	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL097BR	6/17/2020	9:32	N1	DD-D023403	CL097BR-061720	SW8082A	SW	PCB-1254 (AROCLOR 1254)	3.5		0.07	0.24	ug/WIPE
CL097BR	6/17/2020	9:32	N1	DD-D023403	CL097BR-061720	SW8082A	SW	PCB-1260 (AROCLOR 1260)	0.29		0.09	0.24	ug/WIPE
CL097BR	6/17/2020	9:32	N1	DD-D023403	CL097BR-061720	SW8082A	SW	TOTAL PCBs	8.99		-	0.24	ug/WIPE
CL099-101	5/18/2020	9:41	N1	DD-D013709	CL099-100-051820-COMP-B	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL099-101	5/18/2020	9:41	N1	DD-D013709	CL099-100-051820-COMP-B	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL099-101	5/18/2020	9:41	N1	DD-D013709	CL099-100-051820-COMP-B	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL099-101	5/18/2020	9:41	N1	DD-D013709	CL099-100-051820-COMP-B	SW8082A	SW	PCB-1242 (AROCLOR 1242)	4.8		0.088	0.24	ug/WIPE
CL099-101	5/18/2020	9:41	N1	DD-D013709	CL099-100-051820-COMP-B	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL099-101	5/18/2020	9:41	N1	DD-D013709	CL099-100-051820-COMP-B	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.8		0.07	0.24	ug/WIPE
CL099-101	5/18/2020	9:41	N1	DD-D013709	CL099-100-051820-COMP-B	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL099-101	5/18/2020	9:41	N1	DD-D013709	CL099-100-051820-COMP-B	SW8082A	SW	TOTAL PCBs	6.6		-	0.24	ug/WIPE



Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
CL100-102	5/18/2020	9:44	N1	DD-D013710	CL100-102-051820-COMP-P	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL100-102	5/18/2020	9:44	N1	DD-D013710	CL100-102-051820-COMP-P	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL100-102	5/18/2020	9:44	N1	DD-D013710	CL100-102-051820-COMP-P	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL100-102	5/18/2020	9:44	N1	DD-D013710	CL100-102-051820-COMP-P	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
CL100-102	5/18/2020	9:44	N1	DD-D013710	CL100-102-051820-COMP-P	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL100-102	5/18/2020	9:44	N1	DD-D013710	CL100-102-051820-COMP-P	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
CL100-102	5/18/2020	9:44	N1	DD-D013710	CL100-102-051820-COMP-P	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL100-102	5/18/2020	9:44	N1	DD-D013710	CL100-102-051820-COMP-P	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
CL103-105	5/18/2020	9:57	N1	DD-D013803	CL103-105-051820-COMP-B	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL103-105	5/18/2020	9:57	N1	DD-D013803	CL103-105-051820-COMP-B	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL103-105	5/18/2020	9:57	N1	DD-D013803	CL103-105-051820-COMP-B	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL103-105	5/18/2020	9:57	N1	DD-D013803	CL103-105-051820-COMP-B	SW8082A	SW	PCB-1242 (AROCLOR 1242)	5.1	U	0.088	0.24	ug/WIPE
CL103-105	5/18/2020	9:57	N1	DD-D013803	CL103-105-051820-COMP-B	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL103-105	5/18/2020	9:57	N1	DD-D013803	CL103-105-051820-COMP-B	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2.5	U	0.07	0.24	ug/WIPE
CL103-105	5/18/2020	9:57	N1	DD-D013803	CL103-105-051820-COMP-B	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL103-105	5/18/2020	9:57	N1	DD-D013803	CL103-105-051820-COMP-B	SW8082A	SW	TOTAL PCBs	7.6	U	-	0.24	ug/WIPE
CL104-106	5/18/2020	10:01	N1	DD-D013804	CL104-106-051820-COMP-P	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL104-106	5/18/2020	10:01	N1	DD-D013804	CL104-106-051820-COMP-P	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL104-106	5/18/2020	10:01	N1	DD-D013804	CL104-106-051820-COMP-P	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL104-106	5/18/2020	10:01	N1	DD-D013804	CL104-106-051820-COMP-P	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.32	U	0.088	0.24	ug/WIPE
CL104-106	5/18/2020	10:01	N1	DD-D013804	CL104-106-051820-COMP-P	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL104-106	5/18/2020	10:01	N1	DD-D013804	CL104-106-051820-COMP-P	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.15	J	0.07	0.24	ug/WIPE
CL104-106	5/18/2020	10:01	N1	DD-D013804	CL104-106-051820-COMP-P	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL104-106	5/18/2020	10:01	N1	DD-D013804	CL104-106-051820-COMP-P	SW8082A	SW	TOTAL PCBs	0.47	U	-	0.24	ug/WIPE
CL107-109	5/18/2020	10:20	N1	DD-D013807	CL107-109-051820-COMP-B	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL107-109	5/18/2020	10:20	N1	DD-D013807	CL107-109-051820-COMP-B	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL107-109	5/18/2020	10:20	N1	DD-D013807	CL107-109-051820-COMP-B	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL107-109	5/18/2020	10:20	N1	DD-D013807	CL107-109-051820-COMP-B	SW8082A	SW	PCB-1242 (AROCLOR 1242)	9	U	0.088	0.24	ug/WIPE
CL107-109	5/18/2020	10:20	N1	DD-D013807	CL107-109-051820-COMP-B	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL107-109	5/18/2020	10:20	N1	DD-D013807	CL107-109-051820-COMP-B	SW8082A	SW	PCB-1254 (AROCLOR 1254)	3.6	U	0.07	0.24	ug/WIPE
CL107-109	5/18/2020	10:20	N1	DD-D013807	CL107-109-051820-COMP-B	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL107-109	5/18/2020	10:20	N1	DD-D013807	CL107-109-051820-COMP-B	SW8082A	SW	TOTAL PCBs	12.6	U	-	0.24	ug/WIPE
CL107BR	6/17/2020	9:40	N1	DD-D023404	CL107BR-061720	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL107BR	6/17/2020	9:40	N1	DD-D023404	CL107BR-061720	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL107BR	6/17/2020	9:40	N1	DD-D023404	CL107BR-061720	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL107BR	6/17/2020	9:40	N1	DD-D023404	CL107BR-061720	SW8082A	SW	PCB-1242 (AROCLOR 1242)	5.1	U	0.088	0.24	ug/WIPE
CL107BR	6/17/2020	9:40	N1	DD-D023404	CL107BR-061720	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL107BR	6/17/2020	9:40	N1	DD-D023404	CL107BR-061720	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.9	U	0.07	0.24	ug/WIPE
CL107BR	6/17/2020	9:40	N1	DD-D023404	CL107BR-061720	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL107BR	6/17/2020	9:40	N1	DD-D023404	CL107BR-061720	SW8082A	SW	TOTAL PCBs	7	U	-	0.24	ug/WIPE
CL108-110	5/18/2020	10:23	N1	DD-D013808	CL108-110-051820-COMP-P	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL108-110	5/18/2020	10:23	N1	DD-D013808	CL108-110-051820-COMP-P	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL108-110	5/18/2020	10:23	N1	DD-D013808	CL108-110-051820-COMP-P	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL108-110	5/18/2020	10:23	N1	DD-D013808	CL108-110-051820-COMP-P	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.34	U	0.088	0.24	ug/WIPE
CL108-110	5/18/2020	10:23	N1	DD-D013808	CL108-110-051820-COMP-P	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL108-110	5/18/2020	10:23	N1	DD-D013808	CL108-110-051820-COMP-P	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.17	J	0.07	0.24	ug/WIPE
CL108-110	5/18/2020	10:23	N1	DD-D013808	CL108-110-051820-COMP-P	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL108-110	5/18/2020	10:23	N1	DD-D013808	CL108-110-051820-COMP-P	SW8082A	SW	TOTAL PCBs	0.51	U	-	0.24	ug/WIPE
CL109BR	6/17/2020	9:42	N1	DD-D023405	CL109BR-061720	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL109BR	6/17/2020	9:42	N1	DD-D023405	CL109BR-061720	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL109BR	6/17/2020	9:42	N1	DD-D023405	CL109BR-061720	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE



Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
CL109BR	6/17/2020	9:42	N1	DD-D023405	CL109BR-061720	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3		0.088	0.24	ug/WIPE
CL109BR	6/17/2020	9:42	N1	DD-D023405	CL109BR-061720	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL109BR	6/17/2020	9:42	N1	DD-D023405	CL109BR-061720	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.1		0.07	0.24	ug/WIPE
CL109BR	6/17/2020	9:42	N1	DD-D023405	CL109BR-061720	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL109BR	6/17/2020	9:42	N1	DD-D023405	CL109BR-061720	SW8082A	SW	TOTAL PCBs	4.1		-	0.24	ug/WIPE
CL111-113	5/18/2020	10:33	N1	DD-D013901	CL111-113-051820-COMP-B	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL111-113	5/18/2020	10:33	N1	DD-D013901	CL111-113-051820-COMP-B	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL111-113	5/18/2020	10:33	N1	DD-D013901	CL111-113-051820-COMP-B	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL111-113	5/18/2020	10:33	N1	DD-D013901	CL111-113-051820-COMP-B	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	7.2		0.088	0.24	ug/WIPE
CL111-113	5/18/2020	10:33	N1	DD-D013901	CL111-113-051820-COMP-B	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL111-113	5/18/2020	10:33	N1	DD-D013901	CL111-113-051820-COMP-B	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.4		0.07	0.24	ug/WIPE
CL111-113	5/18/2020	10:33	N1	DD-D013901	CL111-113-051820-COMP-B	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL111-113	5/18/2020	10:33	N1	DD-D013901	CL111-113-051820-COMP-B	SW8082A	SW	TOTAL PCBs	9.6		-	0.24	ug/WIPE
CL112-114	5/18/2020	10:37	N1	DD-D013902	CL112-114-051820-COMP-P	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL112-114	5/18/2020	10:37	N1	DD-D013902	CL112-114-051820-COMP-P	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL112-114	5/18/2020	10:37	N1	DD-D013902	CL112-114-051820-COMP-P	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL112-114	5/18/2020	10:37	N1	DD-D013902	CL112-114-051820-COMP-P	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.67		0.088	0.24	ug/WIPE
CL112-114	5/18/2020	10:37	N1	DD-D013902	CL112-114-051820-COMP-P	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL112-114	5/18/2020	10:37	N1	DD-D013902	CL112-114-051820-COMP-P	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.32		0.07	0.24	ug/WIPE
CL112-114	5/18/2020	10:37	N1	DD-D013902	CL112-114-051820-COMP-P	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL112-114	5/18/2020	10:37	N1	DD-D013902	CL112-114-051820-COMP-P	SW8082A	SW	TOTAL PCBs	0.99		-	0.24	ug/WIPE
CL115	5/18/2020	10:48	N1	DD-D013905	CL115-051820-B	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL115	5/18/2020	10:48	N1	DD-D013905	CL115-051820-B	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL115	5/18/2020	10:48	N1	DD-D013905	CL115-051820-B	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL115	5/18/2020	10:48	N1	DD-D013905	CL115-051820-B	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	5.7		0.088	0.24	ug/WIPE
CL115	5/18/2020	10:48	N1	DD-D013905	CL115-051820-B	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL115	5/18/2020	10:48	N1	DD-D013905	CL115-051820-B	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2		0.07	0.24	ug/WIPE
CL115	5/18/2020	10:48	N1	DD-D013905	CL115-051820-B	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL115	5/18/2020	10:48	N1	DD-D013905	CL115-051820-B	SW8082A	SW	TOTAL PCBs	7.7		-	0.24	ug/WIPE
CL116-118	5/18/2020	11:19	N1	DD-D013906	CL116-118-051820-COMP-P	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL116-118	5/18/2020	11:19	N1	DD-D013906	CL116-118-051820-COMP-P	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL116-118	5/18/2020	11:19	N1	DD-D013906	CL116-118-051820-COMP-P	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL116-118	5/18/2020	11:19	N1	DD-D013906	CL116-118-051820-COMP-P	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.42		0.088	0.24	ug/WIPE
CL116-118	5/18/2020	11:19	N1	DD-D013906	CL116-118-051820-COMP-P	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL116-118	5/18/2020	11:19	N1	DD-D013906	CL116-118-051820-COMP-P	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.21	J	0.07	0.24	ug/WIPE
CL116-118	5/18/2020	11:19	N1	DD-D013906	CL116-118-051820-COMP-P	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL116-118	5/18/2020	11:19	N1	DD-D013906	CL116-118-051820-COMP-P	SW8082A	SW	TOTAL PCBs	0.63		-	0.24	ug/WIPE
CL117-119	5/18/2020	11:27	N1	DD-D013907	CL117-119-051820-COMP-B	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL117-119	5/18/2020	11:27	N1	DD-D013907	CL117-119-051820-COMP-B	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL117-119	5/18/2020	11:27	N1	DD-D013907	CL117-119-051820-COMP-B	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL117-119	5/18/2020	11:27	N1	DD-D013907	CL117-119-051820-COMP-B	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	15		0.088	0.24	ug/WIPE
CL117-119	5/18/2020	11:27	N1	DD-D013907	CL117-119-051820-COMP-B	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL117-119	5/18/2020	11:27	N1	DD-D013907	CL117-119-051820-COMP-B	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	5.5		0.07	0.24	ug/WIPE
CL117-119	5/18/2020	11:27	N1	DD-D013907	CL117-119-051820-COMP-B	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL117-119	5/18/2020	11:27	N1	DD-D013907	CL117-119-051820-COMP-B	SW8082A	SW	TOTAL PCBs	20.5		-	0.24	ug/WIPE
CL117BR	6/17/2020	9:48	N1	DD-D023406	CL117BR-061720	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL117BR	6/17/2020	9:48	N1	DD-D023406	CL117BR-061720	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL117BR	6/17/2020	9:48	N1	DD-D023406	CL117BR-061720	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL117BR	6/17/2020	9:48	N1	DD-D023406	CL117BR-061720	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	5.3		0.088	0.24	ug/WIPE
CL117BR	6/17/2020	9:48	N1	DD-D023406	CL117BR-061720	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL117BR	6/17/2020	9:48	N1	DD-D023406	CL117BR-061720	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.5		0.07	0.24	ug/WIPE

Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
CL117BR	6/17/2020	9:48	N1	DD-D023406	CL117BR-061720	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL117BR	6/17/2020	9:48	N1	DD-D023406	CL117BR-061720	SW8082A	SW	TOTAL PCBs	6.8		-	0.24	ug/WIPE
CL119BR	6/17/2020	9:51	N1	DD-D023407	CL119BR-061720	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL119BR	6/17/2020	9:51	N1	DD-D023407	CL119BR-061720	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL119BR	6/17/2020	9:51	N1	DD-D023407	CL119BR-061720	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL119BR	6/17/2020	9:51	N1	DD-D023407	CL119BR-061720	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	5.6		0.088	0.24	ug/WIPE
CL119BR	6/17/2020	9:51	N1	DD-D023407	CL119BR-061720	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL119BR	6/17/2020	9:51	N1	DD-D023407	CL119BR-061720	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.1		0.07	0.24	ug/WIPE
CL119BR	6/17/2020	9:51	N1	DD-D023407	CL119BR-061720	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL119BR	6/17/2020	9:51	N1	DD-D023407	CL119BR-061720	SW8082A	SW	TOTAL PCBs	7.7		-	0.24	ug/WIPE
CL120-122	5/18/2020	11:37	N1	DD-D013910	CL120-122-051820-COMP-P	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL120-122	5/18/2020	11:37	N1	DD-D013910	CL120-122-051820-COMP-P	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL120-122	5/18/2020	11:37	N1	DD-D013910	CL120-122-051820-COMP-P	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL120-122	5/18/2020	11:37	N1	DD-D013910	CL120-122-051820-COMP-P	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	1.3		0.088	0.24	ug/WIPE
CL120-122	5/18/2020	11:37	N1	DD-D013910	CL120-122-051820-COMP-P	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL120-122	5/18/2020	11:37	N1	DD-D013910	CL120-122-051820-COMP-P	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.52		0.07	0.24	ug/WIPE
CL120-122	5/18/2020	11:37	N1	DD-D013910	CL120-122-051820-COMP-P	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL120-122	5/18/2020	11:37	N1	DD-D013910	CL120-122-051820-COMP-P	SW8082A	SW	TOTAL PCBs	1.82		-	0.24	ug/WIPE
CL121-123	5/18/2020	11:41	N1	DD-D014001	CL121-123-051820-COMP-B	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL121-123	5/18/2020	11:41	N1	DD-D014001	CL121-123-051820-COMP-B	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL121-123	5/18/2020	11:41	N1	DD-D014001	CL121-123-051820-COMP-B	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL121-123	5/18/2020	11:41	N1	DD-D014001	CL121-123-051820-COMP-B	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	10		0.088	0.24	ug/WIPE
CL121-123	5/18/2020	11:41	N1	DD-D014001	CL121-123-051820-COMP-B	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL121-123	5/18/2020	11:41	N1	DD-D014001	CL121-123-051820-COMP-B	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	4.1		0.07	0.24	ug/WIPE
CL121-123	5/18/2020	11:41	N1	DD-D014001	CL121-123-051820-COMP-B	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL121-123	5/18/2020	11:41	N1	DD-D014001	CL121-123-051820-COMP-B	SW8082A	SW	TOTAL PCBs	14.1		-	0.24	ug/WIPE
CL121BR	6/17/2020	10:00	N1	DD-D023408	CL121BR-061720	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL121BR	6/17/2020	10:00	N1	DD-D023408	CL121BR-061720	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL121BR	6/17/2020	10:00	N1	DD-D023408	CL121BR-061720	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL121BR	6/17/2020	10:00	N1	DD-D023408	CL121BR-061720	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.99		0.088	0.24	ug/WIPE
CL121BR	6/17/2020	10:00	N1	DD-D023408	CL121BR-061720	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL121BR	6/17/2020	10:00	N1	DD-D023408	CL121BR-061720	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.36		0.07	0.24	ug/WIPE
CL121BR	6/17/2020	10:00	N1	DD-D023408	CL121BR-061720	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL121BR	6/17/2020	10:00	N1	DD-D023408	CL121BR-061720	SW8082A	SW	TOTAL PCBs	1.35		-	0.24	ug/WIPE
CL123BR	6/17/2020	10:08	N1	DD-D023409	CL123BR-061720	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL123BR	6/17/2020	10:08	N1	DD-D023409	CL123BR-061720	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL123BR	6/17/2020	10:08	N1	DD-D023409	CL123BR-061720	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL123BR	6/17/2020	10:08	N1	DD-D023409	CL123BR-061720	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	6.5		0.088	0.24	ug/WIPE
CL123BR	6/17/2020	10:08	N1	DD-D023409	CL123BR-061720	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL123BR	6/17/2020	10:08	N1	DD-D023409	CL123BR-061720	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.6		0.07	0.24	ug/WIPE
CL123BR	6/17/2020	10:08	N1	DD-D023409	CL123BR-061720	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL123BR	6/17/2020	10:08	N1	DD-D023409	CL123BR-061720	SW8082A	SW	TOTAL PCBs	9.1		-	0.24	ug/WIPE
CL124-126	5/18/2020	11:52	N1	DD-D014004	CL124-126-051820-COMP-P	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL124-126	5/18/2020	11:52	N1	DD-D014004	CL124-126-051820-COMP-P	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL124-126	5/18/2020	11:52	N1	DD-D014004	CL124-126-051820-COMP-P	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL124-126	5/18/2020	11:52	N1	DD-D014004	CL124-126-051820-COMP-P	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.13	J	0.088	0.24	ug/WIPE
CL124-126	5/18/2020	11:52	N1	DD-D014004	CL124-126-051820-COMP-P	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL124-126	5/18/2020	11:52	N1	DD-D014004	CL124-126-051820-COMP-P	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	ND	U	0.07	0.24	ug/WIPE
CL124-126	5/18/2020	11:52	N1	DD-D014004	CL124-126-051820-COMP-P	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL124-126	5/18/2020	11:52	N1	DD-D014004	CL124-126-051820-COMP-P	SW8082A	SW	TOTAL PCBs	0.13		-	0.24	ug/WIPE
CL125-127	5/18/2020	11:55	N1	DD-D014005	CL125-127-051820-COMP-B	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE

Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
CL125-127	5/18/2020	11:55	N1	DD-D014005	CL125-127-051820-COMP-B	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL125-127	5/18/2020	11:55	N1	DD-D014005	CL125-127-051820-COMP-B	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL125-127	5/18/2020	11:55	N1	DD-D014005	CL125-127-051820-COMP-B	SW8082A	SW	PCB-1242 (AROCLOR 1242)	6.4		0.088	0.24	ug/WIPE
CL125-127	5/18/2020	11:55	N1	DD-D014005	CL125-127-051820-COMP-B	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL125-127	5/18/2020	11:55	N1	DD-D014005	CL125-127-051820-COMP-B	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2.8		0.07	0.24	ug/WIPE
CL125-127	5/18/2020	11:55	N1	DD-D014005	CL125-127-051820-COMP-B	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL125-127	5/18/2020	11:55	N1	DD-D014005	CL125-127-051820-COMP-B	SW8082A	SW	TOTAL PCBs	9.2		-	0.24	ug/WIPE
CL128-130	5/18/2020	12:09	N1	DD-D014008	CL128-130-051820-COMP-P	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL128-130	5/18/2020	12:09	N1	DD-D014008	CL128-130-051820-COMP-P	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL128-130	5/18/2020	12:09	N1	DD-D014008	CL128-130-051820-COMP-P	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL128-130	5/18/2020	12:09	N1	DD-D014008	CL128-130-051820-COMP-P	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.73		0.088	0.24	ug/WIPE
CL128-130	5/18/2020	12:09	N1	DD-D014008	CL128-130-051820-COMP-P	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL128-130	5/18/2020	12:09	N1	DD-D014008	CL128-130-051820-COMP-P	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.28		0.07	0.24	ug/WIPE
CL128-130	5/18/2020	12:09	N1	DD-D014008	CL128-130-051820-COMP-P	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL128-130	5/18/2020	12:09	N1	DD-D014008	CL128-130-051820-COMP-P	SW8082A	SW	TOTAL PCBs	1.01		-	0.24	ug/WIPE
CL129-131	5/18/2020	12:12	N1	DD-D014009	CL129-131-051820-COMP-B	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL129-131	5/18/2020	12:12	N1	DD-D014009	CL129-131-051820-COMP-B	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL129-131	5/18/2020	12:12	N1	DD-D014009	CL129-131-051820-COMP-B	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL129-131	5/18/2020	12:12	N1	DD-D014009	CL129-131-051820-COMP-B	SW8082A	SW	PCB-1242 (AROCLOR 1242)	8.3		0.088	0.24	ug/WIPE
CL129-131	5/18/2020	12:12	N1	DD-D014009	CL129-131-051820-COMP-B	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL129-131	5/18/2020	12:12	N1	DD-D014009	CL129-131-051820-COMP-B	SW8082A	SW	PCB-1254 (AROCLOR 1254)	3.6		0.07	0.24	ug/WIPE
CL129-131	5/18/2020	12:12	N1	DD-D014009	CL129-131-051820-COMP-B	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL129-131	5/18/2020	12:12	N1	DD-D014009	CL129-131-051820-COMP-B	SW8082A	SW	TOTAL PCBs	11.9		-	0.24	ug/WIPE
CL129BR	6/17/2020	10:10	N1	DD-D023410	CL129BR-061720	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL129BR	6/17/2020	10:10	N1	DD-D023410	CL129BR-061720	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL129BR	6/17/2020	10:10	N1	DD-D023410	CL129BR-061720	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL129BR	6/17/2020	10:10	N1	DD-D023410	CL129BR-061720	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3.9		0.088	0.24	ug/WIPE
CL129BR	6/17/2020	10:10	N1	DD-D023410	CL129BR-061720	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL129BR	6/17/2020	10:10	N1	DD-D023410	CL129BR-061720	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.4		0.07	0.24	ug/WIPE
CL129BR	6/17/2020	10:10	N1	DD-D023410	CL129BR-061720	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL129BR	6/17/2020	10:10	N1	DD-D023410	CL129BR-061720	SW8082A	SW	TOTAL PCBs	5.3		-	0.24	ug/WIPE
CL131BR	6/17/2020	10:18	N1	DD-D023501	CL131BR-061720	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL131BR	6/17/2020	10:18	N1	DD-D023501	CL131BR-061720	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL131BR	6/17/2020	10:18	N1	DD-D023501	CL131BR-061720	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL131BR	6/17/2020	10:18	N1	DD-D023501	CL131BR-061720	SW8082A	SW	PCB-1242 (AROCLOR 1242)	5.6		0.088	0.24	ug/WIPE
CL131BR	6/17/2020	10:18	N1	DD-D023501	CL131BR-061720	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL131BR	6/17/2020	10:18	N1	DD-D023501	CL131BR-061720	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2.1		0.07	0.24	ug/WIPE
CL131BR	6/17/2020	10:18	N1	DD-D023501	CL131BR-061720	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL131BR	6/17/2020	10:18	N1	DD-D023501	CL131BR-061720	SW8082A	SW	TOTAL PCBs	7.7		-	0.24	ug/WIPE
CL132-134	5/18/2020	12:24	N1	DD-D014102	CL132-134-051820-COMP-P	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL132-134	5/18/2020	12:24	N1	DD-D014102	CL132-134-051820-COMP-P	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL132-134	5/18/2020	12:24	N1	DD-D014102	CL132-134-051820-COMP-P	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL132-134	5/18/2020	12:24	N1	DD-D014102	CL132-134-051820-COMP-P	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.28		0.088	0.24	ug/WIPE
CL132-134	5/18/2020	12:24	N1	DD-D014102	CL132-134-051820-COMP-P	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL132-134	5/18/2020	12:24	N1	DD-D014102	CL132-134-051820-COMP-P	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.12	J	0.07	0.24	ug/WIPE
CL132-134	5/18/2020	12:24	N1	DD-D014102	CL132-134-051820-COMP-P	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL132-134	5/18/2020	12:24	N1	DD-D014102	CL132-134-051820-COMP-P	SW8082A	SW	TOTAL PCBs	0.4		-	0.24	ug/WIPE
CL133	5/18/2020	12:30	N1	DD-D014103	CL133-051820-B	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL133	5/18/2020	12:30	N1	DD-D014103	CL133-051820-B	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL133	5/18/2020	12:30	N1	DD-D014103	CL133-051820-B	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL133	5/18/2020	12:30	N1	DD-D014103	CL133-051820-B	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2.5		0.088	0.24	ug/WIPE

Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
CL133	5/18/2020	12:30	N1	DD-D014103	CL133-051820-B	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL133	5/18/2020	12:30	N1	DD-D014103	CL133-051820-B	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.96	U	0.07	0.24	ug/WIPE
CL133	5/18/2020	12:30	N1	DD-D014103	CL133-051820-B	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL133	5/18/2020	12:30	N1	DD-D014103	CL133-051820-B	SW8082A	SW	TOTAL PCBs	3.46		-	0.24	ug/WIPE
CL135	5/18/2020	12:00	N1	DD-D014105	CL135-051820-B	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL135	5/18/2020	12:00	N1	DD-D014105	CL135-051820-B	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL135	5/18/2020	12:00	N1	DD-D014105	CL135-051820-B	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL135	5/18/2020	12:00	N1	DD-D014105	CL135-051820-B	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	1.7		0.088	0.24	ug/WIPE
CL135	5/18/2020	12:00	N1	DD-D014105	CL135-051820-B	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL135	5/18/2020	12:00	N1	DD-D014105	CL135-051820-B	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.7		0.07	0.24	ug/WIPE
CL135	5/18/2020	12:00	N1	DD-D014105	CL135-051820-B	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL135	5/18/2020	12:00	N1	DD-D014105	CL135-051820-B	SW8082A	SW	TOTAL PCBs	2.4		-	0.24	ug/WIPE
CL136-138	5/18/2020	14:03	N1	DD-D014106	CL136-138-051820-COMP-P	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL136-138	5/18/2020	14:03	N1	DD-D014106	CL136-138-051820-COMP-P	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL136-138	5/18/2020	14:03	N1	DD-D014106	CL136-138-051820-COMP-P	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL136-138	5/18/2020	14:03	N1	DD-D014106	CL136-138-051820-COMP-P	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.42		0.088	0.24	ug/WIPE
CL136-138	5/18/2020	14:03	N1	DD-D014106	CL136-138-051820-COMP-P	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL136-138	5/18/2020	14:03	N1	DD-D014106	CL136-138-051820-COMP-P	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.22	J	0.07	0.24	ug/WIPE
CL136-138	5/18/2020	14:03	N1	DD-D014106	CL136-138-051820-COMP-P	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL136-138	5/18/2020	14:03	N1	DD-D014106	CL136-138-051820-COMP-P	SW8082A	SW	TOTAL PCBs	0.64		-	0.24	ug/WIPE
CL137-139	5/18/2020	14:06	N1	DD-D014107	CL137-139-051820-COMP-B	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL137-139	5/18/2020	14:06	N1	DD-D014107	CL137-139-051820-COMP-B	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL137-139	5/18/2020	14:06	N1	DD-D014107	CL137-139-051820-COMP-B	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL137-139	5/18/2020	14:06	N1	DD-D014107	CL137-139-051820-COMP-B	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	6.6		0.088	0.24	ug/WIPE
CL137-139	5/18/2020	14:06	N1	DD-D014107	CL137-139-051820-COMP-B	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL137-139	5/18/2020	14:06	N1	DD-D014107	CL137-139-051820-COMP-B	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.3		0.07	0.24	ug/WIPE
CL137-139	5/18/2020	14:06	N1	DD-D014107	CL137-139-051820-COMP-B	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL137-139	5/18/2020	14:06	N1	DD-D014107	CL137-139-051820-COMP-B	SW8082A	SW	TOTAL PCBs	8.9		-	0.24	ug/WIPE
CL140-142	5/18/2020	14:22	N1	DD-D014110	CL140-142-051820-COMP-P	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL140-142	5/18/2020	14:22	N1	DD-D014110	CL140-142-051820-COMP-P	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL140-142	5/18/2020	14:22	N1	DD-D014110	CL140-142-051820-COMP-P	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL140-142	5/18/2020	14:22	N1	DD-D014110	CL140-142-051820-COMP-P	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.45		0.088	0.24	ug/WIPE
CL140-142	5/18/2020	14:22	N1	DD-D014110	CL140-142-051820-COMP-P	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL140-142	5/18/2020	14:22	N1	DD-D014110	CL140-142-051820-COMP-P	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.22	J	0.07	0.24	ug/WIPE
CL140-142	5/18/2020	14:22	N1	DD-D014110	CL140-142-051820-COMP-P	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL140-142	5/18/2020	14:22	N1	DD-D014110	CL140-142-051820-COMP-P	SW8082A	SW	TOTAL PCBs	0.67		-	0.24	ug/WIPE
CL141-143	5/18/2020	14:27	N1	DD-D014201	CL141-143-051820-COMP-B	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL141-143	5/18/2020	14:27	N1	DD-D014201	CL141-143-051820-COMP-B	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL141-143	5/18/2020	14:27	N1	DD-D014201	CL141-143-051820-COMP-B	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL141-143	5/18/2020	14:27	N1	DD-D014201	CL141-143-051820-COMP-B	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	12		0.088	0.24	ug/WIPE
CL141-143	5/18/2020	14:27	N1	DD-D014201	CL141-143-051820-COMP-B	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL141-143	5/18/2020	14:27	N1	DD-D014201	CL141-143-051820-COMP-B	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	4.5		0.07	0.24	ug/WIPE
CL141-143	5/18/2020	14:27	N1	DD-D014201	CL141-143-051820-COMP-B	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL141-143	5/18/2020	14:27	N1	DD-D014201	CL141-143-051820-COMP-B	SW8082A	SW	TOTAL PCBs	16.5		-	0.24	ug/WIPE
CL141BR	6/19/2020	6:55	N1	DD-D023502	CL141BR-061920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL141BR	6/19/2020	6:55	N1	DD-D023502	CL141BR-061920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL141BR	6/19/2020	6:55	N1	DD-D023502	CL141BR-061920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL141BR	6/19/2020	6:55	N1	DD-D023502	CL141BR-061920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	4.8		0.088	0.24	ug/WIPE
CL141BR	6/19/2020	6:55	N1	DD-D023502	CL141BR-061920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL141BR	6/19/2020	6:55	N1	DD-D023502	CL141BR-061920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.8		0.07	0.24	ug/WIPE
CL141BR	6/19/2020	6:55	N1	DD-D023502	CL141BR-061920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE

Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
CL141BR	6/19/2020	6:55	N1	DD-D023502	CL141BR-061920	SW8082A	SW	TOTAL PCBs	6.6		-	0.24	ug/WIPE
CL143BR	6/19/2020	6:58	N1	DD-D023503	CL143BR-061920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL143BR	6/19/2020	6:58	N1	DD-D023503	CL143BR-061920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL143BR	6/19/2020	6:58	N1	DD-D023503	CL143BR-061920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL143BR	6/19/2020	6:58	N1	DD-D023503	CL143BR-061920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	5.3		0.088	0.24	ug/WIPE
CL143BR	6/19/2020	6:58	N1	DD-D023503	CL143BR-061920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL143BR	6/19/2020	6:58	N1	DD-D023503	CL143BR-061920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.8		0.07	0.24	ug/WIPE
CL143BR	6/19/2020	6:58	N1	DD-D023503	CL143BR-061920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL143BR	6/19/2020	6:58	N1	DD-D023503	CL143BR-061920	SW8082A	SW	TOTAL PCBs	7.1		-	0.24	ug/WIPE
CL144	5/18/2020	14:45	N1	DD-D014204	CL144-051820-B	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL144	5/18/2020	14:45	N1	DD-D014204	CL144-051820-B	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL144	5/18/2020	14:45	N1	DD-D014204	CL144-051820-B	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL144	5/18/2020	14:45	N1	DD-D014204	CL144-051820-B	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1.7		0.088	0.24	ug/WIPE
CL144	5/18/2020	14:45	N1	DD-D014204	CL144-051820-B	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL144	5/18/2020	14:45	N1	DD-D014204	CL144-051820-B	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.65		0.07	0.24	ug/WIPE
CL144	5/18/2020	14:45	N1	DD-D014204	CL144-051820-B	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL144	5/18/2020	14:45	N1	DD-D014204	CL144-051820-B	SW8082A	SW	TOTAL PCBs	2.35		-	0.24	ug/WIPE
CL145-147	5/18/2020	14:48	N1	DD-D014205	CL145-147-051820-COMP-B	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL145-147	5/18/2020	14:48	N1	DD-D014205	CL145-147-051820-COMP-B	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL145-147	5/18/2020	14:48	N1	DD-D014205	CL145-147-051820-COMP-B	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL145-147	5/18/2020	14:48	N1	DD-D014205	CL145-147-051820-COMP-B	SW8082A	SW	PCB-1242 (AROCLOR 1242)	11		0.088	0.24	ug/WIPE
CL145-147	5/18/2020	14:48	N1	DD-D014205	CL145-147-051820-COMP-B	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL145-147	5/18/2020	14:48	N1	DD-D014205	CL145-147-051820-COMP-B	SW8082A	SW	PCB-1254 (AROCLOR 1254)	5		0.07	0.24	ug/WIPE
CL145-147	5/18/2020	14:48	N1	DD-D014205	CL145-147-051820-COMP-B	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL145-147	5/18/2020	14:48	N1	DD-D014205	CL145-147-051820-COMP-B	SW8082A	SW	TOTAL PCBs	16		-	0.24	ug/WIPE
CL145BR	6/19/2020	7:04	N1	DD-D023504	CL145BR-061920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL145BR	6/19/2020	7:04	N1	DD-D023504	CL145BR-061920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL145BR	6/19/2020	7:04	N1	DD-D023504	CL145BR-061920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL145BR	6/19/2020	7:04	N1	DD-D023504	CL145BR-061920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	4.4		0.088	0.24	ug/WIPE
CL145BR	6/19/2020	7:04	N1	DD-D023504	CL145BR-061920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL145BR	6/19/2020	7:04	N1	DD-D023504	CL145BR-061920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.6		0.07	0.24	ug/WIPE
CL145BR	6/19/2020	7:04	N1	DD-D023504	CL145BR-061920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL145BR	6/19/2020	7:04	N1	DD-D023504	CL145BR-061920	SW8082A	SW	TOTAL PCBs	6		-	0.24	ug/WIPE
CL146-148	5/18/2020	14:53	N1	DD-D014206	CL146-148-051820-COMP-P	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL146-148	5/18/2020	14:53	N1	DD-D014206	CL146-148-051820-COMP-P	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL146-148	5/18/2020	14:53	N1	DD-D014206	CL146-148-051820-COMP-P	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL146-148	5/18/2020	14:53	N1	DD-D014206	CL146-148-051820-COMP-P	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.2	J	0.088	0.24	ug/WIPE
CL146-148	5/18/2020	14:53	N1	DD-D014206	CL146-148-051820-COMP-P	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL146-148	5/18/2020	14:53	N1	DD-D014206	CL146-148-051820-COMP-P	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.086	J	0.07	0.24	ug/WIPE
CL146-148	5/18/2020	14:53	N1	DD-D014206	CL146-148-051820-COMP-P	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL146-148	5/18/2020	14:53	N1	DD-D014206	CL146-148-051820-COMP-P	SW8082A	SW	TOTAL PCBs	0.286		-	0.24	ug/WIPE
CL147BR	6/19/2020	7:08	N1	DD-D023505	CL147BR-061920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL147BR	6/19/2020	7:08	N1	DD-D023505	CL147BR-061920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL147BR	6/19/2020	7:08	N1	DD-D023505	CL147BR-061920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL147BR	6/19/2020	7:08	N1	DD-D023505	CL147BR-061920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2.5		0.088	0.24	ug/WIPE
CL147BR	6/19/2020	7:08	N1	DD-D023505	CL147BR-061920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL147BR	6/19/2020	7:08	N1	DD-D023505	CL147BR-061920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.98		0.07	0.24	ug/WIPE
CL147BR	6/19/2020	7:08	N1	DD-D023505	CL147BR-061920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL147BR	6/19/2020	7:08	N1	DD-D023505	CL147BR-061920	SW8082A	SW	TOTAL PCBs	3.48		-	0.24	ug/WIPE
CL149-151	5/18/2020	15:02	N1	DD-D014209	CL149-151-051820-COMP-B	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL149-151	5/18/2020	15:02	N1	DD-D014209	CL149-151-051820-COMP-B	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE



Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
CL149-151	5/18/2020	15:02	N1	DD-D014209	CL149-151-051820-COMP-B	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL149-151	5/18/2020	15:02	N1	DD-D014209	CL149-151-051820-COMP-B	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	6.7	U	0.088	0.24	ug/WIPE
CL149-151	5/18/2020	15:02	N1	DD-D014209	CL149-151-051820-COMP-B	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL149-151	5/18/2020	15:02	N1	DD-D014209	CL149-151-051820-COMP-B	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.2	U	0.07	0.24	ug/WIPE
CL149-151	5/18/2020	15:02	N1	DD-D014209	CL149-151-051820-COMP-B	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL149-151	5/18/2020	15:02	N1	DD-D014209	CL149-151-051820-COMP-B	SW8082A	SW	TOTAL PCBs	8.9	U	-	0.24	ug/WIPE
CL150-152	5/18/2020	15:04	N1	DD-D014210	CL140-142-051820-COMP-P	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL150-152	5/18/2020	15:04	N1	DD-D014210	CL140-142-051820-COMP-P	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL150-152	5/18/2020	15:04	N1	DD-D014210	CL140-142-051820-COMP-P	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL150-152	5/18/2020	15:04	N1	DD-D014210	CL140-142-051820-COMP-P	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.7	U	0.088	0.24	ug/WIPE
CL150-152	5/18/2020	15:04	N1	DD-D014210	CL140-142-051820-COMP-P	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL150-152	5/18/2020	15:04	N1	DD-D014210	CL140-142-051820-COMP-P	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.23	J	0.07	0.24	ug/WIPE
CL150-152	5/18/2020	15:04	N1	DD-D014210	CL140-142-051820-COMP-P	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL150-152	5/18/2020	15:04	N1	DD-D014210	CL140-142-051820-COMP-P	SW8082A	SW	TOTAL PCBs	0.93	U	-	0.24	ug/WIPE
CL153	5/18/2020	15:14	N1	DD-D014303	CL153-051820-B	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL153	5/18/2020	15:14	N1	DD-D014303	CL153-051820-B	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL153	5/18/2020	15:14	N1	DD-D014303	CL153-051820-B	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL153	5/18/2020	15:14	N1	DD-D014303	CL153-051820-B	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	8.2	U	0.088	0.24	ug/WIPE
CL153	5/18/2020	15:14	N1	DD-D014303	CL153-051820-B	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL153	5/18/2020	15:14	N1	DD-D014303	CL153-051820-B	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.5	U	0.07	0.24	ug/WIPE
CL153	5/18/2020	15:14	N1	DD-D014303	CL153-051820-B	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL153	5/18/2020	15:14	N1	DD-D014303	CL153-051820-B	SW8082A	SW	TOTAL PCBs	10.7	U	-	0.24	ug/WIPE
CL153BR	6/19/2020	7:15	N1	DD-D023506	CL153BR-061920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL153BR	6/19/2020	7:15	N1	DD-D023506	CL153BR-061920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL153BR	6/19/2020	7:15	N1	DD-D023506	CL153BR-061920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL153BR	6/19/2020	7:15	N1	DD-D023506	CL153BR-061920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	4.2	U	0.088	0.24	ug/WIPE
CL153BR	6/19/2020	7:15	N1	DD-D023506	CL153BR-061920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL153BR	6/19/2020	7:15	N1	DD-D023506	CL153BR-061920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.2	U	0.07	0.24	ug/WIPE
CL153BR	6/19/2020	7:15	N1	DD-D023506	CL153BR-061920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL153BR	6/19/2020	7:15	N1	DD-D023506	CL153BR-061920	SW8082A	SW	TOTAL PCBs	5.4	U	-	0.24	ug/WIPE
CL154-156	5/18/2020	15:54	N1	DD-D014304	CL154-156-051820-COMP-P	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL154-156	5/18/2020	15:54	N1	DD-D014304	CL154-156-051820-COMP-P	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL154-156	5/18/2020	15:54	N1	DD-D014304	CL154-156-051820-COMP-P	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL154-156	5/18/2020	15:54	N1	DD-D014304	CL154-156-051820-COMP-P	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.3	U	0.088	0.24	ug/WIPE
CL154-156	5/18/2020	15:54	N1	DD-D014304	CL154-156-051820-COMP-P	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL154-156	5/18/2020	15:54	N1	DD-D014304	CL154-156-051820-COMP-P	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.17	J	0.07	0.24	ug/WIPE
CL154-156	5/18/2020	15:54	N1	DD-D014304	CL154-156-051820-COMP-P	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL154-156	5/18/2020	15:54	N1	DD-D014304	CL154-156-051820-COMP-P	SW8082A	SW	TOTAL PCBs	0.47	U	-	0.24	ug/WIPE
CL155-157	5/18/2020	15:58	N1	DD-D014305	CL155-157-051820-COMP-B	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL155-157	5/18/2020	15:58	N1	DD-D014305	CL155-157-051820-COMP-B	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL155-157	5/18/2020	15:58	N1	DD-D014305	CL155-157-051820-COMP-B	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL155-157	5/18/2020	15:58	N1	DD-D014305	CL155-157-051820-COMP-B	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	7.7	U	0.088	0.24	ug/WIPE
CL155-157	5/18/2020	15:58	N1	DD-D014305	CL155-157-051820-COMP-B	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL155-157	5/18/2020	15:58	N1	DD-D014305	CL155-157-051820-COMP-B	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.8	U	0.07	0.24	ug/WIPE
CL155-157	5/18/2020	15:58	N1	DD-D014305	CL155-157-051820-COMP-B	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL155-157	5/18/2020	15:58	N1	DD-D014305	CL155-157-051820-COMP-B	SW8082A	SW	TOTAL PCBs	10.5	U	-	0.24	ug/WIPE
CL155BR	6/19/2020	7:22	N1	DD-D023507	CL155BR-061920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL155BR	6/19/2020	7:22	N1	DD-D023507	CL155BR-061920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL155BR	6/19/2020	7:22	N1	DD-D023507	CL155BR-061920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL155BR	6/19/2020	7:22	N1	DD-D023507	CL155BR-061920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	5.2	U	0.088	0.24	ug/WIPE
CL155BR	6/19/2020	7:22	N1	DD-D023507	CL155BR-061920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE



Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
CL155BR	6/19/2020	7:22	N1	DD-D023507	CL155BR-061920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.8		0.07	0.24	ug/WIPE
CL155BR	6/19/2020	7:22	N1	DD-D023507	CL155BR-061920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL155BR	6/19/2020	7:22	N1	DD-D023507	CL155BR-061920	SW8082A	SW	TOTAL PCBs	7		-	0.24	ug/WIPE
CL157BR	6/19/2020	7:26	N1	DD-D023508	CL157BR-061920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL157BR	6/19/2020	7:26	N1	DD-D023508	CL157BR-061920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL157BR	6/19/2020	7:26	N1	DD-D023508	CL157BR-061920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL157BR	6/19/2020	7:26	N1	DD-D023508	CL157BR-061920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.7		0.088	0.24	ug/WIPE
CL157BR	6/19/2020	7:26	N1	DD-D023508	CL157BR-061920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL157BR	6/19/2020	7:26	N1	DD-D023508	CL157BR-061920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.2		0.07	0.24	ug/WIPE
CL157BR	6/19/2020	7:26	N1	DD-D023508	CL157BR-061920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL157BR	6/19/2020	7:26	N1	DD-D023508	CL157BR-061920	SW8082A	SW	TOTAL PCBs	4.9		-	0.24	ug/WIPE
CL158-160	5/18/2020	16:10	N1	DD-D014308	CL158-160-051820-COMP-P	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL158-160	5/18/2020	16:10	N1	DD-D014308	CL158-160-051820-COMP-P	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL158-160	5/18/2020	16:10	N1	DD-D014308	CL158-160-051820-COMP-P	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL158-160	5/18/2020	16:10	N1	DD-D014308	CL158-160-051820-COMP-P	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.67		0.088	0.24	ug/WIPE
CL158-160	5/18/2020	16:10	N1	DD-D014308	CL158-160-051820-COMP-P	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL158-160	5/18/2020	16:10	N1	DD-D014308	CL158-160-051820-COMP-P	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.34		0.07	0.24	ug/WIPE
CL158-160	5/18/2020	16:10	N1	DD-D014308	CL158-160-051820-COMP-P	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL158-160	5/18/2020	16:10	N1	DD-D014308	CL158-160-051820-COMP-P	SW8082A	SW	TOTAL PCBs	1.01		-	0.24	ug/WIPE
CL159-161	5/18/2020	16:15	N1	DD-D014309	CL159-161-051820-COMP-B	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL159-161	5/18/2020	16:15	N1	DD-D014309	CL159-161-051820-COMP-B	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL159-161	5/18/2020	16:15	N1	DD-D014309	CL159-161-051820-COMP-B	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL159-161	5/18/2020	16:15	N1	DD-D014309	CL159-161-051820-COMP-B	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	6.8		0.088	0.24	ug/WIPE
CL159-161	5/18/2020	16:15	N1	DD-D014309	CL159-161-051820-COMP-B	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL159-161	5/18/2020	16:15	N1	DD-D014309	CL159-161-051820-COMP-B	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.5		0.07	0.24	ug/WIPE
CL159-161	5/18/2020	16:15	N1	DD-D014309	CL159-161-051820-COMP-B	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL159-161	5/18/2020	16:15	N1	DD-D014309	CL159-161-051820-COMP-B	SW8082A	SW	TOTAL PCBs	9.3		-	0.24	ug/WIPE
CL162	5/18/2020	16:24	N1	DD-D014402	CL162-051820-B	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL162	5/18/2020	16:24	N1	DD-D014402	CL162-051820-B	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL162	5/18/2020	16:24	N1	DD-D014402	CL162-051820-B	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL162	5/18/2020	16:24	N1	DD-D014402	CL162-051820-B	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.3		0.088	0.24	ug/WIPE
CL162	5/18/2020	16:24	N1	DD-D014402	CL162-051820-B	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL162	5/18/2020	16:24	N1	DD-D014402	CL162-051820-B	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.2		0.07	0.24	ug/WIPE
CL162	5/18/2020	16:24	N1	DD-D014402	CL162-051820-B	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL162	5/18/2020	16:24	N1	DD-D014402	CL162-051820-B	SW8082A	SW	TOTAL PCBs	4.5		-	0.24	ug/WIPE
CL163-165	5/18/2020	16:27	N1	DD-D014403	CL163-165-051820-COMP-B	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL163-165	5/18/2020	16:27	N1	DD-D014403	CL163-165-051820-COMP-B	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL163-165	5/18/2020	16:27	N1	DD-D014403	CL163-165-051820-COMP-B	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL163-165	5/18/2020	16:27	N1	DD-D014403	CL163-165-051820-COMP-B	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	8.5		0.088	0.24	ug/WIPE
CL163-165	5/18/2020	16:27	N1	DD-D014403	CL163-165-051820-COMP-B	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL163-165	5/18/2020	16:27	N1	DD-D014403	CL163-165-051820-COMP-B	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	3		0.07	0.24	ug/WIPE
CL163-165	5/18/2020	16:27	N1	DD-D014403	CL163-165-051820-COMP-B	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL163-165	5/18/2020	16:27	N1	DD-D014403	CL163-165-051820-COMP-B	SW8082A	SW	TOTAL PCBs	11.5		-	0.24	ug/WIPE
CL163BR	6/19/2020	7:32	N1	DD-D023509	CL163BR-061920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL163BR	6/19/2020	7:32	N1	DD-D023509	CL163BR-061920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL163BR	6/19/2020	7:32	N1	DD-D023509	CL163BR-061920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL163BR	6/19/2020	7:32	N1	DD-D023509	CL163BR-061920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	5.3		0.088	0.24	ug/WIPE
CL163BR	6/19/2020	7:32	N1	DD-D023509	CL163BR-061920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL163BR	6/19/2020	7:32	N1	DD-D023509	CL163BR-061920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.6		0.07	0.24	ug/WIPE
CL163BR	6/19/2020	7:32	N1	DD-D023509	CL163BR-061920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL163BR	6/19/2020	7:32	N1	DD-D023509	CL163BR-061920	SW8082A	SW	TOTAL PCBs	6.9		-	0.24	ug/WIPE

Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
CL164-166	5/18/2020	16:29	N1	DD-D014404	CL164-166-051820-COMP-P	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL164-166	5/18/2020	16:29	N1	DD-D014404	CL164-166-051820-COMP-P	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL164-166	5/18/2020	16:29	N1	DD-D014404	CL164-166-051820-COMP-P	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL164-166	5/18/2020	16:29	N1	DD-D014404	CL164-166-051820-COMP-P	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.65		0.088	0.24	ug/WIPE
CL164-166	5/18/2020	16:29	N1	DD-D014404	CL164-166-051820-COMP-P	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL164-166	5/18/2020	16:29	N1	DD-D014404	CL164-166-051820-COMP-P	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.36		0.07	0.24	ug/WIPE
CL164-166	5/18/2020	16:29	N1	DD-D014404	CL164-166-051820-COMP-P	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL164-166	5/18/2020	16:29	N1	DD-D014404	CL164-166-051820-COMP-P	SW8082A	SW	TOTAL PCBs	1.01		-	0.24	ug/WIPE
CL165BR	6/19/2020	7:39	N1	DD-D023510	CL165BR-061920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL165BR	6/19/2020	7:39	N1	DD-D023510	CL165BR-061920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL165BR	6/19/2020	7:39	N1	DD-D023510	CL165BR-061920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL165BR	6/19/2020	7:39	N1	DD-D023510	CL165BR-061920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3.1		0.088	0.24	ug/WIPE
CL165BR	6/19/2020	7:39	N1	DD-D023510	CL165BR-061920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL165BR	6/19/2020	7:39	N1	DD-D023510	CL165BR-061920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.2		0.07	0.24	ug/WIPE
CL165BR	6/19/2020	7:39	N1	DD-D023510	CL165BR-061920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL165BR	6/19/2020	7:39	N1	DD-D023510	CL165BR-061920	SW8082A	SW	TOTAL PCBs	4.3		-	0.24	ug/WIPE
CL167-169	5/18/2020	16:34	N1	DD-D014407	CL167-169-051820-COMP-B	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL167-169	5/18/2020	16:34	N1	DD-D014407	CL167-169-051820-COMP-B	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL167-169	5/18/2020	16:34	N1	DD-D014407	CL167-169-051820-COMP-B	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL167-169	5/18/2020	16:34	N1	DD-D014407	CL167-169-051820-COMP-B	SW8082A	SW	PCB-1242 (AROCLOR 1242)	7.2		0.088	0.24	ug/WIPE
CL167-169	5/18/2020	16:34	N1	DD-D014407	CL167-169-051820-COMP-B	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL167-169	5/18/2020	16:34	N1	DD-D014407	CL167-169-051820-COMP-B	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2.9		0.07	0.24	ug/WIPE
CL167-169	5/18/2020	16:34	N1	DD-D014407	CL167-169-051820-COMP-B	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL167-169	5/18/2020	16:34	N1	DD-D014407	CL167-169-051820-COMP-B	SW8082A	SW	TOTAL PCBs	10.1		-	0.24	ug/WIPE
CL168-170	5/18/2020	16:36	N1	DD-D014408	CL168-170-051820-COMP-P	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL168-170	5/18/2020	16:36	N1	DD-D014408	CL168-170-051820-COMP-P	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL168-170	5/18/2020	16:36	N1	DD-D014408	CL168-170-051820-COMP-P	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL168-170	5/18/2020	16:36	N1	DD-D014408	CL168-170-051820-COMP-P	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.77		0.088	0.24	ug/WIPE
CL168-170	5/18/2020	16:36	N1	DD-D014408	CL168-170-051820-COMP-P	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL168-170	5/18/2020	16:36	N1	DD-D014408	CL168-170-051820-COMP-P	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.29		0.07	0.24	ug/WIPE
CL168-170	5/18/2020	16:36	N1	DD-D014408	CL168-170-051820-COMP-P	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL168-170	5/18/2020	16:36	N1	DD-D014408	CL168-170-051820-COMP-P	SW8082A	SW	TOTAL PCBs	1.06		-	0.24	ug/WIPE
CL171	5/18/2020	16:45	N1	DD-D014501	CL171-051820-B	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL171	5/18/2020	16:45	N1	DD-D014501	CL171-051820-B	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL171	5/18/2020	16:45	N1	DD-D014501	CL171-051820-B	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL171	5/18/2020	16:45	N1	DD-D014501	CL171-051820-B	SW8082A	SW	PCB-1242 (AROCLOR 1242)	4.2		0.088	0.24	ug/WIPE
CL171	5/18/2020	16:45	N1	DD-D014501	CL171-051820-B	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL171	5/18/2020	16:45	N1	DD-D014501	CL171-051820-B	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.5		0.07	0.24	ug/WIPE
CL171	5/18/2020	16:45	N1	DD-D014501	CL171-051820-B	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL171	5/18/2020	16:45	N1	DD-D014501	CL171-051820-B	SW8082A	SW	TOTAL PCBs	5.7		-	0.24	ug/WIPE
CL172-174	5/18/2020	17:11	N1	DD-D014502	CL172-174-051820-COMP-P	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL172-174	5/18/2020	17:11	N1	DD-D014502	CL172-174-051820-COMP-P	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL172-174	5/18/2020	17:11	N1	DD-D014502	CL172-174-051820-COMP-P	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL172-174	5/18/2020	17:11	N1	DD-D014502	CL172-174-051820-COMP-P	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.84		0.088	0.24	ug/WIPE
CL172-174	5/18/2020	17:11	N1	DD-D014502	CL172-174-051820-COMP-P	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL172-174	5/18/2020	17:11	N1	DD-D014502	CL172-174-051820-COMP-P	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.27		0.07	0.24	ug/WIPE
CL172-174	5/18/2020	17:11	N1	DD-D014502	CL172-174-051820-COMP-P	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL172-174	5/18/2020	17:11	N1	DD-D014502	CL172-174-051820-COMP-P	SW8082A	SW	TOTAL PCBs	1.11		-	0.24	ug/WIPE
CL173-175	5/18/2020	17:14	N1	DD-D014503	CL173-175-051820-COMP-B	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL173-175	5/18/2020	17:14	N1	DD-D014503	CL173-175-051820-COMP-B	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL173-175	5/18/2020	17:14	N1	DD-D014503	CL173-175-051820-COMP-B	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE

Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
CL173-175	5/18/2020	17:14	N1	DD-D014503	CL173-175-051820-COMP-B	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	7.5		0.088	0.24	ug/WIPE
CL173-175	5/18/2020	17:14	N1	DD-D014503	CL173-175-051820-COMP-B	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL173-175	5/18/2020	17:14	N1	DD-D014503	CL173-175-051820-COMP-B	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.6		0.07	0.24	ug/WIPE
CL173-175	5/18/2020	17:14	N1	DD-D014503	CL173-175-051820-COMP-B	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL173-175	5/18/2020	17:14	N1	DD-D014503	CL173-175-051820-COMP-B	SW8082A	SW	TOTAL PCBs	10.1		-	0.24	ug/WIPE
CL173BR	6/19/2020	7:43	N1	DD-D023601	CL173BR-061920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL173BR	6/19/2020	7:43	N1	DD-D023601	CL173BR-061920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL173BR	6/19/2020	7:43	N1	DD-D023601	CL173BR-061920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL173BR	6/19/2020	7:43	N1	DD-D023601	CL173BR-061920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	4.2		0.088	0.24	ug/WIPE
CL173BR	6/19/2020	7:43	N1	DD-D023601	CL173BR-061920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL173BR	6/19/2020	7:43	N1	DD-D023601	CL173BR-061920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.4		0.07	0.24	ug/WIPE
CL173BR	6/19/2020	7:43	N1	DD-D023601	CL173BR-061920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL173BR	6/19/2020	7:43	N1	DD-D023601	CL173BR-061920	SW8082A	SW	TOTAL PCBs	5.6		-	0.24	ug/WIPE
CL175BR	6/19/2020	7:48	N1	DD-D023602	CL175BR-061920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL175BR	6/19/2020	7:48	N1	DD-D023602	CL175BR-061920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL175BR	6/19/2020	7:48	N1	DD-D023602	CL175BR-061920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL175BR	6/19/2020	7:48	N1	DD-D023602	CL175BR-061920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	4		0.088	0.24	ug/WIPE
CL175BR	6/19/2020	7:48	N1	DD-D023602	CL175BR-061920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL175BR	6/19/2020	7:48	N1	DD-D023602	CL175BR-061920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.3		0.07	0.24	ug/WIPE
CL175BR	6/19/2020	7:48	N1	DD-D023602	CL175BR-061920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL175BR	6/19/2020	7:48	N1	DD-D023602	CL175BR-061920	SW8082A	SW	TOTAL PCBs	5.3		-	0.24	ug/WIPE
CL176-178	5/18/2020	17:22	N1	DD-D014506	CL176-178-051820-COMP-P	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL176-178	5/18/2020	17:22	N1	DD-D014506	CL176-178-051820-COMP-P	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL176-178	5/18/2020	17:22	N1	DD-D014506	CL176-178-051820-COMP-P	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL176-178	5/18/2020	17:22	N1	DD-D014506	CL176-178-051820-COMP-P	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.61		0.088	0.24	ug/WIPE
CL176-178	5/18/2020	17:22	N1	DD-D014506	CL176-178-051820-COMP-P	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL176-178	5/18/2020	17:22	N1	DD-D014506	CL176-178-051820-COMP-P	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.22	J	0.07	0.24	ug/WIPE
CL176-178	5/18/2020	17:22	N1	DD-D014506	CL176-178-051820-COMP-P	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL176-178	5/18/2020	17:22	N1	DD-D014506	CL176-178-051820-COMP-P	SW8082A	SW	TOTAL PCBs	0.83		-	0.24	ug/WIPE
CL177-181	5/18/2020	17:24	N1	DD-D014507	CL177-181-051820-COMP-B	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL177-181	5/18/2020	17:24	N1	DD-D014507	CL177-181-051820-COMP-B	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL177-181	5/18/2020	17:24	N1	DD-D014507	CL177-181-051820-COMP-B	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL177-181	5/18/2020	17:24	N1	DD-D014507	CL177-181-051820-COMP-B	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	5.4		0.088	0.24	ug/WIPE
CL177-181	5/18/2020	17:24	N1	DD-D014507	CL177-181-051820-COMP-B	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL177-181	5/18/2020	17:24	N1	DD-D014507	CL177-181-051820-COMP-B	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2		0.07	0.24	ug/WIPE
CL177-181	5/18/2020	17:24	N1	DD-D014507	CL177-181-051820-COMP-B	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL177-181	5/18/2020	17:24	N1	DD-D014507	CL177-181-051820-COMP-B	SW8082A	SW	TOTAL PCBs	7.4		-	0.24	ug/WIPE
CL179	5/18/2020	17:28	N1	DD-D014509	CL179-051820-B	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL179	5/18/2020	17:28	N1	DD-D014509	CL179-051820-B	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL179	5/18/2020	17:28	N1	DD-D014509	CL179-051820-B	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL179	5/18/2020	17:28	N1	DD-D014509	CL179-051820-B	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	4.8		0.088	0.24	ug/WIPE
CL179	5/18/2020	17:28	N1	DD-D014509	CL179-051820-B	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL179	5/18/2020	17:28	N1	DD-D014509	CL179-051820-B	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.1		0.07	0.24	ug/WIPE
CL179	5/18/2020	17:28	N1	DD-D014509	CL179-051820-B	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL179	5/18/2020	17:28	N1	DD-D014509	CL179-051820-B	SW8082A	SW	TOTAL PCBs	6.9		-	0.24	ug/WIPE
CL180-182	5/18/2020	17:31	N1	DD-D014510	CL180-182-051820-COMP-B	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL180-182	5/18/2020	17:31	N1	DD-D014510	CL180-182-051820-COMP-B	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL180-182	5/18/2020	17:31	N1	DD-D014510	CL180-182-051820-COMP-B	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL180-182	5/18/2020	17:31	N1	DD-D014510	CL180-182-051820-COMP-B	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.32		0.088	0.24	ug/WIPE
CL180-182	5/18/2020	17:31	N1	DD-D014510	CL180-182-051820-COMP-B	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL180-182	5/18/2020	17:31	N1	DD-D014510	CL180-182-051820-COMP-B	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.12	J	0.07	0.24	ug/WIPE

Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
CL180-182	5/18/2020	17:31	N1	DD-D014510	CL180-182-051820-COMP-B	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL180-182	5/18/2020	17:31	N1	DD-D014510	CL180-182-051820-COMP-B	SW8082A	SW	TOTAL PCBs	0.44		-	0.24	ug/WIPE
CL183-185	5/18/2020	17:38	N1	DD-D014603	CL183-185-051820-COMP-B	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL183-185	5/18/2020	17:38	N1	DD-D014603	CL183-185-051820-COMP-B	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL183-185	5/18/2020	17:38	N1	DD-D014603	CL183-185-051820-COMP-B	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL183-185	5/18/2020	17:38	N1	DD-D014603	CL183-185-051820-COMP-B	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	11		0.088	0.24	ug/WIPE
CL183-185	5/18/2020	17:38	N1	DD-D014603	CL183-185-051820-COMP-B	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL183-185	5/18/2020	17:38	N1	DD-D014603	CL183-185-051820-COMP-B	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	3.6		0.07	0.24	ug/WIPE
CL183-185	5/18/2020	17:38	N1	DD-D014603	CL183-185-051820-COMP-B	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL183-185	5/18/2020	17:38	N1	DD-D014603	CL183-185-051820-COMP-B	SW8082A	SW	TOTAL PCBs	14.6		-	0.24	ug/WIPE
CL183BR	6/19/2020	7:53	N1	DD-D023603	CL183BR-061920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL183BR	6/19/2020	7:53	N1	DD-D023603	CL183BR-061920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL183BR	6/19/2020	7:53	N1	DD-D023603	CL183BR-061920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL183BR	6/19/2020	7:53	N1	DD-D023603	CL183BR-061920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.6		0.088	0.24	ug/WIPE
CL183BR	6/19/2020	7:53	N1	DD-D023603	CL183BR-061920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL183BR	6/19/2020	7:53	N1	DD-D023603	CL183BR-061920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.2		0.07	0.24	ug/WIPE
CL183BR	6/19/2020	7:53	N1	DD-D023603	CL183BR-061920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL183BR	6/19/2020	7:53	N1	DD-D023603	CL183BR-061920	SW8082A	SW	TOTAL PCBs	4.8		-	0.24	ug/WIPE
CL184-186	5/18/2020	17:41	N1	DD-D014604	CL176-178-051820-COMP-P	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL184-186	5/18/2020	17:41	N1	DD-D014604	CL176-178-051820-COMP-P	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL184-186	5/18/2020	17:41	N1	DD-D014604	CL176-178-051820-COMP-P	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL184-186	5/18/2020	17:41	N1	DD-D014604	CL176-178-051820-COMP-P	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.28		0.088	0.24	ug/WIPE
CL184-186	5/18/2020	17:41	N1	DD-D014604	CL176-178-051820-COMP-P	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL184-186	5/18/2020	17:41	N1	DD-D014604	CL176-178-051820-COMP-P	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.085	J	0.07	0.24	ug/WIPE
CL184-186	5/18/2020	17:41	N1	DD-D014604	CL176-178-051820-COMP-P	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL184-186	5/18/2020	17:41	N1	DD-D014604	CL176-178-051820-COMP-P	SW8082A	SW	TOTAL PCBs	0.365		-	0.24	ug/WIPE
CL185BR	6/19/2020	7:57	N1	DD-D023604	CL185BR-061920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL185BR	6/19/2020	7:57	N1	DD-D023604	CL185BR-061920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL185BR	6/19/2020	7:57	N1	DD-D023604	CL185BR-061920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL185BR	6/19/2020	7:57	N1	DD-D023604	CL185BR-061920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	4.2		0.088	0.24	ug/WIPE
CL185BR	6/19/2020	7:57	N1	DD-D023604	CL185BR-061920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL185BR	6/19/2020	7:57	N1	DD-D023604	CL185BR-061920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.4		0.07	0.24	ug/WIPE
CL185BR	6/19/2020	7:57	N1	DD-D023604	CL185BR-061920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL185BR	6/19/2020	7:57	N1	DD-D023604	CL185BR-061920	SW8082A	SW	TOTAL PCBs	5.6		-	0.24	ug/WIPE
CL187	5/18/2020	17:48	N1	DD-D014607	CL187-051820-B	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL187	5/18/2020	17:48	N1	DD-D014607	CL187-051820-B	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL187	5/18/2020	17:48	N1	DD-D014607	CL187-051820-B	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL187	5/18/2020	17:48	N1	DD-D014607	CL187-051820-B	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	19		0.088	0.24	ug/WIPE
CL187	5/18/2020	17:48	N1	DD-D014607	CL187-051820-B	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL187	5/18/2020	17:48	N1	DD-D014607	CL187-051820-B	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	5.7		0.07	0.24	ug/WIPE
CL187	5/18/2020	17:48	N1	DD-D014607	CL187-051820-B	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL187	5/18/2020	17:48	N1	DD-D014607	CL187-051820-B	SW8082A	SW	TOTAL PCBs	24.7		-	0.24	ug/WIPE
CL187BR	6/19/2020	8:00	N1	DD-D023605	CL187BR-061920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL187BR	6/19/2020	8:00	N1	DD-D023605	CL187BR-061920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL187BR	6/19/2020	8:00	N1	DD-D023605	CL187BR-061920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL187BR	6/19/2020	8:00	N1	DD-D023605	CL187BR-061920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	5.4		0.088	0.24	ug/WIPE
CL187BR	6/19/2020	8:00	N1	DD-D023605	CL187BR-061920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL187BR	6/19/2020	8:00	N1	DD-D023605	CL187BR-061920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.8		0.07	0.24	ug/WIPE
CL187BR	6/19/2020	8:00	N1	DD-D023605	CL187BR-061920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL187BR	6/19/2020	8:00	N1	DD-D023605	CL187BR-061920	SW8082A	SW	TOTAL PCBs	7.2		-	0.24	ug/WIPE
CL188-190	5/19/2020	6:37	N1	DD-D014608	CL188-190-051920-COMP-P	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE

Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
CL188-190	5/19/2020	6:37	N1	DD-D014608	CL188-190-051920-COMP-P	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL188-190	5/19/2020	6:37	N1	DD-D014608	CL188-190-051920-COMP-P	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL188-190	5/19/2020	6:37	N1	DD-D014608	CL188-190-051920-COMP-P	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.51		0.088	0.24	ug/WIPE
CL188-190	5/19/2020	6:37	N1	DD-D014608	CL188-190-051920-COMP-P	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL188-190	5/19/2020	6:37	N1	DD-D014608	CL188-190-051920-COMP-P	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.15	J	0.07	0.24	ug/WIPE
CL188-190	5/19/2020	6:37	N1	DD-D014608	CL188-190-051920-COMP-P	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL188-190	5/19/2020	6:37	N1	DD-D014608	CL188-190-051920-COMP-P	SW8082A	SW	TOTAL PCBs	0.66		-	0.24	ug/WIPE
CL189-191	5/19/2020	6:40	N1	DD-D014609	CL189-191-051920-COMP-B	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL189-191	5/19/2020	6:40	N1	DD-D014609	CL189-191-051920-COMP-B	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL189-191	5/19/2020	6:40	N1	DD-D014609	CL189-191-051920-COMP-B	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL189-191	5/19/2020	6:40	N1	DD-D014609	CL189-191-051920-COMP-B	SW8082A	SW	PCB-1242 (AROCLOR 1242)	7.2		0.088	0.24	ug/WIPE
CL189-191	5/19/2020	6:40	N1	DD-D014609	CL189-191-051920-COMP-B	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL189-191	5/19/2020	6:40	N1	DD-D014609	CL189-191-051920-COMP-B	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2.4		0.07	0.24	ug/WIPE
CL189-191	5/19/2020	6:40	N1	DD-D014609	CL189-191-051920-COMP-B	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL189-191	5/19/2020	6:40	N1	DD-D014609	CL189-191-051920-COMP-B	SW8082A	SW	TOTAL PCBs	9.6		-	0.24	ug/WIPE
CL192-194	5/19/2020	6:52	N1	DD-D014702	CL192-194-051920-COMP-P	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL192-194	5/19/2020	6:52	N1	DD-D014702	CL192-194-051920-COMP-P	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL192-194	5/19/2020	6:52	N1	DD-D014702	CL192-194-051920-COMP-P	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL192-194	5/19/2020	6:52	N1	DD-D014702	CL192-194-051920-COMP-P	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.35		0.088	0.24	ug/WIPE
CL192-194	5/19/2020	6:52	N1	DD-D014702	CL192-194-051920-COMP-P	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL192-194	5/19/2020	6:52	N1	DD-D014702	CL192-194-051920-COMP-P	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.11	J	0.07	0.24	ug/WIPE
CL192-194	5/19/2020	6:52	N1	DD-D014702	CL192-194-051920-COMP-P	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL192-194	5/19/2020	6:52	N1	DD-D014702	CL192-194-051920-COMP-P	SW8082A	SW	TOTAL PCBs	0.46		-	0.24	ug/WIPE
CL193-195	5/19/2020	6:54	N1	DD-D014703	CL193-195-051920-COMP-B	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL193-195	5/19/2020	6:54	N1	DD-D014703	CL193-195-051920-COMP-B	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL193-195	5/19/2020	6:54	N1	DD-D014703	CL193-195-051920-COMP-B	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL193-195	5/19/2020	6:54	N1	DD-D014703	CL193-195-051920-COMP-B	SW8082A	SW	PCB-1242 (AROCLOR 1242)	6		0.088	0.24	ug/WIPE
CL193-195	5/19/2020	6:54	N1	DD-D014703	CL193-195-051920-COMP-B	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL193-195	5/19/2020	6:54	N1	DD-D014703	CL193-195-051920-COMP-B	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2.2		0.07	0.24	ug/WIPE
CL193-195	5/19/2020	6:54	N1	DD-D014703	CL193-195-051920-COMP-B	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL193-195	5/19/2020	6:54	N1	DD-D014703	CL193-195-051920-COMP-B	SW8082A	SW	TOTAL PCBs	8.2		-	0.24	ug/WIPE
CL196	5/19/2020	7:10	N1	DD-D014706	CL196-051920-B	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL196	5/19/2020	7:10	N1	DD-D014706	CL196-051920-B	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL196	5/19/2020	7:10	N1	DD-D014706	CL196-051920-B	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL196	5/19/2020	7:10	N1	DD-D014706	CL196-051920-B	SW8082A	SW	PCB-1242 (AROCLOR 1242)	6.3		0.088	0.24	ug/WIPE
CL196	5/19/2020	7:10	N1	DD-D014706	CL196-051920-B	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL196	5/19/2020	7:10	N1	DD-D014706	CL196-051920-B	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.9		0.07	0.24	ug/WIPE
CL196	5/19/2020	7:10	N1	DD-D014706	CL196-051920-B	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL196	5/19/2020	7:10	N1	DD-D014706	CL196-051920-B	SW8082A	SW	TOTAL PCBs	8.2		-	0.24	ug/WIPE
CL197-199	5/19/2020	7:14	N1	DD-D014707	CL197-199-051920-COMP-B	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL197-199	5/19/2020	7:14	N1	DD-D014707	CL197-199-051920-COMP-B	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL197-199	5/19/2020	7:14	N1	DD-D014707	CL197-199-051920-COMP-B	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL197-199	5/19/2020	7:14	N1	DD-D014707	CL197-199-051920-COMP-B	SW8082A	SW	PCB-1242 (AROCLOR 1242)	9		0.088	0.24	ug/WIPE
CL197-199	5/19/2020	7:14	N1	DD-D014707	CL197-199-051920-COMP-B	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL197-199	5/19/2020	7:14	N1	DD-D014707	CL197-199-051920-COMP-B	SW8082A	SW	PCB-1254 (AROCLOR 1254)	3.4		0.07	0.24	ug/WIPE
CL197-199	5/19/2020	7:14	N1	DD-D014707	CL197-199-051920-COMP-B	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL197-199	5/19/2020	7:14	N1	DD-D014707	CL197-199-051920-COMP-B	SW8082A	SW	TOTAL PCBs	12.4		-	0.24	ug/WIPE
CL197BR	6/19/2020	8:08	N1	DD-D023606	CL197BR-061920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL197BR	6/19/2020	8:08	N1	DD-D023606	CL197BR-061920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL197BR	6/19/2020	8:08	N1	DD-D023606	CL197BR-061920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL197BR	6/19/2020	8:08	N1	DD-D023606	CL197BR-061920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	5.1		0.088	0.24	ug/WIPE



Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
CL197BR	6/19/2020	8:08	N1	DD-D023606	CL197BR-061920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL197BR	6/19/2020	8:08	N1	DD-D023606	CL197BR-061920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.8	U	0.07	0.24	ug/WIPE
CL197BR	6/19/2020	8:08	N1	DD-D023606	CL197BR-061920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL197BR	6/19/2020	8:08	N1	DD-D023606	CL197BR-061920	SW8082A	SW	TOTAL PCBs	6.9		-	0.24	ug/WIPE
CL198-200	5/19/2020	7:17	N1	DD-D014708	CL198-200-051920-COMP-P	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL198-200	5/19/2020	7:17	N1	DD-D014708	CL198-200-051920-COMP-P	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL198-200	5/19/2020	7:17	N1	DD-D014708	CL198-200-051920-COMP-P	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL198-200	5/19/2020	7:17	N1	DD-D014708	CL198-200-051920-COMP-P	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.53		0.088	0.24	ug/WIPE
CL198-200	5/19/2020	7:17	N1	DD-D014708	CL198-200-051920-COMP-P	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL198-200	5/19/2020	7:17	N1	DD-D014708	CL198-200-051920-COMP-P	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.14	J	0.07	0.24	ug/WIPE
CL198-200	5/19/2020	7:17	N1	DD-D014708	CL198-200-051920-COMP-P	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL198-200	5/19/2020	7:17	N1	DD-D014708	CL198-200-051920-COMP-P	SW8082A	SW	TOTAL PCBs	0.67		-	0.24	ug/WIPE
CL199BR	6/19/2020	8:12	N1	DD-D023607	CL199BR-061920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL199BR	6/19/2020	8:12	N1	DD-D023607	CL199BR-061920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL199BR	6/19/2020	8:12	N1	DD-D023607	CL199BR-061920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL199BR	6/19/2020	8:12	N1	DD-D023607	CL199BR-061920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	4.5		0.088	0.24	ug/WIPE
CL199BR	6/19/2020	8:12	N1	DD-D023607	CL199BR-061920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL199BR	6/19/2020	8:12	N1	DD-D023607	CL199BR-061920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.6		0.07	0.24	ug/WIPE
CL199BR	6/19/2020	8:12	N1	DD-D023607	CL199BR-061920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL199BR	6/19/2020	8:12	N1	DD-D023607	CL199BR-061920	SW8082A	SW	TOTAL PCBs	6.1		-	0.24	ug/WIPE
CL201-203	5/19/2020	7:28	N1	DD-D014801	CL201-203-051920-COMP-B	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL201-203	5/19/2020	7:28	N1	DD-D014801	CL201-203-051920-COMP-B	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL201-203	5/19/2020	7:28	N1	DD-D014801	CL201-203-051920-COMP-B	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL201-203	5/19/2020	7:28	N1	DD-D014801	CL201-203-051920-COMP-B	SW8082A	SW	PCB-1242 (AROCLOR 1242)	8.6		0.088	0.24	ug/WIPE
CL201-203	5/19/2020	7:28	N1	DD-D014801	CL201-203-051920-COMP-B	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL201-203	5/19/2020	7:28	N1	DD-D014801	CL201-203-051920-COMP-B	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2.8		0.07	0.24	ug/WIPE
CL201-203	5/19/2020	7:28	N1	DD-D014801	CL201-203-051920-COMP-B	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL201-203	5/19/2020	7:28	N1	DD-D014801	CL201-203-051920-COMP-B	SW8082A	SW	TOTAL PCBs	11.4		-	0.24	ug/WIPE
CL201BR	6/19/2020	8:16	N1	DD-D023608	CL201BR-061920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL201BR	6/19/2020	8:16	N1	DD-D023608	CL201BR-061920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL201BR	6/19/2020	8:16	N1	DD-D023608	CL201BR-061920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL201BR	6/19/2020	8:16	N1	DD-D023608	CL201BR-061920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3.9		0.088	0.24	ug/WIPE
CL201BR	6/19/2020	8:16	N1	DD-D023608	CL201BR-061920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL201BR	6/19/2020	8:16	N1	DD-D023608	CL201BR-061920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.3		0.07	0.24	ug/WIPE
CL201BR	6/19/2020	8:16	N1	DD-D023608	CL201BR-061920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL201BR	6/19/2020	8:16	N1	DD-D023608	CL201BR-061920	SW8082A	SW	TOTAL PCBs	5.2		-	0.24	ug/WIPE
CL202-204	5/19/2020	7:31	N1	DD-D014802	CL202-204-051920-COMP-P	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL202-204	5/19/2020	7:31	N1	DD-D014802	CL202-204-051920-COMP-P	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL202-204	5/19/2020	7:31	N1	DD-D014802	CL202-204-051920-COMP-P	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL202-204	5/19/2020	7:31	N1	DD-D014802	CL202-204-051920-COMP-P	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.17	J	0.088	0.24	ug/WIPE
CL202-204	5/19/2020	7:31	N1	DD-D014802	CL202-204-051920-COMP-P	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL202-204	5/19/2020	7:31	N1	DD-D014802	CL202-204-051920-COMP-P	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
CL202-204	5/19/2020	7:31	N1	DD-D014802	CL202-204-051920-COMP-P	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL202-204	5/19/2020	7:31	N1	DD-D014802	CL202-204-051920-COMP-P	SW8082A	SW	TOTAL PCBs	0.17		-	0.24	ug/WIPE
CL203BR	6/19/2020	8:22	N1	DD-D023609	CL203BR-061920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL203BR	6/19/2020	8:22	N1	DD-D023609	CL203BR-061920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL203BR	6/19/2020	8:22	N1	DD-D023609	CL203BR-061920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL203BR	6/19/2020	8:22	N1	DD-D023609	CL203BR-061920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3.8		0.088	0.24	ug/WIPE
CL203BR	6/19/2020	8:22	N1	DD-D023609	CL203BR-061920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL203BR	6/19/2020	8:22	N1	DD-D023609	CL203BR-061920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.3		0.07	0.24	ug/WIPE
CL203BR	6/19/2020	8:22	N1	DD-D023609	CL203BR-061920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE



Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
CL203BR	6/19/2020	8:22	N1	DD-D023609	CL203BR-061920	SW8082A	SW	TOTAL PCBs	5.1		-	0.24	ug/WIPE
CL205	5/19/2020	7:40	N1	DD-D014805	CL205-051920-B	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL205	5/19/2020	7:40	N1	DD-D014805	CL205-051920-B	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL205	5/19/2020	7:40	N1	DD-D014805	CL205-051920-B	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL205	5/19/2020	7:40	N1	DD-D014805	CL205-051920-B	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3.4		0.088	0.24	ug/WIPE
CL205	5/19/2020	7:40	N1	DD-D014805	CL205-051920-B	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL205	5/19/2020	7:40	N1	DD-D014805	CL205-051920-B	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.1		0.07	0.24	ug/WIPE
CL205	5/19/2020	7:40	N1	DD-D014805	CL205-051920-B	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL205	5/19/2020	7:40	N1	DD-D014805	CL205-051920-B	SW8082A	SW	TOTAL PCBs	4.5		-	0.24	ug/WIPE
CL206-208	5/19/2020	8:08	N1	DD-D014806	CL206-208-051920-COMP-P	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL206-208	5/19/2020	8:08	N1	DD-D014806	CL206-208-051920-COMP-P	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL206-208	5/19/2020	8:08	N1	DD-D014806	CL206-208-051920-COMP-P	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL206-208	5/19/2020	8:08	N1	DD-D014806	CL206-208-051920-COMP-P	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1		0.088	0.24	ug/WIPE
CL206-208	5/19/2020	8:08	N1	DD-D014806	CL206-208-051920-COMP-P	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL206-208	5/19/2020	8:08	N1	DD-D014806	CL206-208-051920-COMP-P	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.29		0.07	0.24	ug/WIPE
CL206-208	5/19/2020	8:08	N1	DD-D014806	CL206-208-051920-COMP-P	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL206-208	5/19/2020	8:08	N1	DD-D014806	CL206-208-051920-COMP-P	SW8082A	SW	TOTAL PCBs	1.29		-	0.24	ug/WIPE
CL207-209	5/19/2020	8:13	N1	DD-D014807	CL207-209-051920-COMP-B	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL207-209	5/19/2020	8:13	N1	DD-D014807	CL207-209-051920-COMP-B	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL207-209	5/19/2020	8:13	N1	DD-D014807	CL207-209-051920-COMP-B	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL207-209	5/19/2020	8:13	N1	DD-D014807	CL207-209-051920-COMP-B	SW8082A	SW	PCB-1242 (AROCLOR 1242)	8.6		0.088	0.24	ug/WIPE
CL207-209	5/19/2020	8:13	N1	DD-D014807	CL207-209-051920-COMP-B	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL207-209	5/19/2020	8:13	N1	DD-D014807	CL207-209-051920-COMP-B	SW8082A	SW	PCB-1254 (AROCLOR 1254)	3.2		0.07	0.24	ug/WIPE
CL207-209	5/19/2020	8:13	N1	DD-D014807	CL207-209-051920-COMP-B	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL207-209	5/19/2020	8:13	N1	DD-D014807	CL207-209-051920-COMP-B	SW8082A	SW	TOTAL PCBs	11.8		-	0.24	ug/WIPE
CL207BR	6/19/2020	8:25	N1	DD-D023610	CL207BR-061920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL207BR	6/19/2020	8:25	N1	DD-D023610	CL207BR-061920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL207BR	6/19/2020	8:25	N1	DD-D023610	CL207BR-061920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL207BR	6/19/2020	8:25	N1	DD-D023610	CL207BR-061920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	6		0.088	0.24	ug/WIPE
CL207BR	6/19/2020	8:25	N1	DD-D023610	CL207BR-061920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL207BR	6/19/2020	8:25	N1	DD-D023610	CL207BR-061920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2.1		0.07	0.24	ug/WIPE
CL207BR	6/19/2020	8:25	N1	DD-D023610	CL207BR-061920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL207BR	6/19/2020	8:25	N1	DD-D023610	CL207BR-061920	SW8082A	SW	TOTAL PCBs	8.1		-	0.24	ug/WIPE
CL209BR	6/19/2020	8:35	N1	DD-D023701	CL209BR-061920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL209BR	6/19/2020	8:35	N1	DD-D023701	CL209BR-061920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL209BR	6/19/2020	8:35	N1	DD-D023701	CL209BR-061920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL209BR	6/19/2020	8:35	N1	DD-D023701	CL209BR-061920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3.6		0.088	0.24	ug/WIPE
CL209BR	6/19/2020	8:35	N1	DD-D023701	CL209BR-061920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL209BR	6/19/2020	8:35	N1	DD-D023701	CL209BR-061920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.3		0.07	0.24	ug/WIPE
CL209BR	6/19/2020	8:35	N1	DD-D023701	CL209BR-061920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL209BR	6/19/2020	8:35	N1	DD-D023701	CL209BR-061920	SW8082A	SW	TOTAL PCBs	4.9		-	0.24	ug/WIPE
CL210-212	5/19/2020	8:24	N1	DD-D014810	CL210-212-051920-COMP-P	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL210-212	5/19/2020	8:24	N1	DD-D014810	CL210-212-051920-COMP-P	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL210-212	5/19/2020	8:24	N1	DD-D014810	CL210-212-051920-COMP-P	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL210-212	5/19/2020	8:24	N1	DD-D014810	CL210-212-051920-COMP-P	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.4		0.088	0.24	ug/WIPE
CL210-212	5/19/2020	8:24	N1	DD-D014810	CL210-212-051920-COMP-P	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL210-212	5/19/2020	8:24	N1	DD-D014810	CL210-212-051920-COMP-P	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.12	J	0.07	0.24	ug/WIPE
CL210-212	5/19/2020	8:24	N1	DD-D014810	CL210-212-051920-COMP-P	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL210-212	5/19/2020	8:24	N1	DD-D014810	CL210-212-051920-COMP-P	SW8082A	SW	TOTAL PCBs	0.52		-	0.24	ug/WIPE
CL211-213	5/19/2020	8:26	N1	DD-D014901	CL211-213-051920-COMP-B	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL211-213	5/19/2020	8:26	N1	DD-D014901	CL211-213-051920-COMP-B	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE

Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
CL211-213	5/19/2020	8:26	N1	DD-D014901	CL211-213-051920-COMP-B	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL211-213	5/19/2020	8:26	N1	DD-D014901	CL211-213-051920-COMP-B	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	6	U	0.088	0.24	ug/WIPE
CL211-213	5/19/2020	8:26	N1	DD-D014901	CL211-213-051920-COMP-B	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL211-213	5/19/2020	8:26	N1	DD-D014901	CL211-213-051920-COMP-B	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.1	U	0.07	0.24	ug/WIPE
CL211-213	5/19/2020	8:26	N1	DD-D014901	CL211-213-051920-COMP-B	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL211-213	5/19/2020	8:26	N1	DD-D014901	CL211-213-051920-COMP-B	SW8082A	SW	TOTAL PCBs	8.1	U	-	0.24	ug/WIPE
CL214-216	5/19/2020	8:42	N1	DD-D014904	CL214-216-051920-COMP-P	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL214-216	5/19/2020	8:42	N1	DD-D014904	CL214-216-051920-COMP-P	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL214-216	5/19/2020	8:42	N1	DD-D014904	CL214-216-051920-COMP-P	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL214-216	5/19/2020	8:42	N1	DD-D014904	CL214-216-051920-COMP-P	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.74	U	0.088	0.24	ug/WIPE
CL214-216	5/19/2020	8:42	N1	DD-D014904	CL214-216-051920-COMP-P	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL214-216	5/19/2020	8:42	N1	DD-D014904	CL214-216-051920-COMP-P	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.23	J	0.07	0.24	ug/WIPE
CL214-216	5/19/2020	8:42	N1	DD-D014904	CL214-216-051920-COMP-P	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL214-216	5/19/2020	8:42	N1	DD-D014904	CL214-216-051920-COMP-P	SW8082A	SW	TOTAL PCBs	0.97	U	-	0.24	ug/WIPE
CL215-217	5/19/2020	8:46	N1	DD-D014905	CL215-217-051920-COMP-B	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL215-217	5/19/2020	8:46	N1	DD-D014905	CL215-217-051920-COMP-B	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL215-217	5/19/2020	8:46	N1	DD-D014905	CL215-217-051920-COMP-B	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL215-217	5/19/2020	8:46	N1	DD-D014905	CL215-217-051920-COMP-B	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	6.3	U	0.088	0.24	ug/WIPE
CL215-217	5/19/2020	8:46	N1	DD-D014905	CL215-217-051920-COMP-B	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL215-217	5/19/2020	8:46	N1	DD-D014905	CL215-217-051920-COMP-B	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.3	U	0.07	0.24	ug/WIPE
CL215-217	5/19/2020	8:46	N1	DD-D014905	CL215-217-051920-COMP-B	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL215-217	5/19/2020	8:46	N1	DD-D014905	CL215-217-051920-COMP-B	SW8082A	SW	TOTAL PCBs	8.6	U	-	0.24	ug/WIPE
CL218-219	5/19/2020	8:53	N1	DD-D014908	CL218-219-051920-COMP-B	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL218-219	5/19/2020	8:53	N1	DD-D014908	CL218-219-051920-COMP-B	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL218-219	5/19/2020	8:53	N1	DD-D014908	CL218-219-051920-COMP-B	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL218-219	5/19/2020	8:53	N1	DD-D014908	CL218-219-051920-COMP-B	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	7.9	U	0.088	0.24	ug/WIPE
CL218-219	5/19/2020	8:53	N1	DD-D014908	CL218-219-051920-COMP-B	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL218-219	5/19/2020	8:53	N1	DD-D014908	CL218-219-051920-COMP-B	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.2	U	0.07	0.24	ug/WIPE
CL218-219	5/19/2020	8:53	N1	DD-D014908	CL218-219-051920-COMP-B	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL218-219	5/19/2020	8:53	N1	DD-D014908	CL218-219-051920-COMP-B	SW8082A	SW	TOTAL PCBs	10.1	U	-	0.24	ug/WIPE
CL218BR	6/19/2020	8:39	N1	DD-D023702	CL218BR-061920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL218BR	6/19/2020	8:39	N1	DD-D023702	CL218BR-061920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL218BR	6/19/2020	8:39	N1	DD-D023702	CL218BR-061920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL218BR	6/19/2020	8:39	N1	DD-D023702	CL218BR-061920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.2	U	0.088	0.24	ug/WIPE
CL218BR	6/19/2020	8:39	N1	DD-D023702	CL218BR-061920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL218BR	6/19/2020	8:39	N1	DD-D023702	CL218BR-061920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.99	U	0.07	0.24	ug/WIPE
CL218BR	6/19/2020	8:39	N1	DD-D023702	CL218BR-061920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL219BR	6/19/2020	8:45	N1	DD-D023703	CL219BR-061920	SW8082A	SW	TOTAL PCBs	4.19	U	-	0.24	ug/WIPE
CL219BR	6/19/2020	8:45	N1	DD-D023703	CL219BR-061920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL219BR	6/19/2020	8:45	N1	DD-D023703	CL219BR-061920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL219BR	6/19/2020	8:45	N1	DD-D023703	CL219BR-061920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL219BR	6/19/2020	8:45	N1	DD-D023703	CL219BR-061920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	4.9	U	0.088	0.24	ug/WIPE
CL219BR	6/19/2020	8:45	N1	DD-D023703	CL219BR-061920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL219BR	6/19/2020	8:45	N1	DD-D023703	CL219BR-061920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.3	U	0.07	0.24	ug/WIPE
CL219BR	6/19/2020	8:45	N1	DD-D023703	CL219BR-061920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL219BR	6/19/2020	8:45	N1	DD-D023703	CL219BR-061920	SW8082A	SW	TOTAL PCBs	6.2	U	-	0.24	ug/WIPE
CL220-222	5/19/2020	9:38	N1	DD-D014910	CL220-222-051920-COMP-P	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL220-222	5/19/2020	9:38	N1	DD-D014910	CL220-222-051920-COMP-P	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL220-222	5/19/2020	9:38	N1	DD-D014910	CL220-222-051920-COMP-P	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL220-222	5/19/2020	9:38	N1	DD-D014910	CL220-222-051920-COMP-P	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.5	U	0.088	0.24	ug/WIPE
CL220-222	5/19/2020	9:38	N1	DD-D014910	CL220-222-051920-COMP-P	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE

Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
CL220-222	5/19/2020	9:38	N1	DD-D014910	CL220-222-051920-COMP-P	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.14	J	0.07	0.24	ug/WIPE
CL220-222	5/19/2020	9:38	N1	DD-D014910	CL220-222-051920-COMP-P	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL220-222	5/19/2020	9:38	N1	DD-D014910	CL220-222-051920-COMP-P	SW8082A	SW	TOTAL PCBs	0.64		-	0.24	ug/WIPE
CL221-223	5/19/2020	9:41	N1	DD-D015001	CL221-223-051920-COMP-B	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL221-223	5/19/2020	9:41	N1	DD-D015001	CL221-223-051920-COMP-B	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL221-223	5/19/2020	9:41	N1	DD-D015001	CL221-223-051920-COMP-B	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL221-223	5/19/2020	9:41	N1	DD-D015001	CL221-223-051920-COMP-B	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	9.2		0.088	0.24	ug/WIPE
CL221-223	5/19/2020	9:41	N1	DD-D015001	CL221-223-051920-COMP-B	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL221-223	5/19/2020	9:41	N1	DD-D015001	CL221-223-051920-COMP-B	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.8		0.07	0.24	ug/WIPE
CL221-223	5/19/2020	9:41	N1	DD-D015001	CL221-223-051920-COMP-B	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL221-223	5/19/2020	9:41	N1	DD-D015001	CL221-223-051920-COMP-B	SW8082A	SW	TOTAL PCBs	12		-	0.24	ug/WIPE
CL221BR	6/19/2020	8:50	N1	DD-D023704	CL221BR-061920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL221BR	6/19/2020	8:50	N1	DD-D023704	CL221BR-061920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL221BR	6/19/2020	8:50	N1	DD-D023704	CL221BR-061920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL221BR	6/19/2020	8:50	N1	DD-D023704	CL221BR-061920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	5.6		0.088	0.24	ug/WIPE
CL221BR	6/19/2020	8:50	N1	DD-D023704	CL221BR-061920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL221BR	6/19/2020	8:50	N1	DD-D023704	CL221BR-061920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.6		0.07	0.24	ug/WIPE
CL221BR	6/19/2020	8:50	N1	DD-D023704	CL221BR-061920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL221BR	6/19/2020	8:50	N1	DD-D023704	CL221BR-061920	SW8082A	SW	TOTAL PCBs	7.2		-	0.24	ug/WIPE
CL223BR	6/19/2020	9:00	N1	DD-D023705	CL223BR-061920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL223BR	6/19/2020	9:00	N1	DD-D023705	CL223BR-061920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL223BR	6/19/2020	9:00	N1	DD-D023705	CL223BR-061920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL223BR	6/19/2020	9:00	N1	DD-D023705	CL223BR-061920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	5.7		0.088	0.24	ug/WIPE
CL223BR	6/19/2020	9:00	N1	DD-D023705	CL223BR-061920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL223BR	6/19/2020	9:00	N1	DD-D023705	CL223BR-061920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.8		0.07	0.24	ug/WIPE
CL223BR	6/19/2020	9:00	N1	DD-D023705	CL223BR-061920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL223BR	6/19/2020	9:00	N1	DD-D023705	CL223BR-061920	SW8082A	SW	TOTAL PCBs	7.5		-	0.24	ug/WIPE
CL224-226	5/19/2020	9:50	N1	DD-D015004	CL224-226-051920-COMP-P	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL224-226	5/19/2020	9:50	N1	DD-D015004	CL224-226-051920-COMP-P	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL224-226	5/19/2020	9:50	N1	DD-D015004	CL224-226-051920-COMP-P	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL224-226	5/19/2020	9:50	N1	DD-D015004	CL224-226-051920-COMP-P	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.26		0.088	0.24	ug/WIPE
CL224-226	5/19/2020	9:50	N1	DD-D015004	CL224-226-051920-COMP-P	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL224-226	5/19/2020	9:50	N1	DD-D015004	CL224-226-051920-COMP-P	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.1	J	0.07	0.24	ug/WIPE
CL224-226	5/19/2020	9:50	N1	DD-D015004	CL224-226-051920-COMP-P	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL224-226	5/19/2020	9:50	N1	DD-D015004	CL224-226-051920-COMP-P	SW8082A	SW	TOTAL PCBs	0.36		-	0.24	ug/WIPE
CL225-227	5/19/2020	9:53	N1	DD-D015005	CL225-227-051920-COMP-B	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL225-227	5/19/2020	9:53	N1	DD-D015005	CL225-227-051920-COMP-B	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL225-227	5/19/2020	9:53	N1	DD-D015005	CL225-227-051920-COMP-B	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL225-227	5/19/2020	9:53	N1	DD-D015005	CL225-227-051920-COMP-B	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	7.2		0.088	0.24	ug/WIPE
CL225-227	5/19/2020	9:53	N1	DD-D015005	CL225-227-051920-COMP-B	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL225-227	5/19/2020	9:53	N1	DD-D015005	CL225-227-051920-COMP-B	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.4		0.07	0.24	ug/WIPE
CL225-227	5/19/2020	9:53	N1	DD-D015005	CL225-227-051920-COMP-B	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL225-227	5/19/2020	9:53	N1	DD-D015005	CL225-227-051920-COMP-B	SW8082A	SW	TOTAL PCBs	9.6		-	0.24	ug/WIPE
CL228-230	5/19/2020	10:04	N1	DD-D015008	CL228-230-051920-COMP-P	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL228-230	5/19/2020	10:04	N1	DD-D015008	CL228-230-051920-COMP-P	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL228-230	5/19/2020	10:04	N1	DD-D015008	CL228-230-051920-COMP-P	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL228-230	5/19/2020	10:04	N1	DD-D015008	CL228-230-051920-COMP-P	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	1.1		0.088	0.24	ug/WIPE
CL228-230	5/19/2020	10:04	N1	DD-D015008	CL228-230-051920-COMP-P	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL228-230	5/19/2020	10:04	N1	DD-D015008	CL228-230-051920-COMP-P	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.36		0.07	0.24	ug/WIPE
CL228-230	5/19/2020	10:04	N1	DD-D015008	CL228-230-051920-COMP-P	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL228-230	5/19/2020	10:04	N1	DD-D015008	CL228-230-051920-COMP-P	SW8082A	SW	TOTAL PCBs	1.46		-	0.24	ug/WIPE

Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
CL229-231	5/19/2020	10:08	N1	DD-D015009	CL229-231-051920-COMP-B	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL229-231	5/19/2020	10:08	N1	DD-D015009	CL229-231-051920-COMP-B	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL229-231	5/19/2020	10:08	N1	DD-D015009	CL229-231-051920-COMP-B	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL229-231	5/19/2020	10:08	N1	DD-D015009	CL229-231-051920-COMP-B	SW8082A	SW	PCB-1242 (AROCLOR 1242)	8.1		0.088	0.24	ug/WIPE
CL229-231	5/19/2020	10:08	N1	DD-D015009	CL229-231-051920-COMP-B	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL229-231	5/19/2020	10:08	N1	DD-D015009	CL229-231-051920-COMP-B	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2.9		0.07	0.24	ug/WIPE
CL229-231	5/19/2020	10:08	N1	DD-D015009	CL229-231-051920-COMP-B	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL229-231	5/19/2020	10:08	N1	DD-D015009	CL229-231-051920-COMP-B	SW8082A	SW	TOTAL PCBs	11		-	0.24	ug/WIPE
CL229BR	6/19/2020	9:40	N1	DD-D023706	CL229BR-061920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL229BR	6/19/2020	9:40	N1	DD-D023706	CL229BR-061920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL229BR	6/19/2020	9:40	N1	DD-D023706	CL229BR-061920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL229BR	6/19/2020	9:40	N1	DD-D023706	CL229BR-061920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	5.6		0.088	0.24	ug/WIPE
CL229BR	6/19/2020	9:40	N1	DD-D023706	CL229BR-061920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL229BR	6/19/2020	9:40	N1	DD-D023706	CL229BR-061920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.9		0.07	0.24	ug/WIPE
CL229BR	6/19/2020	9:40	N1	DD-D023706	CL229BR-061920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL229BR	6/19/2020	9:40	N1	DD-D023706	CL229BR-061920	SW8082A	SW	TOTAL PCBs	7.5		-	0.24	ug/WIPE
CL231BR	6/19/2020	9:44	N1	DD-D023707	CL231BR-061920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL231BR	6/19/2020	9:44	N1	DD-D023707	CL231BR-061920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL231BR	6/19/2020	9:44	N1	DD-D023707	CL231BR-061920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL231BR	6/19/2020	9:44	N1	DD-D023707	CL231BR-061920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	6.5		0.088	0.24	ug/WIPE
CL231BR	6/19/2020	9:44	N1	DD-D023707	CL231BR-061920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL231BR	6/19/2020	9:44	N1	DD-D023707	CL231BR-061920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2.2		0.07	0.24	ug/WIPE
CL231BR	6/19/2020	9:44	N1	DD-D023707	CL231BR-061920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL231BR	6/19/2020	9:44	N1	DD-D023707	CL231BR-061920	SW8082A	SW	TOTAL PCBs	8.7		-	0.24	ug/WIPE
CL232-234	5/19/2020	10:41	N1	DD-D015102	CL232-234-051920-COMP-P	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL232-234	5/19/2020	10:41	N1	DD-D015102	CL232-234-051920-COMP-P	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL232-234	5/19/2020	10:41	N1	DD-D015102	CL232-234-051920-COMP-P	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL232-234	5/19/2020	10:41	N1	DD-D015102	CL232-234-051920-COMP-P	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.35		0.088	0.24	ug/WIPE
CL232-234	5/19/2020	10:41	N1	DD-D015102	CL232-234-051920-COMP-P	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL232-234	5/19/2020	10:41	N1	DD-D015102	CL232-234-051920-COMP-P	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.13	J	0.07	0.24	ug/WIPE
CL232-234	5/19/2020	10:41	N1	DD-D015102	CL232-234-051920-COMP-P	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL232-234	5/19/2020	10:41	N1	DD-D015102	CL232-234-051920-COMP-P	SW8082A	SW	TOTAL PCBs	0.48		-	0.24	ug/WIPE
CL233-235	5/19/2020	10:44	N1	DD-D015103	CL233-235-051920-COMP-B	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL233-235	5/19/2020	10:44	N1	DD-D015103	CL233-235-051920-COMP-B	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL233-235	5/19/2020	10:44	N1	DD-D015103	CL233-235-051920-COMP-B	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL233-235	5/19/2020	10:44	N1	DD-D015103	CL233-235-051920-COMP-B	SW8082A	SW	PCB-1242 (AROCLOR 1242)	7.7		0.088	0.24	ug/WIPE
CL233-235	5/19/2020	10:44	N1	DD-D015103	CL233-235-051920-COMP-B	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL233-235	5/19/2020	10:44	N1	DD-D015103	CL233-235-051920-COMP-B	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2.6		0.07	0.24	ug/WIPE
CL233-235	5/19/2020	10:44	N1	DD-D015103	CL233-235-051920-COMP-B	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL233-235	5/19/2020	10:44	N1	DD-D015103	CL233-235-051920-COMP-B	SW8082A	SW	TOTAL PCBs	10.3		-	0.24	ug/WIPE
CL233BR	6/19/2020	9:48	N1	DD-D023708	CL233BR-061920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL233BR	6/19/2020	9:48	N1	DD-D023708	CL233BR-061920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL233BR	6/19/2020	9:48	N1	DD-D023708	CL233BR-061920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL233BR	6/19/2020	9:48	N1	DD-D023708	CL233BR-061920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	4.7		0.088	0.24	ug/WIPE
CL233BR	6/19/2020	9:48	N1	DD-D023708	CL233BR-061920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL233BR	6/19/2020	9:48	N1	DD-D023708	CL233BR-061920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.5		0.07	0.24	ug/WIPE
CL233BR	6/19/2020	9:48	N1	DD-D023708	CL233BR-061920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL233BR	6/19/2020	9:48	N1	DD-D023708	CL233BR-061920	SW8082A	SW	TOTAL PCBs	6.2		-	0.24	ug/WIPE
CL235BR	6/19/2020	9:54	N1	DD-D023709	CL235BR-061920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	UJ	0.09	0.24	ug/WIPE
CL235BR	6/19/2020	9:54	N1	DD-D023709	CL235BR-061920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	UJ	0.12	0.24	ug/WIPE
CL235BR	6/19/2020	9:54	N1	DD-D023709	CL235BR-061920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	UJ	0.14	0.24	ug/WIPE

Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
CL235BR	6/19/2020	9:54	N1	DD-D023709	CL235BR-061920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.9	J	0.088	0.24	ug/WIPE
CL235BR	6/19/2020	9:54	N1	DD-D023709	CL235BR-061920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	UJ	0.092	0.24	ug/WIPE
CL235BR	6/19/2020	9:54	N1	DD-D023709	CL235BR-061920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.3	J	0.07	0.24	ug/WIPE
CL235BR	6/19/2020	9:54	N1	DD-D023709	CL235BR-061920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	UJ	0.09	0.24	ug/WIPE
CL235BR	6/19/2020	9:54	N1	DD-D023709	CL235BR-061920	SW8082A	SW	TOTAL PCBs	5.2		-	0.24	ug/WIPE
CL236-238	5/19/2020	10:53	N1	DD-D015106	CL236-238-051920-COMP-P	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL236-238	5/19/2020	10:53	N1	DD-D015106	CL236-238-051920-COMP-P	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL236-238	5/19/2020	10:53	N1	DD-D015106	CL236-238-051920-COMP-P	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL236-238	5/19/2020	10:53	N1	DD-D015106	CL236-238-051920-COMP-P	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.45		0.088	0.24	ug/WIPE
CL236-238	5/19/2020	10:53	N1	DD-D015106	CL236-238-051920-COMP-P	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL236-238	5/19/2020	10:53	N1	DD-D015106	CL236-238-051920-COMP-P	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.15	J	0.07	0.24	ug/WIPE
CL236-238	5/19/2020	10:53	N1	DD-D015106	CL236-238-051920-COMP-P	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL236-238	5/19/2020	10:53	N1	DD-D015106	CL236-238-051920-COMP-P	SW8082A	SW	TOTAL PCBs	0.6		-	0.24	ug/WIPE
CL237-239	5/19/2020	10:54	N1	DD-D015107	CL237-239-051920-COMP-B	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL237-239	5/19/2020	10:54	N1	DD-D015107	CL237-239-051920-COMP-B	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL237-239	5/19/2020	10:54	N1	DD-D015107	CL237-239-051920-COMP-B	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL237-239	5/19/2020	10:54	N1	DD-D015107	CL237-239-051920-COMP-B	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	7.1		0.088	0.24	ug/WIPE
CL237-239	5/19/2020	10:54	N1	DD-D015107	CL237-239-051920-COMP-B	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL237-239	5/19/2020	10:54	N1	DD-D015107	CL237-239-051920-COMP-B	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.7		0.07	0.24	ug/WIPE
CL237-239	5/19/2020	10:54	N1	DD-D015107	CL237-239-051920-COMP-B	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL237-239	5/19/2020	10:54	N1	DD-D015107	CL237-239-051920-COMP-B	SW8082A	SW	TOTAL PCBs	9.8		-	0.24	ug/WIPE
CL240-242	5/19/2020	11:05	N1	DD-D015110	CL240-242-051920-COMP-P	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL240-242	5/19/2020	11:05	N1	DD-D015110	CL240-242-051920-COMP-P	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL240-242	5/19/2020	11:05	N1	DD-D015110	CL240-242-051920-COMP-P	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL240-242	5/19/2020	11:05	N1	DD-D015110	CL240-242-051920-COMP-P	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.71		0.088	0.24	ug/WIPE
CL240-242	5/19/2020	11:05	N1	DD-D015110	CL240-242-051920-COMP-P	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL240-242	5/19/2020	11:05	N1	DD-D015110	CL240-242-051920-COMP-P	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.25		0.07	0.24	ug/WIPE
CL240-242	5/19/2020	11:05	N1	DD-D015110	CL240-242-051920-COMP-P	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL240-242	5/19/2020	11:05	N1	DD-D015110	CL240-242-051920-COMP-P	SW8082A	SW	TOTAL PCBs	0.96		-	0.24	ug/WIPE
CL241-243	5/19/2020	11:20	N1	DD-D015201	CL241-243-051920-COMP-B	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL241-243	5/19/2020	11:20	N1	DD-D015201	CL241-243-051920-COMP-B	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL241-243	5/19/2020	11:20	N1	DD-D015201	CL241-243-051920-COMP-B	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL241-243	5/19/2020	11:20	N1	DD-D015201	CL241-243-051920-COMP-B	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	8.9		0.088	0.24	ug/WIPE
CL241-243	5/19/2020	11:20	N1	DD-D015201	CL241-243-051920-COMP-B	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL241-243	5/19/2020	11:20	N1	DD-D015201	CL241-243-051920-COMP-B	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.8		0.07	0.24	ug/WIPE
CL241-243	5/19/2020	11:20	N1	DD-D015201	CL241-243-051920-COMP-B	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL241-243	5/19/2020	11:20	N1	DD-D015201	CL241-243-051920-COMP-B	SW8082A	SW	TOTAL PCBs	11.7		-	0.24	ug/WIPE
CL241BR	6/19/2020	9:58	N1	DD-D023710	CL241BR-061920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL241BR	6/19/2020	9:58	N1	DD-D023710	CL241BR-061920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL241BR	6/19/2020	9:58	N1	DD-D023710	CL241BR-061920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL241BR	6/19/2020	9:58	N1	DD-D023710	CL241BR-061920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3		0.088	0.24	ug/WIPE
CL241BR	6/19/2020	9:58	N1	DD-D023710	CL241BR-061920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL241BR	6/19/2020	9:58	N1	DD-D023710	CL241BR-061920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.1		0.07	0.24	ug/WIPE
CL241BR	6/19/2020	9:58	N1	DD-D023710	CL241BR-061920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL241BR	6/19/2020	9:58	N1	DD-D023710	CL241BR-061920	SW8082A	SW	TOTAL PCBs	4.1		-	0.24	ug/WIPE
CL243BR	6/19/2020	10:05	N1	DD-D023801	CL243BR-061920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL243BR	6/19/2020	10:05	N1	DD-D023801	CL243BR-061920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL243BR	6/19/2020	10:05	N1	DD-D023801	CL243BR-061920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL243BR	6/19/2020	10:05	N1	DD-D023801	CL243BR-061920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.7		0.088	0.24	ug/WIPE
CL243BR	6/19/2020	10:05	N1	DD-D023801	CL243BR-061920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL243BR	6/19/2020	10:05	N1	DD-D023801	CL243BR-061920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.82		0.07	0.24	ug/WIPE



Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
CL243BR	6/19/2020	10:05	N1	DD-D023801	CL243BR-061920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL243BR	6/19/2020	10:05	N1	DD-D023801	CL243BR-061920	SW8082A	SW	TOTAL PCBs	3.52		-	0.24	ug/WIPE
CL244-246	5/19/2020	11:24	N1	DD-D015204	CL244-246-051920-COMP-P	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL244-246	5/19/2020	11:24	N1	DD-D015204	CL244-246-051920-COMP-P	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL244-246	5/19/2020	11:24	N1	DD-D015204	CL244-246-051920-COMP-P	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL244-246	5/19/2020	11:24	N1	DD-D015204	CL244-246-051920-COMP-P	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.33		0.088	0.24	ug/WIPE
CL244-246	5/19/2020	11:24	N1	DD-D015204	CL244-246-051920-COMP-P	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL244-246	5/19/2020	11:24	N1	DD-D015204	CL244-246-051920-COMP-P	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.12	J	0.07	0.24	ug/WIPE
CL244-246	5/19/2020	11:24	N1	DD-D015204	CL244-246-051920-COMP-P	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL244-246	5/19/2020	11:24	N1	DD-D015204	CL244-246-051920-COMP-P	SW8082A	SW	TOTAL PCBs	0.45		-	0.24	ug/WIPE
CL245-247	5/19/2020	11:27	N1	DD-D015205	CL245-247-051920-COMP-B	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL245-247	5/19/2020	11:27	N1	DD-D015205	CL245-247-051920-COMP-B	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL245-247	5/19/2020	11:27	N1	DD-D015205	CL245-247-051920-COMP-B	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL245-247	5/19/2020	11:27	N1	DD-D015205	CL245-247-051920-COMP-B	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	13		0.088	0.24	ug/WIPE
CL245-247	5/19/2020	11:27	N1	DD-D015205	CL245-247-051920-COMP-B	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL245-247	5/19/2020	11:27	N1	DD-D015205	CL245-247-051920-COMP-B	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	3.9		0.07	0.24	ug/WIPE
CL245-247	5/19/2020	11:27	N1	DD-D015205	CL245-247-051920-COMP-B	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL245-247	5/19/2020	11:27	N1	DD-D015205	CL245-247-051920-COMP-B	SW8082A	SW	TOTAL PCBs	16.9		-	0.24	ug/WIPE
CL245BR	6/19/2020	10:10	N1	DD-D023802	CL245BR-061920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL245BR	6/19/2020	10:10	N1	DD-D023802	CL245BR-061920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL245BR	6/19/2020	10:10	N1	DD-D023802	CL245BR-061920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL245BR	6/19/2020	10:10	N1	DD-D023802	CL245BR-061920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.6		0.088	0.24	ug/WIPE
CL245BR	6/19/2020	10:10	N1	DD-D023802	CL245BR-061920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL245BR	6/19/2020	10:10	N1	DD-D023802	CL245BR-061920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1		0.07	0.24	ug/WIPE
CL245BR	6/19/2020	10:10	N1	DD-D023802	CL245BR-061920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL245BR	6/19/2020	10:10	N1	DD-D023802	CL245BR-061920	SW8082A	SW	TOTAL PCBs	4.6		-	0.24	ug/WIPE
CL247BR	6/19/2020	10:15	N1	DD-D023803	CL247BR-061920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL247BR	6/19/2020	10:15	N1	DD-D023803	CL247BR-061920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL247BR	6/19/2020	10:15	N1	DD-D023803	CL247BR-061920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL247BR	6/19/2020	10:15	N1	DD-D023803	CL247BR-061920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	5.5		0.088	0.24	ug/WIPE
CL247BR	6/19/2020	10:15	N1	DD-D023803	CL247BR-061920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL247BR	6/19/2020	10:15	N1	DD-D023803	CL247BR-061920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.7		0.07	0.24	ug/WIPE
CL247BR	6/19/2020	10:15	N1	DD-D023803	CL247BR-061920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL247BR	6/19/2020	10:15	N1	DD-D023803	CL247BR-061920	SW8082A	SW	TOTAL PCBs	7.2		-	0.24	ug/WIPE
CW001	4/23/2020	11:20	N1	DD-D004301	CW001-042320	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CW001	4/23/2020	11:20	N1	DD-D004301	CW001-042320	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CW001	4/23/2020	11:20	N1	DD-D004301	CW001-042320	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CW001	4/23/2020	11:20	N1	DD-D004301	CW001-042320	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.19	J	0.088	0.24	ug/WIPE
CW001	4/23/2020	11:20	N1	DD-D004301	CW001-042320	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CW001	4/23/2020	11:20	N1	DD-D004301	CW001-042320	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.13	J	0.07	0.24	ug/WIPE
CW001	4/23/2020	11:20	N1	DD-D004301	CW001-042320	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CW001	4/23/2020	11:20	N1	DD-D004301	CW001-042320	SW8082A	SW	TOTAL PCBs	0.32		-	0.24	ug/WIPE
CW002	4/23/2020	11:25	N1	DD-D004302	CW002-042320	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CW002	4/23/2020	11:25	N1	DD-D004302	CW002-042320	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CW002	4/23/2020	11:25	N1	DD-D004302	CW002-042320	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CW002	4/23/2020	11:25	N1	DD-D004302	CW002-042320	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.12	J	0.088	0.24	ug/WIPE
CW002	4/23/2020	11:25	N1	DD-D004302	CW002-042320	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CW002	4/23/2020	11:25	N1	DD-D004302	CW002-042320	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	ND	U	0.07	0.24	ug/WIPE
CW002	4/23/2020	11:25	N1	DD-D004302	CW002-042320	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CW002	4/23/2020	11:25	N1	DD-D004302	CW002-042320	SW8082A	SW	TOTAL PCBs	0.12		-	0.24	ug/WIPE
CW003	4/23/2020	11:32	N1	DD-D004303	CW003-042320	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE



Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
CW003	4/23/2020	11:32	N1	DD-D004303	CW003-042320	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CW003	4/23/2020	11:32	N1	DD-D004303	CW003-042320	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CW003	4/23/2020	11:32	N1	DD-D004303	CW003-042320	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
CW003	4/23/2020	11:32	N1	DD-D004303	CW003-042320	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CW003	4/23/2020	11:32	N1	DD-D004303	CW003-042320	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
CW003	4/23/2020	11:32	N1	DD-D004303	CW003-042320	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CW003	4/23/2020	11:32	N1	DD-D004303	CW003-042320	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
CW004	4/23/2020	11:50	N1	DD-D004304	CW004-042320	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CW004	4/23/2020	11:50	N1	DD-D004304	CW004-042320	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CW004	4/23/2020	11:50	N1	DD-D004304	CW004-042320	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CW004	4/23/2020	11:50	N1	DD-D004304	CW004-042320	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
CW004	4/23/2020	11:50	N1	DD-D004304	CW004-042320	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CW004	4/23/2020	11:50	N1	DD-D004304	CW004-042320	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
CW004	4/23/2020	11:50	N1	DD-D004304	CW004-042320	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CW004	4/23/2020	11:50	N1	DD-D004304	CW004-042320	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
CW005	4/23/2020	11:56	N1	DD-D004305	CW005-042320	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CW005	4/23/2020	11:56	N1	DD-D004305	CW005-042320	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CW005	4/23/2020	11:56	N1	DD-D004305	CW005-042320	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CW005	4/23/2020	11:56	N1	DD-D004305	CW005-042320	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
CW005	4/23/2020	11:56	N1	DD-D004305	CW005-042320	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CW005	4/23/2020	11:56	N1	DD-D004305	CW005-042320	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
CW005	4/23/2020	11:56	N1	DD-D004305	CW005-042320	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CW005	4/23/2020	11:56	N1	DD-D004305	CW005-042320	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
CW006	4/23/2020	13:34	N1	DD-D004306	CW006-042320	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CW006	4/23/2020	13:34	N1	DD-D004306	CW006-042320	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CW006	4/23/2020	13:34	N1	DD-D004306	CW006-042320	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CW006	4/23/2020	13:34	N1	DD-D004306	CW006-042320	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
CW006	4/23/2020	13:34	N1	DD-D004306	CW006-042320	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CW006	4/23/2020	13:34	N1	DD-D004306	CW006-042320	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
CW006	4/23/2020	13:34	N1	DD-D004306	CW006-042320	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CW006	4/23/2020	13:34	N1	DD-D004306	CW006-042320	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
CW007	4/23/2020	13:36	N1	DD-D004307	CW007-042320	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CW007	4/23/2020	13:36	N1	DD-D004307	CW007-042320	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CW007	4/23/2020	13:36	N1	DD-D004307	CW007-042320	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CW007	4/23/2020	13:36	N1	DD-D004307	CW007-042320	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.16	J	0.088	0.24	ug/WIPE
CW007	4/23/2020	13:36	N1	DD-D004307	CW007-042320	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CW007	4/23/2020	13:36	N1	DD-D004307	CW007-042320	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.093	J	0.07	0.24	ug/WIPE
CW007	4/23/2020	13:36	N1	DD-D004307	CW007-042320	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CW007	4/23/2020	13:36	N1	DD-D004307	CW007-042320	SW8082A	SW	TOTAL PCBs	0.253	J	-	0.24	ug/WIPE
CW008	4/23/2020	13:49	N1	DD-D004308	CW008-042320	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CW008	4/23/2020	13:49	N1	DD-D004308	CW008-042320	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CW008	4/23/2020	13:49	N1	DD-D004308	CW008-042320	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CW008	4/23/2020	13:49	N1	DD-D004308	CW008-042320	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
CW008	4/23/2020	13:49	N1	DD-D004308	CW008-042320	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CW008	4/23/2020	13:49	N1	DD-D004308	CW008-042320	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
CW008	4/23/2020	13:49	N1	DD-D004308	CW008-042320	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CW008	4/23/2020	13:49	N1	DD-D004308	CW008-042320	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
CW009	4/23/2020	13:59	N1	DD-D004309	CW009-042320	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CW009	4/23/2020	13:59	N1	DD-D004309	CW009-042320	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CW009	4/23/2020	13:59	N1	DD-D004309	CW009-042320	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CW009	4/23/2020	13:59	N1	DD-D004309	CW009-042320	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE

Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
CW009	4/23/2020	13:59	N1	DD-D004309	CW009-042320	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CW009	4/23/2020	13:59	N1	DD-D004309	CW009-042320	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
CW009	4/23/2020	13:59	N1	DD-D004309	CW009-042320	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CW009	4/23/2020	13:59	N1	DD-D004309	CW009-042320	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
CW010	4/23/2020	14:12	N1	DD-D004310	CW010-042320	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CW010	4/23/2020	14:12	N1	DD-D004310	CW010-042320	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CW010	4/23/2020	14:12	N1	DD-D004310	CW010-042320	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CW010	4/23/2020	14:12	N1	DD-D004310	CW010-042320	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
CW010	4/23/2020	14:12	N1	DD-D004310	CW010-042320	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CW010	4/23/2020	14:12	N1	DD-D004310	CW010-042320	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
CW010	4/23/2020	14:12	N1	DD-D004310	CW010-042320	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CW010	4/23/2020	14:12	N1	DD-D004310	CW010-042320	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
CW011	4/23/2020	15:03	N1	DD-D004401	CW011-042320	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CW011	4/23/2020	15:03	N1	DD-D004401	CW011-042320	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CW011	4/23/2020	15:03	N1	DD-D004401	CW011-042320	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CW011	4/23/2020	15:03	N1	DD-D004401	CW011-042320	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.17	J	0.088	0.24	ug/WIPE
CW011	4/23/2020	15:03	N1	DD-D004401	CW011-042320	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CW011	4/23/2020	15:03	N1	DD-D004401	CW011-042320	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.1	J	0.07	0.24	ug/WIPE
CW011	4/23/2020	15:03	N1	DD-D004401	CW011-042320	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CW011	4/23/2020	15:03	N1	DD-D004401	CW011-042320	SW8082A	SW	TOTAL PCBs	0.27		-	0.24	ug/WIPE
CW012	4/23/2020	15:23	N1	DD-D004402	CW012-042320	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CW012	4/23/2020	15:23	N1	DD-D004402	CW012-042320	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CW012	4/23/2020	15:23	N1	DD-D004402	CW012-042320	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CW012	4/23/2020	15:23	N1	DD-D004402	CW012-042320	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.28		0.088	0.24	ug/WIPE
CW012	4/23/2020	15:23	N1	DD-D004402	CW012-042320	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CW012	4/23/2020	15:23	N1	DD-D004402	CW012-042320	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.18	J	0.07	0.24	ug/WIPE
CW012	4/23/2020	15:23	N1	DD-D004402	CW012-042320	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CW012	4/23/2020	15:23	N1	DD-D004402	CW012-042320	SW8082A	SW	TOTAL PCBs	0.46		-	0.24	ug/WIPE
CW013	4/23/2020	15:38	N1	DD-D004403	CW013-042320	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CW013	4/23/2020	15:38	N1	DD-D004403	CW013-042320	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CW013	4/23/2020	15:38	N1	DD-D004403	CW013-042320	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CW013	4/23/2020	15:38	N1	DD-D004403	CW013-042320	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
CW013	4/23/2020	15:38	N1	DD-D004403	CW013-042320	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CW013	4/23/2020	15:38	N1	DD-D004403	CW013-042320	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
CW013	4/23/2020	15:38	N1	DD-D004403	CW013-042320	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CW013	4/23/2020	15:38	N1	DD-D004403	CW013-042320	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
CW014	4/23/2020	15:46	N1	DD-D004404	CW014-042320	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CW014	4/23/2020	15:46	N1	DD-D004404	CW014-042320	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CW014	4/23/2020	15:46	N1	DD-D004404	CW014-042320	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CW014	4/23/2020	15:46	N1	DD-D004404	CW014-042320	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
CW014	4/23/2020	15:46	N1	DD-D004404	CW014-042320	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CW014	4/23/2020	15:46	N1	DD-D004404	CW014-042320	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
CW014	4/23/2020	15:46	N1	DD-D004404	CW014-042320	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CW014	4/23/2020	15:46	N1	DD-D004404	CW014-042320	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
CW015	4/23/2020	7:15	N1	DD-D004405	CW015-042320	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CW015	4/23/2020	7:15	N1	DD-D004405	CW015-042320	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CW015	4/23/2020	7:15	N1	DD-D004405	CW015-042320	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CW015	4/23/2020	7:15	N1	DD-D004405	CW015-042320	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
CW015	4/23/2020	7:15	N1	DD-D004405	CW015-042320	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CW015	4/23/2020	7:15	N1	DD-D004405	CW015-042320	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
CW015	4/23/2020	7:15	N1	DD-D004405	CW015-042320	SW8082A	SW	PCB-1260 (AROCLOR 1260)	0.36		0.09	0.24	ug/WIPE

Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
CW015	4/23/2020	7:15	N1	DD-D004405	CW015-042320	SW8082A	SW	TOTAL PCBs	0.36		-	0.24	ug/WIPE
CW016	4/23/2020	7:27	N1	DD-D004406	CW016-042320	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CW016	4/23/2020	7:27	N1	DD-D004406	CW016-042320	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CW016	4/23/2020	7:27	N1	DD-D004406	CW016-042320	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CW016	4/23/2020	7:27	N1	DD-D004406	CW016-042320	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
CW016	4/23/2020	7:27	N1	DD-D004406	CW016-042320	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CW016	4/23/2020	7:27	N1	DD-D004406	CW016-042320	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
CW016	4/23/2020	7:27	N1	DD-D004406	CW016-042320	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CW016	4/23/2020	7:27	N1	DD-D004406	CW016-042320	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
CW017	4/23/2020	7:47	N1	DD-D004407	CW017-042320	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CW017	4/23/2020	7:47	N1	DD-D004407	CW017-042320	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CW017	4/23/2020	7:47	N1	DD-D004407	CW017-042320	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CW017	4/23/2020	7:47	N1	DD-D004407	CW017-042320	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
CW017	4/23/2020	7:47	N1	DD-D004407	CW017-042320	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CW017	4/23/2020	7:47	N1	DD-D004407	CW017-042320	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
CW017	4/23/2020	7:47	N1	DD-D004407	CW017-042320	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CW017	4/23/2020	7:47	N1	DD-D004407	CW017-042320	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
CW018	4/23/2020	7:50	N1	DD-D004408	CW018-042320	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CW018	4/23/2020	7:50	N1	DD-D004408	CW018-042320	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CW018	4/23/2020	7:50	N1	DD-D004408	CW018-042320	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CW018	4/23/2020	7:50	N1	DD-D004408	CW018-042320	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.49		0.088	0.24	ug/WIPE
CW018	4/23/2020	7:50	N1	DD-D004408	CW018-042320	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CW018	4/23/2020	7:50	N1	DD-D004408	CW018-042320	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.22	J	0.07	0.24	ug/WIPE
CW018	4/23/2020	7:50	N1	DD-D004408	CW018-042320	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CW018	4/23/2020	7:50	N1	DD-D004408	CW018-042320	SW8082A	SW	TOTAL PCBs	0.71		-	0.24	ug/WIPE
CW019	4/23/2020	8:00	N1	DD-D004409	CW019-042320	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CW019	4/23/2020	8:00	N1	DD-D004409	CW019-042320	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CW019	4/23/2020	8:00	N1	DD-D004409	CW019-042320	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CW019	4/23/2020	8:00	N1	DD-D004409	CW019-042320	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
CW019	4/23/2020	8:00	N1	DD-D004409	CW019-042320	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CW019	4/23/2020	8:00	N1	DD-D004409	CW019-042320	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
CW019	4/23/2020	8:00	N1	DD-D004409	CW019-042320	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CW019	4/23/2020	8:00	N1	DD-D004409	CW019-042320	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
CW020	4/23/2020	10:06	N1	DD-D004410	CW020-042320	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CW020	4/23/2020	10:06	N1	DD-D004410	CW020-042320	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CW020	4/23/2020	10:06	N1	DD-D004410	CW020-042320	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CW020	4/23/2020	10:06	N1	DD-D004410	CW020-042320	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
CW020	4/23/2020	10:06	N1	DD-D004410	CW020-042320	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CW020	4/23/2020	10:06	N1	DD-D004410	CW020-042320	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
CW020	4/23/2020	10:06	N1	DD-D004410	CW020-042320	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CW020	4/23/2020	10:06	N1	DD-D004410	CW020-042320	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
CW021	4/29/2020	10:05	N1	DD-D004501	CW021-042920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CW021	4/29/2020	10:05	N1	DD-D004501	CW021-042920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CW021	4/29/2020	10:05	N1	DD-D004501	CW021-042920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CW021	4/29/2020	10:05	N1	DD-D004501	CW021-042920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
CW021	4/29/2020	10:05	N1	DD-D004501	CW021-042920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CW021	4/29/2020	10:05	N1	DD-D004501	CW021-042920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
CW021	4/29/2020	10:05	N1	DD-D004501	CW021-042920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CW021	4/29/2020	10:05	N1	DD-D004501	CW021-042920	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
CW022	4/28/2020	8:26	N1	DD-D004502	CW022-042820	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CW022	4/28/2020	8:26	N1	DD-D004502	CW022-042820	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE

Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
CW022	4/28/2020	8:26	N1	DD-D004502	CW022-042820	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CW022	4/28/2020	8:26	N1	DD-D004502	CW022-042820	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
CW022	4/28/2020	8:26	N1	DD-D004502	CW022-042820	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CW022	4/28/2020	8:26	N1	DD-D004502	CW022-042820	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
CW022	4/28/2020	8:26	N1	DD-D004502	CW022-042820	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CW022	4/28/2020	8:26	N1	DD-D004502	CW022-042820	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
CW023	4/29/2020	9:11	N1	DD-D004503	CW023-042920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CW023	4/29/2020	9:11	N1	DD-D004503	CW023-042920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CW023	4/29/2020	9:11	N1	DD-D004503	CW023-042920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CW023	4/29/2020	9:11	N1	DD-D004503	CW023-042920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
CW023	4/29/2020	9:11	N1	DD-D004503	CW023-042920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CW023	4/29/2020	9:11	N1	DD-D004503	CW023-042920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
CW023	4/29/2020	9:11	N1	DD-D004503	CW023-042920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CW023	4/29/2020	9:11	N1	DD-D004503	CW023-042920	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
CW024	4/29/2020	10:55	N1	DD-D004504	CW024-042920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CW024	4/29/2020	10:55	N1	DD-D004504	CW024-042920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CW024	4/29/2020	10:55	N1	DD-D004504	CW024-042920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CW024	4/29/2020	10:55	N1	DD-D004504	CW024-042920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
CW024	4/29/2020	10:55	N1	DD-D004504	CW024-042920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CW024	4/29/2020	10:55	N1	DD-D004504	CW024-042920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
CW024	4/29/2020	10:55	N1	DD-D004504	CW024-042920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CW024	4/29/2020	10:55	N1	DD-D004504	CW024-042920	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
CW025	4/29/2020	10:31	N1	DD-D004505	CW025-042920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CW025	4/29/2020	10:31	N1	DD-D004505	CW025-042920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CW025	4/29/2020	10:31	N1	DD-D004505	CW025-042920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CW025	4/29/2020	10:31	N1	DD-D004505	CW025-042920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.13	J	0.088	0.24	ug/WIPE
CW025	4/29/2020	10:31	N1	DD-D004505	CW025-042920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CW025	4/29/2020	10:31	N1	DD-D004505	CW025-042920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.074	J	0.07	0.24	ug/WIPE
CW025	4/29/2020	10:31	N1	DD-D004505	CW025-042920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CW025	4/29/2020	10:31	N1	DD-D004505	CW025-042920	SW8082A	SW	TOTAL PCBs	0.204		-	0.24	ug/WIPE
CW026	4/29/2020	11:27	N1	DD-D004506	CW026-042920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CW026	4/29/2020	11:27	N1	DD-D004506	CW026-042920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CW026	4/29/2020	11:27	N1	DD-D004506	CW026-042920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CW026	4/29/2020	11:27	N1	DD-D004506	CW026-042920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
CW026	4/29/2020	11:27	N1	DD-D004506	CW026-042920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CW026	4/29/2020	11:27	N1	DD-D004506	CW026-042920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
CW026	4/29/2020	11:27	N1	DD-D004506	CW026-042920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CW026	4/29/2020	11:27	N1	DD-D004506	CW026-042920	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
CW027	4/29/2020	11:47	N1	DD-D004507	CW027-042920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CW027	4/29/2020	11:47	N1	DD-D004507	CW027-042920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CW027	4/29/2020	11:47	N1	DD-D004507	CW027-042920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CW027	4/29/2020	11:47	N1	DD-D004507	CW027-042920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
CW027	4/29/2020	11:47	N1	DD-D004507	CW027-042920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CW027	4/29/2020	11:47	N1	DD-D004507	CW027-042920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
CW027	4/29/2020	11:47	N1	DD-D004507	CW027-042920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CW027	4/29/2020	11:47	N1	DD-D004507	CW027-042920	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
CW028	4/28/2020	8:46	N1	DD-D004508	CW028-042820	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CW028	4/28/2020	8:46	N1	DD-D004508	CW028-042820	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CW028	4/28/2020	8:46	N1	DD-D004508	CW028-042820	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CW028	4/28/2020	8:46	N1	DD-D004508	CW028-042820	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
CW028	4/28/2020	8:46	N1	DD-D004508	CW028-042820	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE

Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
CW028	4/28/2020	8:46	N1	DD-D004508	CW028-042820	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	ND	U	0.07	0.24	ug/WIPE
CW028	4/28/2020	8:46	N1	DD-D004508	CW028-042820	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CW028	4/28/2020	8:46	N1	DD-D004508	CW028-042820	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
CW029	4/29/2020	13:38	N1	DD-D004509	CW029-042920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CW029	4/29/2020	13:38	N1	DD-D004509	CW029-042920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CW029	4/29/2020	13:38	N1	DD-D004509	CW029-042920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CW029	4/29/2020	13:38	N1	DD-D004509	CW029-042920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	ND	U	0.088	0.24	ug/WIPE
CW029	4/29/2020	13:38	N1	DD-D004509	CW029-042920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CW029	4/29/2020	13:38	N1	DD-D004509	CW029-042920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	ND	U	0.07	0.24	ug/WIPE
CW029	4/29/2020	13:38	N1	DD-D004509	CW029-042920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CW029	4/29/2020	13:38	N1	DD-D004509	CW029-042920	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
CW030	4/29/2020	13:57	N1	DD-D004510	CW030-042920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CW030	4/29/2020	13:57	N1	DD-D004510	CW030-042920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CW030	4/29/2020	13:57	N1	DD-D004510	CW030-042920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CW030	4/29/2020	13:57	N1	DD-D004510	CW030-042920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.18	J	0.088	0.24	ug/WIPE
CW030	4/29/2020	13:57	N1	DD-D004510	CW030-042920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CW030	4/29/2020	13:57	N1	DD-D004510	CW030-042920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.094	J	0.07	0.24	ug/WIPE
CW030	4/29/2020	13:57	N1	DD-D004510	CW030-042920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CW030	4/29/2020	13:57	N1	DD-D004510	CW030-042920	SW8082A	SW	TOTAL PCBs	0.274		-	0.24	ug/WIPE
CW031	4/28/2020	10:13	N1	DD-D004601	CW031-042820	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CW031	4/28/2020	10:13	N1	DD-D004601	CW031-042820	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CW031	4/28/2020	10:13	N1	DD-D004601	CW031-042820	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CW031	4/28/2020	10:13	N1	DD-D004601	CW031-042820	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.17	J	0.088	0.24	ug/WIPE
CW031	4/28/2020	10:13	N1	DD-D004601	CW031-042820	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CW031	4/28/2020	10:13	N1	DD-D004601	CW031-042820	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	ND	U	0.07	0.24	ug/WIPE
CW031	4/28/2020	10:13	N1	DD-D004601	CW031-042820	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CW031	4/28/2020	10:13	N1	DD-D004601	CW031-042820	SW8082A	SW	TOTAL PCBs	0.17		-	0.24	ug/WIPE
CW032	4/29/2020	14:38	N1	DD-D004602	CW032-043020	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CW032	4/29/2020	14:38	N1	DD-D004602	CW032-043020	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CW032	4/29/2020	14:38	N1	DD-D004602	CW032-043020	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CW032	4/29/2020	14:38	N1	DD-D004602	CW032-043020	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.2	J	0.088	0.24	ug/WIPE
CW032	4/29/2020	14:38	N1	DD-D004602	CW032-043020	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CW032	4/29/2020	14:38	N1	DD-D004602	CW032-043020	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.15	J	0.07	0.24	ug/WIPE
CW032	4/29/2020	14:38	N1	DD-D004602	CW032-043020	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CW032	4/29/2020	14:38	N1	DD-D004602	CW032-043020	SW8082A	SW	TOTAL PCBs	0.35		-	0.24	ug/WIPE
CW033	4/29/2020	15:10	N1	DD-D004603	CW033-043020	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CW033	4/29/2020	15:10	N1	DD-D004603	CW033-043020	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CW033	4/29/2020	15:10	N1	DD-D004603	CW033-043020	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CW033	4/29/2020	15:10	N1	DD-D004603	CW033-043020	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	ND	U	0.088	0.24	ug/WIPE
CW033	4/29/2020	15:10	N1	DD-D004603	CW033-043020	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CW033	4/29/2020	15:10	N1	DD-D004603	CW033-043020	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	ND	U	0.07	0.24	ug/WIPE
CW033	4/29/2020	15:10	N1	DD-D004603	CW033-043020	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CW033	4/29/2020	15:10	N1	DD-D004603	CW033-043020	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
CW034	4/28/2020	10:31	N1	DD-D004604	CW034-042820	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CW034	4/28/2020	10:31	N1	DD-D004604	CW034-042820	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CW034	4/28/2020	10:31	N1	DD-D004604	CW034-042820	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CW034	4/28/2020	10:31	N1	DD-D004604	CW034-042820	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	ND	U	0.088	0.24	ug/WIPE
CW034	4/28/2020	10:31	N1	DD-D004604	CW034-042820	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CW034	4/28/2020	10:31	N1	DD-D004604	CW034-042820	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	ND	U	0.07	0.24	ug/WIPE
CW034	4/28/2020	10:31	N1	DD-D004604	CW034-042820	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CW034	4/28/2020	10:31	N1	DD-D004604	CW034-042820	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE



Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
CW035	4/28/2020	10:38	N1	DD-D004605	CW035-042820	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CW035	4/28/2020	10:38	N1	DD-D004605	CW035-042820	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CW035	4/28/2020	10:38	N1	DD-D004605	CW035-042820	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CW035	4/28/2020	10:38	N1	DD-D004605	CW035-042820	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.21	J	0.088	0.24	ug/WIPE
CW035	4/28/2020	10:38	N1	DD-D004605	CW035-042820	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CW035	4/28/2020	10:38	N1	DD-D004605	CW035-042820	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.14	J	0.07	0.24	ug/WIPE
CW035	4/28/2020	10:38	N1	DD-D004605	CW035-042820	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CW035	4/28/2020	10:38	N1	DD-D004605	CW035-042820	SW8082A	SW	TOTAL PCBs	0.35		-	0.24	ug/WIPE
CW036	4/28/2020	11:43	N1	DD-D004606	CW036-042820	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CW036	4/28/2020	11:43	N1	DD-D004606	CW036-042820	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CW036	4/28/2020	11:43	N1	DD-D004606	CW036-042820	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CW036	4/28/2020	11:43	N1	DD-D004606	CW036-042820	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
CW036	4/28/2020	11:43	N1	DD-D004606	CW036-042820	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CW036	4/28/2020	11:43	N1	DD-D004606	CW036-042820	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
CW036	4/28/2020	11:43	N1	DD-D004606	CW036-042820	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CW036	4/28/2020	11:43	N1	DD-D004606	CW036-042820	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
CW037	4/30/2020	7:50	N1	DD-D004607	CW037-043020	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CW037	4/30/2020	7:50	N1	DD-D004607	CW037-043020	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CW037	4/30/2020	7:50	N1	DD-D004607	CW037-043020	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CW037	4/30/2020	7:50	N1	DD-D004607	CW037-043020	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
CW037	4/30/2020	7:50	N1	DD-D004607	CW037-043020	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CW037	4/30/2020	7:50	N1	DD-D004607	CW037-043020	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
CW037	4/30/2020	7:50	N1	DD-D004607	CW037-043020	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CW037	4/30/2020	7:50	N1	DD-D004607	CW037-043020	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
CW038	4/30/2020	7:28	N1	DD-D004608	CW038-043020	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CW038	4/30/2020	7:28	N1	DD-D004608	CW038-043020	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CW038	4/30/2020	7:28	N1	DD-D004608	CW038-043020	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CW038	4/30/2020	7:28	N1	DD-D004608	CW038-043020	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
CW038	4/30/2020	7:28	N1	DD-D004608	CW038-043020	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CW038	4/30/2020	7:28	N1	DD-D004608	CW038-043020	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
CW038	4/30/2020	7:28	N1	DD-D004608	CW038-043020	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CW038	4/30/2020	7:28	N1	DD-D004608	CW038-043020	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
CW039	4/30/2020	7:10	N1	DD-D004609	CW039-043020	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CW039	4/30/2020	7:10	N1	DD-D004609	CW039-043020	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CW039	4/30/2020	7:10	N1	DD-D004609	CW039-043020	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CW039	4/30/2020	7:10	N1	DD-D004609	CW039-043020	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
CW039	4/30/2020	7:10	N1	DD-D004609	CW039-043020	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CW039	4/30/2020	7:10	N1	DD-D004609	CW039-043020	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
CW039	4/30/2020	7:10	N1	DD-D004609	CW039-043020	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CW039	4/30/2020	7:10	N1	DD-D004609	CW039-043020	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
CW040	4/30/2020	8:06	N1	DD-D004610	CW040-043020	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CW040	4/30/2020	8:06	N1	DD-D004610	CW040-043020	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CW040	4/30/2020	8:06	N1	DD-D004610	CW040-043020	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CW040	4/30/2020	8:06	N1	DD-D004610	CW040-043020	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
CW040	4/30/2020	8:06	N1	DD-D004610	CW040-043020	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CW040	4/30/2020	8:06	N1	DD-D004610	CW040-043020	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
CW040	4/30/2020	8:06	N1	DD-D004610	CW040-043020	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CW040	4/30/2020	8:06	N1	DD-D004610	CW040-043020	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
CW041	4/30/2020	8:16	N1	DD-D004701	CW041-043020	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CW041	4/30/2020	8:16	N1	DD-D004701	CW041-043020	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CW041	4/30/2020	8:16	N1	DD-D004701	CW041-043020	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE



Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
CW041	4/30/2020	8:16	N1	DD-D004701	CW041-043020	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
CW041	4/30/2020	8:16	N1	DD-D004701	CW041-043020	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CW041	4/30/2020	8:16	N1	DD-D004701	CW041-043020	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
CW041	4/30/2020	8:16	N1	DD-D004701	CW041-043020	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CW041	4/30/2020	8:16	N1	DD-D004701	CW041-043020	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
CW042	4/30/2020	8:37	N1	DD-D004702	CW042-043020	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CW042	4/30/2020	8:37	N1	DD-D004702	CW042-043020	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CW042	4/30/2020	8:37	N1	DD-D004702	CW042-043020	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CW042	4/30/2020	8:37	N1	DD-D004702	CW042-043020	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
CW042	4/30/2020	8:37	N1	DD-D004702	CW042-043020	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CW042	4/30/2020	8:37	N1	DD-D004702	CW042-043020	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
CW042	4/30/2020	8:37	N1	DD-D004702	CW042-043020	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CW042	4/30/2020	8:37	N1	DD-D004702	CW042-043020	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
CW043	4/28/2020	11:49	N1	DD-D004703	CW043-042820	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CW043	4/28/2020	11:49	N1	DD-D004703	CW043-042820	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CW043	4/28/2020	11:49	N1	DD-D004703	CW043-042820	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CW043	4/28/2020	11:49	N1	DD-D004703	CW043-042820	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
CW043	4/28/2020	11:49	N1	DD-D004703	CW043-042820	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CW043	4/28/2020	11:49	N1	DD-D004703	CW043-042820	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
CW043	4/28/2020	11:49	N1	DD-D004703	CW043-042820	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CW043	4/28/2020	11:49	N1	DD-D004703	CW043-042820	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
CW044	4/28/2020	12:02	N1	DD-D004704	CW044-042820	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CW044	4/28/2020	12:02	N1	DD-D004704	CW044-042820	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CW044	4/28/2020	12:02	N1	DD-D004704	CW044-042820	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CW044	4/28/2020	12:02	N1	DD-D004704	CW044-042820	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
CW044	4/28/2020	12:02	N1	DD-D004704	CW044-042820	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CW044	4/28/2020	12:02	N1	DD-D004704	CW044-042820	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
CW044	4/28/2020	12:02	N1	DD-D004704	CW044-042820	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CW044	4/28/2020	12:02	N1	DD-D004704	CW044-042820	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
CW045	4/30/2020	10:03	N1	DD-D004705	CW045-043020	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CW045	4/30/2020	10:03	N1	DD-D004705	CW045-043020	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CW045	4/30/2020	10:03	N1	DD-D004705	CW045-043020	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CW045	4/30/2020	10:03	N1	DD-D004705	CW045-043020	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
CW045	4/30/2020	10:03	N1	DD-D004705	CW045-043020	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CW045	4/30/2020	10:03	N1	DD-D004705	CW045-043020	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
CW045	4/30/2020	10:03	N1	DD-D004705	CW045-043020	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CW045	4/30/2020	10:03	N1	DD-D004705	CW045-043020	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
CW046	4/30/2020	9:43	N1	DD-D004706	CW046-043020	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CW046	4/30/2020	9:43	N1	DD-D004706	CW046-043020	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CW046	4/30/2020	9:43	N1	DD-D004706	CW046-043020	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CW046	4/30/2020	9:43	N1	DD-D004706	CW046-043020	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
CW046	4/30/2020	9:43	N1	DD-D004706	CW046-043020	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CW046	4/30/2020	9:43	N1	DD-D004706	CW046-043020	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
CW046	4/30/2020	9:43	N1	DD-D004706	CW046-043020	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CW046	4/30/2020	9:43	N1	DD-D004706	CW046-043020	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
DBG001	4/28/2020	13:46	N1	DD-D007001	DBG001-042820	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG001	4/28/2020	13:46	N1	DD-D007001	DBG001-042820	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG001	4/28/2020	13:46	N1	DD-D007001	DBG001-042820	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG001	4/28/2020	13:46	N1	DD-D007001	DBG001-042820	SW8082A	SW	PCB-1242 (AROCLOR 1242)	4.3		0.088	0.24	ug/WIPE
DBG001	4/28/2020	13:46	N1	DD-D007001	DBG001-042820	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG001	4/28/2020	13:46	N1	DD-D007001	DBG001-042820	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2.2		0.07	0.24	ug/WIPE

Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
DBG001	4/28/2020	13:46	N1	DD-D007001	DBG001-042820	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG001	4/28/2020	13:46	N1	DD-D007001	DBG001-042820	SW8082A	SW	TOTAL PCBs	6.5		-	0.24	ug/WIPE
DBG002	4/30/2020	11:39	N1	DD-D007002	DBG002-043020	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG002	4/30/2020	11:39	N1	DD-D007002	DBG002-043020	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG002	4/30/2020	11:39	N1	DD-D007002	DBG002-043020	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG002	4/30/2020	11:39	N1	DD-D007002	DBG002-043020	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.76		0.088	0.24	ug/WIPE
DBG002	4/30/2020	11:39	N1	DD-D007002	DBG002-043020	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG002	4/30/2020	11:39	N1	DD-D007002	DBG002-043020	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.49		0.07	0.24	ug/WIPE
DBG002	4/30/2020	11:39	N1	DD-D007002	DBG002-043020	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG002	4/30/2020	11:39	N1	DD-D007002	DBG002-043020	SW8082A	SW	TOTAL PCBs	1.25		-	0.24	ug/WIPE
DBG003-013	4/30/2020	11:35	N1	DD-D007003	DBG003-013-043020-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG003-013	4/30/2020	11:35	N1	DD-D007003	DBG003-013-043020-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG003-013	4/30/2020	11:35	N1	DD-D007003	DBG003-013-043020-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG003-013	4/30/2020	11:35	N1	DD-D007003	DBG003-013-043020-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	8		0.088	0.24	ug/WIPE
DBG003-013	4/30/2020	11:35	N1	DD-D007003	DBG003-013-043020-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG003-013	4/30/2020	11:35	N1	DD-D007003	DBG003-013-043020-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	4.1		0.07	0.24	ug/WIPE
DBG003-013	4/30/2020	11:35	N1	DD-D007003	DBG003-013-043020-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG003-013	4/30/2020	11:35	N1	DD-D007003	DBG003-013-043020-COMP	SW8082A	SW	TOTAL PCBs	12.1		-	0.24	ug/WIPE
DBG003R	6/22/2020	11:37	N1	DD-D020701	DBG003R-062220	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG003R	6/22/2020	11:37	N1	DD-D020701	DBG003R-062220	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG003R	6/22/2020	11:37	N1	DD-D020701	DBG003R-062220	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG003R	6/22/2020	11:37	N1	DD-D020701	DBG003R-062220	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.6		0.088	0.24	ug/WIPE
DBG003R	6/22/2020	11:37	N1	DD-D020701	DBG003R-062220	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG003R	6/22/2020	11:37	N1	DD-D020701	DBG003R-062220	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.93		0.07	0.24	ug/WIPE
DBG003R	6/22/2020	11:37	N1	DD-D020701	DBG003R-062220	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG003R	6/22/2020	11:37	N1	DD-D020701	DBG003R-062220	SW8082A	SW	TOTAL PCBs	3.53		-	0.24	ug/WIPE
DBG004	4/30/2020	11:31	N1	DD-D007004	DBG004-043020	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG004	4/30/2020	11:31	N1	DD-D007004	DBG004-043020	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG004	4/30/2020	11:31	N1	DD-D007004	DBG004-043020	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG004	4/30/2020	11:31	N1	DD-D007004	DBG004-043020	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3		0.088	0.24	ug/WIPE
DBG004	4/30/2020	11:31	N1	DD-D007004	DBG004-043020	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG004	4/30/2020	11:31	N1	DD-D007004	DBG004-043020	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.5		0.07	0.24	ug/WIPE
DBG004	4/30/2020	11:31	N1	DD-D007004	DBG004-043020	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG004	4/30/2020	11:31	N1	DD-D007004	DBG004-043020	SW8082A	SW	TOTAL PCBs	4.5		-	0.24	ug/WIPE
DBG005	4/30/2020	10:55	N1	DD-D007005	DBG005-043020	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG005	4/30/2020	10:55	N1	DD-D007005	DBG005-043020	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG005	4/30/2020	10:55	N1	DD-D007005	DBG005-043020	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG005	4/30/2020	10:55	N1	DD-D007005	DBG005-043020	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3		0.088	0.24	ug/WIPE
DBG005	4/30/2020	10:55	N1	DD-D007005	DBG005-043020	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG005	4/30/2020	10:55	N1	DD-D007005	DBG005-043020	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.3		0.07	0.24	ug/WIPE
DBG005	4/30/2020	10:55	N1	DD-D007005	DBG005-043020	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG005	4/30/2020	10:55	N1	DD-D007005	DBG005-043020	SW8082A	SW	TOTAL PCBs	4.3		-	0.24	ug/WIPE
DBG006-007-008	4/30/2020	11:03	N1	DD-D007006	DBG006-007-008-043020-COM	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG006-007-008	4/30/2020	11:03	N1	DD-D007006	DBG006-007-008-043020-COM	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG006-007-008	4/30/2020	11:03	N1	DD-D007006	DBG006-007-008-043020-COM	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG006-007-008	4/30/2020	11:03	N1	DD-D007006	DBG006-007-008-043020-COM	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	11		0.088	0.24	ug/WIPE
DBG006-007-008	4/30/2020	11:03	N1	DD-D007006	DBG006-007-008-043020-COM	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG006-007-008	4/30/2020	11:03	N1	DD-D007006	DBG006-007-008-043020-COM	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	4.2		0.07	0.24	ug/WIPE
DBG006-007-008	4/30/2020	11:03	N1	DD-D007006	DBG006-007-008-043020-COM	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG006-007-008	4/30/2020	11:03	N1	DD-D007006	DBG006-007-008-043020-COM	SW8082A	SW	TOTAL PCBs	15.2		-	0.24	ug/WIPE
DBG006R	6/22/2020	11:43	N1	DD-D020702	DBG006R-062220	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE

Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
DBG006R	6/22/2020	11:43	N1	DD-D020702	DBG006R-062220	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG006R	6/22/2020	11:43	N1	DD-D020702	DBG006R-062220	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG006R	6/22/2020	11:43	N1	DD-D020702	DBG006R-062220	SW8082A	SW	PCB-1242 (AROCLOR 1242)	5.1		0.088	0.24	ug/WIPE
DBG006R	6/22/2020	11:43	N1	DD-D020702	DBG006R-062220	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG006R	6/22/2020	11:43	N1	DD-D020702	DBG006R-062220	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.3		0.07	0.24	ug/WIPE
DBG006R	6/22/2020	11:43	N1	DD-D020702	DBG006R-062220	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG006R	6/22/2020	11:43	N1	DD-D020702	DBG006R-062220	SW8082A	SW	TOTAL PCBs	6.4		-	0.24	ug/WIPE
DBG007R	6/22/2020	11:48	N1	DD-D020703	DBG007R-062220	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG007R	6/22/2020	11:48	N1	DD-D020703	DBG007R-062220	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG007R	6/22/2020	11:48	N1	DD-D020703	DBG007R-062220	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG007R	6/22/2020	11:48	N1	DD-D020703	DBG007R-062220	SW8082A	SW	PCB-1242 (AROCLOR 1242)	4.1		0.088	0.24	ug/WIPE
DBG007R	6/22/2020	11:48	N1	DD-D020703	DBG007R-062220	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG007R	6/22/2020	11:48	N1	DD-D020703	DBG007R-062220	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.2		0.07	0.24	ug/WIPE
DBG007R	6/22/2020	11:48	N1	DD-D020703	DBG007R-062220	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG007R	6/22/2020	11:48	N1	DD-D020703	DBG007R-062220	SW8082A	SW	TOTAL PCBs	5.3		-	0.24	ug/WIPE
DBG008R	6/22/2020	11:51	N1	DD-D020704	DBG008R-062220	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG008R	6/22/2020	11:51	N1	DD-D020704	DBG008R-062220	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG008R	6/22/2020	11:51	N1	DD-D020704	DBG008R-062220	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG008R	6/22/2020	11:51	N1	DD-D020704	DBG008R-062220	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3		0.088	0.24	ug/WIPE
DBG008R	6/22/2020	11:51	N1	DD-D020704	DBG008R-062220	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG008R	6/22/2020	11:51	N1	DD-D020704	DBG008R-062220	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.91		0.07	0.24	ug/WIPE
DBG008R	6/22/2020	11:51	N1	DD-D020704	DBG008R-062220	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG008R	6/22/2020	11:51	N1	DD-D020704	DBG008R-062220	SW8082A	SW	TOTAL PCBs	3.91		-	0.24	ug/WIPE
DBG009	4/30/2020	11:15	N1	DD-D007009	DBG009-043020	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG009	4/30/2020	11:15	N1	DD-D007009	DBG009-043020	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG009	4/30/2020	11:15	N1	DD-D007009	DBG009-043020	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG009	4/30/2020	11:15	N1	DD-D007009	DBG009-043020	SW8082A	SW	PCB-1242 (AROCLOR 1242)	6.7		0.088	0.24	ug/WIPE
DBG009	4/30/2020	11:15	N1	DD-D007009	DBG009-043020	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG009	4/30/2020	11:15	N1	DD-D007009	DBG009-043020	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2.8		0.07	0.24	ug/WIPE
DBG009	4/30/2020	11:15	N1	DD-D007009	DBG009-043020	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG009	4/30/2020	11:15	N1	DD-D007009	DBG009-043020	SW8082A	SW	TOTAL PCBs	9.5		-	0.24	ug/WIPE
DBG010	4/30/2020	11:23	N1	DD-D007010	DBG010-043020	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG010	4/30/2020	11:23	N1	DD-D007010	DBG010-043020	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG010	4/30/2020	11:23	N1	DD-D007010	DBG010-043020	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG010	4/30/2020	11:23	N1	DD-D007010	DBG010-043020	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1.2		0.088	0.24	ug/WIPE
DBG010	4/30/2020	11:23	N1	DD-D007010	DBG010-043020	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG010	4/30/2020	11:23	N1	DD-D007010	DBG010-043020	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.57		0.07	0.24	ug/WIPE
DBG010	4/30/2020	11:23	N1	DD-D007010	DBG010-043020	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG010	4/30/2020	11:23	N1	DD-D007010	DBG010-043020	SW8082A	SW	TOTAL PCBs	1.77		-	0.24	ug/WIPE
DBG011-012	4/30/2020	11:41	N1	DD-D007101	DBG011-012-043020-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG011-012	4/30/2020	11:41	N1	DD-D007101	DBG011-012-043020-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG011-012	4/30/2020	11:41	N1	DD-D007101	DBG011-012-043020-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG011-012	4/30/2020	11:41	N1	DD-D007101	DBG011-012-043020-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2.7		0.088	0.24	ug/WIPE
DBG011-012	4/30/2020	11:41	N1	DD-D007101	DBG011-012-043020-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG011-012	4/30/2020	11:41	N1	DD-D007101	DBG011-012-043020-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.2		0.07	0.24	ug/WIPE
DBG011-012	4/30/2020	11:41	N1	DD-D007101	DBG011-012-043020-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG011-012	4/30/2020	11:41	N1	DD-D007101	DBG011-012-043020-COMP	SW8082A	SW	TOTAL PCBs	3.9		-	0.24	ug/WIPE
DBG013R	6/22/2020	11:55	N1	DD-D020705	DBG013R-062220	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG013R	6/22/2020	11:55	N1	DD-D020705	DBG013R-062220	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG013R	6/22/2020	11:55	N1	DD-D020705	DBG013R-062220	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG013R	6/22/2020	11:55	N1	DD-D020705	DBG013R-062220	SW8082A	SW	PCB-1242 (AROCLOR 1242)	4.2		0.088	0.24	ug/WIPE

Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
DBG013R	6/22/2020	11:55	N1	DD-D020705	DBG013R-062220	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG013R	6/22/2020	11:55	N1	DD-D020705	DBG013R-062220	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.6	U	0.07	0.24	ug/WIPE
DBG013R	6/22/2020	11:55	N1	DD-D020705	DBG013R-062220	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG013R	6/22/2020	11:55	N1	DD-D020705	DBG013R-062220	SW8082A	SW	TOTAL PCBs	5.8		-	0.24	ug/WIPE
DBG014-015	4/28/2020	13:54	N1	DD-D007104	DBG014-015-042820-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG014-015	4/28/2020	13:54	N1	DD-D007104	DBG014-015-042820-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG014-015	4/28/2020	13:54	N1	DD-D007104	DBG014-015-042820-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG014-015	4/28/2020	13:54	N1	DD-D007104	DBG014-015-042820-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2.1		0.088	0.24	ug/WIPE
DBG014-015	4/28/2020	13:54	N1	DD-D007104	DBG014-015-042820-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG014-015	4/28/2020	13:54	N1	DD-D007104	DBG014-015-042820-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.98		0.07	0.24	ug/WIPE
DBG014-015	4/28/2020	13:54	N1	DD-D007104	DBG014-015-042820-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG014-015	4/28/2020	13:54	N1	DD-D007104	DBG014-015-042820-COMP	SW8082A	SW	TOTAL PCBs	3.08		-	0.24	ug/WIPE
DBG016	4/28/2020	14:00	N1	DD-D007106	DBG016-042820	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG016	4/28/2020	14:00	N1	DD-D007106	DBG016-042820	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG016	4/28/2020	14:00	N1	DD-D007106	DBG016-042820	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG016	4/28/2020	14:00	N1	DD-D007106	DBG016-042820	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1.1		0.088	0.24	ug/WIPE
DBG016	4/28/2020	14:00	N1	DD-D007106	DBG016-042820	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG016	4/28/2020	14:00	N1	DD-D007106	DBG016-042820	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.59		0.07	0.24	ug/WIPE
DBG016	4/28/2020	14:00	N1	DD-D007106	DBG016-042820	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG016	4/28/2020	14:00	N1	DD-D007106	DBG016-042820	SW8082A	SW	TOTAL PCBs	1.69		-	0.24	ug/WIPE
DBG017-018-027	5/8/2020	13:22	N1	DD-D007107	DBG017-018-027-050820-COM	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG017-018-027	5/8/2020	13:22	N1	DD-D007107	DBG017-018-027-050820-COM	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG017-018-027	5/8/2020	13:22	N1	DD-D007107	DBG017-018-027-050820-COM	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG017-018-027	5/8/2020	13:22	N1	DD-D007107	DBG017-018-027-050820-COM	SW8082A	SW	PCB-1242 (AROCLOR 1242)	7.2		0.088	0.24	ug/WIPE
DBG017-018-027	5/8/2020	13:22	N1	DD-D007107	DBG017-018-027-050820-COM	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG017-018-027	5/8/2020	13:22	N1	DD-D007107	DBG017-018-027-050820-COM	SW8082A	SW	PCB-1254 (AROCLOR 1254)	3.3		0.07	0.24	ug/WIPE
DBG017-018-027	5/8/2020	13:22	N1	DD-D007107	DBG017-018-027-050820-COM	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG017-018-027	5/8/2020	13:22	N1	DD-D007107	DBG017-018-027-050820-COM	SW8082A	SW	TOTAL PCBs	10.5		-	0.24	ug/WIPE
DBG017R	6/22/2020	12:00	N1	DD-D020706	DBG017R-062220	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG017R	6/22/2020	12:00	N1	DD-D020706	DBG017R-062220	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG017R	6/22/2020	12:00	N1	DD-D020706	DBG017R-062220	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG017R	6/22/2020	12:00	N1	DD-D020706	DBG017R-062220	SW8082A	SW	PCB-1242 (AROCLOR 1242)	4		0.088	0.24	ug/WIPE
DBG017R	6/22/2020	12:00	N1	DD-D020706	DBG017R-062220	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG017R	6/22/2020	12:00	N1	DD-D020706	DBG017R-062220	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.5		0.07	0.24	ug/WIPE
DBG017R	6/22/2020	12:00	N1	DD-D020706	DBG017R-062220	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG017R	6/22/2020	12:00	N1	DD-D020706	DBG017R-062220	SW8082A	SW	TOTAL PCBs	5.5		-	0.24	ug/WIPE
DBG018R	6/22/2020	12:55	N1	DD-D020707	DBG018R-062220	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG018R	6/22/2020	12:55	N1	DD-D020707	DBG018R-062220	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG018R	6/22/2020	12:55	N1	DD-D020707	DBG018R-062220	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG018R	6/22/2020	12:55	N1	DD-D020707	DBG018R-062220	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3.4		0.088	0.24	ug/WIPE
DBG018R	6/22/2020	12:55	N1	DD-D020707	DBG018R-062220	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG018R	6/22/2020	12:55	N1	DD-D020707	DBG018R-062220	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.2		0.07	0.24	ug/WIPE
DBG018R	6/22/2020	12:55	N1	DD-D020707	DBG018R-062220	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG018R	6/22/2020	12:55	N1	DD-D020707	DBG018R-062220	SW8082A	SW	TOTAL PCBs	4.6		-	0.24	ug/WIPE
DBG019	5/8/2020	13:04	N1	DD-D007109	DBG019-050820	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG019	5/8/2020	13:04	N1	DD-D007109	DBG019-050820	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG019	5/8/2020	13:04	N1	DD-D007109	DBG019-050820	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG019	5/8/2020	13:04	N1	DD-D007109	DBG019-050820	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.92		0.088	0.24	ug/WIPE
DBG019	5/8/2020	13:04	N1	DD-D007109	DBG019-050820	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG019	5/8/2020	13:04	N1	DD-D007109	DBG019-050820	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.38		0.07	0.24	ug/WIPE
DBG019	5/8/2020	13:04	N1	DD-D007109	DBG019-050820	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE

Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
DBG019	5/8/2020	13:04	N1	DD-D007109	DBG019-050820	SW8082A	SW	TOTAL PCBs	1.3		-	0.24	ug/WIPE
DBG020-021-024	5/8/2020	12:34	N1	DD-D007110	DBG020-021-024-050820-COM	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG020-021-024	5/8/2020	12:34	N1	DD-D007110	DBG020-021-024-050820-COM	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG020-021-024	5/8/2020	12:34	N1	DD-D007110	DBG020-021-024-050820-COM	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG020-021-024	5/8/2020	12:34	N1	DD-D007110	DBG020-021-024-050820-COM	SW8082A	SW	PCB-1242 (AROCLOR 1242)	9.7		0.088	0.24	ug/WIPE
DBG020-021-024	5/8/2020	12:34	N1	DD-D007110	DBG020-021-024-050820-COM	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG020-021-024	5/8/2020	12:34	N1	DD-D007110	DBG020-021-024-050820-COM	SW8082A	SW	PCB-1254 (AROCLOR 1254)	3.3		0.07	0.24	ug/WIPE
DBG020-021-024	5/8/2020	12:34	N1	DD-D007110	DBG020-021-024-050820-COM	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG020-021-024	5/8/2020	12:34	N1	DD-D007110	DBG020-021-024-050820-COM	SW8082A	SW	TOTAL PCBs	13		-	0.24	ug/WIPE
DBG020R	6/22/2020	12:58	N1	DD-D020708	DBG020R-062220	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG020R	6/22/2020	12:58	N1	DD-D020708	DBG020R-062220	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG020R	6/22/2020	12:58	N1	DD-D020708	DBG020R-062220	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG020R	6/22/2020	12:58	N1	DD-D020708	DBG020R-062220	SW8082A	SW	PCB-1242 (AROCLOR 1242)	7.2		0.088	0.24	ug/WIPE
DBG020R	6/22/2020	12:58	N1	DD-D020708	DBG020R-062220	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG020R	6/22/2020	12:58	N1	DD-D020708	DBG020R-062220	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2.2		0.07	0.24	ug/WIPE
DBG020R	6/22/2020	12:58	N1	DD-D020708	DBG020R-062220	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG020R	6/22/2020	12:58	N1	DD-D020708	DBG020R-062220	SW8082A	SW	TOTAL PCBs	9.4		-	0.24	ug/WIPE
DBG021R	6/22/2020	13:00	N1	DD-D020709	DBG021R-062220	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG021R	6/22/2020	13:00	N1	DD-D020709	DBG021R-062220	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG021R	6/22/2020	13:00	N1	DD-D020709	DBG021R-062220	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG021R	6/22/2020	13:00	N1	DD-D020709	DBG021R-062220	SW8082A	SW	PCB-1242 (AROCLOR 1242)	5.9		0.088	0.24	ug/WIPE
DBG021R	6/22/2020	13:00	N1	DD-D020709	DBG021R-062220	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG021R	6/22/2020	13:00	N1	DD-D020709	DBG021R-062220	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.9		0.07	0.24	ug/WIPE
DBG021R	6/22/2020	13:00	N1	DD-D020709	DBG021R-062220	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG021R	6/22/2020	13:00	N1	DD-D020709	DBG021R-062220	SW8082A	SW	TOTAL PCBs	7.8		-	0.24	ug/WIPE
DBG022-023	5/8/2020	12:50	N1	DD-D007202	DBG022-023-050820-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG022-023	5/8/2020	12:50	N1	DD-D007202	DBG022-023-050820-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG022-023	5/8/2020	12:50	N1	DD-D007202	DBG022-023-050820-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG022-023	5/8/2020	12:50	N1	DD-D007202	DBG022-023-050820-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	7.2		0.088	0.24	ug/WIPE
DBG022-023	5/8/2020	12:50	N1	DD-D007202	DBG022-023-050820-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG022-023	5/8/2020	12:50	N1	DD-D007202	DBG022-023-050820-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2.4		0.07	0.24	ug/WIPE
DBG022-023	5/8/2020	12:50	N1	DD-D007202	DBG022-023-050820-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG022-023	5/8/2020	12:50	N1	DD-D007202	DBG022-023-050820-COMP	SW8082A	SW	TOTAL PCBs	9.6		-	0.24	ug/WIPE
DBG024R	6/22/2020	13:04	N1	DD-D020710	DBG024R-062220	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG024R	6/22/2020	13:04	N1	DD-D020710	DBG024R-062220	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG024R	6/22/2020	13:04	N1	DD-D020710	DBG024R-062220	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG024R	6/22/2020	13:04	N1	DD-D020710	DBG024R-062220	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2.6		0.088	0.24	ug/WIPE
DBG024R	6/22/2020	13:04	N1	DD-D020710	DBG024R-062220	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG024R	6/22/2020	13:04	N1	DD-D020710	DBG024R-062220	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.89		0.07	0.24	ug/WIPE
DBG024R	6/22/2020	13:04	N1	DD-D020710	DBG024R-062220	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG024R	6/22/2020	13:04	N1	DD-D020710	DBG024R-062220	SW8082A	SW	TOTAL PCBs	3.49		-	0.24	ug/WIPE
DBG025-026	5/8/2020	13:19	N1	DD-D007205	DBG025-026-050820-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG025-026	5/8/2020	13:19	N1	DD-D007205	DBG025-026-050820-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG025-026	5/8/2020	13:19	N1	DD-D007205	DBG025-026-050820-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG025-026	5/8/2020	13:19	N1	DD-D007205	DBG025-026-050820-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	4.2		0.088	0.24	ug/WIPE
DBG025-026	5/8/2020	13:19	N1	DD-D007205	DBG025-026-050820-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG025-026	5/8/2020	13:19	N1	DD-D007205	DBG025-026-050820-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.8		0.07	0.24	ug/WIPE
DBG025-026	5/8/2020	13:19	N1	DD-D007205	DBG025-026-050820-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG025-026	5/8/2020	13:19	N1	DD-D007205	DBG025-026-050820-COMP	SW8082A	SW	TOTAL PCBs	6		-	0.24	ug/WIPE
DBG027R	6/22/2020	13:08	N1	DD-D021107	DBG027R-062220	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG027R	6/22/2020	13:08	N1	DD-D021107	DBG027R-062220	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE



Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
DBG027R	6/22/2020	13:08	N1	DD-D021107	DBG027R-062220	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG027R	6/22/2020	13:08	N1	DD-D021107	DBG027R-062220	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	5	U	0.088	0.24	ug/WIPE
DBG027R	6/22/2020	13:08	N1	DD-D021107	DBG027R-062220	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG027R	6/22/2020	13:08	N1	DD-D021107	DBG027R-062220	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.1	U	0.07	0.24	ug/WIPE
DBG027R	6/22/2020	13:08	N1	DD-D021107	DBG027R-062220	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG027R	6/22/2020	13:08	N1	DD-D021107	DBG027R-062220	SW8082A	SW	TOTAL PCBs	7.1	U	-	0.24	ug/WIPE
DBG028	5/8/2020	13:15	N1	DD-D007208	DBG028-050820	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG028	5/8/2020	13:15	N1	DD-D007208	DBG028-050820	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG028	5/8/2020	13:15	N1	DD-D007208	DBG028-050820	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG028	5/8/2020	13:15	N1	DD-D007208	DBG028-050820	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.2	U	0.088	0.24	ug/WIPE
DBG028	5/8/2020	13:15	N1	DD-D007208	DBG028-050820	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG028	5/8/2020	13:15	N1	DD-D007208	DBG028-050820	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.4	U	0.07	0.24	ug/WIPE
DBG028	5/8/2020	13:15	N1	DD-D007208	DBG028-050820	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG028	5/8/2020	13:15	N1	DD-D007208	DBG028-050820	SW8082A	SW	TOTAL PCBs	4.6	U	-	0.24	ug/WIPE
DBG029-030	4/28/2020	14:08	N1	DD-D007209	DBG029-030-042820-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG029-030	4/28/2020	14:08	N1	DD-D007209	DBG029-030-042820-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG029-030	4/28/2020	14:08	N1	DD-D007209	DBG029-030-042820-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG029-030	4/28/2020	14:08	N1	DD-D007209	DBG029-030-042820-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	4.2	U	0.088	0.24	ug/WIPE
DBG029-030	4/28/2020	14:08	N1	DD-D007209	DBG029-030-042820-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG029-030	4/28/2020	14:08	N1	DD-D007209	DBG029-030-042820-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2	U	0.07	0.24	ug/WIPE
DBG029-030	4/28/2020	14:08	N1	DD-D007209	DBG029-030-042820-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG029-030	4/28/2020	14:08	N1	DD-D007209	DBG029-030-042820-COMP	SW8082A	SW	TOTAL PCBs	6.2	U	-	0.24	ug/WIPE
DBG031-032	4/28/2020	14:35	N1	DD-D007301	DBG031-032-042820-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG031-032	4/28/2020	14:35	N1	DD-D007301	DBG031-032-042820-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG031-032	4/28/2020	14:35	N1	DD-D007301	DBG031-032-042820-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG031-032	4/28/2020	14:35	N1	DD-D007301	DBG031-032-042820-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.4	U	0.088	0.24	ug/WIPE
DBG031-032	4/28/2020	14:35	N1	DD-D007301	DBG031-032-042820-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG031-032	4/28/2020	14:35	N1	DD-D007301	DBG031-032-042820-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.94	U	0.07	0.24	ug/WIPE
DBG031-032	4/28/2020	14:35	N1	DD-D007301	DBG031-032-042820-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG031-032	4/28/2020	14:35	N1	DD-D007301	DBG031-032-042820-COMP	SW8082A	SW	TOTAL PCBs	3.34	U	-	0.24	ug/WIPE
DBG033-034-045	5/8/2020	14:54	N1	DD-D007303	DBG033-034-045-050820-COM	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG033-034-045	5/8/2020	14:54	N1	DD-D007303	DBG033-034-045-050820-COM	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG033-034-045	5/8/2020	14:54	N1	DD-D007303	DBG033-034-045-050820-COM	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG033-034-045	5/8/2020	14:54	N1	DD-D007303	DBG033-034-045-050820-COM	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	7.4	U	0.088	0.24	ug/WIPE
DBG033-034-045	5/8/2020	14:54	N1	DD-D007303	DBG033-034-045-050820-COM	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG033-034-045	5/8/2020	14:54	N1	DD-D007303	DBG033-034-045-050820-COM	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	3.2	U	0.07	0.24	ug/WIPE
DBG033-034-045	5/8/2020	14:54	N1	DD-D007303	DBG033-034-045-050820-COM	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG033-034-045	5/8/2020	14:54	N1	DD-D007303	DBG033-034-045-050820-COM	SW8082A	SW	TOTAL PCBs	10.6	U	-	0.24	ug/WIPE
DBG033R	6/22/2020	13:11	N1	DD-D020801	DBG033R-062220	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG033R	6/22/2020	13:11	N1	DD-D020801	DBG033R-062220	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG033R	6/22/2020	13:11	N1	DD-D020801	DBG033R-062220	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG033R	6/22/2020	13:11	N1	DD-D020801	DBG033R-062220	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.8	U	0.088	0.24	ug/WIPE
DBG033R	6/22/2020	13:11	N1	DD-D020801	DBG033R-062220	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG033R	6/22/2020	13:11	N1	DD-D020801	DBG033R-062220	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.2	U	0.07	0.24	ug/WIPE
DBG033R	6/22/2020	13:11	N1	DD-D020801	DBG033R-062220	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG033R	6/22/2020	13:11	N1	DD-D020801	DBG033R-062220	SW8082A	SW	TOTAL PCBs	5	U	-	0.24	ug/WIPE
DBG034R	6/22/2020	13:17	N1	DD-D020802	DBG034R-062220	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG034R	6/22/2020	13:17	N1	DD-D020802	DBG034R-062220	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG034R	6/22/2020	13:17	N1	DD-D020802	DBG034R-062220	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG034R	6/22/2020	13:17	N1	DD-D020802	DBG034R-062220	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.3	U	0.088	0.24	ug/WIPE
DBG034R	6/22/2020	13:17	N1	DD-D020802	DBG034R-062220	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE



Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
DBG034R	6/22/2020	13:17	N1	DD-D020802	DBG034R-062220	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.2		0.07	0.24	ug/WIPE
DBG034R	6/22/2020	13:17	N1	DD-D020802	DBG034R-062220	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG034R	6/22/2020	13:17	N1	DD-D020802	DBG034R-062220	SW8082A	SW	TOTAL PCBs	4.5		-	0.24	ug/WIPE
DBG035-044	5/8/2020	14:55	N1	DD-D007305	DBG035-044-050820-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG035-044	5/8/2020	14:55	N1	DD-D007305	DBG035-044-050820-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG035-044	5/8/2020	14:55	N1	DD-D007305	DBG035-044-050820-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG035-044	5/8/2020	14:55	N1	DD-D007305	DBG035-044-050820-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.8		0.088	0.24	ug/WIPE
DBG035-044	5/8/2020	14:55	N1	DD-D007305	DBG035-044-050820-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG035-044	5/8/2020	14:55	N1	DD-D007305	DBG035-044-050820-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.6		0.07	0.24	ug/WIPE
DBG035-044	5/8/2020	14:55	N1	DD-D007305	DBG035-044-050820-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG035-044	5/8/2020	14:55	N1	DD-D007305	DBG035-044-050820-COMP	SW8082A	SW	TOTAL PCBs	5.4		-	0.24	ug/WIPE
DBG036	5/8/2020	14:49	N1	DD-D007306	DBG036-050820	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG036	5/8/2020	14:49	N1	DD-D007306	DBG036-050820	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG036	5/8/2020	14:49	N1	DD-D007306	DBG036-050820	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG036	5/8/2020	14:49	N1	DD-D007306	DBG036-050820	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.2		0.088	0.24	ug/WIPE
DBG036	5/8/2020	14:49	N1	DD-D007306	DBG036-050820	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG036	5/8/2020	14:49	N1	DD-D007306	DBG036-050820	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.4		0.07	0.24	ug/WIPE
DBG036	5/8/2020	14:49	N1	DD-D007306	DBG036-050820	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG036	5/8/2020	14:49	N1	DD-D007306	DBG036-050820	SW8082A	SW	TOTAL PCBs	4.6		-	0.24	ug/WIPE
DBG037-038-042	5/8/2020	14:14	N1	DD-D007307	DBG037-038-042-050820-COM	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG037-038-042	5/8/2020	14:14	N1	DD-D007307	DBG037-038-042-050820-COM	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG037-038-042	5/8/2020	14:14	N1	DD-D007307	DBG037-038-042-050820-COM	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG037-038-042	5/8/2020	14:14	N1	DD-D007307	DBG037-038-042-050820-COM	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	16		0.088	0.24	ug/WIPE
DBG037-038-042	5/8/2020	14:14	N1	DD-D007307	DBG037-038-042-050820-COM	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG037-038-042	5/8/2020	14:14	N1	DD-D007307	DBG037-038-042-050820-COM	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	6		0.07	0.24	ug/WIPE
DBG037-038-042	5/8/2020	14:14	N1	DD-D007307	DBG037-038-042-050820-COM	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG037-038-042	5/8/2020	14:14	N1	DD-D007307	DBG037-038-042-050820-COM	SW8082A	SW	TOTAL PCBs	22		-	0.24	ug/WIPE
DBG037R	6/22/2020	13:20	N1	DD-D020803	DBG037R-062220	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG037R	6/22/2020	13:20	N1	DD-D020803	DBG037R-062220	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG037R	6/22/2020	13:20	N1	DD-D020803	DBG037R-062220	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG037R	6/22/2020	13:20	N1	DD-D020803	DBG037R-062220	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	4		0.088	0.24	ug/WIPE
DBG037R	6/22/2020	13:20	N1	DD-D020803	DBG037R-062220	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG037R	6/22/2020	13:20	N1	DD-D020803	DBG037R-062220	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.6		0.07	0.24	ug/WIPE
DBG037R	6/22/2020	13:20	N1	DD-D020803	DBG037R-062220	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG037R	6/22/2020	13:20	N1	DD-D020803	DBG037R-062220	SW8082A	SW	TOTAL PCBs	5.6		-	0.24	ug/WIPE
DBG038R	6/22/2020	13:25	N1	DD-D020804	DBG038R-062220	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG038R	6/22/2020	13:25	N1	DD-D020804	DBG038R-062220	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG038R	6/22/2020	13:25	N1	DD-D020804	DBG038R-062220	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG038R	6/22/2020	13:25	N1	DD-D020804	DBG038R-062220	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.6		0.088	0.24	ug/WIPE
DBG038R	6/22/2020	13:25	N1	DD-D020804	DBG038R-062220	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG038R	6/22/2020	13:25	N1	DD-D020804	DBG038R-062220	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.2		0.07	0.24	ug/WIPE
DBG038R	6/22/2020	13:25	N1	DD-D020804	DBG038R-062220	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG038R	6/22/2020	13:25	N1	DD-D020804	DBG038R-062220	SW8082A	SW	TOTAL PCBs	4.8		-	0.24	ug/WIPE
DBG039-040-041	5/8/2020	13:56	N1	DD-D007309	DBG039-040-041-050820-COM	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG039-040-041	5/8/2020	13:56	N1	DD-D007309	DBG039-040-041-050820-COM	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG039-040-041	5/8/2020	13:56	N1	DD-D007309	DBG039-040-041-050820-COM	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG039-040-041	5/8/2020	13:56	N1	DD-D007309	DBG039-040-041-050820-COM	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	8.8		0.088	0.24	ug/WIPE
DBG039-040-041	5/8/2020	13:56	N1	DD-D007309	DBG039-040-041-050820-COM	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG039-040-041	5/8/2020	13:56	N1	DD-D007309	DBG039-040-041-050820-COM	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	3.1		0.07	0.24	ug/WIPE
DBG039-040-041	5/8/2020	13:56	N1	DD-D007309	DBG039-040-041-050820-COM	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG039-040-041	5/8/2020	13:56	N1	DD-D007309	DBG039-040-041-050820-COM	SW8082A	SW	TOTAL PCBs	11.9		-	0.24	ug/WIPE

Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
DBG039R	6/22/2020	13:27	N1	DD-D020806	DBG039R-062220	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG039R	6/22/2020	13:27	N1	DD-D020806	DBG039R-062220	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG039R	6/22/2020	13:27	N1	DD-D020806	DBG039R-062220	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG039R	6/22/2020	13:27	N1	DD-D020806	DBG039R-062220	SW8082A	SW	PCB-1242 (AROCLOR 1242)	4.5		0.088	0.24	ug/WIPE
DBG039R	6/22/2020	13:27	N1	DD-D020806	DBG039R-062220	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG039R	6/22/2020	13:27	N1	DD-D020806	DBG039R-062220	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.4		0.07	0.24	ug/WIPE
DBG039R	6/22/2020	13:27	N1	DD-D020806	DBG039R-062220	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG039R	6/22/2020	13:27	N1	DD-D020806	DBG039R-062220	SW8082A	SW	TOTAL PCBs	5.9		-	0.24	ug/WIPE
DBG040R	6/22/2020	13:32	N1	DD-D020807	DBG040R-062220	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG040R	6/22/2020	13:32	N1	DD-D020807	DBG040R-062220	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG040R	6/22/2020	13:32	N1	DD-D020807	DBG040R-062220	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG040R	6/22/2020	13:32	N1	DD-D020807	DBG040R-062220	SW8082A	SW	PCB-1242 (AROCLOR 1242)	5.9		0.088	0.24	ug/WIPE
DBG040R	6/22/2020	13:32	N1	DD-D020807	DBG040R-062220	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG040R	6/22/2020	13:32	N1	DD-D020807	DBG040R-062220	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.9		0.07	0.24	ug/WIPE
DBG040R	6/22/2020	13:32	N1	DD-D020807	DBG040R-062220	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG040R	6/22/2020	13:32	N1	DD-D020807	DBG040R-062220	SW8082A	SW	TOTAL PCBs	7.8		-	0.24	ug/WIPE
DBG041R	6/22/2020	13:36	N1	DD-D020808	DBG041R-062220	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG041R	6/22/2020	13:36	N1	DD-D020808	DBG041R-062220	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG041R	6/22/2020	13:36	N1	DD-D020808	DBG041R-062220	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG041R	6/22/2020	13:36	N1	DD-D020808	DBG041R-062220	SW8082A	SW	PCB-1242 (AROCLOR 1242)	7		0.088	0.24	ug/WIPE
DBG041R	6/22/2020	13:36	N1	DD-D020808	DBG041R-062220	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG041R	6/22/2020	13:36	N1	DD-D020808	DBG041R-062220	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2		0.07	0.24	ug/WIPE
DBG041R	6/22/2020	13:36	N1	DD-D020808	DBG041R-062220	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG041R	6/22/2020	13:36	N1	DD-D020808	DBG041R-062220	SW8082A	SW	TOTAL PCBs	9		-	0.24	ug/WIPE
DBG042R	6/22/2020	13:40	N1	DD-D020809	DBG042R-062220	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG042R	6/22/2020	13:40	N1	DD-D020809	DBG042R-062220	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG042R	6/22/2020	13:40	N1	DD-D020809	DBG042R-062220	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG042R	6/22/2020	13:40	N1	DD-D020809	DBG042R-062220	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3.6		0.088	0.24	ug/WIPE
DBG042R	6/22/2020	13:40	N1	DD-D020809	DBG042R-062220	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG042R	6/22/2020	13:40	N1	DD-D020809	DBG042R-062220	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.2		0.07	0.24	ug/WIPE
DBG042R	6/22/2020	13:40	N1	DD-D020809	DBG042R-062220	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG042R	6/22/2020	13:40	N1	DD-D020809	DBG042R-062220	SW8082A	SW	TOTAL PCBs	4.8		-	0.24	ug/WIPE
DBG043	5/8/2020	14:40	N1	DD-D007403	DBG043-050820	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG043	5/8/2020	14:40	N1	DD-D007403	DBG043-050820	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG043	5/8/2020	14:40	N1	DD-D007403	DBG043-050820	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG043	5/8/2020	14:40	N1	DD-D007403	DBG043-050820	SW8082A	SW	PCB-1242 (AROCLOR 1242)	12		0.088	0.24	ug/WIPE
DBG043	5/8/2020	14:40	N1	DD-D007403	DBG043-050820	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG043	5/8/2020	14:40	N1	DD-D007403	DBG043-050820	SW8082A	SW	PCB-1254 (AROCLOR 1254)	3.9		0.07	0.24	ug/WIPE
DBG043	5/8/2020	14:40	N1	DD-D007403	DBG043-050820	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG043	5/8/2020	14:40	N1	DD-D007403	DBG043-050820	SW8082A	SW	TOTAL PCBs	15.9		-	0.24	ug/WIPE
DBG043R	6/22/2020	17:00	N1	DD-D020810	DBG043R-062220	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG043R	6/22/2020	17:00	N1	DD-D020810	DBG043R-062220	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG043R	6/22/2020	17:00	N1	DD-D020810	DBG043R-062220	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG043R	6/22/2020	17:00	N1	DD-D020810	DBG043R-062220	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3.8		0.088	0.24	ug/WIPE
DBG043R	6/22/2020	17:00	N1	DD-D020810	DBG043R-062220	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG043R	6/22/2020	17:00	N1	DD-D020810	DBG043R-062220	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.1		0.07	0.24	ug/WIPE
DBG043R	6/22/2020	17:00	N1	DD-D020810	DBG043R-062220	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG043R	6/22/2020	17:00	N1	DD-D020810	DBG043R-062220	SW8082A	SW	TOTAL PCBs	4.9		-	0.24	ug/WIPE
DBG045R	7/9/2020	15:30	N1	DD-D024301	DBG045R-070920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG045R	7/9/2020	15:30	N1	DD-D024301	DBG045R-070920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG045R	7/9/2020	15:30	N1	DD-D024301	DBG045R-070920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE

Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
DBG045R	7/9/2020	15:30	N1	DD-D024301	DBG045R-070920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2.8		0.088	0.24	ug/WIPE
DBG045R	7/9/2020	15:30	N1	DD-D024301	DBG045R-070920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG045R	7/9/2020	15:30	N1	DD-D024301	DBG045R-070920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.89		0.07	0.24	ug/WIPE
DBG045R	7/9/2020	15:30	N1	DD-D024301	DBG045R-070920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG045R	7/9/2020	15:30	N1	DD-D024301	DBG045R-070920	SW8082A	SW	TOTAL PCBs	3.69		-	0.24	ug/WIPE
DBG046-047	4/28/2020	14:50	N1	DD-D007406	DBG046-047-042820-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG046-047	4/28/2020	14:50	N1	DD-D007406	DBG046-047-042820-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG046-047	4/28/2020	14:50	N1	DD-D007406	DBG046-047-042820-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG046-047	4/28/2020	14:50	N1	DD-D007406	DBG046-047-042820-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2.7		0.088	0.24	ug/WIPE
DBG046-047	4/28/2020	14:50	N1	DD-D007406	DBG046-047-042820-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG046-047	4/28/2020	14:50	N1	DD-D007406	DBG046-047-042820-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.3		0.07	0.24	ug/WIPE
DBG046-047	4/28/2020	14:50	N1	DD-D007406	DBG046-047-042820-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG046-047	4/28/2020	14:50	N1	DD-D007406	DBG046-047-042820-COMP	SW8082A	SW	TOTAL PCBs	4		-	0.24	ug/WIPE
DBG048	4/28/2020	14:58	N1	DD-D007408	DBG048-042820	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG048	4/28/2020	14:58	N1	DD-D007408	DBG048-042820	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG048	4/28/2020	14:58	N1	DD-D007408	DBG048-042820	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG048	4/28/2020	14:58	N1	DD-D007408	DBG048-042820	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2.5		0.088	0.24	ug/WIPE
DBG048	4/28/2020	14:58	N1	DD-D007408	DBG048-042820	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG048	4/28/2020	14:58	N1	DD-D007408	DBG048-042820	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.82		0.07	0.24	ug/WIPE
DBG048	4/28/2020	14:58	N1	DD-D007408	DBG048-042820	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG048	4/28/2020	14:58	N1	DD-D007408	DBG048-042820	SW8082A	SW	TOTAL PCBs	3.32		-	0.24	ug/WIPE
DBG049-050	4/29/2020	7:41	N1	DD-D007409	DBG049-050-042920-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG049-050	4/29/2020	7:41	N1	DD-D007409	DBG049-050-042920-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG049-050	4/29/2020	7:41	N1	DD-D007409	DBG049-050-042920-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG049-050	4/29/2020	7:41	N1	DD-D007409	DBG049-050-042920-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3.6		0.088	0.24	ug/WIPE
DBG049-050	4/29/2020	7:41	N1	DD-D007409	DBG049-050-042920-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG049-050	4/29/2020	7:41	N1	DD-D007409	DBG049-050-042920-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.6		0.07	0.24	ug/WIPE
DBG049-050	4/29/2020	7:41	N1	DD-D007409	DBG049-050-042920-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG049-050	4/29/2020	7:41	N1	DD-D007409	DBG049-050-042920-COMP	SW8082A	SW	TOTAL PCBs	5.2		-	0.24	ug/WIPE
DBG051-062	5/8/2020	16:17	N1	DD-D007501	DBG051-062-050820-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG051-062	5/8/2020	16:17	N1	DD-D007501	DBG051-062-050820-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG051-062	5/8/2020	16:17	N1	DD-D007501	DBG051-062-050820-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG051-062	5/8/2020	16:17	N1	DD-D007501	DBG051-062-050820-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	6.5		0.088	0.24	ug/WIPE
DBG051-062	5/8/2020	16:17	N1	DD-D007501	DBG051-062-050820-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG051-062	5/8/2020	16:17	N1	DD-D007501	DBG051-062-050820-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2.9		0.07	0.24	ug/WIPE
DBG051-062	5/8/2020	16:17	N1	DD-D007501	DBG051-062-050820-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG051-062	5/8/2020	16:17	N1	DD-D007501	DBG051-062-050820-COMP	SW8082A	SW	TOTAL PCBs	9.4		-	0.24	ug/WIPE
DBG052-061	5/8/2020	16:21	N1	DD-D007502	DBG052-061-050820-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG052-061	5/8/2020	16:21	N1	DD-D007502	DBG052-061-050820-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG052-061	5/8/2020	16:21	N1	DD-D007502	DBG052-061-050820-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG052-061	5/8/2020	16:21	N1	DD-D007502	DBG052-061-050820-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1.8		0.088	0.24	ug/WIPE
DBG052-061	5/8/2020	16:21	N1	DD-D007502	DBG052-061-050820-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG052-061	5/8/2020	16:21	N1	DD-D007502	DBG052-061-050820-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.76		0.07	0.24	ug/WIPE
DBG052-061	5/8/2020	16:21	N1	DD-D007502	DBG052-061-050820-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG052-061	5/8/2020	16:21	N1	DD-D007502	DBG052-061-050820-COMP	SW8082A	SW	TOTAL PCBs	2.56		-	0.24	ug/WIPE
DBG053-060	5/8/2020	16:08	N1	DD-D007503	DBG053-060-050820-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG053-060	5/8/2020	16:08	N1	DD-D007503	DBG053-060-050820-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG053-060	5/8/2020	16:08	N1	DD-D007503	DBG053-060-050820-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG053-060	5/8/2020	16:08	N1	DD-D007503	DBG053-060-050820-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	7.2		0.088	0.24	ug/WIPE
DBG053-060	5/8/2020	16:08	N1	DD-D007503	DBG053-060-050820-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG053-060	5/8/2020	16:08	N1	DD-D007503	DBG053-060-050820-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	3.2		0.07	0.24	ug/WIPE

Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
DBG053-060	5/8/2020	16:08	N1	DD-D007503	DBG053-060-050820-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG053-060	5/8/2020	16:08	N1	DD-D007503	DBG053-060-050820-COMP	SW8082A	SW	TOTAL PCBs	10.4		-	0.24	ug/WIPE
DBG053R	6/22/2020	13:45	N1	DD-D020901	DBG053R-062220	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG053R	6/22/2020	13:45	N1	DD-D020901	DBG053R-062220	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG053R	6/22/2020	13:45	N1	DD-D020901	DBG053R-062220	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG053R	6/22/2020	13:45	N1	DD-D020901	DBG053R-062220	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	5.3		0.088	0.24	ug/WIPE
DBG053R	6/22/2020	13:45	N1	DD-D020901	DBG053R-062220	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG053R	6/22/2020	13:45	N1	DD-D020901	DBG053R-062220	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.8		0.07	0.24	ug/WIPE
DBG053R	6/22/2020	13:45	N1	DD-D020901	DBG053R-062220	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG053R	6/22/2020	13:45	N1	DD-D020901	DBG053R-062220	SW8082A	SW	TOTAL PCBs	7.1		-	0.24	ug/WIPE
DBG054-059	5/8/2020	15:53	N1	DD-D007504	DBG054-059-050820-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG054-059	5/8/2020	15:53	N1	DD-D007504	DBG054-059-050820-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG054-059	5/8/2020	15:53	N1	DD-D007504	DBG054-059-050820-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG054-059	5/8/2020	15:53	N1	DD-D007504	DBG054-059-050820-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	10		0.088	0.24	ug/WIPE
DBG054-059	5/8/2020	15:53	N1	DD-D007504	DBG054-059-050820-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG054-059	5/8/2020	15:53	N1	DD-D007504	DBG054-059-050820-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	3.6		0.07	0.24	ug/WIPE
DBG054-059	5/8/2020	15:53	N1	DD-D007504	DBG054-059-050820-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG054-059	5/8/2020	15:53	N1	DD-D007504	DBG054-059-050820-COMP	SW8082A	SW	TOTAL PCBs	13.6		-	0.24	ug/WIPE
DBG054R	6/22/2020	13:50	N1	DD-D020902	DBG054R-062220	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG054R	6/22/2020	13:50	N1	DD-D020902	DBG054R-062220	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG054R	6/22/2020	13:50	N1	DD-D020902	DBG054R-062220	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG054R	6/22/2020	13:50	N1	DD-D020902	DBG054R-062220	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.9		0.088	0.24	ug/WIPE
DBG054R	6/22/2020	13:50	N1	DD-D020902	DBG054R-062220	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG054R	6/22/2020	13:50	N1	DD-D020902	DBG054R-062220	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.89		0.07	0.24	ug/WIPE
DBG054R	6/22/2020	13:50	N1	DD-D020902	DBG054R-062220	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG054R	6/22/2020	13:50	N1	DD-D020902	DBG054R-062220	SW8082A	SW	TOTAL PCBs	3.79		-	0.24	ug/WIPE
DBG055-057	5/8/2020	15:35	N1	DD-D007505	DBG055-057-050820-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG055-057	5/8/2020	15:35	N1	DD-D007505	DBG055-057-050820-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG055-057	5/8/2020	15:35	N1	DD-D007505	DBG055-057-050820-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG055-057	5/8/2020	15:35	N1	DD-D007505	DBG055-057-050820-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	14		0.088	0.24	ug/WIPE
DBG055-057	5/8/2020	15:35	N1	DD-D007505	DBG055-057-050820-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG055-057	5/8/2020	15:35	N1	DD-D007505	DBG055-057-050820-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	4.6		0.07	0.24	ug/WIPE
DBG055-057	5/8/2020	15:35	N1	DD-D007505	DBG055-057-050820-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG055-057	5/8/2020	15:35	N1	DD-D007505	DBG055-057-050820-COMP	SW8082A	SW	TOTAL PCBs	18.6		-	0.24	ug/WIPE
DBG055R	6/22/2020	13:55	N1	DD-D020903	DBG055R-062220	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG055R	6/22/2020	13:55	N1	DD-D020903	DBG055R-062220	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG055R	6/22/2020	13:55	N1	DD-D020903	DBG055R-062220	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG055R	6/22/2020	13:55	N1	DD-D020903	DBG055R-062220	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	5.7		0.088	0.24	ug/WIPE
DBG055R	6/22/2020	13:55	N1	DD-D020903	DBG055R-062220	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG055R	6/22/2020	13:55	N1	DD-D020903	DBG055R-062220	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.7		0.07	0.24	ug/WIPE
DBG055R	6/22/2020	13:55	N1	DD-D020903	DBG055R-062220	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG055R	6/22/2020	13:55	N1	DD-D020903	DBG055R-062220	SW8082A	SW	TOTAL PCBs	7.4		-	0.24	ug/WIPE
DBG056-058	5/8/2020	15:38	N1	DD-D007506	DBG056-058-050820-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG056-058	5/8/2020	15:38	N1	DD-D007506	DBG056-058-050820-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG056-058	5/8/2020	15:38	N1	DD-D007506	DBG056-058-050820-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG056-058	5/8/2020	15:38	N1	DD-D007506	DBG056-058-050820-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	10		0.088	0.24	ug/WIPE
DBG056-058	5/8/2020	15:38	N1	DD-D007506	DBG056-058-050820-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG056-058	5/8/2020	15:38	N1	DD-D007506	DBG056-058-050820-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	3.3		0.07	0.24	ug/WIPE
DBG056-058	5/8/2020	15:38	N1	DD-D007506	DBG056-058-050820-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG056-058	5/8/2020	15:38	N1	DD-D007506	DBG056-058-050820-COMP	SW8082A	SW	TOTAL PCBs	13.3		-	0.24	ug/WIPE
DBG056R	6/22/2020	13:58	N1	DD-D020904	DBG056R-062220	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE

Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
DBG056R	6/22/2020	13:58	N1	DD-D020904	DBG056R-062220	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG056R	6/22/2020	13:58	N1	DD-D020904	DBG056R-062220	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG056R	6/22/2020	13:58	N1	DD-D020904	DBG056R-062220	SW8082A	SW	PCB-1242 (AROCLOR 1242)	4.8		0.088	0.24	ug/WIPE
DBG056R	6/22/2020	13:58	N1	DD-D020904	DBG056R-062220	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG056R	6/22/2020	13:58	N1	DD-D020904	DBG056R-062220	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.3		0.07	0.24	ug/WIPE
DBG056R	6/22/2020	13:58	N1	DD-D020904	DBG056R-062220	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG056R	6/22/2020	13:58	N1	DD-D020904	DBG056R-062220	SW8082A	SW	TOTAL PCBs	6.1		-	0.24	ug/WIPE
DBG057R	6/22/2020	14:01	N1	DD-D020905	DBG057R-062220	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG057R	6/22/2020	14:01	N1	DD-D020905	DBG057R-062220	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG057R	6/22/2020	14:01	N1	DD-D020905	DBG057R-062220	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG057R	6/22/2020	14:01	N1	DD-D020905	DBG057R-062220	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3.1		0.088	0.24	ug/WIPE
DBG057R	6/22/2020	14:01	N1	DD-D020905	DBG057R-062220	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG057R	6/22/2020	14:01	N1	DD-D020905	DBG057R-062220	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1		0.07	0.24	ug/WIPE
DBG057R	6/22/2020	14:01	N1	DD-D020905	DBG057R-062220	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG057R	6/22/2020	14:01	N1	DD-D020905	DBG057R-062220	SW8082A	SW	TOTAL PCBs	4.1		-	0.24	ug/WIPE
DBG058R	6/22/2020	14:05	N1	DD-D020906	DBG058R-062220	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG058R	6/22/2020	14:05	N1	DD-D020906	DBG058R-062220	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG058R	6/22/2020	14:05	N1	DD-D020906	DBG058R-062220	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG058R	6/22/2020	14:05	N1	DD-D020906	DBG058R-062220	SW8082A	SW	PCB-1242 (AROCLOR 1242)	4.3		0.088	0.24	ug/WIPE
DBG058R	6/22/2020	14:05	N1	DD-D020906	DBG058R-062220	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG058R	6/22/2020	14:05	N1	DD-D020906	DBG058R-062220	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.6		0.07	0.24	ug/WIPE
DBG058R	6/22/2020	14:05	N1	DD-D020906	DBG058R-062220	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG058R	6/22/2020	14:05	N1	DD-D020906	DBG058R-062220	SW8082A	SW	TOTAL PCBs	5.9		-	0.24	ug/WIPE
DBG059R	6/22/2020	14:09	N1	DD-D020907	DBG059R-062220	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG059R	6/22/2020	14:09	N1	DD-D020907	DBG059R-062220	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG059R	6/22/2020	14:09	N1	DD-D020907	DBG059R-062220	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG059R	6/22/2020	14:09	N1	DD-D020907	DBG059R-062220	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2.9		0.088	0.24	ug/WIPE
DBG059R	6/22/2020	14:09	N1	DD-D020907	DBG059R-062220	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG059R	6/22/2020	14:09	N1	DD-D020907	DBG059R-062220	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.9		0.07	0.24	ug/WIPE
DBG059R	6/22/2020	14:09	N1	DD-D020907	DBG059R-062220	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG059R	6/22/2020	14:09	N1	DD-D020907	DBG059R-062220	SW8082A	SW	TOTAL PCBs	3.8		-	0.24	ug/WIPE
DBG060R	6/22/2020	14:14	N1	DD-D020908	DBG060R-062220	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG060R	6/22/2020	14:14	N1	DD-D020908	DBG060R-062220	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG060R	6/22/2020	14:14	N1	DD-D020908	DBG060R-062220	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG060R	6/22/2020	14:14	N1	DD-D020908	DBG060R-062220	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3		0.088	0.24	ug/WIPE
DBG060R	6/22/2020	14:14	N1	DD-D020908	DBG060R-062220	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG060R	6/22/2020	14:14	N1	DD-D020908	DBG060R-062220	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.1		0.07	0.24	ug/WIPE
DBG060R	6/22/2020	14:14	N1	DD-D020908	DBG060R-062220	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG060R	6/22/2020	14:14	N1	DD-D020908	DBG060R-062220	SW8082A	SW	TOTAL PCBs	4.1		-	0.24	ug/WIPE
DBG063	4/29/2020	7:46	N1	DD-D007603	DBG063-042920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG063	4/29/2020	7:46	N1	DD-D007603	DBG063-042920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG063	4/29/2020	7:46	N1	DD-D007603	DBG063-042920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG063	4/29/2020	7:46	N1	DD-D007603	DBG063-042920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2.9		0.088	0.24	ug/WIPE
DBG063	4/29/2020	7:46	N1	DD-D007603	DBG063-042920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG063	4/29/2020	7:46	N1	DD-D007603	DBG063-042920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.3		0.07	0.24	ug/WIPE
DBG063	4/29/2020	7:46	N1	DD-D007603	DBG063-042920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG063	4/29/2020	7:46	N1	DD-D007603	DBG063-042920	SW8082A	SW	TOTAL PCBs	4.2		-	0.24	ug/WIPE
DBG064	4/29/2020	7:50	N1	DD-D007604	DBG064-042920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG064	4/29/2020	7:50	N1	DD-D007604	DBG064-042920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG064	4/29/2020	7:50	N1	DD-D007604	DBG064-042920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG064	4/29/2020	7:50	N1	DD-D007604	DBG064-042920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	4.7		0.088	0.24	ug/WIPE



Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
DBG064	4/29/2020	7:50	N1	DD-D007604	DBG064-042920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG064	4/29/2020	7:50	N1	DD-D007604	DBG064-042920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.4	U	0.07	0.24	ug/WIPE
DBG064	4/29/2020	7:50	N1	DD-D007604	DBG064-042920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG064	4/29/2020	7:50	N1	DD-D007604	DBG064-042920	SW8082A	SW	TOTAL PCBs	7.1		-	0.24	ug/WIPE
DBG065	4/29/2020	7:53	N1	DD-D007605	DBG065-042920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG065	4/29/2020	7:53	N1	DD-D007605	DBG065-042920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG065	4/29/2020	7:53	N1	DD-D007605	DBG065-042920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG065	4/29/2020	7:53	N1	DD-D007605	DBG065-042920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.1		0.088	0.24	ug/WIPE
DBG065	4/29/2020	7:53	N1	DD-D007605	DBG065-042920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG065	4/29/2020	7:53	N1	DD-D007605	DBG065-042920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.94		0.07	0.24	ug/WIPE
DBG065	4/29/2020	7:53	N1	DD-D007605	DBG065-042920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG065	4/29/2020	7:53	N1	DD-D007605	DBG065-042920	SW8082A	SW	TOTAL PCBs	3.04		-	0.24	ug/WIPE
DBG066-076	5/8/2020	17:27	N1	DD-D007606	DBG066-076-050820-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG066-076	5/8/2020	17:27	N1	DD-D007606	DBG066-076-050820-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG066-076	5/8/2020	17:27	N1	DD-D007606	DBG066-076-050820-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG066-076	5/8/2020	17:27	N1	DD-D007606	DBG066-076-050820-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	7.8		0.088	0.24	ug/WIPE
DBG066-076	5/8/2020	17:27	N1	DD-D007606	DBG066-076-050820-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG066-076	5/8/2020	17:27	N1	DD-D007606	DBG066-076-050820-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	4.2		0.07	0.24	ug/WIPE
DBG066-076	5/8/2020	17:27	N1	DD-D007606	DBG066-076-050820-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG066-076	5/8/2020	17:27	N1	DD-D007606	DBG066-076-050820-COMP	SW8082A	SW	TOTAL PCBs	12		-	0.24	ug/WIPE
DBG066R	6/22/2020	14:20	N1	DD-D020909	DBG066R-062220	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG066R	6/22/2020	14:20	N1	DD-D020909	DBG066R-062220	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG066R	6/22/2020	14:20	N1	DD-D020909	DBG066R-062220	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG066R	6/22/2020	14:20	N1	DD-D020909	DBG066R-062220	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.8		0.088	0.24	ug/WIPE
DBG066R	6/22/2020	14:20	N1	DD-D020909	DBG066R-062220	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG066R	6/22/2020	14:20	N1	DD-D020909	DBG066R-062220	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.1		0.07	0.24	ug/WIPE
DBG066R	6/22/2020	14:20	N1	DD-D020909	DBG066R-062220	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG066R	6/22/2020	14:20	N1	DD-D020909	DBG066R-062220	SW8082A	SW	TOTAL PCBs	3.9		-	0.24	ug/WIPE
DBG067	5/8/2020	17:35	N1	DD-D007607	DBG067-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG067	5/8/2020	17:35	N1	DD-D007607	DBG067-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG067	5/8/2020	17:35	N1	DD-D007607	DBG067-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG067	5/8/2020	17:35	N1	DD-D007607	DBG067-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.7		0.088	0.24	ug/WIPE
DBG067	5/8/2020	17:35	N1	DD-D007607	DBG067-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG067	5/8/2020	17:35	N1	DD-D007607	DBG067-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.2		0.07	0.24	ug/WIPE
DBG067	5/8/2020	17:35	N1	DD-D007607	DBG067-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG067	5/8/2020	17:35	N1	DD-D007607	DBG067-COMP	SW8082A	SW	TOTAL PCBs	3.9		-	0.24	ug/WIPE
DBG068-075	5/8/2020	17:19	N1	DD-D007608	DBG068-075-050820-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG068-075	5/8/2020	17:19	N1	DD-D007608	DBG068-075-050820-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG068-075	5/8/2020	17:19	N1	DD-D007608	DBG068-075-050820-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG068-075	5/8/2020	17:19	N1	DD-D007608	DBG068-075-050820-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	4.7		0.088	0.24	ug/WIPE
DBG068-075	5/8/2020	17:19	N1	DD-D007608	DBG068-075-050820-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG068-075	5/8/2020	17:19	N1	DD-D007608	DBG068-075-050820-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.7		0.07	0.24	ug/WIPE
DBG068-075	5/8/2020	17:19	N1	DD-D007608	DBG068-075-050820-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG068-075	5/8/2020	17:19	N1	DD-D007608	DBG068-075-050820-COMP	SW8082A	SW	TOTAL PCBs	6.4		-	0.24	ug/WIPE
DBG069-070-074	5/8/2020	17:08	N1	DD-D007609	DBG069-070-074-050820-COM	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG069-070-074	5/8/2020	17:08	N1	DD-D007609	DBG069-070-074-050820-COM	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG069-070-074	5/8/2020	17:08	N1	DD-D007609	DBG069-070-074-050820-COM	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG069-070-074	5/8/2020	17:08	N1	DD-D007609	DBG069-070-074-050820-COM	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	15		0.088	0.24	ug/WIPE
DBG069-070-074	5/8/2020	17:08	N1	DD-D007609	DBG069-070-074-050820-COM	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG069-070-074	5/8/2020	17:08	N1	DD-D007609	DBG069-070-074-050820-COM	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	5.9		0.07	0.24	ug/WIPE
DBG069-070-074	5/8/2020	17:08	N1	DD-D007609	DBG069-070-074-050820-COM	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE



Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
DBG069-070-074	5/8/2020	17:08	N1	DD-D007609	DBG069-070-074-050820-COM	SW8082A	SW	TOTAL PCBs	20.9		-	0.24	ug/WIPE
DBG069R	6/22/2020	14:23	N1	DD-D021001	DBG069R-062220	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG069R	6/22/2020	14:23	N1	DD-D021001	DBG069R-062220	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG069R	6/22/2020	14:23	N1	DD-D021001	DBG069R-062220	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG069R	6/22/2020	14:23	N1	DD-D021001	DBG069R-062220	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	4.4		0.088	0.24	ug/WIPE
DBG069R	6/22/2020	14:23	N1	DD-D021001	DBG069R-062220	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG069R	6/22/2020	14:23	N1	DD-D021001	DBG069R-062220	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.5		0.07	0.24	ug/WIPE
DBG069R	6/22/2020	14:23	N1	DD-D021001	DBG069R-062220	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG069R	6/22/2020	14:23	N1	DD-D021001	DBG069R-062220	SW8082A	SW	TOTAL PCBs	5.9		-	0.24	ug/WIPE
DBG070R	6/22/2020	14:26	N1	DD-D021002	DBG070R-062220	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG070R	6/22/2020	14:26	N1	DD-D021002	DBG070R-062220	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG070R	6/22/2020	14:26	N1	DD-D021002	DBG070R-062220	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG070R	6/22/2020	14:26	N1	DD-D021002	DBG070R-062220	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	4.2		0.088	0.24	ug/WIPE
DBG070R	6/22/2020	14:26	N1	DD-D021002	DBG070R-062220	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG070R	6/22/2020	14:26	N1	DD-D021002	DBG070R-062220	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.3		0.07	0.24	ug/WIPE
DBG070R	6/22/2020	14:26	N1	DD-D021002	DBG070R-062220	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG070R	6/22/2020	14:26	N1	DD-D021002	DBG070R-062220	SW8082A	SW	TOTAL PCBs	5.5		-	0.24	ug/WIPE
DBG071	5/8/2020	16:48	N1	DD-D007701	DBG071-050820	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG071	5/8/2020	16:48	N1	DD-D007701	DBG071-050820	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG071	5/8/2020	16:48	N1	DD-D007701	DBG071-050820	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG071	5/8/2020	16:48	N1	DD-D007701	DBG071-050820	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.56		0.088	0.24	ug/WIPE
DBG071	5/8/2020	16:48	N1	DD-D007701	DBG071-050820	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG071	5/8/2020	16:48	N1	DD-D007701	DBG071-050820	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.24	J	0.07	0.24	ug/WIPE
DBG071	5/8/2020	16:48	N1	DD-D007701	DBG071-050820	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG071	5/8/2020	16:48	N1	DD-D007701	DBG071-050820	SW8082A	SW	TOTAL PCBs	0.8		-	0.24	ug/WIPE
DBG072-073	5/8/2020	16:55	N1	DD-D007702	DBG072-073-050820-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG072-073	5/8/2020	16:55	N1	DD-D007702	DBG072-073-050820-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG072-073	5/8/2020	16:55	N1	DD-D007702	DBG072-073-050820-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG072-073	5/8/2020	16:55	N1	DD-D007702	DBG072-073-050820-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	10		0.088	0.24	ug/WIPE
DBG072-073	5/8/2020	16:55	N1	DD-D007702	DBG072-073-050820-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG072-073	5/8/2020	16:55	N1	DD-D007702	DBG072-073-050820-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	3.9		0.07	0.24	ug/WIPE
DBG072-073	5/8/2020	16:55	N1	DD-D007702	DBG072-073-050820-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG072-073	5/8/2020	16:55	N1	DD-D007702	DBG072-073-050820-COMP	SW8082A	SW	TOTAL PCBs	13.9		-	0.24	ug/WIPE
DBG072R	6/22/2020	14:30	N1	DD-D021003	DBG072R-062220	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG072R	6/22/2020	14:30	N1	DD-D021003	DBG072R-062220	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG072R	6/22/2020	14:30	N1	DD-D021003	DBG072R-062220	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG072R	6/22/2020	14:30	N1	DD-D021003	DBG072R-062220	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	5.6		0.088	0.24	ug/WIPE
DBG072R	6/22/2020	14:30	N1	DD-D021003	DBG072R-062220	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG072R	6/22/2020	14:30	N1	DD-D021003	DBG072R-062220	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.7		0.07	0.24	ug/WIPE
DBG072R	6/22/2020	14:30	N1	DD-D021003	DBG072R-062220	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG072R	6/22/2020	14:30	N1	DD-D021003	DBG072R-062220	SW8082A	SW	TOTAL PCBs	7.3		-	0.24	ug/WIPE
DBG073R	6/22/2020	14:33	N1	DD-D021004	DBG073R-062220	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG073R	6/22/2020	14:33	N1	DD-D021004	DBG073R-062220	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG073R	6/22/2020	14:33	N1	DD-D021004	DBG073R-062220	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG073R	6/22/2020	14:33	N1	DD-D021004	DBG073R-062220	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	5.4		0.088	0.24	ug/WIPE
DBG073R	6/22/2020	14:33	N1	DD-D021004	DBG073R-062220	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG073R	6/22/2020	14:33	N1	DD-D021004	DBG073R-062220	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.6		0.07	0.24	ug/WIPE
DBG073R	6/22/2020	14:33	N1	DD-D021004	DBG073R-062220	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG073R	6/22/2020	14:33	N1	DD-D021004	DBG073R-062220	SW8082A	SW	TOTAL PCBs	7		-	0.24	ug/WIPE
DBG074R	6/22/2020	14:40	N1	DD-D021005	DBG074R-062220	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG074R	6/22/2020	14:40	N1	DD-D021005	DBG074R-062220	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE

Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
DBG074R	6/22/2020	14:40	N1	DD-D021005	DBG074R-062220	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG074R	6/22/2020	14:40	N1	DD-D021005	DBG074R-062220	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	4.4	U	0.088	0.24	ug/WIPE
DBG074R	6/22/2020	14:40	N1	DD-D021005	DBG074R-062220	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG074R	6/22/2020	14:40	N1	DD-D021005	DBG074R-062220	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.4	U	0.07	0.24	ug/WIPE
DBG074R	6/22/2020	14:40	N1	DD-D021005	DBG074R-062220	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG074R	6/22/2020	14:40	N1	DD-D021005	DBG074R-062220	SW8082A	SW	TOTAL PCBs	5.8	U	-	0.24	ug/WIPE
DBG076R	6/22/2020	14:45	N1	DD-D021106	DBG076R-062220	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG076R	6/22/2020	14:45	N1	DD-D021106	DBG076R-062220	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG076R	6/22/2020	14:45	N1	DD-D021106	DBG076R-062220	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG076R	6/22/2020	14:45	N1	DD-D021106	DBG076R-062220	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.9	U	0.088	0.24	ug/WIPE
DBG076R	6/22/2020	14:45	N1	DD-D021106	DBG076R-062220	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG076R	6/22/2020	14:45	N1	DD-D021106	DBG076R-062220	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.2	U	0.07	0.24	ug/WIPE
DBG076R	6/22/2020	14:45	N1	DD-D021106	DBG076R-062220	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG076R	6/22/2020	14:45	N1	DD-D021106	DBG076R-062220	SW8082A	SW	TOTAL PCBs	5.1	U	-	0.24	ug/WIPE
DBG077	5/8/2020	17:30	N1	DD-D007707	DBG077-050820-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG077	5/8/2020	17:30	N1	DD-D007707	DBG077-050820-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG077	5/8/2020	17:30	N1	DD-D007707	DBG077-050820-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG077	5/8/2020	17:30	N1	DD-D007707	DBG077-050820-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	5.4	U	0.088	0.24	ug/WIPE
DBG077	5/8/2020	17:30	N1	DD-D007707	DBG077-050820-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG077	5/8/2020	17:30	N1	DD-D007707	DBG077-050820-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.2	U	0.07	0.24	ug/WIPE
DBG077	5/8/2020	17:30	N1	DD-D007707	DBG077-050820-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG077	5/8/2020	17:30	N1	DD-D007707	DBG077-050820-COMP	SW8082A	SW	TOTAL PCBs	7.6	U	-	0.24	ug/WIPE
DBG078	4/29/2020	7:59	N1	DD-D007708	DBG078-042920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG078	4/29/2020	7:59	N1	DD-D007708	DBG078-042920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG078	4/29/2020	7:59	N1	DD-D007708	DBG078-042920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG078	4/29/2020	7:59	N1	DD-D007708	DBG078-042920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.9	U	0.088	0.24	ug/WIPE
DBG078	4/29/2020	7:59	N1	DD-D007708	DBG078-042920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG078	4/29/2020	7:59	N1	DD-D007708	DBG078-042920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.5	U	0.07	0.24	ug/WIPE
DBG078	4/29/2020	7:59	N1	DD-D007708	DBG078-042920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG078	4/29/2020	7:59	N1	DD-D007708	DBG078-042920	SW8082A	SW	TOTAL PCBs	5.4	U	-	0.24	ug/WIPE
DBG079-080	4/29/2020	8:03	N1	DD-D007709	DBG079-080-042920-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG079-080	4/29/2020	8:03	N1	DD-D007709	DBG079-080-042920-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG079-080	4/29/2020	8:03	N1	DD-D007709	DBG079-080-042920-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG079-080	4/29/2020	8:03	N1	DD-D007709	DBG079-080-042920-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	5.4	U	0.088	0.24	ug/WIPE
DBG079-080	4/29/2020	8:03	N1	DD-D007709	DBG079-080-042920-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG079-080	4/29/2020	8:03	N1	DD-D007709	DBG079-080-042920-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.5	U	0.07	0.24	ug/WIPE
DBG079-080	4/29/2020	8:03	N1	DD-D007709	DBG079-080-042920-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG079-080	4/29/2020	8:03	N1	DD-D007709	DBG079-080-042920-COMP	SW8082A	SW	TOTAL PCBs	7.9	U	-	0.24	ug/WIPE
DBG081-092	5/11/2020	7:35	N1	DD-D007801	DBG081-092-051120-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG081-092	5/11/2020	7:35	N1	DD-D007801	DBG081-092-051120-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG081-092	5/11/2020	7:35	N1	DD-D007801	DBG081-092-051120-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG081-092	5/11/2020	7:35	N1	DD-D007801	DBG081-092-051120-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	9.7	U	0.088	0.24	ug/WIPE
DBG081-092	5/11/2020	7:35	N1	DD-D007801	DBG081-092-051120-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG081-092	5/11/2020	7:35	N1	DD-D007801	DBG081-092-051120-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	3.8	U	0.07	0.24	ug/WIPE
DBG081-092	5/11/2020	7:35	N1	DD-D007801	DBG081-092-051120-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG081-092	5/11/2020	7:35	N1	DD-D007801	DBG081-092-051120-COMP	SW8082A	SW	TOTAL PCBs	13.5	U	-	0.24	ug/WIPE
DBG081R	6/22/2020	15:26	N1	DD-D021006	DBG081R-062220	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG081R	6/22/2020	15:26	N1	DD-D021006	DBG081R-062220	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG081R	6/22/2020	15:26	N1	DD-D021006	DBG081R-062220	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG081R	6/22/2020	15:26	N1	DD-D021006	DBG081R-062220	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	1.9	U	0.088	0.24	ug/WIPE
DBG081R	6/22/2020	15:26	N1	DD-D021006	DBG081R-062220	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE

Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
DBG081R	6/22/2020	15:26	N1	DD-D021006	DBG081R-062220	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.69		0.07	0.24	ug/WIPE
DBG081R	6/22/2020	15:26	N1	DD-D021006	DBG081R-062220	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG081R	6/22/2020	15:26	N1	DD-D021006	DBG081R-062220	SW8082A	SW	TOTAL PCBs	2.59		-	0.24	ug/WIPE
DBG082-083-091	5/11/2020	7:19	N1	DD-D007802	DBG082-083-091-051120-COM	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG082-083-091	5/11/2020	7:19	N1	DD-D007802	DBG082-083-091-051120-COM	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG082-083-091	5/11/2020	7:19	N1	DD-D007802	DBG082-083-091-051120-COM	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG082-083-091	5/11/2020	7:19	N1	DD-D007802	DBG082-083-091-051120-COM	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	11		0.088	0.24	ug/WIPE
DBG082-083-091	5/11/2020	7:19	N1	DD-D007802	DBG082-083-091-051120-COM	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG082-083-091	5/11/2020	7:19	N1	DD-D007802	DBG082-083-091-051120-COM	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	4		0.07	0.24	ug/WIPE
DBG082-083-091	5/11/2020	7:19	N1	DD-D007802	DBG082-083-091-051120-COM	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG082-083-091	5/11/2020	7:19	N1	DD-D007802	DBG082-083-091-051120-COM	SW8082A	SW	TOTAL PCBs	15		-	0.24	ug/WIPE
DBG082R	6/22/2020	15:30	N1	DD-D021007	DBG082R-062220	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG082R	6/22/2020	15:30	N1	DD-D021007	DBG082R-062220	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG082R	6/22/2020	15:30	N1	DD-D021007	DBG082R-062220	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG082R	6/22/2020	15:30	N1	DD-D021007	DBG082R-062220	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	5.1		0.088	0.24	ug/WIPE
DBG082R	6/22/2020	15:30	N1	DD-D021007	DBG082R-062220	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG082R	6/22/2020	15:30	N1	DD-D021007	DBG082R-062220	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.3		0.07	0.24	ug/WIPE
DBG082R	6/22/2020	15:30	N1	DD-D021007	DBG082R-062220	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG082R	6/22/2020	15:30	N1	DD-D021007	DBG082R-062220	SW8082A	SW	TOTAL PCBs	6.4		-	0.24	ug/WIPE
DBG083R	6/22/2020	15:35	N1	DD-D021008	DBG083R-062220	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG083R	6/22/2020	15:35	N1	DD-D021008	DBG083R-062220	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG083R	6/22/2020	15:35	N1	DD-D021008	DBG083R-062220	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG083R	6/22/2020	15:35	N1	DD-D021008	DBG083R-062220	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.5		0.088	0.24	ug/WIPE
DBG083R	6/22/2020	15:35	N1	DD-D021008	DBG083R-062220	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG083R	6/22/2020	15:35	N1	DD-D021008	DBG083R-062220	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1		0.07	0.24	ug/WIPE
DBG083R	6/22/2020	15:35	N1	DD-D021008	DBG083R-062220	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG083R	6/22/2020	15:35	N1	DD-D021008	DBG083R-062220	SW8082A	SW	TOTAL PCBs	4.5		-	0.24	ug/WIPE
DBG084-090	5/11/2020	7:03	N1	DD-D007804	DBG084-090-051120-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG084-090	5/11/2020	7:03	N1	DD-D007804	DBG084-090-051120-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG084-090	5/11/2020	7:03	N1	DD-D007804	DBG084-090-051120-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG084-090	5/11/2020	7:03	N1	DD-D007804	DBG084-090-051120-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	9.3		0.088	0.24	ug/WIPE
DBG084-090	5/11/2020	7:03	N1	DD-D007804	DBG084-090-051120-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG084-090	5/11/2020	7:03	N1	DD-D007804	DBG084-090-051120-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	3.2		0.07	0.24	ug/WIPE
DBG084-090	5/11/2020	7:03	N1	DD-D007804	DBG084-090-051120-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG084-090	5/11/2020	7:03	N1	DD-D007804	DBG084-090-051120-COMP	SW8082A	SW	TOTAL PCBs	12.5		-	0.24	ug/WIPE
DBG084R	6/22/2020	15:37	N1	DD-D021009	DBG084R-062220	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG084R	6/22/2020	15:37	N1	DD-D021009	DBG084R-062220	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG084R	6/22/2020	15:37	N1	DD-D021009	DBG084R-062220	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG084R	6/22/2020	15:37	N1	DD-D021009	DBG084R-062220	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	5.4		0.088	0.24	ug/WIPE
DBG084R	6/22/2020	15:37	N1	DD-D021009	DBG084R-062220	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG084R	6/22/2020	15:37	N1	DD-D021009	DBG084R-062220	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.6		0.07	0.24	ug/WIPE
DBG084R	6/22/2020	15:37	N1	DD-D021009	DBG084R-062220	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG084R	6/22/2020	15:37	N1	DD-D021009	DBG084R-062220	SW8082A	SW	TOTAL PCBs	7		-	0.24	ug/WIPE
DBG085-086-089	5/11/2020	6:38	N1	DD-D007805	DBG085-086-089-051120-COM	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG085-086-089	5/11/2020	6:38	N1	DD-D007805	DBG085-086-089-051120-COM	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG085-086-089	5/11/2020	6:38	N1	DD-D007805	DBG085-086-089-051120-COM	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG085-086-089	5/11/2020	6:38	N1	DD-D007805	DBG085-086-089-051120-COM	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	15		0.088	0.24	ug/WIPE
DBG085-086-089	5/11/2020	6:38	N1	DD-D007805	DBG085-086-089-051120-COM	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG085-086-089	5/11/2020	6:38	N1	DD-D007805	DBG085-086-089-051120-COM	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	5.1		0.07	0.24	ug/WIPE
DBG085-086-089	5/11/2020	6:38	N1	DD-D007805	DBG085-086-089-051120-COM	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG085-086-089	5/11/2020	6:38	N1	DD-D007805	DBG085-086-089-051120-COM	SW8082A	SW	TOTAL PCBs	20.1		-	0.24	ug/WIPE

Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
DBG085R	6/22/2020	15:40	N1	DD-D021010	DBG085R-062220	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG085R	6/22/2020	15:40	N1	DD-D021010	DBG085R-062220	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG085R	6/22/2020	15:40	N1	DD-D021010	DBG085R-062220	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG085R	6/22/2020	15:40	N1	DD-D021010	DBG085R-062220	SW8082A	SW	PCB-1242 (AROCLOR 1242)	5.8		0.088	0.24	ug/WIPE
DBG085R	6/22/2020	15:40	N1	DD-D021010	DBG085R-062220	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG085R	6/22/2020	15:40	N1	DD-D021010	DBG085R-062220	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.6		0.07	0.24	ug/WIPE
DBG085R	6/22/2020	15:40	N1	DD-D021010	DBG085R-062220	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG085R	6/22/2020	15:40	N1	DD-D021010	DBG085R-062220	SW8082A	SW	TOTAL PCBs	7.4		-	0.24	ug/WIPE
DBG086R	6/22/2020	15:44	N1	DD-D021101	DBG086R-062220	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG086R	6/22/2020	15:44	N1	DD-D021101	DBG086R-062220	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG086R	6/22/2020	15:44	N1	DD-D021101	DBG086R-062220	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG086R	6/22/2020	15:44	N1	DD-D021101	DBG086R-062220	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3.9		0.088	0.24	ug/WIPE
DBG086R	6/22/2020	15:44	N1	DD-D021101	DBG086R-062220	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG086R	6/22/2020	15:44	N1	DD-D021101	DBG086R-062220	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.3		0.07	0.24	ug/WIPE
DBG086R	6/22/2020	15:44	N1	DD-D021101	DBG086R-062220	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG086R	6/22/2020	15:44	N1	DD-D021101	DBG086R-062220	SW8082A	SW	TOTAL PCBs	5.2		-	0.24	ug/WIPE
DBG087-088	5/11/2020	6:44	N1	DD-D007807	DBG087-088-051120-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG087-088	5/11/2020	6:44	N1	DD-D007807	DBG087-088-051120-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG087-088	5/11/2020	6:44	N1	DD-D007807	DBG087-088-051120-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG087-088	5/11/2020	6:44	N1	DD-D007807	DBG087-088-051120-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	4.1		0.088	0.24	ug/WIPE
DBG087-088	5/11/2020	6:44	N1	DD-D007807	DBG087-088-051120-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG087-088	5/11/2020	6:44	N1	DD-D007807	DBG087-088-051120-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.3		0.07	0.24	ug/WIPE
DBG087-088	5/11/2020	6:44	N1	DD-D007807	DBG087-088-051120-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG087-088	5/11/2020	6:44	N1	DD-D007807	DBG087-088-051120-COMP	SW8082A	SW	TOTAL PCBs	5.4		-	0.24	ug/WIPE
DBG089R	6/22/2020	15:48	N1	DD-D021102	DBG089R-062220	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG089R	6/22/2020	15:48	N1	DD-D021102	DBG089R-062220	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG089R	6/22/2020	15:48	N1	DD-D021102	DBG089R-062220	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG089R	6/22/2020	15:48	N1	DD-D021102	DBG089R-062220	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3.7		0.088	0.24	ug/WIPE
DBG089R	6/22/2020	15:48	N1	DD-D021102	DBG089R-062220	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG089R	6/22/2020	15:48	N1	DD-D021102	DBG089R-062220	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.1		0.07	0.24	ug/WIPE
DBG089R	6/22/2020	15:48	N1	DD-D021102	DBG089R-062220	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG089R	6/22/2020	15:48	N1	DD-D021102	DBG089R-062220	SW8082A	SW	TOTAL PCBs	4.8		-	0.24	ug/WIPE
DBG090R	6/22/2020	15:52	N1	DD-D021103	DBG090R-062220	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG090R	6/22/2020	15:52	N1	DD-D021103	DBG090R-062220	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG090R	6/22/2020	15:52	N1	DD-D021103	DBG090R-062220	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG090R	6/22/2020	15:52	N1	DD-D021103	DBG090R-062220	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3.8		0.088	0.24	ug/WIPE
DBG090R	6/22/2020	15:52	N1	DD-D021103	DBG090R-062220	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG090R	6/22/2020	15:52	N1	DD-D021103	DBG090R-062220	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.1		0.07	0.24	ug/WIPE
DBG090R	6/22/2020	15:52	N1	DD-D021103	DBG090R-062220	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG090R	6/22/2020	15:52	N1	DD-D021103	DBG090R-062220	SW8082A	SW	TOTAL PCBs	4.9		-	0.24	ug/WIPE
DBG091R	6/22/2020	15:55	N1	DD-D021104	DBG091R-062220	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG091R	6/22/2020	15:55	N1	DD-D021104	DBG091R-062220	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG091R	6/22/2020	15:55	N1	DD-D021104	DBG091R-062220	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG091R	6/22/2020	15:55	N1	DD-D021104	DBG091R-062220	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3.7		0.088	0.24	ug/WIPE
DBG091R	6/22/2020	15:55	N1	DD-D021104	DBG091R-062220	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG091R	6/22/2020	15:55	N1	DD-D021104	DBG091R-062220	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.1		0.07	0.24	ug/WIPE
DBG091R	6/22/2020	15:55	N1	DD-D021104	DBG091R-062220	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG091R	6/22/2020	15:55	N1	DD-D021104	DBG091R-062220	SW8082A	SW	TOTAL PCBs	4.8		-	0.24	ug/WIPE
DBG092R	6/22/2020	15:58	N1	DD-D021105	DBG092R-062220	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG092R	6/22/2020	15:58	N1	DD-D021105	DBG092R-062220	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG092R	6/22/2020	15:58	N1	DD-D021105	DBG092R-062220	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE

Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
DBG092R	6/22/2020	15:58	N1	DD-D021105	DBG092R-062220	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2.8		0.088	0.24	ug/WIPE
DBG092R	6/22/2020	15:58	N1	DD-D021105	DBG092R-062220	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG092R	6/22/2020	15:58	N1	DD-D021105	DBG092R-062220	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.93		0.07	0.24	ug/WIPE
DBG092R	6/22/2020	15:58	N1	DD-D021105	DBG092R-062220	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG092R	6/22/2020	15:58	N1	DD-D021105	DBG092R-062220	SW8082A	SW	TOTAL PCBs	3.73		-	0.24	ug/WIPE
DW001	4/30/2020	11:06	N1	DD-D006601	DW001-043020	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DW001	4/30/2020	11:06	N1	DD-D006601	DW001-043020	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DW001	4/30/2020	11:06	N1	DD-D006601	DW001-043020	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DW001	4/30/2020	11:06	N1	DD-D006601	DW001-043020	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
DW001	4/30/2020	11:06	N1	DD-D006601	DW001-043020	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DW001	4/30/2020	11:06	N1	DD-D006601	DW001-043020	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
DW001	4/30/2020	11:06	N1	DD-D006601	DW001-043020	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DW001	4/30/2020	11:06	N1	DD-D006601	DW001-043020	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
DW002	4/30/2020	11:27	N1	DD-D006602	DW002-043020	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DW002	4/30/2020	11:27	N1	DD-D006602	DW002-043020	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DW002	4/30/2020	11:27	N1	DD-D006602	DW002-043020	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DW002	4/30/2020	11:27	N1	DD-D006602	DW002-043020	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
DW002	4/30/2020	11:27	N1	DD-D006602	DW002-043020	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DW002	4/30/2020	11:27	N1	DD-D006602	DW002-043020	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
DW002	4/30/2020	11:27	N1	DD-D006602	DW002-043020	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DW002	4/30/2020	11:27	N1	DD-D006602	DW002-043020	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
DW003	4/30/2020	11:48	N1	DD-D006603	DW003-043020	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DW003	4/30/2020	11:48	N1	DD-D006603	DW003-043020	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DW003	4/30/2020	11:48	N1	DD-D006603	DW003-043020	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DW003	4/30/2020	11:48	N1	DD-D006603	DW003-043020	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
DW003	4/30/2020	11:48	N1	DD-D006603	DW003-043020	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DW003	4/30/2020	11:48	N1	DD-D006603	DW003-043020	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
DW003	4/30/2020	11:48	N1	DD-D006603	DW003-043020	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DW003	4/30/2020	11:48	N1	DD-D006603	DW003-043020	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
DW004	4/28/2020	13:42	N1	DD-D006604	DW004-042820	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DW004	4/28/2020	13:42	N1	DD-D006604	DW004-042820	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DW004	4/28/2020	13:42	N1	DD-D006604	DW004-042820	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DW004	4/28/2020	13:42	N1	DD-D006604	DW004-042820	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.15	J	0.088	0.24	ug/WIPE
DW004	4/28/2020	13:42	N1	DD-D006604	DW004-042820	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DW004	4/28/2020	13:42	N1	DD-D006604	DW004-042820	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.24	J	0.07	0.24	ug/WIPE
DW004	4/28/2020	13:42	N1	DD-D006604	DW004-042820	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DW004	4/28/2020	13:42	N1	DD-D006604	DW004-042820	SW8082A	SW	TOTAL PCBs	0.39		-	0.24	ug/WIPE
DW005	4/28/2020	13:50	N1	DD-D006605	DW005-042820	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DW005	4/28/2020	13:50	N1	DD-D006605	DW005-042820	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DW005	4/28/2020	13:50	N1	DD-D006605	DW005-042820	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DW005	4/28/2020	13:50	N1	DD-D006605	DW005-042820	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
DW005	4/28/2020	13:50	N1	DD-D006605	DW005-042820	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DW005	4/28/2020	13:50	N1	DD-D006605	DW005-042820	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
DW005	4/28/2020	13:50	N1	DD-D006605	DW005-042820	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DW005	4/28/2020	13:50	N1	DD-D006605	DW005-042820	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
DW006-007-008	5/8/2020	12:45	N1	DD-D006606	DW006-007-008-050820-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DW006-007-008	5/8/2020	12:45	N1	DD-D006606	DW006-007-008-050820-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DW006-007-008	5/8/2020	12:45	N1	DD-D006606	DW006-007-008-050820-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DW006-007-008	5/8/2020	12:45	N1	DD-D006606	DW006-007-008-050820-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.3		0.088	0.24	ug/WIPE
DW006-007-008	5/8/2020	12:45	N1	DD-D006606	DW006-007-008-050820-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DW006-007-008	5/8/2020	12:45	N1	DD-D006606	DW006-007-008-050820-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.12	J	0.07	0.24	ug/WIPE



Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
DW006-007-008	5/8/2020	12:45	N1	DD-D006606	DW006-007-008-050820-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DW006-007-008	5/8/2020	12:45	N1	DD-D006606	DW006-007-008-050820-COMP	SW8082A	SW	TOTAL PCBs	0.42	U	-	0.24	ug/WIPE
DW009	4/28/2020	14:14	N1	DD-D006609	DW009-042820	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DW009	4/28/2020	14:14	N1	DD-D006609	DW009-042820	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DW009	4/28/2020	14:14	N1	DD-D006609	DW009-042820	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DW009	4/28/2020	14:14	N1	DD-D006609	DW009-042820	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	ND	U	0.088	0.24	ug/WIPE
DW009	4/28/2020	14:14	N1	DD-D006609	DW009-042820	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DW009	4/28/2020	14:14	N1	DD-D006609	DW009-042820	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	ND	U	0.07	0.24	ug/WIPE
DW009	4/28/2020	14:14	N1	DD-D006609	DW009-042820	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DW009	4/28/2020	14:14	N1	DD-D006609	DW009-042820	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
DW010	4/28/2020	14:04	N1	DD-D006610	DW010-042820	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DW010	4/28/2020	14:04	N1	DD-D006610	DW010-042820	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DW010	4/28/2020	14:04	N1	DD-D006610	DW010-042820	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DW010	4/28/2020	14:04	N1	DD-D006610	DW010-042820	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	ND	U	0.088	0.24	ug/WIPE
DW010	4/28/2020	14:04	N1	DD-D006610	DW010-042820	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DW010	4/28/2020	14:04	N1	DD-D006610	DW010-042820	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	ND	U	0.07	0.24	ug/WIPE
DW010	4/28/2020	14:04	N1	DD-D006610	DW010-042820	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DW010	4/28/2020	14:04	N1	DD-D006610	DW010-042820	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
DW011-012-013	5/8/2020	14:08	N1	DD-D006701	DW011-012-013-050820-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DW011-012-013	5/8/2020	14:08	N1	DD-D006701	DW011-012-013-050820-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DW011-012-013	5/8/2020	14:08	N1	DD-D006701	DW011-012-013-050820-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DW011-012-013	5/8/2020	14:08	N1	DD-D006701	DW011-012-013-050820-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.19	J	0.088	0.24	ug/WIPE
DW011-012-013	5/8/2020	14:08	N1	DD-D006701	DW011-012-013-050820-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DW011-012-013	5/8/2020	14:08	N1	DD-D006701	DW011-012-013-050820-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	ND	U	0.07	0.24	ug/WIPE
DW011-012-013	5/8/2020	14:08	N1	DD-D006701	DW011-012-013-050820-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DW011-012-013	5/8/2020	14:08	N1	DD-D006701	DW011-012-013-050820-COMP	SW8082A	SW	TOTAL PCBs	0.19	U	-	0.24	ug/WIPE
DW014	4/28/2020	14:42	N1	DD-D006704	DW014-042820	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DW014	4/28/2020	14:42	N1	DD-D006704	DW014-042820	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DW014	4/28/2020	14:42	N1	DD-D006704	DW014-042820	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DW014	4/28/2020	14:42	N1	DD-D006704	DW014-042820	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	ND	U	0.088	0.24	ug/WIPE
DW014	4/28/2020	14:42	N1	DD-D006704	DW014-042820	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DW014	4/28/2020	14:42	N1	DD-D006704	DW014-042820	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	ND	U	0.07	0.24	ug/WIPE
DW014	4/28/2020	14:42	N1	DD-D006704	DW014-042820	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DW014	4/28/2020	14:42	N1	DD-D006704	DW014-042820	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
DW015	4/28/2020	14:55	N1	DD-D006705	DW015-042820	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DW015	4/28/2020	14:55	N1	DD-D006705	DW015-042820	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DW015	4/28/2020	14:55	N1	DD-D006705	DW015-042820	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DW015	4/28/2020	14:55	N1	DD-D006705	DW015-042820	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.12	J	0.088	0.24	ug/WIPE
DW015	4/28/2020	14:55	N1	DD-D006705	DW015-042820	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DW015	4/28/2020	14:55	N1	DD-D006705	DW015-042820	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	ND	U	0.07	0.24	ug/WIPE
DW015	4/28/2020	14:55	N1	DD-D006705	DW015-042820	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DW015	4/28/2020	14:55	N1	DD-D006705	DW015-042820	SW8082A	SW	TOTAL PCBs	0.12	U	-	0.24	ug/WIPE
DW016	4/29/2020	7:00	N1	DD-D006706	DW016-042920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DW016	4/29/2020	7:00	N1	DD-D006706	DW016-042920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DW016	4/29/2020	7:00	N1	DD-D006706	DW016-042920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DW016	4/29/2020	7:00	N1	DD-D006706	DW016-042920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	ND	U	0.088	0.24	ug/WIPE
DW016	4/29/2020	7:00	N1	DD-D006706	DW016-042920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DW016	4/29/2020	7:00	N1	DD-D006706	DW016-042920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	ND	U	0.07	0.24	ug/WIPE
DW016	4/29/2020	7:00	N1	DD-D006706	DW016-042920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DW016	4/29/2020	7:00	N1	DD-D006706	DW016-042920	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
DW017-018-019	5/8/2020	15:42	N1	DD-D006707	DW017-018-019-050820-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE



Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
DW017-018-019	5/8/2020	15:42	N1	DD-D006707	DW017-018-019-050820-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DW017-018-019	5/8/2020	15:42	N1	DD-D006707	DW017-018-019-050820-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DW017-018-019	5/8/2020	15:42	N1	DD-D006707	DW017-018-019-050820-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.39		0.088	0.24	ug/WIPE
DW017-018-019	5/8/2020	15:42	N1	DD-D006707	DW017-018-019-050820-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DW017-018-019	5/8/2020	15:42	N1	DD-D006707	DW017-018-019-050820-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.17	J	0.07	0.24	ug/WIPE
DW017-018-019	5/8/2020	15:42	N1	DD-D006707	DW017-018-019-050820-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DW017-018-019	5/8/2020	15:42	N1	DD-D006707	DW017-018-019-050820-COMP	SW8082A	SW	TOTAL PCBs	0.56		-	0.24	ug/WIPE
DW020-021-022	5/8/2020	16:57	N1	DD-D006710	DW020-021-022-050820-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DW020-021-022	5/8/2020	16:57	N1	DD-D006710	DW020-021-022-050820-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DW020-021-022	5/8/2020	16:57	N1	DD-D006710	DW020-021-022-050820-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DW020-021-022	5/8/2020	16:57	N1	DD-D006710	DW020-021-022-050820-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.46		0.088	0.24	ug/WIPE
DW020-021-022	5/8/2020	16:57	N1	DD-D006710	DW020-021-022-050820-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DW020-021-022	5/8/2020	16:57	N1	DD-D006710	DW020-021-022-050820-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.24		0.07	0.24	ug/WIPE
DW020-021-022	5/8/2020	16:57	N1	DD-D006710	DW020-021-022-050820-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DW020-021-022	5/8/2020	16:57	N1	DD-D006710	DW020-021-022-050820-COMP	SW8082A	SW	TOTAL PCBs	0.7		-	0.24	ug/WIPE
DW023-024	5/8/2020	17:42	N1	DD-D006803	DW023-024-050820-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DW023-024	5/8/2020	17:42	N1	DD-D006803	DW023-024-050820-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DW023-024	5/8/2020	17:42	N1	DD-D006803	DW023-024-050820-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DW023-024	5/8/2020	17:42	N1	DD-D006803	DW023-024-050820-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.2	J	0.088	0.24	ug/WIPE
DW023-024	5/8/2020	17:42	N1	DD-D006803	DW023-024-050820-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DW023-024	5/8/2020	17:42	N1	DD-D006803	DW023-024-050820-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
DW023-024	5/8/2020	17:42	N1	DD-D006803	DW023-024-050820-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DW023-024	5/8/2020	17:42	N1	DD-D006803	DW023-024-050820-COMP	SW8082A	SW	TOTAL PCBs	0.2		-	0.24	ug/WIPE
DW025	4/29/2020	7:56	N1	DD-D006805	DW025-042920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DW025	4/29/2020	7:56	N1	DD-D006805	DW025-042920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DW025	4/29/2020	7:56	N1	DD-D006805	DW025-042920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DW025	4/29/2020	7:56	N1	DD-D006805	DW025-042920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.21	J	0.088	0.24	ug/WIPE
DW025	4/29/2020	7:56	N1	DD-D006805	DW025-042920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DW025	4/29/2020	7:56	N1	DD-D006805	DW025-042920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.18	J	0.07	0.24	ug/WIPE
DW025	4/29/2020	7:56	N1	DD-D006805	DW025-042920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DW025	4/29/2020	7:56	N1	DD-D006805	DW025-042920	SW8082A	SW	TOTAL PCBs	0.39		-	0.24	ug/WIPE
DW026	4/29/2020	8:12	N1	DD-D006806	DW026-042920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DW026	4/29/2020	8:12	N1	DD-D006806	DW026-042920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DW026	4/29/2020	8:12	N1	DD-D006806	DW026-042920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DW026	4/29/2020	8:12	N1	DD-D006806	DW026-042920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
DW026	4/29/2020	8:12	N1	DD-D006806	DW026-042920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DW026	4/29/2020	8:12	N1	DD-D006806	DW026-042920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
DW026	4/29/2020	8:12	N1	DD-D006806	DW026-042920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DW026	4/29/2020	8:12	N1	DD-D006806	DW026-042920	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
DW027-028	5/11/2020	7:44	N1	DD-D006807	DW027-DW028-051120-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DW027-028	5/11/2020	7:44	N1	DD-D006807	DW027-DW028-051120-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DW027-028	5/11/2020	7:44	N1	DD-D006807	DW027-DW028-051120-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DW027-028	5/11/2020	7:44	N1	DD-D006807	DW027-DW028-051120-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
DW027-028	5/11/2020	7:44	N1	DD-D006807	DW027-DW028-051120-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DW027-028	5/11/2020	7:44	N1	DD-D006807	DW027-DW028-051120-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
DW027-028	5/11/2020	7:44	N1	DD-D006807	DW027-DW028-051120-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DW027-028	5/11/2020	7:44	N1	DD-D006807	DW027-DW028-051120-COMP	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
DW029-030-031	5/11/2020	8:51	N1	DD-D006809	DW029-030-031-051120-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DW029-030-031	5/11/2020	8:51	N1	DD-D006809	DW029-030-031-051120-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DW029-030-031	5/11/2020	8:51	N1	DD-D006809	DW029-030-031-051120-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DW029-030-031	5/11/2020	8:51	N1	DD-D006809	DW029-030-031-051120-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	5.4		0.088	0.24	ug/WIPE

Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
DW029-030-031	5/11/2020	8:51	N1	DD-D006809	DW029-030-031-051120-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DW029-030-031	5/11/2020	8:51	N1	DD-D006809	DW029-030-031-051120-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.1	U	0.07	0.24	ug/WIPE
DW029-030-031	5/11/2020	8:51	N1	DD-D006809	DW029-030-031-051120-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DW029-030-031	5/11/2020	8:51	N1	DD-D006809	DW029-030-031-051120-COMP	SW8082A	SW	TOTAL PCBs	6.5		-	0.24	ug/WIPE
EBG001-002-003	5/11/2020	10:11	N1	DD-D008401	EBG001-002-003-051120-COM	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG001-002-003	5/11/2020	10:11	N1	DD-D008401	EBG001-002-003-051120-COM	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG001-002-003	5/11/2020	10:11	N1	DD-D008401	EBG001-002-003-051120-COM	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG001-002-003	5/11/2020	10:11	N1	DD-D008401	EBG001-002-003-051120-COM	SW8082A	SW	PCB-1242 (AROCLOR 1242)	10		0.088	0.24	ug/WIPE
EBG001-002-003	5/11/2020	10:11	N1	DD-D008401	EBG001-002-003-051120-COM	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG001-002-003	5/11/2020	10:11	N1	DD-D008401	EBG001-002-003-051120-COM	SW8082A	SW	PCB-1254 (AROCLOR 1254)	3.5		0.07	0.24	ug/WIPE
EBG001-002-003	5/11/2020	10:11	N1	DD-D008401	EBG001-002-003-051120-COM	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG001-002-003	5/11/2020	10:11	N1	DD-D008401	EBG001-002-003-051120-COM	SW8082A	SW	TOTAL PCBs	13.5		-	0.24	ug/WIPE
EBG001R	6/24/2020	7:16	N1	DD-D021201	EBG001R-062420	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG001R	6/24/2020	7:16	N1	DD-D021201	EBG001R-062420	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG001R	6/24/2020	7:16	N1	DD-D021201	EBG001R-062420	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG001R	6/24/2020	7:16	N1	DD-D021201	EBG001R-062420	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3.1		0.088	0.24	ug/WIPE
EBG001R	6/24/2020	7:16	N1	DD-D021201	EBG001R-062420	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG001R	6/24/2020	7:16	N1	DD-D021201	EBG001R-062420	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.84		0.07	0.24	ug/WIPE
EBG001R	6/24/2020	7:16	N1	DD-D021201	EBG001R-062420	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG001R	6/24/2020	7:16	N1	DD-D021201	EBG001R-062420	SW8082A	SW	TOTAL PCBs	3.94		-	0.24	ug/WIPE
EBG002R	6/24/2020	7:19	N1	DD-D021202	EBG002R-062420	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.36	0.96	ug/WIPE
EBG002R	6/24/2020	7:19	N1	DD-D021202	EBG002R-062420	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.47	0.96	ug/WIPE
EBG002R	6/24/2020	7:19	N1	DD-D021202	EBG002R-062420	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.56	0.96	ug/WIPE
EBG002R	6/24/2020	7:19	N1	DD-D021202	EBG002R-062420	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3		0.35	0.96	ug/WIPE
EBG002R	6/24/2020	7:19	N1	DD-D021202	EBG002R-062420	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.37	0.96	ug/WIPE
EBG002R	6/24/2020	7:19	N1	DD-D021202	EBG002R-062420	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.1		0.28	0.96	ug/WIPE
EBG002R	6/24/2020	7:19	N1	DD-D021202	EBG002R-062420	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.36	0.96	ug/WIPE
EBG002R	6/24/2020	7:19	N1	DD-D021202	EBG002R-062420	SW8082A	SW	TOTAL PCBs	4.1		-	0.96	ug/WIPE
EBG003R	6/24/2020	7:25	N1	DD-D021203	EBG003R-062420	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG003R	6/24/2020	7:25	N1	DD-D021203	EBG003R-062420	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG003R	6/24/2020	7:25	N1	DD-D021203	EBG003R-062420	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG003R	6/24/2020	7:25	N1	DD-D021203	EBG003R-062420	SW8082A	SW	PCB-1242 (AROCLOR 1242)	4.2		0.088	0.24	ug/WIPE
EBG003R	6/24/2020	7:25	N1	DD-D021203	EBG003R-062420	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG003R	6/24/2020	7:25	N1	DD-D021203	EBG003R-062420	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.1		0.07	0.24	ug/WIPE
EBG003R	6/24/2020	7:25	N1	DD-D021203	EBG003R-062420	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG003R	6/24/2020	7:25	N1	DD-D021203	EBG003R-062420	SW8082A	SW	TOTAL PCBs	5.3		-	0.24	ug/WIPE
EBG004-005-006	5/11/2020	9:42	N1	DD-D008404	EBG004-005-006-051120-COM	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG004-005-006	5/11/2020	9:42	N1	DD-D008404	EBG004-005-006-051120-COM	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG004-005-006	5/11/2020	9:42	N1	DD-D008404	EBG004-005-006-051120-COM	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG004-005-006	5/11/2020	9:42	N1	DD-D008404	EBG004-005-006-051120-COM	SW8082A	SW	PCB-1242 (AROCLOR 1242)	15		0.088	0.24	ug/WIPE
EBG004-005-006	5/11/2020	9:42	N1	DD-D008404	EBG004-005-006-051120-COM	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG004-005-006	5/11/2020	9:42	N1	DD-D008404	EBG004-005-006-051120-COM	SW8082A	SW	PCB-1254 (AROCLOR 1254)	5.4		0.07	0.24	ug/WIPE
EBG004-005-006	5/11/2020	9:42	N1	DD-D008404	EBG004-005-006-051120-COM	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG004-005-006	5/11/2020	9:42	N1	DD-D008404	EBG004-005-006-051120-COM	SW8082A	SW	TOTAL PCBs	20.4		-	0.24	ug/WIPE
EBG004R	6/24/2020	7:29	N1	DD-D021204	EBG004R-062420	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG004R	6/24/2020	7:29	N1	DD-D021204	EBG004R-062420	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG004R	6/24/2020	7:29	N1	DD-D021204	EBG004R-062420	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG004R	6/24/2020	7:29	N1	DD-D021204	EBG004R-062420	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3.5		0.088	0.24	ug/WIPE
EBG004R	6/24/2020	7:29	N1	DD-D021204	EBG004R-062420	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG004R	6/24/2020	7:29	N1	DD-D021204	EBG004R-062420	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.3		0.07	0.24	ug/WIPE
EBG004R	6/24/2020	7:29	N1	DD-D021204	EBG004R-062420	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE

Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
EBG004R	6/24/2020	7:29	N1	DD-D021204	EBG004R-062420	SW8082A	SW	TOTAL PCBs	4.8		-	0.24	ug/WIPE
EBG005R	6/24/2020	7:34	N1	DD-D021205	EBG005R-062420	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG005R	6/24/2020	7:34	N1	DD-D021205	EBG005R-062420	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG005R	6/24/2020	7:34	N1	DD-D021205	EBG005R-062420	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG005R	6/24/2020	7:34	N1	DD-D021205	EBG005R-062420	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.56		0.088	0.24	ug/WIPE
EBG005R	6/24/2020	7:34	N1	DD-D021205	EBG005R-062420	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG005R	6/24/2020	7:34	N1	DD-D021205	EBG005R-062420	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.19	J	0.07	0.24	ug/WIPE
EBG005R	6/24/2020	7:34	N1	DD-D021205	EBG005R-062420	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG005R	6/24/2020	7:34	N1	DD-D021205	EBG005R-062420	SW8082A	SW	TOTAL PCBs	0.75		-	0.24	ug/WIPE
EBG006R	6/24/2020	7:42	N1	DD-D021206	EBG006R-062420	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG006R	6/24/2020	7:42	N1	DD-D021206	EBG006R-062420	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG006R	6/24/2020	7:42	N1	DD-D021206	EBG006R-062420	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG006R	6/24/2020	7:42	N1	DD-D021206	EBG006R-062420	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2.7		0.088	0.24	ug/WIPE
EBG006R	6/24/2020	7:42	N1	DD-D021206	EBG006R-062420	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG006R	6/24/2020	7:42	N1	DD-D021206	EBG006R-062420	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.78		0.07	0.24	ug/WIPE
EBG006R	6/24/2020	7:42	N1	DD-D021206	EBG006R-062420	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG006R	6/24/2020	7:42	N1	DD-D021206	EBG006R-062420	SW8082A	SW	TOTAL PCBs	3.48		-	0.24	ug/WIPE
EBG007	5/11/2020	9:07	N1	DD-D008407	EBG007-051120	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG007	5/11/2020	9:07	N1	DD-D008407	EBG007-051120	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG007	5/11/2020	9:07	N1	DD-D008407	EBG007-051120	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG007	5/11/2020	9:07	N1	DD-D008407	EBG007-051120	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3.1		0.088	0.24	ug/WIPE
EBG007	5/11/2020	9:07	N1	DD-D008407	EBG007-051120	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG007	5/11/2020	9:07	N1	DD-D008407	EBG007-051120	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.2		0.07	0.24	ug/WIPE
EBG007	5/11/2020	9:07	N1	DD-D008407	EBG007-051120	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG007	5/11/2020	9:07	N1	DD-D008407	EBG007-051120	SW8082A	SW	TOTAL PCBs	4.3		-	0.24	ug/WIPE
EBG008-009-010	5/11/2020	8:49	N1	DD-D008408	EBG008-009-010-051120-COM	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG008-009-010	5/11/2020	8:49	N1	DD-D008408	EBG008-009-010-051120-COM	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG008-009-010	5/11/2020	8:49	N1	DD-D008408	EBG008-009-010-051120-COM	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG008-009-010	5/11/2020	8:49	N1	DD-D008408	EBG008-009-010-051120-COM	SW8082A	SW	PCB-1242 (AROCLOR 1242)	13		0.088	0.24	ug/WIPE
EBG008-009-010	5/11/2020	8:49	N1	DD-D008408	EBG008-009-010-051120-COM	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG008-009-010	5/11/2020	8:49	N1	DD-D008408	EBG008-009-010-051120-COM	SW8082A	SW	PCB-1254 (AROCLOR 1254)	4.6		0.07	0.24	ug/WIPE
EBG008-009-010	5/11/2020	8:49	N1	DD-D008408	EBG008-009-010-051120-COM	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG008-009-010	5/11/2020	8:49	N1	DD-D008408	EBG008-009-010-051120-COM	SW8082A	SW	TOTAL PCBs	17.6		-	0.24	ug/WIPE
EBG008R	6/24/2020	7:48	N1	DD-D021207	EBG008R-062420	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG008R	6/24/2020	7:48	N1	DD-D021207	EBG008R-062420	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG008R	6/24/2020	7:48	N1	DD-D021207	EBG008R-062420	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG008R	6/24/2020	7:48	N1	DD-D021207	EBG008R-062420	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2.6		0.088	0.24	ug/WIPE
EBG008R	6/24/2020	7:48	N1	DD-D021207	EBG008R-062420	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG008R	6/24/2020	7:48	N1	DD-D021207	EBG008R-062420	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.95		0.07	0.24	ug/WIPE
EBG008R	6/24/2020	7:48	N1	DD-D021207	EBG008R-062420	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG008R	6/24/2020	7:48	N1	DD-D021207	EBG008R-062420	SW8082A	SW	TOTAL PCBs	3.55		-	0.24	ug/WIPE
EBG009R	6/24/2020	7:52	N1	DD-D021208	EBG009R-062420	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG009R	6/24/2020	7:52	N1	DD-D021208	EBG009R-062420	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG009R	6/24/2020	7:52	N1	DD-D021208	EBG009R-062420	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG009R	6/24/2020	7:52	N1	DD-D021208	EBG009R-062420	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1.6		0.088	0.24	ug/WIPE
EBG009R	6/24/2020	7:52	N1	DD-D021208	EBG009R-062420	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG009R	6/24/2020	7:52	N1	DD-D021208	EBG009R-062420	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.55		0.07	0.24	ug/WIPE
EBG009R	6/24/2020	7:52	N1	DD-D021208	EBG009R-062420	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG009R	6/24/2020	7:52	N1	DD-D021208	EBG009R-062420	SW8082A	SW	TOTAL PCBs	2.15		-	0.24	ug/WIPE
EBG010R	6/25/2020	6:30	N1	DD-D021209	EBG010R-062520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG010R	6/25/2020	6:30	N1	DD-D021209	EBG010R-062520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE

Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
EBG010R	6/25/2020	6:30	N1	DD-D021209	EBG010R-062520	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG010R	6/25/2020	6:30	N1	DD-D021209	EBG010R-062520	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.24	J	0.088	0.24	ug/WIPE
EBG010R	6/25/2020	6:30	N1	DD-D021209	EBG010R-062520	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG010R	6/25/2020	6:30	N1	DD-D021209	EBG010R-062520	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.11	J	0.07	0.24	ug/WIPE
EBG010R	6/25/2020	6:30	N1	DD-D021209	EBG010R-062520	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG010R	6/25/2020	6:30	N1	DD-D021209	EBG010R-062520	SW8082A	SW	TOTAL PCBs	0.35		-	0.24	ug/WIPE
EBG011-012	5/11/2020	8:37	N1	DD-D008501	EBG011-012-051120-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG011-012	5/11/2020	8:37	N1	DD-D008501	EBG011-012-051120-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG011-012	5/11/2020	8:37	N1	DD-D008501	EBG011-012-051120-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG011-012	5/11/2020	8:37	N1	DD-D008501	EBG011-012-051120-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	6.2		0.088	0.24	ug/WIPE
EBG011-012	5/11/2020	8:37	N1	DD-D008501	EBG011-012-051120-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG011-012	5/11/2020	8:37	N1	DD-D008501	EBG011-012-051120-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.6		0.07	0.24	ug/WIPE
EBG011-012	5/11/2020	8:37	N1	DD-D008501	EBG011-012-051120-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG011-012	5/11/2020	8:37	N1	DD-D008501	EBG011-012-051120-COMP	SW8082A	SW	TOTAL PCBs	8.8		-	0.24	ug/WIPE
EBG013-014-015	5/11/2020	8:25	N1	DD-D008503	EBG013-014-015-051120-COM	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG013-014-015	5/11/2020	8:25	N1	DD-D008503	EBG013-014-015-051120-COM	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG013-014-015	5/11/2020	8:25	N1	DD-D008503	EBG013-014-015-051120-COM	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG013-014-015	5/11/2020	8:25	N1	DD-D008503	EBG013-014-015-051120-COM	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	16		0.088	0.24	ug/WIPE
EBG013-014-015	5/11/2020	8:25	N1	DD-D008503	EBG013-014-015-051120-COM	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG013-014-015	5/11/2020	8:25	N1	DD-D008503	EBG013-014-015-051120-COM	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	5.6		0.07	0.24	ug/WIPE
EBG013-014-015	5/11/2020	8:25	N1	DD-D008503	EBG013-014-015-051120-COM	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG013-014-015	5/11/2020	8:25	N1	DD-D008503	EBG013-014-015-051120-COM	SW8082A	SW	TOTAL PCBs	21.6		-	0.24	ug/WIPE
EBG013R	6/25/2020	6:35	N1	DD-D021210	EBG013R-062520	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG013R	6/25/2020	6:35	N1	DD-D021210	EBG013R-062520	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG013R	6/25/2020	6:35	N1	DD-D021210	EBG013R-062520	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG013R	6/25/2020	6:35	N1	DD-D021210	EBG013R-062520	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	5.1		0.088	0.24	ug/WIPE
EBG013R	6/25/2020	6:35	N1	DD-D021210	EBG013R-062520	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG013R	6/25/2020	6:35	N1	DD-D021210	EBG013R-062520	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.3		0.07	0.24	ug/WIPE
EBG013R	6/25/2020	6:35	N1	DD-D021210	EBG013R-062520	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG013R	6/25/2020	6:35	N1	DD-D021210	EBG013R-062520	SW8082A	SW	TOTAL PCBs	6.4		-	0.24	ug/WIPE
EBG014R	6/25/2020	6:40	N1	DD-D021301	EBG014R-062520	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG014R	6/25/2020	6:40	N1	DD-D021301	EBG014R-062520	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG014R	6/25/2020	6:40	N1	DD-D021301	EBG014R-062520	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG014R	6/25/2020	6:40	N1	DD-D021301	EBG014R-062520	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	6		0.088	0.24	ug/WIPE
EBG014R	6/25/2020	6:40	N1	DD-D021301	EBG014R-062520	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG014R	6/25/2020	6:40	N1	DD-D021301	EBG014R-062520	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.6		0.07	0.24	ug/WIPE
EBG014R	6/25/2020	6:40	N1	DD-D021301	EBG014R-062520	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG014R	6/25/2020	6:40	N1	DD-D021301	EBG014R-062520	SW8082A	SW	TOTAL PCBs	7.6		-	0.24	ug/WIPE
EBG015R	6/25/2020	7:00	N1	DD-D021302	EBG015R-062520	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG015R	6/25/2020	7:00	N1	DD-D021302	EBG015R-062520	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG015R	6/25/2020	7:00	N1	DD-D021302	EBG015R-062520	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG015R	6/25/2020	7:00	N1	DD-D021302	EBG015R-062520	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.8		0.088	0.24	ug/WIPE
EBG015R	6/25/2020	7:00	N1	DD-D021302	EBG015R-062520	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG015R	6/25/2020	7:00	N1	DD-D021302	EBG015R-062520	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.2		0.07	0.24	ug/WIPE
EBG015R	6/25/2020	7:00	N1	DD-D021302	EBG015R-062520	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG015R	6/25/2020	7:00	N1	DD-D021302	EBG015R-062520	SW8082A	SW	TOTAL PCBs	5		-	0.24	ug/WIPE
EBG016-017	5/11/2020	8:11	N1	DD-D008506	EBG016-017-051120-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG016-017	5/11/2020	8:11	N1	DD-D008506	EBG016-017-051120-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG016-017	5/11/2020	8:11	N1	DD-D008506	EBG016-017-051120-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG016-017	5/11/2020	8:11	N1	DD-D008506	EBG016-017-051120-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	1.2		0.088	0.24	ug/WIPE
EBG016-017	5/11/2020	8:11	N1	DD-D008506	EBG016-017-051120-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE

Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
EBG016-017	5/11/2020	8:11	N1	DD-D008506	EBG016-017-051120-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.56		0.07	0.24	ug/WIPE
EBG016-017	5/11/2020	8:11	N1	DD-D008506	EBG016-017-051120-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG016-017	5/11/2020	8:11	N1	DD-D008506	EBG016-017-051120-COMP	SW8082A	SW	TOTAL PCBs	1.76		-	0.24	ug/WIPE
EBG018	5/11/2020	10:30	N1	DD-D008508	EBG018-051120	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG018	5/11/2020	10:30	N1	DD-D008508	EBG018-051120	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG018	5/11/2020	10:30	N1	DD-D008508	EBG018-051120	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG018	5/11/2020	10:30	N1	DD-D008508	EBG018-051120	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	5.2		0.088	0.24	ug/WIPE
EBG018	5/11/2020	10:30	N1	DD-D008508	EBG018-051120	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG018	5/11/2020	10:30	N1	DD-D008508	EBG018-051120	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2		0.07	0.24	ug/WIPE
EBG018	5/11/2020	10:30	N1	DD-D008508	EBG018-051120	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG018	5/11/2020	10:30	N1	DD-D008508	EBG018-051120	SW8082A	SW	TOTAL PCBs	7.2		-	0.24	ug/WIPE
EBG019-020	5/11/2020	10:35	N1	DD-D008509	EBG019-020-051120-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG019-020	5/11/2020	10:35	N1	DD-D008509	EBG019-020-051120-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG019-020	5/11/2020	10:35	N1	DD-D008509	EBG019-020-051120-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG019-020	5/11/2020	10:35	N1	DD-D008509	EBG019-020-051120-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.4		0.088	0.24	ug/WIPE
EBG019-020	5/11/2020	10:35	N1	DD-D008509	EBG019-020-051120-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG019-020	5/11/2020	10:35	N1	DD-D008509	EBG019-020-051120-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.98		0.07	0.24	ug/WIPE
EBG019-020	5/11/2020	10:35	N1	DD-D008509	EBG019-020-051120-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG019-020	5/11/2020	10:35	N1	DD-D008509	EBG019-020-051120-COMP	SW8082A	SW	TOTAL PCBs	3.38		-	0.24	ug/WIPE
EBG021-022	5/11/2020	10:42	N1	DD-D008601	EBG021-022-051120-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG021-022	5/11/2020	10:42	N1	DD-D008601	EBG021-022-051120-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG021-022	5/11/2020	10:42	N1	DD-D008601	EBG021-022-051120-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG021-022	5/11/2020	10:42	N1	DD-D008601	EBG021-022-051120-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	5.8		0.088	0.24	ug/WIPE
EBG021-022	5/11/2020	10:42	N1	DD-D008601	EBG021-022-051120-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG021-022	5/11/2020	10:42	N1	DD-D008601	EBG021-022-051120-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.2		0.07	0.24	ug/WIPE
EBG021-022	5/11/2020	10:42	N1	DD-D008601	EBG021-022-051120-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG021-022	5/11/2020	10:42	N1	DD-D008601	EBG021-022-051120-COMP	SW8082A	SW	TOTAL PCBs	8		-	0.24	ug/WIPE
EBG023-024	5/11/2020	11:56	N1	DD-D008603	EBG023-024-051120-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG023-024	5/11/2020	11:56	N1	DD-D008603	EBG023-024-051120-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG023-024	5/11/2020	11:56	N1	DD-D008603	EBG023-024-051120-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG023-024	5/11/2020	11:56	N1	DD-D008603	EBG023-024-051120-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	7.7		0.088	0.24	ug/WIPE
EBG023-024	5/11/2020	11:56	N1	DD-D008603	EBG023-024-051120-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG023-024	5/11/2020	11:56	N1	DD-D008603	EBG023-024-051120-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.6		0.07	0.24	ug/WIPE
EBG023-024	5/11/2020	11:56	N1	DD-D008603	EBG023-024-051120-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG023-024	5/11/2020	11:56	N1	DD-D008603	EBG023-024-051120-COMP	SW8082A	SW	TOTAL PCBs	10.3		-	0.24	ug/WIPE
EBG023R	6/25/2020	7:05	N1	DD-D021303	EBG023R-062520	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG023R	6/25/2020	7:05	N1	DD-D021303	EBG023R-062520	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG023R	6/25/2020	7:05	N1	DD-D021303	EBG023R-062520	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG023R	6/25/2020	7:05	N1	DD-D021303	EBG023R-062520	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	1.6		0.088	0.24	ug/WIPE
EBG023R	6/25/2020	7:05	N1	DD-D021303	EBG023R-062520	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG023R	6/25/2020	7:05	N1	DD-D021303	EBG023R-062520	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.48		0.07	0.24	ug/WIPE
EBG023R	6/25/2020	7:05	N1	DD-D021303	EBG023R-062520	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG023R	6/25/2020	7:05	N1	DD-D021303	EBG023R-062520	SW8082A	SW	TOTAL PCBs	2.08		-	0.24	ug/WIPE
EBG024R	6/25/2020	7:13	N1	DD-D021304	EBG024R-062520	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG024R	6/25/2020	7:13	N1	DD-D021304	EBG024R-062520	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG024R	6/25/2020	7:13	N1	DD-D021304	EBG024R-062520	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG024R	6/25/2020	7:13	N1	DD-D021304	EBG024R-062520	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	5.2		0.088	0.24	ug/WIPE
EBG024R	6/25/2020	7:13	N1	DD-D021304	EBG024R-062520	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG024R	6/25/2020	7:13	N1	DD-D021304	EBG024R-062520	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.8		0.07	0.24	ug/WIPE
EBG024R	6/25/2020	7:13	N1	DD-D021304	EBG024R-062520	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG024R	6/25/2020	7:13	N1	DD-D021304	EBG024R-062520	SW8082A	SW	TOTAL PCBs	7		-	0.24	ug/WIPE



Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
EBGO25-026	5/11/2020	11:48	N1	DD-D008605	EBGO25-026-051120-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBGO25-026	5/11/2020	11:48	N1	DD-D008605	EBGO25-026-051120-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBGO25-026	5/11/2020	11:48	N1	DD-D008605	EBGO25-026-051120-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBGO25-026	5/11/2020	11:48	N1	DD-D008605	EBGO25-026-051120-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	9.4		0.088	0.24	ug/WIPE
EBGO25-026	5/11/2020	11:48	N1	DD-D008605	EBGO25-026-051120-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBGO25-026	5/11/2020	11:48	N1	DD-D008605	EBGO25-026-051120-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	3.6		0.07	0.24	ug/WIPE
EBGO25-026	5/11/2020	11:48	N1	DD-D008605	EBGO25-026-051120-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBGO25-026	5/11/2020	11:48	N1	DD-D008605	EBGO25-026-051120-COMP	SW8082A	SW	TOTAL PCBs	13		-	0.24	ug/WIPE
EBGO25R	6/25/2020	7:17	N1	DD-D021305	EBGO25R-062520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBGO25R	6/25/2020	7:17	N1	DD-D021305	EBGO25R-062520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBGO25R	6/25/2020	7:17	N1	DD-D021305	EBGO25R-062520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBGO25R	6/25/2020	7:17	N1	DD-D021305	EBGO25R-062520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3.3		0.088	0.24	ug/WIPE
EBGO25R	6/25/2020	7:17	N1	DD-D021305	EBGO25R-062520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBGO25R	6/25/2020	7:17	N1	DD-D021305	EBGO25R-062520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.88		0.07	0.24	ug/WIPE
EBGO25R	6/25/2020	7:17	N1	DD-D021305	EBGO25R-062520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBGO25R	6/25/2020	7:17	N1	DD-D021305	EBGO25R-062520	SW8082A	SW	TOTAL PCBs	4.18		-	0.24	ug/WIPE
EBGO26R	6/25/2020	7:22	N1	DD-D021306	EBGO26R-062520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBGO26R	6/25/2020	7:22	N1	DD-D021306	EBGO26R-062520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBGO26R	6/25/2020	7:22	N1	DD-D021306	EBGO26R-062520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBGO26R	6/25/2020	7:22	N1	DD-D021306	EBGO26R-062520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	4.7		0.088	0.24	ug/WIPE
EBGO26R	6/25/2020	7:22	N1	DD-D021306	EBGO26R-062520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBGO26R	6/25/2020	7:22	N1	DD-D021306	EBGO26R-062520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.5		0.07	0.24	ug/WIPE
EBGO26R	6/25/2020	7:22	N1	DD-D021306	EBGO26R-062520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBGO26R	6/25/2020	7:22	N1	DD-D021306	EBGO26R-062520	SW8082A	SW	TOTAL PCBs	6.2		-	0.24	ug/WIPE
EBGO27	5/11/2020	11:37	N1	DD-D008607	EBGO27-051120	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBGO27	5/11/2020	11:37	N1	DD-D008607	EBGO27-051120	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBGO27	5/11/2020	11:37	N1	DD-D008607	EBGO27-051120	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBGO27	5/11/2020	11:37	N1	DD-D008607	EBGO27-051120	SW8082A	SW	PCB-1242 (AROCLOR 1242)	9.3		0.088	0.24	ug/WIPE
EBGO27	5/11/2020	11:37	N1	DD-D008607	EBGO27-051120	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBGO27	5/11/2020	11:37	N1	DD-D008607	EBGO27-051120	SW8082A	SW	PCB-1254 (AROCLOR 1254)	3.6		0.07	0.24	ug/WIPE
EBGO27	5/11/2020	11:37	N1	DD-D008607	EBGO27-051120	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBGO27	5/11/2020	11:37	N1	DD-D008607	EBGO27-051120	SW8082A	SW	TOTAL PCBs	12.9		-	0.24	ug/WIPE
EBGO27R	6/25/2020	7:26	N1	DD-D021307	EBGO27R-062520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBGO27R	6/25/2020	7:26	N1	DD-D021307	EBGO27R-062520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBGO27R	6/25/2020	7:26	N1	DD-D021307	EBGO27R-062520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBGO27R	6/25/2020	7:26	N1	DD-D021307	EBGO27R-062520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	5		0.088	0.24	ug/WIPE
EBGO27R	6/25/2020	7:26	N1	DD-D021307	EBGO27R-062520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBGO27R	6/25/2020	7:26	N1	DD-D021307	EBGO27R-062520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.6		0.07	0.24	ug/WIPE
EBGO27R	6/25/2020	7:26	N1	DD-D021307	EBGO27R-062520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBGO27R	6/25/2020	7:26	N1	DD-D021307	EBGO27R-062520	SW8082A	SW	TOTAL PCBs	6.6		-	0.24	ug/WIPE
EBGO28-029	5/11/2020	11:40	N1	DD-D008608	EBGO28-029-051120-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBGO28-029	5/11/2020	11:40	N1	DD-D008608	EBGO28-029-051120-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBGO28-029	5/11/2020	11:40	N1	DD-D008608	EBGO28-029-051120-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBGO28-029	5/11/2020	11:40	N1	DD-D008608	EBGO28-029-051120-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3.5		0.088	0.24	ug/WIPE
EBGO28-029	5/11/2020	11:40	N1	DD-D008608	EBGO28-029-051120-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBGO28-029	5/11/2020	11:40	N1	DD-D008608	EBGO28-029-051120-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.2		0.07	0.24	ug/WIPE
EBGO28-029	5/11/2020	11:40	N1	DD-D008608	EBGO28-029-051120-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBGO28-029	5/11/2020	11:40	N1	DD-D008608	EBGO28-029-051120-COMP	SW8082A	SW	TOTAL PCBs	4.7		-	0.24	ug/WIPE
EBGO30-031	5/11/2020	11:26	N1	DD-D008610	EBGO30-031-051120-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBGO30-031	5/11/2020	11:26	N1	DD-D008610	EBGO30-031-051120-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBGO30-031	5/11/2020	11:26	N1	DD-D008610	EBGO30-031-051120-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE



Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
EBG030-031	5/11/2020	11:26	N1	DD-D008610	EBG030-031-051120-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	9.8		0.088	0.24	ug/WIPE
EBG030-031	5/11/2020	11:26	N1	DD-D008610	EBG030-031-051120-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG030-031	5/11/2020	11:26	N1	DD-D008610	EBG030-031-051120-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	3.4		0.07	0.24	ug/WIPE
EBG030-031	5/11/2020	11:26	N1	DD-D008610	EBG030-031-051120-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG030-031	5/11/2020	11:26	N1	DD-D008610	EBG030-031-051120-COMP	SW8082A	SW	TOTAL PCBs	13.2		-	0.24	ug/WIPE
EBG030R	6/25/2020	7:33	N1	DD-D021308	EBG030R-062520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG030R	6/25/2020	7:33	N1	DD-D021308	EBG030R-062520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG030R	6/25/2020	7:33	N1	DD-D021308	EBG030R-062520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG030R	6/25/2020	7:33	N1	DD-D021308	EBG030R-062520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2.2		0.088	0.24	ug/WIPE
EBG030R	6/25/2020	7:33	N1	DD-D021308	EBG030R-062520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG030R	6/25/2020	7:33	N1	DD-D021308	EBG030R-062520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.72		0.07	0.24	ug/WIPE
EBG030R	6/25/2020	7:33	N1	DD-D021308	EBG030R-062520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG030R	6/25/2020	7:33	N1	DD-D021308	EBG030R-062520	SW8082A	SW	TOTAL PCBs	2.92		-	0.24	ug/WIPE
EBG031R	6/25/2020	7:36	N1	DD-D021309	EBG031R-062520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG031R	6/25/2020	7:36	N1	DD-D021309	EBG031R-062520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG031R	6/25/2020	7:36	N1	DD-D021309	EBG031R-062520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG031R	6/25/2020	7:36	N1	DD-D021309	EBG031R-062520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	5.5		0.088	0.24	ug/WIPE
EBG031R	6/25/2020	7:36	N1	DD-D021309	EBG031R-062520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG031R	6/25/2020	7:36	N1	DD-D021309	EBG031R-062520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.3		0.07	0.24	ug/WIPE
EBG031R	6/25/2020	7:36	N1	DD-D021309	EBG031R-062520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG031R	6/25/2020	7:36	N1	DD-D021309	EBG031R-062520	SW8082A	SW	TOTAL PCBs	6.8		-	0.24	ug/WIPE
EBG032-033	5/11/2020	11:09	N1	DD-D008702	EBG032-033-051120-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG032-033	5/11/2020	11:09	N1	DD-D008702	EBG032-033-051120-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG032-033	5/11/2020	11:09	N1	DD-D008702	EBG032-033-051120-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG032-033	5/11/2020	11:09	N1	DD-D008702	EBG032-033-051120-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	9.2		0.088	0.24	ug/WIPE
EBG032-033	5/11/2020	11:09	N1	DD-D008702	EBG032-033-051120-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG032-033	5/11/2020	11:09	N1	DD-D008702	EBG032-033-051120-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2.7		0.07	0.24	ug/WIPE
EBG032-033	5/11/2020	11:09	N1	DD-D008702	EBG032-033-051120-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG032-033	5/11/2020	11:09	N1	DD-D008702	EBG032-033-051120-COMP	SW8082A	SW	TOTAL PCBs	11.9		-	0.24	ug/WIPE
EBG032R	6/25/2020	7:50	N1	DD-D021310	EBG032R-062520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG032R	6/25/2020	7:50	N1	DD-D021310	EBG032R-062520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG032R	6/25/2020	7:50	N1	DD-D021310	EBG032R-062520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG032R	6/25/2020	7:50	N1	DD-D021310	EBG032R-062520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	6.5		0.088	0.24	ug/WIPE
EBG032R	6/25/2020	7:50	N1	DD-D021310	EBG032R-062520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG032R	6/25/2020	7:50	N1	DD-D021310	EBG032R-062520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2		0.07	0.24	ug/WIPE
EBG032R	6/25/2020	7:50	N1	DD-D021310	EBG032R-062520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG032R	6/25/2020	7:50	N1	DD-D021310	EBG032R-062520	SW8082A	SW	TOTAL PCBs	8.5		-	0.24	ug/WIPE
EBG033R	6/25/2020	7:44	N1	DD-D021401	EBG033R-062520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG033R	6/25/2020	7:44	N1	DD-D021401	EBG033R-062520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG033R	6/25/2020	7:44	N1	DD-D021401	EBG033R-062520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG033R	6/25/2020	7:44	N1	DD-D021401	EBG033R-062520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	4.6		0.088	0.24	ug/WIPE
EBG033R	6/25/2020	7:44	N1	DD-D021401	EBG033R-062520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG033R	6/25/2020	7:44	N1	DD-D021401	EBG033R-062520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.4		0.07	0.24	ug/WIPE
EBG033R	6/25/2020	7:44	N1	DD-D021401	EBG033R-062520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG033R	6/25/2020	7:44	N1	DD-D021401	EBG033R-062520	SW8082A	SW	TOTAL PCBs	6		-	0.24	ug/WIPE
EBG034-035	5/11/2020	11:08	N1	DD-D008704	EBG034-035-051120-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG034-035	5/11/2020	11:08	N1	DD-D008704	EBG034-035-051120-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG034-035	5/11/2020	11:08	N1	DD-D008704	EBG034-035-051120-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG034-035	5/11/2020	11:08	N1	DD-D008704	EBG034-035-051120-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1.9		0.088	0.24	ug/WIPE
EBG034-035	5/11/2020	11:08	N1	DD-D008704	EBG034-035-051120-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG034-035	5/11/2020	11:08	N1	DD-D008704	EBG034-035-051120-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.77		0.07	0.24	ug/WIPE

Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
EBG034-035	5/11/2020	11:08	N1	DD-D008704	EBG034-035-051120-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG034-035	5/11/2020	11:08	N1	DD-D008704	EBG034-035-051120-COMP	SW8082A	SW	TOTAL PCBs	2.67		-	0.24	ug/WIPE
EBG036	5/11/2020	10:51	N1	DD-D008706	EBG036-051120	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG036	5/11/2020	10:51	N1	DD-D008706	EBG036-051120	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG036	5/11/2020	10:51	N1	DD-D008706	EBG036-051120	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG036	5/11/2020	10:51	N1	DD-D008706	EBG036-051120	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	4.4		0.088	0.24	ug/WIPE
EBG036	5/11/2020	10:51	N1	DD-D008706	EBG036-051120	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG036	5/11/2020	10:51	N1	DD-D008706	EBG036-051120	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.7		0.07	0.24	ug/WIPE
EBG036	5/11/2020	10:51	N1	DD-D008706	EBG036-051120	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG036	5/11/2020	10:51	N1	DD-D008706	EBG036-051120	SW8082A	SW	TOTAL PCBs	6.1		-	0.24	ug/WIPE
EBG037-038	5/11/2020	14:20	N1	DD-D008707	EBG037-038-051120-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG037-038	5/11/2020	14:20	N1	DD-D008707	EBG037-038-051120-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG037-038	5/11/2020	14:20	N1	DD-D008707	EBG037-038-051120-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG037-038	5/11/2020	14:20	N1	DD-D008707	EBG037-038-051120-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	6.3		0.088	0.24	ug/WIPE
EBG037-038	5/11/2020	14:20	N1	DD-D008707	EBG037-038-051120-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG037-038	5/11/2020	14:20	N1	DD-D008707	EBG037-038-051120-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	3.6		0.07	0.24	ug/WIPE
EBG037-038	5/11/2020	14:20	N1	DD-D008707	EBG037-038-051120-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG037-038	5/11/2020	14:20	N1	DD-D008707	EBG037-038-051120-COMP	SW8082A	SW	TOTAL PCBs	9.9		-	0.24	ug/WIPE
EBG039-040	5/11/2020	14:12	N1	DD-D008709	EBG039-040-051120-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG039-040	5/11/2020	14:12	N1	DD-D008709	EBG039-040-051120-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG039-040	5/11/2020	14:12	N1	DD-D008709	EBG039-040-051120-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG039-040	5/11/2020	14:12	N1	DD-D008709	EBG039-040-051120-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	5		0.088	0.24	ug/WIPE
EBG039-040	5/11/2020	14:12	N1	DD-D008709	EBG039-040-051120-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG039-040	5/11/2020	14:12	N1	DD-D008709	EBG039-040-051120-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.1		0.07	0.24	ug/WIPE
EBG039-040	5/11/2020	14:12	N1	DD-D008709	EBG039-040-051120-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG039-040	5/11/2020	14:12	N1	DD-D008709	EBG039-040-051120-COMP	SW8082A	SW	TOTAL PCBs	7.1		-	0.24	ug/WIPE
EBG041-042-043	5/11/2020	13:57	N1	DD-D008801	EBG041-042-043-051120-COM	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG041-042-043	5/11/2020	13:57	N1	DD-D008801	EBG041-042-043-051120-COM	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG041-042-043	5/11/2020	13:57	N1	DD-D008801	EBG041-042-043-051120-COM	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG041-042-043	5/11/2020	13:57	N1	DD-D008801	EBG041-042-043-051120-COM	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	19		0.088	0.24	ug/WIPE
EBG041-042-043	5/11/2020	13:57	N1	DD-D008801	EBG041-042-043-051120-COM	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG041-042-043	5/11/2020	13:57	N1	DD-D008801	EBG041-042-043-051120-COM	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	7.8		0.07	0.24	ug/WIPE
EBG041-042-043	5/11/2020	13:57	N1	DD-D008801	EBG041-042-043-051120-COM	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG041-042-043	5/11/2020	13:57	N1	DD-D008801	EBG041-042-043-051120-COM	SW8082A	SW	TOTAL PCBs	26.8		-	0.24	ug/WIPE
EBG041R	6/25/2020	11:30	N1	DD-D021402	EBG041R-062520	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG041R	6/25/2020	11:30	N1	DD-D021402	EBG041R-062520	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG041R	6/25/2020	11:30	N1	DD-D021402	EBG041R-062520	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG041R	6/25/2020	11:30	N1	DD-D021402	EBG041R-062520	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.5		0.088	0.24	ug/WIPE
EBG041R	6/25/2020	11:30	N1	DD-D021402	EBG041R-062520	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG041R	6/25/2020	11:30	N1	DD-D021402	EBG041R-062520	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.97		0.07	0.24	ug/WIPE
EBG041R	6/25/2020	11:30	N1	DD-D021402	EBG041R-062520	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG041R	6/25/2020	11:30	N1	DD-D021402	EBG041R-062520	SW8082A	SW	TOTAL PCBs	3.47		-	0.24	ug/WIPE
EBG042R	6/25/2020	11:25	N1	DD-D021403	EBG042R-062520	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG042R	6/25/2020	11:25	N1	DD-D021403	EBG042R-062520	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG042R	6/25/2020	11:25	N1	DD-D021403	EBG042R-062520	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG042R	6/25/2020	11:25	N1	DD-D021403	EBG042R-062520	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.2		0.088	0.24	ug/WIPE
EBG042R	6/25/2020	11:25	N1	DD-D021403	EBG042R-062520	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG042R	6/25/2020	11:25	N1	DD-D021403	EBG042R-062520	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.74		0.07	0.24	ug/WIPE
EBG042R	6/25/2020	11:25	N1	DD-D021403	EBG042R-062520	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG043R	6/25/2020	11:20	N1	DD-D021404	EBG043R-062520	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG043R	6/25/2020	11:20	N1	DD-D021404	EBG043R-062520	SW8082A	SW	TOTAL PCBs	2.94		-	0.24	ug/WIPE

Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
EBG043R	6/25/2020	11:20	N1	DD-D021404	EBG043R-062520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG043R	6/25/2020	11:20	N1	DD-D021404	EBG043R-062520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG043R	6/25/2020	11:20	N1	DD-D021404	EBG043R-062520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3.5		0.088	0.24	ug/WIPE
EBG043R	6/25/2020	11:20	N1	DD-D021404	EBG043R-062520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG043R	6/25/2020	11:20	N1	DD-D021404	EBG043R-062520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.3		0.07	0.24	ug/WIPE
EBG043R	6/25/2020	11:20	N1	DD-D021404	EBG043R-062520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG043R	6/25/2020	11:20	N1	DD-D021404	EBG043R-062520	SW8082A	SW	TOTAL PCBs	7.74		-	0.24	ug/WIPE
EBG044-045	5/11/2020	13:48	N1	DD-D008804	EBG044-045-051120-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG044-045	5/11/2020	13:48	N1	DD-D008804	EBG044-045-051120-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG044-045	5/11/2020	13:48	N1	DD-D008804	EBG044-045-051120-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG044-045	5/11/2020	13:48	N1	DD-D008804	EBG044-045-051120-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	5.5		0.088	0.24	ug/WIPE
EBG044-045	5/11/2020	13:48	N1	DD-D008804	EBG044-045-051120-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG044-045	5/11/2020	13:48	N1	DD-D008804	EBG044-045-051120-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2.4		0.07	0.24	ug/WIPE
EBG044-045	5/11/2020	13:48	N1	DD-D008804	EBG044-045-051120-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG044-045	5/11/2020	13:48	N1	DD-D008804	EBG044-045-051120-COMP	SW8082A	SW	TOTAL PCBs	7.9		-	0.24	ug/WIPE
EBG046-047	5/11/2020	13:31	N1	DD-D008806	EBG046-047-051120-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG046-047	5/11/2020	13:31	N1	DD-D008806	EBG046-047-051120-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG046-047	5/11/2020	13:31	N1	DD-D008806	EBG046-047-051120-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG046-047	5/11/2020	13:31	N1	DD-D008806	EBG046-047-051120-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3		0.088	0.24	ug/WIPE
EBG046-047	5/11/2020	13:31	N1	DD-D008806	EBG046-047-051120-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG046-047	5/11/2020	13:31	N1	DD-D008806	EBG046-047-051120-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.99		0.07	0.24	ug/WIPE
EBG046-047	5/11/2020	13:31	N1	DD-D008806	EBG046-047-051120-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG046-047	5/11/2020	13:31	N1	DD-D008806	EBG046-047-051120-COMP	SW8082A	SW	TOTAL PCBs	3.99		-	0.24	ug/WIPE
EBG048-049	5/11/2020	13:25	N1	DD-D008808	EBG048-049-051120-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG048-049	5/11/2020	13:25	N1	DD-D008808	EBG048-049-051120-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG048-049	5/11/2020	13:25	N1	DD-D008808	EBG048-049-051120-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG048-049	5/11/2020	13:25	N1	DD-D008808	EBG048-049-051120-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	5.4		0.088	0.24	ug/WIPE
EBG048-049	5/11/2020	13:25	N1	DD-D008808	EBG048-049-051120-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG048-049	5/11/2020	13:25	N1	DD-D008808	EBG048-049-051120-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.7		0.07	0.24	ug/WIPE
EBG048-049	5/11/2020	13:25	N1	DD-D008808	EBG048-049-051120-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG048-049	5/11/2020	13:25	N1	DD-D008808	EBG048-049-051120-COMP	SW8082A	SW	TOTAL PCBs	7.1		-	0.24	ug/WIPE
EBG050-051	5/11/2020	13:10	N1	DD-D008810	EBG050-051-051120-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG050-051	5/11/2020	13:10	N1	DD-D008810	EBG050-051-051120-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG050-051	5/11/2020	13:10	N1	DD-D008810	EBG050-051-051120-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG050-051	5/11/2020	13:10	N1	DD-D008810	EBG050-051-051120-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	4.8		0.088	0.24	ug/WIPE
EBG050-051	5/11/2020	13:10	N1	DD-D008810	EBG050-051-051120-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG050-051	5/11/2020	13:10	N1	DD-D008810	EBG050-051-051120-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.6		0.07	0.24	ug/WIPE
EBG050-051	5/11/2020	13:10	N1	DD-D008810	EBG050-051-051120-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG050-051	5/11/2020	13:10	N1	DD-D008810	EBG050-051-051120-COMP	SW8082A	SW	TOTAL PCBs	6.4		-	0.24	ug/WIPE
EBG052-053	5/11/2020	13:07	N1	DD-D008902	EBG052-053-051120-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	UJ	0.09	0.24	ug/WIPE
EBG052-053	5/11/2020	13:07	N1	DD-D008902	EBG052-053-051120-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	UJ	0.12	0.24	ug/WIPE
EBG052-053	5/11/2020	13:07	N1	DD-D008902	EBG052-053-051120-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	UJ	0.14	0.24	ug/WIPE
EBG052-053	5/11/2020	13:07	N1	DD-D008902	EBG052-053-051120-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.97	J	0.088	0.24	ug/WIPE
EBG052-053	5/11/2020	13:07	N1	DD-D008902	EBG052-053-051120-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	UJ	0.092	0.24	ug/WIPE
EBG052-053	5/11/2020	13:07	N1	DD-D008902	EBG052-053-051120-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.29	J	0.07	0.24	ug/WIPE
EBG052-053	5/11/2020	13:07	N1	DD-D008902	EBG052-053-051120-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	UJ	0.09	0.24	ug/WIPE
EBG052-053	5/11/2020	13:07	N1	DD-D008902	EBG052-053-051120-COMP	SW8082A	SW	TOTAL PCBs	1.26		-	0.24	ug/WIPE
EBG054	5/11/2020	13:42	N1	DD-D008904	EBG054-051120	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG054	5/11/2020	13:42	N1	DD-D008904	EBG054-051120	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG054	5/11/2020	13:42	N1	DD-D008904	EBG054-051120	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG054	5/11/2020	13:42	N1	DD-D008904	EBG054-051120	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2		0.088	0.24	ug/WIPE

Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
EBG054	5/11/2020	13:42	N1	DD-D008904	EBG054-051120	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG054	5/11/2020	13:42	N1	DD-D008904	EBG054-051120	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.73	U	0.07	0.24	ug/WIPE
EBG054	5/11/2020	13:42	N1	DD-D008904	EBG054-051120	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG054	5/11/2020	13:42	N1	DD-D008904	EBG054-051120	SW8082A	SW	TOTAL PCBs	2.73		-	0.24	ug/WIPE
EBG055-056-057	5/11/2020	14:49	N1	DD-D008905	EBG055-056-057-051120-COM	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG055-056-057	5/11/2020	14:49	N1	DD-D008905	EBG055-056-057-051120-COM	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG055-056-057	5/11/2020	14:49	N1	DD-D008905	EBG055-056-057-051120-COM	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG055-056-057	5/11/2020	14:49	N1	DD-D008905	EBG055-056-057-051120-COM	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	7.7		0.088	0.24	ug/WIPE
EBG055-056-057	5/11/2020	14:49	N1	DD-D008905	EBG055-056-057-051120-COM	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG055-056-057	5/11/2020	14:49	N1	DD-D008905	EBG055-056-057-051120-COM	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.8		0.07	0.24	ug/WIPE
EBG055-056-057	5/11/2020	14:49	N1	DD-D008905	EBG055-056-057-051120-COM	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG055-056-057	5/11/2020	14:49	N1	DD-D008905	EBG055-056-057-051120-COM	SW8082A	SW	TOTAL PCBs	10.5		-	0.24	ug/WIPE
EBG055R	6/25/2020	11:52	N1	DD-D021405	EBG055R-062520	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG055R	6/25/2020	11:52	N1	DD-D021405	EBG055R-062520	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG055R	6/25/2020	11:52	N1	DD-D021405	EBG055R-062520	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG055R	6/25/2020	11:52	N1	DD-D021405	EBG055R-062520	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.62		0.088	0.24	ug/WIPE
EBG055R	6/25/2020	11:52	N1	DD-D021405	EBG055R-062520	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG055R	6/25/2020	11:52	N1	DD-D021405	EBG055R-062520	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.23	J	0.07	0.24	ug/WIPE
EBG055R	6/25/2020	11:52	N1	DD-D021405	EBG055R-062520	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG055R	6/25/2020	11:52	N1	DD-D021405	EBG055R-062520	SW8082A	SW	TOTAL PCBs	0.85		-	0.24	ug/WIPE
EBG056R	6/25/2020	8:50	N1	DD-D021406	EBG056R-062520	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG056R	6/25/2020	8:50	N1	DD-D021406	EBG056R-062520	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG056R	6/25/2020	8:50	N1	DD-D021406	EBG056R-062520	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG056R	6/25/2020	8:50	N1	DD-D021406	EBG056R-062520	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	4.6		0.088	0.24	ug/WIPE
EBG056R	6/25/2020	8:50	N1	DD-D021406	EBG056R-062520	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG056R	6/25/2020	8:50	N1	DD-D021406	EBG056R-062520	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.8		0.07	0.24	ug/WIPE
EBG056R	6/25/2020	8:50	N1	DD-D021406	EBG056R-062520	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG056R	6/25/2020	8:50	N1	DD-D021406	EBG056R-062520	SW8082A	SW	TOTAL PCBs	6.4		-	0.24	ug/WIPE
EBG057R	6/25/2020	9:05	N1	DD-D021407	EBG057R-062520	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG057R	6/25/2020	9:05	N1	DD-D021407	EBG057R-062520	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG057R	6/25/2020	9:05	N1	DD-D021407	EBG057R-062520	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG057R	6/25/2020	9:05	N1	DD-D021407	EBG057R-062520	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.6		0.088	0.24	ug/WIPE
EBG057R	6/25/2020	9:05	N1	DD-D021407	EBG057R-062520	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG057R	6/25/2020	9:05	N1	DD-D021407	EBG057R-062520	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.76		0.07	0.24	ug/WIPE
EBG057R	6/25/2020	9:05	N1	DD-D021407	EBG057R-062520	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG057R	6/25/2020	9:05	N1	DD-D021407	EBG057R-062520	SW8082A	SW	TOTAL PCBs	3.36		-	0.24	ug/WIPE
EBG058-059-060	5/11/2020	16:50	N1	DD-D008908	EBG058-059-060-051120-COM	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG058-059-060	5/11/2020	16:50	N1	DD-D008908	EBG058-059-060-051120-COM	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG058-059-060	5/11/2020	16:50	N1	DD-D008908	EBG058-059-060-051120-COM	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG058-059-060	5/11/2020	16:50	N1	DD-D008908	EBG058-059-060-051120-COM	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.8		0.088	0.24	ug/WIPE
EBG058-059-060	5/11/2020	16:50	N1	DD-D008908	EBG058-059-060-051120-COM	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG058-059-060	5/11/2020	16:50	N1	DD-D008908	EBG058-059-060-051120-COM	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.4		0.07	0.24	ug/WIPE
EBG058-059-060	5/11/2020	16:50	N1	DD-D008908	EBG058-059-060-051120-COM	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG058-059-060	5/11/2020	16:50	N1	DD-D008908	EBG058-059-060-051120-COM	SW8082A	SW	TOTAL PCBs	5.2		-	0.24	ug/WIPE
EBG061-062-063	5/11/2020	16:15	N1	DD-D009001	EBG061-062-063-051120-COM	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG061-062-063	5/11/2020	16:15	N1	DD-D009001	EBG061-062-063-051120-COM	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG061-062-063	5/11/2020	16:15	N1	DD-D009001	EBG061-062-063-051120-COM	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG061-062-063	5/11/2020	16:15	N1	DD-D009001	EBG061-062-063-051120-COM	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	6.1		0.088	0.24	ug/WIPE
EBG061-062-063	5/11/2020	16:15	N1	DD-D009001	EBG061-062-063-051120-COM	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG061-062-063	5/11/2020	16:15	N1	DD-D009001	EBG061-062-063-051120-COM	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.6		0.07	0.24	ug/WIPE
EBG061-062-063	5/11/2020	16:15	N1	DD-D009001	EBG061-062-063-051120-COM	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE

Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
EBG061-062-063	5/11/2020	16:15	N1	DD-D009001	EBG061-062-063-051120-COM	SW8082A	SW	TOTAL PCBs	8.7		-	0.24	ug/WIPE
EBG064-066	5/11/2020	16:06	N1	DD-D009004	EBG064-066-051120-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG064-066	5/11/2020	16:06	N1	DD-D009004	EBG064-066-051120-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG064-066	5/11/2020	16:06	N1	DD-D009004	EBG064-066-051120-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG064-066	5/11/2020	16:06	N1	DD-D009004	EBG064-066-051120-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2.8		0.088	0.24	ug/WIPE
EBG064-066	5/11/2020	16:06	N1	DD-D009004	EBG064-066-051120-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG064-066	5/11/2020	16:06	N1	DD-D009004	EBG064-066-051120-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1		0.07	0.24	ug/WIPE
EBG064-066	5/11/2020	16:06	N1	DD-D009004	EBG064-066-051120-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG064-066	5/11/2020	16:06	N1	DD-D009004	EBG064-066-051120-COMP	SW8082A	SW	TOTAL PCBs	3.8		-	0.24	ug/WIPE
EBG065-067	5/11/2020	15:56	N1	DD-D009005	EBG065-067-051120-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG065-067	5/11/2020	15:56	N1	DD-D009005	EBG065-067-051120-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG065-067	5/11/2020	15:56	N1	DD-D009005	EBG065-067-051120-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG065-067	5/11/2020	15:56	N1	DD-D009005	EBG065-067-051120-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	9.4		0.088	0.24	ug/WIPE
EBG065-067	5/11/2020	15:56	N1	DD-D009005	EBG065-067-051120-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG065-067	5/11/2020	15:56	N1	DD-D009005	EBG065-067-051120-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2.4		0.07	0.24	ug/WIPE
EBG065-067	5/11/2020	15:56	N1	DD-D009005	EBG065-067-051120-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG065-067	5/11/2020	15:56	N1	DD-D009005	EBG065-067-051120-COMP	SW8082A	SW	TOTAL PCBs	11.8		-	0.24	ug/WIPE
EBG065R	6/25/2020	6:55	N1	DD-D021408	EBG065R-062520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG065R	6/25/2020	6:55	N1	DD-D021408	EBG065R-062520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG065R	6/25/2020	6:55	N1	DD-D021408	EBG065R-062520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG065R	6/25/2020	6:55	N1	DD-D021408	EBG065R-062520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	4.3		0.088	0.24	ug/WIPE
EBG065R	6/25/2020	6:55	N1	DD-D021408	EBG065R-062520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG065R	6/25/2020	6:55	N1	DD-D021408	EBG065R-062520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.4		0.07	0.24	ug/WIPE
EBG065R	6/25/2020	6:55	N1	DD-D021408	EBG065R-062520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG065R	6/25/2020	6:55	N1	DD-D021408	EBG065R-062520	SW8082A	SW	TOTAL PCBs	5.7		-	0.24	ug/WIPE
EBG067R	6/25/2020	7:00	N1	DD-D021409	EBG067R-062520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG067R	6/25/2020	7:00	N1	DD-D021409	EBG067R-062520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG067R	6/25/2020	7:00	N1	DD-D021409	EBG067R-062520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG067R	6/25/2020	7:00	N1	DD-D021409	EBG067R-062520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3.7		0.088	0.24	ug/WIPE
EBG067R	6/25/2020	7:00	N1	DD-D021409	EBG067R-062520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG067R	6/25/2020	7:00	N1	DD-D021409	EBG067R-062520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.84		0.07	0.24	ug/WIPE
EBG067R	6/25/2020	7:00	N1	DD-D021409	EBG067R-062520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG067R	6/25/2020	7:00	N1	DD-D021409	EBG067R-062520	SW8082A	SW	TOTAL PCBs	4.54		-	0.24	ug/WIPE
EBG068-069	5/11/2020	15:44	N1	DD-D009008	EBG068-069-051120-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG068-069	5/11/2020	15:44	N1	DD-D009008	EBG068-069-051120-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG068-069	5/11/2020	15:44	N1	DD-D009008	EBG068-069-051120-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG068-069	5/11/2020	15:44	N1	DD-D009008	EBG068-069-051120-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	5.7		0.088	0.24	ug/WIPE
EBG068-069	5/11/2020	15:44	N1	DD-D009008	EBG068-069-051120-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG068-069	5/11/2020	15:44	N1	DD-D009008	EBG068-069-051120-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.9		0.07	0.24	ug/WIPE
EBG068-069	5/11/2020	15:44	N1	DD-D009008	EBG068-069-051120-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG068-069	5/11/2020	15:44	N1	DD-D009008	EBG068-069-051120-COMP	SW8082A	SW	TOTAL PCBs	7.6		-	0.24	ug/WIPE
EBG070-071	5/11/2020	15:39	N1	DD-D009010	EBG070-071-051120-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG070-071	5/11/2020	15:39	N1	DD-D009010	EBG070-071-051120-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG070-071	5/11/2020	15:39	N1	DD-D009010	EBG070-071-051120-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG070-071	5/11/2020	15:39	N1	DD-D009010	EBG070-071-051120-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	4.5		0.088	0.24	ug/WIPE
EBG070-071	5/11/2020	15:39	N1	DD-D009010	EBG070-071-051120-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG070-071	5/11/2020	15:39	N1	DD-D009010	EBG070-071-051120-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.5		0.07	0.24	ug/WIPE
EBG070-071	5/11/2020	15:39	N1	DD-D009010	EBG070-071-051120-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG070-071	5/11/2020	15:39	N1	DD-D009010	EBG070-071-051120-COMP	SW8082A	SW	TOTAL PCBs	6		-	0.24	ug/WIPE
EBG072	5/11/2020	15:03	N1	DD-D009102	EBG072-051120	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG072	5/11/2020	15:03	N1	DD-D009102	EBG072-051120	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE



Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
EBG072	5/11/2020	15:03	N1	DD-D009102	EBG072-051120	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG072	5/11/2020	15:03	N1	DD-D009102	EBG072-051120	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	5.1	U	0.088	0.24	ug/WIPE
EBG072	5/11/2020	15:03	N1	DD-D009102	EBG072-051120	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG072	5/11/2020	15:03	N1	DD-D009102	EBG072-051120	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.9	U	0.07	0.24	ug/WIPE
EBG072	5/11/2020	15:03	N1	DD-D009102	EBG072-051120	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG072	5/11/2020	15:03	N1	DD-D009102	EBG072-051120	SW8082A	SW	TOTAL PCBs	7	U	-	0.24	ug/WIPE
EBG073	5/11/2020	17:00	N1	DD-D009103	EBG073-051120	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG073	5/11/2020	17:00	N1	DD-D009103	EBG073-051120	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG073	5/11/2020	17:00	N1	DD-D009103	EBG073-051120	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG073	5/11/2020	17:00	N1	DD-D009103	EBG073-051120	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	1.8	U	0.088	0.24	ug/WIPE
EBG073	5/11/2020	17:00	N1	DD-D009103	EBG073-051120	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG073	5/11/2020	17:00	N1	DD-D009103	EBG073-051120	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.56	U	0.07	0.24	ug/WIPE
EBG073	5/11/2020	17:00	N1	DD-D009103	EBG073-051120	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG073	5/11/2020	17:00	N1	DD-D009103	EBG073-051120	SW8082A	SW	TOTAL PCBs	2.36	U	-	0.24	ug/WIPE
EBG074-075	5/11/2020	17:12	N1	DD-D009104	EBG074-075-051120-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG074-075	5/11/2020	17:12	N1	DD-D009104	EBG074-075-051120-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG074-075	5/11/2020	17:12	N1	DD-D009104	EBG074-075-051120-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG074-075	5/11/2020	17:12	N1	DD-D009104	EBG074-075-051120-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.2	U	0.088	0.24	ug/WIPE
EBG074-075	5/11/2020	17:12	N1	DD-D009104	EBG074-075-051120-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG074-075	5/11/2020	17:12	N1	DD-D009104	EBG074-075-051120-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.83	U	0.07	0.24	ug/WIPE
EBG074-075	5/11/2020	17:12	N1	DD-D009104	EBG074-075-051120-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG074-075	5/11/2020	17:12	N1	DD-D009104	EBG074-075-051120-COMP	SW8082A	SW	TOTAL PCBs	3.03	U	-	0.24	ug/WIPE
EBG076-077	5/11/2020	17:21	N1	DD-D009106	EBG076-077-051120-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG076-077	5/11/2020	17:21	N1	DD-D009106	EBG076-077-051120-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG076-077	5/11/2020	17:21	N1	DD-D009106	EBG076-077-051120-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG076-077	5/11/2020	17:21	N1	DD-D009106	EBG076-077-051120-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	4.9	U	0.088	0.24	ug/WIPE
EBG076-077	5/11/2020	17:21	N1	DD-D009106	EBG076-077-051120-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG076-077	5/11/2020	17:21	N1	DD-D009106	EBG076-077-051120-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.1	U	0.07	0.24	ug/WIPE
EBG076-077	5/11/2020	17:21	N1	DD-D009106	EBG076-077-051120-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG076-077	5/11/2020	17:21	N1	DD-D009106	EBG076-077-051120-COMP	SW8082A	SW	TOTAL PCBs	7	U	-	0.24	ug/WIPE
EBG078-079	5/12/2020	7:27	N1	DD-D009108	EBG078-079-051220-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG078-079	5/12/2020	7:27	N1	DD-D009108	EBG078-079-051220-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG078-079	5/12/2020	7:27	N1	DD-D009108	EBG078-079-051220-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG078-079	5/12/2020	7:27	N1	DD-D009108	EBG078-079-051220-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.7	U	0.088	0.24	ug/WIPE
EBG078-079	5/12/2020	7:27	N1	DD-D009108	EBG078-079-051220-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG078-079	5/12/2020	7:27	N1	DD-D009108	EBG078-079-051220-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.5	U	0.07	0.24	ug/WIPE
EBG078-079	5/12/2020	7:27	N1	DD-D009108	EBG078-079-051220-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG078-079	5/12/2020	7:27	N1	DD-D009108	EBG078-079-051220-COMP	SW8082A	SW	TOTAL PCBs	5.2	U	-	0.24	ug/WIPE
EBG080-081	5/12/2020	7:17	N1	DD-D009110	EBG080-081-051220-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG080-081	5/12/2020	7:17	N1	DD-D009110	EBG080-081-051220-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG080-081	5/12/2020	7:17	N1	DD-D009110	EBG080-081-051220-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG080-081	5/12/2020	7:17	N1	DD-D009110	EBG080-081-051220-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	4.4	U	0.088	0.24	ug/WIPE
EBG080-081	5/12/2020	7:17	N1	DD-D009110	EBG080-081-051220-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG080-081	5/12/2020	7:17	N1	DD-D009110	EBG080-081-051220-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.6	U	0.07	0.24	ug/WIPE
EBG080-081	5/12/2020	7:17	N1	DD-D009110	EBG080-081-051220-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG080-081	5/12/2020	7:17	N1	DD-D009110	EBG080-081-051220-COMP	SW8082A	SW	TOTAL PCBs	6	U	-	0.24	ug/WIPE
EBG082-083	5/12/2020	7:12	N1	DD-D009202	EBG082-083-051220-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG082-083	5/12/2020	7:12	N1	DD-D009202	EBG082-083-051220-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG082-083	5/12/2020	7:12	N1	DD-D009202	EBG082-083-051220-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG082-083	5/12/2020	7:12	N1	DD-D009202	EBG082-083-051220-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.7	U	0.088	0.24	ug/WIPE
EBG082-083	5/12/2020	7:12	N1	DD-D009202	EBG082-083-051220-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE



Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
EBG082-083	5/12/2020	7:12	N1	DD-D009202	EBG082-083-051220-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.1		0.07	0.24	ug/WIPE
EBG082-083	5/12/2020	7:12	N1	DD-D009202	EBG082-083-051220-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG082-083	5/12/2020	7:12	N1	DD-D009202	EBG082-083-051220-COMP	SW8082A	SW	TOTAL PCBs	3.8		-	0.24	ug/WIPE
EBG084-089	5/12/2020	7:02	N1	DD-D009204	EBG084-089-051220-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG084-089	5/12/2020	7:02	N1	DD-D009204	EBG084-089-051220-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG084-089	5/12/2020	7:02	N1	DD-D009204	EBG084-089-051220-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG084-089	5/12/2020	7:02	N1	DD-D009204	EBG084-089-051220-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	6.8		0.088	0.24	ug/WIPE
EBG084-089	5/12/2020	7:02	N1	DD-D009204	EBG084-089-051220-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG084-089	5/12/2020	7:02	N1	DD-D009204	EBG084-089-051220-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.3		0.07	0.24	ug/WIPE
EBG084-089	5/12/2020	7:02	N1	DD-D009204	EBG084-089-051220-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG084-089	5/12/2020	7:02	N1	DD-D009204	EBG084-089-051220-COMP	SW8082A	SW	TOTAL PCBs	9.1		-	0.24	ug/WIPE
EBG085-088	5/12/2020	6:43	N1	DD-D009205	EBG085-088-051220-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG085-088	5/12/2020	6:43	N1	DD-D009205	EBG085-088-051220-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG085-088	5/12/2020	6:43	N1	DD-D009205	EBG085-088-051220-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG085-088	5/12/2020	6:43	N1	DD-D009205	EBG085-088-051220-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.7		0.088	0.24	ug/WIPE
EBG085-088	5/12/2020	6:43	N1	DD-D009205	EBG085-088-051220-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG085-088	5/12/2020	6:43	N1	DD-D009205	EBG085-088-051220-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.4		0.07	0.24	ug/WIPE
EBG085-088	5/12/2020	6:43	N1	DD-D009205	EBG085-088-051220-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG085-088	5/12/2020	6:43	N1	DD-D009205	EBG085-088-051220-COMP	SW8082A	SW	TOTAL PCBs	5.1		-	0.24	ug/WIPE
EBG086-087	5/12/2020	6:51	N1	DD-D009206	EBG086-087-051220-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG086-087	5/12/2020	6:51	N1	DD-D009206	EBG086-087-051220-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG086-087	5/12/2020	6:51	N1	DD-D009206	EBG086-087-051220-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG086-087	5/12/2020	6:51	N1	DD-D009206	EBG086-087-051220-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	1.6		0.088	0.24	ug/WIPE
EBG086-087	5/12/2020	6:51	N1	DD-D009206	EBG086-087-051220-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG086-087	5/12/2020	6:51	N1	DD-D009206	EBG086-087-051220-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.6		0.07	0.24	ug/WIPE
EBG086-087	5/12/2020	6:51	N1	DD-D009206	EBG086-087-051220-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG086-087	5/12/2020	6:51	N1	DD-D009206	EBG086-087-051220-COMP	SW8082A	SW	TOTAL PCBs	2.2		-	0.24	ug/WIPE
EBG090	5/11/2020	17:07	N1	DD-D009210	EBG090-051120	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG090	5/11/2020	17:07	N1	DD-D009210	EBG090-051120	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG090	5/11/2020	17:07	N1	DD-D009210	EBG090-051120	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG090	5/11/2020	17:07	N1	DD-D009210	EBG090-051120	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.1		0.088	0.24	ug/WIPE
EBG090	5/11/2020	17:07	N1	DD-D009210	EBG090-051120	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG090	5/11/2020	17:07	N1	DD-D009210	EBG090-051120	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.1		0.07	0.24	ug/WIPE
EBG090	5/11/2020	17:07	N1	DD-D009210	EBG090-051120	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG090	5/11/2020	17:07	N1	DD-D009210	EBG090-051120	SW8082A	SW	TOTAL PCBs	3.2		-	0.24	ug/WIPE
EBG091-092-093	5/12/2020	9:16	N1	DD-D009301	EBG091-092-093-051220-COM	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG091-092-093	5/12/2020	9:16	N1	DD-D009301	EBG091-092-093-051220-COM	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG091-092-093	5/12/2020	9:16	N1	DD-D009301	EBG091-092-093-051220-COM	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG091-092-093	5/12/2020	9:16	N1	DD-D009301	EBG091-092-093-051220-COM	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	12		0.088	0.24	ug/WIPE
EBG091-092-093	5/12/2020	9:16	N1	DD-D009301	EBG091-092-093-051220-COM	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG091-092-093	5/12/2020	9:16	N1	DD-D009301	EBG091-092-093-051220-COM	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	4.7		0.07	0.24	ug/WIPE
EBG091-092-093	5/12/2020	9:16	N1	DD-D009301	EBG091-092-093-051220-COM	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG091-092-093	5/12/2020	9:16	N1	DD-D009301	EBG091-092-093-051220-COM	SW8082A	SW	TOTAL PCBs	16.7		-	0.24	ug/WIPE
EBG091R	6/25/2020	9:15	N1	DD-D021410	EBG091R-062520	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG091R	6/25/2020	9:15	N1	DD-D021410	EBG091R-062520	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG091R	6/25/2020	9:15	N1	DD-D021410	EBG091R-062520	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG091R	6/25/2020	9:15	N1	DD-D021410	EBG091R-062520	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.5		0.088	0.24	ug/WIPE
EBG091R	6/25/2020	9:15	N1	DD-D021410	EBG091R-062520	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG091R	6/25/2020	9:15	N1	DD-D021410	EBG091R-062520	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.7		0.07	0.24	ug/WIPE
EBG091R	6/25/2020	9:15	N1	DD-D021410	EBG091R-062520	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG091R	6/25/2020	9:15	N1	DD-D021410	EBG091R-062520	SW8082A	SW	TOTAL PCBs	3.2		-	0.24	ug/WIPE

Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
EBG092R	6/25/2020	9:30	N1	DD-D021501	EBG092R-062520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG092R	6/25/2020	9:30	N1	DD-D021501	EBG092R-062520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG092R	6/25/2020	9:30	N1	DD-D021501	EBG092R-062520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG092R	6/25/2020	9:30	N1	DD-D021501	EBG092R-062520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2.6		0.088	0.24	ug/WIPE
EBG092R	6/25/2020	9:30	N1	DD-D021501	EBG092R-062520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG092R	6/25/2020	9:30	N1	DD-D021501	EBG092R-062520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.1		0.07	0.24	ug/WIPE
EBG092R	6/25/2020	9:30	N1	DD-D021501	EBG092R-062520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG092R	6/25/2020	9:30	N1	DD-D021501	EBG092R-062520	SW8082A	SW	TOTAL PCBs	3.7		-	0.24	ug/WIPE
EBG093R	6/25/2020	9:45	N1	DD-D021502	EBG093R-062520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG093R	6/25/2020	9:45	N1	DD-D021502	EBG093R-062520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG093R	6/25/2020	9:45	N1	DD-D021502	EBG093R-062520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG093R	6/25/2020	9:45	N1	DD-D021502	EBG093R-062520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1.9		0.088	0.24	ug/WIPE
EBG093R	6/25/2020	9:45	N1	DD-D021502	EBG093R-062520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG093R	6/25/2020	9:45	N1	DD-D021502	EBG093R-062520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.69		0.07	0.24	ug/WIPE
EBG093R	6/25/2020	9:45	N1	DD-D021502	EBG093R-062520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG093R	6/25/2020	9:45	N1	DD-D021502	EBG093R-062520	SW8082A	SW	TOTAL PCBs	2.59		-	0.24	ug/WIPE
EBG094-095-096	5/12/2020	8:46	N1	DD-D009304	EBG094-095-096-051220-COM	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG094-095-096	5/12/2020	8:46	N1	DD-D009304	EBG094-095-096-051220-COM	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG094-095-096	5/12/2020	8:46	N1	DD-D009304	EBG094-095-096-051220-COM	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG094-095-096	5/12/2020	8:46	N1	DD-D009304	EBG094-095-096-051220-COM	SW8082A	SW	PCB-1242 (AROCLOR 1242)	7.5		0.088	0.24	ug/WIPE
EBG094-095-096	5/12/2020	8:46	N1	DD-D009304	EBG094-095-096-051220-COM	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG094-095-096	5/12/2020	8:46	N1	DD-D009304	EBG094-095-096-051220-COM	SW8082A	SW	PCB-1254 (AROCLOR 1254)	3		0.07	0.24	ug/WIPE
EBG094-095-096	5/12/2020	8:46	N1	DD-D009304	EBG094-095-096-051220-COM	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG094-095-096	5/12/2020	8:46	N1	DD-D009304	EBG094-095-096-051220-COM	SW8082A	SW	TOTAL PCBs	10.5		-	0.24	ug/WIPE
EBG094R	6/25/2020	7:05	N1	DD-D021503	EBG094R-062520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG094R	6/25/2020	7:05	N1	DD-D021503	EBG094R-062520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG094R	6/25/2020	7:05	N1	DD-D021503	EBG094R-062520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG094R	6/25/2020	7:05	N1	DD-D021503	EBG094R-062520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3.1		0.088	0.24	ug/WIPE
EBG094R	6/25/2020	7:05	N1	DD-D021503	EBG094R-062520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG094R	6/25/2020	7:05	N1	DD-D021503	EBG094R-062520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1		0.07	0.24	ug/WIPE
EBG094R	6/25/2020	7:05	N1	DD-D021503	EBG094R-062520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG094R	6/25/2020	7:05	N1	DD-D021503	EBG094R-062520	SW8082A	SW	TOTAL PCBs	4.1		-	0.24	ug/WIPE
EBG095R	6/25/2020	7:10	N1	DD-D021504	EBG095R-062520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG095R	6/25/2020	7:10	N1	DD-D021504	EBG095R-062520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG095R	6/25/2020	7:10	N1	DD-D021504	EBG095R-062520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG095R	6/25/2020	7:10	N1	DD-D021504	EBG095R-062520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2.5		0.088	0.24	ug/WIPE
EBG095R	6/25/2020	7:10	N1	DD-D021504	EBG095R-062520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG095R	6/25/2020	7:10	N1	DD-D021504	EBG095R-062520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1		0.07	0.24	ug/WIPE
EBG095R	6/25/2020	7:10	N1	DD-D021504	EBG095R-062520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG095R	6/25/2020	7:10	N1	DD-D021504	EBG095R-062520	SW8082A	SW	TOTAL PCBs	3.5		-	0.24	ug/WIPE
EBG096R	6/25/2020	7:15	N1	DD-D021505	EBG096R-062520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG096R	6/25/2020	7:15	N1	DD-D021505	EBG096R-062520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG096R	6/25/2020	7:15	N1	DD-D021505	EBG096R-062520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG096R	6/25/2020	7:15	N1	DD-D021505	EBG096R-062520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	5.4		0.088	0.24	ug/WIPE
EBG096R	6/25/2020	7:15	N1	DD-D021505	EBG096R-062520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG096R	6/25/2020	7:15	N1	DD-D021505	EBG096R-062520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.6		0.07	0.24	ug/WIPE
EBG096R	6/25/2020	7:15	N1	DD-D021505	EBG096R-062520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG096R	6/25/2020	7:15	N1	DD-D021505	EBG096R-062520	SW8082A	SW	TOTAL PCBs	7		-	0.24	ug/WIPE
EBG097-098-099	5/12/2020	8:33	N1	DD-D009307	EBG097-098-099-051220-COM	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG097-098-099	5/12/2020	8:33	N1	DD-D009307	EBG097-098-099-051220-COM	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG097-098-099	5/12/2020	8:33	N1	DD-D009307	EBG097-098-099-051220-COM	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE

Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
EBG097-098-099	5/12/2020	8:33	N1	DD-D009307	EBG097-098-099-051220-COM	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3.1		0.088	0.24	ug/WIPE
EBG097-098-099	5/12/2020	8:33	N1	DD-D009307	EBG097-098-099-051220-COM	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG097-098-099	5/12/2020	8:33	N1	DD-D009307	EBG097-098-099-051220-COM	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.2		0.07	0.24	ug/WIPE
EBG097-098-099	5/12/2020	8:33	N1	DD-D009307	EBG097-098-099-051220-COM	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG097-098-099	5/12/2020	8:33	N1	DD-D009307	EBG097-098-099-051220-COM	SW8082A	SW	TOTAL PCBs	4.3		-	0.24	ug/WIPE
EBG100-101-102	5/12/2020	8:21	N1	DD-D009310	EBG100-101-102-051220-COM	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG100-101-102	5/12/2020	8:21	N1	DD-D009310	EBG100-101-102-051220-COM	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG100-101-102	5/12/2020	8:21	N1	DD-D009310	EBG100-101-102-051220-COM	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG100-101-102	5/12/2020	8:21	N1	DD-D009310	EBG100-101-102-051220-COM	SW8082A	SW	PCB-1242 (AROCLOR 1242)	9.6		0.088	0.24	ug/WIPE
EBG100-101-102	5/12/2020	8:21	N1	DD-D009310	EBG100-101-102-051220-COM	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG100-101-102	5/12/2020	8:21	N1	DD-D009310	EBG100-101-102-051220-COM	SW8082A	SW	PCB-1254 (AROCLOR 1254)	3.8		0.07	0.24	ug/WIPE
EBG100-101-102	5/12/2020	8:21	N1	DD-D009310	EBG100-101-102-051220-COM	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG100-101-102	5/12/2020	8:21	N1	DD-D009310	EBG100-101-102-051220-COM	SW8082A	SW	TOTAL PCBs	13.4		-	0.24	ug/WIPE
EBG100R	6/25/2020	7:22	N1	DD-D021506	EBG100R-062520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG100R	6/25/2020	7:22	N1	DD-D021506	EBG100R-062520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG100R	6/25/2020	7:22	N1	DD-D021506	EBG100R-062520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG100R	6/25/2020	7:22	N1	DD-D021506	EBG100R-062520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3		0.088	0.24	ug/WIPE
EBG100R	6/25/2020	7:22	N1	DD-D021506	EBG100R-062520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG100R	6/25/2020	7:22	N1	DD-D021506	EBG100R-062520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.92		0.07	0.24	ug/WIPE
EBG100R	6/25/2020	7:22	N1	DD-D021506	EBG100R-062520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG100R	6/25/2020	7:22	N1	DD-D021506	EBG100R-062520	SW8082A	SW	TOTAL PCBs	3.92		-	0.24	ug/WIPE
EBG101R	6/25/2020	7:30	N1	DD-D021507	EBG101R-062520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG101R	6/25/2020	7:30	N1	DD-D021507	EBG101R-062520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG101R	6/25/2020	7:30	N1	DD-D021507	EBG101R-062520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG101R	6/25/2020	7:30	N1	DD-D021507	EBG101R-062520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1.5		0.088	0.24	ug/WIPE
EBG101R	6/25/2020	7:30	N1	DD-D021507	EBG101R-062520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG101R	6/25/2020	7:30	N1	DD-D021507	EBG101R-062520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.52		0.07	0.24	ug/WIPE
EBG101R	6/25/2020	7:30	N1	DD-D021507	EBG101R-062520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG101R	6/25/2020	7:30	N1	DD-D021507	EBG101R-062520	SW8082A	SW	TOTAL PCBs	2.02		-	0.24	ug/WIPE
EBG102R	6/25/2020	7:35	N1	DD-D021508	EBG102R-062520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG102R	6/25/2020	7:35	N1	DD-D021508	EBG102R-062520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG102R	6/25/2020	7:35	N1	DD-D021508	EBG102R-062520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG102R	6/25/2020	7:35	N1	DD-D021508	EBG102R-062520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.66		0.088	0.24	ug/WIPE
EBG102R	6/25/2020	7:35	N1	DD-D021508	EBG102R-062520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG102R	6/25/2020	7:35	N1	DD-D021508	EBG102R-062520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.21	J	0.07	0.24	ug/WIPE
EBG102R	6/25/2020	7:35	N1	DD-D021508	EBG102R-062520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG102R	6/25/2020	7:35	N1	DD-D021508	EBG102R-062520	SW8082A	SW	TOTAL PCBs	0.87		-	0.24	ug/WIPE
EBG103-104-105	5/12/2020	7:58	N1	DD-D009403	EBG103-104-105-051220-COM	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG103-104-105	5/12/2020	7:58	N1	DD-D009403	EBG103-104-105-051220-COM	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG103-104-105	5/12/2020	7:58	N1	DD-D009403	EBG103-104-105-051220-COM	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG103-104-105	5/12/2020	7:58	N1	DD-D009403	EBG103-104-105-051220-COM	SW8082A	SW	PCB-1242 (AROCLOR 1242)	11		0.088	0.24	ug/WIPE
EBG103-104-105	5/12/2020	7:58	N1	DD-D009403	EBG103-104-105-051220-COM	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG103-104-105	5/12/2020	7:58	N1	DD-D009403	EBG103-104-105-051220-COM	SW8082A	SW	PCB-1254 (AROCLOR 1254)	4.4		0.07	0.24	ug/WIPE
EBG103-104-105	5/12/2020	7:58	N1	DD-D009403	EBG103-104-105-051220-COM	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG103-104-105	5/12/2020	7:58	N1	DD-D009403	EBG103-104-105-051220-COM	SW8082A	SW	TOTAL PCBs	15.4		-	0.24	ug/WIPE
EBG103R	6/25/2020	7:40	N1	DD-D021509	EBG103R-062520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG103R	6/25/2020	7:40	N1	DD-D021509	EBG103R-062520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG103R	6/25/2020	7:40	N1	DD-D021509	EBG103R-062520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG103R	6/25/2020	7:40	N1	DD-D021509	EBG103R-062520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	5.2		0.088	0.24	ug/WIPE
EBG103R	6/25/2020	7:40	N1	DD-D021509	EBG103R-062520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG103R	6/25/2020	7:40	N1	DD-D021509	EBG103R-062520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.4		0.07	0.24	ug/WIPE

Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
EBG103R	6/25/2020	7:40	N1	DD-D021509	EBG103R-062520	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG103R	6/25/2020	7:40	N1	DD-D021509	EBG103R-062520	SW8082A	SW	TOTAL PCBs	6.6	U	-	0.24	ug/WIPE
EBG104R	6/25/2020	7:45	N1	DD-D021510	EBG104R-062520	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG104R	6/25/2020	7:45	N1	DD-D021510	EBG104R-062520	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG104R	6/25/2020	7:45	N1	DD-D021510	EBG104R-062520	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG104R	6/25/2020	7:45	N1	DD-D021510	EBG104R-062520	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.1	U	0.088	0.24	ug/WIPE
EBG104R	6/25/2020	7:45	N1	DD-D021510	EBG104R-062520	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG104R	6/25/2020	7:45	N1	DD-D021510	EBG104R-062520	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.99	U	0.07	0.24	ug/WIPE
EBG104R	6/25/2020	7:45	N1	DD-D021510	EBG104R-062520	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG104R	6/25/2020	7:45	N1	DD-D021510	EBG104R-062520	SW8082A	SW	TOTAL PCBs	4.09	U	-	0.24	ug/WIPE
EBG105R	6/25/2020	7:50	N1	DD-D021601	EBG105R-062520	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG105R	6/25/2020	7:50	N1	DD-D021601	EBG105R-062520	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG105R	6/25/2020	7:50	N1	DD-D021601	EBG105R-062520	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG105R	6/25/2020	7:50	N1	DD-D021601	EBG105R-062520	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.7	U	0.088	0.24	ug/WIPE
EBG105R	6/25/2020	7:50	N1	DD-D021601	EBG105R-062520	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG105R	6/25/2020	7:50	N1	DD-D021601	EBG105R-062520	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.3	U	0.07	0.24	ug/WIPE
EBG105R	6/25/2020	7:50	N1	DD-D021601	EBG105R-062520	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG105R	6/25/2020	7:50	N1	DD-D021601	EBG105R-062520	SW8082A	SW	TOTAL PCBs	5	U	-	0.24	ug/WIPE
EBG106-107	5/12/2020	8:04	N1	DD-D009406	EBG106-107-051220-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG106-107	5/12/2020	8:04	N1	DD-D009406	EBG106-107-051220-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG106-107	5/12/2020	8:04	N1	DD-D009406	EBG106-107-051220-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG106-107	5/12/2020	8:04	N1	DD-D009406	EBG106-107-051220-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	4.1	U	0.088	0.24	ug/WIPE
EBG106-107	5/12/2020	8:04	N1	DD-D009406	EBG106-107-051220-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG106-107	5/12/2020	8:04	N1	DD-D009406	EBG106-107-051220-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.6	U	0.07	0.24	ug/WIPE
EBG106-107	5/12/2020	8:04	N1	DD-D009406	EBG106-107-051220-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG106-107	5/12/2020	8:04	N1	DD-D009406	EBG106-107-051220-COMP	SW8082A	SW	TOTAL PCBs	5.7	U	-	0.24	ug/WIPE
EBG108	5/12/2020	9:34	N1	DD-D009408	EBG108-051220	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG108	5/12/2020	9:34	N1	DD-D009408	EBG108-051220	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG108	5/12/2020	9:34	N1	DD-D009408	EBG108-051220	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG108	5/12/2020	9:34	N1	DD-D009408	EBG108-051220	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.6	U	0.088	0.24	ug/WIPE
EBG108	5/12/2020	9:34	N1	DD-D009408	EBG108-051220	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG108	5/12/2020	9:34	N1	DD-D009408	EBG108-051220	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.3	U	0.07	0.24	ug/WIPE
EBG108	5/12/2020	9:34	N1	DD-D009408	EBG108-051220	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG108	5/12/2020	9:34	N1	DD-D009408	EBG108-051220	SW8082A	SW	TOTAL PCBs	4.9	U	-	0.24	ug/WIPE
EBG109-110-111	5/12/2020	9:39	N1	DD-D009409	EBG109-110-111-051220-COM	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG109-110-111	5/12/2020	9:39	N1	DD-D009409	EBG109-110-111-051220-COM	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG109-110-111	5/12/2020	9:39	N1	DD-D009409	EBG109-110-111-051220-COM	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG109-110-111	5/12/2020	9:39	N1	DD-D009409	EBG109-110-111-051220-COM	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	8.1	U	0.088	0.24	ug/WIPE
EBG109-110-111	5/12/2020	9:39	N1	DD-D009409	EBG109-110-111-051220-COM	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG109-110-111	5/12/2020	9:39	N1	DD-D009409	EBG109-110-111-051220-COM	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	3.6	U	0.07	0.24	ug/WIPE
EBG109-110-111	5/12/2020	9:39	N1	DD-D009409	EBG109-110-111-051220-COM	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG109-110-111	5/12/2020	9:39	N1	DD-D009409	EBG109-110-111-051220-COM	SW8082A	SW	TOTAL PCBs	11.7	U	-	0.24	ug/WIPE
EBG109R	6/25/2020	10:05	N1	DD-D021602	EBG109R-062520	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG109R	6/25/2020	10:05	N1	DD-D021602	EBG109R-062520	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG109R	6/25/2020	10:05	N1	DD-D021602	EBG109R-062520	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG109R	6/25/2020	10:05	N1	DD-D021602	EBG109R-062520	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2	U	0.088	0.24	ug/WIPE
EBG109R	6/25/2020	10:05	N1	DD-D021602	EBG109R-062520	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG109R	6/25/2020	10:05	N1	DD-D021602	EBG109R-062520	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.82	U	0.07	0.24	ug/WIPE
EBG109R	6/25/2020	10:05	N1	DD-D021602	EBG109R-062520	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG109R	6/25/2020	10:05	N1	DD-D021602	EBG109R-062520	SW8082A	SW	TOTAL PCBs	2.82	U	-	0.24	ug/WIPE
EBG110R	6/25/2020	10:20	N1	DD-D021603	EBG110R-062520	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE

Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
EBG110R	6/25/2020	10:20	N1	DD-D021603	EBG110R-062520	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG110R	6/25/2020	10:20	N1	DD-D021603	EBG110R-062520	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG110R	6/25/2020	10:20	N1	DD-D021603	EBG110R-062520	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.2		0.088	0.24	ug/WIPE
EBG110R	6/25/2020	10:20	N1	DD-D021603	EBG110R-062520	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG110R	6/25/2020	10:20	N1	DD-D021603	EBG110R-062520	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.94		0.07	0.24	ug/WIPE
EBG110R	6/25/2020	10:20	N1	DD-D021603	EBG110R-062520	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG110R	6/25/2020	10:20	N1	DD-D021603	EBG110R-062520	SW8082A	SW	TOTAL PCBs	3.14		-	0.24	ug/WIPE
EBG111R	6/25/2020	10:40	N1	DD-D021604	EBG111R-062520	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG111R	6/25/2020	10:40	N1	DD-D021604	EBG111R-062520	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG111R	6/25/2020	10:40	N1	DD-D021604	EBG111R-062520	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG111R	6/25/2020	10:40	N1	DD-D021604	EBG111R-062520	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.6		0.088	0.24	ug/WIPE
EBG111R	6/25/2020	10:40	N1	DD-D021604	EBG111R-062520	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG111R	6/25/2020	10:40	N1	DD-D021604	EBG111R-062520	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.82		0.07	0.24	ug/WIPE
EBG111R	6/25/2020	10:40	N1	DD-D021604	EBG111R-062520	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG111R	6/25/2020	10:40	N1	DD-D021604	EBG111R-062520	SW8082A	SW	TOTAL PCBs	3.42		-	0.24	ug/WIPE
EBG112-113-114	5/12/2020	11:09	N1	DD-D009502	EBG112-113-114-051220-COM	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG112-113-114	5/12/2020	11:09	N1	DD-D009502	EBG112-113-114-051220-COM	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG112-113-114	5/12/2020	11:09	N1	DD-D009502	EBG112-113-114-051220-COM	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG112-113-114	5/12/2020	11:09	N1	DD-D009502	EBG112-113-114-051220-COM	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.5		0.088	0.24	ug/WIPE
EBG112-113-114	5/12/2020	11:09	N1	DD-D009502	EBG112-113-114-051220-COM	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG112-113-114	5/12/2020	11:09	N1	DD-D009502	EBG112-113-114-051220-COM	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.6		0.07	0.24	ug/WIPE
EBG112-113-114	5/12/2020	11:09	N1	DD-D009502	EBG112-113-114-051220-COM	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG112-113-114	5/12/2020	11:09	N1	DD-D009502	EBG112-113-114-051220-COM	SW8082A	SW	TOTAL PCBs	5.1		-	0.24	ug/WIPE
EBG115-116-117	5/12/2020	10:57	N1	DD-D009505	EBG115-116-117-051220-COM	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG115-116-117	5/12/2020	10:57	N1	DD-D009505	EBG115-116-117-051220-COM	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG115-116-117	5/12/2020	10:57	N1	DD-D009505	EBG115-116-117-051220-COM	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG115-116-117	5/12/2020	10:57	N1	DD-D009505	EBG115-116-117-051220-COM	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	7.4		0.088	0.24	ug/WIPE
EBG115-116-117	5/12/2020	10:57	N1	DD-D009505	EBG115-116-117-051220-COM	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG115-116-117	5/12/2020	10:57	N1	DD-D009505	EBG115-116-117-051220-COM	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.7		0.07	0.24	ug/WIPE
EBG115-116-117	5/12/2020	10:57	N1	DD-D009505	EBG115-116-117-051220-COM	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG115-116-117	5/12/2020	10:57	N1	DD-D009505	EBG115-116-117-051220-COM	SW8082A	SW	TOTAL PCBs	10.1		-	0.24	ug/WIPE
EBG115R	6/26/2020	11:45	N1	DD-D021605	EBG115R-062620	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG115R	6/26/2020	11:45	N1	DD-D021605	EBG115R-062620	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG115R	6/26/2020	11:45	N1	DD-D021605	EBG115R-062620	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG115R	6/26/2020	11:45	N1	DD-D021605	EBG115R-062620	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.4		0.088	0.24	ug/WIPE
EBG115R	6/26/2020	11:45	N1	DD-D021605	EBG115R-062620	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG115R	6/26/2020	11:45	N1	DD-D021605	EBG115R-062620	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.1		0.07	0.24	ug/WIPE
EBG115R	6/26/2020	11:45	N1	DD-D021605	EBG115R-062620	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG115R	6/26/2020	11:45	N1	DD-D021605	EBG115R-062620	SW8082A	SW	TOTAL PCBs	4.5		-	0.24	ug/WIPE
EBG116R	6/26/2020	11:50	N1	DD-D021606	EBG116R-062620	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG116R	6/26/2020	11:50	N1	DD-D021606	EBG116R-062620	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG116R	6/26/2020	11:50	N1	DD-D021606	EBG116R-062620	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG116R	6/26/2020	11:50	N1	DD-D021606	EBG116R-062620	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.6		0.088	0.24	ug/WIPE
EBG116R	6/26/2020	11:50	N1	DD-D021606	EBG116R-062620	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG116R	6/26/2020	11:50	N1	DD-D021606	EBG116R-062620	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.68		0.07	0.24	ug/WIPE
EBG116R	6/26/2020	11:50	N1	DD-D021606	EBG116R-062620	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG116R	6/26/2020	11:50	N1	DD-D021606	EBG116R-062620	SW8082A	SW	TOTAL PCBs	3.28		-	0.24	ug/WIPE
EBG117R	6/26/2020	11:55	N1	DD-D021607	EBG117R-062620	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG117R	6/26/2020	11:55	N1	DD-D021607	EBG117R-062620	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG117R	6/26/2020	11:55	N1	DD-D021607	EBG117R-062620	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG117R	6/26/2020	11:55	N1	DD-D021607	EBG117R-062620	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.78		0.088	0.24	ug/WIPE



Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
EBG117R	6/26/2020	11:55	N1	DD-D021607	EBG117R-062620	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG117R	6/26/2020	11:55	N1	DD-D021607	EBG117R-062620	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.28	U	0.07	0.24	ug/WIPE
EBG117R	6/26/2020	11:55	N1	DD-D021607	EBG117R-062620	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG117R	6/26/2020	11:55	N1	DD-D021607	EBG117R-062620	SW8082A	SW	TOTAL PCBs	1.06		-	0.24	ug/WIPE
EBG118-119-120	5/12/2020	10:48	N1	DD-D009508	EBG118-119-120-051220-COM	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG118-119-120	5/12/2020	10:48	N1	DD-D009508	EBG118-119-120-051220-COM	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG118-119-120	5/12/2020	10:48	N1	DD-D009508	EBG118-119-120-051220-COM	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG118-119-120	5/12/2020	10:48	N1	DD-D009508	EBG118-119-120-051220-COM	SW8082A	SW	PCB-1242 (AROCLOR 1242)	12		0.088	0.24	ug/WIPE
EBG118-119-120	5/12/2020	10:48	N1	DD-D009508	EBG118-119-120-051220-COM	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG118-119-120	5/12/2020	10:48	N1	DD-D009508	EBG118-119-120-051220-COM	SW8082A	SW	PCB-1254 (AROCLOR 1254)	4.5		0.07	0.24	ug/WIPE
EBG118-119-120	5/12/2020	10:48	N1	DD-D009508	EBG118-119-120-051220-COM	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG118-119-120	5/12/2020	10:48	N1	DD-D009508	EBG118-119-120-051220-COM	SW8082A	SW	TOTAL PCBs	16.5		-	0.24	ug/WIPE
EBG118R	6/26/2020	11:58	N1	DD-D021608	EBG118R-062620	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG118R	6/26/2020	11:58	N1	DD-D021608	EBG118R-062620	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG118R	6/26/2020	11:58	N1	DD-D021608	EBG118R-062620	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG118R	6/26/2020	11:58	N1	DD-D021608	EBG118R-062620	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3.2		0.088	0.24	ug/WIPE
EBG118R	6/26/2020	11:58	N1	DD-D021608	EBG118R-062620	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG118R	6/26/2020	11:58	N1	DD-D021608	EBG118R-062620	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.1		0.07	0.24	ug/WIPE
EBG118R	6/26/2020	11:58	N1	DD-D021608	EBG118R-062620	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG118R	6/26/2020	11:58	N1	DD-D021608	EBG118R-062620	SW8082A	SW	TOTAL PCBs	4.3		-	0.24	ug/WIPE
EBG119R	6/26/2020	12:00	N1	DD-D021609	EBG119R-062620	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG119R	6/26/2020	12:00	N1	DD-D021609	EBG119R-062620	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG119R	6/26/2020	12:00	N1	DD-D021609	EBG119R-062620	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG119R	6/26/2020	12:00	N1	DD-D021609	EBG119R-062620	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3.2		0.088	0.24	ug/WIPE
EBG119R	6/26/2020	12:00	N1	DD-D021609	EBG119R-062620	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG119R	6/26/2020	12:00	N1	DD-D021609	EBG119R-062620	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.1		0.07	0.24	ug/WIPE
EBG119R	6/26/2020	12:00	N1	DD-D021609	EBG119R-062620	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG119R	6/26/2020	12:00	N1	DD-D021609	EBG119R-062620	SW8082A	SW	TOTAL PCBs	4.3		-	0.24	ug/WIPE
EBG120R	6/26/2020	12:05	N1	DD-D021610	EBG120R-062620	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG120R	6/26/2020	12:05	N1	DD-D021610	EBG120R-062620	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG120R	6/26/2020	12:05	N1	DD-D021610	EBG120R-062620	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG120R	6/26/2020	12:05	N1	DD-D021610	EBG120R-062620	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2.8		0.088	0.24	ug/WIPE
EBG120R	6/26/2020	12:05	N1	DD-D021610	EBG120R-062620	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG120R	6/26/2020	12:05	N1	DD-D021610	EBG120R-062620	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.71		0.07	0.24	ug/WIPE
EBG120R	6/26/2020	12:05	N1	DD-D021610	EBG120R-062620	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG120R	6/26/2020	12:05	N1	DD-D021610	EBG120R-062620	SW8082A	SW	TOTAL PCBs	3.51		-	0.24	ug/WIPE
EBG121-122-123	5/12/2020	10:34	N1	DD-D009601	EBG121-122-123-051220-COM	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG121-122-123	5/12/2020	10:34	N1	DD-D009601	EBG121-122-123-051220-COM	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG121-122-123	5/12/2020	10:34	N1	DD-D009601	EBG121-122-123-051220-COM	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG121-122-123	5/12/2020	10:34	N1	DD-D009601	EBG121-122-123-051220-COM	SW8082A	SW	PCB-1242 (AROCLOR 1242)	12		0.088	0.24	ug/WIPE
EBG121-122-123	5/12/2020	10:34	N1	DD-D009601	EBG121-122-123-051220-COM	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG121-122-123	5/12/2020	10:34	N1	DD-D009601	EBG121-122-123-051220-COM	SW8082A	SW	PCB-1254 (AROCLOR 1254)	4.1		0.07	0.24	ug/WIPE
EBG121-122-123	5/12/2020	10:34	N1	DD-D009601	EBG121-122-123-051220-COM	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG121-122-123	5/12/2020	10:34	N1	DD-D009601	EBG121-122-123-051220-COM	SW8082A	SW	TOTAL PCBs	16.1		-	0.24	ug/WIPE
EBG121R	6/26/2020	12:08	N1	DD-D021701	EBG121R-062620	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG121R	6/26/2020	12:08	N1	DD-D021701	EBG121R-062620	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG121R	6/26/2020	12:08	N1	DD-D021701	EBG121R-062620	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG121R	6/26/2020	12:08	N1	DD-D021701	EBG121R-062620	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3.1		0.088	0.24	ug/WIPE
EBG121R	6/26/2020	12:08	N1	DD-D021701	EBG121R-062620	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG121R	6/26/2020	12:08	N1	DD-D021701	EBG121R-062620	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.83		0.07	0.24	ug/WIPE
EBG121R	6/26/2020	12:08	N1	DD-D021701	EBG121R-062620	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE



Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
EBG121R	6/26/2020	12:08	N1	DD-D021701	EBG121R-062620	SW8082A	SW	TOTAL PCBs	3.93		-	0.24	ug/WIPE
EBG122R	6/26/2020	12:12	N1	DD-D021702	EBG122R-062620	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG122R	6/26/2020	12:12	N1	DD-D021702	EBG122R-062620	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG122R	6/26/2020	12:12	N1	DD-D021702	EBG122R-062620	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG122R	6/26/2020	12:12	N1	DD-D021702	EBG122R-062620	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.77		0.088	0.24	ug/WIPE
EBG122R	6/26/2020	12:12	N1	DD-D021702	EBG122R-062620	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG122R	6/26/2020	12:12	N1	DD-D021702	EBG122R-062620	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.31		0.07	0.24	ug/WIPE
EBG122R	6/26/2020	12:12	N1	DD-D021702	EBG122R-062620	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG122R	6/26/2020	12:12	N1	DD-D021702	EBG122R-062620	SW8082A	SW	TOTAL PCBs	1.08		-	0.24	ug/WIPE
EBG123R	6/26/2020	12:15	N1	DD-D021703	EBG123R-062620	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG123R	6/26/2020	12:15	N1	DD-D021703	EBG123R-062620	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG123R	6/26/2020	12:15	N1	DD-D021703	EBG123R-062620	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG123R	6/26/2020	12:15	N1	DD-D021703	EBG123R-062620	SW8082A	SW	PCB-1242 (AROCLOR 1242)	4		0.088	0.24	ug/WIPE
EBG123R	6/26/2020	12:15	N1	DD-D021703	EBG123R-062620	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG123R	6/26/2020	12:15	N1	DD-D021703	EBG123R-062620	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.2		0.07	0.24	ug/WIPE
EBG123R	6/26/2020	12:15	N1	DD-D021703	EBG123R-062620	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG123R	6/26/2020	12:15	N1	DD-D021703	EBG123R-062620	SW8082A	SW	TOTAL PCBs	5.2		-	0.24	ug/WIPE
EBG124-125	5/12/2020	10:25	N1	DD-D009604	EBG124-125-051220-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG124-125	5/12/2020	10:25	N1	DD-D009604	EBG124-125-051220-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG124-125	5/12/2020	10:25	N1	DD-D009604	EBG124-125-051220-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG124-125	5/12/2020	10:25	N1	DD-D009604	EBG124-125-051220-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	5.9		0.088	0.24	ug/WIPE
EBG124-125	5/12/2020	10:25	N1	DD-D009604	EBG124-125-051220-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG124-125	5/12/2020	10:25	N1	DD-D009604	EBG124-125-051220-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.7		0.07	0.24	ug/WIPE
EBG124-125	5/12/2020	10:25	N1	DD-D009604	EBG124-125-051220-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG124-125	5/12/2020	10:25	N1	DD-D009604	EBG124-125-051220-COMP	SW8082A	SW	TOTAL PCBs	7.6		-	0.24	ug/WIPE
EBG126	5/12/2020	9:52	N1	DD-D009606	EBG126-051220	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG126	5/12/2020	9:52	N1	DD-D009606	EBG126-051220	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG126	5/12/2020	9:52	N1	DD-D009606	EBG126-051220	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG126	5/12/2020	9:52	N1	DD-D009606	EBG126-051220	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3.8		0.088	0.24	ug/WIPE
EBG126	5/12/2020	9:52	N1	DD-D009606	EBG126-051220	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG126	5/12/2020	9:52	N1	DD-D009606	EBG126-051220	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.8		0.07	0.24	ug/WIPE
EBG126	5/12/2020	9:52	N1	DD-D009606	EBG126-051220	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG126	5/12/2020	9:52	N1	DD-D009606	EBG126-051220	SW8082A	SW	TOTAL PCBs	5.6		-	0.24	ug/WIPE
EBG127-128	5/12/2020	9:56	N1	DD-D009607	EBG127-128-051220-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG127-128	5/12/2020	9:56	N1	DD-D009607	EBG127-128-051220-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG127-128	5/12/2020	9:56	N1	DD-D009607	EBG127-128-051220-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG127-128	5/12/2020	9:56	N1	DD-D009607	EBG127-128-051220-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	6.4		0.088	0.24	ug/WIPE
EBG127-128	5/12/2020	9:56	N1	DD-D009607	EBG127-128-051220-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG127-128	5/12/2020	9:56	N1	DD-D009607	EBG127-128-051220-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2.7		0.07	0.24	ug/WIPE
EBG127-128	5/12/2020	9:56	N1	DD-D009607	EBG127-128-051220-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG127-128	5/12/2020	9:56	N1	DD-D009607	EBG127-128-051220-COMP	SW8082A	SW	TOTAL PCBs	9.1		-	0.24	ug/WIPE
EBG129-130-131	5/12/2020	11:50	N1	DD-D009609	EBG129-130-131-051220-COM	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG129-130-131	5/12/2020	11:50	N1	DD-D009609	EBG129-130-131-051220-COM	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG129-130-131	5/12/2020	11:50	N1	DD-D009609	EBG129-130-131-051220-COM	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG129-130-131	5/12/2020	11:50	N1	DD-D009609	EBG129-130-131-051220-COM	SW8082A	SW	PCB-1242 (AROCLOR 1242)	13		0.088	0.24	ug/WIPE
EBG129-130-131	5/12/2020	11:50	N1	DD-D009609	EBG129-130-131-051220-COM	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG129-130-131	5/12/2020	11:50	N1	DD-D009609	EBG129-130-131-051220-COM	SW8082A	SW	PCB-1254 (AROCLOR 1254)	5.2		0.07	0.24	ug/WIPE
EBG129-130-131	5/12/2020	11:50	N1	DD-D009609	EBG129-130-131-051220-COM	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG129-130-131	5/12/2020	11:50	N1	DD-D009609	EBG129-130-131-051220-COM	SW8082A	SW	TOTAL PCBs	18.2		-	0.24	ug/WIPE
EBG129R	6/26/2020	16:25	N1	DD-D021704	EBG129R-062620	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG129R	6/26/2020	16:25	N1	DD-D021704	EBG129R-062620	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE

Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
EBG129R	6/26/2020	16:25	N1	DD-D021704	EBG129R-062620	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG129R	6/26/2020	16:25	N1	DD-D021704	EBG129R-062620	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.6	U	0.088	0.24	ug/WIPE
EBG129R	6/26/2020	16:25	N1	DD-D021704	EBG129R-062620	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG129R	6/26/2020	16:25	N1	DD-D021704	EBG129R-062620	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.94	U	0.07	0.24	ug/WIPE
EBG129R	6/26/2020	16:25	N1	DD-D021704	EBG129R-062620	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG129R	6/26/2020	16:25	N1	DD-D021704	EBG129R-062620	SW8082A	SW	TOTAL PCBs	4.54	U	-	0.24	ug/WIPE
EBG130R	6/26/2020	16:30	N1	DD-D021705	EBG130R-062620	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG130R	6/26/2020	16:30	N1	DD-D021705	EBG130R-062620	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG130R	6/26/2020	16:30	N1	DD-D021705	EBG130R-062620	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG130R	6/26/2020	16:30	N1	DD-D021705	EBG130R-062620	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.4	U	0.088	0.24	ug/WIPE
EBG130R	6/26/2020	16:30	N1	DD-D021705	EBG130R-062620	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG130R	6/26/2020	16:30	N1	DD-D021705	EBG130R-062620	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.1	U	0.07	0.24	ug/WIPE
EBG130R	6/26/2020	16:30	N1	DD-D021705	EBG130R-062620	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG130R	6/26/2020	16:30	N1	DD-D021705	EBG130R-062620	SW8082A	SW	TOTAL PCBs	4.5	U	-	0.24	ug/WIPE
EBG131R	6/26/2020	16:32	N1	DD-D021706	EBG131R-062620	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG131R	6/26/2020	16:32	N1	DD-D021706	EBG131R-062620	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG131R	6/26/2020	16:32	N1	DD-D021706	EBG131R-062620	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG131R	6/26/2020	16:32	N1	DD-D021706	EBG131R-062620	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.5	U	0.088	0.24	ug/WIPE
EBG131R	6/26/2020	16:32	N1	DD-D021706	EBG131R-062620	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG131R	6/26/2020	16:32	N1	DD-D021706	EBG131R-062620	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.97	U	0.07	0.24	ug/WIPE
EBG131R	6/26/2020	16:32	N1	DD-D021706	EBG131R-062620	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG131R	6/26/2020	16:32	N1	DD-D021706	EBG131R-062620	SW8082A	SW	TOTAL PCBs	3.47	U	-	0.24	ug/WIPE
EBG132-133	5/12/2020	11:41	N1	DD-D009702	EBG132-133-051220-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG132-133	5/12/2020	11:41	N1	DD-D009702	EBG132-133-051220-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG132-133	5/12/2020	11:41	N1	DD-D009702	EBG132-133-051220-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG132-133	5/12/2020	11:41	N1	DD-D009702	EBG132-133-051220-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	8.4	U	0.088	0.24	ug/WIPE
EBG132-133	5/12/2020	11:41	N1	DD-D009702	EBG132-133-051220-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG132-133	5/12/2020	11:41	N1	DD-D009702	EBG132-133-051220-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	3.4	U	0.07	0.24	ug/WIPE
EBG132-133	5/12/2020	11:41	N1	DD-D009702	EBG132-133-051220-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG132-133	5/12/2020	11:41	N1	DD-D009702	EBG132-133-051220-COMP	SW8082A	SW	TOTAL PCBs	11.8	U	-	0.24	ug/WIPE
EBG132R	6/26/2020	16:35	N1	DD-D021707	EBG132R-062620	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG132R	6/26/2020	16:35	N1	DD-D021707	EBG132R-062620	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG132R	6/26/2020	16:35	N1	DD-D021707	EBG132R-062620	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG132R	6/26/2020	16:35	N1	DD-D021707	EBG132R-062620	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.1	U	0.088	0.24	ug/WIPE
EBG132R	6/26/2020	16:35	N1	DD-D021707	EBG132R-062620	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG132R	6/26/2020	16:35	N1	DD-D021707	EBG132R-062620	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.96	U	0.07	0.24	ug/WIPE
EBG132R	6/26/2020	16:35	N1	DD-D021707	EBG132R-062620	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG132R	6/26/2020	16:35	N1	DD-D021707	EBG132R-062620	SW8082A	SW	TOTAL PCBs	4.06	U	-	0.24	ug/WIPE
EBG133R	6/26/2020	16:38	N1	DD-D021708	EBG133R-062620	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG133R	6/26/2020	16:38	N1	DD-D021708	EBG133R-062620	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG133R	6/26/2020	16:38	N1	DD-D021708	EBG133R-062620	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG133R	6/26/2020	16:38	N1	DD-D021708	EBG133R-062620	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.6	U	0.088	0.24	ug/WIPE
EBG133R	6/26/2020	16:38	N1	DD-D021708	EBG133R-062620	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG133R	6/26/2020	16:38	N1	DD-D021708	EBG133R-062620	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.1	U	0.07	0.24	ug/WIPE
EBG133R	6/26/2020	16:38	N1	DD-D021708	EBG133R-062620	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG133R	6/26/2020	16:38	N1	DD-D021708	EBG133R-062620	SW8082A	SW	TOTAL PCBs	4.7	U	-	0.24	ug/WIPE
EBG134-135	5/12/2020	11:36	N1	DD-D009704	EBG134-135-051220-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG134-135	5/12/2020	11:36	N1	DD-D009704	EBG134-135-051220-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG134-135	5/12/2020	11:36	N1	DD-D009704	EBG134-135-051220-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG134-135	5/12/2020	11:36	N1	DD-D009704	EBG134-135-051220-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3	U	0.088	0.24	ug/WIPE
EBG134-135	5/12/2020	11:36	N1	DD-D009704	EBG134-135-051220-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE

Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
EBG134-135	5/12/2020	11:36	N1	DD-D009704	EBG134-135-051220-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.3		0.07	0.24	ug/WIPE
EBG134-135	5/12/2020	11:36	N1	DD-D009704	EBG134-135-051220-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG134-135	5/12/2020	11:36	N1	DD-D009704	EBG134-135-051220-COMP	SW8082A	SW	TOTAL PCBs	4.3		-	0.24	ug/WIPE
EBG136-137	5/12/2020	11:29	N1	DD-D009706	EBG136-137-051220-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG136-137	5/12/2020	11:29	N1	DD-D009706	EBG136-137-051220-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG136-137	5/12/2020	11:29	N1	DD-D009706	EBG136-137-051220-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG136-137	5/12/2020	11:29	N1	DD-D009706	EBG136-137-051220-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	5.8		0.088	0.24	ug/WIPE
EBG136-137	5/12/2020	11:29	N1	DD-D009706	EBG136-137-051220-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG136-137	5/12/2020	11:29	N1	DD-D009706	EBG136-137-051220-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.9		0.07	0.24	ug/WIPE
EBG136-137	5/12/2020	11:29	N1	DD-D009706	EBG136-137-051220-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG136-137	5/12/2020	11:29	N1	DD-D009706	EBG136-137-051220-COMP	SW8082A	SW	TOTAL PCBs	7.7		-	0.24	ug/WIPE
EBG138-139	5/12/2020	11:22	N1	DD-D009708	EBG138-139-051220-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG138-139	5/12/2020	11:22	N1	DD-D009708	EBG138-139-051220-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG138-139	5/12/2020	11:22	N1	DD-D009708	EBG138-139-051220-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG138-139	5/12/2020	11:22	N1	DD-D009708	EBG138-139-051220-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	11		0.088	0.24	ug/WIPE
EBG138-139	5/12/2020	11:22	N1	DD-D009708	EBG138-139-051220-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG138-139	5/12/2020	11:22	N1	DD-D009708	EBG138-139-051220-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	3.3		0.07	0.24	ug/WIPE
EBG138-139	5/12/2020	11:22	N1	DD-D009708	EBG138-139-051220-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG138-139	5/12/2020	11:22	N1	DD-D009708	EBG138-139-051220-COMP	SW8082A	SW	TOTAL PCBs	14.3		-	0.24	ug/WIPE
EBG138R	6/26/2020	16:40	N1	DD-D021709	EBG138R-062620	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG138R	6/26/2020	16:40	N1	DD-D021709	EBG138R-062620	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG138R	6/26/2020	16:40	N1	DD-D021709	EBG138R-062620	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG138R	6/26/2020	16:40	N1	DD-D021709	EBG138R-062620	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.9		0.088	0.24	ug/WIPE
EBG138R	6/26/2020	16:40	N1	DD-D021709	EBG138R-062620	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG138R	6/26/2020	16:40	N1	DD-D021709	EBG138R-062620	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.1		0.07	0.24	ug/WIPE
EBG138R	6/26/2020	16:40	N1	DD-D021709	EBG138R-062620	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG138R	6/26/2020	16:40	N1	DD-D021709	EBG138R-062620	SW8082A	SW	TOTAL PCBs	5		-	0.24	ug/WIPE
EBG139R	6/26/2020	16:50	N1	DD-D021710	EBG139R-062620	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG139R	6/26/2020	16:50	N1	DD-D021710	EBG139R-062620	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG139R	6/26/2020	16:50	N1	DD-D021710	EBG139R-062620	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG139R	6/26/2020	16:50	N1	DD-D021710	EBG139R-062620	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	4.3		0.088	0.24	ug/WIPE
EBG139R	6/26/2020	16:50	N1	DD-D021710	EBG139R-062620	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG139R	6/26/2020	16:50	N1	DD-D021710	EBG139R-062620	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.1		0.07	0.24	ug/WIPE
EBG139R	6/26/2020	16:50	N1	DD-D021710	EBG139R-062620	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG139R	6/26/2020	16:50	N1	DD-D021710	EBG139R-062620	SW8082A	SW	TOTAL PCBs	5.4		-	0.24	ug/WIPE
EW001-002-003	5/11/2020	8:14	N1	DD-D008001	EW001-002-003-051120-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EW001-002-003	5/11/2020	8:14	N1	DD-D008001	EW001-002-003-051120-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EW001-002-003	5/11/2020	8:14	N1	DD-D008001	EW001-002-003-051120-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EW001-002-003	5/11/2020	8:14	N1	DD-D008001	EW001-002-003-051120-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.36		0.088	0.24	ug/WIPE
EW001-002-003	5/11/2020	8:14	N1	DD-D008001	EW001-002-003-051120-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EW001-002-003	5/11/2020	8:14	N1	DD-D008001	EW001-002-003-051120-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.14	J	0.07	0.24	ug/WIPE
EW001-002-003	5/11/2020	8:14	N1	DD-D008001	EW001-002-003-051120-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EW001-002-003	5/11/2020	8:14	N1	DD-D008001	EW001-002-003-051120-COMP	SW8082A	SW	TOTAL PCBs	0.5		-	0.24	ug/WIPE
EW004-005-009	5/11/2020	9:28	N1	DD-D008004	EW004-005-009-051120-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EW004-005-009	5/11/2020	9:28	N1	DD-D008004	EW004-005-009-051120-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EW004-005-009	5/11/2020	9:28	N1	DD-D008004	EW004-005-009-051120-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EW004-005-009	5/11/2020	9:28	N1	DD-D008004	EW004-005-009-051120-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.24		0.088	0.24	ug/WIPE
EW004-005-009	5/11/2020	9:28	N1	DD-D008004	EW004-005-009-051120-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EW004-005-009	5/11/2020	9:28	N1	DD-D008004	EW004-005-009-051120-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.1	J	0.07	0.24	ug/WIPE
EW004-005-009	5/11/2020	9:28	N1	DD-D008004	EW004-005-009-051120-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EW004-005-009	5/11/2020	9:28	N1	DD-D008004	EW004-005-009-051120-COMP	SW8082A	SW	TOTAL PCBs	0.34		-	0.24	ug/WIPE

Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
EW006-007-008	5/11/2020	11:20	N1	DD-D008006	EW006-007-008-051120-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EW006-007-008	5/11/2020	11:20	N1	DD-D008006	EW006-007-008-051120-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EW006-007-008	5/11/2020	11:20	N1	DD-D008006	EW006-007-008-051120-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EW006-007-008	5/11/2020	11:20	N1	DD-D008006	EW006-007-008-051120-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.43		0.088	0.24	ug/WIPE
EW006-007-008	5/11/2020	11:20	N1	DD-D008006	EW006-007-008-051120-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EW006-007-008	5/11/2020	11:20	N1	DD-D008006	EW006-007-008-051120-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.2	J	0.07	0.24	ug/WIPE
EW006-007-008	5/11/2020	11:20	N1	DD-D008006	EW006-007-008-051120-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EW006-007-008	5/11/2020	11:20	N1	DD-D008006	EW006-007-008-051120-COMP	SW8082A	SW	TOTAL PCBs	0.63		-	0.24	ug/WIPE
EW010-011-012	5/11/2020	13:13	N1	DD-D008010	EW010-011-012-051120-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EW010-011-012	5/11/2020	13:13	N1	DD-D008010	EW010-011-012-051120-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EW010-011-012	5/11/2020	13:13	N1	DD-D008010	EW010-011-012-051120-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EW010-011-012	5/11/2020	13:13	N1	DD-D008010	EW010-011-012-051120-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.38		0.088	0.24	ug/WIPE
EW010-011-012	5/11/2020	13:13	N1	DD-D008010	EW010-011-012-051120-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EW010-011-012	5/11/2020	13:13	N1	DD-D008010	EW010-011-012-051120-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.15	J	0.07	0.24	ug/WIPE
EW010-011-012	5/11/2020	13:13	N1	DD-D008010	EW010-011-012-051120-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EW010-011-012	5/11/2020	13:13	N1	DD-D008010	EW010-011-012-051120-COMP	SW8082A	SW	TOTAL PCBs	0.53		-	0.24	ug/WIPE
EW013-014	5/11/2020	14:39	N1	DD-D008103	EW013-014-051120-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EW013-014	5/11/2020	14:39	N1	DD-D008103	EW013-014-051120-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EW013-014	5/11/2020	14:39	N1	DD-D008103	EW013-014-051120-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EW013-014	5/11/2020	14:39	N1	DD-D008103	EW013-014-051120-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
EW013-014	5/11/2020	14:39	N1	DD-D008103	EW013-014-051120-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EW013-014	5/11/2020	14:39	N1	DD-D008103	EW013-014-051120-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
EW013-014	5/11/2020	14:39	N1	DD-D008103	EW013-014-051120-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EW013-014	5/11/2020	14:39	N1	DD-D008103	EW013-014-051120-COMP	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
EW015-016-017	5/11/2020	15:47	N1	DD-D008105	EW015-016-017-051120-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EW015-016-017	5/11/2020	15:47	N1	DD-D008105	EW015-016-017-051120-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EW015-016-017	5/11/2020	15:47	N1	DD-D008105	EW015-016-017-051120-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EW015-016-017	5/11/2020	15:47	N1	DD-D008105	EW015-016-017-051120-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.22	J	0.088	0.24	ug/WIPE
EW015-016-017	5/11/2020	15:47	N1	DD-D008105	EW015-016-017-051120-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EW015-016-017	5/11/2020	15:47	N1	DD-D008105	EW015-016-017-051120-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.092	J	0.07	0.24	ug/WIPE
EW015-016-017	5/11/2020	15:47	N1	DD-D008105	EW015-016-017-051120-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EW015-016-017	5/11/2020	15:47	N1	DD-D008105	EW015-016-017-051120-COMP	SW8082A	SW	TOTAL PCBs	0.312		-	0.24	ug/WIPE
EW018-022	5/12/2020	9:08	N1	DD-D008108	EW018-022-051220-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EW018-022	5/12/2020	9:08	N1	DD-D008108	EW018-022-051220-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EW018-022	5/12/2020	9:08	N1	DD-D008108	EW018-022-051220-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EW018-022	5/12/2020	9:08	N1	DD-D008108	EW018-022-051220-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
EW018-022	5/12/2020	9:08	N1	DD-D008108	EW018-022-051220-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EW018-022	5/12/2020	9:08	N1	DD-D008108	EW018-022-051220-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
EW018-022	5/12/2020	9:08	N1	DD-D008108	EW018-022-051220-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EW018-022	5/12/2020	9:08	N1	DD-D008108	EW018-022-051220-COMP	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
EW019-020-021	5/12/2020	9:54	N1	DD-D008109	EW019-020-021-051220-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EW019-020-021	5/12/2020	9:54	N1	DD-D008109	EW019-020-021-051220-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EW019-020-021	5/12/2020	9:54	N1	DD-D008109	EW019-020-021-051220-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EW019-020-021	5/12/2020	9:54	N1	DD-D008109	EW019-020-021-051220-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
EW019-020-021	5/12/2020	9:54	N1	DD-D008109	EW019-020-021-051220-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EW019-020-021	5/12/2020	9:54	N1	DD-D008109	EW019-020-021-051220-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
EW019-020-021	5/12/2020	9:54	N1	DD-D008109	EW019-020-021-051220-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EW019-020-021	5/12/2020	9:54	N1	DD-D008109	EW019-020-021-051220-COMP	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
EW023-024-025	5/12/2020	8:15	N1	DD-D008203	EW023-024-025-051220-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EW023-024-025	5/12/2020	8:15	N1	DD-D008203	EW023-024-025-051220-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EW023-024-025	5/12/2020	8:15	N1	DD-D008203	EW023-024-025-051220-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE

Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
EW023-024-025	5/12/2020	8:15	N1	DD-D008203	EW023-024-025-051220-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.22	J	0.088	0.24	ug/WIPE
EW023-024-025	5/12/2020	8:15	N1	DD-D008203	EW023-024-025-051220-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EW023-024-025	5/12/2020	8:15	N1	DD-D008203	EW023-024-025-051220-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.092	J	0.07	0.24	ug/WIPE
EW023-024-025	5/12/2020	8:15	N1	DD-D008203	EW023-024-025-051220-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EW023-024-025	5/12/2020	8:15	N1	DD-D008203	EW023-024-025-051220-COMP	SW8082A	SW	TOTAL PCBs	0.312		-	0.24	ug/WIPE
EW026-027-028	5/12/2020	10:40	N1	DD-D008206	EW026-027-028-051220-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EW026-027-028	5/12/2020	10:40	N1	DD-D008206	EW026-027-028-051220-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EW026-027-028	5/12/2020	10:40	N1	DD-D008206	EW026-027-028-051220-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EW026-027-028	5/12/2020	10:40	N1	DD-D008206	EW026-027-028-051220-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
EW026-027-028	5/12/2020	10:40	N1	DD-D008206	EW026-027-028-051220-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EW026-027-028	5/12/2020	10:40	N1	DD-D008206	EW026-027-028-051220-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
EW026-027-028	5/12/2020	10:40	N1	DD-D008206	EW026-027-028-051220-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EW026-027-028	5/12/2020	10:40	N1	DD-D008206	EW026-027-028-051220-COMP	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
EW029-033	5/12/2020	10:03	N1	DD-D008209	EW029-033-051220-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EW029-033	5/12/2020	10:03	N1	DD-D008209	EW029-033-051220-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EW029-033	5/12/2020	10:03	N1	DD-D008209	EW029-033-051220-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EW029-033	5/12/2020	10:03	N1	DD-D008209	EW029-033-051220-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
EW029-033	5/12/2020	10:03	N1	DD-D008209	EW029-033-051220-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EW029-033	5/12/2020	10:03	N1	DD-D008209	EW029-033-051220-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
EW029-033	5/12/2020	10:03	N1	DD-D008209	EW029-033-051220-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EW029-033	5/12/2020	10:03	N1	DD-D008209	EW029-033-051220-COMP	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
EW030-031-032	5/12/2020	11:25	N1	DD-D008210	EW030-031-032-051220-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EW030-031-032	5/12/2020	11:25	N1	DD-D008210	EW030-031-032-051220-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EW030-031-032	5/12/2020	11:25	N1	DD-D008210	EW030-031-032-051220-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EW030-031-032	5/12/2020	11:25	N1	DD-D008210	EW030-031-032-051220-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.33		0.088	0.24	ug/WIPE
EW030-031-032	5/12/2020	11:25	N1	DD-D008210	EW030-031-032-051220-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EW030-031-032	5/12/2020	11:25	N1	DD-D008210	EW030-031-032-051220-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.15	J	0.07	0.24	ug/WIPE
EW030-031-032	5/12/2020	11:25	N1	DD-D008210	EW030-031-032-051220-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EW030-031-032	5/12/2020	11:25	N1	DD-D008210	EW030-031-032-051220-COMP	SW8082A	SW	TOTAL PCBs	0.48		-	0.24	ug/WIPE
FBG001-002-003	5/12/2020	13:43	N1	DD-D010001	FBG001-002-003-051220-COM	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
FBG001-002-003	5/12/2020	13:43	N1	DD-D010001	FBG001-002-003-051220-COM	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
FBG001-002-003	5/12/2020	13:43	N1	DD-D010001	FBG001-002-003-051220-COM	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
FBG001-002-003	5/12/2020	13:43	N1	DD-D010001	FBG001-002-003-051220-COM	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3.8		0.088	0.24	ug/WIPE
FBG001-002-003	5/12/2020	13:43	N1	DD-D010001	FBG001-002-003-051220-COM	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
FBG001-002-003	5/12/2020	13:43	N1	DD-D010001	FBG001-002-003-051220-COM	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.3		0.07	0.24	ug/WIPE
FBG001-002-003	5/12/2020	13:43	N1	DD-D010001	FBG001-002-003-051220-COM	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
FBG001-002-003	5/12/2020	13:43	N1	DD-D010001	FBG001-002-003-051220-COM	SW8082A	SW	TOTAL PCBs	5.1		-	0.24	ug/WIPE
FBG004-005-006	5/12/2020	13:55	N1	DD-D010004	FBG004-005-006-051220-COM	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
FBG004-005-006	5/12/2020	13:55	N1	DD-D010004	FBG004-005-006-051220-COM	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
FBG004-005-006	5/12/2020	13:55	N1	DD-D010004	FBG004-005-006-051220-COM	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
FBG004-005-006	5/12/2020	13:55	N1	DD-D010004	FBG004-005-006-051220-COM	SW8082A	SW	PCB-1242 (AROCLOR 1242)	5		0.088	0.24	ug/WIPE
FBG004-005-006	5/12/2020	13:55	N1	DD-D010004	FBG004-005-006-051220-COM	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
FBG004-005-006	5/12/2020	13:55	N1	DD-D010004	FBG004-005-006-051220-COM	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.8		0.07	0.24	ug/WIPE
FBG004-005-006	5/12/2020	13:55	N1	DD-D010004	FBG004-005-006-051220-COM	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
FBG004-005-006	5/12/2020	13:55	N1	DD-D010004	FBG004-005-006-051220-COM	SW8082A	SW	TOTAL PCBs	6.8		-	0.24	ug/WIPE
FBG007-008-009	5/12/2020	14:04	N1	DD-D010007	FBG007-008-009-051220-COM	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
FBG007-008-009	5/12/2020	14:04	N1	DD-D010007	FBG007-008-009-051220-COM	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
FBG007-008-009	5/12/2020	14:04	N1	DD-D010007	FBG007-008-009-051220-COM	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
FBG007-008-009	5/12/2020	14:04	N1	DD-D010007	FBG007-008-009-051220-COM	SW8082A	SW	PCB-1242 (AROCLOR 1242)	5.8		0.088	0.24	ug/WIPE
FBG007-008-009	5/12/2020	14:04	N1	DD-D010007	FBG007-008-009-051220-COM	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
FBG007-008-009	5/12/2020	14:04	N1	DD-D010007	FBG007-008-009-051220-COM	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2.1		0.07	0.24	ug/WIPE



Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
FBG007-008-009	5/12/2020	14:04	N1	DD-D010007	FBG007-008-009-051220-COM	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
FBG007-008-009	5/12/2020	14:04	N1	DD-D010007	FBG007-008-009-051220-COM	SW8082A	SW	TOTAL PCBs	7.9		-	0.24	ug/WIPE
FBG010-011-012	5/12/2020	14:20	N1	DD-D010010	FBG010-011-012-051220-COM	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
FBG010-011-012	5/12/2020	14:20	N1	DD-D010010	FBG010-011-012-051220-COM	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
FBG010-011-012	5/12/2020	14:20	N1	DD-D010010	FBG010-011-012-051220-COM	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
FBG010-011-012	5/12/2020	14:20	N1	DD-D010010	FBG010-011-012-051220-COM	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	11		0.088	0.24	ug/WIPE
FBG010-011-012	5/12/2020	14:20	N1	DD-D010010	FBG010-011-012-051220-COM	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
FBG010-011-012	5/12/2020	14:20	N1	DD-D010010	FBG010-011-012-051220-COM	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	4.3		0.07	0.24	ug/WIPE
FBG010-011-012	5/12/2020	14:20	N1	DD-D010010	FBG010-011-012-051220-COM	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
FBG010-011-012	5/12/2020	14:20	N1	DD-D010010	FBG010-011-012-051220-COM	SW8082A	SW	TOTAL PCBs	15.3		-	0.24	ug/WIPE
FBG010R	6/29/2020	15:30	N1	DD-D021801	FBG010R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
FBG010R	6/29/2020	15:30	N1	DD-D021801	FBG010R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
FBG010R	6/29/2020	15:30	N1	DD-D021801	FBG010R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
FBG010R	6/29/2020	15:30	N1	DD-D021801	FBG010R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	1.4		0.088	0.24	ug/WIPE
FBG010R	6/29/2020	15:30	N1	DD-D021801	FBG010R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
FBG010R	6/29/2020	15:30	N1	DD-D021801	FBG010R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.64		0.07	0.24	ug/WIPE
FBG010R	6/29/2020	15:30	N1	DD-D021801	FBG010R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
FBG010R	6/29/2020	15:30	N1	DD-D021801	FBG010R-062920	SW8082A	SW	TOTAL PCBs	2.04		-	0.24	ug/WIPE
FBG011R	6/29/2020	15:33	N1	DD-D021802	FBG011R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
FBG011R	6/29/2020	15:33	N1	DD-D021802	FBG011R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
FBG011R	6/29/2020	15:33	N1	DD-D021802	FBG011R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
FBG011R	6/29/2020	15:33	N1	DD-D021802	FBG011R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.7		0.088	0.24	ug/WIPE
FBG011R	6/29/2020	15:33	N1	DD-D021802	FBG011R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
FBG011R	6/29/2020	15:33	N1	DD-D021802	FBG011R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.99		0.07	0.24	ug/WIPE
FBG011R	6/29/2020	15:33	N1	DD-D021802	FBG011R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
FBG011R	6/29/2020	15:33	N1	DD-D021802	FBG011R-062920	SW8082A	SW	TOTAL PCBs	3.69		-	0.24	ug/WIPE
FBG012R	6/29/2020	15:36	N1	DD-D021803	FBG012R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
FBG012R	6/29/2020	15:36	N1	DD-D021803	FBG012R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
FBG012R	6/29/2020	15:36	N1	DD-D021803	FBG012R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
FBG012R	6/29/2020	15:36	N1	DD-D021803	FBG012R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.8		0.088	0.24	ug/WIPE
FBG012R	6/29/2020	15:36	N1	DD-D021803	FBG012R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
FBG012R	6/29/2020	15:36	N1	DD-D021803	FBG012R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.89		0.07	0.24	ug/WIPE
FBG012R	6/29/2020	15:36	N1	DD-D021803	FBG012R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
FBG012R	6/29/2020	15:36	N1	DD-D021803	FBG012R-062920	SW8082A	SW	TOTAL PCBs	3.69		-	0.24	ug/WIPE
FBG013-014	5/12/2020	14:31	N1	DD-D010103	FBG013-014-051220-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
FBG013-014	5/12/2020	14:31	N1	DD-D010103	FBG013-014-051220-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
FBG013-014	5/12/2020	14:31	N1	DD-D010103	FBG013-014-051220-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
FBG013-014	5/12/2020	14:31	N1	DD-D010103	FBG013-014-051220-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	7.2		0.088	0.24	ug/WIPE
FBG013-014	5/12/2020	14:31	N1	DD-D010103	FBG013-014-051220-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
FBG013-014	5/12/2020	14:31	N1	DD-D010103	FBG013-014-051220-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.6		0.07	0.24	ug/WIPE
FBG013-014	5/12/2020	14:31	N1	DD-D010103	FBG013-014-051220-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
FBG013-014	5/12/2020	14:31	N1	DD-D010103	FBG013-014-051220-COMP	SW8082A	SW	TOTAL PCBs	9.8		-	0.24	ug/WIPE
FBG015-016-017	5/12/2020	14:41	N1	DD-D010105	FBG015-016-017-051220-COM	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
FBG015-016-017	5/12/2020	14:41	N1	DD-D010105	FBG015-016-017-051220-COM	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
FBG015-016-017	5/12/2020	14:41	N1	DD-D010105	FBG015-016-017-051220-COM	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
FBG015-016-017	5/12/2020	14:41	N1	DD-D010105	FBG015-016-017-051220-COM	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	18		0.088	0.24	ug/WIPE
FBG015-016-017	5/12/2020	14:41	N1	DD-D010105	FBG015-016-017-051220-COM	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
FBG015-016-017	5/12/2020	14:41	N1	DD-D010105	FBG015-016-017-051220-COM	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	6.8		0.07	0.24	ug/WIPE
FBG015-016-017	5/12/2020	14:41	N1	DD-D010105	FBG015-016-017-051220-COM	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
FBG015-016-017	5/12/2020	14:41	N1	DD-D010105	FBG015-016-017-051220-COM	SW8082A	SW	TOTAL PCBs	24.8		-	0.24	ug/WIPE
FBG015R	6/29/2020	15:45	N1	DD-D021804	FBG015R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE

Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
FBG015R	6/29/2020	15:45	N1	DD-D021804	FBG015R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
FBG015R	6/29/2020	15:45	N1	DD-D021804	FBG015R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
FBG015R	6/29/2020	15:45	N1	DD-D021804	FBG015R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.1		0.088	0.24	ug/WIPE
FBG015R	6/29/2020	15:45	N1	DD-D021804	FBG015R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
FBG015R	6/29/2020	15:45	N1	DD-D021804	FBG015R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.7		0.07	0.24	ug/WIPE
FBG015R	6/29/2020	15:45	N1	DD-D021804	FBG015R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
FBG015R	6/29/2020	15:45	N1	DD-D021804	FBG015R-062920	SW8082A	SW	TOTAL PCBs	2.8		-	0.24	ug/WIPE
FBG016R	6/29/2020	15:48	N1	DD-D021805	FBG016R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
FBG016R	6/29/2020	15:48	N1	DD-D021805	FBG016R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
FBG016R	6/29/2020	15:48	N1	DD-D021805	FBG016R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
FBG016R	6/29/2020	15:48	N1	DD-D021805	FBG016R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.1		0.088	0.24	ug/WIPE
FBG016R	6/29/2020	15:48	N1	DD-D021805	FBG016R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
FBG016R	6/29/2020	15:48	N1	DD-D021805	FBG016R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.78		0.07	0.24	ug/WIPE
FBG016R	6/29/2020	15:48	N1	DD-D021805	FBG016R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
FBG016R	6/29/2020	15:48	N1	DD-D021805	FBG016R-062920	SW8082A	SW	TOTAL PCBs	2.88		-	0.24	ug/WIPE
FBG017R	6/29/2020	15:50	N1	DD-D021806	FBG017R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
FBG017R	6/29/2020	15:50	N1	DD-D021806	FBG017R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
FBG017R	6/29/2020	15:50	N1	DD-D021806	FBG017R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
FBG017R	6/29/2020	15:50	N1	DD-D021806	FBG017R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3		0.088	0.24	ug/WIPE
FBG017R	6/29/2020	15:50	N1	DD-D021806	FBG017R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
FBG017R	6/29/2020	15:50	N1	DD-D021806	FBG017R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.3		0.07	0.24	ug/WIPE
FBG017R	6/29/2020	15:50	N1	DD-D021806	FBG017R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
FBG017R	6/29/2020	15:50	N1	DD-D021806	FBG017R-062920	SW8082A	SW	TOTAL PCBs	4.3		-	0.24	ug/WIPE
FBG018-019-020	5/12/2020	15:33	N1	DD-D010108	FBG018-019-020-051220-COM	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
FBG018-019-020	5/12/2020	15:33	N1	DD-D010108	FBG018-019-020-051220-COM	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
FBG018-019-020	5/12/2020	15:33	N1	DD-D010108	FBG018-019-020-051220-COM	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
FBG018-019-020	5/12/2020	15:33	N1	DD-D010108	FBG018-019-020-051220-COM	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.9		0.088	0.24	ug/WIPE
FBG018-019-020	5/12/2020	15:33	N1	DD-D010108	FBG018-019-020-051220-COM	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
FBG018-019-020	5/12/2020	15:33	N1	DD-D010108	FBG018-019-020-051220-COM	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.2		0.07	0.24	ug/WIPE
FBG018-019-020	5/12/2020	15:33	N1	DD-D010108	FBG018-019-020-051220-COM	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
FBG018-019-020	5/12/2020	15:33	N1	DD-D010108	FBG018-019-020-051220-COM	SW8082A	SW	TOTAL PCBs	4.1		-	0.24	ug/WIPE
FBG021-024	5/12/2020	15:17	N1	DD-D010201	FBG021-024-051220-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
FBG021-024	5/12/2020	15:17	N1	DD-D010201	FBG021-024-051220-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
FBG021-024	5/12/2020	15:17	N1	DD-D010201	FBG021-024-051220-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
FBG021-024	5/12/2020	15:17	N1	DD-D010201	FBG021-024-051220-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	6.4		0.088	0.24	ug/WIPE
FBG021-024	5/12/2020	15:17	N1	DD-D010201	FBG021-024-051220-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
FBG021-024	5/12/2020	15:17	N1	DD-D010201	FBG021-024-051220-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.4		0.07	0.24	ug/WIPE
FBG021-024	5/12/2020	15:17	N1	DD-D010201	FBG021-024-051220-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
FBG021-024	5/12/2020	15:17	N1	DD-D010201	FBG021-024-051220-COMP	SW8082A	SW	TOTAL PCBs	8.8		-	0.24	ug/WIPE
FBG022-023	5/12/2020	14:14	N1	DD-D010202	FBG022-023-051220-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
FBG022-023	5/12/2020	14:14	N1	DD-D010202	FBG022-023-051220-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
FBG022-023	5/12/2020	14:14	N1	DD-D010202	FBG022-023-051220-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
FBG022-023	5/12/2020	14:14	N1	DD-D010202	FBG022-023-051220-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	13		0.088	0.24	ug/WIPE
FBG022-023	5/12/2020	14:14	N1	DD-D010202	FBG022-023-051220-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
FBG022-023	5/12/2020	14:14	N1	DD-D010202	FBG022-023-051220-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	4.1		0.07	0.24	ug/WIPE
FBG022-023	5/12/2020	14:14	N1	DD-D010202	FBG022-023-051220-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
FBG022-023	5/12/2020	14:14	N1	DD-D010202	FBG022-023-051220-COMP	SW8082A	SW	TOTAL PCBs	17.1		-	0.24	ug/WIPE
FBG022R	6/29/2020	15:39	N1	DD-D021807	FBG022R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
FBG022R	6/29/2020	15:39	N1	DD-D021807	FBG022R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
FBG022R	6/29/2020	15:39	N1	DD-D021807	FBG022R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
FBG022R	6/29/2020	15:39	N1	DD-D021807	FBG022R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2	J	0.088	0.24	ug/WIPE

Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
FBG022R	6/29/2020	15:39	N1	DD-D021807	FBG022R-062920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
FBG022R	6/29/2020	15:39	N1	DD-D021807	FBG022R-062920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.62	J	0.07	0.24	ug/WIPE
FBG022R	6/29/2020	15:39	N1	DD-D021807	FBG022R-062920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
FBG022R	6/29/2020	15:39	N1	DD-D021807	FBG022R-062920	SW8082A	SW	TOTAL PCBs	2.62		-	0.24	ug/WIPE
FBG023R	6/29/2020	15:52	N1	DD-D021808	FBG023R-062920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
FBG023R	6/29/2020	15:52	N1	DD-D021808	FBG023R-062920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
FBG023R	6/29/2020	15:52	N1	DD-D021808	FBG023R-062920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
FBG023R	6/29/2020	15:52	N1	DD-D021808	FBG023R-062920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	4.2		0.088	0.24	ug/WIPE
FBG023R	6/29/2020	15:52	N1	DD-D021808	FBG023R-062920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
FBG023R	6/29/2020	15:52	N1	DD-D021808	FBG023R-062920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.2		0.07	0.24	ug/WIPE
FBG023R	6/29/2020	15:52	N1	DD-D021808	FBG023R-062920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
FBG023R	6/29/2020	15:52	N1	DD-D021808	FBG023R-062920	SW8082A	SW	TOTAL PCBs	5.4		-	0.24	ug/WIPE
FBG025-026	5/12/2020	16:10	N1	DD-D010205	FBG025-026-051220-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
FBG025-026	5/12/2020	16:10	N1	DD-D010205	FBG025-026-051220-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
FBG025-026	5/12/2020	16:10	N1	DD-D010205	FBG025-026-051220-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
FBG025-026	5/12/2020	16:10	N1	DD-D010205	FBG025-026-051220-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2.9		0.088	0.24	ug/WIPE
FBG025-026	5/12/2020	16:10	N1	DD-D010205	FBG025-026-051220-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
FBG025-026	5/12/2020	16:10	N1	DD-D010205	FBG025-026-051220-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.1		0.07	0.24	ug/WIPE
FBG025-026	5/12/2020	16:10	N1	DD-D010205	FBG025-026-051220-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
FBG025-026	5/12/2020	16:10	N1	DD-D010205	FBG025-026-051220-COMP	SW8082A	SW	TOTAL PCBs	4		-	0.24	ug/WIPE
FBG027-028	5/12/2020	15:20	N1	DD-D010207	FBG027-028-051220-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
FBG027-028	5/12/2020	15:20	N1	DD-D010207	FBG027-028-051220-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
FBG027-028	5/12/2020	15:20	N1	DD-D010207	FBG027-028-051220-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
FBG027-028	5/12/2020	15:20	N1	DD-D010207	FBG027-028-051220-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	6.3		0.088	0.24	ug/WIPE
FBG027-028	5/12/2020	15:20	N1	DD-D010207	FBG027-028-051220-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
FBG027-028	5/12/2020	15:20	N1	DD-D010207	FBG027-028-051220-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2.2		0.07	0.24	ug/WIPE
FBG027-028	5/12/2020	15:20	N1	DD-D010207	FBG027-028-051220-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
FBG027-028	5/12/2020	15:20	N1	DD-D010207	FBG027-028-051220-COMP	SW8082A	SW	TOTAL PCBs	8.5		-	0.24	ug/WIPE
FBG029-030	5/12/2020	16:35	N1	DD-D010209	FBG029-030-051220-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
FBG029-030	5/12/2020	16:35	N1	DD-D010209	FBG029-030-051220-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
FBG029-030	5/12/2020	16:35	N1	DD-D010209	FBG029-030-051220-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
FBG029-030	5/12/2020	16:35	N1	DD-D010209	FBG029-030-051220-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2.7		0.088	0.24	ug/WIPE
FBG029-030	5/12/2020	16:35	N1	DD-D010209	FBG029-030-051220-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
FBG029-030	5/12/2020	16:35	N1	DD-D010209	FBG029-030-051220-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1		0.07	0.24	ug/WIPE
FBG029-030	5/12/2020	16:35	N1	DD-D010209	FBG029-030-051220-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
FBG029-030	5/12/2020	16:35	N1	DD-D010209	FBG029-030-051220-COMP	SW8082A	SW	TOTAL PCBs	3.7		-	0.24	ug/WIPE
FBG031-032-033	5/12/2020	16:39	N1	DD-D010301	FBG031-032-033-051220-COM	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
FBG031-032-033	5/12/2020	16:39	N1	DD-D010301	FBG031-032-033-051220-COM	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
FBG031-032-033	5/12/2020	16:39	N1	DD-D010301	FBG031-032-033-051220-COM	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
FBG031-032-033	5/12/2020	16:39	N1	DD-D010301	FBG031-032-033-051220-COM	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2.8		0.088	0.24	ug/WIPE
FBG031-032-033	5/12/2020	16:39	N1	DD-D010301	FBG031-032-033-051220-COM	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
FBG031-032-033	5/12/2020	16:39	N1	DD-D010301	FBG031-032-033-051220-COM	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.94		0.07	0.24	ug/WIPE
FBG031-032-033	5/12/2020	16:39	N1	DD-D010301	FBG031-032-033-051220-COM	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
FBG031-032-033	5/12/2020	16:39	N1	DD-D010301	FBG031-032-033-051220-COM	SW8082A	SW	TOTAL PCBs	3.74		-	0.24	ug/WIPE
FBG034-035	5/12/2020	16:58	N1	DD-D010304	FBG034-035-051220-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
FBG034-035	5/12/2020	16:58	N1	DD-D010304	FBG034-035-051220-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
FBG034-035	5/12/2020	16:58	N1	DD-D010304	FBG034-035-051220-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
FBG034-035	5/12/2020	16:58	N1	DD-D010304	FBG034-035-051220-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3.4		0.088	0.24	ug/WIPE
FBG034-035	5/12/2020	16:58	N1	DD-D010304	FBG034-035-051220-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
FBG034-035	5/12/2020	16:58	N1	DD-D010304	FBG034-035-051220-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.4		0.07	0.24	ug/WIPE
FBG034-035	5/12/2020	16:58	N1	DD-D010304	FBG034-035-051220-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE

Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
FBG034-035	5/12/2020	16:58	N1	DD-D010304	FBG034-035-051220-COMP	SW8082A	SW	TOTAL PCBs	4.8		-	0.24	ug/WIPE
FBG036-037	5/12/2020	17:32	N1	DD-D010306	FBG036-037-051220-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
FBG036-037	5/12/2020	17:32	N1	DD-D010306	FBG036-037-051220-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
FBG036-037	5/12/2020	17:32	N1	DD-D010306	FBG036-037-051220-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
FBG036-037	5/12/2020	17:32	N1	DD-D010306	FBG036-037-051220-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	8.3		0.088	0.24	ug/WIPE
FBG036-037	5/12/2020	17:32	N1	DD-D010306	FBG036-037-051220-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
FBG036-037	5/12/2020	17:32	N1	DD-D010306	FBG036-037-051220-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	3.1		0.07	0.24	ug/WIPE
FBG036-037	5/12/2020	17:32	N1	DD-D010306	FBG036-037-051220-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
FBG036-037	5/12/2020	17:32	N1	DD-D010306	FBG036-037-051220-COMP	SW8082A	SW	TOTAL PCBs	11.4		-	0.24	ug/WIPE
FBG036R	6/29/2020	13:55	N1	DD-D021809	FBG036R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
FBG036R	6/29/2020	13:55	N1	DD-D021809	FBG036R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
FBG036R	6/29/2020	13:55	N1	DD-D021809	FBG036R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
FBG036R	6/29/2020	13:55	N1	DD-D021809	FBG036R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.65		0.088	0.24	ug/WIPE
FBG036R	6/29/2020	13:55	N1	DD-D021809	FBG036R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
FBG036R	6/29/2020	13:55	N1	DD-D021809	FBG036R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.26		0.07	0.24	ug/WIPE
FBG036R	6/29/2020	13:55	N1	DD-D021809	FBG036R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
FBG036R	6/29/2020	13:55	N1	DD-D021809	FBG036R-062920	SW8082A	SW	TOTAL PCBs	0.91		-	0.24	ug/WIPE
FBG037R	6/29/2020	15:58	N1	DD-D021810	FBG037R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
FBG037R	6/29/2020	15:58	N1	DD-D021810	FBG037R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
FBG037R	6/29/2020	15:58	N1	DD-D021810	FBG037R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
FBG037R	6/29/2020	15:58	N1	DD-D021810	FBG037R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.1		0.088	0.24	ug/WIPE
FBG037R	6/29/2020	15:58	N1	DD-D021810	FBG037R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
FBG037R	6/29/2020	15:58	N1	DD-D021810	FBG037R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.76		0.07	0.24	ug/WIPE
FBG037R	6/29/2020	15:58	N1	DD-D021810	FBG037R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
FBG037R	6/29/2020	15:58	N1	DD-D021810	FBG037R-062920	SW8082A	SW	TOTAL PCBs	2.86		-	0.24	ug/WIPE
FBG038-039	5/12/2020	17:37	N1	DD-D010308	FBG038-039-051220-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
FBG038-039	5/12/2020	17:37	N1	DD-D010308	FBG038-039-051220-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
FBG038-039	5/12/2020	17:37	N1	DD-D010308	FBG038-039-051220-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
FBG038-039	5/12/2020	17:37	N1	DD-D010308	FBG038-039-051220-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	9.7		0.088	0.24	ug/WIPE
FBG038-039	5/12/2020	17:37	N1	DD-D010308	FBG038-039-051220-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
FBG038-039	5/12/2020	17:37	N1	DD-D010308	FBG038-039-051220-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	3.7		0.07	0.24	ug/WIPE
FBG038-039	5/12/2020	17:37	N1	DD-D010308	FBG038-039-051220-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
FBG038-039	5/12/2020	17:37	N1	DD-D010308	FBG038-039-051220-COMP	SW8082A	SW	TOTAL PCBs	13.4		-	0.24	ug/WIPE
FBG038R	6/29/2020	16:00	N1	DD-D021901	FBG038R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
FBG038R	6/29/2020	16:00	N1	DD-D021901	FBG038R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
FBG038R	6/29/2020	16:00	N1	DD-D021901	FBG038R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
FBG038R	6/29/2020	16:00	N1	DD-D021901	FBG038R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.96		0.088	0.24	ug/WIPE
FBG038R	6/29/2020	16:00	N1	DD-D021901	FBG038R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
FBG038R	6/29/2020	16:00	N1	DD-D021901	FBG038R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.37		0.07	0.24	ug/WIPE
FBG038R	6/29/2020	16:00	N1	DD-D021901	FBG038R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
FBG038R	6/29/2020	16:00	N1	DD-D021901	FBG038R-062920	SW8082A	SW	TOTAL PCBs	1.33		-	0.24	ug/WIPE
FBG039R	6/29/2020	16:03	N1	DD-D021902	FBG039R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
FBG039R	6/29/2020	16:03	N1	DD-D021902	FBG039R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
FBG039R	6/29/2020	16:03	N1	DD-D021902	FBG039R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
FBG039R	6/29/2020	16:03	N1	DD-D021902	FBG039R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.74		0.088	0.24	ug/WIPE
FBG039R	6/29/2020	16:03	N1	DD-D021902	FBG039R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
FBG039R	6/29/2020	16:03	N1	DD-D021902	FBG039R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.37		0.07	0.24	ug/WIPE
FBG039R	6/29/2020	16:03	N1	DD-D021902	FBG039R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
FBG039R	6/29/2020	16:03	N1	DD-D021902	FBG039R-062920	SW8082A	SW	TOTAL PCBs	1.11		-	0.24	ug/WIPE
FBG040-041	5/12/2020	17:41	N1	DD-D010310	FBG040-041-051220-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
FBG040-041	5/12/2020	17:41	N1	DD-D010310	FBG040-041-051220-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE

Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
FBG040-041	5/12/2020	17:41	N1	DD-D010310	FBG040-041-051220-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
FBG040-041	5/12/2020	17:41	N1	DD-D010310	FBG040-041-051220-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3.8		0.088	0.24	ug/WIPE
FBG040-041	5/12/2020	17:41	N1	DD-D010310	FBG040-041-051220-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
FBG040-041	5/12/2020	17:41	N1	DD-D010310	FBG040-041-051220-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.5		0.07	0.24	ug/WIPE
FBG040-041	5/12/2020	17:41	N1	DD-D010310	FBG040-041-051220-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
FBG040-041	5/12/2020	17:41	N1	DD-D010310	FBG040-041-051220-COMP	SW8082A	SW	TOTAL PCBs	5.3		-	0.24	ug/WIPE
FBG042-043	5/12/2020	17:17	N1	DD-D010402	FBG042-043-051220-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
FBG042-043	5/12/2020	17:17	N1	DD-D010402	FBG042-043-051220-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
FBG042-043	5/12/2020	17:17	N1	DD-D010402	FBG042-043-051220-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
FBG042-043	5/12/2020	17:17	N1	DD-D010402	FBG042-043-051220-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3		0.088	0.24	ug/WIPE
FBG042-043	5/12/2020	17:17	N1	DD-D010402	FBG042-043-051220-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
FBG042-043	5/12/2020	17:17	N1	DD-D010402	FBG042-043-051220-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.2		0.07	0.24	ug/WIPE
FBG042-043	5/12/2020	17:17	N1	DD-D010402	FBG042-043-051220-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
FBG042-043	5/12/2020	17:17	N1	DD-D010402	FBG042-043-051220-COMP	SW8082A	SW	TOTAL PCBs	4.2		-	0.24	ug/WIPE
FBG044-045	5/12/2020	17:13	N1	DD-D010404	FBG044-045-051220-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
FBG044-045	5/12/2020	17:13	N1	DD-D010404	FBG044-045-051220-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
FBG044-045	5/12/2020	17:13	N1	DD-D010404	FBG044-045-051220-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
FBG044-045	5/12/2020	17:13	N1	DD-D010404	FBG044-045-051220-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1.4		0.088	0.24	ug/WIPE
FBG044-045	5/12/2020	17:13	N1	DD-D010404	FBG044-045-051220-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
FBG044-045	5/12/2020	17:13	N1	DD-D010404	FBG044-045-051220-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.58		0.07	0.24	ug/WIPE
FBG044-045	5/12/2020	17:13	N1	DD-D010404	FBG044-045-051220-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
FBG044-045	5/12/2020	17:13	N1	DD-D010404	FBG044-045-051220-COMP	SW8082A	SW	TOTAL PCBs	1.98		-	0.24	ug/WIPE
FBG045-047	5/12/2020	17:04	N1	DD-D010406	FBG046-047-051220-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
FBG045-047	5/12/2020	17:04	N1	DD-D010406	FBG046-047-051220-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
FBG045-047	5/12/2020	17:04	N1	DD-D010406	FBG046-047-051220-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
FBG045-047	5/12/2020	17:04	N1	DD-D010406	FBG046-047-051220-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	6		0.088	0.24	ug/WIPE
FBG045-047	5/12/2020	17:04	N1	DD-D010406	FBG046-047-051220-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
FBG045-047	5/12/2020	17:04	N1	DD-D010406	FBG046-047-051220-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2.4		0.07	0.24	ug/WIPE
FBG045-047	5/12/2020	17:04	N1	DD-D010406	FBG046-047-051220-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
FBG045-047	5/12/2020	17:04	N1	DD-D010406	FBG046-047-051220-COMP	SW8082A	SW	TOTAL PCBs	8.4		-	0.24	ug/WIPE
FW001-002-003	5/12/2020	13:50	N1	DD-D009801	FW001-002-003-051220-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
FW001-002-003	5/12/2020	13:50	N1	DD-D009801	FW001-002-003-051220-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
FW001-002-003	5/12/2020	13:50	N1	DD-D009801	FW001-002-003-051220-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
FW001-002-003	5/12/2020	13:50	N1	DD-D009801	FW001-002-003-051220-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.53		0.088	0.24	ug/WIPE
FW001-002-003	5/12/2020	13:50	N1	DD-D009801	FW001-002-003-051220-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
FW001-002-003	5/12/2020	13:50	N1	DD-D009801	FW001-002-003-051220-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.19	J	0.07	0.24	ug/WIPE
FW001-002-003	5/12/2020	13:50	N1	DD-D009801	FW001-002-003-051220-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
FW001-002-003	5/12/2020	13:50	N1	DD-D009801	FW001-002-003-051220-COMP	SW8082A	SW	TOTAL PCBs	0.72		-	0.24	ug/WIPE
FW004-005	5/12/2020	14:51	N1	DD-D009804	FW004-005-051220-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
FW004-005	5/12/2020	14:51	N1	DD-D009804	FW004-005-051220-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
FW004-005	5/12/2020	14:51	N1	DD-D009804	FW004-005-051220-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
FW004-005	5/12/2020	14:51	N1	DD-D009804	FW004-005-051220-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.17	J	0.088	0.24	ug/WIPE
FW004-005	5/12/2020	14:51	N1	DD-D009804	FW004-005-051220-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
FW004-005	5/12/2020	14:51	N1	DD-D009804	FW004-005-051220-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
FW004-005	5/12/2020	14:51	N1	DD-D009804	FW004-005-051220-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
FW004-005	5/12/2020	14:51	N1	DD-D009804	FW004-005-051220-COMP	SW8082A	SW	TOTAL PCBs	0.17		-	0.24	ug/WIPE
FW006-007-008	5/12/2020	16:14	N1	DD-D009806	FW006-007-008-051220-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
FW006-007-008	5/12/2020	16:14	N1	DD-D009806	FW006-007-008-051220-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
FW006-007-008	5/12/2020	16:14	N1	DD-D009806	FW006-007-008-051220-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
FW006-007-008	5/12/2020	16:14	N1	DD-D009806	FW006-007-008-051220-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.65		0.088	0.24	ug/WIPE
FW006-007-008	5/12/2020	16:14	N1	DD-D009806	FW006-007-008-051220-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE





Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
GBG011-012	5/13/2020	8:27	N1	DD-D011201	GBG011-012-051320-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG011-012	5/13/2020	8:27	N1	DD-D011201	GBG011-012-051320-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG011-012	5/13/2020	8:27	N1	DD-D011201	GBG011-012-051320-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG011-012	5/13/2020	8:27	N1	DD-D011201	GBG011-012-051320-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2.4		0.088	0.24	ug/WIPE
GBG011-012	5/13/2020	8:27	N1	DD-D011201	GBG011-012-051320-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG011-012	5/13/2020	8:27	N1	DD-D011201	GBG011-012-051320-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.1		0.07	0.24	ug/WIPE
GBG011-012	5/13/2020	8:27	N1	DD-D011201	GBG011-012-051320-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG011-012	5/13/2020	8:27	N1	DD-D011201	GBG011-012-051320-COMP	SW8082A	SW	TOTAL PCBs	3.5		-	0.24	ug/WIPE
GBG013-014	5/13/2020	8:30	N1	DD-D011203	GBG013-014-051320-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG013-014	5/13/2020	8:30	N1	DD-D011203	GBG013-014-051320-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG013-014	5/13/2020	8:30	N1	DD-D011203	GBG013-014-051320-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG013-014	5/13/2020	8:30	N1	DD-D011203	GBG013-014-051320-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1.7		0.088	0.24	ug/WIPE
GBG013-014	5/13/2020	8:30	N1	DD-D011203	GBG013-014-051320-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG013-014	5/13/2020	8:30	N1	DD-D011203	GBG013-014-051320-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.88		0.07	0.24	ug/WIPE
GBG013-014	5/13/2020	8:30	N1	DD-D011203	GBG013-014-051320-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG013-014	5/13/2020	8:30	N1	DD-D011203	GBG013-014-051320-COMP	SW8082A	SW	TOTAL PCBs	2.58		-	0.24	ug/WIPE
GBG015-016	5/13/2020	8:43	N1	DD-D011205	GBG015-016-051320-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG015-016	5/13/2020	8:43	N1	DD-D011205	GBG015-016-051320-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG015-016	5/13/2020	8:43	N1	DD-D011205	GBG015-016-051320-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG015-016	5/13/2020	8:43	N1	DD-D011205	GBG015-016-051320-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3.2		0.088	0.24	ug/WIPE
GBG015-016	5/13/2020	8:43	N1	DD-D011205	GBG015-016-051320-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG015-016	5/13/2020	8:43	N1	DD-D011205	GBG015-016-051320-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2	J	0.07	0.24	ug/WIPE
GBG015-016	5/13/2020	8:43	N1	DD-D011205	GBG015-016-051320-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG015-016	5/13/2020	8:43	N1	DD-D011205	GBG015-016-051320-COMP	SW8082A	SW	TOTAL PCBs	5.2		-	0.24	ug/WIPE
GBG017	5/13/2020	8:53	N1	DD-D011207	GBG017-051320	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG017	5/13/2020	8:53	N1	DD-D011207	GBG017-051320	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG017	5/13/2020	8:53	N1	DD-D011207	GBG017-051320	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG017	5/13/2020	8:53	N1	DD-D011207	GBG017-051320	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.81		0.088	0.24	ug/WIPE
GBG017	5/13/2020	8:53	N1	DD-D011207	GBG017-051320	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG017	5/13/2020	8:53	N1	DD-D011207	GBG017-051320	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.49	J	0.07	0.24	ug/WIPE
GBG017	5/13/2020	8:53	N1	DD-D011207	GBG017-051320	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG017	5/13/2020	8:53	N1	DD-D011207	GBG017-051320	SW8082A	SW	TOTAL PCBs	1.3		-	0.24	ug/WIPE
GBG018-019	5/13/2020	9:24	N1	DD-D011208	GBG018-019-051320-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG018-019	5/13/2020	9:24	N1	DD-D011208	GBG018-019-051320-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG018-019	5/13/2020	9:24	N1	DD-D011208	GBG018-019-051320-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG018-019	5/13/2020	9:24	N1	DD-D011208	GBG018-019-051320-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.78		0.088	0.24	ug/WIPE
GBG018-019	5/13/2020	9:24	N1	DD-D011208	GBG018-019-051320-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG018-019	5/13/2020	9:24	N1	DD-D011208	GBG018-019-051320-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.39		0.07	0.24	ug/WIPE
GBG018-019	5/13/2020	9:24	N1	DD-D011208	GBG018-019-051320-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG018-019	5/13/2020	9:24	N1	DD-D011208	GBG018-019-051320-COMP	SW8082A	SW	TOTAL PCBs	1.17		-	0.24	ug/WIPE
GBG020-021	5/13/2020	9:30	N1	DD-D011210	GBG020-021-051320-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG020-021	5/13/2020	9:30	N1	DD-D011210	GBG020-021-051320-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG020-021	5/13/2020	9:30	N1	DD-D011210	GBG020-021-051320-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG020-021	5/13/2020	9:30	N1	DD-D011210	GBG020-021-051320-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	10		0.088	0.24	ug/WIPE
GBG020-021	5/13/2020	9:30	N1	DD-D011210	GBG020-021-051320-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG020-021	5/13/2020	9:30	N1	DD-D011210	GBG020-021-051320-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	5.7		0.07	0.24	ug/WIPE
GBG020-021	5/13/2020	9:30	N1	DD-D011210	GBG020-021-051320-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG020-021	5/13/2020	9:30	N1	DD-D011210	GBG020-021-051320-COMP	SW8082A	SW	TOTAL PCBs	15.7		-	0.24	ug/WIPE
GBG020R	6/29/2020	10:15	N1	DD-D022001	GBG020R-062920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG020R	6/29/2020	10:15	N1	DD-D022001	GBG020R-062920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG020R	6/29/2020	10:15	N1	DD-D022001	GBG020R-062920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE

Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
GBG020R	6/29/2020	10:15	N1	DD-D022001	GBG020R-062920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3.1		0.088	0.24	ug/WIPE
GBG020R	6/29/2020	10:15	N1	DD-D022001	GBG020R-062920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG020R	6/29/2020	10:15	N1	DD-D022001	GBG020R-062920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.1		0.07	0.24	ug/WIPE
GBG020R	6/29/2020	10:15	N1	DD-D022001	GBG020R-062920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG020R	6/29/2020	10:15	N1	DD-D022001	GBG020R-062920	SW8082A	SW	TOTAL PCBs	4.2		-	0.24	ug/WIPE
GBG021R	6/29/2020	10:20	N1	DD-D022002	GBG021R-062920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG021R	6/29/2020	10:20	N1	DD-D022002	GBG021R-062920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG021R	6/29/2020	10:20	N1	DD-D022002	GBG021R-062920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG021R	6/29/2020	10:20	N1	DD-D022002	GBG021R-062920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.9		0.088	0.24	ug/WIPE
GBG021R	6/29/2020	10:20	N1	DD-D022002	GBG021R-062920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG021R	6/29/2020	10:20	N1	DD-D022002	GBG021R-062920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.34		0.07	0.24	ug/WIPE
GBG021R	6/29/2020	10:20	N1	DD-D022002	GBG021R-062920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG021R	6/29/2020	10:20	N1	DD-D022002	GBG021R-062920	SW8082A	SW	TOTAL PCBs	1.24		-	0.24	ug/WIPE
GBG022-023	5/13/2020	9:38	N1	DD-D011302	GBG022-023-051320-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG022-023	5/13/2020	9:38	N1	DD-D011302	GBG022-023-051320-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG022-023	5/13/2020	9:38	N1	DD-D011302	GBG022-023-051320-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG022-023	5/13/2020	9:38	N1	DD-D011302	GBG022-023-051320-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	8.6		0.088	0.24	ug/WIPE
GBG022-023	5/13/2020	9:38	N1	DD-D011302	GBG022-023-051320-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG022-023	5/13/2020	9:38	N1	DD-D011302	GBG022-023-051320-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	4.2		0.07	0.24	ug/WIPE
GBG022-023	5/13/2020	9:38	N1	DD-D011302	GBG022-023-051320-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG022-023	5/13/2020	9:38	N1	DD-D011302	GBG022-023-051320-COMP	SW8082A	SW	TOTAL PCBs	12.8		-	0.24	ug/WIPE
GBG022R	6/29/2020	10:23	N1	DD-D022003	GBG022R-062920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG022R	6/29/2020	10:23	N1	DD-D022003	GBG022R-062920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG022R	6/29/2020	10:23	N1	DD-D022003	GBG022R-062920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG022R	6/29/2020	10:23	N1	DD-D022003	GBG022R-062920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2.4		0.088	0.24	ug/WIPE
GBG022R	6/29/2020	10:23	N1	DD-D022003	GBG022R-062920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG022R	6/29/2020	10:23	N1	DD-D022003	GBG022R-062920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.92		0.07	0.24	ug/WIPE
GBG022R	6/29/2020	10:23	N1	DD-D022003	GBG022R-062920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG022R	6/29/2020	10:23	N1	DD-D022003	GBG022R-062920	SW8082A	SW	TOTAL PCBs	3.32		-	0.24	ug/WIPE
GBG023R	6/29/2020	10:25	N1	DD-D022004	GBG023R-062920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	UJ	0.09	0.24	ug/WIPE
GBG023R	6/29/2020	10:25	N1	DD-D022004	GBG023R-062920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	UJ	0.12	0.24	ug/WIPE
GBG023R	6/29/2020	10:25	N1	DD-D022004	GBG023R-062920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	UJ	0.14	0.24	ug/WIPE
GBG023R	6/29/2020	10:25	N1	DD-D022004	GBG023R-062920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.83	J	0.088	0.24	ug/WIPE
GBG023R	6/29/2020	10:25	N1	DD-D022004	GBG023R-062920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	UJ	0.092	0.24	ug/WIPE
GBG023R	6/29/2020	10:25	N1	DD-D022004	GBG023R-062920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.41	J	0.07	0.24	ug/WIPE
GBG023R	6/29/2020	10:25	N1	DD-D022004	GBG023R-062920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	UJ	0.09	0.24	ug/WIPE
GBG023R	6/29/2020	10:25	N1	DD-D022004	GBG023R-062920	SW8082A	SW	TOTAL PCBs	1.24		-	0.24	ug/WIPE
GBG024-025	5/13/2020	9:42	N1	DD-D011304	GBG024-025-051320-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG024-025	5/13/2020	9:42	N1	DD-D011304	GBG024-025-051320-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG024-025	5/13/2020	9:42	N1	DD-D011304	GBG024-025-051320-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG024-025	5/13/2020	9:42	N1	DD-D011304	GBG024-025-051320-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	14		0.088	0.24	ug/WIPE
GBG024-025	5/13/2020	9:42	N1	DD-D011304	GBG024-025-051320-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG024-025	5/13/2020	9:42	N1	DD-D011304	GBG024-025-051320-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	5.8		0.07	0.24	ug/WIPE
GBG024-025	5/13/2020	9:42	N1	DD-D011304	GBG024-025-051320-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG024-025	5/13/2020	9:42	N1	DD-D011304	GBG024-025-051320-COMP	SW8082A	SW	TOTAL PCBs	19.8		-	0.24	ug/WIPE
GBG024R	6/29/2020	10:28	N1	DD-D022005	GBG024R-062920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG024R	6/29/2020	10:28	N1	DD-D022005	GBG024R-062920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG024R	6/29/2020	10:28	N1	DD-D022005	GBG024R-062920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG024R	6/29/2020	10:28	N1	DD-D022005	GBG024R-062920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3.8		0.088	0.24	ug/WIPE
GBG024R	6/29/2020	10:28	N1	DD-D022005	GBG024R-062920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG024R	6/29/2020	10:28	N1	DD-D022005	GBG024R-062920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.2		0.07	0.24	ug/WIPE

Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
GBG024R	6/29/2020	10:28	N1	DD-D022005	GBG024R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG024R	6/29/2020	10:28	N1	DD-D022005	GBG024R-062920	SW8082A	SW	TOTAL PCBs	5		-	0.24	ug/WIPE
GBG025R	6/29/2020	10:32	N1	DD-D022006	GBG025R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG025R	6/29/2020	10:32	N1	DD-D022006	GBG025R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG025R	6/29/2020	10:32	N1	DD-D022006	GBG025R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG025R	6/29/2020	10:32	N1	DD-D022006	GBG025R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.2		0.088	0.24	ug/WIPE
GBG025R	6/29/2020	10:32	N1	DD-D022006	GBG025R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG025R	6/29/2020	10:32	N1	DD-D022006	GBG025R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.94		0.07	0.24	ug/WIPE
GBG025R	6/29/2020	10:32	N1	DD-D022006	GBG025R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG025R	6/29/2020	10:32	N1	DD-D022006	GBG025R-062920	SW8082A	SW	TOTAL PCBs	4.14		-	0.24	ug/WIPE
GBG026-027-028	5/13/2020	9:56	N1	DD-D011306	GBG026-027-028-051320-COM	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG026-027-028	5/13/2020	9:56	N1	DD-D011306	GBG026-027-028-051320-COM	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG026-027-028	5/13/2020	9:56	N1	DD-D011306	GBG026-027-028-051320-COM	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG026-027-028	5/13/2020	9:56	N1	DD-D011306	GBG026-027-028-051320-COM	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	8.5		0.088	0.24	ug/WIPE
GBG026-027-028	5/13/2020	9:56	N1	DD-D011306	GBG026-027-028-051320-COM	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG026-027-028	5/13/2020	9:56	N1	DD-D011306	GBG026-027-028-051320-COM	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	4		0.07	0.24	ug/WIPE
GBG026-027-028	5/13/2020	9:56	N1	DD-D011306	GBG026-027-028-051320-COM	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG026-027-028	5/13/2020	9:56	N1	DD-D011306	GBG026-027-028-051320-COM	SW8082A	SW	TOTAL PCBs	12.5		-	0.24	ug/WIPE
GBG026R	6/29/2020	10:35	N1	DD-D022007	GBG026R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG026R	6/29/2020	10:35	N1	DD-D022007	GBG026R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG026R	6/29/2020	10:35	N1	DD-D022007	GBG026R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG026R	6/29/2020	10:35	N1	DD-D022007	GBG026R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3	J	0.088	0.24	ug/WIPE
GBG026R	6/29/2020	10:35	N1	DD-D022007	GBG026R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG026R	6/29/2020	10:35	N1	DD-D022007	GBG026R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.97	J	0.07	0.24	ug/WIPE
GBG026R	6/29/2020	10:35	N1	DD-D022007	GBG026R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG026R	6/29/2020	10:35	N1	DD-D022007	GBG026R-062920	SW8082A	SW	TOTAL PCBs	3.97		-	0.24	ug/WIPE
GBG027R	6/29/2020	10:38	N1	DD-D022008	GBG027R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG027R	6/29/2020	10:38	N1	DD-D022008	GBG027R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG027R	6/29/2020	10:38	N1	DD-D022008	GBG027R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG027R	6/29/2020	10:38	N1	DD-D022008	GBG027R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.26		0.088	0.24	ug/WIPE
GBG027R	6/29/2020	10:38	N1	DD-D022008	GBG027R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG027R	6/29/2020	10:38	N1	DD-D022008	GBG027R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.09	J	0.07	0.24	ug/WIPE
GBG027R	6/29/2020	10:38	N1	DD-D022008	GBG027R-062920	SW8082A	SW	TOTAL PCBs	4.32		-	0.24	ug/WIPE
GBG027R	6/29/2020	10:38	N1	DD-D022008	GBG027R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG028R	6/29/2020	10:41	N1	DD-D022009	GBG028R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG028R	6/29/2020	10:41	N1	DD-D022009	GBG028R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG028R	6/29/2020	10:41	N1	DD-D022009	GBG028R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG028R	6/29/2020	10:41	N1	DD-D022009	GBG028R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.16	J	0.088	0.24	ug/WIPE
GBG028R	6/29/2020	10:41	N1	DD-D022009	GBG028R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG028R	6/29/2020	10:41	N1	DD-D022009	GBG028R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	ND	U	0.07	0.24	ug/WIPE
GBG028R	6/29/2020	10:41	N1	DD-D022009	GBG028R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG028R	6/29/2020	10:41	N1	DD-D022009	GBG028R-062920	SW8082A	SW	TOTAL PCBs	0.16		-	0.24	ug/WIPE
GBG029-030-031	5/13/2020	10:08	N1	DD-D011309	GBG029-030-031-051320-COM	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG029-030-031	5/13/2020	10:08	N1	DD-D011309	GBG029-030-031-051320-COM	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG029-030-031	5/13/2020	10:08	N1	DD-D011309	GBG029-030-031-051320-COM	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG029-030-031	5/13/2020	10:08	N1	DD-D011309	GBG029-030-031-051320-COM	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	1.8		0.088	0.24	ug/WIPE
GBG029-030-031	5/13/2020	10:08	N1	DD-D011309	GBG029-030-031-051320-COM	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG029-030-031	5/13/2020	10:08	N1	DD-D011309	GBG029-030-031-051320-COM	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.2		0.07	0.24	ug/WIPE
GBG029-030-031	5/13/2020	10:08	N1	DD-D011309	GBG029-030-031-051320-COM	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG029-030-031	5/13/2020	10:08	N1	DD-D011309	GBG029-030-031-051320-COM	SW8082A	SW	TOTAL PCBs	3		-	0.24	ug/WIPE
GBG032-034	5/13/2020	9:04	N1	DD-D011402	GBG032-034-051320-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE

Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
GBG032-034	5/13/2020	9:04	N1	DD-D011402	GBG032-034-051320-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG032-034	5/13/2020	9:04	N1	DD-D011402	GBG032-034-051320-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG032-034	5/13/2020	9:04	N1	DD-D011402	GBG032-034-051320-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	9.2		0.088	0.24	ug/WIPE
GBG032-034	5/13/2020	9:04	N1	DD-D011402	GBG032-034-051320-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG032-034	5/13/2020	9:04	N1	DD-D011402	GBG032-034-051320-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	3.5		0.07	0.24	ug/WIPE
GBG032-034	5/13/2020	9:04	N1	DD-D011402	GBG032-034-051320-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG032-034	5/13/2020	9:04	N1	DD-D011402	GBG032-034-051320-COMP	SW8082A	SW	TOTAL PCBs	12.7		-	0.24	ug/WIPE
GBG032R	6/29/2020	10:45	N1	DD-D022010	GBG032R-062920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG032R	6/29/2020	10:45	N1	DD-D022010	GBG032R-062920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG032R	6/29/2020	10:45	N1	DD-D022010	GBG032R-062920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG032R	6/29/2020	10:45	N1	DD-D022010	GBG032R-062920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2.5		0.088	0.24	ug/WIPE
GBG032R	6/29/2020	10:45	N1	DD-D022010	GBG032R-062920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG032R	6/29/2020	10:45	N1	DD-D022010	GBG032R-062920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.83		0.07	0.24	ug/WIPE
GBG032R	6/29/2020	10:45	N1	DD-D022010	GBG032R-062920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG032R	6/29/2020	10:45	N1	DD-D022010	GBG032R-062920	SW8082A	SW	TOTAL PCBs	3.33		-	0.24	ug/WIPE
GBG033	5/13/2020	9:01	N1	DD-D011403	GBG023-051320	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG033	5/13/2020	9:01	N1	DD-D011403	GBG023-051320	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG033	5/13/2020	9:01	N1	DD-D011403	GBG023-051320	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG033	5/13/2020	9:01	N1	DD-D011403	GBG023-051320	SW8082A	SW	PCB-1242 (AROCLOR 1242)	4		0.088	0.24	ug/WIPE
GBG033	5/13/2020	9:01	N1	DD-D011403	GBG023-051320	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG033	5/13/2020	9:01	N1	DD-D011403	GBG023-051320	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2.7		0.07	0.24	ug/WIPE
GBG033	5/13/2020	9:01	N1	DD-D011403	GBG023-051320	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG033	5/13/2020	9:01	N1	DD-D011403	GBG023-051320	SW8082A	SW	TOTAL PCBs	6.7		-	0.24	ug/WIPE
GBG034R	6/29/2020	10:49	N1	DD-D022101	GBG034R-062920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG034R	6/29/2020	10:49	N1	DD-D022101	GBG034R-062920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG034R	6/29/2020	10:49	N1	DD-D022101	GBG034R-062920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG034R	6/29/2020	10:49	N1	DD-D022101	GBG034R-062920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2		0.088	0.24	ug/WIPE
GBG034R	6/29/2020	10:49	N1	DD-D022101	GBG034R-062920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG034R	6/29/2020	10:49	N1	DD-D022101	GBG034R-062920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.65		0.07	0.24	ug/WIPE
GBG034R	6/29/2020	10:49	N1	DD-D022101	GBG034R-062920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG034R	6/29/2020	10:49	N1	DD-D022101	GBG034R-062920	SW8082A	SW	TOTAL PCBs	2.65		-	0.24	ug/WIPE
GBG035-036	5/13/2020	10:49	N1	DD-D011405	GBG035-036-051320-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG035-036	5/13/2020	10:49	N1	DD-D011405	GBG035-036-051320-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG035-036	5/13/2020	10:49	N1	DD-D011405	GBG035-036-051320-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG035-036	5/13/2020	10:49	N1	DD-D011405	GBG035-036-051320-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1.3		0.088	0.24	ug/WIPE
GBG035-036	5/13/2020	10:49	N1	DD-D011405	GBG035-036-051320-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG035-036	5/13/2020	10:49	N1	DD-D011405	GBG035-036-051320-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.2	J	0.07	0.24	ug/WIPE
GBG035-036	5/13/2020	10:49	N1	DD-D011405	GBG035-036-051320-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG035-036	5/13/2020	10:49	N1	DD-D011405	GBG035-036-051320-COMP	SW8082A	SW	TOTAL PCBs	2.5		-	0.24	ug/WIPE
GBG037-038	5/13/2020	10:55	N1	DD-D011407	GBG037-038-051320-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG037-038	5/13/2020	10:55	N1	DD-D011407	GBG037-038-051320-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG037-038	5/13/2020	10:55	N1	DD-D011407	GBG037-038-051320-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG037-038	5/13/2020	10:55	N1	DD-D011407	GBG037-038-051320-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.68		0.088	0.24	ug/WIPE
GBG037-038	5/13/2020	10:55	N1	DD-D011407	GBG037-038-051320-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG037-038	5/13/2020	10:55	N1	DD-D011407	GBG037-038-051320-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.54	J	0.07	0.24	ug/WIPE
GBG037-038	5/13/2020	10:55	N1	DD-D011407	GBG037-038-051320-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG037-038	5/13/2020	10:55	N1	DD-D011407	GBG037-038-051320-COMP	SW8082A	SW	TOTAL PCBs	1.22		-	0.24	ug/WIPE
GBG039-040-041	5/13/2020	11:07	N1	DD-D011409	GBG039-040-041-051320-COM	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG039-040-041	5/13/2020	11:07	N1	DD-D011409	GBG039-040-041-051320-COM	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG039-040-041	5/13/2020	11:07	N1	DD-D011409	GBG039-040-041-051320-COM	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG039-040-041	5/13/2020	11:07	N1	DD-D011409	GBG039-040-041-051320-COM	SW8082A	SW	PCB-1242 (AROCLOR 1242)	10		0.088	0.24	ug/WIPE



Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
GBG039-040-041	5/13/2020	11:07	N1	DD-D011409	GBG039-040-041-051320-COM	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG039-040-041	5/13/2020	11:07	N1	DD-D011409	GBG039-040-041-051320-COM	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	4.2	U	0.07	0.24	ug/WIPE
GBG039-040-041	5/13/2020	11:07	N1	DD-D011409	GBG039-040-041-051320-COM	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG039-040-041	5/13/2020	11:07	N1	DD-D011409	GBG039-040-041-051320-COM	SW8082A	SW	TOTAL PCBs	14.2		-	0.24	ug/WIPE
GBG039R	6/29/2020	10:55	N1	DD-D022102	GBG039R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG039R	6/29/2020	10:55	N1	DD-D022102	GBG039R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG039R	6/29/2020	10:55	N1	DD-D022102	GBG039R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG039R	6/29/2020	10:55	N1	DD-D022102	GBG039R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	4.2		0.088	0.24	ug/WIPE
GBG039R	6/29/2020	10:55	N1	DD-D022102	GBG039R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG039R	6/29/2020	10:55	N1	DD-D022102	GBG039R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.4		0.07	0.24	ug/WIPE
GBG039R	6/29/2020	10:55	N1	DD-D022102	GBG039R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG039R	6/29/2020	10:55	N1	DD-D022102	GBG039R-062920	SW8082A	SW	TOTAL PCBs	5.6		-	0.24	ug/WIPE
GBG040R	6/29/2020	10:57	N1	DD-D022103	GBG040R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG040R	6/29/2020	10:57	N1	DD-D022103	GBG040R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG040R	6/29/2020	10:57	N1	DD-D022103	GBG040R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG040R	6/29/2020	10:57	N1	DD-D022103	GBG040R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	4.9		0.088	0.24	ug/WIPE
GBG040R	6/29/2020	10:57	N1	DD-D022103	GBG040R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG040R	6/29/2020	10:57	N1	DD-D022103	GBG040R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.5		0.07	0.24	ug/WIPE
GBG040R	6/29/2020	10:57	N1	DD-D022103	GBG040R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG040R	6/29/2020	10:57	N1	DD-D022103	GBG040R-062920	SW8082A	SW	TOTAL PCBs	6.4		-	0.24	ug/WIPE
GBG041R	6/29/2020	11:01	N1	DD-D022104	GBG041R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG041R	6/29/2020	11:01	N1	DD-D022104	GBG041R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG041R	6/29/2020	11:01	N1	DD-D022104	GBG041R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG041R	6/29/2020	11:01	N1	DD-D022104	GBG041R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.8		0.088	0.24	ug/WIPE
GBG041R	6/29/2020	11:01	N1	DD-D022104	GBG041R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG041R	6/29/2020	11:01	N1	DD-D022104	GBG041R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.1		0.07	0.24	ug/WIPE
GBG041R	6/29/2020	11:01	N1	DD-D022104	GBG041R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG041R	6/29/2020	11:01	N1	DD-D022104	GBG041R-062920	SW8082A	SW	TOTAL PCBs	4.9		-	0.24	ug/WIPE
GBG042-043	5/13/2020	11:32	N1	DD-D011502	GBG042-043-051320-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG042-043	5/13/2020	11:32	N1	DD-D011502	GBG042-043-051320-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG042-043	5/13/2020	11:32	N1	DD-D011502	GBG042-043-051320-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG042-043	5/13/2020	11:32	N1	DD-D011502	GBG042-043-051320-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.9		0.088	0.24	ug/WIPE
GBG042-043	5/13/2020	11:32	N1	DD-D011502	GBG042-043-051320-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG042-043	5/13/2020	11:32	N1	DD-D011502	GBG042-043-051320-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.7		0.07	0.24	ug/WIPE
GBG042-043	5/13/2020	11:32	N1	DD-D011502	GBG042-043-051320-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG042-043	5/13/2020	11:32	N1	DD-D011502	GBG042-043-051320-COMP	SW8082A	SW	TOTAL PCBs	5.6		-	0.24	ug/WIPE
GBG044-045	5/13/2020	11:37	N1	DD-D011504	GBG044-045-051320-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG044-045	5/13/2020	11:37	N1	DD-D011504	GBG044-045-051320-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG044-045	5/13/2020	11:37	N1	DD-D011504	GBG044-045-051320-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG044-045	5/13/2020	11:37	N1	DD-D011504	GBG044-045-051320-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	16		0.088	0.24	ug/WIPE
GBG044-045	5/13/2020	11:37	N1	DD-D011504	GBG044-045-051320-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG044-045	5/13/2020	11:37	N1	DD-D011504	GBG044-045-051320-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	6.4		0.07	0.24	ug/WIPE
GBG044-045	5/13/2020	11:37	N1	DD-D011504	GBG044-045-051320-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG044-045	5/13/2020	11:37	N1	DD-D011504	GBG044-045-051320-COMP	SW8082A	SW	TOTAL PCBs	22.4		-	0.24	ug/WIPE
GBG044R	6/29/2020	11:05	N1	DD-D022105	GBG044R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG044R	6/29/2020	11:05	N1	DD-D022105	GBG044R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG044R	6/29/2020	11:05	N1	DD-D022105	GBG044R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG044R	6/29/2020	11:05	N1	DD-D022105	GBG044R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.14	J	0.088	0.24	ug/WIPE
GBG044R	6/29/2020	11:05	N1	DD-D022105	GBG044R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG044R	6/29/2020	11:05	N1	DD-D022105	GBG044R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	ND	U	0.07	0.24	ug/WIPE
GBG044R	6/29/2020	11:05	N1	DD-D022105	GBG044R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE

Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
GBG044R	6/29/2020	11:05	N1	DD-D022105	GBG044R-062920	SW8082A	SW	TOTAL PCBs	0.14		-	0.24	ug/WIPE
GBG045R	6/29/2020	11:10	N1	DD-D022106	GBG045R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG045R	6/29/2020	11:10	N1	DD-D022106	GBG045R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG045R	6/29/2020	11:10	N1	DD-D022106	GBG045R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG045R	6/29/2020	11:10	N1	DD-D022106	GBG045R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	4.5		0.088	0.24	ug/WIPE
GBG045R	6/29/2020	11:10	N1	DD-D022106	GBG045R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG045R	6/29/2020	11:10	N1	DD-D022106	GBG045R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.3		0.07	0.24	ug/WIPE
GBG045R	6/29/2020	11:10	N1	DD-D022106	GBG045R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG045R	6/29/2020	11:10	N1	DD-D022106	GBG045R-062920	SW8082A	SW	TOTAL PCBs	5.8		-	0.24	ug/WIPE
GBG046-047	5/13/2020	11:47	N1	DD-D011506	GBG046-047-051320-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG046-047	5/13/2020	11:47	N1	DD-D011506	GBG046-047-051320-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG046-047	5/13/2020	11:47	N1	DD-D011506	GBG046-047-051320-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG046-047	5/13/2020	11:47	N1	DD-D011506	GBG046-047-051320-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	8.8		0.088	0.24	ug/WIPE
GBG046-047	5/13/2020	11:47	N1	DD-D011506	GBG046-047-051320-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG046-047	5/13/2020	11:47	N1	DD-D011506	GBG046-047-051320-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	4.3		0.07	0.24	ug/WIPE
GBG046-047	5/13/2020	11:47	N1	DD-D011506	GBG046-047-051320-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG046-047	5/13/2020	11:47	N1	DD-D011506	GBG046-047-051320-COMP	SW8082A	SW	TOTAL PCBs	13.1		-	0.24	ug/WIPE
GBG046R	6/29/2020	10:12	N1	DD-D022107	GBG046R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG046R	6/29/2020	10:12	N1	DD-D022107	GBG046R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG046R	6/29/2020	10:12	N1	DD-D022107	GBG046R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG046R	6/29/2020	10:12	N1	DD-D022107	GBG046R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.7		0.088	0.24	ug/WIPE
GBG046R	6/29/2020	10:12	N1	DD-D022107	GBG046R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG046R	6/29/2020	10:12	N1	DD-D022107	GBG046R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.2		0.07	0.24	ug/WIPE
GBG046R	6/29/2020	10:12	N1	DD-D022107	GBG046R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG046R	6/29/2020	10:12	N1	DD-D022107	GBG046R-062920	SW8082A	SW	TOTAL PCBs	4.9		-	0.24	ug/WIPE
GBG047R	6/29/2020	11:15	N1	DD-D022108	GBG047R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG047R	6/29/2020	11:15	N1	DD-D022108	GBG047R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG047R	6/29/2020	11:15	N1	DD-D022108	GBG047R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG047R	6/29/2020	11:15	N1	DD-D022108	GBG047R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3		0.088	0.24	ug/WIPE
GBG047R	6/29/2020	11:15	N1	DD-D022108	GBG047R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG047R	6/29/2020	11:15	N1	DD-D022108	GBG047R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.85		0.07	0.24	ug/WIPE
GBG047R	6/29/2020	11:15	N1	DD-D022108	GBG047R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG047R	6/29/2020	11:15	N1	DD-D022108	GBG047R-062920	SW8082A	SW	TOTAL PCBs	3.85		-	0.24	ug/WIPE
GBG048-049	5/13/2020	11:50	N1	DD-D011508	GBG048-049-051320-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG048-049	5/13/2020	11:50	N1	DD-D011508	GBG048-049-051320-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG048-049	5/13/2020	11:50	N1	DD-D011508	GBG048-049-051320-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG048-049	5/13/2020	11:50	N1	DD-D011508	GBG048-049-051320-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	5.3		0.088	0.24	ug/WIPE
GBG048-049	5/13/2020	11:50	N1	DD-D011508	GBG048-049-051320-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG048-049	5/13/2020	11:50	N1	DD-D011508	GBG048-049-051320-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.3		0.07	0.24	ug/WIPE
GBG048-049	5/13/2020	11:50	N1	DD-D011508	GBG048-049-051320-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG048-049	5/13/2020	11:50	N1	DD-D011508	GBG048-049-051320-COMP	SW8082A	SW	TOTAL PCBs	7.6		-	0.24	ug/WIPE
GBG050-051	5/13/2020	11:58	N1	DD-D011510	GBG050-051-051320-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG050-051	5/13/2020	11:58	N1	DD-D011510	GBG050-051-051320-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG050-051	5/13/2020	11:58	N1	DD-D011510	GBG050-051-051320-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG050-051	5/13/2020	11:58	N1	DD-D011510	GBG050-051-051320-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	6.9		0.088	0.24	ug/WIPE
GBG050-051	5/13/2020	11:58	N1	DD-D011510	GBG050-051-051320-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG050-051	5/13/2020	11:58	N1	DD-D011510	GBG050-051-051320-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	3.7		0.07	0.24	ug/WIPE
GBG050-051	5/13/2020	11:58	N1	DD-D011510	GBG050-051-051320-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG050-051	5/13/2020	11:58	N1	DD-D011510	GBG050-051-051320-COMP	SW8082A	SW	TOTAL PCBs	10.6		-	0.24	ug/WIPE
GBG050R	6/29/2020	11:19	N1	DD-D022109	GBG050R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG050R	6/29/2020	11:19	N1	DD-D022109	GBG050R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE

Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
GBG050R	6/29/2020	11:19	N1	DD-D022109	GBG050R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG050R	6/29/2020	11:19	N1	DD-D022109	GBG050R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2	U	0.088	0.24	ug/WIPE
GBG050R	6/29/2020	11:19	N1	DD-D022109	GBG050R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG050R	6/29/2020	11:19	N1	DD-D022109	GBG050R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.73	U	0.07	0.24	ug/WIPE
GBG050R	6/29/2020	11:19	N1	DD-D022109	GBG050R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG050R	6/29/2020	11:19	N1	DD-D022109	GBG050R-062920	SW8082A	SW	TOTAL PCBs	2.73	U	-	0.24	ug/WIPE
GBG051R	6/29/2020	11:22	N1	DD-D022110	GBG051R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG051R	6/29/2020	11:22	N1	DD-D022110	GBG051R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG051R	6/29/2020	11:22	N1	DD-D022110	GBG051R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG051R	6/29/2020	11:22	N1	DD-D022110	GBG051R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.6	U	0.088	0.24	ug/WIPE
GBG051R	6/29/2020	11:22	N1	DD-D022110	GBG051R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG051R	6/29/2020	11:22	N1	DD-D022110	GBG051R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.3	U	0.07	0.24	ug/WIPE
GBG051R	6/29/2020	11:22	N1	DD-D022110	GBG051R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG051R	6/29/2020	11:22	N1	DD-D022110	GBG051R-062920	SW8082A	SW	TOTAL PCBs	4.9	U	-	0.24	ug/WIPE
GBG052-053	5/13/2020	13:18	N1	DD-D011602	GBG052-053-051320-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG052-053	5/13/2020	13:18	N1	DD-D011602	GBG052-053-051320-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG052-053	5/13/2020	13:18	N1	DD-D011602	GBG052-053-051320-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG052-053	5/13/2020	13:18	N1	DD-D011602	GBG052-053-051320-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.2	U	0.088	0.24	ug/WIPE
GBG052-053	5/13/2020	13:18	N1	DD-D011602	GBG052-053-051320-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG052-053	5/13/2020	13:18	N1	DD-D011602	GBG052-053-051320-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.5	U	0.07	0.24	ug/WIPE
GBG052-053	5/13/2020	13:18	N1	DD-D011602	GBG052-053-051320-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG052-053	5/13/2020	13:18	N1	DD-D011602	GBG052-053-051320-COMP	SW8082A	SW	TOTAL PCBs	4.7	U	-	0.24	ug/WIPE
GBG054-055	5/13/2020	13:21	N1	DD-D011604	GBG054-055-051320-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG054-055	5/13/2020	13:21	N1	DD-D011604	GBG054-055-051320-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG054-055	5/13/2020	13:21	N1	DD-D011604	GBG054-055-051320-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG054-055	5/13/2020	13:21	N1	DD-D011604	GBG054-055-051320-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	4.7	U	0.088	0.24	ug/WIPE
GBG054-055	5/13/2020	13:21	N1	DD-D011604	GBG054-055-051320-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG054-055	5/13/2020	13:21	N1	DD-D011604	GBG054-055-051320-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.3	U	0.07	0.24	ug/WIPE
GBG054-055	5/13/2020	13:21	N1	DD-D011604	GBG054-055-051320-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG054-055	5/13/2020	13:21	N1	DD-D011604	GBG054-055-051320-COMP	SW8082A	SW	TOTAL PCBs	7	U	-	0.24	ug/WIPE
GBG056-057	5/13/2020	13:42	N1	DD-D011606	GBG056-057-051320-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG056-057	5/13/2020	13:42	N1	DD-D011606	GBG056-057-051320-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG056-057	5/13/2020	13:42	N1	DD-D011606	GBG056-057-051320-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG056-057	5/13/2020	13:42	N1	DD-D011606	GBG056-057-051320-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	17	U	0.088	0.24	ug/WIPE
GBG056-057	5/13/2020	13:42	N1	DD-D011606	GBG056-057-051320-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG056-057	5/13/2020	13:42	N1	DD-D011606	GBG056-057-051320-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	7.1	U	0.07	0.24	ug/WIPE
GBG056-057	5/13/2020	13:42	N1	DD-D011606	GBG056-057-051320-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG056-057	5/13/2020	13:42	N1	DD-D011606	GBG056-057-051320-COMP	SW8082A	SW	TOTAL PCBs	24.1	U	-	0.24	ug/WIPE
GBG056R	6/29/2020	11:25	N1	DD-D022201	GBG056R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG056R	6/29/2020	11:25	N1	DD-D022201	GBG056R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG056R	6/29/2020	11:25	N1	DD-D022201	GBG056R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG056R	6/29/2020	11:25	N1	DD-D022201	GBG056R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.2	U	0.088	0.24	ug/WIPE
GBG056R	6/29/2020	11:25	N1	DD-D022201	GBG056R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG056R	6/29/2020	11:25	N1	DD-D022201	GBG056R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.63	U	0.07	0.24	ug/WIPE
GBG056R	6/29/2020	11:25	N1	DD-D022201	GBG056R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG056R	6/29/2020	11:25	N1	DD-D022201	GBG056R-062920	SW8082A	SW	TOTAL PCBs	2.83	U	-	0.24	ug/WIPE
GBG057R	6/29/2020	11:30	N1	DD-D022202	GBG057R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG057R	6/29/2020	11:30	N1	DD-D022202	GBG057R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG057R	6/29/2020	11:30	N1	DD-D022202	GBG057R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG057R	6/29/2020	11:30	N1	DD-D022202	GBG057R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.7	U	0.088	0.24	ug/WIPE
GBG057R	6/29/2020	11:30	N1	DD-D022202	GBG057R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE

Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
GBG057R	6/29/2020	11:30	N1	DD-D022202	GBG057R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1		0.07	0.24	ug/WIPE
GBG057R	6/29/2020	11:30	N1	DD-D022202	GBG057R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG057R	6/29/2020	11:30	N1	DD-D022202	GBG057R-062920	SW8082A	SW	TOTAL PCBs	3.7		-	0.24	ug/WIPE
GBG058-059	5/13/2020	13:39	N1	DD-D011608	GBG058-059-051320-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG058-059	5/13/2020	13:39	N1	DD-D011608	GBG058-059-051320-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG058-059	5/13/2020	13:39	N1	DD-D011608	GBG058-059-051320-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG058-059	5/13/2020	13:39	N1	DD-D011608	GBG058-059-051320-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	13		0.088	0.24	ug/WIPE
GBG058-059	5/13/2020	13:39	N1	DD-D011608	GBG058-059-051320-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG058-059	5/13/2020	13:39	N1	DD-D011608	GBG058-059-051320-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	5.3		0.07	0.24	ug/WIPE
GBG058-059	5/13/2020	13:39	N1	DD-D011608	GBG058-059-051320-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG058-059	5/13/2020	13:39	N1	DD-D011608	GBG058-059-051320-COMP	SW8082A	SW	TOTAL PCBs	18.3		-	0.24	ug/WIPE
GBG058R	6/29/2020	11:32	N1	DD-D022203	GBG058R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG058R	6/29/2020	11:32	N1	DD-D022203	GBG058R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG058R	6/29/2020	11:32	N1	DD-D022203	GBG058R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG058R	6/29/2020	11:32	N1	DD-D022203	GBG058R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	4.4		0.088	0.24	ug/WIPE
GBG058R	6/29/2020	11:32	N1	DD-D022203	GBG058R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG058R	6/29/2020	11:32	N1	DD-D022203	GBG058R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.4		0.07	0.24	ug/WIPE
GBG058R	6/29/2020	11:32	N1	DD-D022203	GBG058R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG058R	6/29/2020	11:32	N1	DD-D022203	GBG058R-062920	SW8082A	SW	TOTAL PCBs	5.8		-	0.24	ug/WIPE
GBG059R	6/29/2020	11:35	N1	DD-D022204	GBG059R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG059R	6/29/2020	11:35	N1	DD-D022204	GBG059R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG059R	6/29/2020	11:35	N1	DD-D022204	GBG059R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG059R	6/29/2020	11:35	N1	DD-D022204	GBG059R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.2		0.088	0.24	ug/WIPE
GBG059R	6/29/2020	11:35	N1	DD-D022204	GBG059R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG059R	6/29/2020	11:35	N1	DD-D022204	GBG059R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.91		0.07	0.24	ug/WIPE
GBG059R	6/29/2020	11:35	N1	DD-D022204	GBG059R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG059R	6/29/2020	11:35	N1	DD-D022204	GBG059R-062920	SW8082A	SW	TOTAL PCBs	4.11		-	0.24	ug/WIPE
GBG060-061	5/13/2020	14:04	N1	DD-D011610	GBG060-061-051320-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG060-061	5/13/2020	14:04	N1	DD-D011610	GBG060-061-051320-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG060-061	5/13/2020	14:04	N1	DD-D011610	GBG060-061-051320-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG060-061	5/13/2020	14:04	N1	DD-D011610	GBG060-061-051320-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	13		0.088	0.24	ug/WIPE
GBG060-061	5/13/2020	14:04	N1	DD-D011610	GBG060-061-051320-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG060-061	5/13/2020	14:04	N1	DD-D011610	GBG060-061-051320-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	5		0.07	0.24	ug/WIPE
GBG060-061	5/13/2020	14:04	N1	DD-D011610	GBG060-061-051320-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG060-061	5/13/2020	14:04	N1	DD-D011610	GBG060-061-051320-COMP	SW8082A	SW	TOTAL PCBs	18		-	0.24	ug/WIPE
GBG060R	6/29/2020	11:45	N1	DD-D022205	GBG060R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG060R	6/29/2020	11:45	N1	DD-D022205	GBG060R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG060R	6/29/2020	11:45	N1	DD-D022205	GBG060R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG060R	6/29/2020	11:45	N1	DD-D022205	GBG060R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.4		0.088	0.24	ug/WIPE
GBG060R	6/29/2020	11:45	N1	DD-D022205	GBG060R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG060R	6/29/2020	11:45	N1	DD-D022205	GBG060R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.95		0.07	0.24	ug/WIPE
GBG060R	6/29/2020	11:45	N1	DD-D022205	GBG060R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG060R	6/29/2020	11:45	N1	DD-D022205	GBG060R-062920	SW8082A	SW	TOTAL PCBs	4.35		-	0.24	ug/WIPE
GBG061R	6/29/2020	11:48	N1	DD-D022206	GBG061R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG061R	6/29/2020	11:48	N1	DD-D022206	GBG061R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG061R	6/29/2020	11:48	N1	DD-D022206	GBG061R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG061R	6/29/2020	11:48	N1	DD-D022206	GBG061R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.3		0.088	0.24	ug/WIPE
GBG061R	6/29/2020	11:48	N1	DD-D022206	GBG061R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG061R	6/29/2020	11:48	N1	DD-D022206	GBG061R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.78		0.07	0.24	ug/WIPE
GBG061R	6/29/2020	11:48	N1	DD-D022206	GBG061R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG061R	6/29/2020	11:48	N1	DD-D022206	GBG061R-062920	SW8082A	SW	TOTAL PCBs	3.08		-	0.24	ug/WIPE

Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
GBG062-063	5/13/2020	14:07	N1	DD-D011702	GBG062-063-051320-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG062-063	5/13/2020	14:07	N1	DD-D011702	GBG062-063-051320-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG062-063	5/13/2020	14:07	N1	DD-D011702	GBG062-063-051320-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG062-063	5/13/2020	14:07	N1	DD-D011702	GBG062-063-051320-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	4.3		0.088	0.24	ug/WIPE
GBG062-063	5/13/2020	14:07	N1	DD-D011702	GBG062-063-051320-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG062-063	5/13/2020	14:07	N1	DD-D011702	GBG062-063-051320-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2.2		0.07	0.24	ug/WIPE
GBG062-063	5/13/2020	14:07	N1	DD-D011702	GBG062-063-051320-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG062-063	5/13/2020	14:07	N1	DD-D011702	GBG062-063-051320-COMP	SW8082A	SW	TOTAL PCBs	6.5		-	0.24	ug/WIPE
GBG064-065	5/13/2020	14:15	N1	DD-D011704	GBG064-065-051320-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG064-065	5/13/2020	14:15	N1	DD-D011704	GBG064-065-051320-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG064-065	5/13/2020	14:15	N1	DD-D011704	GBG064-065-051320-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG064-065	5/13/2020	14:15	N1	DD-D011704	GBG064-065-051320-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	12		0.088	0.24	ug/WIPE
GBG064-065	5/13/2020	14:15	N1	DD-D011704	GBG064-065-051320-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG064-065	5/13/2020	14:15	N1	DD-D011704	GBG064-065-051320-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	4.9		0.07	0.24	ug/WIPE
GBG064-065	5/13/2020	14:15	N1	DD-D011704	GBG064-065-051320-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG064-065	5/13/2020	14:15	N1	DD-D011704	GBG064-065-051320-COMP	SW8082A	SW	TOTAL PCBs	16.9		-	0.24	ug/WIPE
GBG064R	6/29/2020	11:50	N1	DD-D022207	GBG064R-062920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG064R	6/29/2020	11:50	N1	DD-D022207	GBG064R-062920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG064R	6/29/2020	11:50	N1	DD-D022207	GBG064R-062920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG064R	6/29/2020	11:50	N1	DD-D022207	GBG064R-062920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2.8		0.088	0.24	ug/WIPE
GBG064R	6/29/2020	11:50	N1	DD-D022207	GBG064R-062920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG064R	6/29/2020	11:50	N1	DD-D022207	GBG064R-062920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.83		0.07	0.24	ug/WIPE
GBG064R	6/29/2020	11:50	N1	DD-D022207	GBG064R-062920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG064R	6/29/2020	11:50	N1	DD-D022207	GBG064R-062920	SW8082A	SW	TOTAL PCBs	3.63		-	0.24	ug/WIPE
GBG065R	6/29/2020	11:55	N1	DD-D022208	GBG065R-062920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG065R	6/29/2020	11:55	N1	DD-D022208	GBG065R-062920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG065R	6/29/2020	11:55	N1	DD-D022208	GBG065R-062920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG065R	6/29/2020	11:55	N1	DD-D022208	GBG065R-062920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1.2		0.088	0.24	ug/WIPE
GBG065R	6/29/2020	11:55	N1	DD-D022208	GBG065R-062920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG065R	6/29/2020	11:55	N1	DD-D022208	GBG065R-062920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.46		0.07	0.24	ug/WIPE
GBG065R	6/29/2020	11:55	N1	DD-D022208	GBG065R-062920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG065R	6/29/2020	11:55	N1	DD-D022208	GBG065R-062920	SW8082A	SW	TOTAL PCBs	1.66		-	0.24	ug/WIPE
GBG066-067	5/13/2020	14:23	N1	DD-D011706	GBG066-067-051320-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG066-067	5/13/2020	14:23	N1	DD-D011706	GBG066-067-051320-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG066-067	5/13/2020	14:23	N1	DD-D011706	GBG066-067-051320-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG066-067	5/13/2020	14:23	N1	DD-D011706	GBG066-067-051320-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1.3		0.088	0.24	ug/WIPE
GBG066-067	5/13/2020	14:23	N1	DD-D011706	GBG066-067-051320-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG066-067	5/13/2020	14:23	N1	DD-D011706	GBG066-067-051320-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.47		0.07	0.24	ug/WIPE
GBG066-067	5/13/2020	14:23	N1	DD-D011706	GBG066-067-051320-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG066-067	5/13/2020	14:23	N1	DD-D011706	GBG066-067-051320-COMP	SW8082A	SW	TOTAL PCBs	1.77		-	0.24	ug/WIPE
GBG068-069	5/13/2020	14:29	N1	DD-D011708	GBG068-069-051320-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG068-069	5/13/2020	14:29	N1	DD-D011708	GBG068-069-051320-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG068-069	5/13/2020	14:29	N1	DD-D011708	GBG068-069-051320-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG068-069	5/13/2020	14:29	N1	DD-D011708	GBG068-069-051320-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.71		0.088	0.24	ug/WIPE
GBG068-069	5/13/2020	14:29	N1	DD-D011708	GBG068-069-051320-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG068-069	5/13/2020	14:29	N1	DD-D011708	GBG068-069-051320-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.31		0.07	0.24	ug/WIPE
GBG068-069	5/13/2020	14:29	N1	DD-D011708	GBG068-069-051320-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG068-069	5/13/2020	14:29	N1	DD-D011708	GBG068-069-051320-COMP	SW8082A	SW	TOTAL PCBs	1.02		-	0.24	ug/WIPE
GBG070-071	5/13/2020	14:39	N1	DD-D011710	GBG070-071-051320-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG070-071	5/13/2020	14:39	N1	DD-D011710	GBG070-071-051320-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG070-071	5/13/2020	14:39	N1	DD-D011710	GBG070-071-051320-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE



Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
GBG070-071	5/13/2020	14:39	N1	DD-D011710	GBG070-071-051320-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.1		0.088	0.24	ug/WIPE
GBG070-071	5/13/2020	14:39	N1	DD-D011710	GBG070-071-051320-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG070-071	5/13/2020	14:39	N1	DD-D011710	GBG070-071-051320-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.99		0.07	0.24	ug/WIPE
GBG070-071	5/13/2020	14:39	N1	DD-D011710	GBG070-071-051320-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG070-071	5/13/2020	14:39	N1	DD-D011710	GBG070-071-051320-COMP	SW8082A	SW	TOTAL PCBs	3.09		-	0.24	ug/WIPE
GBG072-073	5/13/2020	15:15	N1	DD-D011802	GBG072-073-051320-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG072-073	5/13/2020	15:15	N1	DD-D011802	GBG072-073-051320-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG072-073	5/13/2020	15:15	N1	DD-D011802	GBG072-073-051320-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG072-073	5/13/2020	15:15	N1	DD-D011802	GBG072-073-051320-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.5		0.088	0.24	ug/WIPE
GBG072-073	5/13/2020	15:15	N1	DD-D011802	GBG072-073-051320-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG072-073	5/13/2020	15:15	N1	DD-D011802	GBG072-073-051320-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.2		0.07	0.24	ug/WIPE
GBG072-073	5/13/2020	15:15	N1	DD-D011802	GBG072-073-051320-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG072-073	5/13/2020	15:15	N1	DD-D011802	GBG072-073-051320-COMP	SW8082A	SW	TOTAL PCBs	4.7		-	0.24	ug/WIPE
GBG074-075	5/13/2020	15:23	N1	DD-D011804	GBG074-075-051320-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG074-075	5/13/2020	15:23	N1	DD-D011804	GBG074-075-051320-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG074-075	5/13/2020	15:23	N1	DD-D011804	GBG074-075-051320-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG074-075	5/13/2020	15:23	N1	DD-D011804	GBG074-075-051320-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	7.2		0.088	0.24	ug/WIPE
GBG074-075	5/13/2020	15:23	N1	DD-D011804	GBG074-075-051320-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG074-075	5/13/2020	15:23	N1	DD-D011804	GBG074-075-051320-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.9		0.07	0.24	ug/WIPE
GBG074-075	5/13/2020	15:23	N1	DD-D011804	GBG074-075-051320-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG074-075	5/13/2020	15:23	N1	DD-D011804	GBG074-075-051320-COMP	SW8082A	SW	TOTAL PCBs	10.1		-	0.24	ug/WIPE
GBG074R	6/29/2020	12:55	N1	DD-D022209	GBG074R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG074R	6/29/2020	12:55	N1	DD-D022209	GBG074R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG074R	6/29/2020	12:55	N1	DD-D022209	GBG074R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG074R	6/29/2020	12:55	N1	DD-D022209	GBG074R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	1.3		0.088	0.24	ug/WIPE
GBG074R	6/29/2020	12:55	N1	DD-D022209	GBG074R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG074R	6/29/2020	12:55	N1	DD-D022209	GBG074R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.45		0.07	0.24	ug/WIPE
GBG074R	6/29/2020	12:55	N1	DD-D022209	GBG074R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG074R	6/29/2020	12:55	N1	DD-D022209	GBG074R-062920	SW8082A	SW	TOTAL PCBs	1.75		-	0.24	ug/WIPE
GBG075R	6/29/2020	12:58	N1	DD-D022210	GBG075R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG075R	6/29/2020	12:58	N1	DD-D022210	GBG075R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG075R	6/29/2020	12:58	N1	DD-D022210	GBG075R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG075R	6/29/2020	12:58	N1	DD-D022210	GBG075R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.3		0.088	0.24	ug/WIPE
GBG075R	6/29/2020	12:58	N1	DD-D022210	GBG075R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG075R	6/29/2020	12:58	N1	DD-D022210	GBG075R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.9		0.07	0.24	ug/WIPE
GBG075R	6/29/2020	12:58	N1	DD-D022210	GBG075R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG075R	6/29/2020	12:58	N1	DD-D022210	GBG075R-062920	SW8082A	SW	TOTAL PCBs	3.2		-	0.24	ug/WIPE
GBG076-077	5/13/2020	15:37	N1	DD-D011806	GBG076-077-051320-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG076-077	5/13/2020	15:37	N1	DD-D011806	GBG076-077-051320-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG076-077	5/13/2020	15:37	N1	DD-D011806	GBG076-077-051320-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG076-077	5/13/2020	15:37	N1	DD-D011806	GBG076-077-051320-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	5.9		0.088	0.24	ug/WIPE
GBG076-077	5/13/2020	15:37	N1	DD-D011806	GBG076-077-051320-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG076-077	5/13/2020	15:37	N1	DD-D011806	GBG076-077-051320-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.4		0.07	0.24	ug/WIPE
GBG076-077	5/13/2020	15:37	N1	DD-D011806	GBG076-077-051320-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG076-077	5/13/2020	15:37	N1	DD-D011806	GBG076-077-051320-COMP	SW8082A	SW	TOTAL PCBs	8.3		-	0.24	ug/WIPE
GBG078-079	5/13/2020	15:34	N1	DD-D011808	GBG078-079-051320-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG078-079	5/13/2020	15:34	N1	DD-D011808	GBG078-079-051320-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG078-079	5/13/2020	15:34	N1	DD-D011808	GBG078-079-051320-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG078-079	5/13/2020	15:34	N1	DD-D011808	GBG078-079-051320-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	4.6		0.088	0.24	ug/WIPE
GBG078-079	5/13/2020	15:34	N1	DD-D011808	GBG078-079-051320-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG078-079	5/13/2020	15:34	N1	DD-D011808	GBG078-079-051320-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.8		0.07	0.24	ug/WIPE

Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
GBG078-079	5/13/2020	15:34	N1	DD-D011808	GBG078-079-051320-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG078-079	5/13/2020	15:34	N1	DD-D011808	GBG078-079-051320-COMP	SW8082A	SW	TOTAL PCBs	6.4		-	0.24	ug/WIPE
GBG080-081	5/13/2020	15:51	N1	DD-D011810	GBG080-081-051320-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG080-081	5/13/2020	15:51	N1	DD-D011810	GBG080-081-051320-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG080-081	5/13/2020	15:51	N1	DD-D011810	GBG080-081-051320-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG080-081	5/13/2020	15:51	N1	DD-D011810	GBG080-081-051320-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	10		0.088	0.24	ug/WIPE
GBG080-081	5/13/2020	15:51	N1	DD-D011810	GBG080-081-051320-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG080-081	5/13/2020	15:51	N1	DD-D011810	GBG080-081-051320-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	4		0.07	0.24	ug/WIPE
GBG080-081	5/13/2020	15:51	N1	DD-D011810	GBG080-081-051320-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG080-081	5/13/2020	15:51	N1	DD-D011810	GBG080-081-051320-COMP	SW8082A	SW	TOTAL PCBs	14		-	0.24	ug/WIPE
GBG080R	6/29/2020	13:02	N1	DD-D022301	GBG080R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG080R	6/29/2020	13:02	N1	DD-D022301	GBG080R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG080R	6/29/2020	13:02	N1	DD-D022301	GBG080R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG080R	6/29/2020	13:02	N1	DD-D022301	GBG080R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.13	J	0.088	0.24	ug/WIPE
GBG080R	6/29/2020	13:02	N1	DD-D022301	GBG080R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG080R	6/29/2020	13:02	N1	DD-D022301	GBG080R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	ND	U	0.07	0.24	ug/WIPE
GBG080R	6/29/2020	13:02	N1	DD-D022301	GBG080R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG080R	6/29/2020	13:02	N1	DD-D022301	GBG080R-062920	SW8082A	SW	TOTAL PCBs	0.13		-	0.24	ug/WIPE
GBG081R	6/29/2020	13:05	N1	DD-D022302	GBG081R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG081R	6/29/2020	13:05	N1	DD-D022302	GBG081R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG081R	6/29/2020	13:05	N1	DD-D022302	GBG081R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG081R	6/29/2020	13:05	N1	DD-D022302	GBG081R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	4		0.088	0.24	ug/WIPE
GBG081R	6/29/2020	13:05	N1	DD-D022302	GBG081R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG081R	6/29/2020	13:05	N1	DD-D022302	GBG081R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.4		0.07	0.24	ug/WIPE
GBG081R	6/29/2020	13:05	N1	DD-D022302	GBG081R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG081R	6/29/2020	13:05	N1	DD-D022302	GBG081R-062920	SW8082A	SW	TOTAL PCBs	5.4		-	0.24	ug/WIPE
GBG082-083	5/13/2020	15:58	N1	DD-D011902	GBG082-083-051320-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG082-083	5/13/2020	15:58	N1	DD-D011902	GBG082-083-051320-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG082-083	5/13/2020	15:58	N1	DD-D011902	GBG082-083-051320-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG082-083	5/13/2020	15:58	N1	DD-D011902	GBG082-083-051320-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	4.9		0.088	0.24	ug/WIPE
GBG082-083	5/13/2020	15:58	N1	DD-D011902	GBG082-083-051320-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG082-083	5/13/2020	15:58	N1	DD-D011902	GBG082-083-051320-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.7		0.07	0.24	ug/WIPE
GBG082-083	5/13/2020	15:58	N1	DD-D011902	GBG082-083-051320-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG082-083	5/13/2020	15:58	N1	DD-D011902	GBG082-083-051320-COMP	SW8082A	SW	TOTAL PCBs	6.6		-	0.24	ug/WIPE
GBG084-085	5/13/2020	16:06	N1	DD-D011904	GBG084-085-051320-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG084-085	5/13/2020	16:06	N1	DD-D011904	GBG084-085-051320-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG084-085	5/13/2020	16:06	N1	DD-D011904	GBG084-085-051320-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG084-085	5/13/2020	16:06	N1	DD-D011904	GBG084-085-051320-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	7.6		0.088	0.24	ug/WIPE
GBG084-085	5/13/2020	16:06	N1	DD-D011904	GBG084-085-051320-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG084-085	5/13/2020	16:06	N1	DD-D011904	GBG084-085-051320-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	3.1		0.07	0.24	ug/WIPE
GBG084-085	5/13/2020	16:06	N1	DD-D011904	GBG084-085-051320-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG084-085	5/13/2020	16:06	N1	DD-D011904	GBG084-085-051320-COMP	SW8082A	SW	TOTAL PCBs	10.7		-	0.24	ug/WIPE
GBG084R	6/29/2020	13:07	N1	DD-D022303	GBG084R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG084R	6/29/2020	13:07	N1	DD-D022303	GBG084R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG084R	6/29/2020	13:07	N1	DD-D022303	GBG084R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG084R	6/29/2020	13:07	N1	DD-D022303	GBG084R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.5		0.088	0.24	ug/WIPE
GBG084R	6/29/2020	13:07	N1	DD-D022303	GBG084R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG084R	6/29/2020	13:07	N1	DD-D022303	GBG084R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.76		0.07	0.24	ug/WIPE
GBG084R	6/29/2020	13:07	N1	DD-D022303	GBG084R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG084R	6/29/2020	13:07	N1	DD-D022303	GBG084R-062920	SW8082A	SW	TOTAL PCBs	3.26		-	0.24	ug/WIPE
GBG085R	6/29/2020	13:09	N1	DD-D022304	GBG085R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE

Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
GBG085R	6/29/2020	13:09	N1	DD-D022304	GBG085R-062920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG085R	6/29/2020	13:09	N1	DD-D022304	GBG085R-062920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG085R	6/29/2020	13:09	N1	DD-D022304	GBG085R-062920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.69		0.088	0.24	ug/WIPE
GBG085R	6/29/2020	13:09	N1	DD-D022304	GBG085R-062920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG085R	6/29/2020	13:09	N1	DD-D022304	GBG085R-062920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.43		0.07	0.24	ug/WIPE
GBG085R	6/29/2020	13:09	N1	DD-D022304	GBG085R-062920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG085R	6/29/2020	13:09	N1	DD-D022304	GBG085R-062920	SW8082A	SW	TOTAL PCBs	1.12		-	0.24	ug/WIPE
GBG086-087	5/13/2020	16:42	N1	DD-D011906	GBG086-087-051320-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG086-087	5/13/2020	16:42	N1	DD-D011906	GBG086-087-051320-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG086-087	5/13/2020	16:42	N1	DD-D011906	GBG086-087-051320-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG086-087	5/13/2020	16:42	N1	DD-D011906	GBG086-087-051320-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3.1		0.088	0.24	ug/WIPE
GBG086-087	5/13/2020	16:42	N1	DD-D011906	GBG086-087-051320-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG086-087	5/13/2020	16:42	N1	DD-D011906	GBG086-087-051320-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.2		0.07	0.24	ug/WIPE
GBG086-087	5/13/2020	16:42	N1	DD-D011906	GBG086-087-051320-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG086-087	5/13/2020	16:42	N1	DD-D011906	GBG086-087-051320-COMP	SW8082A	SW	TOTAL PCBs	4.3		-	0.24	ug/WIPE
GBG088-089	5/13/2020	16:40	N1	DD-D011908	GBG088-089-051320-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG088-089	5/13/2020	16:40	N1	DD-D011908	GBG088-089-051320-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG088-089	5/13/2020	16:40	N1	DD-D011908	GBG088-089-051320-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG088-089	5/13/2020	16:40	N1	DD-D011908	GBG088-089-051320-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	11		0.088	0.24	ug/WIPE
GBG088-089	5/13/2020	16:40	N1	DD-D011908	GBG088-089-051320-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG088-089	5/13/2020	16:40	N1	DD-D011908	GBG088-089-051320-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	4.3		0.07	0.24	ug/WIPE
GBG088-089	5/13/2020	16:40	N1	DD-D011908	GBG088-089-051320-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG088-089	5/13/2020	16:40	N1	DD-D011908	GBG088-089-051320-COMP	SW8082A	SW	TOTAL PCBs	15.3		-	0.24	ug/WIPE
GBG088R	6/29/2020	13:15	N1	DD-D022305	GBG088R-062920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG088R	6/29/2020	13:15	N1	DD-D022305	GBG088R-062920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG088R	6/29/2020	13:15	N1	DD-D022305	GBG088R-062920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG088R	6/29/2020	13:15	N1	DD-D022305	GBG088R-062920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2.5		0.088	0.24	ug/WIPE
GBG088R	6/29/2020	13:15	N1	DD-D022305	GBG088R-062920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG088R	6/29/2020	13:15	N1	DD-D022305	GBG088R-062920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.83		0.07	0.24	ug/WIPE
GBG088R	6/29/2020	13:15	N1	DD-D022305	GBG088R-062920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG088R	6/29/2020	13:15	N1	DD-D022305	GBG088R-062920	SW8082A	SW	TOTAL PCBs	3.33		-	0.24	ug/WIPE
GBG089R	6/29/2020	13:17	N1	DD-D022306	GBG089R-062920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG089R	6/29/2020	13:17	N1	DD-D022306	GBG089R-062920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG089R	6/29/2020	13:17	N1	DD-D022306	GBG089R-062920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG089R	6/29/2020	13:17	N1	DD-D022306	GBG089R-062920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2.3	J	0.088	0.24	ug/WIPE
GBG089R	6/29/2020	13:17	N1	DD-D022306	GBG089R-062920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG089R	6/29/2020	13:17	N1	DD-D022306	GBG089R-062920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.63	J	0.07	0.24	ug/WIPE
GBG089R	6/29/2020	13:17	N1	DD-D022306	GBG089R-062920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG089R	6/29/2020	13:17	N1	DD-D022306	GBG089R-062920	SW8082A	SW	TOTAL PCBs	2.93		-	0.24	ug/WIPE
GBG090-091	5/13/2020	6:59	N1	DD-D011910	GBG090-091-051320-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG090-091	5/13/2020	6:59	N1	DD-D011910	GBG090-091-051320-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG090-091	5/13/2020	6:59	N1	DD-D011910	GBG090-091-051320-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG090-091	5/13/2020	6:59	N1	DD-D011910	GBG090-091-051320-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	6.3		0.088	0.24	ug/WIPE
GBG090-091	5/13/2020	6:59	N1	DD-D011910	GBG090-091-051320-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG090-091	5/13/2020	6:59	N1	DD-D011910	GBG090-091-051320-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2.7		0.07	0.24	ug/WIPE
GBG090-091	5/13/2020	6:59	N1	DD-D011910	GBG090-091-051320-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG090-091	5/13/2020	6:59	N1	DD-D011910	GBG090-091-051320-COMP	SW8082A	SW	TOTAL PCBs	9		-	0.24	ug/WIPE
GBG092-093	5/14/2020	8:55	N1	DD-D012002	GBG092-093-051420-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG092-093	5/14/2020	8:55	N1	DD-D012002	GBG092-093-051420-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG092-093	5/14/2020	8:55	N1	DD-D012002	GBG092-093-051420-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG092-093	5/14/2020	8:55	N1	DD-D012002	GBG092-093-051420-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	27		0.088	0.24	ug/WIPE

Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
GBG092-093	5/14/2020	8:55	N1	DD-D012002	GBG092-093-051420-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG092-093	5/14/2020	8:55	N1	DD-D012002	GBG092-093-051420-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	8.5	U	0.07	0.24	ug/WIPE
GBG092-093	5/14/2020	8:55	N1	DD-D012002	GBG092-093-051420-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG092-093	5/14/2020	8:55	N1	DD-D012002	GBG092-093-051420-COMP	SW8082A	SW	TOTAL PCBs	35.5		-	0.24	ug/WIPE
GBG092R	6/29/2020	13:21	N1	DD-D022307	GBG092R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG092R	6/29/2020	13:21	N1	DD-D022307	GBG092R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG092R	6/29/2020	13:21	N1	DD-D022307	GBG092R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG092R	6/29/2020	13:21	N1	DD-D022307	GBG092R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.6		0.088	0.24	ug/WIPE
GBG092R	6/29/2020	13:21	N1	DD-D022307	GBG092R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG092R	6/29/2020	13:21	N1	DD-D022307	GBG092R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.84		0.07	0.24	ug/WIPE
GBG092R	6/29/2020	13:21	N1	DD-D022307	GBG092R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG092R	6/29/2020	13:21	N1	DD-D022307	GBG092R-062920	SW8082A	SW	TOTAL PCBs	3.44		-	0.24	ug/WIPE
GBG093R	6/29/2020	13:25	N1	DD-D022308	GBG093R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG093R	6/29/2020	13:25	N1	DD-D022308	GBG093R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG093R	6/29/2020	13:25	N1	DD-D022308	GBG093R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG093R	6/29/2020	13:25	N1	DD-D022308	GBG093R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.7		0.088	0.24	ug/WIPE
GBG093R	6/29/2020	13:25	N1	DD-D022308	GBG093R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG093R	6/29/2020	13:25	N1	DD-D022308	GBG093R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.75		0.07	0.24	ug/WIPE
GBG093R	6/29/2020	13:25	N1	DD-D022308	GBG093R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG093R	6/29/2020	13:25	N1	DD-D022308	GBG093R-062920	SW8082A	SW	TOTAL PCBs	3.45		-	0.24	ug/WIPE
GBG094-095	5/14/2020	7:06	N1	DD-D012004	GBG094-095-051420-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG094-095	5/14/2020	7:06	N1	DD-D012004	GBG094-095-051420-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG094-095	5/14/2020	7:06	N1	DD-D012004	GBG094-095-051420-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG094-095	5/14/2020	7:06	N1	DD-D012004	GBG094-095-051420-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	6.3		0.088	0.24	ug/WIPE
GBG094-095	5/14/2020	7:06	N1	DD-D012004	GBG094-095-051420-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG094-095	5/14/2020	7:06	N1	DD-D012004	GBG094-095-051420-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.5		0.07	0.24	ug/WIPE
GBG094-095	5/14/2020	7:06	N1	DD-D012004	GBG094-095-051420-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG094-095	5/14/2020	7:06	N1	DD-D012004	GBG094-095-051420-COMP	SW8082A	SW	TOTAL PCBs	8.8		-	0.24	ug/WIPE
GBG096-097	5/14/2020	7:11	N1	DD-D012006	GBG096-097-051420-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG096-097	5/14/2020	7:11	N1	DD-D012006	GBG096-097-051420-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG096-097	5/14/2020	7:11	N1	DD-D012006	GBG096-097-051420-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG096-097	5/14/2020	7:11	N1	DD-D012006	GBG096-097-051420-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	18		0.088	0.24	ug/WIPE
GBG096-097	5/14/2020	7:11	N1	DD-D012006	GBG096-097-051420-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG096-097	5/14/2020	7:11	N1	DD-D012006	GBG096-097-051420-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	6.1		0.07	0.24	ug/WIPE
GBG096-097	5/14/2020	7:11	N1	DD-D012006	GBG096-097-051420-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG096-097	5/14/2020	7:11	N1	DD-D012006	GBG096-097-051420-COMP	SW8082A	SW	TOTAL PCBs	24.1		-	0.24	ug/WIPE
GBG096R	6/29/2020	13:27	N1	DD-D022309	GBG093R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG096R	6/29/2020	13:27	N1	DD-D022309	GBG093R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG096R	6/29/2020	13:27	N1	DD-D022309	GBG093R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG096R	6/29/2020	13:27	N1	DD-D022309	GBG093R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.27		0.088	0.24	ug/WIPE
GBG096R	6/29/2020	13:27	N1	DD-D022309	GBG093R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG096R	6/29/2020	13:27	N1	DD-D022309	GBG093R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.12	J	0.07	0.24	ug/WIPE
GBG096R	6/29/2020	13:27	N1	DD-D022309	GBG093R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG096R	6/29/2020	13:27	N1	DD-D022309	GBG093R-062920	SW8082A	SW	TOTAL PCBs	0.39		-	0.24	ug/WIPE
GBG097R	6/29/2020	13:30	N1	DD-D022310	GBG097R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG097R	6/29/2020	13:30	N1	DD-D022310	GBG097R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG097R	6/29/2020	13:30	N1	DD-D022310	GBG097R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG097R	6/29/2020	13:30	N1	DD-D022310	GBG097R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.5		0.088	0.24	ug/WIPE
GBG097R	6/29/2020	13:30	N1	DD-D022310	GBG097R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG097R	6/29/2020	13:30	N1	DD-D022310	GBG097R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.85		0.07	0.24	ug/WIPE
GBG097R	6/29/2020	13:30	N1	DD-D022310	GBG097R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE

Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
GBG097R	6/29/2020	13:30	N1	DD-D022310	GBG097R-062920	SW8082A	SW	TOTAL PCBs	3.35		-	0.24	ug/WIPE
GBG098-099	5/14/2020	7:18	N1	DD-D012008	GBG098-099-051420-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG098-099	5/14/2020	7:18	N1	DD-D012008	GBG098-099-051420-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG098-099	5/14/2020	7:18	N1	DD-D012008	GBG098-099-051420-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG098-099	5/14/2020	7:18	N1	DD-D012008	GBG098-099-051420-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3		0.088	0.24	ug/WIPE
GBG098-099	5/14/2020	7:18	N1	DD-D012008	GBG098-099-051420-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG098-099	5/14/2020	7:18	N1	DD-D012008	GBG098-099-051420-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.1		0.07	0.24	ug/WIPE
GBG098-099	5/14/2020	7:18	N1	DD-D012008	GBG098-099-051420-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG098-099	5/14/2020	7:18	N1	DD-D012008	GBG098-099-051420-COMP	SW8082A	SW	TOTAL PCBs	4.1		-	0.24	ug/WIPE
GBG100-101	5/14/2020	7:23	N1	DD-D012010	GBG100-101-051420-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG100-101	5/14/2020	7:23	N1	DD-D012010	GBG100-101-051420-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG100-101	5/14/2020	7:23	N1	DD-D012010	GBG100-101-051420-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG100-101	5/14/2020	7:23	N1	DD-D012010	GBG100-101-051420-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	4.8		0.088	0.24	ug/WIPE
GBG100-101	5/14/2020	7:23	N1	DD-D012010	GBG100-101-051420-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG100-101	5/14/2020	7:23	N1	DD-D012010	GBG100-101-051420-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.7		0.07	0.24	ug/WIPE
GBG100-101	5/14/2020	7:23	N1	DD-D012010	GBG100-101-051420-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG100-101	5/14/2020	7:23	N1	DD-D012010	GBG100-101-051420-COMP	SW8082A	SW	TOTAL PCBs	6.5		-	0.24	ug/WIPE
GBG102-103	5/14/2020	7:28	N1	DD-D012102	GBG102-103-051420-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG102-103	5/14/2020	7:28	N1	DD-D012102	GBG102-103-051420-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG102-103	5/14/2020	7:28	N1	DD-D012102	GBG102-103-051420-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG102-103	5/14/2020	7:28	N1	DD-D012102	GBG102-103-051420-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	4.9		0.088	0.24	ug/WIPE
GBG102-103	5/14/2020	7:28	N1	DD-D012102	GBG102-103-051420-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG102-103	5/14/2020	7:28	N1	DD-D012102	GBG102-103-051420-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.2		0.07	0.24	ug/WIPE
GBG102-103	5/14/2020	7:28	N1	DD-D012102	GBG102-103-051420-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG102-103	5/14/2020	7:28	N1	DD-D012102	GBG102-103-051420-COMP	SW8082A	SW	TOTAL PCBs	7.1		-	0.24	ug/WIPE
GBG104-105	5/14/2020	7:34	N1	DD-D012104	GBG104-105-051420-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG104-105	5/14/2020	7:34	N1	DD-D012104	GBG104-105-051420-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG104-105	5/14/2020	7:34	N1	DD-D012104	GBG104-105-051420-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG104-105	5/14/2020	7:34	N1	DD-D012104	GBG104-105-051420-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	20		0.088	0.24	ug/WIPE
GBG104-105	5/14/2020	7:34	N1	DD-D012104	GBG104-105-051420-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG104-105	5/14/2020	7:34	N1	DD-D012104	GBG104-105-051420-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	6.6		0.07	0.24	ug/WIPE
GBG104-105	5/14/2020	7:34	N1	DD-D012104	GBG104-105-051420-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG104-105	5/14/2020	7:34	N1	DD-D012104	GBG104-105-051420-COMP	SW8082A	SW	TOTAL PCBs	26.6		-	0.24	ug/WIPE
GBG104R	6/29/2020	13:33	N1	DD-D022401	GBG104R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG104R	6/29/2020	13:33	N1	DD-D022401	GBG104R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG104R	6/29/2020	13:33	N1	DD-D022401	GBG104R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG104R	6/29/2020	13:33	N1	DD-D022401	GBG104R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	1.9		0.088	0.24	ug/WIPE
GBG104R	6/29/2020	13:33	N1	DD-D022401	GBG104R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG104R	6/29/2020	13:33	N1	DD-D022401	GBG104R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.72		0.07	0.24	ug/WIPE
GBG104R	6/29/2020	13:33	N1	DD-D022401	GBG104R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG104R	6/29/2020	13:33	N1	DD-D022401	GBG104R-062920	SW8082A	SW	TOTAL PCBs	2.62		-	0.24	ug/WIPE
GBG105R	6/29/2020	13:36	N1	DD-D022402	GBG105R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG105R	6/29/2020	13:36	N1	DD-D022402	GBG105R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG105R	6/29/2020	13:36	N1	DD-D022402	GBG105R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG105R	6/29/2020	13:36	N1	DD-D022402	GBG105R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2		0.088	0.24	ug/WIPE
GBG105R	6/29/2020	13:36	N1	DD-D022402	GBG105R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG105R	6/29/2020	13:36	N1	DD-D022402	GBG105R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.5		0.07	0.24	ug/WIPE
GBG105R	6/29/2020	13:36	N1	DD-D022402	GBG105R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG105R	6/29/2020	13:36	N1	DD-D022402	GBG105R-062920	SW8082A	SW	TOTAL PCBs	2.5		-	0.24	ug/WIPE
GBG106	5/14/2020	7:49	N1	DD-D012106	GBG106-051420	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG106	5/14/2020	7:49	N1	DD-D012106	GBG106-051420	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE



Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
GBG106	5/14/2020	7:49	N1	DD-D012106	GBG106-051420	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG106	5/14/2020	7:49	N1	DD-D012106	GBG106-051420	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	8.2	U	0.088	0.24	ug/WIPE
GBG106	5/14/2020	7:49	N1	DD-D012106	GBG106-051420	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG106	5/14/2020	7:49	N1	DD-D012106	GBG106-051420	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.7	U	0.07	0.24	ug/WIPE
GBG106	5/14/2020	7:49	N1	DD-D012106	GBG106-051420	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG106	5/14/2020	7:49	N1	DD-D012106	GBG106-051420	SW8082A	SW	TOTAL PCBs	10.9	U	-	0.24	ug/WIPE
GBG106R	6/29/2020	13:41	N1	DD-D022403	GBG106R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG106R	6/29/2020	13:41	N1	DD-D022403	GBG106R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG106R	6/29/2020	13:41	N1	DD-D022403	GBG106R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG106R	6/29/2020	13:41	N1	DD-D022403	GBG106R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.5	U	0.088	0.24	ug/WIPE
GBG106R	6/29/2020	13:41	N1	DD-D022403	GBG106R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG106R	6/29/2020	13:41	N1	DD-D022403	GBG106R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.8	U	0.07	0.24	ug/WIPE
GBG106R	6/29/2020	13:41	N1	DD-D022403	GBG106R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG106R	6/29/2020	13:41	N1	DD-D022403	GBG106R-062920	SW8082A	SW	TOTAL PCBs	3.3	U	-	0.24	ug/WIPE
GBG107-108	5/14/2020	7:52	N1	DD-D012107	GBG107-108-051420-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG107-108	5/14/2020	7:52	N1	DD-D012107	GBG107-108-051420-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG107-108	5/14/2020	7:52	N1	DD-D012107	GBG107-108-051420-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG107-108	5/14/2020	7:52	N1	DD-D012107	GBG107-108-051420-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	7.5	U	0.088	0.24	ug/WIPE
GBG107-108	5/14/2020	7:52	N1	DD-D012107	GBG107-108-051420-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG107-108	5/14/2020	7:52	N1	DD-D012107	GBG107-108-051420-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	3	U	0.07	0.24	ug/WIPE
GBG107-108	5/14/2020	7:52	N1	DD-D012107	GBG107-108-051420-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG107-108	5/14/2020	7:52	N1	DD-D012107	GBG107-108-051420-COMP	SW8082A	SW	TOTAL PCBs	10.5	U	-	0.24	ug/WIPE
GBG107R	6/29/2020	13:44	N1	DD-D022404	GBG107R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG107R	6/29/2020	13:44	N1	DD-D022404	GBG107R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG107R	6/29/2020	13:44	N1	DD-D022404	GBG107R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG107R	6/29/2020	13:44	N1	DD-D022404	GBG107R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.8	U	0.088	0.24	ug/WIPE
GBG107R	6/29/2020	13:44	N1	DD-D022404	GBG107R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG107R	6/29/2020	13:44	N1	DD-D022404	GBG107R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.87	U	0.07	0.24	ug/WIPE
GBG107R	6/29/2020	13:44	N1	DD-D022404	GBG107R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG107R	6/29/2020	13:44	N1	DD-D022404	GBG107R-062920	SW8082A	SW	TOTAL PCBs	3.67	U	-	0.24	ug/WIPE
GBG108R	6/29/2020	13:48	N1	DD-D022405	GBG108R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG108R	6/29/2020	13:48	N1	DD-D022405	GBG108R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG108R	6/29/2020	13:48	N1	DD-D022405	GBG108R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG108R	6/29/2020	13:48	N1	DD-D022405	GBG108R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.8	U	0.088	0.24	ug/WIPE
GBG108R	6/29/2020	13:48	N1	DD-D022405	GBG108R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG108R	6/29/2020	13:48	N1	DD-D022405	GBG108R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.2	U	0.07	0.24	ug/WIPE
GBG108R	6/29/2020	13:48	N1	DD-D022405	GBG108R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG108R	6/29/2020	13:48	N1	DD-D022405	GBG108R-062920	SW8082A	SW	TOTAL PCBs	5	U	-	0.24	ug/WIPE
GBG109	5/14/2020	7:56	N1	DD-D012109	GBG109-051420	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG109	5/14/2020	7:56	N1	DD-D012109	GBG109-051420	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG109	5/14/2020	7:56	N1	DD-D012109	GBG109-051420	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG109	5/14/2020	7:56	N1	DD-D012109	GBG109-051420	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	14	U	0.088	0.24	ug/WIPE
GBG109	5/14/2020	7:56	N1	DD-D012109	GBG109-051420	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG109	5/14/2020	7:56	N1	DD-D012109	GBG109-051420	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	5.1	U	0.07	0.24	ug/WIPE
GBG109	5/14/2020	7:56	N1	DD-D012109	GBG109-051420	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG109	5/14/2020	7:56	N1	DD-D012109	GBG109-051420	SW8082A	SW	TOTAL PCBs	19.1	U	-	0.24	ug/WIPE
GBG109R	6/29/2020	13:51	N1	DD-D022406	GBG109R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG109R	6/29/2020	13:51	N1	DD-D022406	GBG109R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG109R	6/29/2020	13:51	N1	DD-D022406	GBG109R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG109R	6/29/2020	13:51	N1	DD-D022406	GBG109R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.2	U	0.088	0.24	ug/WIPE
GBG109R	6/29/2020	13:51	N1	DD-D022406	GBG109R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE

Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
GBG109R	6/29/2020	13:51	N1	DD-D022406	GBG109R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.1		0.07	0.24	ug/WIPE
GBG109R	6/29/2020	13:51	N1	DD-D022406	GBG109R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG109R	6/29/2020	13:51	N1	DD-D022406	GBG109R-062920	SW8082A	SW	TOTAL PCBs	4.3		-	0.24	ug/WIPE
GBG110-111	5/14/2020	8:03	N1	DD-D012110	GBG110-111-051420-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG110-111	5/14/2020	8:03	N1	DD-D012110	GBG110-111-051420-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG110-111	5/14/2020	8:03	N1	DD-D012110	GBG110-111-051420-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG110-111	5/14/2020	8:03	N1	DD-D012110	GBG110-111-051420-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.6		0.088	0.24	ug/WIPE
GBG110-111	5/14/2020	8:03	N1	DD-D012110	GBG110-111-051420-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG110-111	5/14/2020	8:03	N1	DD-D012110	GBG110-111-051420-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.9		0.07	0.24	ug/WIPE
GBG110-111	5/14/2020	8:03	N1	DD-D012110	GBG110-111-051420-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG110-111	5/14/2020	8:03	N1	DD-D012110	GBG110-111-051420-COMP	SW8082A	SW	TOTAL PCBs	5.5		-	0.24	ug/WIPE
GBG112-113	5/14/2020	8:09	N1	DD-D012202	GBG112-113-051420-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG112-113	5/14/2020	8:09	N1	DD-D012202	GBG112-113-051420-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG112-113	5/14/2020	8:09	N1	DD-D012202	GBG112-113-051420-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG112-113	5/14/2020	8:09	N1	DD-D012202	GBG112-113-051420-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	8.2		0.088	0.24	ug/WIPE
GBG112-113	5/14/2020	8:09	N1	DD-D012202	GBG112-113-051420-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG112-113	5/14/2020	8:09	N1	DD-D012202	GBG112-113-051420-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	3.1		0.07	0.24	ug/WIPE
GBG112-113	5/14/2020	8:09	N1	DD-D012202	GBG112-113-051420-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG112-113	5/14/2020	8:09	N1	DD-D012202	GBG112-113-051420-COMP	SW8082A	SW	TOTAL PCBs	11.3		-	0.24	ug/WIPE
GBG112R	6/29/2020	13:55	N1	DD-D022407	GBG112R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG112R	6/29/2020	13:55	N1	DD-D022407	GBG112R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG112R	6/29/2020	13:55	N1	DD-D022407	GBG112R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG112R	6/29/2020	13:55	N1	DD-D022407	GBG112R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2		0.088	0.24	ug/WIPE
GBG112R	6/29/2020	13:55	N1	DD-D022407	GBG112R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG112R	6/29/2020	13:55	N1	DD-D022407	GBG112R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.55		0.07	0.24	ug/WIPE
GBG112R	6/29/2020	13:55	N1	DD-D022407	GBG112R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG112R	6/29/2020	13:55	N1	DD-D022407	GBG112R-062920	SW8082A	SW	TOTAL PCBs	2.55		-	0.24	ug/WIPE
GBG113R	6/29/2020	13:58	N1	DD-D022408	GBG113R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG113R	6/29/2020	13:58	N1	DD-D022408	GBG113R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG113R	6/29/2020	13:58	N1	DD-D022408	GBG113R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG113R	6/29/2020	13:58	N1	DD-D022408	GBG113R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	1.7		0.088	0.24	ug/WIPE
GBG113R	6/29/2020	13:58	N1	DD-D022408	GBG113R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG113R	6/29/2020	13:58	N1	DD-D022408	GBG113R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.68		0.07	0.24	ug/WIPE
GBG113R	6/29/2020	13:58	N1	DD-D022408	GBG113R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG113R	6/29/2020	13:58	N1	DD-D022408	GBG113R-062920	SW8082A	SW	TOTAL PCBs	2.38		-	0.24	ug/WIPE
GBG114-115	5/14/2020	8:14	N1	DD-D012204	GBG114-115-051420-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG114-115	5/14/2020	8:14	N1	DD-D012204	GBG114-115-051420-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG114-115	5/14/2020	8:14	N1	DD-D012204	GBG114-115-051420-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG114-115	5/14/2020	8:14	N1	DD-D012204	GBG114-115-051420-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	4.4		0.088	0.24	ug/WIPE
GBG114-115	5/14/2020	8:14	N1	DD-D012204	GBG114-115-051420-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG114-115	5/14/2020	8:14	N1	DD-D012204	GBG114-115-051420-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.2		0.07	0.24	ug/WIPE
GBG114-115	5/14/2020	8:14	N1	DD-D012204	GBG114-115-051420-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG114-115	5/14/2020	8:14	N1	DD-D012204	GBG114-115-051420-COMP	SW8082A	SW	TOTAL PCBs	6.6		-	0.24	ug/WIPE
GBG116-117	5/14/2020	8:17	N1	DD-D012206	GBG116-117-051420-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG116-117	5/14/2020	8:17	N1	DD-D012206	GBG116-117-051420-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG116-117	5/14/2020	8:17	N1	DD-D012206	GBG116-117-051420-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG116-117	5/14/2020	8:17	N1	DD-D012206	GBG116-117-051420-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	21		0.088	0.24	ug/WIPE
GBG116-117	5/14/2020	8:17	N1	DD-D012206	GBG116-117-051420-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG116-117	5/14/2020	8:17	N1	DD-D012206	GBG116-117-051420-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	7		0.07	0.24	ug/WIPE
GBG116-117	5/14/2020	8:17	N1	DD-D012206	GBG116-117-051420-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG116-117	5/14/2020	8:17	N1	DD-D012206	GBG116-117-051420-COMP	SW8082A	SW	TOTAL PCBs	28		-	0.24	ug/WIPE

Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
GBG116R	6/29/2020	14:04	N1	DD-D022409	GBG116R-062920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG116R	6/29/2020	14:04	N1	DD-D022409	GBG116R-062920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG116R	6/29/2020	14:04	N1	DD-D022409	GBG116R-062920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG116R	6/29/2020	14:04	N1	DD-D022409	GBG116R-062920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.89		0.088	0.24	ug/WIPE
GBG116R	6/29/2020	14:04	N1	DD-D022409	GBG116R-062920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG116R	6/29/2020	14:04	N1	DD-D022409	GBG116R-062920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.49		0.07	0.24	ug/WIPE
GBG116R	6/29/2020	14:04	N1	DD-D022409	GBG116R-062920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG116R	6/29/2020	14:04	N1	DD-D022409	GBG116R-062920	SW8082A	SW	TOTAL PCBs	1.38		-	0.24	ug/WIPE
GBG117R	6/29/2020	14:07	N1	DD-D022410	GBG117R-062920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG117R	6/29/2020	14:07	N1	DD-D022410	GBG117R-062920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG117R	6/29/2020	14:07	N1	DD-D022410	GBG117R-062920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG117R	6/29/2020	14:07	N1	DD-D022410	GBG117R-062920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3.4		0.088	0.24	ug/WIPE
GBG117R	6/29/2020	14:07	N1	DD-D022410	GBG117R-062920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG117R	6/29/2020	14:07	N1	DD-D022410	GBG117R-062920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.96		0.07	0.24	ug/WIPE
GBG117R	6/29/2020	14:07	N1	DD-D022410	GBG117R-062920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG117R	6/29/2020	14:07	N1	DD-D022410	GBG117R-062920	SW8082A	SW	TOTAL PCBs	4.36		-	0.24	ug/WIPE
GBG118-119	5/14/2020	8:19	N1	DD-D012208	GBG118-119-051420-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG118-119	5/14/2020	8:19	N1	DD-D012208	GBG118-119-051420-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG118-119	5/14/2020	8:19	N1	DD-D012208	GBG118-119-051420-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG118-119	5/14/2020	8:19	N1	DD-D012208	GBG118-119-051420-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	22		0.088	0.24	ug/WIPE
GBG118-119	5/14/2020	8:19	N1	DD-D012208	GBG118-119-051420-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG118-119	5/14/2020	8:19	N1	DD-D012208	GBG118-119-051420-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	7.8		0.07	0.24	ug/WIPE
GBG118-119	5/14/2020	8:19	N1	DD-D012208	GBG118-119-051420-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG118-119	5/14/2020	8:19	N1	DD-D012208	GBG118-119-051420-COMP	SW8082A	SW	TOTAL PCBs	29.8		-	0.24	ug/WIPE
GBG118R	6/29/2020	14:09	N1	DD-D022501	GBG118R-062920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG118R	6/29/2020	14:09	N1	DD-D022501	GBG118R-062920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG118R	6/29/2020	14:09	N1	DD-D022501	GBG118R-062920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG118R	6/29/2020	14:09	N1	DD-D022501	GBG118R-062920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1.8		0.088	0.24	ug/WIPE
GBG118R	6/29/2020	14:09	N1	DD-D022501	GBG118R-062920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG118R	6/29/2020	14:09	N1	DD-D022501	GBG118R-062920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.69		0.07	0.24	ug/WIPE
GBG118R	6/29/2020	14:09	N1	DD-D022501	GBG118R-062920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG118R	6/29/2020	14:09	N1	DD-D022501	GBG118R-062920	SW8082A	SW	TOTAL PCBs	2.49		-	0.24	ug/WIPE
GBG119R	6/29/2020	14:13	N1	DD-D022502	GBG119R-062920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG119R	6/29/2020	14:13	N1	DD-D022502	GBG119R-062920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG119R	6/29/2020	14:13	N1	DD-D022502	GBG119R-062920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG119R	6/29/2020	14:13	N1	DD-D022502	GBG119R-062920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2.2		0.088	0.24	ug/WIPE
GBG119R	6/29/2020	14:13	N1	DD-D022502	GBG119R-062920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG119R	6/29/2020	14:13	N1	DD-D022502	GBG119R-062920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.77		0.07	0.24	ug/WIPE
GBG119R	6/29/2020	14:13	N1	DD-D022502	GBG119R-062920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG119R	6/29/2020	14:13	N1	DD-D022502	GBG119R-062920	SW8082A	SW	TOTAL PCBs	2.97		-	0.24	ug/WIPE
GBG120-121	5/14/2020	8:52	N1	DD-D012210	GBG120-121-051420-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG120-121	5/14/2020	8:52	N1	DD-D012210	GBG120-121-051420-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG120-121	5/14/2020	8:52	N1	DD-D012210	GBG120-121-051420-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG120-121	5/14/2020	8:52	N1	DD-D012210	GBG120-121-051420-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	6.2		0.088	0.24	ug/WIPE
GBG120-121	5/14/2020	8:52	N1	DD-D012210	GBG120-121-051420-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG120-121	5/14/2020	8:52	N1	DD-D012210	GBG120-121-051420-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2		0.07	0.24	ug/WIPE
GBG120-121	5/14/2020	8:52	N1	DD-D012210	GBG120-121-051420-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG120-121	5/14/2020	8:52	N1	DD-D012210	GBG120-121-051420-COMP	SW8082A	SW	TOTAL PCBs	8.2		-	0.24	ug/WIPE
GBG122-123	5/14/2020	8:54	N1	DD-D013402	GBG122-123-051420-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG122-123	5/14/2020	8:54	N1	DD-D013402	GBG122-123-051420-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG122-123	5/14/2020	8:54	N1	DD-D013402	GBG122-123-051420-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE

Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
GBG122-123	5/14/2020	8:54	N1	DD-D013402	GBG122-123-051420-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	12		0.088	0.24	ug/WIPE
GBG122-123	5/14/2020	8:54	N1	DD-D013402	GBG122-123-051420-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG122-123	5/14/2020	8:54	N1	DD-D013402	GBG122-123-051420-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	4.5		0.07	0.24	ug/WIPE
GBG122-123	5/14/2020	8:54	N1	DD-D013402	GBG122-123-051420-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG122-123	5/14/2020	8:54	N1	DD-D013402	GBG122-123-051420-COMP	SW8082A	SW	TOTAL PCBs	16.5		-	0.24	ug/WIPE
GBG122R	6/29/2020	14:18	N1	DD-D022503	GBG122R-062920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG122R	6/29/2020	14:18	N1	DD-D022503	GBG122R-062920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG122R	6/29/2020	14:18	N1	DD-D022503	GBG122R-062920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG122R	6/29/2020	14:18	N1	DD-D022503	GBG122R-062920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2.4		0.088	0.24	ug/WIPE
GBG122R	6/29/2020	14:18	N1	DD-D022503	GBG122R-062920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG122R	6/29/2020	14:18	N1	DD-D022503	GBG122R-062920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.83		0.07	0.24	ug/WIPE
GBG122R	6/29/2020	14:18	N1	DD-D022503	GBG122R-062920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG122R	6/29/2020	14:18	N1	DD-D022503	GBG122R-062920	SW8082A	SW	TOTAL PCBs	3.23		-	0.24	ug/WIPE
GBG123R	6/29/2020	14:20	N1	DD-D022504	GBG123R-062920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG123R	6/29/2020	14:20	N1	DD-D022504	GBG123R-062920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG123R	6/29/2020	14:20	N1	DD-D022504	GBG123R-062920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG123R	6/29/2020	14:20	N1	DD-D022504	GBG123R-062920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2.7		0.088	0.24	ug/WIPE
GBG123R	6/29/2020	14:20	N1	DD-D022504	GBG123R-062920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG123R	6/29/2020	14:20	N1	DD-D022504	GBG123R-062920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.8		0.07	0.24	ug/WIPE
GBG123R	6/29/2020	14:20	N1	DD-D022504	GBG123R-062920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG123R	6/29/2020	14:20	N1	DD-D022504	GBG123R-062920	SW8082A	SW	TOTAL PCBs	3.5		-	0.24	ug/WIPE
GBG124-125	5/14/2020	9:05	N1	DD-D013404	GBG124-125-051420-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG124-125	5/14/2020	9:05	N1	DD-D013404	GBG124-125-051420-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG124-125	5/14/2020	9:05	N1	DD-D013404	GBG124-125-051420-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG124-125	5/14/2020	9:05	N1	DD-D013404	GBG124-125-051420-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	8.5		0.088	0.24	ug/WIPE
GBG124-125	5/14/2020	9:05	N1	DD-D013404	GBG124-125-051420-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG124-125	5/14/2020	9:05	N1	DD-D013404	GBG124-125-051420-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	3.2		0.07	0.24	ug/WIPE
GBG124-125	5/14/2020	9:05	N1	DD-D013404	GBG124-125-051420-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG124-125	5/14/2020	9:05	N1	DD-D013404	GBG124-125-051420-COMP	SW8082A	SW	TOTAL PCBs	11.7		-	0.24	ug/WIPE
GBG124R	6/29/2020	14:22	N1	DD-D022505	GBG124R-062920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG124R	6/29/2020	14:22	N1	DD-D022505	GBG124R-062920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG124R	6/29/2020	14:22	N1	DD-D022505	GBG124R-062920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG124R	6/29/2020	14:22	N1	DD-D022505	GBG124R-062920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.72		0.088	0.24	ug/WIPE
GBG124R	6/29/2020	14:22	N1	DD-D022505	GBG124R-062920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG124R	6/29/2020	14:22	N1	DD-D022505	GBG124R-062920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.3		0.07	0.24	ug/WIPE
GBG124R	6/29/2020	14:22	N1	DD-D022505	GBG124R-062920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG124R	6/29/2020	14:22	N1	DD-D022505	GBG124R-062920	SW8082A	SW	TOTAL PCBs	1.02		-	0.24	ug/WIPE
GBG125R	6/29/2020	14:25	N1	DD-D022506	GBG125R-062920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG125R	6/29/2020	14:25	N1	DD-D022506	GBG125R-062920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG125R	6/29/2020	14:25	N1	DD-D022506	GBG125R-062920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG125R	6/29/2020	14:25	N1	DD-D022506	GBG125R-062920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3.6		0.088	0.24	ug/WIPE
GBG125R	6/29/2020	14:25	N1	DD-D022506	GBG125R-062920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG125R	6/29/2020	14:25	N1	DD-D022506	GBG125R-062920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.1		0.07	0.24	ug/WIPE
GBG125R	6/29/2020	14:25	N1	DD-D022506	GBG125R-062920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG125R	6/29/2020	14:25	N1	DD-D022506	GBG125R-062920	SW8082A	SW	TOTAL PCBs	4.7		-	0.24	ug/WIPE
GBG126-127	5/14/2020	9:10	N1	DD-D013406	GBG126-127-051420-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG126-127	5/14/2020	9:10	N1	DD-D013406	GBG126-127-051420-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG126-127	5/14/2020	9:10	N1	DD-D013406	GBG126-127-051420-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG126-127	5/14/2020	9:10	N1	DD-D013406	GBG126-127-051420-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	6.4		0.088	0.24	ug/WIPE
GBG126-127	5/14/2020	9:10	N1	DD-D013406	GBG126-127-051420-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG126-127	5/14/2020	9:10	N1	DD-D013406	GBG126-127-051420-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2.8		0.07	0.24	ug/WIPE

Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
GBG126-127	5/14/2020	9:10	N1	DD-D013406	GBG126-127-051420-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG126-127	5/14/2020	9:10	N1	DD-D013406	GBG126-127-051420-COMP	SW8082A	SW	TOTAL PCBs	9.2		-	0.24	ug/WIPE
GBG128-129	5/14/2020	9:15	N1	DD-D013408	GBG128-129-051420-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG128-129	5/14/2020	9:15	N1	DD-D013408	GBG128-129-051420-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG128-129	5/14/2020	9:15	N1	DD-D013408	GBG128-129-051420-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG128-129	5/14/2020	9:15	N1	DD-D013408	GBG128-129-051420-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2.6		0.088	0.24	ug/WIPE
GBG128-129	5/14/2020	9:15	N1	DD-D013408	GBG128-129-051420-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG128-129	5/14/2020	9:15	N1	DD-D013408	GBG128-129-051420-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.2		0.07	0.24	ug/WIPE
GBG128-129	5/14/2020	9:15	N1	DD-D013408	GBG128-129-051420-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG128-129	5/14/2020	9:15	N1	DD-D013408	GBG128-129-051420-COMP	SW8082A	SW	TOTAL PCBs	3.8		-	0.24	ug/WIPE
GBG130-131	5/14/2020	9:21	N1	DD-D013410	GBG130-131-051420-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG130-131	5/14/2020	9:21	N1	DD-D013410	GBG130-131-051420-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG130-131	5/14/2020	9:21	N1	DD-D013410	GBG130-131-051420-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG130-131	5/14/2020	9:21	N1	DD-D013410	GBG130-131-051420-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	5.9		0.088	0.24	ug/WIPE
GBG130-131	5/14/2020	9:21	N1	DD-D013410	GBG130-131-051420-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG130-131	5/14/2020	9:21	N1	DD-D013410	GBG130-131-051420-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2.5		0.07	0.24	ug/WIPE
GBG130-131	5/14/2020	9:21	N1	DD-D013410	GBG130-131-051420-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG130-131	5/14/2020	9:21	N1	DD-D013410	GBG130-131-051420-COMP	SW8082A	SW	TOTAL PCBs	8.4		-	0.24	ug/WIPE
GBG132-133	5/14/2020	9:27	N1	DD-D012302	GBG132-133-051420-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG132-133	5/14/2020	9:27	N1	DD-D012302	GBG132-133-051420-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG132-133	5/14/2020	9:27	N1	DD-D012302	GBG132-133-051420-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG132-133	5/14/2020	9:27	N1	DD-D012302	GBG132-133-051420-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	4.6		0.088	0.24	ug/WIPE
GBG132-133	5/14/2020	9:27	N1	DD-D012302	GBG132-133-051420-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG132-133	5/14/2020	9:27	N1	DD-D012302	GBG132-133-051420-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.8		0.07	0.24	ug/WIPE
GBG132-133	5/14/2020	9:27	N1	DD-D012302	GBG132-133-051420-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG132-133	5/14/2020	9:27	N1	DD-D012302	GBG132-133-051420-COMP	SW8082A	SW	TOTAL PCBs	6.4		-	0.24	ug/WIPE
GBG134-135	5/14/2020	9:31	N1	DD-D012304	GBG134-135-051420-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG134-135	5/14/2020	9:31	N1	DD-D012304	GBG134-135-051420-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG134-135	5/14/2020	9:31	N1	DD-D012304	GBG134-135-051420-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG134-135	5/14/2020	9:31	N1	DD-D012304	GBG134-135-051420-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	17		0.088	0.24	ug/WIPE
GBG134-135	5/14/2020	9:31	N1	DD-D012304	GBG134-135-051420-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG134-135	5/14/2020	9:31	N1	DD-D012304	GBG134-135-051420-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	6.1		0.07	0.24	ug/WIPE
GBG134-135	5/14/2020	9:31	N1	DD-D012304	GBG134-135-051420-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG134-135	5/14/2020	9:31	N1	DD-D012304	GBG134-135-051420-COMP	SW8082A	SW	TOTAL PCBs	23.1		-	0.24	ug/WIPE
GBG134R	6/29/2020	14:29	N1	DD-D022507	GBG134R-062920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG134R	6/29/2020	14:29	N1	DD-D022507	GBG134R-062920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG134R	6/29/2020	14:29	N1	DD-D022507	GBG134R-062920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG134R	6/29/2020	14:29	N1	DD-D022507	GBG134R-062920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
GBG134R	6/29/2020	14:29	N1	DD-D022507	GBG134R-062920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG134R	6/29/2020	14:29	N1	DD-D022507	GBG134R-062920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
GBG134R	6/29/2020	14:29	N1	DD-D022507	GBG134R-062920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG134R	6/29/2020	14:29	N1	DD-D022507	GBG134R-062920	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
GBG135R	6/29/2020	14:31	N1	DD-D022508	GBG135R-062920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG135R	6/29/2020	14:31	N1	DD-D022508	GBG135R-062920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG135R	6/29/2020	14:31	N1	DD-D022508	GBG135R-062920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG135R	6/29/2020	14:31	N1	DD-D022508	GBG135R-062920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2.4		0.088	0.24	ug/WIPE
GBG135R	6/29/2020	14:31	N1	DD-D022508	GBG135R-062920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG135R	6/29/2020	14:31	N1	DD-D022508	GBG135R-062920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.87		0.07	0.24	ug/WIPE
GBG135R	6/29/2020	14:31	N1	DD-D022508	GBG135R-062920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG135R	6/29/2020	14:31	N1	DD-D022508	GBG135R-062920	SW8082A	SW	TOTAL PCBs	3.27		-	0.24	ug/WIPE
GBG136-137	5/14/2020	9:36	N1	DD-D012306	GBG136-137-051420-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE



Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
GBG136-137	5/14/2020	9:36	N1	DD-D012306	GBG136-137-051420-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG136-137	5/14/2020	9:36	N1	DD-D012306	GBG136-137-051420-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG136-137	5/14/2020	9:36	N1	DD-D012306	GBG136-137-051420-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	15		0.088	0.24	ug/WIPE
GBG136-137	5/14/2020	9:36	N1	DD-D012306	GBG136-137-051420-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG136-137	5/14/2020	9:36	N1	DD-D012306	GBG136-137-051420-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	6.4		0.07	0.24	ug/WIPE
GBG136-137	5/14/2020	9:36	N1	DD-D012306	GBG136-137-051420-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG136-137	5/14/2020	9:36	N1	DD-D012306	GBG136-137-051420-COMP	SW8082A	SW	TOTAL PCBs	21.4		-	0.24	ug/WIPE
GBG136R	6/29/2020	14:35	N1	DD-D022509	GBG136R-062920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG136R	6/29/2020	14:35	N1	DD-D022509	GBG136R-062920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG136R	6/29/2020	14:35	N1	DD-D022509	GBG136R-062920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG136R	6/29/2020	14:35	N1	DD-D022509	GBG136R-062920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3.9		0.088	0.24	ug/WIPE
GBG136R	6/29/2020	14:35	N1	DD-D022509	GBG136R-062920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG136R	6/29/2020	14:35	N1	DD-D022509	GBG136R-062920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.1		0.07	0.24	ug/WIPE
GBG136R	6/29/2020	14:35	N1	DD-D022509	GBG136R-062920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG136R	6/29/2020	14:35	N1	DD-D022509	GBG136R-062920	SW8082A	SW	TOTAL PCBs	5		-	0.24	ug/WIPE
GBG137R	6/29/2020	14:38	N1	DD-D022510	GBG137R-062920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG137R	6/29/2020	14:38	N1	DD-D022510	GBG137R-062920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG137R	6/29/2020	14:38	N1	DD-D022510	GBG137R-062920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG137R	6/29/2020	14:38	N1	DD-D022510	GBG137R-062920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1.9		0.088	0.24	ug/WIPE
GBG137R	6/29/2020	14:38	N1	DD-D022510	GBG137R-062920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG137R	6/29/2020	14:38	N1	DD-D022510	GBG137R-062920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.92		0.07	0.24	ug/WIPE
GBG137R	6/29/2020	14:38	N1	DD-D022510	GBG137R-062920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG137R	6/29/2020	14:38	N1	DD-D022510	GBG137R-062920	SW8082A	SW	TOTAL PCBs	2.82		-	0.24	ug/WIPE
GW001-005-009	5/13/2020	7:29	N1	DD-D010701	GW001-005-009-051320-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GW001-005-009	5/13/2020	7:29	N1	DD-D010701	GW001-005-009-051320-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GW001-005-009	5/13/2020	7:29	N1	DD-D010701	GW001-005-009-051320-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GW001-005-009	5/13/2020	7:29	N1	DD-D010701	GW001-005-009-051320-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.26		0.088	0.24	ug/WIPE
GW001-005-009	5/13/2020	7:29	N1	DD-D010701	GW001-005-009-051320-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GW001-005-009	5/13/2020	7:29	N1	DD-D010701	GW001-005-009-051320-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.11	J	0.07	0.24	ug/WIPE
GW001-005-009	5/13/2020	7:29	N1	DD-D010701	GW001-005-009-051320-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GW001-005-009	5/13/2020	7:29	N1	DD-D010701	GW001-005-009-051320-COMP	SW8082A	SW	TOTAL PCBs	0.37		-	0.24	ug/WIPE
GW002-003-004	5/13/2020	8:19	N1	DD-D010702	GW002-003-004-051320-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GW002-003-004	5/13/2020	8:19	N1	DD-D010702	GW002-003-004-051320-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GW002-003-004	5/13/2020	8:19	N1	DD-D010702	GW002-003-004-051320-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GW002-003-004	5/13/2020	8:19	N1	DD-D010702	GW002-003-004-051320-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.44		0.088	0.24	ug/WIPE
GW002-003-004	5/13/2020	8:19	N1	DD-D010702	GW002-003-004-051320-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GW002-003-004	5/13/2020	8:19	N1	DD-D010702	GW002-003-004-051320-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.14	J	0.07	0.24	ug/WIPE
GW002-003-004	5/13/2020	8:19	N1	DD-D010702	GW002-003-004-051320-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GW002-003-004	5/13/2020	8:19	N1	DD-D010702	GW002-003-004-051320-COMP	SW8082A	SW	TOTAL PCBs	0.58		-	0.24	ug/WIPE
GW006-007-008	5/13/2020	9:51	N1	DD-D010706	GW006-007-008-051320-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GW006-007-008	5/13/2020	9:51	N1	DD-D010706	GW006-007-008-051320-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GW006-007-008	5/13/2020	9:51	N1	DD-D010706	GW006-007-008-051320-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GW006-007-008	5/13/2020	9:51	N1	DD-D010706	GW006-007-008-051320-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.36		0.088	0.24	ug/WIPE
GW006-007-008	5/13/2020	9:51	N1	DD-D010706	GW006-007-008-051320-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GW006-007-008	5/13/2020	9:51	N1	DD-D010706	GW006-007-008-051320-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.2	J	0.07	0.24	ug/WIPE
GW006-007-008	5/13/2020	9:51	N1	DD-D010706	GW006-007-008-051320-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GW006-007-008	5/13/2020	9:51	N1	DD-D010706	GW006-007-008-051320-COMP	SW8082A	SW	TOTAL PCBs	0.56		-	0.24	ug/WIPE
GW010-011-012	5/13/2020	10:31	N1	DD-D010710	GW010-011-012-051320-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GW010-011-012	5/13/2020	10:31	N1	DD-D010710	GW010-011-012-051320-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GW010-011-012	5/13/2020	10:31	N1	DD-D010710	GW010-011-012-051320-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GW010-011-012	5/13/2020	10:31	N1	DD-D010710	GW010-011-012-051320-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.34		0.088	0.24	ug/WIPE



Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
GW027-028-029	5/13/2020	17:23	N1	DD-D010907	GW027-028-029-051320-COMP	SW8082A	SW	TOTAL PCBs	0.67		-	0.24	ug/WIPE
GW031-032-033	5/13/2020	17:32	N1	DD-D011001	GW031-032-033-051320-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GW031-032-033	5/13/2020	17:32	N1	DD-D011001	GW031-032-033-051320-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GW031-032-033	5/13/2020	17:32	N1	DD-D011001	GW031-032-033-051320-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GW031-032-033	5/13/2020	17:32	N1	DD-D011001	GW031-032-033-051320-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.36		0.088	0.24	ug/WIPE
GW031-032-033	5/13/2020	17:32	N1	DD-D011001	GW031-032-033-051320-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GW031-032-033	5/13/2020	17:32	N1	DD-D011001	GW031-032-033-051320-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	ND	U	0.07	0.24	ug/WIPE
GW031-032-033	5/13/2020	17:32	N1	DD-D011001	GW031-032-033-051320-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GW031-032-033	5/13/2020	17:32	N1	DD-D011001	GW031-032-033-051320-COMP	SW8082A	SW	TOTAL PCBs	0.36		-	0.24	ug/WIPE
GW034	5/13/2020	17:40	N1	DD-D011004	GW034-051320	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GW034	5/13/2020	17:40	N1	DD-D011004	GW034-051320	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GW034	5/13/2020	17:40	N1	DD-D011004	GW034-051320	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GW034	5/13/2020	17:40	N1	DD-D011004	GW034-051320	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	ND	U	0.088	0.24	ug/WIPE
GW034	5/13/2020	17:40	N1	DD-D011004	GW034-051320	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GW034	5/13/2020	17:40	N1	DD-D011004	GW034-051320	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	ND	U	0.07	0.24	ug/WIPE
GW034	5/13/2020	17:40	N1	DD-D011004	GW034-051320	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GW034	5/13/2020	17:40	N1	DD-D011004	GW034-051320	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
HW001-002-010	5/14/2020	10:22	N1	DD-D010501	HW001-002-010-051420-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
HW001-002-010	5/14/2020	10:22	N1	DD-D010501	HW001-002-010-051420-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
HW001-002-010	5/14/2020	10:22	N1	DD-D010501	HW001-002-010-051420-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
HW001-002-010	5/14/2020	10:22	N1	DD-D010501	HW001-002-010-051420-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	ND	U	0.088	0.24	ug/WIPE
HW001-002-010	5/14/2020	10:22	N1	DD-D010501	HW001-002-010-051420-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
HW001-002-010	5/14/2020	10:22	N1	DD-D010501	HW001-002-010-051420-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	ND	U	0.07	0.24	ug/WIPE
HW001-002-010	5/14/2020	10:22	N1	DD-D010501	HW001-002-010-051420-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
HW001-002-010	5/14/2020	10:22	N1	DD-D010501	HW001-002-010-051420-COMP	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
HW003-004-005	5/14/2020	10:25	N1	DD-D010503	HW003-004-005-051420-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
HW003-004-005	5/14/2020	10:25	N1	DD-D010503	HW003-004-005-051420-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
HW003-004-005	5/14/2020	10:25	N1	DD-D010503	HW003-004-005-051420-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
HW003-004-005	5/14/2020	10:25	N1	DD-D010503	HW003-004-005-051420-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	ND	U	0.088	0.24	ug/WIPE
HW003-004-005	5/14/2020	10:25	N1	DD-D010503	HW003-004-005-051420-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
HW003-004-005	5/14/2020	10:25	N1	DD-D010503	HW003-004-005-051420-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	ND	U	0.07	0.24	ug/WIPE
HW003-004-005	5/14/2020	10:25	N1	DD-D010503	HW003-004-005-051420-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
HW003-004-005	5/14/2020	10:25	N1	DD-D010503	HW003-004-005-051420-COMP	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
HW006-007-008	5/14/2020	10:30	N1	DD-D010506	HW006-007-008-051420-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
HW006-007-008	5/14/2020	10:30	N1	DD-D010506	HW006-007-008-051420-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
HW006-007-008	5/14/2020	10:30	N1	DD-D010506	HW006-007-008-051420-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
HW006-007-008	5/14/2020	10:30	N1	DD-D010506	HW006-007-008-051420-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.75		0.088	0.24	ug/WIPE
HW006-007-008	5/14/2020	10:30	N1	DD-D010506	HW006-007-008-051420-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
HW006-007-008	5/14/2020	10:30	N1	DD-D010506	HW006-007-008-051420-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.26		0.07	0.24	ug/WIPE
HW006-007-008	5/14/2020	10:30	N1	DD-D010506	HW006-007-008-051420-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
HW006-007-008	5/14/2020	10:30	N1	DD-D010506	HW006-007-008-051420-COMP	SW8082A	SW	TOTAL PCBs	1.01		-	0.24	ug/WIPE
HW009-011-012	5/14/2020	10:11	N1	DD-D010509	HW009-011-012-051420-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
HW009-011-012	5/14/2020	10:11	N1	DD-D010509	HW009-011-012-051420-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
HW009-011-012	5/14/2020	10:11	N1	DD-D010509	HW009-011-012-051420-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
HW009-011-012	5/14/2020	10:11	N1	DD-D010509	HW009-011-012-051420-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.42		0.088	0.24	ug/WIPE
HW009-011-012	5/14/2020	10:11	N1	DD-D010509	HW009-011-012-051420-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
HW009-011-012	5/14/2020	10:11	N1	DD-D010509	HW009-011-012-051420-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.12	J	0.07	0.24	ug/WIPE
HW009-011-012	5/14/2020	10:11	N1	DD-D010509	HW009-011-012-051420-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
HW009-011-012	5/14/2020	10:11	N1	DD-D010509	HW009-011-012-051420-COMP	SW8082A	SW	TOTAL PCBs	0.54		-	0.24	ug/WIPE
IW001-005-006	5/14/2020	11:23	N1	DD-D012401	IW001-005-006-051420-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
IW001-005-006	5/14/2020	11:23	N1	DD-D012401	IW001-005-006-051420-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE

Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
IW001-005-006	5/14/2020	11:23	N1	DD-D012401	IW001-005-006-051420-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
IW001-005-006	5/14/2020	11:23	N1	DD-D012401	IW001-005-006-051420-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.71	U	0.088	0.24	ug/WIPE
IW001-005-006	5/14/2020	11:23	N1	DD-D012401	IW001-005-006-051420-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
IW001-005-006	5/14/2020	11:23	N1	DD-D012401	IW001-005-006-051420-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.33	U	0.07	0.24	ug/WIPE
IW001-005-006	5/14/2020	11:23	N1	DD-D012401	IW001-005-006-051420-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
IW001-005-006	5/14/2020	11:23	N1	DD-D012401	IW001-005-006-051420-COMP	SW8082A	SW	TOTAL PCBs	1.04	U	-	0.24	ug/WIPE
IW002-003-004	5/14/2020	11:33	N1	DD-D012402	IW002-003-004-051420-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
IW002-003-004	5/14/2020	11:33	N1	DD-D012402	IW002-003-004-051420-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
IW002-003-004	5/14/2020	11:33	N1	DD-D012402	IW002-003-004-051420-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
IW002-003-004	5/14/2020	11:33	N1	DD-D012402	IW002-003-004-051420-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.3	U	0.088	0.24	ug/WIPE
IW002-003-004	5/14/2020	11:33	N1	DD-D012402	IW002-003-004-051420-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
IW002-003-004	5/14/2020	11:33	N1	DD-D012402	IW002-003-004-051420-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.12	J	0.07	0.24	ug/WIPE
IW002-003-004	5/14/2020	11:33	N1	DD-D012402	IW002-003-004-051420-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
IW002-003-004	5/14/2020	11:33	N1	DD-D012402	IW002-003-004-051420-COMP	SW8082A	SW	TOTAL PCBs	0.42	U	-	0.24	ug/WIPE
IW007-008-009	5/14/2020	11:43	N1	DD-D012407	IW007-008-009-051420-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
IW007-008-009	5/14/2020	11:43	N1	DD-D012407	IW007-008-009-051420-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
IW007-008-009	5/14/2020	11:43	N1	DD-D012407	IW007-008-009-051420-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
IW007-008-009	5/14/2020	11:43	N1	DD-D012407	IW007-008-009-051420-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.71	U	0.088	0.24	ug/WIPE
IW007-008-009	5/14/2020	11:43	N1	DD-D012407	IW007-008-009-051420-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
IW007-008-009	5/14/2020	11:43	N1	DD-D012407	IW007-008-009-051420-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.24	J	0.07	0.24	ug/WIPE
IW007-008-009	5/14/2020	11:43	N1	DD-D012407	IW007-008-009-051420-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
IW007-008-009	5/14/2020	11:43	N1	DD-D012407	IW007-008-009-051420-COMP	SW8082A	SW	TOTAL PCBs	0.95	U	-	0.24	ug/WIPE
IW010-011-013	5/14/2020	13:31	N1	DD-D012410	IW010-011-012-051420-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
IW010-011-013	5/14/2020	13:31	N1	DD-D012410	IW010-011-012-051420-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
IW010-011-013	5/14/2020	13:31	N1	DD-D012410	IW010-011-012-051420-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
IW010-011-013	5/14/2020	13:31	N1	DD-D012410	IW010-011-012-051420-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.5	U	0.088	0.24	ug/WIPE
IW010-011-013	5/14/2020	13:31	N1	DD-D012410	IW010-011-012-051420-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
IW010-011-013	5/14/2020	13:31	N1	DD-D012410	IW010-011-012-051420-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.21	J	0.07	0.24	ug/WIPE
IW010-011-013	5/14/2020	13:31	N1	DD-D012410	IW010-011-012-051420-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
IW010-011-013	5/14/2020	13:31	N1	DD-D012410	IW010-011-012-051420-COMP	SW8082A	SW	TOTAL PCBs	0.71	U	-	0.24	ug/WIPE
IW012-014-018	5/14/2020	13:44	N1	DD-D012502	IW012-014-018-051420-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
IW012-014-018	5/14/2020	13:44	N1	DD-D012502	IW012-014-018-051420-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
IW012-014-018	5/14/2020	13:44	N1	DD-D012502	IW012-014-018-051420-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
IW012-014-018	5/14/2020	13:44	N1	DD-D012502	IW012-014-018-051420-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.46	U	0.088	0.24	ug/WIPE
IW012-014-018	5/14/2020	13:44	N1	DD-D012502	IW012-014-018-051420-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
IW012-014-018	5/14/2020	13:44	N1	DD-D012502	IW012-014-018-051420-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.21	J	0.07	0.24	ug/WIPE
IW012-014-018	5/14/2020	13:44	N1	DD-D012502	IW012-014-018-051420-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
IW012-014-018	5/14/2020	13:44	N1	DD-D012502	IW012-014-018-051420-COMP	SW8082A	SW	TOTAL PCBs	0.67	U	-	0.24	ug/WIPE
IW015-016-017	5/14/2020	13:53	N1	DD-D012505	IW015-016-017-051420-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
IW015-016-017	5/14/2020	13:53	N1	DD-D012505	IW015-016-017-051420-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
IW015-016-017	5/14/2020	13:53	N1	DD-D012505	IW015-016-017-051420-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
IW015-016-017	5/14/2020	13:53	N1	DD-D012505	IW015-016-017-051420-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.28	U	0.088	0.24	ug/WIPE
IW015-016-017	5/14/2020	13:53	N1	DD-D012505	IW015-016-017-051420-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
IW015-016-017	5/14/2020	13:53	N1	DD-D012505	IW015-016-017-051420-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.097	J	0.07	0.24	ug/WIPE
IW015-016-017	5/14/2020	13:53	N1	DD-D012505	IW015-016-017-051420-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
IW015-016-017	5/14/2020	13:53	N1	DD-D012505	IW015-016-017-051420-COMP	SW8082A	SW	TOTAL PCBs	0.377	U	-	0.24	ug/WIPE
IW019-020-021	5/14/2020	14:04	N1	DD-D012509	IW019-020-021-051420-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
IW019-020-021	5/14/2020	14:04	N1	DD-D012509	IW019-020-021-051420-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
IW019-020-021	5/14/2020	14:04	N1	DD-D012509	IW019-020-021-051420-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
IW019-020-021	5/14/2020	14:04	N1	DD-D012509	IW019-020-021-051420-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
IW019-020-021	5/14/2020	14:04	N1	DD-D012509	IW019-020-021-051420-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE

Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
IW019-020-021	5/14/2020	14:04	N1	DD-D012509	IW019-020-021-051420-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	ND	U	0.07	0.24	ug/WIPE
IW019-020-021	5/14/2020	14:04	N1	DD-D012509	IW019-020-021-051420-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
IW019-020-021	5/14/2020	14:04	N1	DD-D012509	IW019-020-021-051420-COMP	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
IW022-023	5/14/2020	14:57	N1	DD-D012602	IW022-023-051420-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
IW022-023	5/14/2020	14:57	N1	DD-D012602	IW022-023-051420-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
IW022-023	5/14/2020	14:57	N1	DD-D012602	IW022-023-051420-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
IW022-023	5/14/2020	14:57	N1	DD-D012602	IW022-023-051420-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	ND	U	0.088	0.24	ug/WIPE
IW022-023	5/14/2020	14:57	N1	DD-D012602	IW022-023-051420-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
IW022-023	5/14/2020	14:57	N1	DD-D012602	IW022-023-051420-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	ND	U	0.07	0.24	ug/WIPE
IW022-023	5/14/2020	14:57	N1	DD-D012602	IW022-023-051420-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
IW022-023	5/14/2020	14:57	N1	DD-D012602	IW022-023-051420-COMP	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
IW024-027	5/14/2020	15:04	N1	DD-D012604	IW024-027-051420-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
IW024-027	5/14/2020	15:04	N1	DD-D012604	IW024-027-051420-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
IW024-027	5/14/2020	15:04	N1	DD-D012604	IW024-027-051420-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
IW024-027	5/14/2020	15:04	N1	DD-D012604	IW024-027-051420-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.37		0.088	0.24	ug/WIPE
IW024-027	5/14/2020	15:04	N1	DD-D012604	IW024-027-051420-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
IW024-027	5/14/2020	15:04	N1	DD-D012604	IW024-027-051420-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	ND	U	0.07	0.24	ug/WIPE
IW024-027	5/14/2020	15:04	N1	DD-D012604	IW024-027-051420-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
IW024-027	5/14/2020	15:04	N1	DD-D012604	IW024-027-051420-COMP	SW8082A	SW	TOTAL PCBs	0.37		-	0.24	ug/WIPE
IW025-026-028	5/14/2020	14:45	N1	DD-D012605	IW025-026-028-051420-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
IW025-026-028	5/14/2020	14:45	N1	DD-D012605	IW025-026-028-051420-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
IW025-026-028	5/14/2020	14:45	N1	DD-D012605	IW025-026-028-051420-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
IW025-026-028	5/14/2020	14:45	N1	DD-D012605	IW025-026-028-051420-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.44		0.088	0.24	ug/WIPE
IW025-026-028	5/14/2020	14:45	N1	DD-D012605	IW025-026-028-051420-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
IW025-026-028	5/14/2020	14:45	N1	DD-D012605	IW025-026-028-051420-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.19	J	0.07	0.24	ug/WIPE
IW025-026-028	5/14/2020	14:45	N1	DD-D012605	IW025-026-028-051420-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
IW025-026-028	5/14/2020	14:45	N1	DD-D012605	IW025-026-028-051420-COMP	SW8082A	SW	TOTAL PCBs	0.63		-	0.24	ug/WIPE
IW029-033-034	5/14/2020	14:26	N1	DD-D012609	IW029-033-034-051420-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
IW029-033-034	5/14/2020	14:26	N1	DD-D012609	IW029-033-034-051420-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
IW029-033-034	5/14/2020	14:26	N1	DD-D012609	IW029-033-034-051420-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
IW029-033-034	5/14/2020	14:26	N1	DD-D012609	IW029-033-034-051420-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.26		0.088	0.24	ug/WIPE
IW029-033-034	5/14/2020	14:26	N1	DD-D012609	IW029-033-034-051420-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
IW029-033-034	5/14/2020	14:26	N1	DD-D012609	IW029-033-034-051420-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.097	J	0.07	0.24	ug/WIPE
IW029-033-034	5/14/2020	14:26	N1	DD-D012609	IW029-033-034-051420-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
IW029-033-034	5/14/2020	14:26	N1	DD-D012609	IW029-033-034-051420-COMP	SW8082A	SW	TOTAL PCBs	0.357		-	0.24	ug/WIPE
IW030-031-032	5/14/2020	14:36	N1	DD-D012610	IW030-031-032-051420-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
IW030-031-032	5/14/2020	14:36	N1	DD-D012610	IW030-031-032-051420-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
IW030-031-032	5/14/2020	14:36	N1	DD-D012610	IW030-031-032-051420-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
IW030-031-032	5/14/2020	14:36	N1	DD-D012610	IW030-031-032-051420-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.21	J	0.088	0.24	ug/WIPE
IW030-031-032	5/14/2020	14:36	N1	DD-D012610	IW030-031-032-051420-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
IW030-031-032	5/14/2020	14:36	N1	DD-D012610	IW030-031-032-051420-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.084	J	0.07	0.24	ug/WIPE
IW030-031-032	5/14/2020	14:36	N1	DD-D012610	IW030-031-032-051420-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
IW030-031-032	5/14/2020	14:36	N1	DD-D012610	IW030-031-032-051420-COMP	SW8082A	SW	TOTAL PCBs	0.294		-	0.24	ug/WIPE
SAB001-002-003	5/14/2020	16:42	N1	DD-D012801	SAB001-002-003-051420-COM	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
SAB001-002-003	5/14/2020	16:42	N1	DD-D012801	SAB001-002-003-051420-COM	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
SAB001-002-003	5/14/2020	16:42	N1	DD-D012801	SAB001-002-003-051420-COM	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
SAB001-002-003	5/14/2020	16:42	N1	DD-D012801	SAB001-002-003-051420-COM	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	5.8		0.088	0.24	ug/WIPE
SAB001-002-003	5/14/2020	16:42	N1	DD-D012801	SAB001-002-003-051420-COM	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
SAB001-002-003	5/14/2020	16:42	N1	DD-D012801	SAB001-002-003-051420-COM	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	3.4		0.07	0.24	ug/WIPE
SAB001-002-003	5/14/2020	16:42	N1	DD-D012801	SAB001-002-003-051420-COM	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
SAB001-002-003	5/14/2020	16:42	N1	DD-D012801	SAB001-002-003-051420-COM	SW8082A	SW	TOTAL PCBs	9.2		-	0.24	ug/WIPE



Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
SAB004-005-006	5/14/2020	16:58	N1	DD-D012804	SAB004-005-006-051420-COM	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
SAB004-005-006	5/14/2020	16:58	N1	DD-D012804	SAB004-005-006-051420-COM	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
SAB004-005-006	5/14/2020	16:58	N1	DD-D012804	SAB004-005-006-051420-COM	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
SAB004-005-006	5/14/2020	16:58	N1	DD-D012804	SAB004-005-006-051420-COM	SW8082A	SW	PCB-1242 (AROCLOR 1242)	9.5		0.088	0.24	ug/WIPE
SAB004-005-006	5/14/2020	16:58	N1	DD-D012804	SAB004-005-006-051420-COM	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
SAB004-005-006	5/14/2020	16:58	N1	DD-D012804	SAB004-005-006-051420-COM	SW8082A	SW	PCB-1254 (AROCLOR 1254)	3.9		0.07	0.24	ug/WIPE
SAB004-005-006	5/14/2020	16:58	N1	DD-D012804	SAB004-005-006-051420-COM	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
SAB004-005-006	5/14/2020	16:58	N1	DD-D012804	SAB004-005-006-051420-COM	SW8082A	SW	TOTAL PCBs	13.4		-	0.24	ug/WIPE
SAB004R	6/25/2020	13:20	N1	DD-D022601	SAB004R-062520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
SAB004R	6/25/2020	13:20	N1	DD-D022601	SAB004R-062520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
SAB004R	6/25/2020	13:20	N1	DD-D022601	SAB004R-062520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
SAB004R	6/25/2020	13:20	N1	DD-D022601	SAB004R-062520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3.1		0.088	0.24	ug/WIPE
SAB004R	6/25/2020	13:20	N1	DD-D022601	SAB004R-062520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
SAB004R	6/25/2020	13:20	N1	DD-D022601	SAB004R-062520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1		0.07	0.24	ug/WIPE
SAB004R	6/25/2020	13:20	N1	DD-D022601	SAB004R-062520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
SAB004R	6/25/2020	13:20	N1	DD-D022601	SAB004R-062520	SW8082A	SW	TOTAL PCBs	4.1		-	0.24	ug/WIPE
SAB005R	6/29/2020	16:30	N1	DD-D022602	SAB005R-062920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
SAB005R	6/29/2020	16:30	N1	DD-D022602	SAB005R-062920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
SAB005R	6/29/2020	16:30	N1	DD-D022602	SAB005R-062920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
SAB005R	6/29/2020	16:30	N1	DD-D022602	SAB005R-062920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2.7		0.088	0.24	ug/WIPE
SAB005R	6/29/2020	16:30	N1	DD-D022602	SAB005R-062920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
SAB005R	6/29/2020	16:30	N1	DD-D022602	SAB005R-062920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.76		0.07	0.24	ug/WIPE
SAB005R	6/29/2020	16:30	N1	DD-D022602	SAB005R-062920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
SAB005R	6/29/2020	16:30	N1	DD-D022602	SAB005R-062920	SW8082A	SW	TOTAL PCBs	3.46		-	0.24	ug/WIPE
SAB006R	6/29/2020	16:35	N1	DD-D022603	SAB006R-062920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
SAB006R	6/29/2020	16:35	N1	DD-D022603	SAB006R-062920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
SAB006R	6/29/2020	16:35	N1	DD-D022603	SAB006R-062920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
SAB006R	6/29/2020	16:35	N1	DD-D022603	SAB006R-062920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2.4		0.088	0.24	ug/WIPE
SAB006R	6/29/2020	16:35	N1	DD-D022603	SAB006R-062920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
SAB006R	6/29/2020	16:35	N1	DD-D022603	SAB006R-062920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.77		0.07	0.24	ug/WIPE
SAB006R	6/29/2020	16:35	N1	DD-D022603	SAB006R-062920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
SAB006R	6/29/2020	16:35	N1	DD-D022603	SAB006R-062920	SW8082A	SW	TOTAL PCBs	3.17		-	0.24	ug/WIPE
SAB007-008-009	5/14/2020	17:04	N1	DD-D012807	SAB007-008-009-051420-COM	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
SAB007-008-009	5/14/2020	17:04	N1	DD-D012807	SAB007-008-009-051420-COM	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
SAB007-008-009	5/14/2020	17:04	N1	DD-D012807	SAB007-008-009-051420-COM	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
SAB007-008-009	5/14/2020	17:04	N1	DD-D012807	SAB007-008-009-051420-COM	SW8082A	SW	PCB-1242 (AROCLOR 1242)	9.2		0.088	0.24	ug/WIPE
SAB007-008-009	5/14/2020	17:04	N1	DD-D012807	SAB007-008-009-051420-COM	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
SAB007-008-009	5/14/2020	17:04	N1	DD-D012807	SAB007-008-009-051420-COM	SW8082A	SW	PCB-1254 (AROCLOR 1254)	3.6		0.07	0.24	ug/WIPE
SAB007-008-009	5/14/2020	17:04	N1	DD-D012807	SAB007-008-009-051420-COM	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
SAB007-008-009	5/14/2020	17:04	N1	DD-D012807	SAB007-008-009-051420-COM	SW8082A	SW	TOTAL PCBs	12.8		-	0.24	ug/WIPE
SAB007R	6/25/2020	14:00	N1	DD-D022604	SAB007R-062520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
SAB007R	6/25/2020	14:00	N1	DD-D022604	SAB007R-062520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
SAB007R	6/25/2020	14:00	N1	DD-D022604	SAB007R-062520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
SAB007R	6/25/2020	14:00	N1	DD-D022604	SAB007R-062520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3.8		0.088	0.24	ug/WIPE
SAB007R	6/25/2020	14:00	N1	DD-D022604	SAB007R-062520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
SAB007R	6/25/2020	14:00	N1	DD-D022604	SAB007R-062520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.97		0.07	0.24	ug/WIPE
SAB007R	6/25/2020	14:00	N1	DD-D022604	SAB007R-062520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
SAB007R	6/25/2020	14:00	N1	DD-D022604	SAB007R-062520	SW8082A	SW	TOTAL PCBs	4.77		-	0.24	ug/WIPE
SAB008R	6/29/2020	16:38	N1	DD-D022605	SAB008R-062920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
SAB008R	6/29/2020	16:38	N1	DD-D022605	SAB008R-062920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
SAB008R	6/29/2020	16:38	N1	DD-D022605	SAB008R-062920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE

Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
SAB008R	6/29/2020	16:38	N1	DD-D022605	SAB008R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	1.9		0.088	0.24	ug/WIPE
SAB008R	6/29/2020	16:38	N1	DD-D022605	SAB008R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
SAB008R	6/29/2020	16:38	N1	DD-D022605	SAB008R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.58		0.07	0.24	ug/WIPE
SAB008R	6/29/2020	16:38	N1	DD-D022605	SAB008R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
SAB008R	6/29/2020	16:38	N1	DD-D022605	SAB008R-062920	SW8082A	SW	TOTAL PCBs	2.48		-	0.24	ug/WIPE
SAB009R	6/29/2020	16:41	N1	DD-D022606	SAB009R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
SAB009R	6/29/2020	16:41	N1	DD-D022606	SAB009R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
SAB009R	6/29/2020	16:41	N1	DD-D022606	SAB009R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
SAB009R	6/29/2020	16:41	N1	DD-D022606	SAB009R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	1.8		0.088	0.24	ug/WIPE
SAB009R	6/29/2020	16:41	N1	DD-D022606	SAB009R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
SAB009R	6/29/2020	16:41	N1	DD-D022606	SAB009R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.59		0.07	0.24	ug/WIPE
SAB009R	6/29/2020	16:41	N1	DD-D022606	SAB009R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
SAB009R	6/29/2020	16:41	N1	DD-D022606	SAB009R-062920	SW8082A	SW	TOTAL PCBs	2.39		-	0.24	ug/WIPE
SAB010-011-012	5/14/2020	17:11	N1	DD-D012810	SAB010-011-012-051420-COM	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
SAB010-011-012	5/14/2020	17:11	N1	DD-D012810	SAB010-011-012-051420-COM	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
SAB010-011-012	5/14/2020	17:11	N1	DD-D012810	SAB010-011-012-051420-COM	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
SAB010-011-012	5/14/2020	17:11	N1	DD-D012810	SAB010-011-012-051420-COM	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	16	J	0.088	0.24	ug/WIPE
SAB010-011-012	5/14/2020	17:11	N1	DD-D012810	SAB010-011-012-051420-COM	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
SAB010-011-012	5/14/2020	17:11	N1	DD-D012810	SAB010-011-012-051420-COM	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	5.8	J	0.07	0.24	ug/WIPE
SAB010-011-012	5/14/2020	17:11	N1	DD-D012810	SAB010-011-012-051420-COM	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
SAB010-011-012	5/14/2020	17:11	N1	DD-D012810	SAB010-011-012-051420-COM	SW8082A	SW	TOTAL PCBs	21.8		-	0.24	ug/WIPE
SAB010R	6/8/2020	11:25	N1	DD-D017807	SAB010R-060820	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
SAB010R	6/8/2020	11:25	N1	DD-D017807	SAB010R-060820	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
SAB010R	6/8/2020	11:25	N1	DD-D017807	SAB010R-060820	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
SAB010R	6/8/2020	11:25	N1	DD-D017807	SAB010R-060820	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	7.8		0.088	0.24	ug/WIPE
SAB010R	6/8/2020	11:25	N1	DD-D017807	SAB010R-060820	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
SAB010R	6/8/2020	11:25	N1	DD-D017807	SAB010R-060820	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.1		0.07	0.24	ug/WIPE
SAB010R	6/8/2020	11:25	N1	DD-D017807	SAB010R-060820	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
SAB010R	6/8/2020	11:25	N1	DD-D017807	SAB010R-060820	SW8082A	SW	TOTAL PCBs	9.9		-	0.24	ug/WIPE
SAB011R	6/8/2020	11:28	N1	DD-D017808	SAB011R-060820	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
SAB011R	6/8/2020	11:28	N1	DD-D017808	SAB011R-060820	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
SAB011R	6/8/2020	11:28	N1	DD-D017808	SAB011R-060820	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
SAB011R	6/8/2020	11:28	N1	DD-D017808	SAB011R-060820	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	7.3		0.088	0.24	ug/WIPE
SAB011R	6/8/2020	11:28	N1	DD-D017808	SAB011R-060820	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
SAB011R	6/8/2020	11:28	N1	DD-D017808	SAB011R-060820	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.6		0.07	0.24	ug/WIPE
SAB011R	6/8/2020	11:28	N1	DD-D017808	SAB011R-060820	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
SAB011R	6/8/2020	11:28	N1	DD-D017808	SAB011R-060820	SW8082A	SW	TOTAL PCBs	9.9		-	0.24	ug/WIPE
SAB012R	6/8/2020	11:30	N1	DD-D017809	SAB012R-060820	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
SAB012R	6/8/2020	11:30	N1	DD-D017809	SAB012R-060820	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
SAB012R	6/8/2020	11:30	N1	DD-D017809	SAB012R-060820	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
SAB012R	6/8/2020	11:30	N1	DD-D017809	SAB012R-060820	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	4.6		0.088	0.24	ug/WIPE
SAB012R	6/8/2020	11:30	N1	DD-D017809	SAB012R-060820	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
SAB012R	6/8/2020	11:30	N1	DD-D017809	SAB012R-060820	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.3		0.07	0.24	ug/WIPE
SAB012R	6/8/2020	11:30	N1	DD-D017809	SAB012R-060820	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
SAB012R	6/8/2020	11:30	N1	DD-D017809	SAB012R-060820	SW8082A	SW	TOTAL PCBs	5.9		-	0.24	ug/WIPE
SAB013-014-015	5/14/2020	17:21	N1	DD-D012903	SAB013-014-015-051420-COM	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
SAB013-014-015	5/14/2020	17:21	N1	DD-D012903	SAB013-014-015-051420-COM	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
SAB013-014-015	5/14/2020	17:21	N1	DD-D012903	SAB013-014-015-051420-COM	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
SAB013-014-015	5/14/2020	17:21	N1	DD-D012903	SAB013-014-015-051420-COM	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	8		0.088	0.24	ug/WIPE
SAB013-014-015	5/14/2020	17:21	N1	DD-D012903	SAB013-014-015-051420-COM	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
SAB013-014-015	5/14/2020	17:21	N1	DD-D012903	SAB013-014-015-051420-COM	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	3.4		0.07	0.24	ug/WIPE

Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
SAB013-014-015	5/14/2020	17:21	N1	DD-D012903	SAB013-014-015-051420-COM	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
SAB013-014-015	5/14/2020	17:21	N1	DD-D012903	SAB013-014-015-051420-COM	SW8082A	SW	TOTAL PCBs	11.4		-	0.24	ug/WIPE
SAB013R	6/8/2020	11:38	N1	DD-D017810	SAB013R-060820	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
SAB013R	6/8/2020	11:38	N1	DD-D017810	SAB013R-060820	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
SAB013R	6/8/2020	11:38	N1	DD-D017810	SAB013R-060820	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
SAB013R	6/8/2020	11:38	N1	DD-D017810	SAB013R-060820	SW8082A	SW	PCB-1242 (AROCLOR 1242)	5.5		0.088	0.24	ug/WIPE
SAB013R	6/8/2020	11:38	N1	DD-D017810	SAB013R-060820	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
SAB013R	6/8/2020	11:38	N1	DD-D017810	SAB013R-060820	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.8		0.07	0.24	ug/WIPE
SAB013R	6/8/2020	11:38	N1	DD-D017810	SAB013R-060820	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
SAB013R	6/8/2020	11:38	N1	DD-D017810	SAB013R-060820	SW8082A	SW	TOTAL PCBs	7.3		-	0.24	ug/WIPE
SAB014R	6/8/2020	11:41	N1	DD-D017901	SAB014R-060820	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
SAB014R	6/8/2020	11:41	N1	DD-D017901	SAB014R-060820	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
SAB014R	6/8/2020	11:41	N1	DD-D017901	SAB014R-060820	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
SAB014R	6/8/2020	11:41	N1	DD-D017901	SAB014R-060820	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3.1		0.088	0.24	ug/WIPE
SAB014R	6/8/2020	11:41	N1	DD-D017901	SAB014R-060820	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
SAB014R	6/8/2020	11:41	N1	DD-D017901	SAB014R-060820	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.75		0.07	0.24	ug/WIPE
SAB014R	6/8/2020	11:41	N1	DD-D017901	SAB014R-060820	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
SAB014R	6/8/2020	11:41	N1	DD-D017901	SAB014R-060820	SW8082A	SW	TOTAL PCBs	3.85		-	0.24	ug/WIPE
SAB015R	6/8/2020	10:53	N1	DD-D017902	SAB015R-060820	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
SAB015R	6/8/2020	10:53	N1	DD-D017902	SAB015R-060820	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
SAB015R	6/8/2020	10:53	N1	DD-D017902	SAB015R-060820	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
SAB015R	6/8/2020	10:53	N1	DD-D017902	SAB015R-060820	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2.8		0.088	0.24	ug/WIPE
SAB015R	6/8/2020	10:53	N1	DD-D017902	SAB015R-060820	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
SAB015R	6/8/2020	10:53	N1	DD-D017902	SAB015R-060820	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.7		0.07	0.24	ug/WIPE
SAB015R	6/8/2020	10:53	N1	DD-D017902	SAB015R-060820	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
SAB015R	6/8/2020	10:53	N1	DD-D017902	SAB015R-060820	SW8082A	SW	TOTAL PCBs	3.5		-	0.24	ug/WIPE
SAB016-017-018	5/14/2020	17:27	N1	DD-D012906	SAB016-017-018-051420-COM	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
SAB016-017-018	5/14/2020	17:27	N1	DD-D012906	SAB016-017-018-051420-COM	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
SAB016-017-018	5/14/2020	17:27	N1	DD-D012906	SAB016-017-018-051420-COM	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
SAB016-017-018	5/14/2020	17:27	N1	DD-D012906	SAB016-017-018-051420-COM	SW8082A	SW	PCB-1242 (AROCLOR 1242)	6.1		0.088	0.24	ug/WIPE
SAB016-017-018	5/14/2020	17:27	N1	DD-D012906	SAB016-017-018-051420-COM	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
SAB016-017-018	5/14/2020	17:27	N1	DD-D012906	SAB016-017-018-051420-COM	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2.3		0.07	0.24	ug/WIPE
SAB016-017-018	5/14/2020	17:27	N1	DD-D012906	SAB016-017-018-051420-COM	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
SAB016-017-018	5/14/2020	17:27	N1	DD-D012906	SAB016-017-018-051420-COM	SW8082A	SW	TOTAL PCBs	8.4		-	0.24	ug/WIPE
SAB019-020-021	5/14/2020	17:32	N1	DD-D012909	SAB019-020-021-051420-COM	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
SAB019-020-021	5/14/2020	17:32	N1	DD-D012909	SAB019-020-021-051420-COM	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
SAB019-020-021	5/14/2020	17:32	N1	DD-D012909	SAB019-020-021-051420-COM	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
SAB019-020-021	5/14/2020	17:32	N1	DD-D012909	SAB019-020-021-051420-COM	SW8082A	SW	PCB-1242 (AROCLOR 1242)	9.4		0.088	0.24	ug/WIPE
SAB019-020-021	5/14/2020	17:32	N1	DD-D012909	SAB019-020-021-051420-COM	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
SAB019-020-021	5/14/2020	17:32	N1	DD-D012909	SAB019-020-021-051420-COM	SW8082A	SW	PCB-1254 (AROCLOR 1254)	3.2		0.07	0.24	ug/WIPE
SAB019-020-021	5/14/2020	17:32	N1	DD-D012909	SAB019-020-021-051420-COM	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
SAB019-020-021	5/14/2020	17:32	N1	DD-D012909	SAB019-020-021-051420-COM	SW8082A	SW	TOTAL PCBs	12.6		-	0.24	ug/WIPE
SAB019R	6/8/2020	11:45	N1	DD-D017903	SAB019R-060820	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
SAB019R	6/8/2020	11:45	N1	DD-D017903	SAB019R-060820	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
SAB019R	6/8/2020	11:45	N1	DD-D017903	SAB019R-060820	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
SAB019R	6/8/2020	11:45	N1	DD-D017903	SAB019R-060820	SW8082A	SW	PCB-1242 (AROCLOR 1242)	6		0.088	0.24	ug/WIPE
SAB019R	6/8/2020	11:45	N1	DD-D017903	SAB019R-060820	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
SAB019R	6/8/2020	11:45	N1	DD-D017903	SAB019R-060820	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.7		0.07	0.24	ug/WIPE
SAB019R	6/8/2020	11:45	N1	DD-D017903	SAB019R-060820	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
SAB019R	6/8/2020	11:45	N1	DD-D017903	SAB019R-060820	SW8082A	SW	TOTAL PCBs	7.7		-	0.24	ug/WIPE
SAB020R	6/8/2020	11:50	N1	DD-D017904	SAB020R-060820	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE

Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
SAB020R	6/8/2020	11:50	N1	DD-D017904	SAB020R-060820	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
SAB020R	6/8/2020	11:50	N1	DD-D017904	SAB020R-060820	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
SAB020R	6/8/2020	11:50	N1	DD-D017904	SAB020R-060820	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	4.4		0.088	0.24	ug/WIPE
SAB020R	6/8/2020	11:50	N1	DD-D017904	SAB020R-060820	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
SAB020R	6/8/2020	11:50	N1	DD-D017904	SAB020R-060820	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1		0.07	0.24	ug/WIPE
SAB020R	6/8/2020	11:50	N1	DD-D017904	SAB020R-060820	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
SAB020R	6/8/2020	11:50	N1	DD-D017904	SAB020R-060820	SW8082A	SW	TOTAL PCBs	5.4		-	0.24	ug/WIPE
SAB021R	6/8/2020	10:25	N1	DD-D017905	SAB021R-060820	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
SAB021R	6/8/2020	10:25	N1	DD-D017905	SAB021R-060820	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
SAB021R	6/8/2020	10:25	N1	DD-D017905	SAB021R-060820	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
SAB021R	6/8/2020	10:25	N1	DD-D017905	SAB021R-060820	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.5		0.088	0.24	ug/WIPE
SAB021R	6/8/2020	10:25	N1	DD-D017905	SAB021R-060820	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
SAB021R	6/8/2020	10:25	N1	DD-D017905	SAB021R-060820	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.67		0.07	0.24	ug/WIPE
SAB021R	6/8/2020	10:25	N1	DD-D017905	SAB021R-060820	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
SAB021R	6/8/2020	10:25	N1	DD-D017905	SAB021R-060820	SW8082A	SW	TOTAL PCBs	3.17		-	0.24	ug/WIPE
SAB022-023-024	5/15/2020	6:33	N1	DD-D013002	SAB022-023-024-051520-COM	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
SAB022-023-024	5/15/2020	6:33	N1	DD-D013002	SAB022-023-024-051520-COM	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
SAB022-023-024	5/15/2020	6:33	N1	DD-D013002	SAB022-023-024-051520-COM	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
SAB022-023-024	5/15/2020	6:33	N1	DD-D013002	SAB022-023-024-051520-COM	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	11		0.088	0.24	ug/WIPE
SAB022-023-024	5/15/2020	6:33	N1	DD-D013002	SAB022-023-024-051520-COM	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
SAB022-023-024	5/15/2020	6:33	N1	DD-D013002	SAB022-023-024-051520-COM	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	3.8		0.07	0.24	ug/WIPE
SAB022-023-024	5/15/2020	6:33	N1	DD-D013002	SAB022-023-024-051520-COM	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
SAB022-023-024	5/15/2020	6:33	N1	DD-D013002	SAB022-023-024-051520-COM	SW8082A	SW	TOTAL PCBs	14.8		-	0.24	ug/WIPE
SAB022R	6/25/2020	13:40	N1	DD-D022706	SAB022R-062520	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
SAB022R	6/25/2020	13:40	N1	DD-D022706	SAB022R-062520	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
SAB022R	6/25/2020	13:40	N1	DD-D022706	SAB022R-062520	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
SAB022R	6/25/2020	13:40	N1	DD-D022706	SAB022R-062520	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.2		0.088	0.24	ug/WIPE
SAB022R	6/25/2020	13:40	N1	DD-D022706	SAB022R-062520	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
SAB022R	6/25/2020	13:40	N1	DD-D022706	SAB022R-062520	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.84		0.07	0.24	ug/WIPE
SAB022R	6/25/2020	13:40	N1	DD-D022706	SAB022R-062520	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
SAB022R	6/25/2020	13:40	N1	DD-D022706	SAB022R-062520	SW8082A	SW	TOTAL PCBs	4.04		-	0.24	ug/WIPE
SAB023R	6/29/2020	16:46	N1	DD-D022707	SAB023R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
SAB023R	6/29/2020	16:46	N1	DD-D022707	SAB023R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
SAB023R	6/29/2020	16:46	N1	DD-D022707	SAB023R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
SAB023R	6/29/2020	16:46	N1	DD-D022707	SAB023R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.9		0.088	0.24	ug/WIPE
SAB023R	6/29/2020	16:46	N1	DD-D022707	SAB023R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
SAB023R	6/29/2020	16:46	N1	DD-D022707	SAB023R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.56		0.07	0.24	ug/WIPE
SAB023R	6/29/2020	16:46	N1	DD-D022707	SAB023R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
SAB023R	6/29/2020	16:46	N1	DD-D022707	SAB023R-062920	SW8082A	SW	TOTAL PCBs	3.46		-	0.24	ug/WIPE
SAB024R	6/29/2020	16:49	N1	DD-D022708	SAB024R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
SAB024R	6/29/2020	16:49	N1	DD-D022708	SAB024R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
SAB024R	6/29/2020	16:49	N1	DD-D022708	SAB024R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
SAB024R	6/29/2020	16:49	N1	DD-D022708	SAB024R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	1.9		0.088	0.24	ug/WIPE
SAB024R	6/29/2020	16:49	N1	DD-D022708	SAB024R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
SAB024R	6/29/2020	16:49	N1	DD-D022708	SAB024R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.51		0.07	0.24	ug/WIPE
SAB024R	6/29/2020	16:49	N1	DD-D022708	SAB024R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
SAB024R	6/29/2020	16:49	N1	DD-D022708	SAB024R-062920	SW8082A	SW	TOTAL PCBs	2.41		-	0.24	ug/WIPE
SAB025-026-027	5/15/2020	6:42	N1	DD-D013005	SAB025-026-027-051520-COM	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
SAB025-026-027	5/15/2020	6:42	N1	DD-D013005	SAB025-026-027-051520-COM	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
SAB025-026-027	5/15/2020	6:42	N1	DD-D013005	SAB025-026-027-051520-COM	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
SAB025-026-027	5/15/2020	6:42	N1	DD-D013005	SAB025-026-027-051520-COM	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	11		0.088	0.24	ug/WIPE

Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
SAB025-026-027	5/15/2020	6:42	N1	DD-D013005	SAB025-026-027-051520-COM	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
SAB025-026-027	5/15/2020	6:42	N1	DD-D013005	SAB025-026-027-051520-COM	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	3.8	U	0.07	0.24	ug/WIPE
SAB025-026-027	5/15/2020	6:42	N1	DD-D013005	SAB025-026-027-051520-COM	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
SAB025-026-027	5/15/2020	6:42	N1	DD-D013005	SAB025-026-027-051520-COM	SW8082A	SW	TOTAL PCBs	14.8		-	0.24	ug/WIPE
SAB025R	6/25/2020	13:46	N1	DD-D022709	SAB025R-062520	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
SAB025R	6/25/2020	13:46	N1	DD-D022709	SAB025R-062520	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
SAB025R	6/25/2020	13:46	N1	DD-D022709	SAB025R-062520	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
SAB025R	6/25/2020	13:46	N1	DD-D022709	SAB025R-062520	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	4.7		0.088	0.24	ug/WIPE
SAB025R	6/25/2020	13:46	N1	DD-D022709	SAB025R-062520	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
SAB025R	6/25/2020	13:46	N1	DD-D022709	SAB025R-062520	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.1		0.07	0.24	ug/WIPE
SAB025R	6/25/2020	13:46	N1	DD-D022709	SAB025R-062520	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
SAB025R	6/25/2020	13:46	N1	DD-D022709	SAB025R-062520	SW8082A	SW	TOTAL PCBs	5.8		-	0.24	ug/WIPE
SAB026R	6/29/2020	16:52	N1	DD-D022710	SAB026R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
SAB026R	6/29/2020	16:52	N1	DD-D022710	SAB026R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
SAB026R	6/29/2020	16:52	N1	DD-D022710	SAB026R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
SAB026R	6/29/2020	16:52	N1	DD-D022710	SAB026R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	1		0.088	0.24	ug/WIPE
SAB026R	6/29/2020	16:52	N1	DD-D022710	SAB026R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
SAB026R	6/29/2020	16:52	N1	DD-D022710	SAB026R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.32		0.07	0.24	ug/WIPE
SAB026R	6/29/2020	16:52	N1	DD-D022710	SAB026R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
SAB026R	6/29/2020	16:52	N1	DD-D022710	SAB026R-062920	SW8082A	SW	TOTAL PCBs	1.32		-	0.24	ug/WIPE
SAB027R	6/29/2020	16:55	N1	DD-D022801	SAB027R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
SAB027R	6/29/2020	16:55	N1	DD-D022801	SAB027R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
SAB027R	6/29/2020	16:55	N1	DD-D022801	SAB027R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
SAB027R	6/29/2020	16:55	N1	DD-D022801	SAB027R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	1.6		0.088	0.24	ug/WIPE
SAB027R	6/29/2020	16:55	N1	DD-D022801	SAB027R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
SAB027R	6/29/2020	16:55	N1	DD-D022801	SAB027R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.4		0.07	0.24	ug/WIPE
SAB027R	6/29/2020	16:55	N1	DD-D022801	SAB027R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
SAB027R	6/29/2020	16:55	N1	DD-D022801	SAB027R-062920	SW8082A	SW	TOTAL PCBs	2		-	0.24	ug/WIPE
SAB028-029-030	5/15/2020	6:50	N1	DD-D013008	SAB028-029-030-051520-COM	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
SAB028-029-030	5/15/2020	6:50	N1	DD-D013008	SAB028-029-030-051520-COM	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
SAB028-029-030	5/15/2020	6:50	N1	DD-D013008	SAB028-029-030-051520-COM	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
SAB028-029-030	5/15/2020	6:50	N1	DD-D013008	SAB028-029-030-051520-COM	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	12		0.088	0.24	ug/WIPE
SAB028-029-030	5/15/2020	6:50	N1	DD-D013008	SAB028-029-030-051520-COM	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
SAB028-029-030	5/15/2020	6:50	N1	DD-D013008	SAB028-029-030-051520-COM	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	4.6		0.07	0.24	ug/WIPE
SAB028-029-030	5/15/2020	6:50	N1	DD-D013008	SAB028-029-030-051520-COM	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
SAB028-029-030	5/15/2020	6:50	N1	DD-D013008	SAB028-029-030-051520-COM	SW8082A	SW	TOTAL PCBs	16.6		-	0.24	ug/WIPE
SAB028R	6/25/2020	13:50	N1	DD-D022802	SAB028R-062520	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
SAB028R	6/25/2020	13:50	N1	DD-D022802	SAB028R-062520	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
SAB028R	6/25/2020	13:50	N1	DD-D022802	SAB028R-062520	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
SAB028R	6/25/2020	13:50	N1	DD-D022802	SAB028R-062520	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.6		0.088	0.24	ug/WIPE
SAB028R	6/25/2020	13:50	N1	DD-D022802	SAB028R-062520	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
SAB028R	6/25/2020	13:50	N1	DD-D022802	SAB028R-062520	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.1		0.07	0.24	ug/WIPE
SAB028R	6/25/2020	13:50	N1	DD-D022802	SAB028R-062520	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
SAB028R	6/25/2020	13:50	N1	DD-D022802	SAB028R-062520	SW8082A	SW	TOTAL PCBs	4.7		-	0.24	ug/WIPE
SAB029R	6/29/2020	16:58	N1	DD-D022803	SAB029R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
SAB029R	6/29/2020	16:58	N1	DD-D022803	SAB029R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
SAB029R	6/29/2020	16:58	N1	DD-D022803	SAB029R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
SAB029R	6/29/2020	16:58	N1	DD-D022803	SAB029R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2		0.088	0.24	ug/WIPE
SAB029R	6/29/2020	16:58	N1	DD-D022803	SAB029R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
SAB029R	6/29/2020	16:58	N1	DD-D022803	SAB029R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.48		0.07	0.24	ug/WIPE
SAB029R	6/29/2020	16:58	N1	DD-D022803	SAB029R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE



Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
SAB029R	6/29/2020	16:58	N1	DD-D022803	SAB029R-062920	SW8082A	SW	TOTAL PCBs	2.48		-	0.24	ug/WIPE
SAB030R	6/29/2020	17:00	N1	DD-D022804	SAB030R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
SAB030R	6/29/2020	17:00	N1	DD-D022804	SAB030R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
SAB030R	6/29/2020	17:00	N1	DD-D022804	SAB030R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
SAB030R	6/29/2020	17:00	N1	DD-D022804	SAB030R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.2		0.088	0.24	ug/WIPE
SAB030R	6/29/2020	17:00	N1	DD-D022804	SAB030R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
SAB030R	6/29/2020	17:00	N1	DD-D022804	SAB030R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.88		0.07	0.24	ug/WIPE
SAB030R	6/29/2020	17:00	N1	DD-D022804	SAB030R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
SAB030R	6/29/2020	17:00	N1	DD-D022804	SAB030R-062920	SW8082A	SW	TOTAL PCBs	4.08		-	0.24	ug/WIPE
SAB031-032-033	5/15/2020	6:55	N1	DD-D013101	SAB031-032-033-051520-COM	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
SAB031-032-033	5/15/2020	6:55	N1	DD-D013101	SAB031-032-033-051520-COM	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
SAB031-032-033	5/15/2020	6:55	N1	DD-D013101	SAB031-032-033-051520-COM	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
SAB031-032-033	5/15/2020	6:55	N1	DD-D013101	SAB031-032-033-051520-COM	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	9.7		0.088	0.24	ug/WIPE
SAB031-032-033	5/15/2020	6:55	N1	DD-D013101	SAB031-032-033-051520-COM	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
SAB031-032-033	5/15/2020	6:55	N1	DD-D013101	SAB031-032-033-051520-COM	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	3.8		0.07	0.24	ug/WIPE
SAB031-032-033	5/15/2020	6:55	N1	DD-D013101	SAB031-032-033-051520-COM	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
SAB031-032-033	5/15/2020	6:55	N1	DD-D013101	SAB031-032-033-051520-COM	SW8082A	SW	TOTAL PCBs	13.5		-	0.24	ug/WIPE
SAB031R	6/25/2020	13:55	N1	DD-D022805	SAB031R-062520	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
SAB031R	6/25/2020	13:55	N1	DD-D022805	SAB031R-062520	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
SAB031R	6/25/2020	13:55	N1	DD-D022805	SAB031R-062520	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
SAB031R	6/25/2020	13:55	N1	DD-D022805	SAB031R-062520	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	4		0.088	0.24	ug/WIPE
SAB031R	6/25/2020	13:55	N1	DD-D022805	SAB031R-062520	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
SAB031R	6/25/2020	13:55	N1	DD-D022805	SAB031R-062520	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1		0.07	0.24	ug/WIPE
SAB031R	6/25/2020	13:55	N1	DD-D022805	SAB031R-062520	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
SAB031R	6/25/2020	13:55	N1	DD-D022805	SAB031R-062520	SW8082A	SW	TOTAL PCBs	5		-	0.24	ug/WIPE
SAB032R	6/29/2020	17:03	N1	DD-D022806	SAB032R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
SAB032R	6/29/2020	17:03	N1	DD-D022806	SAB032R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
SAB032R	6/29/2020	17:03	N1	DD-D022806	SAB032R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
SAB032R	6/29/2020	17:03	N1	DD-D022806	SAB032R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.2		0.088	0.24	ug/WIPE
SAB032R	6/29/2020	17:03	N1	DD-D022806	SAB032R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
SAB032R	6/29/2020	17:03	N1	DD-D022806	SAB032R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.83		0.07	0.24	ug/WIPE
SAB032R	6/29/2020	17:03	N1	DD-D022806	SAB032R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
SAB032R	6/29/2020	17:03	N1	DD-D022806	SAB032R-062920	SW8082A	SW	TOTAL PCBs	4.03		-	0.24	ug/WIPE
SAB033R	6/29/2020	17:05	N1	DD-D022807	SAB033R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
SAB033R	6/29/2020	17:05	N1	DD-D022807	SAB033R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
SAB033R	6/29/2020	17:05	N1	DD-D022807	SAB033R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
SAB033R	6/29/2020	17:05	N1	DD-D022807	SAB033R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.3		0.088	0.24	ug/WIPE
SAB033R	6/29/2020	17:05	N1	DD-D022807	SAB033R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
SAB033R	6/29/2020	17:05	N1	DD-D022807	SAB033R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.7		0.07	0.24	ug/WIPE
SAB033R	6/29/2020	17:05	N1	DD-D022807	SAB033R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
SAB033R	6/29/2020	17:05	N1	DD-D022807	SAB033R-062920	SW8082A	SW	TOTAL PCBs	3		-	0.24	ug/WIPE
SAB034-035-036	5/15/2020	7:02	N1	DD-D013104	SAB034-035-036-051520-COM	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
SAB034-035-036	5/15/2020	7:02	N1	DD-D013104	SAB034-035-036-051520-COM	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
SAB034-035-036	5/15/2020	7:02	N1	DD-D013104	SAB034-035-036-051520-COM	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
SAB034-035-036	5/15/2020	7:02	N1	DD-D013104	SAB034-035-036-051520-COM	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	10		0.088	0.24	ug/WIPE
SAB034-035-036	5/15/2020	7:02	N1	DD-D013104	SAB034-035-036-051520-COM	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
SAB034-035-036	5/15/2020	7:02	N1	DD-D013104	SAB034-035-036-051520-COM	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	5.2		0.07	0.24	ug/WIPE
SAB034-035-036	5/15/2020	7:02	N1	DD-D013104	SAB034-035-036-051520-COM	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
SAB034-035-036	5/15/2020	7:02	N1	DD-D013104	SAB034-035-036-051520-COM	SW8082A	SW	TOTAL PCBs	15.2		-	0.24	ug/WIPE
SAB034R	6/25/2020	14:15	N1	DD-D022808	SAB034R-062520	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
SAB034R	6/25/2020	14:15	N1	DD-D022808	SAB034R-062520	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE

Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
SAB034R	6/25/2020	14:15	N1	DD-D022808	SAB034R-062520	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
SAB034R	6/25/2020	14:15	N1	DD-D022808	SAB034R-062520	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.9	U	0.088	0.24	ug/WIPE
SAB034R	6/25/2020	14:15	N1	DD-D022808	SAB034R-062520	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
SAB034R	6/25/2020	14:15	N1	DD-D022808	SAB034R-062520	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.6	U	0.07	0.24	ug/WIPE
SAB034R	6/25/2020	14:15	N1	DD-D022808	SAB034R-062520	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
SAB034R	6/25/2020	14:15	N1	DD-D022808	SAB034R-062520	SW8082A	SW	TOTAL PCBs	4.5	U	-	0.24	ug/WIPE
SAB035R	6/29/2020	17:07	N1	DD-D022809	SAB035R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
SAB035R	6/29/2020	17:07	N1	DD-D022809	SAB035R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
SAB035R	6/29/2020	17:07	N1	DD-D022809	SAB035R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
SAB035R	6/29/2020	17:07	N1	DD-D022809	SAB035R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.2	U	0.088	0.24	ug/WIPE
SAB035R	6/29/2020	17:07	N1	DD-D022809	SAB035R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
SAB035R	6/29/2020	17:07	N1	DD-D022809	SAB035R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.72	U	0.07	0.24	ug/WIPE
SAB035R	6/29/2020	17:07	N1	DD-D022809	SAB035R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
SAB035R	6/29/2020	17:07	N1	DD-D022809	SAB035R-062920	SW8082A	SW	TOTAL PCBs	2.92	U	-	0.24	ug/WIPE
SAB036R	6/29/2020	17:10	N1	DD-D022810	SAB036R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
SAB036R	6/29/2020	17:10	N1	DD-D022810	SAB036R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
SAB036R	6/29/2020	17:10	N1	DD-D022810	SAB036R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
SAB036R	6/29/2020	17:10	N1	DD-D022810	SAB036R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.6	U	0.088	0.24	ug/WIPE
SAB036R	6/29/2020	17:10	N1	DD-D022810	SAB036R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
SAB036R	6/29/2020	17:10	N1	DD-D022810	SAB036R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.74	U	0.07	0.24	ug/WIPE
SAB036R	6/29/2020	17:10	N1	DD-D022810	SAB036R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
SAB036R	6/29/2020	17:10	N1	DD-D022810	SAB036R-062920	SW8082A	SW	TOTAL PCBs	3.34	U	-	0.24	ug/WIPE
SAB037-038-039	5/15/2020	7:10	N1	DD-D013107	SAB037-038-039-051520-COM	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
SAB037-038-039	5/15/2020	7:10	N1	DD-D013107	SAB037-038-039-051520-COM	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
SAB037-038-039	5/15/2020	7:10	N1	DD-D013107	SAB037-038-039-051520-COM	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
SAB037-038-039	5/15/2020	7:10	N1	DD-D013107	SAB037-038-039-051520-COM	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	9.4	U	0.088	0.24	ug/WIPE
SAB037-038-039	5/15/2020	7:10	N1	DD-D013107	SAB037-038-039-051520-COM	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
SAB037-038-039	5/15/2020	7:10	N1	DD-D013107	SAB037-038-039-051520-COM	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	4.5	U	0.07	0.24	ug/WIPE
SAB037-038-039	5/15/2020	7:10	N1	DD-D013107	SAB037-038-039-051520-COM	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
SAB037-038-039	5/15/2020	7:10	N1	DD-D013107	SAB037-038-039-051520-COM	SW8082A	SW	TOTAL PCBs	13.9	U	-	0.24	ug/WIPE
SAB037R	6/25/2020	14:20	N1	DD-D022901	SAB037R-062520	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
SAB037R	6/25/2020	14:20	N1	DD-D022901	SAB037R-062520	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
SAB037R	6/25/2020	14:20	N1	DD-D022901	SAB037R-062520	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
SAB037R	6/25/2020	14:20	N1	DD-D022901	SAB037R-062520	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	5.8	U	0.088	0.24	ug/WIPE
SAB037R	6/25/2020	14:20	N1	DD-D022901	SAB037R-062520	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
SAB037R	6/25/2020	14:20	N1	DD-D022901	SAB037R-062520	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.6	U	0.07	0.24	ug/WIPE
SAB037R	6/25/2020	14:20	N1	DD-D022901	SAB037R-062520	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
SAB037R	6/25/2020	14:20	N1	DD-D022901	SAB037R-062520	SW8082A	SW	TOTAL PCBs	8.4	U	-	0.24	ug/WIPE
SAB038R	6/29/2020	17:13	N1	DD-D022902	SAB038R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
SAB038R	6/29/2020	17:13	N1	DD-D022902	SAB038R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
SAB038R	6/29/2020	17:13	N1	DD-D022902	SAB038R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
SAB038R	6/29/2020	17:13	N1	DD-D022902	SAB038R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.9	U	0.088	0.24	ug/WIPE
SAB038R	6/29/2020	17:13	N1	DD-D022902	SAB038R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
SAB038R	6/29/2020	17:13	N1	DD-D022902	SAB038R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.8	U	0.07	0.24	ug/WIPE
SAB038R	6/29/2020	17:13	N1	DD-D022902	SAB038R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
SAB038R	6/29/2020	17:13	N1	DD-D022902	SAB038R-062920	SW8082A	SW	TOTAL PCBs	5.7	U	-	0.24	ug/WIPE
SAB039R	6/29/2020	17:15	N1	DD-D022903	SAB039R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
SAB039R	6/29/2020	17:15	N1	DD-D022903	SAB039R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
SAB039R	6/29/2020	17:15	N1	DD-D022903	SAB039R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
SAB039R	6/29/2020	17:15	N1	DD-D022903	SAB039R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.5	U	0.088	0.24	ug/WIPE
SAB039R	6/29/2020	17:15	N1	DD-D022903	SAB039R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE

Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
SAB039R	6/29/2020	17:15	N1	DD-D022903	SAB039R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.2		0.07	0.24	ug/WIPE
SAB039R	6/29/2020	17:15	N1	DD-D022903	SAB039R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
SAB039R	6/29/2020	17:15	N1	DD-D022903	SAB039R-062920	SW8082A	SW	TOTAL PCBs	4.7		-	0.24	ug/WIPE
SAB040-041-042	5/15/2020	7:15	N1	DD-D013110	SAB040-041-042-051520-COM	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
SAB040-041-042	5/15/2020	7:15	N1	DD-D013110	SAB040-041-042-051520-COM	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
SAB040-041-042	5/15/2020	7:15	N1	DD-D013110	SAB040-041-042-051520-COM	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
SAB040-041-042	5/15/2020	7:15	N1	DD-D013110	SAB040-041-042-051520-COM	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	7.8		0.088	0.24	ug/WIPE
SAB040-041-042	5/15/2020	7:15	N1	DD-D013110	SAB040-041-042-051520-COM	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
SAB040-041-042	5/15/2020	7:15	N1	DD-D013110	SAB040-041-042-051520-COM	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	3.3		0.07	0.24	ug/WIPE
SAB040-041-042	5/15/2020	7:15	N1	DD-D013110	SAB040-041-042-051520-COM	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
SAB040-041-042	5/15/2020	7:15	N1	DD-D013110	SAB040-041-042-051520-COM	SW8082A	SW	TOTAL PCBs	11.1		-	0.24	ug/WIPE
SAB040R	6/25/2020	14:30	N1	DD-D022904	SAB040R-062520	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
SAB040R	6/25/2020	14:30	N1	DD-D022904	SAB040R-062520	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
SAB040R	6/25/2020	14:30	N1	DD-D022904	SAB040R-062520	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
SAB040R	6/25/2020	14:30	N1	DD-D022904	SAB040R-062520	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	4		0.088	0.24	ug/WIPE
SAB040R	6/25/2020	14:30	N1	DD-D022904	SAB040R-062520	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
SAB040R	6/25/2020	14:30	N1	DD-D022904	SAB040R-062520	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.1		0.07	0.24	ug/WIPE
SAB040R	6/25/2020	14:30	N1	DD-D022904	SAB040R-062520	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
SAB040R	6/25/2020	14:30	N1	DD-D022904	SAB040R-062520	SW8082A	SW	TOTAL PCBs	5.1		-	0.24	ug/WIPE
SAB041R	6/29/2020	17:18	N1	DD-D022905	SAB041R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
SAB041R	6/29/2020	17:18	N1	DD-D022905	SAB041R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
SAB041R	6/29/2020	17:18	N1	DD-D022905	SAB041R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
SAB041R	6/29/2020	17:18	N1	DD-D022905	SAB041R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.4		0.088	0.24	ug/WIPE
SAB041R	6/29/2020	17:18	N1	DD-D022905	SAB041R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
SAB041R	6/29/2020	17:18	N1	DD-D022905	SAB041R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.2		0.07	0.24	ug/WIPE
SAB041R	6/29/2020	17:18	N1	DD-D022905	SAB041R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
SAB041R	6/29/2020	17:18	N1	DD-D022905	SAB041R-062920	SW8082A	SW	TOTAL PCBs	4.6		-	0.24	ug/WIPE
SAB042R	6/29/2020	17:20	N1	DD-D022906	SAB042R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
SAB042R	6/29/2020	17:20	N1	DD-D022906	SAB042R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
SAB042R	6/29/2020	17:20	N1	DD-D022906	SAB042R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
SAB042R	6/29/2020	17:20	N1	DD-D022906	SAB042R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	1.5		0.088	0.24	ug/WIPE
SAB042R	6/29/2020	17:20	N1	DD-D022906	SAB042R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
SAB042R	6/29/2020	17:20	N1	DD-D022906	SAB042R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.48		0.07	0.24	ug/WIPE
SAB042R	6/29/2020	17:20	N1	DD-D022906	SAB042R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
SAB042R	6/29/2020	17:20	N1	DD-D022906	SAB042R-062920	SW8082A	SW	TOTAL PCBs	1.98		-	0.24	ug/WIPE
SAB043-044-045	5/14/2020	7:52	N1	DD-D013203	SAB043-044-045-051520-COM	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
SAB043-044-045	5/14/2020	7:52	N1	DD-D013203	SAB043-044-045-051520-COM	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
SAB043-044-045	5/14/2020	7:52	N1	DD-D013203	SAB043-044-045-051520-COM	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
SAB043-044-045	5/14/2020	7:52	N1	DD-D013203	SAB043-044-045-051520-COM	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	12		0.088	0.24	ug/WIPE
SAB043-044-045	5/14/2020	7:52	N1	DD-D013203	SAB043-044-045-051520-COM	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
SAB043-044-045	5/14/2020	7:52	N1	DD-D013203	SAB043-044-045-051520-COM	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	3.9		0.07	0.24	ug/WIPE
SAB043-044-045	5/14/2020	7:52	N1	DD-D013203	SAB043-044-045-051520-COM	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
SAB043-044-045	5/14/2020	7:52	N1	DD-D013203	SAB043-044-045-051520-COM	SW8082A	SW	TOTAL PCBs	15.9		-	0.24	ug/WIPE
SAB043R	6/29/2020	16:17	N1	DD-D022907	SAB043R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
SAB043R	6/29/2020	16:17	N1	DD-D022907	SAB043R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
SAB043R	6/29/2020	16:17	N1	DD-D022907	SAB043R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
SAB043R	6/29/2020	16:17	N1	DD-D022907	SAB043R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	ND	U	0.088	0.24	ug/WIPE
SAB043R	6/29/2020	16:17	N1	DD-D022907	SAB043R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
SAB043R	6/29/2020	16:17	N1	DD-D022907	SAB043R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	ND	U	0.07	0.24	ug/WIPE
SAB043R	6/29/2020	16:17	N1	DD-D022907	SAB043R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
SAB043R	6/29/2020	16:17	N1	DD-D022907	SAB043R-062920	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE

Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
SAB044R	6/29/2020	16:15	N1	DD-D022908	SAB044R-062920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
SAB044R	6/29/2020	16:15	N1	DD-D022908	SAB044R-062920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
SAB044R	6/29/2020	16:15	N1	DD-D022908	SAB044R-062920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
SAB044R	6/29/2020	16:15	N1	DD-D022908	SAB044R-062920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3.3		0.088	0.24	ug/WIPE
SAB044R	6/29/2020	16:15	N1	DD-D022908	SAB044R-062920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
SAB044R	6/29/2020	16:15	N1	DD-D022908	SAB044R-062920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.93		0.07	0.24	ug/WIPE
SAB044R	6/29/2020	16:15	N1	DD-D022908	SAB044R-062920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
SAB044R	6/29/2020	16:15	N1	DD-D022908	SAB044R-062920	SW8082A	SW	TOTAL PCBs	4.23		-	0.24	ug/WIPE
SAB045R	6/29/2020	16:07	N1	DD-D022909	SAB045R-062920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
SAB045R	6/29/2020	16:07	N1	DD-D022909	SAB045R-062920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
SAB045R	6/29/2020	16:07	N1	DD-D022909	SAB045R-062920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
SAB045R	6/29/2020	16:07	N1	DD-D022909	SAB045R-062920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3.5		0.088	0.24	ug/WIPE
SAB045R	6/29/2020	16:07	N1	DD-D022909	SAB045R-062920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
SAB045R	6/29/2020	16:07	N1	DD-D022909	SAB045R-062920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.2		0.07	0.24	ug/WIPE
SAB045R	6/29/2020	16:07	N1	DD-D022909	SAB045R-062920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
SAB045R	6/29/2020	16:07	N1	DD-D022909	SAB045R-062920	SW8082A	SW	TOTAL PCBs	4.7		-	0.24	ug/WIPE
SAB046-047-048	5/14/2020	8:03	N1	DD-D013206	SAB046-047-048-051520-COM	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
SAB046-047-048	5/14/2020	8:03	N1	DD-D013206	SAB046-047-048-051520-COM	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
SAB046-047-048	5/14/2020	8:03	N1	DD-D013206	SAB046-047-048-051520-COM	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
SAB046-047-048	5/14/2020	8:03	N1	DD-D013206	SAB046-047-048-051520-COM	SW8082A	SW	PCB-1242 (AROCLOR 1242)	10		0.088	0.24	ug/WIPE
SAB046-047-048	5/14/2020	8:03	N1	DD-D013206	SAB046-047-048-051520-COM	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
SAB046-047-048	5/14/2020	8:03	N1	DD-D013206	SAB046-047-048-051520-COM	SW8082A	SW	PCB-1254 (AROCLOR 1254)	3.3		0.07	0.24	ug/WIPE
SAB046-047-048	5/14/2020	8:03	N1	DD-D013206	SAB046-047-048-051520-COM	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
SAB046-047-048	5/14/2020	8:03	N1	DD-D013206	SAB046-047-048-051520-COM	SW8082A	SW	TOTAL PCBs	13.3		-	0.24	ug/WIPE
SAB046R	6/29/2020	16:26	N1	DD-D022910	SAB046R-062920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
SAB046R	6/29/2020	16:26	N1	DD-D022910	SAB046R-062920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
SAB046R	6/29/2020	16:26	N1	DD-D022910	SAB046R-062920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
SAB046R	6/29/2020	16:26	N1	DD-D022910	SAB046R-062920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3		0.088	0.24	ug/WIPE
SAB046R	6/29/2020	16:26	N1	DD-D022910	SAB046R-062920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
SAB046R	6/29/2020	16:26	N1	DD-D022910	SAB046R-062920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.76		0.07	0.24	ug/WIPE
SAB046R	6/29/2020	16:26	N1	DD-D022910	SAB046R-062920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
SAB046R	6/29/2020	16:26	N1	DD-D022910	SAB046R-062920	SW8082A	SW	TOTAL PCBs	3.76		-	0.24	ug/WIPE
SAB047R	6/29/2020	16:21	N1	DD-D023001	SAB047R-062920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
SAB047R	6/29/2020	16:21	N1	DD-D023001	SAB047R-062920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
SAB047R	6/29/2020	16:21	N1	DD-D023001	SAB047R-062920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
SAB047R	6/29/2020	16:21	N1	DD-D023001	SAB047R-062920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3		0.088	0.24	ug/WIPE
SAB047R	6/29/2020	16:21	N1	DD-D023001	SAB047R-062920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
SAB047R	6/29/2020	16:21	N1	DD-D023001	SAB047R-062920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.88		0.07	0.24	ug/WIPE
SAB047R	6/29/2020	16:21	N1	DD-D023001	SAB047R-062920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
SAB047R	6/29/2020	16:21	N1	DD-D023001	SAB047R-062920	SW8082A	SW	TOTAL PCBs	3.88		-	0.24	ug/WIPE
SAB048R	6/29/2020	16:24	N1	DD-D023002	SAB048R-062920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
SAB048R	6/29/2020	16:24	N1	DD-D023002	SAB048R-062920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
SAB048R	6/29/2020	16:24	N1	DD-D023002	SAB048R-062920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
SAB048R	6/29/2020	16:24	N1	DD-D023002	SAB048R-062920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3.1		0.088	0.24	ug/WIPE
SAB048R	6/29/2020	16:24	N1	DD-D023002	SAB048R-062920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
SAB048R	6/29/2020	16:24	N1	DD-D023002	SAB048R-062920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.88		0.07	0.24	ug/WIPE
SAB048R	6/29/2020	16:24	N1	DD-D023002	SAB048R-062920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
SAB048R	6/29/2020	16:24	N1	DD-D023002	SAB048R-062920	SW8082A	SW	TOTAL PCBs	3.98		-	0.24	ug/WIPE
SBW001	5/14/2020	15:37	N1	DD-D000301	SBW001-051420	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
SBW001	5/14/2020	15:37	N1	DD-D000301	SBW001-051420	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
SBW001	5/14/2020	15:37	N1	DD-D000301	SBW001-051420	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE

Attachment 2 - Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
SBW001	5/14/2020	15:37	N1	DD-D000301	SBW001-051420	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
SBW001	5/14/2020	15:37	N1	DD-D000301	SBW001-051420	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
SBW001	5/14/2020	15:37	N1	DD-D000301	SBW001-051420	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
SBW001	5/14/2020	15:37	N1	DD-D000301	SBW001-051420	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
SBW001	5/14/2020	15:37	N1	DD-D000301	SBW001-051420	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
SBW002	5/14/2020	15:45	N1	DD-D000302	SBW002-051420	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
SBW002	5/14/2020	15:45	N1	DD-D000302	SBW002-051420	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
SBW002	5/14/2020	15:45	N1	DD-D000302	SBW002-051420	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
SBW002	5/14/2020	15:45	N1	DD-D000302	SBW002-051420	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
SBW002	5/14/2020	15:45	N1	DD-D000302	SBW002-051420	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
SBW002	5/14/2020	15:45	N1	DD-D000302	SBW002-051420	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
SBW002	5/14/2020	15:45	N1	DD-D000302	SBW002-051420	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
SBW002	5/14/2020	15:45	N1	DD-D000302	SBW002-051420	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
SBW003	5/14/2020	15:41	N1	DD-D000303	SBW003-051420	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
SBW003	5/14/2020	15:41	N1	DD-D000303	SBW003-051420	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
SBW003	5/14/2020	15:41	N1	DD-D000303	SBW003-051420	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
SBW003	5/14/2020	15:41	N1	DD-D000303	SBW003-051420	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
SBW003	5/14/2020	15:41	N1	DD-D000303	SBW003-051420	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
SBW003	5/14/2020	15:41	N1	DD-D000303	SBW003-051420	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
SBW003	5/14/2020	15:41	N1	DD-D000303	SBW003-051420	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
SBW003	5/14/2020	15:41	N1	DD-D000303	SBW003-051420	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE

Notes:

- J = estimated value
- ND = non-detect
- N1 = normal environmental sample
- PCB = Polychlorinated biphenyl
- SW = Wipe Sample
- U = non-detect
- ug/WIPE = micrograms per wipe
- UJ = estimated non-detect



# Attachment 3

Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
ABG001	4/15/2020	11:06	N1	DD-D001101	ABG001-041520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG001	4/15/2020	11:06	N1	DD-D001101	ABG001-041520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG001	4/15/2020	11:06	N1	DD-D001101	ABG001-041520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG001	4/15/2020	11:06	N1	DD-D001101	ABG001-041520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1.5		0.088	0.24	ug/WIPE
ABG001	4/15/2020	11:06	N1	DD-D001101	ABG001-041520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG001	4/15/2020	11:06	N1	DD-D001101	ABG001-041520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.63		0.07	0.24	ug/WIPE
ABG001	4/15/2020	11:06	N1	DD-D001101	ABG001-041520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG001	4/15/2020	11:06	N1	DD-D001101	ABG001-041520	SW8082A	SW	TOTAL PCBs	2.13		-	0.24	ug/WIPE
ABG002	4/15/2020	11:11	N1	DD-D001102	ABG002-041520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG002	4/15/2020	11:11	N1	DD-D001102	ABG002-041520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG002	4/15/2020	11:11	N1	DD-D001102	ABG002-041520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG002	4/15/2020	11:11	N1	DD-D001102	ABG002-041520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1.4		0.088	0.24	ug/WIPE
ABG002	4/15/2020	11:11	N1	DD-D001102	ABG002-041520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG002	4/15/2020	11:11	N1	DD-D001102	ABG002-041520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.58		0.07	0.24	ug/WIPE
ABG002	4/15/2020	11:11	N1	DD-D001102	ABG002-041520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG002	4/15/2020	11:11	N1	DD-D001102	ABG002-041520	SW8082A	SW	TOTAL PCBs	1.98		-	0.24	ug/WIPE
ABG003	4/15/2020	11:03	N1	DD-D001103	ABG003-041520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG003	4/15/2020	11:03	N1	DD-D001103	ABG003-041520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG003	4/15/2020	11:03	N1	DD-D001103	ABG003-041520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG003	4/15/2020	11:03	N1	DD-D001103	ABG003-041520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.47		0.088	0.24	ug/WIPE
ABG003	4/15/2020	11:03	N1	DD-D001103	ABG003-041520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG003	4/15/2020	11:03	N1	DD-D001103	ABG003-041520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.19	J	0.07	0.24	ug/WIPE
ABG003	4/15/2020	11:03	N1	DD-D001103	ABG003-041520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG003	4/15/2020	11:03	N1	DD-D001103	ABG003-041520	SW8082A	SW	TOTAL PCBs	0.66		-	0.24	ug/WIPE
ABG004	4/15/2020	10:54	N1	DD-D001104	ABG004-041520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG004	4/15/2020	10:54	N1	DD-D001104	ABG004-041520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG004	4/15/2020	10:54	N1	DD-D001104	ABG004-041520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG004	4/15/2020	10:54	N1	DD-D001104	ABG004-041520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.53		0.088	0.24	ug/WIPE
ABG004	4/15/2020	10:54	N1	DD-D001104	ABG004-041520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG004	4/15/2020	10:54	N1	DD-D001104	ABG004-041520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.22	J	0.07	0.24	ug/WIPE
ABG004	4/15/2020	10:54	N1	DD-D001104	ABG004-041520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG004	4/15/2020	10:54	N1	DD-D001104	ABG004-041520	SW8082A	SW	TOTAL PCBs	0.75		-	0.24	ug/WIPE
ABG005	4/15/2020	10:50	N1	DD-D001105	ABG005-041520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG005	4/15/2020	10:50	N1	DD-D001105	ABG005-041520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG005	4/15/2020	10:50	N1	DD-D001105	ABG005-041520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG005	4/15/2020	10:50	N1	DD-D001105	ABG005-041520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.3		0.088	0.24	ug/WIPE
ABG005	4/15/2020	10:50	N1	DD-D001105	ABG005-041520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG005	4/15/2020	10:50	N1	DD-D001105	ABG005-041520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.12	J	0.07	0.24	ug/WIPE
ABG005	4/15/2020	10:50	N1	DD-D001105	ABG005-041520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG005	4/15/2020	10:50	N1	DD-D001105	ABG005-041520	SW8082A	SW	TOTAL PCBs	0.42		-	0.24	ug/WIPE
ABG006	4/15/2020	10:46	N1	DD-D001106	ABG006-041520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG006	4/15/2020	10:46	N1	DD-D001106	ABG006-041520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG006	4/15/2020	10:46	N1	DD-D001106	ABG006-041520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG006	4/15/2020	10:46	N1	DD-D001106	ABG006-041520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1.7		0.088	0.24	ug/WIPE
ABG006	4/15/2020	10:46	N1	DD-D001106	ABG006-041520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG006	4/15/2020	10:46	N1	DD-D001106	ABG006-041520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.64		0.07	0.24	ug/WIPE
ABG006	4/15/2020	10:46	N1	DD-D001106	ABG006-041520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG006	4/15/2020	10:46	N1	DD-D001106	ABG006-041520	SW8082A	SW	TOTAL PCBs	2.34		-	0.24	ug/WIPE
ABG007	4/15/2020	10:11	N1	DD-D001107	ABG007-041520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG007	4/15/2020	10:11	N1	DD-D001107	ABG007-041520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG007	4/15/2020	10:11	N1	DD-D001107	ABG007-041520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE

Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
ABG007	4/15/2020	10:11	N1	DD-D001107	ABG007-041520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.44		0.088	0.24	ug/WIPE
ABG007	4/15/2020	10:11	N1	DD-D001107	ABG007-041520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG007	4/15/2020	10:11	N1	DD-D001107	ABG007-041520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.2	J	0.07	0.24	ug/WIPE
ABG007	4/15/2020	10:11	N1	DD-D001107	ABG007-041520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG007	4/15/2020	10:11	N1	DD-D001107	ABG007-041520	SW8082A	SW	TOTAL PCBs	0.64		-	0.24	ug/WIPE
ABG008	4/15/2020	10:18	N1	DD-D001108	ABG008-041520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG008	4/15/2020	10:18	N1	DD-D001108	ABG008-041520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG008	4/15/2020	10:18	N1	DD-D001108	ABG008-041520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG008	4/15/2020	10:18	N1	DD-D001108	ABG008-041520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.47		0.088	0.24	ug/WIPE
ABG008	4/15/2020	10:18	N1	DD-D001108	ABG008-041520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG008	4/15/2020	10:18	N1	DD-D001108	ABG008-041520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.24	J	0.07	0.24	ug/WIPE
ABG008	4/15/2020	10:18	N1	DD-D001108	ABG008-041520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG008	4/15/2020	10:18	N1	DD-D001108	ABG008-041520	SW8082A	SW	TOTAL PCBs	0.71		-	0.24	ug/WIPE
ABG009	4/15/2020	10:27	N1	DD-D001109	ABG009-041520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG009	4/15/2020	10:27	N1	DD-D001109	ABG009-041520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG009	4/15/2020	10:27	N1	DD-D001109	ABG009-041520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG009	4/15/2020	10:27	N1	DD-D001109	ABG009-041520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
ABG009	4/15/2020	10:27	N1	DD-D001109	ABG009-041520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG009	4/15/2020	10:27	N1	DD-D001109	ABG009-041520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
ABG009	4/15/2020	10:27	N1	DD-D001109	ABG009-041520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG009	4/15/2020	10:27	N1	DD-D001109	ABG009-041520	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
ABG010	4/15/2020	11:51	N1	DD-D001110	ABG010-041520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG010	4/15/2020	11:51	N1	DD-D001110	ABG010-041520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG010	4/15/2020	11:51	N1	DD-D001110	ABG010-041520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG010	4/15/2020	11:51	N1	DD-D001110	ABG010-041520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.28		0.088	0.24	ug/WIPE
ABG010	4/15/2020	11:51	N1	DD-D001110	ABG010-041520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG010	4/15/2020	11:51	N1	DD-D001110	ABG010-041520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.12	J	0.07	0.24	ug/WIPE
ABG010	4/15/2020	11:51	N1	DD-D001110	ABG010-041520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG010	4/15/2020	11:51	N1	DD-D001110	ABG010-041520	SW8082A	SW	TOTAL PCBs	0.4		-	0.24	ug/WIPE
ABG011	4/15/2020	11:23	N1	DD-D001201	ABG011-041520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG011	4/15/2020	11:23	N1	DD-D001201	ABG011-041520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG011	4/15/2020	11:23	N1	DD-D001201	ABG011-041520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG011	4/15/2020	11:23	N1	DD-D001201	ABG011-041520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.64		0.088	0.24	ug/WIPE
ABG011	4/15/2020	11:23	N1	DD-D001201	ABG011-041520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG011	4/15/2020	11:23	N1	DD-D001201	ABG011-041520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.3		0.07	0.24	ug/WIPE
ABG011	4/15/2020	11:23	N1	DD-D001201	ABG011-041520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG011	4/15/2020	11:23	N1	DD-D001201	ABG011-041520	SW8082A	SW	TOTAL PCBs	0.94		-	0.24	ug/WIPE
ABG012	4/15/2020	11:58	N1	DD-D001202	ABG012-041520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG012	4/15/2020	11:58	N1	DD-D001202	ABG012-041520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG012	4/15/2020	11:58	N1	DD-D001202	ABG012-041520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG012	4/15/2020	11:58	N1	DD-D001202	ABG012-041520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.69		0.088	0.24	ug/WIPE
ABG012	4/15/2020	11:58	N1	DD-D001202	ABG012-041520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG012	4/15/2020	11:58	N1	DD-D001202	ABG012-041520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.3		0.07	0.24	ug/WIPE
ABG012	4/15/2020	11:58	N1	DD-D001202	ABG012-041520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG012	4/15/2020	11:58	N1	DD-D001202	ABG012-041520	SW8082A	SW	TOTAL PCBs	0.99		-	0.24	ug/WIPE
ABG013	4/15/2020	11:28	N1	DD-D001203	ABG013-041520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG013	4/15/2020	11:28	N1	DD-D001203	ABG013-041520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG013	4/15/2020	11:28	N1	DD-D001203	ABG013-041520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG013	4/15/2020	11:28	N1	DD-D001203	ABG013-041520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2		0.088	0.24	ug/WIPE
ABG013	4/15/2020	11:28	N1	DD-D001203	ABG013-041520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG013	4/15/2020	11:28	N1	DD-D001203	ABG013-041520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.81		0.07	0.24	ug/WIPE

Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
ABG013	4/15/2020	11:28	N1	DD-D001203	ABG013-041520	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG013	4/15/2020	11:28	N1	DD-D001203	ABG013-041520	SW8082A	SW	TOTAL PCBs	2.81		-	0.24	ug/WIPE
ABG014	4/15/2020	12:02	N1	DD-D001204	ABG014-041520	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG014	4/15/2020	12:02	N1	DD-D001204	ABG014-041520	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG014	4/15/2020	12:02	N1	DD-D001204	ABG014-041520	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG014	4/15/2020	12:02	N1	DD-D001204	ABG014-041520	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	1.1		0.088	0.24	ug/WIPE
ABG014	4/15/2020	12:02	N1	DD-D001204	ABG014-041520	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG014	4/15/2020	12:02	N1	DD-D001204	ABG014-041520	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.49		0.07	0.24	ug/WIPE
ABG014	4/15/2020	12:02	N1	DD-D001204	ABG014-041520	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG014	4/15/2020	12:02	N1	DD-D001204	ABG014-041520	SW8082A	SW	TOTAL PCBs	1.59		-	0.24	ug/WIPE
ABG015	4/15/2020	11:32	N1	DD-D001205	ABG015-041520	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG015	4/15/2020	11:32	N1	DD-D001205	ABG015-041520	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG015	4/15/2020	11:32	N1	DD-D001205	ABG015-041520	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG015	4/15/2020	11:32	N1	DD-D001205	ABG015-041520	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.38		0.088	0.24	ug/WIPE
ABG015	4/15/2020	11:32	N1	DD-D001205	ABG015-041520	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG015	4/15/2020	11:32	N1	DD-D001205	ABG015-041520	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.25		0.07	0.24	ug/WIPE
ABG015	4/15/2020	11:32	N1	DD-D001205	ABG015-041520	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG015	4/15/2020	11:32	N1	DD-D001205	ABG015-041520	SW8082A	SW	TOTAL PCBs	0.63		-	0.24	ug/WIPE
ABG016	4/15/2020	12:09	N1	DD-D001206	ABG016-041520	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG016	4/15/2020	12:09	N1	DD-D001206	ABG016-041520	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG016	4/15/2020	12:09	N1	DD-D001206	ABG016-041520	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG016	4/15/2020	12:09	N1	DD-D001206	ABG016-041520	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.2		0.088	0.24	ug/WIPE
ABG016	4/15/2020	12:09	N1	DD-D001206	ABG016-041520	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG016	4/15/2020	12:09	N1	DD-D001206	ABG016-041520	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.92		0.07	0.24	ug/WIPE
ABG016	4/15/2020	12:09	N1	DD-D001206	ABG016-041520	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG016	4/15/2020	12:09	N1	DD-D001206	ABG016-041520	SW8082A	SW	TOTAL PCBs	3.12		-	0.24	ug/WIPE
ABG017	4/15/2020	13:32	N1	DD-D001207	ABG017-041520	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG017	4/15/2020	13:32	N1	DD-D001207	ABG017-041520	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG017	4/15/2020	13:32	N1	DD-D001207	ABG017-041520	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG017	4/15/2020	13:32	N1	DD-D001207	ABG017-041520	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.86		0.088	0.24	ug/WIPE
ABG017	4/15/2020	13:32	N1	DD-D001207	ABG017-041520	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG017	4/15/2020	13:32	N1	DD-D001207	ABG017-041520	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.34		0.07	0.24	ug/WIPE
ABG017	4/15/2020	13:32	N1	DD-D001207	ABG017-041520	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG017	4/15/2020	13:32	N1	DD-D001207	ABG017-041520	SW8082A	SW	TOTAL PCBs	1.2		-	0.24	ug/WIPE
ABG018	4/15/2020	11:37	N1	DD-D001208	ABG018-041520	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG018	4/15/2020	11:37	N1	DD-D001208	ABG018-041520	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG018	4/15/2020	11:37	N1	DD-D001208	ABG018-041520	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG018	4/15/2020	11:37	N1	DD-D001208	ABG018-041520	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.48		0.088	0.24	ug/WIPE
ABG018	4/15/2020	11:37	N1	DD-D001208	ABG018-041520	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG018	4/15/2020	11:37	N1	DD-D001208	ABG018-041520	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.22	J	0.07	0.24	ug/WIPE
ABG018	4/15/2020	11:37	N1	DD-D001208	ABG018-041520	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG018	4/15/2020	11:37	N1	DD-D001208	ABG018-041520	SW8082A	SW	TOTAL PCBs	0.7		-	0.24	ug/WIPE
ABG019	4/15/2020	11:40	N1	DD-D001209	ABG019-041520	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG019	4/15/2020	11:40	N1	DD-D001209	ABG019-041520	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG019	4/15/2020	11:40	N1	DD-D001209	ABG019-041520	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG019	4/15/2020	11:40	N1	DD-D001209	ABG019-041520	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	1.2		0.088	0.24	ug/WIPE
ABG019	4/15/2020	11:40	N1	DD-D001209	ABG019-041520	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG019	4/15/2020	11:40	N1	DD-D001209	ABG019-041520	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.49		0.07	0.24	ug/WIPE
ABG019	4/15/2020	11:40	N1	DD-D001209	ABG019-041520	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG019	4/15/2020	11:40	N1	DD-D001209	ABG019-041520	SW8082A	SW	TOTAL PCBs	1.69		-	0.24	ug/WIPE
ABG020	4/15/2020	13:20	N1	DD-D001210	ABG020-041520	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE

## Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
ABG020	4/15/2020	13:20	N1	DD-D001210	ABG020-041520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG020	4/15/2020	13:20	N1	DD-D001210	ABG020-041520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG020	4/15/2020	13:20	N1	DD-D001210	ABG020-041520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.75		0.088	0.24	ug/WIPE
ABG020	4/15/2020	13:20	N1	DD-D001210	ABG020-041520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG020	4/15/2020	13:20	N1	DD-D001210	ABG020-041520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.39		0.07	0.24	ug/WIPE
ABG020	4/15/2020	13:20	N1	DD-D001210	ABG020-041520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG020	4/15/2020	13:20	N1	DD-D001210	ABG020-041520	SW8082A	SW	TOTAL PCBs	1.14		-	0.24	ug/WIPE
ABG021	4/15/2020	11:44	N1	DD-D001301	ABG021-041520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG021	4/15/2020	11:44	N1	DD-D001301	ABG021-041520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG021	4/15/2020	11:44	N1	DD-D001301	ABG021-041520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG021	4/15/2020	11:44	N1	DD-D001301	ABG021-041520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1.3		0.088	0.24	ug/WIPE
ABG021	4/15/2020	11:44	N1	DD-D001301	ABG021-041520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG021	4/15/2020	11:44	N1	DD-D001301	ABG021-041520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.4		0.07	0.24	ug/WIPE
ABG021	4/15/2020	11:44	N1	DD-D001301	ABG021-041520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG021	4/15/2020	11:44	N1	DD-D001301	ABG021-041520	SW8082A	SW	TOTAL PCBs	1.7		-	0.24	ug/WIPE
ABG022	4/15/2020	13:28	N1	DD-D001302	ABG022-041520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG022	4/15/2020	13:28	N1	DD-D001302	ABG022-041520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG022	4/15/2020	13:28	N1	DD-D001302	ABG022-041520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG022	4/15/2020	13:28	N1	DD-D001302	ABG022-041520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2		0.088	0.24	ug/WIPE
ABG022	4/15/2020	13:28	N1	DD-D001302	ABG022-041520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG022	4/15/2020	13:28	N1	DD-D001302	ABG022-041520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.68		0.07	0.24	ug/WIPE
ABG022	4/15/2020	13:28	N1	DD-D001302	ABG022-041520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG022	4/15/2020	13:28	N1	DD-D001302	ABG022-041520	SW8082A	SW	TOTAL PCBs	2.68		-	0.24	ug/WIPE
ABG023	4/15/2020	13:58	N1	DD-D001303	ABG023-041520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG023	4/15/2020	13:58	N1	DD-D001303	ABG023-041520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG023	4/15/2020	13:58	N1	DD-D001303	ABG023-041520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG023	4/15/2020	13:58	N1	DD-D001303	ABG023-041520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1		0.088	0.24	ug/WIPE
ABG023	4/15/2020	13:58	N1	DD-D001303	ABG023-041520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG023	4/15/2020	13:58	N1	DD-D001303	ABG023-041520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.38		0.07	0.24	ug/WIPE
ABG023	4/15/2020	13:58	N1	DD-D001303	ABG023-041520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG023	4/15/2020	13:58	N1	DD-D001303	ABG023-041520	SW8082A	SW	TOTAL PCBs	1.38		-	0.24	ug/WIPE
ABG024	4/15/2020	14:00	N1	DD-D001304	ABG024-041520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG024	4/15/2020	14:00	N1	DD-D001304	ABG024-041520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG024	4/15/2020	14:00	N1	DD-D001304	ABG024-041520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG024	4/15/2020	14:00	N1	DD-D001304	ABG024-041520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.75		0.088	0.24	ug/WIPE
ABG024	4/15/2020	14:00	N1	DD-D001304	ABG024-041520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG024	4/15/2020	14:00	N1	DD-D001304	ABG024-041520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.28		0.07	0.24	ug/WIPE
ABG024	4/15/2020	14:00	N1	DD-D001304	ABG024-041520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG024	4/15/2020	14:00	N1	DD-D001304	ABG024-041520	SW8082A	SW	TOTAL PCBs	1.03		-	0.24	ug/WIPE
ABG025	4/15/2020	14:04	N1	DD-D001305	ABG025-041520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG025	4/15/2020	14:04	N1	DD-D001305	ABG025-041520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG025	4/15/2020	14:04	N1	DD-D001305	ABG025-041520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG025	4/15/2020	14:04	N1	DD-D001305	ABG025-041520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.51		0.088	0.24	ug/WIPE
ABG025	4/15/2020	14:04	N1	DD-D001305	ABG025-041520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG025	4/15/2020	14:04	N1	DD-D001305	ABG025-041520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.21	J	0.07	0.24	ug/WIPE
ABG025	4/15/2020	14:04	N1	DD-D001305	ABG025-041520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG025	4/15/2020	14:04	N1	DD-D001305	ABG025-041520	SW8082A	SW	TOTAL PCBs	0.72		-	0.24	ug/WIPE
ABG026	4/15/2020	14:08	N1	DD-D001306	ABG026-041520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG026	4/15/2020	14:08	N1	DD-D001306	ABG026-041520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG026	4/15/2020	14:08	N1	DD-D001306	ABG026-041520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG026	4/15/2020	14:08	N1	DD-D001306	ABG026-041520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1.5		0.088	0.24	ug/WIPE



Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
ABG026	4/15/2020	14:08	N1	DD-D001306	ABG026-041520	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG026	4/15/2020	14:08	N1	DD-D001306	ABG026-041520	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.53	U	0.07	0.24	ug/WIPE
ABG026	4/15/2020	14:08	N1	DD-D001306	ABG026-041520	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG026	4/15/2020	14:08	N1	DD-D001306	ABG026-041520	SW8082A	SW	TOTAL PCBs	2.03		-	0.24	ug/WIPE
ABG027	4/15/2020	13:50	N1	DD-D001307	ABG027-041520	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG027	4/15/2020	13:50	N1	DD-D001307	ABG027-041520	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG027	4/15/2020	13:50	N1	DD-D001307	ABG027-041520	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG027	4/15/2020	13:50	N1	DD-D001307	ABG027-041520	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.82		0.088	0.24	ug/WIPE
ABG027	4/15/2020	13:50	N1	DD-D001307	ABG027-041520	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG027	4/15/2020	13:50	N1	DD-D001307	ABG027-041520	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.31		0.07	0.24	ug/WIPE
ABG027	4/15/2020	13:50	N1	DD-D001307	ABG027-041520	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG027	4/15/2020	13:50	N1	DD-D001307	ABG027-041520	SW8082A	SW	TOTAL PCBs	1.13		-	0.24	ug/WIPE
ABG028	4/15/2020	13:54	N1	DD-D001308	ABG028-041520	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG028	4/15/2020	13:54	N1	DD-D001308	ABG028-041520	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG028	4/15/2020	13:54	N1	DD-D001308	ABG028-041520	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG028	4/15/2020	13:54	N1	DD-D001308	ABG028-041520	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.66		0.088	0.24	ug/WIPE
ABG028	4/15/2020	13:54	N1	DD-D001308	ABG028-041520	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG028	4/15/2020	13:54	N1	DD-D001308	ABG028-041520	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.28		0.07	0.24	ug/WIPE
ABG028	4/15/2020	13:54	N1	DD-D001308	ABG028-041520	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG028	4/15/2020	13:54	N1	DD-D001308	ABG028-041520	SW8082A	SW	TOTAL PCBs	0.94		-	0.24	ug/WIPE
ABG029	4/15/2020	14:12	N1	DD-D001309	ABG029-041520	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG029	4/15/2020	14:12	N1	DD-D001309	ABG029-041520	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG029	4/15/2020	14:12	N1	DD-D001309	ABG029-041520	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG029	4/15/2020	14:12	N1	DD-D001309	ABG029-041520	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	1.4		0.088	0.24	ug/WIPE
ABG029	4/15/2020	14:12	N1	DD-D001309	ABG029-041520	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG029	4/15/2020	14:12	N1	DD-D001309	ABG029-041520	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.5		0.07	0.24	ug/WIPE
ABG029	4/15/2020	14:12	N1	DD-D001309	ABG029-041520	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG029	4/15/2020	14:12	N1	DD-D001309	ABG029-041520	SW8082A	SW	TOTAL PCBs	1.9		-	0.24	ug/WIPE
ABG030	4/15/2020	14:20	N1	DD-D001310	ABG030-041520	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG030	4/15/2020	14:20	N1	DD-D001310	ABG030-041520	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG030	4/15/2020	14:20	N1	DD-D001310	ABG030-041520	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG030	4/15/2020	14:20	N1	DD-D001310	ABG030-041520	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	1		0.088	0.24	ug/WIPE
ABG030	4/15/2020	14:20	N1	DD-D001310	ABG030-041520	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG030	4/15/2020	14:20	N1	DD-D001310	ABG030-041520	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.39		0.07	0.24	ug/WIPE
ABG030	4/15/2020	14:20	N1	DD-D001310	ABG030-041520	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG030	4/15/2020	14:20	N1	DD-D001310	ABG030-041520	SW8082A	SW	TOTAL PCBs	1.39		-	0.24	ug/WIPE
ABG031	4/15/2020	13:37	N1	DD-D001401	ABG031-041520	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG031	4/15/2020	13:37	N1	DD-D001401	ABG031-041520	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG031	4/15/2020	13:37	N1	DD-D001401	ABG031-041520	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG031	4/15/2020	13:37	N1	DD-D001401	ABG031-041520	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.53		0.088	0.24	ug/WIPE
ABG031	4/15/2020	13:37	N1	DD-D001401	ABG031-041520	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG031	4/15/2020	13:37	N1	DD-D001401	ABG031-041520	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.19	J	0.07	0.24	ug/WIPE
ABG031	4/15/2020	13:37	N1	DD-D001401	ABG031-041520	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG031	4/15/2020	13:37	N1	DD-D001401	ABG031-041520	SW8082A	SW	TOTAL PCBs	0.72		-	0.24	ug/WIPE
ABG032	4/15/2020	14:22	N1	DD-D001402	ABG032-041520	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG032	4/15/2020	14:22	N1	DD-D001402	ABG032-041520	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG032	4/15/2020	14:22	N1	DD-D001402	ABG032-041520	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG032	4/15/2020	14:22	N1	DD-D001402	ABG032-041520	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.29		0.088	0.24	ug/WIPE
ABG032	4/15/2020	14:22	N1	DD-D001402	ABG032-041520	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG032	4/15/2020	14:22	N1	DD-D001402	ABG032-041520	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.12	J	0.07	0.24	ug/WIPE
ABG032	4/15/2020	14:22	N1	DD-D001402	ABG032-041520	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE

Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
ABG032	4/15/2020	14:22	N1	DD-D001402	ABG032-041520	SW8082A	SW	TOTAL PCBs	0.41		-	0.24	ug/WIPE
ABG033	4/15/2020	14:29	N1	DD-D001403	ABG033-041520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG033	4/15/2020	14:29	N1	DD-D001403	ABG033-041520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG033	4/15/2020	14:29	N1	DD-D001403	ABG033-041520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG033	4/15/2020	14:29	N1	DD-D001403	ABG033-041520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.48		0.088	0.24	ug/WIPE
ABG033	4/15/2020	14:29	N1	DD-D001403	ABG033-041520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG033	4/15/2020	14:29	N1	DD-D001403	ABG033-041520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.2	J	0.07	0.24	ug/WIPE
ABG033	4/15/2020	14:29	N1	DD-D001403	ABG033-041520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG033	4/15/2020	14:29	N1	DD-D001403	ABG033-041520	SW8082A	SW	TOTAL PCBs	0.68		-	0.24	ug/WIPE
ABG034	4/15/2020	13:41	N1	DD-D001404	ABG034-041520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG034	4/15/2020	13:41	N1	DD-D001404	ABG034-041520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG034	4/15/2020	13:41	N1	DD-D001404	ABG034-041520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG034	4/15/2020	13:41	N1	DD-D001404	ABG034-041520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.61	J	0.088	0.24	ug/WIPE
ABG034	4/15/2020	13:41	N1	DD-D001404	ABG034-041520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG034	4/15/2020	13:41	N1	DD-D001404	ABG034-041520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.21	J	0.07	0.24	ug/WIPE
ABG034	4/15/2020	13:41	N1	DD-D001404	ABG034-041520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG034	4/15/2020	13:41	N1	DD-D001404	ABG034-041520	SW8082A	SW	TOTAL PCBs	0.82		-	0.24	ug/WIPE
ABG035	4/15/2020	14:36	N1	DD-D001405	ABG035-041520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG035	4/15/2020	14:36	N1	DD-D001405	ABG035-041520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG035	4/15/2020	14:36	N1	DD-D001405	ABG035-041520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG035	4/15/2020	14:36	N1	DD-D001405	ABG035-041520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1.1		0.088	0.24	ug/WIPE
ABG035	4/15/2020	14:36	N1	DD-D001405	ABG035-041520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG035	4/15/2020	14:36	N1	DD-D001405	ABG035-041520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.36		0.07	0.24	ug/WIPE
ABG035	4/15/2020	14:36	N1	DD-D001405	ABG035-041520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG035	4/15/2020	14:36	N1	DD-D001405	ABG035-041520	SW8082A	SW	TOTAL PCBs	1.46		-	0.24	ug/WIPE
ABG036	4/15/2020	15:23	N1	DD-D001406	ABG036-041520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG036	4/15/2020	15:23	N1	DD-D001406	ABG036-041520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG036	4/15/2020	15:23	N1	DD-D001406	ABG036-041520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG036	4/15/2020	15:23	N1	DD-D001406	ABG036-041520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3.7		0.088	0.24	ug/WIPE
ABG036	4/15/2020	15:23	N1	DD-D001406	ABG036-041520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG036	4/15/2020	15:23	N1	DD-D001406	ABG036-041520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.3		0.07	0.24	ug/WIPE
ABG036	4/15/2020	15:23	N1	DD-D001406	ABG036-041520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG036	4/15/2020	15:23	N1	DD-D001406	ABG036-041520	SW8082A	SW	TOTAL PCBs	5		-	0.24	ug/WIPE
ABG037	4/15/2020	15:19	N1	DD-D001407	ABG037-041520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG037	4/15/2020	15:19	N1	DD-D001407	ABG037-041520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG037	4/15/2020	15:19	N1	DD-D001407	ABG037-041520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG037	4/15/2020	15:19	N1	DD-D001407	ABG037-041520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2.5		0.088	0.24	ug/WIPE
ABG037	4/15/2020	15:19	N1	DD-D001407	ABG037-041520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG037	4/15/2020	15:19	N1	DD-D001407	ABG037-041520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1		0.07	0.24	ug/WIPE
ABG037	4/15/2020	15:19	N1	DD-D001407	ABG037-041520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG037	4/15/2020	15:19	N1	DD-D001407	ABG037-041520	SW8082A	SW	TOTAL PCBs	3.5		-	0.24	ug/WIPE
ABG038	4/15/2020	15:17	N1	DD-D001408	ABG038-041520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG038	4/15/2020	15:17	N1	DD-D001408	ABG038-041520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG038	4/15/2020	15:17	N1	DD-D001408	ABG038-041520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG038	4/15/2020	15:17	N1	DD-D001408	ABG038-041520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1.1		0.088	0.24	ug/WIPE
ABG038	4/15/2020	15:17	N1	DD-D001408	ABG038-041520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG038	4/15/2020	15:17	N1	DD-D001408	ABG038-041520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.42		0.07	0.24	ug/WIPE
ABG038	4/15/2020	15:17	N1	DD-D001408	ABG038-041520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG038	4/15/2020	15:17	N1	DD-D001408	ABG038-041520	SW8082A	SW	TOTAL PCBs	1.52		-	0.24	ug/WIPE
ABG039	4/15/2020	15:15	N1	DD-D001409	ABG039-041520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG039	4/15/2020	15:15	N1	DD-D001409	ABG039-041520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE

Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
ABG039	4/15/2020	15:15	N1	DD-D001409	ABG039-041520	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG039	4/15/2020	15:15	N1	DD-D001409	ABG039-041520	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	1.8	U	0.088	0.24	ug/WIPE
ABG039	4/15/2020	15:15	N1	DD-D001409	ABG039-041520	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG039	4/15/2020	15:15	N1	DD-D001409	ABG039-041520	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.71	U	0.07	0.24	ug/WIPE
ABG039	4/15/2020	15:15	N1	DD-D001409	ABG039-041520	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG039	4/15/2020	15:15	N1	DD-D001409	ABG039-041520	SW8082A	SW	TOTAL PCBs	2.51	U	-	0.24	ug/WIPE
ABG040	4/15/2020	14:41	N1	DD-D001410	ABG040-041520	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG040	4/15/2020	14:41	N1	DD-D001410	ABG040-041520	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG040	4/15/2020	14:41	N1	DD-D001410	ABG040-041520	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG040	4/15/2020	14:41	N1	DD-D001410	ABG040-041520	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.2	U	0.088	0.24	ug/WIPE
ABG040	4/15/2020	14:41	N1	DD-D001410	ABG040-041520	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG040	4/15/2020	14:41	N1	DD-D001410	ABG040-041520	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.2	U	0.07	0.24	ug/WIPE
ABG040	4/15/2020	14:41	N1	DD-D001410	ABG040-041520	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG040	4/15/2020	14:41	N1	DD-D001410	ABG040-041520	SW8082A	SW	TOTAL PCBs	4.4	U	-	0.24	ug/WIPE
ABG041	4/15/2020	14:26	N1	DD-D001501	ABG041-041520	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG041	4/15/2020	14:26	N1	DD-D001501	ABG041-041520	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG041	4/15/2020	14:26	N1	DD-D001501	ABG041-041520	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG041	4/15/2020	14:26	N1	DD-D001501	ABG041-041520	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	1.2	U	0.088	0.24	ug/WIPE
ABG041	4/15/2020	14:26	N1	DD-D001501	ABG041-041520	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG041	4/15/2020	14:26	N1	DD-D001501	ABG041-041520	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.44	U	0.07	0.24	ug/WIPE
ABG041	4/15/2020	14:26	N1	DD-D001501	ABG041-041520	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG041	4/15/2020	14:26	N1	DD-D001501	ABG041-041520	SW8082A	SW	TOTAL PCBs	1.64	U	-	0.24	ug/WIPE
ABG042	4/15/2020	14:44	N1	DD-D001502	ABG042-041520	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG042	4/15/2020	14:44	N1	DD-D001502	ABG042-041520	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG042	4/15/2020	14:44	N1	DD-D001502	ABG042-041520	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG042	4/15/2020	14:44	N1	DD-D001502	ABG042-041520	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	1.3	U	0.088	0.24	ug/WIPE
ABG042	4/15/2020	14:44	N1	DD-D001502	ABG042-041520	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG042	4/15/2020	14:44	N1	DD-D001502	ABG042-041520	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.57	U	0.07	0.24	ug/WIPE
ABG042	4/15/2020	14:44	N1	DD-D001502	ABG042-041520	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG042	4/15/2020	14:44	N1	DD-D001502	ABG042-041520	SW8082A	SW	TOTAL PCBs	1.87	U	-	0.24	ug/WIPE
ABG043	4/15/2020	15:10	N1	DD-D001503	ABG043-041520	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG043	4/15/2020	15:10	N1	DD-D001503	ABG043-041520	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG043	4/15/2020	15:10	N1	DD-D001503	ABG043-041520	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG043	4/15/2020	15:10	N1	DD-D001503	ABG043-041520	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	1.9	U	0.088	0.24	ug/WIPE
ABG043	4/15/2020	15:10	N1	DD-D001503	ABG043-041520	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG043	4/15/2020	15:10	N1	DD-D001503	ABG043-041520	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.64	U	0.07	0.24	ug/WIPE
ABG043	4/15/2020	15:10	N1	DD-D001503	ABG043-041520	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG043	4/15/2020	15:10	N1	DD-D001503	ABG043-041520	SW8082A	SW	TOTAL PCBs	2.54	U	-	0.24	ug/WIPE
ABG044	4/15/2020	14:47	N1	DD-D001504	ABG044-041520	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG044	4/15/2020	14:47	N1	DD-D001504	ABG044-041520	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG044	4/15/2020	14:47	N1	DD-D001504	ABG044-041520	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG044	4/15/2020	14:47	N1	DD-D001504	ABG044-041520	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.67	U	0.088	0.24	ug/WIPE
ABG044	4/15/2020	14:47	N1	DD-D001504	ABG044-041520	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG044	4/15/2020	14:47	N1	DD-D001504	ABG044-041520	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.26	U	0.07	0.24	ug/WIPE
ABG044	4/15/2020	14:47	N1	DD-D001504	ABG044-041520	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG044	4/15/2020	14:47	N1	DD-D001504	ABG044-041520	SW8082A	SW	TOTAL PCBs	0.93	U	-	0.24	ug/WIPE
ABG045	4/15/2020	15:26	N1	DD-D001505	ABG045-041520	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG045	4/15/2020	15:26	N1	DD-D001505	ABG045-041520	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG045	4/15/2020	15:26	N1	DD-D001505	ABG045-041520	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG045	4/15/2020	15:26	N1	DD-D001505	ABG045-041520	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.53	U	0.088	0.24	ug/WIPE
ABG045	4/15/2020	15:26	N1	DD-D001505	ABG045-041520	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE

Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
ABG045	4/15/2020	15:26	N1	DD-D001505	ABG045-041520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.2	J	0.07	0.24	ug/WIPE
ABG045	4/15/2020	15:26	N1	DD-D001505	ABG045-041520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG045	4/15/2020	15:26	N1	DD-D001505	ABG045-041520	SW8082A	SW	TOTAL PCBs	0.73		-	0.24	ug/WIPE
ABG046	4/15/2020	15:28	N1	DD-D001506	ABG046-041520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG046	4/15/2020	15:28	N1	DD-D001506	ABG046-041520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG046	4/15/2020	15:28	N1	DD-D001506	ABG046-041520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG046	4/15/2020	15:28	N1	DD-D001506	ABG046-041520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1.1		0.088	0.24	ug/WIPE
ABG046	4/15/2020	15:28	N1	DD-D001506	ABG046-041520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG046	4/15/2020	15:28	N1	DD-D001506	ABG046-041520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.45		0.07	0.24	ug/WIPE
ABG046	4/15/2020	15:28	N1	DD-D001506	ABG046-041520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG046	4/15/2020	15:28	N1	DD-D001506	ABG046-041520	SW8082A	SW	TOTAL PCBs	1.55		-	0.24	ug/WIPE
ABG047	4/15/2020	15:32	N1	DD-D001507	ABG047-041520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG047	4/15/2020	15:32	N1	DD-D001507	ABG047-041520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG047	4/15/2020	15:32	N1	DD-D001507	ABG047-041520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG047	4/15/2020	15:32	N1	DD-D001507	ABG047-041520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1.5		0.088	0.24	ug/WIPE
ABG047	4/15/2020	15:32	N1	DD-D001507	ABG047-041520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG047	4/15/2020	15:32	N1	DD-D001507	ABG047-041520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.55		0.07	0.24	ug/WIPE
ABG047	4/15/2020	15:32	N1	DD-D001507	ABG047-041520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG047	4/15/2020	15:32	N1	DD-D001507	ABG047-041520	SW8082A	SW	TOTAL PCBs	2.05		-	0.24	ug/WIPE
ABG048	4/15/2020	15:34	N1	DD-D001508	ABG048-041520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG048	4/15/2020	15:34	N1	DD-D001508	ABG048-041520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG048	4/15/2020	15:34	N1	DD-D001508	ABG048-041520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG048	4/15/2020	15:34	N1	DD-D001508	ABG048-041520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1.4		0.088	0.24	ug/WIPE
ABG048	4/15/2020	15:34	N1	DD-D001508	ABG048-041520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG048	4/15/2020	15:34	N1	DD-D001508	ABG048-041520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.47		0.07	0.24	ug/WIPE
ABG048	4/15/2020	15:34	N1	DD-D001508	ABG048-041520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG048	4/15/2020	15:34	N1	DD-D001508	ABG048-041520	SW8082A	SW	TOTAL PCBs	1.87		-	0.24	ug/WIPE
ABG049	4/15/2020	15:35	N1	DD-D001509	ABG049-041520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG049	4/15/2020	15:35	N1	DD-D001509	ABG049-041520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG049	4/15/2020	15:35	N1	DD-D001509	ABG049-041520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG049	4/15/2020	15:35	N1	DD-D001509	ABG049-041520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2		0.088	0.24	ug/WIPE
ABG049	4/15/2020	15:35	N1	DD-D001509	ABG049-041520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG049	4/15/2020	15:35	N1	DD-D001509	ABG049-041520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.9		0.07	0.24	ug/WIPE
ABG049	4/15/2020	15:35	N1	DD-D001509	ABG049-041520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG049	4/15/2020	15:35	N1	DD-D001509	ABG049-041520	SW8082A	SW	TOTAL PCBs	2.9		-	0.24	ug/WIPE
ABG050	4/15/2020	15:38	N1	DD-D001510	ABG050-041520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG050	4/15/2020	15:38	N1	DD-D001510	ABG050-041520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG050	4/15/2020	15:38	N1	DD-D001510	ABG050-041520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG050	4/15/2020	15:38	N1	DD-D001510	ABG050-041520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2.5		0.088	0.24	ug/WIPE
ABG050	4/15/2020	15:38	N1	DD-D001510	ABG050-041520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG050	4/15/2020	15:38	N1	DD-D001510	ABG050-041520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.82		0.07	0.24	ug/WIPE
ABG050	4/15/2020	15:38	N1	DD-D001510	ABG050-041520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG050	4/15/2020	15:38	N1	DD-D001510	ABG050-041520	SW8082A	SW	TOTAL PCBs	3.32		-	0.24	ug/WIPE
ABG051	4/15/2020	15:52	N1	DD-D001601	ABG051-041520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG051	4/15/2020	15:52	N1	DD-D001601	ABG051-041520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG051	4/15/2020	15:52	N1	DD-D001601	ABG051-041520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG051	4/15/2020	15:52	N1	DD-D001601	ABG051-041520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.5		0.088	0.24	ug/WIPE
ABG051	4/15/2020	15:52	N1	DD-D001601	ABG051-041520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG051	4/15/2020	15:52	N1	DD-D001601	ABG051-041520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
ABG051	4/15/2020	15:52	N1	DD-D001601	ABG051-041520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG051	4/15/2020	15:52	N1	DD-D001601	ABG051-041520	SW8082A	SW	TOTAL PCBs	0.5		-	0.24	ug/WIPE

## Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
ABG052	4/15/2020	15:50	N1	DD-D001602	ABG052-041520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG052	4/15/2020	15:50	N1	DD-D001602	ABG052-041520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG052	4/15/2020	15:50	N1	DD-D001602	ABG052-041520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG052	4/15/2020	15:50	N1	DD-D001602	ABG052-041520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2.4		0.088	0.24	ug/WIPE
ABG052	4/15/2020	15:50	N1	DD-D001602	ABG052-041520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG052	4/15/2020	15:50	N1	DD-D001602	ABG052-041520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.78		0.07	0.24	ug/WIPE
ABG052	4/15/2020	15:50	N1	DD-D001602	ABG052-041520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG052	4/15/2020	15:50	N1	DD-D001602	ABG052-041520	SW8082A	SW	TOTAL PCBs	3.18		-	0.24	ug/WIPE
ABG053	4/15/2020	15:47	N1	DD-D001603	ABG053-041520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG053	4/15/2020	15:47	N1	DD-D001603	ABG053-041520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG053	4/15/2020	15:47	N1	DD-D001603	ABG053-041520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG053	4/15/2020	15:47	N1	DD-D001603	ABG053-041520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1.2		0.088	0.24	ug/WIPE
ABG053	4/15/2020	15:47	N1	DD-D001603	ABG053-041520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG053	4/15/2020	15:47	N1	DD-D001603	ABG053-041520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.46		0.07	0.24	ug/WIPE
ABG053	4/15/2020	15:47	N1	DD-D001603	ABG053-041520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG053	4/15/2020	15:47	N1	DD-D001603	ABG053-041520	SW8082A	SW	TOTAL PCBs	1.66		-	0.24	ug/WIPE
ABG054	4/15/2020	15:43	N1	DD-D001604	ABG054-041520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG054	4/15/2020	15:43	N1	DD-D001604	ABG054-041520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG054	4/15/2020	15:43	N1	DD-D001604	ABG054-041520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG054	4/15/2020	15:43	N1	DD-D001604	ABG054-041520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1.7		0.088	0.24	ug/WIPE
ABG054	4/15/2020	15:43	N1	DD-D001604	ABG054-041520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG054	4/15/2020	15:43	N1	DD-D001604	ABG054-041520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.62		0.07	0.24	ug/WIPE
ABG054	4/15/2020	15:43	N1	DD-D001604	ABG054-041520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG054	4/15/2020	15:43	N1	DD-D001604	ABG054-041520	SW8082A	SW	TOTAL PCBs	2.32		-	0.24	ug/WIPE
ABG055	4/15/2020	15:41	N1	DD-D001605	ABG055-041520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG055	4/15/2020	15:41	N1	DD-D001605	ABG055-041520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG055	4/15/2020	15:41	N1	DD-D001605	ABG055-041520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG055	4/15/2020	15:41	N1	DD-D001605	ABG055-041520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2		0.088	0.24	ug/WIPE
ABG055	4/15/2020	15:41	N1	DD-D001605	ABG055-041520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG055	4/15/2020	15:41	N1	DD-D001605	ABG055-041520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.71		0.07	0.24	ug/WIPE
ABG055	4/15/2020	15:41	N1	DD-D001605	ABG055-041520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG055	4/15/2020	15:41	N1	DD-D001605	ABG055-041520	SW8082A	SW	TOTAL PCBs	2.71		-	0.24	ug/WIPE
ABG056	4/15/2020	16:25	N1	DD-D001606	ABG056-041520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG056	4/15/2020	16:25	N1	DD-D001606	ABG056-041520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG056	4/15/2020	16:25	N1	DD-D001606	ABG056-041520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG056	4/15/2020	16:25	N1	DD-D001606	ABG056-041520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.42		0.088	0.24	ug/WIPE
ABG056	4/15/2020	16:25	N1	DD-D001606	ABG056-041520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG056	4/15/2020	16:25	N1	DD-D001606	ABG056-041520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.14	J	0.07	0.24	ug/WIPE
ABG056	4/15/2020	16:25	N1	DD-D001606	ABG056-041520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG056	4/15/2020	16:25	N1	DD-D001606	ABG056-041520	SW8082A	SW	TOTAL PCBs	0.56		-	0.24	ug/WIPE
ABG057	4/15/2020	16:20	N1	DD-D001607	ABG057-041520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG057	4/15/2020	16:20	N1	DD-D001607	ABG057-041520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG057	4/15/2020	16:20	N1	DD-D001607	ABG057-041520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG057	4/15/2020	16:20	N1	DD-D001607	ABG057-041520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.9		0.088	0.24	ug/WIPE
ABG057	4/15/2020	16:20	N1	DD-D001607	ABG057-041520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG057	4/15/2020	16:20	N1	DD-D001607	ABG057-041520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.38		0.07	0.24	ug/WIPE
ABG057	4/15/2020	16:20	N1	DD-D001607	ABG057-041520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG057	4/15/2020	16:20	N1	DD-D001607	ABG057-041520	SW8082A	SW	TOTAL PCBs	1.28		-	0.24	ug/WIPE
ABG058	4/15/2020	16:18	N1	DD-D001608	ABG058-041520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG058	4/15/2020	16:18	N1	DD-D001608	ABG058-041520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG058	4/15/2020	16:18	N1	DD-D001608	ABG058-041520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE



Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
ABG058	4/15/2020	16:18	N1	DD-D001608	ABG058-041520	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	1.3		0.088	0.24	ug/WIPE
ABG058	4/15/2020	16:18	N1	DD-D001608	ABG058-041520	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG058	4/15/2020	16:18	N1	DD-D001608	ABG058-041520	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.48		0.07	0.24	ug/WIPE
ABG058	4/15/2020	16:18	N1	DD-D001608	ABG058-041520	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG058	4/15/2020	16:18	N1	DD-D001608	ABG058-041520	SW8082A	SW	TOTAL PCBs	1.78		-	0.24	ug/WIPE
ABG059	4/15/2020	15:56	N1	DD-D001609	ABG059-041520	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG059	4/15/2020	15:56	N1	DD-D001609	ABG059-041520	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG059	4/15/2020	15:56	N1	DD-D001609	ABG059-041520	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG059	4/15/2020	15:56	N1	DD-D001609	ABG059-041520	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	1.7		0.088	0.24	ug/WIPE
ABG059	4/15/2020	15:56	N1	DD-D001609	ABG059-041520	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG059	4/15/2020	15:56	N1	DD-D001609	ABG059-041520	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.65		0.07	0.24	ug/WIPE
ABG059	4/15/2020	15:56	N1	DD-D001609	ABG059-041520	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG059	4/15/2020	15:56	N1	DD-D001609	ABG059-041520	SW8082A	SW	TOTAL PCBs	2.35		-	0.24	ug/WIPE
ABG060	4/15/2020	16:15	N1	DD-D001610	ABG060-041520	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG060	4/15/2020	16:15	N1	DD-D001610	ABG060-041520	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG060	4/15/2020	16:15	N1	DD-D001610	ABG060-041520	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG060	4/15/2020	16:15	N1	DD-D001610	ABG060-041520	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3		0.088	0.24	ug/WIPE
ABG060	4/15/2020	16:15	N1	DD-D001610	ABG060-041520	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG060	4/15/2020	16:15	N1	DD-D001610	ABG060-041520	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.3		0.07	0.24	ug/WIPE
ABG060	4/15/2020	16:15	N1	DD-D001610	ABG060-041520	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG060	4/15/2020	16:15	N1	DD-D001610	ABG060-041520	SW8082A	SW	TOTAL PCBs	4.3		-	0.24	ug/WIPE
ABG061	4/15/2020	16:00	N1	DD-D001701	ABG061-041520	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG061	4/15/2020	16:00	N1	DD-D001701	ABG061-041520	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG061	4/15/2020	16:00	N1	DD-D001701	ABG061-041520	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG061	4/15/2020	16:00	N1	DD-D001701	ABG061-041520	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	1.5		0.088	0.24	ug/WIPE
ABG061	4/15/2020	16:00	N1	DD-D001701	ABG061-041520	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG061	4/15/2020	16:00	N1	DD-D001701	ABG061-041520	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.66		0.07	0.24	ug/WIPE
ABG061	4/15/2020	16:00	N1	DD-D001701	ABG061-041520	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG061	4/15/2020	16:00	N1	DD-D001701	ABG061-041520	SW8082A	SW	TOTAL PCBs	2.16		-	0.24	ug/WIPE
ABG062	4/15/2020	16:27	N1	DD-D001702	ABG062-041520	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG062	4/15/2020	16:27	N1	DD-D001702	ABG062-041520	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG062	4/15/2020	16:27	N1	DD-D001702	ABG062-041520	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG062	4/15/2020	16:27	N1	DD-D001702	ABG062-041520	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.8		0.088	0.24	ug/WIPE
ABG062	4/15/2020	16:27	N1	DD-D001702	ABG062-041520	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG062	4/15/2020	16:27	N1	DD-D001702	ABG062-041520	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.2		0.07	0.24	ug/WIPE
ABG062	4/15/2020	16:27	N1	DD-D001702	ABG062-041520	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG062	4/15/2020	16:27	N1	DD-D001702	ABG062-041520	SW8082A	SW	TOTAL PCBs	4		-	0.24	ug/WIPE
ABG063	4/15/2020	16:29	N1	DD-D001703	ABG063-041520	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG063	4/15/2020	16:29	N1	DD-D001703	ABG063-041520	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG063	4/15/2020	16:29	N1	DD-D001703	ABG063-041520	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG063	4/15/2020	16:29	N1	DD-D001703	ABG063-041520	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	1.9		0.088	0.24	ug/WIPE
ABG063	4/15/2020	16:29	N1	DD-D001703	ABG063-041520	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG063	4/15/2020	16:29	N1	DD-D001703	ABG063-041520	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.79		0.07	0.24	ug/WIPE
ABG063	4/15/2020	16:29	N1	DD-D001703	ABG063-041520	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG063	4/15/2020	16:29	N1	DD-D001703	ABG063-041520	SW8082A	SW	TOTAL PCBs	2.69		-	0.24	ug/WIPE
ABG064	4/15/2020	16:34	N1	DD-D001704	ABG064-041520	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG064	4/15/2020	16:34	N1	DD-D001704	ABG064-041520	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG064	4/15/2020	16:34	N1	DD-D001704	ABG064-041520	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG064	4/15/2020	16:34	N1	DD-D001704	ABG064-041520	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	1.8		0.088	0.24	ug/WIPE
ABG064	4/15/2020	16:34	N1	DD-D001704	ABG064-041520	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG064	4/15/2020	16:34	N1	DD-D001704	ABG064-041520	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.75		0.07	0.24	ug/WIPE

Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
ABG064	4/15/2020	16:34	N1	DD-D001704	ABG064-041520	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG064	4/15/2020	16:34	N1	DD-D001704	ABG064-041520	SW8082A	SW	TOTAL PCBs	2.55		-	0.24	ug/WIPE
ABG065	4/15/2020	16:36	N1	DD-D001705	ABG065-041520	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG065	4/15/2020	16:36	N1	DD-D001705	ABG065-041520	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG065	4/15/2020	16:36	N1	DD-D001705	ABG065-041520	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG065	4/15/2020	16:36	N1	DD-D001705	ABG065-041520	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.8		0.088	0.24	ug/WIPE
ABG065	4/15/2020	16:36	N1	DD-D001705	ABG065-041520	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG065	4/15/2020	16:36	N1	DD-D001705	ABG065-041520	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.36		0.07	0.24	ug/WIPE
ABG065	4/15/2020	16:36	N1	DD-D001705	ABG065-041520	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG065	4/15/2020	16:36	N1	DD-D001705	ABG065-041520	SW8082A	SW	TOTAL PCBs	1.16		-	0.24	ug/WIPE
ABG066	4/15/2020	16:38	N1	DD-D001706	ABG066-041520	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG066	4/15/2020	16:38	N1	DD-D001706	ABG066-041520	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG066	4/15/2020	16:38	N1	DD-D001706	ABG066-041520	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG066	4/15/2020	16:38	N1	DD-D001706	ABG066-041520	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.75		0.088	0.24	ug/WIPE
ABG066	4/15/2020	16:38	N1	DD-D001706	ABG066-041520	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG066	4/15/2020	16:38	N1	DD-D001706	ABG066-041520	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.35		0.07	0.24	ug/WIPE
ABG066	4/15/2020	16:38	N1	DD-D001706	ABG066-041520	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG066	4/15/2020	16:38	N1	DD-D001706	ABG066-041520	SW8082A	SW	TOTAL PCBs	1.1		-	0.24	ug/WIPE
ABG067	4/15/2020	16:53	N1	DD-D001707	ABG067-041520	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG067	4/15/2020	16:53	N1	DD-D001707	ABG067-041520	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG067	4/15/2020	16:53	N1	DD-D001707	ABG067-041520	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG067	4/15/2020	16:53	N1	DD-D001707	ABG067-041520	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	1.5		0.088	0.24	ug/WIPE
ABG067	4/15/2020	16:53	N1	DD-D001707	ABG067-041520	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG067	4/15/2020	16:53	N1	DD-D001707	ABG067-041520	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.7		0.07	0.24	ug/WIPE
ABG067	4/15/2020	16:53	N1	DD-D001707	ABG067-041520	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG067	4/15/2020	16:53	N1	DD-D001707	ABG067-041520	SW8082A	SW	TOTAL PCBs	2.2		-	0.24	ug/WIPE
ABG068	4/15/2020	16:50	N1	DD-D001708	ABG068-041520	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG068	4/15/2020	16:50	N1	DD-D001708	ABG068-041520	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG068	4/15/2020	16:50	N1	DD-D001708	ABG068-041520	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG068	4/15/2020	16:50	N1	DD-D001708	ABG068-041520	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.1		0.088	0.24	ug/WIPE
ABG068	4/15/2020	16:50	N1	DD-D001708	ABG068-041520	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG068	4/15/2020	16:50	N1	DD-D001708	ABG068-041520	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.83		0.07	0.24	ug/WIPE
ABG068	4/15/2020	16:50	N1	DD-D001708	ABG068-041520	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG068	4/15/2020	16:50	N1	DD-D001708	ABG068-041520	SW8082A	SW	TOTAL PCBs	2.93		-	0.24	ug/WIPE
ABG069	4/15/2020	16:47	N1	DD-D001709	ABG069-041520	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG069	4/15/2020	16:47	N1	DD-D001709	ABG069-041520	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG069	4/15/2020	16:47	N1	DD-D001709	ABG069-041520	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG069	4/15/2020	16:47	N1	DD-D001709	ABG069-041520	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	1.6		0.088	0.24	ug/WIPE
ABG069	4/15/2020	16:47	N1	DD-D001709	ABG069-041520	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG069	4/15/2020	16:47	N1	DD-D001709	ABG069-041520	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.65		0.07	0.24	ug/WIPE
ABG069	4/15/2020	16:47	N1	DD-D001709	ABG069-041520	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG069	4/15/2020	16:47	N1	DD-D001709	ABG069-041520	SW8082A	SW	TOTAL PCBs	2.25		-	0.24	ug/WIPE
ABG070	4/15/2020	16:43	N1	DD-D001710	ABG070-041520	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG070	4/15/2020	16:43	N1	DD-D001710	ABG070-041520	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG070	4/15/2020	16:43	N1	DD-D001710	ABG070-041520	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG070	4/15/2020	16:43	N1	DD-D001710	ABG070-041520	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	1.5		0.088	0.24	ug/WIPE
ABG070	4/15/2020	16:43	N1	DD-D001710	ABG070-041520	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG070	4/15/2020	16:43	N1	DD-D001710	ABG070-041520	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.66		0.07	0.24	ug/WIPE
ABG070	4/15/2020	16:43	N1	DD-D001710	ABG070-041520	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG070	4/15/2020	16:43	N1	DD-D001710	ABG070-041520	SW8082A	SW	TOTAL PCBs	2.16		-	0.24	ug/WIPE
ABG071	4/15/2020	17:08	N1	DD-D001801	ABG071-041520	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE

Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
ABG071	4/15/2020	17:08	N1	DD-D001801	ABG071-041520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG071	4/15/2020	17:08	N1	DD-D001801	ABG071-041520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG071	4/15/2020	17:08	N1	DD-D001801	ABG071-041520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.43		0.088	0.24	ug/WIPE
ABG071	4/15/2020	17:08	N1	DD-D001801	ABG071-041520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG071	4/15/2020	17:08	N1	DD-D001801	ABG071-041520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.21	J	0.07	0.24	ug/WIPE
ABG071	4/15/2020	17:08	N1	DD-D001801	ABG071-041520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG071	4/15/2020	17:08	N1	DD-D001801	ABG071-041520	SW8082A	SW	TOTAL PCBs	0.64		-	0.24	ug/WIPE
ABG072	4/15/2020	16:58	N1	DD-D001802	ABG072-041520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG072	4/15/2020	16:58	N1	DD-D001802	ABG072-041520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG072	4/15/2020	16:58	N1	DD-D001802	ABG072-041520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG072	4/15/2020	16:58	N1	DD-D001802	ABG072-041520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1.2		0.088	0.24	ug/WIPE
ABG072	4/15/2020	16:58	N1	DD-D001802	ABG072-041520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG072	4/15/2020	16:58	N1	DD-D001802	ABG072-041520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.43		0.07	0.24	ug/WIPE
ABG072	4/15/2020	16:58	N1	DD-D001802	ABG072-041520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG072	4/15/2020	16:58	N1	DD-D001802	ABG072-041520	SW8082A	SW	TOTAL PCBs	1.63		-	0.24	ug/WIPE
ABG073	4/15/2020	17:00	N1	DD-D001803	ABG073-041520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG073	4/15/2020	17:00	N1	DD-D001803	ABG073-041520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG073	4/15/2020	17:00	N1	DD-D001803	ABG073-041520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG073	4/15/2020	17:00	N1	DD-D001803	ABG073-041520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.98		0.088	0.24	ug/WIPE
ABG073	4/15/2020	17:00	N1	DD-D001803	ABG073-041520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG073	4/15/2020	17:00	N1	DD-D001803	ABG073-041520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.4		0.07	0.24	ug/WIPE
ABG073	4/15/2020	17:00	N1	DD-D001803	ABG073-041520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG073	4/15/2020	17:00	N1	DD-D001803	ABG073-041520	SW8082A	SW	TOTAL PCBs	1.38		-	0.24	ug/WIPE
ABG074	4/15/2020	16:41	N1	DD-D001804	ABG074-041520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG074	4/15/2020	16:41	N1	DD-D001804	ABG074-041520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG074	4/15/2020	16:41	N1	DD-D001804	ABG074-041520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG074	4/15/2020	16:41	N1	DD-D001804	ABG074-041520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1		0.088	0.24	ug/WIPE
ABG074	4/15/2020	16:41	N1	DD-D001804	ABG074-041520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG074	4/15/2020	16:41	N1	DD-D001804	ABG074-041520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.42		0.07	0.24	ug/WIPE
ABG074	4/15/2020	16:41	N1	DD-D001804	ABG074-041520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG074	4/15/2020	16:41	N1	DD-D001804	ABG074-041520	SW8082A	SW	TOTAL PCBs	1.42		-	0.24	ug/WIPE
ABG075	4/15/2020	17:03	N1	DD-D001805	ABG075-041520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
ABG075	4/15/2020	17:03	N1	DD-D001805	ABG075-041520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
ABG075	4/15/2020	17:03	N1	DD-D001805	ABG075-041520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
ABG075	4/15/2020	17:03	N1	DD-D001805	ABG075-041520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.64		0.088	0.24	ug/WIPE
ABG075	4/15/2020	17:03	N1	DD-D001805	ABG075-041520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
ABG075	4/15/2020	17:03	N1	DD-D001805	ABG075-041520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.24		0.07	0.24	ug/WIPE
ABG075	4/15/2020	17:03	N1	DD-D001805	ABG075-041520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
ABG075	4/15/2020	17:03	N1	DD-D001805	ABG075-041520	SW8082A	SW	TOTAL PCBs	0.88		-	0.24	ug/WIPE
AW001	4/15/2020	11:17	N1	DD-D000101	AW001-041520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
AW001	4/15/2020	11:17	N1	DD-D000101	AW001-041520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
AW001	4/15/2020	11:17	N1	DD-D000101	AW001-041520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
AW001	4/15/2020	11:17	N1	DD-D000101	AW001-041520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
AW001	4/15/2020	11:17	N1	DD-D000101	AW001-041520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
AW001	4/15/2020	11:17	N1	DD-D000101	AW001-041520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
AW001	4/15/2020	11:17	N1	DD-D000101	AW001-041520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
AW001	4/15/2020	11:17	N1	DD-D000101	AW001-041520	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
AW002	4/15/2020	10:58	N1	DD-D000102	AW002-041520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
AW002	4/15/2020	10:58	N1	DD-D000102	AW002-041520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
AW002	4/15/2020	10:58	N1	DD-D000102	AW002-041520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
AW002	4/15/2020	10:58	N1	DD-D000102	AW002-041520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.25		0.088	0.24	ug/WIPE

Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
AW002	4/15/2020	10:58	N1	DD-D000102	AW002-041520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
AW002	4/15/2020	10:58	N1	DD-D000102	AW002-041520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.093	J	0.07	0.24	ug/WIPE
AW002	4/15/2020	10:58	N1	DD-D000102	AW002-041520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
AW002	4/15/2020	10:58	N1	DD-D000102	AW002-041520	SW8082A	SW	TOTAL PCBs	0.343		-	0.24	ug/WIPE
AW003	4/15/2020	10:23	N1	DD-D000103	AW003-041520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
AW003	4/15/2020	10:23	N1	DD-D000103	AW003-041520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
AW003	4/15/2020	10:23	N1	DD-D000103	AW003-041520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
AW003	4/15/2020	10:23	N1	DD-D000103	AW003-041520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
AW003	4/15/2020	10:23	N1	DD-D000103	AW003-041520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
AW003	4/15/2020	10:23	N1	DD-D000103	AW003-041520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
AW003	4/15/2020	10:23	N1	DD-D000103	AW003-041520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
AW003	4/15/2020	10:23	N1	DD-D000103	AW003-041520	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
AW004	4/15/2020	11:55	N1	DD-D000104	AW004-041520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
AW004	4/15/2020	11:55	N1	DD-D000104	AW004-041520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
AW004	4/15/2020	11:55	N1	DD-D000104	AW004-041520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
AW004	4/15/2020	11:55	N1	DD-D000104	AW004-041520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
AW004	4/15/2020	11:55	N1	DD-D000104	AW004-041520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
AW004	4/15/2020	11:55	N1	DD-D000104	AW004-041520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
AW004	4/15/2020	11:55	N1	DD-D000104	AW004-041520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
AW004	4/15/2020	11:55	N1	DD-D000104	AW004-041520	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
AW005	4/15/2020	12:06	N1	DD-D000105	AW005-041520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
AW005	4/15/2020	12:06	N1	DD-D000105	AW005-041520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
AW005	4/15/2020	12:06	N1	DD-D000105	AW005-041520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
AW005	4/15/2020	12:06	N1	DD-D000105	AW005-041520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.17	J	0.088	0.24	ug/WIPE
AW005	4/15/2020	12:06	N1	DD-D000105	AW005-041520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
AW005	4/15/2020	12:06	N1	DD-D000105	AW005-041520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
AW005	4/15/2020	12:06	N1	DD-D000105	AW005-041520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
AW005	4/15/2020	12:06	N1	DD-D000105	AW005-041520	SW8082A	SW	TOTAL PCBs	0.17		-	0.24	ug/WIPE
AW006	4/15/2020	13:24	N1	DD-D000106	AW006-041520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
AW006	4/15/2020	13:24	N1	DD-D000106	AW006-041520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
AW006	4/15/2020	13:24	N1	DD-D000106	AW006-041520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
AW006	4/15/2020	13:24	N1	DD-D000106	AW006-041520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.13	J	0.088	0.24	ug/WIPE
AW006	4/15/2020	13:24	N1	DD-D000106	AW006-041520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
AW006	4/15/2020	13:24	N1	DD-D000106	AW006-041520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
AW006	4/15/2020	13:24	N1	DD-D000106	AW006-041520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
AW006	4/15/2020	13:24	N1	DD-D000106	AW006-041520	SW8082A	SW	TOTAL PCBs	0.13		-	0.24	ug/WIPE
AW007	4/15/2020	14:18	N1	DD-D000107	AW007-041520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
AW007	4/15/2020	14:18	N1	DD-D000107	AW007-041520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
AW007	4/15/2020	14:18	N1	DD-D000107	AW007-041520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
AW007	4/15/2020	14:18	N1	DD-D000107	AW007-041520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.15	J	0.088	0.24	ug/WIPE
AW007	4/15/2020	14:18	N1	DD-D000107	AW007-041520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
AW007	4/15/2020	14:18	N1	DD-D000107	AW007-041520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
AW007	4/15/2020	14:18	N1	DD-D000107	AW007-041520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
AW007	4/15/2020	14:18	N1	DD-D000107	AW007-041520	SW8082A	SW	TOTAL PCBs	0.15		-	0.24	ug/WIPE
AW008	4/15/2020	14:34	N1	DD-D000108	AW008-041520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
AW008	4/15/2020	14:34	N1	DD-D000108	AW008-041520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
AW008	4/15/2020	14:34	N1	DD-D000108	AW008-041520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
AW008	4/15/2020	14:34	N1	DD-D000108	AW008-041520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
AW008	4/15/2020	14:34	N1	DD-D000108	AW008-041520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
AW008	4/15/2020	14:34	N1	DD-D000108	AW008-041520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
AW008	4/15/2020	14:34	N1	DD-D000108	AW008-041520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE

Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
AW008	4/15/2020	14:34	N1	DD-D000108	AW008-041520	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
AW009	4/15/2020	15:21	N1	DD-D000109	AW009-041520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
AW009	4/15/2020	15:21	N1	DD-D000109	AW009-041520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
AW009	4/15/2020	15:21	N1	DD-D000109	AW009-041520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
AW009	4/15/2020	15:21	N1	DD-D000109	AW009-041520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
AW009	4/15/2020	15:21	N1	DD-D000109	AW009-041520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
AW009	4/15/2020	15:21	N1	DD-D000109	AW009-041520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
AW009	4/15/2020	15:21	N1	DD-D000109	AW009-041520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
AW009	4/15/2020	15:21	N1	DD-D000109	AW009-041520	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
AW010	4/15/2020	14:39	N1	DD-D000110	AW010-041520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
AW010	4/15/2020	14:39	N1	DD-D000110	AW010-041520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
AW010	4/15/2020	14:39	N1	DD-D000110	AW010-041520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
AW010	4/15/2020	14:39	N1	DD-D000110	AW010-041520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.1	J	0.088	0.24	ug/WIPE
AW010	4/15/2020	14:39	N1	DD-D000110	AW010-041520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
AW010	4/15/2020	14:39	N1	DD-D000110	AW010-041520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
AW010	4/15/2020	14:39	N1	DD-D000110	AW010-041520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
AW010	4/15/2020	14:39	N1	DD-D000110	AW010-041520	SW8082A	SW	TOTAL PCBs	0.1		-	0.24	ug/WIPE
AW011	4/15/2020	15:25	N1	DD-D000201	AW011-041520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
AW011	4/15/2020	15:25	N1	DD-D000201	AW011-041520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
AW011	4/15/2020	15:25	N1	DD-D000201	AW011-041520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
AW011	4/15/2020	15:25	N1	DD-D000201	AW011-041520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.31		0.088	0.24	ug/WIPE
AW011	4/15/2020	15:25	N1	DD-D000201	AW011-041520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
AW011	4/15/2020	15:25	N1	DD-D000201	AW011-041520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.11	J	0.07	0.24	ug/WIPE
AW011	4/15/2020	15:25	N1	DD-D000201	AW011-041520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
AW011	4/15/2020	15:25	N1	DD-D000201	AW011-041520	SW8082A	SW	TOTAL PCBs	0.42		-	0.24	ug/WIPE
AW012	4/15/2020	15:30	N1	DD-D000202	AW012-041520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
AW012	4/15/2020	15:30	N1	DD-D000202	AW012-041520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
AW012	4/15/2020	15:30	N1	DD-D000202	AW012-041520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
AW012	4/15/2020	15:30	N1	DD-D000202	AW012-041520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.14	J	0.088	0.24	ug/WIPE
AW012	4/15/2020	15:30	N1	DD-D000202	AW012-041520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
AW012	4/15/2020	15:30	N1	DD-D000202	AW012-041520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
AW012	4/15/2020	15:30	N1	DD-D000202	AW012-041520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
AW012	4/15/2020	15:30	N1	DD-D000202	AW012-041520	SW8082A	SW	TOTAL PCBs	0.14		-	0.24	ug/WIPE
AW013	4/15/2020	15:39	N1	DD-D000203	AW013-041520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
AW013	4/15/2020	15:39	N1	DD-D000203	AW013-041520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
AW013	4/15/2020	15:39	N1	DD-D000203	AW013-041520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
AW013	4/15/2020	15:39	N1	DD-D000203	AW013-041520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.15	J	0.088	0.24	ug/WIPE
AW013	4/15/2020	15:39	N1	DD-D000203	AW013-041520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
AW013	4/15/2020	15:39	N1	DD-D000203	AW013-041520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
AW013	4/15/2020	15:39	N1	DD-D000203	AW013-041520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
AW013	4/15/2020	15:39	N1	DD-D000203	AW013-041520	SW8082A	SW	TOTAL PCBs	0.15		-	0.24	ug/WIPE
AW014	4/15/2020	16:22	N1	DD-D000204	AW014-041520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
AW014	4/15/2020	16:22	N1	DD-D000204	AW014-041520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
AW014	4/15/2020	16:22	N1	DD-D000204	AW014-041520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
AW014	4/15/2020	16:22	N1	DD-D000204	AW014-041520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.31		0.088	0.24	ug/WIPE
AW014	4/15/2020	16:22	N1	DD-D000204	AW014-041520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
AW014	4/15/2020	16:22	N1	DD-D000204	AW014-041520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.13	J	0.07	0.24	ug/WIPE
AW014	4/15/2020	16:22	N1	DD-D000204	AW014-041520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
AW014	4/15/2020	16:22	N1	DD-D000204	AW014-041520	SW8082A	SW	TOTAL PCBs	0.44		-	0.24	ug/WIPE
AW015	4/15/2020	15:58	N1	DD-D000205	AW015-041520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
AW015	4/15/2020	15:58	N1	DD-D000205	AW015-041520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE



Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
AW015	4/15/2020	15:58	N1	DD-D000205	AW015-041520	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
AW015	4/15/2020	15:58	N1	DD-D000205	AW015-041520	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	ND	U	0.088	0.24	ug/WIPE
AW015	4/15/2020	15:58	N1	DD-D000205	AW015-041520	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
AW015	4/15/2020	15:58	N1	DD-D000205	AW015-041520	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	ND	U	0.07	0.24	ug/WIPE
AW015	4/15/2020	15:58	N1	DD-D000205	AW015-041520	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
AW015	4/15/2020	15:58	N1	DD-D000205	AW015-041520	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
AW016	4/15/2020	16:55	N1	DD-D000206	AW016-041520	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
AW016	4/15/2020	16:55	N1	DD-D000206	AW016-041520	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
AW016	4/15/2020	16:55	N1	DD-D000206	AW016-041520	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
AW016	4/15/2020	16:55	N1	DD-D000206	AW016-041520	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	ND	U	0.088	0.24	ug/WIPE
AW016	4/15/2020	16:55	N1	DD-D000206	AW016-041520	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
AW016	4/15/2020	16:55	N1	DD-D000206	AW016-041520	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	ND	U	0.07	0.24	ug/WIPE
AW016	4/15/2020	16:55	N1	DD-D000206	AW016-041520	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
AW016	4/15/2020	16:55	N1	DD-D000206	AW016-041520	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
AW017	4/15/2020	16:45	N1	DD-D000207	AW017-041520	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
AW017	4/15/2020	16:45	N1	DD-D000207	AW017-041520	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
AW017	4/15/2020	16:45	N1	DD-D000207	AW017-041520	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
AW017	4/15/2020	16:45	N1	DD-D000207	AW017-041520	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.13	J	0.088	0.24	ug/WIPE
AW017	4/15/2020	16:45	N1	DD-D000207	AW017-041520	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
AW017	4/15/2020	16:45	N1	DD-D000207	AW017-041520	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	ND	U	0.07	0.24	ug/WIPE
AW017	4/15/2020	16:45	N1	DD-D000207	AW017-041520	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
AW017	4/15/2020	16:45	N1	DD-D000207	AW017-041520	SW8082A	SW	TOTAL PCBs	0.13		-	0.24	ug/WIPE
AW018	4/15/2020	17:06	N1	DD-D000208	AW018-041520	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
AW018	4/15/2020	17:06	N1	DD-D000208	AW018-041520	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
AW018	4/15/2020	17:06	N1	DD-D000208	AW018-041520	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
AW018	4/15/2020	17:06	N1	DD-D000208	AW018-041520	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.45		0.088	0.24	ug/WIPE
AW018	4/15/2020	17:06	N1	DD-D000208	AW018-041520	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
AW018	4/15/2020	17:06	N1	DD-D000208	AW018-041520	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.17	J	0.07	0.24	ug/WIPE
AW018	4/15/2020	17:06	N1	DD-D000208	AW018-041520	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
AW018	4/15/2020	17:06	N1	DD-D000208	AW018-041520	SW8082A	SW	TOTAL PCBs	0.62		-	0.24	ug/WIPE
BBG001	4/16/2020	10:31	N1	DD-D002401	BBG001-041620	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG001	4/16/2020	10:31	N1	DD-D002401	BBG001-041620	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG001	4/16/2020	10:31	N1	DD-D002401	BBG001-041620	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG001	4/16/2020	10:31	N1	DD-D002401	BBG001-041620	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.52		0.088	0.24	ug/WIPE
BBG001	4/16/2020	10:31	N1	DD-D002401	BBG001-041620	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG001	4/16/2020	10:31	N1	DD-D002401	BBG001-041620	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.15	J	0.07	0.24	ug/WIPE
BBG001	4/16/2020	10:31	N1	DD-D002401	BBG001-041620	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG001	4/16/2020	10:31	N1	DD-D002401	BBG001-041620	SW8082A	SW	TOTAL PCBs	0.67		-	0.24	ug/WIPE
BBG002-004	4/16/2020	10:36	N1	DD-D002402	BBG002-004-041620-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG002-004	4/16/2020	10:36	N1	DD-D002402	BBG002-004-041620-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG002-004	4/16/2020	10:36	N1	DD-D002402	BBG002-004-041620-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG002-004	4/16/2020	10:36	N1	DD-D002402	BBG002-004-041620-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.73		0.088	0.24	ug/WIPE
BBG002-004	4/16/2020	10:36	N1	DD-D002402	BBG002-004-041620-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG002-004	4/16/2020	10:36	N1	DD-D002402	BBG002-004-041620-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.28		0.07	0.24	ug/WIPE
BBG002-004	4/16/2020	10:36	N1	DD-D002402	BBG002-004-041620-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG002-004	4/16/2020	10:36	N1	DD-D002402	BBG002-004-041620-COMP	SW8082A	SW	TOTAL PCBs	1.01		-	0.24	ug/WIPE
BBG003	4/16/2020	10:50	N1	DD-D002403	BBG003-041620	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG003	4/16/2020	10:50	N1	DD-D002403	BBG003-041620	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG003	4/16/2020	10:50	N1	DD-D002403	BBG003-041620	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG003	4/16/2020	10:50	N1	DD-D002403	BBG003-041620	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.56		0.088	0.24	ug/WIPE
BBG003	4/16/2020	10:50	N1	DD-D002403	BBG003-041620	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE

## Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
BBG003	4/16/2020	10:50	N1	DD-D002403	BBG003-041620	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.26		0.07	0.24	ug/WIPE
BBG003	4/16/2020	10:50	N1	DD-D002403	BBG003-041620	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG003	4/16/2020	10:50	N1	DD-D002403	BBG003-041620	SW8082A	SW	TOTAL PCBs	0.82		-	0.24	ug/WIPE
BBG005	4/16/2020	10:56	N1	DD-D002405	BBG005-041620	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG005	4/16/2020	10:56	N1	DD-D002405	BBG005-041620	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG005	4/16/2020	10:56	N1	DD-D002405	BBG005-041620	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG005	4/16/2020	10:56	N1	DD-D002405	BBG005-041620	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.6		0.088	0.24	ug/WIPE
BBG005	4/16/2020	10:56	N1	DD-D002405	BBG005-041620	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG005	4/16/2020	10:56	N1	DD-D002405	BBG005-041620	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.3		0.07	0.24	ug/WIPE
BBG005	4/16/2020	10:56	N1	DD-D002405	BBG005-041620	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG005	4/16/2020	10:56	N1	DD-D002405	BBG005-041620	SW8082A	SW	TOTAL PCBs	4.9		-	0.24	ug/WIPE
BBG006	4/16/2020	11:02	N1	DD-D002406	BBG006-041620	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG006	4/16/2020	11:02	N1	DD-D002406	BBG006-041620	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG006	4/16/2020	11:02	N1	DD-D002406	BBG006-041620	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG006	4/16/2020	11:02	N1	DD-D002406	BBG006-041620	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	1		0.088	0.24	ug/WIPE
BBG006	4/16/2020	11:02	N1	DD-D002406	BBG006-041620	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG006	4/16/2020	11:02	N1	DD-D002406	BBG006-041620	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.6		0.07	0.24	ug/WIPE
BBG006	4/16/2020	11:02	N1	DD-D002406	BBG006-041620	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG006	4/16/2020	11:02	N1	DD-D002406	BBG006-041620	SW8082A	SW	TOTAL PCBs	1.6		-	0.24	ug/WIPE
BBG007-008	4/16/2020	11:19	N1	DD-D002407	BBG007-008-041620-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG007-008	4/16/2020	11:19	N1	DD-D002407	BBG007-008-041620-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG007-008	4/16/2020	11:19	N1	DD-D002407	BBG007-008-041620-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG007-008	4/16/2020	11:19	N1	DD-D002407	BBG007-008-041620-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.8		0.088	0.24	ug/WIPE
BBG007-008	4/16/2020	11:19	N1	DD-D002407	BBG007-008-041620-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG007-008	4/16/2020	11:19	N1	DD-D002407	BBG007-008-041620-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.5		0.07	0.24	ug/WIPE
BBG007-008	4/16/2020	11:19	N1	DD-D002407	BBG007-008-041620-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG007-008	4/16/2020	11:19	N1	DD-D002407	BBG007-008-041620-COMP	SW8082A	SW	TOTAL PCBs	5.3		-	0.24	ug/WIPE
BBG009	4/16/2020	11:10	N1	DD-D002409	BBG009-041620	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG009	4/16/2020	11:10	N1	DD-D002409	BBG009-041620	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG009	4/16/2020	11:10	N1	DD-D002409	BBG009-041620	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG009	4/16/2020	11:10	N1	DD-D002409	BBG009-041620	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	1.5		0.088	0.24	ug/WIPE
BBG009	4/16/2020	11:10	N1	DD-D002409	BBG009-041620	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG009	4/16/2020	11:10	N1	DD-D002409	BBG009-041620	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.58		0.07	0.24	ug/WIPE
BBG009	4/16/2020	11:10	N1	DD-D002409	BBG009-041620	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG009	4/16/2020	11:10	N1	DD-D002409	BBG009-041620	SW8082A	SW	TOTAL PCBs	2.08		-	0.24	ug/WIPE
BBG010	4/16/2020	11:29	N1	DD-D002410	BBG010-041620	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG010	4/16/2020	11:29	N1	DD-D002410	BBG010-041620	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG010	4/16/2020	11:29	N1	DD-D002410	BBG010-041620	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG010	4/16/2020	11:29	N1	DD-D002410	BBG010-041620	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	1.6		0.088	0.24	ug/WIPE
BBG010	4/16/2020	11:29	N1	DD-D002410	BBG010-041620	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG010	4/16/2020	11:29	N1	DD-D002410	BBG010-041620	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.61		0.07	0.24	ug/WIPE
BBG010	4/16/2020	11:29	N1	DD-D002410	BBG010-041620	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG010	4/16/2020	11:29	N1	DD-D002410	BBG010-041620	SW8082A	SW	TOTAL PCBs	2.21		-	0.24	ug/WIPE
BBG011	4/16/2020	11:34	N1	DD-D002501	BBG011-041620	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG011	4/16/2020	11:34	N1	DD-D002501	BBG011-041620	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG011	4/16/2020	11:34	N1	DD-D002501	BBG011-041620	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG011	4/16/2020	11:34	N1	DD-D002501	BBG011-041620	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	1.8		0.088	0.24	ug/WIPE
BBG011	4/16/2020	11:34	N1	DD-D002501	BBG011-041620	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG011	4/16/2020	11:34	N1	DD-D002501	BBG011-041620	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.75		0.07	0.24	ug/WIPE
BBG011	4/16/2020	11:34	N1	DD-D002501	BBG011-041620	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG011	4/16/2020	11:34	N1	DD-D002501	BBG011-041620	SW8082A	SW	TOTAL PCBs	2.55		-	0.24	ug/WIPE

Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
BBG012	4/16/2020	11:38	N1	DD-D002502	BBG012-041620	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG012	4/16/2020	11:38	N1	DD-D002502	BBG012-041620	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG012	4/16/2020	11:38	N1	DD-D002502	BBG012-041620	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG012	4/16/2020	11:38	N1	DD-D002502	BBG012-041620	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1.9		0.088	0.24	ug/WIPE
BBG012	4/16/2020	11:38	N1	DD-D002502	BBG012-041620	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG012	4/16/2020	11:38	N1	DD-D002502	BBG012-041620	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.67		0.07	0.24	ug/WIPE
BBG012	4/16/2020	11:38	N1	DD-D002502	BBG012-041620	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG012	4/16/2020	11:38	N1	DD-D002502	BBG012-041620	SW8082A	SW	TOTAL PCBs	2.57		-	0.24	ug/WIPE
BBG013	4/16/2020	11:42	N1	DD-D002503	BBG013-041620	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG013	4/16/2020	11:42	N1	DD-D002503	BBG013-041620	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG013	4/16/2020	11:42	N1	DD-D002503	BBG013-041620	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG013	4/16/2020	11:42	N1	DD-D002503	BBG013-041620	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1.1		0.088	0.24	ug/WIPE
BBG013	4/16/2020	11:42	N1	DD-D002503	BBG013-041620	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG013	4/16/2020	11:42	N1	DD-D002503	BBG013-041620	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.45		0.07	0.24	ug/WIPE
BBG013	4/16/2020	11:42	N1	DD-D002503	BBG013-041620	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG013	4/16/2020	11:42	N1	DD-D002503	BBG013-041620	SW8082A	SW	TOTAL PCBs	1.55		-	0.24	ug/WIPE
BBG014-015	4/16/2020	11:50	N1	DD-D002504	BBG014-015-041620-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG014-015	4/16/2020	11:50	N1	DD-D002504	BBG014-015-041620-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG014-015	4/16/2020	11:50	N1	DD-D002504	BBG014-015-041620-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG014-015	4/16/2020	11:50	N1	DD-D002504	BBG014-015-041620-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1.9		0.088	0.24	ug/WIPE
BBG014-015	4/16/2020	11:50	N1	DD-D002504	BBG014-015-041620-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG014-015	4/16/2020	11:50	N1	DD-D002504	BBG014-015-041620-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.9		0.07	0.24	ug/WIPE
BBG014-015	4/16/2020	11:50	N1	DD-D002504	BBG014-015-041620-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG014-015	4/16/2020	11:50	N1	DD-D002504	BBG014-015-041620-COMP	SW8082A	SW	TOTAL PCBs	2.8		-	0.24	ug/WIPE
BBG016	4/16/2020	12:03	N1	DD-D002506	BBG010-041620	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG016	4/16/2020	12:03	N1	DD-D002506	BBG010-041620	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG016	4/16/2020	12:03	N1	DD-D002506	BBG010-041620	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG016	4/16/2020	12:03	N1	DD-D002506	BBG010-041620	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2.2		0.088	0.24	ug/WIPE
BBG016	4/16/2020	12:03	N1	DD-D002506	BBG010-041620	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG016	4/16/2020	12:03	N1	DD-D002506	BBG010-041620	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.88		0.07	0.24	ug/WIPE
BBG016	4/16/2020	12:03	N1	DD-D002506	BBG010-041620	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG016	4/16/2020	12:03	N1	DD-D002506	BBG010-041620	SW8082A	SW	TOTAL PCBs	3.08		-	0.24	ug/WIPE
BBG017	4/16/2020	11:58	N1	DD-D002507	BBG010-041620	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG017	4/16/2020	11:58	N1	DD-D002507	BBG010-041620	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG017	4/16/2020	11:58	N1	DD-D002507	BBG010-041620	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG017	4/16/2020	11:58	N1	DD-D002507	BBG010-041620	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1.7		0.088	0.24	ug/WIPE
BBG017	4/16/2020	11:58	N1	DD-D002507	BBG010-041620	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG017	4/16/2020	11:58	N1	DD-D002507	BBG010-041620	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.67		0.07	0.24	ug/WIPE
BBG017	4/16/2020	11:58	N1	DD-D002507	BBG010-041620	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG017	4/16/2020	11:58	N1	DD-D002507	BBG010-041620	SW8082A	SW	TOTAL PCBs	2.37		-	0.24	ug/WIPE
BBG018	4/16/2020	12:09	N1	DD-D002508	BBG010-041620	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG018	4/16/2020	12:09	N1	DD-D002508	BBG010-041620	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG018	4/16/2020	12:09	N1	DD-D002508	BBG010-041620	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG018	4/16/2020	12:09	N1	DD-D002508	BBG010-041620	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1.6		0.088	0.24	ug/WIPE
BBG018	4/16/2020	12:09	N1	DD-D002508	BBG010-041620	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG018	4/16/2020	12:09	N1	DD-D002508	BBG010-041620	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.56		0.07	0.24	ug/WIPE
BBG018	4/16/2020	12:09	N1	DD-D002508	BBG010-041620	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG018	4/16/2020	12:09	N1	DD-D002508	BBG010-041620	SW8082A	SW	TOTAL PCBs	2.16		-	0.24	ug/WIPE
BBG019	4/16/2020	12:14	N1	DD-D002509	BBG010-041620	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG019	4/16/2020	12:14	N1	DD-D002509	BBG010-041620	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG019	4/16/2020	12:14	N1	DD-D002509	BBG010-041620	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE

Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
BBG019	4/16/2020	12:14	N1	DD-D002509	BBG010-041620	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2		0.088	0.24	ug/WIPE
BBG019	4/16/2020	12:14	N1	DD-D002509	BBG010-041620	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG019	4/16/2020	12:14	N1	DD-D002509	BBG010-041620	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1		0.07	0.24	ug/WIPE
BBG019	4/16/2020	12:14	N1	DD-D002509	BBG010-041620	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG019	4/16/2020	12:14	N1	DD-D002509	BBG010-041620	SW8082A	SW	TOTAL PCBs	3		-	0.24	ug/WIPE
BBG020	4/16/2020	13:29	N1	DD-D002510	BBG010-041620	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG020	4/16/2020	13:29	N1	DD-D002510	BBG010-041620	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG020	4/16/2020	13:29	N1	DD-D002510	BBG010-041620	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG020	4/16/2020	13:29	N1	DD-D002510	BBG010-041620	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1		0.088	0.24	ug/WIPE
BBG020	4/16/2020	13:29	N1	DD-D002510	BBG010-041620	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG020	4/16/2020	13:29	N1	DD-D002510	BBG010-041620	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.46		0.07	0.24	ug/WIPE
BBG020	4/16/2020	13:29	N1	DD-D002510	BBG010-041620	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG020	4/16/2020	13:29	N1	DD-D002510	BBG010-041620	SW8082A	SW	TOTAL PCBs	1.46		-	0.24	ug/WIPE
BBG021	4/16/2020	13:40	N1	DD-D002601	BBG021-041620	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG021	4/16/2020	13:40	N1	DD-D002601	BBG021-041620	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG021	4/16/2020	13:40	N1	DD-D002601	BBG021-041620	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG021	4/16/2020	13:40	N1	DD-D002601	BBG021-041620	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1		0.088	0.24	ug/WIPE
BBG021	4/16/2020	13:40	N1	DD-D002601	BBG021-041620	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG021	4/16/2020	13:40	N1	DD-D002601	BBG021-041620	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.37		0.07	0.24	ug/WIPE
BBG021	4/16/2020	13:40	N1	DD-D002601	BBG021-041620	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG021	4/16/2020	13:40	N1	DD-D002601	BBG021-041620	SW8082A	SW	TOTAL PCBs	1.37		-	0.24	ug/WIPE
BBG022-023	4/16/2020	13:47	N1	DD-D002602	BBG022-023-041620-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG022-023	4/16/2020	13:47	N1	DD-D002602	BBG022-023-041620-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG022-023	4/16/2020	13:47	N1	DD-D002602	BBG022-023-041620-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG022-023	4/16/2020	13:47	N1	DD-D002602	BBG022-023-041620-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3.8		0.088	0.24	ug/WIPE
BBG022-023	4/16/2020	13:47	N1	DD-D002602	BBG022-023-041620-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG022-023	4/16/2020	13:47	N1	DD-D002602	BBG022-023-041620-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.5		0.07	0.24	ug/WIPE
BBG022-023	4/16/2020	13:47	N1	DD-D002602	BBG022-023-041620-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG022-023	4/16/2020	13:47	N1	DD-D002602	BBG022-023-041620-COMP	SW8082A	SW	TOTAL PCBs	5.3		-	0.24	ug/WIPE
BBG024-025	4/16/2020	13:56	N1	DD-D002604	BBG024-025-041620-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG024-025	4/16/2020	13:56	N1	DD-D002604	BBG024-025-041620-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG024-025	4/16/2020	13:56	N1	DD-D002604	BBG024-025-041620-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG024-025	4/16/2020	13:56	N1	DD-D002604	BBG024-025-041620-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2.7		0.088	0.24	ug/WIPE
BBG024-025	4/16/2020	13:56	N1	DD-D002604	BBG024-025-041620-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG024-025	4/16/2020	13:56	N1	DD-D002604	BBG024-025-041620-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.1		0.07	0.24	ug/WIPE
BBG024-025	4/16/2020	13:56	N1	DD-D002604	BBG024-025-041620-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG024-025	4/16/2020	13:56	N1	DD-D002604	BBG024-025-041620-COMP	SW8082A	SW	TOTAL PCBs	3.8		-	0.24	ug/WIPE
BBG026	4/21/2020	9:49	N1	DD-D002606	BBG026-042120	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG026	4/21/2020	9:49	N1	DD-D002606	BBG026-042120	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG026	4/21/2020	9:49	N1	DD-D002606	BBG026-042120	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG026	4/21/2020	9:49	N1	DD-D002606	BBG026-042120	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3.7		0.088	0.24	ug/WIPE
BBG026	4/21/2020	9:49	N1	DD-D002606	BBG026-042120	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG026	4/21/2020	9:49	N1	DD-D002606	BBG026-042120	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.5		0.07	0.24	ug/WIPE
BBG026	4/21/2020	9:49	N1	DD-D002606	BBG026-042120	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG026	4/21/2020	9:49	N1	DD-D002606	BBG026-042120	SW8082A	SW	TOTAL PCBs	5.2		-	0.24	ug/WIPE
BBG027	4/16/2020	14:04	N1	DD-D002607	BBG027-041620	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG027	4/16/2020	14:04	N1	DD-D002607	BBG027-041620	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG027	4/16/2020	14:04	N1	DD-D002607	BBG027-041620	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG027	4/16/2020	14:04	N1	DD-D002607	BBG027-041620	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1.7		0.088	0.24	ug/WIPE
BBG027	4/16/2020	14:04	N1	DD-D002607	BBG027-041620	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG027	4/16/2020	14:04	N1	DD-D002607	BBG027-041620	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.62		0.07	0.24	ug/WIPE

Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
BBG027	4/16/2020	14:04	N1	DD-D002607	BBG027-041620	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG027	4/16/2020	14:04	N1	DD-D002607	BBG027-041620	SW8082A	SW	TOTAL PCBs	2.32		-	0.24	ug/WIPE
BBG028-029	4/21/2020	9:57	N1	DD-D002608	BBG028-29-042120-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG028-029	4/21/2020	9:57	N1	DD-D002608	BBG028-29-042120-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG028-029	4/21/2020	9:57	N1	DD-D002608	BBG028-29-042120-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG028-029	4/21/2020	9:57	N1	DD-D002608	BBG028-29-042120-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	5.6		0.088	0.24	ug/WIPE
BBG028-029	4/21/2020	9:57	N1	DD-D002608	BBG028-29-042120-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG028-029	4/21/2020	9:57	N1	DD-D002608	BBG028-29-042120-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2.2		0.07	0.24	ug/WIPE
BBG028-029	4/21/2020	9:57	N1	DD-D002608	BBG028-29-042120-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG028-029	4/21/2020	9:57	N1	DD-D002608	BBG028-29-042120-COMP	SW8082A	SW	TOTAL PCBs	7.8		-	0.24	ug/WIPE
BBG030	4/21/2020	10:12	N1	DD-D002610	BBG030-042120	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG030	4/21/2020	10:12	N1	DD-D002610	BBG030-042120	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG030	4/21/2020	10:12	N1	DD-D002610	BBG030-042120	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG030	4/21/2020	10:12	N1	DD-D002610	BBG030-042120	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1		0.088	0.24	ug/WIPE
BBG030	4/21/2020	10:12	N1	DD-D002610	BBG030-042120	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG030	4/21/2020	10:12	N1	DD-D002610	BBG030-042120	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.43		0.07	0.24	ug/WIPE
BBG030	4/21/2020	10:12	N1	DD-D002610	BBG030-042120	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG030	4/21/2020	10:12	N1	DD-D002610	BBG030-042120	SW8082A	SW	TOTAL PCBs	1.43		-	0.24	ug/WIPE
BBG031	4/21/2020	10:01	N1	DD-D002701	BBG031-042120	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG031	4/21/2020	10:01	N1	DD-D002701	BBG031-042120	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG031	4/21/2020	10:01	N1	DD-D002701	BBG031-042120	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG031	4/21/2020	10:01	N1	DD-D002701	BBG031-042120	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2.7		0.088	0.24	ug/WIPE
BBG031	4/21/2020	10:01	N1	DD-D002701	BBG031-042120	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG031	4/21/2020	10:01	N1	DD-D002701	BBG031-042120	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.97		0.07	0.24	ug/WIPE
BBG031	4/21/2020	10:01	N1	DD-D002701	BBG031-042120	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG031	4/21/2020	10:01	N1	DD-D002701	BBG031-042120	SW8082A	SW	TOTAL PCBs	3.67		-	0.24	ug/WIPE
BBG032	4/21/2020	10:18	N1	DD-D002702	BBG032-042120	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG032	4/21/2020	10:18	N1	DD-D002702	BBG032-042120	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG032	4/21/2020	10:18	N1	DD-D002702	BBG032-042120	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG032	4/21/2020	10:18	N1	DD-D002702	BBG032-042120	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1.4		0.088	0.24	ug/WIPE
BBG032	4/21/2020	10:18	N1	DD-D002702	BBG032-042120	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG032	4/21/2020	10:18	N1	DD-D002702	BBG032-042120	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.66		0.07	0.24	ug/WIPE
BBG032	4/21/2020	10:18	N1	DD-D002702	BBG032-042120	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG032	4/21/2020	10:18	N1	DD-D002702	BBG032-042120	SW8082A	SW	TOTAL PCBs	2.06		-	0.24	ug/WIPE
BBG033-034	4/21/2020	10:03	N1	DD-D002703	BBG033-034-042120-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG033-034	4/21/2020	10:03	N1	DD-D002703	BBG033-034-042120-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG033-034	4/21/2020	10:03	N1	DD-D002703	BBG033-034-042120-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG033-034	4/21/2020	10:03	N1	DD-D002703	BBG033-034-042120-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	4.6		0.088	0.24	ug/WIPE
BBG033-034	4/21/2020	10:03	N1	DD-D002703	BBG033-034-042120-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG033-034	4/21/2020	10:03	N1	DD-D002703	BBG033-034-042120-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.8		0.07	0.24	ug/WIPE
BBG033-034	4/21/2020	10:03	N1	DD-D002703	BBG033-034-042120-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG033-034	4/21/2020	10:03	N1	DD-D002703	BBG033-034-042120-COMP	SW8082A	SW	TOTAL PCBs	6.4		-	0.24	ug/WIPE
BBG035	4/21/2020	15:00	N1	DD-D002705	BBG035-042120	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG035	4/21/2020	15:00	N1	DD-D002705	BBG035-042120	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG035	4/21/2020	15:00	N1	DD-D002705	BBG035-042120	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG035	4/21/2020	15:00	N1	DD-D002705	BBG035-042120	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2.7		0.088	0.24	ug/WIPE
BBG035	4/21/2020	15:00	N1	DD-D002705	BBG035-042120	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG035	4/21/2020	15:00	N1	DD-D002705	BBG035-042120	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1		0.07	0.24	ug/WIPE
BBG035	4/21/2020	15:00	N1	DD-D002705	BBG035-042120	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG035	4/21/2020	15:00	N1	DD-D002705	BBG035-042120	SW8082A	SW	TOTAL PCBs	3.7		-	0.24	ug/WIPE
BBG036	4/21/2020	14:56	N1	DD-D002706	BBG036-042120	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE



## Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
BBG036	4/21/2020	14:56	N1	DD-D002706	BBG036-042120	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG036	4/21/2020	14:56	N1	DD-D002706	BBG036-042120	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG036	4/21/2020	14:56	N1	DD-D002706	BBG036-042120	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1.1		0.088	0.24	ug/WIPE
BBG036	4/21/2020	14:56	N1	DD-D002706	BBG036-042120	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG036	4/21/2020	14:56	N1	DD-D002706	BBG036-042120	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.66		0.07	0.24	ug/WIPE
BBG036	4/21/2020	14:56	N1	DD-D002706	BBG036-042120	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG036	4/21/2020	14:56	N1	DD-D002706	BBG036-042120	SW8082A	SW	TOTAL PCBs	1.76		-	0.24	ug/WIPE
BBG037	4/21/2020	14:51	N1	DD-D002707	BBG037-042120	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG037	4/21/2020	14:51	N1	DD-D002707	BBG037-042120	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG037	4/21/2020	14:51	N1	DD-D002707	BBG037-042120	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG037	4/21/2020	14:51	N1	DD-D002707	BBG037-042120	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1.2		0.088	0.24	ug/WIPE
BBG037	4/21/2020	14:51	N1	DD-D002707	BBG037-042120	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG037	4/21/2020	14:51	N1	DD-D002707	BBG037-042120	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.48		0.07	0.24	ug/WIPE
BBG037	4/21/2020	14:51	N1	DD-D002707	BBG037-042120	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG037	4/21/2020	14:51	N1	DD-D002707	BBG037-042120	SW8082A	SW	TOTAL PCBs	1.68		-	0.24	ug/WIPE
BBG038	4/21/2020	14:48	N1	DD-D002708	BBG038-042120	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG038	4/21/2020	14:48	N1	DD-D002708	BBG038-042120	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG038	4/21/2020	14:48	N1	DD-D002708	BBG038-042120	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG038	4/21/2020	14:48	N1	DD-D002708	BBG038-042120	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3.6		0.088	0.24	ug/WIPE
BBG038	4/21/2020	14:48	N1	DD-D002708	BBG038-042120	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG038	4/21/2020	14:48	N1	DD-D002708	BBG038-042120	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.7		0.07	0.24	ug/WIPE
BBG038	4/21/2020	14:48	N1	DD-D002708	BBG038-042120	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG038	4/21/2020	14:48	N1	DD-D002708	BBG038-042120	SW8082A	SW	TOTAL PCBs	5.3		-	0.24	ug/WIPE
BBG039	4/21/2020	10:31	N1	DD-D002709	BBG039-042120	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG039	4/21/2020	10:31	N1	DD-D002709	BBG039-042120	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG039	4/21/2020	10:31	N1	DD-D002709	BBG039-042120	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG039	4/21/2020	10:31	N1	DD-D002709	BBG039-042120	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3.3		0.088	0.24	ug/WIPE
BBG039	4/21/2020	10:31	N1	DD-D002709	BBG039-042120	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG039	4/21/2020	10:31	N1	DD-D002709	BBG039-042120	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.95		0.07	0.24	ug/WIPE
BBG039	4/21/2020	10:31	N1	DD-D002709	BBG039-042120	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG039	4/21/2020	10:31	N1	DD-D002709	BBG039-042120	SW8082A	SW	TOTAL PCBs	4.25		-	0.24	ug/WIPE
BBG040	4/21/2020	10:39	N1	DD-D002710	BBG040-042120	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG040	4/21/2020	10:39	N1	DD-D002710	BBG040-042120	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG040	4/21/2020	10:39	N1	DD-D002710	BBG040-042120	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG040	4/21/2020	10:39	N1	DD-D002710	BBG040-042120	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
BBG040	4/21/2020	10:39	N1	DD-D002710	BBG040-042120	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG040	4/21/2020	10:39	N1	DD-D002710	BBG040-042120	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
BBG040	4/21/2020	10:39	N1	DD-D002710	BBG040-042120	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG040	4/21/2020	10:39	N1	DD-D002710	BBG040-042120	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
BBG041-042	4/21/2020	10:35	N1	DD-D002801	BBG041-042-042120-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG041-042	4/21/2020	10:35	N1	DD-D002801	BBG041-042-042120-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG041-042	4/21/2020	10:35	N1	DD-D002801	BBG041-042-042120-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG041-042	4/21/2020	10:35	N1	DD-D002801	BBG041-042-042120-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	5.2		0.088	0.24	ug/WIPE
BBG041-042	4/21/2020	10:35	N1	DD-D002801	BBG041-042-042120-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG041-042	4/21/2020	10:35	N1	DD-D002801	BBG041-042-042120-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2		0.07	0.24	ug/WIPE
BBG041-042	4/21/2020	10:35	N1	DD-D002801	BBG041-042-042120-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG041-042	4/21/2020	10:35	N1	DD-D002801	BBG041-042-042120-COMP	SW8082A	SW	TOTAL PCBs	7.2		-	0.24	ug/WIPE
BBG043	4/21/2020	10:48	N1	DD-D002803	BBG043-042120	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG043	4/21/2020	10:48	N1	DD-D002803	BBG043-042120	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG043	4/21/2020	10:48	N1	DD-D002803	BBG043-042120	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG043	4/21/2020	10:48	N1	DD-D002803	BBG043-042120	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2.7		0.088	0.24	ug/WIPE

Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
BBG043	4/21/2020	10:48	N1	DD-D002803	BBG043-042120	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG043	4/21/2020	10:48	N1	DD-D002803	BBG043-042120	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.96	U	0.07	0.24	ug/WIPE
BBG043	4/21/2020	10:48	N1	DD-D002803	BBG043-042120	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG043	4/21/2020	10:48	N1	DD-D002803	BBG043-042120	SW8082A	SW	TOTAL PCBs	3.66		-	0.24	ug/WIPE
BBG044	4/21/2020	10:46	N1	DD-D002804	BBG044-042120	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG044	4/21/2020	10:46	N1	DD-D002804	BBG044-042120	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG044	4/21/2020	10:46	N1	DD-D002804	BBG044-042120	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG044	4/21/2020	10:46	N1	DD-D002804	BBG044-042120	SW8082A	SW	PCB-1242 (AROCLOR 1242)	8.9		0.088	0.24	ug/WIPE
BBG044	4/21/2020	10:46	N1	DD-D002804	BBG044-042120	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG044	4/21/2020	10:46	N1	DD-D002804	BBG044-042120	SW8082A	SW	PCB-1254 (AROCLOR 1254)	3.4		0.07	0.24	ug/WIPE
BBG044	4/21/2020	10:46	N1	DD-D002804	BBG044-042120	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG044	4/21/2020	10:46	N1	DD-D002804	BBG044-042120	SW8082A	SW	TOTAL PCBs	12.3		-	0.24	ug/WIPE
BBG044R	6/29/2020	6:28	N1	DD-D020101	BBG044R-062920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG044R	6/29/2020	6:28	N1	DD-D020101	BBG044R-062920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG044R	6/29/2020	6:28	N1	DD-D020101	BBG044R-062920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG044R	6/29/2020	6:28	N1	DD-D020101	BBG044R-062920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3.6		0.088	0.24	ug/WIPE
BBG044R	6/29/2020	6:28	N1	DD-D020101	BBG044R-062920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG044R	6/29/2020	6:28	N1	DD-D020101	BBG044R-062920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.3		0.07	0.24	ug/WIPE
BBG044R	6/29/2020	6:28	N1	DD-D020101	BBG044R-062920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG044R	6/29/2020	6:28	N1	DD-D020101	BBG044R-062920	SW8082A	SW	TOTAL PCBs	4.9		-	0.24	ug/WIPE
BBG045-046	4/21/2020	10:53	N1	DD-D002805	BBG045-046-042120-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG045-046	4/21/2020	10:53	N1	DD-D002805	BBG045-046-042120-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG045-046	4/21/2020	10:53	N1	DD-D002805	BBG045-046-042120-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG045-046	4/21/2020	10:53	N1	DD-D002805	BBG045-046-042120-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	4.2		0.088	0.24	ug/WIPE
BBG045-046	4/21/2020	10:53	N1	DD-D002805	BBG045-046-042120-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG045-046	4/21/2020	10:53	N1	DD-D002805	BBG045-046-042120-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.6		0.07	0.24	ug/WIPE
BBG045-046	4/21/2020	10:53	N1	DD-D002805	BBG045-046-042120-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG045-046	4/21/2020	10:53	N1	DD-D002805	BBG045-046-042120-COMP	SW8082A	SW	TOTAL PCBs	5.8		-	0.24	ug/WIPE
BBG047	4/21/2020	10:57	N1	DD-D002807	BBG047-042120	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG047	4/21/2020	10:57	N1	DD-D002807	BBG047-042120	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG047	4/21/2020	10:57	N1	DD-D002807	BBG047-042120	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG047	4/21/2020	10:57	N1	DD-D002807	BBG047-042120	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2.1		0.088	0.24	ug/WIPE
BBG047	4/21/2020	10:57	N1	DD-D002807	BBG047-042120	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG047	4/21/2020	10:57	N1	DD-D002807	BBG047-042120	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.76		0.07	0.24	ug/WIPE
BBG047	4/21/2020	10:57	N1	DD-D002807	BBG047-042120	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG047	4/21/2020	10:57	N1	DD-D002807	BBG047-042120	SW8082A	SW	TOTAL PCBs	2.86		-	0.24	ug/WIPE
BBG048-049	4/21/2020	11:05	N1	DD-D002808	BBG048-049-042120-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG048-049	4/21/2020	11:05	N1	DD-D002808	BBG048-049-042120-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG048-049	4/21/2020	11:05	N1	DD-D002808	BBG048-049-042120-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG048-049	4/21/2020	11:05	N1	DD-D002808	BBG048-049-042120-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	6.2		0.088	0.24	ug/WIPE
BBG048-049	4/21/2020	11:05	N1	DD-D002808	BBG048-049-042120-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG048-049	4/21/2020	11:05	N1	DD-D002808	BBG048-049-042120-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2.3		0.07	0.24	ug/WIPE
BBG048-049	4/21/2020	11:05	N1	DD-D002808	BBG048-049-042120-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG048-049	4/21/2020	11:05	N1	DD-D002808	BBG048-049-042120-COMP	SW8082A	SW	TOTAL PCBs	8.5		-	0.24	ug/WIPE
BBG050	4/21/2020	11:14	N1	DD-D002810	BBG050-042120	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG050	4/21/2020	11:14	N1	DD-D002810	BBG050-042120	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG050	4/21/2020	11:14	N1	DD-D002810	BBG050-042120	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG050	4/21/2020	11:14	N1	DD-D002810	BBG050-042120	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3.2		0.088	0.24	ug/WIPE
BBG050	4/21/2020	11:14	N1	DD-D002810	BBG050-042120	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG050	4/21/2020	11:14	N1	DD-D002810	BBG050-042120	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.1		0.07	0.24	ug/WIPE
BBG050	4/21/2020	11:14	N1	DD-D002810	BBG050-042120	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE

Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
BBG050	4/21/2020	11:14	N1	DD-D002810	BBG050-042120	SW8082A	SW	TOTAL PCBs	4.3		-	0.24	ug/WIPE
BBG051	4/21/2020	11:10	N1	DD-D002901	BBG051-042120	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG051	4/21/2020	11:10	N1	DD-D002901	BBG051-042120	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG051	4/21/2020	11:10	N1	DD-D002901	BBG051-042120	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG051	4/21/2020	11:10	N1	DD-D002901	BBG051-042120	SW8082A	SW	PCB-1242 (AROCLOR 1242)	6.1		0.088	0.24	ug/WIPE
BBG051	4/21/2020	11:10	N1	DD-D002901	BBG051-042120	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG051	4/21/2020	11:10	N1	DD-D002901	BBG051-042120	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2.3		0.07	0.24	ug/WIPE
BBG051	4/21/2020	11:10	N1	DD-D002901	BBG051-042120	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG051	4/21/2020	11:10	N1	DD-D002901	BBG051-042120	SW8082A	SW	TOTAL PCBs	8.4		-	0.24	ug/WIPE
BBG052	4/21/2020	11:16	N1	DD-D002902	BBG052-042120	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG052	4/21/2020	11:16	N1	DD-D002902	BBG052-042120	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG052	4/21/2020	11:16	N1	DD-D002902	BBG052-042120	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG052	4/21/2020	11:16	N1	DD-D002902	BBG052-042120	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2.4		0.088	0.24	ug/WIPE
BBG052	4/21/2020	11:16	N1	DD-D002902	BBG052-042120	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG052	4/21/2020	11:16	N1	DD-D002902	BBG052-042120	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1		0.07	0.24	ug/WIPE
BBG052	4/21/2020	11:16	N1	DD-D002902	BBG052-042120	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG052	4/21/2020	11:16	N1	DD-D002902	BBG052-042120	SW8082A	SW	TOTAL PCBs	3.4		-	0.24	ug/WIPE
BBG053	4/16/2020	15:05	N1	DD-D002903	BBG053-041620	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG053	4/16/2020	15:05	N1	DD-D002903	BBG053-041620	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG053	4/16/2020	15:05	N1	DD-D002903	BBG053-041620	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG053	4/16/2020	15:05	N1	DD-D002903	BBG053-041620	SW8082A	SW	PCB-1242 (AROCLOR 1242)	5.4		0.088	0.24	ug/WIPE
BBG053	4/16/2020	15:05	N1	DD-D002903	BBG053-041620	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG053	4/16/2020	15:05	N1	DD-D002903	BBG053-041620	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2.1		0.07	0.24	ug/WIPE
BBG053	4/16/2020	15:05	N1	DD-D002903	BBG053-041620	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG053	4/16/2020	15:05	N1	DD-D002903	BBG053-041620	SW8082A	SW	TOTAL PCBs	7.5		-	0.24	ug/WIPE
BBG054	4/16/2020	15:07	N1	DD-D002904	BBG054-041620	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG054	4/16/2020	15:07	N1	DD-D002904	BBG054-041620	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG054	4/16/2020	15:07	N1	DD-D002904	BBG054-041620	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG054	4/16/2020	15:07	N1	DD-D002904	BBG054-041620	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1.6		0.088	0.24	ug/WIPE
BBG054	4/16/2020	15:07	N1	DD-D002904	BBG054-041620	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG054	4/16/2020	15:07	N1	DD-D002904	BBG054-041620	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.72		0.07	0.24	ug/WIPE
BBG054	4/16/2020	15:07	N1	DD-D002904	BBG054-041620	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG054	4/16/2020	15:07	N1	DD-D002904	BBG054-041620	SW8082A	SW	TOTAL PCBs	2.32		-	0.24	ug/WIPE
BBG055	4/16/2020	15:13	N1	DD-D002905	BBG055-041620	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG055	4/16/2020	15:13	N1	DD-D002905	BBG055-041620	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG055	4/16/2020	15:13	N1	DD-D002905	BBG055-041620	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG055	4/16/2020	15:13	N1	DD-D002905	BBG055-041620	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1.2		0.088	0.24	ug/WIPE
BBG055	4/16/2020	15:13	N1	DD-D002905	BBG055-041620	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG055	4/16/2020	15:13	N1	DD-D002905	BBG055-041620	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.45		0.07	0.24	ug/WIPE
BBG055	4/16/2020	15:13	N1	DD-D002905	BBG055-041620	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG055	4/16/2020	15:13	N1	DD-D002905	BBG055-041620	SW8082A	SW	TOTAL PCBs	1.65		-	0.24	ug/WIPE
BBG056	4/16/2020	15:15	N1	DD-D002906	BBG056-041620	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG056	4/16/2020	15:15	N1	DD-D002906	BBG056-041620	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG056	4/16/2020	15:15	N1	DD-D002906	BBG056-041620	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG056	4/16/2020	15:15	N1	DD-D002906	BBG056-041620	SW8082A	SW	PCB-1242 (AROCLOR 1242)	5.3		0.088	0.24	ug/WIPE
BBG056	4/16/2020	15:15	N1	DD-D002906	BBG056-041620	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG056	4/16/2020	15:15	N1	DD-D002906	BBG056-041620	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2.6		0.07	0.24	ug/WIPE
BBG056	4/16/2020	15:15	N1	DD-D002906	BBG056-041620	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG056	4/16/2020	15:15	N1	DD-D002906	BBG056-041620	SW8082A	SW	TOTAL PCBs	7.9		-	0.24	ug/WIPE
BBG057-058	4/21/2020	11:30	N1	DD-D002907	BBG057-058-042120-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG057-058	4/21/2020	11:30	N1	DD-D002907	BBG057-058-042120-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE

Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
BBG057-058	4/21/2020	11:30	N1	DD-D002907	BBG057-058-042120-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG057-058	4/21/2020	11:30	N1	DD-D002907	BBG057-058-042120-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.4	U	0.088	0.24	ug/WIPE
BBG057-058	4/21/2020	11:30	N1	DD-D002907	BBG057-058-042120-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG057-058	4/21/2020	11:30	N1	DD-D002907	BBG057-058-042120-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.3	U	0.07	0.24	ug/WIPE
BBG057-058	4/21/2020	11:30	N1	DD-D002907	BBG057-058-042120-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG057-058	4/21/2020	11:30	N1	DD-D002907	BBG057-058-042120-COMP	SW8082A	SW	TOTAL PCBs	4.7	U	-	0.24	ug/WIPE
BBG059-060	4/21/2020	11:40	N1	DD-D002909	BBG059-060-042120-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG059-060	4/21/2020	11:40	N1	DD-D002909	BBG059-060-042120-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG059-060	4/21/2020	11:40	N1	DD-D002909	BBG059-060-042120-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG059-060	4/21/2020	11:40	N1	DD-D002909	BBG059-060-042120-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	4.9	J	0.088	0.24	ug/WIPE
BBG059-060	4/21/2020	11:40	N1	DD-D002909	BBG059-060-042120-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG059-060	4/21/2020	11:40	N1	DD-D002909	BBG059-060-042120-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.6	J	0.07	0.24	ug/WIPE
BBG059-060	4/21/2020	11:40	N1	DD-D002909	BBG059-060-042120-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG059-060	4/21/2020	11:40	N1	DD-D002909	BBG059-060-042120-COMP	SW8082A	SW	TOTAL PCBs	6.5	U	-	0.24	ug/WIPE
BBG061	4/21/2020	11:53	N1	DD-D003001	BBG061-042120	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG061	4/21/2020	11:53	N1	DD-D003001	BBG061-042120	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG061	4/21/2020	11:53	N1	DD-D003001	BBG061-042120	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG061	4/21/2020	11:53	N1	DD-D003001	BBG061-042120	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.2	U	0.088	0.24	ug/WIPE
BBG061	4/21/2020	11:53	N1	DD-D003001	BBG061-042120	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG061	4/21/2020	11:53	N1	DD-D003001	BBG061-042120	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.82	U	0.07	0.24	ug/WIPE
BBG061	4/21/2020	11:53	N1	DD-D003001	BBG061-042120	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG061	4/21/2020	11:53	N1	DD-D003001	BBG061-042120	SW8082A	SW	TOTAL PCBs	3.02	U	-	0.24	ug/WIPE
BBG062	4/21/2020	11:46	N1	DD-D003002	BBG062-042120	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG062	4/21/2020	11:46	N1	DD-D003002	BBG062-042120	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG062	4/21/2020	11:46	N1	DD-D003002	BBG062-042120	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG062	4/21/2020	11:46	N1	DD-D003002	BBG062-042120	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	4.9	U	0.088	0.24	ug/WIPE
BBG062	4/21/2020	11:46	N1	DD-D003002	BBG062-042120	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG062	4/21/2020	11:46	N1	DD-D003002	BBG062-042120	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.8	U	0.07	0.24	ug/WIPE
BBG062	4/21/2020	11:46	N1	DD-D003002	BBG062-042120	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG062	4/21/2020	11:46	N1	DD-D003002	BBG062-042120	SW8082A	SW	TOTAL PCBs	6.7	U	-	0.24	ug/WIPE
BBG063	4/21/2020	12:08	N1	DD-D003003	BBG063-042120	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG063	4/21/2020	12:08	N1	DD-D003003	BBG063-042120	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG063	4/21/2020	12:08	N1	DD-D003003	BBG063-042120	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG063	4/21/2020	12:08	N1	DD-D003003	BBG063-042120	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	5.9	U	0.088	0.24	ug/WIPE
BBG063	4/21/2020	12:08	N1	DD-D003003	BBG063-042120	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG063	4/21/2020	12:08	N1	DD-D003003	BBG063-042120	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.9	U	0.07	0.24	ug/WIPE
BBG063	4/21/2020	12:08	N1	DD-D003003	BBG063-042120	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG063	4/21/2020	12:08	N1	DD-D003003	BBG063-042120	SW8082A	SW	TOTAL PCBs	7.8	U	-	0.24	ug/WIPE
BBG064	4/21/2020	11:57	N1	DD-D003004	BBG064-042120	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG064	4/21/2020	11:57	N1	DD-D003004	BBG064-042120	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG064	4/21/2020	11:57	N1	DD-D003004	BBG064-042120	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG064	4/21/2020	11:57	N1	DD-D003004	BBG064-042120	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	6.8	U	0.088	0.24	ug/WIPE
BBG064	4/21/2020	11:57	N1	DD-D003004	BBG064-042120	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG064	4/21/2020	11:57	N1	DD-D003004	BBG064-042120	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.6	U	0.07	0.24	ug/WIPE
BBG064	4/21/2020	11:57	N1	DD-D003004	BBG064-042120	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG064	4/21/2020	11:57	N1	DD-D003004	BBG064-042120	SW8082A	SW	TOTAL PCBs	9.4	U	-	0.24	ug/WIPE
BBG065-066	4/21/2020	12:00	N1	DD-D003005	BBG065-066-042120-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG065-066	4/21/2020	12:00	N1	DD-D003005	BBG065-066-042120-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG065-066	4/21/2020	12:00	N1	DD-D003005	BBG065-066-042120-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG065-066	4/21/2020	12:00	N1	DD-D003005	BBG065-066-042120-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	11	U	0.088	0.24	ug/WIPE
BBG065-066	4/21/2020	12:00	N1	DD-D003005	BBG065-066-042120-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE

Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
BBG065-066	4/21/2020	12:00	N1	DD-D003005	BBG065-066-042120-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	3.8		0.07	0.24	ug/WIPE
BBG065-066	4/21/2020	12:00	N1	DD-D003005	BBG065-066-042120-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG065-066	4/21/2020	12:00	N1	DD-D003005	BBG065-066-042120-COMP	SW8082A	SW	TOTAL PCBs	14.8		-	0.24	ug/WIPE
BBG067	4/21/2020	12:30	N1	DD-D003007	BBG067-042120	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG067	4/21/2020	12:30	N1	DD-D003007	BBG067-042120	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG067	4/21/2020	12:30	N1	DD-D003007	BBG067-042120	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG067	4/21/2020	12:30	N1	DD-D003007	BBG067-042120	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	5.7		0.088	0.24	ug/WIPE
BBG067	4/21/2020	12:30	N1	DD-D003007	BBG067-042120	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG067	4/21/2020	12:30	N1	DD-D003007	BBG067-042120	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.3		0.07	0.24	ug/WIPE
BBG067	4/21/2020	12:30	N1	DD-D003007	BBG067-042120	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG067	4/21/2020	12:30	N1	DD-D003007	BBG067-042120	SW8082A	SW	TOTAL PCBs	8		-	0.24	ug/WIPE
BBG068	4/21/2020	12:18	N1	DD-D003008	BBG068-042120	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG068	4/21/2020	12:18	N1	DD-D003008	BBG068-042120	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG068	4/21/2020	12:18	N1	DD-D003008	BBG068-042120	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG068	4/21/2020	12:18	N1	DD-D003008	BBG068-042120	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.6		0.088	0.24	ug/WIPE
BBG068	4/21/2020	12:18	N1	DD-D003008	BBG068-042120	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG068	4/21/2020	12:18	N1	DD-D003008	BBG068-042120	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.4		0.07	0.24	ug/WIPE
BBG068	4/21/2020	12:18	N1	DD-D003008	BBG068-042120	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG068	4/21/2020	12:18	N1	DD-D003008	BBG068-042120	SW8082A	SW	TOTAL PCBs	5		-	0.24	ug/WIPE
BBG069	4/21/2020	12:34	N1	DD-D003009	BBG069-042120	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG069	4/21/2020	12:34	N1	DD-D003009	BBG069-042120	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG069	4/21/2020	12:34	N1	DD-D003009	BBG069-042120	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG069	4/21/2020	12:34	N1	DD-D003009	BBG069-042120	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.8		0.088	0.24	ug/WIPE
BBG069	4/21/2020	12:34	N1	DD-D003009	BBG069-042120	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG069	4/21/2020	12:34	N1	DD-D003009	BBG069-042120	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.6		0.07	0.24	ug/WIPE
BBG069	4/21/2020	12:34	N1	DD-D003009	BBG069-042120	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG069	4/21/2020	12:34	N1	DD-D003009	BBG069-042120	SW8082A	SW	TOTAL PCBs	5.4		-	0.24	ug/WIPE
BBG070	4/21/2020	12:22	N1	DD-D003010	BBG070-042120	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG070	4/21/2020	12:22	N1	DD-D003010	BBG070-042120	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG070	4/21/2020	12:22	N1	DD-D003010	BBG070-042120	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG070	4/21/2020	12:22	N1	DD-D003010	BBG070-042120	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	1.6		0.088	0.24	ug/WIPE
BBG070	4/21/2020	12:22	N1	DD-D003010	BBG070-042120	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG070	4/21/2020	12:22	N1	DD-D003010	BBG070-042120	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.79		0.07	0.24	ug/WIPE
BBG070	4/21/2020	12:22	N1	DD-D003010	BBG070-042120	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG070	4/21/2020	12:22	N1	DD-D003010	BBG070-042120	SW8082A	SW	TOTAL PCBs	2.39		-	0.24	ug/WIPE
BBG071	4/16/2020	15:19	N1	DD-D003101	BBG071-041620	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG071	4/16/2020	15:19	N1	DD-D003101	BBG071-041620	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG071	4/16/2020	15:19	N1	DD-D003101	BBG071-041620	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG071	4/16/2020	15:19	N1	DD-D003101	BBG071-041620	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.3		0.088	0.24	ug/WIPE
BBG071	4/16/2020	15:19	N1	DD-D003101	BBG071-041620	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG071	4/16/2020	15:19	N1	DD-D003101	BBG071-041620	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.7		0.07	0.24	ug/WIPE
BBG071	4/16/2020	15:19	N1	DD-D003101	BBG071-041620	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG071	4/16/2020	15:19	N1	DD-D003101	BBG071-041620	SW8082A	SW	TOTAL PCBs	5		-	0.24	ug/WIPE
BBG072	4/16/2020	15:23	N1	DD-D003102	BBG072-041620	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG072	4/16/2020	15:23	N1	DD-D003102	BBG072-041620	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG072	4/16/2020	15:23	N1	DD-D003102	BBG072-041620	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG072	4/16/2020	15:23	N1	DD-D003102	BBG072-041620	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	1.5		0.088	0.24	ug/WIPE
BBG072	4/16/2020	15:23	N1	DD-D003102	BBG072-041620	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG072	4/16/2020	15:23	N1	DD-D003102	BBG072-041620	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.67		0.07	0.24	ug/WIPE
BBG072	4/16/2020	15:23	N1	DD-D003102	BBG072-041620	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG072	4/16/2020	15:23	N1	DD-D003102	BBG072-041620	SW8082A	SW	TOTAL PCBs	2.17		-	0.24	ug/WIPE



Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
BBG073	4/16/2020	15:16	N1	DD-D003103	BBG073-041620	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG073	4/16/2020	15:16	N1	DD-D003103	BBG073-041620	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG073	4/16/2020	15:16	N1	DD-D003103	BBG073-041620	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG073	4/16/2020	15:16	N1	DD-D003103	BBG073-041620	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.92		0.088	0.24	ug/WIPE
BBG073	4/16/2020	15:16	N1	DD-D003103	BBG073-041620	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG073	4/16/2020	15:16	N1	DD-D003103	BBG073-041620	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.36		0.07	0.24	ug/WIPE
BBG073	4/16/2020	15:16	N1	DD-D003103	BBG073-041620	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG073	4/16/2020	15:16	N1	DD-D003103	BBG073-041620	SW8082A	SW	TOTAL PCBs	1.28		-	0.24	ug/WIPE
BBG074	4/21/2020	14:46	N1	DD-D003104	BBG074-042120	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG074	4/21/2020	14:46	N1	DD-D003104	BBG074-042120	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG074	4/21/2020	14:46	N1	DD-D003104	BBG074-042120	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG074	4/21/2020	14:46	N1	DD-D003104	BBG074-042120	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2.5		0.088	0.24	ug/WIPE
BBG074	4/21/2020	14:46	N1	DD-D003104	BBG074-042120	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG074	4/21/2020	14:46	N1	DD-D003104	BBG074-042120	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.99		0.07	0.24	ug/WIPE
BBG074	4/21/2020	14:46	N1	DD-D003104	BBG074-042120	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG074	4/21/2020	14:46	N1	DD-D003104	BBG074-042120	SW8082A	SW	TOTAL PCBs	3.49		-	0.24	ug/WIPE
BBG075	4/21/2020	14:51	N1	DD-D003105	BBG075-042120	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG075	4/21/2020	14:51	N1	DD-D003105	BBG075-042120	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG075	4/21/2020	14:51	N1	DD-D003105	BBG075-042120	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG075	4/21/2020	14:51	N1	DD-D003105	BBG075-042120	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.24		0.088	0.24	ug/WIPE
BBG075	4/21/2020	14:51	N1	DD-D003105	BBG075-042120	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG075	4/21/2020	14:51	N1	DD-D003105	BBG075-042120	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.11	J	0.07	0.24	ug/WIPE
BBG075	4/21/2020	14:51	N1	DD-D003105	BBG075-042120	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG075	4/21/2020	14:51	N1	DD-D003105	BBG075-042120	SW8082A	SW	TOTAL PCBs	0.35		-	0.24	ug/WIPE
BBG076-077	4/21/2020	14:58	N1	DD-D003106	BBG076-077-042120-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG076-077	4/21/2020	14:58	N1	DD-D003106	BBG076-077-042120-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG076-077	4/21/2020	14:58	N1	DD-D003106	BBG076-077-042120-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG076-077	4/21/2020	14:58	N1	DD-D003106	BBG076-077-042120-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	8.5		0.088	0.24	ug/WIPE
BBG076-077	4/21/2020	14:58	N1	DD-D003106	BBG076-077-042120-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG076-077	4/21/2020	14:58	N1	DD-D003106	BBG076-077-042120-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2.9		0.07	0.24	ug/WIPE
BBG076-077	4/21/2020	14:58	N1	DD-D003106	BBG076-077-042120-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG076-077	4/21/2020	14:58	N1	DD-D003106	BBG076-077-042120-COMP	SW8082A	SW	TOTAL PCBs	11.4		-	0.24	ug/WIPE
BBG078-079	4/21/2020	15:05	N1	DD-D003108	BBG078-079-042120-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG078-079	4/21/2020	15:05	N1	DD-D003108	BBG078-079-042120-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG078-079	4/21/2020	15:05	N1	DD-D003108	BBG078-079-042120-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG078-079	4/21/2020	15:05	N1	DD-D003108	BBG078-079-042120-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	7		0.088	0.24	ug/WIPE
BBG078-079	4/21/2020	15:05	N1	DD-D003108	BBG078-079-042120-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG078-079	4/21/2020	15:05	N1	DD-D003108	BBG078-079-042120-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2.8		0.07	0.24	ug/WIPE
BBG078-079	4/21/2020	15:05	N1	DD-D003108	BBG078-079-042120-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG078-079	4/21/2020	15:05	N1	DD-D003108	BBG078-079-042120-COMP	SW8082A	SW	TOTAL PCBs	9.8		-	0.24	ug/WIPE
BBG080-081	4/21/2020	15:14	N1	DD-D003110	BBG080-081-042120-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG080-081	4/21/2020	15:14	N1	DD-D003110	BBG080-081-042120-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG080-081	4/21/2020	15:14	N1	DD-D003110	BBG080-081-042120-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG080-081	4/21/2020	15:14	N1	DD-D003110	BBG080-081-042120-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	5.4		0.088	0.24	ug/WIPE
BBG080-081	4/21/2020	15:14	N1	DD-D003110	BBG080-081-042120-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG080-081	4/21/2020	15:14	N1	DD-D003110	BBG080-081-042120-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.9		0.07	0.24	ug/WIPE
BBG080-081	4/21/2020	15:14	N1	DD-D003110	BBG080-081-042120-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG080-081	4/21/2020	15:14	N1	DD-D003110	BBG080-081-042120-COMP	SW8082A	SW	TOTAL PCBs	7.3		-	0.24	ug/WIPE
BBG082	4/21/2020	15:24	N1	DD-D003202	BBG082-042120	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG082	4/21/2020	15:24	N1	DD-D003202	BBG082-042120	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG082	4/21/2020	15:24	N1	DD-D003202	BBG082-042120	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE

Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
BBG082	4/21/2020	15:24	N1	DD-D003202	BBG082-042120	SW8082A	SW	PCB-1242 (AROCLOR 1242)	7.8		0.088	0.24	ug/WIPE
BBG082	4/21/2020	15:24	N1	DD-D003202	BBG082-042120	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG082	4/21/2020	15:24	N1	DD-D003202	BBG082-042120	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2.8		0.07	0.24	ug/WIPE
BBG082	4/21/2020	15:24	N1	DD-D003202	BBG082-042120	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG082	4/21/2020	15:24	N1	DD-D003202	BBG082-042120	SW8082A	SW	TOTAL PCBs	10.6		-	0.24	ug/WIPE
BBG083	4/21/2020	15:28	N1	DD-D003203	BBG083-042120	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG083	4/21/2020	15:28	N1	DD-D003203	BBG083-042120	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG083	4/21/2020	15:28	N1	DD-D003203	BBG083-042120	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG083	4/21/2020	15:28	N1	DD-D003203	BBG083-042120	SW8082A	SW	PCB-1242 (AROCLOR 1242)	4		0.088	0.24	ug/WIPE
BBG083	4/21/2020	15:28	N1	DD-D003203	BBG083-042120	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG083	4/21/2020	15:28	N1	DD-D003203	BBG083-042120	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.4		0.07	0.24	ug/WIPE
BBG083	4/21/2020	15:28	N1	DD-D003203	BBG083-042120	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG083	4/21/2020	15:28	N1	DD-D003203	BBG083-042120	SW8082A	SW	TOTAL PCBs	5.4		-	0.24	ug/WIPE
BBG084	4/21/2020	15:35	N1	DD-D003204	BBG084-042120	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG084	4/21/2020	15:35	N1	DD-D003204	BBG084-042120	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG084	4/21/2020	15:35	N1	DD-D003204	BBG084-042120	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG084	4/21/2020	15:35	N1	DD-D003204	BBG084-042120	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2.9		0.088	0.24	ug/WIPE
BBG084	4/21/2020	15:35	N1	DD-D003204	BBG084-042120	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG084	4/21/2020	15:35	N1	DD-D003204	BBG084-042120	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.2		0.07	0.24	ug/WIPE
BBG084	4/21/2020	15:35	N1	DD-D003204	BBG084-042120	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG084	4/21/2020	15:35	N1	DD-D003204	BBG084-042120	SW8082A	SW	TOTAL PCBs	4.1		-	0.24	ug/WIPE
BBG085	4/21/2020	15:43	N1	DD-D003205	BBG085-042120	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG085	4/21/2020	15:43	N1	DD-D003205	BBG085-042120	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG085	4/21/2020	15:43	N1	DD-D003205	BBG085-042120	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG085	4/21/2020	15:43	N1	DD-D003205	BBG085-042120	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1.6		0.088	0.24	ug/WIPE
BBG085	4/21/2020	15:43	N1	DD-D003205	BBG085-042120	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG085	4/21/2020	15:43	N1	DD-D003205	BBG085-042120	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.74		0.07	0.24	ug/WIPE
BBG085	4/21/2020	15:43	N1	DD-D003205	BBG085-042120	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG085	4/21/2020	15:43	N1	DD-D003205	BBG085-042120	SW8082A	SW	TOTAL PCBs	2.34		-	0.24	ug/WIPE
BBG086	4/21/2020	15:46	N1	DD-D003206	BBG086-042120	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG086	4/21/2020	15:46	N1	DD-D003206	BBG086-042120	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG086	4/21/2020	15:46	N1	DD-D003206	BBG086-042120	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG086	4/21/2020	15:46	N1	DD-D003206	BBG086-042120	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1.6		0.088	0.24	ug/WIPE
BBG086	4/21/2020	15:46	N1	DD-D003206	BBG086-042120	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG086	4/21/2020	15:46	N1	DD-D003206	BBG086-042120	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.56		0.07	0.24	ug/WIPE
BBG086	4/21/2020	15:46	N1	DD-D003206	BBG086-042120	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG086	4/21/2020	15:46	N1	DD-D003206	BBG086-042120	SW8082A	SW	TOTAL PCBs	2.16		-	0.24	ug/WIPE
BBG087	4/21/2020	15:38	N1	DD-D003207	BBG087-042120	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG087	4/21/2020	15:38	N1	DD-D003207	BBG087-042120	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG087	4/21/2020	15:38	N1	DD-D003207	BBG087-042120	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG087	4/21/2020	15:38	N1	DD-D003207	BBG087-042120	SW8082A	SW	PCB-1242 (AROCLOR 1242)	5.4		0.088	0.24	ug/WIPE
BBG087	4/21/2020	15:38	N1	DD-D003207	BBG087-042120	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG087	4/21/2020	15:38	N1	DD-D003207	BBG087-042120	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2.1		0.07	0.24	ug/WIPE
BBG087	4/21/2020	15:38	N1	DD-D003207	BBG087-042120	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG087	4/21/2020	15:38	N1	DD-D003207	BBG087-042120	SW8082A	SW	TOTAL PCBs	7.5		-	0.24	ug/WIPE
BBG088	4/21/2020	15:33	N1	DD-D003208	BBG088-042120	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG088	4/21/2020	15:33	N1	DD-D003208	BBG088-042120	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG088	4/21/2020	15:33	N1	DD-D003208	BBG088-042120	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG088	4/21/2020	15:33	N1	DD-D003208	BBG088-042120	SW8082A	SW	PCB-1242 (AROCLOR 1242)	5.6		0.088	0.24	ug/WIPE
BBG088	4/21/2020	15:33	N1	DD-D003208	BBG088-042120	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG088	4/21/2020	15:33	N1	DD-D003208	BBG088-042120	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2.1		0.07	0.24	ug/WIPE

Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
BBG088	4/21/2020	15:33	N1	DD-D003208	BBG088-042120	SW8082A	SW	PCB-1260 (AROCLOL 1260)	ND	U	0.09	0.24	ug/WIPE
BBG088	4/21/2020	15:33	N1	DD-D003208	BBG088-042120	SW8082A	SW	TOTAL PCBs	7.7		-	0.24	ug/WIPE
BBG089-090	4/21/2020	16:09	N1	DD-D003209	BBG089-090-042120-COMP	SW8082A	SW	PCB-1016 (AROCLOL 1016)	ND	U	0.09	0.24	ug/WIPE
BBG089-090	4/21/2020	16:09	N1	DD-D003209	BBG089-090-042120-COMP	SW8082A	SW	PCB-1221 (AROCLOL 1221)	ND	U	0.12	0.24	ug/WIPE
BBG089-090	4/21/2020	16:09	N1	DD-D003209	BBG089-090-042120-COMP	SW8082A	SW	PCB-1232 (AROCLOL 1232)	ND	U	0.14	0.24	ug/WIPE
BBG089-090	4/21/2020	16:09	N1	DD-D003209	BBG089-090-042120-COMP	SW8082A	SW	PCB-1242 (AROCLOL 1242)	3.9		0.088	0.24	ug/WIPE
BBG089-090	4/21/2020	16:09	N1	DD-D003209	BBG089-090-042120-COMP	SW8082A	SW	PCB-1248 (AROCLOL 1248)	ND	U	0.092	0.24	ug/WIPE
BBG089-090	4/21/2020	16:09	N1	DD-D003209	BBG089-090-042120-COMP	SW8082A	SW	PCB-1254 (AROCLOL 1254)	1.8		0.07	0.24	ug/WIPE
BBG089-090	4/21/2020	16:09	N1	DD-D003209	BBG089-090-042120-COMP	SW8082A	SW	PCB-1260 (AROCLOL 1260)	ND	U	0.09	0.24	ug/WIPE
BBG089-090	4/21/2020	16:09	N1	DD-D003209	BBG089-090-042120-COMP	SW8082A	SW	TOTAL PCBs	5.7		-	0.24	ug/WIPE
BBG091	4/21/2020	17:32	N1	DD-D003301	BBG091-042120	SW8082A	SW	PCB-1016 (AROCLOL 1016)	ND	U	0.09	0.24	ug/WIPE
BBG091	4/21/2020	17:32	N1	DD-D003301	BBG091-042120	SW8082A	SW	PCB-1221 (AROCLOL 1221)	ND	U	0.12	0.24	ug/WIPE
BBG091	4/21/2020	17:32	N1	DD-D003301	BBG091-042120	SW8082A	SW	PCB-1232 (AROCLOL 1232)	ND	U	0.14	0.24	ug/WIPE
BBG091	4/21/2020	17:32	N1	DD-D003301	BBG091-042120	SW8082A	SW	PCB-1242 (AROCLOL 1242)	6.4		0.088	0.24	ug/WIPE
BBG091	4/21/2020	17:32	N1	DD-D003301	BBG091-042120	SW8082A	SW	PCB-1248 (AROCLOL 1248)	ND	U	0.092	0.24	ug/WIPE
BBG091	4/21/2020	17:32	N1	DD-D003301	BBG091-042120	SW8082A	SW	PCB-1254 (AROCLOL 1254)	2.6		0.07	0.24	ug/WIPE
BBG091	4/21/2020	17:32	N1	DD-D003301	BBG091-042120	SW8082A	SW	PCB-1260 (AROCLOL 1260)	ND	U	0.09	0.24	ug/WIPE
BBG091	4/21/2020	17:32	N1	DD-D003301	BBG091-042120	SW8082A	SW	TOTAL PCBs	9		-	0.24	ug/WIPE
BBG092	4/22/2020	8:01	N1	DD-D003302	BBG092-042220	SW8082A	SW	PCB-1016 (AROCLOL 1016)	ND	U	0.09	0.24	ug/WIPE
BBG092	4/22/2020	8:01	N1	DD-D003302	BBG092-042220	SW8082A	SW	PCB-1221 (AROCLOL 1221)	ND	U	0.12	0.24	ug/WIPE
BBG092	4/22/2020	8:01	N1	DD-D003302	BBG092-042220	SW8082A	SW	PCB-1232 (AROCLOL 1232)	ND	U	0.14	0.24	ug/WIPE
BBG092	4/22/2020	8:01	N1	DD-D003302	BBG092-042220	SW8082A	SW	PCB-1242 (AROCLOL 1242)	5		0.088	0.24	ug/WIPE
BBG092	4/22/2020	8:01	N1	DD-D003302	BBG092-042220	SW8082A	SW	PCB-1248 (AROCLOL 1248)	ND	U	0.092	0.24	ug/WIPE
BBG092	4/22/2020	8:01	N1	DD-D003302	BBG092-042220	SW8082A	SW	PCB-1254 (AROCLOL 1254)	2.2		0.07	0.24	ug/WIPE
BBG092	4/22/2020	8:01	N1	DD-D003302	BBG092-042220	SW8082A	SW	PCB-1260 (AROCLOL 1260)	ND	U	0.09	0.24	ug/WIPE
BBG092	4/22/2020	8:01	N1	DD-D003302	BBG092-042220	SW8082A	SW	TOTAL PCBs	7.2		-	0.24	ug/WIPE
BBG093	4/22/2020	7:59	N1	DD-D003303	BBG093-042220	SW8082A	SW	PCB-1016 (AROCLOL 1016)	ND	U	0.09	0.24	ug/WIPE
BBG093	4/22/2020	7:59	N1	DD-D003303	BBG093-042220	SW8082A	SW	PCB-1221 (AROCLOL 1221)	ND	U	0.12	0.24	ug/WIPE
BBG093	4/22/2020	7:59	N1	DD-D003303	BBG093-042220	SW8082A	SW	PCB-1232 (AROCLOL 1232)	ND	U	0.14	0.24	ug/WIPE
BBG093	4/22/2020	7:59	N1	DD-D003303	BBG093-042220	SW8082A	SW	PCB-1242 (AROCLOL 1242)	1.8		0.088	0.24	ug/WIPE
BBG093	4/22/2020	7:59	N1	DD-D003303	BBG093-042220	SW8082A	SW	PCB-1248 (AROCLOL 1248)	ND	U	0.092	0.24	ug/WIPE
BBG093	4/22/2020	7:59	N1	DD-D003303	BBG093-042220	SW8082A	SW	PCB-1254 (AROCLOL 1254)	0.46		0.07	0.24	ug/WIPE
BBG093	4/22/2020	7:59	N1	DD-D003303	BBG093-042220	SW8082A	SW	PCB-1260 (AROCLOL 1260)	ND	U	0.09	0.24	ug/WIPE
BBG093	4/22/2020	7:59	N1	DD-D003303	BBG093-042220	SW8082A	SW	TOTAL PCBs	2.26		-	0.24	ug/WIPE
BBG094	4/22/2020	7:55	N1	DD-D003304	BBG094-042220	SW8082A	SW	PCB-1016 (AROCLOL 1016)	ND	U	0.09	0.24	ug/WIPE
BBG094	4/22/2020	7:55	N1	DD-D003304	BBG094-042220	SW8082A	SW	PCB-1221 (AROCLOL 1221)	ND	U	0.12	0.24	ug/WIPE
BBG094	4/22/2020	7:55	N1	DD-D003304	BBG094-042220	SW8082A	SW	PCB-1232 (AROCLOL 1232)	ND	U	0.14	0.24	ug/WIPE
BBG094	4/22/2020	7:55	N1	DD-D003304	BBG094-042220	SW8082A	SW	PCB-1242 (AROCLOL 1242)	0.35		0.088	0.24	ug/WIPE
BBG094	4/22/2020	7:55	N1	DD-D003304	BBG094-042220	SW8082A	SW	PCB-1248 (AROCLOL 1248)	ND	U	0.092	0.24	ug/WIPE
BBG094	4/22/2020	7:55	N1	DD-D003304	BBG094-042220	SW8082A	SW	PCB-1254 (AROCLOL 1254)	0.14	J	0.07	0.24	ug/WIPE
BBG094	4/22/2020	7:55	N1	DD-D003304	BBG094-042220	SW8082A	SW	PCB-1260 (AROCLOL 1260)	ND	U	0.09	0.24	ug/WIPE
BBG094	4/22/2020	7:55	N1	DD-D003304	BBG094-042220	SW8082A	SW	TOTAL PCBs	0.49		-	0.24	ug/WIPE
BBG095-096	4/21/2020	17:11	N1	DD-D003305	BBG095-096-042120-COMP	SW8082A	SW	PCB-1016 (AROCLOL 1016)	ND	U	0.09	0.24	ug/WIPE
BBG095-096	4/21/2020	17:11	N1	DD-D003305	BBG095-096-042120-COMP	SW8082A	SW	PCB-1221 (AROCLOL 1221)	ND	U	0.12	0.24	ug/WIPE
BBG095-096	4/21/2020	17:11	N1	DD-D003305	BBG095-096-042120-COMP	SW8082A	SW	PCB-1232 (AROCLOL 1232)	ND	U	0.14	0.24	ug/WIPE
BBG095-096	4/21/2020	17:11	N1	DD-D003305	BBG095-096-042120-COMP	SW8082A	SW	PCB-1242 (AROCLOL 1242)	12		0.088	0.24	ug/WIPE
BBG095-096	4/21/2020	17:11	N1	DD-D003305	BBG095-096-042120-COMP	SW8082A	SW	PCB-1248 (AROCLOL 1248)	ND	U	0.092	0.24	ug/WIPE
BBG095-096	4/21/2020	17:11	N1	DD-D003305	BBG095-096-042120-COMP	SW8082A	SW	PCB-1254 (AROCLOL 1254)	4.4		0.07	0.24	ug/WIPE
BBG095-096	4/21/2020	17:11	N1	DD-D003305	BBG095-096-042120-COMP	SW8082A	SW	PCB-1260 (AROCLOL 1260)	ND	U	0.09	0.24	ug/WIPE
BBG095-096	4/21/2020	17:11	N1	DD-D003305	BBG095-096-042120-COMP	SW8082A	SW	TOTAL PCBs	16.4		-	0.24	ug/WIPE
BBG097	4/21/2020	17:01	N1	DD-D003307	BBG097-042120	SW8082A	SW	PCB-1016 (AROCLOL 1016)	ND	U	0.09	0.24	ug/WIPE

Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
BBG097	4/21/2020	17:01	N1	DD-D003307	BBG097-042120	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG097	4/21/2020	17:01	N1	DD-D003307	BBG097-042120	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG097	4/21/2020	17:01	N1	DD-D003307	BBG097-042120	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	8.7		0.088	0.24	ug/WIPE
BBG097	4/21/2020	17:01	N1	DD-D003307	BBG097-042120	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG097	4/21/2020	17:01	N1	DD-D003307	BBG097-042120	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	3.4		0.07	0.24	ug/WIPE
BBG097	4/21/2020	17:01	N1	DD-D003307	BBG097-042120	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG097	4/21/2020	17:01	N1	DD-D003307	BBG097-042120	SW8082A	SW	TOTAL PCBs	12.1		-	0.24	ug/WIPE
BBG098	4/21/2020	16:55	N1	DD-D003308	BBG098-042120	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG098	4/21/2020	16:55	N1	DD-D003308	BBG098-042120	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG098	4/21/2020	16:55	N1	DD-D003308	BBG098-042120	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG098	4/21/2020	16:55	N1	DD-D003308	BBG098-042120	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.4		0.088	0.24	ug/WIPE
BBG098	4/21/2020	16:55	N1	DD-D003308	BBG098-042120	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG098	4/21/2020	16:55	N1	DD-D003308	BBG098-042120	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1		0.07	0.24	ug/WIPE
BBG098	4/21/2020	16:55	N1	DD-D003308	BBG098-042120	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG098	4/21/2020	16:55	N1	DD-D003308	BBG098-042120	SW8082A	SW	TOTAL PCBs	3.4		-	0.24	ug/WIPE
BBG099	4/21/2020	16:49	N1	DD-D003309	BBG099-042120	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG099	4/21/2020	16:49	N1	DD-D003309	BBG099-042120	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG099	4/21/2020	16:49	N1	DD-D003309	BBG099-042120	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG099	4/21/2020	16:49	N1	DD-D003309	BBG099-042120	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.8		0.088	0.24	ug/WIPE
BBG099	4/21/2020	16:49	N1	DD-D003309	BBG099-042120	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG099	4/21/2020	16:49	N1	DD-D003309	BBG099-042120	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.4		0.07	0.24	ug/WIPE
BBG099	4/21/2020	16:49	N1	DD-D003309	BBG099-042120	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG099	4/21/2020	16:49	N1	DD-D003309	BBG099-042120	SW8082A	SW	TOTAL PCBs	4.2		-	0.24	ug/WIPE
BBG100	4/21/2020	16:52	N1	DD-D003310	BBG100-042120	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG100	4/21/2020	16:52	N1	DD-D003310	BBG100-042120	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG100	4/21/2020	16:52	N1	DD-D003310	BBG100-042120	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG100	4/21/2020	16:52	N1	DD-D003310	BBG100-042120	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.4		0.088	0.24	ug/WIPE
BBG100	4/21/2020	16:52	N1	DD-D003310	BBG100-042120	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG100	4/21/2020	16:52	N1	DD-D003310	BBG100-042120	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.4		0.07	0.24	ug/WIPE
BBG100	4/21/2020	16:52	N1	DD-D003310	BBG100-042120	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG100	4/21/2020	16:52	N1	DD-D003310	BBG100-042120	SW8082A	SW	TOTAL PCBs	4.8		-	0.24	ug/WIPE
BBG101	4/21/2020	17:06	N1	DD-D003401	BBG101-042120	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG101	4/21/2020	17:06	N1	DD-D003401	BBG101-042120	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG101	4/21/2020	17:06	N1	DD-D003401	BBG101-042120	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG101	4/21/2020	17:06	N1	DD-D003401	BBG101-042120	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.7		0.088	0.24	ug/WIPE
BBG101	4/21/2020	17:06	N1	DD-D003401	BBG101-042120	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG101	4/21/2020	17:06	N1	DD-D003401	BBG101-042120	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.2		0.07	0.24	ug/WIPE
BBG101	4/21/2020	17:06	N1	DD-D003401	BBG101-042120	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG101	4/21/2020	17:06	N1	DD-D003401	BBG101-042120	SW8082A	SW	TOTAL PCBs	3.9		-	0.24	ug/WIPE
BBG102	4/21/2020	16:40	N1	DD-D003402	BBG102-042120	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG102	4/21/2020	16:40	N1	DD-D003402	BBG102-042120	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG102	4/21/2020	16:40	N1	DD-D003402	BBG102-042120	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG102	4/21/2020	16:40	N1	DD-D003402	BBG102-042120	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.9		0.088	0.24	ug/WIPE
BBG102	4/21/2020	16:40	N1	DD-D003402	BBG102-042120	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG102	4/21/2020	16:40	N1	DD-D003402	BBG102-042120	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.3		0.07	0.24	ug/WIPE
BBG102	4/21/2020	16:40	N1	DD-D003402	BBG102-042120	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG102	4/21/2020	16:40	N1	DD-D003402	BBG102-042120	SW8082A	SW	TOTAL PCBs	4.2		-	0.24	ug/WIPE
BBG103-104	4/21/2020	16:41	N1	DD-D003403	BBG103-104-042120-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG103-104	4/21/2020	16:41	N1	DD-D003403	BBG103-104-042120-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG103-104	4/21/2020	16:41	N1	DD-D003403	BBG103-104-042120-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG103-104	4/21/2020	16:41	N1	DD-D003403	BBG103-104-042120-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	6.4		0.088	0.24	ug/WIPE

Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
BBG103-104	4/21/2020	16:41	N1	DD-D003403	BBG103-104-042120-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG103-104	4/21/2020	16:41	N1	DD-D003403	BBG103-104-042120-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2.4	U	0.07	0.24	ug/WIPE
BBG103-104	4/21/2020	16:41	N1	DD-D003403	BBG103-104-042120-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG103-104	4/21/2020	16:41	N1	DD-D003403	BBG103-104-042120-COMP	SW8082A	SW	TOTAL PCBs	8.8		-	0.24	ug/WIPE
BBG105-107	4/21/2020	16:25	N1	DD-D003405	BBG105-107-042120-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG105-107	4/21/2020	16:25	N1	DD-D003405	BBG105-107-042120-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG105-107	4/21/2020	16:25	N1	DD-D003405	BBG105-107-042120-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG105-107	4/21/2020	16:25	N1	DD-D003405	BBG105-107-042120-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	4.8		0.088	0.24	ug/WIPE
BBG105-107	4/21/2020	16:25	N1	DD-D003405	BBG105-107-042120-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG105-107	4/21/2020	16:25	N1	DD-D003405	BBG105-107-042120-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.8		0.07	0.24	ug/WIPE
BBG105-107	4/21/2020	16:25	N1	DD-D003405	BBG105-107-042120-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG105-107	4/21/2020	16:25	N1	DD-D003405	BBG105-107-042120-COMP	SW8082A	SW	TOTAL PCBs	6.6		-	0.24	ug/WIPE
BBG106	4/21/2020	16:31	N1	DD-D003406	BBG106-042120	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG106	4/21/2020	16:31	N1	DD-D003406	BBG106-042120	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG106	4/21/2020	16:31	N1	DD-D003406	BBG106-042120	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG106	4/21/2020	16:31	N1	DD-D003406	BBG106-042120	SW8082A	SW	PCB-1242 (AROCLOR 1242)	6.5		0.088	0.24	ug/WIPE
BBG106	4/21/2020	16:31	N1	DD-D003406	BBG106-042120	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG106	4/21/2020	16:31	N1	DD-D003406	BBG106-042120	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2.6		0.07	0.24	ug/WIPE
BBG106	4/21/2020	16:31	N1	DD-D003406	BBG106-042120	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG106	4/21/2020	16:31	N1	DD-D003406	BBG106-042120	SW8082A	SW	TOTAL PCBs	9.1		-	0.24	ug/WIPE
BBG108	4/21/2020	16:19	N1	DD-D003408	BBG108-042120	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG108	4/21/2020	16:19	N1	DD-D003408	BBG108-042120	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG108	4/21/2020	16:19	N1	DD-D003408	BBG108-042120	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG108	4/21/2020	16:19	N1	DD-D003408	BBG108-042120	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2.9		0.088	0.24	ug/WIPE
BBG108	4/21/2020	16:19	N1	DD-D003408	BBG108-042120	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG108	4/21/2020	16:19	N1	DD-D003408	BBG108-042120	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.3		0.07	0.24	ug/WIPE
BBG108	4/21/2020	16:19	N1	DD-D003408	BBG108-042120	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG108	4/21/2020	16:19	N1	DD-D003408	BBG108-042120	SW8082A	SW	TOTAL PCBs	4.2		-	0.24	ug/WIPE
BBG109	4/21/2020	17:27	N1	DD-D003409	BBG109-042120	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG109	4/21/2020	17:27	N1	DD-D003409	BBG109-042120	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG109	4/21/2020	17:27	N1	DD-D003409	BBG109-042120	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG109	4/21/2020	17:27	N1	DD-D003409	BBG109-042120	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2.2		0.088	0.24	ug/WIPE
BBG109	4/21/2020	17:27	N1	DD-D003409	BBG109-042120	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG109	4/21/2020	17:27	N1	DD-D003409	BBG109-042120	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.94		0.07	0.24	ug/WIPE
BBG109	4/21/2020	17:27	N1	DD-D003409	BBG109-042120	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG109	4/21/2020	17:27	N1	DD-D003409	BBG109-042120	SW8082A	SW	TOTAL PCBs	3.14		-	0.24	ug/WIPE
BBG110-111	4/22/2020	8:12	N1	DD-D003410	BBG110-111-042220-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG110-111	4/22/2020	8:12	N1	DD-D003410	BBG110-111-042220-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG110-111	4/22/2020	8:12	N1	DD-D003410	BBG110-111-042220-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG110-111	4/22/2020	8:12	N1	DD-D003410	BBG110-111-042220-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2.4		0.088	0.24	ug/WIPE
BBG110-111	4/22/2020	8:12	N1	DD-D003410	BBG110-111-042220-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG110-111	4/22/2020	8:12	N1	DD-D003410	BBG110-111-042220-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1		0.07	0.24	ug/WIPE
BBG110-111	4/22/2020	8:12	N1	DD-D003410	BBG110-111-042220-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG110-111	4/22/2020	8:12	N1	DD-D003410	BBG110-111-042220-COMP	SW8082A	SW	TOTAL PCBs	3.4		-	0.24	ug/WIPE
BBG112	4/22/2020	8:23	N1	DD-D003502	BBG112-042220	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG112	4/22/2020	8:23	N1	DD-D003502	BBG112-042220	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG112	4/22/2020	8:23	N1	DD-D003502	BBG112-042220	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG112	4/22/2020	8:23	N1	DD-D003502	BBG112-042220	SW8082A	SW	PCB-1242 (AROCLOR 1242)	11		0.088	0.24	ug/WIPE
BBG112	4/22/2020	8:23	N1	DD-D003502	BBG112-042220	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG112	4/22/2020	8:23	N1	DD-D003502	BBG112-042220	SW8082A	SW	PCB-1254 (AROCLOR 1254)	3.5		0.07	0.24	ug/WIPE
BBG112	4/22/2020	8:23	N1	DD-D003502	BBG112-042220	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE



Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
BBG112	4/22/2020	8:23	N1	DD-D003502	BBG112-042220	SW8082A	SW	TOTAL PCBs	14.5		-	0.24	ug/WIPE
BBG113	4/22/2020	8:20	N1	DD-D003503	BBG113-042220	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG113	4/22/2020	8:20	N1	DD-D003503	BBG113-042220	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG113	4/22/2020	8:20	N1	DD-D003503	BBG113-042220	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG113	4/22/2020	8:20	N1	DD-D003503	BBG113-042220	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	5.3		0.088	0.24	ug/WIPE
BBG113	4/22/2020	8:20	N1	DD-D003503	BBG113-042220	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG113	4/22/2020	8:20	N1	DD-D003503	BBG113-042220	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2		0.07	0.24	ug/WIPE
BBG113	4/22/2020	8:20	N1	DD-D003503	BBG113-042220	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG113	4/22/2020	8:20	N1	DD-D003503	BBG113-042220	SW8082A	SW	TOTAL PCBs	7.3		-	0.24	ug/WIPE
BBG114	4/22/2020	8:26	N1	DD-D003504	BBG114-042220	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG114	4/22/2020	8:26	N1	DD-D003504	BBG114-042220	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG114	4/22/2020	8:26	N1	DD-D003504	BBG114-042220	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG114	4/22/2020	8:26	N1	DD-D003504	BBG114-042220	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.5		0.088	0.24	ug/WIPE
BBG114	4/22/2020	8:26	N1	DD-D003504	BBG114-042220	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG114	4/22/2020	8:26	N1	DD-D003504	BBG114-042220	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.3		0.07	0.24	ug/WIPE
BBG114	4/22/2020	8:26	N1	DD-D003504	BBG114-042220	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG114	4/22/2020	8:26	N1	DD-D003504	BBG114-042220	SW8082A	SW	TOTAL PCBs	4.8		-	0.24	ug/WIPE
BBG115-116	4/22/2020	8:29	N1	DD-D003505	BBG115-116-042220-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG115-116	4/22/2020	8:29	N1	DD-D003505	BBG115-116-042220-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG115-116	4/22/2020	8:29	N1	DD-D003505	BBG115-116-042220-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG115-116	4/22/2020	8:29	N1	DD-D003505	BBG115-116-042220-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	6.9		0.088	0.24	ug/WIPE
BBG115-116	4/22/2020	8:29	N1	DD-D003505	BBG115-116-042220-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG115-116	4/22/2020	8:29	N1	DD-D003505	BBG115-116-042220-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.8		0.07	0.24	ug/WIPE
BBG115-116	4/22/2020	8:29	N1	DD-D003505	BBG115-116-042220-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG115-116	4/22/2020	8:29	N1	DD-D003505	BBG115-116-042220-COMP	SW8082A	SW	TOTAL PCBs	9.7		-	0.24	ug/WIPE
BBG117	4/22/2020	8:41	N1	DD-D003507	BBG117-042220	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG117	4/22/2020	8:41	N1	DD-D003507	BBG117-042220	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG117	4/22/2020	8:41	N1	DD-D003507	BBG117-042220	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG117	4/22/2020	8:41	N1	DD-D003507	BBG117-042220	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.5		0.088	0.24	ug/WIPE
BBG117	4/22/2020	8:41	N1	DD-D003507	BBG117-042220	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG117	4/22/2020	8:41	N1	DD-D003507	BBG117-042220	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.4		0.07	0.24	ug/WIPE
BBG117	4/22/2020	8:41	N1	DD-D003507	BBG117-042220	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG117	4/22/2020	8:41	N1	DD-D003507	BBG117-042220	SW8082A	SW	TOTAL PCBs	4.9		-	0.24	ug/WIPE
BBG118	4/22/2020	8:36	N1	DD-D003508	BBG118-042220	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG118	4/22/2020	8:36	N1	DD-D003508	BBG118-042220	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG118	4/22/2020	8:36	N1	DD-D003508	BBG118-042220	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG118	4/22/2020	8:36	N1	DD-D003508	BBG118-042220	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.8		0.088	0.24	ug/WIPE
BBG118	4/22/2020	8:36	N1	DD-D003508	BBG118-042220	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG118	4/22/2020	8:36	N1	DD-D003508	BBG118-042220	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.3		0.07	0.24	ug/WIPE
BBG118	4/22/2020	8:36	N1	DD-D003508	BBG118-042220	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG118	4/22/2020	8:36	N1	DD-D003508	BBG118-042220	SW8082A	SW	TOTAL PCBs	5.1		-	0.24	ug/WIPE
BBG119	4/22/2020	8:45	N1	DD-D003509	BBG119-042220	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG119	4/22/2020	8:45	N1	DD-D003509	BBG119-042220	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG119	4/22/2020	8:45	N1	DD-D003509	BBG119-042220	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG119	4/22/2020	8:45	N1	DD-D003509	BBG119-042220	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	5.9		0.088	0.24	ug/WIPE
BBG119	4/22/2020	8:45	N1	DD-D003509	BBG119-042220	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG119	4/22/2020	8:45	N1	DD-D003509	BBG119-042220	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.3		0.07	0.24	ug/WIPE
BBG119	4/22/2020	8:45	N1	DD-D003509	BBG119-042220	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG119	4/22/2020	8:45	N1	DD-D003509	BBG119-042220	SW8082A	SW	TOTAL PCBs	8.2		-	0.24	ug/WIPE
BBG120	4/22/2020	8:50	N1	DD-D003510	BBG120-042220	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG120	4/22/2020	8:50	N1	DD-D003510	BBG120-042220	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE

Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
BBG120	4/22/2020	8:50	N1	DD-D003510	BBG120-042220	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG120	4/22/2020	8:50	N1	DD-D003510	BBG120-042220	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	4	U	0.088	0.24	ug/WIPE
BBG120	4/22/2020	8:50	N1	DD-D003510	BBG120-042220	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG120	4/22/2020	8:50	N1	DD-D003510	BBG120-042220	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.7	U	0.07	0.24	ug/WIPE
BBG120	4/22/2020	8:50	N1	DD-D003510	BBG120-042220	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG120	4/22/2020	8:50	N1	DD-D003510	BBG120-042220	SW8082A	SW	TOTAL PCBs	5.7	U	-	0.24	ug/WIPE
BBG121-122	4/22/2020	8:59	N1	DD-D003601	BBG121-122-042220-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG121-122	4/22/2020	8:59	N1	DD-D003601	BBG121-122-042220-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG121-122	4/22/2020	8:59	N1	DD-D003601	BBG121-122-042220-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG121-122	4/22/2020	8:59	N1	DD-D003601	BBG121-122-042220-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	8.3	U	0.088	0.24	ug/WIPE
BBG121-122	4/22/2020	8:59	N1	DD-D003601	BBG121-122-042220-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG121-122	4/22/2020	8:59	N1	DD-D003601	BBG121-122-042220-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	3.1	U	0.07	0.24	ug/WIPE
BBG121-122	4/22/2020	8:59	N1	DD-D003601	BBG121-122-042220-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG121-122	4/22/2020	8:59	N1	DD-D003601	BBG121-122-042220-COMP	SW8082A	SW	TOTAL PCBs	11.4	U	-	0.24	ug/WIPE
BBG123	4/22/2020	9:03	N1	DD-D003603	BBG123-042220	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG123	4/22/2020	9:03	N1	DD-D003603	BBG123-042220	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG123	4/22/2020	9:03	N1	DD-D003603	BBG123-042220	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG123	4/22/2020	9:03	N1	DD-D003603	BBG123-042220	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	4.3	U	0.088	0.24	ug/WIPE
BBG123	4/22/2020	9:03	N1	DD-D003603	BBG123-042220	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG123	4/22/2020	9:03	N1	DD-D003603	BBG123-042220	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.5	U	0.07	0.24	ug/WIPE
BBG123	4/22/2020	9:03	N1	DD-D003603	BBG123-042220	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG123	4/22/2020	9:03	N1	DD-D003603	BBG123-042220	SW8082A	SW	TOTAL PCBs	5.8	U	-	0.24	ug/WIPE
BBG124	4/22/2020	9:11	N1	DD-D003604	BBG124-042220	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG124	4/22/2020	9:11	N1	DD-D003604	BBG124-042220	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG124	4/22/2020	9:11	N1	DD-D003604	BBG124-042220	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG124	4/22/2020	9:11	N1	DD-D003604	BBG124-042220	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.3	U	0.088	0.24	ug/WIPE
BBG124	4/22/2020	9:11	N1	DD-D003604	BBG124-042220	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG124	4/22/2020	9:11	N1	DD-D003604	BBG124-042220	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.95	U	0.07	0.24	ug/WIPE
BBG124	4/22/2020	9:11	N1	DD-D003604	BBG124-042220	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG124	4/22/2020	9:11	N1	DD-D003604	BBG124-042220	SW8082A	SW	TOTAL PCBs	3.25	U	-	0.24	ug/WIPE
BBG125-126	4/22/2020	9:21	N1	DD-D003605	BBG125-126-042220-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG125-126	4/22/2020	9:21	N1	DD-D003605	BBG125-126-042220-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG125-126	4/22/2020	9:21	N1	DD-D003605	BBG125-126-042220-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG125-126	4/22/2020	9:21	N1	DD-D003605	BBG125-126-042220-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	6.2	U	0.088	0.24	ug/WIPE
BBG125-126	4/22/2020	9:21	N1	DD-D003605	BBG125-126-042220-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG125-126	4/22/2020	9:21	N1	DD-D003605	BBG125-126-042220-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.5	U	0.07	0.24	ug/WIPE
BBG125-126	4/22/2020	9:21	N1	DD-D003605	BBG125-126-042220-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG125-126	4/22/2020	9:21	N1	DD-D003605	BBG125-126-042220-COMP	SW8082A	SW	TOTAL PCBs	8.7	U	-	0.24	ug/WIPE
BBG127	4/22/2020	9:47	N1	DD-D003607	BBG127-042220	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG127	4/22/2020	9:47	N1	DD-D003607	BBG127-042220	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG127	4/22/2020	9:47	N1	DD-D003607	BBG127-042220	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG127	4/22/2020	9:47	N1	DD-D003607	BBG127-042220	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	1.1	U	0.088	0.24	ug/WIPE
BBG127	4/22/2020	9:47	N1	DD-D003607	BBG127-042220	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG127	4/22/2020	9:47	N1	DD-D003607	BBG127-042220	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.49	U	0.07	0.24	ug/WIPE
BBG127	4/22/2020	9:47	N1	DD-D003607	BBG127-042220	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG127	4/22/2020	9:47	N1	DD-D003607	BBG127-042220	SW8082A	SW	TOTAL PCBs	1.59	U	-	0.24	ug/WIPE
BBG128	4/22/2020	9:51	N1	DD-D003608	BBG128-042220	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG128	4/22/2020	9:51	N1	DD-D003608	BBG128-042220	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG128	4/22/2020	9:51	N1	DD-D003608	BBG128-042220	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG128	4/22/2020	9:51	N1	DD-D003608	BBG128-042220	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.6	U	0.088	0.24	ug/WIPE
BBG128	4/22/2020	9:51	N1	DD-D003608	BBG128-042220	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE

Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
BBG128	4/22/2020	9:51	N1	DD-D003608	BBG128-042220	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.5		0.07	0.24	ug/WIPE
BBG128	4/22/2020	9:51	N1	DD-D003608	BBG128-042220	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG128	4/22/2020	9:51	N1	DD-D003608	BBG128-042220	SW8082A	SW	TOTAL PCBs	5.1		-	0.24	ug/WIPE
BBG129	4/22/2020	9:54	N1	DD-D003609	BBG129-042220	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG129	4/22/2020	9:54	N1	DD-D003609	BBG129-042220	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG129	4/22/2020	9:54	N1	DD-D003609	BBG129-042220	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG129	4/22/2020	9:54	N1	DD-D003609	BBG129-042220	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.5		0.088	0.24	ug/WIPE
BBG129	4/22/2020	9:54	N1	DD-D003609	BBG129-042220	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG129	4/22/2020	9:54	N1	DD-D003609	BBG129-042220	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.2		0.07	0.24	ug/WIPE
BBG129	4/22/2020	9:54	N1	DD-D003609	BBG129-042220	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG129	4/22/2020	9:54	N1	DD-D003609	BBG129-042220	SW8082A	SW	TOTAL PCBs	3.7		-	0.24	ug/WIPE
BBG130	4/22/2020	9:58	N1	DD-D003610	BBG130-042220	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG130	4/22/2020	9:58	N1	DD-D003610	BBG130-042220	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG130	4/22/2020	9:58	N1	DD-D003610	BBG130-042220	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG130	4/22/2020	9:58	N1	DD-D003610	BBG130-042220	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	1.5		0.088	0.24	ug/WIPE
BBG130	4/22/2020	9:58	N1	DD-D003610	BBG130-042220	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG130	4/22/2020	9:58	N1	DD-D003610	BBG130-042220	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.64		0.07	0.24	ug/WIPE
BBG130	4/22/2020	9:58	N1	DD-D003610	BBG130-042220	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG130	4/22/2020	9:58	N1	DD-D003610	BBG130-042220	SW8082A	SW	TOTAL PCBs	2.14		-	0.24	ug/WIPE
BBG131	4/22/2020	10:41	N1	DD-D003701	BBG131-042220	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG131	4/22/2020	10:41	N1	DD-D003701	BBG131-042220	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG131	4/22/2020	10:41	N1	DD-D003701	BBG131-042220	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG131	4/22/2020	10:41	N1	DD-D003701	BBG131-042220	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	1.4	J	0.088	0.24	ug/WIPE
BBG131	4/22/2020	10:41	N1	DD-D003701	BBG131-042220	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG131	4/22/2020	10:41	N1	DD-D003701	BBG131-042220	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.57	J	0.07	0.24	ug/WIPE
BBG131	4/22/2020	10:41	N1	DD-D003701	BBG131-042220	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG131	4/22/2020	10:41	N1	DD-D003701	BBG131-042220	SW8082A	SW	TOTAL PCBs	1.97		-	0.24	ug/WIPE
BBG132	4/22/2020	10:46	N1	DD-D003702	BBG132-042220	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG132	4/22/2020	10:46	N1	DD-D003702	BBG132-042220	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG132	4/22/2020	10:46	N1	DD-D003702	BBG132-042220	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG132	4/22/2020	10:46	N1	DD-D003702	BBG132-042220	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.56		0.088	0.24	ug/WIPE
BBG132	4/22/2020	10:46	N1	DD-D003702	BBG132-042220	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG132	4/22/2020	10:46	N1	DD-D003702	BBG132-042220	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.28		0.07	0.24	ug/WIPE
BBG132	4/22/2020	10:46	N1	DD-D003702	BBG132-042220	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG132	4/22/2020	10:46	N1	DD-D003702	BBG132-042220	SW8082A	SW	TOTAL PCBs	0.84		-	0.24	ug/WIPE
BBG133	4/22/2020	10:56	N1	DD-D003703	BBG133-042220	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG133	4/22/2020	10:56	N1	DD-D003703	BBG133-042220	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG133	4/22/2020	10:56	N1	DD-D003703	BBG133-042220	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG133	4/22/2020	10:56	N1	DD-D003703	BBG133-042220	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	ND	U	0.088	0.24	ug/WIPE
BBG133	4/22/2020	10:56	N1	DD-D003703	BBG133-042220	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG133	4/22/2020	10:56	N1	DD-D003703	BBG133-042220	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	ND	U	0.07	0.24	ug/WIPE
BBG133	4/22/2020	10:56	N1	DD-D003703	BBG133-042220	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG133	4/22/2020	10:56	N1	DD-D003703	BBG133-042220	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
BBG134-135	4/22/2020	10:51	N1	DD-D003704	BBG134-135-042220-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG134-135	4/22/2020	10:51	N1	DD-D003704	BBG134-135-042220-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG134-135	4/22/2020	10:51	N1	DD-D003704	BBG134-135-042220-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG134-135	4/22/2020	10:51	N1	DD-D003704	BBG134-135-042220-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	12		0.088	0.24	ug/WIPE
BBG134-135	4/22/2020	10:51	N1	DD-D003704	BBG134-135-042220-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG134-135	4/22/2020	10:51	N1	DD-D003704	BBG134-135-042220-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	4.3		0.07	0.24	ug/WIPE
BBG134-135	4/22/2020	10:51	N1	DD-D003704	BBG134-135-042220-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG134-135	4/22/2020	10:51	N1	DD-D003704	BBG134-135-042220-COMP	SW8082A	SW	TOTAL PCBs	16.3		-	0.24	ug/WIPE

Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
BBG136	4/22/2020	11:00	N1	DD-D003706	BBG136-042220	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG136	4/22/2020	11:00	N1	DD-D003706	BBG136-042220	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG136	4/22/2020	11:00	N1	DD-D003706	BBG136-042220	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG136	4/22/2020	11:00	N1	DD-D003706	BBG136-042220	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1.7		0.088	0.24	ug/WIPE
BBG136	4/22/2020	11:00	N1	DD-D003706	BBG136-042220	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG136	4/22/2020	11:00	N1	DD-D003706	BBG136-042220	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.57		0.07	0.24	ug/WIPE
BBG136	4/22/2020	11:00	N1	DD-D003706	BBG136-042220	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG136	4/22/2020	11:00	N1	DD-D003706	BBG136-042220	SW8082A	SW	TOTAL PCBs	2.27		-	0.24	ug/WIPE
BBG137-138	4/22/2020	11:06	N1	DD-D003707	BBG137-138-042220-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG137-138	4/22/2020	11:06	N1	DD-D003707	BBG137-138-042220-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG137-138	4/22/2020	11:06	N1	DD-D003707	BBG137-138-042220-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG137-138	4/22/2020	11:06	N1	DD-D003707	BBG137-138-042220-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	8.7		0.088	0.24	ug/WIPE
BBG137-138	4/22/2020	11:06	N1	DD-D003707	BBG137-138-042220-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG137-138	4/22/2020	11:06	N1	DD-D003707	BBG137-138-042220-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	3.2		0.07	0.24	ug/WIPE
BBG137-138	4/22/2020	11:06	N1	DD-D003707	BBG137-138-042220-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG137-138	4/22/2020	11:06	N1	DD-D003707	BBG137-138-042220-COMP	SW8082A	SW	TOTAL PCBs	11.9		-	0.24	ug/WIPE
BBG139	4/22/2020	11:29	N1	DD-D003709	BBG139-042220	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG139	4/22/2020	11:29	N1	DD-D003709	BBG139-042220	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG139	4/22/2020	11:29	N1	DD-D003709	BBG139-042220	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG139	4/22/2020	11:29	N1	DD-D003709	BBG139-042220	SW8082A	SW	PCB-1242 (AROCLOR 1242)	6.3		0.088	0.24	ug/WIPE
BBG139	4/22/2020	11:29	N1	DD-D003709	BBG139-042220	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG139	4/22/2020	11:29	N1	DD-D003709	BBG139-042220	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2.6		0.07	0.24	ug/WIPE
BBG139	4/22/2020	11:29	N1	DD-D003709	BBG139-042220	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG139	4/22/2020	11:29	N1	DD-D003709	BBG139-042220	SW8082A	SW	TOTAL PCBs	8.9		-	0.24	ug/WIPE
BBG140	4/22/2020	11:31	N1	DD-D003710	BBG140-042220	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG140	4/22/2020	11:31	N1	DD-D003710	BBG140-042220	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG140	4/22/2020	11:31	N1	DD-D003710	BBG140-042220	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG140	4/22/2020	11:31	N1	DD-D003710	BBG140-042220	SW8082A	SW	PCB-1242 (AROCLOR 1242)	7.2		0.088	0.24	ug/WIPE
BBG140	4/22/2020	11:31	N1	DD-D003710	BBG140-042220	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG140	4/22/2020	11:31	N1	DD-D003710	BBG140-042220	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2.4		0.07	0.24	ug/WIPE
BBG140	4/22/2020	11:31	N1	DD-D003710	BBG140-042220	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG140	4/22/2020	11:31	N1	DD-D003710	BBG140-042220	SW8082A	SW	TOTAL PCBs	9.6		-	0.24	ug/WIPE
BBG141	4/22/2020	11:27	N1	DD-D003801	BBG141-042220	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG141	4/22/2020	11:27	N1	DD-D003801	BBG141-042220	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG141	4/22/2020	11:27	N1	DD-D003801	BBG141-042220	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG141	4/22/2020	11:27	N1	DD-D003801	BBG141-042220	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1		0.088	0.24	ug/WIPE
BBG141	4/22/2020	11:27	N1	DD-D003801	BBG141-042220	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG141	4/22/2020	11:27	N1	DD-D003801	BBG141-042220	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.4		0.07	0.24	ug/WIPE
BBG141	4/22/2020	11:27	N1	DD-D003801	BBG141-042220	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG141	4/22/2020	11:27	N1	DD-D003801	BBG141-042220	SW8082A	SW	TOTAL PCBs	1.4		-	0.24	ug/WIPE
BBG142-143	4/22/2020	11:36	N1	DD-D003802	BBG142-143-042220-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG142-143	4/22/2020	11:36	N1	DD-D003802	BBG142-143-042220-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG142-143	4/22/2020	11:36	N1	DD-D003802	BBG142-143-042220-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG142-143	4/22/2020	11:36	N1	DD-D003802	BBG142-143-042220-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	4.5		0.088	0.24	ug/WIPE
BBG142-143	4/22/2020	11:36	N1	DD-D003802	BBG142-143-042220-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG142-143	4/22/2020	11:36	N1	DD-D003802	BBG142-143-042220-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.5		0.07	0.24	ug/WIPE
BBG142-143	4/22/2020	11:36	N1	DD-D003802	BBG142-143-042220-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG142-143	4/22/2020	11:36	N1	DD-D003802	BBG142-143-042220-COMP	SW8082A	SW	TOTAL PCBs	6		-	0.24	ug/WIPE
BBG144	4/22/2020	11:18	N1	DD-D003804	BBG144-042220	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG144	4/22/2020	11:18	N1	DD-D003804	BBG144-042220	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG144	4/22/2020	11:18	N1	DD-D003804	BBG144-042220	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE

Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
BBG144	4/22/2020	11:18	N1	DD-D003804	BBG144-042220	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	6.7		0.088	0.24	ug/WIPE
BBG144	4/22/2020	11:18	N1	DD-D003804	BBG144-042220	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG144	4/22/2020	11:18	N1	DD-D003804	BBG144-042220	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.8		0.07	0.24	ug/WIPE
BBG144	4/22/2020	11:18	N1	DD-D003804	BBG144-042220	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG144	4/22/2020	11:18	N1	DD-D003804	BBG144-042220	SW8082A	SW	TOTAL PCBs	9.5		-	0.24	ug/WIPE
BBG145	4/22/2020	11:12	N1	DD-D003805	BBG145-042220	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG145	4/22/2020	11:12	N1	DD-D003805	BBG145-042220	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG145	4/22/2020	11:12	N1	DD-D003805	BBG145-042220	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG145	4/22/2020	11:12	N1	DD-D003805	BBG145-042220	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.7		0.088	0.24	ug/WIPE
BBG145	4/22/2020	11:12	N1	DD-D003805	BBG145-042220	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG145	4/22/2020	11:12	N1	DD-D003805	BBG145-042220	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.79		0.07	0.24	ug/WIPE
BBG145	4/22/2020	11:12	N1	DD-D003805	BBG145-042220	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG145	4/22/2020	11:12	N1	DD-D003805	BBG145-042220	SW8082A	SW	TOTAL PCBs	3.49		-	0.24	ug/WIPE
BBG146	4/22/2020	11:23	N1	DD-D003806	BBG146-042220	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG146	4/22/2020	11:23	N1	DD-D003806	BBG146-042220	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG146	4/22/2020	11:23	N1	DD-D003806	BBG146-042220	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG146	4/22/2020	11:23	N1	DD-D003806	BBG146-042220	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.1		0.088	0.24	ug/WIPE
BBG146	4/22/2020	11:23	N1	DD-D003806	BBG146-042220	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG146	4/22/2020	11:23	N1	DD-D003806	BBG146-042220	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.85		0.07	0.24	ug/WIPE
BBG146	4/22/2020	11:23	N1	DD-D003806	BBG146-042220	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG146	4/22/2020	11:23	N1	DD-D003806	BBG146-042220	SW8082A	SW	TOTAL PCBs	2.95		-	0.24	ug/WIPE
BBG147	4/22/2020	11:15	N1	DD-D003807	BBG147-042220	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG147	4/22/2020	11:15	N1	DD-D003807	BBG147-042220	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG147	4/22/2020	11:15	N1	DD-D003807	BBG147-042220	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG147	4/22/2020	11:15	N1	DD-D003807	BBG147-042220	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	4.3		0.088	0.24	ug/WIPE
BBG147	4/22/2020	11:15	N1	DD-D003807	BBG147-042220	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG147	4/22/2020	11:15	N1	DD-D003807	BBG147-042220	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.5		0.07	0.24	ug/WIPE
BBG147	4/22/2020	11:15	N1	DD-D003807	BBG147-042220	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG147	4/22/2020	11:15	N1	DD-D003807	BBG147-042220	SW8082A	SW	TOTAL PCBs	5.8		-	0.24	ug/WIPE
BBG148	4/22/2020	9:17	N1	DD-D003808	BBG148-042220	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG148	4/22/2020	9:17	N1	DD-D003808	BBG148-042220	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG148	4/22/2020	9:17	N1	DD-D003808	BBG148-042220	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG148	4/22/2020	9:17	N1	DD-D003808	BBG148-042220	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.2		0.088	0.24	ug/WIPE
BBG148	4/22/2020	9:17	N1	DD-D003808	BBG148-042220	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG148	4/22/2020	9:17	N1	DD-D003808	BBG148-042220	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.85		0.07	0.24	ug/WIPE
BBG148	4/22/2020	9:17	N1	DD-D003808	BBG148-042220	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG148	4/22/2020	9:17	N1	DD-D003808	BBG148-042220	SW8082A	SW	TOTAL PCBs	3.05		-	0.24	ug/WIPE
BBG149	4/22/2020	11:49	N1	DD-D003809	BBG149-042220	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG149	4/22/2020	11:49	N1	DD-D003809	BBG149-042220	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG149	4/22/2020	11:49	N1	DD-D003809	BBG149-042220	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG149	4/22/2020	11:49	N1	DD-D003809	BBG149-042220	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.5		0.088	0.24	ug/WIPE
BBG149	4/22/2020	11:49	N1	DD-D003809	BBG149-042220	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG149	4/22/2020	11:49	N1	DD-D003809	BBG149-042220	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.3		0.07	0.24	ug/WIPE
BBG149	4/22/2020	11:49	N1	DD-D003809	BBG149-042220	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG149	4/22/2020	11:49	N1	DD-D003809	BBG149-042220	SW8082A	SW	TOTAL PCBs	4.8		-	0.24	ug/WIPE
BBG150-151	4/22/2020	13:38	N1	DD-D003810	BBG150-151-042220-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG150-151	4/22/2020	13:38	N1	DD-D003810	BBG150-151-042220-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG150-151	4/22/2020	13:38	N1	DD-D003810	BBG150-151-042220-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG150-151	4/22/2020	13:38	N1	DD-D003810	BBG150-151-042220-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.2		0.088	0.24	ug/WIPE
BBG150-151	4/22/2020	13:38	N1	DD-D003810	BBG150-151-042220-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG150-151	4/22/2020	13:38	N1	DD-D003810	BBG150-151-042220-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.68		0.07	0.24	ug/WIPE



## Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
BBG150-151	4/22/2020	13:38	N1	DD-D003810	BBG150-151-042220-COMP	SW8082A	SW	PCB-1260 (AROCOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG150-151	4/22/2020	13:38	N1	DD-D003810	BBG150-151-042220-COMP	SW8082A	SW	TOTAL PCBs	2.88		-	0.24	ug/WIPE
BBG152-153	4/22/2020	14:00	N1	DD-D003902	BBG152-153-042220-COMP	SW8082A	SW	PCB-1016 (AROCOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG152-153	4/22/2020	14:00	N1	DD-D003902	BBG152-153-042220-COMP	SW8082A	SW	PCB-1221 (AROCOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG152-153	4/22/2020	14:00	N1	DD-D003902	BBG152-153-042220-COMP	SW8082A	SW	PCB-1232 (AROCOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG152-153	4/22/2020	14:00	N1	DD-D003902	BBG152-153-042220-COMP	SW8082A	SW	PCB-1242 (AROCOR 1242)	12		0.088	0.24	ug/WIPE
BBG152-153	4/22/2020	14:00	N1	DD-D003902	BBG152-153-042220-COMP	SW8082A	SW	PCB-1248 (AROCOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG152-153	4/22/2020	14:00	N1	DD-D003902	BBG152-153-042220-COMP	SW8082A	SW	PCB-1254 (AROCOR 1254)	3.7		0.07	0.24	ug/WIPE
BBG152-153	4/22/2020	14:00	N1	DD-D003902	BBG152-153-042220-COMP	SW8082A	SW	PCB-1260 (AROCOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG152-153	4/22/2020	14:00	N1	DD-D003902	BBG152-153-042220-COMP	SW8082A	SW	TOTAL PCBs	15.7		-	0.24	ug/WIPE
BBG154	4/22/2020	13:46	N1	DD-D003904	BBG154-042220	SW8082A	SW	PCB-1016 (AROCOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG154	4/22/2020	13:46	N1	DD-D003904	BBG154-042220	SW8082A	SW	PCB-1221 (AROCOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG154	4/22/2020	13:46	N1	DD-D003904	BBG154-042220	SW8082A	SW	PCB-1232 (AROCOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG154	4/22/2020	13:46	N1	DD-D003904	BBG154-042220	SW8082A	SW	PCB-1242 (AROCOR 1242)	5.7		0.088	0.24	ug/WIPE
BBG154	4/22/2020	13:46	N1	DD-D003904	BBG154-042220	SW8082A	SW	PCB-1248 (AROCOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG154	4/22/2020	13:46	N1	DD-D003904	BBG154-042220	SW8082A	SW	PCB-1254 (AROCOR 1254)	2		0.07	0.24	ug/WIPE
BBG154	4/22/2020	13:46	N1	DD-D003904	BBG154-042220	SW8082A	SW	PCB-1260 (AROCOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG154	4/22/2020	13:46	N1	DD-D003904	BBG154-042220	SW8082A	SW	TOTAL PCBs	7.7		-	0.24	ug/WIPE
BBG155	4/22/2020	13:44	N1	DD-D003905	BBG155-042220	SW8082A	SW	PCB-1016 (AROCOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG155	4/22/2020	13:44	N1	DD-D003905	BBG155-042220	SW8082A	SW	PCB-1221 (AROCOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG155	4/22/2020	13:44	N1	DD-D003905	BBG155-042220	SW8082A	SW	PCB-1232 (AROCOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG155	4/22/2020	13:44	N1	DD-D003905	BBG155-042220	SW8082A	SW	PCB-1242 (AROCOR 1242)	5.1		0.088	0.24	ug/WIPE
BBG155	4/22/2020	13:44	N1	DD-D003905	BBG155-042220	SW8082A	SW	PCB-1248 (AROCOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG155	4/22/2020	13:44	N1	DD-D003905	BBG155-042220	SW8082A	SW	PCB-1254 (AROCOR 1254)	1.6		0.07	0.24	ug/WIPE
BBG155	4/22/2020	13:44	N1	DD-D003905	BBG155-042220	SW8082A	SW	PCB-1260 (AROCOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG155	4/22/2020	13:44	N1	DD-D003905	BBG155-042220	SW8082A	SW	TOTAL PCBs	6.7		-	0.24	ug/WIPE
BBG156	4/22/2020	13:57	N1	DD-D003906	BBG156-042220	SW8082A	SW	PCB-1016 (AROCOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG156	4/22/2020	13:57	N1	DD-D003906	BBG156-042220	SW8082A	SW	PCB-1221 (AROCOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG156	4/22/2020	13:57	N1	DD-D003906	BBG156-042220	SW8082A	SW	PCB-1232 (AROCOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG156	4/22/2020	13:57	N1	DD-D003906	BBG156-042220	SW8082A	SW	PCB-1242 (AROCOR 1242)	5.8		0.088	0.24	ug/WIPE
BBG156	4/22/2020	13:57	N1	DD-D003906	BBG156-042220	SW8082A	SW	PCB-1248 (AROCOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG156	4/22/2020	13:57	N1	DD-D003906	BBG156-042220	SW8082A	SW	PCB-1254 (AROCOR 1254)	1.9		0.07	0.24	ug/WIPE
BBG156	4/22/2020	13:57	N1	DD-D003906	BBG156-042220	SW8082A	SW	PCB-1260 (AROCOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG156	4/22/2020	13:57	N1	DD-D003906	BBG156-042220	SW8082A	SW	TOTAL PCBs	7.7		-	0.24	ug/WIPE
BBG157	4/22/2020	13:54	N1	DD-D003907	BBG157-042220	SW8082A	SW	PCB-1016 (AROCOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG157	4/22/2020	13:54	N1	DD-D003907	BBG157-042220	SW8082A	SW	PCB-1221 (AROCOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG157	4/22/2020	13:54	N1	DD-D003907	BBG157-042220	SW8082A	SW	PCB-1232 (AROCOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG157	4/22/2020	13:54	N1	DD-D003907	BBG157-042220	SW8082A	SW	PCB-1242 (AROCOR 1242)	2.6		0.088	0.24	ug/WIPE
BBG157	4/22/2020	13:54	N1	DD-D003907	BBG157-042220	SW8082A	SW	PCB-1248 (AROCOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG157	4/22/2020	13:54	N1	DD-D003907	BBG157-042220	SW8082A	SW	PCB-1254 (AROCOR 1254)	0.88		0.07	0.24	ug/WIPE
BBG157	4/22/2020	13:54	N1	DD-D003907	BBG157-042220	SW8082A	SW	PCB-1260 (AROCOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG157	4/22/2020	13:54	N1	DD-D003907	BBG157-042220	SW8082A	SW	TOTAL PCBs	3.48		-	0.24	ug/WIPE
BBG158-159	4/22/2020	13:51	N1	DD-D003908	BBG158-159-042220-COMP	SW8082A	SW	PCB-1016 (AROCOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG158-159	4/22/2020	13:51	N1	DD-D003908	BBG158-159-042220-COMP	SW8082A	SW	PCB-1221 (AROCOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG158-159	4/22/2020	13:51	N1	DD-D003908	BBG158-159-042220-COMP	SW8082A	SW	PCB-1232 (AROCOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG158-159	4/22/2020	13:51	N1	DD-D003908	BBG158-159-042220-COMP	SW8082A	SW	PCB-1242 (AROCOR 1242)	12		0.088	0.24	ug/WIPE
BBG158-159	4/22/2020	13:51	N1	DD-D003908	BBG158-159-042220-COMP	SW8082A	SW	PCB-1248 (AROCOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG158-159	4/22/2020	13:51	N1	DD-D003908	BBG158-159-042220-COMP	SW8082A	SW	PCB-1254 (AROCOR 1254)	3.9		0.07	0.24	ug/WIPE
BBG158-159	4/22/2020	13:51	N1	DD-D003908	BBG158-159-042220-COMP	SW8082A	SW	PCB-1260 (AROCOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG158-159	4/22/2020	13:51	N1	DD-D003908	BBG158-159-042220-COMP	SW8082A	SW	TOTAL PCBs	15.9		-	0.24	ug/WIPE
BBG160	4/22/2020	12:00	N1	DD-D003910	BBG160-042220	SW8082A	SW	PCB-1016 (AROCOR 1016)	ND	U	0.09	0.24	ug/WIPE

Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
BBG160	4/22/2020	12:00	N1	DD-D003910	BBG160-042220	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG160	4/22/2020	12:00	N1	DD-D003910	BBG160-042220	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG160	4/22/2020	12:00	N1	DD-D003910	BBG160-042220	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.5		0.088	0.24	ug/WIPE
BBG160	4/22/2020	12:00	N1	DD-D003910	BBG160-042220	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG160	4/22/2020	12:00	N1	DD-D003910	BBG160-042220	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.75		0.07	0.24	ug/WIPE
BBG160	4/22/2020	12:00	N1	DD-D003910	BBG160-042220	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG160	4/22/2020	12:00	N1	DD-D003910	BBG160-042220	SW8082A	SW	TOTAL PCBs	3.25		-	0.24	ug/WIPE
BBG161	4/22/2020	14:16	N1	DD-D004001	BBG161-042220	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG161	4/22/2020	14:16	N1	DD-D004001	BBG161-042220	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG161	4/22/2020	14:16	N1	DD-D004001	BBG161-042220	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG161	4/22/2020	14:16	N1	DD-D004001	BBG161-042220	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	9.6		0.088	0.24	ug/WIPE
BBG161	4/22/2020	14:16	N1	DD-D004001	BBG161-042220	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG161	4/22/2020	14:16	N1	DD-D004001	BBG161-042220	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	3.9		0.07	0.24	ug/WIPE
BBG161	4/22/2020	14:16	N1	DD-D004001	BBG161-042220	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG161	4/22/2020	14:16	N1	DD-D004001	BBG161-042220	SW8082A	SW	TOTAL PCBs	13.5		-	0.24	ug/WIPE
BBG162	4/22/2020	14:10	N1	DD-D004002	BBG162-042220	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG162	4/22/2020	14:10	N1	DD-D004002	BBG162-042220	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG162	4/22/2020	14:10	N1	DD-D004002	BBG162-042220	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG162	4/22/2020	14:10	N1	DD-D004002	BBG162-042220	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	6.7		0.088	0.24	ug/WIPE
BBG162	4/22/2020	14:10	N1	DD-D004002	BBG162-042220	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG162	4/22/2020	14:10	N1	DD-D004002	BBG162-042220	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.6		0.07	0.24	ug/WIPE
BBG162	4/22/2020	14:10	N1	DD-D004002	BBG162-042220	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG162	4/22/2020	14:10	N1	DD-D004002	BBG162-042220	SW8082A	SW	TOTAL PCBs	9.3		-	0.24	ug/WIPE
BBG163	4/22/2020	14:07	N1	DD-D004003	BBG163-042220	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG163	4/22/2020	14:07	N1	DD-D004003	BBG163-042220	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG163	4/22/2020	14:07	N1	DD-D004003	BBG163-042220	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG163	4/22/2020	14:07	N1	DD-D004003	BBG163-042220	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.3		0.088	0.24	ug/WIPE
BBG163	4/22/2020	14:07	N1	DD-D004003	BBG163-042220	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG163	4/22/2020	14:07	N1	DD-D004003	BBG163-042220	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.1		0.07	0.24	ug/WIPE
BBG163	4/22/2020	14:07	N1	DD-D004003	BBG163-042220	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG163	4/22/2020	14:07	N1	DD-D004003	BBG163-042220	SW8082A	SW	TOTAL PCBs	4.4		-	0.24	ug/WIPE
BBG164	4/22/2020	14:04	N1	DD-D004004	BBG164-042220	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG164	4/22/2020	14:04	N1	DD-D004004	BBG164-042220	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG164	4/22/2020	14:04	N1	DD-D004004	BBG164-042220	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG164	4/22/2020	14:04	N1	DD-D004004	BBG164-042220	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	4.6		0.088	0.24	ug/WIPE
BBG164	4/22/2020	14:04	N1	DD-D004004	BBG164-042220	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG164	4/22/2020	14:04	N1	DD-D004004	BBG164-042220	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.6		0.07	0.24	ug/WIPE
BBG164	4/22/2020	14:04	N1	DD-D004004	BBG164-042220	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG164	4/22/2020	14:04	N1	DD-D004004	BBG164-042220	SW8082A	SW	TOTAL PCBs	6.2		-	0.24	ug/WIPE
BBG165	4/22/2020	14:26	N1	DD-D004005	BBG165-042220	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG165	4/22/2020	14:26	N1	DD-D004005	BBG165-042220	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG165	4/22/2020	14:26	N1	DD-D004005	BBG165-042220	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG165	4/22/2020	14:26	N1	DD-D004005	BBG165-042220	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	5.6		0.088	0.24	ug/WIPE
BBG165	4/22/2020	14:26	N1	DD-D004005	BBG165-042220	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG165	4/22/2020	14:26	N1	DD-D004005	BBG165-042220	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.1		0.07	0.24	ug/WIPE
BBG165	4/22/2020	14:26	N1	DD-D004005	BBG165-042220	SW8082A	SW	TOTAL PCBs	13.9		-	0.24	ug/WIPE
BBG165	4/22/2020	14:26	N1	DD-D004005	BBG165-042220	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG166-167	4/22/2020	14:23	N1	DD-D004006	BBG166-167-042220-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG166-167	4/22/2020	14:23	N1	DD-D004006	BBG166-167-042220-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG166-167	4/22/2020	14:23	N1	DD-D004006	BBG166-167-042220-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG166-167	4/22/2020	14:23	N1	DD-D004006	BBG166-167-042220-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	5.6	J	0.088	0.24	ug/WIPE

Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
BBG166-167	4/22/2020	14:23	N1	DD-D004006	BBG166-167-042220-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG166-167	4/22/2020	14:23	N1	DD-D004006	BBG166-167-042220-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2.3	J	0.07	0.24	ug/WIPE
BBG166-167	4/22/2020	14:23	N1	DD-D004006	BBG166-167-042220-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG166-167	4/22/2020	14:23	N1	DD-D004006	BBG166-167-042220-COMP	SW8082A	SW	TOTAL PCBs	7.9	-	-	0.24	ug/WIPE
BBG168	4/22/2020	10:11	N1	DD-D004008	BBG168-042220	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG168	4/22/2020	10:11	N1	DD-D004008	BBG168-042220	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG168	4/22/2020	10:11	N1	DD-D004008	BBG168-042220	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG168	4/22/2020	10:11	N1	DD-D004008	BBG168-042220	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1.4	J	0.088	0.24	ug/WIPE
BBG168	4/22/2020	10:11	N1	DD-D004008	BBG168-042220	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG168	4/22/2020	10:11	N1	DD-D004008	BBG168-042220	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.55	J	0.07	0.24	ug/WIPE
BBG168	4/22/2020	10:11	N1	DD-D004008	BBG168-042220	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG168	4/22/2020	10:11	N1	DD-D004008	BBG168-042220	SW8082A	SW	TOTAL PCBs	1.95	-	-	0.24	ug/WIPE
BBG169	4/22/2020	14:43	N1	DD-D004009	BBG169-042220	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG169	4/22/2020	14:43	N1	DD-D004009	BBG169-042220	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG169	4/22/2020	14:43	N1	DD-D004009	BBG169-042220	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG169	4/22/2020	14:43	N1	DD-D004009	BBG169-042220	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.63	-	0.088	0.24	ug/WIPE
BBG169	4/22/2020	14:43	N1	DD-D004009	BBG169-042220	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG169	4/22/2020	14:43	N1	DD-D004009	BBG169-042220	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.32	-	0.07	0.24	ug/WIPE
BBG169	4/22/2020	14:43	N1	DD-D004009	BBG169-042220	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG169	4/22/2020	14:43	N1	DD-D004009	BBG169-042220	SW8082A	SW	TOTAL PCBs	0.95	-	-	0.24	ug/WIPE
BBG170	4/22/2020	14:50	N1	DD-D004010	BBG170-042220	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG170	4/22/2020	14:50	N1	DD-D004010	BBG170-042220	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG170	4/22/2020	14:50	N1	DD-D004010	BBG170-042220	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG170	4/22/2020	14:50	N1	DD-D004010	BBG170-042220	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.9	-	0.088	0.24	ug/WIPE
BBG170	4/22/2020	14:50	N1	DD-D004010	BBG170-042220	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG170	4/22/2020	14:50	N1	DD-D004010	BBG170-042220	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.33	-	0.07	0.24	ug/WIPE
BBG170	4/22/2020	14:50	N1	DD-D004010	BBG170-042220	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG170	4/22/2020	14:50	N1	DD-D004010	BBG170-042220	SW8082A	SW	TOTAL PCBs	1.23	-	-	0.24	ug/WIPE
BBG171-172	4/22/2020	14:48	N1	DD-D004101	BBG171-172-042220-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG171-172	4/22/2020	14:48	N1	DD-D004101	BBG171-172-042220-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG171-172	4/22/2020	14:48	N1	DD-D004101	BBG171-172-042220-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG171-172	4/22/2020	14:48	N1	DD-D004101	BBG171-172-042220-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	10	-	0.088	0.24	ug/WIPE
BBG171-172	4/22/2020	14:48	N1	DD-D004101	BBG171-172-042220-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG171-172	4/22/2020	14:48	N1	DD-D004101	BBG171-172-042220-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	3.6	-	0.07	0.24	ug/WIPE
BBG171-172	4/22/2020	14:48	N1	DD-D004101	BBG171-172-042220-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG171-172	4/22/2020	14:48	N1	DD-D004101	BBG171-172-042220-COMP	SW8082A	SW	TOTAL PCBs	13.6	-	-	0.24	ug/WIPE
BBG173	4/22/2020	14:52	N1	DD-D004103	BBG173-042220	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG173	4/22/2020	14:52	N1	DD-D004103	BBG173-042220	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG173	4/22/2020	14:52	N1	DD-D004103	BBG173-042220	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG173	4/22/2020	14:52	N1	DD-D004103	BBG173-042220	SW8082A	SW	PCB-1242 (AROCLOR 1242)	7.2	-	0.088	0.24	ug/WIPE
BBG173	4/22/2020	14:52	N1	DD-D004103	BBG173-042220	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG173	4/22/2020	14:52	N1	DD-D004103	BBG173-042220	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2.8	-	0.07	0.24	ug/WIPE
BBG173	4/22/2020	14:52	N1	DD-D004103	BBG173-042220	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG173	4/22/2020	14:52	N1	DD-D004103	BBG173-042220	SW8082A	SW	TOTAL PCBs	10	-	-	0.24	ug/WIPE
BBG174	4/22/2020	14:55	N1	DD-D004104	BBG174-042220	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG174	4/22/2020	14:55	N1	DD-D004104	BBG174-042220	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG174	4/22/2020	14:55	N1	DD-D004104	BBG174-042220	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG174	4/22/2020	14:55	N1	DD-D004104	BBG174-042220	SW8082A	SW	PCB-1242 (AROCLOR 1242)	4.7	-	0.088	0.24	ug/WIPE
BBG174	4/22/2020	14:55	N1	DD-D004104	BBG174-042220	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG174	4/22/2020	14:55	N1	DD-D004104	BBG174-042220	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.9	-	0.07	0.24	ug/WIPE
BBG174	4/22/2020	14:55	N1	DD-D004104	BBG174-042220	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE

Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
BBG174	4/22/2020	14:55	N1	DD-D004104	BBG174-042220	SW8082A	SW	TOTAL PCBs	6.6		-	0.24	ug/WIPE
BBG175	4/22/2020	14:57	N1	DD-D004105	BBG175-042220	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG175	4/22/2020	14:57	N1	DD-D004105	BBG175-042220	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG175	4/22/2020	14:57	N1	DD-D004105	BBG175-042220	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG175	4/22/2020	14:57	N1	DD-D004105	BBG175-042220	SW8082A	SW	PCB-1242 (AROCLOR 1242)	4.2		0.088	0.24	ug/WIPE
BBG175	4/22/2020	14:57	N1	DD-D004105	BBG175-042220	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG175	4/22/2020	14:57	N1	DD-D004105	BBG175-042220	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.9		0.07	0.24	ug/WIPE
BBG175	4/22/2020	14:57	N1	DD-D004105	BBG175-042220	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG175	4/22/2020	14:57	N1	DD-D004105	BBG175-042220	SW8082A	SW	TOTAL PCBs	6.1		-	0.24	ug/WIPE
BBG176	4/22/2020	15:03	N1	DD-D004106	BBG176-042220	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG176	4/22/2020	15:03	N1	DD-D004106	BBG176-042220	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG176	4/22/2020	15:03	N1	DD-D004106	BBG176-042220	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG176	4/22/2020	15:03	N1	DD-D004106	BBG176-042220	SW8082A	SW	PCB-1242 (AROCLOR 1242)	6.4		0.088	0.24	ug/WIPE
BBG176	4/22/2020	15:03	N1	DD-D004106	BBG176-042220	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG176	4/22/2020	15:03	N1	DD-D004106	BBG176-042220	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2.6		0.07	0.24	ug/WIPE
BBG176	4/22/2020	15:03	N1	DD-D004106	BBG176-042220	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG176	4/22/2020	15:03	N1	DD-D004106	BBG176-042220	SW8082A	SW	TOTAL PCBs	9		-	0.24	ug/WIPE
BBG177-178	4/22/2020	15:07	N1	DD-D004107	BBG177-178-042220-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG177-178	4/22/2020	15:07	N1	DD-D004107	BBG177-178-042220-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG177-178	4/22/2020	15:07	N1	DD-D004107	BBG177-178-042220-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG177-178	4/22/2020	15:07	N1	DD-D004107	BBG177-178-042220-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	5.4		0.088	0.24	ug/WIPE
BBG177-178	4/22/2020	15:07	N1	DD-D004107	BBG177-178-042220-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG177-178	4/22/2020	15:07	N1	DD-D004107	BBG177-178-042220-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2.1		0.07	0.24	ug/WIPE
BBG177-178	4/22/2020	15:07	N1	DD-D004107	BBG177-178-042220-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG177-178	4/22/2020	15:07	N1	DD-D004107	BBG177-178-042220-COMP	SW8082A	SW	TOTAL PCBs	7.5		-	0.24	ug/WIPE
BBG179	4/22/2020	15:12	N1	DD-D004109	BBG179-042220	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG179	4/22/2020	15:12	N1	DD-D004109	BBG179-042220	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG179	4/22/2020	15:12	N1	DD-D004109	BBG179-042220	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG179	4/22/2020	15:12	N1	DD-D004109	BBG179-042220	SW8082A	SW	PCB-1242 (AROCLOR 1242)	4.9		0.088	0.24	ug/WIPE
BBG179	4/22/2020	15:12	N1	DD-D004109	BBG179-042220	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG179	4/22/2020	15:12	N1	DD-D004109	BBG179-042220	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2.3		0.07	0.24	ug/WIPE
BBG179	4/22/2020	15:12	N1	DD-D004109	BBG179-042220	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG179	4/22/2020	15:12	N1	DD-D004109	BBG179-042220	SW8082A	SW	TOTAL PCBs	7.2		-	0.24	ug/WIPE
BBG180-181	4/22/2020	15:15	N1	DD-D004110	BBG180-181-042220-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG180-181	4/22/2020	15:15	N1	DD-D004110	BBG180-181-042220-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG180-181	4/22/2020	15:15	N1	DD-D004110	BBG180-181-042220-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG180-181	4/22/2020	15:15	N1	DD-D004110	BBG180-181-042220-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	4.1		0.088	0.24	ug/WIPE
BBG180-181	4/22/2020	15:15	N1	DD-D004110	BBG180-181-042220-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG180-181	4/22/2020	15:15	N1	DD-D004110	BBG180-181-042220-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.8		0.07	0.24	ug/WIPE
BBG180-181	4/22/2020	15:15	N1	DD-D004110	BBG180-181-042220-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG180-181	4/22/2020	15:15	N1	DD-D004110	BBG180-181-042220-COMP	SW8082A	SW	TOTAL PCBs	5.9		-	0.24	ug/WIPE
BBG182	4/22/2020	15:27	N1	DD-D004202	BBG182-042220	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG182	4/22/2020	15:27	N1	DD-D004202	BBG182-042220	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG182	4/22/2020	15:27	N1	DD-D004202	BBG182-042220	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG182	4/22/2020	15:27	N1	DD-D004202	BBG182-042220	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3.7		0.088	0.24	ug/WIPE
BBG182	4/22/2020	15:27	N1	DD-D004202	BBG182-042220	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG182	4/22/2020	15:27	N1	DD-D004202	BBG182-042220	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.4		0.07	0.24	ug/WIPE
BBG182	4/22/2020	15:27	N1	DD-D004202	BBG182-042220	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG182	4/22/2020	15:27	N1	DD-D004202	BBG182-042220	SW8082A	SW	TOTAL PCBs	5.1		-	0.24	ug/WIPE
BBG183	4/22/2020	15:25	N1	DD-D004203	BBG183-042220	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG183	4/22/2020	15:25	N1	DD-D004203	BBG183-042220	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE

Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
BBG183	4/22/2020	15:25	N1	DD-D004203	BBG183-042220	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG183	4/22/2020	15:25	N1	DD-D004203	BBG183-042220	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2.6	U	0.088	0.24	ug/WIPE
BBG183	4/22/2020	15:25	N1	DD-D004203	BBG183-042220	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG183	4/22/2020	15:25	N1	DD-D004203	BBG183-042220	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.1	U	0.07	0.24	ug/WIPE
BBG183	4/22/2020	15:25	N1	DD-D004203	BBG183-042220	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG183	4/22/2020	15:25	N1	DD-D004203	BBG183-042220	SW8082A	SW	TOTAL PCBs	3.7	U	-	0.24	ug/WIPE
BBG184	4/22/2020	15:19	N1	DD-D004204	BBG184-042220	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG184	4/22/2020	15:19	N1	DD-D004204	BBG184-042220	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG184	4/22/2020	15:19	N1	DD-D004204	BBG184-042220	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG184	4/22/2020	15:19	N1	DD-D004204	BBG184-042220	SW8082A	SW	PCB-1242 (AROCLOR 1242)	6.8	J	0.088	0.24	ug/WIPE
BBG184	4/22/2020	15:19	N1	DD-D004204	BBG184-042220	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG184	4/22/2020	15:19	N1	DD-D004204	BBG184-042220	SW8082A	SW	PCB-1254 (AROCLOR 1254)	3.1	J	0.07	0.24	ug/WIPE
BBG184	4/22/2020	15:19	N1	DD-D004204	BBG184-042220	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG184	4/22/2020	15:19	N1	DD-D004204	BBG184-042220	SW8082A	SW	TOTAL PCBs	9.9	U	-	0.24	ug/WIPE
BBG185	4/22/2020	10:16	N1	DD-D004205	BBG185-042220	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG185	4/22/2020	10:16	N1	DD-D004205	BBG185-042220	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG185	4/22/2020	10:16	N1	DD-D004205	BBG185-042220	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG185	4/22/2020	10:16	N1	DD-D004205	BBG185-042220	SW8082A	SW	PCB-1242 (AROCLOR 1242)	6.4	J	0.088	0.24	ug/WIPE
BBG185	4/22/2020	10:16	N1	DD-D004205	BBG185-042220	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG185	4/22/2020	10:16	N1	DD-D004205	BBG185-042220	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2.7	J	0.07	0.24	ug/WIPE
BBG185	4/22/2020	10:16	N1	DD-D004205	BBG185-042220	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG185	4/22/2020	10:16	N1	DD-D004205	BBG185-042220	SW8082A	SW	TOTAL PCBs	9.1	U	-	0.24	ug/WIPE
BBG186	4/22/2020	10:21	N1	DD-D004206	BBG186-042220	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG186	4/22/2020	10:21	N1	DD-D004206	BBG186-042220	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG186	4/22/2020	10:21	N1	DD-D004206	BBG186-042220	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG186	4/22/2020	10:21	N1	DD-D004206	BBG186-042220	SW8082A	SW	PCB-1242 (AROCLOR 1242)	5	J	0.088	0.24	ug/WIPE
BBG186	4/22/2020	10:21	N1	DD-D004206	BBG186-042220	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG186	4/22/2020	10:21	N1	DD-D004206	BBG186-042220	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2.2	J	0.07	0.24	ug/WIPE
BBG186	4/22/2020	10:21	N1	DD-D004206	BBG186-042220	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG186	4/22/2020	10:21	N1	DD-D004206	BBG186-042220	SW8082A	SW	TOTAL PCBs	7.2	U	-	0.24	ug/WIPE
BW001	4/16/2020	10:52	N1	DD-D001901	BW001-041620	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BW001	4/16/2020	10:52	N1	DD-D001901	BW001-041620	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BW001	4/16/2020	10:52	N1	DD-D001901	BW001-041620	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BW001	4/16/2020	10:52	N1	DD-D001901	BW001-041620	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.11	J	0.088	0.24	ug/WIPE
BW001	4/16/2020	10:52	N1	DD-D001901	BW001-041620	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BW001	4/16/2020	10:52	N1	DD-D001901	BW001-041620	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
BW001	4/16/2020	10:52	N1	DD-D001901	BW001-041620	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BW001	4/16/2020	10:52	N1	DD-D001901	BW001-041620	SW8082A	SW	TOTAL PCBs	0.11	U	-	0.24	ug/WIPE
BW002	4/16/2020	11:07	N1	DD-D001902	BW002-041620	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BW002	4/16/2020	11:07	N1	DD-D001902	BW002-041620	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BW002	4/16/2020	11:07	N1	DD-D001902	BW002-041620	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BW002	4/16/2020	11:07	N1	DD-D001902	BW002-041620	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.18	J	0.088	0.24	ug/WIPE
BW002	4/16/2020	11:07	N1	DD-D001902	BW002-041620	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BW002	4/16/2020	11:07	N1	DD-D001902	BW002-041620	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
BW002	4/16/2020	11:07	N1	DD-D001902	BW002-041620	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BW002	4/16/2020	11:07	N1	DD-D001902	BW002-041620	SW8082A	SW	TOTAL PCBs	0.18	U	-	0.24	ug/WIPE
BW003	4/16/2020	11:47	N1	DD-D001903	BW003-041620	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BW003	4/16/2020	11:47	N1	DD-D001903	BW003-041620	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BW003	4/16/2020	11:47	N1	DD-D001903	BW003-041620	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BW003	4/16/2020	11:47	N1	DD-D001903	BW003-041620	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.12	J	0.088	0.24	ug/WIPE
BW003	4/16/2020	11:47	N1	DD-D001903	BW003-041620	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE



Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
BW003	4/16/2020	11:47	N1	DD-D001903	BW003-041620	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	ND	U	0.07	0.24	ug/WIPE
BW003	4/16/2020	11:47	N1	DD-D001903	BW003-041620	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BW003	4/16/2020	11:47	N1	DD-D001903	BW003-041620	SW8082A	SW	TOTAL PCBs	0.12		-	0.24	ug/WIPE
BW004	4/16/2020	12:11	N1	DD-D001904	BW004-041620	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BW004	4/16/2020	12:11	N1	DD-D001904	BW004-041620	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BW004	4/16/2020	12:11	N1	DD-D001904	BW004-041620	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BW004	4/16/2020	12:11	N1	DD-D001904	BW004-041620	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.11	J	0.088	0.24	ug/WIPE
BW004	4/16/2020	12:11	N1	DD-D001904	BW004-041620	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BW004	4/16/2020	12:11	N1	DD-D001904	BW004-041620	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	ND	U	0.07	0.24	ug/WIPE
BW004	4/16/2020	12:11	N1	DD-D001904	BW004-041620	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BW004	4/16/2020	12:11	N1	DD-D001904	BW004-041620	SW8082A	SW	TOTAL PCBs	0.11		-	0.24	ug/WIPE
BW005	4/16/2020	13:44	N1	DD-D001905	BW005-041620	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BW005	4/16/2020	13:44	N1	DD-D001905	BW005-041620	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BW005	4/16/2020	13:44	N1	DD-D001905	BW005-041620	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BW005	4/16/2020	13:44	N1	DD-D001905	BW005-041620	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.4		0.088	0.24	ug/WIPE
BW005	4/16/2020	13:44	N1	DD-D001905	BW005-041620	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BW005	4/16/2020	13:44	N1	DD-D001905	BW005-041620	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.17	J	0.07	0.24	ug/WIPE
BW005	4/16/2020	13:44	N1	DD-D001905	BW005-041620	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BW005	4/16/2020	13:44	N1	DD-D001905	BW005-041620	SW8082A	SW	TOTAL PCBs	0.57		-	0.24	ug/WIPE
BW006	4/21/2020	9:44	N1	DD-D001906	BW006-042120	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BW006	4/21/2020	9:44	N1	DD-D001906	BW006-042120	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BW006	4/21/2020	9:44	N1	DD-D001906	BW006-042120	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BW006	4/21/2020	9:44	N1	DD-D001906	BW006-042120	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.44		0.088	0.24	ug/WIPE
BW006	4/21/2020	9:44	N1	DD-D001906	BW006-042120	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BW006	4/21/2020	9:44	N1	DD-D001906	BW006-042120	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.19	J	0.07	0.24	ug/WIPE
BW006	4/21/2020	9:44	N1	DD-D001906	BW006-042120	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BW006	4/21/2020	9:44	N1	DD-D001906	BW006-042120	SW8082A	SW	TOTAL PCBs	0.63		-	0.24	ug/WIPE
BW007	4/21/2020	9:47	N1	DD-D001907	BW007-042120	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BW007	4/21/2020	9:47	N1	DD-D001907	BW007-042120	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BW007	4/21/2020	9:47	N1	DD-D001907	BW007-042120	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BW007	4/21/2020	9:47	N1	DD-D001907	BW007-042120	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	ND	U	0.088	0.24	ug/WIPE
BW007	4/21/2020	9:47	N1	DD-D001907	BW007-042120	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BW007	4/21/2020	9:47	N1	DD-D001907	BW007-042120	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	ND	U	0.07	0.24	ug/WIPE
BW007	4/21/2020	9:47	N1	DD-D001907	BW007-042120	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BW007	4/21/2020	9:47	N1	DD-D001907	BW007-042120	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
BW008	4/21/2020	10:08	N1	DD-D001908	BW008-042120	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BW008	4/21/2020	10:08	N1	DD-D001908	BW008-042120	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BW008	4/21/2020	10:08	N1	DD-D001908	BW008-042120	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BW008	4/21/2020	10:08	N1	DD-D001908	BW008-042120	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	ND	U	0.088	0.24	ug/WIPE
BW008	4/21/2020	10:08	N1	DD-D001908	BW008-042120	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BW008	4/21/2020	10:08	N1	DD-D001908	BW008-042120	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	ND	U	0.07	0.24	ug/WIPE
BW008	4/21/2020	10:08	N1	DD-D001908	BW008-042120	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BW008	4/21/2020	10:08	N1	DD-D001908	BW008-042120	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
BW009	4/21/2020	10:37	N1	DD-D001909	BW009-042120	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BW009	4/21/2020	10:37	N1	DD-D001909	BW009-042120	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BW009	4/21/2020	10:37	N1	DD-D001909	BW009-042120	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BW009	4/21/2020	10:37	N1	DD-D001909	BW009-042120	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.13	J	0.088	0.24	ug/WIPE
BW009	4/21/2020	10:37	N1	DD-D001909	BW009-042120	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BW009	4/21/2020	10:37	N1	DD-D001909	BW009-042120	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	ND	U	0.07	0.24	ug/WIPE
BW009	4/21/2020	10:37	N1	DD-D001909	BW009-042120	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BW009	4/21/2020	10:37	N1	DD-D001909	BW009-042120	SW8082A	SW	TOTAL PCBs	0.13		-	0.24	ug/WIPE

## Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
BW010	4/21/2020	10:42	N1	DD-D001910	BW010-042120	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BW010	4/21/2020	10:42	N1	DD-D001910	BW010-042120	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BW010	4/21/2020	10:42	N1	DD-D001910	BW010-042120	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BW010	4/21/2020	10:42	N1	DD-D001910	BW010-042120	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.21	J	0.088	0.24	ug/WIPE
BW010	4/21/2020	10:42	N1	DD-D001910	BW010-042120	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BW010	4/21/2020	10:42	N1	DD-D001910	BW010-042120	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
BW010	4/21/2020	10:42	N1	DD-D001910	BW010-042120	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BW010	4/21/2020	10:42	N1	DD-D001910	BW010-042120	SW8082A	SW	TOTAL PCBs	0.21		-	0.24	ug/WIPE
BW011	4/21/2020	11:00	N1	DD-D002001	BW011-042120	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BW011	4/21/2020	11:00	N1	DD-D002001	BW011-042120	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BW011	4/21/2020	11:00	N1	DD-D002001	BW011-042120	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BW011	4/21/2020	11:00	N1	DD-D002001	BW011-042120	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.23	J	0.088	0.24	ug/WIPE
BW011	4/21/2020	11:00	N1	DD-D002001	BW011-042120	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BW011	4/21/2020	11:00	N1	DD-D002001	BW011-042120	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
BW011	4/21/2020	11:00	N1	DD-D002001	BW011-042120	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BW011	4/21/2020	11:00	N1	DD-D002001	BW011-042120	SW8082A	SW	TOTAL PCBs	0.23		-	0.24	ug/WIPE
BW012	4/21/2020	11:19	N1	DD-D002002	BW012-042120	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BW012	4/21/2020	11:19	N1	DD-D002002	BW012-042120	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BW012	4/21/2020	11:19	N1	DD-D002002	BW012-042120	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BW012	4/21/2020	11:19	N1	DD-D002002	BW012-042120	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.25	J	0.088	0.24	ug/WIPE
BW012	4/21/2020	11:19	N1	DD-D002002	BW012-042120	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BW012	4/21/2020	11:19	N1	DD-D002002	BW012-042120	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
BW012	4/21/2020	11:19	N1	DD-D002002	BW012-042120	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BW012	4/21/2020	11:19	N1	DD-D002002	BW012-042120	SW8082A	SW	TOTAL PCBs	0.25		-	0.24	ug/WIPE
BW013	4/21/2020	11:37	N1	DD-D002003	BW013-042120	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BW013	4/21/2020	11:37	N1	DD-D002003	BW013-042120	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BW013	4/21/2020	11:37	N1	DD-D002003	BW013-042120	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BW013	4/21/2020	11:37	N1	DD-D002003	BW013-042120	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.32	J	0.088	0.24	ug/WIPE
BW013	4/21/2020	11:37	N1	DD-D002003	BW013-042120	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BW013	4/21/2020	11:37	N1	DD-D002003	BW013-042120	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.1	J	0.07	0.24	ug/WIPE
BW013	4/21/2020	11:37	N1	DD-D002003	BW013-042120	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BW013	4/21/2020	11:37	N1	DD-D002003	BW013-042120	SW8082A	SW	TOTAL PCBs	0.42		-	0.24	ug/WIPE
BW014	4/21/2020	11:44	N1	DD-D002004	BW014-042120	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BW014	4/21/2020	11:44	N1	DD-D002004	BW014-042120	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BW014	4/21/2020	11:44	N1	DD-D002004	BW014-042120	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BW014	4/21/2020	11:44	N1	DD-D002004	BW014-042120	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.39	J	0.088	0.24	ug/WIPE
BW014	4/21/2020	11:44	N1	DD-D002004	BW014-042120	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BW014	4/21/2020	11:44	N1	DD-D002004	BW014-042120	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.13	J	0.07	0.24	ug/WIPE
BW014	4/21/2020	11:44	N1	DD-D002004	BW014-042120	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BW014	4/21/2020	11:44	N1	DD-D002004	BW014-042120	SW8082A	SW	TOTAL PCBs	0.52		-	0.24	ug/WIPE
BW015	4/21/2020	12:25	N1	DD-D002005	BW015-042120	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BW015	4/21/2020	12:25	N1	DD-D002005	BW015-042120	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BW015	4/21/2020	12:25	N1	DD-D002005	BW015-042120	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BW015	4/21/2020	12:25	N1	DD-D002005	BW015-042120	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.29	J	0.088	0.24	ug/WIPE
BW015	4/21/2020	12:25	N1	DD-D002005	BW015-042120	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BW015	4/21/2020	12:25	N1	DD-D002005	BW015-042120	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.13	J	0.07	0.24	ug/WIPE
BW015	4/21/2020	12:25	N1	DD-D002005	BW015-042120	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BW015	4/21/2020	12:25	N1	DD-D002005	BW015-042120	SW8082A	SW	TOTAL PCBs	0.42		-	0.24	ug/WIPE
BW016	4/21/2020	11:24	N1	DD-D002006	BW016-042120	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BW016	4/21/2020	11:24	N1	DD-D002006	BW016-042120	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BW016	4/21/2020	11:24	N1	DD-D002006	BW016-042120	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE

Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
BW016	4/21/2020	11:24	N1	DD-D002006	BW016-042120	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
BW016	4/21/2020	11:24	N1	DD-D002006	BW016-042120	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BW016	4/21/2020	11:24	N1	DD-D002006	BW016-042120	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
BW016	4/21/2020	11:24	N1	DD-D002006	BW016-042120	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BW016	4/21/2020	11:24	N1	DD-D002006	BW016-042120	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
BW017	4/21/2020	17:30	N1	DD-D002007	BW017-042120	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BW017	4/21/2020	17:30	N1	DD-D002007	BW017-042120	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BW017	4/21/2020	17:30	N1	DD-D002007	BW017-042120	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BW017	4/21/2020	17:30	N1	DD-D002007	BW017-042120	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.54		0.088	0.24	ug/WIPE
BW017	4/21/2020	17:30	N1	DD-D002007	BW017-042120	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BW017	4/21/2020	17:30	N1	DD-D002007	BW017-042120	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.17	J	0.07	0.24	ug/WIPE
BW017	4/21/2020	17:30	N1	DD-D002007	BW017-042120	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BW017	4/21/2020	17:30	N1	DD-D002007	BW017-042120	SW8082A	SW	TOTAL PCBs	0.71		-	0.24	ug/WIPE
BW018	4/21/2020	16:05	N1	DD-D002008	BW018-042120	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BW018	4/21/2020	16:05	N1	DD-D002008	BW018-042120	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BW018	4/21/2020	16:05	N1	DD-D002008	BW018-042120	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BW018	4/21/2020	16:05	N1	DD-D002008	BW018-042120	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
BW018	4/21/2020	16:05	N1	DD-D002008	BW018-042120	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BW018	4/21/2020	16:05	N1	DD-D002008	BW018-042120	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
BW018	4/21/2020	16:05	N1	DD-D002008	BW018-042120	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BW018	4/21/2020	16:05	N1	DD-D002008	BW018-042120	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
BW019	4/21/2020	15:11	N1	DD-D002009	BW019-042120	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BW019	4/21/2020	15:11	N1	DD-D002009	BW019-042120	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BW019	4/21/2020	15:11	N1	DD-D002009	BW019-042120	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BW019	4/21/2020	15:11	N1	DD-D002009	BW019-042120	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.36		0.088	0.24	ug/WIPE
BW019	4/21/2020	15:11	N1	DD-D002009	BW019-042120	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BW019	4/21/2020	15:11	N1	DD-D002009	BW019-042120	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.11	J	0.07	0.24	ug/WIPE
BW019	4/21/2020	15:11	N1	DD-D002009	BW019-042120	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BW019	4/21/2020	15:11	N1	DD-D002009	BW019-042120	SW8082A	SW	TOTAL PCBs	0.47		-	0.24	ug/WIPE
BW020	4/21/2020	14:55	N1	DD-D002010	BW020-042120	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BW020	4/21/2020	14:55	N1	DD-D002010	BW020-042120	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BW020	4/21/2020	14:55	N1	DD-D002010	BW020-042120	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BW020	4/21/2020	14:55	N1	DD-D002010	BW020-042120	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.27		0.088	0.24	ug/WIPE
BW020	4/21/2020	14:55	N1	DD-D002010	BW020-042120	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BW020	4/21/2020	14:55	N1	DD-D002010	BW020-042120	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
BW020	4/21/2020	14:55	N1	DD-D002010	BW020-042120	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BW020	4/21/2020	14:55	N1	DD-D002010	BW020-042120	SW8082A	SW	TOTAL PCBs	0.27		-	0.24	ug/WIPE
BW021	4/21/2020	17:24	N1	DD-D002101	BW021-042120	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BW021	4/21/2020	17:24	N1	DD-D002101	BW021-042120	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BW021	4/21/2020	17:24	N1	DD-D002101	BW021-042120	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BW021	4/21/2020	17:24	N1	DD-D002101	BW021-042120	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
BW021	4/21/2020	17:24	N1	DD-D002101	BW021-042120	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BW021	4/21/2020	17:24	N1	DD-D002101	BW021-042120	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
BW021	4/21/2020	17:24	N1	DD-D002101	BW021-042120	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BW021	4/21/2020	17:24	N1	DD-D002101	BW021-042120	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
BW022	4/21/2020	16:16	N1	DD-D002102	BW022-042120	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BW022	4/21/2020	16:16	N1	DD-D002102	BW022-042120	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BW022	4/21/2020	16:16	N1	DD-D002102	BW022-042120	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BW022	4/21/2020	16:16	N1	DD-D002102	BW022-042120	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
BW022	4/21/2020	16:16	N1	DD-D002102	BW022-042120	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BW022	4/21/2020	16:16	N1	DD-D002102	BW022-042120	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE

Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
BW022	4/21/2020	16:16	N1	DD-D002102	BW022-042120	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BW022	4/21/2020	16:16	N1	DD-D002102	BW022-042120	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
BW023	4/21/2020	16:59	N1	DD-D002103	BW023-042120	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BW023	4/21/2020	16:59	N1	DD-D002103	BW023-042120	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BW023	4/21/2020	16:59	N1	DD-D002103	BW023-042120	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BW023	4/21/2020	16:59	N1	DD-D002103	BW023-042120	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.57	U	0.088	0.24	ug/WIPE
BW023	4/21/2020	16:59	N1	DD-D002103	BW023-042120	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BW023	4/21/2020	16:59	N1	DD-D002103	BW023-042120	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.14	J	0.07	0.24	ug/WIPE
BW023	4/21/2020	16:59	N1	DD-D002103	BW023-042120	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BW023	4/21/2020	16:59	N1	DD-D002103	BW023-042120	SW8082A	SW	TOTAL PCBs	0.71	U	-	0.24	ug/WIPE
BW024	4/21/2020	17:16	N1	DD-D002104	BW024-042120	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BW024	4/21/2020	17:16	N1	DD-D002104	BW024-042120	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BW024	4/21/2020	17:16	N1	DD-D002104	BW024-042120	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BW024	4/21/2020	17:16	N1	DD-D002104	BW024-042120	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3.8	U	0.088	0.24	ug/WIPE
BW024	4/21/2020	17:16	N1	DD-D002104	BW024-042120	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BW024	4/21/2020	17:16	N1	DD-D002104	BW024-042120	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.96	J	0.07	0.24	ug/WIPE
BW024	4/21/2020	17:16	N1	DD-D002104	BW024-042120	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BW024	4/21/2020	17:16	N1	DD-D002104	BW024-042120	SW8082A	SW	TOTAL PCBs	4.76	U	-	0.24	ug/WIPE
BW025	4/22/2020	9:14	N1	DD-D002105	BW025-042220	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BW025	4/22/2020	9:14	N1	DD-D002105	BW025-042220	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BW025	4/22/2020	9:14	N1	DD-D002105	BW025-042220	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BW025	4/22/2020	9:14	N1	DD-D002105	BW025-042220	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.21	J	0.088	0.24	ug/WIPE
BW025	4/22/2020	9:14	N1	DD-D002105	BW025-042220	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BW025	4/22/2020	9:14	N1	DD-D002105	BW025-042220	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.096	J	0.07	0.24	ug/WIPE
BW025	4/22/2020	9:14	N1	DD-D002105	BW025-042220	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BW025	4/22/2020	9:14	N1	DD-D002105	BW025-042220	SW8082A	SW	TOTAL PCBs	0.306	U	-	0.24	ug/WIPE
BW026	4/22/2020	8:55	N1	DD-D002106	BW026-042220	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BW026	4/22/2020	8:55	N1	DD-D002106	BW026-042220	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BW026	4/22/2020	8:55	N1	DD-D002106	BW026-042220	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BW026	4/22/2020	8:55	N1	DD-D002106	BW026-042220	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.26	U	0.088	0.24	ug/WIPE
BW026	4/22/2020	8:55	N1	DD-D002106	BW026-042220	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BW026	4/22/2020	8:55	N1	DD-D002106	BW026-042220	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.093	J	0.07	0.24	ug/WIPE
BW026	4/22/2020	8:55	N1	DD-D002106	BW026-042220	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BW026	4/22/2020	8:55	N1	DD-D002106	BW026-042220	SW8082A	SW	TOTAL PCBs	0.353	U	-	0.24	ug/WIPE
BW027	4/22/2020	8:34	N1	DD-D002107	BW027-042220	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BW027	4/22/2020	8:34	N1	DD-D002107	BW027-042220	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BW027	4/22/2020	8:34	N1	DD-D002107	BW027-042220	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BW027	4/22/2020	8:34	N1	DD-D002107	BW027-042220	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.49	J	0.088	0.24	ug/WIPE
BW027	4/22/2020	8:34	N1	DD-D002107	BW027-042220	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BW027	4/22/2020	8:34	N1	DD-D002107	BW027-042220	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.17	J	0.07	0.24	ug/WIPE
BW027	4/22/2020	8:34	N1	DD-D002107	BW027-042220	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BW027	4/22/2020	8:34	N1	DD-D002107	BW027-042220	SW8082A	SW	TOTAL PCBs	0.66	U	-	0.24	ug/WIPE
BW028	4/22/2020	8:17	N1	DD-D002108	BW028-042220	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BW028	4/22/2020	8:17	N1	DD-D002108	BW028-042220	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BW028	4/22/2020	8:17	N1	DD-D002108	BW028-042220	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BW028	4/22/2020	8:17	N1	DD-D002108	BW028-042220	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.18	J	0.088	0.24	ug/WIPE
BW028	4/22/2020	8:17	N1	DD-D002108	BW028-042220	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BW028	4/22/2020	8:17	N1	DD-D002108	BW028-042220	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
BW028	4/22/2020	8:17	N1	DD-D002108	BW028-042220	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BW028	4/22/2020	8:17	N1	DD-D002108	BW028-042220	SW8082A	SW	TOTAL PCBs	0.18	U	-	0.24	ug/WIPE
BW029	4/22/2020	10:49	N1	DD-D002109	BW029-042220	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE

Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
BW029	4/22/2020	10:49	N1	DD-D002109	BW029-042220	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BW029	4/22/2020	10:49	N1	DD-D002109	BW029-042220	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BW029	4/22/2020	10:49	N1	DD-D002109	BW029-042220	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	ND	U	0.088	0.24	ug/WIPE
BW029	4/22/2020	10:49	N1	DD-D002109	BW029-042220	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BW029	4/22/2020	10:49	N1	DD-D002109	BW029-042220	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	ND	U	0.07	0.24	ug/WIPE
BW029	4/22/2020	10:49	N1	DD-D002109	BW029-042220	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BW029	4/22/2020	10:49	N1	DD-D002109	BW029-042220	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
BW030	4/22/2020	10:53	N1	DD-D002110	BW030-042220	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BW030	4/22/2020	10:53	N1	DD-D002110	BW030-042220	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BW030	4/22/2020	10:53	N1	DD-D002110	BW030-042220	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BW030	4/22/2020	10:53	N1	DD-D002110	BW030-042220	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.24		0.088	0.24	ug/WIPE
BW030	4/22/2020	10:53	N1	DD-D002110	BW030-042220	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BW030	4/22/2020	10:53	N1	DD-D002110	BW030-042220	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.1	J	0.07	0.24	ug/WIPE
BW030	4/22/2020	10:53	N1	DD-D002110	BW030-042220	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BW030	4/22/2020	10:53	N1	DD-D002110	BW030-042220	SW8082A	SW	TOTAL PCBs	0.34		-	0.24	ug/WIPE
BW031	4/22/2020	11:43	N1	DD-D002201	BW031-042220	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BW031	4/22/2020	11:43	N1	DD-D002201	BW031-042220	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BW031	4/22/2020	11:43	N1	DD-D002201	BW031-042220	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BW031	4/22/2020	11:43	N1	DD-D002201	BW031-042220	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.098	J	0.088	0.24	ug/WIPE
BW031	4/22/2020	11:43	N1	DD-D002201	BW031-042220	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BW031	4/22/2020	11:43	N1	DD-D002201	BW031-042220	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	ND	U	0.07	0.24	ug/WIPE
BW031	4/22/2020	11:43	N1	DD-D002201	BW031-042220	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BW031	4/22/2020	11:43	N1	DD-D002201	BW031-042220	SW8082A	SW	TOTAL PCBs	0.098		-	0.24	ug/WIPE
BW032	4/22/2020	11:46	N1	DD-D002202	BW032-042220	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BW032	4/22/2020	11:46	N1	DD-D002202	BW032-042220	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BW032	4/22/2020	11:46	N1	DD-D002202	BW032-042220	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BW032	4/22/2020	11:46	N1	DD-D002202	BW032-042220	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	ND	U	0.088	0.24	ug/WIPE
BW032	4/22/2020	11:46	N1	DD-D002202	BW032-042220	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BW032	4/22/2020	11:46	N1	DD-D002202	BW032-042220	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	ND	U	0.07	0.24	ug/WIPE
BW032	4/22/2020	11:46	N1	DD-D002202	BW032-042220	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BW032	4/22/2020	11:46	N1	DD-D002202	BW032-042220	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
BW033	4/22/2020	10:02	N1	DD-D002203	BW033-042220	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BW033	4/22/2020	10:02	N1	DD-D002203	BW033-042220	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BW033	4/22/2020	10:02	N1	DD-D002203	BW033-042220	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BW033	4/22/2020	10:02	N1	DD-D002203	BW033-042220	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	ND	U	0.088	0.24	ug/WIPE
BW033	4/22/2020	10:02	N1	DD-D002203	BW033-042220	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BW033	4/22/2020	10:02	N1	DD-D002203	BW033-042220	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	ND	U	0.07	0.24	ug/WIPE
BW033	4/22/2020	10:02	N1	DD-D002203	BW033-042220	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BW033	4/22/2020	10:02	N1	DD-D002203	BW033-042220	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
BW034	4/22/2020	10:05	N1	DD-D002204	BW034-042220	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BW034	4/22/2020	10:05	N1	DD-D002204	BW034-042220	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BW034	4/22/2020	10:05	N1	DD-D002204	BW034-042220	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BW034	4/22/2020	10:05	N1	DD-D002204	BW034-042220	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	ND	U	0.088	0.24	ug/WIPE
BW034	4/22/2020	10:05	N1	DD-D002204	BW034-042220	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BW034	4/22/2020	10:05	N1	DD-D002204	BW034-042220	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	ND	U	0.07	0.24	ug/WIPE
BW034	4/22/2020	10:05	N1	DD-D002204	BW034-042220	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BW034	4/22/2020	10:05	N1	DD-D002204	BW034-042220	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
BW035	4/22/2020	13:48	N1	DD-D002205	BW035-042220	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BW035	4/22/2020	13:48	N1	DD-D002205	BW035-042220	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BW035	4/22/2020	13:48	N1	DD-D002205	BW035-042220	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BW035	4/22/2020	13:48	N1	DD-D002205	BW035-042220	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.24		0.088	0.24	ug/WIPE



Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
BW035	4/22/2020	13:48	N1	DD-D002205	BW035-042220	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BW035	4/22/2020	13:48	N1	DD-D002205	BW035-042220	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.084	J	0.07	0.24	ug/WIPE
BW035	4/22/2020	13:48	N1	DD-D002205	BW035-042220	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BW035	4/22/2020	13:48	N1	DD-D002205	BW035-042220	SW8082A	SW	TOTAL PCBs	0.324		-	0.24	ug/WIPE
BW036	4/22/2020	11:56	N1	DD-D002206	BW036-042220	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BW036	4/22/2020	11:56	N1	DD-D002206	BW036-042220	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BW036	4/22/2020	11:56	N1	DD-D002206	BW036-042220	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BW036	4/22/2020	11:56	N1	DD-D002206	BW036-042220	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.22	J	0.088	0.24	ug/WIPE
BW036	4/22/2020	11:56	N1	DD-D002206	BW036-042220	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BW036	4/22/2020	11:56	N1	DD-D002206	BW036-042220	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	ND	U	0.07	0.24	ug/WIPE
BW036	4/22/2020	11:56	N1	DD-D002206	BW036-042220	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BW036	4/22/2020	11:56	N1	DD-D002206	BW036-042220	SW8082A	SW	TOTAL PCBs	0.22		-	0.24	ug/WIPE
BW037	4/22/2020	11:54	N1	DD-D002207	BW037-042220	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BW037	4/22/2020	11:54	N1	DD-D002207	BW037-042220	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BW037	4/22/2020	11:54	N1	DD-D002207	BW037-042220	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BW037	4/22/2020	11:54	N1	DD-D002207	BW037-042220	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	ND	U	0.088	0.24	ug/WIPE
BW037	4/22/2020	11:54	N1	DD-D002207	BW037-042220	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BW037	4/22/2020	11:54	N1	DD-D002207	BW037-042220	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	ND	U	0.07	0.24	ug/WIPE
BW037	4/22/2020	11:54	N1	DD-D002207	BW037-042220	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BW037	4/22/2020	11:54	N1	DD-D002207	BW037-042220	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
BW038	4/22/2020	10:08	N1	DD-D002208	BW038-042220	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BW038	4/22/2020	10:08	N1	DD-D002208	BW038-042220	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BW038	4/22/2020	10:08	N1	DD-D002208	BW038-042220	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BW038	4/22/2020	10:08	N1	DD-D002208	BW038-042220	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	ND	U	0.088	0.24	ug/WIPE
BW038	4/22/2020	10:08	N1	DD-D002208	BW038-042220	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BW038	4/22/2020	10:08	N1	DD-D002208	BW038-042220	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	ND	U	0.07	0.24	ug/WIPE
BW038	4/22/2020	10:08	N1	DD-D002208	BW038-042220	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BW038	4/22/2020	10:08	N1	DD-D002208	BW038-042220	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
BW039	4/22/2020	14:45	N1	DD-D002209	BW039-042220	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BW039	4/22/2020	14:45	N1	DD-D002209	BW039-042220	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BW039	4/22/2020	14:45	N1	DD-D002209	BW039-042220	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BW039	4/22/2020	14:45	N1	DD-D002209	BW039-042220	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.11	J	0.088	0.24	ug/WIPE
BW039	4/22/2020	14:45	N1	DD-D002209	BW039-042220	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BW039	4/22/2020	14:45	N1	DD-D002209	BW039-042220	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	ND	U	0.07	0.24	ug/WIPE
BW039	4/22/2020	14:45	N1	DD-D002209	BW039-042220	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BW039	4/22/2020	14:45	N1	DD-D002209	BW039-042220	SW8082A	SW	TOTAL PCBs	0.11		-	0.24	ug/WIPE
BW040	4/22/2020	15:00	N1	DD-D002210	BW040-042220	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BW040	4/22/2020	15:00	N1	DD-D002210	BW040-042220	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BW040	4/22/2020	15:00	N1	DD-D002210	BW040-042220	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BW040	4/22/2020	15:00	N1	DD-D002210	BW040-042220	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	ND	U	0.088	0.24	ug/WIPE
BW040	4/22/2020	15:00	N1	DD-D002210	BW040-042220	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BW040	4/22/2020	15:00	N1	DD-D002210	BW040-042220	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	ND	U	0.07	0.24	ug/WIPE
BW040	4/22/2020	15:00	N1	DD-D002210	BW040-042220	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BW040	4/22/2020	15:00	N1	DD-D002210	BW040-042220	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
BW041	4/22/2020	15:30	N1	DD-D002301	BW041-042220	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BW041	4/22/2020	15:30	N1	DD-D002301	BW041-042220	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BW041	4/22/2020	15:30	N1	DD-D002301	BW041-042220	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BW041	4/22/2020	15:30	N1	DD-D002301	BW041-042220	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	ND	U	0.088	0.24	ug/WIPE
BW041	4/22/2020	15:30	N1	DD-D002301	BW041-042220	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BW041	4/22/2020	15:30	N1	DD-D002301	BW041-042220	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	ND	U	0.07	0.24	ug/WIPE
BW041	4/22/2020	15:30	N1	DD-D002301	BW041-042220	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE

Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
BW041	4/22/2020	15:30	N1	DD-D002301	BW041-042220	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
BW042	4/22/2020	15:21	N1	DD-D002302	BW042-042220	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BW042	4/22/2020	15:21	N1	DD-D002302	BW042-042220	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BW042	4/22/2020	15:21	N1	DD-D002302	BW042-042220	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BW042	4/22/2020	15:21	N1	DD-D002302	BW042-042220	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.12	J	0.088	0.24	ug/WIPE
BW042	4/22/2020	15:21	N1	DD-D002302	BW042-042220	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BW042	4/22/2020	15:21	N1	DD-D002302	BW042-042220	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	ND	U	0.07	0.24	ug/WIPE
BW042	4/22/2020	15:21	N1	DD-D002302	BW042-042220	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BW042	4/22/2020	15:21	N1	DD-D002302	BW042-042220	SW8082A	SW	TOTAL PCBs	0.12		-	0.24	ug/WIPE
CBG001	4/23/2020	11:18	N1	DD-D004801	CBG001-04320	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG001	4/23/2020	11:18	N1	DD-D004801	CBG001-04320	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG001	4/23/2020	11:18	N1	DD-D004801	CBG001-04320	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG001	4/23/2020	11:18	N1	DD-D004801	CBG001-04320	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	4.6		0.088	0.24	ug/WIPE
CBG001	4/23/2020	11:18	N1	DD-D004801	CBG001-04320	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG001	4/23/2020	11:18	N1	DD-D004801	CBG001-04320	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.5		0.07	0.24	ug/WIPE
CBG001	4/23/2020	11:18	N1	DD-D004801	CBG001-04320	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG001	4/23/2020	11:18	N1	DD-D004801	CBG001-04320	SW8082A	SW	TOTAL PCBs	6.1		-	0.24	ug/WIPE
CBG002-003	4/23/2020	11:23	N1	DD-D004802	CBG002-003-042320-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG002-003	4/23/2020	11:23	N1	DD-D004802	CBG002-003-042320-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG002-003	4/23/2020	11:23	N1	DD-D004802	CBG002-003-042320-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG002-003	4/23/2020	11:23	N1	DD-D004802	CBG002-003-042320-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	7.7		0.088	0.24	ug/WIPE
CBG002-003	4/23/2020	11:23	N1	DD-D004802	CBG002-003-042320-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG002-003	4/23/2020	11:23	N1	DD-D004802	CBG002-003-042320-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	3.1		0.07	0.24	ug/WIPE
CBG002-003	4/23/2020	11:23	N1	DD-D004802	CBG002-003-042320-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG002-003	4/23/2020	11:23	N1	DD-D004802	CBG002-003-042320-COMP	SW8082A	SW	TOTAL PCBs	10.8		-	0.24	ug/WIPE
CBG004-005	4/23/2020	11:38	N1	DD-D004804	CBG004-005-042320-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG004-005	4/23/2020	11:38	N1	DD-D004804	CBG004-005-042320-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG004-005	4/23/2020	11:38	N1	DD-D004804	CBG004-005-042320-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG004-005	4/23/2020	11:38	N1	DD-D004804	CBG004-005-042320-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	7		0.088	0.24	ug/WIPE
CBG004-005	4/23/2020	11:38	N1	DD-D004804	CBG004-005-042320-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG004-005	4/23/2020	11:38	N1	DD-D004804	CBG004-005-042320-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	3		0.07	0.24	ug/WIPE
CBG004-005	4/23/2020	11:38	N1	DD-D004804	CBG004-005-042320-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG004-005	4/23/2020	11:38	N1	DD-D004804	CBG004-005-042320-COMP	SW8082A	SW	TOTAL PCBs	10		-	0.24	ug/WIPE
CBG006	4/23/2020	11:29	N1	DD-D004806	CBG006-042320	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG006	4/23/2020	11:29	N1	DD-D004806	CBG006-042320	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG006	4/23/2020	11:29	N1	DD-D004806	CBG006-042320	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG006	4/23/2020	11:29	N1	DD-D004806	CBG006-042320	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	5.5		0.088	0.24	ug/WIPE
CBG006	4/23/2020	11:29	N1	DD-D004806	CBG006-042320	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG006	4/23/2020	11:29	N1	DD-D004806	CBG006-042320	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.3		0.07	0.24	ug/WIPE
CBG006	4/23/2020	11:29	N1	DD-D004806	CBG006-042320	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG006	4/23/2020	11:29	N1	DD-D004806	CBG006-042320	SW8082A	SW	TOTAL PCBs	7.8		-	0.24	ug/WIPE
CBG007	4/23/2020	11:34	N1	DD-D004807	CBG007-042320	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG007	4/23/2020	11:34	N1	DD-D004807	CBG007-042320	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG007	4/23/2020	11:34	N1	DD-D004807	CBG007-042320	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG007	4/23/2020	11:34	N1	DD-D004807	CBG007-042320	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	7.2		0.088	0.24	ug/WIPE
CBG007	4/23/2020	11:34	N1	DD-D004807	CBG007-042320	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG007	4/23/2020	11:34	N1	DD-D004807	CBG007-042320	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.8		0.07	0.24	ug/WIPE
CBG007	4/23/2020	11:34	N1	DD-D004807	CBG007-042320	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG007	4/23/2020	11:34	N1	DD-D004807	CBG007-042320	SW8082A	SW	TOTAL PCBs	10		-	0.24	ug/WIPE
CBG008	4/23/2020	11:45	N1	DD-D004808	CBG008-042320	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG008	4/23/2020	11:45	N1	DD-D004808	CBG008-042320	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE

Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
CBG008	4/23/2020	11:45	N1	DD-D004808	CBG008-042320	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG008	4/23/2020	11:45	N1	DD-D004808	CBG008-042320	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	4.9	U	0.088	0.24	ug/WIPE
CBG008	4/23/2020	11:45	N1	DD-D004808	CBG008-042320	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG008	4/23/2020	11:45	N1	DD-D004808	CBG008-042320	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.1	U	0.07	0.24	ug/WIPE
CBG008	4/23/2020	11:45	N1	DD-D004808	CBG008-042320	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG008	4/23/2020	11:45	N1	DD-D004808	CBG008-042320	SW8082A	SW	TOTAL PCBs	7	U	-	0.24	ug/WIPE
CBG009	4/23/2020	11:42	N1	DD-D004809	CBG009-042320	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG009	4/23/2020	11:42	N1	DD-D004809	CBG009-042320	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG009	4/23/2020	11:42	N1	DD-D004809	CBG009-042320	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG009	4/23/2020	11:42	N1	DD-D004809	CBG009-042320	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.9	U	0.088	0.24	ug/WIPE
CBG009	4/23/2020	11:42	N1	DD-D004809	CBG009-042320	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG009	4/23/2020	11:42	N1	DD-D004809	CBG009-042320	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.2	U	0.07	0.24	ug/WIPE
CBG009	4/23/2020	11:42	N1	DD-D004809	CBG009-042320	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG009	4/23/2020	11:42	N1	DD-D004809	CBG009-042320	SW8082A	SW	TOTAL PCBs	4.1	U	-	0.24	ug/WIPE
CBG010-011	4/23/2020	11:52	N1	DD-D004810	CBG010-011-042320-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG010-011	4/23/2020	11:52	N1	DD-D004810	CBG010-011-042320-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG010-011	4/23/2020	11:52	N1	DD-D004810	CBG010-011-042320-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG010-011	4/23/2020	11:52	N1	DD-D004810	CBG010-011-042320-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	12	U	0.088	0.24	ug/WIPE
CBG010-011	4/23/2020	11:52	N1	DD-D004810	CBG010-011-042320-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG010-011	4/23/2020	11:52	N1	DD-D004810	CBG010-011-042320-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	4.3	U	0.07	0.24	ug/WIPE
CBG010-011	4/23/2020	11:52	N1	DD-D004810	CBG010-011-042320-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG010-011	4/23/2020	11:52	N1	DD-D004810	CBG010-011-042320-COMP	SW8082A	SW	TOTAL PCBs	16.3	U	-	0.24	ug/WIPE
CBG012	4/23/2020	12:09	N1	DD-D004902	CBG012-042320	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG012	4/23/2020	12:09	N1	DD-D004902	CBG012-042320	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG012	4/23/2020	12:09	N1	DD-D004902	CBG012-042320	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG012	4/23/2020	12:09	N1	DD-D004902	CBG012-042320	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	1.6	U	0.088	0.24	ug/WIPE
CBG012	4/23/2020	12:09	N1	DD-D004902	CBG012-042320	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG012	4/23/2020	12:09	N1	DD-D004902	CBG012-042320	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.69	U	0.07	0.24	ug/WIPE
CBG012	4/23/2020	12:09	N1	DD-D004902	CBG012-042320	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG012	4/23/2020	12:09	N1	DD-D004902	CBG012-042320	SW8082A	SW	TOTAL PCBs	2.29	U	-	0.24	ug/WIPE
CBG013	4/23/2020	12:13	N1	DD-D004903	CBG013-042320	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG013	4/23/2020	12:13	N1	DD-D004903	CBG013-042320	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG013	4/23/2020	12:13	N1	DD-D004903	CBG013-042320	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG013	4/23/2020	12:13	N1	DD-D004903	CBG013-042320	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.2	U	0.088	0.24	ug/WIPE
CBG013	4/23/2020	12:13	N1	DD-D004903	CBG013-042320	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG013	4/23/2020	12:13	N1	DD-D004903	CBG013-042320	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.3	U	0.07	0.24	ug/WIPE
CBG013	4/23/2020	12:13	N1	DD-D004903	CBG013-042320	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG013	4/23/2020	12:13	N1	DD-D004903	CBG013-042320	SW8082A	SW	TOTAL PCBs	4.5	U	-	0.24	ug/WIPE
CBG014-015	4/23/2020	12:02	N1	DD-D004904	CBG014-015-042320-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG014-015	4/23/2020	12:02	N1	DD-D004904	CBG014-015-042320-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG014-015	4/23/2020	12:02	N1	DD-D004904	CBG014-015-042320-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG014-015	4/23/2020	12:02	N1	DD-D004904	CBG014-015-042320-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.8	U	0.088	0.24	ug/WIPE
CBG014-015	4/23/2020	12:02	N1	DD-D004904	CBG014-015-042320-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG014-015	4/23/2020	12:02	N1	DD-D004904	CBG014-015-042320-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.1	U	0.07	0.24	ug/WIPE
CBG014-015	4/23/2020	12:02	N1	DD-D004904	CBG014-015-042320-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG014-015	4/23/2020	12:02	N1	DD-D004904	CBG014-015-042320-COMP	SW8082A	SW	TOTAL PCBs	3.9	U	-	0.24	ug/WIPE
CBG016	4/23/2020	11:59	N1	DD-D004906	CBG016-042320	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG016	4/23/2020	11:59	N1	DD-D004906	CBG016-042320	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG016	4/23/2020	11:59	N1	DD-D004906	CBG016-042320	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG016	4/23/2020	11:59	N1	DD-D004906	CBG016-042320	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	4.7	U	0.088	0.24	ug/WIPE
CBG016	4/23/2020	11:59	N1	DD-D004906	CBG016-042320	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE

Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
CBG016	4/23/2020	11:59	N1	DD-D004906	CBG016-042320	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.7		0.07	0.24	ug/WIPE
CBG016	4/23/2020	11:59	N1	DD-D004906	CBG016-042320	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG016	4/23/2020	11:59	N1	DD-D004906	CBG016-042320	SW8082A	SW	TOTAL PCBs	6.4		-	0.24	ug/WIPE
CBG017	4/23/2020	14:25	N1	DD-D004907	CBG017-042320	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG017	4/23/2020	14:25	N1	DD-D004907	CBG017-042320	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG017	4/23/2020	14:25	N1	DD-D004907	CBG017-042320	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG017	4/23/2020	14:25	N1	DD-D004907	CBG017-042320	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3		0.088	0.24	ug/WIPE
CBG017	4/23/2020	14:25	N1	DD-D004907	CBG017-042320	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG017	4/23/2020	14:25	N1	DD-D004907	CBG017-042320	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1		0.07	0.24	ug/WIPE
CBG017	4/23/2020	14:25	N1	DD-D004907	CBG017-042320	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG017	4/23/2020	14:25	N1	DD-D004907	CBG017-042320	SW8082A	SW	TOTAL PCBs	4		-	0.24	ug/WIPE
CBG018	4/23/2020	14:23	N1	DD-D004908	CBG018-042320	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG018	4/23/2020	14:23	N1	DD-D004908	CBG018-042320	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG018	4/23/2020	14:23	N1	DD-D004908	CBG018-042320	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG018	4/23/2020	14:23	N1	DD-D004908	CBG018-042320	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	6.3		0.088	0.24	ug/WIPE
CBG018	4/23/2020	14:23	N1	DD-D004908	CBG018-042320	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG018	4/23/2020	14:23	N1	DD-D004908	CBG018-042320	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.6		0.07	0.24	ug/WIPE
CBG018	4/23/2020	14:23	N1	DD-D004908	CBG018-042320	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG018	4/23/2020	14:23	N1	DD-D004908	CBG018-042320	SW8082A	SW	TOTAL PCBs	8.9		-	0.24	ug/WIPE
CBG019-020	4/23/2020	14:02	N1	DD-D004909	CBG019-020-042320-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG019-020	4/23/2020	14:02	N1	DD-D004909	CBG019-020-042320-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG019-020	4/23/2020	14:02	N1	DD-D004909	CBG019-020-042320-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG019-020	4/23/2020	14:02	N1	DD-D004909	CBG019-020-042320-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	8.4		0.088	0.24	ug/WIPE
CBG019-020	4/23/2020	14:02	N1	DD-D004909	CBG019-020-042320-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG019-020	4/23/2020	14:02	N1	DD-D004909	CBG019-020-042320-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	3.3		0.07	0.24	ug/WIPE
CBG019-020	4/23/2020	14:02	N1	DD-D004909	CBG019-020-042320-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG019-020	4/23/2020	14:02	N1	DD-D004909	CBG019-020-042320-COMP	SW8082A	SW	TOTAL PCBs	11.7		-	0.24	ug/WIPE
CBG021	4/23/2020	13:57	N1	DD-D005001	CBG021-042320	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG021	4/23/2020	13:57	N1	DD-D005001	CBG021-042320	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG021	4/23/2020	13:57	N1	DD-D005001	CBG021-042320	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG021	4/23/2020	13:57	N1	DD-D005001	CBG021-042320	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2		0.088	0.24	ug/WIPE
CBG021	4/23/2020	13:57	N1	DD-D005001	CBG021-042320	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG021	4/23/2020	13:57	N1	DD-D005001	CBG021-042320	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.95		0.07	0.24	ug/WIPE
CBG021	4/23/2020	13:57	N1	DD-D005001	CBG021-042320	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG021	4/23/2020	13:57	N1	DD-D005001	CBG021-042320	SW8082A	SW	TOTAL PCBs	2.95		-	0.24	ug/WIPE
CBG022-027	4/23/2020	13:39	N1	DD-D005002	CBG022-027-042320-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG022-027	4/23/2020	13:39	N1	DD-D005002	CBG022-027-042320-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG022-027	4/23/2020	13:39	N1	DD-D005002	CBG022-027-042320-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG022-027	4/23/2020	13:39	N1	DD-D005002	CBG022-027-042320-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	6		0.088	0.24	ug/WIPE
CBG022-027	4/23/2020	13:39	N1	DD-D005002	CBG022-027-042320-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG022-027	4/23/2020	13:39	N1	DD-D005002	CBG022-027-042320-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.7		0.07	0.24	ug/WIPE
CBG022-027	4/23/2020	13:39	N1	DD-D005002	CBG022-027-042320-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG022-027	4/23/2020	13:39	N1	DD-D005002	CBG022-027-042320-COMP	SW8082A	SW	TOTAL PCBs	8.7		-	0.24	ug/WIPE
CBG023	4/23/2020	13:32	N1	DD-D005003	CBG023-042320	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG023	4/23/2020	13:32	N1	DD-D005003	CBG023-042320	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG023	4/23/2020	13:32	N1	DD-D005003	CBG023-042320	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG023	4/23/2020	13:32	N1	DD-D005003	CBG023-042320	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	9.6		0.088	0.24	ug/WIPE
CBG023	4/23/2020	13:32	N1	DD-D005003	CBG023-042320	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG023	4/23/2020	13:32	N1	DD-D005003	CBG023-042320	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	4.5		0.07	0.24	ug/WIPE
CBG023	4/23/2020	13:32	N1	DD-D005003	CBG023-042320	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG023	4/23/2020	13:32	N1	DD-D005003	CBG023-042320	SW8082A	SW	TOTAL PCBs	14.1		-	0.24	ug/WIPE

Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
CBG024	4/23/2020	13:28	N1	DD-D005004	CBG024-042320	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG024	4/23/2020	13:28	N1	DD-D005004	CBG024-042320	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG024	4/23/2020	13:28	N1	DD-D005004	CBG024-042320	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG024	4/23/2020	13:28	N1	DD-D005004	CBG024-042320	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2.2		0.088	0.24	ug/WIPE
CBG024	4/23/2020	13:28	N1	DD-D005004	CBG024-042320	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG024	4/23/2020	13:28	N1	DD-D005004	CBG024-042320	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.3		0.07	0.24	ug/WIPE
CBG024	4/23/2020	13:28	N1	DD-D005004	CBG024-042320	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG024	4/23/2020	13:28	N1	DD-D005004	CBG024-042320	SW8082A	SW	TOTAL PCBs	3.5		-	0.24	ug/WIPE
CBG025-026	4/23/2020	13:42	N1	DD-D005005	CBG025-026-042320-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG025-026	4/23/2020	13:42	N1	DD-D005005	CBG025-026-042320-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG025-026	4/23/2020	13:42	N1	DD-D005005	CBG025-026-042320-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG025-026	4/23/2020	13:42	N1	DD-D005005	CBG025-026-042320-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	5.4		0.088	0.24	ug/WIPE
CBG025-026	4/23/2020	13:42	N1	DD-D005005	CBG025-026-042320-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG025-026	4/23/2020	13:42	N1	DD-D005005	CBG025-026-042320-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2.6		0.07	0.24	ug/WIPE
CBG025-026	4/23/2020	13:42	N1	DD-D005005	CBG025-026-042320-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG025-026	4/23/2020	13:42	N1	DD-D005005	CBG025-026-042320-COMP	SW8082A	SW	TOTAL PCBs	8		-	0.24	ug/WIPE
CBG028-029	4/23/2020	13:53	N1	DD-D005008	CBG028-029-042320-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG028-029	4/23/2020	13:53	N1	DD-D005008	CBG028-029-042320-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG028-029	4/23/2020	13:53	N1	DD-D005008	CBG028-029-042320-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG028-029	4/23/2020	13:53	N1	DD-D005008	CBG028-029-042320-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	7.8		0.088	0.24	ug/WIPE
CBG028-029	4/23/2020	13:53	N1	DD-D005008	CBG028-029-042320-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG028-029	4/23/2020	13:53	N1	DD-D005008	CBG028-029-042320-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	3.6		0.07	0.24	ug/WIPE
CBG028-029	4/23/2020	13:53	N1	DD-D005008	CBG028-029-042320-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG028-029	4/23/2020	13:53	N1	DD-D005008	CBG028-029-042320-COMP	SW8082A	SW	TOTAL PCBs	11.4		-	0.24	ug/WIPE
CBG030	4/23/2020	14:06	N1	DD-D005010	CBG030-042320	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG030	4/23/2020	14:06	N1	DD-D005010	CBG030-042320	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG030	4/23/2020	14:06	N1	DD-D005010	CBG030-042320	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG030	4/23/2020	14:06	N1	DD-D005010	CBG030-042320	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1.1		0.088	0.24	ug/WIPE
CBG030	4/23/2020	14:06	N1	DD-D005010	CBG030-042320	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG030	4/23/2020	14:06	N1	DD-D005010	CBG030-042320	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.59		0.07	0.24	ug/WIPE
CBG030	4/23/2020	14:06	N1	DD-D005010	CBG030-042320	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG030	4/23/2020	14:06	N1	DD-D005010	CBG030-042320	SW8082A	SW	TOTAL PCBs	1.69		-	0.24	ug/WIPE
CBG031	4/23/2020	14:09	N1	DD-D005101	CBG031-042320	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG031	4/23/2020	14:09	N1	DD-D005101	CBG031-042320	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG031	4/23/2020	14:09	N1	DD-D005101	CBG031-042320	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG031	4/23/2020	14:09	N1	DD-D005101	CBG031-042320	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2.9		0.088	0.24	ug/WIPE
CBG031	4/23/2020	14:09	N1	DD-D005101	CBG031-042320	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG031	4/23/2020	14:09	N1	DD-D005101	CBG031-042320	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.3		0.07	0.24	ug/WIPE
CBG031	4/23/2020	14:09	N1	DD-D005101	CBG031-042320	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG031	4/23/2020	14:09	N1	DD-D005101	CBG031-042320	SW8082A	SW	TOTAL PCBs	4.2		-	0.24	ug/WIPE
CBG032	4/23/2020	14:16	N1	DD-D005102	CBG032-042320	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG032	4/23/2020	14:16	N1	DD-D005102	CBG032-042320	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG032	4/23/2020	14:16	N1	DD-D005102	CBG032-042320	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG032	4/23/2020	14:16	N1	DD-D005102	CBG032-042320	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2.4		0.088	0.24	ug/WIPE
CBG032	4/23/2020	14:16	N1	DD-D005102	CBG032-042320	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG032	4/23/2020	14:16	N1	DD-D005102	CBG032-042320	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.2		0.07	0.24	ug/WIPE
CBG032	4/23/2020	14:16	N1	DD-D005102	CBG032-042320	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG032	4/23/2020	14:16	N1	DD-D005102	CBG032-042320	SW8082A	SW	TOTAL PCBs	3.6		-	0.24	ug/WIPE
CBG033	4/23/2020	14:32	N1	DD-D005103	CBG033-042320	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG033	4/23/2020	14:32	N1	DD-D005103	CBG033-042320	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG033	4/23/2020	14:32	N1	DD-D005103	CBG033-042320	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE



Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
CBG033	4/23/2020	14:32	N1	DD-D005103	CBG033-042320	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1.3		0.088	0.24	ug/WIPE
CBG033	4/23/2020	14:32	N1	DD-D005103	CBG033-042320	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG033	4/23/2020	14:32	N1	DD-D005103	CBG033-042320	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.72		0.07	0.24	ug/WIPE
CBG033	4/23/2020	14:32	N1	DD-D005103	CBG033-042320	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG033	4/23/2020	14:32	N1	DD-D005103	CBG033-042320	SW8082A	SW	TOTAL PCBs	2.02		-	0.24	ug/WIPE
CBG034-035	4/23/2020	15:43	N1	DD-D005104	CBG034-035-042320-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG034-035	4/23/2020	15:43	N1	DD-D005104	CBG034-035-042320-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG034-035	4/23/2020	15:43	N1	DD-D005104	CBG034-035-042320-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG034-035	4/23/2020	15:43	N1	DD-D005104	CBG034-035-042320-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2.4		0.088	0.24	ug/WIPE
CBG034-035	4/23/2020	15:43	N1	DD-D005104	CBG034-035-042320-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG034-035	4/23/2020	15:43	N1	DD-D005104	CBG034-035-042320-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.1		0.07	0.24	ug/WIPE
CBG034-035	4/23/2020	15:43	N1	DD-D005104	CBG034-035-042320-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG034-035	4/23/2020	15:43	N1	DD-D005104	CBG034-035-042320-COMP	SW8082A	SW	TOTAL PCBs	3.5		-	0.24	ug/WIPE
CBG036	4/23/2020	15:26	N1	DD-D005106	CBG036-042320	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG036	4/23/2020	15:26	N1	DD-D005106	CBG036-042320	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG036	4/23/2020	15:26	N1	DD-D005106	CBG036-042320	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG036	4/23/2020	15:26	N1	DD-D005106	CBG036-042320	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3.6		0.088	0.24	ug/WIPE
CBG036	4/23/2020	15:26	N1	DD-D005106	CBG036-042320	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG036	4/23/2020	15:26	N1	DD-D005106	CBG036-042320	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.7		0.07	0.24	ug/WIPE
CBG036	4/23/2020	15:26	N1	DD-D005106	CBG036-042320	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG036	4/23/2020	15:26	N1	DD-D005106	CBG036-042320	SW8082A	SW	TOTAL PCBs	5.3		-	0.24	ug/WIPE
CBG037	4/23/2020	15:21	N1	DD-D005107	CBG037-042320	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG037	4/23/2020	15:21	N1	DD-D005107	CBG037-042320	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG037	4/23/2020	15:21	N1	DD-D005107	CBG037-042320	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG037	4/23/2020	15:21	N1	DD-D005107	CBG037-042320	SW8082A	SW	PCB-1242 (AROCLOR 1242)	4.6		0.088	0.24	ug/WIPE
CBG037	4/23/2020	15:21	N1	DD-D005107	CBG037-042320	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG037	4/23/2020	15:21	N1	DD-D005107	CBG037-042320	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2.1		0.07	0.24	ug/WIPE
CBG037	4/23/2020	15:21	N1	DD-D005107	CBG037-042320	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG037	4/23/2020	15:21	N1	DD-D005107	CBG037-042320	SW8082A	SW	TOTAL PCBs	6.7		-	0.24	ug/WIPE
CBG038-039	4/23/2020	15:16	N1	DD-D005108	CBG038-039-042320-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG038-039	4/23/2020	15:16	N1	DD-D005108	CBG038-039-042320-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG038-039	4/23/2020	15:16	N1	DD-D005108	CBG038-039-042320-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG038-039	4/23/2020	15:16	N1	DD-D005108	CBG038-039-042320-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	5.9		0.088	0.24	ug/WIPE
CBG038-039	4/23/2020	15:16	N1	DD-D005108	CBG038-039-042320-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG038-039	4/23/2020	15:16	N1	DD-D005108	CBG038-039-042320-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2.5		0.07	0.24	ug/WIPE
CBG038-039	4/23/2020	15:16	N1	DD-D005108	CBG038-039-042320-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG038-039	4/23/2020	15:16	N1	DD-D005108	CBG038-039-042320-COMP	SW8082A	SW	TOTAL PCBs	8.4		-	0.24	ug/WIPE
CBG040	4/23/2020	14:47	N1	DD-D005110	CBG040-042320	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG040	4/23/2020	14:47	N1	DD-D005110	CBG040-042320	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG040	4/23/2020	14:47	N1	DD-D005110	CBG040-042320	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG040	4/23/2020	14:47	N1	DD-D005110	CBG040-042320	SW8082A	SW	PCB-1242 (AROCLOR 1242)	7		0.088	0.24	ug/WIPE
CBG040	4/23/2020	14:47	N1	DD-D005110	CBG040-042320	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG040	4/23/2020	14:47	N1	DD-D005110	CBG040-042320	SW8082A	SW	PCB-1254 (AROCLOR 1254)	3.1		0.07	0.24	ug/WIPE
CBG040	4/23/2020	14:47	N1	DD-D005110	CBG040-042320	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG040	4/23/2020	14:47	N1	DD-D005110	CBG040-042320	SW8082A	SW	TOTAL PCBs	10.1		-	0.24	ug/WIPE
CBG041	4/23/2020	14:46	N1	DD-D005201	CBG041-042320	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG041	4/23/2020	14:46	N1	DD-D005201	CBG041-042320	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG041	4/23/2020	14:46	N1	DD-D005201	CBG041-042320	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG041	4/23/2020	14:46	N1	DD-D005201	CBG041-042320	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.88		0.088	0.24	ug/WIPE
CBG041	4/23/2020	14:46	N1	DD-D005201	CBG041-042320	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG041	4/23/2020	14:46	N1	DD-D005201	CBG041-042320	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.32		0.07	0.24	ug/WIPE

## Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
CBG041	4/23/2020	14:46	N1	DD-D005201	CBG041-042320	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG041	4/23/2020	14:46	N1	DD-D005201	CBG041-042320	SW8082A	SW	TOTAL PCBs	1.2		-	0.24	ug/WIPE
CBG042	4/23/2020	14:53	N1	DD-D005202	CBG042-042320	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG042	4/23/2020	14:53	N1	DD-D005202	CBG042-042320	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG042	4/23/2020	14:53	N1	DD-D005202	CBG042-042320	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG042	4/23/2020	14:53	N1	DD-D005202	CBG042-042320	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1.3		0.088	0.24	ug/WIPE
CBG042	4/23/2020	14:53	N1	DD-D005202	CBG042-042320	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG042	4/23/2020	14:53	N1	DD-D005202	CBG042-042320	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.63		0.07	0.24	ug/WIPE
CBG042	4/23/2020	14:53	N1	DD-D005202	CBG042-042320	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG042	4/23/2020	14:53	N1	DD-D005202	CBG042-042320	SW8082A	SW	TOTAL PCBs	1.93		-	0.24	ug/WIPE
CBG043	4/23/2020	14:59	N1	DD-D005203	CBG043-042320	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG043	4/23/2020	14:59	N1	DD-D005203	CBG043-042320	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG043	4/23/2020	14:59	N1	DD-D005203	CBG043-042320	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG043	4/23/2020	14:59	N1	DD-D005203	CBG043-042320	SW8082A	SW	PCB-1242 (AROCLOR 1242)	7.4		0.088	0.24	ug/WIPE
CBG043	4/23/2020	14:59	N1	DD-D005203	CBG043-042320	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG043	4/23/2020	14:59	N1	DD-D005203	CBG043-042320	SW8082A	SW	PCB-1254 (AROCLOR 1254)	3.6		0.07	0.24	ug/WIPE
CBG043	4/23/2020	14:59	N1	DD-D005203	CBG043-042320	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG043	4/23/2020	14:59	N1	DD-D005203	CBG043-042320	SW8082A	SW	TOTAL PCBs	11		-	0.24	ug/WIPE
CBG044-045	4/23/2020	15:09	N1	DD-D005204	CBG044-045-042320-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG044-045	4/23/2020	15:09	N1	DD-D005204	CBG044-045-042320-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG044-045	4/23/2020	15:09	N1	DD-D005204	CBG044-045-042320-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG044-045	4/23/2020	15:09	N1	DD-D005204	CBG044-045-042320-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3		0.088	0.24	ug/WIPE
CBG044-045	4/23/2020	15:09	N1	DD-D005204	CBG044-045-042320-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG044-045	4/23/2020	15:09	N1	DD-D005204	CBG044-045-042320-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2.6	J	0.07	0.24	ug/WIPE
CBG044-045	4/23/2020	15:09	N1	DD-D005204	CBG044-045-042320-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG044-045	4/23/2020	15:09	N1	DD-D005204	CBG044-045-042320-COMP	SW8082A	SW	TOTAL PCBs	5.6		-	0.24	ug/WIPE
CBG046	4/23/2020	15:30	N1	DD-D005206	CBG046-042320	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG046	4/23/2020	15:30	N1	DD-D005206	CBG046-042320	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG046	4/23/2020	15:30	N1	DD-D005206	CBG046-042320	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG046	4/23/2020	15:30	N1	DD-D005206	CBG046-042320	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.54		0.088	0.24	ug/WIPE
CBG046	4/23/2020	15:30	N1	DD-D005206	CBG046-042320	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG046	4/23/2020	15:30	N1	DD-D005206	CBG046-042320	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.27		0.07	0.24	ug/WIPE
CBG046	4/23/2020	15:30	N1	DD-D005206	CBG046-042320	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG046	4/23/2020	15:30	N1	DD-D005206	CBG046-042320	SW8082A	SW	TOTAL PCBs	0.81		-	0.24	ug/WIPE
CBG047	4/23/2020	15:50	N1	DD-D005207	CBG047-042320	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG047	4/23/2020	15:50	N1	DD-D005207	CBG047-042320	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG047	4/23/2020	15:50	N1	DD-D005207	CBG047-042320	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG047	4/23/2020	15:50	N1	DD-D005207	CBG047-042320	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1.5		0.088	0.24	ug/WIPE
CBG047	4/23/2020	15:50	N1	DD-D005207	CBG047-042320	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG047	4/23/2020	15:50	N1	DD-D005207	CBG047-042320	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.74		0.07	0.24	ug/WIPE
CBG047	4/23/2020	15:50	N1	DD-D005207	CBG047-042320	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG047	4/23/2020	15:50	N1	DD-D005207	CBG047-042320	SW8082A	SW	TOTAL PCBs	2.24		-	0.24	ug/WIPE
CBG048	4/23/2020	15:49	N1	DD-D005208	CBG048-042320	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG048	4/23/2020	15:49	N1	DD-D005208	CBG048-042320	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG048	4/23/2020	15:49	N1	DD-D005208	CBG048-042320	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG048	4/23/2020	15:49	N1	DD-D005208	CBG048-042320	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3.2		0.088	0.24	ug/WIPE
CBG048	4/23/2020	15:49	N1	DD-D005208	CBG048-042320	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG048	4/23/2020	15:49	N1	DD-D005208	CBG048-042320	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.2		0.07	0.24	ug/WIPE
CBG048	4/23/2020	15:49	N1	DD-D005208	CBG048-042320	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG048	4/23/2020	15:49	N1	DD-D005208	CBG048-042320	SW8082A	SW	TOTAL PCBs	4.4		-	0.24	ug/WIPE
CBG051-056-057	4/24/2020	7:18	N1	DD-D005301	CBG051-055-057-042420-COM	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE

Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
CBG051-056-057	4/24/2020	7:18	N1	DD-D005301	CBG051-055-057-042420-COM	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG051-056-057	4/24/2020	7:18	N1	DD-D005301	CBG051-055-057-042420-COM	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG051-056-057	4/24/2020	7:18	N1	DD-D005301	CBG051-055-057-042420-COM	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	9.5		0.088	0.24	ug/WIPE
CBG051-056-057	4/24/2020	7:18	N1	DD-D005301	CBG051-055-057-042420-COM	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG051-056-057	4/24/2020	7:18	N1	DD-D005301	CBG051-055-057-042420-COM	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	4.5		0.07	0.24	ug/WIPE
CBG051-056-057	4/24/2020	7:18	N1	DD-D005301	CBG051-055-057-042420-COM	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG051-056-057	4/24/2020	7:18	N1	DD-D005301	CBG051-055-057-042420-COM	SW8082A	SW	TOTAL PCBs	14		-	0.24	ug/WIPE
CBG052	4/24/2020	6:56	N1	DD-D005302	CBG052-042420	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG052	4/24/2020	6:56	N1	DD-D005302	CBG052-042420	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG052	4/24/2020	6:56	N1	DD-D005302	CBG052-042420	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG052	4/24/2020	6:56	N1	DD-D005302	CBG052-042420	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.71		0.088	0.24	ug/WIPE
CBG052	4/24/2020	6:56	N1	DD-D005302	CBG052-042420	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG052	4/24/2020	6:56	N1	DD-D005302	CBG052-042420	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.44		0.07	0.24	ug/WIPE
CBG052	4/24/2020	6:56	N1	DD-D005302	CBG052-042420	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG052	4/24/2020	6:56	N1	DD-D005302	CBG052-042420	SW8082A	SW	TOTAL PCBs	1.15		-	0.24	ug/WIPE
CBG053-054	4/24/2020	7:00	N1	DD-D005303	CBG054-054-042420-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG053-054	4/24/2020	7:00	N1	DD-D005303	CBG054-054-042420-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG053-054	4/24/2020	7:00	N1	DD-D005303	CBG054-054-042420-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG053-054	4/24/2020	7:00	N1	DD-D005303	CBG054-054-042420-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	5.8		0.088	0.24	ug/WIPE
CBG053-054	4/24/2020	7:00	N1	DD-D005303	CBG054-054-042420-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG053-054	4/24/2020	7:00	N1	DD-D005303	CBG054-054-042420-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.8		0.07	0.24	ug/WIPE
CBG053-054	4/24/2020	7:00	N1	DD-D005303	CBG054-054-042420-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG053-054	4/24/2020	7:00	N1	DD-D005303	CBG054-054-042420-COMP	SW8082A	SW	TOTAL PCBs	8.6		-	0.24	ug/WIPE
CBG055	4/24/2020	7:12	N1	DD-D005305	CBG055-042420	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG055	4/24/2020	7:12	N1	DD-D005305	CBG055-042420	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG055	4/24/2020	7:12	N1	DD-D005305	CBG055-042420	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG055	4/24/2020	7:12	N1	DD-D005305	CBG055-042420	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	1.8		0.088	0.24	ug/WIPE
CBG055	4/24/2020	7:12	N1	DD-D005305	CBG055-042420	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG055	4/24/2020	7:12	N1	DD-D005305	CBG055-042420	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1		0.07	0.24	ug/WIPE
CBG055	4/24/2020	7:12	N1	DD-D005305	CBG055-042420	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG055	4/24/2020	7:12	N1	DD-D005305	CBG055-042420	SW8082A	SW	TOTAL PCBs	2.8		-	0.24	ug/WIPE
CBG058	4/24/2020	7:31	N1	DD-D005308	CBG058-042420	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG058	4/24/2020	7:31	N1	DD-D005308	CBG058-042420	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG058	4/24/2020	7:31	N1	DD-D005308	CBG058-042420	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG058	4/24/2020	7:31	N1	DD-D005308	CBG058-042420	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.4		0.088	0.24	ug/WIPE
CBG058	4/24/2020	7:31	N1	DD-D005308	CBG058-042420	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG058	4/24/2020	7:31	N1	DD-D005308	CBG058-042420	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.2		0.07	0.24	ug/WIPE
CBG058	4/24/2020	7:31	N1	DD-D005308	CBG058-042420	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG058	4/24/2020	7:31	N1	DD-D005308	CBG058-042420	SW8082A	SW	TOTAL PCBs	3.6		-	0.24	ug/WIPE
CBG059	4/24/2020	7:34	N1	DD-D005309	CBG059-042420	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG059	4/24/2020	7:34	N1	DD-D005309	CBG059-042420	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG059	4/24/2020	7:34	N1	DD-D005309	CBG059-042420	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG059	4/24/2020	7:34	N1	DD-D005309	CBG059-042420	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.2		0.088	0.24	ug/WIPE
CBG059	4/24/2020	7:34	N1	DD-D005309	CBG059-042420	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG059	4/24/2020	7:34	N1	DD-D005309	CBG059-042420	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.2		0.07	0.24	ug/WIPE
CBG059	4/24/2020	7:34	N1	DD-D005309	CBG059-042420	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG059	4/24/2020	7:34	N1	DD-D005309	CBG059-042420	SW8082A	SW	TOTAL PCBs	3.4		-	0.24	ug/WIPE
CBG060-050-061	4/24/2020	7:40	N1	DD-D005310	CBG060-050-061-042420-COM	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG060-050-061	4/24/2020	7:40	N1	DD-D005310	CBG060-050-061-042420-COM	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG060-050-061	4/24/2020	7:40	N1	DD-D005310	CBG060-050-061-042420-COM	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG060-050-061	4/24/2020	7:40	N1	DD-D005310	CBG060-050-061-042420-COM	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	6.3		0.088	0.24	ug/WIPE

Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
CBG060-050-061	4/24/2020	7:40	N1	DD-D005310	CBG060-050-061-042420-COM	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG060-050-061	4/24/2020	7:40	N1	DD-D005310	CBG060-050-061-042420-COM	SW8082A	SW	PCB-1254 (AROCLOR 1254)	3	U	0.07	0.24	ug/WIPE
CBG060-050-061	4/24/2020	7:40	N1	DD-D005310	CBG060-050-061-042420-COM	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG060-050-061	4/24/2020	7:40	N1	DD-D005310	CBG060-050-061-042420-COM	SW8082A	SW	TOTAL PCBs	9.3		-	0.24	ug/WIPE
CBG062-049-063	4/24/2020	7:52	N1	DD-D005402	CBG062-049-063-042420-COM	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG062-049-063	4/24/2020	7:52	N1	DD-D005402	CBG062-049-063-042420-COM	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG062-049-063	4/24/2020	7:52	N1	DD-D005402	CBG062-049-063-042420-COM	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG062-049-063	4/24/2020	7:52	N1	DD-D005402	CBG062-049-063-042420-COM	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3.3		0.088	0.24	ug/WIPE
CBG062-049-063	4/24/2020	7:52	N1	DD-D005402	CBG062-049-063-042420-COM	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG062-049-063	4/24/2020	7:52	N1	DD-D005402	CBG062-049-063-042420-COM	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2.2	J	0.07	0.24	ug/WIPE
CBG062-049-063	4/24/2020	7:52	N1	DD-D005402	CBG062-049-063-042420-COM	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG062-049-063	4/24/2020	7:52	N1	DD-D005402	CBG062-049-063-042420-COM	SW8082A	SW	TOTAL PCBs	5.5		-	0.24	ug/WIPE
CBG064	4/28/2020	8:14	N1	DD-D005404	CBG064-042820	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG064	4/28/2020	8:14	N1	DD-D005404	CBG064-042820	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG064	4/28/2020	8:14	N1	DD-D005404	CBG064-042820	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG064	4/28/2020	8:14	N1	DD-D005404	CBG064-042820	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.7		0.088	0.24	ug/WIPE
CBG064	4/28/2020	8:14	N1	DD-D005404	CBG064-042820	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG064	4/28/2020	8:14	N1	DD-D005404	CBG064-042820	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.44		0.07	0.24	ug/WIPE
CBG064	4/28/2020	8:14	N1	DD-D005404	CBG064-042820	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG064	4/28/2020	8:14	N1	DD-D005404	CBG064-042820	SW8082A	SW	TOTAL PCBs	1.14		-	0.24	ug/WIPE
CBG065	4/29/2020	9:00	N1	DD-D005405	CBG065-042920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG065	4/29/2020	9:00	N1	DD-D005405	CBG065-042920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG065	4/29/2020	9:00	N1	DD-D005405	CBG065-042920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG065	4/29/2020	9:00	N1	DD-D005405	CBG065-042920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.39		0.088	0.24	ug/WIPE
CBG065	4/29/2020	9:00	N1	DD-D005405	CBG065-042920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG065	4/29/2020	9:00	N1	DD-D005405	CBG065-042920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.24	J	0.07	0.24	ug/WIPE
CBG065	4/29/2020	9:00	N1	DD-D005405	CBG065-042920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG065	4/29/2020	9:00	N1	DD-D005405	CBG065-042920	SW8082A	SW	TOTAL PCBs	0.63		-	0.24	ug/WIPE
CBG066	4/29/2020	8:56	N1	DD-D005406	CBG066-042920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG066	4/29/2020	8:56	N1	DD-D005406	CBG066-042920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG066	4/29/2020	8:56	N1	DD-D005406	CBG066-042920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG066	4/29/2020	8:56	N1	DD-D005406	CBG066-042920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1.2		0.088	0.24	ug/WIPE
CBG066	4/29/2020	8:56	N1	DD-D005406	CBG066-042920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG066	4/29/2020	8:56	N1	DD-D005406	CBG066-042920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.66		0.07	0.24	ug/WIPE
CBG066	4/29/2020	8:56	N1	DD-D005406	CBG066-042920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG066	4/29/2020	8:56	N1	DD-D005406	CBG066-042920	SW8082A	SW	TOTAL PCBs	1.86		-	0.24	ug/WIPE
CBG067	4/29/2020	10:08	N1	DD-D005407	CBG067-042920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG067	4/29/2020	10:08	N1	DD-D005407	CBG067-042920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG067	4/29/2020	10:08	N1	DD-D005407	CBG067-042920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG067	4/29/2020	10:08	N1	DD-D005407	CBG067-042920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2.9		0.088	0.24	ug/WIPE
CBG067	4/29/2020	10:08	N1	DD-D005407	CBG067-042920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG067	4/29/2020	10:08	N1	DD-D005407	CBG067-042920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.3		0.07	0.24	ug/WIPE
CBG067	4/29/2020	10:08	N1	DD-D005407	CBG067-042920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG067	4/29/2020	10:08	N1	DD-D005407	CBG067-042920	SW8082A	SW	TOTAL PCBs	4.2		-	0.24	ug/WIPE
CBG068-071	4/29/2020	9:58	N1	DD-D005408	CBG068-071-042920-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG068-071	4/29/2020	9:58	N1	DD-D005408	CBG068-071-042920-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG068-071	4/29/2020	9:58	N1	DD-D005408	CBG068-071-042920-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG068-071	4/29/2020	9:58	N1	DD-D005408	CBG068-071-042920-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	5.9		0.088	0.24	ug/WIPE
CBG068-071	4/29/2020	9:58	N1	DD-D005408	CBG068-071-042920-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG068-071	4/29/2020	9:58	N1	DD-D005408	CBG068-071-042920-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2.8		0.07	0.24	ug/WIPE
CBG068-071	4/29/2020	9:58	N1	DD-D005408	CBG068-071-042920-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE

Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
CBG068-071	4/29/2020	9:58	N1	DD-D005408	CBG068-071-042920-COMP	SW8082A	SW	TOTAL PCBs	8.7		-	0.24	ug/WIPE
CBG069	4/29/2020	9:52	N1	DD-D005409	CBG069-042920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG069	4/29/2020	9:52	N1	DD-D005409	CBG069-042920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG069	4/29/2020	9:52	N1	DD-D005409	CBG069-042920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG069	4/29/2020	9:52	N1	DD-D005409	CBG069-042920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.36		0.088	0.24	ug/WIPE
CBG069	4/29/2020	9:52	N1	DD-D005409	CBG069-042920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG069	4/29/2020	9:52	N1	DD-D005409	CBG069-042920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.21	J	0.07	0.24	ug/WIPE
CBG069	4/29/2020	9:52	N1	DD-D005409	CBG069-042920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG069	4/29/2020	9:52	N1	DD-D005409	CBG069-042920	SW8082A	SW	TOTAL PCBs	0.57		-	0.24	ug/WIPE
CBG070	4/29/2020	9:56	N1	DD-D005410	CBG070-042920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG070	4/29/2020	9:56	N1	DD-D005410	CBG070-042920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG070	4/29/2020	9:56	N1	DD-D005410	CBG070-042920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG070	4/29/2020	9:56	N1	DD-D005410	CBG070-042920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.3		0.088	0.24	ug/WIPE
CBG070	4/29/2020	9:56	N1	DD-D005410	CBG070-042920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG070	4/29/2020	9:56	N1	DD-D005410	CBG070-042920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.16	J	0.07	0.24	ug/WIPE
CBG070	4/29/2020	9:56	N1	DD-D005410	CBG070-042920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG070	4/29/2020	9:56	N1	DD-D005410	CBG070-042920	SW8082A	SW	TOTAL PCBs	0.46		-	0.24	ug/WIPE
CBG072	4/29/2020	10:11	N1	DD-D005502	CBG072-042920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG072	4/29/2020	10:11	N1	DD-D005502	CBG072-042920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG072	4/29/2020	10:11	N1	DD-D005502	CBG072-042920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG072	4/29/2020	10:11	N1	DD-D005502	CBG072-042920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	1.5		0.088	0.24	ug/WIPE
CBG072	4/29/2020	10:11	N1	DD-D005502	CBG072-042920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG072	4/29/2020	10:11	N1	DD-D005502	CBG072-042920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.62		0.07	0.24	ug/WIPE
CBG072	4/29/2020	10:11	N1	DD-D005502	CBG072-042920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG072	4/29/2020	10:11	N1	DD-D005502	CBG072-042920	SW8082A	SW	TOTAL PCBs	2.12		-	0.24	ug/WIPE
CBG073	4/28/2020	8:19	N1	DD-D005503	CBG073-042820	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG073	4/28/2020	8:19	N1	DD-D005503	CBG073-042820	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG073	4/28/2020	8:19	N1	DD-D005503	CBG073-042820	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG073	4/28/2020	8:19	N1	DD-D005503	CBG073-042820	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	5.4		0.088	0.24	ug/WIPE
CBG073	4/28/2020	8:19	N1	DD-D005503	CBG073-042820	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG073	4/28/2020	8:19	N1	DD-D005503	CBG073-042820	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.5		0.07	0.24	ug/WIPE
CBG073	4/28/2020	8:19	N1	DD-D005503	CBG073-042820	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG073	4/28/2020	8:19	N1	DD-D005503	CBG073-042820	SW8082A	SW	TOTAL PCBs	7.9		-	0.24	ug/WIPE
CBG074	4/28/2020	8:22	N1	DD-D005504	CBG074-042820	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG074	4/28/2020	8:22	N1	DD-D005504	CBG074-042820	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG074	4/28/2020	8:22	N1	DD-D005504	CBG074-042820	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG074	4/28/2020	8:22	N1	DD-D005504	CBG074-042820	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.4		0.088	0.24	ug/WIPE
CBG074	4/28/2020	8:22	N1	DD-D005504	CBG074-042820	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG074	4/28/2020	8:22	N1	DD-D005504	CBG074-042820	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.1		0.07	0.24	ug/WIPE
CBG074	4/28/2020	8:22	N1	DD-D005504	CBG074-042820	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG074	4/28/2020	8:22	N1	DD-D005504	CBG074-042820	SW8082A	SW	TOTAL PCBs	3.5		-	0.24	ug/WIPE
CBG075-076-077	4/28/2020	8:30	N1	DD-D005505	CBG075-076-077-042820-COM	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG075-076-077	4/28/2020	8:30	N1	DD-D005505	CBG075-076-077-042820-COM	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG075-076-077	4/28/2020	8:30	N1	DD-D005505	CBG075-076-077-042820-COM	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG075-076-077	4/28/2020	8:30	N1	DD-D005505	CBG075-076-077-042820-COM	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.7		0.088	0.24	ug/WIPE
CBG075-076-077	4/28/2020	8:30	N1	DD-D005505	CBG075-076-077-042820-COM	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG075-076-077	4/28/2020	8:30	N1	DD-D005505	CBG075-076-077-042820-COM	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2		0.07	0.24	ug/WIPE
CBG075-076-077	4/28/2020	8:30	N1	DD-D005505	CBG075-076-077-042820-COM	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG075-076-077	4/28/2020	8:30	N1	DD-D005505	CBG075-076-077-042820-COM	SW8082A	SW	TOTAL PCBs	5.7		-	0.24	ug/WIPE
CBG078	4/29/2020	9:06	N1	DD-D005508	CBG078-043020	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG078	4/29/2020	9:06	N1	DD-D005508	CBG078-043020	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE



Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
CBG078	4/29/2020	9:06	N1	DD-D005508	CBG078-043020	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG078	4/29/2020	9:06	N1	DD-D005508	CBG078-043020	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	1.8	U	0.088	0.24	ug/WIPE
CBG078	4/29/2020	9:06	N1	DD-D005508	CBG078-043020	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG078	4/29/2020	9:06	N1	DD-D005508	CBG078-043020	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.1	U	0.07	0.24	ug/WIPE
CBG078	4/29/2020	9:06	N1	DD-D005508	CBG078-043020	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG078	4/29/2020	9:06	N1	DD-D005508	CBG078-043020	SW8082A	SW	TOTAL PCBs	2.9	U	-	0.24	ug/WIPE
CBG079-088-89	4/29/2020	10:58	N1	DD-D005509	CBG079-088-089-042920-COM	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG079-088-89	4/29/2020	10:58	N1	DD-D005509	CBG079-088-089-042920-COM	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG079-088-89	4/29/2020	10:58	N1	DD-D005509	CBG079-088-089-042920-COM	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG079-088-89	4/29/2020	10:58	N1	DD-D005509	CBG079-088-089-042920-COM	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	5.3	U	0.088	0.24	ug/WIPE
CBG079-088-89	4/29/2020	10:58	N1	DD-D005509	CBG079-088-089-042920-COM	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG079-088-89	4/29/2020	10:58	N1	DD-D005509	CBG079-088-089-042920-COM	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.3	U	0.07	0.24	ug/WIPE
CBG079-088-89	4/29/2020	10:58	N1	DD-D005509	CBG079-088-089-042920-COM	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG079-088-89	4/29/2020	10:58	N1	DD-D005509	CBG079-088-089-042920-COM	SW8082A	SW	TOTAL PCBs	7.6	U	-	0.24	ug/WIPE
CBG080-087	4/29/2020	10:41	N1	DD-D005510	CBG080-087-042920-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG080-087	4/29/2020	10:41	N1	DD-D005510	CBG080-087-042920-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG080-087	4/29/2020	10:41	N1	DD-D005510	CBG080-087-042920-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG080-087	4/29/2020	10:41	N1	DD-D005510	CBG080-087-042920-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.5	U	0.088	0.24	ug/WIPE
CBG080-087	4/29/2020	10:41	N1	DD-D005510	CBG080-087-042920-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG080-087	4/29/2020	10:41	N1	DD-D005510	CBG080-087-042920-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.7	U	0.07	0.24	ug/WIPE
CBG080-087	4/29/2020	10:41	N1	DD-D005510	CBG080-087-042920-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG080-087	4/29/2020	10:41	N1	DD-D005510	CBG080-087-042920-COMP	SW8082A	SW	TOTAL PCBs	5.2	U	-	0.24	ug/WIPE
CBG081	4/29/2020	10:46	N1	DD-D005601	CBG081-042920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG081	4/29/2020	10:46	N1	DD-D005601	CBG081-042920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG081	4/29/2020	10:46	N1	DD-D005601	CBG081-042920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG081	4/29/2020	10:46	N1	DD-D005601	CBG081-042920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	1.6	U	0.088	0.24	ug/WIPE
CBG081	4/29/2020	10:46	N1	DD-D005601	CBG081-042920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG081	4/29/2020	10:46	N1	DD-D005601	CBG081-042920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.73	U	0.07	0.24	ug/WIPE
CBG081	4/29/2020	10:46	N1	DD-D005601	CBG081-042920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG081	4/29/2020	10:46	N1	DD-D005601	CBG081-042920	SW8082A	SW	TOTAL PCBs	2.33	U	-	0.24	ug/WIPE
CBG082	4/29/2020	10:27	N1	DD-D005602	CBG082-042920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG082	4/29/2020	10:27	N1	DD-D005602	CBG082-042920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG082	4/29/2020	10:27	N1	DD-D005602	CBG082-042920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG082	4/29/2020	10:27	N1	DD-D005602	CBG082-042920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.6	U	0.088	0.24	ug/WIPE
CBG082	4/29/2020	10:27	N1	DD-D005602	CBG082-042920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG082	4/29/2020	10:27	N1	DD-D005602	CBG082-042920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.2	U	0.07	0.24	ug/WIPE
CBG082	4/29/2020	10:27	N1	DD-D005602	CBG082-042920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG082	4/29/2020	10:27	N1	DD-D005602	CBG082-042920	SW8082A	SW	TOTAL PCBs	3.8	U	-	0.24	ug/WIPE
CBG083-084	4/29/2020	10:24	N1	DD-D005603	CBG083-084-042920-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG083-084	4/29/2020	10:24	N1	DD-D005603	CBG083-084-042920-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG083-084	4/29/2020	10:24	N1	DD-D005603	CBG083-084-042920-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG083-084	4/29/2020	10:24	N1	DD-D005603	CBG083-084-042920-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	1.2	U	0.088	0.24	ug/WIPE
CBG083-084	4/29/2020	10:24	N1	DD-D005603	CBG083-084-042920-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG083-084	4/29/2020	10:24	N1	DD-D005603	CBG083-084-042920-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.59	U	0.07	0.24	ug/WIPE
CBG083-084	4/29/2020	10:24	N1	DD-D005603	CBG083-084-042920-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG083-084	4/29/2020	10:24	N1	DD-D005603	CBG083-084-042920-COMP	SW8082A	SW	TOTAL PCBs	1.79	U	-	0.24	ug/WIPE
CBG085	4/29/2020	10:34	N1	DD-D005605	CBG085-042920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG085	4/29/2020	10:34	N1	DD-D005605	CBG085-042920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG085	4/29/2020	10:34	N1	DD-D005605	CBG085-042920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG085	4/29/2020	10:34	N1	DD-D005605	CBG085-042920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	1.5	U	0.088	0.24	ug/WIPE
CBG085	4/29/2020	10:34	N1	DD-D005605	CBG085-042920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE

Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
CBG085	4/29/2020	10:34	N1	DD-D005605	CBG085-042920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.71		0.07	0.24	ug/WIPE
CBG085	4/29/2020	10:34	N1	DD-D005605	CBG085-042920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG085	4/29/2020	10:34	N1	DD-D005605	CBG085-042920	SW8082A	SW	TOTAL PCBs	2.21		-	0.24	ug/WIPE
CBG086	4/29/2020	10:38	N1	DD-D005606	CBG086-042920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG086	4/29/2020	10:38	N1	DD-D005606	CBG086-042920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG086	4/29/2020	10:38	N1	DD-D005606	CBG086-042920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG086	4/29/2020	10:38	N1	DD-D005606	CBG086-042920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1.8		0.088	0.24	ug/WIPE
CBG086	4/29/2020	10:38	N1	DD-D005606	CBG086-042920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG086	4/29/2020	10:38	N1	DD-D005606	CBG086-042920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.88		0.07	0.24	ug/WIPE
CBG086	4/29/2020	10:38	N1	DD-D005606	CBG086-042920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG086	4/29/2020	10:38	N1	DD-D005606	CBG086-042920	SW8082A	SW	TOTAL PCBs	2.68		-	0.24	ug/WIPE
CBG090	4/28/2020	8:43	N1	DD-D005610	CBG090-042820	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG090	4/28/2020	8:43	N1	DD-D005610	CBG090-042820	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG090	4/28/2020	8:43	N1	DD-D005610	CBG090-042820	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG090	4/28/2020	8:43	N1	DD-D005610	CBG090-042820	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1.4		0.088	0.24	ug/WIPE
CBG090	4/28/2020	8:43	N1	DD-D005610	CBG090-042820	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG090	4/28/2020	8:43	N1	DD-D005610	CBG090-042820	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.73		0.07	0.24	ug/WIPE
CBG090	4/28/2020	8:43	N1	DD-D005610	CBG090-042820	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG090	4/28/2020	8:43	N1	DD-D005610	CBG090-042820	SW8082A	SW	TOTAL PCBs	2.13		-	0.24	ug/WIPE
CBG091-101	4/28/2020	8:51	N1	DD-D005701	CBG091-101-042820-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG091-101	4/28/2020	8:51	N1	DD-D005701	CBG091-101-042820-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG091-101	4/28/2020	8:51	N1	DD-D005701	CBG091-101-042820-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG091-101	4/28/2020	8:51	N1	DD-D005701	CBG091-101-042820-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	5.2		0.088	0.24	ug/WIPE
CBG091-101	4/28/2020	8:51	N1	DD-D005701	CBG091-101-042820-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG091-101	4/28/2020	8:51	N1	DD-D005701	CBG091-101-042820-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	4.2		0.07	0.24	ug/WIPE
CBG091-101	4/28/2020	8:51	N1	DD-D005701	CBG091-101-042820-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG091-101	4/28/2020	8:51	N1	DD-D005701	CBG091-101-042820-COMP	SW8082A	SW	TOTAL PCBs	9.4		-	0.24	ug/WIPE
CBG092	4/29/2020	11:54	N1	DD-D005702	CBG092-042920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG092	4/29/2020	11:54	N1	DD-D005702	CBG092-042920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG092	4/29/2020	11:54	N1	DD-D005702	CBG092-042920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG092	4/29/2020	11:54	N1	DD-D005702	CBG092-042920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.85		0.088	0.24	ug/WIPE
CBG092	4/29/2020	11:54	N1	DD-D005702	CBG092-042920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG092	4/29/2020	11:54	N1	DD-D005702	CBG092-042920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.43		0.07	0.24	ug/WIPE
CBG092	4/29/2020	11:54	N1	DD-D005702	CBG092-042920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG092	4/29/2020	11:54	N1	DD-D005702	CBG092-042920	SW8082A	SW	TOTAL PCBs	1.28		-	0.24	ug/WIPE
CBG093-094	4/29/2020	11:58	N1	DD-D005703	CBG093-094-042920-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG093-094	4/29/2020	11:58	N1	DD-D005703	CBG093-094-042920-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG093-094	4/29/2020	11:58	N1	DD-D005703	CBG093-094-042920-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG093-094	4/29/2020	11:58	N1	DD-D005703	CBG093-094-042920-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	6.2		0.088	0.24	ug/WIPE
CBG093-094	4/29/2020	11:58	N1	DD-D005703	CBG093-094-042920-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG093-094	4/29/2020	11:58	N1	DD-D005703	CBG093-094-042920-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	5		0.07	0.24	ug/WIPE
CBG093-094	4/29/2020	11:58	N1	DD-D005703	CBG093-094-042920-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG093-094	4/29/2020	11:58	N1	DD-D005703	CBG093-094-042920-COMP	SW8082A	SW	TOTAL PCBs	11.2		-	0.24	ug/WIPE
CBG095	4/29/2020	11:36	N1	DD-D005705	CBG095-042920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG095	4/29/2020	11:36	N1	DD-D005705	CBG095-042920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG095	4/29/2020	11:36	N1	DD-D005705	CBG095-042920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG095	4/29/2020	11:36	N1	DD-D005705	CBG095-042920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.94		0.088	0.24	ug/WIPE
CBG095	4/29/2020	11:36	N1	DD-D005705	CBG095-042920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG095	4/29/2020	11:36	N1	DD-D005705	CBG095-042920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.56		0.07	0.24	ug/WIPE
CBG095	4/29/2020	11:36	N1	DD-D005705	CBG095-042920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG095	4/29/2020	11:36	N1	DD-D005705	CBG095-042920	SW8082A	SW	TOTAL PCBs	1.5		-	0.24	ug/WIPE

Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
CBG096-098	4/29/2020	11:16	N1	DD-D005706	CBG096-098-042920-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG096-098	4/29/2020	11:16	N1	DD-D005706	CBG096-098-042920-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG096-098	4/29/2020	11:16	N1	DD-D005706	CBG096-098-042920-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG096-098	4/29/2020	11:16	N1	DD-D005706	CBG096-098-042920-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3.1		0.088	0.24	ug/WIPE
CBG096-098	4/29/2020	11:16	N1	DD-D005706	CBG096-098-042920-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG096-098	4/29/2020	11:16	N1	DD-D005706	CBG096-098-042920-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.4		0.07	0.24	ug/WIPE
CBG096-098	4/29/2020	11:16	N1	DD-D005706	CBG096-098-042920-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG096-098	4/29/2020	11:16	N1	DD-D005706	CBG096-098-042920-COMP	SW8082A	SW	TOTAL PCBs	4.5		-	0.24	ug/WIPE
CBG097	4/29/2020	11:18	N1	DD-D005707	CBG097-042920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG097	4/29/2020	11:18	N1	DD-D005707	CBG097-042920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG097	4/29/2020	11:18	N1	DD-D005707	CBG097-042920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG097	4/29/2020	11:18	N1	DD-D005707	CBG097-042920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1.6		0.088	0.24	ug/WIPE
CBG097	4/29/2020	11:18	N1	DD-D005707	CBG097-042920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG097	4/29/2020	11:18	N1	DD-D005707	CBG097-042920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.73		0.07	0.24	ug/WIPE
CBG097	4/29/2020	11:18	N1	DD-D005707	CBG097-042920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG097	4/29/2020	11:18	N1	DD-D005707	CBG097-042920	SW8082A	SW	TOTAL PCBs	2.33		-	0.24	ug/WIPE
CBG099	4/29/2020	11:22	N1	DD-D005709	CBG099-042920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG099	4/29/2020	11:22	N1	DD-D005709	CBG099-042920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG099	4/29/2020	11:22	N1	DD-D005709	CBG099-042920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG099	4/29/2020	11:22	N1	DD-D005709	CBG099-042920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1.2		0.088	0.24	ug/WIPE
CBG099	4/29/2020	11:22	N1	DD-D005709	CBG099-042920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG099	4/29/2020	11:22	N1	DD-D005709	CBG099-042920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.67		0.07	0.24	ug/WIPE
CBG099	4/29/2020	11:22	N1	DD-D005709	CBG099-042920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG099	4/29/2020	11:22	N1	DD-D005709	CBG099-042920	SW8082A	SW	TOTAL PCBs	1.87		-	0.24	ug/WIPE
CBG100	4/29/2020	11:41	N1	DD-D005710	CBG100-042920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG100	4/29/2020	11:41	N1	DD-D005710	CBG100-042920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG100	4/29/2020	11:41	N1	DD-D005710	CBG100-042920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG100	4/29/2020	11:41	N1	DD-D005710	CBG100-042920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1.2		0.088	0.24	ug/WIPE
CBG100	4/29/2020	11:41	N1	DD-D005710	CBG100-042920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG100	4/29/2020	11:41	N1	DD-D005710	CBG100-042920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.57	J	0.07	0.24	ug/WIPE
CBG100	4/29/2020	11:41	N1	DD-D005710	CBG100-042920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG100	4/29/2020	11:41	N1	DD-D005710	CBG100-042920	SW8082A	SW	TOTAL PCBs	1.77		-	0.24	ug/WIPE
CBG102-103	4/28/2020	8:57	N1	DD-D005802	CBG102-103-042820-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG102-103	4/28/2020	8:57	N1	DD-D005802	CBG102-103-042820-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG102-103	4/28/2020	8:57	N1	DD-D005802	CBG102-103-042820-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG102-103	4/28/2020	8:57	N1	DD-D005802	CBG102-103-042820-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1.8		0.088	0.24	ug/WIPE
CBG102-103	4/28/2020	8:57	N1	DD-D005802	CBG102-103-042820-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG102-103	4/28/2020	8:57	N1	DD-D005802	CBG102-103-042820-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.3		0.07	0.24	ug/WIPE
CBG102-103	4/28/2020	8:57	N1	DD-D005802	CBG102-103-042820-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG102-103	4/28/2020	8:57	N1	DD-D005802	CBG102-103-042820-COMP	SW8082A	SW	TOTAL PCBs	3.1		-	0.24	ug/WIPE
CBG104-115	4/28/2020	9:02	N1	DD-D005804	CBG104-115-042820-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG104-115	4/28/2020	9:02	N1	DD-D005804	CBG104-115-042820-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG104-115	4/28/2020	9:02	N1	DD-D005804	CBG104-115-042820-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG104-115	4/28/2020	9:02	N1	DD-D005804	CBG104-115-042820-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	9.1		0.088	0.24	ug/WIPE
CBG104-115	4/28/2020	9:02	N1	DD-D005804	CBG104-115-042820-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG104-115	4/28/2020	9:02	N1	DD-D005804	CBG104-115-042820-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	8		0.07	0.24	ug/WIPE
CBG104-115	4/28/2020	9:02	N1	DD-D005804	CBG104-115-042820-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG104-115	4/28/2020	9:02	N1	DD-D005804	CBG104-115-042820-COMP	SW8082A	SW	TOTAL PCBs	17.1		-	0.24	ug/WIPE
CBG105	4/29/2020	14:06	N1	DD-D005805	CBG105-043020	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG105	4/29/2020	14:06	N1	DD-D005805	CBG105-043020	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG105	4/29/2020	14:06	N1	DD-D005805	CBG105-043020	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE

Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
CBG105	4/29/2020	14:06	N1	DD-D005805	CBG105-043020	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.85		0.088	0.24	ug/WIPE
CBG105	4/29/2020	14:06	N1	DD-D005805	CBG105-043020	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG105	4/29/2020	14:06	N1	DD-D005805	CBG105-043020	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.61		0.07	0.24	ug/WIPE
CBG105	4/29/2020	14:06	N1	DD-D005805	CBG105-043020	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG105	4/29/2020	14:06	N1	DD-D005805	CBG105-043020	SW8082A	SW	TOTAL PCBs	1.46		-	0.24	ug/WIPE
CBG106	4/29/2020	14:12	N1	DD-D005806	CBG106-043020	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG106	4/29/2020	14:12	N1	DD-D005806	CBG106-043020	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG106	4/29/2020	14:12	N1	DD-D005806	CBG106-043020	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG106	4/29/2020	14:12	N1	DD-D005806	CBG106-043020	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3.8		0.088	0.24	ug/WIPE
CBG106	4/29/2020	14:12	N1	DD-D005806	CBG106-043020	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG106	4/29/2020	14:12	N1	DD-D005806	CBG106-043020	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2.6		0.07	0.24	ug/WIPE
CBG106	4/29/2020	14:12	N1	DD-D005806	CBG106-043020	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG106	4/29/2020	14:12	N1	DD-D005806	CBG106-043020	SW8082A	SW	TOTAL PCBs	6.4		-	0.24	ug/WIPE
CBG107-112	4/29/2020	13:43	N1	DD-D005807	CBG107-112-043020-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG107-112	4/29/2020	13:43	N1	DD-D005807	CBG107-112-043020-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG107-112	4/29/2020	13:43	N1	DD-D005807	CBG107-112-043020-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG107-112	4/29/2020	13:43	N1	DD-D005807	CBG107-112-043020-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	7.7		0.088	0.24	ug/WIPE
CBG107-112	4/29/2020	13:43	N1	DD-D005807	CBG107-112-043020-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG107-112	4/29/2020	13:43	N1	DD-D005807	CBG107-112-043020-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	3.6		0.07	0.24	ug/WIPE
CBG107-112	4/29/2020	13:43	N1	DD-D005807	CBG107-112-043020-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG107-112	4/29/2020	13:43	N1	DD-D005807	CBG107-112-043020-COMP	SW8082A	SW	TOTAL PCBs	11.3		-	0.24	ug/WIPE
CBG108	4/29/2020	13:19	N1	DD-D005808	CBG108-043020	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG108	4/29/2020	13:19	N1	DD-D005808	CBG108-043020	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG108	4/29/2020	13:19	N1	DD-D005808	CBG108-043020	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG108	4/29/2020	13:19	N1	DD-D005808	CBG108-043020	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1.9		0.088	0.24	ug/WIPE
CBG108	4/29/2020	13:19	N1	DD-D005808	CBG108-043020	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG108	4/29/2020	13:19	N1	DD-D005808	CBG108-043020	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.92		0.07	0.24	ug/WIPE
CBG108	4/29/2020	13:19	N1	DD-D005808	CBG108-043020	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG108	4/29/2020	13:19	N1	DD-D005808	CBG108-043020	SW8082A	SW	TOTAL PCBs	2.82		-	0.24	ug/WIPE
CBG109	4/29/2020	13:15	N1	DD-D005809	CBG109-043020	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG109	4/29/2020	13:15	N1	DD-D005809	CBG109-043020	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG109	4/29/2020	13:15	N1	DD-D005809	CBG109-043020	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG109	4/29/2020	13:15	N1	DD-D005809	CBG109-043020	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.11	J	0.088	0.24	ug/WIPE
CBG109	4/29/2020	13:15	N1	DD-D005809	CBG109-043020	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG109	4/29/2020	13:15	N1	DD-D005809	CBG109-043020	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.076	J	0.07	0.24	ug/WIPE
CBG109	4/29/2020	13:15	N1	DD-D005809	CBG109-043020	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG109	4/29/2020	13:15	N1	DD-D005809	CBG109-043020	SW8082A	SW	TOTAL PCBs	0.186		-	0.24	ug/WIPE
CBG110	4/29/2020	13:23	N1	DD-D005810	CBG110-043020	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG110	4/29/2020	13:23	N1	DD-D005810	CBG110-043020	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG110	4/29/2020	13:23	N1	DD-D005810	CBG110-043020	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG110	4/29/2020	13:23	N1	DD-D005810	CBG110-043020	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3.2		0.088	0.24	ug/WIPE
CBG110	4/29/2020	13:23	N1	DD-D005810	CBG110-043020	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG110	4/29/2020	13:23	N1	DD-D005810	CBG110-043020	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.6		0.07	0.24	ug/WIPE
CBG110	4/29/2020	13:23	N1	DD-D005810	CBG110-043020	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG110	4/29/2020	13:23	N1	DD-D005810	CBG110-043020	SW8082A	SW	TOTAL PCBs	4.8		-	0.24	ug/WIPE
CBG111	4/29/2020	13:35	N1	DD-D005901	CBG111-043020	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG111	4/29/2020	13:35	N1	DD-D005901	CBG111-043020	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG111	4/29/2020	13:35	N1	DD-D005901	CBG111-043020	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG111	4/29/2020	13:35	N1	DD-D005901	CBG111-043020	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1.5		0.088	0.24	ug/WIPE
CBG111	4/29/2020	13:35	N1	DD-D005901	CBG111-043020	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG111	4/29/2020	13:35	N1	DD-D005901	CBG111-043020	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.62		0.07	0.24	ug/WIPE

Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
CBG111	4/29/2020	13:35	N1	DD-D005901	CBG111-043020	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG111	4/29/2020	13:35	N1	DD-D005901	CBG111-043020	SW8082A	SW	TOTAL PCBs	2.12		-	0.24	ug/WIPE
CBG113	4/29/2020	14:15	N1	DD-D005903	CBG113-043020	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG113	4/29/2020	14:15	N1	DD-D005903	CBG113-043020	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG113	4/29/2020	14:15	N1	DD-D005903	CBG113-043020	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG113	4/29/2020	14:15	N1	DD-D005903	CBG113-043020	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3.2		0.088	0.24	ug/WIPE
CBG113	4/29/2020	14:15	N1	DD-D005903	CBG113-043020	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG113	4/29/2020	14:15	N1	DD-D005903	CBG113-043020	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.8		0.07	0.24	ug/WIPE
CBG113	4/29/2020	14:15	N1	DD-D005903	CBG113-043020	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG113	4/29/2020	14:15	N1	DD-D005903	CBG113-043020	SW8082A	SW	TOTAL PCBs	5		-	0.24	ug/WIPE
CBG114	4/28/2020	10:17	N1	DD-D005904	CBG114-042820	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG114	4/28/2020	10:17	N1	DD-D005904	CBG114-042820	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG114	4/28/2020	10:17	N1	DD-D005904	CBG114-042820	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG114	4/28/2020	10:17	N1	DD-D005904	CBG114-042820	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1.4		0.088	0.24	ug/WIPE
CBG114	4/28/2020	10:17	N1	DD-D005904	CBG114-042820	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG114	4/28/2020	10:17	N1	DD-D005904	CBG114-042820	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.66		0.07	0.24	ug/WIPE
CBG114	4/28/2020	10:17	N1	DD-D005904	CBG114-042820	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG114	4/28/2020	10:17	N1	DD-D005904	CBG114-042820	SW8082A	SW	TOTAL PCBs	2.06		-	0.24	ug/WIPE
CBG116-117	4/28/2020	10:21	N1	DD-D005906	CBG116-117-042820-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG116-117	4/28/2020	10:21	N1	DD-D005906	CBG116-117-042820-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG116-117	4/28/2020	10:21	N1	DD-D005906	CBG116-117-042820-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG116-117	4/28/2020	10:21	N1	DD-D005906	CBG116-117-042820-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	6		0.088	0.24	ug/WIPE
CBG116-117	4/28/2020	10:21	N1	DD-D005906	CBG116-117-042820-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG116-117	4/28/2020	10:21	N1	DD-D005906	CBG116-117-042820-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2.7		0.07	0.24	ug/WIPE
CBG116-117	4/28/2020	10:21	N1	DD-D005906	CBG116-117-042820-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG116-117	4/28/2020	10:21	N1	DD-D005906	CBG116-117-042820-COMP	SW8082A	SW	TOTAL PCBs	8.7		-	0.24	ug/WIPE
CBG118-125-127	4/29/2020	15:15	N1	DD-D005908	CBG118-126-127-043020-COM	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG118-125-127	4/29/2020	15:15	N1	DD-D005908	CBG118-126-127-043020-COM	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG118-125-127	4/29/2020	15:15	N1	DD-D005908	CBG118-126-127-043020-COM	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG118-125-127	4/29/2020	15:15	N1	DD-D005908	CBG118-126-127-043020-COM	SW8082A	SW	PCB-1242 (AROCLOR 1242)	4.2		0.088	0.24	ug/WIPE
CBG118-125-127	4/29/2020	15:15	N1	DD-D005908	CBG118-126-127-043020-COM	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG118-125-127	4/29/2020	15:15	N1	DD-D005908	CBG118-126-127-043020-COM	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.9		0.07	0.24	ug/WIPE
CBG118-125-127	4/29/2020	15:15	N1	DD-D005908	CBG118-126-127-043020-COM	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG118-125-127	4/29/2020	15:15	N1	DD-D005908	CBG118-126-127-043020-COM	SW8082A	SW	TOTAL PCBs	6.1		-	0.24	ug/WIPE
CBG119	4/29/2020	15:04	N1	DD-D005909	CBG119-043020	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG119	4/29/2020	15:04	N1	DD-D005909	CBG119-043020	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG119	4/29/2020	15:04	N1	DD-D005909	CBG119-043020	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG119	4/29/2020	15:04	N1	DD-D005909	CBG119-043020	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.69		0.088	0.24	ug/WIPE
CBG119	4/29/2020	15:04	N1	DD-D005909	CBG119-043020	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG119	4/29/2020	15:04	N1	DD-D005909	CBG119-043020	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.27		0.07	0.24	ug/WIPE
CBG119	4/29/2020	15:04	N1	DD-D005909	CBG119-043020	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG119	4/29/2020	15:04	N1	DD-D005909	CBG119-043020	SW8082A	SW	TOTAL PCBs	0.96		-	0.24	ug/WIPE
CBG120-125	4/29/2020	14:48	N1	DD-D005910	CBG120-125-043020-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG120-125	4/29/2020	14:48	N1	DD-D005910	CBG120-125-043020-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG120-125	4/29/2020	14:48	N1	DD-D005910	CBG120-125-043020-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG120-125	4/29/2020	14:48	N1	DD-D005910	CBG120-125-043020-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	4.6		0.088	0.24	ug/WIPE
CBG120-125	4/29/2020	14:48	N1	DD-D005910	CBG120-125-043020-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG120-125	4/29/2020	14:48	N1	DD-D005910	CBG120-125-043020-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2		0.07	0.24	ug/WIPE
CBG120-125	4/29/2020	14:48	N1	DD-D005910	CBG120-125-043020-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG120-125	4/29/2020	14:48	N1	DD-D005910	CBG120-125-043020-COMP	SW8082A	SW	TOTAL PCBs	6.6		-	0.24	ug/WIPE
CBG121	4/29/2020	14:56	N1	DD-D006001	CBG121-043020	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE



Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
CBG121	4/29/2020	14:56	N1	DD-D006001	CBG121-043020	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG121	4/29/2020	14:56	N1	DD-D006001	CBG121-043020	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG121	4/29/2020	14:56	N1	DD-D006001	CBG121-043020	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.2		0.088	0.24	ug/WIPE
CBG121	4/29/2020	14:56	N1	DD-D006001	CBG121-043020	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG121	4/29/2020	14:56	N1	DD-D006001	CBG121-043020	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.8		0.07	0.24	ug/WIPE
CBG121	4/29/2020	14:56	N1	DD-D006001	CBG121-043020	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG121	4/29/2020	14:56	N1	DD-D006001	CBG121-043020	SW8082A	SW	TOTAL PCBs	3		-	0.24	ug/WIPE
CBG122	4/29/2020	14:31	N1	DD-D006002	CBG122-043020	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG122	4/29/2020	14:31	N1	DD-D006002	CBG122-043020	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG122	4/29/2020	14:31	N1	DD-D006002	CBG122-043020	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG122	4/29/2020	14:31	N1	DD-D006002	CBG122-043020	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.9		0.088	0.24	ug/WIPE
CBG122	4/29/2020	14:31	N1	DD-D006002	CBG122-043020	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG122	4/29/2020	14:31	N1	DD-D006002	CBG122-043020	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.6		0.07	0.24	ug/WIPE
CBG122	4/29/2020	14:31	N1	DD-D006002	CBG122-043020	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG122	4/29/2020	14:31	N1	DD-D006002	CBG122-043020	SW8082A	SW	TOTAL PCBs	5.5		-	0.24	ug/WIPE
CBG123	4/29/2020	14:26	N1	DD-D006003	CBG123-043020	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG123	4/29/2020	14:26	N1	DD-D006003	CBG123-043020	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG123	4/29/2020	14:26	N1	DD-D006003	CBG123-043020	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG123	4/29/2020	14:26	N1	DD-D006003	CBG123-043020	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.2		0.088	0.24	ug/WIPE
CBG123	4/29/2020	14:26	N1	DD-D006003	CBG123-043020	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG123	4/29/2020	14:26	N1	DD-D006003	CBG123-043020	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.78		0.07	0.24	ug/WIPE
CBG123	4/29/2020	14:26	N1	DD-D006003	CBG123-043020	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG123	4/29/2020	14:26	N1	DD-D006003	CBG123-043020	SW8082A	SW	TOTAL PCBs	2.98		-	0.24	ug/WIPE
CBG124	4/29/2020	14:43	N1	DD-D006004	CBG124-043020	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG124	4/29/2020	14:43	N1	DD-D006004	CBG124-043020	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG124	4/29/2020	14:43	N1	DD-D006004	CBG124-043020	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG124	4/29/2020	14:43	N1	DD-D006004	CBG124-043020	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	1.9		0.088	0.24	ug/WIPE
CBG124	4/29/2020	14:43	N1	DD-D006004	CBG124-043020	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG124	4/29/2020	14:43	N1	DD-D006004	CBG124-043020	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.78		0.07	0.24	ug/WIPE
CBG124	4/29/2020	14:43	N1	DD-D006004	CBG124-043020	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG124	4/29/2020	14:43	N1	DD-D006004	CBG124-043020	SW8082A	SW	TOTAL PCBs	2.68		-	0.24	ug/WIPE
CBG128	4/28/2020	10:35	N1	DD-D006008	CBG128-042820	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG128	4/28/2020	10:35	N1	DD-D006008	CBG128-042820	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG128	4/28/2020	10:35	N1	DD-D006008	CBG128-042820	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG128	4/28/2020	10:35	N1	DD-D006008	CBG128-042820	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3		0.088	0.24	ug/WIPE
CBG128	4/28/2020	10:35	N1	DD-D006008	CBG128-042820	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG128	4/28/2020	10:35	N1	DD-D006008	CBG128-042820	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.3		0.07	0.24	ug/WIPE
CBG128	4/28/2020	10:35	N1	DD-D006008	CBG128-042820	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG128	4/28/2020	10:35	N1	DD-D006008	CBG128-042820	SW8082A	SW	TOTAL PCBs	4.3		-	0.24	ug/WIPE
CBG129-130-143	4/28/2020	11:33	N1	DD-D006009	CBG129-130-143-042820-COM	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG129-130-143	4/28/2020	11:33	N1	DD-D006009	CBG129-130-143-042820-COM	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG129-130-143	4/28/2020	11:33	N1	DD-D006009	CBG129-130-143-042820-COM	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG129-130-143	4/28/2020	11:33	N1	DD-D006009	CBG129-130-143-042820-COM	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	7		0.088	0.24	ug/WIPE
CBG129-130-143	4/28/2020	11:33	N1	DD-D006009	CBG129-130-143-042820-COM	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG129-130-143	4/28/2020	11:33	N1	DD-D006009	CBG129-130-143-042820-COM	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	3.8		0.07	0.24	ug/WIPE
CBG129-130-143	4/28/2020	11:33	N1	DD-D006009	CBG129-130-143-042820-COM	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG129-130-143	4/28/2020	11:33	N1	DD-D006009	CBG129-130-143-042820-COM	SW8082A	SW	TOTAL PCBs	10.8		-	0.24	ug/WIPE
CBG131	4/28/2020	10:43	N1	DD-D006101	CBG131-042820	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG131	4/28/2020	10:43	N1	DD-D006101	CBG131-042820	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG131	4/28/2020	10:43	N1	DD-D006101	CBG131-042820	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG131	4/28/2020	10:43	N1	DD-D006101	CBG131-042820	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.83		0.088	0.24	ug/WIPE

Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
CBG131	4/28/2020	10:43	N1	DD-D006101	CBG131-042820	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG131	4/28/2020	10:43	N1	DD-D006101	CBG131-042820	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.45	U	0.07	0.24	ug/WIPE
CBG131	4/28/2020	10:43	N1	DD-D006101	CBG131-042820	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG131	4/28/2020	10:43	N1	DD-D006101	CBG131-042820	SW8082A	SW	TOTAL PCBs	1.28		-	0.24	ug/WIPE
CBG132-139-141	4/30/2020	7:43	N1	DD-D006102	CBG132-139-141-043020-COM	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG132-139-141	4/30/2020	7:43	N1	DD-D006102	CBG132-139-141-043020-COM	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG132-139-141	4/30/2020	7:43	N1	DD-D006102	CBG132-139-141-043020-COM	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG132-139-141	4/30/2020	7:43	N1	DD-D006102	CBG132-139-141-043020-COM	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	4.5		0.088	0.24	ug/WIPE
CBG132-139-141	4/30/2020	7:43	N1	DD-D006102	CBG132-139-141-043020-COM	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG132-139-141	4/30/2020	7:43	N1	DD-D006102	CBG132-139-141-043020-COM	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.9		0.07	0.24	ug/WIPE
CBG132-139-141	4/30/2020	7:43	N1	DD-D006102	CBG132-139-141-043020-COM	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG132-139-141	4/30/2020	7:43	N1	DD-D006102	CBG132-139-141-043020-COM	SW8082A	SW	TOTAL PCBs	6.4		-	0.24	ug/WIPE
CBG133	4/30/2020	7:31	N1	DD-D006103	CBG133-043020	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG133	4/30/2020	7:31	N1	DD-D006103	CBG133-043020	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG133	4/30/2020	7:31	N1	DD-D006103	CBG133-043020	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG133	4/30/2020	7:31	N1	DD-D006103	CBG133-043020	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.1		0.088	0.24	ug/WIPE
CBG133	4/30/2020	7:31	N1	DD-D006103	CBG133-043020	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG133	4/30/2020	7:31	N1	DD-D006103	CBG133-043020	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.94		0.07	0.24	ug/WIPE
CBG133	4/30/2020	7:31	N1	DD-D006103	CBG133-043020	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG133	4/30/2020	7:31	N1	DD-D006103	CBG133-043020	SW8082A	SW	TOTAL PCBs	3.04		-	0.24	ug/WIPE
CBG134	4/30/2020	7:16	N1	DD-D006104	CBG134-043020	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG134	4/30/2020	7:16	N1	DD-D006104	CBG134-043020	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG134	4/30/2020	7:16	N1	DD-D006104	CBG134-043020	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG134	4/30/2020	7:16	N1	DD-D006104	CBG134-043020	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	1.9		0.088	0.24	ug/WIPE
CBG134	4/30/2020	7:16	N1	DD-D006104	CBG134-043020	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG134	4/30/2020	7:16	N1	DD-D006104	CBG134-043020	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.7		0.07	0.24	ug/WIPE
CBG134	4/30/2020	7:16	N1	DD-D006104	CBG134-043020	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG134	4/30/2020	7:16	N1	DD-D006104	CBG134-043020	SW8082A	SW	TOTAL PCBs	2.6		-	0.24	ug/WIPE
CBG135-137	4/30/2020	7:13	N1	DD-D006105	CBG135-137-043020-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG135-137	4/30/2020	7:13	N1	DD-D006105	CBG135-137-043020-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG135-137	4/30/2020	7:13	N1	DD-D006105	CBG135-137-043020-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG135-137	4/30/2020	7:13	N1	DD-D006105	CBG135-137-043020-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2		0.088	0.24	ug/WIPE
CBG135-137	4/30/2020	7:13	N1	DD-D006105	CBG135-137-043020-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG135-137	4/30/2020	7:13	N1	DD-D006105	CBG135-137-043020-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.78		0.07	0.24	ug/WIPE
CBG135-137	4/30/2020	7:13	N1	DD-D006105	CBG135-137-043020-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG135-137	4/30/2020	7:13	N1	DD-D006105	CBG135-137-043020-COMP	SW8082A	SW	TOTAL PCBs	2.78		-	0.24	ug/WIPE
CBG136	4/30/2020	7:18	N1	DD-D006106	CBG136-043020	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG136	4/30/2020	7:18	N1	DD-D006106	CBG136-043020	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG136	4/30/2020	7:18	N1	DD-D006106	CBG136-043020	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG136	4/30/2020	7:18	N1	DD-D006106	CBG136-043020	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	5		0.088	0.24	ug/WIPE
CBG136	4/30/2020	7:18	N1	DD-D006106	CBG136-043020	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG136	4/30/2020	7:18	N1	DD-D006106	CBG136-043020	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2		0.07	0.24	ug/WIPE
CBG136	4/30/2020	7:18	N1	DD-D006106	CBG136-043020	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG136	4/30/2020	7:18	N1	DD-D006106	CBG136-043020	SW8082A	SW	TOTAL PCBs	7		-	0.24	ug/WIPE
CBG138	4/30/2020	7:25	N1	DD-D006108	CBG138-043020	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG138	4/30/2020	7:25	N1	DD-D006108	CBG138-043020	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG138	4/30/2020	7:25	N1	DD-D006108	CBG138-043020	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG138	4/30/2020	7:25	N1	DD-D006108	CBG138-043020	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	1.2		0.088	0.24	ug/WIPE
CBG138	4/30/2020	7:25	N1	DD-D006108	CBG138-043020	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG138	4/30/2020	7:25	N1	DD-D006108	CBG138-043020	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.52		0.07	0.24	ug/WIPE
CBG138	4/30/2020	7:25	N1	DD-D006108	CBG138-043020	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE

## Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
CBG138	4/30/2020	7:25	N1	DD-D006108	CBG138-043020	SW8082A	SW	TOTAL PCBs	1.72		-	0.24	ug/WIPE
CBG140	4/30/2020	7:35	N1	DD-D006110	CBG140-043020	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG140	4/30/2020	7:35	N1	DD-D006110	CBG140-043020	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG140	4/30/2020	7:35	N1	DD-D006110	CBG140-043020	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG140	4/30/2020	7:35	N1	DD-D006110	CBG140-043020	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	1.7		0.088	0.24	ug/WIPE
CBG140	4/30/2020	7:35	N1	DD-D006110	CBG140-043020	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG140	4/30/2020	7:35	N1	DD-D006110	CBG140-043020	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.73		0.07	0.24	ug/WIPE
CBG140	4/30/2020	7:35	N1	DD-D006110	CBG140-043020	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG140	4/30/2020	7:35	N1	DD-D006110	CBG140-043020	SW8082A	SW	TOTAL PCBs	2.43		-	0.24	ug/WIPE
CBG142	4/28/2020	11:40	N1	DD-D006202	CBG142-042820	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG142	4/28/2020	11:40	N1	DD-D006202	CBG142-042820	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG142	4/28/2020	11:40	N1	DD-D006202	CBG142-042820	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG142	4/28/2020	11:40	N1	DD-D006202	CBG142-042820	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.46		0.088	0.24	ug/WIPE
CBG142	4/28/2020	11:40	N1	DD-D006202	CBG142-042820	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG142	4/28/2020	11:40	N1	DD-D006202	CBG142-042820	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.17	J	0.07	0.24	ug/WIPE
CBG142	4/28/2020	11:40	N1	DD-D006202	CBG142-042820	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG142	4/28/2020	11:40	N1	DD-D006202	CBG142-042820	SW8082A	SW	TOTAL PCBs	0.63		-	0.24	ug/WIPE
CBG144-145	4/28/2020	11:53	N1	DD-D006204	CBG144-145-042820-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG144-145	4/28/2020	11:53	N1	DD-D006204	CBG144-145-042820-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG144-145	4/28/2020	11:53	N1	DD-D006204	CBG144-145-042820-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG144-145	4/28/2020	11:53	N1	DD-D006204	CBG144-145-042820-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.1		0.088	0.24	ug/WIPE
CBG144-145	4/28/2020	11:53	N1	DD-D006204	CBG144-145-042820-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG144-145	4/28/2020	11:53	N1	DD-D006204	CBG144-145-042820-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.1		0.07	0.24	ug/WIPE
CBG144-145	4/28/2020	11:53	N1	DD-D006204	CBG144-145-042820-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG144-145	4/28/2020	11:53	N1	DD-D006204	CBG144-145-042820-COMP	SW8082A	SW	TOTAL PCBs	4.2		-	0.24	ug/WIPE
CBG146	4/28/2020	11:59	N1	DD-D006206	CBG146-042820	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG146	4/28/2020	11:59	N1	DD-D006206	CBG146-042820	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG146	4/28/2020	11:59	N1	DD-D006206	CBG146-042820	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG146	4/28/2020	11:59	N1	DD-D006206	CBG146-042820	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	6.7		0.088	0.24	ug/WIPE
CBG146	4/28/2020	11:59	N1	DD-D006206	CBG146-042820	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG146	4/28/2020	11:59	N1	DD-D006206	CBG146-042820	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.4		0.07	0.24	ug/WIPE
CBG146	4/28/2020	11:59	N1	DD-D006206	CBG146-042820	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG146	4/28/2020	11:59	N1	DD-D006206	CBG146-042820	SW8082A	SW	TOTAL PCBs	9.1		-	0.24	ug/WIPE
CBG147-148	4/30/2020	8:28	N1	DD-D006207	CBG147-148-043020-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG147-148	4/30/2020	8:28	N1	DD-D006207	CBG147-148-043020-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG147-148	4/30/2020	8:28	N1	DD-D006207	CBG147-148-043020-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG147-148	4/30/2020	8:28	N1	DD-D006207	CBG147-148-043020-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	4		0.088	0.24	ug/WIPE
CBG147-148	4/30/2020	8:28	N1	DD-D006207	CBG147-148-043020-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG147-148	4/30/2020	8:28	N1	DD-D006207	CBG147-148-043020-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.6		0.07	0.24	ug/WIPE
CBG147-148	4/30/2020	8:28	N1	DD-D006207	CBG147-148-043020-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG147-148	4/30/2020	8:28	N1	DD-D006207	CBG147-148-043020-COMP	SW8082A	SW	TOTAL PCBs	5.6		-	0.24	ug/WIPE
CBG149	4/30/2020	8:19	N1	DD-D006209	CBG149-043020	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG149	4/30/2020	8:19	N1	DD-D006209	CBG149-043020	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG149	4/30/2020	8:19	N1	DD-D006209	CBG149-043020	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG149	4/30/2020	8:19	N1	DD-D006209	CBG149-043020	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	1.9		0.088	0.24	ug/WIPE
CBG149	4/30/2020	8:19	N1	DD-D006209	CBG149-043020	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG149	4/30/2020	8:19	N1	DD-D006209	CBG149-043020	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.99		0.07	0.24	ug/WIPE
CBG149	4/30/2020	8:19	N1	DD-D006209	CBG149-043020	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG149	4/30/2020	8:19	N1	DD-D006209	CBG149-043020	SW8082A	SW	TOTAL PCBs	2.89		-	0.24	ug/WIPE
CBG150	4/30/2020	8:14	N1	DD-D006210	CBG150-043020	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG150	4/30/2020	8:14	N1	DD-D006210	CBG150-043020	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE

Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
CBG150	4/30/2020	8:14	N1	DD-D006210	CBG150-043020	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG150	4/30/2020	8:14	N1	DD-D006210	CBG150-043020	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1.6	U	0.088	0.24	ug/WIPE
CBG150	4/30/2020	8:14	N1	DD-D006210	CBG150-043020	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG150	4/30/2020	8:14	N1	DD-D006210	CBG150-043020	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.62	U	0.07	0.24	ug/WIPE
CBG150	4/30/2020	8:14	N1	DD-D006210	CBG150-043020	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG150	4/30/2020	8:14	N1	DD-D006210	CBG150-043020	SW8082A	SW	TOTAL PCBs	2.22	U	-	0.24	ug/WIPE
CBG151	4/30/2020	8:23	N1	DD-D006301	CBG151-043020	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG151	4/30/2020	8:23	N1	DD-D006301	CBG151-043020	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG151	4/30/2020	8:23	N1	DD-D006301	CBG151-043020	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG151	4/30/2020	8:23	N1	DD-D006301	CBG151-043020	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3	U	0.088	0.24	ug/WIPE
CBG151	4/30/2020	8:23	N1	DD-D006301	CBG151-043020	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG151	4/30/2020	8:23	N1	DD-D006301	CBG151-043020	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.4	U	0.07	0.24	ug/WIPE
CBG151	4/30/2020	8:23	N1	DD-D006301	CBG151-043020	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG151	4/30/2020	8:23	N1	DD-D006301	CBG151-043020	SW8082A	SW	TOTAL PCBs	4.4	U	-	0.24	ug/WIPE
CBG152-154-155	4/30/2020	8:02	N1	DD-D006302	CBG152-154-155-043020-COM	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG152-154-155	4/30/2020	8:02	N1	DD-D006302	CBG152-154-155-043020-COM	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG152-154-155	4/30/2020	8:02	N1	DD-D006302	CBG152-154-155-043020-COM	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG152-154-155	4/30/2020	8:02	N1	DD-D006302	CBG152-154-155-043020-COM	SW8082A	SW	PCB-1242 (AROCLOR 1242)	6.6	J	0.088	0.24	ug/WIPE
CBG152-154-155	4/30/2020	8:02	N1	DD-D006302	CBG152-154-155-043020-COM	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG152-154-155	4/30/2020	8:02	N1	DD-D006302	CBG152-154-155-043020-COM	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2.6	J	0.07	0.24	ug/WIPE
CBG152-154-155	4/30/2020	8:02	N1	DD-D006302	CBG152-154-155-043020-COM	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG152-154-155	4/30/2020	8:02	N1	DD-D006302	CBG152-154-155-043020-COM	SW8082A	SW	TOTAL PCBs	9.2	U	-	0.24	ug/WIPE
CBG153	4/30/2020	7:59	N1	DD-D006303	CBG153-043020	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG153	4/30/2020	7:59	N1	DD-D006303	CBG153-043020	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG153	4/30/2020	7:59	N1	DD-D006303	CBG153-043020	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG153	4/30/2020	7:59	N1	DD-D006303	CBG153-043020	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.53	U	0.088	0.24	ug/WIPE
CBG153	4/30/2020	7:59	N1	DD-D006303	CBG153-043020	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG153	4/30/2020	7:59	N1	DD-D006303	CBG153-043020	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.26	U	0.07	0.24	ug/WIPE
CBG153	4/30/2020	7:59	N1	DD-D006303	CBG153-043020	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG153	4/30/2020	7:59	N1	DD-D006303	CBG153-043020	SW8082A	SW	TOTAL PCBs	0.79	U	-	0.24	ug/WIPE
CBG156	4/30/2020	8:34	N1	DD-D006306	CBG156-043020	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG156	4/30/2020	8:34	N1	DD-D006306	CBG156-043020	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG156	4/30/2020	8:34	N1	DD-D006306	CBG156-043020	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG156	4/30/2020	8:34	N1	DD-D006306	CBG156-043020	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2.4	U	0.088	0.24	ug/WIPE
CBG156	4/30/2020	8:34	N1	DD-D006306	CBG156-043020	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG156	4/30/2020	8:34	N1	DD-D006306	CBG156-043020	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.84	U	0.07	0.24	ug/WIPE
CBG156	4/30/2020	8:34	N1	DD-D006306	CBG156-043020	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG156	4/30/2020	8:34	N1	DD-D006306	CBG156-043020	SW8082A	SW	TOTAL PCBs	3.24	U	-	0.24	ug/WIPE
CBG157	4/30/2020	9:32	N1	DD-D006307	CBG157-043020	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG157	4/30/2020	9:32	N1	DD-D006307	CBG157-043020	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG157	4/30/2020	9:32	N1	DD-D006307	CBG157-043020	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG157	4/30/2020	9:32	N1	DD-D006307	CBG157-043020	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2.3	U	0.088	0.24	ug/WIPE
CBG157	4/30/2020	9:32	N1	DD-D006307	CBG157-043020	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG157	4/30/2020	9:32	N1	DD-D006307	CBG157-043020	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.99	U	0.07	0.24	ug/WIPE
CBG157	4/30/2020	9:32	N1	DD-D006307	CBG157-043020	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG157	4/30/2020	9:32	N1	DD-D006307	CBG157-043020	SW8082A	SW	TOTAL PCBs	3.29	U	-	0.24	ug/WIPE
CBG158	4/30/2020	9:28	N1	DD-D006308	CBG158-043020	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG158	4/30/2020	9:28	N1	DD-D006308	CBG158-043020	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG158	4/30/2020	9:28	N1	DD-D006308	CBG158-043020	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG158	4/30/2020	9:28	N1	DD-D006308	CBG158-043020	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.6	U	0.088	0.24	ug/WIPE
CBG158	4/30/2020	9:28	N1	DD-D006308	CBG158-043020	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE

Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
CBG158	4/30/2020	9:28	N1	DD-D006308	CBG158-043020	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.26		0.07	0.24	ug/WIPE
CBG158	4/30/2020	9:28	N1	DD-D006308	CBG158-043020	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG158	4/30/2020	9:28	N1	DD-D006308	CBG158-043020	SW8082A	SW	TOTAL PCBs	0.86		-	0.24	ug/WIPE
CBG159-160	4/28/2020	12:05	N1	DD-D006309	CBG159-160-042820-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG159-160	4/28/2020	12:05	N1	DD-D006309	CBG159-160-042820-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG159-160	4/28/2020	12:05	N1	DD-D006309	CBG159-160-042820-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG159-160	4/28/2020	12:05	N1	DD-D006309	CBG159-160-042820-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3		0.088	0.24	ug/WIPE
CBG159-160	4/28/2020	12:05	N1	DD-D006309	CBG159-160-042820-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG159-160	4/28/2020	12:05	N1	DD-D006309	CBG159-160-042820-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.1		0.07	0.24	ug/WIPE
CBG159-160	4/28/2020	12:05	N1	DD-D006309	CBG159-160-042820-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG159-160	4/28/2020	12:05	N1	DD-D006309	CBG159-160-042820-COMP	SW8082A	SW	TOTAL PCBs	4.1		-	0.24	ug/WIPE
CBG161-162	4/30/2020	9:58	N1	DD-D006401	CBG161-162-043020-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG161-162	4/30/2020	9:58	N1	DD-D006401	CBG161-162-043020-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG161-162	4/30/2020	9:58	N1	DD-D006401	CBG161-162-043020-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG161-162	4/30/2020	9:58	N1	DD-D006401	CBG161-162-043020-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	4.8		0.088	0.24	ug/WIPE
CBG161-162	4/30/2020	9:58	N1	DD-D006401	CBG161-162-043020-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG161-162	4/30/2020	9:58	N1	DD-D006401	CBG161-162-043020-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.2		0.07	0.24	ug/WIPE
CBG161-162	4/30/2020	9:58	N1	DD-D006401	CBG161-162-043020-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG161-162	4/30/2020	9:58	N1	DD-D006401	CBG161-162-043020-COMP	SW8082A	SW	TOTAL PCBs	7		-	0.24	ug/WIPE
CBG163-169	4/30/2020	9:51	N1	DD-D006403	CBG163-169-043020-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG163-169	4/30/2020	9:51	N1	DD-D006403	CBG163-169-043020-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG163-169	4/30/2020	9:51	N1	DD-D006403	CBG163-169-043020-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG163-169	4/30/2020	9:51	N1	DD-D006403	CBG163-169-043020-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	6.1		0.088	0.24	ug/WIPE
CBG163-169	4/30/2020	9:51	N1	DD-D006403	CBG163-169-043020-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG163-169	4/30/2020	9:51	N1	DD-D006403	CBG163-169-043020-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.7		0.07	0.24	ug/WIPE
CBG163-169	4/30/2020	9:51	N1	DD-D006403	CBG163-169-043020-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG163-169	4/30/2020	9:51	N1	DD-D006403	CBG163-169-043020-COMP	SW8082A	SW	TOTAL PCBs	8.8		-	0.24	ug/WIPE
CBG164	4/30/2020	9:40	N1	DD-D006404	CBG164-043020	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG164	4/30/2020	9:40	N1	DD-D006404	CBG164-043020	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG164	4/30/2020	9:40	N1	DD-D006404	CBG164-043020	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG164	4/30/2020	9:40	N1	DD-D006404	CBG164-043020	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	4.9		0.088	0.24	ug/WIPE
CBG164	4/30/2020	9:40	N1	DD-D006404	CBG164-043020	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG164	4/30/2020	9:40	N1	DD-D006404	CBG164-043020	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.7		0.07	0.24	ug/WIPE
CBG164	4/30/2020	9:40	N1	DD-D006404	CBG164-043020	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG164	4/30/2020	9:40	N1	DD-D006404	CBG164-043020	SW8082A	SW	TOTAL PCBs	6.6		-	0.24	ug/WIPE
CBG165	4/30/2020	9:38	N1	DD-D006405	CBG165-043020	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG165	4/30/2020	9:38	N1	DD-D006405	CBG165-043020	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG165	4/30/2020	9:38	N1	DD-D006405	CBG165-043020	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG165	4/30/2020	9:38	N1	DD-D006405	CBG165-043020	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	4.9		0.088	0.24	ug/WIPE
CBG165	4/30/2020	9:38	N1	DD-D006405	CBG165-043020	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG165	4/30/2020	9:38	N1	DD-D006405	CBG165-043020	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.6		0.07	0.24	ug/WIPE
CBG165	4/30/2020	9:38	N1	DD-D006405	CBG165-043020	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG165	4/30/2020	9:38	N1	DD-D006405	CBG165-043020	SW8082A	SW	TOTAL PCBs	6.5		-	0.24	ug/WIPE
CBG166	4/30/2020	9:45	N1	DD-D006406	CBG166-043020	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG166	4/30/2020	9:45	N1	DD-D006406	CBG166-043020	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG166	4/30/2020	9:45	N1	DD-D006406	CBG166-043020	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG166	4/30/2020	9:45	N1	DD-D006406	CBG166-043020	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	4.2		0.088	0.24	ug/WIPE
CBG166	4/30/2020	9:45	N1	DD-D006406	CBG166-043020	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG166	4/30/2020	9:45	N1	DD-D006406	CBG166-043020	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.1		0.07	0.24	ug/WIPE
CBG166	4/30/2020	9:45	N1	DD-D006406	CBG166-043020	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG166	4/30/2020	9:45	N1	DD-D006406	CBG166-043020	SW8082A	SW	TOTAL PCBs	6.3		-	0.24	ug/WIPE



Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
CBG167-168	4/30/2020	9:36	N1	DD-D006407	CBG167-168-043020-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG167-168	4/30/2020	9:36	N1	DD-D006407	CBG167-168-043020-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG167-168	4/30/2020	9:36	N1	DD-D006407	CBG167-168-043020-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG167-168	4/30/2020	9:36	N1	DD-D006407	CBG167-168-043020-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3		0.088	0.24	ug/WIPE
CBG167-168	4/30/2020	9:36	N1	DD-D006407	CBG167-168-043020-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG167-168	4/30/2020	9:36	N1	DD-D006407	CBG167-168-043020-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.3		0.07	0.24	ug/WIPE
CBG167-168	4/30/2020	9:36	N1	DD-D006407	CBG167-168-043020-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG167-168	4/30/2020	9:36	N1	DD-D006407	CBG167-168-043020-COMP	SW8082A	SW	TOTAL PCBs	4.3		-	0.24	ug/WIPE
CBG170	4/30/2020	10:06	N1	DD-D006410	CBG170-043020	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG170	4/30/2020	10:06	N1	DD-D006410	CBG170-043020	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG170	4/30/2020	10:06	N1	DD-D006410	CBG170-043020	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG170	4/30/2020	10:06	N1	DD-D006410	CBG170-043020	SW8082A	SW	PCB-1242 (AROCLOR 1242)	5.2		0.088	0.24	ug/WIPE
CBG170	4/30/2020	10:06	N1	DD-D006410	CBG170-043020	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG170	4/30/2020	10:06	N1	DD-D006410	CBG170-043020	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2.2		0.07	0.24	ug/WIPE
CBG170	4/30/2020	10:06	N1	DD-D006410	CBG170-043020	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG170	4/30/2020	10:06	N1	DD-D006410	CBG170-043020	SW8082A	SW	TOTAL PCBs	7.4		-	0.24	ug/WIPE
CBG171	4/28/2020	12:10	N1	DD-D006501	CBG171-042820-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG171	4/28/2020	12:10	N1	DD-D006501	CBG171-042820-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG171	4/28/2020	12:10	N1	DD-D006501	CBG171-042820-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG171	4/28/2020	12:10	N1	DD-D006501	CBG171-042820-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3.7		0.088	0.24	ug/WIPE
CBG171	4/28/2020	12:10	N1	DD-D006501	CBG171-042820-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG171	4/28/2020	12:10	N1	DD-D006501	CBG171-042820-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.8		0.07	0.24	ug/WIPE
CBG171	4/28/2020	12:10	N1	DD-D006501	CBG171-042820-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG171	4/28/2020	12:10	N1	DD-D006501	CBG171-042820-COMP	SW8082A	SW	TOTAL PCBs	5.5		-	0.24	ug/WIPE
CL001-003-005	5/15/2020	8:59	N1	DD-D000401	CL001-003-005-051520-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL001-003-005	5/15/2020	8:59	N1	DD-D000401	CL001-003-005-051520-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL001-003-005	5/15/2020	8:59	N1	DD-D000401	CL001-003-005-051520-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL001-003-005	5/15/2020	8:59	N1	DD-D000401	CL001-003-005-051520-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	12		0.088	0.24	ug/WIPE
CL001-003-005	5/15/2020	8:59	N1	DD-D000401	CL001-003-005-051520-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL001-003-005	5/15/2020	8:59	N1	DD-D000401	CL001-003-005-051520-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	4		0.07	0.24	ug/WIPE
CL001-003-005	5/15/2020	8:59	N1	DD-D000401	CL001-003-005-051520-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL001-003-005	5/15/2020	8:59	N1	DD-D000401	CL001-003-005-051520-COMP	SW8082A	SW	TOTAL PCBs	16		-	0.24	ug/WIPE
CL002-004-006	5/15/2020	9:05	N1	DD-D000402	CL002-004-006-051520-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL002-004-006	5/15/2020	9:05	N1	DD-D000402	CL002-004-006-051520-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL002-004-006	5/15/2020	9:05	N1	DD-D000402	CL002-004-006-051520-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL002-004-006	5/15/2020	9:05	N1	DD-D000402	CL002-004-006-051520-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.47	B	0.088	0.24	ug/WIPE
CL002-004-006	5/15/2020	9:05	N1	DD-D000402	CL002-004-006-051520-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL002-004-006	5/15/2020	9:05	N1	DD-D000402	CL002-004-006-051520-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.18	J,B	0.07	0.24	ug/WIPE
CL002-004-006	5/15/2020	9:05	N1	DD-D000402	CL002-004-006-051520-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL002-004-006	5/15/2020	9:05	N1	DD-D000402	CL002-004-006-051520-COMP	SW8082A	SW	TOTAL PCBs	0.65		-	0.24	ug/WIPE
CL007-009-011	5/15/2020	10:05	N1	DD-D000407	CL007-009-011-051520-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL007-009-011	5/15/2020	10:05	N1	DD-D000407	CL007-009-011-051520-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL007-009-011	5/15/2020	10:05	N1	DD-D000407	CL007-009-011-051520-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL007-009-011	5/15/2020	10:05	N1	DD-D000407	CL007-009-011-051520-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	22		0.088	0.24	ug/WIPE
CL007-009-011	5/15/2020	10:05	N1	DD-D000407	CL007-009-011-051520-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL007-009-011	5/15/2020	10:05	N1	DD-D000407	CL007-009-011-051520-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	6.4		0.07	0.24	ug/WIPE
CL007-009-011	5/15/2020	10:05	N1	DD-D000407	CL007-009-011-051520-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL007-009-011	5/15/2020	10:05	N1	DD-D000407	CL007-009-011-051520-COMP	SW8082A	SW	TOTAL PCBs	28.4		-	0.24	ug/WIPE
CL008-010-012	5/15/2020	10:12	N1	DD-D000408	CL008-010-012-051520-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL008-010-012	5/15/2020	10:12	N1	DD-D000408	CL008-010-012-051520-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL008-010-012	5/15/2020	10:12	N1	DD-D000408	CL008-010-012-051520-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE

Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
CL008-010-012	5/15/2020	10:12	N1	DD-D000408	CL008-010-012-051520-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	1.3	B	0.088	0.24	ug/WIPE
CL008-010-012	5/15/2020	10:12	N1	DD-D000408	CL008-010-012-051520-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL008-010-012	5/15/2020	10:12	N1	DD-D000408	CL008-010-012-051520-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.65	B	0.07	0.24	ug/WIPE
CL008-010-012	5/15/2020	10:12	N1	DD-D000408	CL008-010-012-051520-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL008-010-012	5/15/2020	10:12	N1	DD-D000408	CL008-010-012-051520-COMP	SW8082A	SW	TOTAL PCBs	1.95		-	0.24	ug/WIPE
CL013-015-017	5/15/2020	10:34	N1	DD-D000503	CL013-015-017-051520-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL013-015-017	5/15/2020	10:34	N1	DD-D000503	CL013-015-017-051520-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL013-015-017	5/15/2020	10:34	N1	DD-D000503	CL013-015-017-051520-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL013-015-017	5/15/2020	10:34	N1	DD-D000503	CL013-015-017-051520-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	22		0.088	0.24	ug/WIPE
CL013-015-017	5/15/2020	10:34	N1	DD-D000503	CL013-015-017-051520-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL013-015-017	5/15/2020	10:34	N1	DD-D000503	CL013-015-017-051520-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	5.9		0.07	0.24	ug/WIPE
CL013-015-017	5/15/2020	10:34	N1	DD-D000503	CL013-015-017-051520-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL013-015-017	5/15/2020	10:34	N1	DD-D000503	CL013-015-017-051520-COMP	SW8082A	SW	TOTAL PCBs	27.9		-	0.24	ug/WIPE
CL014-016-018	5/15/2020	10:44	N1	DD-D000504	CL014-016-018-051520-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL014-016-018	5/15/2020	10:44	N1	DD-D000504	CL014-016-018-051520-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL014-016-018	5/15/2020	10:44	N1	DD-D000504	CL014-016-018-051520-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL014-016-018	5/15/2020	10:44	N1	DD-D000504	CL014-016-018-051520-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.94	B	0.088	0.24	ug/WIPE
CL014-016-018	5/15/2020	10:44	N1	DD-D000504	CL014-016-018-051520-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL014-016-018	5/15/2020	10:44	N1	DD-D000504	CL014-016-018-051520-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.39	B	0.07	0.24	ug/WIPE
CL014-016-018	5/15/2020	10:44	N1	DD-D000504	CL014-016-018-051520-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL014-016-018	5/15/2020	10:44	N1	DD-D000504	CL014-016-018-051520-COMP	SW8082A	SW	TOTAL PCBs	1.33		-	0.24	ug/WIPE
CL019-021-023	5/15/2020	11:16	N1	DD-D000509	CL019-021-023-051520-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL019-021-023	5/15/2020	11:16	N1	DD-D000509	CL019-021-023-051520-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL019-021-023	5/15/2020	11:16	N1	DD-D000509	CL019-021-023-051520-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL019-021-023	5/15/2020	11:16	N1	DD-D000509	CL019-021-023-051520-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	14		0.088	0.24	ug/WIPE
CL019-021-023	5/15/2020	11:16	N1	DD-D000509	CL019-021-023-051520-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL019-021-023	5/15/2020	11:16	N1	DD-D000509	CL019-021-023-051520-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	4.1		0.07	0.24	ug/WIPE
CL019-021-023	5/15/2020	11:16	N1	DD-D000509	CL019-021-023-051520-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL019-021-023	5/15/2020	11:16	N1	DD-D000509	CL019-021-023-051520-COMP	SW8082A	SW	TOTAL PCBs	18.1		-	0.24	ug/WIPE
CL020-022-024	5/15/2020	11:20	N1	DD-D000510	CL020-022-024-051520-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL020-022-024	5/15/2020	11:20	N1	DD-D000510	CL020-022-024-051520-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL020-022-024	5/15/2020	11:20	N1	DD-D000510	CL020-022-024-051520-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL020-022-024	5/15/2020	11:20	N1	DD-D000510	CL020-022-024-051520-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.21	J,B	0.088	0.24	ug/WIPE
CL020-022-024	5/15/2020	11:20	N1	DD-D000510	CL020-022-024-051520-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL020-022-024	5/15/2020	11:20	N1	DD-D000510	CL020-022-024-051520-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	ND	U	0.07	0.24	ug/WIPE
CL020-022-024	5/15/2020	11:20	N1	DD-D000510	CL020-022-024-051520-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL020-022-024	5/15/2020	11:20	N1	DD-D000510	CL020-022-024-051520-COMP	SW8082A	SW	TOTAL PCBs	0.21		-	0.24	ug/WIPE
CL025-027-029	5/15/2020	11:40	N1	DD-D000605	CL025-027-029-051520-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL025-027-029	5/15/2020	11:40	N1	DD-D000605	CL025-027-029-051520-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL025-027-029	5/15/2020	11:40	N1	DD-D000605	CL025-027-029-051520-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL025-027-029	5/15/2020	11:40	N1	DD-D000605	CL025-027-029-051520-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	19		0.088	0.24	ug/WIPE
CL025-027-029	5/15/2020	11:40	N1	DD-D000605	CL025-027-029-051520-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL025-027-029	5/15/2020	11:40	N1	DD-D000605	CL025-027-029-051520-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	5.9		0.07	0.24	ug/WIPE
CL025-027-029	5/15/2020	11:40	N1	DD-D000605	CL025-027-029-051520-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL025-027-029	5/15/2020	11:40	N1	DD-D000605	CL025-027-029-051520-COMP	SW8082A	SW	TOTAL PCBs	24.9		-	0.24	ug/WIPE
CL026-028-030	5/15/2020	11:46	N1	DD-D000606	CL026-028-030-051520-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL026-028-030	5/15/2020	11:46	N1	DD-D000606	CL026-028-030-051520-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL026-028-030	5/15/2020	11:46	N1	DD-D000606	CL026-028-030-051520-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL026-028-030	5/15/2020	11:46	N1	DD-D000606	CL026-028-030-051520-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.46	B	0.088	0.24	ug/WIPE
CL026-028-030	5/15/2020	11:46	N1	DD-D000606	CL026-028-030-051520-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL026-028-030	5/15/2020	11:46	N1	DD-D000606	CL026-028-030-051520-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.22	J,B	0.07	0.24	ug/WIPE

Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
CL026-028-030	5/15/2020	11:46	N1	DD-D000606	CL026-028-030-051520-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL026-028-030	5/15/2020	11:46	N1	DD-D000606	CL026-028-030-051520-COMP	SW8082A	SW	TOTAL PCBs	0.68		-	0.24	ug/WIPE
CL031-033-035	5/15/2020	13:33	N1	DD-D000701	CL031-033-035-051520-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL031-033-035	5/15/2020	13:33	N1	DD-D000701	CL031-033-035-051520-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL031-033-035	5/15/2020	13:33	N1	DD-D000701	CL031-033-035-051520-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL031-033-035	5/15/2020	13:33	N1	DD-D000701	CL031-033-035-051520-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	14		0.088	0.24	ug/WIPE
CL031-033-035	5/15/2020	13:33	N1	DD-D000701	CL031-033-035-051520-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL031-033-035	5/15/2020	13:33	N1	DD-D000701	CL031-033-035-051520-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	4.2		0.07	0.24	ug/WIPE
CL031-033-035	5/15/2020	13:33	N1	DD-D000701	CL031-033-035-051520-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL031-033-035	5/15/2020	13:33	N1	DD-D000701	CL031-033-035-051520-COMP	SW8082A	SW	TOTAL PCBs	18.2		-	0.24	ug/WIPE
CL032-034-036	5/15/2020	13:36	N1	DD-D000702	CL032-034-036-051520-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL032-034-036	5/15/2020	13:36	N1	DD-D000702	CL032-034-036-051520-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL032-034-036	5/15/2020	13:36	N1	DD-D000702	CL032-034-036-051520-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL032-034-036	5/15/2020	13:36	N1	DD-D000702	CL032-034-036-051520-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.64		0.088	0.24	ug/WIPE
CL032-034-036	5/15/2020	13:36	N1	DD-D000702	CL032-034-036-051520-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL032-034-036	5/15/2020	13:36	N1	DD-D000702	CL032-034-036-051520-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.3		0.07	0.24	ug/WIPE
CL032-034-036	5/15/2020	13:36	N1	DD-D000702	CL032-034-036-051520-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL032-034-036	5/15/2020	13:36	N1	DD-D000702	CL032-034-036-051520-COMP	SW8082A	SW	TOTAL PCBs	0.94		-	0.24	ug/WIPE
CL037-039-041	5/15/2020	14:12	N1	DD-D000707	CL037-039-041-051520-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL037-039-041	5/15/2020	14:12	N1	DD-D000707	CL037-039-041-051520-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL037-039-041	5/15/2020	14:12	N1	DD-D000707	CL037-039-041-051520-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL037-039-041	5/15/2020	14:12	N1	DD-D000707	CL037-039-041-051520-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	10		0.088	0.24	ug/WIPE
CL037-039-041	5/15/2020	14:12	N1	DD-D000707	CL037-039-041-051520-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL037-039-041	5/15/2020	14:12	N1	DD-D000707	CL037-039-041-051520-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.9		0.07	0.24	ug/WIPE
CL037-039-041	5/15/2020	14:12	N1	DD-D000707	CL037-039-041-051520-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL037-039-041	5/15/2020	14:12	N1	DD-D000707	CL037-039-041-051520-COMP	SW8082A	SW	TOTAL PCBs	12.9		-	0.24	ug/WIPE
CL038-040-042	5/15/2020	14:20	N1	DD-D000708	CL038-040-042-051520-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL038-040-042	5/15/2020	14:20	N1	DD-D000708	CL038-040-042-051520-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL038-040-042	5/15/2020	14:20	N1	DD-D000708	CL038-040-042-051520-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL038-040-042	5/15/2020	14:20	N1	DD-D000708	CL038-040-042-051520-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.25		0.088	0.24	ug/WIPE
CL038-040-042	5/15/2020	14:20	N1	DD-D000708	CL038-040-042-051520-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL038-040-042	5/15/2020	14:20	N1	DD-D000708	CL038-040-042-051520-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	ND	U	0.07	0.24	ug/WIPE
CL038-040-042	5/15/2020	14:20	N1	DD-D000708	CL038-040-042-051520-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL038-040-042	5/15/2020	14:20	N1	DD-D000708	CL038-040-042-051520-COMP	SW8082A	SW	TOTAL PCBs	0.25		-	0.24	ug/WIPE
CL043-045	5/15/2020	14:47	N1	DD-D000803	CL043-045-051520-COMP-B	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL043-045	5/15/2020	14:47	N1	DD-D000803	CL043-045-051520-COMP-B	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL043-045	5/15/2020	14:47	N1	DD-D000803	CL043-045-051520-COMP-B	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL043-045	5/15/2020	14:47	N1	DD-D000803	CL043-045-051520-COMP-B	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	13		0.088	0.24	ug/WIPE
CL043-045	5/15/2020	14:47	N1	DD-D000803	CL043-045-051520-COMP-B	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL043-045	5/15/2020	14:47	N1	DD-D000803	CL043-045-051520-COMP-B	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	3.8		0.07	0.24	ug/WIPE
CL043-045	5/15/2020	14:47	N1	DD-D000803	CL043-045-051520-COMP-B	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL043-045	5/15/2020	14:47	N1	DD-D000803	CL043-045-051520-COMP-B	SW8082A	SW	TOTAL PCBs	16.8		-	0.24	ug/WIPE
CL044-046	5/15/2020	14:52	N1	DD-D000804	CL044-046-051520-COMP-P	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL044-046	5/15/2020	14:52	N1	DD-D000804	CL044-046-051520-COMP-P	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL044-046	5/15/2020	14:52	N1	DD-D000804	CL044-046-051520-COMP-P	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL044-046	5/15/2020	14:52	N1	DD-D000804	CL044-046-051520-COMP-P	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	11		0.088	0.24	ug/WIPE
CL044-046	5/15/2020	14:52	N1	DD-D000804	CL044-046-051520-COMP-P	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL044-046	5/15/2020	14:52	N1	DD-D000804	CL044-046-051520-COMP-P	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	3.1		0.07	0.24	ug/WIPE
CL044-046	5/15/2020	14:52	N1	DD-D000804	CL044-046-051520-COMP-P	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL044-046	5/15/2020	14:52	N1	DD-D000804	CL044-046-051520-COMP-P	SW8082A	SW	TOTAL PCBs	14.1		-	0.24	ug/WIPE
CL047-049	5/15/2020	15:45	N1	DD-D000807	CL047-049-051520-COMP-B	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE

Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
CL047-049	5/15/2020	15:45	N1	DD-D000807	CL047-049-051520-COMP-B	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL047-049	5/15/2020	15:45	N1	DD-D000807	CL047-049-051520-COMP-B	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL047-049	5/15/2020	15:45	N1	DD-D000807	CL047-049-051520-COMP-B	SW8082A	SW	PCB-1242 (AROCLOR 1242)	4.4		0.088	0.24	ug/WIPE
CL047-049	5/15/2020	15:45	N1	DD-D000807	CL047-049-051520-COMP-B	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL047-049	5/15/2020	15:45	N1	DD-D000807	CL047-049-051520-COMP-B	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.2		0.07	0.24	ug/WIPE
CL047-049	5/15/2020	15:45	N1	DD-D000807	CL047-049-051520-COMP-B	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL047-049	5/15/2020	15:45	N1	DD-D000807	CL047-049-051520-COMP-B	SW8082A	SW	TOTAL PCBs	5.6		-	0.24	ug/WIPE
CL048-050	5/15/2020	15:50	N1	DD-D000808	CL048-050-051520-COMP-P	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL048-050	5/15/2020	15:50	N1	DD-D000808	CL048-050-051520-COMP-P	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL048-050	5/15/2020	15:50	N1	DD-D000808	CL048-050-051520-COMP-P	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL048-050	5/15/2020	15:50	N1	DD-D000808	CL048-050-051520-COMP-P	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.3		0.088	0.24	ug/WIPE
CL048-050	5/15/2020	15:50	N1	DD-D000808	CL048-050-051520-COMP-P	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL048-050	5/15/2020	15:50	N1	DD-D000808	CL048-050-051520-COMP-P	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
CL048-050	5/15/2020	15:50	N1	DD-D000808	CL048-050-051520-COMP-P	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL048-050	5/15/2020	15:50	N1	DD-D000808	CL048-050-051520-COMP-P	SW8082A	SW	TOTAL PCBs	0.3		-	0.24	ug/WIPE
CL051-053	5/15/2020	16:12	N1	DD-D000901	CL051-053-051520-COMP-B	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL051-053	5/15/2020	16:12	N1	DD-D000901	CL051-053-051520-COMP-B	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL051-053	5/15/2020	16:12	N1	DD-D000901	CL051-053-051520-COMP-B	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL051-053	5/15/2020	16:12	N1	DD-D000901	CL051-053-051520-COMP-B	SW8082A	SW	PCB-1242 (AROCLOR 1242)	5.6		0.088	0.24	ug/WIPE
CL051-053	5/15/2020	16:12	N1	DD-D000901	CL051-053-051520-COMP-B	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL051-053	5/15/2020	16:12	N1	DD-D000901	CL051-053-051520-COMP-B	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.6		0.07	0.24	ug/WIPE
CL051-053	5/15/2020	16:12	N1	DD-D000901	CL051-053-051520-COMP-B	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL051-053	5/15/2020	16:12	N1	DD-D000901	CL051-053-051520-COMP-B	SW8082A	SW	TOTAL PCBs	7.2		-	0.24	ug/WIPE
CL052-054	5/15/2020	16:41	N1	DD-D000902	CL052-054-051520-COMP-P	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL052-054	5/15/2020	16:41	N1	DD-D000902	CL052-054-051520-COMP-P	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL052-054	5/15/2020	16:41	N1	DD-D000902	CL052-054-051520-COMP-P	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL052-054	5/15/2020	16:41	N1	DD-D000902	CL052-054-051520-COMP-P	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.18	J	0.088	0.24	ug/WIPE
CL052-054	5/15/2020	16:41	N1	DD-D000902	CL052-054-051520-COMP-P	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL052-054	5/15/2020	16:41	N1	DD-D000902	CL052-054-051520-COMP-P	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
CL052-054	5/15/2020	16:41	N1	DD-D000902	CL052-054-051520-COMP-P	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL052-054	5/15/2020	16:41	N1	DD-D000902	CL052-054-051520-COMP-P	SW8082A	SW	TOTAL PCBs	0.18		-	0.24	ug/WIPE
CL055-057	5/15/2020	16:58	N1	DD-D000905	CL055-057-051520-COMP-B	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL055-057	5/15/2020	16:58	N1	DD-D000905	CL055-057-051520-COMP-B	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL055-057	5/15/2020	16:58	N1	DD-D000905	CL055-057-051520-COMP-B	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL055-057	5/15/2020	16:58	N1	DD-D000905	CL055-057-051520-COMP-B	SW8082A	SW	PCB-1242 (AROCLOR 1242)	21		0.088	0.24	ug/WIPE
CL055-057	5/15/2020	16:58	N1	DD-D000905	CL055-057-051520-COMP-B	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL055-057	5/15/2020	16:58	N1	DD-D000905	CL055-057-051520-COMP-B	SW8082A	SW	PCB-1254 (AROCLOR 1254)	6.9		0.07	0.24	ug/WIPE
CL055-057	5/15/2020	16:58	N1	DD-D000905	CL055-057-051520-COMP-B	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL055-057	5/15/2020	16:58	N1	DD-D000905	CL055-057-051520-COMP-B	SW8082A	SW	TOTAL PCBs	27.9		-	0.24	ug/WIPE
CL056-058	5/15/2020	17:10	N1	DD-D000906	CL056-058-051520-COMP-P	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL056-058	5/15/2020	17:10	N1	DD-D000906	CL056-058-051520-COMP-P	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL056-058	5/15/2020	17:10	N1	DD-D000906	CL056-058-051520-COMP-P	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL056-058	5/15/2020	17:10	N1	DD-D000906	CL056-058-051520-COMP-P	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.25		0.088	0.24	ug/WIPE
CL056-058	5/15/2020	17:10	N1	DD-D000906	CL056-058-051520-COMP-P	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL056-058	5/15/2020	17:10	N1	DD-D000906	CL056-058-051520-COMP-P	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.11	J	0.07	0.24	ug/WIPE
CL056-058	5/15/2020	17:10	N1	DD-D000906	CL056-058-051520-COMP-P	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL056-058	5/15/2020	17:10	N1	DD-D000906	CL056-058-051520-COMP-P	SW8082A	SW	TOTAL PCBs	0.36		-	0.24	ug/WIPE
CL059-061	5/15/2020	17:26	N1	DD-D000909	CL059-061-051520-COMP-B	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL059-061	5/15/2020	17:26	N1	DD-D000909	CL059-061-051520-COMP-B	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL059-061	5/15/2020	17:26	N1	DD-D000909	CL059-061-051520-COMP-B	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL059-061	5/15/2020	17:26	N1	DD-D000909	CL059-061-051520-COMP-B	SW8082A	SW	PCB-1242 (AROCLOR 1242)	6.9		0.088	0.24	ug/WIPE

Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
CL059-061	5/15/2020	17:26	N1	DD-D000909	CL059-061-051520-COMP-B	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL059-061	5/15/2020	17:26	N1	DD-D000909	CL059-061-051520-COMP-B	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2.1	U	0.07	0.24	ug/WIPE
CL059-061	5/15/2020	17:26	N1	DD-D000909	CL059-061-051520-COMP-B	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL059-061	5/15/2020	17:26	N1	DD-D000909	CL059-061-051520-COMP-B	SW8082A	SW	TOTAL PCBs	9		-	0.24	ug/WIPE
CL060-062	5/15/2020	17:30	N1	DD-D000910	CL060-062-051520-COMP-P	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL060-062	5/15/2020	17:30	N1	DD-D000910	CL060-062-051520-COMP-P	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL060-062	5/15/2020	17:30	N1	DD-D000910	CL060-062-051520-COMP-P	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL060-062	5/15/2020	17:30	N1	DD-D000910	CL060-062-051520-COMP-P	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.55		0.088	0.24	ug/WIPE
CL060-062	5/15/2020	17:30	N1	DD-D000910	CL060-062-051520-COMP-P	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL060-062	5/15/2020	17:30	N1	DD-D000910	CL060-062-051520-COMP-P	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.25		0.07	0.24	ug/WIPE
CL060-062	5/15/2020	17:30	N1	DD-D000910	CL060-062-051520-COMP-P	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL060-062	5/15/2020	17:30	N1	DD-D000910	CL060-062-051520-COMP-P	SW8082A	SW	TOTAL PCBs	0.8		-	0.24	ug/WIPE
CL063-065	5/18/2020	6:31	N1	DD-D001003	CL063-065-051820-COMP-B	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL063-065	5/18/2020	6:31	N1	DD-D001003	CL063-065-051820-COMP-B	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL063-065	5/18/2020	6:31	N1	DD-D001003	CL063-065-051820-COMP-B	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL063-065	5/18/2020	6:31	N1	DD-D001003	CL063-065-051820-COMP-B	SW8082A	SW	PCB-1242 (AROCLOR 1242)	5.2		0.088	0.24	ug/WIPE
CL063-065	5/18/2020	6:31	N1	DD-D001003	CL063-065-051820-COMP-B	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL063-065	5/18/2020	6:31	N1	DD-D001003	CL063-065-051820-COMP-B	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.7		0.07	0.24	ug/WIPE
CL063-065	5/18/2020	6:31	N1	DD-D001003	CL063-065-051820-COMP-B	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL063-065	5/18/2020	6:31	N1	DD-D001003	CL063-065-051820-COMP-B	SW8082A	SW	TOTAL PCBs	6.9		-	0.24	ug/WIPE
CL064-066	5/18/2020	6:37	N1	DD-D001004	CL064-066-051820-COMP-P	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL064-066	5/18/2020	6:37	N1	DD-D001004	CL064-066-051820-COMP-P	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL064-066	5/18/2020	6:37	N1	DD-D001004	CL064-066-051820-COMP-P	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL064-066	5/18/2020	6:37	N1	DD-D001004	CL064-066-051820-COMP-P	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.22	J	0.088	0.24	ug/WIPE
CL064-066	5/18/2020	6:37	N1	DD-D001004	CL064-066-051820-COMP-P	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL064-066	5/18/2020	6:37	N1	DD-D001004	CL064-066-051820-COMP-P	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.084	J	0.07	0.24	ug/WIPE
CL064-066	5/18/2020	6:37	N1	DD-D001004	CL064-066-051820-COMP-P	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL064-066	5/18/2020	6:37	N1	DD-D001004	CL064-066-051820-COMP-P	SW8082A	SW	TOTAL PCBs	0.304		-	0.24	ug/WIPE
CL067-069	5/18/2020	6:46	N1	DD-D001007	CL067-069-051820-COMP-B	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL067-069	5/18/2020	6:46	N1	DD-D001007	CL067-069-051820-COMP-B	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL067-069	5/18/2020	6:46	N1	DD-D001007	CL067-069-051820-COMP-B	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL067-069	5/18/2020	6:46	N1	DD-D001007	CL067-069-051820-COMP-B	SW8082A	SW	PCB-1242 (AROCLOR 1242)	5.4		0.088	0.24	ug/WIPE
CL067-069	5/18/2020	6:46	N1	DD-D001007	CL067-069-051820-COMP-B	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL067-069	5/18/2020	6:46	N1	DD-D001007	CL067-069-051820-COMP-B	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.7		0.07	0.24	ug/WIPE
CL067-069	5/18/2020	6:46	N1	DD-D001007	CL067-069-051820-COMP-B	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL067-069	5/18/2020	6:46	N1	DD-D001007	CL067-069-051820-COMP-B	SW8082A	SW	TOTAL PCBs	7.1		-	0.24	ug/WIPE
CL068-070	5/18/2020	6:52	N1	DD-D001008	CL068-070-051820-COMP-P	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL068-070	5/18/2020	6:52	N1	DD-D001008	CL068-070-051820-COMP-P	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL068-070	5/18/2020	6:52	N1	DD-D001008	CL068-070-051820-COMP-P	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL068-070	5/18/2020	6:52	N1	DD-D001008	CL068-070-051820-COMP-P	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.18	J	0.088	0.24	ug/WIPE
CL068-070	5/18/2020	6:52	N1	DD-D001008	CL068-070-051820-COMP-P	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL068-070	5/18/2020	6:52	N1	DD-D001008	CL068-070-051820-COMP-P	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
CL068-070	5/18/2020	6:52	N1	DD-D001008	CL068-070-051820-COMP-P	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL068-070	5/18/2020	6:52	N1	DD-D001008	CL068-070-051820-COMP-P	SW8082A	SW	TOTAL PCBs	0.18		-	0.24	ug/WIPE
CL071-073	5/18/2020	7:07	N1	DD-D013501	CL071-073-051820-COMP-B	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL071-073	5/18/2020	7:07	N1	DD-D013501	CL071-073-051820-COMP-B	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL071-073	5/18/2020	7:07	N1	DD-D013501	CL071-073-051820-COMP-B	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL071-073	5/18/2020	7:07	N1	DD-D013501	CL071-073-051820-COMP-B	SW8082A	SW	PCB-1242 (AROCLOR 1242)	5.7		0.088	0.24	ug/WIPE
CL071-073	5/18/2020	7:07	N1	DD-D013501	CL071-073-051820-COMP-B	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL071-073	5/18/2020	7:07	N1	DD-D013501	CL071-073-051820-COMP-B	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2.1		0.07	0.24	ug/WIPE
CL071-073	5/18/2020	7:07	N1	DD-D013501	CL071-073-051820-COMP-B	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE



Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
CL071-073	5/18/2020	7:07	N1	DD-D013501	CL071-073-051820-COMP-B	SW8082A	SW	TOTAL PCBs	7.8		-	0.24	ug/WIPE
CL072-074	5/18/2020	7:31	N1	DD-D013502	CL072-074-051820-COMP-P	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL072-074	5/18/2020	7:31	N1	DD-D013502	CL072-074-051820-COMP-P	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL072-074	5/18/2020	7:31	N1	DD-D013502	CL072-074-051820-COMP-P	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL072-074	5/18/2020	7:31	N1	DD-D013502	CL072-074-051820-COMP-P	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.29		0.088	0.24	ug/WIPE
CL072-074	5/18/2020	7:31	N1	DD-D013502	CL072-074-051820-COMP-P	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL072-074	5/18/2020	7:31	N1	DD-D013502	CL072-074-051820-COMP-P	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.1	J	0.07	0.24	ug/WIPE
CL072-074	5/18/2020	7:31	N1	DD-D013502	CL072-074-051820-COMP-P	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL072-074	5/18/2020	7:31	N1	DD-D013502	CL072-074-051820-COMP-P	SW8082A	SW	TOTAL PCBs	0.39		-	0.24	ug/WIPE
CL075-077	5/18/2020	7:47	N1	DD-D013505	CL075-077-051820-COMP-B	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL075-077	5/18/2020	7:47	N1	DD-D013505	CL075-077-051820-COMP-B	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL075-077	5/18/2020	7:47	N1	DD-D013505	CL075-077-051820-COMP-B	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL075-077	5/18/2020	7:47	N1	DD-D013505	CL075-077-051820-COMP-B	SW8082A	SW	PCB-1242 (AROCLOR 1242)	5.3		0.088	0.24	ug/WIPE
CL075-077	5/18/2020	7:47	N1	DD-D013505	CL075-077-051820-COMP-B	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL075-077	5/18/2020	7:47	N1	DD-D013505	CL075-077-051820-COMP-B	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.6		0.07	0.24	ug/WIPE
CL075-077	5/18/2020	7:47	N1	DD-D013505	CL075-077-051820-COMP-B	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL075-077	5/18/2020	7:47	N1	DD-D013505	CL075-077-051820-COMP-B	SW8082A	SW	TOTAL PCBs	6.9		-	0.24	ug/WIPE
CL076-078	5/18/2020	7:50	N1	DD-D013506	CL076-078-051820-COMP-P	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL076-078	5/18/2020	7:50	N1	DD-D013506	CL076-078-051820-COMP-P	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL076-078	5/18/2020	7:50	N1	DD-D013506	CL076-078-051820-COMP-P	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL076-078	5/18/2020	7:50	N1	DD-D013506	CL076-078-051820-COMP-P	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.18	J	0.088	0.24	ug/WIPE
CL076-078	5/18/2020	7:50	N1	DD-D013506	CL076-078-051820-COMP-P	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL076-078	5/18/2020	7:50	N1	DD-D013506	CL076-078-051820-COMP-P	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.07	J	0.07	0.24	ug/WIPE
CL076-078	5/18/2020	7:50	N1	DD-D013506	CL076-078-051820-COMP-P	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL076-078	5/18/2020	7:50	N1	DD-D013506	CL076-078-051820-COMP-P	SW8082A	SW	TOTAL PCBs	0.25		-	0.24	ug/WIPE
CL079-081	5/18/2020	8:02	N1	DD-D013509	CL079-081-051820-COMP-B	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL079-081	5/18/2020	8:02	N1	DD-D013509	CL079-081-051820-COMP-B	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL079-081	5/18/2020	8:02	N1	DD-D013509	CL079-081-051820-COMP-B	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL079-081	5/18/2020	8:02	N1	DD-D013509	CL079-081-051820-COMP-B	SW8082A	SW	PCB-1242 (AROCLOR 1242)	7.9		0.088	0.24	ug/WIPE
CL079-081	5/18/2020	8:02	N1	DD-D013509	CL079-081-051820-COMP-B	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL079-081	5/18/2020	8:02	N1	DD-D013509	CL079-081-051820-COMP-B	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2.7		0.07	0.24	ug/WIPE
CL079-081	5/18/2020	8:02	N1	DD-D013509	CL079-081-051820-COMP-B	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL079-081	5/18/2020	8:02	N1	DD-D013509	CL079-081-051820-COMP-B	SW8082A	SW	TOTAL PCBs	10.6		-	0.24	ug/WIPE
CL080-082	5/18/2020	8:06	N1	DD-D013510	CL080-082-051820-COMP-P	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL080-082	5/18/2020	8:06	N1	DD-D013510	CL080-082-051820-COMP-P	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL080-082	5/18/2020	8:06	N1	DD-D013510	CL080-082-051820-COMP-P	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL080-082	5/18/2020	8:06	N1	DD-D013510	CL080-082-051820-COMP-P	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.2	J	0.088	0.24	ug/WIPE
CL080-082	5/18/2020	8:06	N1	DD-D013510	CL080-082-051820-COMP-P	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL080-082	5/18/2020	8:06	N1	DD-D013510	CL080-082-051820-COMP-P	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
CL080-082	5/18/2020	8:06	N1	DD-D013510	CL080-082-051820-COMP-P	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL080-082	5/18/2020	8:06	N1	DD-D013510	CL080-082-051820-COMP-P	SW8082A	SW	TOTAL PCBs	0.2		-	0.24	ug/WIPE
CL083-085	5/18/2020	8:20	N1	DD-D013603	CL083-085-051820-COMP-B	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL083-085	5/18/2020	8:20	N1	DD-D013603	CL083-085-051820-COMP-B	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL083-085	5/18/2020	8:20	N1	DD-D013603	CL083-085-051820-COMP-B	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL083-085	5/18/2020	8:20	N1	DD-D013603	CL083-085-051820-COMP-B	SW8082A	SW	PCB-1242 (AROCLOR 1242)	14		0.088	0.24	ug/WIPE
CL083-085	5/18/2020	8:20	N1	DD-D013603	CL083-085-051820-COMP-B	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL083-085	5/18/2020	8:20	N1	DD-D013603	CL083-085-051820-COMP-B	SW8082A	SW	PCB-1254 (AROCLOR 1254)	4.4		0.07	0.24	ug/WIPE
CL083-085	5/18/2020	8:20	N1	DD-D013603	CL083-085-051820-COMP-B	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL083-085	5/18/2020	8:20	N1	DD-D013603	CL083-085-051820-COMP-B	SW8082A	SW	TOTAL PCBs	18.4		-	0.24	ug/WIPE
CL084-086	5/18/2020	8:24	N1	DD-D013604	CL084-086-051820-COMP-P	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL084-086	5/18/2020	8:24	N1	DD-D013604	CL084-086-051820-COMP-P	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE

Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
CL084-086	5/18/2020	8:24	N1	DD-D013604	CL084-086-051820-COMP-P	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL084-086	5/18/2020	8:24	N1	DD-D013604	CL084-086-051820-COMP-P	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.27	U	0.088	0.24	ug/WIPE
CL084-086	5/18/2020	8:24	N1	DD-D013604	CL084-086-051820-COMP-P	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL084-086	5/18/2020	8:24	N1	DD-D013604	CL084-086-051820-COMP-P	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.11	J	0.07	0.24	ug/WIPE
CL084-086	5/18/2020	8:24	N1	DD-D013604	CL084-086-051820-COMP-P	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL084-086	5/18/2020	8:24	N1	DD-D013604	CL084-086-051820-COMP-P	SW8082A	SW	TOTAL PCBs	0.38		-	0.24	ug/WIPE
CL087-089	5/18/2020	8:33	N1	DD-D013607	CL087-089-051820-COMP-B	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL087-089	5/18/2020	8:33	N1	DD-D013607	CL087-089-051820-COMP-B	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL087-089	5/18/2020	8:33	N1	DD-D013607	CL087-089-051820-COMP-B	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL087-089	5/18/2020	8:33	N1	DD-D013607	CL087-089-051820-COMP-B	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.2		0.088	0.24	ug/WIPE
CL087-089	5/18/2020	8:33	N1	DD-D013607	CL087-089-051820-COMP-B	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL087-089	5/18/2020	8:33	N1	DD-D013607	CL087-089-051820-COMP-B	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.2		0.07	0.24	ug/WIPE
CL087-089	5/18/2020	8:33	N1	DD-D013607	CL087-089-051820-COMP-B	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL087-089	5/18/2020	8:33	N1	DD-D013607	CL087-089-051820-COMP-B	SW8082A	SW	TOTAL PCBs	4.4		-	0.24	ug/WIPE
CL088-090	5/18/2020	8:36	N1	DD-D013608	CL080-082-051820-COMP-P	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL088-090	5/18/2020	8:36	N1	DD-D013608	CL080-082-051820-COMP-P	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL088-090	5/18/2020	8:36	N1	DD-D013608	CL080-082-051820-COMP-P	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL088-090	5/18/2020	8:36	N1	DD-D013608	CL080-082-051820-COMP-P	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.32		0.088	0.24	ug/WIPE
CL088-090	5/18/2020	8:36	N1	DD-D013608	CL080-082-051820-COMP-P	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL088-090	5/18/2020	8:36	N1	DD-D013608	CL080-082-051820-COMP-P	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.12	J	0.07	0.24	ug/WIPE
CL088-090	5/18/2020	8:36	N1	DD-D013608	CL080-082-051820-COMP-P	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL088-090	5/18/2020	8:36	N1	DD-D013608	CL080-082-051820-COMP-P	SW8082A	SW	TOTAL PCBs	0.44		-	0.24	ug/WIPE
CL091-093	5/18/2020	9:14	N1	DD-D013701	CL091-093-051820-COMP-B	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL091-093	5/18/2020	9:14	N1	DD-D013701	CL091-093-051820-COMP-B	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL091-093	5/18/2020	9:14	N1	DD-D013701	CL091-093-051820-COMP-B	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL091-093	5/18/2020	9:14	N1	DD-D013701	CL091-093-051820-COMP-B	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	6.2		0.088	0.24	ug/WIPE
CL091-093	5/18/2020	9:14	N1	DD-D013701	CL091-093-051820-COMP-B	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL091-093	5/18/2020	9:14	N1	DD-D013701	CL091-093-051820-COMP-B	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.4		0.07	0.24	ug/WIPE
CL091-093	5/18/2020	9:14	N1	DD-D013701	CL091-093-051820-COMP-B	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL091-093	5/18/2020	9:14	N1	DD-D013701	CL091-093-051820-COMP-B	SW8082A	SW	TOTAL PCBs	8.6		-	0.24	ug/WIPE
CL092-094	5/18/2020	9:17	N1	DD-D013702	CL092-094-051820-COMP-P	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL092-094	5/18/2020	9:17	N1	DD-D013702	CL092-094-051820-COMP-P	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL092-094	5/18/2020	9:17	N1	DD-D013702	CL092-094-051820-COMP-P	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL092-094	5/18/2020	9:17	N1	DD-D013702	CL092-094-051820-COMP-P	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.14	J	0.088	0.24	ug/WIPE
CL092-094	5/18/2020	9:17	N1	DD-D013702	CL092-094-051820-COMP-P	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL092-094	5/18/2020	9:17	N1	DD-D013702	CL092-094-051820-COMP-P	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	ND	U	0.07	0.24	ug/WIPE
CL092-094	5/18/2020	9:17	N1	DD-D013702	CL092-094-051820-COMP-P	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL092-094	5/18/2020	9:17	N1	DD-D013702	CL092-094-051820-COMP-P	SW8082A	SW	TOTAL PCBs	0.14		-	0.24	ug/WIPE
CL095-097	5/18/2020	9:26	N1	DD-D013705	CL095-097-051820-COMP-B	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL095-097	5/18/2020	9:26	N1	DD-D013705	CL095-097-051820-COMP-B	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL095-097	5/18/2020	9:26	N1	DD-D013705	CL095-097-051820-COMP-B	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL095-097	5/18/2020	9:26	N1	DD-D013705	CL095-097-051820-COMP-B	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	7.3		0.088	0.24	ug/WIPE
CL095-097	5/18/2020	9:26	N1	DD-D013705	CL095-097-051820-COMP-B	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL095-097	5/18/2020	9:26	N1	DD-D013705	CL095-097-051820-COMP-B	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	4.3		0.07	0.24	ug/WIPE
CL095-097	5/18/2020	9:26	N1	DD-D013705	CL095-097-051820-COMP-B	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL095-097	5/18/2020	9:26	N1	DD-D013705	CL095-097-051820-COMP-B	SW8082A	SW	TOTAL PCBs	11.6		-	0.24	ug/WIPE
CL096-098	5/18/2020	9:30	N1	DD-D013706	CL096-098-051820-COMP-P	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL096-098	5/18/2020	9:30	N1	DD-D013706	CL096-098-051820-COMP-P	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL096-098	5/18/2020	9:30	N1	DD-D013706	CL096-098-051820-COMP-P	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL096-098	5/18/2020	9:30	N1	DD-D013706	CL096-098-051820-COMP-P	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.23	J	0.088	0.24	ug/WIPE
CL096-098	5/18/2020	9:30	N1	DD-D013706	CL096-098-051820-COMP-P	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE

Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
CL096-098	5/18/2020	9:30	N1	DD-D013706	CL096-098-051820-COMP-P	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.095	J	0.07	0.24	ug/WIPE
CL096-098	5/18/2020	9:30	N1	DD-D013706	CL096-098-051820-COMP-P	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL096-098	5/18/2020	9:30	N1	DD-D013706	CL096-098-051820-COMP-P	SW8082A	SW	TOTAL PCBs	0.325		-	0.24	ug/WIPE
CL099-101	5/18/2020	9:41	N1	DD-D013709	CL099-100-051820-COMP-B	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL099-101	5/18/2020	9:41	N1	DD-D013709	CL099-100-051820-COMP-B	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL099-101	5/18/2020	9:41	N1	DD-D013709	CL099-100-051820-COMP-B	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL099-101	5/18/2020	9:41	N1	DD-D013709	CL099-100-051820-COMP-B	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	4.8		0.088	0.24	ug/WIPE
CL099-101	5/18/2020	9:41	N1	DD-D013709	CL099-100-051820-COMP-B	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL099-101	5/18/2020	9:41	N1	DD-D013709	CL099-100-051820-COMP-B	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.8		0.07	0.24	ug/WIPE
CL099-101	5/18/2020	9:41	N1	DD-D013709	CL099-100-051820-COMP-B	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL099-101	5/18/2020	9:41	N1	DD-D013709	CL099-100-051820-COMP-B	SW8082A	SW	TOTAL PCBs	6.6		-	0.24	ug/WIPE
CL100-102	5/18/2020	9:44	N1	DD-D013710	CL100-102-051820-COMP-P	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL100-102	5/18/2020	9:44	N1	DD-D013710	CL100-102-051820-COMP-P	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL100-102	5/18/2020	9:44	N1	DD-D013710	CL100-102-051820-COMP-P	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL100-102	5/18/2020	9:44	N1	DD-D013710	CL100-102-051820-COMP-P	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	ND	U	0.088	0.24	ug/WIPE
CL100-102	5/18/2020	9:44	N1	DD-D013710	CL100-102-051820-COMP-P	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL100-102	5/18/2020	9:44	N1	DD-D013710	CL100-102-051820-COMP-P	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	ND	U	0.07	0.24	ug/WIPE
CL100-102	5/18/2020	9:44	N1	DD-D013710	CL100-102-051820-COMP-P	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL100-102	5/18/2020	9:44	N1	DD-D013710	CL100-102-051820-COMP-P	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
CL103-105	5/18/2020	9:57	N1	DD-D013803	CL103-105-051820-COMP-B	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL103-105	5/18/2020	9:57	N1	DD-D013803	CL103-105-051820-COMP-B	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL103-105	5/18/2020	9:57	N1	DD-D013803	CL103-105-051820-COMP-B	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL103-105	5/18/2020	9:57	N1	DD-D013803	CL103-105-051820-COMP-B	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	5.1		0.088	0.24	ug/WIPE
CL103-105	5/18/2020	9:57	N1	DD-D013803	CL103-105-051820-COMP-B	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL103-105	5/18/2020	9:57	N1	DD-D013803	CL103-105-051820-COMP-B	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.5		0.07	0.24	ug/WIPE
CL103-105	5/18/2020	9:57	N1	DD-D013803	CL103-105-051820-COMP-B	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL103-105	5/18/2020	9:57	N1	DD-D013803	CL103-105-051820-COMP-B	SW8082A	SW	TOTAL PCBs	7.6		-	0.24	ug/WIPE
CL104-106	5/18/2020	10:01	N1	DD-D013804	CL104-106-051820-COMP-P	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL104-106	5/18/2020	10:01	N1	DD-D013804	CL104-106-051820-COMP-P	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL104-106	5/18/2020	10:01	N1	DD-D013804	CL104-106-051820-COMP-P	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL104-106	5/18/2020	10:01	N1	DD-D013804	CL104-106-051820-COMP-P	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.32		0.088	0.24	ug/WIPE
CL104-106	5/18/2020	10:01	N1	DD-D013804	CL104-106-051820-COMP-P	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL104-106	5/18/2020	10:01	N1	DD-D013804	CL104-106-051820-COMP-P	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.15	J	0.07	0.24	ug/WIPE
CL104-106	5/18/2020	10:01	N1	DD-D013804	CL104-106-051820-COMP-P	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL104-106	5/18/2020	10:01	N1	DD-D013804	CL104-106-051820-COMP-P	SW8082A	SW	TOTAL PCBs	0.47		-	0.24	ug/WIPE
CL107-109	5/18/2020	10:20	N1	DD-D013807	CL107-109-051820-COMP-B	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL107-109	5/18/2020	10:20	N1	DD-D013807	CL107-109-051820-COMP-B	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL107-109	5/18/2020	10:20	N1	DD-D013807	CL107-109-051820-COMP-B	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL107-109	5/18/2020	10:20	N1	DD-D013807	CL107-109-051820-COMP-B	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	9		0.088	0.24	ug/WIPE
CL107-109	5/18/2020	10:20	N1	DD-D013807	CL107-109-051820-COMP-B	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL107-109	5/18/2020	10:20	N1	DD-D013807	CL107-109-051820-COMP-B	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	3.6		0.07	0.24	ug/WIPE
CL107-109	5/18/2020	10:20	N1	DD-D013807	CL107-109-051820-COMP-B	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL107-109	5/18/2020	10:20	N1	DD-D013807	CL107-109-051820-COMP-B	SW8082A	SW	TOTAL PCBs	12.6		-	0.24	ug/WIPE
CL108-110	5/18/2020	10:23	N1	DD-D013808	CL108-110-051820-COMP-P	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL108-110	5/18/2020	10:23	N1	DD-D013808	CL108-110-051820-COMP-P	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL108-110	5/18/2020	10:23	N1	DD-D013808	CL108-110-051820-COMP-P	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL108-110	5/18/2020	10:23	N1	DD-D013808	CL108-110-051820-COMP-P	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.34		0.088	0.24	ug/WIPE
CL108-110	5/18/2020	10:23	N1	DD-D013808	CL108-110-051820-COMP-P	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL108-110	5/18/2020	10:23	N1	DD-D013808	CL108-110-051820-COMP-P	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.17	J	0.07	0.24	ug/WIPE
CL108-110	5/18/2020	10:23	N1	DD-D013808	CL108-110-051820-COMP-P	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL108-110	5/18/2020	10:23	N1	DD-D013808	CL108-110-051820-COMP-P	SW8082A	SW	TOTAL PCBs	0.51		-	0.24	ug/WIPE

Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
CL111-113	5/18/2020	10:33	N1	DD-D013901	CL111-113-051820-COMP-B	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL111-113	5/18/2020	10:33	N1	DD-D013901	CL111-113-051820-COMP-B	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL111-113	5/18/2020	10:33	N1	DD-D013901	CL111-113-051820-COMP-B	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL111-113	5/18/2020	10:33	N1	DD-D013901	CL111-113-051820-COMP-B	SW8082A	SW	PCB-1242 (AROCLOR 1242)	7.2		0.088	0.24	ug/WIPE
CL111-113	5/18/2020	10:33	N1	DD-D013901	CL111-113-051820-COMP-B	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL111-113	5/18/2020	10:33	N1	DD-D013901	CL111-113-051820-COMP-B	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2.4		0.07	0.24	ug/WIPE
CL111-113	5/18/2020	10:33	N1	DD-D013901	CL111-113-051820-COMP-B	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL111-113	5/18/2020	10:33	N1	DD-D013901	CL111-113-051820-COMP-B	SW8082A	SW	TOTAL PCBs	9.6		-	0.24	ug/WIPE
CL112-114	5/18/2020	10:37	N1	DD-D013902	CL112-114-051820-COMP-P	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL112-114	5/18/2020	10:37	N1	DD-D013902	CL112-114-051820-COMP-P	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL112-114	5/18/2020	10:37	N1	DD-D013902	CL112-114-051820-COMP-P	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL112-114	5/18/2020	10:37	N1	DD-D013902	CL112-114-051820-COMP-P	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.67		0.088	0.24	ug/WIPE
CL112-114	5/18/2020	10:37	N1	DD-D013902	CL112-114-051820-COMP-P	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL112-114	5/18/2020	10:37	N1	DD-D013902	CL112-114-051820-COMP-P	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.32		0.07	0.24	ug/WIPE
CL112-114	5/18/2020	10:37	N1	DD-D013902	CL112-114-051820-COMP-P	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL112-114	5/18/2020	10:37	N1	DD-D013902	CL112-114-051820-COMP-P	SW8082A	SW	TOTAL PCBs	0.99		-	0.24	ug/WIPE
CL115	5/18/2020	10:48	N1	DD-D013905	CL115-051820-B	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL115	5/18/2020	10:48	N1	DD-D013905	CL115-051820-B	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL115	5/18/2020	10:48	N1	DD-D013905	CL115-051820-B	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL115	5/18/2020	10:48	N1	DD-D013905	CL115-051820-B	SW8082A	SW	PCB-1242 (AROCLOR 1242)	5.7		0.088	0.24	ug/WIPE
CL115	5/18/2020	10:48	N1	DD-D013905	CL115-051820-B	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL115	5/18/2020	10:48	N1	DD-D013905	CL115-051820-B	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2		0.07	0.24	ug/WIPE
CL115	5/18/2020	10:48	N1	DD-D013905	CL115-051820-B	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL115	5/18/2020	10:48	N1	DD-D013905	CL115-051820-B	SW8082A	SW	TOTAL PCBs	7.7		-	0.24	ug/WIPE
CL116-118	5/18/2020	11:19	N1	DD-D013906	CL116-118-051820-COMP-P	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL116-118	5/18/2020	11:19	N1	DD-D013906	CL116-118-051820-COMP-P	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL116-118	5/18/2020	11:19	N1	DD-D013906	CL116-118-051820-COMP-P	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL116-118	5/18/2020	11:19	N1	DD-D013906	CL116-118-051820-COMP-P	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.42		0.088	0.24	ug/WIPE
CL116-118	5/18/2020	11:19	N1	DD-D013906	CL116-118-051820-COMP-P	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL116-118	5/18/2020	11:19	N1	DD-D013906	CL116-118-051820-COMP-P	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.21	J	0.07	0.24	ug/WIPE
CL116-118	5/18/2020	11:19	N1	DD-D013906	CL116-118-051820-COMP-P	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL116-118	5/18/2020	11:19	N1	DD-D013906	CL116-118-051820-COMP-P	SW8082A	SW	TOTAL PCBs	0.63		-	0.24	ug/WIPE
CL117-119	5/18/2020	11:27	N1	DD-D013907	CL117-119-051820-COMP-B	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL117-119	5/18/2020	11:27	N1	DD-D013907	CL117-119-051820-COMP-B	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL117-119	5/18/2020	11:27	N1	DD-D013907	CL117-119-051820-COMP-B	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL117-119	5/18/2020	11:27	N1	DD-D013907	CL117-119-051820-COMP-B	SW8082A	SW	PCB-1242 (AROCLOR 1242)	15		0.088	0.24	ug/WIPE
CL117-119	5/18/2020	11:27	N1	DD-D013907	CL117-119-051820-COMP-B	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL117-119	5/18/2020	11:27	N1	DD-D013907	CL117-119-051820-COMP-B	SW8082A	SW	PCB-1254 (AROCLOR 1254)	5.5		0.07	0.24	ug/WIPE
CL117-119	5/18/2020	11:27	N1	DD-D013907	CL117-119-051820-COMP-B	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL117-119	5/18/2020	11:27	N1	DD-D013907	CL117-119-051820-COMP-B	SW8082A	SW	TOTAL PCBs	20.5		-	0.24	ug/WIPE
CL120-122	5/18/2020	11:37	N1	DD-D013910	CL120-122-051820-COMP-P	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL120-122	5/18/2020	11:37	N1	DD-D013910	CL120-122-051820-COMP-P	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL120-122	5/18/2020	11:37	N1	DD-D013910	CL120-122-051820-COMP-P	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL120-122	5/18/2020	11:37	N1	DD-D013910	CL120-122-051820-COMP-P	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1.3		0.088	0.24	ug/WIPE
CL120-122	5/18/2020	11:37	N1	DD-D013910	CL120-122-051820-COMP-P	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL120-122	5/18/2020	11:37	N1	DD-D013910	CL120-122-051820-COMP-P	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.52		0.07	0.24	ug/WIPE
CL120-122	5/18/2020	11:37	N1	DD-D013910	CL120-122-051820-COMP-P	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL120-122	5/18/2020	11:37	N1	DD-D013910	CL120-122-051820-COMP-P	SW8082A	SW	TOTAL PCBs	1.82		-	0.24	ug/WIPE
CL121-123	5/18/2020	11:41	N1	DD-D014001	CL121-123-051820-COMP-B	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL121-123	5/18/2020	11:41	N1	DD-D014001	CL121-123-051820-COMP-B	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL121-123	5/18/2020	11:41	N1	DD-D014001	CL121-123-051820-COMP-B	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE

Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
CL121-123	5/18/2020	11:41	N1	DD-D014001	CL121-123-051820-COMP-B	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	10		0.088	0.24	ug/WIPE
CL121-123	5/18/2020	11:41	N1	DD-D014001	CL121-123-051820-COMP-B	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL121-123	5/18/2020	11:41	N1	DD-D014001	CL121-123-051820-COMP-B	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	4.1		0.07	0.24	ug/WIPE
CL121-123	5/18/2020	11:41	N1	DD-D014001	CL121-123-051820-COMP-B	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL121-123	5/18/2020	11:41	N1	DD-D014001	CL121-123-051820-COMP-B	SW8082A	SW	TOTAL PCBs	14.1		-	0.24	ug/WIPE
CL124-126	5/18/2020	11:52	N1	DD-D014004	CL124-126-051820-COMP-P	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL124-126	5/18/2020	11:52	N1	DD-D014004	CL124-126-051820-COMP-P	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL124-126	5/18/2020	11:52	N1	DD-D014004	CL124-126-051820-COMP-P	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL124-126	5/18/2020	11:52	N1	DD-D014004	CL124-126-051820-COMP-P	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.13	J	0.088	0.24	ug/WIPE
CL124-126	5/18/2020	11:52	N1	DD-D014004	CL124-126-051820-COMP-P	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL124-126	5/18/2020	11:52	N1	DD-D014004	CL124-126-051820-COMP-P	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	ND	U	0.07	0.24	ug/WIPE
CL124-126	5/18/2020	11:52	N1	DD-D014004	CL124-126-051820-COMP-P	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL124-126	5/18/2020	11:52	N1	DD-D014004	CL124-126-051820-COMP-P	SW8082A	SW	TOTAL PCBs	0.13		-	0.24	ug/WIPE
CL125-127	5/18/2020	11:55	N1	DD-D014005	CL125-127-051820-COMP-B	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL125-127	5/18/2020	11:55	N1	DD-D014005	CL125-127-051820-COMP-B	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL125-127	5/18/2020	11:55	N1	DD-D014005	CL125-127-051820-COMP-B	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL125-127	5/18/2020	11:55	N1	DD-D014005	CL125-127-051820-COMP-B	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	6.4		0.088	0.24	ug/WIPE
CL125-127	5/18/2020	11:55	N1	DD-D014005	CL125-127-051820-COMP-B	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL125-127	5/18/2020	11:55	N1	DD-D014005	CL125-127-051820-COMP-B	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.8		0.07	0.24	ug/WIPE
CL125-127	5/18/2020	11:55	N1	DD-D014005	CL125-127-051820-COMP-B	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL125-127	5/18/2020	11:55	N1	DD-D014005	CL125-127-051820-COMP-B	SW8082A	SW	TOTAL PCBs	9.2		-	0.24	ug/WIPE
CL128-130	5/18/2020	12:09	N1	DD-D014008	CL128-130-051820-COMP-P	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL128-130	5/18/2020	12:09	N1	DD-D014008	CL128-130-051820-COMP-P	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL128-130	5/18/2020	12:09	N1	DD-D014008	CL128-130-051820-COMP-P	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL128-130	5/18/2020	12:09	N1	DD-D014008	CL128-130-051820-COMP-P	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.73		0.088	0.24	ug/WIPE
CL128-130	5/18/2020	12:09	N1	DD-D014008	CL128-130-051820-COMP-P	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL128-130	5/18/2020	12:09	N1	DD-D014008	CL128-130-051820-COMP-P	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.28		0.07	0.24	ug/WIPE
CL128-130	5/18/2020	12:09	N1	DD-D014008	CL128-130-051820-COMP-P	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL128-130	5/18/2020	12:09	N1	DD-D014008	CL128-130-051820-COMP-P	SW8082A	SW	TOTAL PCBs	1.01		-	0.24	ug/WIPE
CL129-131	5/18/2020	12:12	N1	DD-D014009	CL129-131-051820-COMP-B	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL129-131	5/18/2020	12:12	N1	DD-D014009	CL129-131-051820-COMP-B	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL129-131	5/18/2020	12:12	N1	DD-D014009	CL129-131-051820-COMP-B	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL129-131	5/18/2020	12:12	N1	DD-D014009	CL129-131-051820-COMP-B	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	8.3		0.088	0.24	ug/WIPE
CL129-131	5/18/2020	12:12	N1	DD-D014009	CL129-131-051820-COMP-B	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL129-131	5/18/2020	12:12	N1	DD-D014009	CL129-131-051820-COMP-B	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	3.6		0.07	0.24	ug/WIPE
CL129-131	5/18/2020	12:12	N1	DD-D014009	CL129-131-051820-COMP-B	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL129-131	5/18/2020	12:12	N1	DD-D014009	CL129-131-051820-COMP-B	SW8082A	SW	TOTAL PCBs	11.9		-	0.24	ug/WIPE
CL132-134	5/18/2020	12:24	N1	DD-D014102	CL132-134-051820-COMP-P	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL132-134	5/18/2020	12:24	N1	DD-D014102	CL132-134-051820-COMP-P	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL132-134	5/18/2020	12:24	N1	DD-D014102	CL132-134-051820-COMP-P	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL132-134	5/18/2020	12:24	N1	DD-D014102	CL132-134-051820-COMP-P	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.28		0.088	0.24	ug/WIPE
CL132-134	5/18/2020	12:24	N1	DD-D014102	CL132-134-051820-COMP-P	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL132-134	5/18/2020	12:24	N1	DD-D014102	CL132-134-051820-COMP-P	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.12	J	0.07	0.24	ug/WIPE
CL132-134	5/18/2020	12:24	N1	DD-D014102	CL132-134-051820-COMP-P	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL132-134	5/18/2020	12:24	N1	DD-D014102	CL132-134-051820-COMP-P	SW8082A	SW	TOTAL PCBs	0.4		-	0.24	ug/WIPE
CL133	5/18/2020	12:30	N1	DD-D014103	CL133-051820-B	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL133	5/18/2020	12:30	N1	DD-D014103	CL133-051820-B	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL133	5/18/2020	12:30	N1	DD-D014103	CL133-051820-B	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL133	5/18/2020	12:30	N1	DD-D014103	CL133-051820-B	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.5		0.088	0.24	ug/WIPE
CL133	5/18/2020	12:30	N1	DD-D014103	CL133-051820-B	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL133	5/18/2020	12:30	N1	DD-D014103	CL133-051820-B	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.96		0.07	0.24	ug/WIPE



Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
CL133	5/18/2020	12:30	N1	DD-D014103	CL133-051820-B	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL133	5/18/2020	12:30	N1	DD-D014103	CL133-051820-B	SW8082A	SW	TOTAL PCBs	3.46		-	0.24	ug/WIPE
CL135	5/18/2020	12:00	N1	DD-D014105	CL135-051820-B	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL135	5/18/2020	12:00	N1	DD-D014105	CL135-051820-B	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL135	5/18/2020	12:00	N1	DD-D014105	CL135-051820-B	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL135	5/18/2020	12:00	N1	DD-D014105	CL135-051820-B	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1.7		0.088	0.24	ug/WIPE
CL135	5/18/2020	12:00	N1	DD-D014105	CL135-051820-B	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL135	5/18/2020	12:00	N1	DD-D014105	CL135-051820-B	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.7		0.07	0.24	ug/WIPE
CL135	5/18/2020	12:00	N1	DD-D014105	CL135-051820-B	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL135	5/18/2020	12:00	N1	DD-D014105	CL135-051820-B	SW8082A	SW	TOTAL PCBs	2.4		-	0.24	ug/WIPE
CL136-138	5/18/2020	14:03	N1	DD-D014106	CL136-138-051820-COMP-P	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL136-138	5/18/2020	14:03	N1	DD-D014106	CL136-138-051820-COMP-P	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL136-138	5/18/2020	14:03	N1	DD-D014106	CL136-138-051820-COMP-P	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL136-138	5/18/2020	14:03	N1	DD-D014106	CL136-138-051820-COMP-P	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.42		0.088	0.24	ug/WIPE
CL136-138	5/18/2020	14:03	N1	DD-D014106	CL136-138-051820-COMP-P	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL136-138	5/18/2020	14:03	N1	DD-D014106	CL136-138-051820-COMP-P	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.22	J	0.07	0.24	ug/WIPE
CL136-138	5/18/2020	14:03	N1	DD-D014106	CL136-138-051820-COMP-P	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL136-138	5/18/2020	14:03	N1	DD-D014106	CL136-138-051820-COMP-P	SW8082A	SW	TOTAL PCBs	0.64		-	0.24	ug/WIPE
CL137-139	5/18/2020	14:06	N1	DD-D014107	CL137-139-051820-COMP-B	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL137-139	5/18/2020	14:06	N1	DD-D014107	CL137-139-051820-COMP-B	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL137-139	5/18/2020	14:06	N1	DD-D014107	CL137-139-051820-COMP-B	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL137-139	5/18/2020	14:06	N1	DD-D014107	CL137-139-051820-COMP-B	SW8082A	SW	PCB-1242 (AROCLOR 1242)	6.6		0.088	0.24	ug/WIPE
CL137-139	5/18/2020	14:06	N1	DD-D014107	CL137-139-051820-COMP-B	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL137-139	5/18/2020	14:06	N1	DD-D014107	CL137-139-051820-COMP-B	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2.3		0.07	0.24	ug/WIPE
CL137-139	5/18/2020	14:06	N1	DD-D014107	CL137-139-051820-COMP-B	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL137-139	5/18/2020	14:06	N1	DD-D014107	CL137-139-051820-COMP-B	SW8082A	SW	TOTAL PCBs	8.9		-	0.24	ug/WIPE
CL140-142	5/18/2020	14:22	N1	DD-D014110	CL140-142-051820-COMP-P	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL140-142	5/18/2020	14:22	N1	DD-D014110	CL140-142-051820-COMP-P	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL140-142	5/18/2020	14:22	N1	DD-D014110	CL140-142-051820-COMP-P	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL140-142	5/18/2020	14:22	N1	DD-D014110	CL140-142-051820-COMP-P	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.45		0.088	0.24	ug/WIPE
CL140-142	5/18/2020	14:22	N1	DD-D014110	CL140-142-051820-COMP-P	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL140-142	5/18/2020	14:22	N1	DD-D014110	CL140-142-051820-COMP-P	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.22	J	0.07	0.24	ug/WIPE
CL140-142	5/18/2020	14:22	N1	DD-D014110	CL140-142-051820-COMP-P	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL140-142	5/18/2020	14:22	N1	DD-D014110	CL140-142-051820-COMP-P	SW8082A	SW	TOTAL PCBs	0.67		-	0.24	ug/WIPE
CL141-143	5/18/2020	14:27	N1	DD-D014201	CL141-143-051820-COMP-B	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL141-143	5/18/2020	14:27	N1	DD-D014201	CL141-143-051820-COMP-B	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL141-143	5/18/2020	14:27	N1	DD-D014201	CL141-143-051820-COMP-B	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL141-143	5/18/2020	14:27	N1	DD-D014201	CL141-143-051820-COMP-B	SW8082A	SW	PCB-1242 (AROCLOR 1242)	12		0.088	0.24	ug/WIPE
CL141-143	5/18/2020	14:27	N1	DD-D014201	CL141-143-051820-COMP-B	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL141-143	5/18/2020	14:27	N1	DD-D014201	CL141-143-051820-COMP-B	SW8082A	SW	PCB-1254 (AROCLOR 1254)	4.5		0.07	0.24	ug/WIPE
CL141-143	5/18/2020	14:27	N1	DD-D014201	CL141-143-051820-COMP-B	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL141-143	5/18/2020	14:27	N1	DD-D014201	CL141-143-051820-COMP-B	SW8082A	SW	TOTAL PCBs	16.5		-	0.24	ug/WIPE
CL144	5/18/2020	14:45	N1	DD-D014204	CL144-051820-B	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL144	5/18/2020	14:45	N1	DD-D014204	CL144-051820-B	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL144	5/18/2020	14:45	N1	DD-D014204	CL144-051820-B	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL144	5/18/2020	14:45	N1	DD-D014204	CL144-051820-B	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1.7		0.088	0.24	ug/WIPE
CL144	5/18/2020	14:45	N1	DD-D014204	CL144-051820-B	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL144	5/18/2020	14:45	N1	DD-D014204	CL144-051820-B	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.65		0.07	0.24	ug/WIPE
CL144	5/18/2020	14:45	N1	DD-D014204	CL144-051820-B	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL144	5/18/2020	14:45	N1	DD-D014204	CL144-051820-B	SW8082A	SW	TOTAL PCBs	2.35		-	0.24	ug/WIPE
CL145-147	5/18/2020	14:48	N1	DD-D014205	CL145-147-051820-COMP-B	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE

Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
CL145-147	5/18/2020	14:48	N1	DD-D014205	CL145-147-051820-COMP-B	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL145-147	5/18/2020	14:48	N1	DD-D014205	CL145-147-051820-COMP-B	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL145-147	5/18/2020	14:48	N1	DD-D014205	CL145-147-051820-COMP-B	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	11		0.088	0.24	ug/WIPE
CL145-147	5/18/2020	14:48	N1	DD-D014205	CL145-147-051820-COMP-B	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL145-147	5/18/2020	14:48	N1	DD-D014205	CL145-147-051820-COMP-B	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	5		0.07	0.24	ug/WIPE
CL145-147	5/18/2020	14:48	N1	DD-D014205	CL145-147-051820-COMP-B	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL145-147	5/18/2020	14:48	N1	DD-D014205	CL145-147-051820-COMP-B	SW8082A	SW	TOTAL PCBs	16		-	0.24	ug/WIPE
CL146-148	5/18/2020	14:53	N1	DD-D014206	CL146-148-051820-COMP-P	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL146-148	5/18/2020	14:53	N1	DD-D014206	CL146-148-051820-COMP-P	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL146-148	5/18/2020	14:53	N1	DD-D014206	CL146-148-051820-COMP-P	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL146-148	5/18/2020	14:53	N1	DD-D014206	CL146-148-051820-COMP-P	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.2	J	0.088	0.24	ug/WIPE
CL146-148	5/18/2020	14:53	N1	DD-D014206	CL146-148-051820-COMP-P	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL146-148	5/18/2020	14:53	N1	DD-D014206	CL146-148-051820-COMP-P	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.086	J	0.07	0.24	ug/WIPE
CL146-148	5/18/2020	14:53	N1	DD-D014206	CL146-148-051820-COMP-P	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL146-148	5/18/2020	14:53	N1	DD-D014206	CL146-148-051820-COMP-P	SW8082A	SW	TOTAL PCBs	0.286		-	0.24	ug/WIPE
CL149-151	5/18/2020	15:02	N1	DD-D014209	CL149-151-051820-COMP-B	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL149-151	5/18/2020	15:02	N1	DD-D014209	CL149-151-051820-COMP-B	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL149-151	5/18/2020	15:02	N1	DD-D014209	CL149-151-051820-COMP-B	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL149-151	5/18/2020	15:02	N1	DD-D014209	CL149-151-051820-COMP-B	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	6.7		0.088	0.24	ug/WIPE
CL149-151	5/18/2020	15:02	N1	DD-D014209	CL149-151-051820-COMP-B	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL149-151	5/18/2020	15:02	N1	DD-D014209	CL149-151-051820-COMP-B	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.2		0.07	0.24	ug/WIPE
CL149-151	5/18/2020	15:02	N1	DD-D014209	CL149-151-051820-COMP-B	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL149-151	5/18/2020	15:02	N1	DD-D014209	CL149-151-051820-COMP-B	SW8082A	SW	TOTAL PCBs	8.9		-	0.24	ug/WIPE
CL150-152	5/18/2020	15:04	N1	DD-D014210	CL140-142-051820-COMP-P	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL150-152	5/18/2020	15:04	N1	DD-D014210	CL140-142-051820-COMP-P	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL150-152	5/18/2020	15:04	N1	DD-D014210	CL140-142-051820-COMP-P	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL150-152	5/18/2020	15:04	N1	DD-D014210	CL140-142-051820-COMP-P	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.7		0.088	0.24	ug/WIPE
CL150-152	5/18/2020	15:04	N1	DD-D014210	CL140-142-051820-COMP-P	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL150-152	5/18/2020	15:04	N1	DD-D014210	CL140-142-051820-COMP-P	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.23	J	0.07	0.24	ug/WIPE
CL150-152	5/18/2020	15:04	N1	DD-D014210	CL140-142-051820-COMP-P	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL150-152	5/18/2020	15:04	N1	DD-D014210	CL140-142-051820-COMP-P	SW8082A	SW	TOTAL PCBs	0.93		-	0.24	ug/WIPE
CL153	5/18/2020	15:14	N1	DD-D014303	CL153-051820-B	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL153	5/18/2020	15:14	N1	DD-D014303	CL153-051820-B	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL153	5/18/2020	15:14	N1	DD-D014303	CL153-051820-B	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL153	5/18/2020	15:14	N1	DD-D014303	CL153-051820-B	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	8.2		0.088	0.24	ug/WIPE
CL153	5/18/2020	15:14	N1	DD-D014303	CL153-051820-B	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL153	5/18/2020	15:14	N1	DD-D014303	CL153-051820-B	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.5		0.07	0.24	ug/WIPE
CL153	5/18/2020	15:14	N1	DD-D014303	CL153-051820-B	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL153	5/18/2020	15:14	N1	DD-D014303	CL153-051820-B	SW8082A	SW	TOTAL PCBs	10.7		-	0.24	ug/WIPE
CL154-156	5/18/2020	15:54	N1	DD-D014304	CL154-156-051820-COMP-P	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL154-156	5/18/2020	15:54	N1	DD-D014304	CL154-156-051820-COMP-P	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL154-156	5/18/2020	15:54	N1	DD-D014304	CL154-156-051820-COMP-P	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL154-156	5/18/2020	15:54	N1	DD-D014304	CL154-156-051820-COMP-P	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.3		0.088	0.24	ug/WIPE
CL154-156	5/18/2020	15:54	N1	DD-D014304	CL154-156-051820-COMP-P	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL154-156	5/18/2020	15:54	N1	DD-D014304	CL154-156-051820-COMP-P	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.17	J	0.07	0.24	ug/WIPE
CL154-156	5/18/2020	15:54	N1	DD-D014304	CL154-156-051820-COMP-P	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL154-156	5/18/2020	15:54	N1	DD-D014304	CL154-156-051820-COMP-P	SW8082A	SW	TOTAL PCBs	0.47		-	0.24	ug/WIPE
CL155-157	5/18/2020	15:58	N1	DD-D014305	CL155-157-051820-COMP-B	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL155-157	5/18/2020	15:58	N1	DD-D014305	CL155-157-051820-COMP-B	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL155-157	5/18/2020	15:58	N1	DD-D014305	CL155-157-051820-COMP-B	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL155-157	5/18/2020	15:58	N1	DD-D014305	CL155-157-051820-COMP-B	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	7.7		0.088	0.24	ug/WIPE

Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
CL155-157	5/18/2020	15:58	N1	DD-D014305	CL155-157-051820-COMP-B	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL155-157	5/18/2020	15:58	N1	DD-D014305	CL155-157-051820-COMP-B	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.8	U	0.07	0.24	ug/WIPE
CL155-157	5/18/2020	15:58	N1	DD-D014305	CL155-157-051820-COMP-B	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL155-157	5/18/2020	15:58	N1	DD-D014305	CL155-157-051820-COMP-B	SW8082A	SW	TOTAL PCBs	10.5		-	0.24	ug/WIPE
CL158-160	5/18/2020	16:10	N1	DD-D014308	CL158-160-051820-COMP-P	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL158-160	5/18/2020	16:10	N1	DD-D014308	CL158-160-051820-COMP-P	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL158-160	5/18/2020	16:10	N1	DD-D014308	CL158-160-051820-COMP-P	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL158-160	5/18/2020	16:10	N1	DD-D014308	CL158-160-051820-COMP-P	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.67		0.088	0.24	ug/WIPE
CL158-160	5/18/2020	16:10	N1	DD-D014308	CL158-160-051820-COMP-P	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL158-160	5/18/2020	16:10	N1	DD-D014308	CL158-160-051820-COMP-P	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.34		0.07	0.24	ug/WIPE
CL158-160	5/18/2020	16:10	N1	DD-D014308	CL158-160-051820-COMP-P	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL158-160	5/18/2020	16:10	N1	DD-D014308	CL158-160-051820-COMP-P	SW8082A	SW	TOTAL PCBs	1.01		-	0.24	ug/WIPE
CL159-161	5/18/2020	16:15	N1	DD-D014309	CL159-161-051820-COMP-B	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL159-161	5/18/2020	16:15	N1	DD-D014309	CL159-161-051820-COMP-B	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL159-161	5/18/2020	16:15	N1	DD-D014309	CL159-161-051820-COMP-B	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL159-161	5/18/2020	16:15	N1	DD-D014309	CL159-161-051820-COMP-B	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	6.8		0.088	0.24	ug/WIPE
CL159-161	5/18/2020	16:15	N1	DD-D014309	CL159-161-051820-COMP-B	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL159-161	5/18/2020	16:15	N1	DD-D014309	CL159-161-051820-COMP-B	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.5		0.07	0.24	ug/WIPE
CL159-161	5/18/2020	16:15	N1	DD-D014309	CL159-161-051820-COMP-B	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL159-161	5/18/2020	16:15	N1	DD-D014309	CL159-161-051820-COMP-B	SW8082A	SW	TOTAL PCBs	9.3		-	0.24	ug/WIPE
CL162	5/18/2020	16:24	N1	DD-D014402	CL162-051820-B	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL162	5/18/2020	16:24	N1	DD-D014402	CL162-051820-B	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL162	5/18/2020	16:24	N1	DD-D014402	CL162-051820-B	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL162	5/18/2020	16:24	N1	DD-D014402	CL162-051820-B	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.3		0.088	0.24	ug/WIPE
CL162	5/18/2020	16:24	N1	DD-D014402	CL162-051820-B	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL162	5/18/2020	16:24	N1	DD-D014402	CL162-051820-B	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.2		0.07	0.24	ug/WIPE
CL162	5/18/2020	16:24	N1	DD-D014402	CL162-051820-B	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL162	5/18/2020	16:24	N1	DD-D014402	CL162-051820-B	SW8082A	SW	TOTAL PCBs	4.5		-	0.24	ug/WIPE
CL163-165	5/18/2020	16:27	N1	DD-D014403	CL163-165-051820-COMP-B	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL163-165	5/18/2020	16:27	N1	DD-D014403	CL163-165-051820-COMP-B	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL163-165	5/18/2020	16:27	N1	DD-D014403	CL163-165-051820-COMP-B	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL163-165	5/18/2020	16:27	N1	DD-D014403	CL163-165-051820-COMP-B	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	8.5		0.088	0.24	ug/WIPE
CL163-165	5/18/2020	16:27	N1	DD-D014403	CL163-165-051820-COMP-B	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL163-165	5/18/2020	16:27	N1	DD-D014403	CL163-165-051820-COMP-B	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	3		0.07	0.24	ug/WIPE
CL163-165	5/18/2020	16:27	N1	DD-D014403	CL163-165-051820-COMP-B	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL163-165	5/18/2020	16:27	N1	DD-D014403	CL163-165-051820-COMP-B	SW8082A	SW	TOTAL PCBs	11.5		-	0.24	ug/WIPE
CL164-166	5/18/2020	16:29	N1	DD-D014404	CL164-166-051820-COMP-P	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL164-166	5/18/2020	16:29	N1	DD-D014404	CL164-166-051820-COMP-P	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL164-166	5/18/2020	16:29	N1	DD-D014404	CL164-166-051820-COMP-P	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL164-166	5/18/2020	16:29	N1	DD-D014404	CL164-166-051820-COMP-P	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.65		0.088	0.24	ug/WIPE
CL164-166	5/18/2020	16:29	N1	DD-D014404	CL164-166-051820-COMP-P	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL164-166	5/18/2020	16:29	N1	DD-D014404	CL164-166-051820-COMP-P	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.36		0.07	0.24	ug/WIPE
CL164-166	5/18/2020	16:29	N1	DD-D014404	CL164-166-051820-COMP-P	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL164-166	5/18/2020	16:29	N1	DD-D014404	CL164-166-051820-COMP-P	SW8082A	SW	TOTAL PCBs	1.01		-	0.24	ug/WIPE
CL167-169	5/18/2020	16:34	N1	DD-D014407	CL167-169-051820-COMP-B	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL167-169	5/18/2020	16:34	N1	DD-D014407	CL167-169-051820-COMP-B	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL167-169	5/18/2020	16:34	N1	DD-D014407	CL167-169-051820-COMP-B	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL167-169	5/18/2020	16:34	N1	DD-D014407	CL167-169-051820-COMP-B	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	7.2		0.088	0.24	ug/WIPE
CL167-169	5/18/2020	16:34	N1	DD-D014407	CL167-169-051820-COMP-B	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL167-169	5/18/2020	16:34	N1	DD-D014407	CL167-169-051820-COMP-B	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.9		0.07	0.24	ug/WIPE
CL167-169	5/18/2020	16:34	N1	DD-D014407	CL167-169-051820-COMP-B	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE

Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
CL167-169	5/18/2020	16:34	N1	DD-D014407	CL167-169-051820-COMP-B	SW8082A	SW	TOTAL PCBs	10.1		-	0.24	ug/WIPE
CL168-170	5/18/2020	16:36	N1	DD-D014408	CL168-170-051820-COMP-P	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL168-170	5/18/2020	16:36	N1	DD-D014408	CL168-170-051820-COMP-P	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL168-170	5/18/2020	16:36	N1	DD-D014408	CL168-170-051820-COMP-P	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL168-170	5/18/2020	16:36	N1	DD-D014408	CL168-170-051820-COMP-P	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.77		0.088	0.24	ug/WIPE
CL168-170	5/18/2020	16:36	N1	DD-D014408	CL168-170-051820-COMP-P	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL168-170	5/18/2020	16:36	N1	DD-D014408	CL168-170-051820-COMP-P	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.29		0.07	0.24	ug/WIPE
CL168-170	5/18/2020	16:36	N1	DD-D014408	CL168-170-051820-COMP-P	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL168-170	5/18/2020	16:36	N1	DD-D014408	CL168-170-051820-COMP-P	SW8082A	SW	TOTAL PCBs	1.06		-	0.24	ug/WIPE
CL171	5/18/2020	16:45	N1	DD-D014501	CL171-051820-B	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL171	5/18/2020	16:45	N1	DD-D014501	CL171-051820-B	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL171	5/18/2020	16:45	N1	DD-D014501	CL171-051820-B	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL171	5/18/2020	16:45	N1	DD-D014501	CL171-051820-B	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	4.2		0.088	0.24	ug/WIPE
CL171	5/18/2020	16:45	N1	DD-D014501	CL171-051820-B	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL171	5/18/2020	16:45	N1	DD-D014501	CL171-051820-B	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.5		0.07	0.24	ug/WIPE
CL171	5/18/2020	16:45	N1	DD-D014501	CL171-051820-B	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL171	5/18/2020	16:45	N1	DD-D014501	CL171-051820-B	SW8082A	SW	TOTAL PCBs	5.7		-	0.24	ug/WIPE
CL172-174	5/18/2020	17:11	N1	DD-D014502	CL172-174-051820-COMP-P	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL172-174	5/18/2020	17:11	N1	DD-D014502	CL172-174-051820-COMP-P	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL172-174	5/18/2020	17:11	N1	DD-D014502	CL172-174-051820-COMP-P	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL172-174	5/18/2020	17:11	N1	DD-D014502	CL172-174-051820-COMP-P	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.84		0.088	0.24	ug/WIPE
CL172-174	5/18/2020	17:11	N1	DD-D014502	CL172-174-051820-COMP-P	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL172-174	5/18/2020	17:11	N1	DD-D014502	CL172-174-051820-COMP-P	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.27		0.07	0.24	ug/WIPE
CL172-174	5/18/2020	17:11	N1	DD-D014502	CL172-174-051820-COMP-P	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL172-174	5/18/2020	17:11	N1	DD-D014502	CL172-174-051820-COMP-P	SW8082A	SW	TOTAL PCBs	1.11		-	0.24	ug/WIPE
CL173-175	5/18/2020	17:14	N1	DD-D014503	CL173-175-051820-COMP-B	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL173-175	5/18/2020	17:14	N1	DD-D014503	CL173-175-051820-COMP-B	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL173-175	5/18/2020	17:14	N1	DD-D014503	CL173-175-051820-COMP-B	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL173-175	5/18/2020	17:14	N1	DD-D014503	CL173-175-051820-COMP-B	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	7.5		0.088	0.24	ug/WIPE
CL173-175	5/18/2020	17:14	N1	DD-D014503	CL173-175-051820-COMP-B	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL173-175	5/18/2020	17:14	N1	DD-D014503	CL173-175-051820-COMP-B	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.6		0.07	0.24	ug/WIPE
CL173-175	5/18/2020	17:14	N1	DD-D014503	CL173-175-051820-COMP-B	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL173-175	5/18/2020	17:14	N1	DD-D014503	CL173-175-051820-COMP-B	SW8082A	SW	TOTAL PCBs	10.1		-	0.24	ug/WIPE
CL176-178	5/18/2020	17:22	N1	DD-D014506	CL176-178-051820-COMP-P	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL176-178	5/18/2020	17:22	N1	DD-D014506	CL176-178-051820-COMP-P	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL176-178	5/18/2020	17:22	N1	DD-D014506	CL176-178-051820-COMP-P	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL176-178	5/18/2020	17:22	N1	DD-D014506	CL176-178-051820-COMP-P	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.61		0.088	0.24	ug/WIPE
CL176-178	5/18/2020	17:22	N1	DD-D014506	CL176-178-051820-COMP-P	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL176-178	5/18/2020	17:22	N1	DD-D014506	CL176-178-051820-COMP-P	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.22	J	0.07	0.24	ug/WIPE
CL176-178	5/18/2020	17:22	N1	DD-D014506	CL176-178-051820-COMP-P	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL176-178	5/18/2020	17:22	N1	DD-D014506	CL176-178-051820-COMP-P	SW8082A	SW	TOTAL PCBs	0.83		-	0.24	ug/WIPE
CL177-181	5/18/2020	17:24	N1	DD-D014507	CL177-181-051820-COMP-B	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL177-181	5/18/2020	17:24	N1	DD-D014507	CL177-181-051820-COMP-B	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL177-181	5/18/2020	17:24	N1	DD-D014507	CL177-181-051820-COMP-B	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL177-181	5/18/2020	17:24	N1	DD-D014507	CL177-181-051820-COMP-B	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	5.4		0.088	0.24	ug/WIPE
CL177-181	5/18/2020	17:24	N1	DD-D014507	CL177-181-051820-COMP-B	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL177-181	5/18/2020	17:24	N1	DD-D014507	CL177-181-051820-COMP-B	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2		0.07	0.24	ug/WIPE
CL177-181	5/18/2020	17:24	N1	DD-D014507	CL177-181-051820-COMP-B	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL177-181	5/18/2020	17:24	N1	DD-D014507	CL177-181-051820-COMP-B	SW8082A	SW	TOTAL PCBs	7.4		-	0.24	ug/WIPE
CL179	5/18/2020	17:28	N1	DD-D014509	CL179-051820-B	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL179	5/18/2020	17:28	N1	DD-D014509	CL179-051820-B	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE

Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
CL179	5/18/2020	17:28	N1	DD-D014509	CL179-051820-B	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL179	5/18/2020	17:28	N1	DD-D014509	CL179-051820-B	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	4.8	U	0.088	0.24	ug/WIPE
CL179	5/18/2020	17:28	N1	DD-D014509	CL179-051820-B	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL179	5/18/2020	17:28	N1	DD-D014509	CL179-051820-B	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.1	U	0.07	0.24	ug/WIPE
CL179	5/18/2020	17:28	N1	DD-D014509	CL179-051820-B	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL179	5/18/2020	17:28	N1	DD-D014509	CL179-051820-B	SW8082A	SW	TOTAL PCBs	6.9	U	-	0.24	ug/WIPE
CL180-182	5/18/2020	17:31	N1	DD-D014510	CL180-182-051820-COMP-B	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL180-182	5/18/2020	17:31	N1	DD-D014510	CL180-182-051820-COMP-B	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL180-182	5/18/2020	17:31	N1	DD-D014510	CL180-182-051820-COMP-B	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL180-182	5/18/2020	17:31	N1	DD-D014510	CL180-182-051820-COMP-B	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.32	U	0.088	0.24	ug/WIPE
CL180-182	5/18/2020	17:31	N1	DD-D014510	CL180-182-051820-COMP-B	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL180-182	5/18/2020	17:31	N1	DD-D014510	CL180-182-051820-COMP-B	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.12	J	0.07	0.24	ug/WIPE
CL180-182	5/18/2020	17:31	N1	DD-D014510	CL180-182-051820-COMP-B	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL180-182	5/18/2020	17:31	N1	DD-D014510	CL180-182-051820-COMP-B	SW8082A	SW	TOTAL PCBs	0.44	U	-	0.24	ug/WIPE
CL183-185	5/18/2020	17:38	N1	DD-D014603	CL183-185-051820-COMP-B	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL183-185	5/18/2020	17:38	N1	DD-D014603	CL183-185-051820-COMP-B	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL183-185	5/18/2020	17:38	N1	DD-D014603	CL183-185-051820-COMP-B	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL183-185	5/18/2020	17:38	N1	DD-D014603	CL183-185-051820-COMP-B	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	11	U	0.088	0.24	ug/WIPE
CL183-185	5/18/2020	17:38	N1	DD-D014603	CL183-185-051820-COMP-B	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL183-185	5/18/2020	17:38	N1	DD-D014603	CL183-185-051820-COMP-B	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	3.6	U	0.07	0.24	ug/WIPE
CL183-185	5/18/2020	17:38	N1	DD-D014603	CL183-185-051820-COMP-B	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL183-185	5/18/2020	17:38	N1	DD-D014603	CL183-185-051820-COMP-B	SW8082A	SW	TOTAL PCBs	14.6	U	-	0.24	ug/WIPE
CL184-186	5/18/2020	17:41	N1	DD-D014604	CL176-178-051820-COMP-P	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL184-186	5/18/2020	17:41	N1	DD-D014604	CL176-178-051820-COMP-P	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL184-186	5/18/2020	17:41	N1	DD-D014604	CL176-178-051820-COMP-P	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL184-186	5/18/2020	17:41	N1	DD-D014604	CL176-178-051820-COMP-P	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.28	U	0.088	0.24	ug/WIPE
CL184-186	5/18/2020	17:41	N1	DD-D014604	CL176-178-051820-COMP-P	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL184-186	5/18/2020	17:41	N1	DD-D014604	CL176-178-051820-COMP-P	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.085	J	0.07	0.24	ug/WIPE
CL184-186	5/18/2020	17:41	N1	DD-D014604	CL176-178-051820-COMP-P	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL184-186	5/18/2020	17:41	N1	DD-D014604	CL176-178-051820-COMP-P	SW8082A	SW	TOTAL PCBs	0.365	U	-	0.24	ug/WIPE
CL187	5/18/2020	17:48	N1	DD-D014607	CL187-051820-B	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL187	5/18/2020	17:48	N1	DD-D014607	CL187-051820-B	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL187	5/18/2020	17:48	N1	DD-D014607	CL187-051820-B	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL187	5/18/2020	17:48	N1	DD-D014607	CL187-051820-B	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	19	U	0.088	0.24	ug/WIPE
CL187	5/18/2020	17:48	N1	DD-D014607	CL187-051820-B	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL187	5/18/2020	17:48	N1	DD-D014607	CL187-051820-B	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	5.7	U	0.07	0.24	ug/WIPE
CL187	5/18/2020	17:48	N1	DD-D014607	CL187-051820-B	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL187	5/18/2020	17:48	N1	DD-D014607	CL187-051820-B	SW8082A	SW	TOTAL PCBs	24.7	U	-	0.24	ug/WIPE
CL188-190	5/19/2020	6:37	N1	DD-D014608	CL188-190-051920-COMP-P	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL188-190	5/19/2020	6:37	N1	DD-D014608	CL188-190-051920-COMP-P	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL188-190	5/19/2020	6:37	N1	DD-D014608	CL188-190-051920-COMP-P	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL188-190	5/19/2020	6:37	N1	DD-D014608	CL188-190-051920-COMP-P	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.51	U	0.088	0.24	ug/WIPE
CL188-190	5/19/2020	6:37	N1	DD-D014608	CL188-190-051920-COMP-P	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL188-190	5/19/2020	6:37	N1	DD-D014608	CL188-190-051920-COMP-P	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.15	J	0.07	0.24	ug/WIPE
CL188-190	5/19/2020	6:37	N1	DD-D014608	CL188-190-051920-COMP-P	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL188-190	5/19/2020	6:37	N1	DD-D014608	CL188-190-051920-COMP-P	SW8082A	SW	TOTAL PCBs	0.66	U	-	0.24	ug/WIPE
CL189-191	5/19/2020	6:40	N1	DD-D014609	CL189-191-051920-COMP-B	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL189-191	5/19/2020	6:40	N1	DD-D014609	CL189-191-051920-COMP-B	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL189-191	5/19/2020	6:40	N1	DD-D014609	CL189-191-051920-COMP-B	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL189-191	5/19/2020	6:40	N1	DD-D014609	CL189-191-051920-COMP-B	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	7.2	U	0.088	0.24	ug/WIPE
CL189-191	5/19/2020	6:40	N1	DD-D014609	CL189-191-051920-COMP-B	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE



Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
CL189-191	5/19/2020	6:40	N1	DD-D014609	CL189-191-051920-COMP-B	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.4		0.07	0.24	ug/WIPE
CL189-191	5/19/2020	6:40	N1	DD-D014609	CL189-191-051920-COMP-B	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL189-191	5/19/2020	6:40	N1	DD-D014609	CL189-191-051920-COMP-B	SW8082A	SW	TOTAL PCBs	9.6		-	0.24	ug/WIPE
CL192-194	5/19/2020	6:52	N1	DD-D014702	CL192-194-051920-COMP-P	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL192-194	5/19/2020	6:52	N1	DD-D014702	CL192-194-051920-COMP-P	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL192-194	5/19/2020	6:52	N1	DD-D014702	CL192-194-051920-COMP-P	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL192-194	5/19/2020	6:52	N1	DD-D014702	CL192-194-051920-COMP-P	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.35		0.088	0.24	ug/WIPE
CL192-194	5/19/2020	6:52	N1	DD-D014702	CL192-194-051920-COMP-P	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL192-194	5/19/2020	6:52	N1	DD-D014702	CL192-194-051920-COMP-P	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.11	J	0.07	0.24	ug/WIPE
CL192-194	5/19/2020	6:52	N1	DD-D014702	CL192-194-051920-COMP-P	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL192-194	5/19/2020	6:52	N1	DD-D014702	CL192-194-051920-COMP-P	SW8082A	SW	TOTAL PCBs	0.46		-	0.24	ug/WIPE
CL193-195	5/19/2020	6:54	N1	DD-D014703	CL193-195-051920-COMP-B	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL193-195	5/19/2020	6:54	N1	DD-D014703	CL193-195-051920-COMP-B	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL193-195	5/19/2020	6:54	N1	DD-D014703	CL193-195-051920-COMP-B	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL193-195	5/19/2020	6:54	N1	DD-D014703	CL193-195-051920-COMP-B	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	6		0.088	0.24	ug/WIPE
CL193-195	5/19/2020	6:54	N1	DD-D014703	CL193-195-051920-COMP-B	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL193-195	5/19/2020	6:54	N1	DD-D014703	CL193-195-051920-COMP-B	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.2		0.07	0.24	ug/WIPE
CL193-195	5/19/2020	6:54	N1	DD-D014703	CL193-195-051920-COMP-B	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL193-195	5/19/2020	6:54	N1	DD-D014703	CL193-195-051920-COMP-B	SW8082A	SW	TOTAL PCBs	8.2		-	0.24	ug/WIPE
CL197-199	5/19/2020	7:14	N1	DD-D014707	CL197-199-051920-COMP-B	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL197-199	5/19/2020	7:14	N1	DD-D014707	CL197-199-051920-COMP-B	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL197-199	5/19/2020	7:14	N1	DD-D014707	CL197-199-051920-COMP-B	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL197-199	5/19/2020	7:14	N1	DD-D014707	CL197-199-051920-COMP-B	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	9		0.088	0.24	ug/WIPE
CL197-199	5/19/2020	7:14	N1	DD-D014707	CL197-199-051920-COMP-B	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL197-199	5/19/2020	7:14	N1	DD-D014707	CL197-199-051920-COMP-B	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	3.4		0.07	0.24	ug/WIPE
CL197-199	5/19/2020	7:14	N1	DD-D014707	CL197-199-051920-COMP-B	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL197-199	5/19/2020	7:14	N1	DD-D014707	CL197-199-051920-COMP-B	SW8082A	SW	TOTAL PCBs	12.4		-	0.24	ug/WIPE
CL198-200	5/19/2020	7:17	N1	DD-D014708	CL198-200-051920-COMP-P	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL198-200	5/19/2020	7:17	N1	DD-D014708	CL198-200-051920-COMP-P	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL198-200	5/19/2020	7:17	N1	DD-D014708	CL198-200-051920-COMP-P	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL198-200	5/19/2020	7:17	N1	DD-D014708	CL198-200-051920-COMP-P	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.53		0.088	0.24	ug/WIPE
CL198-200	5/19/2020	7:17	N1	DD-D014708	CL198-200-051920-COMP-P	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL198-200	5/19/2020	7:17	N1	DD-D014708	CL198-200-051920-COMP-P	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.14	J	0.07	0.24	ug/WIPE
CL198-200	5/19/2020	7:17	N1	DD-D014708	CL198-200-051920-COMP-P	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL198-200	5/19/2020	7:17	N1	DD-D014708	CL198-200-051920-COMP-P	SW8082A	SW	TOTAL PCBs	0.67		-	0.24	ug/WIPE
CL201-203	5/19/2020	7:28	N1	DD-D014801	CL201-203-051920-COMP-B	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL201-203	5/19/2020	7:28	N1	DD-D014801	CL201-203-051920-COMP-B	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL201-203	5/19/2020	7:28	N1	DD-D014801	CL201-203-051920-COMP-B	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL201-203	5/19/2020	7:28	N1	DD-D014801	CL201-203-051920-COMP-B	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	8.6		0.088	0.24	ug/WIPE
CL201-203	5/19/2020	7:28	N1	DD-D014801	CL201-203-051920-COMP-B	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL201-203	5/19/2020	7:28	N1	DD-D014801	CL201-203-051920-COMP-B	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.8		0.07	0.24	ug/WIPE
CL201-203	5/19/2020	7:28	N1	DD-D014801	CL201-203-051920-COMP-B	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL201-203	5/19/2020	7:28	N1	DD-D014801	CL201-203-051920-COMP-B	SW8082A	SW	TOTAL PCBs	11.4		-	0.24	ug/WIPE
CL202-204	5/19/2020	7:31	N1	DD-D014802	CL202-204-051920-COMP-P	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL202-204	5/19/2020	7:31	N1	DD-D014802	CL202-204-051920-COMP-P	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL202-204	5/19/2020	7:31	N1	DD-D014802	CL202-204-051920-COMP-P	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL202-204	5/19/2020	7:31	N1	DD-D014802	CL202-204-051920-COMP-P	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.17	J	0.088	0.24	ug/WIPE
CL202-204	5/19/2020	7:31	N1	DD-D014802	CL202-204-051920-COMP-P	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL202-204	5/19/2020	7:31	N1	DD-D014802	CL202-204-051920-COMP-P	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	ND	U	0.07	0.24	ug/WIPE
CL202-204	5/19/2020	7:31	N1	DD-D014802	CL202-204-051920-COMP-P	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL202-204	5/19/2020	7:31	N1	DD-D014802	CL202-204-051920-COMP-P	SW8082A	SW	TOTAL PCBs	0.17		-	0.24	ug/WIPE

Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
CL205	5/19/2020	7:40	N1	DD-D014805	CL205-051920-B	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL205	5/19/2020	7:40	N1	DD-D014805	CL205-051920-B	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL205	5/19/2020	7:40	N1	DD-D014805	CL205-051920-B	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL205	5/19/2020	7:40	N1	DD-D014805	CL205-051920-B	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3.4		0.088	0.24	ug/WIPE
CL205	5/19/2020	7:40	N1	DD-D014805	CL205-051920-B	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL205	5/19/2020	7:40	N1	DD-D014805	CL205-051920-B	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.1		0.07	0.24	ug/WIPE
CL205	5/19/2020	7:40	N1	DD-D014805	CL205-051920-B	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL205	5/19/2020	7:40	N1	DD-D014805	CL205-051920-B	SW8082A	SW	TOTAL PCBs	4.5		-	0.24	ug/WIPE
CL206-208	5/19/2020	8:08	N1	DD-D014806	CL206-208-051920-COMP-P	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL206-208	5/19/2020	8:08	N1	DD-D014806	CL206-208-051920-COMP-P	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL206-208	5/19/2020	8:08	N1	DD-D014806	CL206-208-051920-COMP-P	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL206-208	5/19/2020	8:08	N1	DD-D014806	CL206-208-051920-COMP-P	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1		0.088	0.24	ug/WIPE
CL206-208	5/19/2020	8:08	N1	DD-D014806	CL206-208-051920-COMP-P	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL206-208	5/19/2020	8:08	N1	DD-D014806	CL206-208-051920-COMP-P	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.29		0.07	0.24	ug/WIPE
CL206-208	5/19/2020	8:08	N1	DD-D014806	CL206-208-051920-COMP-P	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL206-208	5/19/2020	8:08	N1	DD-D014806	CL206-208-051920-COMP-P	SW8082A	SW	TOTAL PCBs	1.29		-	0.24	ug/WIPE
CL207-209	5/19/2020	8:13	N1	DD-D014807	CL207-209-051920-COMP-B	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL207-209	5/19/2020	8:13	N1	DD-D014807	CL207-209-051920-COMP-B	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL207-209	5/19/2020	8:13	N1	DD-D014807	CL207-209-051920-COMP-B	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL207-209	5/19/2020	8:13	N1	DD-D014807	CL207-209-051920-COMP-B	SW8082A	SW	PCB-1242 (AROCLOR 1242)	8.6		0.088	0.24	ug/WIPE
CL207-209	5/19/2020	8:13	N1	DD-D014807	CL207-209-051920-COMP-B	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL207-209	5/19/2020	8:13	N1	DD-D014807	CL207-209-051920-COMP-B	SW8082A	SW	PCB-1254 (AROCLOR 1254)	3.2		0.07	0.24	ug/WIPE
CL207-209	5/19/2020	8:13	N1	DD-D014807	CL207-209-051920-COMP-B	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL207-209	5/19/2020	8:13	N1	DD-D014807	CL207-209-051920-COMP-B	SW8082A	SW	TOTAL PCBs	11.8		-	0.24	ug/WIPE
CL210-212	5/19/2020	8:24	N1	DD-D014810	CL210-212-051920-COMP-P	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL210-212	5/19/2020	8:24	N1	DD-D014810	CL210-212-051920-COMP-P	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL210-212	5/19/2020	8:24	N1	DD-D014810	CL210-212-051920-COMP-P	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL210-212	5/19/2020	8:24	N1	DD-D014810	CL210-212-051920-COMP-P	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.4		0.088	0.24	ug/WIPE
CL210-212	5/19/2020	8:24	N1	DD-D014810	CL210-212-051920-COMP-P	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL210-212	5/19/2020	8:24	N1	DD-D014810	CL210-212-051920-COMP-P	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.12	J	0.07	0.24	ug/WIPE
CL210-212	5/19/2020	8:24	N1	DD-D014810	CL210-212-051920-COMP-P	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL210-212	5/19/2020	8:24	N1	DD-D014810	CL210-212-051920-COMP-P	SW8082A	SW	TOTAL PCBs	0.52		-	0.24	ug/WIPE
CL211-213	5/19/2020	8:26	N1	DD-D014901	CL211-213-051920-COMP-B	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL211-213	5/19/2020	8:26	N1	DD-D014901	CL211-213-051920-COMP-B	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL211-213	5/19/2020	8:26	N1	DD-D014901	CL211-213-051920-COMP-B	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL211-213	5/19/2020	8:26	N1	DD-D014901	CL211-213-051920-COMP-B	SW8082A	SW	PCB-1242 (AROCLOR 1242)	6		0.088	0.24	ug/WIPE
CL211-213	5/19/2020	8:26	N1	DD-D014901	CL211-213-051920-COMP-B	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL211-213	5/19/2020	8:26	N1	DD-D014901	CL211-213-051920-COMP-B	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2.1		0.07	0.24	ug/WIPE
CL211-213	5/19/2020	8:26	N1	DD-D014901	CL211-213-051920-COMP-B	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL211-213	5/19/2020	8:26	N1	DD-D014901	CL211-213-051920-COMP-B	SW8082A	SW	TOTAL PCBs	8.1		-	0.24	ug/WIPE
CL214-216	5/19/2020	8:42	N1	DD-D014904	CL214-216-051920-COMP-P	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL214-216	5/19/2020	8:42	N1	DD-D014904	CL214-216-051920-COMP-P	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL214-216	5/19/2020	8:42	N1	DD-D014904	CL214-216-051920-COMP-P	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL214-216	5/19/2020	8:42	N1	DD-D014904	CL214-216-051920-COMP-P	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.74		0.088	0.24	ug/WIPE
CL214-216	5/19/2020	8:42	N1	DD-D014904	CL214-216-051920-COMP-P	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL214-216	5/19/2020	8:42	N1	DD-D014904	CL214-216-051920-COMP-P	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.23	J	0.07	0.24	ug/WIPE
CL214-216	5/19/2020	8:42	N1	DD-D014904	CL214-216-051920-COMP-P	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL214-216	5/19/2020	8:42	N1	DD-D014904	CL214-216-051920-COMP-P	SW8082A	SW	TOTAL PCBs	0.97		-	0.24	ug/WIPE
CL215-217	5/19/2020	8:46	N1	DD-D014905	CL215-217-051920-COMP-B	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL215-217	5/19/2020	8:46	N1	DD-D014905	CL215-217-051920-COMP-B	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL215-217	5/19/2020	8:46	N1	DD-D014905	CL215-217-051920-COMP-B	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE

Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
CL215-217	5/19/2020	8:46	N1	DD-D014905	CL215-217-051920-COMP-B	SW8082A	SW	PCB-1242 (AROCLOR 1242)	6.3		0.088	0.24	ug/WIPE
CL215-217	5/19/2020	8:46	N1	DD-D014905	CL215-217-051920-COMP-B	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL215-217	5/19/2020	8:46	N1	DD-D014905	CL215-217-051920-COMP-B	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2.3		0.07	0.24	ug/WIPE
CL215-217	5/19/2020	8:46	N1	DD-D014905	CL215-217-051920-COMP-B	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL215-217	5/19/2020	8:46	N1	DD-D014905	CL215-217-051920-COMP-B	SW8082A	SW	TOTAL PCBs	8.6		-	0.24	ug/WIPE
CL218-219	5/19/2020	8:53	N1	DD-D014908	CL218-219-051920-COMP-B	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL218-219	5/19/2020	8:53	N1	DD-D014908	CL218-219-051920-COMP-B	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL218-219	5/19/2020	8:53	N1	DD-D014908	CL218-219-051920-COMP-B	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL218-219	5/19/2020	8:53	N1	DD-D014908	CL218-219-051920-COMP-B	SW8082A	SW	PCB-1242 (AROCLOR 1242)	7.9		0.088	0.24	ug/WIPE
CL218-219	5/19/2020	8:53	N1	DD-D014908	CL218-219-051920-COMP-B	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL218-219	5/19/2020	8:53	N1	DD-D014908	CL218-219-051920-COMP-B	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2.2		0.07	0.24	ug/WIPE
CL218-219	5/19/2020	8:53	N1	DD-D014908	CL218-219-051920-COMP-B	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL218-219	5/19/2020	8:53	N1	DD-D014908	CL218-219-051920-COMP-B	SW8082A	SW	TOTAL PCBs	10.1		-	0.24	ug/WIPE
CL220-222	5/19/2020	9:38	N1	DD-D014910	CL220-222-051920-COMP-P	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL220-222	5/19/2020	9:38	N1	DD-D014910	CL220-222-051920-COMP-P	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL220-222	5/19/2020	9:38	N1	DD-D014910	CL220-222-051920-COMP-P	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL220-222	5/19/2020	9:38	N1	DD-D014910	CL220-222-051920-COMP-P	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.5		0.088	0.24	ug/WIPE
CL220-222	5/19/2020	9:38	N1	DD-D014910	CL220-222-051920-COMP-P	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL220-222	5/19/2020	9:38	N1	DD-D014910	CL220-222-051920-COMP-P	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.14	J	0.07	0.24	ug/WIPE
CL220-222	5/19/2020	9:38	N1	DD-D014910	CL220-222-051920-COMP-P	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL220-222	5/19/2020	9:38	N1	DD-D014910	CL220-222-051920-COMP-P	SW8082A	SW	TOTAL PCBs	0.64		-	0.24	ug/WIPE
CL221-223	5/19/2020	9:41	N1	DD-D015001	CL221-223-051920-COMP-B	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL221-223	5/19/2020	9:41	N1	DD-D015001	CL221-223-051920-COMP-B	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL221-223	5/19/2020	9:41	N1	DD-D015001	CL221-223-051920-COMP-B	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL221-223	5/19/2020	9:41	N1	DD-D015001	CL221-223-051920-COMP-B	SW8082A	SW	PCB-1242 (AROCLOR 1242)	9.2		0.088	0.24	ug/WIPE
CL221-223	5/19/2020	9:41	N1	DD-D015001	CL221-223-051920-COMP-B	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL221-223	5/19/2020	9:41	N1	DD-D015001	CL221-223-051920-COMP-B	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2.8		0.07	0.24	ug/WIPE
CL221-223	5/19/2020	9:41	N1	DD-D015001	CL221-223-051920-COMP-B	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL221-223	5/19/2020	9:41	N1	DD-D015001	CL221-223-051920-COMP-B	SW8082A	SW	TOTAL PCBs	12		-	0.24	ug/WIPE
CL224-226	5/19/2020	9:50	N1	DD-D015004	CL224-226-051920-COMP-P	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL224-226	5/19/2020	9:50	N1	DD-D015004	CL224-226-051920-COMP-P	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL224-226	5/19/2020	9:50	N1	DD-D015004	CL224-226-051920-COMP-P	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL224-226	5/19/2020	9:50	N1	DD-D015004	CL224-226-051920-COMP-P	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.26		0.088	0.24	ug/WIPE
CL224-226	5/19/2020	9:50	N1	DD-D015004	CL224-226-051920-COMP-P	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL224-226	5/19/2020	9:50	N1	DD-D015004	CL224-226-051920-COMP-P	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.1	J	0.07	0.24	ug/WIPE
CL224-226	5/19/2020	9:50	N1	DD-D015004	CL224-226-051920-COMP-P	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL224-226	5/19/2020	9:50	N1	DD-D015004	CL224-226-051920-COMP-P	SW8082A	SW	TOTAL PCBs	0.36		-	0.24	ug/WIPE
CL225-227	5/19/2020	9:53	N1	DD-D015005	CL225-227-051920-COMP-B	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL225-227	5/19/2020	9:53	N1	DD-D015005	CL225-227-051920-COMP-B	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL225-227	5/19/2020	9:53	N1	DD-D015005	CL225-227-051920-COMP-B	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL225-227	5/19/2020	9:53	N1	DD-D015005	CL225-227-051920-COMP-B	SW8082A	SW	PCB-1242 (AROCLOR 1242)	7.2		0.088	0.24	ug/WIPE
CL225-227	5/19/2020	9:53	N1	DD-D015005	CL225-227-051920-COMP-B	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL225-227	5/19/2020	9:53	N1	DD-D015005	CL225-227-051920-COMP-B	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2.4		0.07	0.24	ug/WIPE
CL225-227	5/19/2020	9:53	N1	DD-D015005	CL225-227-051920-COMP-B	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL225-227	5/19/2020	9:53	N1	DD-D015005	CL225-227-051920-COMP-B	SW8082A	SW	TOTAL PCBs	9.6		-	0.24	ug/WIPE
CL228-230	5/19/2020	10:04	N1	DD-D015008	CL228-230-051920-COMP-P	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL228-230	5/19/2020	10:04	N1	DD-D015008	CL228-230-051920-COMP-P	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL228-230	5/19/2020	10:04	N1	DD-D015008	CL228-230-051920-COMP-P	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL228-230	5/19/2020	10:04	N1	DD-D015008	CL228-230-051920-COMP-P	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1.1		0.088	0.24	ug/WIPE
CL228-230	5/19/2020	10:04	N1	DD-D015008	CL228-230-051920-COMP-P	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL228-230	5/19/2020	10:04	N1	DD-D015008	CL228-230-051920-COMP-P	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.36		0.07	0.24	ug/WIPE

Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
CL228-230	5/19/2020	10:04	N1	DD-D015008	CL228-230-051920-COMP-P	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL228-230	5/19/2020	10:04	N1	DD-D015008	CL228-230-051920-COMP-P	SW8082A	SW	TOTAL PCBs	1.46		-	0.24	ug/WIPE
CL229-231	5/19/2020	10:08	N1	DD-D015009	CL229-231-051920-COMP-B	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL229-231	5/19/2020	10:08	N1	DD-D015009	CL229-231-051920-COMP-B	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL229-231	5/19/2020	10:08	N1	DD-D015009	CL229-231-051920-COMP-B	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL229-231	5/19/2020	10:08	N1	DD-D015009	CL229-231-051920-COMP-B	SW8082A	SW	PCB-1242 (AROCLOR 1242)	8.1		0.088	0.24	ug/WIPE
CL229-231	5/19/2020	10:08	N1	DD-D015009	CL229-231-051920-COMP-B	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL229-231	5/19/2020	10:08	N1	DD-D015009	CL229-231-051920-COMP-B	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2.9		0.07	0.24	ug/WIPE
CL229-231	5/19/2020	10:08	N1	DD-D015009	CL229-231-051920-COMP-B	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL229-231	5/19/2020	10:08	N1	DD-D015009	CL229-231-051920-COMP-B	SW8082A	SW	TOTAL PCBs	11		-	0.24	ug/WIPE
CL232-234	5/19/2020	10:41	N1	DD-D015102	CL232-234-051920-COMP-P	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL232-234	5/19/2020	10:41	N1	DD-D015102	CL232-234-051920-COMP-P	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL232-234	5/19/2020	10:41	N1	DD-D015102	CL232-234-051920-COMP-P	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL232-234	5/19/2020	10:41	N1	DD-D015102	CL232-234-051920-COMP-P	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.35		0.088	0.24	ug/WIPE
CL232-234	5/19/2020	10:41	N1	DD-D015102	CL232-234-051920-COMP-P	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL232-234	5/19/2020	10:41	N1	DD-D015102	CL232-234-051920-COMP-P	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.13	J	0.07	0.24	ug/WIPE
CL232-234	5/19/2020	10:41	N1	DD-D015102	CL232-234-051920-COMP-P	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL232-234	5/19/2020	10:41	N1	DD-D015102	CL232-234-051920-COMP-P	SW8082A	SW	TOTAL PCBs	0.48		-	0.24	ug/WIPE
CL233-235	5/19/2020	10:44	N1	DD-D015103	CL233-235-051920-COMP-B	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL233-235	5/19/2020	10:44	N1	DD-D015103	CL233-235-051920-COMP-B	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL233-235	5/19/2020	10:44	N1	DD-D015103	CL233-235-051920-COMP-B	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL233-235	5/19/2020	10:44	N1	DD-D015103	CL233-235-051920-COMP-B	SW8082A	SW	PCB-1242 (AROCLOR 1242)	7.7		0.088	0.24	ug/WIPE
CL233-235	5/19/2020	10:44	N1	DD-D015103	CL233-235-051920-COMP-B	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL233-235	5/19/2020	10:44	N1	DD-D015103	CL233-235-051920-COMP-B	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2.6		0.07	0.24	ug/WIPE
CL233-235	5/19/2020	10:44	N1	DD-D015103	CL233-235-051920-COMP-B	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL233-235	5/19/2020	10:44	N1	DD-D015103	CL233-235-051920-COMP-B	SW8082A	SW	TOTAL PCBs	10.3		-	0.24	ug/WIPE
CL236-238	5/19/2020	10:53	N1	DD-D015106	CL236-238-051920-COMP-P	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL236-238	5/19/2020	10:53	N1	DD-D015106	CL236-238-051920-COMP-P	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL236-238	5/19/2020	10:53	N1	DD-D015106	CL236-238-051920-COMP-P	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL236-238	5/19/2020	10:53	N1	DD-D015106	CL236-238-051920-COMP-P	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.45		0.088	0.24	ug/WIPE
CL236-238	5/19/2020	10:53	N1	DD-D015106	CL236-238-051920-COMP-P	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL236-238	5/19/2020	10:53	N1	DD-D015106	CL236-238-051920-COMP-P	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.15	J	0.07	0.24	ug/WIPE
CL236-238	5/19/2020	10:53	N1	DD-D015106	CL236-238-051920-COMP-P	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL236-238	5/19/2020	10:53	N1	DD-D015106	CL236-238-051920-COMP-P	SW8082A	SW	TOTAL PCBs	0.6		-	0.24	ug/WIPE
CL237-239	5/19/2020	10:54	N1	DD-D015107	CL237-239-051920-COMP-B	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL237-239	5/19/2020	10:54	N1	DD-D015107	CL237-239-051920-COMP-B	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL237-239	5/19/2020	10:54	N1	DD-D015107	CL237-239-051920-COMP-B	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL237-239	5/19/2020	10:54	N1	DD-D015107	CL237-239-051920-COMP-B	SW8082A	SW	PCB-1242 (AROCLOR 1242)	7.1		0.088	0.24	ug/WIPE
CL237-239	5/19/2020	10:54	N1	DD-D015107	CL237-239-051920-COMP-B	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL237-239	5/19/2020	10:54	N1	DD-D015107	CL237-239-051920-COMP-B	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2.7		0.07	0.24	ug/WIPE
CL237-239	5/19/2020	10:54	N1	DD-D015107	CL237-239-051920-COMP-B	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL237-239	5/19/2020	10:54	N1	DD-D015107	CL237-239-051920-COMP-B	SW8082A	SW	TOTAL PCBs	9.8		-	0.24	ug/WIPE
CL240-242	5/19/2020	11:05	N1	DD-D015110	CL240-242-051920-COMP-P	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL240-242	5/19/2020	11:05	N1	DD-D015110	CL240-242-051920-COMP-P	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL240-242	5/19/2020	11:05	N1	DD-D015110	CL240-242-051920-COMP-P	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL240-242	5/19/2020	11:05	N1	DD-D015110	CL240-242-051920-COMP-P	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.71		0.088	0.24	ug/WIPE
CL240-242	5/19/2020	11:05	N1	DD-D015110	CL240-242-051920-COMP-P	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL240-242	5/19/2020	11:05	N1	DD-D015110	CL240-242-051920-COMP-P	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.25		0.07	0.24	ug/WIPE
CL240-242	5/19/2020	11:05	N1	DD-D015110	CL240-242-051920-COMP-P	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL240-242	5/19/2020	11:05	N1	DD-D015110	CL240-242-051920-COMP-P	SW8082A	SW	TOTAL PCBs	0.96		-	0.24	ug/WIPE
CL241-243	5/19/2020	11:20	N1	DD-D015201	CL241-243-051920-COMP-B	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE

Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
CL241-243	5/19/2020	11:20	N1	DD-D015201	CL241-243-051920-COMP-B	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL241-243	5/19/2020	11:20	N1	DD-D015201	CL241-243-051920-COMP-B	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL241-243	5/19/2020	11:20	N1	DD-D015201	CL241-243-051920-COMP-B	SW8082A	SW	PCB-1242 (AROCLOR 1242)	8.9		0.088	0.24	ug/WIPE
CL241-243	5/19/2020	11:20	N1	DD-D015201	CL241-243-051920-COMP-B	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL241-243	5/19/2020	11:20	N1	DD-D015201	CL241-243-051920-COMP-B	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2.8		0.07	0.24	ug/WIPE
CL241-243	5/19/2020	11:20	N1	DD-D015201	CL241-243-051920-COMP-B	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL241-243	5/19/2020	11:20	N1	DD-D015201	CL241-243-051920-COMP-B	SW8082A	SW	TOTAL PCBs	11.7		-	0.24	ug/WIPE
CL244-246	5/19/2020	11:24	N1	DD-D015204	CL244-246-051920-COMP-P	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL244-246	5/19/2020	11:24	N1	DD-D015204	CL244-246-051920-COMP-P	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL244-246	5/19/2020	11:24	N1	DD-D015204	CL244-246-051920-COMP-P	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL244-246	5/19/2020	11:24	N1	DD-D015204	CL244-246-051920-COMP-P	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.33		0.088	0.24	ug/WIPE
CL244-246	5/19/2020	11:24	N1	DD-D015204	CL244-246-051920-COMP-P	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL244-246	5/19/2020	11:24	N1	DD-D015204	CL244-246-051920-COMP-P	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.12	J	0.07	0.24	ug/WIPE
CL244-246	5/19/2020	11:24	N1	DD-D015204	CL244-246-051920-COMP-P	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL244-246	5/19/2020	11:24	N1	DD-D015204	CL244-246-051920-COMP-P	SW8082A	SW	TOTAL PCBs	0.45		-	0.24	ug/WIPE
CL245-247	5/19/2020	11:27	N1	DD-D015205	CL245-247-051920-COMP-B	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL245-247	5/19/2020	11:27	N1	DD-D015205	CL245-247-051920-COMP-B	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL245-247	5/19/2020	11:27	N1	DD-D015205	CL245-247-051920-COMP-B	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL245-247	5/19/2020	11:27	N1	DD-D015205	CL245-247-051920-COMP-B	SW8082A	SW	PCB-1242 (AROCLOR 1242)	13		0.088	0.24	ug/WIPE
CL245-247	5/19/2020	11:27	N1	DD-D015205	CL245-247-051920-COMP-B	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL245-247	5/19/2020	11:27	N1	DD-D015205	CL245-247-051920-COMP-B	SW8082A	SW	PCB-1254 (AROCLOR 1254)	3.9		0.07	0.24	ug/WIPE
CL245-247	5/19/2020	11:27	N1	DD-D015205	CL245-247-051920-COMP-B	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL245-247	5/19/2020	11:27	N1	DD-D015205	CL245-247-051920-COMP-B	SW8082A	SW	TOTAL PCBs	16.9		-	0.24	ug/WIPE
CW001	4/23/2020	11:20	N1	DD-D004301	CW001-042320	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CW001	4/23/2020	11:20	N1	DD-D004301	CW001-042320	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CW001	4/23/2020	11:20	N1	DD-D004301	CW001-042320	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CW001	4/23/2020	11:20	N1	DD-D004301	CW001-042320	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.19	J	0.088	0.24	ug/WIPE
CW001	4/23/2020	11:20	N1	DD-D004301	CW001-042320	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CW001	4/23/2020	11:20	N1	DD-D004301	CW001-042320	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.13	J	0.07	0.24	ug/WIPE
CW001	4/23/2020	11:20	N1	DD-D004301	CW001-042320	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CW001	4/23/2020	11:20	N1	DD-D004301	CW001-042320	SW8082A	SW	TOTAL PCBs	0.32		-	0.24	ug/WIPE
CW002	4/23/2020	11:25	N1	DD-D004302	CW002-042320	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CW002	4/23/2020	11:25	N1	DD-D004302	CW002-042320	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CW002	4/23/2020	11:25	N1	DD-D004302	CW002-042320	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CW002	4/23/2020	11:25	N1	DD-D004302	CW002-042320	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.12	J	0.088	0.24	ug/WIPE
CW002	4/23/2020	11:25	N1	DD-D004302	CW002-042320	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CW002	4/23/2020	11:25	N1	DD-D004302	CW002-042320	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
CW002	4/23/2020	11:25	N1	DD-D004302	CW002-042320	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CW002	4/23/2020	11:25	N1	DD-D004302	CW002-042320	SW8082A	SW	TOTAL PCBs	0.12		-	0.24	ug/WIPE
CW003	4/23/2020	11:32	N1	DD-D004303	CW003-042320	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CW003	4/23/2020	11:32	N1	DD-D004303	CW003-042320	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CW003	4/23/2020	11:32	N1	DD-D004303	CW003-042320	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CW003	4/23/2020	11:32	N1	DD-D004303	CW003-042320	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
CW003	4/23/2020	11:32	N1	DD-D004303	CW003-042320	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CW003	4/23/2020	11:32	N1	DD-D004303	CW003-042320	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
CW003	4/23/2020	11:32	N1	DD-D004303	CW003-042320	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CW003	4/23/2020	11:32	N1	DD-D004303	CW003-042320	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
CW004	4/23/2020	11:50	N1	DD-D004304	CW004-042320	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CW004	4/23/2020	11:50	N1	DD-D004304	CW004-042320	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CW004	4/23/2020	11:50	N1	DD-D004304	CW004-042320	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CW004	4/23/2020	11:50	N1	DD-D004304	CW004-042320	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE



Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
CW004	4/23/2020	11:50	N1	DD-D004304	CW004-042320	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CW004	4/23/2020	11:50	N1	DD-D004304	CW004-042320	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
CW004	4/23/2020	11:50	N1	DD-D004304	CW004-042320	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CW004	4/23/2020	11:50	N1	DD-D004304	CW004-042320	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
CW005	4/23/2020	11:56	N1	DD-D004305	CW005-042320	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CW005	4/23/2020	11:56	N1	DD-D004305	CW005-042320	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CW005	4/23/2020	11:56	N1	DD-D004305	CW005-042320	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CW005	4/23/2020	11:56	N1	DD-D004305	CW005-042320	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
CW005	4/23/2020	11:56	N1	DD-D004305	CW005-042320	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CW005	4/23/2020	11:56	N1	DD-D004305	CW005-042320	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
CW005	4/23/2020	11:56	N1	DD-D004305	CW005-042320	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CW005	4/23/2020	11:56	N1	DD-D004305	CW005-042320	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
CW006	4/23/2020	13:34	N1	DD-D004306	CW006-042320	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CW006	4/23/2020	13:34	N1	DD-D004306	CW006-042320	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CW006	4/23/2020	13:34	N1	DD-D004306	CW006-042320	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CW006	4/23/2020	13:34	N1	DD-D004306	CW006-042320	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
CW006	4/23/2020	13:34	N1	DD-D004306	CW006-042320	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CW006	4/23/2020	13:34	N1	DD-D004306	CW006-042320	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
CW006	4/23/2020	13:34	N1	DD-D004306	CW006-042320	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CW006	4/23/2020	13:34	N1	DD-D004306	CW006-042320	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
CW007	4/23/2020	13:36	N1	DD-D004307	CW007-042320	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CW007	4/23/2020	13:36	N1	DD-D004307	CW007-042320	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CW007	4/23/2020	13:36	N1	DD-D004307	CW007-042320	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CW007	4/23/2020	13:36	N1	DD-D004307	CW007-042320	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.16	J	0.088	0.24	ug/WIPE
CW007	4/23/2020	13:36	N1	DD-D004307	CW007-042320	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CW007	4/23/2020	13:36	N1	DD-D004307	CW007-042320	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.093	J	0.07	0.24	ug/WIPE
CW007	4/23/2020	13:36	N1	DD-D004307	CW007-042320	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CW007	4/23/2020	13:36	N1	DD-D004307	CW007-042320	SW8082A	SW	TOTAL PCBs	0.253		-	0.24	ug/WIPE
CW008	4/23/2020	13:49	N1	DD-D004308	CW008-042320	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CW008	4/23/2020	13:49	N1	DD-D004308	CW008-042320	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CW008	4/23/2020	13:49	N1	DD-D004308	CW008-042320	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CW008	4/23/2020	13:49	N1	DD-D004308	CW008-042320	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
CW008	4/23/2020	13:49	N1	DD-D004308	CW008-042320	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CW008	4/23/2020	13:49	N1	DD-D004308	CW008-042320	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
CW008	4/23/2020	13:49	N1	DD-D004308	CW008-042320	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CW008	4/23/2020	13:49	N1	DD-D004308	CW008-042320	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
CW009	4/23/2020	13:59	N1	DD-D004309	CW009-042320	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CW009	4/23/2020	13:59	N1	DD-D004309	CW009-042320	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CW009	4/23/2020	13:59	N1	DD-D004309	CW009-042320	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CW009	4/23/2020	13:59	N1	DD-D004309	CW009-042320	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
CW009	4/23/2020	13:59	N1	DD-D004309	CW009-042320	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CW009	4/23/2020	13:59	N1	DD-D004309	CW009-042320	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
CW009	4/23/2020	13:59	N1	DD-D004309	CW009-042320	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CW009	4/23/2020	13:59	N1	DD-D004309	CW009-042320	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
CW010	4/23/2020	14:12	N1	DD-D004310	CW010-042320	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CW010	4/23/2020	14:12	N1	DD-D004310	CW010-042320	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CW010	4/23/2020	14:12	N1	DD-D004310	CW010-042320	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CW010	4/23/2020	14:12	N1	DD-D004310	CW010-042320	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
CW010	4/23/2020	14:12	N1	DD-D004310	CW010-042320	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CW010	4/23/2020	14:12	N1	DD-D004310	CW010-042320	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
CW010	4/23/2020	14:12	N1	DD-D004310	CW010-042320	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE

Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
CW010	4/23/2020	14:12	N1	DD-D004310	CW010-042320	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
CW011	4/23/2020	15:03	N1	DD-D004401	CW011-042320	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CW011	4/23/2020	15:03	N1	DD-D004401	CW011-042320	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CW011	4/23/2020	15:03	N1	DD-D004401	CW011-042320	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CW011	4/23/2020	15:03	N1	DD-D004401	CW011-042320	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.17	J	0.088	0.24	ug/WIPE
CW011	4/23/2020	15:03	N1	DD-D004401	CW011-042320	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CW011	4/23/2020	15:03	N1	DD-D004401	CW011-042320	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.1	J	0.07	0.24	ug/WIPE
CW011	4/23/2020	15:03	N1	DD-D004401	CW011-042320	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CW011	4/23/2020	15:03	N1	DD-D004401	CW011-042320	SW8082A	SW	TOTAL PCBs	0.27		-	0.24	ug/WIPE
CW012	4/23/2020	15:23	N1	DD-D004402	CW012-042320	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CW012	4/23/2020	15:23	N1	DD-D004402	CW012-042320	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CW012	4/23/2020	15:23	N1	DD-D004402	CW012-042320	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CW012	4/23/2020	15:23	N1	DD-D004402	CW012-042320	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.28		0.088	0.24	ug/WIPE
CW012	4/23/2020	15:23	N1	DD-D004402	CW012-042320	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CW012	4/23/2020	15:23	N1	DD-D004402	CW012-042320	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.18	J	0.07	0.24	ug/WIPE
CW012	4/23/2020	15:23	N1	DD-D004402	CW012-042320	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CW012	4/23/2020	15:23	N1	DD-D004402	CW012-042320	SW8082A	SW	TOTAL PCBs	0.46		-	0.24	ug/WIPE
CW013	4/23/2020	15:38	N1	DD-D004403	CW013-042320	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CW013	4/23/2020	15:38	N1	DD-D004403	CW013-042320	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CW013	4/23/2020	15:38	N1	DD-D004403	CW013-042320	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CW013	4/23/2020	15:38	N1	DD-D004403	CW013-042320	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
CW013	4/23/2020	15:38	N1	DD-D004403	CW013-042320	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CW013	4/23/2020	15:38	N1	DD-D004403	CW013-042320	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
CW013	4/23/2020	15:38	N1	DD-D004403	CW013-042320	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CW013	4/23/2020	15:38	N1	DD-D004403	CW013-042320	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
CW014	4/23/2020	15:46	N1	DD-D004404	CW014-042320	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CW014	4/23/2020	15:46	N1	DD-D004404	CW014-042320	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CW014	4/23/2020	15:46	N1	DD-D004404	CW014-042320	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CW014	4/23/2020	15:46	N1	DD-D004404	CW014-042320	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
CW014	4/23/2020	15:46	N1	DD-D004404	CW014-042320	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CW014	4/23/2020	15:46	N1	DD-D004404	CW014-042320	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
CW014	4/23/2020	15:46	N1	DD-D004404	CW014-042320	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CW014	4/23/2020	15:46	N1	DD-D004404	CW014-042320	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
CW015	4/23/2020	7:15	N1	DD-D004405	CW015-042320	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CW015	4/23/2020	7:15	N1	DD-D004405	CW015-042320	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CW015	4/23/2020	7:15	N1	DD-D004405	CW015-042320	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CW015	4/23/2020	7:15	N1	DD-D004405	CW015-042320	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
CW015	4/23/2020	7:15	N1	DD-D004405	CW015-042320	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CW015	4/23/2020	7:15	N1	DD-D004405	CW015-042320	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
CW015	4/23/2020	7:15	N1	DD-D004405	CW015-042320	SW8082A	SW	PCB-1260 (AROCLOR 1260)	0.36		0.09	0.24	ug/WIPE
CW015	4/23/2020	7:15	N1	DD-D004405	CW015-042320	SW8082A	SW	TOTAL PCBs	0.36		-	0.24	ug/WIPE
CW016	4/23/2020	7:27	N1	DD-D004406	CW016-042320	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CW016	4/23/2020	7:27	N1	DD-D004406	CW016-042320	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CW016	4/23/2020	7:27	N1	DD-D004406	CW016-042320	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CW016	4/23/2020	7:27	N1	DD-D004406	CW016-042320	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
CW016	4/23/2020	7:27	N1	DD-D004406	CW016-042320	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CW016	4/23/2020	7:27	N1	DD-D004406	CW016-042320	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
CW016	4/23/2020	7:27	N1	DD-D004406	CW016-042320	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CW016	4/23/2020	7:27	N1	DD-D004406	CW016-042320	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
CW017	4/23/2020	7:47	N1	DD-D004407	CW017-042320	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CW017	4/23/2020	7:47	N1	DD-D004407	CW017-042320	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE

Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
CW017	4/23/2020	7:47	N1	DD-D004407	CW017-042320	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CW017	4/23/2020	7:47	N1	DD-D004407	CW017-042320	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
CW017	4/23/2020	7:47	N1	DD-D004407	CW017-042320	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CW017	4/23/2020	7:47	N1	DD-D004407	CW017-042320	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
CW017	4/23/2020	7:47	N1	DD-D004407	CW017-042320	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CW017	4/23/2020	7:47	N1	DD-D004407	CW017-042320	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
CW018	4/23/2020	7:50	N1	DD-D004408	CW018-042320	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CW018	4/23/2020	7:50	N1	DD-D004408	CW018-042320	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CW018	4/23/2020	7:50	N1	DD-D004408	CW018-042320	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CW018	4/23/2020	7:50	N1	DD-D004408	CW018-042320	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.49	J	0.088	0.24	ug/WIPE
CW018	4/23/2020	7:50	N1	DD-D004408	CW018-042320	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CW018	4/23/2020	7:50	N1	DD-D004408	CW018-042320	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.22	J	0.07	0.24	ug/WIPE
CW018	4/23/2020	7:50	N1	DD-D004408	CW018-042320	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CW018	4/23/2020	7:50	N1	DD-D004408	CW018-042320	SW8082A	SW	TOTAL PCBs	0.71	J	-	0.24	ug/WIPE
CW019	4/23/2020	8:00	N1	DD-D004409	CW019-042320	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CW019	4/23/2020	8:00	N1	DD-D004409	CW019-042320	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CW019	4/23/2020	8:00	N1	DD-D004409	CW019-042320	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CW019	4/23/2020	8:00	N1	DD-D004409	CW019-042320	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
CW019	4/23/2020	8:00	N1	DD-D004409	CW019-042320	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CW019	4/23/2020	8:00	N1	DD-D004409	CW019-042320	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
CW019	4/23/2020	8:00	N1	DD-D004409	CW019-042320	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CW019	4/23/2020	8:00	N1	DD-D004409	CW019-042320	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
CW020	4/23/2020	10:06	N1	DD-D004410	CW020-042320	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CW020	4/23/2020	10:06	N1	DD-D004410	CW020-042320	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CW020	4/23/2020	10:06	N1	DD-D004410	CW020-042320	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CW020	4/23/2020	10:06	N1	DD-D004410	CW020-042320	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
CW020	4/23/2020	10:06	N1	DD-D004410	CW020-042320	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CW020	4/23/2020	10:06	N1	DD-D004410	CW020-042320	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
CW020	4/23/2020	10:06	N1	DD-D004410	CW020-042320	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CW020	4/23/2020	10:06	N1	DD-D004410	CW020-042320	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
CW021	4/29/2020	10:05	N1	DD-D004501	CW021-042920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CW021	4/29/2020	10:05	N1	DD-D004501	CW021-042920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CW021	4/29/2020	10:05	N1	DD-D004501	CW021-042920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CW021	4/29/2020	10:05	N1	DD-D004501	CW021-042920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
CW021	4/29/2020	10:05	N1	DD-D004501	CW021-042920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CW021	4/29/2020	10:05	N1	DD-D004501	CW021-042920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
CW021	4/29/2020	10:05	N1	DD-D004501	CW021-042920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CW021	4/29/2020	10:05	N1	DD-D004501	CW021-042920	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
CW022	4/28/2020	8:26	N1	DD-D004502	CW022-042820	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CW022	4/28/2020	8:26	N1	DD-D004502	CW022-042820	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CW022	4/28/2020	8:26	N1	DD-D004502	CW022-042820	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CW022	4/28/2020	8:26	N1	DD-D004502	CW022-042820	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
CW022	4/28/2020	8:26	N1	DD-D004502	CW022-042820	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CW022	4/28/2020	8:26	N1	DD-D004502	CW022-042820	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
CW022	4/28/2020	8:26	N1	DD-D004502	CW022-042820	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CW022	4/28/2020	8:26	N1	DD-D004502	CW022-042820	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
CW023	4/29/2020	9:11	N1	DD-D004503	CW023-042920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CW023	4/29/2020	9:11	N1	DD-D004503	CW023-042920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CW023	4/29/2020	9:11	N1	DD-D004503	CW023-042920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CW023	4/29/2020	9:11	N1	DD-D004503	CW023-042920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
CW023	4/29/2020	9:11	N1	DD-D004503	CW023-042920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE

Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
CW023	4/29/2020	9:11	N1	DD-D004503	CW023-042920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	ND	U	0.07	0.24	ug/WIPE
CW023	4/29/2020	9:11	N1	DD-D004503	CW023-042920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CW023	4/29/2020	9:11	N1	DD-D004503	CW023-042920	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
CW024	4/29/2020	10:55	N1	DD-D004504	CW024-042920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CW024	4/29/2020	10:55	N1	DD-D004504	CW024-042920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CW024	4/29/2020	10:55	N1	DD-D004504	CW024-042920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CW024	4/29/2020	10:55	N1	DD-D004504	CW024-042920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	ND	U	0.088	0.24	ug/WIPE
CW024	4/29/2020	10:55	N1	DD-D004504	CW024-042920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CW024	4/29/2020	10:55	N1	DD-D004504	CW024-042920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	ND	U	0.07	0.24	ug/WIPE
CW024	4/29/2020	10:55	N1	DD-D004504	CW024-042920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CW024	4/29/2020	10:55	N1	DD-D004504	CW024-042920	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
CW025	4/29/2020	10:31	N1	DD-D004505	CW025-042920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CW025	4/29/2020	10:31	N1	DD-D004505	CW025-042920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CW025	4/29/2020	10:31	N1	DD-D004505	CW025-042920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CW025	4/29/2020	10:31	N1	DD-D004505	CW025-042920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.13	J	0.088	0.24	ug/WIPE
CW025	4/29/2020	10:31	N1	DD-D004505	CW025-042920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CW025	4/29/2020	10:31	N1	DD-D004505	CW025-042920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.074	J	0.07	0.24	ug/WIPE
CW025	4/29/2020	10:31	N1	DD-D004505	CW025-042920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CW025	4/29/2020	10:31	N1	DD-D004505	CW025-042920	SW8082A	SW	TOTAL PCBs	0.204		-	0.24	ug/WIPE
CW026	4/29/2020	11:27	N1	DD-D004506	CW026-042920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CW026	4/29/2020	11:27	N1	DD-D004506	CW026-042920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CW026	4/29/2020	11:27	N1	DD-D004506	CW026-042920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CW026	4/29/2020	11:27	N1	DD-D004506	CW026-042920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	ND	U	0.088	0.24	ug/WIPE
CW026	4/29/2020	11:27	N1	DD-D004506	CW026-042920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CW026	4/29/2020	11:27	N1	DD-D004506	CW026-042920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	ND	U	0.07	0.24	ug/WIPE
CW026	4/29/2020	11:27	N1	DD-D004506	CW026-042920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CW026	4/29/2020	11:27	N1	DD-D004506	CW026-042920	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
CW027	4/29/2020	11:47	N1	DD-D004507	CW027-042920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CW027	4/29/2020	11:47	N1	DD-D004507	CW027-042920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CW027	4/29/2020	11:47	N1	DD-D004507	CW027-042920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CW027	4/29/2020	11:47	N1	DD-D004507	CW027-042920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	ND	U	0.088	0.24	ug/WIPE
CW027	4/29/2020	11:47	N1	DD-D004507	CW027-042920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CW027	4/29/2020	11:47	N1	DD-D004507	CW027-042920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	ND	U	0.07	0.24	ug/WIPE
CW027	4/29/2020	11:47	N1	DD-D004507	CW027-042920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CW027	4/29/2020	11:47	N1	DD-D004507	CW027-042920	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
CW028	4/28/2020	8:46	N1	DD-D004508	CW028-042820	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CW028	4/28/2020	8:46	N1	DD-D004508	CW028-042820	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CW028	4/28/2020	8:46	N1	DD-D004508	CW028-042820	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CW028	4/28/2020	8:46	N1	DD-D004508	CW028-042820	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	ND	U	0.088	0.24	ug/WIPE
CW028	4/28/2020	8:46	N1	DD-D004508	CW028-042820	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CW028	4/28/2020	8:46	N1	DD-D004508	CW028-042820	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	ND	U	0.07	0.24	ug/WIPE
CW028	4/28/2020	8:46	N1	DD-D004508	CW028-042820	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CW028	4/28/2020	8:46	N1	DD-D004508	CW028-042820	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
CW029	4/29/2020	13:38	N1	DD-D004509	CW029-042920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CW029	4/29/2020	13:38	N1	DD-D004509	CW029-042920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CW029	4/29/2020	13:38	N1	DD-D004509	CW029-042920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CW029	4/29/2020	13:38	N1	DD-D004509	CW029-042920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	ND	U	0.088	0.24	ug/WIPE
CW029	4/29/2020	13:38	N1	DD-D004509	CW029-042920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CW029	4/29/2020	13:38	N1	DD-D004509	CW029-042920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	ND	U	0.07	0.24	ug/WIPE
CW029	4/29/2020	13:38	N1	DD-D004509	CW029-042920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CW029	4/29/2020	13:38	N1	DD-D004509	CW029-042920	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE

Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
CW030	4/29/2020	13:57	N1	DD-D004510	CW030-042920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CW030	4/29/2020	13:57	N1	DD-D004510	CW030-042920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CW030	4/29/2020	13:57	N1	DD-D004510	CW030-042920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CW030	4/29/2020	13:57	N1	DD-D004510	CW030-042920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.18	J	0.088	0.24	ug/WIPE
CW030	4/29/2020	13:57	N1	DD-D004510	CW030-042920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CW030	4/29/2020	13:57	N1	DD-D004510	CW030-042920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.094	J	0.07	0.24	ug/WIPE
CW030	4/29/2020	13:57	N1	DD-D004510	CW030-042920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CW030	4/29/2020	13:57	N1	DD-D004510	CW030-042920	SW8082A	SW	TOTAL PCBs	0.274		-	0.24	ug/WIPE
CW031	4/28/2020	10:13	N1	DD-D004601	CW031-042820	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CW031	4/28/2020	10:13	N1	DD-D004601	CW031-042820	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CW031	4/28/2020	10:13	N1	DD-D004601	CW031-042820	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CW031	4/28/2020	10:13	N1	DD-D004601	CW031-042820	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.17	J	0.088	0.24	ug/WIPE
CW031	4/28/2020	10:13	N1	DD-D004601	CW031-042820	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CW031	4/28/2020	10:13	N1	DD-D004601	CW031-042820	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	ND	U	0.07	0.24	ug/WIPE
CW031	4/28/2020	10:13	N1	DD-D004601	CW031-042820	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CW031	4/28/2020	10:13	N1	DD-D004601	CW031-042820	SW8082A	SW	TOTAL PCBs	0.17		-	0.24	ug/WIPE
CW032	4/29/2020	14:38	N1	DD-D004602	CW032-043020	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CW032	4/29/2020	14:38	N1	DD-D004602	CW032-043020	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CW032	4/29/2020	14:38	N1	DD-D004602	CW032-043020	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CW032	4/29/2020	14:38	N1	DD-D004602	CW032-043020	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.2	J	0.088	0.24	ug/WIPE
CW032	4/29/2020	14:38	N1	DD-D004602	CW032-043020	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CW032	4/29/2020	14:38	N1	DD-D004602	CW032-043020	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.15	J	0.07	0.24	ug/WIPE
CW032	4/29/2020	14:38	N1	DD-D004602	CW032-043020	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CW032	4/29/2020	14:38	N1	DD-D004602	CW032-043020	SW8082A	SW	TOTAL PCBs	0.35		-	0.24	ug/WIPE
CW033	4/29/2020	15:10	N1	DD-D004603	CW033-043020	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CW033	4/29/2020	15:10	N1	DD-D004603	CW033-043020	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CW033	4/29/2020	15:10	N1	DD-D004603	CW033-043020	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CW033	4/29/2020	15:10	N1	DD-D004603	CW033-043020	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	ND	U	0.088	0.24	ug/WIPE
CW033	4/29/2020	15:10	N1	DD-D004603	CW033-043020	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CW033	4/29/2020	15:10	N1	DD-D004603	CW033-043020	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	ND	U	0.07	0.24	ug/WIPE
CW033	4/29/2020	15:10	N1	DD-D004603	CW033-043020	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CW033	4/29/2020	15:10	N1	DD-D004603	CW033-043020	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
CW034	4/28/2020	10:31	N1	DD-D004604	CW034-042820	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CW034	4/28/2020	10:31	N1	DD-D004604	CW034-042820	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CW034	4/28/2020	10:31	N1	DD-D004604	CW034-042820	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CW034	4/28/2020	10:31	N1	DD-D004604	CW034-042820	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	ND	U	0.088	0.24	ug/WIPE
CW034	4/28/2020	10:31	N1	DD-D004604	CW034-042820	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CW034	4/28/2020	10:31	N1	DD-D004604	CW034-042820	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	ND	U	0.07	0.24	ug/WIPE
CW034	4/28/2020	10:31	N1	DD-D004604	CW034-042820	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CW034	4/28/2020	10:31	N1	DD-D004604	CW034-042820	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
CW035	4/28/2020	10:38	N1	DD-D004605	CW035-042820	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CW035	4/28/2020	10:38	N1	DD-D004605	CW035-042820	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CW035	4/28/2020	10:38	N1	DD-D004605	CW035-042820	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CW035	4/28/2020	10:38	N1	DD-D004605	CW035-042820	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.21	J	0.088	0.24	ug/WIPE
CW035	4/28/2020	10:38	N1	DD-D004605	CW035-042820	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CW035	4/28/2020	10:38	N1	DD-D004605	CW035-042820	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.14	J	0.07	0.24	ug/WIPE
CW035	4/28/2020	10:38	N1	DD-D004605	CW035-042820	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CW035	4/28/2020	10:38	N1	DD-D004605	CW035-042820	SW8082A	SW	TOTAL PCBs	0.35		-	0.24	ug/WIPE
CW036	4/28/2020	11:43	N1	DD-D004606	CW036-042820	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CW036	4/28/2020	11:43	N1	DD-D004606	CW036-042820	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CW036	4/28/2020	11:43	N1	DD-D004606	CW036-042820	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE





Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
CW042	4/30/2020	8:37	N1	DD-D004702	CW042-043020	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CW042	4/30/2020	8:37	N1	DD-D004702	CW042-043020	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
CW043	4/28/2020	11:49	N1	DD-D004703	CW043-042820	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CW043	4/28/2020	11:49	N1	DD-D004703	CW043-042820	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CW043	4/28/2020	11:49	N1	DD-D004703	CW043-042820	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CW043	4/28/2020	11:49	N1	DD-D004703	CW043-042820	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	ND	U	0.088	0.24	ug/WIPE
CW043	4/28/2020	11:49	N1	DD-D004703	CW043-042820	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CW043	4/28/2020	11:49	N1	DD-D004703	CW043-042820	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	ND	U	0.07	0.24	ug/WIPE
CW043	4/28/2020	11:49	N1	DD-D004703	CW043-042820	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CW043	4/28/2020	11:49	N1	DD-D004703	CW043-042820	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
CW044	4/28/2020	12:02	N1	DD-D004704	CW044-042820	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CW044	4/28/2020	12:02	N1	DD-D004704	CW044-042820	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CW044	4/28/2020	12:02	N1	DD-D004704	CW044-042820	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CW044	4/28/2020	12:02	N1	DD-D004704	CW044-042820	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	ND	U	0.088	0.24	ug/WIPE
CW044	4/28/2020	12:02	N1	DD-D004704	CW044-042820	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CW044	4/28/2020	12:02	N1	DD-D004704	CW044-042820	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	ND	U	0.07	0.24	ug/WIPE
CW044	4/28/2020	12:02	N1	DD-D004704	CW044-042820	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CW044	4/28/2020	12:02	N1	DD-D004704	CW044-042820	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
CW045	4/30/2020	10:03	N1	DD-D004705	CW045-043020	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CW045	4/30/2020	10:03	N1	DD-D004705	CW045-043020	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CW045	4/30/2020	10:03	N1	DD-D004705	CW045-043020	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CW045	4/30/2020	10:03	N1	DD-D004705	CW045-043020	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	ND	U	0.088	0.24	ug/WIPE
CW045	4/30/2020	10:03	N1	DD-D004705	CW045-043020	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CW045	4/30/2020	10:03	N1	DD-D004705	CW045-043020	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	ND	U	0.07	0.24	ug/WIPE
CW045	4/30/2020	10:03	N1	DD-D004705	CW045-043020	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CW045	4/30/2020	10:03	N1	DD-D004705	CW045-043020	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
CW046	4/30/2020	9:43	N1	DD-D004706	CW046-043020	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CW046	4/30/2020	9:43	N1	DD-D004706	CW046-043020	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CW046	4/30/2020	9:43	N1	DD-D004706	CW046-043020	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CW046	4/30/2020	9:43	N1	DD-D004706	CW046-043020	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	ND	U	0.088	0.24	ug/WIPE
CW046	4/30/2020	9:43	N1	DD-D004706	CW046-043020	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CW046	4/30/2020	9:43	N1	DD-D004706	CW046-043020	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	ND	U	0.07	0.24	ug/WIPE
CW046	4/30/2020	9:43	N1	DD-D004706	CW046-043020	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CW046	4/30/2020	9:43	N1	DD-D004706	CW046-043020	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
DBG001	4/28/2020	13:46	N1	DD-D007001	DBG001-042820	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG001	4/28/2020	13:46	N1	DD-D007001	DBG001-042820	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG001	4/28/2020	13:46	N1	DD-D007001	DBG001-042820	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG001	4/28/2020	13:46	N1	DD-D007001	DBG001-042820	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	4.3		0.088	0.24	ug/WIPE
DBG001	4/28/2020	13:46	N1	DD-D007001	DBG001-042820	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG001	4/28/2020	13:46	N1	DD-D007001	DBG001-042820	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.2		0.07	0.24	ug/WIPE
DBG001	4/28/2020	13:46	N1	DD-D007001	DBG001-042820	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG001	4/28/2020	13:46	N1	DD-D007001	DBG001-042820	SW8082A	SW	TOTAL PCBs	6.5		-	0.24	ug/WIPE
DBG002	4/30/2020	11:39	N1	DD-D007002	DBG002-043020	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG002	4/30/2020	11:39	N1	DD-D007002	DBG002-043020	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG002	4/30/2020	11:39	N1	DD-D007002	DBG002-043020	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG002	4/30/2020	11:39	N1	DD-D007002	DBG002-043020	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.76		0.088	0.24	ug/WIPE
DBG002	4/30/2020	11:39	N1	DD-D007002	DBG002-043020	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG002	4/30/2020	11:39	N1	DD-D007002	DBG002-043020	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.49		0.07	0.24	ug/WIPE
DBG002	4/30/2020	11:39	N1	DD-D007002	DBG002-043020	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG002	4/30/2020	11:39	N1	DD-D007002	DBG002-043020	SW8082A	SW	TOTAL PCBs	1.25		-	0.24	ug/WIPE
DBG003-013	4/30/2020	11:35	N1	DD-D007003	DBG003-013-043020-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE

Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
DBG003-013	4/30/2020	11:35	N1	DD-D007003	DBG003-013-043020-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG003-013	4/30/2020	11:35	N1	DD-D007003	DBG003-013-043020-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG003-013	4/30/2020	11:35	N1	DD-D007003	DBG003-013-043020-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	8		0.088	0.24	ug/WIPE
DBG003-013	4/30/2020	11:35	N1	DD-D007003	DBG003-013-043020-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG003-013	4/30/2020	11:35	N1	DD-D007003	DBG003-013-043020-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	4.1		0.07	0.24	ug/WIPE
DBG003-013	4/30/2020	11:35	N1	DD-D007003	DBG003-013-043020-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG003-013	4/30/2020	11:35	N1	DD-D007003	DBG003-013-043020-COMP	SW8082A	SW	TOTAL PCBs	12.1		-	0.24	ug/WIPE
DBG004	4/30/2020	11:31	N1	DD-D007004	DBG004-043020	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG004	4/30/2020	11:31	N1	DD-D007004	DBG004-043020	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG004	4/30/2020	11:31	N1	DD-D007004	DBG004-043020	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG004	4/30/2020	11:31	N1	DD-D007004	DBG004-043020	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3		0.088	0.24	ug/WIPE
DBG004	4/30/2020	11:31	N1	DD-D007004	DBG004-043020	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG004	4/30/2020	11:31	N1	DD-D007004	DBG004-043020	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.5		0.07	0.24	ug/WIPE
DBG004	4/30/2020	11:31	N1	DD-D007004	DBG004-043020	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG004	4/30/2020	11:31	N1	DD-D007004	DBG004-043020	SW8082A	SW	TOTAL PCBs	4.5		-	0.24	ug/WIPE
DBG005	4/30/2020	10:55	N1	DD-D007005	DBG005-043020	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG005	4/30/2020	10:55	N1	DD-D007005	DBG005-043020	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG005	4/30/2020	10:55	N1	DD-D007005	DBG005-043020	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG005	4/30/2020	10:55	N1	DD-D007005	DBG005-043020	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3		0.088	0.24	ug/WIPE
DBG005	4/30/2020	10:55	N1	DD-D007005	DBG005-043020	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG005	4/30/2020	10:55	N1	DD-D007005	DBG005-043020	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.3		0.07	0.24	ug/WIPE
DBG005	4/30/2020	10:55	N1	DD-D007005	DBG005-043020	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG005	4/30/2020	10:55	N1	DD-D007005	DBG005-043020	SW8082A	SW	TOTAL PCBs	4.3		-	0.24	ug/WIPE
DBG006-007-008	4/30/2020	11:03	N1	DD-D007006	DBG006-007-008-043020-COM	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG006-007-008	4/30/2020	11:03	N1	DD-D007006	DBG006-007-008-043020-COM	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG006-007-008	4/30/2020	11:03	N1	DD-D007006	DBG006-007-008-043020-COM	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG006-007-008	4/30/2020	11:03	N1	DD-D007006	DBG006-007-008-043020-COM	SW8082A	SW	PCB-1242 (AROCLOR 1242)	11		0.088	0.24	ug/WIPE
DBG006-007-008	4/30/2020	11:03	N1	DD-D007006	DBG006-007-008-043020-COM	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG006-007-008	4/30/2020	11:03	N1	DD-D007006	DBG006-007-008-043020-COM	SW8082A	SW	PCB-1254 (AROCLOR 1254)	4.2		0.07	0.24	ug/WIPE
DBG006-007-008	4/30/2020	11:03	N1	DD-D007006	DBG006-007-008-043020-COM	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG006-007-008	4/30/2020	11:03	N1	DD-D007006	DBG006-007-008-043020-COM	SW8082A	SW	TOTAL PCBs	15.2		-	0.24	ug/WIPE
DBG009	4/30/2020	11:15	N1	DD-D007009	DBG009-043020	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG009	4/30/2020	11:15	N1	DD-D007009	DBG009-043020	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG009	4/30/2020	11:15	N1	DD-D007009	DBG009-043020	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG009	4/30/2020	11:15	N1	DD-D007009	DBG009-043020	SW8082A	SW	PCB-1242 (AROCLOR 1242)	6.7		0.088	0.24	ug/WIPE
DBG009	4/30/2020	11:15	N1	DD-D007009	DBG009-043020	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG009	4/30/2020	11:15	N1	DD-D007009	DBG009-043020	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2.8		0.07	0.24	ug/WIPE
DBG009	4/30/2020	11:15	N1	DD-D007009	DBG009-043020	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG009	4/30/2020	11:15	N1	DD-D007009	DBG009-043020	SW8082A	SW	TOTAL PCBs	9.5		-	0.24	ug/WIPE
DBG010	4/30/2020	11:23	N1	DD-D007010	DBG010-043020	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG010	4/30/2020	11:23	N1	DD-D007010	DBG010-043020	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG010	4/30/2020	11:23	N1	DD-D007010	DBG010-043020	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG010	4/30/2020	11:23	N1	DD-D007010	DBG010-043020	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1.2		0.088	0.24	ug/WIPE
DBG010	4/30/2020	11:23	N1	DD-D007010	DBG010-043020	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG010	4/30/2020	11:23	N1	DD-D007010	DBG010-043020	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.57		0.07	0.24	ug/WIPE
DBG010	4/30/2020	11:23	N1	DD-D007010	DBG010-043020	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG010	4/30/2020	11:23	N1	DD-D007010	DBG010-043020	SW8082A	SW	TOTAL PCBs	1.77		-	0.24	ug/WIPE
DBG011-012	4/30/2020	11:41	N1	DD-D007101	DBG011-012-043020-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG011-012	4/30/2020	11:41	N1	DD-D007101	DBG011-012-043020-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG011-012	4/30/2020	11:41	N1	DD-D007101	DBG011-012-043020-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG011-012	4/30/2020	11:41	N1	DD-D007101	DBG011-012-043020-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2.7		0.088	0.24	ug/WIPE

Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
DBG011-012	4/30/2020	11:41	N1	DD-D007101	DBG011-012-043020-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG011-012	4/30/2020	11:41	N1	DD-D007101	DBG011-012-043020-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.2	U	0.07	0.24	ug/WIPE
DBG011-012	4/30/2020	11:41	N1	DD-D007101	DBG011-012-043020-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG011-012	4/30/2020	11:41	N1	DD-D007101	DBG011-012-043020-COMP	SW8082A	SW	TOTAL PCBs	3.9		-	0.24	ug/WIPE
DBG014-015	4/28/2020	13:54	N1	DD-D007104	DBG014-015-042820-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG014-015	4/28/2020	13:54	N1	DD-D007104	DBG014-015-042820-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG014-015	4/28/2020	13:54	N1	DD-D007104	DBG014-015-042820-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG014-015	4/28/2020	13:54	N1	DD-D007104	DBG014-015-042820-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2.1		0.088	0.24	ug/WIPE
DBG014-015	4/28/2020	13:54	N1	DD-D007104	DBG014-015-042820-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG014-015	4/28/2020	13:54	N1	DD-D007104	DBG014-015-042820-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.98		0.07	0.24	ug/WIPE
DBG014-015	4/28/2020	13:54	N1	DD-D007104	DBG014-015-042820-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG014-015	4/28/2020	13:54	N1	DD-D007104	DBG014-015-042820-COMP	SW8082A	SW	TOTAL PCBs	3.08		-	0.24	ug/WIPE
DBG016	4/28/2020	14:00	N1	DD-D007106	DBG016-042820	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG016	4/28/2020	14:00	N1	DD-D007106	DBG016-042820	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG016	4/28/2020	14:00	N1	DD-D007106	DBG016-042820	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG016	4/28/2020	14:00	N1	DD-D007106	DBG016-042820	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1.1		0.088	0.24	ug/WIPE
DBG016	4/28/2020	14:00	N1	DD-D007106	DBG016-042820	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG016	4/28/2020	14:00	N1	DD-D007106	DBG016-042820	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.59		0.07	0.24	ug/WIPE
DBG016	4/28/2020	14:00	N1	DD-D007106	DBG016-042820	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG016	4/28/2020	14:00	N1	DD-D007106	DBG016-042820	SW8082A	SW	TOTAL PCBs	1.69		-	0.24	ug/WIPE
DBG017-018-027	5/8/2020	13:22	N1	DD-D007107	DBG017-018-027-050820-COM	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG017-018-027	5/8/2020	13:22	N1	DD-D007107	DBG017-018-027-050820-COM	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG017-018-027	5/8/2020	13:22	N1	DD-D007107	DBG017-018-027-050820-COM	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG017-018-027	5/8/2020	13:22	N1	DD-D007107	DBG017-018-027-050820-COM	SW8082A	SW	PCB-1242 (AROCLOR 1242)	7.2		0.088	0.24	ug/WIPE
DBG017-018-027	5/8/2020	13:22	N1	DD-D007107	DBG017-018-027-050820-COM	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG017-018-027	5/8/2020	13:22	N1	DD-D007107	DBG017-018-027-050820-COM	SW8082A	SW	PCB-1254 (AROCLOR 1254)	3.3		0.07	0.24	ug/WIPE
DBG017-018-027	5/8/2020	13:22	N1	DD-D007107	DBG017-018-027-050820-COM	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG017-018-027	5/8/2020	13:22	N1	DD-D007107	DBG017-018-027-050820-COM	SW8082A	SW	TOTAL PCBs	10.5		-	0.24	ug/WIPE
DBG019	5/8/2020	13:04	N1	DD-D007109	DBG019-050820	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG019	5/8/2020	13:04	N1	DD-D007109	DBG019-050820	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG019	5/8/2020	13:04	N1	DD-D007109	DBG019-050820	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG019	5/8/2020	13:04	N1	DD-D007109	DBG019-050820	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.92		0.088	0.24	ug/WIPE
DBG019	5/8/2020	13:04	N1	DD-D007109	DBG019-050820	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG019	5/8/2020	13:04	N1	DD-D007109	DBG019-050820	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.38		0.07	0.24	ug/WIPE
DBG019	5/8/2020	13:04	N1	DD-D007109	DBG019-050820	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG019	5/8/2020	13:04	N1	DD-D007109	DBG019-050820	SW8082A	SW	TOTAL PCBs	1.3		-	0.24	ug/WIPE
DBG020-021-024	5/8/2020	12:34	N1	DD-D007110	DBG020-021-024-050820-COM	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG020-021-024	5/8/2020	12:34	N1	DD-D007110	DBG020-021-024-050820-COM	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG020-021-024	5/8/2020	12:34	N1	DD-D007110	DBG020-021-024-050820-COM	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG020-021-024	5/8/2020	12:34	N1	DD-D007110	DBG020-021-024-050820-COM	SW8082A	SW	PCB-1242 (AROCLOR 1242)	9.7		0.088	0.24	ug/WIPE
DBG020-021-024	5/8/2020	12:34	N1	DD-D007110	DBG020-021-024-050820-COM	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG020-021-024	5/8/2020	12:34	N1	DD-D007110	DBG020-021-024-050820-COM	SW8082A	SW	PCB-1254 (AROCLOR 1254)	3.3		0.07	0.24	ug/WIPE
DBG020-021-024	5/8/2020	12:34	N1	DD-D007110	DBG020-021-024-050820-COM	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG020-021-024	5/8/2020	12:34	N1	DD-D007110	DBG020-021-024-050820-COM	SW8082A	SW	TOTAL PCBs	13		-	0.24	ug/WIPE
DBG022-023	5/8/2020	12:50	N1	DD-D007202	DBG022-023-050820-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG022-023	5/8/2020	12:50	N1	DD-D007202	DBG022-023-050820-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG022-023	5/8/2020	12:50	N1	DD-D007202	DBG022-023-050820-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG022-023	5/8/2020	12:50	N1	DD-D007202	DBG022-023-050820-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	7.2		0.088	0.24	ug/WIPE
DBG022-023	5/8/2020	12:50	N1	DD-D007202	DBG022-023-050820-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG022-023	5/8/2020	12:50	N1	DD-D007202	DBG022-023-050820-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2.4		0.07	0.24	ug/WIPE
DBG022-023	5/8/2020	12:50	N1	DD-D007202	DBG022-023-050820-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE

## Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
DBG022-023	5/8/2020	12:50	N1	DD-D007202	DBG022-023-050820-COMP	SW8082A	SW	TOTAL PCBs	9.6		-	0.24	ug/WIPE
DBG025-026	5/8/2020	13:19	N1	DD-D007205	DBG025-026-050820-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG025-026	5/8/2020	13:19	N1	DD-D007205	DBG025-026-050820-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG025-026	5/8/2020	13:19	N1	DD-D007205	DBG025-026-050820-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG025-026	5/8/2020	13:19	N1	DD-D007205	DBG025-026-050820-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	4.2		0.088	0.24	ug/WIPE
DBG025-026	5/8/2020	13:19	N1	DD-D007205	DBG025-026-050820-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG025-026	5/8/2020	13:19	N1	DD-D007205	DBG025-026-050820-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.8		0.07	0.24	ug/WIPE
DBG025-026	5/8/2020	13:19	N1	DD-D007205	DBG025-026-050820-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG025-026	5/8/2020	13:19	N1	DD-D007205	DBG025-026-050820-COMP	SW8082A	SW	TOTAL PCBs	6		-	0.24	ug/WIPE
DBG028	5/8/2020	13:15	N1	DD-D007208	DBG028-050820	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG028	5/8/2020	13:15	N1	DD-D007208	DBG028-050820	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG028	5/8/2020	13:15	N1	DD-D007208	DBG028-050820	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG028	5/8/2020	13:15	N1	DD-D007208	DBG028-050820	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.2		0.088	0.24	ug/WIPE
DBG028	5/8/2020	13:15	N1	DD-D007208	DBG028-050820	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG028	5/8/2020	13:15	N1	DD-D007208	DBG028-050820	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.4		0.07	0.24	ug/WIPE
DBG028	5/8/2020	13:15	N1	DD-D007208	DBG028-050820	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG028	5/8/2020	13:15	N1	DD-D007208	DBG028-050820	SW8082A	SW	TOTAL PCBs	4.6		-	0.24	ug/WIPE
DBG029-030	4/28/2020	14:08	N1	DD-D007209	DBG029-030-042820-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG029-030	4/28/2020	14:08	N1	DD-D007209	DBG029-030-042820-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG029-030	4/28/2020	14:08	N1	DD-D007209	DBG029-030-042820-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG029-030	4/28/2020	14:08	N1	DD-D007209	DBG029-030-042820-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	4.2		0.088	0.24	ug/WIPE
DBG029-030	4/28/2020	14:08	N1	DD-D007209	DBG029-030-042820-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG029-030	4/28/2020	14:08	N1	DD-D007209	DBG029-030-042820-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2		0.07	0.24	ug/WIPE
DBG029-030	4/28/2020	14:08	N1	DD-D007209	DBG029-030-042820-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG029-030	4/28/2020	14:08	N1	DD-D007209	DBG029-030-042820-COMP	SW8082A	SW	TOTAL PCBs	6.2		-	0.24	ug/WIPE
DBG031-032	4/28/2020	14:35	N1	DD-D007301	DBG031-032-042820-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG031-032	4/28/2020	14:35	N1	DD-D007301	DBG031-032-042820-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG031-032	4/28/2020	14:35	N1	DD-D007301	DBG031-032-042820-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG031-032	4/28/2020	14:35	N1	DD-D007301	DBG031-032-042820-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.4		0.088	0.24	ug/WIPE
DBG031-032	4/28/2020	14:35	N1	DD-D007301	DBG031-032-042820-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG031-032	4/28/2020	14:35	N1	DD-D007301	DBG031-032-042820-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.94		0.07	0.24	ug/WIPE
DBG031-032	4/28/2020	14:35	N1	DD-D007301	DBG031-032-042820-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG031-032	4/28/2020	14:35	N1	DD-D007301	DBG031-032-042820-COMP	SW8082A	SW	TOTAL PCBs	3.34		-	0.24	ug/WIPE
DBG033-034-045	5/8/2020	14:54	N1	DD-D007303	DBG033-034-045-050820-COM	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG033-034-045	5/8/2020	14:54	N1	DD-D007303	DBG033-034-045-050820-COM	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG033-034-045	5/8/2020	14:54	N1	DD-D007303	DBG033-034-045-050820-COM	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG033-034-045	5/8/2020	14:54	N1	DD-D007303	DBG033-034-045-050820-COM	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	7.4		0.088	0.24	ug/WIPE
DBG033-034-045	5/8/2020	14:54	N1	DD-D007303	DBG033-034-045-050820-COM	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG033-034-045	5/8/2020	14:54	N1	DD-D007303	DBG033-034-045-050820-COM	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	3.2		0.07	0.24	ug/WIPE
DBG033-034-045	5/8/2020	14:54	N1	DD-D007303	DBG033-034-045-050820-COM	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG033-034-045	5/8/2020	14:54	N1	DD-D007303	DBG033-034-045-050820-COM	SW8082A	SW	TOTAL PCBs	10.6		-	0.24	ug/WIPE
DBG035-044	5/8/2020	14:55	N1	DD-D007305	DBG035-044-050820-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG035-044	5/8/2020	14:55	N1	DD-D007305	DBG035-044-050820-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG035-044	5/8/2020	14:55	N1	DD-D007305	DBG035-044-050820-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG035-044	5/8/2020	14:55	N1	DD-D007305	DBG035-044-050820-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.8		0.088	0.24	ug/WIPE
DBG035-044	5/8/2020	14:55	N1	DD-D007305	DBG035-044-050820-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG035-044	5/8/2020	14:55	N1	DD-D007305	DBG035-044-050820-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.6		0.07	0.24	ug/WIPE
DBG035-044	5/8/2020	14:55	N1	DD-D007305	DBG035-044-050820-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG035-044	5/8/2020	14:55	N1	DD-D007305	DBG035-044-050820-COMP	SW8082A	SW	TOTAL PCBs	5.4		-	0.24	ug/WIPE
DBG036	5/8/2020	14:49	N1	DD-D007306	DBG036-050820	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG036	5/8/2020	14:49	N1	DD-D007306	DBG036-050820	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE



Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
DBG036	5/8/2020	14:49	N1	DD-D007306	DBG036-050820	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG036	5/8/2020	14:49	N1	DD-D007306	DBG036-050820	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.2	U	0.088	0.24	ug/WIPE
DBG036	5/8/2020	14:49	N1	DD-D007306	DBG036-050820	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG036	5/8/2020	14:49	N1	DD-D007306	DBG036-050820	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.4	U	0.07	0.24	ug/WIPE
DBG036	5/8/2020	14:49	N1	DD-D007306	DBG036-050820	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG036	5/8/2020	14:49	N1	DD-D007306	DBG036-050820	SW8082A	SW	TOTAL PCBs	4.6	U	-	0.24	ug/WIPE
DBG037-038-042	5/8/2020	14:14	N1	DD-D007307	DBG037-038-042-050820-COM	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG037-038-042	5/8/2020	14:14	N1	DD-D007307	DBG037-038-042-050820-COM	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG037-038-042	5/8/2020	14:14	N1	DD-D007307	DBG037-038-042-050820-COM	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG037-038-042	5/8/2020	14:14	N1	DD-D007307	DBG037-038-042-050820-COM	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	16	U	0.088	0.24	ug/WIPE
DBG037-038-042	5/8/2020	14:14	N1	DD-D007307	DBG037-038-042-050820-COM	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG037-038-042	5/8/2020	14:14	N1	DD-D007307	DBG037-038-042-050820-COM	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	6	U	0.07	0.24	ug/WIPE
DBG037-038-042	5/8/2020	14:14	N1	DD-D007307	DBG037-038-042-050820-COM	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG037-038-042	5/8/2020	14:14	N1	DD-D007307	DBG037-038-042-050820-COM	SW8082A	SW	TOTAL PCBs	22	U	-	0.24	ug/WIPE
DBG039-040-041	5/8/2020	13:56	N1	DD-D007309	DBG039-040-041-050820-COM	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG039-040-041	5/8/2020	13:56	N1	DD-D007309	DBG039-040-041-050820-COM	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG039-040-041	5/8/2020	13:56	N1	DD-D007309	DBG039-040-041-050820-COM	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG039-040-041	5/8/2020	13:56	N1	DD-D007309	DBG039-040-041-050820-COM	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	8.8	U	0.088	0.24	ug/WIPE
DBG039-040-041	5/8/2020	13:56	N1	DD-D007309	DBG039-040-041-050820-COM	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG039-040-041	5/8/2020	13:56	N1	DD-D007309	DBG039-040-041-050820-COM	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	3.1	U	0.07	0.24	ug/WIPE
DBG039-040-041	5/8/2020	13:56	N1	DD-D007309	DBG039-040-041-050820-COM	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG039-040-041	5/8/2020	13:56	N1	DD-D007309	DBG039-040-041-050820-COM	SW8082A	SW	TOTAL PCBs	11.9	U	-	0.24	ug/WIPE
DBG043	5/8/2020	14:40	N1	DD-D007403	DBG043-050820	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG043	5/8/2020	14:40	N1	DD-D007403	DBG043-050820	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG043	5/8/2020	14:40	N1	DD-D007403	DBG043-050820	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG043	5/8/2020	14:40	N1	DD-D007403	DBG043-050820	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	12	U	0.088	0.24	ug/WIPE
DBG043	5/8/2020	14:40	N1	DD-D007403	DBG043-050820	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG043	5/8/2020	14:40	N1	DD-D007403	DBG043-050820	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	3.9	U	0.07	0.24	ug/WIPE
DBG043	5/8/2020	14:40	N1	DD-D007403	DBG043-050820	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG043	5/8/2020	14:40	N1	DD-D007403	DBG043-050820	SW8082A	SW	TOTAL PCBs	15.9	U	-	0.24	ug/WIPE
DBG046-047	4/28/2020	14:50	N1	DD-D007406	DBG046-047-042820-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG046-047	4/28/2020	14:50	N1	DD-D007406	DBG046-047-042820-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG046-047	4/28/2020	14:50	N1	DD-D007406	DBG046-047-042820-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG046-047	4/28/2020	14:50	N1	DD-D007406	DBG046-047-042820-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.7	U	0.088	0.24	ug/WIPE
DBG046-047	4/28/2020	14:50	N1	DD-D007406	DBG046-047-042820-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG046-047	4/28/2020	14:50	N1	DD-D007406	DBG046-047-042820-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.3	U	0.07	0.24	ug/WIPE
DBG046-047	4/28/2020	14:50	N1	DD-D007406	DBG046-047-042820-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG046-047	4/28/2020	14:50	N1	DD-D007406	DBG046-047-042820-COMP	SW8082A	SW	TOTAL PCBs	4	U	-	0.24	ug/WIPE
DBG048	4/28/2020	14:58	N1	DD-D007408	DBG048-042820	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG048	4/28/2020	14:58	N1	DD-D007408	DBG048-042820	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG048	4/28/2020	14:58	N1	DD-D007408	DBG048-042820	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG048	4/28/2020	14:58	N1	DD-D007408	DBG048-042820	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.5	U	0.088	0.24	ug/WIPE
DBG048	4/28/2020	14:58	N1	DD-D007408	DBG048-042820	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG048	4/28/2020	14:58	N1	DD-D007408	DBG048-042820	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.82	U	0.07	0.24	ug/WIPE
DBG048	4/28/2020	14:58	N1	DD-D007408	DBG048-042820	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG048	4/28/2020	14:58	N1	DD-D007408	DBG048-042820	SW8082A	SW	TOTAL PCBs	3.32	U	-	0.24	ug/WIPE
DBG049-050	4/29/2020	7:41	N1	DD-D007409	DBG049-050-042920-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG049-050	4/29/2020	7:41	N1	DD-D007409	DBG049-050-042920-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG049-050	4/29/2020	7:41	N1	DD-D007409	DBG049-050-042920-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG049-050	4/29/2020	7:41	N1	DD-D007409	DBG049-050-042920-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.6	U	0.088	0.24	ug/WIPE
DBG049-050	4/29/2020	7:41	N1	DD-D007409	DBG049-050-042920-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE

Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
DBG049-050	4/29/2020	7:41	N1	DD-D007409	DBG049-050-042920-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.6		0.07	0.24	ug/WIPE
DBG049-050	4/29/2020	7:41	N1	DD-D007409	DBG049-050-042920-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG049-050	4/29/2020	7:41	N1	DD-D007409	DBG049-050-042920-COMP	SW8082A	SW	TOTAL PCBs	5.2		-	0.24	ug/WIPE
DBG051-062	5/8/2020	16:17	N1	DD-D007501	DBG051-062-050820-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG051-062	5/8/2020	16:17	N1	DD-D007501	DBG051-062-050820-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG051-062	5/8/2020	16:17	N1	DD-D007501	DBG051-062-050820-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG051-062	5/8/2020	16:17	N1	DD-D007501	DBG051-062-050820-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	6.5		0.088	0.24	ug/WIPE
DBG051-062	5/8/2020	16:17	N1	DD-D007501	DBG051-062-050820-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG051-062	5/8/2020	16:17	N1	DD-D007501	DBG051-062-050820-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.9		0.07	0.24	ug/WIPE
DBG051-062	5/8/2020	16:17	N1	DD-D007501	DBG051-062-050820-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG051-062	5/8/2020	16:17	N1	DD-D007501	DBG051-062-050820-COMP	SW8082A	SW	TOTAL PCBs	9.4		-	0.24	ug/WIPE
DBG052-061	5/8/2020	16:21	N1	DD-D007502	DBG052-061-050820-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG052-061	5/8/2020	16:21	N1	DD-D007502	DBG052-061-050820-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG052-061	5/8/2020	16:21	N1	DD-D007502	DBG052-061-050820-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG052-061	5/8/2020	16:21	N1	DD-D007502	DBG052-061-050820-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	1.8		0.088	0.24	ug/WIPE
DBG052-061	5/8/2020	16:21	N1	DD-D007502	DBG052-061-050820-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG052-061	5/8/2020	16:21	N1	DD-D007502	DBG052-061-050820-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.76		0.07	0.24	ug/WIPE
DBG052-061	5/8/2020	16:21	N1	DD-D007502	DBG052-061-050820-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG052-061	5/8/2020	16:21	N1	DD-D007502	DBG052-061-050820-COMP	SW8082A	SW	TOTAL PCBs	2.56		-	0.24	ug/WIPE
DBG053-060	5/8/2020	16:08	N1	DD-D007503	DBG053-060-050820-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG053-060	5/8/2020	16:08	N1	DD-D007503	DBG053-060-050820-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG053-060	5/8/2020	16:08	N1	DD-D007503	DBG053-060-050820-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG053-060	5/8/2020	16:08	N1	DD-D007503	DBG053-060-050820-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	7.2		0.088	0.24	ug/WIPE
DBG053-060	5/8/2020	16:08	N1	DD-D007503	DBG053-060-050820-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG053-060	5/8/2020	16:08	N1	DD-D007503	DBG053-060-050820-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	3.2		0.07	0.24	ug/WIPE
DBG053-060	5/8/2020	16:08	N1	DD-D007503	DBG053-060-050820-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG053-060	5/8/2020	16:08	N1	DD-D007503	DBG053-060-050820-COMP	SW8082A	SW	TOTAL PCBs	10.4		-	0.24	ug/WIPE
DBG054-059	5/8/2020	15:53	N1	DD-D007504	DBG054-059-050820-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG054-059	5/8/2020	15:53	N1	DD-D007504	DBG054-059-050820-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG054-059	5/8/2020	15:53	N1	DD-D007504	DBG054-059-050820-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG054-059	5/8/2020	15:53	N1	DD-D007504	DBG054-059-050820-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	10		0.088	0.24	ug/WIPE
DBG054-059	5/8/2020	15:53	N1	DD-D007504	DBG054-059-050820-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG054-059	5/8/2020	15:53	N1	DD-D007504	DBG054-059-050820-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	3.6		0.07	0.24	ug/WIPE
DBG054-059	5/8/2020	15:53	N1	DD-D007504	DBG054-059-050820-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG054-059	5/8/2020	15:53	N1	DD-D007504	DBG054-059-050820-COMP	SW8082A	SW	TOTAL PCBs	13.6		-	0.24	ug/WIPE
DBG055-057	5/8/2020	15:35	N1	DD-D007505	DBG055-057-050820-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG055-057	5/8/2020	15:35	N1	DD-D007505	DBG055-057-050820-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG055-057	5/8/2020	15:35	N1	DD-D007505	DBG055-057-050820-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG055-057	5/8/2020	15:35	N1	DD-D007505	DBG055-057-050820-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	14		0.088	0.24	ug/WIPE
DBG055-057	5/8/2020	15:35	N1	DD-D007505	DBG055-057-050820-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG055-057	5/8/2020	15:35	N1	DD-D007505	DBG055-057-050820-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	4.6		0.07	0.24	ug/WIPE
DBG055-057	5/8/2020	15:35	N1	DD-D007505	DBG055-057-050820-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG055-057	5/8/2020	15:35	N1	DD-D007505	DBG055-057-050820-COMP	SW8082A	SW	TOTAL PCBs	18.6		-	0.24	ug/WIPE
DBG056-058	5/8/2020	15:38	N1	DD-D007506	DBG056-058-050820-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG056-058	5/8/2020	15:38	N1	DD-D007506	DBG056-058-050820-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG056-058	5/8/2020	15:38	N1	DD-D007506	DBG056-058-050820-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG056-058	5/8/2020	15:38	N1	DD-D007506	DBG056-058-050820-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	10		0.088	0.24	ug/WIPE
DBG056-058	5/8/2020	15:38	N1	DD-D007506	DBG056-058-050820-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG056-058	5/8/2020	15:38	N1	DD-D007506	DBG056-058-050820-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	3.3		0.07	0.24	ug/WIPE
DBG056-058	5/8/2020	15:38	N1	DD-D007506	DBG056-058-050820-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG056-058	5/8/2020	15:38	N1	DD-D007506	DBG056-058-050820-COMP	SW8082A	SW	TOTAL PCBs	13.3		-	0.24	ug/WIPE

Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
DBG063	4/29/2020	7:46	N1	DD-D007603	DBG063-042920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG063	4/29/2020	7:46	N1	DD-D007603	DBG063-042920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG063	4/29/2020	7:46	N1	DD-D007603	DBG063-042920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG063	4/29/2020	7:46	N1	DD-D007603	DBG063-042920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2.9		0.088	0.24	ug/WIPE
DBG063	4/29/2020	7:46	N1	DD-D007603	DBG063-042920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG063	4/29/2020	7:46	N1	DD-D007603	DBG063-042920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.3		0.07	0.24	ug/WIPE
DBG063	4/29/2020	7:46	N1	DD-D007603	DBG063-042920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG063	4/29/2020	7:46	N1	DD-D007603	DBG063-042920	SW8082A	SW	TOTAL PCBs	4.2		-	0.24	ug/WIPE
DBG064	4/29/2020	7:50	N1	DD-D007604	DBG064-042920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG064	4/29/2020	7:50	N1	DD-D007604	DBG064-042920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG064	4/29/2020	7:50	N1	DD-D007604	DBG064-042920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG064	4/29/2020	7:50	N1	DD-D007604	DBG064-042920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	4.7		0.088	0.24	ug/WIPE
DBG064	4/29/2020	7:50	N1	DD-D007604	DBG064-042920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG064	4/29/2020	7:50	N1	DD-D007604	DBG064-042920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2.4		0.07	0.24	ug/WIPE
DBG064	4/29/2020	7:50	N1	DD-D007604	DBG064-042920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG064	4/29/2020	7:50	N1	DD-D007604	DBG064-042920	SW8082A	SW	TOTAL PCBs	7.1		-	0.24	ug/WIPE
DBG065	4/29/2020	7:53	N1	DD-D007605	DBG065-042920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG065	4/29/2020	7:53	N1	DD-D007605	DBG065-042920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG065	4/29/2020	7:53	N1	DD-D007605	DBG065-042920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG065	4/29/2020	7:53	N1	DD-D007605	DBG065-042920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2.1		0.088	0.24	ug/WIPE
DBG065	4/29/2020	7:53	N1	DD-D007605	DBG065-042920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG065	4/29/2020	7:53	N1	DD-D007605	DBG065-042920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.94		0.07	0.24	ug/WIPE
DBG065	4/29/2020	7:53	N1	DD-D007605	DBG065-042920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG065	4/29/2020	7:53	N1	DD-D007605	DBG065-042920	SW8082A	SW	TOTAL PCBs	3.04		-	0.24	ug/WIPE
DBG066-076	5/8/2020	17:27	N1	DD-D007606	DBG066-076-050820-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG066-076	5/8/2020	17:27	N1	DD-D007606	DBG066-076-050820-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG066-076	5/8/2020	17:27	N1	DD-D007606	DBG066-076-050820-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG066-076	5/8/2020	17:27	N1	DD-D007606	DBG066-076-050820-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	7.8		0.088	0.24	ug/WIPE
DBG066-076	5/8/2020	17:27	N1	DD-D007606	DBG066-076-050820-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG066-076	5/8/2020	17:27	N1	DD-D007606	DBG066-076-050820-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	4.2		0.07	0.24	ug/WIPE
DBG066-076	5/8/2020	17:27	N1	DD-D007606	DBG066-076-050820-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG066-076	5/8/2020	17:27	N1	DD-D007606	DBG066-076-050820-COMP	SW8082A	SW	TOTAL PCBs	12		-	0.24	ug/WIPE
DBG067	5/8/2020	17:35	N1	DD-D007607	DBG067-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG067	5/8/2020	17:35	N1	DD-D007607	DBG067-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG067	5/8/2020	17:35	N1	DD-D007607	DBG067-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG067	5/8/2020	17:35	N1	DD-D007607	DBG067-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2.7		0.088	0.24	ug/WIPE
DBG067	5/8/2020	17:35	N1	DD-D007607	DBG067-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG067	5/8/2020	17:35	N1	DD-D007607	DBG067-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.2		0.07	0.24	ug/WIPE
DBG067	5/8/2020	17:35	N1	DD-D007607	DBG067-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG067	5/8/2020	17:35	N1	DD-D007607	DBG067-COMP	SW8082A	SW	TOTAL PCBs	3.9		-	0.24	ug/WIPE
DBG068-075	5/8/2020	17:19	N1	DD-D007608	DBG068-075-050820-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG068-075	5/8/2020	17:19	N1	DD-D007608	DBG068-075-050820-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG068-075	5/8/2020	17:19	N1	DD-D007608	DBG068-075-050820-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG068-075	5/8/2020	17:19	N1	DD-D007608	DBG068-075-050820-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	4.7		0.088	0.24	ug/WIPE
DBG068-075	5/8/2020	17:19	N1	DD-D007608	DBG068-075-050820-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG068-075	5/8/2020	17:19	N1	DD-D007608	DBG068-075-050820-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.7		0.07	0.24	ug/WIPE
DBG068-075	5/8/2020	17:19	N1	DD-D007608	DBG068-075-050820-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG068-075	5/8/2020	17:19	N1	DD-D007608	DBG068-075-050820-COMP	SW8082A	SW	TOTAL PCBs	6.4		-	0.24	ug/WIPE
DBG069-070-074	5/8/2020	17:08	N1	DD-D007609	DBG069-070-074-050820-COM	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG069-070-074	5/8/2020	17:08	N1	DD-D007609	DBG069-070-074-050820-COM	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG069-070-074	5/8/2020	17:08	N1	DD-D007609	DBG069-070-074-050820-COM	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE

Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
DBG069-070-074	5/8/2020	17:08	N1	DD-D007609	DBG069-070-074-050820-COM	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	15		0.088	0.24	ug/WIPE
DBG069-070-074	5/8/2020	17:08	N1	DD-D007609	DBG069-070-074-050820-COM	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG069-070-074	5/8/2020	17:08	N1	DD-D007609	DBG069-070-074-050820-COM	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	5.9		0.07	0.24	ug/WIPE
DBG069-070-074	5/8/2020	17:08	N1	DD-D007609	DBG069-070-074-050820-COM	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG069-070-074	5/8/2020	17:08	N1	DD-D007609	DBG069-070-074-050820-COM	SW8082A	SW	TOTAL PCBs	20.9		-	0.24	ug/WIPE
DBG071	5/8/2020	16:48	N1	DD-D007701	DBG071-050820	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG071	5/8/2020	16:48	N1	DD-D007701	DBG071-050820	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG071	5/8/2020	16:48	N1	DD-D007701	DBG071-050820	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG071	5/8/2020	16:48	N1	DD-D007701	DBG071-050820	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.56		0.088	0.24	ug/WIPE
DBG071	5/8/2020	16:48	N1	DD-D007701	DBG071-050820	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG071	5/8/2020	16:48	N1	DD-D007701	DBG071-050820	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.24	J	0.07	0.24	ug/WIPE
DBG071	5/8/2020	16:48	N1	DD-D007701	DBG071-050820	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG071	5/8/2020	16:48	N1	DD-D007701	DBG071-050820	SW8082A	SW	TOTAL PCBs	0.8		-	0.24	ug/WIPE
DBG072-073	5/8/2020	16:55	N1	DD-D007702	DBG072-073-050820-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG072-073	5/8/2020	16:55	N1	DD-D007702	DBG072-073-050820-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG072-073	5/8/2020	16:55	N1	DD-D007702	DBG072-073-050820-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG072-073	5/8/2020	16:55	N1	DD-D007702	DBG072-073-050820-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	10		0.088	0.24	ug/WIPE
DBG072-073	5/8/2020	16:55	N1	DD-D007702	DBG072-073-050820-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG072-073	5/8/2020	16:55	N1	DD-D007702	DBG072-073-050820-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	3.9		0.07	0.24	ug/WIPE
DBG072-073	5/8/2020	16:55	N1	DD-D007702	DBG072-073-050820-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG072-073	5/8/2020	16:55	N1	DD-D007702	DBG072-073-050820-COMP	SW8082A	SW	TOTAL PCBs	13.9		-	0.24	ug/WIPE
DBG077	5/8/2020	17:30	N1	DD-D007707	DBG077-050820-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG077	5/8/2020	17:30	N1	DD-D007707	DBG077-050820-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG077	5/8/2020	17:30	N1	DD-D007707	DBG077-050820-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG077	5/8/2020	17:30	N1	DD-D007707	DBG077-050820-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	5.4		0.088	0.24	ug/WIPE
DBG077	5/8/2020	17:30	N1	DD-D007707	DBG077-050820-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG077	5/8/2020	17:30	N1	DD-D007707	DBG077-050820-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.2		0.07	0.24	ug/WIPE
DBG077	5/8/2020	17:30	N1	DD-D007707	DBG077-050820-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG077	5/8/2020	17:30	N1	DD-D007707	DBG077-050820-COMP	SW8082A	SW	TOTAL PCBs	7.6		-	0.24	ug/WIPE
DBG078	4/29/2020	7:59	N1	DD-D007708	DBG078-042920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG078	4/29/2020	7:59	N1	DD-D007708	DBG078-042920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG078	4/29/2020	7:59	N1	DD-D007708	DBG078-042920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG078	4/29/2020	7:59	N1	DD-D007708	DBG078-042920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.9		0.088	0.24	ug/WIPE
DBG078	4/29/2020	7:59	N1	DD-D007708	DBG078-042920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG078	4/29/2020	7:59	N1	DD-D007708	DBG078-042920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.5		0.07	0.24	ug/WIPE
DBG078	4/29/2020	7:59	N1	DD-D007708	DBG078-042920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG078	4/29/2020	7:59	N1	DD-D007708	DBG078-042920	SW8082A	SW	TOTAL PCBs	5.4		-	0.24	ug/WIPE
DBG079-080	4/29/2020	8:03	N1	DD-D007709	DBG079-080-042920-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG079-080	4/29/2020	8:03	N1	DD-D007709	DBG079-080-042920-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG079-080	4/29/2020	8:03	N1	DD-D007709	DBG079-080-042920-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG079-080	4/29/2020	8:03	N1	DD-D007709	DBG079-080-042920-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	5.4		0.088	0.24	ug/WIPE
DBG079-080	4/29/2020	8:03	N1	DD-D007709	DBG079-080-042920-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG079-080	4/29/2020	8:03	N1	DD-D007709	DBG079-080-042920-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.5		0.07	0.24	ug/WIPE
DBG079-080	4/29/2020	8:03	N1	DD-D007709	DBG079-080-042920-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG079-080	4/29/2020	8:03	N1	DD-D007709	DBG079-080-042920-COMP	SW8082A	SW	TOTAL PCBs	7.9		-	0.24	ug/WIPE
DBG081-092	5/11/2020	7:35	N1	DD-D007801	DBG081-092-051120-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG081-092	5/11/2020	7:35	N1	DD-D007801	DBG081-092-051120-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG081-092	5/11/2020	7:35	N1	DD-D007801	DBG081-092-051120-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG081-092	5/11/2020	7:35	N1	DD-D007801	DBG081-092-051120-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	9.7		0.088	0.24	ug/WIPE
DBG081-092	5/11/2020	7:35	N1	DD-D007801	DBG081-092-051120-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG081-092	5/11/2020	7:35	N1	DD-D007801	DBG081-092-051120-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	3.8		0.07	0.24	ug/WIPE

Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
DBG081-092	5/11/2020	7:35	N1	DD-D007801	DBG081-092-051120-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG081-092	5/11/2020	7:35	N1	DD-D007801	DBG081-092-051120-COMP	SW8082A	SW	TOTAL PCBs	13.5		-	0.24	ug/WIPE
DBG082-083-091	5/11/2020	7:19	N1	DD-D007802	DBG082-083-091-051120-COM	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG082-083-091	5/11/2020	7:19	N1	DD-D007802	DBG082-083-091-051120-COM	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG082-083-091	5/11/2020	7:19	N1	DD-D007802	DBG082-083-091-051120-COM	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG082-083-091	5/11/2020	7:19	N1	DD-D007802	DBG082-083-091-051120-COM	SW8082A	SW	PCB-1242 (AROCLOR 1242)	11		0.088	0.24	ug/WIPE
DBG082-083-091	5/11/2020	7:19	N1	DD-D007802	DBG082-083-091-051120-COM	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG082-083-091	5/11/2020	7:19	N1	DD-D007802	DBG082-083-091-051120-COM	SW8082A	SW	PCB-1254 (AROCLOR 1254)	4		0.07	0.24	ug/WIPE
DBG082-083-091	5/11/2020	7:19	N1	DD-D007802	DBG082-083-091-051120-COM	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG082-083-091	5/11/2020	7:19	N1	DD-D007802	DBG082-083-091-051120-COM	SW8082A	SW	TOTAL PCBs	15		-	0.24	ug/WIPE
DBG084-090	5/11/2020	7:03	N1	DD-D007804	DBG084-090-051120-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG084-090	5/11/2020	7:03	N1	DD-D007804	DBG084-090-051120-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG084-090	5/11/2020	7:03	N1	DD-D007804	DBG084-090-051120-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG084-090	5/11/2020	7:03	N1	DD-D007804	DBG084-090-051120-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	9.3		0.088	0.24	ug/WIPE
DBG084-090	5/11/2020	7:03	N1	DD-D007804	DBG084-090-051120-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG084-090	5/11/2020	7:03	N1	DD-D007804	DBG084-090-051120-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	3.2		0.07	0.24	ug/WIPE
DBG084-090	5/11/2020	7:03	N1	DD-D007804	DBG084-090-051120-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG084-090	5/11/2020	7:03	N1	DD-D007804	DBG084-090-051120-COMP	SW8082A	SW	TOTAL PCBs	12.5		-	0.24	ug/WIPE
DBG085-086-089	5/11/2020	6:38	N1	DD-D007805	DBG085-086-089-051120-COM	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG085-086-089	5/11/2020	6:38	N1	DD-D007805	DBG085-086-089-051120-COM	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG085-086-089	5/11/2020	6:38	N1	DD-D007805	DBG085-086-089-051120-COM	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG085-086-089	5/11/2020	6:38	N1	DD-D007805	DBG085-086-089-051120-COM	SW8082A	SW	PCB-1242 (AROCLOR 1242)	15		0.088	0.24	ug/WIPE
DBG085-086-089	5/11/2020	6:38	N1	DD-D007805	DBG085-086-089-051120-COM	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG085-086-089	5/11/2020	6:38	N1	DD-D007805	DBG085-086-089-051120-COM	SW8082A	SW	PCB-1254 (AROCLOR 1254)	5.1		0.07	0.24	ug/WIPE
DBG085-086-089	5/11/2020	6:38	N1	DD-D007805	DBG085-086-089-051120-COM	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG085-086-089	5/11/2020	6:38	N1	DD-D007805	DBG085-086-089-051120-COM	SW8082A	SW	TOTAL PCBs	20.1		-	0.24	ug/WIPE
DBG087-088	5/11/2020	6:44	N1	DD-D007807	DBG087-088-051120-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG087-088	5/11/2020	6:44	N1	DD-D007807	DBG087-088-051120-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG087-088	5/11/2020	6:44	N1	DD-D007807	DBG087-088-051120-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG087-088	5/11/2020	6:44	N1	DD-D007807	DBG087-088-051120-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	4.1		0.088	0.24	ug/WIPE
DBG087-088	5/11/2020	6:44	N1	DD-D007807	DBG087-088-051120-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG087-088	5/11/2020	6:44	N1	DD-D007807	DBG087-088-051120-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.3		0.07	0.24	ug/WIPE
DBG087-088	5/11/2020	6:44	N1	DD-D007807	DBG087-088-051120-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG087-088	5/11/2020	6:44	N1	DD-D007807	DBG087-088-051120-COMP	SW8082A	SW	TOTAL PCBs	5.4		-	0.24	ug/WIPE
DW001	4/30/2020	11:06	N1	DD-D006601	DW001-043020	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DW001	4/30/2020	11:06	N1	DD-D006601	DW001-043020	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DW001	4/30/2020	11:06	N1	DD-D006601	DW001-043020	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DW001	4/30/2020	11:06	N1	DD-D006601	DW001-043020	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
DW001	4/30/2020	11:06	N1	DD-D006601	DW001-043020	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DW001	4/30/2020	11:06	N1	DD-D006601	DW001-043020	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
DW001	4/30/2020	11:06	N1	DD-D006601	DW001-043020	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DW001	4/30/2020	11:06	N1	DD-D006601	DW001-043020	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
DW002	4/30/2020	11:27	N1	DD-D006602	DW002-043020	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DW002	4/30/2020	11:27	N1	DD-D006602	DW002-043020	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DW002	4/30/2020	11:27	N1	DD-D006602	DW002-043020	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DW002	4/30/2020	11:27	N1	DD-D006602	DW002-043020	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
DW002	4/30/2020	11:27	N1	DD-D006602	DW002-043020	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DW002	4/30/2020	11:27	N1	DD-D006602	DW002-043020	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
DW002	4/30/2020	11:27	N1	DD-D006602	DW002-043020	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DW002	4/30/2020	11:27	N1	DD-D006602	DW002-043020	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
DW003	4/30/2020	11:48	N1	DD-D006603	DW003-043020	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE



Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
DW003	4/30/2020	11:48	N1	DD-D006603	DW003-043020	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DW003	4/30/2020	11:48	N1	DD-D006603	DW003-043020	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DW003	4/30/2020	11:48	N1	DD-D006603	DW003-043020	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
DW003	4/30/2020	11:48	N1	DD-D006603	DW003-043020	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DW003	4/30/2020	11:48	N1	DD-D006603	DW003-043020	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
DW003	4/30/2020	11:48	N1	DD-D006603	DW003-043020	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DW003	4/30/2020	11:48	N1	DD-D006603	DW003-043020	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
DW004	4/28/2020	13:42	N1	DD-D006604	DW004-042820	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DW004	4/28/2020	13:42	N1	DD-D006604	DW004-042820	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DW004	4/28/2020	13:42	N1	DD-D006604	DW004-042820	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DW004	4/28/2020	13:42	N1	DD-D006604	DW004-042820	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.15	J	0.088	0.24	ug/WIPE
DW004	4/28/2020	13:42	N1	DD-D006604	DW004-042820	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DW004	4/28/2020	13:42	N1	DD-D006604	DW004-042820	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.24	J	0.07	0.24	ug/WIPE
DW004	4/28/2020	13:42	N1	DD-D006604	DW004-042820	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DW004	4/28/2020	13:42	N1	DD-D006604	DW004-042820	SW8082A	SW	TOTAL PCBs	0.39		-	0.24	ug/WIPE
DW005	4/28/2020	13:50	N1	DD-D006605	DW005-042820	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DW005	4/28/2020	13:50	N1	DD-D006605	DW005-042820	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DW005	4/28/2020	13:50	N1	DD-D006605	DW005-042820	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DW005	4/28/2020	13:50	N1	DD-D006605	DW005-042820	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
DW005	4/28/2020	13:50	N1	DD-D006605	DW005-042820	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DW005	4/28/2020	13:50	N1	DD-D006605	DW005-042820	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
DW005	4/28/2020	13:50	N1	DD-D006605	DW005-042820	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DW005	4/28/2020	13:50	N1	DD-D006605	DW005-042820	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
DW006-007-008	5/8/2020	12:45	N1	DD-D006606	DW006-007-008-050820-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DW006-007-008	5/8/2020	12:45	N1	DD-D006606	DW006-007-008-050820-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DW006-007-008	5/8/2020	12:45	N1	DD-D006606	DW006-007-008-050820-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DW006-007-008	5/8/2020	12:45	N1	DD-D006606	DW006-007-008-050820-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.3		0.088	0.24	ug/WIPE
DW006-007-008	5/8/2020	12:45	N1	DD-D006606	DW006-007-008-050820-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DW006-007-008	5/8/2020	12:45	N1	DD-D006606	DW006-007-008-050820-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.12	J	0.07	0.24	ug/WIPE
DW006-007-008	5/8/2020	12:45	N1	DD-D006606	DW006-007-008-050820-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DW006-007-008	5/8/2020	12:45	N1	DD-D006606	DW006-007-008-050820-COMP	SW8082A	SW	TOTAL PCBs	0.42		-	0.24	ug/WIPE
DW009	4/28/2020	14:14	N1	DD-D006609	DW009-042820	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DW009	4/28/2020	14:14	N1	DD-D006609	DW009-042820	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DW009	4/28/2020	14:14	N1	DD-D006609	DW009-042820	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DW009	4/28/2020	14:14	N1	DD-D006609	DW009-042820	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
DW009	4/28/2020	14:14	N1	DD-D006609	DW009-042820	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DW009	4/28/2020	14:14	N1	DD-D006609	DW009-042820	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
DW009	4/28/2020	14:14	N1	DD-D006609	DW009-042820	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DW009	4/28/2020	14:14	N1	DD-D006609	DW009-042820	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
DW010	4/28/2020	14:04	N1	DD-D006610	DW010-042820	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DW010	4/28/2020	14:04	N1	DD-D006610	DW010-042820	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DW010	4/28/2020	14:04	N1	DD-D006610	DW010-042820	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DW010	4/28/2020	14:04	N1	DD-D006610	DW010-042820	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
DW010	4/28/2020	14:04	N1	DD-D006610	DW010-042820	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DW010	4/28/2020	14:04	N1	DD-D006610	DW010-042820	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
DW010	4/28/2020	14:04	N1	DD-D006610	DW010-042820	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DW010	4/28/2020	14:04	N1	DD-D006610	DW010-042820	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
DW011-012-013	5/8/2020	14:08	N1	DD-D006701	DW011-012-013-050820-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DW011-012-013	5/8/2020	14:08	N1	DD-D006701	DW011-012-013-050820-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DW011-012-013	5/8/2020	14:08	N1	DD-D006701	DW011-012-013-050820-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DW011-012-013	5/8/2020	14:08	N1	DD-D006701	DW011-012-013-050820-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.19	J	0.088	0.24	ug/WIPE

## Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
DW011-012-013	5/8/2020	14:08	N1	DD-D006701	DW011-012-013-050820-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DW011-012-013	5/8/2020	14:08	N1	DD-D006701	DW011-012-013-050820-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	ND	U	0.07	0.24	ug/WIPE
DW011-012-013	5/8/2020	14:08	N1	DD-D006701	DW011-012-013-050820-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DW011-012-013	5/8/2020	14:08	N1	DD-D006701	DW011-012-013-050820-COMP	SW8082A	SW	TOTAL PCBs	0.19		-	0.24	ug/WIPE
DW014	4/28/2020	14:42	N1	DD-D006704	DW014-042820	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DW014	4/28/2020	14:42	N1	DD-D006704	DW014-042820	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DW014	4/28/2020	14:42	N1	DD-D006704	DW014-042820	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DW014	4/28/2020	14:42	N1	DD-D006704	DW014-042820	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	ND	U	0.088	0.24	ug/WIPE
DW014	4/28/2020	14:42	N1	DD-D006704	DW014-042820	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DW014	4/28/2020	14:42	N1	DD-D006704	DW014-042820	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	ND	U	0.07	0.24	ug/WIPE
DW014	4/28/2020	14:42	N1	DD-D006704	DW014-042820	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DW014	4/28/2020	14:42	N1	DD-D006704	DW014-042820	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
DW015	4/28/2020	14:55	N1	DD-D006705	DW015-042820	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DW015	4/28/2020	14:55	N1	DD-D006705	DW015-042820	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DW015	4/28/2020	14:55	N1	DD-D006705	DW015-042820	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DW015	4/28/2020	14:55	N1	DD-D006705	DW015-042820	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.12	J	0.088	0.24	ug/WIPE
DW015	4/28/2020	14:55	N1	DD-D006705	DW015-042820	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DW015	4/28/2020	14:55	N1	DD-D006705	DW015-042820	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	ND	U	0.07	0.24	ug/WIPE
DW015	4/28/2020	14:55	N1	DD-D006705	DW015-042820	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DW015	4/28/2020	14:55	N1	DD-D006705	DW015-042820	SW8082A	SW	TOTAL PCBs	0.12		-	0.24	ug/WIPE
DW016	4/29/2020	7:00	N1	DD-D006706	DW016-042920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DW016	4/29/2020	7:00	N1	DD-D006706	DW016-042920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DW016	4/29/2020	7:00	N1	DD-D006706	DW016-042920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DW016	4/29/2020	7:00	N1	DD-D006706	DW016-042920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	ND	U	0.088	0.24	ug/WIPE
DW016	4/29/2020	7:00	N1	DD-D006706	DW016-042920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DW016	4/29/2020	7:00	N1	DD-D006706	DW016-042920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	ND	U	0.07	0.24	ug/WIPE
DW016	4/29/2020	7:00	N1	DD-D006706	DW016-042920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DW016	4/29/2020	7:00	N1	DD-D006706	DW016-042920	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
DW017-018-019	5/8/2020	15:42	N1	DD-D006707	DW017-018-019-050820-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DW017-018-019	5/8/2020	15:42	N1	DD-D006707	DW017-018-019-050820-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DW017-018-019	5/8/2020	15:42	N1	DD-D006707	DW017-018-019-050820-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DW017-018-019	5/8/2020	15:42	N1	DD-D006707	DW017-018-019-050820-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.39		0.088	0.24	ug/WIPE
DW017-018-019	5/8/2020	15:42	N1	DD-D006707	DW017-018-019-050820-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DW017-018-019	5/8/2020	15:42	N1	DD-D006707	DW017-018-019-050820-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.17	J	0.07	0.24	ug/WIPE
DW017-018-019	5/8/2020	15:42	N1	DD-D006707	DW017-018-019-050820-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DW017-018-019	5/8/2020	15:42	N1	DD-D006707	DW017-018-019-050820-COMP	SW8082A	SW	TOTAL PCBs	0.56		-	0.24	ug/WIPE
DW020-021-022	5/8/2020	16:57	N1	DD-D006710	DW020-021-022-050820-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DW020-021-022	5/8/2020	16:57	N1	DD-D006710	DW020-021-022-050820-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DW020-021-022	5/8/2020	16:57	N1	DD-D006710	DW020-021-022-050820-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DW020-021-022	5/8/2020	16:57	N1	DD-D006710	DW020-021-022-050820-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.46		0.088	0.24	ug/WIPE
DW020-021-022	5/8/2020	16:57	N1	DD-D006710	DW020-021-022-050820-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DW020-021-022	5/8/2020	16:57	N1	DD-D006710	DW020-021-022-050820-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.24		0.07	0.24	ug/WIPE
DW020-021-022	5/8/2020	16:57	N1	DD-D006710	DW020-021-022-050820-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DW020-021-022	5/8/2020	16:57	N1	DD-D006710	DW020-021-022-050820-COMP	SW8082A	SW	TOTAL PCBs	0.7		-	0.24	ug/WIPE
DW023-024	5/8/2020	17:42	N1	DD-D006803	DW023-024-050820-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DW023-024	5/8/2020	17:42	N1	DD-D006803	DW023-024-050820-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DW023-024	5/8/2020	17:42	N1	DD-D006803	DW023-024-050820-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DW023-024	5/8/2020	17:42	N1	DD-D006803	DW023-024-050820-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.2	J	0.088	0.24	ug/WIPE
DW023-024	5/8/2020	17:42	N1	DD-D006803	DW023-024-050820-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DW023-024	5/8/2020	17:42	N1	DD-D006803	DW023-024-050820-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	ND	U	0.07	0.24	ug/WIPE
DW023-024	5/8/2020	17:42	N1	DD-D006803	DW023-024-050820-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE

Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
DW023-024	5/8/2020	17:42	N1	DD-D006803	DW023-024-050820-COMP	SW8082A	SW	TOTAL PCBs	0.2		-	0.24	ug/WIPE
DW025	4/29/2020	7:56	N1	DD-D006805	DW025-042920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DW025	4/29/2020	7:56	N1	DD-D006805	DW025-042920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DW025	4/29/2020	7:56	N1	DD-D006805	DW025-042920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DW025	4/29/2020	7:56	N1	DD-D006805	DW025-042920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.21	J	0.088	0.24	ug/WIPE
DW025	4/29/2020	7:56	N1	DD-D006805	DW025-042920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DW025	4/29/2020	7:56	N1	DD-D006805	DW025-042920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.18	J	0.07	0.24	ug/WIPE
DW025	4/29/2020	7:56	N1	DD-D006805	DW025-042920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DW025	4/29/2020	7:56	N1	DD-D006805	DW025-042920	SW8082A	SW	TOTAL PCBs	0.39		-	0.24	ug/WIPE
DW026	4/29/2020	8:12	N1	DD-D006806	DW026-042920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DW026	4/29/2020	8:12	N1	DD-D006806	DW026-042920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DW026	4/29/2020	8:12	N1	DD-D006806	DW026-042920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DW026	4/29/2020	8:12	N1	DD-D006806	DW026-042920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	ND	U	0.088	0.24	ug/WIPE
DW026	4/29/2020	8:12	N1	DD-D006806	DW026-042920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DW026	4/29/2020	8:12	N1	DD-D006806	DW026-042920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	ND	U	0.07	0.24	ug/WIPE
DW026	4/29/2020	8:12	N1	DD-D006806	DW026-042920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DW026	4/29/2020	8:12	N1	DD-D006806	DW026-042920	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
DW027-028	5/11/2020	7:44	N1	DD-D006807	DW027-DW028-051120-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DW027-028	5/11/2020	7:44	N1	DD-D006807	DW027-DW028-051120-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DW027-028	5/11/2020	7:44	N1	DD-D006807	DW027-DW028-051120-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DW027-028	5/11/2020	7:44	N1	DD-D006807	DW027-DW028-051120-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	ND	U	0.088	0.24	ug/WIPE
DW027-028	5/11/2020	7:44	N1	DD-D006807	DW027-DW028-051120-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DW027-028	5/11/2020	7:44	N1	DD-D006807	DW027-DW028-051120-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	ND	U	0.07	0.24	ug/WIPE
DW027-028	5/11/2020	7:44	N1	DD-D006807	DW027-DW028-051120-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DW027-028	5/11/2020	7:44	N1	DD-D006807	DW027-DW028-051120-COMP	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
DW029-030-031	5/11/2020	8:51	N1	DD-D006809	DW029-030-031-051120-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DW029-030-031	5/11/2020	8:51	N1	DD-D006809	DW029-030-031-051120-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DW029-030-031	5/11/2020	8:51	N1	DD-D006809	DW029-030-031-051120-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DW029-030-031	5/11/2020	8:51	N1	DD-D006809	DW029-030-031-051120-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	5.4		0.088	0.24	ug/WIPE
DW029-030-031	5/11/2020	8:51	N1	DD-D006809	DW029-030-031-051120-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DW029-030-031	5/11/2020	8:51	N1	DD-D006809	DW029-030-031-051120-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.1		0.07	0.24	ug/WIPE
DW029-030-031	5/11/2020	8:51	N1	DD-D006809	DW029-030-031-051120-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DW029-030-031	5/11/2020	8:51	N1	DD-D006809	DW029-030-031-051120-COMP	SW8082A	SW	TOTAL PCBs	6.5		-	0.24	ug/WIPE
EBG001-002-003	5/11/2020	10:11	N1	DD-D008401	EBG001-002-003-051120-COM	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG001-002-003	5/11/2020	10:11	N1	DD-D008401	EBG001-002-003-051120-COM	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG001-002-003	5/11/2020	10:11	N1	DD-D008401	EBG001-002-003-051120-COM	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG001-002-003	5/11/2020	10:11	N1	DD-D008401	EBG001-002-003-051120-COM	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	10		0.088	0.24	ug/WIPE
EBG001-002-003	5/11/2020	10:11	N1	DD-D008401	EBG001-002-003-051120-COM	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG001-002-003	5/11/2020	10:11	N1	DD-D008401	EBG001-002-003-051120-COM	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	3.5		0.07	0.24	ug/WIPE
EBG001-002-003	5/11/2020	10:11	N1	DD-D008401	EBG001-002-003-051120-COM	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG001-002-003	5/11/2020	10:11	N1	DD-D008401	EBG001-002-003-051120-COM	SW8082A	SW	TOTAL PCBs	13.5		-	0.24	ug/WIPE
EBG004-005-006	5/11/2020	9:42	N1	DD-D008404	EBG004-005-006-051120-COM	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG004-005-006	5/11/2020	9:42	N1	DD-D008404	EBG004-005-006-051120-COM	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG004-005-006	5/11/2020	9:42	N1	DD-D008404	EBG004-005-006-051120-COM	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG004-005-006	5/11/2020	9:42	N1	DD-D008404	EBG004-005-006-051120-COM	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	15		0.088	0.24	ug/WIPE
EBG004-005-006	5/11/2020	9:42	N1	DD-D008404	EBG004-005-006-051120-COM	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG004-005-006	5/11/2020	9:42	N1	DD-D008404	EBG004-005-006-051120-COM	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	5.4		0.07	0.24	ug/WIPE
EBG004-005-006	5/11/2020	9:42	N1	DD-D008404	EBG004-005-006-051120-COM	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG004-005-006	5/11/2020	9:42	N1	DD-D008404	EBG004-005-006-051120-COM	SW8082A	SW	TOTAL PCBs	20.4		-	0.24	ug/WIPE
EBG007	5/11/2020	9:07	N1	DD-D008407	EBG007-051120	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG007	5/11/2020	9:07	N1	DD-D008407	EBG007-051120	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE

Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
EBG007	5/11/2020	9:07	N1	DD-D008407	EBG007-051120	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG007	5/11/2020	9:07	N1	DD-D008407	EBG007-051120	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.1	U	0.088	0.24	ug/WIPE
EBG007	5/11/2020	9:07	N1	DD-D008407	EBG007-051120	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG007	5/11/2020	9:07	N1	DD-D008407	EBG007-051120	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.2	U	0.07	0.24	ug/WIPE
EBG007	5/11/2020	9:07	N1	DD-D008407	EBG007-051120	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG007	5/11/2020	9:07	N1	DD-D008407	EBG007-051120	SW8082A	SW	TOTAL PCBs	4.3	U	-	0.24	ug/WIPE
EBG008-009-010	5/11/2020	8:49	N1	DD-D008408	EBG008-009-010-051120-COM	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG008-009-010	5/11/2020	8:49	N1	DD-D008408	EBG008-009-010-051120-COM	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG008-009-010	5/11/2020	8:49	N1	DD-D008408	EBG008-009-010-051120-COM	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG008-009-010	5/11/2020	8:49	N1	DD-D008408	EBG008-009-010-051120-COM	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	13	U	0.088	0.24	ug/WIPE
EBG008-009-010	5/11/2020	8:49	N1	DD-D008408	EBG008-009-010-051120-COM	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG008-009-010	5/11/2020	8:49	N1	DD-D008408	EBG008-009-010-051120-COM	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	4.6	U	0.07	0.24	ug/WIPE
EBG008-009-010	5/11/2020	8:49	N1	DD-D008408	EBG008-009-010-051120-COM	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG008-009-010	5/11/2020	8:49	N1	DD-D008408	EBG008-009-010-051120-COM	SW8082A	SW	TOTAL PCBs	17.6	U	-	0.24	ug/WIPE
EBG011-012	5/11/2020	8:37	N1	DD-D008501	EBG011-012-051120-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG011-012	5/11/2020	8:37	N1	DD-D008501	EBG011-012-051120-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG011-012	5/11/2020	8:37	N1	DD-D008501	EBG011-012-051120-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG011-012	5/11/2020	8:37	N1	DD-D008501	EBG011-012-051120-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	6.2	U	0.088	0.24	ug/WIPE
EBG011-012	5/11/2020	8:37	N1	DD-D008501	EBG011-012-051120-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG011-012	5/11/2020	8:37	N1	DD-D008501	EBG011-012-051120-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.6	U	0.07	0.24	ug/WIPE
EBG011-012	5/11/2020	8:37	N1	DD-D008501	EBG011-012-051120-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG011-012	5/11/2020	8:37	N1	DD-D008501	EBG011-012-051120-COMP	SW8082A	SW	TOTAL PCBs	8.8	U	-	0.24	ug/WIPE
EBG013-014-015	5/11/2020	8:25	N1	DD-D008503	EBG013-014-015-051120-COM	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG013-014-015	5/11/2020	8:25	N1	DD-D008503	EBG013-014-015-051120-COM	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG013-014-015	5/11/2020	8:25	N1	DD-D008503	EBG013-014-015-051120-COM	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG013-014-015	5/11/2020	8:25	N1	DD-D008503	EBG013-014-015-051120-COM	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	16	U	0.088	0.24	ug/WIPE
EBG013-014-015	5/11/2020	8:25	N1	DD-D008503	EBG013-014-015-051120-COM	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG013-014-015	5/11/2020	8:25	N1	DD-D008503	EBG013-014-015-051120-COM	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	5.6	U	0.07	0.24	ug/WIPE
EBG013-014-015	5/11/2020	8:25	N1	DD-D008503	EBG013-014-015-051120-COM	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG013-014-015	5/11/2020	8:25	N1	DD-D008503	EBG013-014-015-051120-COM	SW8082A	SW	TOTAL PCBs	21.6	U	-	0.24	ug/WIPE
EBG016-017	5/11/2020	8:11	N1	DD-D008506	EBG016-017-051120-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG016-017	5/11/2020	8:11	N1	DD-D008506	EBG016-017-051120-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG016-017	5/11/2020	8:11	N1	DD-D008506	EBG016-017-051120-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG016-017	5/11/2020	8:11	N1	DD-D008506	EBG016-017-051120-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	1.2	U	0.088	0.24	ug/WIPE
EBG016-017	5/11/2020	8:11	N1	DD-D008506	EBG016-017-051120-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG016-017	5/11/2020	8:11	N1	DD-D008506	EBG016-017-051120-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.56	U	0.07	0.24	ug/WIPE
EBG016-017	5/11/2020	8:11	N1	DD-D008506	EBG016-017-051120-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG016-017	5/11/2020	8:11	N1	DD-D008506	EBG016-017-051120-COMP	SW8082A	SW	TOTAL PCBs	1.76	U	-	0.24	ug/WIPE
EBG018	5/11/2020	10:30	N1	DD-D008508	EBG018-051120	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG018	5/11/2020	10:30	N1	DD-D008508	EBG018-051120	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG018	5/11/2020	10:30	N1	DD-D008508	EBG018-051120	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG018	5/11/2020	10:30	N1	DD-D008508	EBG018-051120	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	5.2	U	0.088	0.24	ug/WIPE
EBG018	5/11/2020	10:30	N1	DD-D008508	EBG018-051120	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG018	5/11/2020	10:30	N1	DD-D008508	EBG018-051120	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2	U	0.07	0.24	ug/WIPE
EBG018	5/11/2020	10:30	N1	DD-D008508	EBG018-051120	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG018	5/11/2020	10:30	N1	DD-D008508	EBG018-051120	SW8082A	SW	TOTAL PCBs	7.2	U	-	0.24	ug/WIPE
EBG019-020	5/11/2020	10:35	N1	DD-D008509	EBG019-020-051120-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG019-020	5/11/2020	10:35	N1	DD-D008509	EBG019-020-051120-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG019-020	5/11/2020	10:35	N1	DD-D008509	EBG019-020-051120-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG019-020	5/11/2020	10:35	N1	DD-D008509	EBG019-020-051120-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.4	U	0.088	0.24	ug/WIPE
EBG019-020	5/11/2020	10:35	N1	DD-D008509	EBG019-020-051120-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE

## Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
EBG019-020	5/11/2020	10:35	N1	DD-D008509	EBG019-020-051120-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.98		0.07	0.24	ug/WIPE
EBG019-020	5/11/2020	10:35	N1	DD-D008509	EBG019-020-051120-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG019-020	5/11/2020	10:35	N1	DD-D008509	EBG019-020-051120-COMP	SW8082A	SW	TOTAL PCBs	3.38		-	0.24	ug/WIPE
EBG021-022	5/11/2020	10:42	N1	DD-D008601	EBG021-022-051120-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG021-022	5/11/2020	10:42	N1	DD-D008601	EBG021-022-051120-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG021-022	5/11/2020	10:42	N1	DD-D008601	EBG021-022-051120-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG021-022	5/11/2020	10:42	N1	DD-D008601	EBG021-022-051120-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	5.8		0.088	0.24	ug/WIPE
EBG021-022	5/11/2020	10:42	N1	DD-D008601	EBG021-022-051120-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG021-022	5/11/2020	10:42	N1	DD-D008601	EBG021-022-051120-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.2		0.07	0.24	ug/WIPE
EBG021-022	5/11/2020	10:42	N1	DD-D008601	EBG021-022-051120-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG021-022	5/11/2020	10:42	N1	DD-D008601	EBG021-022-051120-COMP	SW8082A	SW	TOTAL PCBs	8		-	0.24	ug/WIPE
EBG023-024	5/11/2020	11:56	N1	DD-D008603	EBG023-024-051120-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG023-024	5/11/2020	11:56	N1	DD-D008603	EBG023-024-051120-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG023-024	5/11/2020	11:56	N1	DD-D008603	EBG023-024-051120-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG023-024	5/11/2020	11:56	N1	DD-D008603	EBG023-024-051120-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	7.7		0.088	0.24	ug/WIPE
EBG023-024	5/11/2020	11:56	N1	DD-D008603	EBG023-024-051120-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG023-024	5/11/2020	11:56	N1	DD-D008603	EBG023-024-051120-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.6		0.07	0.24	ug/WIPE
EBG023-024	5/11/2020	11:56	N1	DD-D008603	EBG023-024-051120-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG023-024	5/11/2020	11:56	N1	DD-D008603	EBG023-024-051120-COMP	SW8082A	SW	TOTAL PCBs	10.3		-	0.24	ug/WIPE
EBG025-026	5/11/2020	11:48	N1	DD-D008605	EBG025-026-051120-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG025-026	5/11/2020	11:48	N1	DD-D008605	EBG025-026-051120-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG025-026	5/11/2020	11:48	N1	DD-D008605	EBG025-026-051120-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG025-026	5/11/2020	11:48	N1	DD-D008605	EBG025-026-051120-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	9.4		0.088	0.24	ug/WIPE
EBG025-026	5/11/2020	11:48	N1	DD-D008605	EBG025-026-051120-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG025-026	5/11/2020	11:48	N1	DD-D008605	EBG025-026-051120-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	3.6		0.07	0.24	ug/WIPE
EBG025-026	5/11/2020	11:48	N1	DD-D008605	EBG025-026-051120-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG025-026	5/11/2020	11:48	N1	DD-D008605	EBG025-026-051120-COMP	SW8082A	SW	TOTAL PCBs	13		-	0.24	ug/WIPE
EBG027	5/11/2020	11:37	N1	DD-D008607	EBG027-051120	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG027	5/11/2020	11:37	N1	DD-D008607	EBG027-051120	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG027	5/11/2020	11:37	N1	DD-D008607	EBG027-051120	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG027	5/11/2020	11:37	N1	DD-D008607	EBG027-051120	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	9.3		0.088	0.24	ug/WIPE
EBG027	5/11/2020	11:37	N1	DD-D008607	EBG027-051120	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG027	5/11/2020	11:37	N1	DD-D008607	EBG027-051120	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	3.6		0.07	0.24	ug/WIPE
EBG027	5/11/2020	11:37	N1	DD-D008607	EBG027-051120	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG027	5/11/2020	11:37	N1	DD-D008607	EBG027-051120	SW8082A	SW	TOTAL PCBs	12.9		-	0.24	ug/WIPE
EBG028-029	5/11/2020	11:40	N1	DD-D008608	EBG028-029-051120-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG028-029	5/11/2020	11:40	N1	DD-D008608	EBG028-029-051120-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG028-029	5/11/2020	11:40	N1	DD-D008608	EBG028-029-051120-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG028-029	5/11/2020	11:40	N1	DD-D008608	EBG028-029-051120-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.5		0.088	0.24	ug/WIPE
EBG028-029	5/11/2020	11:40	N1	DD-D008608	EBG028-029-051120-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG028-029	5/11/2020	11:40	N1	DD-D008608	EBG028-029-051120-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.2		0.07	0.24	ug/WIPE
EBG028-029	5/11/2020	11:40	N1	DD-D008608	EBG028-029-051120-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG028-029	5/11/2020	11:40	N1	DD-D008608	EBG028-029-051120-COMP	SW8082A	SW	TOTAL PCBs	4.7		-	0.24	ug/WIPE
EBG030-031	5/11/2020	11:26	N1	DD-D008610	EBG030-031-051120-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG030-031	5/11/2020	11:26	N1	DD-D008610	EBG030-031-051120-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG030-031	5/11/2020	11:26	N1	DD-D008610	EBG030-031-051120-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG030-031	5/11/2020	11:26	N1	DD-D008610	EBG030-031-051120-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	9.8		0.088	0.24	ug/WIPE
EBG030-031	5/11/2020	11:26	N1	DD-D008610	EBG030-031-051120-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG030-031	5/11/2020	11:26	N1	DD-D008610	EBG030-031-051120-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	3.4		0.07	0.24	ug/WIPE
EBG030-031	5/11/2020	11:26	N1	DD-D008610	EBG030-031-051120-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG030-031	5/11/2020	11:26	N1	DD-D008610	EBG030-031-051120-COMP	SW8082A	SW	TOTAL PCBs	13.2		-	0.24	ug/WIPE



Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
EBG032-033	5/11/2020	11:09	N1	DD-D008702	EBG032-033-051120-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG032-033	5/11/2020	11:09	N1	DD-D008702	EBG032-033-051120-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG032-033	5/11/2020	11:09	N1	DD-D008702	EBG032-033-051120-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG032-033	5/11/2020	11:09	N1	DD-D008702	EBG032-033-051120-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	9.2		0.088	0.24	ug/WIPE
EBG032-033	5/11/2020	11:09	N1	DD-D008702	EBG032-033-051120-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG032-033	5/11/2020	11:09	N1	DD-D008702	EBG032-033-051120-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.7		0.07	0.24	ug/WIPE
EBG032-033	5/11/2020	11:09	N1	DD-D008702	EBG032-033-051120-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG032-033	5/11/2020	11:09	N1	DD-D008702	EBG032-033-051120-COMP	SW8082A	SW	TOTAL PCBs	11.9		-	0.24	ug/WIPE
EBG034-035	5/11/2020	11:08	N1	DD-D008704	EBG034-035-051120-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG034-035	5/11/2020	11:08	N1	DD-D008704	EBG034-035-051120-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG034-035	5/11/2020	11:08	N1	DD-D008704	EBG034-035-051120-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG034-035	5/11/2020	11:08	N1	DD-D008704	EBG034-035-051120-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	1.9		0.088	0.24	ug/WIPE
EBG034-035	5/11/2020	11:08	N1	DD-D008704	EBG034-035-051120-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG034-035	5/11/2020	11:08	N1	DD-D008704	EBG034-035-051120-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.77		0.07	0.24	ug/WIPE
EBG034-035	5/11/2020	11:08	N1	DD-D008704	EBG034-035-051120-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG034-035	5/11/2020	11:08	N1	DD-D008704	EBG034-035-051120-COMP	SW8082A	SW	TOTAL PCBs	2.67		-	0.24	ug/WIPE
EBG036	5/11/2020	10:51	N1	DD-D008706	EBG036-051120	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG036	5/11/2020	10:51	N1	DD-D008706	EBG036-051120	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG036	5/11/2020	10:51	N1	DD-D008706	EBG036-051120	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG036	5/11/2020	10:51	N1	DD-D008706	EBG036-051120	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	4.4		0.088	0.24	ug/WIPE
EBG036	5/11/2020	10:51	N1	DD-D008706	EBG036-051120	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG036	5/11/2020	10:51	N1	DD-D008706	EBG036-051120	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.7		0.07	0.24	ug/WIPE
EBG036	5/11/2020	10:51	N1	DD-D008706	EBG036-051120	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG036	5/11/2020	10:51	N1	DD-D008706	EBG036-051120	SW8082A	SW	TOTAL PCBs	6.1		-	0.24	ug/WIPE
EBG037-038	5/11/2020	14:20	N1	DD-D008707	EBG037-038-051120-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG037-038	5/11/2020	14:20	N1	DD-D008707	EBG037-038-051120-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG037-038	5/11/2020	14:20	N1	DD-D008707	EBG037-038-051120-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG037-038	5/11/2020	14:20	N1	DD-D008707	EBG037-038-051120-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	6.3		0.088	0.24	ug/WIPE
EBG037-038	5/11/2020	14:20	N1	DD-D008707	EBG037-038-051120-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG037-038	5/11/2020	14:20	N1	DD-D008707	EBG037-038-051120-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	3.6		0.07	0.24	ug/WIPE
EBG037-038	5/11/2020	14:20	N1	DD-D008707	EBG037-038-051120-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG037-038	5/11/2020	14:20	N1	DD-D008707	EBG037-038-051120-COMP	SW8082A	SW	TOTAL PCBs	9.9		-	0.24	ug/WIPE
EBG039-040	5/11/2020	14:12	N1	DD-D008709	EBG039-040-051120-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG039-040	5/11/2020	14:12	N1	DD-D008709	EBG039-040-051120-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG039-040	5/11/2020	14:12	N1	DD-D008709	EBG039-040-051120-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG039-040	5/11/2020	14:12	N1	DD-D008709	EBG039-040-051120-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	5		0.088	0.24	ug/WIPE
EBG039-040	5/11/2020	14:12	N1	DD-D008709	EBG039-040-051120-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG039-040	5/11/2020	14:12	N1	DD-D008709	EBG039-040-051120-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.1		0.07	0.24	ug/WIPE
EBG039-040	5/11/2020	14:12	N1	DD-D008709	EBG039-040-051120-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG039-040	5/11/2020	14:12	N1	DD-D008709	EBG039-040-051120-COMP	SW8082A	SW	TOTAL PCBs	7.1		-	0.24	ug/WIPE
EBG041-042-043	5/11/2020	13:57	N1	DD-D008801	EBG041-042-043-051120-COM	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG041-042-043	5/11/2020	13:57	N1	DD-D008801	EBG041-042-043-051120-COM	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG041-042-043	5/11/2020	13:57	N1	DD-D008801	EBG041-042-043-051120-COM	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG041-042-043	5/11/2020	13:57	N1	DD-D008801	EBG041-042-043-051120-COM	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	19		0.088	0.24	ug/WIPE
EBG041-042-043	5/11/2020	13:57	N1	DD-D008801	EBG041-042-043-051120-COM	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG041-042-043	5/11/2020	13:57	N1	DD-D008801	EBG041-042-043-051120-COM	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	7.8		0.07	0.24	ug/WIPE
EBG041-042-043	5/11/2020	13:57	N1	DD-D008801	EBG041-042-043-051120-COM	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG041-042-043	5/11/2020	13:57	N1	DD-D008801	EBG041-042-043-051120-COM	SW8082A	SW	TOTAL PCBs	26.8		-	0.24	ug/WIPE
EBG044-045	5/11/2020	13:48	N1	DD-D008804	EBG044-045-051120-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG044-045	5/11/2020	13:48	N1	DD-D008804	EBG044-045-051120-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG044-045	5/11/2020	13:48	N1	DD-D008804	EBG044-045-051120-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE

Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
EBG044-045	5/11/2020	13:48	N1	DD-D008804	EBG044-045-051120-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	5.5		0.088	0.24	ug/WIPE
EBG044-045	5/11/2020	13:48	N1	DD-D008804	EBG044-045-051120-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG044-045	5/11/2020	13:48	N1	DD-D008804	EBG044-045-051120-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.4		0.07	0.24	ug/WIPE
EBG044-045	5/11/2020	13:48	N1	DD-D008804	EBG044-045-051120-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG044-045	5/11/2020	13:48	N1	DD-D008804	EBG044-045-051120-COMP	SW8082A	SW	TOTAL PCBs	7.9		-	0.24	ug/WIPE
EBG046-047	5/11/2020	13:31	N1	DD-D008806	EBG046-047-051120-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG046-047	5/11/2020	13:31	N1	DD-D008806	EBG046-047-051120-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG046-047	5/11/2020	13:31	N1	DD-D008806	EBG046-047-051120-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG046-047	5/11/2020	13:31	N1	DD-D008806	EBG046-047-051120-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3		0.088	0.24	ug/WIPE
EBG046-047	5/11/2020	13:31	N1	DD-D008806	EBG046-047-051120-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG046-047	5/11/2020	13:31	N1	DD-D008806	EBG046-047-051120-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.99		0.07	0.24	ug/WIPE
EBG046-047	5/11/2020	13:31	N1	DD-D008806	EBG046-047-051120-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG046-047	5/11/2020	13:31	N1	DD-D008806	EBG046-047-051120-COMP	SW8082A	SW	TOTAL PCBs	3.99		-	0.24	ug/WIPE
EBG048-049	5/11/2020	13:25	N1	DD-D008808	EBG048-049-051120-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG048-049	5/11/2020	13:25	N1	DD-D008808	EBG048-049-051120-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG048-049	5/11/2020	13:25	N1	DD-D008808	EBG048-049-051120-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG048-049	5/11/2020	13:25	N1	DD-D008808	EBG048-049-051120-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	5.4		0.088	0.24	ug/WIPE
EBG048-049	5/11/2020	13:25	N1	DD-D008808	EBG048-049-051120-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG048-049	5/11/2020	13:25	N1	DD-D008808	EBG048-049-051120-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.7		0.07	0.24	ug/WIPE
EBG048-049	5/11/2020	13:25	N1	DD-D008808	EBG048-049-051120-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG048-049	5/11/2020	13:25	N1	DD-D008808	EBG048-049-051120-COMP	SW8082A	SW	TOTAL PCBs	7.1		-	0.24	ug/WIPE
EBG050-051	5/11/2020	13:10	N1	DD-D008810	EBG050-051-051120-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG050-051	5/11/2020	13:10	N1	DD-D008810	EBG050-051-051120-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG050-051	5/11/2020	13:10	N1	DD-D008810	EBG050-051-051120-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG050-051	5/11/2020	13:10	N1	DD-D008810	EBG050-051-051120-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	4.8		0.088	0.24	ug/WIPE
EBG050-051	5/11/2020	13:10	N1	DD-D008810	EBG050-051-051120-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG050-051	5/11/2020	13:10	N1	DD-D008810	EBG050-051-051120-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.6		0.07	0.24	ug/WIPE
EBG050-051	5/11/2020	13:10	N1	DD-D008810	EBG050-051-051120-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG050-051	5/11/2020	13:10	N1	DD-D008810	EBG050-051-051120-COMP	SW8082A	SW	TOTAL PCBs	6.4		-	0.24	ug/WIPE
EBG052-053	5/11/2020	13:07	N1	DD-D008902	EBG052-053-051120-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	UJ	0.09	0.24	ug/WIPE
EBG052-053	5/11/2020	13:07	N1	DD-D008902	EBG052-053-051120-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	UJ	0.12	0.24	ug/WIPE
EBG052-053	5/11/2020	13:07	N1	DD-D008902	EBG052-053-051120-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	UJ	0.14	0.24	ug/WIPE
EBG052-053	5/11/2020	13:07	N1	DD-D008902	EBG052-053-051120-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.97	J	0.088	0.24	ug/WIPE
EBG052-053	5/11/2020	13:07	N1	DD-D008902	EBG052-053-051120-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	UJ	0.092	0.24	ug/WIPE
EBG052-053	5/11/2020	13:07	N1	DD-D008902	EBG052-053-051120-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.29	J	0.07	0.24	ug/WIPE
EBG052-053	5/11/2020	13:07	N1	DD-D008902	EBG052-053-051120-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	UJ	0.09	0.24	ug/WIPE
EBG052-053	5/11/2020	13:07	N1	DD-D008902	EBG052-053-051120-COMP	SW8082A	SW	TOTAL PCBs	1.26		-	0.24	ug/WIPE
EBG055-056-057	5/11/2020	14:49	N1	DD-D008905	EBG055-056-057-051120-COM	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG055-056-057	5/11/2020	14:49	N1	DD-D008905	EBG055-056-057-051120-COM	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG055-056-057	5/11/2020	14:49	N1	DD-D008905	EBG055-056-057-051120-COM	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG055-056-057	5/11/2020	14:49	N1	DD-D008905	EBG055-056-057-051120-COM	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	7.7		0.088	0.24	ug/WIPE
EBG055-056-057	5/11/2020	14:49	N1	DD-D008905	EBG055-056-057-051120-COM	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG055-056-057	5/11/2020	14:49	N1	DD-D008905	EBG055-056-057-051120-COM	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.8		0.07	0.24	ug/WIPE
EBG055-056-057	5/11/2020	14:49	N1	DD-D008905	EBG055-056-057-051120-COM	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG055-056-057	5/11/2020	14:49	N1	DD-D008905	EBG055-056-057-051120-COM	SW8082A	SW	TOTAL PCBs	10.5		-	0.24	ug/WIPE
EBG058-059-060	5/11/2020	16:50	N1	DD-D008908	EBG058-059-060-051120-COM	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG058-059-060	5/11/2020	16:50	N1	DD-D008908	EBG058-059-060-051120-COM	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG058-059-060	5/11/2020	16:50	N1	DD-D008908	EBG058-059-060-051120-COM	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG058-059-060	5/11/2020	16:50	N1	DD-D008908	EBG058-059-060-051120-COM	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.8		0.088	0.24	ug/WIPE
EBG058-059-060	5/11/2020	16:50	N1	DD-D008908	EBG058-059-060-051120-COM	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG058-059-060	5/11/2020	16:50	N1	DD-D008908	EBG058-059-060-051120-COM	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.4		0.07	0.24	ug/WIPE

Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
EBG058-059-060	5/11/2020	16:50	N1	DD-D008908	EBG058-059-060-051120-COM	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG058-059-060	5/11/2020	16:50	N1	DD-D008908	EBG058-059-060-051120-COM	SW8082A	SW	TOTAL PCBs	5.2		-	0.24	ug/WIPE
EBG061-062-063	5/11/2020	16:15	N1	DD-D009001	EBG061-062-063-051120-COM	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG061-062-063	5/11/2020	16:15	N1	DD-D009001	EBG061-062-063-051120-COM	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG061-062-063	5/11/2020	16:15	N1	DD-D009001	EBG061-062-063-051120-COM	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG061-062-063	5/11/2020	16:15	N1	DD-D009001	EBG061-062-063-051120-COM	SW8082A	SW	PCB-1242 (AROCLOR 1242)	6.1		0.088	0.24	ug/WIPE
EBG061-062-063	5/11/2020	16:15	N1	DD-D009001	EBG061-062-063-051120-COM	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG061-062-063	5/11/2020	16:15	N1	DD-D009001	EBG061-062-063-051120-COM	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2.6		0.07	0.24	ug/WIPE
EBG061-062-063	5/11/2020	16:15	N1	DD-D009001	EBG061-062-063-051120-COM	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG061-062-063	5/11/2020	16:15	N1	DD-D009001	EBG061-062-063-051120-COM	SW8082A	SW	TOTAL PCBs	8.7		-	0.24	ug/WIPE
EBG064-066	5/11/2020	16:06	N1	DD-D009004	EBG064-066-051120-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG064-066	5/11/2020	16:06	N1	DD-D009004	EBG064-066-051120-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG064-066	5/11/2020	16:06	N1	DD-D009004	EBG064-066-051120-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG064-066	5/11/2020	16:06	N1	DD-D009004	EBG064-066-051120-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2.8		0.088	0.24	ug/WIPE
EBG064-066	5/11/2020	16:06	N1	DD-D009004	EBG064-066-051120-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG064-066	5/11/2020	16:06	N1	DD-D009004	EBG064-066-051120-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1		0.07	0.24	ug/WIPE
EBG064-066	5/11/2020	16:06	N1	DD-D009004	EBG064-066-051120-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG064-066	5/11/2020	16:06	N1	DD-D009004	EBG064-066-051120-COMP	SW8082A	SW	TOTAL PCBs	3.8		-	0.24	ug/WIPE
EBG065-067	5/11/2020	15:56	N1	DD-D009005	EBG065-067-051120-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG065-067	5/11/2020	15:56	N1	DD-D009005	EBG065-067-051120-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG065-067	5/11/2020	15:56	N1	DD-D009005	EBG065-067-051120-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG065-067	5/11/2020	15:56	N1	DD-D009005	EBG065-067-051120-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	9.4		0.088	0.24	ug/WIPE
EBG065-067	5/11/2020	15:56	N1	DD-D009005	EBG065-067-051120-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG065-067	5/11/2020	15:56	N1	DD-D009005	EBG065-067-051120-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2.4		0.07	0.24	ug/WIPE
EBG065-067	5/11/2020	15:56	N1	DD-D009005	EBG065-067-051120-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG065-067	5/11/2020	15:56	N1	DD-D009005	EBG065-067-051120-COMP	SW8082A	SW	TOTAL PCBs	11.8		-	0.24	ug/WIPE
EBG068-069	5/11/2020	15:44	N1	DD-D009008	EBG068-069-051120-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG068-069	5/11/2020	15:44	N1	DD-D009008	EBG068-069-051120-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG068-069	5/11/2020	15:44	N1	DD-D009008	EBG068-069-051120-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG068-069	5/11/2020	15:44	N1	DD-D009008	EBG068-069-051120-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	5.7		0.088	0.24	ug/WIPE
EBG068-069	5/11/2020	15:44	N1	DD-D009008	EBG068-069-051120-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG068-069	5/11/2020	15:44	N1	DD-D009008	EBG068-069-051120-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.9		0.07	0.24	ug/WIPE
EBG068-069	5/11/2020	15:44	N1	DD-D009008	EBG068-069-051120-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG068-069	5/11/2020	15:44	N1	DD-D009008	EBG068-069-051120-COMP	SW8082A	SW	TOTAL PCBs	7.6		-	0.24	ug/WIPE
EBG070-071	5/11/2020	15:39	N1	DD-D009010	EBG070-071-051120-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG070-071	5/11/2020	15:39	N1	DD-D009010	EBG070-071-051120-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG070-071	5/11/2020	15:39	N1	DD-D009010	EBG070-071-051120-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG070-071	5/11/2020	15:39	N1	DD-D009010	EBG070-071-051120-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	4.5		0.088	0.24	ug/WIPE
EBG070-071	5/11/2020	15:39	N1	DD-D009010	EBG070-071-051120-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG070-071	5/11/2020	15:39	N1	DD-D009010	EBG070-071-051120-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.5		0.07	0.24	ug/WIPE
EBG070-071	5/11/2020	15:39	N1	DD-D009010	EBG070-071-051120-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG070-071	5/11/2020	15:39	N1	DD-D009010	EBG070-071-051120-COMP	SW8082A	SW	TOTAL PCBs	6		-	0.24	ug/WIPE
EBG072	5/11/2020	15:03	N1	DD-D009102	EBG072-051120	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG072	5/11/2020	15:03	N1	DD-D009102	EBG072-051120	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG072	5/11/2020	15:03	N1	DD-D009102	EBG072-051120	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG072	5/11/2020	15:03	N1	DD-D009102	EBG072-051120	SW8082A	SW	PCB-1242 (AROCLOR 1242)	5.1		0.088	0.24	ug/WIPE
EBG072	5/11/2020	15:03	N1	DD-D009102	EBG072-051120	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG072	5/11/2020	15:03	N1	DD-D009102	EBG072-051120	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.9		0.07	0.24	ug/WIPE
EBG072	5/11/2020	15:03	N1	DD-D009102	EBG072-051120	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG072	5/11/2020	15:03	N1	DD-D009102	EBG072-051120	SW8082A	SW	TOTAL PCBs	7		-	0.24	ug/WIPE
EBG073	5/11/2020	17:00	N1	DD-D009103	EBG073-051120	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE

## Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
EBG073	5/11/2020	17:00	N1	DD-D009103	EBG073-051120	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG073	5/11/2020	17:00	N1	DD-D009103	EBG073-051120	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG073	5/11/2020	17:00	N1	DD-D009103	EBG073-051120	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1.8		0.088	0.24	ug/WIPE
EBG073	5/11/2020	17:00	N1	DD-D009103	EBG073-051120	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG073	5/11/2020	17:00	N1	DD-D009103	EBG073-051120	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.56		0.07	0.24	ug/WIPE
EBG073	5/11/2020	17:00	N1	DD-D009103	EBG073-051120	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG073	5/11/2020	17:00	N1	DD-D009103	EBG073-051120	SW8082A	SW	TOTAL PCBs	2.36		-	0.24	ug/WIPE
EBG074-075	5/11/2020	17:12	N1	DD-D009104	EBG074-075-051120-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG074-075	5/11/2020	17:12	N1	DD-D009104	EBG074-075-051120-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG074-075	5/11/2020	17:12	N1	DD-D009104	EBG074-075-051120-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG074-075	5/11/2020	17:12	N1	DD-D009104	EBG074-075-051120-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2.2		0.088	0.24	ug/WIPE
EBG074-075	5/11/2020	17:12	N1	DD-D009104	EBG074-075-051120-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG074-075	5/11/2020	17:12	N1	DD-D009104	EBG074-075-051120-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.83		0.07	0.24	ug/WIPE
EBG074-075	5/11/2020	17:12	N1	DD-D009104	EBG074-075-051120-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG074-075	5/11/2020	17:12	N1	DD-D009104	EBG074-075-051120-COMP	SW8082A	SW	TOTAL PCBs	3.03		-	0.24	ug/WIPE
EBG076-077	5/11/2020	17:21	N1	DD-D009106	EBG076-077-051120-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG076-077	5/11/2020	17:21	N1	DD-D009106	EBG076-077-051120-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG076-077	5/11/2020	17:21	N1	DD-D009106	EBG076-077-051120-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG076-077	5/11/2020	17:21	N1	DD-D009106	EBG076-077-051120-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	4.9		0.088	0.24	ug/WIPE
EBG076-077	5/11/2020	17:21	N1	DD-D009106	EBG076-077-051120-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG076-077	5/11/2020	17:21	N1	DD-D009106	EBG076-077-051120-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2.1		0.07	0.24	ug/WIPE
EBG076-077	5/11/2020	17:21	N1	DD-D009106	EBG076-077-051120-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG076-077	5/11/2020	17:21	N1	DD-D009106	EBG076-077-051120-COMP	SW8082A	SW	TOTAL PCBs	7		-	0.24	ug/WIPE
EBG078-079	5/12/2020	7:27	N1	DD-D009108	EBG078-079-051220-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG078-079	5/12/2020	7:27	N1	DD-D009108	EBG078-079-051220-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG078-079	5/12/2020	7:27	N1	DD-D009108	EBG078-079-051220-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG078-079	5/12/2020	7:27	N1	DD-D009108	EBG078-079-051220-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3.7		0.088	0.24	ug/WIPE
EBG078-079	5/12/2020	7:27	N1	DD-D009108	EBG078-079-051220-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG078-079	5/12/2020	7:27	N1	DD-D009108	EBG078-079-051220-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.5		0.07	0.24	ug/WIPE
EBG078-079	5/12/2020	7:27	N1	DD-D009108	EBG078-079-051220-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG078-079	5/12/2020	7:27	N1	DD-D009108	EBG078-079-051220-COMP	SW8082A	SW	TOTAL PCBs	5.2		-	0.24	ug/WIPE
EBG080-081	5/12/2020	7:17	N1	DD-D009110	EBG080-081-051220-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG080-081	5/12/2020	7:17	N1	DD-D009110	EBG080-081-051220-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG080-081	5/12/2020	7:17	N1	DD-D009110	EBG080-081-051220-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG080-081	5/12/2020	7:17	N1	DD-D009110	EBG080-081-051220-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	4.4		0.088	0.24	ug/WIPE
EBG080-081	5/12/2020	7:17	N1	DD-D009110	EBG080-081-051220-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG080-081	5/12/2020	7:17	N1	DD-D009110	EBG080-081-051220-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.6		0.07	0.24	ug/WIPE
EBG080-081	5/12/2020	7:17	N1	DD-D009110	EBG080-081-051220-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG080-081	5/12/2020	7:17	N1	DD-D009110	EBG080-081-051220-COMP	SW8082A	SW	TOTAL PCBs	6		-	0.24	ug/WIPE
EBG082-083	5/12/2020	7:12	N1	DD-D009202	EBG082-083-051220-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG082-083	5/12/2020	7:12	N1	DD-D009202	EBG082-083-051220-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG082-083	5/12/2020	7:12	N1	DD-D009202	EBG082-083-051220-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG082-083	5/12/2020	7:12	N1	DD-D009202	EBG082-083-051220-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2.7		0.088	0.24	ug/WIPE
EBG082-083	5/12/2020	7:12	N1	DD-D009202	EBG082-083-051220-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG082-083	5/12/2020	7:12	N1	DD-D009202	EBG082-083-051220-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.1		0.07	0.24	ug/WIPE
EBG082-083	5/12/2020	7:12	N1	DD-D009202	EBG082-083-051220-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG082-083	5/12/2020	7:12	N1	DD-D009202	EBG082-083-051220-COMP	SW8082A	SW	TOTAL PCBs	3.8		-	0.24	ug/WIPE
EBG084-089	5/12/2020	7:02	N1	DD-D009204	EBG084-089-051220-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG084-089	5/12/2020	7:02	N1	DD-D009204	EBG084-089-051220-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG084-089	5/12/2020	7:02	N1	DD-D009204	EBG084-089-051220-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG084-089	5/12/2020	7:02	N1	DD-D009204	EBG084-089-051220-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	6.8		0.088	0.24	ug/WIPE

Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
EBG084-089	5/12/2020	7:02	N1	DD-D009204	EBG084-089-051220-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG084-089	5/12/2020	7:02	N1	DD-D009204	EBG084-089-051220-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.3	U	0.07	0.24	ug/WIPE
EBG084-089	5/12/2020	7:02	N1	DD-D009204	EBG084-089-051220-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG084-089	5/12/2020	7:02	N1	DD-D009204	EBG084-089-051220-COMP	SW8082A	SW	TOTAL PCBs	9.1		-	0.24	ug/WIPE
EBG085-088	5/12/2020	6:43	N1	DD-D009205	EBG085-088-051220-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG085-088	5/12/2020	6:43	N1	DD-D009205	EBG085-088-051220-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG085-088	5/12/2020	6:43	N1	DD-D009205	EBG085-088-051220-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG085-088	5/12/2020	6:43	N1	DD-D009205	EBG085-088-051220-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.7		0.088	0.24	ug/WIPE
EBG085-088	5/12/2020	6:43	N1	DD-D009205	EBG085-088-051220-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG085-088	5/12/2020	6:43	N1	DD-D009205	EBG085-088-051220-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.4		0.07	0.24	ug/WIPE
EBG085-088	5/12/2020	6:43	N1	DD-D009205	EBG085-088-051220-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG085-088	5/12/2020	6:43	N1	DD-D009205	EBG085-088-051220-COMP	SW8082A	SW	TOTAL PCBs	5.1		-	0.24	ug/WIPE
EBG086-087	5/12/2020	6:51	N1	DD-D009206	EBG086-087-051220-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG086-087	5/12/2020	6:51	N1	DD-D009206	EBG086-087-051220-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG086-087	5/12/2020	6:51	N1	DD-D009206	EBG086-087-051220-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG086-087	5/12/2020	6:51	N1	DD-D009206	EBG086-087-051220-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	1.6		0.088	0.24	ug/WIPE
EBG086-087	5/12/2020	6:51	N1	DD-D009206	EBG086-087-051220-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG086-087	5/12/2020	6:51	N1	DD-D009206	EBG086-087-051220-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.6		0.07	0.24	ug/WIPE
EBG086-087	5/12/2020	6:51	N1	DD-D009206	EBG086-087-051220-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG086-087	5/12/2020	6:51	N1	DD-D009206	EBG086-087-051220-COMP	SW8082A	SW	TOTAL PCBs	2.2		-	0.24	ug/WIPE
EBG090	5/11/2020	17:07	N1	DD-D009210	EBG090-051120	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG090	5/11/2020	17:07	N1	DD-D009210	EBG090-051120	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG090	5/11/2020	17:07	N1	DD-D009210	EBG090-051120	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG090	5/11/2020	17:07	N1	DD-D009210	EBG090-051120	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.1		0.088	0.24	ug/WIPE
EBG090	5/11/2020	17:07	N1	DD-D009210	EBG090-051120	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG090	5/11/2020	17:07	N1	DD-D009210	EBG090-051120	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.1		0.07	0.24	ug/WIPE
EBG090	5/11/2020	17:07	N1	DD-D009210	EBG090-051120	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG090	5/11/2020	17:07	N1	DD-D009210	EBG090-051120	SW8082A	SW	TOTAL PCBs	3.2		-	0.24	ug/WIPE
EBG091-092-093	5/12/2020	9:16	N1	DD-D009301	EBG091-092-093-051220-COM	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG091-092-093	5/12/2020	9:16	N1	DD-D009301	EBG091-092-093-051220-COM	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG091-092-093	5/12/2020	9:16	N1	DD-D009301	EBG091-092-093-051220-COM	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG091-092-093	5/12/2020	9:16	N1	DD-D009301	EBG091-092-093-051220-COM	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	12		0.088	0.24	ug/WIPE
EBG091-092-093	5/12/2020	9:16	N1	DD-D009301	EBG091-092-093-051220-COM	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG091-092-093	5/12/2020	9:16	N1	DD-D009301	EBG091-092-093-051220-COM	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	4.7		0.07	0.24	ug/WIPE
EBG091-092-093	5/12/2020	9:16	N1	DD-D009301	EBG091-092-093-051220-COM	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG091-092-093	5/12/2020	9:16	N1	DD-D009301	EBG091-092-093-051220-COM	SW8082A	SW	TOTAL PCBs	16.7		-	0.24	ug/WIPE
EBG094-095-096	5/12/2020	8:46	N1	DD-D009304	EBG094-095-096-051220-COM	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG094-095-096	5/12/2020	8:46	N1	DD-D009304	EBG094-095-096-051220-COM	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG094-095-096	5/12/2020	8:46	N1	DD-D009304	EBG094-095-096-051220-COM	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG094-095-096	5/12/2020	8:46	N1	DD-D009304	EBG094-095-096-051220-COM	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	7.5		0.088	0.24	ug/WIPE
EBG094-095-096	5/12/2020	8:46	N1	DD-D009304	EBG094-095-096-051220-COM	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG094-095-096	5/12/2020	8:46	N1	DD-D009304	EBG094-095-096-051220-COM	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	3		0.07	0.24	ug/WIPE
EBG094-095-096	5/12/2020	8:46	N1	DD-D009304	EBG094-095-096-051220-COM	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG094-095-096	5/12/2020	8:46	N1	DD-D009304	EBG094-095-096-051220-COM	SW8082A	SW	TOTAL PCBs	10.5		-	0.24	ug/WIPE
EBG097-098-099	5/12/2020	8:33	N1	DD-D009307	EBG097-098-099-051220-COM	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG097-098-099	5/12/2020	8:33	N1	DD-D009307	EBG097-098-099-051220-COM	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG097-098-099	5/12/2020	8:33	N1	DD-D009307	EBG097-098-099-051220-COM	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG097-098-099	5/12/2020	8:33	N1	DD-D009307	EBG097-098-099-051220-COM	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.1		0.088	0.24	ug/WIPE
EBG097-098-099	5/12/2020	8:33	N1	DD-D009307	EBG097-098-099-051220-COM	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG097-098-099	5/12/2020	8:33	N1	DD-D009307	EBG097-098-099-051220-COM	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.2		0.07	0.24	ug/WIPE
EBG097-098-099	5/12/2020	8:33	N1	DD-D009307	EBG097-098-099-051220-COM	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE



Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
EBG097-098-099	5/12/2020	8:33	N1	DD-D009307	EBG097-098-099-051220-COM	SW8082A	SW	TOTAL PCBs	4.3		-	0.24	ug/WIPE
EBG100-101-102	5/12/2020	8:21	N1	DD-D009310	EBG100-101-102-051220-COM	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG100-101-102	5/12/2020	8:21	N1	DD-D009310	EBG100-101-102-051220-COM	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG100-101-102	5/12/2020	8:21	N1	DD-D009310	EBG100-101-102-051220-COM	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG100-101-102	5/12/2020	8:21	N1	DD-D009310	EBG100-101-102-051220-COM	SW8082A	SW	PCB-1242 (AROCLOR 1242)	9.6		0.088	0.24	ug/WIPE
EBG100-101-102	5/12/2020	8:21	N1	DD-D009310	EBG100-101-102-051220-COM	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG100-101-102	5/12/2020	8:21	N1	DD-D009310	EBG100-101-102-051220-COM	SW8082A	SW	PCB-1254 (AROCLOR 1254)	3.8		0.07	0.24	ug/WIPE
EBG100-101-102	5/12/2020	8:21	N1	DD-D009310	EBG100-101-102-051220-COM	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG100-101-102	5/12/2020	8:21	N1	DD-D009310	EBG100-101-102-051220-COM	SW8082A	SW	TOTAL PCBs	13.4		-	0.24	ug/WIPE
EBG103-104-105	5/12/2020	7:58	N1	DD-D009403	EBG103-104-105-051220-COM	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG103-104-105	5/12/2020	7:58	N1	DD-D009403	EBG103-104-105-051220-COM	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG103-104-105	5/12/2020	7:58	N1	DD-D009403	EBG103-104-105-051220-COM	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG103-104-105	5/12/2020	7:58	N1	DD-D009403	EBG103-104-105-051220-COM	SW8082A	SW	PCB-1242 (AROCLOR 1242)	11		0.088	0.24	ug/WIPE
EBG103-104-105	5/12/2020	7:58	N1	DD-D009403	EBG103-104-105-051220-COM	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG103-104-105	5/12/2020	7:58	N1	DD-D009403	EBG103-104-105-051220-COM	SW8082A	SW	PCB-1254 (AROCLOR 1254)	4.4		0.07	0.24	ug/WIPE
EBG103-104-105	5/12/2020	7:58	N1	DD-D009403	EBG103-104-105-051220-COM	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG103-104-105	5/12/2020	7:58	N1	DD-D009403	EBG103-104-105-051220-COM	SW8082A	SW	TOTAL PCBs	15.4		-	0.24	ug/WIPE
EBG106-107	5/12/2020	8:04	N1	DD-D009406	EBG106-107-051220-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG106-107	5/12/2020	8:04	N1	DD-D009406	EBG106-107-051220-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG106-107	5/12/2020	8:04	N1	DD-D009406	EBG106-107-051220-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG106-107	5/12/2020	8:04	N1	DD-D009406	EBG106-107-051220-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	4.1		0.088	0.24	ug/WIPE
EBG106-107	5/12/2020	8:04	N1	DD-D009406	EBG106-107-051220-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG106-107	5/12/2020	8:04	N1	DD-D009406	EBG106-107-051220-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.6		0.07	0.24	ug/WIPE
EBG106-107	5/12/2020	8:04	N1	DD-D009406	EBG106-107-051220-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG106-107	5/12/2020	8:04	N1	DD-D009406	EBG106-107-051220-COMP	SW8082A	SW	TOTAL PCBs	5.7		-	0.24	ug/WIPE
EBG108	5/12/2020	9:34	N1	DD-D009408	EBG108-051220	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG108	5/12/2020	9:34	N1	DD-D009408	EBG108-051220	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG108	5/12/2020	9:34	N1	DD-D009408	EBG108-051220	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG108	5/12/2020	9:34	N1	DD-D009408	EBG108-051220	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3.6		0.088	0.24	ug/WIPE
EBG108	5/12/2020	9:34	N1	DD-D009408	EBG108-051220	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG108	5/12/2020	9:34	N1	DD-D009408	EBG108-051220	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.3		0.07	0.24	ug/WIPE
EBG108	5/12/2020	9:34	N1	DD-D009408	EBG108-051220	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG108	5/12/2020	9:34	N1	DD-D009408	EBG108-051220	SW8082A	SW	TOTAL PCBs	4.9		-	0.24	ug/WIPE
EBG109-110-111	5/12/2020	9:39	N1	DD-D009409	EBG109-110-111-051220-COM	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG109-110-111	5/12/2020	9:39	N1	DD-D009409	EBG109-110-111-051220-COM	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG109-110-111	5/12/2020	9:39	N1	DD-D009409	EBG109-110-111-051220-COM	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG109-110-111	5/12/2020	9:39	N1	DD-D009409	EBG109-110-111-051220-COM	SW8082A	SW	PCB-1242 (AROCLOR 1242)	8.1		0.088	0.24	ug/WIPE
EBG109-110-111	5/12/2020	9:39	N1	DD-D009409	EBG109-110-111-051220-COM	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG109-110-111	5/12/2020	9:39	N1	DD-D009409	EBG109-110-111-051220-COM	SW8082A	SW	PCB-1254 (AROCLOR 1254)	3.6		0.07	0.24	ug/WIPE
EBG109-110-111	5/12/2020	9:39	N1	DD-D009409	EBG109-110-111-051220-COM	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG109-110-111	5/12/2020	9:39	N1	DD-D009409	EBG109-110-111-051220-COM	SW8082A	SW	TOTAL PCBs	11.7		-	0.24	ug/WIPE
EBG112-113-114	5/12/2020	11:09	N1	DD-D009502	EBG112-113-114-051220-COM	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG112-113-114	5/12/2020	11:09	N1	DD-D009502	EBG112-113-114-051220-COM	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG112-113-114	5/12/2020	11:09	N1	DD-D009502	EBG112-113-114-051220-COM	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG112-113-114	5/12/2020	11:09	N1	DD-D009502	EBG112-113-114-051220-COM	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3.5		0.088	0.24	ug/WIPE
EBG112-113-114	5/12/2020	11:09	N1	DD-D009502	EBG112-113-114-051220-COM	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG112-113-114	5/12/2020	11:09	N1	DD-D009502	EBG112-113-114-051220-COM	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.6		0.07	0.24	ug/WIPE
EBG112-113-114	5/12/2020	11:09	N1	DD-D009502	EBG112-113-114-051220-COM	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG112-113-114	5/12/2020	11:09	N1	DD-D009502	EBG112-113-114-051220-COM	SW8082A	SW	TOTAL PCBs	5.1		-	0.24	ug/WIPE
EBG115-116-117	5/12/2020	10:57	N1	DD-D009505	EBG115-116-117-051220-COM	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG115-116-117	5/12/2020	10:57	N1	DD-D009505	EBG115-116-117-051220-COM	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE

Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
EBG115-116-117	5/12/2020	10:57	N1	DD-D009505	EBG115-116-117-051220-COM	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG115-116-117	5/12/2020	10:57	N1	DD-D009505	EBG115-116-117-051220-COM	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	7.4	U	0.088	0.24	ug/WIPE
EBG115-116-117	5/12/2020	10:57	N1	DD-D009505	EBG115-116-117-051220-COM	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG115-116-117	5/12/2020	10:57	N1	DD-D009505	EBG115-116-117-051220-COM	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.7	U	0.07	0.24	ug/WIPE
EBG115-116-117	5/12/2020	10:57	N1	DD-D009505	EBG115-116-117-051220-COM	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG115-116-117	5/12/2020	10:57	N1	DD-D009505	EBG115-116-117-051220-COM	SW8082A	SW	TOTAL PCBs	10.1	U	-	0.24	ug/WIPE
EBG118-119-120	5/12/2020	10:48	N1	DD-D009508	EBG118-119-120-051220-COM	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG118-119-120	5/12/2020	10:48	N1	DD-D009508	EBG118-119-120-051220-COM	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG118-119-120	5/12/2020	10:48	N1	DD-D009508	EBG118-119-120-051220-COM	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG118-119-120	5/12/2020	10:48	N1	DD-D009508	EBG118-119-120-051220-COM	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	12	U	0.088	0.24	ug/WIPE
EBG118-119-120	5/12/2020	10:48	N1	DD-D009508	EBG118-119-120-051220-COM	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG118-119-120	5/12/2020	10:48	N1	DD-D009508	EBG118-119-120-051220-COM	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	4.5	U	0.07	0.24	ug/WIPE
EBG118-119-120	5/12/2020	10:48	N1	DD-D009508	EBG118-119-120-051220-COM	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG118-119-120	5/12/2020	10:48	N1	DD-D009508	EBG118-119-120-051220-COM	SW8082A	SW	TOTAL PCBs	16.5	U	-	0.24	ug/WIPE
EBG121-122-123	5/12/2020	10:34	N1	DD-D009601	EBG121-122-123-051220-COM	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG121-122-123	5/12/2020	10:34	N1	DD-D009601	EBG121-122-123-051220-COM	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG121-122-123	5/12/2020	10:34	N1	DD-D009601	EBG121-122-123-051220-COM	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG121-122-123	5/12/2020	10:34	N1	DD-D009601	EBG121-122-123-051220-COM	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	12	U	0.088	0.24	ug/WIPE
EBG121-122-123	5/12/2020	10:34	N1	DD-D009601	EBG121-122-123-051220-COM	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG121-122-123	5/12/2020	10:34	N1	DD-D009601	EBG121-122-123-051220-COM	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	4.1	U	0.07	0.24	ug/WIPE
EBG121-122-123	5/12/2020	10:34	N1	DD-D009601	EBG121-122-123-051220-COM	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG121-122-123	5/12/2020	10:34	N1	DD-D009601	EBG121-122-123-051220-COM	SW8082A	SW	TOTAL PCBs	16.1	U	-	0.24	ug/WIPE
EBG124-125	5/12/2020	10:25	N1	DD-D009604	EBG124-125-051220-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG124-125	5/12/2020	10:25	N1	DD-D009604	EBG124-125-051220-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG124-125	5/12/2020	10:25	N1	DD-D009604	EBG124-125-051220-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG124-125	5/12/2020	10:25	N1	DD-D009604	EBG124-125-051220-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	5.9	U	0.088	0.24	ug/WIPE
EBG124-125	5/12/2020	10:25	N1	DD-D009604	EBG124-125-051220-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG124-125	5/12/2020	10:25	N1	DD-D009604	EBG124-125-051220-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.7	U	0.07	0.24	ug/WIPE
EBG124-125	5/12/2020	10:25	N1	DD-D009604	EBG124-125-051220-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG124-125	5/12/2020	10:25	N1	DD-D009604	EBG124-125-051220-COMP	SW8082A	SW	TOTAL PCBs	7.6	U	-	0.24	ug/WIPE
EBG126	5/12/2020	9:52	N1	DD-D009606	EBG126-051220	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG126	5/12/2020	9:52	N1	DD-D009606	EBG126-051220	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG126	5/12/2020	9:52	N1	DD-D009606	EBG126-051220	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG126	5/12/2020	9:52	N1	DD-D009606	EBG126-051220	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.8	U	0.088	0.24	ug/WIPE
EBG126	5/12/2020	9:52	N1	DD-D009606	EBG126-051220	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG126	5/12/2020	9:52	N1	DD-D009606	EBG126-051220	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.8	U	0.07	0.24	ug/WIPE
EBG126	5/12/2020	9:52	N1	DD-D009606	EBG126-051220	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG126	5/12/2020	9:52	N1	DD-D009606	EBG126-051220	SW8082A	SW	TOTAL PCBs	5.6	U	-	0.24	ug/WIPE
EBG127-128	5/12/2020	9:56	N1	DD-D009607	EBG127-128-051220-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG127-128	5/12/2020	9:56	N1	DD-D009607	EBG127-128-051220-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG127-128	5/12/2020	9:56	N1	DD-D009607	EBG127-128-051220-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG127-128	5/12/2020	9:56	N1	DD-D009607	EBG127-128-051220-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	6.4	U	0.088	0.24	ug/WIPE
EBG127-128	5/12/2020	9:56	N1	DD-D009607	EBG127-128-051220-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG127-128	5/12/2020	9:56	N1	DD-D009607	EBG127-128-051220-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.7	U	0.07	0.24	ug/WIPE
EBG127-128	5/12/2020	9:56	N1	DD-D009607	EBG127-128-051220-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG127-128	5/12/2020	9:56	N1	DD-D009607	EBG127-128-051220-COMP	SW8082A	SW	TOTAL PCBs	9.1	U	-	0.24	ug/WIPE
EBG129-130-131	5/12/2020	11:50	N1	DD-D009609	EBG129-130-131-051220-COM	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG129-130-131	5/12/2020	11:50	N1	DD-D009609	EBG129-130-131-051220-COM	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG129-130-131	5/12/2020	11:50	N1	DD-D009609	EBG129-130-131-051220-COM	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG129-130-131	5/12/2020	11:50	N1	DD-D009609	EBG129-130-131-051220-COM	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	13	U	0.088	0.24	ug/WIPE
EBG129-130-131	5/12/2020	11:50	N1	DD-D009609	EBG129-130-131-051220-COM	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE

Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
EBG129-130-131	5/12/2020	11:50	N1	DD-D009609	EBG129-130-131-051220-COM	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	5.2		0.07	0.24	ug/WIPE
EBG129-130-131	5/12/2020	11:50	N1	DD-D009609	EBG129-130-131-051220-COM	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG129-130-131	5/12/2020	11:50	N1	DD-D009609	EBG129-130-131-051220-COM	SW8082A	SW	TOTAL PCBs	18.2		-	0.24	ug/WIPE
EBG132-133	5/12/2020	11:41	N1	DD-D009702	EBG132-133-051220-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG132-133	5/12/2020	11:41	N1	DD-D009702	EBG132-133-051220-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG132-133	5/12/2020	11:41	N1	DD-D009702	EBG132-133-051220-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG132-133	5/12/2020	11:41	N1	DD-D009702	EBG132-133-051220-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	8.4		0.088	0.24	ug/WIPE
EBG132-133	5/12/2020	11:41	N1	DD-D009702	EBG132-133-051220-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG132-133	5/12/2020	11:41	N1	DD-D009702	EBG132-133-051220-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	3.4		0.07	0.24	ug/WIPE
EBG132-133	5/12/2020	11:41	N1	DD-D009702	EBG132-133-051220-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG132-133	5/12/2020	11:41	N1	DD-D009702	EBG132-133-051220-COMP	SW8082A	SW	TOTAL PCBs	11.8		-	0.24	ug/WIPE
EBG134-135	5/12/2020	11:36	N1	DD-D009704	EBG134-135-051220-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG134-135	5/12/2020	11:36	N1	DD-D009704	EBG134-135-051220-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG134-135	5/12/2020	11:36	N1	DD-D009704	EBG134-135-051220-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG134-135	5/12/2020	11:36	N1	DD-D009704	EBG134-135-051220-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3		0.088	0.24	ug/WIPE
EBG134-135	5/12/2020	11:36	N1	DD-D009704	EBG134-135-051220-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG134-135	5/12/2020	11:36	N1	DD-D009704	EBG134-135-051220-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.3		0.07	0.24	ug/WIPE
EBG134-135	5/12/2020	11:36	N1	DD-D009704	EBG134-135-051220-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG134-135	5/12/2020	11:36	N1	DD-D009704	EBG134-135-051220-COMP	SW8082A	SW	TOTAL PCBs	4.3		-	0.24	ug/WIPE
EBG136-137	5/12/2020	11:29	N1	DD-D009706	EBG136-137-051220-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG136-137	5/12/2020	11:29	N1	DD-D009706	EBG136-137-051220-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG136-137	5/12/2020	11:29	N1	DD-D009706	EBG136-137-051220-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG136-137	5/12/2020	11:29	N1	DD-D009706	EBG136-137-051220-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	5.8		0.088	0.24	ug/WIPE
EBG136-137	5/12/2020	11:29	N1	DD-D009706	EBG136-137-051220-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG136-137	5/12/2020	11:29	N1	DD-D009706	EBG136-137-051220-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.9		0.07	0.24	ug/WIPE
EBG136-137	5/12/2020	11:29	N1	DD-D009706	EBG136-137-051220-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG136-137	5/12/2020	11:29	N1	DD-D009706	EBG136-137-051220-COMP	SW8082A	SW	TOTAL PCBs	7.7		-	0.24	ug/WIPE
EBG138-139	5/12/2020	11:22	N1	DD-D009708	EBG138-139-051220-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG138-139	5/12/2020	11:22	N1	DD-D009708	EBG138-139-051220-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG138-139	5/12/2020	11:22	N1	DD-D009708	EBG138-139-051220-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG138-139	5/12/2020	11:22	N1	DD-D009708	EBG138-139-051220-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	11		0.088	0.24	ug/WIPE
EBG138-139	5/12/2020	11:22	N1	DD-D009708	EBG138-139-051220-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG138-139	5/12/2020	11:22	N1	DD-D009708	EBG138-139-051220-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	3.3		0.07	0.24	ug/WIPE
EBG138-139	5/12/2020	11:22	N1	DD-D009708	EBG138-139-051220-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG138-139	5/12/2020	11:22	N1	DD-D009708	EBG138-139-051220-COMP	SW8082A	SW	TOTAL PCBs	14.3		-	0.24	ug/WIPE
EW001-002-003	5/11/2020	8:14	N1	DD-D008001	EW001-002-003-051120-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EW001-002-003	5/11/2020	8:14	N1	DD-D008001	EW001-002-003-051120-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EW001-002-003	5/11/2020	8:14	N1	DD-D008001	EW001-002-003-051120-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EW001-002-003	5/11/2020	8:14	N1	DD-D008001	EW001-002-003-051120-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.36		0.088	0.24	ug/WIPE
EW001-002-003	5/11/2020	8:14	N1	DD-D008001	EW001-002-003-051120-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EW001-002-003	5/11/2020	8:14	N1	DD-D008001	EW001-002-003-051120-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.14	J	0.07	0.24	ug/WIPE
EW001-002-003	5/11/2020	8:14	N1	DD-D008001	EW001-002-003-051120-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EW001-002-003	5/11/2020	8:14	N1	DD-D008001	EW001-002-003-051120-COMP	SW8082A	SW	TOTAL PCBs	0.5		-	0.24	ug/WIPE
EW004-005-009	5/11/2020	9:28	N1	DD-D008004	EW004-005-009-051120-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EW004-005-009	5/11/2020	9:28	N1	DD-D008004	EW004-005-009-051120-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EW004-005-009	5/11/2020	9:28	N1	DD-D008004	EW004-005-009-051120-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EW004-005-009	5/11/2020	9:28	N1	DD-D008004	EW004-005-009-051120-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.24		0.088	0.24	ug/WIPE
EW004-005-009	5/11/2020	9:28	N1	DD-D008004	EW004-005-009-051120-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EW004-005-009	5/11/2020	9:28	N1	DD-D008004	EW004-005-009-051120-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.1	J	0.07	0.24	ug/WIPE
EW004-005-009	5/11/2020	9:28	N1	DD-D008004	EW004-005-009-051120-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EW004-005-009	5/11/2020	9:28	N1	DD-D008004	EW004-005-009-051120-COMP	SW8082A	SW	TOTAL PCBs	0.34		-	0.24	ug/WIPE

Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
EW006-007-008	5/11/2020	11:20	N1	DD-D008006	EW006-007-008-051120-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EW006-007-008	5/11/2020	11:20	N1	DD-D008006	EW006-007-008-051120-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EW006-007-008	5/11/2020	11:20	N1	DD-D008006	EW006-007-008-051120-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EW006-007-008	5/11/2020	11:20	N1	DD-D008006	EW006-007-008-051120-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.43		0.088	0.24	ug/WIPE
EW006-007-008	5/11/2020	11:20	N1	DD-D008006	EW006-007-008-051120-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EW006-007-008	5/11/2020	11:20	N1	DD-D008006	EW006-007-008-051120-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.2	J	0.07	0.24	ug/WIPE
EW006-007-008	5/11/2020	11:20	N1	DD-D008006	EW006-007-008-051120-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EW006-007-008	5/11/2020	11:20	N1	DD-D008006	EW006-007-008-051120-COMP	SW8082A	SW	TOTAL PCBs	0.63		-	0.24	ug/WIPE
EW010-011-012	5/11/2020	13:13	N1	DD-D008010	EW010-011-012-051120-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EW010-011-012	5/11/2020	13:13	N1	DD-D008010	EW010-011-012-051120-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EW010-011-012	5/11/2020	13:13	N1	DD-D008010	EW010-011-012-051120-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EW010-011-012	5/11/2020	13:13	N1	DD-D008010	EW010-011-012-051120-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.38		0.088	0.24	ug/WIPE
EW010-011-012	5/11/2020	13:13	N1	DD-D008010	EW010-011-012-051120-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EW010-011-012	5/11/2020	13:13	N1	DD-D008010	EW010-011-012-051120-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.15	J	0.07	0.24	ug/WIPE
EW010-011-012	5/11/2020	13:13	N1	DD-D008010	EW010-011-012-051120-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EW010-011-012	5/11/2020	13:13	N1	DD-D008010	EW010-011-012-051120-COMP	SW8082A	SW	TOTAL PCBs	0.53		-	0.24	ug/WIPE
EW013-014	5/11/2020	14:39	N1	DD-D008103	EW013-014-051120-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EW013-014	5/11/2020	14:39	N1	DD-D008103	EW013-014-051120-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EW013-014	5/11/2020	14:39	N1	DD-D008103	EW013-014-051120-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EW013-014	5/11/2020	14:39	N1	DD-D008103	EW013-014-051120-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
EW013-014	5/11/2020	14:39	N1	DD-D008103	EW013-014-051120-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EW013-014	5/11/2020	14:39	N1	DD-D008103	EW013-014-051120-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
EW013-014	5/11/2020	14:39	N1	DD-D008103	EW013-014-051120-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EW013-014	5/11/2020	14:39	N1	DD-D008103	EW013-014-051120-COMP	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
EW015-016-017	5/11/2020	15:47	N1	DD-D008105	EW015-016-017-051120-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EW015-016-017	5/11/2020	15:47	N1	DD-D008105	EW015-016-017-051120-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EW015-016-017	5/11/2020	15:47	N1	DD-D008105	EW015-016-017-051120-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EW015-016-017	5/11/2020	15:47	N1	DD-D008105	EW015-016-017-051120-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.22	J	0.088	0.24	ug/WIPE
EW015-016-017	5/11/2020	15:47	N1	DD-D008105	EW015-016-017-051120-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EW015-016-017	5/11/2020	15:47	N1	DD-D008105	EW015-016-017-051120-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.092	J	0.07	0.24	ug/WIPE
EW015-016-017	5/11/2020	15:47	N1	DD-D008105	EW015-016-017-051120-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EW015-016-017	5/11/2020	15:47	N1	DD-D008105	EW015-016-017-051120-COMP	SW8082A	SW	TOTAL PCBs	0.312		-	0.24	ug/WIPE
EW018-022	5/12/2020	9:08	N1	DD-D008108	EW018-022-051220-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EW018-022	5/12/2020	9:08	N1	DD-D008108	EW018-022-051220-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EW018-022	5/12/2020	9:08	N1	DD-D008108	EW018-022-051220-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EW018-022	5/12/2020	9:08	N1	DD-D008108	EW018-022-051220-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
EW018-022	5/12/2020	9:08	N1	DD-D008108	EW018-022-051220-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EW018-022	5/12/2020	9:08	N1	DD-D008108	EW018-022-051220-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
EW018-022	5/12/2020	9:08	N1	DD-D008108	EW018-022-051220-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EW018-022	5/12/2020	9:08	N1	DD-D008108	EW018-022-051220-COMP	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
EW019-020-021	5/12/2020	9:54	N1	DD-D008109	EW019-020-021-051220-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EW019-020-021	5/12/2020	9:54	N1	DD-D008109	EW019-020-021-051220-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EW019-020-021	5/12/2020	9:54	N1	DD-D008109	EW019-020-021-051220-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EW019-020-021	5/12/2020	9:54	N1	DD-D008109	EW019-020-021-051220-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
EW019-020-021	5/12/2020	9:54	N1	DD-D008109	EW019-020-021-051220-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EW019-020-021	5/12/2020	9:54	N1	DD-D008109	EW019-020-021-051220-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
EW019-020-021	5/12/2020	9:54	N1	DD-D008109	EW019-020-021-051220-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EW019-020-021	5/12/2020	9:54	N1	DD-D008109	EW019-020-021-051220-COMP	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
EW023-024-025	5/12/2020	8:15	N1	DD-D008203	EW023-024-025-051220-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EW023-024-025	5/12/2020	8:15	N1	DD-D008203	EW023-024-025-051220-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EW023-024-025	5/12/2020	8:15	N1	DD-D008203	EW023-024-025-051220-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE

Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
EW023-024-025	5/12/2020	8:15	N1	DD-D008203	EW023-024-025-051220-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.22	J	0.088	0.24	ug/WIPE
EW023-024-025	5/12/2020	8:15	N1	DD-D008203	EW023-024-025-051220-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EW023-024-025	5/12/2020	8:15	N1	DD-D008203	EW023-024-025-051220-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.092	J	0.07	0.24	ug/WIPE
EW023-024-025	5/12/2020	8:15	N1	DD-D008203	EW023-024-025-051220-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EW023-024-025	5/12/2020	8:15	N1	DD-D008203	EW023-024-025-051220-COMP	SW8082A	SW	TOTAL PCBs	0.312		-	0.24	ug/WIPE
EW026-027-028	5/12/2020	10:40	N1	DD-D008206	EW026-027-028-051220-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EW026-027-028	5/12/2020	10:40	N1	DD-D008206	EW026-027-028-051220-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EW026-027-028	5/12/2020	10:40	N1	DD-D008206	EW026-027-028-051220-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EW026-027-028	5/12/2020	10:40	N1	DD-D008206	EW026-027-028-051220-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
EW026-027-028	5/12/2020	10:40	N1	DD-D008206	EW026-027-028-051220-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EW026-027-028	5/12/2020	10:40	N1	DD-D008206	EW026-027-028-051220-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
EW026-027-028	5/12/2020	10:40	N1	DD-D008206	EW026-027-028-051220-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EW026-027-028	5/12/2020	10:40	N1	DD-D008206	EW026-027-028-051220-COMP	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
EW029-033	5/12/2020	10:03	N1	DD-D008209	EW029-033-051220-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EW029-033	5/12/2020	10:03	N1	DD-D008209	EW029-033-051220-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EW029-033	5/12/2020	10:03	N1	DD-D008209	EW029-033-051220-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EW029-033	5/12/2020	10:03	N1	DD-D008209	EW029-033-051220-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
EW029-033	5/12/2020	10:03	N1	DD-D008209	EW029-033-051220-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EW029-033	5/12/2020	10:03	N1	DD-D008209	EW029-033-051220-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
EW029-033	5/12/2020	10:03	N1	DD-D008209	EW029-033-051220-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EW029-033	5/12/2020	10:03	N1	DD-D008209	EW029-033-051220-COMP	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
EW030-031-032	5/12/2020	11:25	N1	DD-D008210	EW030-031-032-051220-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EW030-031-032	5/12/2020	11:25	N1	DD-D008210	EW030-031-032-051220-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EW030-031-032	5/12/2020	11:25	N1	DD-D008210	EW030-031-032-051220-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EW030-031-032	5/12/2020	11:25	N1	DD-D008210	EW030-031-032-051220-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.33		0.088	0.24	ug/WIPE
EW030-031-032	5/12/2020	11:25	N1	DD-D008210	EW030-031-032-051220-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EW030-031-032	5/12/2020	11:25	N1	DD-D008210	EW030-031-032-051220-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.15	J	0.07	0.24	ug/WIPE
EW030-031-032	5/12/2020	11:25	N1	DD-D008210	EW030-031-032-051220-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EW030-031-032	5/12/2020	11:25	N1	DD-D008210	EW030-031-032-051220-COMP	SW8082A	SW	TOTAL PCBs	0.48		-	0.24	ug/WIPE
FBG001-002-003	5/12/2020	13:43	N1	DD-D010001	FBG001-002-003-051220-COM	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
FBG001-002-003	5/12/2020	13:43	N1	DD-D010001	FBG001-002-003-051220-COM	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
FBG001-002-003	5/12/2020	13:43	N1	DD-D010001	FBG001-002-003-051220-COM	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
FBG001-002-003	5/12/2020	13:43	N1	DD-D010001	FBG001-002-003-051220-COM	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3.8		0.088	0.24	ug/WIPE
FBG001-002-003	5/12/2020	13:43	N1	DD-D010001	FBG001-002-003-051220-COM	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
FBG001-002-003	5/12/2020	13:43	N1	DD-D010001	FBG001-002-003-051220-COM	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.3		0.07	0.24	ug/WIPE
FBG001-002-003	5/12/2020	13:43	N1	DD-D010001	FBG001-002-003-051220-COM	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
FBG001-002-003	5/12/2020	13:43	N1	DD-D010001	FBG001-002-003-051220-COM	SW8082A	SW	TOTAL PCBs	5.1		-	0.24	ug/WIPE
FBG004-005-006	5/12/2020	13:55	N1	DD-D010004	FBG004-005-006-051220-COM	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
FBG004-005-006	5/12/2020	13:55	N1	DD-D010004	FBG004-005-006-051220-COM	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
FBG004-005-006	5/12/2020	13:55	N1	DD-D010004	FBG004-005-006-051220-COM	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
FBG004-005-006	5/12/2020	13:55	N1	DD-D010004	FBG004-005-006-051220-COM	SW8082A	SW	PCB-1242 (AROCLOR 1242)	5		0.088	0.24	ug/WIPE
FBG004-005-006	5/12/2020	13:55	N1	DD-D010004	FBG004-005-006-051220-COM	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
FBG004-005-006	5/12/2020	13:55	N1	DD-D010004	FBG004-005-006-051220-COM	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.8		0.07	0.24	ug/WIPE
FBG004-005-006	5/12/2020	13:55	N1	DD-D010004	FBG004-005-006-051220-COM	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
FBG004-005-006	5/12/2020	13:55	N1	DD-D010004	FBG004-005-006-051220-COM	SW8082A	SW	TOTAL PCBs	6.8		-	0.24	ug/WIPE
FBG007-008-009	5/12/2020	14:04	N1	DD-D010007	FBG007-008-009-051220-COM	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
FBG007-008-009	5/12/2020	14:04	N1	DD-D010007	FBG007-008-009-051220-COM	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
FBG007-008-009	5/12/2020	14:04	N1	DD-D010007	FBG007-008-009-051220-COM	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
FBG007-008-009	5/12/2020	14:04	N1	DD-D010007	FBG007-008-009-051220-COM	SW8082A	SW	PCB-1242 (AROCLOR 1242)	5.8		0.088	0.24	ug/WIPE
FBG007-008-009	5/12/2020	14:04	N1	DD-D010007	FBG007-008-009-051220-COM	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
FBG007-008-009	5/12/2020	14:04	N1	DD-D010007	FBG007-008-009-051220-COM	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2.1		0.07	0.24	ug/WIPE



Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
FBG007-008-009	5/12/2020	14:04	N1	DD-D010007	FBG007-008-009-051220-COM	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
FBG007-008-009	5/12/2020	14:04	N1	DD-D010007	FBG007-008-009-051220-COM	SW8082A	SW	TOTAL PCBs	7.9		-	0.24	ug/WIPE
FBG010-011-012	5/12/2020	14:20	N1	DD-D010010	FBG010-011-012-051220-COM	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
FBG010-011-012	5/12/2020	14:20	N1	DD-D010010	FBG010-011-012-051220-COM	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
FBG010-011-012	5/12/2020	14:20	N1	DD-D010010	FBG010-011-012-051220-COM	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
FBG010-011-012	5/12/2020	14:20	N1	DD-D010010	FBG010-011-012-051220-COM	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	11		0.088	0.24	ug/WIPE
FBG010-011-012	5/12/2020	14:20	N1	DD-D010010	FBG010-011-012-051220-COM	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
FBG010-011-012	5/12/2020	14:20	N1	DD-D010010	FBG010-011-012-051220-COM	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	4.3		0.07	0.24	ug/WIPE
FBG010-011-012	5/12/2020	14:20	N1	DD-D010010	FBG010-011-012-051220-COM	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
FBG010-011-012	5/12/2020	14:20	N1	DD-D010010	FBG010-011-012-051220-COM	SW8082A	SW	TOTAL PCBs	15.3		-	0.24	ug/WIPE
FBG013-014	5/12/2020	14:31	N1	DD-D010103	FBG013-014-051220-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
FBG013-014	5/12/2020	14:31	N1	DD-D010103	FBG013-014-051220-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
FBG013-014	5/12/2020	14:31	N1	DD-D010103	FBG013-014-051220-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
FBG013-014	5/12/2020	14:31	N1	DD-D010103	FBG013-014-051220-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	7.2		0.088	0.24	ug/WIPE
FBG013-014	5/12/2020	14:31	N1	DD-D010103	FBG013-014-051220-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
FBG013-014	5/12/2020	14:31	N1	DD-D010103	FBG013-014-051220-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.6		0.07	0.24	ug/WIPE
FBG013-014	5/12/2020	14:31	N1	DD-D010103	FBG013-014-051220-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
FBG013-014	5/12/2020	14:31	N1	DD-D010103	FBG013-014-051220-COMP	SW8082A	SW	TOTAL PCBs	9.8		-	0.24	ug/WIPE
FBG015-016-017	5/12/2020	14:41	N1	DD-D010105	FBG015-016-017-051220-COM	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
FBG015-016-017	5/12/2020	14:41	N1	DD-D010105	FBG015-016-017-051220-COM	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
FBG015-016-017	5/12/2020	14:41	N1	DD-D010105	FBG015-016-017-051220-COM	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
FBG015-016-017	5/12/2020	14:41	N1	DD-D010105	FBG015-016-017-051220-COM	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	18		0.088	0.24	ug/WIPE
FBG015-016-017	5/12/2020	14:41	N1	DD-D010105	FBG015-016-017-051220-COM	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
FBG015-016-017	5/12/2020	14:41	N1	DD-D010105	FBG015-016-017-051220-COM	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	6.8		0.07	0.24	ug/WIPE
FBG015-016-017	5/12/2020	14:41	N1	DD-D010105	FBG015-016-017-051220-COM	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
FBG015-016-017	5/12/2020	14:41	N1	DD-D010105	FBG015-016-017-051220-COM	SW8082A	SW	TOTAL PCBs	24.8		-	0.24	ug/WIPE
FBG018-019-020	5/12/2020	15:33	N1	DD-D010108	FBG018-019-020-051220-COM	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
FBG018-019-020	5/12/2020	15:33	N1	DD-D010108	FBG018-019-020-051220-COM	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
FBG018-019-020	5/12/2020	15:33	N1	DD-D010108	FBG018-019-020-051220-COM	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
FBG018-019-020	5/12/2020	15:33	N1	DD-D010108	FBG018-019-020-051220-COM	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.9		0.088	0.24	ug/WIPE
FBG018-019-020	5/12/2020	15:33	N1	DD-D010108	FBG018-019-020-051220-COM	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
FBG018-019-020	5/12/2020	15:33	N1	DD-D010108	FBG018-019-020-051220-COM	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.2		0.07	0.24	ug/WIPE
FBG018-019-020	5/12/2020	15:33	N1	DD-D010108	FBG018-019-020-051220-COM	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
FBG018-019-020	5/12/2020	15:33	N1	DD-D010108	FBG018-019-020-051220-COM	SW8082A	SW	TOTAL PCBs	4.1		-	0.24	ug/WIPE
FBG021-024	5/12/2020	15:17	N1	DD-D010201	FBG021-024-051220-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
FBG021-024	5/12/2020	15:17	N1	DD-D010201	FBG021-024-051220-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
FBG021-024	5/12/2020	15:17	N1	DD-D010201	FBG021-024-051220-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
FBG021-024	5/12/2020	15:17	N1	DD-D010201	FBG021-024-051220-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	6.4		0.088	0.24	ug/WIPE
FBG021-024	5/12/2020	15:17	N1	DD-D010201	FBG021-024-051220-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
FBG021-024	5/12/2020	15:17	N1	DD-D010201	FBG021-024-051220-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.4		0.07	0.24	ug/WIPE
FBG021-024	5/12/2020	15:17	N1	DD-D010201	FBG021-024-051220-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
FBG021-024	5/12/2020	15:17	N1	DD-D010201	FBG021-024-051220-COMP	SW8082A	SW	TOTAL PCBs	8.8		-	0.24	ug/WIPE
FBG022-023	5/12/2020	14:14	N1	DD-D010202	FBG022-023-051220-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
FBG022-023	5/12/2020	14:14	N1	DD-D010202	FBG022-023-051220-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
FBG022-023	5/12/2020	14:14	N1	DD-D010202	FBG022-023-051220-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
FBG022-023	5/12/2020	14:14	N1	DD-D010202	FBG022-023-051220-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	13		0.088	0.24	ug/WIPE
FBG022-023	5/12/2020	14:14	N1	DD-D010202	FBG022-023-051220-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
FBG022-023	5/12/2020	14:14	N1	DD-D010202	FBG022-023-051220-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	4.1		0.07	0.24	ug/WIPE
FBG022-023	5/12/2020	14:14	N1	DD-D010202	FBG022-023-051220-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
FBG022-023	5/12/2020	14:14	N1	DD-D010202	FBG022-023-051220-COMP	SW8082A	SW	TOTAL PCBs	17.1		-	0.24	ug/WIPE
FBG025-026	5/12/2020	16:10	N1	DD-D010205	FBG025-026-051220-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE

Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
FBG025-026	5/12/2020	16:10	N1	DD-D010205	FBG025-026-051220-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
FBG025-026	5/12/2020	16:10	N1	DD-D010205	FBG025-026-051220-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
FBG025-026	5/12/2020	16:10	N1	DD-D010205	FBG025-026-051220-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.9		0.088	0.24	ug/WIPE
FBG025-026	5/12/2020	16:10	N1	DD-D010205	FBG025-026-051220-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
FBG025-026	5/12/2020	16:10	N1	DD-D010205	FBG025-026-051220-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.1		0.07	0.24	ug/WIPE
FBG025-026	5/12/2020	16:10	N1	DD-D010205	FBG025-026-051220-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
FBG025-026	5/12/2020	16:10	N1	DD-D010205	FBG025-026-051220-COMP	SW8082A	SW	TOTAL PCBs	4		-	0.24	ug/WIPE
FBG027-028	5/12/2020	15:20	N1	DD-D010207	FBG027-028-051220-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
FBG027-028	5/12/2020	15:20	N1	DD-D010207	FBG027-028-051220-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
FBG027-028	5/12/2020	15:20	N1	DD-D010207	FBG027-028-051220-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
FBG027-028	5/12/2020	15:20	N1	DD-D010207	FBG027-028-051220-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	6.3		0.088	0.24	ug/WIPE
FBG027-028	5/12/2020	15:20	N1	DD-D010207	FBG027-028-051220-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
FBG027-028	5/12/2020	15:20	N1	DD-D010207	FBG027-028-051220-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.2		0.07	0.24	ug/WIPE
FBG027-028	5/12/2020	15:20	N1	DD-D010207	FBG027-028-051220-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
FBG027-028	5/12/2020	15:20	N1	DD-D010207	FBG027-028-051220-COMP	SW8082A	SW	TOTAL PCBs	8.5		-	0.24	ug/WIPE
FBG029-030	5/12/2020	16:35	N1	DD-D010209	FBG029-030-051220-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
FBG029-030	5/12/2020	16:35	N1	DD-D010209	FBG029-030-051220-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
FBG029-030	5/12/2020	16:35	N1	DD-D010209	FBG029-030-051220-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
FBG029-030	5/12/2020	16:35	N1	DD-D010209	FBG029-030-051220-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.7		0.088	0.24	ug/WIPE
FBG029-030	5/12/2020	16:35	N1	DD-D010209	FBG029-030-051220-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
FBG029-030	5/12/2020	16:35	N1	DD-D010209	FBG029-030-051220-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1		0.07	0.24	ug/WIPE
FBG029-030	5/12/2020	16:35	N1	DD-D010209	FBG029-030-051220-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
FBG029-030	5/12/2020	16:35	N1	DD-D010209	FBG029-030-051220-COMP	SW8082A	SW	TOTAL PCBs	3.7		-	0.24	ug/WIPE
FBG031-032-033	5/12/2020	16:39	N1	DD-D010301	FBG031-032-033-051220-COM	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
FBG031-032-033	5/12/2020	16:39	N1	DD-D010301	FBG031-032-033-051220-COM	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
FBG031-032-033	5/12/2020	16:39	N1	DD-D010301	FBG031-032-033-051220-COM	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
FBG031-032-033	5/12/2020	16:39	N1	DD-D010301	FBG031-032-033-051220-COM	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.8		0.088	0.24	ug/WIPE
FBG031-032-033	5/12/2020	16:39	N1	DD-D010301	FBG031-032-033-051220-COM	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
FBG031-032-033	5/12/2020	16:39	N1	DD-D010301	FBG031-032-033-051220-COM	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.94		0.07	0.24	ug/WIPE
FBG031-032-033	5/12/2020	16:39	N1	DD-D010301	FBG031-032-033-051220-COM	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
FBG031-032-033	5/12/2020	16:39	N1	DD-D010301	FBG031-032-033-051220-COM	SW8082A	SW	TOTAL PCBs	3.74		-	0.24	ug/WIPE
FBG034-035	5/12/2020	16:58	N1	DD-D010304	FBG034-035-051220-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
FBG034-035	5/12/2020	16:58	N1	DD-D010304	FBG034-035-051220-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
FBG034-035	5/12/2020	16:58	N1	DD-D010304	FBG034-035-051220-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
FBG034-035	5/12/2020	16:58	N1	DD-D010304	FBG034-035-051220-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.4		0.088	0.24	ug/WIPE
FBG034-035	5/12/2020	16:58	N1	DD-D010304	FBG034-035-051220-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
FBG034-035	5/12/2020	16:58	N1	DD-D010304	FBG034-035-051220-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.4		0.07	0.24	ug/WIPE
FBG034-035	5/12/2020	16:58	N1	DD-D010304	FBG034-035-051220-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
FBG034-035	5/12/2020	16:58	N1	DD-D010304	FBG034-035-051220-COMP	SW8082A	SW	TOTAL PCBs	4.8		-	0.24	ug/WIPE
FBG036-037	5/12/2020	17:32	N1	DD-D010306	FBG036-037-051220-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
FBG036-037	5/12/2020	17:32	N1	DD-D010306	FBG036-037-051220-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
FBG036-037	5/12/2020	17:32	N1	DD-D010306	FBG036-037-051220-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
FBG036-037	5/12/2020	17:32	N1	DD-D010306	FBG036-037-051220-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	8.3		0.088	0.24	ug/WIPE
FBG036-037	5/12/2020	17:32	N1	DD-D010306	FBG036-037-051220-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
FBG036-037	5/12/2020	17:32	N1	DD-D010306	FBG036-037-051220-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	3.1		0.07	0.24	ug/WIPE
FBG036-037	5/12/2020	17:32	N1	DD-D010306	FBG036-037-051220-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
FBG036-037	5/12/2020	17:32	N1	DD-D010306	FBG036-037-051220-COMP	SW8082A	SW	TOTAL PCBs	11.4		-	0.24	ug/WIPE
FBG038-039	5/12/2020	17:37	N1	DD-D010308	FBG038-039-051220-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
FBG038-039	5/12/2020	17:37	N1	DD-D010308	FBG038-039-051220-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
FBG038-039	5/12/2020	17:37	N1	DD-D010308	FBG038-039-051220-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
FBG038-039	5/12/2020	17:37	N1	DD-D010308	FBG038-039-051220-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	9.7		0.088	0.24	ug/WIPE

Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
FBG038-039	5/12/2020	17:37	N1	DD-D010308	FBG038-039-051220-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
FBG038-039	5/12/2020	17:37	N1	DD-D010308	FBG038-039-051220-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	3.7	U	0.07	0.24	ug/WIPE
FBG038-039	5/12/2020	17:37	N1	DD-D010308	FBG038-039-051220-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
FBG038-039	5/12/2020	17:37	N1	DD-D010308	FBG038-039-051220-COMP	SW8082A	SW	TOTAL PCBs	13.4		-	0.24	ug/WIPE
FBG040-041	5/12/2020	17:41	N1	DD-D010310	FBG040-041-051220-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
FBG040-041	5/12/2020	17:41	N1	DD-D010310	FBG040-041-051220-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
FBG040-041	5/12/2020	17:41	N1	DD-D010310	FBG040-041-051220-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
FBG040-041	5/12/2020	17:41	N1	DD-D010310	FBG040-041-051220-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.8		0.088	0.24	ug/WIPE
FBG040-041	5/12/2020	17:41	N1	DD-D010310	FBG040-041-051220-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
FBG040-041	5/12/2020	17:41	N1	DD-D010310	FBG040-041-051220-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.5		0.07	0.24	ug/WIPE
FBG040-041	5/12/2020	17:41	N1	DD-D010310	FBG040-041-051220-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
FBG040-041	5/12/2020	17:41	N1	DD-D010310	FBG040-041-051220-COMP	SW8082A	SW	TOTAL PCBs	5.3		-	0.24	ug/WIPE
FBG042-043	5/12/2020	17:17	N1	DD-D010402	FBG042-043-051220-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
FBG042-043	5/12/2020	17:17	N1	DD-D010402	FBG042-043-051220-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
FBG042-043	5/12/2020	17:17	N1	DD-D010402	FBG042-043-051220-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
FBG042-043	5/12/2020	17:17	N1	DD-D010402	FBG042-043-051220-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3		0.088	0.24	ug/WIPE
FBG042-043	5/12/2020	17:17	N1	DD-D010402	FBG042-043-051220-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
FBG042-043	5/12/2020	17:17	N1	DD-D010402	FBG042-043-051220-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.2		0.07	0.24	ug/WIPE
FBG042-043	5/12/2020	17:17	N1	DD-D010402	FBG042-043-051220-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
FBG042-043	5/12/2020	17:17	N1	DD-D010402	FBG042-043-051220-COMP	SW8082A	SW	TOTAL PCBs	4.2		-	0.24	ug/WIPE
FBG044-045	5/12/2020	17:13	N1	DD-D010404	FBG044-045-051220-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
FBG044-045	5/12/2020	17:13	N1	DD-D010404	FBG044-045-051220-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
FBG044-045	5/12/2020	17:13	N1	DD-D010404	FBG044-045-051220-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
FBG044-045	5/12/2020	17:13	N1	DD-D010404	FBG044-045-051220-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	1.4		0.088	0.24	ug/WIPE
FBG044-045	5/12/2020	17:13	N1	DD-D010404	FBG044-045-051220-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
FBG044-045	5/12/2020	17:13	N1	DD-D010404	FBG044-045-051220-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.58		0.07	0.24	ug/WIPE
FBG044-045	5/12/2020	17:13	N1	DD-D010404	FBG044-045-051220-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
FBG044-045	5/12/2020	17:13	N1	DD-D010404	FBG044-045-051220-COMP	SW8082A	SW	TOTAL PCBs	1.98		-	0.24	ug/WIPE
FBG045-047	5/12/2020	17:04	N1	DD-D010406	FBG046-047-051220-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
FBG045-047	5/12/2020	17:04	N1	DD-D010406	FBG046-047-051220-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
FBG045-047	5/12/2020	17:04	N1	DD-D010406	FBG046-047-051220-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
FBG045-047	5/12/2020	17:04	N1	DD-D010406	FBG046-047-051220-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	6		0.088	0.24	ug/WIPE
FBG045-047	5/12/2020	17:04	N1	DD-D010406	FBG046-047-051220-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
FBG045-047	5/12/2020	17:04	N1	DD-D010406	FBG046-047-051220-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.4		0.07	0.24	ug/WIPE
FBG045-047	5/12/2020	17:04	N1	DD-D010406	FBG046-047-051220-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
FBG045-047	5/12/2020	17:04	N1	DD-D010406	FBG046-047-051220-COMP	SW8082A	SW	TOTAL PCBs	8.4		-	0.24	ug/WIPE
FW001-002-003	5/12/2020	13:50	N1	DD-D009801	FW001-002-003-051220-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
FW001-002-003	5/12/2020	13:50	N1	DD-D009801	FW001-002-003-051220-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
FW001-002-003	5/12/2020	13:50	N1	DD-D009801	FW001-002-003-051220-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
FW001-002-003	5/12/2020	13:50	N1	DD-D009801	FW001-002-003-051220-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.53		0.088	0.24	ug/WIPE
FW001-002-003	5/12/2020	13:50	N1	DD-D009801	FW001-002-003-051220-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
FW001-002-003	5/12/2020	13:50	N1	DD-D009801	FW001-002-003-051220-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.19	J	0.07	0.24	ug/WIPE
FW001-002-003	5/12/2020	13:50	N1	DD-D009801	FW001-002-003-051220-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
FW001-002-003	5/12/2020	13:50	N1	DD-D009801	FW001-002-003-051220-COMP	SW8082A	SW	TOTAL PCBs	0.72		-	0.24	ug/WIPE
FW004-005	5/12/2020	14:51	N1	DD-D009804	FW004-005-051220-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
FW004-005	5/12/2020	14:51	N1	DD-D009804	FW004-005-051220-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
FW004-005	5/12/2020	14:51	N1	DD-D009804	FW004-005-051220-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
FW004-005	5/12/2020	14:51	N1	DD-D009804	FW004-005-051220-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.17	J	0.088	0.24	ug/WIPE
FW004-005	5/12/2020	14:51	N1	DD-D009804	FW004-005-051220-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
FW004-005	5/12/2020	14:51	N1	DD-D009804	FW004-005-051220-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	ND	U	0.07	0.24	ug/WIPE
FW004-005	5/12/2020	14:51	N1	DD-D009804	FW004-005-051220-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE

Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
FW004-005	5/12/2020	14:51	N1	DD-D009804	FW004-005-051220-COMP	SW8082A	SW	TOTAL PCBs	0.17		-	0.24	ug/WIPE
FW006-007-008	5/12/2020	16:14	N1	DD-D009806	FW006-007-008-051220-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
FW006-007-008	5/12/2020	16:14	N1	DD-D009806	FW006-007-008-051220-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
FW006-007-008	5/12/2020	16:14	N1	DD-D009806	FW006-007-008-051220-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
FW006-007-008	5/12/2020	16:14	N1	DD-D009806	FW006-007-008-051220-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.65		0.088	0.24	ug/WIPE
FW006-007-008	5/12/2020	16:14	N1	DD-D009806	FW006-007-008-051220-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
FW006-007-008	5/12/2020	16:14	N1	DD-D009806	FW006-007-008-051220-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.22	J	0.07	0.24	ug/WIPE
FW006-007-008	5/12/2020	16:14	N1	DD-D009806	FW006-007-008-051220-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
FW006-007-008	5/12/2020	16:14	N1	DD-D009806	FW006-007-008-051220-COMP	SW8082A	SW	TOTAL PCBs	0.87		-	0.24	ug/WIPE
FW009-010-011	5/12/2020	15:50	N1	DD-D009809	FW009-010-011-051220-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
FW009-010-011	5/12/2020	15:50	N1	DD-D009809	FW009-010-011-051220-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
FW009-010-011	5/12/2020	15:50	N1	DD-D009809	FW009-010-011-051220-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
FW009-010-011	5/12/2020	15:50	N1	DD-D009809	FW009-010-011-051220-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.42		0.088	0.24	ug/WIPE
FW009-010-011	5/12/2020	15:50	N1	DD-D009809	FW009-010-011-051220-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
FW009-010-011	5/12/2020	15:50	N1	DD-D009809	FW009-010-011-051220-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.15	J	0.07	0.24	ug/WIPE
FW009-010-011	5/12/2020	15:50	N1	DD-D009809	FW009-010-011-051220-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
FW009-010-011	5/12/2020	15:50	N1	DD-D009809	FW009-010-011-051220-COMP	SW8082A	SW	TOTAL PCBs	0.57		-	0.24	ug/WIPE
GBG001-002	5/13/2020	7:14	N1	DD-D011101	GBG001-002-051320-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG001-002	5/13/2020	7:14	N1	DD-D011101	GBG001-002-051320-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG001-002	5/13/2020	7:14	N1	DD-D011101	GBG001-002-051320-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG001-002	5/13/2020	7:14	N1	DD-D011101	GBG001-002-051320-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.88		0.088	0.24	ug/WIPE
GBG001-002	5/13/2020	7:14	N1	DD-D011101	GBG001-002-051320-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG001-002	5/13/2020	7:14	N1	DD-D011101	GBG001-002-051320-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.32		0.07	0.24	ug/WIPE
GBG001-002	5/13/2020	7:14	N1	DD-D011101	GBG001-002-051320-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG001-002	5/13/2020	7:14	N1	DD-D011101	GBG001-002-051320-COMP	SW8082A	SW	TOTAL PCBs	1.2		-	0.24	ug/WIPE
GBG003-004	5/13/2020	7:22	N1	DD-D011103	GBG003-004-051320-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG003-004	5/13/2020	7:22	N1	DD-D011103	GBG003-004-051320-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG003-004	5/13/2020	7:22	N1	DD-D011103	GBG003-004-051320-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG003-004	5/13/2020	7:22	N1	DD-D011103	GBG003-004-051320-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	1.1		0.088	0.24	ug/WIPE
GBG003-004	5/13/2020	7:22	N1	DD-D011103	GBG003-004-051320-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG003-004	5/13/2020	7:22	N1	DD-D011103	GBG003-004-051320-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.45		0.07	0.24	ug/WIPE
GBG003-004	5/13/2020	7:22	N1	DD-D011103	GBG003-004-051320-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG003-004	5/13/2020	7:22	N1	DD-D011103	GBG003-004-051320-COMP	SW8082A	SW	TOTAL PCBs	1.55		-	0.24	ug/WIPE
GBG005-006	5/13/2020	7:35	N1	DD-D011105	GBG005-006-051320-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG005-006	5/13/2020	7:35	N1	DD-D011105	GBG005-006-051320-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG005-006	5/13/2020	7:35	N1	DD-D011105	GBG005-006-051320-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG005-006	5/13/2020	7:35	N1	DD-D011105	GBG005-006-051320-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.97		0.088	0.24	ug/WIPE
GBG005-006	5/13/2020	7:35	N1	DD-D011105	GBG005-006-051320-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG005-006	5/13/2020	7:35	N1	DD-D011105	GBG005-006-051320-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.42		0.07	0.24	ug/WIPE
GBG005-006	5/13/2020	7:35	N1	DD-D011105	GBG005-006-051320-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG005-006	5/13/2020	7:35	N1	DD-D011105	GBG005-006-051320-COMP	SW8082A	SW	TOTAL PCBs	1.39		-	0.24	ug/WIPE
GBG007-008	5/13/2020	7:42	N1	DD-D011107	GBG007-008-051320-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG007-008	5/13/2020	7:42	N1	DD-D011107	GBG007-008-051320-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG007-008	5/13/2020	7:42	N1	DD-D011107	GBG007-008-051320-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG007-008	5/13/2020	7:42	N1	DD-D011107	GBG007-008-051320-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	5.9		0.088	0.24	ug/WIPE
GBG007-008	5/13/2020	7:42	N1	DD-D011107	GBG007-008-051320-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG007-008	5/13/2020	7:42	N1	DD-D011107	GBG007-008-051320-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.2		0.07	0.24	ug/WIPE
GBG007-008	5/13/2020	7:42	N1	DD-D011107	GBG007-008-051320-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG007-008	5/13/2020	7:42	N1	DD-D011107	GBG007-008-051320-COMP	SW8082A	SW	TOTAL PCBs	8.1		-	0.24	ug/WIPE
GBG009-010	5/13/2020	8:11	N1	DD-D011109	GBG009-010-051320-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG009-010	5/13/2020	8:11	N1	DD-D011109	GBG009-010-051320-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE

Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
GBG009-010	5/13/2020	8:11	N1	DD-D011109	GBG009-010-051320-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG009-010	5/13/2020	8:11	N1	DD-D011109	GBG009-010-051320-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	6.5	U	0.088	0.24	ug/WIPE
GBG009-010	5/13/2020	8:11	N1	DD-D011109	GBG009-010-051320-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG009-010	5/13/2020	8:11	N1	DD-D011109	GBG009-010-051320-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2.5	U	0.07	0.24	ug/WIPE
GBG009-010	5/13/2020	8:11	N1	DD-D011109	GBG009-010-051320-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG009-010	5/13/2020	8:11	N1	DD-D011109	GBG009-010-051320-COMP	SW8082A	SW	TOTAL PCBs	9		-	0.24	ug/WIPE
GBG011-012	5/13/2020	8:27	N1	DD-D011201	GBG011-012-051320-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG011-012	5/13/2020	8:27	N1	DD-D011201	GBG011-012-051320-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG011-012	5/13/2020	8:27	N1	DD-D011201	GBG011-012-051320-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG011-012	5/13/2020	8:27	N1	DD-D011201	GBG011-012-051320-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2.4	U	0.088	0.24	ug/WIPE
GBG011-012	5/13/2020	8:27	N1	DD-D011201	GBG011-012-051320-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG011-012	5/13/2020	8:27	N1	DD-D011201	GBG011-012-051320-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.1	U	0.07	0.24	ug/WIPE
GBG011-012	5/13/2020	8:27	N1	DD-D011201	GBG011-012-051320-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG011-012	5/13/2020	8:27	N1	DD-D011201	GBG011-012-051320-COMP	SW8082A	SW	TOTAL PCBs	3.5		-	0.24	ug/WIPE
GBG013-014	5/13/2020	8:30	N1	DD-D011203	GBG013-014-051320-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG013-014	5/13/2020	8:30	N1	DD-D011203	GBG013-014-051320-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG013-014	5/13/2020	8:30	N1	DD-D011203	GBG013-014-051320-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG013-014	5/13/2020	8:30	N1	DD-D011203	GBG013-014-051320-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1.7	U	0.088	0.24	ug/WIPE
GBG013-014	5/13/2020	8:30	N1	DD-D011203	GBG013-014-051320-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG013-014	5/13/2020	8:30	N1	DD-D011203	GBG013-014-051320-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.88	U	0.07	0.24	ug/WIPE
GBG013-014	5/13/2020	8:30	N1	DD-D011203	GBG013-014-051320-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG013-014	5/13/2020	8:30	N1	DD-D011203	GBG013-014-051320-COMP	SW8082A	SW	TOTAL PCBs	2.58		-	0.24	ug/WIPE
GBG015-016	5/13/2020	8:43	N1	DD-D011205	GBG015-016-051320-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG015-016	5/13/2020	8:43	N1	DD-D011205	GBG015-016-051320-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG015-016	5/13/2020	8:43	N1	DD-D011205	GBG015-016-051320-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG015-016	5/13/2020	8:43	N1	DD-D011205	GBG015-016-051320-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3.2	U	0.088	0.24	ug/WIPE
GBG015-016	5/13/2020	8:43	N1	DD-D011205	GBG015-016-051320-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG015-016	5/13/2020	8:43	N1	DD-D011205	GBG015-016-051320-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2	J	0.07	0.24	ug/WIPE
GBG015-016	5/13/2020	8:43	N1	DD-D011205	GBG015-016-051320-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG015-016	5/13/2020	8:43	N1	DD-D011205	GBG015-016-051320-COMP	SW8082A	SW	TOTAL PCBs	5.2		-	0.24	ug/WIPE
GBG017	5/13/2020	8:53	N1	DD-D011207	GBG017-051320	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG017	5/13/2020	8:53	N1	DD-D011207	GBG017-051320	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG017	5/13/2020	8:53	N1	DD-D011207	GBG017-051320	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG017	5/13/2020	8:53	N1	DD-D011207	GBG017-051320	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.81	U	0.088	0.24	ug/WIPE
GBG017	5/13/2020	8:53	N1	DD-D011207	GBG017-051320	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG017	5/13/2020	8:53	N1	DD-D011207	GBG017-051320	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.49	J	0.07	0.24	ug/WIPE
GBG017	5/13/2020	8:53	N1	DD-D011207	GBG017-051320	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG017	5/13/2020	8:53	N1	DD-D011207	GBG017-051320	SW8082A	SW	TOTAL PCBs	1.3		-	0.24	ug/WIPE
GBG018-019	5/13/2020	9:24	N1	DD-D011208	GBG018-019-051320-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG018-019	5/13/2020	9:24	N1	DD-D011208	GBG018-019-051320-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG018-019	5/13/2020	9:24	N1	DD-D011208	GBG018-019-051320-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG018-019	5/13/2020	9:24	N1	DD-D011208	GBG018-019-051320-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.78	U	0.088	0.24	ug/WIPE
GBG018-019	5/13/2020	9:24	N1	DD-D011208	GBG018-019-051320-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG018-019	5/13/2020	9:24	N1	DD-D011208	GBG018-019-051320-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.39	U	0.07	0.24	ug/WIPE
GBG018-019	5/13/2020	9:24	N1	DD-D011208	GBG018-019-051320-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG018-019	5/13/2020	9:24	N1	DD-D011208	GBG018-019-051320-COMP	SW8082A	SW	TOTAL PCBs	1.17		-	0.24	ug/WIPE
GBG020-021	5/13/2020	9:30	N1	DD-D011210	GBG020-021-051320-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG020-021	5/13/2020	9:30	N1	DD-D011210	GBG020-021-051320-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG020-021	5/13/2020	9:30	N1	DD-D011210	GBG020-021-051320-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG020-021	5/13/2020	9:30	N1	DD-D011210	GBG020-021-051320-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	10	U	0.088	0.24	ug/WIPE
GBG020-021	5/13/2020	9:30	N1	DD-D011210	GBG020-021-051320-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE



Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
GBG020-021	5/13/2020	9:30	N1	DD-D011210	GBG020-021-051320-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	5.7		0.07	0.24	ug/WIPE
GBG020-021	5/13/2020	9:30	N1	DD-D011210	GBG020-021-051320-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG020-021	5/13/2020	9:30	N1	DD-D011210	GBG020-021-051320-COMP	SW8082A	SW	TOTAL PCBs	15.7		-	0.24	ug/WIPE
GBG022-023	5/13/2020	9:38	N1	DD-D011302	GBG022-023-051320-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG022-023	5/13/2020	9:38	N1	DD-D011302	GBG022-023-051320-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG022-023	5/13/2020	9:38	N1	DD-D011302	GBG022-023-051320-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG022-023	5/13/2020	9:38	N1	DD-D011302	GBG022-023-051320-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	8.6		0.088	0.24	ug/WIPE
GBG022-023	5/13/2020	9:38	N1	DD-D011302	GBG022-023-051320-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG022-023	5/13/2020	9:38	N1	DD-D011302	GBG022-023-051320-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	4.2		0.07	0.24	ug/WIPE
GBG022-023	5/13/2020	9:38	N1	DD-D011302	GBG022-023-051320-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG022-023	5/13/2020	9:38	N1	DD-D011302	GBG022-023-051320-COMP	SW8082A	SW	TOTAL PCBs	12.8		-	0.24	ug/WIPE
GBG024-025	5/13/2020	9:42	N1	DD-D011304	GBG024-025-051320-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG024-025	5/13/2020	9:42	N1	DD-D011304	GBG024-025-051320-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG024-025	5/13/2020	9:42	N1	DD-D011304	GBG024-025-051320-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG024-025	5/13/2020	9:42	N1	DD-D011304	GBG024-025-051320-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	14		0.088	0.24	ug/WIPE
GBG024-025	5/13/2020	9:42	N1	DD-D011304	GBG024-025-051320-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG024-025	5/13/2020	9:42	N1	DD-D011304	GBG024-025-051320-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	5.8		0.07	0.24	ug/WIPE
GBG024-025	5/13/2020	9:42	N1	DD-D011304	GBG024-025-051320-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG024-025	5/13/2020	9:42	N1	DD-D011304	GBG024-025-051320-COMP	SW8082A	SW	TOTAL PCBs	19.8		-	0.24	ug/WIPE
GBG026-027-028	5/13/2020	9:56	N1	DD-D011306	GBG026-027-028-051320-COM	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG026-027-028	5/13/2020	9:56	N1	DD-D011306	GBG026-027-028-051320-COM	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG026-027-028	5/13/2020	9:56	N1	DD-D011306	GBG026-027-028-051320-COM	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG026-027-028	5/13/2020	9:56	N1	DD-D011306	GBG026-027-028-051320-COM	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	8.5		0.088	0.24	ug/WIPE
GBG026-027-028	5/13/2020	9:56	N1	DD-D011306	GBG026-027-028-051320-COM	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG026-027-028	5/13/2020	9:56	N1	DD-D011306	GBG026-027-028-051320-COM	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	4		0.07	0.24	ug/WIPE
GBG026-027-028	5/13/2020	9:56	N1	DD-D011306	GBG026-027-028-051320-COM	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG026-027-028	5/13/2020	9:56	N1	DD-D011306	GBG026-027-028-051320-COM	SW8082A	SW	TOTAL PCBs	12.5		-	0.24	ug/WIPE
GBG029-030-031	5/13/2020	10:08	N1	DD-D011309	GBG029-030-031-051320-COM	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG029-030-031	5/13/2020	10:08	N1	DD-D011309	GBG029-030-031-051320-COM	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG029-030-031	5/13/2020	10:08	N1	DD-D011309	GBG029-030-031-051320-COM	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG029-030-031	5/13/2020	10:08	N1	DD-D011309	GBG029-030-031-051320-COM	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	1.8		0.088	0.24	ug/WIPE
GBG029-030-031	5/13/2020	10:08	N1	DD-D011309	GBG029-030-031-051320-COM	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG029-030-031	5/13/2020	10:08	N1	DD-D011309	GBG029-030-031-051320-COM	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.2		0.07	0.24	ug/WIPE
GBG029-030-031	5/13/2020	10:08	N1	DD-D011309	GBG029-030-031-051320-COM	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG029-030-031	5/13/2020	10:08	N1	DD-D011309	GBG029-030-031-051320-COM	SW8082A	SW	TOTAL PCBs	3		-	0.24	ug/WIPE
GBG032-034	5/13/2020	9:04	N1	DD-D011402	GBG032-034-051320-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG032-034	5/13/2020	9:04	N1	DD-D011402	GBG032-034-051320-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG032-034	5/13/2020	9:04	N1	DD-D011402	GBG032-034-051320-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG032-034	5/13/2020	9:04	N1	DD-D011402	GBG032-034-051320-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	9.2		0.088	0.24	ug/WIPE
GBG032-034	5/13/2020	9:04	N1	DD-D011402	GBG032-034-051320-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG032-034	5/13/2020	9:04	N1	DD-D011402	GBG032-034-051320-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	3.5		0.07	0.24	ug/WIPE
GBG032-034	5/13/2020	9:04	N1	DD-D011402	GBG032-034-051320-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG032-034	5/13/2020	9:04	N1	DD-D011402	GBG032-034-051320-COMP	SW8082A	SW	TOTAL PCBs	12.7		-	0.24	ug/WIPE
GBG033	5/13/2020	9:01	N1	DD-D011403	GBG023-051320	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG033	5/13/2020	9:01	N1	DD-D011403	GBG023-051320	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG033	5/13/2020	9:01	N1	DD-D011403	GBG023-051320	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG033	5/13/2020	9:01	N1	DD-D011403	GBG023-051320	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	4		0.088	0.24	ug/WIPE
GBG033	5/13/2020	9:01	N1	DD-D011403	GBG023-051320	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG033	5/13/2020	9:01	N1	DD-D011403	GBG023-051320	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.7		0.07	0.24	ug/WIPE
GBG033	5/13/2020	9:01	N1	DD-D011403	GBG023-051320	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG033	5/13/2020	9:01	N1	DD-D011403	GBG023-051320	SW8082A	SW	TOTAL PCBs	6.7		-	0.24	ug/WIPE

Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
GBG035-036	5/13/2020	10:49	N1	DD-D011405	GBG035-036-051320-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG035-036	5/13/2020	10:49	N1	DD-D011405	GBG035-036-051320-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG035-036	5/13/2020	10:49	N1	DD-D011405	GBG035-036-051320-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG035-036	5/13/2020	10:49	N1	DD-D011405	GBG035-036-051320-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1.3		0.088	0.24	ug/WIPE
GBG035-036	5/13/2020	10:49	N1	DD-D011405	GBG035-036-051320-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG035-036	5/13/2020	10:49	N1	DD-D011405	GBG035-036-051320-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.2	J	0.07	0.24	ug/WIPE
GBG035-036	5/13/2020	10:49	N1	DD-D011405	GBG035-036-051320-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG035-036	5/13/2020	10:49	N1	DD-D011405	GBG035-036-051320-COMP	SW8082A	SW	TOTAL PCBs	2.5		-	0.24	ug/WIPE
GBG037-038	5/13/2020	10:55	N1	DD-D011407	GBG037-038-051320-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG037-038	5/13/2020	10:55	N1	DD-D011407	GBG037-038-051320-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG037-038	5/13/2020	10:55	N1	DD-D011407	GBG037-038-051320-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG037-038	5/13/2020	10:55	N1	DD-D011407	GBG037-038-051320-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.68		0.088	0.24	ug/WIPE
GBG037-038	5/13/2020	10:55	N1	DD-D011407	GBG037-038-051320-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG037-038	5/13/2020	10:55	N1	DD-D011407	GBG037-038-051320-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.54	J	0.07	0.24	ug/WIPE
GBG037-038	5/13/2020	10:55	N1	DD-D011407	GBG037-038-051320-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG037-038	5/13/2020	10:55	N1	DD-D011407	GBG037-038-051320-COMP	SW8082A	SW	TOTAL PCBs	1.22		-	0.24	ug/WIPE
GBG039-040-041	5/13/2020	11:07	N1	DD-D011409	GBG039-040-041-051320-COM	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG039-040-041	5/13/2020	11:07	N1	DD-D011409	GBG039-040-041-051320-COM	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG039-040-041	5/13/2020	11:07	N1	DD-D011409	GBG039-040-041-051320-COM	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG039-040-041	5/13/2020	11:07	N1	DD-D011409	GBG039-040-041-051320-COM	SW8082A	SW	PCB-1242 (AROCLOR 1242)	10		0.088	0.24	ug/WIPE
GBG039-040-041	5/13/2020	11:07	N1	DD-D011409	GBG039-040-041-051320-COM	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG039-040-041	5/13/2020	11:07	N1	DD-D011409	GBG039-040-041-051320-COM	SW8082A	SW	PCB-1254 (AROCLOR 1254)	4.2		0.07	0.24	ug/WIPE
GBG039-040-041	5/13/2020	11:07	N1	DD-D011409	GBG039-040-041-051320-COM	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG039-040-041	5/13/2020	11:07	N1	DD-D011409	GBG039-040-041-051320-COM	SW8082A	SW	TOTAL PCBs	14.2		-	0.24	ug/WIPE
GBG042-043	5/13/2020	11:32	N1	DD-D011502	GBG042-043-051320-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG042-043	5/13/2020	11:32	N1	DD-D011502	GBG042-043-051320-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG042-043	5/13/2020	11:32	N1	DD-D011502	GBG042-043-051320-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG042-043	5/13/2020	11:32	N1	DD-D011502	GBG042-043-051320-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3.9		0.088	0.24	ug/WIPE
GBG042-043	5/13/2020	11:32	N1	DD-D011502	GBG042-043-051320-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG042-043	5/13/2020	11:32	N1	DD-D011502	GBG042-043-051320-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.7		0.07	0.24	ug/WIPE
GBG042-043	5/13/2020	11:32	N1	DD-D011502	GBG042-043-051320-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG042-043	5/13/2020	11:32	N1	DD-D011502	GBG042-043-051320-COMP	SW8082A	SW	TOTAL PCBs	5.6		-	0.24	ug/WIPE
GBG044-045	5/13/2020	11:37	N1	DD-D011504	GBG044-045-051320-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG044-045	5/13/2020	11:37	N1	DD-D011504	GBG044-045-051320-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG044-045	5/13/2020	11:37	N1	DD-D011504	GBG044-045-051320-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG044-045	5/13/2020	11:37	N1	DD-D011504	GBG044-045-051320-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	16		0.088	0.24	ug/WIPE
GBG044-045	5/13/2020	11:37	N1	DD-D011504	GBG044-045-051320-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG044-045	5/13/2020	11:37	N1	DD-D011504	GBG044-045-051320-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	6.4		0.07	0.24	ug/WIPE
GBG044-045	5/13/2020	11:37	N1	DD-D011504	GBG044-045-051320-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG044-045	5/13/2020	11:37	N1	DD-D011504	GBG044-045-051320-COMP	SW8082A	SW	TOTAL PCBs	22.4		-	0.24	ug/WIPE
GBG046-047	5/13/2020	11:47	N1	DD-D011506	GBG046-047-051320-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG046-047	5/13/2020	11:47	N1	DD-D011506	GBG046-047-051320-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG046-047	5/13/2020	11:47	N1	DD-D011506	GBG046-047-051320-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG046-047	5/13/2020	11:47	N1	DD-D011506	GBG046-047-051320-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	8.8		0.088	0.24	ug/WIPE
GBG046-047	5/13/2020	11:47	N1	DD-D011506	GBG046-047-051320-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG046-047	5/13/2020	11:47	N1	DD-D011506	GBG046-047-051320-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	4.3		0.07	0.24	ug/WIPE
GBG046-047	5/13/2020	11:47	N1	DD-D011506	GBG046-047-051320-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG046-047	5/13/2020	11:47	N1	DD-D011506	GBG046-047-051320-COMP	SW8082A	SW	TOTAL PCBs	13.1		-	0.24	ug/WIPE
GBG048-049	5/13/2020	11:50	N1	DD-D011508	GBG048-049-051320-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG048-049	5/13/2020	11:50	N1	DD-D011508	GBG048-049-051320-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG048-049	5/13/2020	11:50	N1	DD-D011508	GBG048-049-051320-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE

Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
GBG048-049	5/13/2020	11:50	N1	DD-D011508	GBG048-049-051320-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	5.3		0.088	0.24	ug/WIPE
GBG048-049	5/13/2020	11:50	N1	DD-D011508	GBG048-049-051320-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG048-049	5/13/2020	11:50	N1	DD-D011508	GBG048-049-051320-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2.3		0.07	0.24	ug/WIPE
GBG048-049	5/13/2020	11:50	N1	DD-D011508	GBG048-049-051320-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG048-049	5/13/2020	11:50	N1	DD-D011508	GBG048-049-051320-COMP	SW8082A	SW	TOTAL PCBs	7.6		-	0.24	ug/WIPE
GBG050-051	5/13/2020	11:58	N1	DD-D011510	GBG050-051-051320-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG050-051	5/13/2020	11:58	N1	DD-D011510	GBG050-051-051320-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG050-051	5/13/2020	11:58	N1	DD-D011510	GBG050-051-051320-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG050-051	5/13/2020	11:58	N1	DD-D011510	GBG050-051-051320-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	6.9		0.088	0.24	ug/WIPE
GBG050-051	5/13/2020	11:58	N1	DD-D011510	GBG050-051-051320-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG050-051	5/13/2020	11:58	N1	DD-D011510	GBG050-051-051320-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	3.7		0.07	0.24	ug/WIPE
GBG050-051	5/13/2020	11:58	N1	DD-D011510	GBG050-051-051320-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG050-051	5/13/2020	11:58	N1	DD-D011510	GBG050-051-051320-COMP	SW8082A	SW	TOTAL PCBs	10.6		-	0.24	ug/WIPE
GBG052-053	5/13/2020	13:18	N1	DD-D011602	GBG052-053-051320-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG052-053	5/13/2020	13:18	N1	DD-D011602	GBG052-053-051320-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG052-053	5/13/2020	13:18	N1	DD-D011602	GBG052-053-051320-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG052-053	5/13/2020	13:18	N1	DD-D011602	GBG052-053-051320-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3.2		0.088	0.24	ug/WIPE
GBG052-053	5/13/2020	13:18	N1	DD-D011602	GBG052-053-051320-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG052-053	5/13/2020	13:18	N1	DD-D011602	GBG052-053-051320-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.5		0.07	0.24	ug/WIPE
GBG052-053	5/13/2020	13:18	N1	DD-D011602	GBG052-053-051320-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG052-053	5/13/2020	13:18	N1	DD-D011602	GBG052-053-051320-COMP	SW8082A	SW	TOTAL PCBs	4.7		-	0.24	ug/WIPE
GBG054-055	5/13/2020	13:21	N1	DD-D011604	GBG054-055-051320-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG054-055	5/13/2020	13:21	N1	DD-D011604	GBG054-055-051320-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG054-055	5/13/2020	13:21	N1	DD-D011604	GBG054-055-051320-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG054-055	5/13/2020	13:21	N1	DD-D011604	GBG054-055-051320-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	4.7		0.088	0.24	ug/WIPE
GBG054-055	5/13/2020	13:21	N1	DD-D011604	GBG054-055-051320-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG054-055	5/13/2020	13:21	N1	DD-D011604	GBG054-055-051320-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2.3		0.07	0.24	ug/WIPE
GBG054-055	5/13/2020	13:21	N1	DD-D011604	GBG054-055-051320-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG054-055	5/13/2020	13:21	N1	DD-D011604	GBG054-055-051320-COMP	SW8082A	SW	TOTAL PCBs	7		-	0.24	ug/WIPE
GBG056-057	5/13/2020	13:42	N1	DD-D011606	GBG056-057-051320-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG056-057	5/13/2020	13:42	N1	DD-D011606	GBG056-057-051320-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG056-057	5/13/2020	13:42	N1	DD-D011606	GBG056-057-051320-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG056-057	5/13/2020	13:42	N1	DD-D011606	GBG056-057-051320-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	17		0.088	0.24	ug/WIPE
GBG056-057	5/13/2020	13:42	N1	DD-D011606	GBG056-057-051320-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG056-057	5/13/2020	13:42	N1	DD-D011606	GBG056-057-051320-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	7.1		0.07	0.24	ug/WIPE
GBG056-057	5/13/2020	13:42	N1	DD-D011606	GBG056-057-051320-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG056-057	5/13/2020	13:42	N1	DD-D011606	GBG056-057-051320-COMP	SW8082A	SW	TOTAL PCBs	24.1		-	0.24	ug/WIPE
GBG058-059	5/13/2020	13:39	N1	DD-D011608	GBG058-059-051320-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG058-059	5/13/2020	13:39	N1	DD-D011608	GBG058-059-051320-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG058-059	5/13/2020	13:39	N1	DD-D011608	GBG058-059-051320-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG058-059	5/13/2020	13:39	N1	DD-D011608	GBG058-059-051320-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	13		0.088	0.24	ug/WIPE
GBG058-059	5/13/2020	13:39	N1	DD-D011608	GBG058-059-051320-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG058-059	5/13/2020	13:39	N1	DD-D011608	GBG058-059-051320-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	5.3		0.07	0.24	ug/WIPE
GBG058-059	5/13/2020	13:39	N1	DD-D011608	GBG058-059-051320-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG058-059	5/13/2020	13:39	N1	DD-D011608	GBG058-059-051320-COMP	SW8082A	SW	TOTAL PCBs	18.3		-	0.24	ug/WIPE
GBG060-061	5/13/2020	14:04	N1	DD-D011610	GBG060-061-051320-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG060-061	5/13/2020	14:04	N1	DD-D011610	GBG060-061-051320-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG060-061	5/13/2020	14:04	N1	DD-D011610	GBG060-061-051320-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG060-061	5/13/2020	14:04	N1	DD-D011610	GBG060-061-051320-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	13		0.088	0.24	ug/WIPE
GBG060-061	5/13/2020	14:04	N1	DD-D011610	GBG060-061-051320-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG060-061	5/13/2020	14:04	N1	DD-D011610	GBG060-061-051320-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	5		0.07	0.24	ug/WIPE

Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
GBG060-061	5/13/2020	14:04	N1	DD-D011610	GBG060-061-051320-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG060-061	5/13/2020	14:04	N1	DD-D011610	GBG060-061-051320-COMP	SW8082A	SW	TOTAL PCBs	18		-	0.24	ug/WIPE
GBG062-063	5/13/2020	14:07	N1	DD-D011702	GBG062-063-051320-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG062-063	5/13/2020	14:07	N1	DD-D011702	GBG062-063-051320-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG062-063	5/13/2020	14:07	N1	DD-D011702	GBG062-063-051320-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG062-063	5/13/2020	14:07	N1	DD-D011702	GBG062-063-051320-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	4.3		0.088	0.24	ug/WIPE
GBG062-063	5/13/2020	14:07	N1	DD-D011702	GBG062-063-051320-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG062-063	5/13/2020	14:07	N1	DD-D011702	GBG062-063-051320-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.2		0.07	0.24	ug/WIPE
GBG062-063	5/13/2020	14:07	N1	DD-D011702	GBG062-063-051320-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG062-063	5/13/2020	14:07	N1	DD-D011702	GBG062-063-051320-COMP	SW8082A	SW	TOTAL PCBs	6.5		-	0.24	ug/WIPE
GBG064-065	5/13/2020	14:15	N1	DD-D011704	GBG064-065-051320-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG064-065	5/13/2020	14:15	N1	DD-D011704	GBG064-065-051320-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG064-065	5/13/2020	14:15	N1	DD-D011704	GBG064-065-051320-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG064-065	5/13/2020	14:15	N1	DD-D011704	GBG064-065-051320-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	12		0.088	0.24	ug/WIPE
GBG064-065	5/13/2020	14:15	N1	DD-D011704	GBG064-065-051320-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG064-065	5/13/2020	14:15	N1	DD-D011704	GBG064-065-051320-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	4.9		0.07	0.24	ug/WIPE
GBG064-065	5/13/2020	14:15	N1	DD-D011704	GBG064-065-051320-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG064-065	5/13/2020	14:15	N1	DD-D011704	GBG064-065-051320-COMP	SW8082A	SW	TOTAL PCBs	16.9		-	0.24	ug/WIPE
GBG066-067	5/13/2020	14:23	N1	DD-D011706	GBG066-067-051320-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG066-067	5/13/2020	14:23	N1	DD-D011706	GBG066-067-051320-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG066-067	5/13/2020	14:23	N1	DD-D011706	GBG066-067-051320-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG066-067	5/13/2020	14:23	N1	DD-D011706	GBG066-067-051320-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	1.3		0.088	0.24	ug/WIPE
GBG066-067	5/13/2020	14:23	N1	DD-D011706	GBG066-067-051320-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG066-067	5/13/2020	14:23	N1	DD-D011706	GBG066-067-051320-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.47		0.07	0.24	ug/WIPE
GBG066-067	5/13/2020	14:23	N1	DD-D011706	GBG066-067-051320-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG066-067	5/13/2020	14:23	N1	DD-D011706	GBG066-067-051320-COMP	SW8082A	SW	TOTAL PCBs	1.77		-	0.24	ug/WIPE
GBG068-069	5/13/2020	14:29	N1	DD-D011708	GBG068-069-051320-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG068-069	5/13/2020	14:29	N1	DD-D011708	GBG068-069-051320-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG068-069	5/13/2020	14:29	N1	DD-D011708	GBG068-069-051320-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG068-069	5/13/2020	14:29	N1	DD-D011708	GBG068-069-051320-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.71		0.088	0.24	ug/WIPE
GBG068-069	5/13/2020	14:29	N1	DD-D011708	GBG068-069-051320-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG068-069	5/13/2020	14:29	N1	DD-D011708	GBG068-069-051320-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.31		0.07	0.24	ug/WIPE
GBG068-069	5/13/2020	14:29	N1	DD-D011708	GBG068-069-051320-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG068-069	5/13/2020	14:29	N1	DD-D011708	GBG068-069-051320-COMP	SW8082A	SW	TOTAL PCBs	1.02		-	0.24	ug/WIPE
GBG070-071	5/13/2020	14:39	N1	DD-D011710	GBG070-071-051320-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG070-071	5/13/2020	14:39	N1	DD-D011710	GBG070-071-051320-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG070-071	5/13/2020	14:39	N1	DD-D011710	GBG070-071-051320-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG070-071	5/13/2020	14:39	N1	DD-D011710	GBG070-071-051320-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.1		0.088	0.24	ug/WIPE
GBG070-071	5/13/2020	14:39	N1	DD-D011710	GBG070-071-051320-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG070-071	5/13/2020	14:39	N1	DD-D011710	GBG070-071-051320-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.99		0.07	0.24	ug/WIPE
GBG070-071	5/13/2020	14:39	N1	DD-D011710	GBG070-071-051320-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG070-071	5/13/2020	14:39	N1	DD-D011710	GBG070-071-051320-COMP	SW8082A	SW	TOTAL PCBs	3.09		-	0.24	ug/WIPE
GBG072-073	5/13/2020	15:15	N1	DD-D011802	GBG072-073-051320-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG072-073	5/13/2020	15:15	N1	DD-D011802	GBG072-073-051320-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG072-073	5/13/2020	15:15	N1	DD-D011802	GBG072-073-051320-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG072-073	5/13/2020	15:15	N1	DD-D011802	GBG072-073-051320-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.5		0.088	0.24	ug/WIPE
GBG072-073	5/13/2020	15:15	N1	DD-D011802	GBG072-073-051320-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG072-073	5/13/2020	15:15	N1	DD-D011802	GBG072-073-051320-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.2		0.07	0.24	ug/WIPE
GBG072-073	5/13/2020	15:15	N1	DD-D011802	GBG072-073-051320-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG072-073	5/13/2020	15:15	N1	DD-D011802	GBG072-073-051320-COMP	SW8082A	SW	TOTAL PCBs	4.7		-	0.24	ug/WIPE
GBG074-075	5/13/2020	15:23	N1	DD-D011804	GBG074-075-051320-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE

Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
GBG074-075	5/13/2020	15:23	N1	DD-D011804	GBG074-075-051320-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG074-075	5/13/2020	15:23	N1	DD-D011804	GBG074-075-051320-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG074-075	5/13/2020	15:23	N1	DD-D011804	GBG074-075-051320-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	7.2		0.088	0.24	ug/WIPE
GBG074-075	5/13/2020	15:23	N1	DD-D011804	GBG074-075-051320-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG074-075	5/13/2020	15:23	N1	DD-D011804	GBG074-075-051320-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2.9		0.07	0.24	ug/WIPE
GBG074-075	5/13/2020	15:23	N1	DD-D011804	GBG074-075-051320-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG074-075	5/13/2020	15:23	N1	DD-D011804	GBG074-075-051320-COMP	SW8082A	SW	TOTAL PCBs	10.1		-	0.24	ug/WIPE
GBG076-077	5/13/2020	15:37	N1	DD-D011806	GBG076-077-051320-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG076-077	5/13/2020	15:37	N1	DD-D011806	GBG076-077-051320-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG076-077	5/13/2020	15:37	N1	DD-D011806	GBG076-077-051320-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG076-077	5/13/2020	15:37	N1	DD-D011806	GBG076-077-051320-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	5.9		0.088	0.24	ug/WIPE
GBG076-077	5/13/2020	15:37	N1	DD-D011806	GBG076-077-051320-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG076-077	5/13/2020	15:37	N1	DD-D011806	GBG076-077-051320-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2.4		0.07	0.24	ug/WIPE
GBG076-077	5/13/2020	15:37	N1	DD-D011806	GBG076-077-051320-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG076-077	5/13/2020	15:37	N1	DD-D011806	GBG076-077-051320-COMP	SW8082A	SW	TOTAL PCBs	8.3		-	0.24	ug/WIPE
GBG078-079	5/13/2020	15:34	N1	DD-D011808	GBG078-079-051320-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG078-079	5/13/2020	15:34	N1	DD-D011808	GBG078-079-051320-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG078-079	5/13/2020	15:34	N1	DD-D011808	GBG078-079-051320-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG078-079	5/13/2020	15:34	N1	DD-D011808	GBG078-079-051320-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	4.6		0.088	0.24	ug/WIPE
GBG078-079	5/13/2020	15:34	N1	DD-D011808	GBG078-079-051320-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG078-079	5/13/2020	15:34	N1	DD-D011808	GBG078-079-051320-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.8		0.07	0.24	ug/WIPE
GBG078-079	5/13/2020	15:34	N1	DD-D011808	GBG078-079-051320-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG078-079	5/13/2020	15:34	N1	DD-D011808	GBG078-079-051320-COMP	SW8082A	SW	TOTAL PCBs	6.4		-	0.24	ug/WIPE
GBG080-081	5/13/2020	15:51	N1	DD-D011810	GBG080-081-051320-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG080-081	5/13/2020	15:51	N1	DD-D011810	GBG080-081-051320-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG080-081	5/13/2020	15:51	N1	DD-D011810	GBG080-081-051320-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG080-081	5/13/2020	15:51	N1	DD-D011810	GBG080-081-051320-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	10		0.088	0.24	ug/WIPE
GBG080-081	5/13/2020	15:51	N1	DD-D011810	GBG080-081-051320-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG080-081	5/13/2020	15:51	N1	DD-D011810	GBG080-081-051320-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	4		0.07	0.24	ug/WIPE
GBG080-081	5/13/2020	15:51	N1	DD-D011810	GBG080-081-051320-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG080-081	5/13/2020	15:51	N1	DD-D011810	GBG080-081-051320-COMP	SW8082A	SW	TOTAL PCBs	14		-	0.24	ug/WIPE
GBG082-083	5/13/2020	15:58	N1	DD-D011902	GBG082-083-051320-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG082-083	5/13/2020	15:58	N1	DD-D011902	GBG082-083-051320-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG082-083	5/13/2020	15:58	N1	DD-D011902	GBG082-083-051320-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG082-083	5/13/2020	15:58	N1	DD-D011902	GBG082-083-051320-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	4.9		0.088	0.24	ug/WIPE
GBG082-083	5/13/2020	15:58	N1	DD-D011902	GBG082-083-051320-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG082-083	5/13/2020	15:58	N1	DD-D011902	GBG082-083-051320-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.7		0.07	0.24	ug/WIPE
GBG082-083	5/13/2020	15:58	N1	DD-D011902	GBG082-083-051320-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG082-083	5/13/2020	15:58	N1	DD-D011902	GBG082-083-051320-COMP	SW8082A	SW	TOTAL PCBs	6.6		-	0.24	ug/WIPE
GBG084-085	5/13/2020	16:06	N1	DD-D011904	GBG084-085-051320-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG084-085	5/13/2020	16:06	N1	DD-D011904	GBG084-085-051320-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG084-085	5/13/2020	16:06	N1	DD-D011904	GBG084-085-051320-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG084-085	5/13/2020	16:06	N1	DD-D011904	GBG084-085-051320-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	7.6		0.088	0.24	ug/WIPE
GBG084-085	5/13/2020	16:06	N1	DD-D011904	GBG084-085-051320-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG084-085	5/13/2020	16:06	N1	DD-D011904	GBG084-085-051320-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	3.1		0.07	0.24	ug/WIPE
GBG084-085	5/13/2020	16:06	N1	DD-D011904	GBG084-085-051320-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG084-085	5/13/2020	16:06	N1	DD-D011904	GBG084-085-051320-COMP	SW8082A	SW	TOTAL PCBs	10.7		-	0.24	ug/WIPE
GBG086-087	5/13/2020	16:42	N1	DD-D011906	GBG086-087-051320-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG086-087	5/13/2020	16:42	N1	DD-D011906	GBG086-087-051320-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG086-087	5/13/2020	16:42	N1	DD-D011906	GBG086-087-051320-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG086-087	5/13/2020	16:42	N1	DD-D011906	GBG086-087-051320-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3.1		0.088	0.24	ug/WIPE



Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
GBG086-087	5/13/2020	16:42	N1	DD-D011906	GBG086-087-051320-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG086-087	5/13/2020	16:42	N1	DD-D011906	GBG086-087-051320-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.2	U	0.07	0.24	ug/WIPE
GBG086-087	5/13/2020	16:42	N1	DD-D011906	GBG086-087-051320-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG086-087	5/13/2020	16:42	N1	DD-D011906	GBG086-087-051320-COMP	SW8082A	SW	TOTAL PCBs	4.3		-	0.24	ug/WIPE
GBG088-089	5/13/2020	16:40	N1	DD-D011908	GBG088-089-051320-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG088-089	5/13/2020	16:40	N1	DD-D011908	GBG088-089-051320-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG088-089	5/13/2020	16:40	N1	DD-D011908	GBG088-089-051320-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG088-089	5/13/2020	16:40	N1	DD-D011908	GBG088-089-051320-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	11		0.088	0.24	ug/WIPE
GBG088-089	5/13/2020	16:40	N1	DD-D011908	GBG088-089-051320-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG088-089	5/13/2020	16:40	N1	DD-D011908	GBG088-089-051320-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	4.3		0.07	0.24	ug/WIPE
GBG088-089	5/13/2020	16:40	N1	DD-D011908	GBG088-089-051320-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG088-089	5/13/2020	16:40	N1	DD-D011908	GBG088-089-051320-COMP	SW8082A	SW	TOTAL PCBs	15.3		-	0.24	ug/WIPE
GBG090-091	5/13/2020	6:59	N1	DD-D011910	GBG090-091-051320-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG090-091	5/13/2020	6:59	N1	DD-D011910	GBG090-091-051320-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG090-091	5/13/2020	6:59	N1	DD-D011910	GBG090-091-051320-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG090-091	5/13/2020	6:59	N1	DD-D011910	GBG090-091-051320-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	6.3		0.088	0.24	ug/WIPE
GBG090-091	5/13/2020	6:59	N1	DD-D011910	GBG090-091-051320-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG090-091	5/13/2020	6:59	N1	DD-D011910	GBG090-091-051320-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.7		0.07	0.24	ug/WIPE
GBG090-091	5/13/2020	6:59	N1	DD-D011910	GBG090-091-051320-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG090-091	5/13/2020	6:59	N1	DD-D011910	GBG090-091-051320-COMP	SW8082A	SW	TOTAL PCBs	9		-	0.24	ug/WIPE
GBG092-093	5/14/2020	8:55	N1	DD-D012002	GBG092-093-051420-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG092-093	5/14/2020	8:55	N1	DD-D012002	GBG092-093-051420-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG092-093	5/14/2020	8:55	N1	DD-D012002	GBG092-093-051420-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG092-093	5/14/2020	8:55	N1	DD-D012002	GBG092-093-051420-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	27		0.088	0.24	ug/WIPE
GBG092-093	5/14/2020	8:55	N1	DD-D012002	GBG092-093-051420-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG092-093	5/14/2020	8:55	N1	DD-D012002	GBG092-093-051420-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	8.5		0.07	0.24	ug/WIPE
GBG092-093	5/14/2020	8:55	N1	DD-D012002	GBG092-093-051420-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG092-093	5/14/2020	8:55	N1	DD-D012002	GBG092-093-051420-COMP	SW8082A	SW	TOTAL PCBs	35.5		-	0.24	ug/WIPE
GBG094-095	5/14/2020	7:06	N1	DD-D012004	GBG094-095-051420-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG094-095	5/14/2020	7:06	N1	DD-D012004	GBG094-095-051420-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG094-095	5/14/2020	7:06	N1	DD-D012004	GBG094-095-051420-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG094-095	5/14/2020	7:06	N1	DD-D012004	GBG094-095-051420-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	6.3		0.088	0.24	ug/WIPE
GBG094-095	5/14/2020	7:06	N1	DD-D012004	GBG094-095-051420-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG094-095	5/14/2020	7:06	N1	DD-D012004	GBG094-095-051420-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.5		0.07	0.24	ug/WIPE
GBG094-095	5/14/2020	7:06	N1	DD-D012004	GBG094-095-051420-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG094-095	5/14/2020	7:06	N1	DD-D012004	GBG094-095-051420-COMP	SW8082A	SW	TOTAL PCBs	8.8		-	0.24	ug/WIPE
GBG096-097	5/14/2020	7:11	N1	DD-D012006	GBG096-097-051420-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG096-097	5/14/2020	7:11	N1	DD-D012006	GBG096-097-051420-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG096-097	5/14/2020	7:11	N1	DD-D012006	GBG096-097-051420-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG096-097	5/14/2020	7:11	N1	DD-D012006	GBG096-097-051420-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	18		0.088	0.24	ug/WIPE
GBG096-097	5/14/2020	7:11	N1	DD-D012006	GBG096-097-051420-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG096-097	5/14/2020	7:11	N1	DD-D012006	GBG096-097-051420-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	6.1		0.07	0.24	ug/WIPE
GBG096-097	5/14/2020	7:11	N1	DD-D012006	GBG096-097-051420-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG096-097	5/14/2020	7:11	N1	DD-D012006	GBG096-097-051420-COMP	SW8082A	SW	TOTAL PCBs	24.1		-	0.24	ug/WIPE
GBG098-099	5/14/2020	7:18	N1	DD-D012008	GBG098-099-051420-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG098-099	5/14/2020	7:18	N1	DD-D012008	GBG098-099-051420-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG098-099	5/14/2020	7:18	N1	DD-D012008	GBG098-099-051420-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG098-099	5/14/2020	7:18	N1	DD-D012008	GBG098-099-051420-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3		0.088	0.24	ug/WIPE
GBG098-099	5/14/2020	7:18	N1	DD-D012008	GBG098-099-051420-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG098-099	5/14/2020	7:18	N1	DD-D012008	GBG098-099-051420-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.1		0.07	0.24	ug/WIPE
GBG098-099	5/14/2020	7:18	N1	DD-D012008	GBG098-099-051420-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE

Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
GBG098-099	5/14/2020	7:18	N1	DD-D012008	GBG098-099-051420-COMP	SW8082A	SW	TOTAL PCBs	4.1		-	0.24	ug/WIPE
GBG100-101	5/14/2020	7:23	N1	DD-D012010	GBG100-101-051420-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG100-101	5/14/2020	7:23	N1	DD-D012010	GBG100-101-051420-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG100-101	5/14/2020	7:23	N1	DD-D012010	GBG100-101-051420-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG100-101	5/14/2020	7:23	N1	DD-D012010	GBG100-101-051420-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	4.8		0.088	0.24	ug/WIPE
GBG100-101	5/14/2020	7:23	N1	DD-D012010	GBG100-101-051420-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG100-101	5/14/2020	7:23	N1	DD-D012010	GBG100-101-051420-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.7		0.07	0.24	ug/WIPE
GBG100-101	5/14/2020	7:23	N1	DD-D012010	GBG100-101-051420-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG100-101	5/14/2020	7:23	N1	DD-D012010	GBG100-101-051420-COMP	SW8082A	SW	TOTAL PCBs	6.5		-	0.24	ug/WIPE
GBG102-103	5/14/2020	7:28	N1	DD-D012102	GBG102-103-051420-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG102-103	5/14/2020	7:28	N1	DD-D012102	GBG102-103-051420-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG102-103	5/14/2020	7:28	N1	DD-D012102	GBG102-103-051420-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG102-103	5/14/2020	7:28	N1	DD-D012102	GBG102-103-051420-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	4.9		0.088	0.24	ug/WIPE
GBG102-103	5/14/2020	7:28	N1	DD-D012102	GBG102-103-051420-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG102-103	5/14/2020	7:28	N1	DD-D012102	GBG102-103-051420-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2.2		0.07	0.24	ug/WIPE
GBG102-103	5/14/2020	7:28	N1	DD-D012102	GBG102-103-051420-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG102-103	5/14/2020	7:28	N1	DD-D012102	GBG102-103-051420-COMP	SW8082A	SW	TOTAL PCBs	7.1		-	0.24	ug/WIPE
GBG104-105	5/14/2020	7:34	N1	DD-D012104	GBG104-105-051420-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG104-105	5/14/2020	7:34	N1	DD-D012104	GBG104-105-051420-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG104-105	5/14/2020	7:34	N1	DD-D012104	GBG104-105-051420-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG104-105	5/14/2020	7:34	N1	DD-D012104	GBG104-105-051420-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	20		0.088	0.24	ug/WIPE
GBG104-105	5/14/2020	7:34	N1	DD-D012104	GBG104-105-051420-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG104-105	5/14/2020	7:34	N1	DD-D012104	GBG104-105-051420-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	6.6		0.07	0.24	ug/WIPE
GBG104-105	5/14/2020	7:34	N1	DD-D012104	GBG104-105-051420-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG104-105	5/14/2020	7:34	N1	DD-D012104	GBG104-105-051420-COMP	SW8082A	SW	TOTAL PCBs	26.6		-	0.24	ug/WIPE
GBG106	5/14/2020	7:49	N1	DD-D012106	GBG106-051420	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG106	5/14/2020	7:49	N1	DD-D012106	GBG106-051420	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG106	5/14/2020	7:49	N1	DD-D012106	GBG106-051420	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG106	5/14/2020	7:49	N1	DD-D012106	GBG106-051420	SW8082A	SW	PCB-1242 (AROCLOR 1242)	8.2		0.088	0.24	ug/WIPE
GBG106	5/14/2020	7:49	N1	DD-D012106	GBG106-051420	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG106	5/14/2020	7:49	N1	DD-D012106	GBG106-051420	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2.7		0.07	0.24	ug/WIPE
GBG106	5/14/2020	7:49	N1	DD-D012106	GBG106-051420	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG106	5/14/2020	7:49	N1	DD-D012106	GBG106-051420	SW8082A	SW	TOTAL PCBs	10.9		-	0.24	ug/WIPE
GBG107-108	5/14/2020	7:52	N1	DD-D012107	GBG107-108-051420-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG107-108	5/14/2020	7:52	N1	DD-D012107	GBG107-108-051420-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG107-108	5/14/2020	7:52	N1	DD-D012107	GBG107-108-051420-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG107-108	5/14/2020	7:52	N1	DD-D012107	GBG107-108-051420-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	7.5		0.088	0.24	ug/WIPE
GBG107-108	5/14/2020	7:52	N1	DD-D012107	GBG107-108-051420-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG107-108	5/14/2020	7:52	N1	DD-D012107	GBG107-108-051420-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	3		0.07	0.24	ug/WIPE
GBG107-108	5/14/2020	7:52	N1	DD-D012107	GBG107-108-051420-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG107-108	5/14/2020	7:52	N1	DD-D012107	GBG107-108-051420-COMP	SW8082A	SW	TOTAL PCBs	10.5		-	0.24	ug/WIPE
GBG109	5/14/2020	7:56	N1	DD-D012109	GBG109-051420	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG109	5/14/2020	7:56	N1	DD-D012109	GBG109-051420	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG109	5/14/2020	7:56	N1	DD-D012109	GBG109-051420	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG109	5/14/2020	7:56	N1	DD-D012109	GBG109-051420	SW8082A	SW	PCB-1242 (AROCLOR 1242)	14		0.088	0.24	ug/WIPE
GBG109	5/14/2020	7:56	N1	DD-D012109	GBG109-051420	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG109	5/14/2020	7:56	N1	DD-D012109	GBG109-051420	SW8082A	SW	PCB-1254 (AROCLOR 1254)	5.1		0.07	0.24	ug/WIPE
GBG109	5/14/2020	7:56	N1	DD-D012109	GBG109-051420	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG109	5/14/2020	7:56	N1	DD-D012109	GBG109-051420	SW8082A	SW	TOTAL PCBs	19.1		-	0.24	ug/WIPE
GBG110-111	5/14/2020	8:03	N1	DD-D012110	GBG110-111-051420-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG110-111	5/14/2020	8:03	N1	DD-D012110	GBG110-111-051420-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE

Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
GBG110-111	5/14/2020	8:03	N1	DD-D012110	GBG110-111-051420-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG110-111	5/14/2020	8:03	N1	DD-D012110	GBG110-111-051420-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.6	U	0.088	0.24	ug/WIPE
GBG110-111	5/14/2020	8:03	N1	DD-D012110	GBG110-111-051420-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG110-111	5/14/2020	8:03	N1	DD-D012110	GBG110-111-051420-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.9	U	0.07	0.24	ug/WIPE
GBG110-111	5/14/2020	8:03	N1	DD-D012110	GBG110-111-051420-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG110-111	5/14/2020	8:03	N1	DD-D012110	GBG110-111-051420-COMP	SW8082A	SW	TOTAL PCBs	5.5	U	-	0.24	ug/WIPE
GBG112-113	5/14/2020	8:09	N1	DD-D012202	GBG112-113-051420-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG112-113	5/14/2020	8:09	N1	DD-D012202	GBG112-113-051420-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG112-113	5/14/2020	8:09	N1	DD-D012202	GBG112-113-051420-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG112-113	5/14/2020	8:09	N1	DD-D012202	GBG112-113-051420-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	8.2	U	0.088	0.24	ug/WIPE
GBG112-113	5/14/2020	8:09	N1	DD-D012202	GBG112-113-051420-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG112-113	5/14/2020	8:09	N1	DD-D012202	GBG112-113-051420-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	3.1	U	0.07	0.24	ug/WIPE
GBG112-113	5/14/2020	8:09	N1	DD-D012202	GBG112-113-051420-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG112-113	5/14/2020	8:09	N1	DD-D012202	GBG112-113-051420-COMP	SW8082A	SW	TOTAL PCBs	11.3	U	-	0.24	ug/WIPE
GBG114-115	5/14/2020	8:14	N1	DD-D012204	GBG114-115-051420-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG114-115	5/14/2020	8:14	N1	DD-D012204	GBG114-115-051420-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG114-115	5/14/2020	8:14	N1	DD-D012204	GBG114-115-051420-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG114-115	5/14/2020	8:14	N1	DD-D012204	GBG114-115-051420-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	4.4	U	0.088	0.24	ug/WIPE
GBG114-115	5/14/2020	8:14	N1	DD-D012204	GBG114-115-051420-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG114-115	5/14/2020	8:14	N1	DD-D012204	GBG114-115-051420-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.2	U	0.07	0.24	ug/WIPE
GBG114-115	5/14/2020	8:14	N1	DD-D012204	GBG114-115-051420-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG114-115	5/14/2020	8:14	N1	DD-D012204	GBG114-115-051420-COMP	SW8082A	SW	TOTAL PCBs	6.6	U	-	0.24	ug/WIPE
GBG116-117	5/14/2020	8:17	N1	DD-D012206	GBG116-117-051420-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG116-117	5/14/2020	8:17	N1	DD-D012206	GBG116-117-051420-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG116-117	5/14/2020	8:17	N1	DD-D012206	GBG116-117-051420-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG116-117	5/14/2020	8:17	N1	DD-D012206	GBG116-117-051420-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	21	U	0.088	0.24	ug/WIPE
GBG116-117	5/14/2020	8:17	N1	DD-D012206	GBG116-117-051420-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG116-117	5/14/2020	8:17	N1	DD-D012206	GBG116-117-051420-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	7	U	0.07	0.24	ug/WIPE
GBG116-117	5/14/2020	8:17	N1	DD-D012206	GBG116-117-051420-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG116-117	5/14/2020	8:17	N1	DD-D012206	GBG116-117-051420-COMP	SW8082A	SW	TOTAL PCBs	28	U	-	0.24	ug/WIPE
GBG118-119	5/14/2020	8:19	N1	DD-D012208	GBG118-119-051420-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG118-119	5/14/2020	8:19	N1	DD-D012208	GBG118-119-051420-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG118-119	5/14/2020	8:19	N1	DD-D012208	GBG118-119-051420-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG118-119	5/14/2020	8:19	N1	DD-D012208	GBG118-119-051420-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	22	U	0.088	0.24	ug/WIPE
GBG118-119	5/14/2020	8:19	N1	DD-D012208	GBG118-119-051420-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG118-119	5/14/2020	8:19	N1	DD-D012208	GBG118-119-051420-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	7.8	U	0.07	0.24	ug/WIPE
GBG118-119	5/14/2020	8:19	N1	DD-D012208	GBG118-119-051420-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG118-119	5/14/2020	8:19	N1	DD-D012208	GBG118-119-051420-COMP	SW8082A	SW	TOTAL PCBs	29.8	U	-	0.24	ug/WIPE
GBG120-121	5/14/2020	8:52	N1	DD-D012210	GBG120-121-051420-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG120-121	5/14/2020	8:52	N1	DD-D012210	GBG120-121-051420-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG120-121	5/14/2020	8:52	N1	DD-D012210	GBG120-121-051420-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG120-121	5/14/2020	8:52	N1	DD-D012210	GBG120-121-051420-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	6.2	U	0.088	0.24	ug/WIPE
GBG120-121	5/14/2020	8:52	N1	DD-D012210	GBG120-121-051420-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG120-121	5/14/2020	8:52	N1	DD-D012210	GBG120-121-051420-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2	U	0.07	0.24	ug/WIPE
GBG120-121	5/14/2020	8:52	N1	DD-D012210	GBG120-121-051420-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG120-121	5/14/2020	8:52	N1	DD-D012210	GBG120-121-051420-COMP	SW8082A	SW	TOTAL PCBs	8.2	U	-	0.24	ug/WIPE
GBG122-123	5/14/2020	8:54	N1	DD-D013402	GBG122-123-051420-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG122-123	5/14/2020	8:54	N1	DD-D013402	GBG122-123-051420-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG122-123	5/14/2020	8:54	N1	DD-D013402	GBG122-123-051420-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG122-123	5/14/2020	8:54	N1	DD-D013402	GBG122-123-051420-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	12	U	0.088	0.24	ug/WIPE
GBG122-123	5/14/2020	8:54	N1	DD-D013402	GBG122-123-051420-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE

Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
GBG122-123	5/14/2020	8:54	N1	DD-D013402	GBG122-123-051420-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	4.5		0.07	0.24	ug/WIPE
GBG122-123	5/14/2020	8:54	N1	DD-D013402	GBG122-123-051420-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG122-123	5/14/2020	8:54	N1	DD-D013402	GBG122-123-051420-COMP	SW8082A	SW	TOTAL PCBs	16.5		-	0.24	ug/WIPE
GBG124-125	5/14/2020	9:05	N1	DD-D013404	GBG124-125-051420-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG124-125	5/14/2020	9:05	N1	DD-D013404	GBG124-125-051420-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG124-125	5/14/2020	9:05	N1	DD-D013404	GBG124-125-051420-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG124-125	5/14/2020	9:05	N1	DD-D013404	GBG124-125-051420-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	8.5		0.088	0.24	ug/WIPE
GBG124-125	5/14/2020	9:05	N1	DD-D013404	GBG124-125-051420-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG124-125	5/14/2020	9:05	N1	DD-D013404	GBG124-125-051420-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	3.2		0.07	0.24	ug/WIPE
GBG124-125	5/14/2020	9:05	N1	DD-D013404	GBG124-125-051420-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG124-125	5/14/2020	9:05	N1	DD-D013404	GBG124-125-051420-COMP	SW8082A	SW	TOTAL PCBs	11.7		-	0.24	ug/WIPE
GBG126-127	5/14/2020	9:10	N1	DD-D013406	GBG126-127-051420-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG126-127	5/14/2020	9:10	N1	DD-D013406	GBG126-127-051420-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG126-127	5/14/2020	9:10	N1	DD-D013406	GBG126-127-051420-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG126-127	5/14/2020	9:10	N1	DD-D013406	GBG126-127-051420-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	6.4		0.088	0.24	ug/WIPE
GBG126-127	5/14/2020	9:10	N1	DD-D013406	GBG126-127-051420-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG126-127	5/14/2020	9:10	N1	DD-D013406	GBG126-127-051420-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.8		0.07	0.24	ug/WIPE
GBG126-127	5/14/2020	9:10	N1	DD-D013406	GBG126-127-051420-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG126-127	5/14/2020	9:10	N1	DD-D013406	GBG126-127-051420-COMP	SW8082A	SW	TOTAL PCBs	9.2		-	0.24	ug/WIPE
GBG128-129	5/14/2020	9:15	N1	DD-D013408	GBG128-129-051420-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG128-129	5/14/2020	9:15	N1	DD-D013408	GBG128-129-051420-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG128-129	5/14/2020	9:15	N1	DD-D013408	GBG128-129-051420-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG128-129	5/14/2020	9:15	N1	DD-D013408	GBG128-129-051420-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.6		0.088	0.24	ug/WIPE
GBG128-129	5/14/2020	9:15	N1	DD-D013408	GBG128-129-051420-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG128-129	5/14/2020	9:15	N1	DD-D013408	GBG128-129-051420-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.2		0.07	0.24	ug/WIPE
GBG128-129	5/14/2020	9:15	N1	DD-D013408	GBG128-129-051420-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG128-129	5/14/2020	9:15	N1	DD-D013408	GBG128-129-051420-COMP	SW8082A	SW	TOTAL PCBs	3.8		-	0.24	ug/WIPE
GBG130-131	5/14/2020	9:21	N1	DD-D013410	GBG130-131-051420-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG130-131	5/14/2020	9:21	N1	DD-D013410	GBG130-131-051420-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG130-131	5/14/2020	9:21	N1	DD-D013410	GBG130-131-051420-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG130-131	5/14/2020	9:21	N1	DD-D013410	GBG130-131-051420-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	5.9		0.088	0.24	ug/WIPE
GBG130-131	5/14/2020	9:21	N1	DD-D013410	GBG130-131-051420-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG130-131	5/14/2020	9:21	N1	DD-D013410	GBG130-131-051420-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.5		0.07	0.24	ug/WIPE
GBG130-131	5/14/2020	9:21	N1	DD-D013410	GBG130-131-051420-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG130-131	5/14/2020	9:21	N1	DD-D013410	GBG130-131-051420-COMP	SW8082A	SW	TOTAL PCBs	8.4		-	0.24	ug/WIPE
GBG132-133	5/14/2020	9:27	N1	DD-D012302	GBG132-133-051420-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG132-133	5/14/2020	9:27	N1	DD-D012302	GBG132-133-051420-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG132-133	5/14/2020	9:27	N1	DD-D012302	GBG132-133-051420-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG132-133	5/14/2020	9:27	N1	DD-D012302	GBG132-133-051420-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	4.6		0.088	0.24	ug/WIPE
GBG132-133	5/14/2020	9:27	N1	DD-D012302	GBG132-133-051420-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG132-133	5/14/2020	9:27	N1	DD-D012302	GBG132-133-051420-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.8		0.07	0.24	ug/WIPE
GBG132-133	5/14/2020	9:27	N1	DD-D012302	GBG132-133-051420-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG132-133	5/14/2020	9:27	N1	DD-D012302	GBG132-133-051420-COMP	SW8082A	SW	TOTAL PCBs	6.4		-	0.24	ug/WIPE
GBG134-135	5/14/2020	9:31	N1	DD-D012304	GBG134-135-051420-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG134-135	5/14/2020	9:31	N1	DD-D012304	GBG134-135-051420-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG134-135	5/14/2020	9:31	N1	DD-D012304	GBG134-135-051420-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG134-135	5/14/2020	9:31	N1	DD-D012304	GBG134-135-051420-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	17		0.088	0.24	ug/WIPE
GBG134-135	5/14/2020	9:31	N1	DD-D012304	GBG134-135-051420-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG134-135	5/14/2020	9:31	N1	DD-D012304	GBG134-135-051420-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	6.1		0.07	0.24	ug/WIPE
GBG134-135	5/14/2020	9:31	N1	DD-D012304	GBG134-135-051420-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG134-135	5/14/2020	9:31	N1	DD-D012304	GBG134-135-051420-COMP	SW8082A	SW	TOTAL PCBs	23.1		-	0.24	ug/WIPE

Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
GBG136-137	5/14/2020	9:36	N1	DD-D012306	GBG136-137-051420-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG136-137	5/14/2020	9:36	N1	DD-D012306	GBG136-137-051420-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG136-137	5/14/2020	9:36	N1	DD-D012306	GBG136-137-051420-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG136-137	5/14/2020	9:36	N1	DD-D012306	GBG136-137-051420-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	15		0.088	0.24	ug/WIPE
GBG136-137	5/14/2020	9:36	N1	DD-D012306	GBG136-137-051420-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG136-137	5/14/2020	9:36	N1	DD-D012306	GBG136-137-051420-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	6.4		0.07	0.24	ug/WIPE
GBG136-137	5/14/2020	9:36	N1	DD-D012306	GBG136-137-051420-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG136-137	5/14/2020	9:36	N1	DD-D012306	GBG136-137-051420-COMP	SW8082A	SW	TOTAL PCBs	21.4		-	0.24	ug/WIPE
GW001-005-009	5/13/2020	7:29	N1	DD-D010701	GW001-005-009-051320-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GW001-005-009	5/13/2020	7:29	N1	DD-D010701	GW001-005-009-051320-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GW001-005-009	5/13/2020	7:29	N1	DD-D010701	GW001-005-009-051320-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GW001-005-009	5/13/2020	7:29	N1	DD-D010701	GW001-005-009-051320-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.26		0.088	0.24	ug/WIPE
GW001-005-009	5/13/2020	7:29	N1	DD-D010701	GW001-005-009-051320-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GW001-005-009	5/13/2020	7:29	N1	DD-D010701	GW001-005-009-051320-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.11	J	0.07	0.24	ug/WIPE
GW001-005-009	5/13/2020	7:29	N1	DD-D010701	GW001-005-009-051320-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GW001-005-009	5/13/2020	7:29	N1	DD-D010701	GW001-005-009-051320-COMP	SW8082A	SW	TOTAL PCBs	0.37		-	0.24	ug/WIPE
GW002-003-004	5/13/2020	8:19	N1	DD-D010702	GW002-003-004-051320-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GW002-003-004	5/13/2020	8:19	N1	DD-D010702	GW002-003-004-051320-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GW002-003-004	5/13/2020	8:19	N1	DD-D010702	GW002-003-004-051320-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GW002-003-004	5/13/2020	8:19	N1	DD-D010702	GW002-003-004-051320-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.44		0.088	0.24	ug/WIPE
GW002-003-004	5/13/2020	8:19	N1	DD-D010702	GW002-003-004-051320-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GW002-003-004	5/13/2020	8:19	N1	DD-D010702	GW002-003-004-051320-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.14	J	0.07	0.24	ug/WIPE
GW002-003-004	5/13/2020	8:19	N1	DD-D010702	GW002-003-004-051320-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GW002-003-004	5/13/2020	8:19	N1	DD-D010702	GW002-003-004-051320-COMP	SW8082A	SW	TOTAL PCBs	0.58		-	0.24	ug/WIPE
GW006-007-008	5/13/2020	9:51	N1	DD-D010706	GW006-007-008-051320-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GW006-007-008	5/13/2020	9:51	N1	DD-D010706	GW006-007-008-051320-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GW006-007-008	5/13/2020	9:51	N1	DD-D010706	GW006-007-008-051320-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GW006-007-008	5/13/2020	9:51	N1	DD-D010706	GW006-007-008-051320-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.36		0.088	0.24	ug/WIPE
GW006-007-008	5/13/2020	9:51	N1	DD-D010706	GW006-007-008-051320-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GW006-007-008	5/13/2020	9:51	N1	DD-D010706	GW006-007-008-051320-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.2	J	0.07	0.24	ug/WIPE
GW006-007-008	5/13/2020	9:51	N1	DD-D010706	GW006-007-008-051320-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GW006-007-008	5/13/2020	9:51	N1	DD-D010706	GW006-007-008-051320-COMP	SW8082A	SW	TOTAL PCBs	0.56		-	0.24	ug/WIPE
GW010-011-012	5/13/2020	10:31	N1	DD-D010710	GW010-011-012-051320-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GW010-011-012	5/13/2020	10:31	N1	DD-D010710	GW010-011-012-051320-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GW010-011-012	5/13/2020	10:31	N1	DD-D010710	GW010-011-012-051320-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GW010-011-012	5/13/2020	10:31	N1	DD-D010710	GW010-011-012-051320-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.34		0.088	0.24	ug/WIPE
GW010-011-012	5/13/2020	10:31	N1	DD-D010710	GW010-011-012-051320-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GW010-011-012	5/13/2020	10:31	N1	DD-D010710	GW010-011-012-051320-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
GW010-011-012	5/13/2020	10:31	N1	DD-D010710	GW010-011-012-051320-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GW010-011-012	5/13/2020	10:31	N1	DD-D010710	GW010-011-012-051320-COMP	SW8082A	SW	TOTAL PCBs	0.34		-	0.24	ug/WIPE
GW013-014-015	5/13/2020	13:55	N1	DD-D010803	GW013-014-015-051320-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GW013-014-015	5/13/2020	13:55	N1	DD-D010803	GW013-014-015-051320-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GW013-014-015	5/13/2020	13:55	N1	DD-D010803	GW013-014-015-051320-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GW013-014-015	5/13/2020	13:55	N1	DD-D010803	GW013-014-015-051320-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.3		0.088	0.24	ug/WIPE
GW013-014-015	5/13/2020	13:55	N1	DD-D010803	GW013-014-015-051320-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GW013-014-015	5/13/2020	13:55	N1	DD-D010803	GW013-014-015-051320-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.13	J	0.07	0.24	ug/WIPE
GW013-014-015	5/13/2020	13:55	N1	DD-D010803	GW013-014-015-051320-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GW013-014-015	5/13/2020	13:55	N1	DD-D010803	GW013-014-015-051320-COMP	SW8082A	SW	TOTAL PCBs	0.43		-	0.24	ug/WIPE
GW016-020-025	5/13/2020	14:37	N1	DD-D010806	GW016-020-025-051320-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GW016-020-025	5/13/2020	14:37	N1	DD-D010806	GW016-020-025-051320-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GW016-020-025	5/13/2020	14:37	N1	DD-D010806	GW016-020-025-051320-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE



Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
GW016-020-025	5/13/2020	14:37	N1	DD-D010806	GW016-020-025-051320-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.38		0.088	0.24	ug/WIPE
GW016-020-025	5/13/2020	14:37	N1	DD-D010806	GW016-020-025-051320-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GW016-020-025	5/13/2020	14:37	N1	DD-D010806	GW016-020-025-051320-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.14	J	0.07	0.24	ug/WIPE
GW016-020-025	5/13/2020	14:37	N1	DD-D010806	GW016-020-025-051320-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GW016-020-025	5/13/2020	14:37	N1	DD-D010806	GW016-020-025-051320-COMP	SW8082A	SW	TOTAL PCBs	0.52		-	0.24	ug/WIPE
GW017-018-019	5/13/2020	15:29	N1	DD-D010807	GW017-018-019-051320-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GW017-018-019	5/13/2020	15:29	N1	DD-D010807	GW017-018-019-051320-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GW017-018-019	5/13/2020	15:29	N1	DD-D010807	GW017-018-019-051320-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GW017-018-019	5/13/2020	15:29	N1	DD-D010807	GW017-018-019-051320-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.29		0.088	0.24	ug/WIPE
GW017-018-019	5/13/2020	15:29	N1	DD-D010807	GW017-018-019-051320-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GW017-018-019	5/13/2020	15:29	N1	DD-D010807	GW017-018-019-051320-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
GW017-018-019	5/13/2020	15:29	N1	DD-D010807	GW017-018-019-051320-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GW017-018-019	5/13/2020	15:29	N1	DD-D010807	GW017-018-019-051320-COMP	SW8082A	SW	TOTAL PCBs	0.29		-	0.24	ug/WIPE
GW021-022-023	5/13/2020	16:45	N1	DD-D010901	GW021-022-023-051320-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GW021-022-023	5/13/2020	16:45	N1	DD-D010901	GW021-022-023-051320-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GW021-022-023	5/13/2020	16:45	N1	DD-D010901	GW021-022-023-051320-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GW021-022-023	5/13/2020	16:45	N1	DD-D010901	GW021-022-023-051320-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.44		0.088	0.24	ug/WIPE
GW021-022-023	5/13/2020	16:45	N1	DD-D010901	GW021-022-023-051320-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GW021-022-023	5/13/2020	16:45	N1	DD-D010901	GW021-022-023-051320-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.14	J	0.07	0.24	ug/WIPE
GW021-022-023	5/13/2020	16:45	N1	DD-D010901	GW021-022-023-051320-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GW021-022-023	5/13/2020	16:45	N1	DD-D010901	GW021-022-023-051320-COMP	SW8082A	SW	TOTAL PCBs	0.58		-	0.24	ug/WIPE
GW024-026-030	5/13/2020	17:02	N1	DD-D010904	GW024-026-030-051320-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GW024-026-030	5/13/2020	17:02	N1	DD-D010904	GW024-026-030-051320-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GW024-026-030	5/13/2020	17:02	N1	DD-D010904	GW024-026-030-051320-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GW024-026-030	5/13/2020	17:02	N1	DD-D010904	GW024-026-030-051320-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.3		0.088	0.24	ug/WIPE
GW024-026-030	5/13/2020	17:02	N1	DD-D010904	GW024-026-030-051320-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GW024-026-030	5/13/2020	17:02	N1	DD-D010904	GW024-026-030-051320-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.13	J	0.07	0.24	ug/WIPE
GW024-026-030	5/13/2020	17:02	N1	DD-D010904	GW024-026-030-051320-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GW024-026-030	5/13/2020	17:02	N1	DD-D010904	GW024-026-030-051320-COMP	SW8082A	SW	TOTAL PCBs	0.43		-	0.24	ug/WIPE
GW027-028-029	5/13/2020	17:23	N1	DD-D010907	GW027-028-029-051320-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GW027-028-029	5/13/2020	17:23	N1	DD-D010907	GW027-028-029-051320-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GW027-028-029	5/13/2020	17:23	N1	DD-D010907	GW027-028-029-051320-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GW027-028-029	5/13/2020	17:23	N1	DD-D010907	GW027-028-029-051320-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.48		0.088	0.24	ug/WIPE
GW027-028-029	5/13/2020	17:23	N1	DD-D010907	GW027-028-029-051320-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GW027-028-029	5/13/2020	17:23	N1	DD-D010907	GW027-028-029-051320-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.19	J	0.07	0.24	ug/WIPE
GW027-028-029	5/13/2020	17:23	N1	DD-D010907	GW027-028-029-051320-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GW027-028-029	5/13/2020	17:23	N1	DD-D010907	GW027-028-029-051320-COMP	SW8082A	SW	TOTAL PCBs	0.67		-	0.24	ug/WIPE
GW031-032-033	5/13/2020	17:32	N1	DD-D011001	GW031-032-033-051320-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GW031-032-033	5/13/2020	17:32	N1	DD-D011001	GW031-032-033-051320-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GW031-032-033	5/13/2020	17:32	N1	DD-D011001	GW031-032-033-051320-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GW031-032-033	5/13/2020	17:32	N1	DD-D011001	GW031-032-033-051320-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.36		0.088	0.24	ug/WIPE
GW031-032-033	5/13/2020	17:32	N1	DD-D011001	GW031-032-033-051320-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GW031-032-033	5/13/2020	17:32	N1	DD-D011001	GW031-032-033-051320-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
GW031-032-033	5/13/2020	17:32	N1	DD-D011001	GW031-032-033-051320-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GW031-032-033	5/13/2020	17:32	N1	DD-D011001	GW031-032-033-051320-COMP	SW8082A	SW	TOTAL PCBs	0.36		-	0.24	ug/WIPE
GW034	5/13/2020	17:40	N1	DD-D011004	GW034-051320	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GW034	5/13/2020	17:40	N1	DD-D011004	GW034-051320	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GW034	5/13/2020	17:40	N1	DD-D011004	GW034-051320	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GW034	5/13/2020	17:40	N1	DD-D011004	GW034-051320	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
GW034	5/13/2020	17:40	N1	DD-D011004	GW034-051320	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GW034	5/13/2020	17:40	N1	DD-D011004	GW034-051320	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE

Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
GW034	5/13/2020	17:40	N1	DD-D011004	GW034-051320	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GW034	5/13/2020	17:40	N1	DD-D011004	GW034-051320	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
HW001-002-010	5/14/2020	10:22	N1	DD-D010501	HW001-002-010-051420-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
HW001-002-010	5/14/2020	10:22	N1	DD-D010501	HW001-002-010-051420-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
HW001-002-010	5/14/2020	10:22	N1	DD-D010501	HW001-002-010-051420-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
HW001-002-010	5/14/2020	10:22	N1	DD-D010501	HW001-002-010-051420-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	ND	U	0.088	0.24	ug/WIPE
HW001-002-010	5/14/2020	10:22	N1	DD-D010501	HW001-002-010-051420-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
HW001-002-010	5/14/2020	10:22	N1	DD-D010501	HW001-002-010-051420-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	ND	U	0.07	0.24	ug/WIPE
HW001-002-010	5/14/2020	10:22	N1	DD-D010501	HW001-002-010-051420-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
HW001-002-010	5/14/2020	10:22	N1	DD-D010501	HW001-002-010-051420-COMP	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
HW003-004-005	5/14/2020	10:25	N1	DD-D010503	HW003-004-005-051420-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
HW003-004-005	5/14/2020	10:25	N1	DD-D010503	HW003-004-005-051420-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
HW003-004-005	5/14/2020	10:25	N1	DD-D010503	HW003-004-005-051420-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
HW003-004-005	5/14/2020	10:25	N1	DD-D010503	HW003-004-005-051420-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	ND	U	0.088	0.24	ug/WIPE
HW003-004-005	5/14/2020	10:25	N1	DD-D010503	HW003-004-005-051420-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
HW003-004-005	5/14/2020	10:25	N1	DD-D010503	HW003-004-005-051420-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	ND	U	0.07	0.24	ug/WIPE
HW003-004-005	5/14/2020	10:25	N1	DD-D010503	HW003-004-005-051420-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
HW003-004-005	5/14/2020	10:25	N1	DD-D010503	HW003-004-005-051420-COMP	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
HW006-007-008	5/14/2020	10:30	N1	DD-D010506	HW006-007-008-051420-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
HW006-007-008	5/14/2020	10:30	N1	DD-D010506	HW006-007-008-051420-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
HW006-007-008	5/14/2020	10:30	N1	DD-D010506	HW006-007-008-051420-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
HW006-007-008	5/14/2020	10:30	N1	DD-D010506	HW006-007-008-051420-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.75	U	0.088	0.24	ug/WIPE
HW006-007-008	5/14/2020	10:30	N1	DD-D010506	HW006-007-008-051420-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
HW006-007-008	5/14/2020	10:30	N1	DD-D010506	HW006-007-008-051420-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.26	U	0.07	0.24	ug/WIPE
HW006-007-008	5/14/2020	10:30	N1	DD-D010506	HW006-007-008-051420-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
HW006-007-008	5/14/2020	10:30	N1	DD-D010506	HW006-007-008-051420-COMP	SW8082A	SW	TOTAL PCBs	1.01	U	-	0.24	ug/WIPE
HW009-011-012	5/14/2020	10:11	N1	DD-D010509	HW009-011-012-051420-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
HW009-011-012	5/14/2020	10:11	N1	DD-D010509	HW009-011-012-051420-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
HW009-011-012	5/14/2020	10:11	N1	DD-D010509	HW009-011-012-051420-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
HW009-011-012	5/14/2020	10:11	N1	DD-D010509	HW009-011-012-051420-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.42	U	0.088	0.24	ug/WIPE
HW009-011-012	5/14/2020	10:11	N1	DD-D010509	HW009-011-012-051420-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
HW009-011-012	5/14/2020	10:11	N1	DD-D010509	HW009-011-012-051420-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.12	J	0.07	0.24	ug/WIPE
HW009-011-012	5/14/2020	10:11	N1	DD-D010509	HW009-011-012-051420-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
HW009-011-012	5/14/2020	10:11	N1	DD-D010509	HW009-011-012-051420-COMP	SW8082A	SW	TOTAL PCBs	0.54	U	-	0.24	ug/WIPE
IW001-005-006	5/14/2020	11:23	N1	DD-D012401	IW001-005-006-051420-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
IW001-005-006	5/14/2020	11:23	N1	DD-D012401	IW001-005-006-051420-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
IW001-005-006	5/14/2020	11:23	N1	DD-D012401	IW001-005-006-051420-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
IW001-005-006	5/14/2020	11:23	N1	DD-D012401	IW001-005-006-051420-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.71	U	0.088	0.24	ug/WIPE
IW001-005-006	5/14/2020	11:23	N1	DD-D012401	IW001-005-006-051420-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
IW001-005-006	5/14/2020	11:23	N1	DD-D012401	IW001-005-006-051420-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.33	U	0.07	0.24	ug/WIPE
IW001-005-006	5/14/2020	11:23	N1	DD-D012401	IW001-005-006-051420-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
IW001-005-006	5/14/2020	11:23	N1	DD-D012401	IW001-005-006-051420-COMP	SW8082A	SW	TOTAL PCBs	1.04	U	-	0.24	ug/WIPE
IW002-003-004	5/14/2020	11:33	N1	DD-D012402	IW002-003-004-051420-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
IW002-003-004	5/14/2020	11:33	N1	DD-D012402	IW002-003-004-051420-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
IW002-003-004	5/14/2020	11:33	N1	DD-D012402	IW002-003-004-051420-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
IW002-003-004	5/14/2020	11:33	N1	DD-D012402	IW002-003-004-051420-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.3	U	0.088	0.24	ug/WIPE
IW002-003-004	5/14/2020	11:33	N1	DD-D012402	IW002-003-004-051420-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
IW002-003-004	5/14/2020	11:33	N1	DD-D012402	IW002-003-004-051420-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.12	J	0.07	0.24	ug/WIPE
IW002-003-004	5/14/2020	11:33	N1	DD-D012402	IW002-003-004-051420-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
IW002-003-004	5/14/2020	11:33	N1	DD-D012402	IW002-003-004-051420-COMP	SW8082A	SW	TOTAL PCBs	0.42	U	-	0.24	ug/WIPE
IW007-008-009	5/14/2020	11:43	N1	DD-D012407	IW007-008-009-051420-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE

Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
IW007-008-009	5/14/2020	11:43	N1	DD-D012407	IW007-008-009-051420-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
IW007-008-009	5/14/2020	11:43	N1	DD-D012407	IW007-008-009-051420-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
IW007-008-009	5/14/2020	11:43	N1	DD-D012407	IW007-008-009-051420-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.71		0.088	0.24	ug/WIPE
IW007-008-009	5/14/2020	11:43	N1	DD-D012407	IW007-008-009-051420-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
IW007-008-009	5/14/2020	11:43	N1	DD-D012407	IW007-008-009-051420-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.24	J	0.07	0.24	ug/WIPE
IW007-008-009	5/14/2020	11:43	N1	DD-D012407	IW007-008-009-051420-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
IW007-008-009	5/14/2020	11:43	N1	DD-D012407	IW007-008-009-051420-COMP	SW8082A	SW	TOTAL PCBs	0.95		-	0.24	ug/WIPE
IW010-011-013	5/14/2020	13:31	N1	DD-D012410	IW010-011-012-051420-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
IW010-011-013	5/14/2020	13:31	N1	DD-D012410	IW010-011-012-051420-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
IW010-011-013	5/14/2020	13:31	N1	DD-D012410	IW010-011-012-051420-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
IW010-011-013	5/14/2020	13:31	N1	DD-D012410	IW010-011-012-051420-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.5		0.088	0.24	ug/WIPE
IW010-011-013	5/14/2020	13:31	N1	DD-D012410	IW010-011-012-051420-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
IW010-011-013	5/14/2020	13:31	N1	DD-D012410	IW010-011-012-051420-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.21	J	0.07	0.24	ug/WIPE
IW010-011-013	5/14/2020	13:31	N1	DD-D012410	IW010-011-012-051420-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
IW010-011-013	5/14/2020	13:31	N1	DD-D012410	IW010-011-012-051420-COMP	SW8082A	SW	TOTAL PCBs	0.71		-	0.24	ug/WIPE
IW012-014-018	5/14/2020	13:44	N1	DD-D012502	IW012-014-018-051420-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
IW012-014-018	5/14/2020	13:44	N1	DD-D012502	IW012-014-018-051420-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
IW012-014-018	5/14/2020	13:44	N1	DD-D012502	IW012-014-018-051420-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
IW012-014-018	5/14/2020	13:44	N1	DD-D012502	IW012-014-018-051420-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.46		0.088	0.24	ug/WIPE
IW012-014-018	5/14/2020	13:44	N1	DD-D012502	IW012-014-018-051420-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
IW012-014-018	5/14/2020	13:44	N1	DD-D012502	IW012-014-018-051420-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.21	J	0.07	0.24	ug/WIPE
IW012-014-018	5/14/2020	13:44	N1	DD-D012502	IW012-014-018-051420-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
IW012-014-018	5/14/2020	13:44	N1	DD-D012502	IW012-014-018-051420-COMP	SW8082A	SW	TOTAL PCBs	0.67		-	0.24	ug/WIPE
IW015-016-017	5/14/2020	13:53	N1	DD-D012505	IW015-016-017-051420-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
IW015-016-017	5/14/2020	13:53	N1	DD-D012505	IW015-016-017-051420-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
IW015-016-017	5/14/2020	13:53	N1	DD-D012505	IW015-016-017-051420-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
IW015-016-017	5/14/2020	13:53	N1	DD-D012505	IW015-016-017-051420-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.28		0.088	0.24	ug/WIPE
IW015-016-017	5/14/2020	13:53	N1	DD-D012505	IW015-016-017-051420-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
IW015-016-017	5/14/2020	13:53	N1	DD-D012505	IW015-016-017-051420-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.097	J	0.07	0.24	ug/WIPE
IW015-016-017	5/14/2020	13:53	N1	DD-D012505	IW015-016-017-051420-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
IW015-016-017	5/14/2020	13:53	N1	DD-D012505	IW015-016-017-051420-COMP	SW8082A	SW	TOTAL PCBs	0.377		-	0.24	ug/WIPE
IW019-020-021	5/14/2020	14:04	N1	DD-D012509	IW019-020-021-051420-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
IW019-020-021	5/14/2020	14:04	N1	DD-D012509	IW019-020-021-051420-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
IW019-020-021	5/14/2020	14:04	N1	DD-D012509	IW019-020-021-051420-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
IW019-020-021	5/14/2020	14:04	N1	DD-D012509	IW019-020-021-051420-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
IW019-020-021	5/14/2020	14:04	N1	DD-D012509	IW019-020-021-051420-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
IW019-020-021	5/14/2020	14:04	N1	DD-D012509	IW019-020-021-051420-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
IW019-020-021	5/14/2020	14:04	N1	DD-D012509	IW019-020-021-051420-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
IW019-020-021	5/14/2020	14:04	N1	DD-D012509	IW019-020-021-051420-COMP	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
IW022-023	5/14/2020	14:57	N1	DD-D012602	IW022-023-051420-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
IW022-023	5/14/2020	14:57	N1	DD-D012602	IW022-023-051420-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
IW022-023	5/14/2020	14:57	N1	DD-D012602	IW022-023-051420-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
IW022-023	5/14/2020	14:57	N1	DD-D012602	IW022-023-051420-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
IW022-023	5/14/2020	14:57	N1	DD-D012602	IW022-023-051420-COMP	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
IW022-023	5/14/2020	14:57	N1	DD-D012602	IW022-023-051420-COMP	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
IW022-023	5/14/2020	14:57	N1	DD-D012602	IW022-023-051420-COMP	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
IW022-023	5/14/2020	14:57	N1	DD-D012602	IW022-023-051420-COMP	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
IW024-027	5/14/2020	15:04	N1	DD-D012604	IW024-027-051420-COMP	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
IW024-027	5/14/2020	15:04	N1	DD-D012604	IW024-027-051420-COMP	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
IW024-027	5/14/2020	15:04	N1	DD-D012604	IW024-027-051420-COMP	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
IW024-027	5/14/2020	15:04	N1	DD-D012604	IW024-027-051420-COMP	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.37		0.088	0.24	ug/WIPE

Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
IW024-027	5/14/2020	15:04	N1	DD-D012604	IW024-027-051420-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
IW024-027	5/14/2020	15:04	N1	DD-D012604	IW024-027-051420-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	ND	U	0.07	0.24	ug/WIPE
IW024-027	5/14/2020	15:04	N1	DD-D012604	IW024-027-051420-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
IW024-027	5/14/2020	15:04	N1	DD-D012604	IW024-027-051420-COMP	SW8082A	SW	TOTAL PCBs	0.37		-	0.24	ug/WIPE
IW025-026-028	5/14/2020	14:45	N1	DD-D012605	IW025-026-028-051420-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
IW025-026-028	5/14/2020	14:45	N1	DD-D012605	IW025-026-028-051420-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
IW025-026-028	5/14/2020	14:45	N1	DD-D012605	IW025-026-028-051420-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
IW025-026-028	5/14/2020	14:45	N1	DD-D012605	IW025-026-028-051420-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.44		0.088	0.24	ug/WIPE
IW025-026-028	5/14/2020	14:45	N1	DD-D012605	IW025-026-028-051420-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
IW025-026-028	5/14/2020	14:45	N1	DD-D012605	IW025-026-028-051420-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.19	J	0.07	0.24	ug/WIPE
IW025-026-028	5/14/2020	14:45	N1	DD-D012605	IW025-026-028-051420-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
IW025-026-028	5/14/2020	14:45	N1	DD-D012605	IW025-026-028-051420-COMP	SW8082A	SW	TOTAL PCBs	0.63		-	0.24	ug/WIPE
IW029-033-034	5/14/2020	14:26	N1	DD-D012609	IW029-033-034-051420-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
IW029-033-034	5/14/2020	14:26	N1	DD-D012609	IW029-033-034-051420-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
IW029-033-034	5/14/2020	14:26	N1	DD-D012609	IW029-033-034-051420-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
IW029-033-034	5/14/2020	14:26	N1	DD-D012609	IW029-033-034-051420-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.26		0.088	0.24	ug/WIPE
IW029-033-034	5/14/2020	14:26	N1	DD-D012609	IW029-033-034-051420-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
IW029-033-034	5/14/2020	14:26	N1	DD-D012609	IW029-033-034-051420-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.097	J	0.07	0.24	ug/WIPE
IW029-033-034	5/14/2020	14:26	N1	DD-D012609	IW029-033-034-051420-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
IW029-033-034	5/14/2020	14:26	N1	DD-D012609	IW029-033-034-051420-COMP	SW8082A	SW	TOTAL PCBs	0.357		-	0.24	ug/WIPE
IW030-031-032	5/14/2020	14:36	N1	DD-D012610	IW030-031-032-051420-COMP	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
IW030-031-032	5/14/2020	14:36	N1	DD-D012610	IW030-031-032-051420-COMP	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
IW030-031-032	5/14/2020	14:36	N1	DD-D012610	IW030-031-032-051420-COMP	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
IW030-031-032	5/14/2020	14:36	N1	DD-D012610	IW030-031-032-051420-COMP	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.21	J	0.088	0.24	ug/WIPE
IW030-031-032	5/14/2020	14:36	N1	DD-D012610	IW030-031-032-051420-COMP	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
IW030-031-032	5/14/2020	14:36	N1	DD-D012610	IW030-031-032-051420-COMP	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.084	J	0.07	0.24	ug/WIPE
IW030-031-032	5/14/2020	14:36	N1	DD-D012610	IW030-031-032-051420-COMP	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
IW030-031-032	5/14/2020	14:36	N1	DD-D012610	IW030-031-032-051420-COMP	SW8082A	SW	TOTAL PCBs	0.294		-	0.24	ug/WIPE
SAB001-002-003	5/14/2020	16:42	N1	DD-D012801	SAB001-002-003-051420-COM	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
SAB001-002-003	5/14/2020	16:42	N1	DD-D012801	SAB001-002-003-051420-COM	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
SAB001-002-003	5/14/2020	16:42	N1	DD-D012801	SAB001-002-003-051420-COM	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
SAB001-002-003	5/14/2020	16:42	N1	DD-D012801	SAB001-002-003-051420-COM	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	5.8		0.088	0.24	ug/WIPE
SAB001-002-003	5/14/2020	16:42	N1	DD-D012801	SAB001-002-003-051420-COM	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
SAB001-002-003	5/14/2020	16:42	N1	DD-D012801	SAB001-002-003-051420-COM	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	3.4		0.07	0.24	ug/WIPE
SAB001-002-003	5/14/2020	16:42	N1	DD-D012801	SAB001-002-003-051420-COM	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
SAB001-002-003	5/14/2020	16:42	N1	DD-D012801	SAB001-002-003-051420-COM	SW8082A	SW	TOTAL PCBs	9.2		-	0.24	ug/WIPE
SAB004-005-006	5/14/2020	16:58	N1	DD-D012804	SAB004-005-006-051420-COM	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
SAB004-005-006	5/14/2020	16:58	N1	DD-D012804	SAB004-005-006-051420-COM	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
SAB004-005-006	5/14/2020	16:58	N1	DD-D012804	SAB004-005-006-051420-COM	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
SAB004-005-006	5/14/2020	16:58	N1	DD-D012804	SAB004-005-006-051420-COM	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	9.5		0.088	0.24	ug/WIPE
SAB004-005-006	5/14/2020	16:58	N1	DD-D012804	SAB004-005-006-051420-COM	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
SAB004-005-006	5/14/2020	16:58	N1	DD-D012804	SAB004-005-006-051420-COM	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	3.9		0.07	0.24	ug/WIPE
SAB004-005-006	5/14/2020	16:58	N1	DD-D012804	SAB004-005-006-051420-COM	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
SAB004-005-006	5/14/2020	16:58	N1	DD-D012804	SAB004-005-006-051420-COM	SW8082A	SW	TOTAL PCBs	13.4		-	0.24	ug/WIPE
SAB007-008-009	5/14/2020	17:04	N1	DD-D012807	SAB007-008-009-051420-COM	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
SAB007-008-009	5/14/2020	17:04	N1	DD-D012807	SAB007-008-009-051420-COM	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
SAB007-008-009	5/14/2020	17:04	N1	DD-D012807	SAB007-008-009-051420-COM	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
SAB007-008-009	5/14/2020	17:04	N1	DD-D012807	SAB007-008-009-051420-COM	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	9.2		0.088	0.24	ug/WIPE
SAB007-008-009	5/14/2020	17:04	N1	DD-D012807	SAB007-008-009-051420-COM	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
SAB007-008-009	5/14/2020	17:04	N1	DD-D012807	SAB007-008-009-051420-COM	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	3.6		0.07	0.24	ug/WIPE
SAB007-008-009	5/14/2020	17:04	N1	DD-D012807	SAB007-008-009-051420-COM	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE

Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
SAB007-008-009	5/14/2020	17:04	N1	DD-D012807	SAB007-008-009-051420-COM	SW8082A	SW	TOTAL PCBs	12.8		-	0.24	ug/WIPE
SAB010-011-012	5/14/2020	17:11	N1	DD-D012810	SAB010-011-012-051420-COM	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
SAB010-011-012	5/14/2020	17:11	N1	DD-D012810	SAB010-011-012-051420-COM	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
SAB010-011-012	5/14/2020	17:11	N1	DD-D012810	SAB010-011-012-051420-COM	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
SAB010-011-012	5/14/2020	17:11	N1	DD-D012810	SAB010-011-012-051420-COM	SW8082A	SW	PCB-1242 (AROCLOR 1242)	16	J	0.088	0.24	ug/WIPE
SAB010-011-012	5/14/2020	17:11	N1	DD-D012810	SAB010-011-012-051420-COM	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
SAB010-011-012	5/14/2020	17:11	N1	DD-D012810	SAB010-011-012-051420-COM	SW8082A	SW	PCB-1254 (AROCLOR 1254)	5.8	J	0.07	0.24	ug/WIPE
SAB010-011-012	5/14/2020	17:11	N1	DD-D012810	SAB010-011-012-051420-COM	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
SAB010-011-012	5/14/2020	17:11	N1	DD-D012810	SAB010-011-012-051420-COM	SW8082A	SW	TOTAL PCBs	21.8		-	0.24	ug/WIPE
SAB013-014-015	5/14/2020	17:21	N1	DD-D012903	SAB013-014-015-051420-COM	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
SAB013-014-015	5/14/2020	17:21	N1	DD-D012903	SAB013-014-015-051420-COM	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
SAB013-014-015	5/14/2020	17:21	N1	DD-D012903	SAB013-014-015-051420-COM	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
SAB013-014-015	5/14/2020	17:21	N1	DD-D012903	SAB013-014-015-051420-COM	SW8082A	SW	PCB-1242 (AROCLOR 1242)	8		0.088	0.24	ug/WIPE
SAB013-014-015	5/14/2020	17:21	N1	DD-D012903	SAB013-014-015-051420-COM	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
SAB013-014-015	5/14/2020	17:21	N1	DD-D012903	SAB013-014-015-051420-COM	SW8082A	SW	PCB-1254 (AROCLOR 1254)	3.4		0.07	0.24	ug/WIPE
SAB013-014-015	5/14/2020	17:21	N1	DD-D012903	SAB013-014-015-051420-COM	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
SAB013-014-015	5/14/2020	17:21	N1	DD-D012903	SAB013-014-015-051420-COM	SW8082A	SW	TOTAL PCBs	11.4		-	0.24	ug/WIPE
SAB016-017-018	5/14/2020	17:27	N1	DD-D012906	SAB016-017-018-051420-COM	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
SAB016-017-018	5/14/2020	17:27	N1	DD-D012906	SAB016-017-018-051420-COM	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
SAB016-017-018	5/14/2020	17:27	N1	DD-D012906	SAB016-017-018-051420-COM	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
SAB016-017-018	5/14/2020	17:27	N1	DD-D012906	SAB016-017-018-051420-COM	SW8082A	SW	PCB-1242 (AROCLOR 1242)	6.1		0.088	0.24	ug/WIPE
SAB016-017-018	5/14/2020	17:27	N1	DD-D012906	SAB016-017-018-051420-COM	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
SAB016-017-018	5/14/2020	17:27	N1	DD-D012906	SAB016-017-018-051420-COM	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2.3		0.07	0.24	ug/WIPE
SAB016-017-018	5/14/2020	17:27	N1	DD-D012906	SAB016-017-018-051420-COM	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
SAB016-017-018	5/14/2020	17:27	N1	DD-D012906	SAB016-017-018-051420-COM	SW8082A	SW	TOTAL PCBs	8.4		-	0.24	ug/WIPE
SAB019-020-021	5/14/2020	17:32	N1	DD-D012909	SAB019-020-021-051420-COM	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
SAB019-020-021	5/14/2020	17:32	N1	DD-D012909	SAB019-020-021-051420-COM	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
SAB019-020-021	5/14/2020	17:32	N1	DD-D012909	SAB019-020-021-051420-COM	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
SAB019-020-021	5/14/2020	17:32	N1	DD-D012909	SAB019-020-021-051420-COM	SW8082A	SW	PCB-1242 (AROCLOR 1242)	9.4		0.088	0.24	ug/WIPE
SAB019-020-021	5/14/2020	17:32	N1	DD-D012909	SAB019-020-021-051420-COM	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
SAB019-020-021	5/14/2020	17:32	N1	DD-D012909	SAB019-020-021-051420-COM	SW8082A	SW	PCB-1254 (AROCLOR 1254)	3.2		0.07	0.24	ug/WIPE
SAB019-020-021	5/14/2020	17:32	N1	DD-D012909	SAB019-020-021-051420-COM	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
SAB019-020-021	5/14/2020	17:32	N1	DD-D012909	SAB019-020-021-051420-COM	SW8082A	SW	TOTAL PCBs	12.6		-	0.24	ug/WIPE
SAB022-023-024	5/15/2020	6:33	N1	DD-D013002	SAB022-023-024-051520-COM	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
SAB022-023-024	5/15/2020	6:33	N1	DD-D013002	SAB022-023-024-051520-COM	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
SAB022-023-024	5/15/2020	6:33	N1	DD-D013002	SAB022-023-024-051520-COM	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
SAB022-023-024	5/15/2020	6:33	N1	DD-D013002	SAB022-023-024-051520-COM	SW8082A	SW	PCB-1242 (AROCLOR 1242)	11		0.088	0.24	ug/WIPE
SAB022-023-024	5/15/2020	6:33	N1	DD-D013002	SAB022-023-024-051520-COM	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
SAB022-023-024	5/15/2020	6:33	N1	DD-D013002	SAB022-023-024-051520-COM	SW8082A	SW	PCB-1254 (AROCLOR 1254)	3.8		0.07	0.24	ug/WIPE
SAB022-023-024	5/15/2020	6:33	N1	DD-D013002	SAB022-023-024-051520-COM	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
SAB022-023-024	5/15/2020	6:33	N1	DD-D013002	SAB022-023-024-051520-COM	SW8082A	SW	TOTAL PCBs	14.8		-	0.24	ug/WIPE
SAB025-026-027	5/15/2020	6:42	N1	DD-D013005	SAB025-026-027-051520-COM	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
SAB025-026-027	5/15/2020	6:42	N1	DD-D013005	SAB025-026-027-051520-COM	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
SAB025-026-027	5/15/2020	6:42	N1	DD-D013005	SAB025-026-027-051520-COM	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
SAB025-026-027	5/15/2020	6:42	N1	DD-D013005	SAB025-026-027-051520-COM	SW8082A	SW	PCB-1242 (AROCLOR 1242)	11		0.088	0.24	ug/WIPE
SAB025-026-027	5/15/2020	6:42	N1	DD-D013005	SAB025-026-027-051520-COM	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
SAB025-026-027	5/15/2020	6:42	N1	DD-D013005	SAB025-026-027-051520-COM	SW8082A	SW	PCB-1254 (AROCLOR 1254)	3.8		0.07	0.24	ug/WIPE
SAB025-026-027	5/15/2020	6:42	N1	DD-D013005	SAB025-026-027-051520-COM	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
SAB025-026-027	5/15/2020	6:42	N1	DD-D013005	SAB025-026-027-051520-COM	SW8082A	SW	TOTAL PCBs	14.8		-	0.24	ug/WIPE
SAB028-029-030	5/15/2020	6:50	N1	DD-D013008	SAB028-029-030-051520-COM	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
SAB028-029-030	5/15/2020	6:50	N1	DD-D013008	SAB028-029-030-051520-COM	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE



Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
SAB028-029-030	5/15/2020	6:50	N1	DD-D013008	SAB028-029-030-051520-COM	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
SAB028-029-030	5/15/2020	6:50	N1	DD-D013008	SAB028-029-030-051520-COM	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	12	U	0.088	0.24	ug/WIPE
SAB028-029-030	5/15/2020	6:50	N1	DD-D013008	SAB028-029-030-051520-COM	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
SAB028-029-030	5/15/2020	6:50	N1	DD-D013008	SAB028-029-030-051520-COM	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	4.6	U	0.07	0.24	ug/WIPE
SAB028-029-030	5/15/2020	6:50	N1	DD-D013008	SAB028-029-030-051520-COM	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
SAB028-029-030	5/15/2020	6:50	N1	DD-D013008	SAB028-029-030-051520-COM	SW8082A	SW	TOTAL PCBs	16.6	U	-	0.24	ug/WIPE
SAB031-032-033	5/15/2020	6:55	N1	DD-D013101	SAB031-032-033-051520-COM	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
SAB031-032-033	5/15/2020	6:55	N1	DD-D013101	SAB031-032-033-051520-COM	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
SAB031-032-033	5/15/2020	6:55	N1	DD-D013101	SAB031-032-033-051520-COM	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
SAB031-032-033	5/15/2020	6:55	N1	DD-D013101	SAB031-032-033-051520-COM	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	9.7	U	0.088	0.24	ug/WIPE
SAB031-032-033	5/15/2020	6:55	N1	DD-D013101	SAB031-032-033-051520-COM	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
SAB031-032-033	5/15/2020	6:55	N1	DD-D013101	SAB031-032-033-051520-COM	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	3.8	U	0.07	0.24	ug/WIPE
SAB031-032-033	5/15/2020	6:55	N1	DD-D013101	SAB031-032-033-051520-COM	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
SAB031-032-033	5/15/2020	6:55	N1	DD-D013101	SAB031-032-033-051520-COM	SW8082A	SW	TOTAL PCBs	13.5	U	-	0.24	ug/WIPE
SAB034-035-036	5/15/2020	7:02	N1	DD-D013104	SAB034-035-036-051520-COM	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
SAB034-035-036	5/15/2020	7:02	N1	DD-D013104	SAB034-035-036-051520-COM	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
SAB034-035-036	5/15/2020	7:02	N1	DD-D013104	SAB034-035-036-051520-COM	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
SAB034-035-036	5/15/2020	7:02	N1	DD-D013104	SAB034-035-036-051520-COM	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	10	U	0.088	0.24	ug/WIPE
SAB034-035-036	5/15/2020	7:02	N1	DD-D013104	SAB034-035-036-051520-COM	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
SAB034-035-036	5/15/2020	7:02	N1	DD-D013104	SAB034-035-036-051520-COM	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	5.2	U	0.07	0.24	ug/WIPE
SAB034-035-036	5/15/2020	7:02	N1	DD-D013104	SAB034-035-036-051520-COM	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
SAB034-035-036	5/15/2020	7:02	N1	DD-D013104	SAB034-035-036-051520-COM	SW8082A	SW	TOTAL PCBs	15.2	U	-	0.24	ug/WIPE
SAB037-038-039	5/15/2020	7:10	N1	DD-D013107	SAB037-038-039-051520-COM	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
SAB037-038-039	5/15/2020	7:10	N1	DD-D013107	SAB037-038-039-051520-COM	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
SAB037-038-039	5/15/2020	7:10	N1	DD-D013107	SAB037-038-039-051520-COM	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
SAB037-038-039	5/15/2020	7:10	N1	DD-D013107	SAB037-038-039-051520-COM	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	9.4	U	0.088	0.24	ug/WIPE
SAB037-038-039	5/15/2020	7:10	N1	DD-D013107	SAB037-038-039-051520-COM	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
SAB037-038-039	5/15/2020	7:10	N1	DD-D013107	SAB037-038-039-051520-COM	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	4.5	U	0.07	0.24	ug/WIPE
SAB037-038-039	5/15/2020	7:10	N1	DD-D013107	SAB037-038-039-051520-COM	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
SAB037-038-039	5/15/2020	7:10	N1	DD-D013107	SAB037-038-039-051520-COM	SW8082A	SW	TOTAL PCBs	13.9	U	-	0.24	ug/WIPE
SAB040-041-042	5/15/2020	7:15	N1	DD-D013110	SAB040-041-042-051520-COM	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
SAB040-041-042	5/15/2020	7:15	N1	DD-D013110	SAB040-041-042-051520-COM	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
SAB040-041-042	5/15/2020	7:15	N1	DD-D013110	SAB040-041-042-051520-COM	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
SAB040-041-042	5/15/2020	7:15	N1	DD-D013110	SAB040-041-042-051520-COM	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	7.8	U	0.088	0.24	ug/WIPE
SAB040-041-042	5/15/2020	7:15	N1	DD-D013110	SAB040-041-042-051520-COM	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
SAB040-041-042	5/15/2020	7:15	N1	DD-D013110	SAB040-041-042-051520-COM	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	3.3	U	0.07	0.24	ug/WIPE
SAB040-041-042	5/15/2020	7:15	N1	DD-D013110	SAB040-041-042-051520-COM	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
SAB040-041-042	5/15/2020	7:15	N1	DD-D013110	SAB040-041-042-051520-COM	SW8082A	SW	TOTAL PCBs	11.1	U	-	0.24	ug/WIPE
SAB043-044-045	5/14/2020	7:52	N1	DD-D013203	SAB043-044-045-051520-COM	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
SAB043-044-045	5/14/2020	7:52	N1	DD-D013203	SAB043-044-045-051520-COM	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
SAB043-044-045	5/14/2020	7:52	N1	DD-D013203	SAB043-044-045-051520-COM	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
SAB043-044-045	5/14/2020	7:52	N1	DD-D013203	SAB043-044-045-051520-COM	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	12	U	0.088	0.24	ug/WIPE
SAB043-044-045	5/14/2020	7:52	N1	DD-D013203	SAB043-044-045-051520-COM	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
SAB043-044-045	5/14/2020	7:52	N1	DD-D013203	SAB043-044-045-051520-COM	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	3.9	U	0.07	0.24	ug/WIPE
SAB043-044-045	5/14/2020	7:52	N1	DD-D013203	SAB043-044-045-051520-COM	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
SAB043-044-045	5/14/2020	7:52	N1	DD-D013203	SAB043-044-045-051520-COM	SW8082A	SW	TOTAL PCBs	15.9	U	-	0.24	ug/WIPE
SAB046-047-048	5/14/2020	8:03	N1	DD-D013206	SAB046-047-048-051520-COM	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
SAB046-047-048	5/14/2020	8:03	N1	DD-D013206	SAB046-047-048-051520-COM	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
SAB046-047-048	5/14/2020	8:03	N1	DD-D013206	SAB046-047-048-051520-COM	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
SAB046-047-048	5/14/2020	8:03	N1	DD-D013206	SAB046-047-048-051520-COM	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	10	U	0.088	0.24	ug/WIPE
SAB046-047-048	5/14/2020	8:03	N1	DD-D013206	SAB046-047-048-051520-COM	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE

Attachment 3 - Initial Sampling Wall and Ceiling Wipe Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
SAB046-047-048	5/14/2020	8:03	N1	DD-D013206	SAB046-047-048-051520-COM	SW8082A	SW	PCB-1254 (AROCLOR 1254)	3.3		0.07	0.24	ug/WIPE
SAB046-047-048	5/14/2020	8:03	N1	DD-D013206	SAB046-047-048-051520-COM	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
SAB046-047-048	5/14/2020	8:03	N1	DD-D013206	SAB046-047-048-051520-COM	SW8082A	SW	TOTAL PCBs	13.3		-	0.24	ug/WIPE
SBW001	5/14/2020	15:37	N1	DD-D000301	SBW001-051420	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
SBW001	5/14/2020	15:37	N1	DD-D000301	SBW001-051420	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
SBW001	5/14/2020	15:37	N1	DD-D000301	SBW001-051420	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
SBW001	5/14/2020	15:37	N1	DD-D000301	SBW001-051420	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
SBW001	5/14/2020	15:37	N1	DD-D000301	SBW001-051420	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
SBW001	5/14/2020	15:37	N1	DD-D000301	SBW001-051420	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
SBW001	5/14/2020	15:37	N1	DD-D000301	SBW001-051420	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
SBW001	5/14/2020	15:37	N1	DD-D000301	SBW001-051420	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
SBW002	5/14/2020	15:45	N1	DD-D000302	SBW002-051420	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
SBW002	5/14/2020	15:45	N1	DD-D000302	SBW002-051420	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
SBW002	5/14/2020	15:45	N1	DD-D000302	SBW002-051420	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
SBW002	5/14/2020	15:45	N1	DD-D000302	SBW002-051420	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
SBW002	5/14/2020	15:45	N1	DD-D000302	SBW002-051420	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
SBW002	5/14/2020	15:45	N1	DD-D000302	SBW002-051420	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
SBW002	5/14/2020	15:45	N1	DD-D000302	SBW002-051420	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
SBW002	5/14/2020	15:45	N1	DD-D000302	SBW002-051420	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
SBW003	5/14/2020	15:41	N1	DD-D000303	SBW003-051420	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
SBW003	5/14/2020	15:41	N1	DD-D000303	SBW003-051420	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
SBW003	5/14/2020	15:41	N1	DD-D000303	SBW003-051420	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
SBW003	5/14/2020	15:41	N1	DD-D000303	SBW003-051420	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
SBW003	5/14/2020	15:41	N1	DD-D000303	SBW003-051420	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
SBW003	5/14/2020	15:41	N1	DD-D000303	SBW003-051420	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
SBW003	5/14/2020	15:41	N1	DD-D000303	SBW003-051420	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
SBW003	5/14/2020	15:41	N1	DD-D000303	SBW003-051420	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE

Notes:

J = estimated value

ND = non-detect

N1 = normal environmental sample

PCB = Polychlorinated biphenyl

SW = Wipe Sample

U = non-detect

ug/WIPE = micrograms per wipe

UJ = estimated non-detect

# Attachment 4

Attachment 4 - Wall and Ceiling Wipe Final Resample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
BBG044R	6/29/2020	6:28	N1	DD-D020101	BBG044R-062920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG044R	6/29/2020	6:28	N1	DD-D020101	BBG044R-062920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG044R	6/29/2020	6:28	N1	DD-D020101	BBG044R-062920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG044R	6/29/2020	6:28	N1	DD-D020101	BBG044R-062920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3.6		0.088	0.24	ug/WIPE
BBG044R	6/29/2020	6:28	N1	DD-D020101	BBG044R-062920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG044R	6/29/2020	6:28	N1	DD-D020101	BBG044R-062920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.3		0.07	0.24	ug/WIPE
BBG044R	6/29/2020	6:28	N1	DD-D020101	BBG044R-062920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG044R	6/29/2020	6:28	N1	DD-D020101	BBG044R-062920	SW8082A	SW	TOTAL PCBs	4.9		-	0.24	ug/WIPE
BBG065R	6/29/2020	6:38	N1	DD-D020102	BBG065R-062920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG065R	6/29/2020	6:38	N1	DD-D020102	BBG065R-062920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG065R	6/29/2020	6:38	N1	DD-D020102	BBG065R-062920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG065R	6/29/2020	6:38	N1	DD-D020102	BBG065R-062920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2.9		0.088	0.24	ug/WIPE
BBG065R	6/29/2020	6:38	N1	DD-D020102	BBG065R-062920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG065R	6/29/2020	6:38	N1	DD-D020102	BBG065R-062920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.1		0.07	0.24	ug/WIPE
BBG065R	6/29/2020	6:38	N1	DD-D020102	BBG065R-062920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG065R	6/29/2020	6:38	N1	DD-D020102	BBG065R-062920	SW8082A	SW	TOTAL PCBs	4		-	0.24	ug/WIPE
BBG066R	6/29/2020	6:45	N1	DD-D020103	BBG066R-062920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG066R	6/29/2020	6:45	N1	DD-D020103	BBG066R-062920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG066R	6/29/2020	6:45	N1	DD-D020103	BBG066R-062920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG066R	6/29/2020	6:45	N1	DD-D020103	BBG066R-062920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1.8		0.088	0.24	ug/WIPE
BBG066R	6/29/2020	6:45	N1	DD-D020103	BBG066R-062920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG066R	6/29/2020	6:45	N1	DD-D020103	BBG066R-062920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.55		0.07	0.24	ug/WIPE
BBG066R	6/29/2020	6:45	N1	DD-D020103	BBG066R-062920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG066R	6/29/2020	6:45	N1	DD-D020103	BBG066R-062920	SW8082A	SW	TOTAL PCBs	2.35		-	0.24	ug/WIPE
BBG076R	6/29/2020	6:50	N1	DD-D020104	BBG076R-062920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG076R	6/29/2020	6:50	N1	DD-D020104	BBG076R-062920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG076R	6/29/2020	6:50	N1	DD-D020104	BBG076R-062920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG076R	6/29/2020	6:50	N1	DD-D020104	BBG076R-062920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1.9		0.088	0.24	ug/WIPE
BBG076R	6/29/2020	6:50	N1	DD-D020104	BBG076R-062920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG076R	6/29/2020	6:50	N1	DD-D020104	BBG076R-062920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.58		0.07	0.24	ug/WIPE
BBG076R	6/29/2020	6:50	N1	DD-D020104	BBG076R-062920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG076R	6/29/2020	6:50	N1	DD-D020104	BBG076R-062920	SW8082A	SW	TOTAL PCBs	2.48		-	0.24	ug/WIPE
BBG077R	6/29/2020	6:53	N1	DD-D020105	BBG077R-062920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG077R	6/29/2020	6:53	N1	DD-D020105	BBG077R-062920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG077R	6/29/2020	6:53	N1	DD-D020105	BBG077R-062920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG077R	6/29/2020	6:53	N1	DD-D020105	BBG077R-062920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2		0.088	0.24	ug/WIPE
BBG077R	6/29/2020	6:53	N1	DD-D020105	BBG077R-062920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG077R	6/29/2020	6:53	N1	DD-D020105	BBG077R-062920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.69		0.07	0.24	ug/WIPE
BBG077R	6/29/2020	6:53	N1	DD-D020105	BBG077R-062920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG077R	6/29/2020	6:53	N1	DD-D020105	BBG077R-062920	SW8082A	SW	TOTAL PCBs	2.69		-	0.24	ug/WIPE
BBG082R	6/29/2020	6:55	N1	DD-D020106	BBG082R-062920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG082R	6/29/2020	6:55	N1	DD-D020106	BBG082R-062920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG082R	6/29/2020	6:55	N1	DD-D020106	BBG082R-062920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG082R	6/29/2020	6:55	N1	DD-D020106	BBG082R-062920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2		0.088	0.24	ug/WIPE
BBG082R	6/29/2020	6:55	N1	DD-D020106	BBG082R-062920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG082R	6/29/2020	6:55	N1	DD-D020106	BBG082R-062920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.73		0.07	0.24	ug/WIPE
BBG082R	6/29/2020	6:55	N1	DD-D020106	BBG082R-062920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG082R	6/29/2020	6:55	N1	DD-D020106	BBG082R-062920	SW8082A	SW	TOTAL PCBs	2.73		-	0.24	ug/WIPE
BBG095R	6/29/2020	7:02	N1	DD-D020107	BBG095R-062920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG095R	6/29/2020	7:02	N1	DD-D020107	BBG095R-062920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG095R	6/29/2020	7:02	N1	DD-D020107	BBG095R-062920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE

Attachment 4 - Wall and Ceiling Wipe Final Resample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
BBG095R	6/29/2020	7:02	N1	DD-D020107	BBG095R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.61		0.088	0.24	ug/WIPE
BBG095R	6/29/2020	7:02	N1	DD-D020107	BBG095R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG095R	6/29/2020	7:02	N1	DD-D020107	BBG095R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.25		0.07	0.24	ug/WIPE
BBG095R	6/29/2020	7:02	N1	DD-D020107	BBG095R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG095R	6/29/2020	7:02	N1	DD-D020107	BBG095R-062920	SW8082A	SW	TOTAL PCBs	0.86		-	0.24	ug/WIPE
BBG096R	6/29/2020	7:05	N1	DD-D020108	BBG096R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG096R	6/29/2020	7:05	N1	DD-D020108	BBG096R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG096R	6/29/2020	7:05	N1	DD-D020108	BBG096R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG096R	6/29/2020	7:05	N1	DD-D020108	BBG096R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.13	J	0.088	0.24	ug/WIPE
BBG096R	6/29/2020	7:05	N1	DD-D020108	BBG096R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG096R	6/29/2020	7:05	N1	DD-D020108	BBG096R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	ND	U	0.07	0.24	ug/WIPE
BBG096R	6/29/2020	7:05	N1	DD-D020108	BBG096R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG096R	6/29/2020	7:05	N1	DD-D020108	BBG096R-062920	SW8082A	SW	TOTAL PCBs	0.13		-	0.24	ug/WIPE
BBG097R	6/29/2020	7:07	N1	DD-D020109	BBG097R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG097R	6/29/2020	7:07	N1	DD-D020109	BBG097R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG097R	6/29/2020	7:07	N1	DD-D020109	BBG097R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG097R	6/29/2020	7:07	N1	DD-D020109	BBG097R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	1.5		0.088	0.24	ug/WIPE
BBG097R	6/29/2020	7:07	N1	DD-D020109	BBG097R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG097R	6/29/2020	7:07	N1	DD-D020109	BBG097R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.6		0.07	0.24	ug/WIPE
BBG097R	6/29/2020	7:07	N1	DD-D020109	BBG097R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG097R	6/29/2020	7:07	N1	DD-D020109	BBG097R-062920	SW8082A	SW	TOTAL PCBs	2.1		-	0.24	ug/WIPE
BBG112R	6/29/2020	7:12	N1	DD-D020110	BBG112R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG112R	6/29/2020	7:12	N1	DD-D020110	BBG112R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG112R	6/29/2020	7:12	N1	DD-D020110	BBG112R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG112R	6/29/2020	7:12	N1	DD-D020110	BBG112R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.4		0.088	0.24	ug/WIPE
BBG112R	6/29/2020	7:12	N1	DD-D020110	BBG112R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG112R	6/29/2020	7:12	N1	DD-D020110	BBG112R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.74		0.07	0.24	ug/WIPE
BBG112R	6/29/2020	7:12	N1	DD-D020110	BBG112R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG112R	6/29/2020	7:12	N1	DD-D020110	BBG112R-062920	SW8082A	SW	TOTAL PCBs	3.14		-	0.24	ug/WIPE
BBG121R	6/29/2020	7:15	N1	DD-D020201	BBG121R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG121R	6/29/2020	7:15	N1	DD-D020201	BBG121R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG121R	6/29/2020	7:15	N1	DD-D020201	BBG121R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG121R	6/29/2020	7:15	N1	DD-D020201	BBG121R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.2		0.088	0.24	ug/WIPE
BBG121R	6/29/2020	7:15	N1	DD-D020201	BBG121R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG121R	6/29/2020	7:15	N1	DD-D020201	BBG121R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.78		0.07	0.24	ug/WIPE
BBG121R	6/29/2020	7:15	N1	DD-D020201	BBG121R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG121R	6/29/2020	7:15	N1	DD-D020201	BBG121R-062920	SW8082A	SW	TOTAL PCBs	2.98		-	0.24	ug/WIPE
BBG122R	6/29/2020	7:18	N1	DD-D020202	BBG122R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG122R	6/29/2020	7:18	N1	DD-D020202	BBG122R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG122R	6/29/2020	7:18	N1	DD-D020202	BBG122R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG122R	6/29/2020	7:18	N1	DD-D020202	BBG122R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.85		0.088	0.24	ug/WIPE
BBG122R	6/29/2020	7:18	N1	DD-D020202	BBG122R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG122R	6/29/2020	7:18	N1	DD-D020202	BBG122R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.33		0.07	0.24	ug/WIPE
BBG122R	6/29/2020	7:18	N1	DD-D020202	BBG122R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG122R	6/29/2020	7:18	N1	DD-D020202	BBG122R-062920	SW8082A	SW	TOTAL PCBs	1.18		-	0.24	ug/WIPE
BBG134R	6/29/2020	7:22	N1	DD-D020203	BBG134R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG134R	6/29/2020	7:22	N1	DD-D020203	BBG134R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG134R	6/29/2020	7:22	N1	DD-D020203	BBG134R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG134R	6/29/2020	7:22	N1	DD-D020203	BBG134R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	1.3		0.088	0.24	ug/WIPE
BBG134R	6/29/2020	7:22	N1	DD-D020203	BBG134R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG134R	6/29/2020	7:22	N1	DD-D020203	BBG134R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.45		0.07	0.24	ug/WIPE



Attachment 4 - Wall and Ceiling Wipe Final Resample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
BBG134R	6/29/2020	7:22	N1	DD-D020203	BBG134R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG134R	6/29/2020	7:22	N1	DD-D020203	BBG134R-062920	SW8082A	SW	TOTAL PCBs	1.75		-	0.24	ug/WIPE
BBG135R	6/29/2020	7:27	N1	DD-D020204	BBG135R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG135R	6/29/2020	7:27	N1	DD-D020204	BBG135R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG135R	6/29/2020	7:27	N1	DD-D020204	BBG135R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG135R	6/29/2020	7:27	N1	DD-D020204	BBG135R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.74		0.088	0.24	ug/WIPE
BBG135R	6/29/2020	7:27	N1	DD-D020204	BBG135R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG135R	6/29/2020	7:27	N1	DD-D020204	BBG135R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.3		0.07	0.24	ug/WIPE
BBG135R	6/29/2020	7:27	N1	DD-D020204	BBG135R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG135R	6/29/2020	7:27	N1	DD-D020204	BBG135R-062920	SW8082A	SW	TOTAL PCBs	1.04		-	0.24	ug/WIPE
BBG137R	6/29/2020	7:33	N1	DD-D020205	BBG137R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG137R	6/29/2020	7:33	N1	DD-D020205	BBG137R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG137R	6/29/2020	7:33	N1	DD-D020205	BBG137R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG137R	6/29/2020	7:33	N1	DD-D020205	BBG137R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.6		0.088	0.24	ug/WIPE
BBG137R	6/29/2020	7:33	N1	DD-D020205	BBG137R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG137R	6/29/2020	7:33	N1	DD-D020205	BBG137R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.94		0.07	0.24	ug/WIPE
BBG137R	6/29/2020	7:33	N1	DD-D020205	BBG137R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG137R	6/29/2020	7:33	N1	DD-D020205	BBG137R-062920	SW8082A	SW	TOTAL PCBs	3.54		-	0.24	ug/WIPE
BBG138R	6/29/2020	7:37	N1	DD-D020206	BBG138R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG138R	6/29/2020	7:37	N1	DD-D020206	BBG138R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG138R	6/29/2020	7:37	N1	DD-D020206	BBG138R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG138R	6/29/2020	7:37	N1	DD-D020206	BBG138R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.71		0.088	0.24	ug/WIPE
BBG138R	6/29/2020	7:37	N1	DD-D020206	BBG138R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG138R	6/29/2020	7:37	N1	DD-D020206	BBG138R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.3		0.07	0.24	ug/WIPE
BBG138R	6/29/2020	7:37	N1	DD-D020206	BBG138R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG138R	6/29/2020	7:37	N1	DD-D020206	BBG138R-062920	SW8082A	SW	TOTAL PCBs	1.01		-	0.24	ug/WIPE
BBG152R	6/29/2020	7:42	N1	DD-D020207	BBG152R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG152R	6/29/2020	7:42	N1	DD-D020207	BBG152R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG152R	6/29/2020	7:42	N1	DD-D020207	BBG152R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG152R	6/29/2020	7:42	N1	DD-D020207	BBG152R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.6		0.088	0.24	ug/WIPE
BBG152R	6/29/2020	7:42	N1	DD-D020207	BBG152R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG152R	6/29/2020	7:42	N1	DD-D020207	BBG152R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.76		0.07	0.24	ug/WIPE
BBG152R	6/29/2020	7:42	N1	DD-D020207	BBG152R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG152R	6/29/2020	7:42	N1	DD-D020207	BBG152R-062920	SW8082A	SW	TOTAL PCBs	3.36		-	0.24	ug/WIPE
BBG153R	6/29/2020	7:45	N1	DD-D020208	BBG153R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG153R	6/29/2020	7:45	N1	DD-D020208	BBG153R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG153R	6/29/2020	7:45	N1	DD-D020208	BBG153R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG153R	6/29/2020	7:45	N1	DD-D020208	BBG153R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	1.4		0.088	0.24	ug/WIPE
BBG153R	6/29/2020	7:45	N1	DD-D020208	BBG153R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG153R	6/29/2020	7:45	N1	DD-D020208	BBG153R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.42		0.07	0.24	ug/WIPE
BBG153R	6/29/2020	7:45	N1	DD-D020208	BBG153R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG153R	6/29/2020	7:45	N1	DD-D020208	BBG153R-062920	SW8082A	SW	TOTAL PCBs	1.82		-	0.24	ug/WIPE
BBG158R	6/29/2020	7:50	N1	DD-D020209	BBG158R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG158R	6/29/2020	7:50	N1	DD-D020209	BBG158R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG158R	6/29/2020	7:50	N1	DD-D020209	BBG158R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG158R	6/29/2020	7:50	N1	DD-D020209	BBG158R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.97		0.088	0.24	ug/WIPE
BBG158R	6/29/2020	7:50	N1	DD-D020209	BBG158R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG158R	6/29/2020	7:50	N1	DD-D020209	BBG158R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.37		0.07	0.24	ug/WIPE
BBG158R	6/29/2020	7:50	N1	DD-D020209	BBG158R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG158R	6/29/2020	7:50	N1	DD-D020209	BBG158R-062920	SW8082A	SW	TOTAL PCBs	1.34		-	0.24	ug/WIPE
BBG159R	6/29/2020	7:55	N1	DD-D020210	BBG159R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE

Attachment 4 - Wall and Ceiling Wipe Final Resample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
BBG159R	6/29/2020	7:55	N1	DD-D020210	BBG159R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG159R	6/29/2020	7:55	N1	DD-D020210	BBG159R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG159R	6/29/2020	7:55	N1	DD-D020210	BBG159R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.8		0.088	0.24	ug/WIPE
BBG159R	6/29/2020	7:55	N1	DD-D020210	BBG159R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG159R	6/29/2020	7:55	N1	DD-D020210	BBG159R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.91		0.07	0.24	ug/WIPE
BBG159R	6/29/2020	7:55	N1	DD-D020210	BBG159R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG159R	6/29/2020	7:55	N1	DD-D020210	BBG159R-062920	SW8082A	SW	TOTAL PCBs	3.71		-	0.24	ug/WIPE
BBG161R	6/29/2020	7:53	N1	DD-D020301	BBG161R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG161R	6/29/2020	7:53	N1	DD-D020301	BBG161R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG161R	6/29/2020	7:53	N1	DD-D020301	BBG161R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG161R	6/29/2020	7:53	N1	DD-D020301	BBG161R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.35		0.088	0.24	ug/WIPE
BBG161R	6/29/2020	7:53	N1	DD-D020301	BBG161R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG161R	6/29/2020	7:53	N1	DD-D020301	BBG161R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.16	J	0.07	0.24	ug/WIPE
BBG161R	6/29/2020	7:53	N1	DD-D020301	BBG161R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG161R	6/29/2020	7:53	N1	DD-D020301	BBG161R-062920	SW8082A	SW	TOTAL PCBs	0.51		-	0.24	ug/WIPE
BBG171R	6/29/2020	8:05	N1	DD-D020302	BBG171R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG171R	6/29/2020	8:05	N1	DD-D020302	BBG171R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG171R	6/29/2020	8:05	N1	DD-D020302	BBG171R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG171R	6/29/2020	8:05	N1	DD-D020302	BBG171R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.4		0.088	0.24	ug/WIPE
BBG171R	6/29/2020	8:05	N1	DD-D020302	BBG171R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG171R	6/29/2020	8:05	N1	DD-D020302	BBG171R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.75		0.07	0.24	ug/WIPE
BBG171R	6/29/2020	8:05	N1	DD-D020302	BBG171R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG171R	6/29/2020	8:05	N1	DD-D020302	BBG171R-062920	SW8082A	SW	TOTAL PCBs	3.15		-	0.24	ug/WIPE
BBG172R	6/29/2020	8:08	N1	DD-D020303	BBG172R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG172R	6/29/2020	8:08	N1	DD-D020303	BBG172R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG172R	6/29/2020	8:08	N1	DD-D020303	BBG172R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG172R	6/29/2020	8:08	N1	DD-D020303	BBG172R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.3		0.088	0.24	ug/WIPE
BBG172R	6/29/2020	8:08	N1	DD-D020303	BBG172R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG172R	6/29/2020	8:08	N1	DD-D020303	BBG172R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.76		0.07	0.24	ug/WIPE
BBG172R	6/29/2020	8:08	N1	DD-D020303	BBG172R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG172R	6/29/2020	8:08	N1	DD-D020303	BBG172R-062920	SW8082A	SW	TOTAL PCBs	3.06		-	0.24	ug/WIPE
BBG173R	6/29/2020	8:10	N1	DD-D020304	BBG173R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
BBG173R	6/29/2020	8:10	N1	DD-D020304	BBG173R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
BBG173R	6/29/2020	8:10	N1	DD-D020304	BBG173R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
BBG173R	6/29/2020	8:10	N1	DD-D020304	BBG173R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.75		0.088	0.24	ug/WIPE
BBG173R	6/29/2020	8:10	N1	DD-D020304	BBG173R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
BBG173R	6/29/2020	8:10	N1	DD-D020304	BBG173R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.28		0.07	0.24	ug/WIPE
BBG173R	6/29/2020	8:10	N1	DD-D020304	BBG173R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
BBG173R	6/29/2020	8:10	N1	DD-D020304	BBG173R-062920	SW8082A	SW	TOTAL PCBs	1.03		-	0.24	ug/WIPE
CBG002R	6/29/2020	8:25	N1	DD-D020401	CBG002R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG002R	6/29/2020	8:25	N1	DD-D020401	CBG002R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG002R	6/29/2020	8:25	N1	DD-D020401	CBG002R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG002R	6/29/2020	8:25	N1	DD-D020401	CBG002R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	1.9		0.088	0.24	ug/WIPE
CBG002R	6/29/2020	8:25	N1	DD-D020401	CBG002R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG002R	6/29/2020	8:25	N1	DD-D020401	CBG002R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.63		0.07	0.24	ug/WIPE
CBG002R	6/29/2020	8:25	N1	DD-D020401	CBG002R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG002R	6/29/2020	8:25	N1	DD-D020401	CBG002R-062920	SW8082A	SW	TOTAL PCBs	2.53		-	0.24	ug/WIPE
CBG003R	6/29/2020	8:35	N1	DD-D020402	CBG003R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG003R	6/29/2020	8:35	N1	DD-D020402	CBG003R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG003R	6/29/2020	8:35	N1	DD-D020402	CBG003R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG003R	6/29/2020	8:35	N1	DD-D020402	CBG003R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.74		0.088	0.24	ug/WIPE

Attachment 4 - Wall and Ceiling Wipe Final Resample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
CBG003R	6/29/2020	8:35	N1	DD-D020402	CBG003R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG003R	6/29/2020	8:35	N1	DD-D020402	CBG003R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.28	U	0.07	0.24	ug/WIPE
CBG003R	6/29/2020	8:35	N1	DD-D020402	CBG003R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG003R	6/29/2020	8:35	N1	DD-D020402	CBG003R-062920	SW8082A	SW	TOTAL PCBs	1.02	U	-	0.24	ug/WIPE
CBG004R	6/29/2020	8:37	N1	DD-D020403	CBG004R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG004R	6/29/2020	8:37	N1	DD-D020403	CBG004R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG004R	6/29/2020	8:37	N1	DD-D020403	CBG004R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG004R	6/29/2020	8:37	N1	DD-D020403	CBG004R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.1	U	0.088	0.24	ug/WIPE
CBG004R	6/29/2020	8:37	N1	DD-D020403	CBG004R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG004R	6/29/2020	8:37	N1	DD-D020403	CBG004R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.6	U	0.07	0.24	ug/WIPE
CBG004R	6/29/2020	8:37	N1	DD-D020403	CBG004R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG004R	6/29/2020	8:37	N1	DD-D020403	CBG004R-062920	SW8082A	SW	TOTAL PCBs	2.7	U	-	0.24	ug/WIPE
CBG005R	6/29/2020	8:41	N1	DD-D020404	CBG005R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG005R	6/29/2020	8:41	N1	DD-D020404	CBG005R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG005R	6/29/2020	8:41	N1	DD-D020404	CBG005R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG005R	6/29/2020	8:41	N1	DD-D020404	CBG005R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.39	U	0.088	0.24	ug/WIPE
CBG005R	6/29/2020	8:41	N1	DD-D020404	CBG005R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG005R	6/29/2020	8:41	N1	DD-D020404	CBG005R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.15	J	0.07	0.24	ug/WIPE
CBG005R	6/29/2020	8:41	N1	DD-D020404	CBG005R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG005R	6/29/2020	8:41	N1	DD-D020404	CBG005R-062920	SW8082A	SW	TOTAL PCBs	0.54	U	-	0.24	ug/WIPE
CBG007R	6/29/2020	8:45	N1	DD-D020405	CBG007R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG007R	6/29/2020	8:45	N1	DD-D020405	CBG007R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG007R	6/29/2020	8:45	N1	DD-D020405	CBG007R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG007R	6/29/2020	8:45	N1	DD-D020405	CBG007R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.3	U	0.088	0.24	ug/WIPE
CBG007R	6/29/2020	8:45	N1	DD-D020405	CBG007R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG007R	6/29/2020	8:45	N1	DD-D020405	CBG007R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.78	U	0.07	0.24	ug/WIPE
CBG007R	6/29/2020	8:45	N1	DD-D020405	CBG007R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG007R	6/29/2020	8:45	N1	DD-D020405	CBG007R-062920	SW8082A	SW	TOTAL PCBs	3.08	U	-	0.24	ug/WIPE
CBG010R	6/29/2020	8:47	N1	DD-D020406	CBG010R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG010R	6/29/2020	8:47	N1	DD-D020406	CBG010R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG010R	6/29/2020	8:47	N1	DD-D020406	CBG010R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG010R	6/29/2020	8:47	N1	DD-D020406	CBG010R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2	U	0.088	0.24	ug/WIPE
CBG010R	6/29/2020	8:47	N1	DD-D020406	CBG010R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG010R	6/29/2020	8:47	N1	DD-D020406	CBG010R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.62	U	0.07	0.24	ug/WIPE
CBG010R	6/29/2020	8:47	N1	DD-D020406	CBG010R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG010R	6/29/2020	8:47	N1	DD-D020406	CBG010R-062920	SW8082A	SW	TOTAL PCBs	2.62	U	-	0.24	ug/WIPE
CBG011R	6/29/2020	8:51	N1	DD-D020407	CBG011R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG011R	6/29/2020	8:51	N1	DD-D020407	CBG011R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG011R	6/29/2020	8:51	N1	DD-D020407	CBG011R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG011R	6/29/2020	8:51	N1	DD-D020407	CBG011R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2	U	0.088	0.24	ug/WIPE
CBG011R	6/29/2020	8:51	N1	DD-D020407	CBG011R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG011R	6/29/2020	8:51	N1	DD-D020407	CBG011R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.68	U	0.07	0.24	ug/WIPE
CBG011R	6/29/2020	8:51	N1	DD-D020407	CBG011R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG011R	6/29/2020	8:51	N1	DD-D020407	CBG011R-062920	SW8082A	SW	TOTAL PCBs	2.68	U	-	0.24	ug/WIPE
CBG019R	6/29/2020	8:55	N1	DD-D020408	CBG019R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG019R	6/29/2020	8:55	N1	DD-D020408	CBG019R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG019R	6/29/2020	8:55	N1	DD-D020408	CBG019R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG019R	6/29/2020	8:55	N1	DD-D020408	CBG019R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.57	U	0.088	0.24	ug/WIPE
CBG019R	6/29/2020	8:55	N1	DD-D020408	CBG019R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG019R	6/29/2020	8:55	N1	DD-D020408	CBG019R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.24	J	0.07	0.24	ug/WIPE
CBG019R	6/29/2020	8:55	N1	DD-D020408	CBG019R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE

Attachment 4 - Wall and Ceiling Wipe Final Resample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
CBG019R	6/29/2020	8:55	N1	DD-D020408	CBG019R-062920	SW8082A	SW	TOTAL PCBs	0.81		-	0.24	ug/WIPE
CBG020R	6/29/2020	8:58	N1	DD-D020409	CBG020R-062920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG020R	6/29/2020	8:58	N1	DD-D020409	CBG020R-062920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG020R	6/29/2020	8:58	N1	DD-D020409	CBG020R-062920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG020R	6/29/2020	8:58	N1	DD-D020409	CBG020R-062920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1.7		0.088	0.24	ug/WIPE
CBG020R	6/29/2020	8:58	N1	DD-D020409	CBG020R-062920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG020R	6/29/2020	8:58	N1	DD-D020409	CBG020R-062920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.55		0.07	0.24	ug/WIPE
CBG020R	6/29/2020	8:58	N1	DD-D020409	CBG020R-062920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG020R	6/29/2020	8:58	N1	DD-D020409	CBG020R-062920	SW8082A	SW	TOTAL PCBs	2.25		-	0.24	ug/WIPE
CBG023R	6/29/2020	9:39	N1	DD-D020410	CBG023R-062920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG023R	6/29/2020	9:39	N1	DD-D020410	CBG023R-062920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG023R	6/29/2020	9:39	N1	DD-D020410	CBG023R-062920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG023R	6/29/2020	9:39	N1	DD-D020410	CBG023R-062920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1.5		0.088	0.24	ug/WIPE
CBG023R	6/29/2020	9:39	N1	DD-D020410	CBG023R-062920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG023R	6/29/2020	9:39	N1	DD-D020410	CBG023R-062920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.49		0.07	0.24	ug/WIPE
CBG023R	6/29/2020	9:39	N1	DD-D020410	CBG023R-062920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG023R	6/29/2020	9:39	N1	DD-D020410	CBG023R-062920	SW8082A	SW	TOTAL PCBs	1.99		-	0.24	ug/WIPE
CBG028R	6/29/2020	9:42	N1	DD-D020501	CBG028R-062920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG028R	6/29/2020	9:42	N1	DD-D020501	CBG028R-062920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG028R	6/29/2020	9:42	N1	DD-D020501	CBG028R-062920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG028R	6/29/2020	9:42	N1	DD-D020501	CBG028R-062920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2.3		0.088	0.24	ug/WIPE
CBG028R	6/29/2020	9:42	N1	DD-D020501	CBG028R-062920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG028R	6/29/2020	9:42	N1	DD-D020501	CBG028R-062920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.74		0.07	0.24	ug/WIPE
CBG028R	6/29/2020	9:42	N1	DD-D020501	CBG028R-062920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG028R	6/29/2020	9:42	N1	DD-D020501	CBG028R-062920	SW8082A	SW	TOTAL PCBs	3.04		-	0.24	ug/WIPE
CBG029R	6/29/2020	9:45	N1	DD-D020502	CBG029R-062920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG029R	6/29/2020	9:45	N1	DD-D020502	CBG029R-062920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG029R	6/29/2020	9:45	N1	DD-D020502	CBG029R-062920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG029R	6/29/2020	9:45	N1	DD-D020502	CBG029R-062920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1.1		0.088	0.24	ug/WIPE
CBG029R	6/29/2020	9:45	N1	DD-D020502	CBG029R-062920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG029R	6/29/2020	9:45	N1	DD-D020502	CBG029R-062920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.38		0.07	0.24	ug/WIPE
CBG029R	6/29/2020	9:45	N1	DD-D020502	CBG029R-062920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG029R	6/29/2020	9:45	N1	DD-D020502	CBG029R-062920	SW8082A	SW	TOTAL PCBs	1.48		-	0.24	ug/WIPE
CBG040R	6/29/2020	9:53	N1	DD-D020503	CBG040R-062920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG040R	6/29/2020	9:53	N1	DD-D020503	CBG040R-062920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG040R	6/29/2020	9:53	N1	DD-D020503	CBG040R-062920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG040R	6/29/2020	9:53	N1	DD-D020503	CBG040R-062920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2.5		0.088	0.24	ug/WIPE
CBG040R	6/29/2020	9:53	N1	DD-D020503	CBG040R-062920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG040R	6/29/2020	9:53	N1	DD-D020503	CBG040R-062920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.83		0.07	0.24	ug/WIPE
CBG040R	6/29/2020	9:53	N1	DD-D020503	CBG040R-062920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG040R	6/29/2020	9:53	N1	DD-D020503	CBG040R-062920	SW8082A	SW	TOTAL PCBs	3.33		-	0.24	ug/WIPE
CBG043R	6/29/2020	9:56	N1	DD-D020504	CBG043R-062920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG043R	6/29/2020	9:56	N1	DD-D020504	CBG043R-062920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG043R	6/29/2020	9:56	N1	DD-D020504	CBG043R-062920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG043R	6/29/2020	9:56	N1	DD-D020504	CBG043R-062920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2.9		0.088	0.24	ug/WIPE
CBG043R	6/29/2020	9:56	N1	DD-D020504	CBG043R-062920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG043R	6/29/2020	9:56	N1	DD-D020504	CBG043R-062920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.1		0.07	0.24	ug/WIPE
CBG043R	6/29/2020	9:56	N1	DD-D020504	CBG043R-062920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG043R	6/29/2020	9:56	N1	DD-D020504	CBG043R-062920	SW8082A	SW	TOTAL PCBs	4		-	0.24	ug/WIPE
CBG051R	6/29/2020	10:00	N1	DD-D020505	CBG051R-062920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG051R	6/29/2020	10:00	N1	DD-D020505	CBG051R-062920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE

Attachment 4 - Wall and Ceiling Wipe Final Resample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
CBG051R	6/29/2020	10:00	N1	DD-D020505	CBG051R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG051R	6/29/2020	10:00	N1	DD-D020505	CBG051R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.39	U	0.088	0.24	ug/WIPE
CBG051R	6/29/2020	10:00	N1	DD-D020505	CBG051R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG051R	6/29/2020	10:00	N1	DD-D020505	CBG051R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.19	J	0.07	0.24	ug/WIPE
CBG051R	6/29/2020	10:00	N1	DD-D020505	CBG051R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG051R	6/29/2020	10:00	N1	DD-D020505	CBG051R-062920	SW8082A	SW	TOTAL PCBs	0.58	U	-	0.24	ug/WIPE
CBG056R	6/29/2020	10:03	N1	DD-D020506	CBG056R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG056R	6/29/2020	10:03	N1	DD-D020506	CBG056R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG056R	6/29/2020	10:03	N1	DD-D020506	CBG056R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG056R	6/29/2020	10:03	N1	DD-D020506	CBG056R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	1.6	U	0.088	0.24	ug/WIPE
CBG056R	6/29/2020	10:03	N1	DD-D020506	CBG056R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG056R	6/29/2020	10:03	N1	DD-D020506	CBG056R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.57	U	0.07	0.24	ug/WIPE
CBG056R	6/29/2020	10:03	N1	DD-D020506	CBG056R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG056R	6/29/2020	10:03	N1	DD-D020506	CBG056R-062920	SW8082A	SW	TOTAL PCBs	2.17	U	-	0.24	ug/WIPE
CBG057R	6/29/2020	10:06	N1	DD-D020507	CBG057R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG057R	6/29/2020	10:06	N1	DD-D020507	CBG057R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG057R	6/29/2020	10:06	N1	DD-D020507	CBG057R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG057R	6/29/2020	10:06	N1	DD-D020507	CBG057R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	1.4	U	0.088	0.24	ug/WIPE
CBG057R	6/29/2020	10:06	N1	DD-D020507	CBG057R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG057R	6/29/2020	10:06	N1	DD-D020507	CBG057R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.46	U	0.07	0.24	ug/WIPE
CBG057R	6/29/2020	10:06	N1	DD-D020507	CBG057R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG057R	6/29/2020	10:06	N1	DD-D020507	CBG057R-062920	SW8082A	SW	TOTAL PCBs	1.86	U	-	0.24	ug/WIPE
CBG093R	6/22/2020	6:37	N1	DD-D020508	CBG093R-062220	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG093R	6/22/2020	6:37	N1	DD-D020508	CBG093R-062220	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG093R	6/22/2020	6:37	N1	DD-D020508	CBG093R-062220	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG093R	6/22/2020	6:37	N1	DD-D020508	CBG093R-062220	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	6.7	U	0.088	0.24	ug/WIPE
CBG093R	6/22/2020	6:37	N1	DD-D020508	CBG093R-062220	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG093R	6/22/2020	6:37	N1	DD-D020508	CBG093R-062220	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.8	U	0.07	0.24	ug/WIPE
CBG093R	6/22/2020	6:37	N1	DD-D020508	CBG093R-062220	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG093R	6/22/2020	6:37	N1	DD-D020508	CBG093R-062220	SW8082A	SW	TOTAL PCBs	9.5	U	-	0.24	ug/WIPE
CBG094R	6/22/2020	6:47	N1	DD-D020509	CBG094R-062220	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG094R	6/22/2020	6:47	N1	DD-D020509	CBG094R-062220	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG094R	6/22/2020	6:47	N1	DD-D020509	CBG094R-062220	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG094R	6/22/2020	6:47	N1	DD-D020509	CBG094R-062220	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	4.9	U	0.088	0.24	ug/WIPE
CBG094R	6/22/2020	6:47	N1	DD-D020509	CBG094R-062220	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG094R	6/22/2020	6:47	N1	DD-D020509	CBG094R-062220	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.1	U	0.07	0.24	ug/WIPE
CBG094R	6/22/2020	6:47	N1	DD-D020509	CBG094R-062220	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG094R	6/22/2020	6:47	N1	DD-D020509	CBG094R-062220	SW8082A	SW	TOTAL PCBs	7	U	-	0.24	ug/WIPE
CBG104R	6/22/2020	6:54	N1	DD-D020510	CBG104R-062220	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG104R	6/22/2020	6:54	N1	DD-D020510	CBG104R-062220	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG104R	6/22/2020	6:54	N1	DD-D020510	CBG104R-062220	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG104R	6/22/2020	6:54	N1	DD-D020510	CBG104R-062220	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	4.8	U	0.088	0.24	ug/WIPE
CBG104R	6/22/2020	6:54	N1	DD-D020510	CBG104R-062220	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG104R	6/22/2020	6:54	N1	DD-D020510	CBG104R-062220	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.4	U	0.07	0.24	ug/WIPE
CBG104R	6/22/2020	6:54	N1	DD-D020510	CBG104R-062220	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG104R	6/22/2020	6:54	N1	DD-D020510	CBG104R-062220	SW8082A	SW	TOTAL PCBs	7.2	U	-	0.24	ug/WIPE
CBG107R	6/22/2020	7:07	N1	DD-D020601	CBG107R-062220	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG107R	6/22/2020	7:07	N1	DD-D020601	CBG107R-062220	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG107R	6/22/2020	7:07	N1	DD-D020601	CBG107R-062220	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG107R	6/22/2020	7:07	N1	DD-D020601	CBG107R-062220	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	5.3	U	0.088	0.24	ug/WIPE
CBG107R	6/22/2020	7:07	N1	DD-D020601	CBG107R-062220	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE



Attachment 4 - Wall and Ceiling Wipe Final Resample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
CBG107R	6/22/2020	7:07	N1	DD-D020601	CBG107R-062220	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2		0.07	0.24	ug/WIPE
CBG107R	6/22/2020	7:07	N1	DD-D020601	CBG107R-062220	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG107R	6/22/2020	7:07	N1	DD-D020601	CBG107R-062220	SW8082A	SW	TOTAL PCBs	7.3		-	0.24	ug/WIPE
CBG112R	6/22/2020	7:12	N1	DD-D020602	CBG112R-062220	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG112R	6/22/2020	7:12	N1	DD-D020602	CBG112R-062220	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG112R	6/22/2020	7:12	N1	DD-D020602	CBG112R-062220	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG112R	6/22/2020	7:12	N1	DD-D020602	CBG112R-062220	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	5.1		0.088	0.24	ug/WIPE
CBG112R	6/22/2020	7:12	N1	DD-D020602	CBG112R-062220	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG112R	6/22/2020	7:12	N1	DD-D020602	CBG112R-062220	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.6		0.07	0.24	ug/WIPE
CBG112R	6/22/2020	7:12	N1	DD-D020602	CBG112R-062220	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG112R	6/22/2020	7:12	N1	DD-D020602	CBG112R-062220	SW8082A	SW	TOTAL PCBs	6.7		-	0.24	ug/WIPE
CBG115R	6/22/2020	7:00	N1	DD-D020603	CBG115R-062220	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG115R	6/22/2020	7:00	N1	DD-D020603	CBG115R-062220	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG115R	6/22/2020	7:00	N1	DD-D020603	CBG115R-062220	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG115R	6/22/2020	7:00	N1	DD-D020603	CBG115R-062220	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	6		0.088	0.24	ug/WIPE
CBG115R	6/22/2020	7:00	N1	DD-D020603	CBG115R-062220	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG115R	6/22/2020	7:00	N1	DD-D020603	CBG115R-062220	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.6		0.07	0.24	ug/WIPE
CBG115R	6/22/2020	7:00	N1	DD-D020603	CBG115R-062220	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG115R	6/22/2020	7:00	N1	DD-D020603	CBG115R-062220	SW8082A	SW	TOTAL PCBs	8.6		-	0.24	ug/WIPE
CBG129R	6/22/2020	7:20	N1	DD-D020604	CBG129R-062220	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG129R	6/22/2020	7:20	N1	DD-D020604	CBG129R-062220	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG129R	6/22/2020	7:20	N1	DD-D020604	CBG129R-062220	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG129R	6/22/2020	7:20	N1	DD-D020604	CBG129R-062220	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.4		0.088	0.24	ug/WIPE
CBG129R	6/22/2020	7:20	N1	DD-D020604	CBG129R-062220	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG129R	6/22/2020	7:20	N1	DD-D020604	CBG129R-062220	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.83		0.07	0.24	ug/WIPE
CBG129R	6/22/2020	7:20	N1	DD-D020604	CBG129R-062220	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG129R	6/22/2020	7:20	N1	DD-D020604	CBG129R-062220	SW8082A	SW	TOTAL PCBs	3.23		-	0.24	ug/WIPE
CBG130R	6/22/2020	7:25	N1	DD-D020605	CBG130R-062220	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG130R	6/22/2020	7:25	N1	DD-D020605	CBG130R-062220	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG130R	6/22/2020	7:25	N1	DD-D020605	CBG130R-062220	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG130R	6/22/2020	7:25	N1	DD-D020605	CBG130R-062220	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	4.4		0.088	0.24	ug/WIPE
CBG130R	6/22/2020	7:25	N1	DD-D020605	CBG130R-062220	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG130R	6/22/2020	7:25	N1	DD-D020605	CBG130R-062220	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.9		0.07	0.24	ug/WIPE
CBG130R	6/22/2020	7:25	N1	DD-D020605	CBG130R-062220	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG130R	6/22/2020	7:25	N1	DD-D020605	CBG130R-062220	SW8082A	SW	TOTAL PCBs	6.3		-	0.24	ug/WIPE
CBG143R	6/22/2020	7:29	N1	DD-D020606	CBG143R-062220	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CBG143R	6/22/2020	7:29	N1	DD-D020606	CBG143R-062220	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CBG143R	6/22/2020	7:29	N1	DD-D020606	CBG143R-062220	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CBG143R	6/22/2020	7:29	N1	DD-D020606	CBG143R-062220	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	5.3		0.088	0.24	ug/WIPE
CBG143R	6/22/2020	7:29	N1	DD-D020606	CBG143R-062220	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CBG143R	6/22/2020	7:29	N1	DD-D020606	CBG143R-062220	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.8		0.07	0.24	ug/WIPE
CBG143R	6/22/2020	7:29	N1	DD-D020606	CBG143R-062220	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CBG143R	6/22/2020	7:29	N1	DD-D020606	CBG143R-062220	SW8082A	SW	TOTAL PCBs	7.1		-	0.24	ug/WIPE
CLO01BR	6/16/2020	13:50	N1	DD-D023101	CLO01BR-061620	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CLO01BR	6/16/2020	13:50	N1	DD-D023101	CLO01BR-061620	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CLO01BR	6/16/2020	13:50	N1	DD-D023101	CLO01BR-061620	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CLO01BR	6/16/2020	13:50	N1	DD-D023101	CLO01BR-061620	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	4.4		0.088	0.24	ug/WIPE
CLO01BR	6/16/2020	13:50	N1	DD-D023101	CLO01BR-061620	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CLO01BR	6/16/2020	13:50	N1	DD-D023101	CLO01BR-061620	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.4		0.07	0.24	ug/WIPE
CLO01BR	6/16/2020	13:50	N1	DD-D023101	CLO01BR-061620	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CLO01BR	6/16/2020	13:50	N1	DD-D023101	CLO01BR-061620	SW8082A	SW	TOTAL PCBs	5.8		-	0.24	ug/WIPE

## Attachment 4 - Wall and Ceiling Wipe Final Resample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
CL003BR	6/16/2020	13:56	N1	DD-D023102	CL003BR-061620	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL003BR	6/16/2020	13:56	N1	DD-D023102	CL003BR-061620	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL003BR	6/16/2020	13:56	N1	DD-D023102	CL003BR-061620	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL003BR	6/16/2020	13:56	N1	DD-D023102	CL003BR-061620	SW8082A	SW	PCB-1242 (AROCLOR 1242)	4.1		0.088	0.24	ug/WIPE
CL003BR	6/16/2020	13:56	N1	DD-D023102	CL003BR-061620	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL003BR	6/16/2020	13:56	N1	DD-D023102	CL003BR-061620	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1		0.07	0.24	ug/WIPE
CL003BR	6/16/2020	13:56	N1	DD-D023102	CL003BR-061620	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL003BR	6/16/2020	13:56	N1	DD-D023102	CL003BR-061620	SW8082A	SW	TOTAL PCBs	5.1		-	0.24	ug/WIPE
CL005BR	6/16/2020	14:03	N1	DD-D023103	CL005BR-061620	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL005BR	6/16/2020	14:03	N1	DD-D023103	CL005BR-061620	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL005BR	6/16/2020	14:03	N1	DD-D023103	CL005BR-061620	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL005BR	6/16/2020	14:03	N1	DD-D023103	CL005BR-061620	SW8082A	SW	PCB-1242 (AROCLOR 1242)	4.7		0.088	0.24	ug/WIPE
CL005BR	6/16/2020	14:03	N1	DD-D023103	CL005BR-061620	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL005BR	6/16/2020	14:03	N1	DD-D023103	CL005BR-061620	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.2		0.07	0.24	ug/WIPE
CL005BR	6/16/2020	14:03	N1	DD-D023103	CL005BR-061620	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL005BR	6/16/2020	14:03	N1	DD-D023103	CL005BR-061620	SW8082A	SW	TOTAL PCBs	5.9		-	0.24	ug/WIPE
CL007BR	6/16/2020	14:08	N1	DD-D023104	CL007BR-061620	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL007BR	6/16/2020	14:08	N1	DD-D023104	CL007BR-061620	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL007BR	6/16/2020	14:08	N1	DD-D023104	CL007BR-061620	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL007BR	6/16/2020	14:08	N1	DD-D023104	CL007BR-061620	SW8082A	SW	PCB-1242 (AROCLOR 1242)	5		0.088	0.24	ug/WIPE
CL007BR	6/16/2020	14:08	N1	DD-D023104	CL007BR-061620	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL007BR	6/16/2020	14:08	N1	DD-D023104	CL007BR-061620	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.5		0.07	0.24	ug/WIPE
CL007BR	6/16/2020	14:08	N1	DD-D023104	CL007BR-061620	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL007BR	6/16/2020	14:08	N1	DD-D023104	CL007BR-061620	SW8082A	SW	TOTAL PCBs	6.5		-	0.24	ug/WIPE
CL009BZ	7/24/2020	7:01	N1	DD-D024401	CL009BZ-072420	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL009BZ	7/24/2020	7:01	N1	DD-D024401	CL009BZ-072420	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL009BZ	7/24/2020	7:01	N1	DD-D024401	CL009BZ-072420	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL009BZ	7/24/2020	7:01	N1	DD-D024401	CL009BZ-072420	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2.4		0.088	0.24	ug/WIPE
CL009BZ	7/24/2020	7:01	N1	DD-D024401	CL009BZ-072420	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL009BZ	7/24/2020	7:01	N1	DD-D024401	CL009BZ-072420	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.61		0.07	0.24	ug/WIPE
CL009BZ	7/24/2020	7:01	N1	DD-D024401	CL009BZ-072420	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL009BZ	7/24/2020	7:01	N1	DD-D024401	CL009BZ-072420	SW8082A	SW	TOTAL PCBs	3.01		-	0.24	ug/WIPE
CL011BZ	7/24/2020	7:08	N1	DD-D024402	CL011BZ-072420	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL011BZ	7/24/2020	7:08	N1	DD-D024402	CL011BZ-072420	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL011BZ	7/24/2020	7:08	N1	DD-D024402	CL011BZ-072420	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL011BZ	7/24/2020	7:08	N1	DD-D024402	CL011BZ-072420	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2.5		0.088	0.24	ug/WIPE
CL011BZ	7/24/2020	7:08	N1	DD-D024402	CL011BZ-072420	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL011BZ	7/24/2020	7:08	N1	DD-D024402	CL011BZ-072420	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.75		0.07	0.24	ug/WIPE
CL011BZ	7/24/2020	7:08	N1	DD-D024402	CL011BZ-072420	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL011BZ	7/24/2020	7:08	N1	DD-D024402	CL011BZ-072420	SW8082A	SW	TOTAL PCBs	3.25		-	0.24	ug/WIPE
CL013BZ	7/24/2020	7:14	N1	DD-D024403	CL013BZ-072420	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL013BZ	7/24/2020	7:14	N1	DD-D024403	CL013BZ-072420	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL013BZ	7/24/2020	7:14	N1	DD-D024403	CL013BZ-072420	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL013BZ	7/24/2020	7:14	N1	DD-D024403	CL013BZ-072420	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3.5		0.088	0.24	ug/WIPE
CL013BZ	7/24/2020	7:14	N1	DD-D024403	CL013BZ-072420	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL013BZ	7/24/2020	7:14	N1	DD-D024403	CL013BZ-072420	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.84		0.07	0.24	ug/WIPE
CL013BZ	7/24/2020	7:14	N1	DD-D024403	CL013BZ-072420	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL013BZ	7/24/2020	7:14	N1	DD-D024403	CL013BZ-072420	SW8082A	SW	TOTAL PCBs	4.34		-	0.24	ug/WIPE
CL015BZ	7/24/2020	7:20	N1	DD-D024404	CL015BZ-072420	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL015BZ	7/24/2020	7:20	N1	DD-D024404	CL015BZ-072420	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL015BZ	7/24/2020	7:20	N1	DD-D024404	CL015BZ-072420	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE

Attachment 4 - Wall and Ceiling Wipe Final Resample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
CLO15BZ	7/24/2020	7:20	N1	DD-D024404	CLO15BZ-072420	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	1.8		0.088	0.24	ug/WIPE
CLO15BZ	7/24/2020	7:20	N1	DD-D024404	CLO15BZ-072420	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CLO15BZ	7/24/2020	7:20	N1	DD-D024404	CLO15BZ-072420	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.56		0.07	0.24	ug/WIPE
CLO15BZ	7/24/2020	7:20	N1	DD-D024404	CLO15BZ-072420	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CLO15BZ	7/24/2020	7:20	N1	DD-D024404	CLO15BZ-072420	SW8082A	SW	TOTAL PCBs	2.36		-	0.24	ug/WIPE
CLO17BR	6/16/2020	14:40	N1	DD-D023109	CLO17BR-061620	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CLO17BR	6/16/2020	14:40	N1	DD-D023109	CLO17BR-061620	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CLO17BR	6/16/2020	14:40	N1	DD-D023109	CLO17BR-061620	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CLO17BR	6/16/2020	14:40	N1	DD-D023109	CLO17BR-061620	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	6.7		0.088	0.24	ug/WIPE
CLO17BR	6/16/2020	14:40	N1	DD-D023109	CLO17BR-061620	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CLO17BR	6/16/2020	14:40	N1	DD-D023109	CLO17BR-061620	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.7		0.07	0.24	ug/WIPE
CLO17BR	6/16/2020	14:40	N1	DD-D023109	CLO17BR-061620	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CLO17BR	6/16/2020	14:40	N1	DD-D023109	CLO17BR-061620	SW8082A	SW	TOTAL PCBs	8.4		-	0.24	ug/WIPE
CLO19BR	6/16/2020	14:44	N1	DD-D023110	CLO19BR-061620	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CLO19BZ	7/24/2020	7:25	N1	DD-D024405	CLO19BZ-072420	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CLO19BZ	7/24/2020	7:25	N1	DD-D024405	CLO19BZ-072420	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CLO19BZ	7/24/2020	7:25	N1	DD-D024405	CLO19BZ-072420	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CLO19BZ	7/24/2020	7:25	N1	DD-D024405	CLO19BZ-072420	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.5		0.088	0.24	ug/WIPE
CLO19BZ	7/24/2020	7:25	N1	DD-D024405	CLO19BZ-072420	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CLO19BZ	7/24/2020	7:25	N1	DD-D024405	CLO19BZ-072420	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.67		0.07	0.24	ug/WIPE
CLO19BZ	7/24/2020	7:25	N1	DD-D024405	CLO19BZ-072420	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CLO19BZ	7/24/2020	7:25	N1	DD-D024405	CLO19BZ-072420	SW8082A	SW	TOTAL PCBs	3.17		-	0.24	ug/WIPE
CLO21BR	6/16/2020	14:51	N1	DD-D023201	CLO21BR-061620	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CLO21BR	6/16/2020	14:51	N1	DD-D023201	CLO21BR-061620	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CLO21BR	6/16/2020	14:51	N1	DD-D023201	CLO21BR-061620	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CLO21BR	6/16/2020	14:51	N1	DD-D023201	CLO21BR-061620	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	7.4		0.088	0.24	ug/WIPE
CLO21BR	6/16/2020	14:51	N1	DD-D023201	CLO21BR-061620	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CLO21BR	6/16/2020	14:51	N1	DD-D023201	CLO21BR-061620	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.3		0.07	0.24	ug/WIPE
CLO21BR	6/16/2020	14:51	N1	DD-D023201	CLO21BR-061620	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CLO21BR	6/16/2020	14:51	N1	DD-D023201	CLO21BR-061620	SW8082A	SW	TOTAL PCBs	9.7		-	0.24	ug/WIPE
CLO23BR	6/16/2020	14:57	N1	DD-D023202	CLO23BR-061620	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CLO23BR	6/16/2020	14:57	N1	DD-D023202	CLO23BR-061620	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CLO23BR	6/16/2020	14:57	N1	DD-D023202	CLO23BR-061620	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CLO23BR	6/16/2020	14:57	N1	DD-D023202	CLO23BR-061620	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	4.3		0.088	0.24	ug/WIPE
CLO23BR	6/16/2020	14:57	N1	DD-D023202	CLO23BR-061620	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CLO23BR	6/16/2020	14:57	N1	DD-D023202	CLO23BR-061620	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.3		0.07	0.24	ug/WIPE
CLO23BR	6/16/2020	14:57	N1	DD-D023202	CLO23BR-061620	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CLO23BR	6/16/2020	14:57	N1	DD-D023202	CLO23BR-061620	SW8082A	SW	TOTAL PCBs	5.6		-	0.24	ug/WIPE
CLO25BR	6/16/2020	16:25	N1	DD-D023203	CLO25BR-061620	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CLO25BR	6/16/2020	16:25	N1	DD-D023203	CLO25BR-061620	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CLO25BR	6/16/2020	16:25	N1	DD-D023203	CLO25BR-061620	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CLO25BR	6/16/2020	16:25	N1	DD-D023203	CLO25BR-061620	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	5.9		0.088	0.24	ug/WIPE
CLO25BR	6/16/2020	16:25	N1	DD-D023203	CLO25BR-061620	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CLO25BR	6/16/2020	16:25	N1	DD-D023203	CLO25BR-061620	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.9		0.07	0.24	ug/WIPE
CLO25BR	6/16/2020	16:25	N1	DD-D023203	CLO25BR-061620	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CLO25BR	6/16/2020	16:25	N1	DD-D023203	CLO25BR-061620	SW8082A	SW	TOTAL PCBs	7.8		-	0.24	ug/WIPE
CLO27BR	6/16/2020	16:28	N1	DD-D023204	CLO27BR-061620	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CLO27BR	6/16/2020	16:28	N1	DD-D023204	CLO27BR-061620	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CLO27BR	6/16/2020	16:28	N1	DD-D023204	CLO27BR-061620	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CLO27BR	6/16/2020	16:28	N1	DD-D023204	CLO27BR-061620	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	5.4		0.088	0.24	ug/WIPE
CLO27BR	6/16/2020	16:28	N1	DD-D023204	CLO27BR-061620	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE

Attachment 4 - Wall and Ceiling Wipe Final Resample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
CLO27BR	6/16/2020	16:28	N1	DD-D023204	CL027BR-061620	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.5		0.07	0.24	ug/WIPE
CLO27BR	6/16/2020	16:28	N1	DD-D023204	CL027BR-061620	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CLO27BR	6/16/2020	16:28	N1	DD-D023204	CL027BR-061620	SW8082A	SW	TOTAL PCBs	6.9		-	0.24	ug/WIPE
CLO29BR	6/16/2020	16:33	N1	DD-D023205	CL029BR-061620	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CLO29BR	6/16/2020	16:33	N1	DD-D023205	CL029BR-061620	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CLO29BR	6/16/2020	16:33	N1	DD-D023205	CL029BR-061620	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CLO29BR	6/16/2020	16:33	N1	DD-D023205	CL029BR-061620	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	4.8		0.088	0.24	ug/WIPE
CLO29BR	6/16/2020	16:33	N1	DD-D023205	CL029BR-061620	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CLO29BR	6/16/2020	16:33	N1	DD-D023205	CL029BR-061620	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.4		0.07	0.24	ug/WIPE
CLO29BR	6/16/2020	16:33	N1	DD-D023205	CL029BR-061620	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CLO29BR	6/16/2020	16:33	N1	DD-D023205	CL029BR-061620	SW8082A	SW	TOTAL PCBs	6.2		-	0.24	ug/WIPE
CLO31BZ	7/24/2020	7:30	N1	DD-D024406	CL031BZ-072420	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CLO31BZ	7/24/2020	7:30	N1	DD-D024406	CL031BZ-072420	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CLO31BZ	7/24/2020	7:30	N1	DD-D024406	CL031BZ-072420	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CLO31BZ	7/24/2020	7:30	N1	DD-D024406	CL031BZ-072420	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.1		0.088	0.24	ug/WIPE
CLO31BZ	7/24/2020	7:30	N1	DD-D024406	CL031BZ-072420	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CLO31BZ	7/24/2020	7:30	N1	DD-D024406	CL031BZ-072420	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.91		0.07	0.24	ug/WIPE
CLO31BZ	7/24/2020	7:30	N1	DD-D024406	CL031BZ-072420	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CLO31BZ	7/24/2020	7:30	N1	DD-D024406	CL031BZ-072420	SW8082A	SW	TOTAL PCBs	4.01		-	0.24	ug/WIPE
CLO33BR	6/16/2020	16:45	N1	DD-D023207	CL033BR-061620	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CLO33BR	6/16/2020	16:45	N1	DD-D023207	CL033BR-061620	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CLO33BR	6/16/2020	16:45	N1	DD-D023207	CL033BR-061620	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CLO33BR	6/16/2020	16:45	N1	DD-D023207	CL033BR-061620	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	6.6		0.088	0.24	ug/WIPE
CLO33BR	6/16/2020	16:45	N1	DD-D023207	CL033BR-061620	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CLO33BR	6/16/2020	16:45	N1	DD-D023207	CL033BR-061620	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.8		0.07	0.24	ug/WIPE
CLO33BR	6/16/2020	16:45	N1	DD-D023207	CL033BR-061620	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CLO33BR	6/16/2020	16:45	N1	DD-D023207	CL033BR-061620	SW8082A	SW	TOTAL PCBs	8.4		-	0.24	ug/WIPE
CLO35BR	6/17/2020	7:00	N1	DD-D023208	CL035BR-061720	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CLO35BR	6/17/2020	7:00	N1	DD-D023208	CL035BR-061720	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CLO35BR	6/17/2020	7:00	N1	DD-D023208	CL035BR-061720	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CLO35BR	6/17/2020	7:00	N1	DD-D023208	CL035BR-061720	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	6.5		0.088	0.24	ug/WIPE
CLO35BR	6/17/2020	7:00	N1	DD-D023208	CL035BR-061720	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CLO35BR	6/17/2020	7:00	N1	DD-D023208	CL035BR-061720	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.1		0.07	0.24	ug/WIPE
CLO35BR	6/17/2020	7:00	N1	DD-D023208	CL035BR-061720	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CLO35BR	6/17/2020	7:00	N1	DD-D023208	CL035BR-061720	SW8082A	SW	TOTAL PCBs	8.6		-	0.24	ug/WIPE
CLO37BR	6/17/2020	7:03	N1	DD-D023209	CL037BR-061720	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CLO37BR	6/17/2020	7:03	N1	DD-D023209	CL037BR-061720	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CLO37BR	6/17/2020	7:03	N1	DD-D023209	CL037BR-061720	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CLO37BR	6/17/2020	7:03	N1	DD-D023209	CL037BR-061720	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	7		0.088	0.24	ug/WIPE
CLO37BR	6/17/2020	7:03	N1	DD-D023209	CL037BR-061720	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CLO37BR	6/17/2020	7:03	N1	DD-D023209	CL037BR-061720	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2		0.07	0.24	ug/WIPE
CLO37BR	6/17/2020	7:03	N1	DD-D023209	CL037BR-061720	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CLO37BR	6/17/2020	7:03	N1	DD-D023209	CL037BR-061720	SW8082A	SW	TOTAL PCBs	9		-	0.24	ug/WIPE
CLO39BR	6/17/2020	7:08	N1	DD-D023210	CL039BR-061720	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CLO39BR	6/17/2020	7:08	N1	DD-D023210	CL039BR-061720	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CLO39BR	6/17/2020	7:08	N1	DD-D023210	CL039BR-061720	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CLO39BR	6/17/2020	7:08	N1	DD-D023210	CL039BR-061720	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	4.4		0.088	0.24	ug/WIPE
CLO39BR	6/17/2020	7:08	N1	DD-D023210	CL039BR-061720	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CLO39BR	6/17/2020	7:08	N1	DD-D023210	CL039BR-061720	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.3		0.07	0.24	ug/WIPE
CLO39BR	6/17/2020	7:08	N1	DD-D023210	CL039BR-061720	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CLO41BR	6/17/2020	7:14	N1	DD-D023301	CL041BR-061720	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE

Attachment 4 - Wall and Ceiling Wipe Final Resample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
CLO41BR	6/17/2020	7:14	N1	DD-D023301	CL041BR-061720	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CLO41BR	6/17/2020	7:14	N1	DD-D023301	CL041BR-061720	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CLO41BR	6/17/2020	7:14	N1	DD-D023301	CL041BR-061720	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	4.2		0.088	0.24	ug/WIPE
CLO41BR	6/17/2020	7:14	N1	DD-D023301	CL041BR-061720	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CLO41BR	6/17/2020	7:14	N1	DD-D023301	CL041BR-061720	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.2		0.07	0.24	ug/WIPE
CLO41BR	6/17/2020	7:14	N1	DD-D023301	CL041BR-061720	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CLO41BR	6/17/2020	7:14	N1	DD-D023301	CL041BR-061720	SW8082A	SW	TOTAL PCBs	5.4		-	0.24	ug/WIPE
CLO43BR	6/17/2020	7:20	N1	DD-D023302	CL043BR-061720	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CLO43BR	6/17/2020	7:20	N1	DD-D023302	CL043BR-061720	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CLO43BR	6/17/2020	7:20	N1	DD-D023302	CL043BR-061720	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CLO43BR	6/17/2020	7:20	N1	DD-D023302	CL043BR-061720	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	4.7		0.088	0.24	ug/WIPE
CLO43BR	6/17/2020	7:20	N1	DD-D023302	CL043BR-061720	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CLO43BR	6/17/2020	7:20	N1	DD-D023302	CL043BR-061720	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.5		0.07	0.24	ug/WIPE
CLO43BR	6/17/2020	7:20	N1	DD-D023302	CL043BR-061720	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CLO43BR	6/17/2020	7:20	N1	DD-D023302	CL043BR-061720	SW8082A	SW	TOTAL PCBs	6.2		-	0.24	ug/WIPE
CLO44PR	6/17/2020	7:22	N1	DD-D023304	CL044PR-061720	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CLO44PR	6/17/2020	7:22	N1	DD-D023304	CL044PR-061720	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CLO44PR	6/17/2020	7:22	N1	DD-D023304	CL044PR-061720	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CLO44PR	6/17/2020	7:22	N1	DD-D023304	CL044PR-061720	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.83		0.088	0.24	ug/WIPE
CLO44PR	6/17/2020	7:22	N1	DD-D023304	CL044PR-061720	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CLO44PR	6/17/2020	7:22	N1	DD-D023304	CL044PR-061720	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.26		0.07	0.24	ug/WIPE
CLO44PR	6/17/2020	7:22	N1	DD-D023304	CL044PR-061720	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CLO44PR	6/17/2020	7:22	N1	DD-D023304	CL044PR-061720	SW8082A	SW	TOTAL PCBs	1.09		-	0.24	ug/WIPE
CLO45BR	6/17/2020	7:29	N1	DD-D023303	CL045BR-061720	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CLO45BR	6/17/2020	7:29	N1	DD-D023303	CL045BR-061720	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CLO45BR	6/17/2020	7:29	N1	DD-D023303	CL045BR-061720	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CLO45BR	6/17/2020	7:29	N1	DD-D023303	CL045BR-061720	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	7.2		0.088	0.24	ug/WIPE
CLO45BR	6/17/2020	7:29	N1	DD-D023303	CL045BR-061720	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CLO45BR	6/17/2020	7:29	N1	DD-D023303	CL045BR-061720	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2		0.07	0.24	ug/WIPE
CLO45BR	6/17/2020	7:29	N1	DD-D023303	CL045BR-061720	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CLO45BR	6/17/2020	7:29	N1	DD-D023303	CL045BR-061720	SW8082A	SW	TOTAL PCBs	9.2		-	0.24	ug/WIPE
CLO46PR	6/17/2020	7:33	N1	DD-D023305	CL046PR-061720	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CLO46PR	6/17/2020	7:33	N1	DD-D023305	CL046PR-061720	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CLO46PR	6/17/2020	7:33	N1	DD-D023305	CL046PR-061720	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CLO46PR	6/17/2020	7:33	N1	DD-D023305	CL046PR-061720	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.14	J	0.088	0.24	ug/WIPE
CLO46PR	6/17/2020	7:33	N1	DD-D023305	CL046PR-061720	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CLO46PR	6/17/2020	7:33	N1	DD-D023305	CL046PR-061720	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	ND	U	0.07	0.24	ug/WIPE
CLO46PR	6/17/2020	7:33	N1	DD-D023305	CL046PR-061720	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CLO46PR	6/17/2020	7:33	N1	DD-D023305	CL046PR-061720	SW8082A	SW	TOTAL PCBs	0.14		-	0.24	ug/WIPE
CLO55BR	6/17/2020	7:40	N1	DD-D023306	CL055BR-061720	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CLO55BR	6/17/2020	7:40	N1	DD-D023306	CL055BR-061720	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CLO55BR	6/17/2020	7:40	N1	DD-D023306	CL055BR-061720	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CLO55BR	6/17/2020	7:40	N1	DD-D023306	CL055BR-061720	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	6.3		0.088	0.24	ug/WIPE
CLO55BR	6/17/2020	7:40	N1	DD-D023306	CL055BR-061720	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CLO55BR	6/17/2020	7:40	N1	DD-D023306	CL055BR-061720	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2		0.07	0.24	ug/WIPE
CLO55BR	6/17/2020	7:40	N1	DD-D023306	CL055BR-061720	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CLO55BR	6/17/2020	7:40	N1	DD-D023306	CL055BR-061720	SW8082A	SW	TOTAL PCBs	8.3		-	0.24	ug/WIPE
CLO57BR	6/17/2020	7:47	N1	DD-D023307	CL057BR-061720	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CLO57BR	6/17/2020	7:47	N1	DD-D023307	CL057BR-061720	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CLO57BR	6/17/2020	7:47	N1	DD-D023307	CL057BR-061720	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CLO57BR	6/17/2020	7:47	N1	DD-D023307	CL057BR-061720	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	6.5		0.088	0.24	ug/WIPE



Attachment 4 - Wall and Ceiling Wipe Final Resample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
CL057BR	6/17/2020	7:47	N1	DD-D023307	CL057BR-061720	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL057BR	6/17/2020	7:47	N1	DD-D023307	CL057BR-061720	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.1	U	0.07	0.24	ug/WIPE
CL057BR	6/17/2020	7:47	N1	DD-D023307	CL057BR-061720	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL057BR	6/17/2020	7:47	N1	DD-D023307	CL057BR-061720	SW8082A	SW	TOTAL PCBs	8.6		-	0.24	ug/WIPE
CL079BR	6/17/2020	7:54	N1	DD-D023308	CL079BR-061720	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL079BR	6/17/2020	7:54	N1	DD-D023308	CL079BR-061720	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL079BR	6/17/2020	7:54	N1	DD-D023308	CL079BR-061720	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL079BR	6/17/2020	7:54	N1	DD-D023308	CL079BR-061720	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.5		0.088	0.24	ug/WIPE
CL079BR	6/17/2020	7:54	N1	DD-D023308	CL079BR-061720	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL079BR	6/17/2020	7:54	N1	DD-D023308	CL079BR-061720	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1		0.07	0.24	ug/WIPE
CL079BR	6/17/2020	7:54	N1	DD-D023308	CL079BR-061720	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL079BR	6/17/2020	7:54	N1	DD-D023308	CL079BR-061720	SW8082A	SW	TOTAL PCBs	4.5		-	0.24	ug/WIPE
CL081BR	6/17/2020	7:58	N1	DD-D023309	CL081BR-061720	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL081BR	6/17/2020	7:58	N1	DD-D023309	CL081BR-061720	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL081BR	6/17/2020	7:58	N1	DD-D023309	CL081BR-061720	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL081BR	6/17/2020	7:58	N1	DD-D023309	CL081BR-061720	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	6		0.088	0.24	ug/WIPE
CL081BR	6/17/2020	7:58	N1	DD-D023309	CL081BR-061720	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL081BR	6/17/2020	7:58	N1	DD-D023309	CL081BR-061720	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.8		0.07	0.24	ug/WIPE
CL081BR	6/17/2020	7:58	N1	DD-D023309	CL081BR-061720	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL081BR	6/17/2020	7:58	N1	DD-D023309	CL081BR-061720	SW8082A	SW	TOTAL PCBs	7.8		-	0.24	ug/WIPE
CL083BR	6/17/2020	8:07	N1	DD-D023310	CL083BR-061720	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	UJ	0.09	0.24	ug/WIPE
CL083BR	6/17/2020	8:07	N1	DD-D023310	CL083BR-061720	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	UJ	0.12	0.24	ug/WIPE
CL083BR	6/17/2020	8:07	N1	DD-D023310	CL083BR-061720	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	UJ	0.14	0.24	ug/WIPE
CL083BR	6/17/2020	8:07	N1	DD-D023310	CL083BR-061720	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	4	J	0.088	0.24	ug/WIPE
CL083BR	6/17/2020	8:07	N1	DD-D023310	CL083BR-061720	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	UJ	0.092	0.24	ug/WIPE
CL083BR	6/17/2020	8:07	N1	DD-D023310	CL083BR-061720	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.2	J	0.07	0.24	ug/WIPE
CL083BR	6/17/2020	8:07	N1	DD-D023310	CL083BR-061720	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	UJ	0.09	0.24	ug/WIPE
CL083BR	6/17/2020	8:07	N1	DD-D023310	CL083BR-061720	SW8082A	SW	TOTAL PCBs	5.2		-	0.24	ug/WIPE
CL085BR	6/17/2020	8:18	N1	DD-D023401	CL085BR-061720	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL085BR	6/17/2020	8:18	N1	DD-D023401	CL085BR-061720	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL085BR	6/17/2020	8:18	N1	DD-D023401	CL085BR-061720	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL085BR	6/17/2020	8:18	N1	DD-D023401	CL085BR-061720	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	6.1		0.088	0.24	ug/WIPE
CL085BR	6/17/2020	8:18	N1	DD-D023401	CL085BR-061720	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL085BR	6/17/2020	8:18	N1	DD-D023401	CL085BR-061720	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.7		0.07	0.24	ug/WIPE
CL085BR	6/17/2020	8:18	N1	DD-D023401	CL085BR-061720	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL085BR	6/17/2020	8:18	N1	DD-D023401	CL085BR-061720	SW8082A	SW	TOTAL PCBs	7.8		-	0.24	ug/WIPE
CL095BR	6/17/2020	8:21	N1	DD-D023402	CL095BR-061720	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL095BR	6/17/2020	8:21	N1	DD-D023402	CL095BR-061720	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL095BR	6/17/2020	8:21	N1	DD-D023402	CL095BR-061720	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL095BR	6/17/2020	8:21	N1	DD-D023402	CL095BR-061720	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	5.6		0.088	0.24	ug/WIPE
CL095BR	6/17/2020	8:21	N1	DD-D023402	CL095BR-061720	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL095BR	6/17/2020	8:21	N1	DD-D023402	CL095BR-061720	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.1		0.07	0.24	ug/WIPE
CL095BR	6/17/2020	8:21	N1	DD-D023402	CL095BR-061720	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL095BR	6/17/2020	8:21	N1	DD-D023402	CL095BR-061720	SW8082A	SW	TOTAL PCBs	7.7		-	0.24	ug/WIPE
CL097BR	6/17/2020	9:32	N1	DD-D023403	CL097BR-061720	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL097BR	6/17/2020	9:32	N1	DD-D023403	CL097BR-061720	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL097BR	6/17/2020	9:32	N1	DD-D023403	CL097BR-061720	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL097BR	6/17/2020	9:32	N1	DD-D023403	CL097BR-061720	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	5.2		0.088	0.24	ug/WIPE
CL097BR	6/17/2020	9:32	N1	DD-D023403	CL097BR-061720	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL097BR	6/17/2020	9:32	N1	DD-D023403	CL097BR-061720	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	3.5		0.07	0.24	ug/WIPE
CL097BR	6/17/2020	9:32	N1	DD-D023403	CL097BR-061720	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	0.29		0.09	0.24	ug/WIPE

Attachment 4 - Wall and Ceiling Wipe Final Resample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
CL097BR	6/17/2020	9:32	N1	DD-D023403	CL097BR-061720	SW8082A	SW	TOTAL PCBs	8.99		-	0.24	ug/WIPE
CL107BR	6/17/2020	9:40	N1	DD-D023404	CL107BR-061720	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL107BR	6/17/2020	9:40	N1	DD-D023404	CL107BR-061720	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL107BR	6/17/2020	9:40	N1	DD-D023404	CL107BR-061720	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL107BR	6/17/2020	9:40	N1	DD-D023404	CL107BR-061720	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	5.1		0.088	0.24	ug/WIPE
CL107BR	6/17/2020	9:40	N1	DD-D023404	CL107BR-061720	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL107BR	6/17/2020	9:40	N1	DD-D023404	CL107BR-061720	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.9		0.07	0.24	ug/WIPE
CL107BR	6/17/2020	9:40	N1	DD-D023404	CL107BR-061720	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL107BR	6/17/2020	9:40	N1	DD-D023404	CL107BR-061720	SW8082A	SW	TOTAL PCBs	7		-	0.24	ug/WIPE
CL109BR	6/17/2020	9:42	N1	DD-D023405	CL109BR-061720	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL109BR	6/17/2020	9:42	N1	DD-D023405	CL109BR-061720	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL109BR	6/17/2020	9:42	N1	DD-D023405	CL109BR-061720	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL109BR	6/17/2020	9:42	N1	DD-D023405	CL109BR-061720	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3		0.088	0.24	ug/WIPE
CL109BR	6/17/2020	9:42	N1	DD-D023405	CL109BR-061720	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL109BR	6/17/2020	9:42	N1	DD-D023405	CL109BR-061720	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.1		0.07	0.24	ug/WIPE
CL109BR	6/17/2020	9:42	N1	DD-D023405	CL109BR-061720	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL109BR	6/17/2020	9:42	N1	DD-D023405	CL109BR-061720	SW8082A	SW	TOTAL PCBs	4.1		-	0.24	ug/WIPE
CL117BR	6/17/2020	9:48	N1	DD-D023406	CL117BR-061720	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL117BR	6/17/2020	9:48	N1	DD-D023406	CL117BR-061720	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL117BR	6/17/2020	9:48	N1	DD-D023406	CL117BR-061720	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL117BR	6/17/2020	9:48	N1	DD-D023406	CL117BR-061720	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	5.3		0.088	0.24	ug/WIPE
CL117BR	6/17/2020	9:48	N1	DD-D023406	CL117BR-061720	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL117BR	6/17/2020	9:48	N1	DD-D023406	CL117BR-061720	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.5		0.07	0.24	ug/WIPE
CL117BR	6/17/2020	9:48	N1	DD-D023406	CL117BR-061720	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL117BR	6/17/2020	9:48	N1	DD-D023406	CL117BR-061720	SW8082A	SW	TOTAL PCBs	6.8		-	0.24	ug/WIPE
CL119BR	6/17/2020	9:51	N1	DD-D023407	CL119BR-061720	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL119BR	6/17/2020	9:51	N1	DD-D023407	CL119BR-061720	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL119BR	6/17/2020	9:51	N1	DD-D023407	CL119BR-061720	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL119BR	6/17/2020	9:51	N1	DD-D023407	CL119BR-061720	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	5.6		0.088	0.24	ug/WIPE
CL119BR	6/17/2020	9:51	N1	DD-D023407	CL119BR-061720	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL119BR	6/17/2020	9:51	N1	DD-D023407	CL119BR-061720	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.1		0.07	0.24	ug/WIPE
CL119BR	6/17/2020	9:51	N1	DD-D023407	CL119BR-061720	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL119BR	6/17/2020	9:51	N1	DD-D023407	CL119BR-061720	SW8082A	SW	TOTAL PCBs	7.7		-	0.24	ug/WIPE
CL121BR	6/17/2020	10:00	N1	DD-D023408	CL121BR-061720	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL121BR	6/17/2020	10:00	N1	DD-D023408	CL121BR-061720	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL121BR	6/17/2020	10:00	N1	DD-D023408	CL121BR-061720	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL121BR	6/17/2020	10:00	N1	DD-D023408	CL121BR-061720	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.99		0.088	0.24	ug/WIPE
CL121BR	6/17/2020	10:00	N1	DD-D023408	CL121BR-061720	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL121BR	6/17/2020	10:00	N1	DD-D023408	CL121BR-061720	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.36		0.07	0.24	ug/WIPE
CL121BR	6/17/2020	10:00	N1	DD-D023408	CL121BR-061720	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL121BR	6/17/2020	10:00	N1	DD-D023408	CL121BR-061720	SW8082A	SW	TOTAL PCBs	1.35		-	0.24	ug/WIPE
CL123BR	6/17/2020	10:08	N1	DD-D023409	CL123BR-061720	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL123BR	6/17/2020	10:08	N1	DD-D023409	CL123BR-061720	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL123BR	6/17/2020	10:08	N1	DD-D023409	CL123BR-061720	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL123BR	6/17/2020	10:08	N1	DD-D023409	CL123BR-061720	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	6.5		0.088	0.24	ug/WIPE
CL123BR	6/17/2020	10:08	N1	DD-D023409	CL123BR-061720	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL123BR	6/17/2020	10:08	N1	DD-D023409	CL123BR-061720	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.6		0.07	0.24	ug/WIPE
CL123BR	6/17/2020	10:08	N1	DD-D023409	CL123BR-061720	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL123BR	6/17/2020	10:08	N1	DD-D023409	CL123BR-061720	SW8082A	SW	TOTAL PCBs	9.1		-	0.24	ug/WIPE
CL129BR	6/17/2020	10:10	N1	DD-D023410	CL129BR-061720	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL129BR	6/17/2020	10:10	N1	DD-D023410	CL129BR-061720	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE

Attachment 4 - Wall and Ceiling Wipe Final Resample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
CL129BR	6/17/2020	10:10	N1	DD-D023410	CL129BR-061720	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL129BR	6/17/2020	10:10	N1	DD-D023410	CL129BR-061720	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.9	U	0.088	0.24	ug/WIPE
CL129BR	6/17/2020	10:10	N1	DD-D023410	CL129BR-061720	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL129BR	6/17/2020	10:10	N1	DD-D023410	CL129BR-061720	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.4	U	0.07	0.24	ug/WIPE
CL129BR	6/17/2020	10:10	N1	DD-D023410	CL129BR-061720	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL129BR	6/17/2020	10:10	N1	DD-D023410	CL129BR-061720	SW8082A	SW	TOTAL PCBs	5.3	U	-	0.24	ug/WIPE
CL131BR	6/17/2020	10:18	N1	DD-D023501	CL131BR-061720	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL131BR	6/17/2020	10:18	N1	DD-D023501	CL131BR-061720	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL131BR	6/17/2020	10:18	N1	DD-D023501	CL131BR-061720	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL131BR	6/17/2020	10:18	N1	DD-D023501	CL131BR-061720	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	5.6	U	0.088	0.24	ug/WIPE
CL131BR	6/17/2020	10:18	N1	DD-D023501	CL131BR-061720	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL131BR	6/17/2020	10:18	N1	DD-D023501	CL131BR-061720	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.1	U	0.07	0.24	ug/WIPE
CL131BR	6/17/2020	10:18	N1	DD-D023501	CL131BR-061720	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL131BR	6/17/2020	10:18	N1	DD-D023501	CL131BR-061720	SW8082A	SW	TOTAL PCBs	7.7	U	-	0.24	ug/WIPE
CL141BR	6/19/2020	6:55	N1	DD-D023502	CL141BR-061920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL141BR	6/19/2020	6:55	N1	DD-D023502	CL141BR-061920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL141BR	6/19/2020	6:55	N1	DD-D023502	CL141BR-061920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL141BR	6/19/2020	6:55	N1	DD-D023502	CL141BR-061920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	4.8	U	0.088	0.24	ug/WIPE
CL141BR	6/19/2020	6:55	N1	DD-D023502	CL141BR-061920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL141BR	6/19/2020	6:55	N1	DD-D023502	CL141BR-061920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.8	U	0.07	0.24	ug/WIPE
CL141BR	6/19/2020	6:55	N1	DD-D023502	CL141BR-061920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL141BR	6/19/2020	6:55	N1	DD-D023502	CL141BR-061920	SW8082A	SW	TOTAL PCBs	6.6	U	-	0.24	ug/WIPE
CL143BR	6/19/2020	6:58	N1	DD-D023503	CL143BR-061920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL143BR	6/19/2020	6:58	N1	DD-D023503	CL143BR-061920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL143BR	6/19/2020	6:58	N1	DD-D023503	CL143BR-061920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL143BR	6/19/2020	6:58	N1	DD-D023503	CL143BR-061920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	5.3	U	0.088	0.24	ug/WIPE
CL143BR	6/19/2020	6:58	N1	DD-D023503	CL143BR-061920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL143BR	6/19/2020	6:58	N1	DD-D023503	CL143BR-061920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.8	U	0.07	0.24	ug/WIPE
CL143BR	6/19/2020	6:58	N1	DD-D023503	CL143BR-061920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL143BR	6/19/2020	6:58	N1	DD-D023503	CL143BR-061920	SW8082A	SW	TOTAL PCBs	7.1	U	-	0.24	ug/WIPE
CL145BR	6/19/2020	7:04	N1	DD-D023504	CL145BR-061920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL145BR	6/19/2020	7:04	N1	DD-D023504	CL145BR-061920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL145BR	6/19/2020	7:04	N1	DD-D023504	CL145BR-061920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL145BR	6/19/2020	7:04	N1	DD-D023504	CL145BR-061920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	4.4	U	0.088	0.24	ug/WIPE
CL145BR	6/19/2020	7:04	N1	DD-D023504	CL145BR-061920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL145BR	6/19/2020	7:04	N1	DD-D023504	CL145BR-061920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.6	U	0.07	0.24	ug/WIPE
CL145BR	6/19/2020	7:04	N1	DD-D023504	CL145BR-061920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL145BR	6/19/2020	7:04	N1	DD-D023504	CL145BR-061920	SW8082A	SW	TOTAL PCBs	6	U	-	0.24	ug/WIPE
CL147BR	6/19/2020	7:08	N1	DD-D023505	CL147BR-061920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL147BR	6/19/2020	7:08	N1	DD-D023505	CL147BR-061920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL147BR	6/19/2020	7:08	N1	DD-D023505	CL147BR-061920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL147BR	6/19/2020	7:08	N1	DD-D023505	CL147BR-061920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.5	U	0.088	0.24	ug/WIPE
CL147BR	6/19/2020	7:08	N1	DD-D023505	CL147BR-061920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL147BR	6/19/2020	7:08	N1	DD-D023505	CL147BR-061920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.98	U	0.07	0.24	ug/WIPE
CL147BR	6/19/2020	7:08	N1	DD-D023505	CL147BR-061920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL147BR	6/19/2020	7:08	N1	DD-D023505	CL147BR-061920	SW8082A	SW	TOTAL PCBs	3.48	U	-	0.24	ug/WIPE
CL153BR	6/19/2020	7:15	N1	DD-D023506	CL153BR-061920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL153BR	6/19/2020	7:15	N1	DD-D023506	CL153BR-061920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL153BR	6/19/2020	7:15	N1	DD-D023506	CL153BR-061920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL153BR	6/19/2020	7:15	N1	DD-D023506	CL153BR-061920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	4.2	U	0.088	0.24	ug/WIPE
CL153BR	6/19/2020	7:15	N1	DD-D023506	CL153BR-061920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE

Attachment 4 - Wall and Ceiling Wipe Final Resample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
CL153BR	6/19/2020	7:15	N1	DD-D023506	CL153BR-061920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.2		0.07	0.24	ug/WIPE
CL153BR	6/19/2020	7:15	N1	DD-D023506	CL153BR-061920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL153BR	6/19/2020	7:15	N1	DD-D023506	CL153BR-061920	SW8082A	SW	TOTAL PCBs	5.4		-	0.24	ug/WIPE
CL155BR	6/19/2020	7:22	N1	DD-D023507	CL155BR-061920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL155BR	6/19/2020	7:22	N1	DD-D023507	CL155BR-061920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL155BR	6/19/2020	7:22	N1	DD-D023507	CL155BR-061920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL155BR	6/19/2020	7:22	N1	DD-D023507	CL155BR-061920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	5.2		0.088	0.24	ug/WIPE
CL155BR	6/19/2020	7:22	N1	DD-D023507	CL155BR-061920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL155BR	6/19/2020	7:22	N1	DD-D023507	CL155BR-061920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.8		0.07	0.24	ug/WIPE
CL155BR	6/19/2020	7:22	N1	DD-D023507	CL155BR-061920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL155BR	6/19/2020	7:22	N1	DD-D023507	CL155BR-061920	SW8082A	SW	TOTAL PCBs	7		-	0.24	ug/WIPE
CL157BR	6/19/2020	7:26	N1	DD-D023508	CL157BR-061920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL157BR	6/19/2020	7:26	N1	DD-D023508	CL157BR-061920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL157BR	6/19/2020	7:26	N1	DD-D023508	CL157BR-061920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL157BR	6/19/2020	7:26	N1	DD-D023508	CL157BR-061920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.7		0.088	0.24	ug/WIPE
CL157BR	6/19/2020	7:26	N1	DD-D023508	CL157BR-061920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL157BR	6/19/2020	7:26	N1	DD-D023508	CL157BR-061920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.2		0.07	0.24	ug/WIPE
CL157BR	6/19/2020	7:26	N1	DD-D023508	CL157BR-061920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL157BR	6/19/2020	7:26	N1	DD-D023508	CL157BR-061920	SW8082A	SW	TOTAL PCBs	4.9		-	0.24	ug/WIPE
CL163BR	6/19/2020	7:32	N1	DD-D023509	CL163BR-061920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL163BR	6/19/2020	7:32	N1	DD-D023509	CL163BR-061920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL163BR	6/19/2020	7:32	N1	DD-D023509	CL163BR-061920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL163BR	6/19/2020	7:32	N1	DD-D023509	CL163BR-061920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	5.3		0.088	0.24	ug/WIPE
CL163BR	6/19/2020	7:32	N1	DD-D023509	CL163BR-061920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL163BR	6/19/2020	7:32	N1	DD-D023509	CL163BR-061920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.6		0.07	0.24	ug/WIPE
CL163BR	6/19/2020	7:32	N1	DD-D023509	CL163BR-061920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL163BR	6/19/2020	7:32	N1	DD-D023509	CL163BR-061920	SW8082A	SW	TOTAL PCBs	6.9		-	0.24	ug/WIPE
CL165BR	6/19/2020	7:39	N1	DD-D023510	CL165BR-061920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL165BR	6/19/2020	7:39	N1	DD-D023510	CL165BR-061920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL165BR	6/19/2020	7:39	N1	DD-D023510	CL165BR-061920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL165BR	6/19/2020	7:39	N1	DD-D023510	CL165BR-061920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.1		0.088	0.24	ug/WIPE
CL165BR	6/19/2020	7:39	N1	DD-D023510	CL165BR-061920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL165BR	6/19/2020	7:39	N1	DD-D023510	CL165BR-061920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.2		0.07	0.24	ug/WIPE
CL165BR	6/19/2020	7:39	N1	DD-D023510	CL165BR-061920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL165BR	6/19/2020	7:39	N1	DD-D023510	CL165BR-061920	SW8082A	SW	TOTAL PCBs	4.3		-	0.24	ug/WIPE
CL173BR	6/19/2020	7:43	N1	DD-D023601	CL173BR-061920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL173BR	6/19/2020	7:43	N1	DD-D023601	CL173BR-061920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL173BR	6/19/2020	7:43	N1	DD-D023601	CL173BR-061920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL173BR	6/19/2020	7:43	N1	DD-D023601	CL173BR-061920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	4.2		0.088	0.24	ug/WIPE
CL173BR	6/19/2020	7:43	N1	DD-D023601	CL173BR-061920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL173BR	6/19/2020	7:43	N1	DD-D023601	CL173BR-061920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.4		0.07	0.24	ug/WIPE
CL173BR	6/19/2020	7:43	N1	DD-D023601	CL173BR-061920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL173BR	6/19/2020	7:43	N1	DD-D023601	CL173BR-061920	SW8082A	SW	TOTAL PCBs	5.6		-	0.24	ug/WIPE
CL175BR	6/19/2020	7:48	N1	DD-D023602	CL175BR-061920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL175BR	6/19/2020	7:48	N1	DD-D023602	CL175BR-061920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL175BR	6/19/2020	7:48	N1	DD-D023602	CL175BR-061920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL175BR	6/19/2020	7:48	N1	DD-D023602	CL175BR-061920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	4		0.088	0.24	ug/WIPE
CL175BR	6/19/2020	7:48	N1	DD-D023602	CL175BR-061920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL175BR	6/19/2020	7:48	N1	DD-D023602	CL175BR-061920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.3		0.07	0.24	ug/WIPE
CL175BR	6/19/2020	7:48	N1	DD-D023602	CL175BR-061920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL175BR	6/19/2020	7:48	N1	DD-D023602	CL175BR-061920	SW8082A	SW	TOTAL PCBs	5.3		-	0.24	ug/WIPE

Attachment 4 - Wall and Ceiling Wipe Final Resample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
CL183BR	6/19/2020	7:53	N1	DD-D023603	CL183BR-061920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL183BR	6/19/2020	7:53	N1	DD-D023603	CL183BR-061920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL183BR	6/19/2020	7:53	N1	DD-D023603	CL183BR-061920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL183BR	6/19/2020	7:53	N1	DD-D023603	CL183BR-061920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3.6		0.088	0.24	ug/WIPE
CL183BR	6/19/2020	7:53	N1	DD-D023603	CL183BR-061920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL183BR	6/19/2020	7:53	N1	DD-D023603	CL183BR-061920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.2		0.07	0.24	ug/WIPE
CL183BR	6/19/2020	7:53	N1	DD-D023603	CL183BR-061920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL183BR	6/19/2020	7:53	N1	DD-D023603	CL183BR-061920	SW8082A	SW	TOTAL PCBs	4.8		-	0.24	ug/WIPE
CL185BR	6/19/2020	7:57	N1	DD-D023604	CL185BR-061920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL185BR	6/19/2020	7:57	N1	DD-D023604	CL185BR-061920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL185BR	6/19/2020	7:57	N1	DD-D023604	CL185BR-061920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL185BR	6/19/2020	7:57	N1	DD-D023604	CL185BR-061920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	4.2		0.088	0.24	ug/WIPE
CL185BR	6/19/2020	7:57	N1	DD-D023604	CL185BR-061920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL185BR	6/19/2020	7:57	N1	DD-D023604	CL185BR-061920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.4		0.07	0.24	ug/WIPE
CL185BR	6/19/2020	7:57	N1	DD-D023604	CL185BR-061920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL185BR	6/19/2020	7:57	N1	DD-D023604	CL185BR-061920	SW8082A	SW	TOTAL PCBs	5.6		-	0.24	ug/WIPE
CL187BR	6/19/2020	8:00	N1	DD-D023605	CL187BR-061920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL187BR	6/19/2020	8:00	N1	DD-D023605	CL187BR-061920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL187BR	6/19/2020	8:00	N1	DD-D023605	CL187BR-061920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL187BR	6/19/2020	8:00	N1	DD-D023605	CL187BR-061920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	5.4		0.088	0.24	ug/WIPE
CL187BR	6/19/2020	8:00	N1	DD-D023605	CL187BR-061920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL187BR	6/19/2020	8:00	N1	DD-D023605	CL187BR-061920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.8		0.07	0.24	ug/WIPE
CL187BR	6/19/2020	8:00	N1	DD-D023605	CL187BR-061920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL187BR	6/19/2020	8:00	N1	DD-D023605	CL187BR-061920	SW8082A	SW	TOTAL PCBs	7.2		-	0.24	ug/WIPE
CL197BR	6/19/2020	8:08	N1	DD-D023606	CL197BR-061920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL197BR	6/19/2020	8:08	N1	DD-D023606	CL197BR-061920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL197BR	6/19/2020	8:08	N1	DD-D023606	CL197BR-061920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL197BR	6/19/2020	8:08	N1	DD-D023606	CL197BR-061920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	5.1		0.088	0.24	ug/WIPE
CL197BR	6/19/2020	8:08	N1	DD-D023606	CL197BR-061920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL197BR	6/19/2020	8:08	N1	DD-D023606	CL197BR-061920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.8		0.07	0.24	ug/WIPE
CL197BR	6/19/2020	8:08	N1	DD-D023606	CL197BR-061920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL197BR	6/19/2020	8:08	N1	DD-D023606	CL197BR-061920	SW8082A	SW	TOTAL PCBs	6.9		-	0.24	ug/WIPE
CL199BR	6/19/2020	8:12	N1	DD-D023607	CL199BR-061920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL199BR	6/19/2020	8:12	N1	DD-D023607	CL199BR-061920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL199BR	6/19/2020	8:12	N1	DD-D023607	CL199BR-061920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL199BR	6/19/2020	8:12	N1	DD-D023607	CL199BR-061920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	4.5		0.088	0.24	ug/WIPE
CL199BR	6/19/2020	8:12	N1	DD-D023607	CL199BR-061920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL199BR	6/19/2020	8:12	N1	DD-D023607	CL199BR-061920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.6		0.07	0.24	ug/WIPE
CL199BR	6/19/2020	8:12	N1	DD-D023607	CL199BR-061920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL199BR	6/19/2020	8:12	N1	DD-D023607	CL199BR-061920	SW8082A	SW	TOTAL PCBs	6.1		-	0.24	ug/WIPE
CL201BR	6/19/2020	8:16	N1	DD-D023608	CL201BR-061920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL201BR	6/19/2020	8:16	N1	DD-D023608	CL201BR-061920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL201BR	6/19/2020	8:16	N1	DD-D023608	CL201BR-061920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL201BR	6/19/2020	8:16	N1	DD-D023608	CL201BR-061920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3.9		0.088	0.24	ug/WIPE
CL201BR	6/19/2020	8:16	N1	DD-D023608	CL201BR-061920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL201BR	6/19/2020	8:16	N1	DD-D023608	CL201BR-061920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.3		0.07	0.24	ug/WIPE
CL201BR	6/19/2020	8:16	N1	DD-D023608	CL201BR-061920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL201BR	6/19/2020	8:16	N1	DD-D023608	CL201BR-061920	SW8082A	SW	TOTAL PCBs	5.2		-	0.24	ug/WIPE
CL203BR	6/19/2020	8:22	N1	DD-D023609	CL203BR-061920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL203BR	6/19/2020	8:22	N1	DD-D023609	CL203BR-061920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL203BR	6/19/2020	8:22	N1	DD-D023609	CL203BR-061920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE



Attachment 4 - Wall and Ceiling Wipe Final Resample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
CL203BR	6/19/2020	8:22	N1	DD-D023609	CL203BR-061920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3.8		0.088	0.24	ug/WIPE
CL203BR	6/19/2020	8:22	N1	DD-D023609	CL203BR-061920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL203BR	6/19/2020	8:22	N1	DD-D023609	CL203BR-061920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.3		0.07	0.24	ug/WIPE
CL203BR	6/19/2020	8:22	N1	DD-D023609	CL203BR-061920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL203BR	6/19/2020	8:22	N1	DD-D023609	CL203BR-061920	SW8082A	SW	TOTAL PCBs	5.1		-	0.24	ug/WIPE
CL207BR	6/19/2020	8:25	N1	DD-D023610	CL207BR-061920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL207BR	6/19/2020	8:25	N1	DD-D023610	CL207BR-061920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL207BR	6/19/2020	8:25	N1	DD-D023610	CL207BR-061920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL207BR	6/19/2020	8:25	N1	DD-D023610	CL207BR-061920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	6		0.088	0.24	ug/WIPE
CL207BR	6/19/2020	8:25	N1	DD-D023610	CL207BR-061920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL207BR	6/19/2020	8:25	N1	DD-D023610	CL207BR-061920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2.1		0.07	0.24	ug/WIPE
CL207BR	6/19/2020	8:25	N1	DD-D023610	CL207BR-061920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL207BR	6/19/2020	8:25	N1	DD-D023610	CL207BR-061920	SW8082A	SW	TOTAL PCBs	8.1		-	0.24	ug/WIPE
CL209BR	6/19/2020	8:35	N1	DD-D023701	CL209BR-061920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL209BR	6/19/2020	8:35	N1	DD-D023701	CL209BR-061920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL209BR	6/19/2020	8:35	N1	DD-D023701	CL209BR-061920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL209BR	6/19/2020	8:35	N1	DD-D023701	CL209BR-061920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3.6		0.088	0.24	ug/WIPE
CL209BR	6/19/2020	8:35	N1	DD-D023701	CL209BR-061920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL209BR	6/19/2020	8:35	N1	DD-D023701	CL209BR-061920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.3		0.07	0.24	ug/WIPE
CL209BR	6/19/2020	8:35	N1	DD-D023701	CL209BR-061920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL209BR	6/19/2020	8:35	N1	DD-D023701	CL209BR-061920	SW8082A	SW	TOTAL PCBs	4.9		-	0.24	ug/WIPE
CL218BR	6/19/2020	8:39	N1	DD-D023702	CL218BR-061920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL218BR	6/19/2020	8:39	N1	DD-D023702	CL218BR-061920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL218BR	6/19/2020	8:39	N1	DD-D023702	CL218BR-061920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL218BR	6/19/2020	8:39	N1	DD-D023702	CL218BR-061920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3.2		0.088	0.24	ug/WIPE
CL218BR	6/19/2020	8:39	N1	DD-D023702	CL218BR-061920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL218BR	6/19/2020	8:39	N1	DD-D023702	CL218BR-061920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.99		0.07	0.24	ug/WIPE
CL218BR	6/19/2020	8:39	N1	DD-D023702	CL218BR-061920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL218BR	6/19/2020	8:39	N1	DD-D023702	CL218BR-061920	SW8082A	SW	TOTAL PCBs	4.19		-	0.24	ug/WIPE
CL219BR	6/19/2020	8:45	N1	DD-D023703	CL219BR-061920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL219BR	6/19/2020	8:45	N1	DD-D023703	CL219BR-061920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL219BR	6/19/2020	8:45	N1	DD-D023703	CL219BR-061920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL219BR	6/19/2020	8:45	N1	DD-D023703	CL219BR-061920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	4.9		0.088	0.24	ug/WIPE
CL219BR	6/19/2020	8:45	N1	DD-D023703	CL219BR-061920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL219BR	6/19/2020	8:45	N1	DD-D023703	CL219BR-061920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.3		0.07	0.24	ug/WIPE
CL219BR	6/19/2020	8:45	N1	DD-D023703	CL219BR-061920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL219BR	6/19/2020	8:45	N1	DD-D023703	CL219BR-061920	SW8082A	SW	TOTAL PCBs	6.2		-	0.24	ug/WIPE
CL221BR	6/19/2020	8:50	N1	DD-D023704	CL221BR-061920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL221BR	6/19/2020	8:50	N1	DD-D023704	CL221BR-061920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL221BR	6/19/2020	8:50	N1	DD-D023704	CL221BR-061920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL221BR	6/19/2020	8:50	N1	DD-D023704	CL221BR-061920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	5.6		0.088	0.24	ug/WIPE
CL221BR	6/19/2020	8:50	N1	DD-D023704	CL221BR-061920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL221BR	6/19/2020	8:50	N1	DD-D023704	CL221BR-061920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.6		0.07	0.24	ug/WIPE
CL221BR	6/19/2020	8:50	N1	DD-D023704	CL221BR-061920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL221BR	6/19/2020	8:50	N1	DD-D023704	CL221BR-061920	SW8082A	SW	TOTAL PCBs	7.2		-	0.24	ug/WIPE
CL223BR	6/19/2020	9:00	N1	DD-D023705	CL223BR-061920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL223BR	6/19/2020	9:00	N1	DD-D023705	CL223BR-061920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL223BR	6/19/2020	9:00	N1	DD-D023705	CL223BR-061920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL223BR	6/19/2020	9:00	N1	DD-D023705	CL223BR-061920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	5.7		0.088	0.24	ug/WIPE
CL223BR	6/19/2020	9:00	N1	DD-D023705	CL223BR-061920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL223BR	6/19/2020	9:00	N1	DD-D023705	CL223BR-061920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.8		0.07	0.24	ug/WIPE

Attachment 4 - Wall and Ceiling Wipe Final Resample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
CL223BR	6/19/2020	9:00	N1	DD-D023705	CL223BR-061920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL223BR	6/19/2020	9:00	N1	DD-D023705	CL223BR-061920	SW8082A	SW	TOTAL PCBs	7.5		-	0.24	ug/WIPE
CL229BR	6/19/2020	9:40	N1	DD-D023706	CL229BR-061920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL229BR	6/19/2020	9:40	N1	DD-D023706	CL229BR-061920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL229BR	6/19/2020	9:40	N1	DD-D023706	CL229BR-061920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL229BR	6/19/2020	9:40	N1	DD-D023706	CL229BR-061920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	5.6		0.088	0.24	ug/WIPE
CL229BR	6/19/2020	9:40	N1	DD-D023706	CL229BR-061920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL229BR	6/19/2020	9:40	N1	DD-D023706	CL229BR-061920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.9		0.07	0.24	ug/WIPE
CL229BR	6/19/2020	9:40	N1	DD-D023706	CL229BR-061920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL229BR	6/19/2020	9:40	N1	DD-D023706	CL229BR-061920	SW8082A	SW	TOTAL PCBs	7.5		-	0.24	ug/WIPE
CL231BR	6/19/2020	9:44	N1	DD-D023707	CL231BR-061920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL231BR	6/19/2020	9:44	N1	DD-D023707	CL231BR-061920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL231BR	6/19/2020	9:44	N1	DD-D023707	CL231BR-061920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL231BR	6/19/2020	9:44	N1	DD-D023707	CL231BR-061920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	6.5		0.088	0.24	ug/WIPE
CL231BR	6/19/2020	9:44	N1	DD-D023707	CL231BR-061920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL231BR	6/19/2020	9:44	N1	DD-D023707	CL231BR-061920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2.2		0.07	0.24	ug/WIPE
CL231BR	6/19/2020	9:44	N1	DD-D023707	CL231BR-061920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL231BR	6/19/2020	9:44	N1	DD-D023707	CL231BR-061920	SW8082A	SW	TOTAL PCBs	8.7		-	0.24	ug/WIPE
CL233BR	6/19/2020	9:48	N1	DD-D023708	CL233BR-061920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL233BR	6/19/2020	9:48	N1	DD-D023708	CL233BR-061920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL233BR	6/19/2020	9:48	N1	DD-D023708	CL233BR-061920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL233BR	6/19/2020	9:48	N1	DD-D023708	CL233BR-061920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	4.7		0.088	0.24	ug/WIPE
CL233BR	6/19/2020	9:48	N1	DD-D023708	CL233BR-061920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL233BR	6/19/2020	9:48	N1	DD-D023708	CL233BR-061920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.5		0.07	0.24	ug/WIPE
CL233BR	6/19/2020	9:48	N1	DD-D023708	CL233BR-061920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL233BR	6/19/2020	9:48	N1	DD-D023708	CL233BR-061920	SW8082A	SW	TOTAL PCBs	6.2		-	0.24	ug/WIPE
CL235BR	6/19/2020	9:54	N1	DD-D023709	CL235BR-061920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	UJ	0.09	0.24	ug/WIPE
CL235BR	6/19/2020	9:54	N1	DD-D023709	CL235BR-061920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	UJ	0.12	0.24	ug/WIPE
CL235BR	6/19/2020	9:54	N1	DD-D023709	CL235BR-061920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	UJ	0.14	0.24	ug/WIPE
CL235BR	6/19/2020	9:54	N1	DD-D023709	CL235BR-061920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.9	J	0.088	0.24	ug/WIPE
CL235BR	6/19/2020	9:54	N1	DD-D023709	CL235BR-061920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	UJ	0.092	0.24	ug/WIPE
CL235BR	6/19/2020	9:54	N1	DD-D023709	CL235BR-061920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.3	J	0.07	0.24	ug/WIPE
CL235BR	6/19/2020	9:54	N1	DD-D023709	CL235BR-061920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	UJ	0.09	0.24	ug/WIPE
CL235BR	6/19/2020	9:54	N1	DD-D023709	CL235BR-061920	SW8082A	SW	TOTAL PCBs	5.2		-	0.24	ug/WIPE
CL241BR	6/19/2020	9:58	N1	DD-D023710	CL241BR-061920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL241BR	6/19/2020	9:58	N1	DD-D023710	CL241BR-061920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL241BR	6/19/2020	9:58	N1	DD-D023710	CL241BR-061920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL241BR	6/19/2020	9:58	N1	DD-D023710	CL241BR-061920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3		0.088	0.24	ug/WIPE
CL241BR	6/19/2020	9:58	N1	DD-D023710	CL241BR-061920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL241BR	6/19/2020	9:58	N1	DD-D023710	CL241BR-061920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.1		0.07	0.24	ug/WIPE
CL241BR	6/19/2020	9:58	N1	DD-D023710	CL241BR-061920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL241BR	6/19/2020	9:58	N1	DD-D023710	CL241BR-061920	SW8082A	SW	TOTAL PCBs	4.1		-	0.24	ug/WIPE
CL243BR	6/19/2020	10:05	N1	DD-D023801	CL243BR-061920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL243BR	6/19/2020	10:05	N1	DD-D023801	CL243BR-061920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL243BR	6/19/2020	10:05	N1	DD-D023801	CL243BR-061920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL243BR	6/19/2020	10:05	N1	DD-D023801	CL243BR-061920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.7		0.088	0.24	ug/WIPE
CL243BR	6/19/2020	10:05	N1	DD-D023801	CL243BR-061920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL243BR	6/19/2020	10:05	N1	DD-D023801	CL243BR-061920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.82		0.07	0.24	ug/WIPE
CL243BR	6/19/2020	10:05	N1	DD-D023801	CL243BR-061920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL243BR	6/19/2020	10:05	N1	DD-D023801	CL243BR-061920	SW8082A	SW	TOTAL PCBs	3.52		-	0.24	ug/WIPE
CL245BR	6/19/2020	10:10	N1	DD-D023802	CL245BR-061920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE

Attachment 4 - Wall and Ceiling Wipe Final Resample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
CL245BR	6/19/2020	10:10	N1	DD-D023802	CL245BR-061920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL245BR	6/19/2020	10:10	N1	DD-D023802	CL245BR-061920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL245BR	6/19/2020	10:10	N1	DD-D023802	CL245BR-061920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3.6		0.088	0.24	ug/WIPE
CL245BR	6/19/2020	10:10	N1	DD-D023802	CL245BR-061920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL245BR	6/19/2020	10:10	N1	DD-D023802	CL245BR-061920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1		0.07	0.24	ug/WIPE
CL245BR	6/19/2020	10:10	N1	DD-D023802	CL245BR-061920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL245BR	6/19/2020	10:10	N1	DD-D023802	CL245BR-061920	SW8082A	SW	TOTAL PCBs	4.6		-	0.24	ug/WIPE
CL247BR	6/19/2020	10:15	N1	DD-D023803	CL247BR-061920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
CL247BR	6/19/2020	10:15	N1	DD-D023803	CL247BR-061920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
CL247BR	6/19/2020	10:15	N1	DD-D023803	CL247BR-061920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
CL247BR	6/19/2020	10:15	N1	DD-D023803	CL247BR-061920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	5.5		0.088	0.24	ug/WIPE
CL247BR	6/19/2020	10:15	N1	DD-D023803	CL247BR-061920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
CL247BR	6/19/2020	10:15	N1	DD-D023803	CL247BR-061920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.7		0.07	0.24	ug/WIPE
CL247BR	6/19/2020	10:15	N1	DD-D023803	CL247BR-061920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
CL247BR	6/19/2020	10:15	N1	DD-D023803	CL247BR-061920	SW8082A	SW	TOTAL PCBs	7.2		-	0.24	ug/WIPE
DBG003R	6/22/2020	11:37	N1	DD-D020701	DBG003R-062220	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG003R	6/22/2020	11:37	N1	DD-D020701	DBG003R-062220	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG003R	6/22/2020	11:37	N1	DD-D020701	DBG003R-062220	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG003R	6/22/2020	11:37	N1	DD-D020701	DBG003R-062220	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2.6		0.088	0.24	ug/WIPE
DBG003R	6/22/2020	11:37	N1	DD-D020701	DBG003R-062220	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG003R	6/22/2020	11:37	N1	DD-D020701	DBG003R-062220	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.93		0.07	0.24	ug/WIPE
DBG003R	6/22/2020	11:37	N1	DD-D020701	DBG003R-062220	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG003R	6/22/2020	11:37	N1	DD-D020701	DBG003R-062220	SW8082A	SW	TOTAL PCBs	3.53		-	0.24	ug/WIPE
DBG006R	6/22/2020	11:43	N1	DD-D020702	DBG006R-062220	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG006R	6/22/2020	11:43	N1	DD-D020702	DBG006R-062220	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG006R	6/22/2020	11:43	N1	DD-D020702	DBG006R-062220	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG006R	6/22/2020	11:43	N1	DD-D020702	DBG006R-062220	SW8082A	SW	PCB-1242 (AROCLOR 1242)	5.1		0.088	0.24	ug/WIPE
DBG006R	6/22/2020	11:43	N1	DD-D020702	DBG006R-062220	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG006R	6/22/2020	11:43	N1	DD-D020702	DBG006R-062220	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.3		0.07	0.24	ug/WIPE
DBG006R	6/22/2020	11:43	N1	DD-D020702	DBG006R-062220	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG006R	6/22/2020	11:43	N1	DD-D020702	DBG006R-062220	SW8082A	SW	TOTAL PCBs	6.4		-	0.24	ug/WIPE
DBG007R	6/22/2020	11:48	N1	DD-D020703	DBG007R-062220	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG007R	6/22/2020	11:48	N1	DD-D020703	DBG007R-062220	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG007R	6/22/2020	11:48	N1	DD-D020703	DBG007R-062220	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG007R	6/22/2020	11:48	N1	DD-D020703	DBG007R-062220	SW8082A	SW	PCB-1242 (AROCLOR 1242)	4.1		0.088	0.24	ug/WIPE
DBG007R	6/22/2020	11:48	N1	DD-D020703	DBG007R-062220	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG007R	6/22/2020	11:48	N1	DD-D020703	DBG007R-062220	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.2		0.07	0.24	ug/WIPE
DBG007R	6/22/2020	11:48	N1	DD-D020703	DBG007R-062220	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG007R	6/22/2020	11:48	N1	DD-D020703	DBG007R-062220	SW8082A	SW	TOTAL PCBs	5.3		-	0.24	ug/WIPE
DBG008R	6/22/2020	11:51	N1	DD-D020704	DBG008R-062220	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG008R	6/22/2020	11:51	N1	DD-D020704	DBG008R-062220	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG008R	6/22/2020	11:51	N1	DD-D020704	DBG008R-062220	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG008R	6/22/2020	11:51	N1	DD-D020704	DBG008R-062220	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3		0.088	0.24	ug/WIPE
DBG008R	6/22/2020	11:51	N1	DD-D020704	DBG008R-062220	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG008R	6/22/2020	11:51	N1	DD-D020704	DBG008R-062220	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.91		0.07	0.24	ug/WIPE
DBG008R	6/22/2020	11:51	N1	DD-D020704	DBG008R-062220	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG008R	6/22/2020	11:51	N1	DD-D020704	DBG008R-062220	SW8082A	SW	TOTAL PCBs	3.91		-	0.24	ug/WIPE
DBG013R	6/22/2020	11:55	N1	DD-D020705	DBG013R-062220	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG013R	6/22/2020	11:55	N1	DD-D020705	DBG013R-062220	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG013R	6/22/2020	11:55	N1	DD-D020705	DBG013R-062220	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG013R	6/22/2020	11:55	N1	DD-D020705	DBG013R-062220	SW8082A	SW	PCB-1242 (AROCLOR 1242)	4.2		0.088	0.24	ug/WIPE

Attachment 4 - Wall and Ceiling Wipe Final Resample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
DBG013R	6/22/2020	11:55	N1	DD-D020705	DBG013R-062220	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG013R	6/22/2020	11:55	N1	DD-D020705	DBG013R-062220	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.6	U	0.07	0.24	ug/WIPE
DBG013R	6/22/2020	11:55	N1	DD-D020705	DBG013R-062220	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG013R	6/22/2020	11:55	N1	DD-D020705	DBG013R-062220	SW8082A	SW	TOTAL PCBs	5.8		-	0.24	ug/WIPE
DBG017R	6/22/2020	12:00	N1	DD-D020706	DBG017R-062220	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG017R	6/22/2020	12:00	N1	DD-D020706	DBG017R-062220	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG017R	6/22/2020	12:00	N1	DD-D020706	DBG017R-062220	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG017R	6/22/2020	12:00	N1	DD-D020706	DBG017R-062220	SW8082A	SW	PCB-1242 (AROCLOR 1242)	4		0.088	0.24	ug/WIPE
DBG017R	6/22/2020	12:00	N1	DD-D020706	DBG017R-062220	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG017R	6/22/2020	12:00	N1	DD-D020706	DBG017R-062220	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.5		0.07	0.24	ug/WIPE
DBG017R	6/22/2020	12:00	N1	DD-D020706	DBG017R-062220	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG017R	6/22/2020	12:00	N1	DD-D020706	DBG017R-062220	SW8082A	SW	TOTAL PCBs	5.5		-	0.24	ug/WIPE
DBG018R	6/22/2020	12:55	N1	DD-D020707	DBG018R-062220	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG018R	6/22/2020	12:55	N1	DD-D020707	DBG018R-062220	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG018R	6/22/2020	12:55	N1	DD-D020707	DBG018R-062220	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG018R	6/22/2020	12:55	N1	DD-D020707	DBG018R-062220	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3.4		0.088	0.24	ug/WIPE
DBG018R	6/22/2020	12:55	N1	DD-D020707	DBG018R-062220	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG018R	6/22/2020	12:55	N1	DD-D020707	DBG018R-062220	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.2		0.07	0.24	ug/WIPE
DBG018R	6/22/2020	12:55	N1	DD-D020707	DBG018R-062220	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG018R	6/22/2020	12:55	N1	DD-D020707	DBG018R-062220	SW8082A	SW	TOTAL PCBs	4.6		-	0.24	ug/WIPE
DBG020R	6/22/2020	12:58	N1	DD-D020708	DBG020R-062220	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG020R	6/22/2020	12:58	N1	DD-D020708	DBG020R-062220	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG020R	6/22/2020	12:58	N1	DD-D020708	DBG020R-062220	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG020R	6/22/2020	12:58	N1	DD-D020708	DBG020R-062220	SW8082A	SW	PCB-1242 (AROCLOR 1242)	7.2		0.088	0.24	ug/WIPE
DBG020R	6/22/2020	12:58	N1	DD-D020708	DBG020R-062220	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG020R	6/22/2020	12:58	N1	DD-D020708	DBG020R-062220	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2.2		0.07	0.24	ug/WIPE
DBG020R	6/22/2020	12:58	N1	DD-D020708	DBG020R-062220	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG020R	6/22/2020	12:58	N1	DD-D020708	DBG020R-062220	SW8082A	SW	TOTAL PCBs	9.4		-	0.24	ug/WIPE
DBG021R	6/22/2020	13:00	N1	DD-D020709	DBG021R-062220	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG021R	6/22/2020	13:00	N1	DD-D020709	DBG021R-062220	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG021R	6/22/2020	13:00	N1	DD-D020709	DBG021R-062220	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG021R	6/22/2020	13:00	N1	DD-D020709	DBG021R-062220	SW8082A	SW	PCB-1242 (AROCLOR 1242)	5.9		0.088	0.24	ug/WIPE
DBG021R	6/22/2020	13:00	N1	DD-D020709	DBG021R-062220	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG021R	6/22/2020	13:00	N1	DD-D020709	DBG021R-062220	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.9		0.07	0.24	ug/WIPE
DBG021R	6/22/2020	13:00	N1	DD-D020709	DBG021R-062220	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG021R	6/22/2020	13:00	N1	DD-D020709	DBG021R-062220	SW8082A	SW	TOTAL PCBs	7.8		-	0.24	ug/WIPE
DBG024R	6/22/2020	13:04	N1	DD-D020710	DBG024R-062220	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG024R	6/22/2020	13:04	N1	DD-D020710	DBG024R-062220	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG024R	6/22/2020	13:04	N1	DD-D020710	DBG024R-062220	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG024R	6/22/2020	13:04	N1	DD-D020710	DBG024R-062220	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2.6		0.088	0.24	ug/WIPE
DBG024R	6/22/2020	13:04	N1	DD-D020710	DBG024R-062220	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG024R	6/22/2020	13:04	N1	DD-D020710	DBG024R-062220	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.89		0.07	0.24	ug/WIPE
DBG024R	6/22/2020	13:04	N1	DD-D020710	DBG024R-062220	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG024R	6/22/2020	13:04	N1	DD-D020710	DBG024R-062220	SW8082A	SW	TOTAL PCBs	3.49		-	0.24	ug/WIPE
DBG027R	6/22/2020	13:08	N1	DD-D021107	DBG027R-062220	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG027R	6/22/2020	13:08	N1	DD-D021107	DBG027R-062220	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG027R	6/22/2020	13:08	N1	DD-D021107	DBG027R-062220	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG027R	6/22/2020	13:08	N1	DD-D021107	DBG027R-062220	SW8082A	SW	PCB-1242 (AROCLOR 1242)	5		0.088	0.24	ug/WIPE
DBG027R	6/22/2020	13:08	N1	DD-D021107	DBG027R-062220	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG027R	6/22/2020	13:08	N1	DD-D021107	DBG027R-062220	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2.1		0.07	0.24	ug/WIPE
DBG027R	6/22/2020	13:08	N1	DD-D021107	DBG027R-062220	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE

Attachment 4 - Wall and Ceiling Wipe Final Resample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
DBG027R	6/22/2020	13:08	N1	DD-D021107	DBG027R-062220	SW8082A	SW	TOTAL PCBs	7.1		-	0.24	ug/WIPE
DBG033R	6/22/2020	13:11	N1	DD-D020801	DBG033R-062220	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG033R	6/22/2020	13:11	N1	DD-D020801	DBG033R-062220	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG033R	6/22/2020	13:11	N1	DD-D020801	DBG033R-062220	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG033R	6/22/2020	13:11	N1	DD-D020801	DBG033R-062220	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3.8		0.088	0.24	ug/WIPE
DBG033R	6/22/2020	13:11	N1	DD-D020801	DBG033R-062220	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG033R	6/22/2020	13:11	N1	DD-D020801	DBG033R-062220	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.2		0.07	0.24	ug/WIPE
DBG033R	6/22/2020	13:11	N1	DD-D020801	DBG033R-062220	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG033R	6/22/2020	13:11	N1	DD-D020801	DBG033R-062220	SW8082A	SW	TOTAL PCBs	5		-	0.24	ug/WIPE
DBG034R	6/22/2020	13:17	N1	DD-D020802	DBG034R-062220	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG034R	6/22/2020	13:17	N1	DD-D020802	DBG034R-062220	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG034R	6/22/2020	13:17	N1	DD-D020802	DBG034R-062220	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG034R	6/22/2020	13:17	N1	DD-D020802	DBG034R-062220	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3.3		0.088	0.24	ug/WIPE
DBG034R	6/22/2020	13:17	N1	DD-D020802	DBG034R-062220	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG034R	6/22/2020	13:17	N1	DD-D020802	DBG034R-062220	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.2		0.07	0.24	ug/WIPE
DBG034R	6/22/2020	13:17	N1	DD-D020802	DBG034R-062220	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG034R	6/22/2020	13:17	N1	DD-D020802	DBG034R-062220	SW8082A	SW	TOTAL PCBs	4.5		-	0.24	ug/WIPE
DBG037R	6/22/2020	13:20	N1	DD-D020803	DBG037R-062220	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG037R	6/22/2020	13:20	N1	DD-D020803	DBG037R-062220	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG037R	6/22/2020	13:20	N1	DD-D020803	DBG037R-062220	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG037R	6/22/2020	13:20	N1	DD-D020803	DBG037R-062220	SW8082A	SW	PCB-1242 (AROCLOR 1242)	4		0.088	0.24	ug/WIPE
DBG037R	6/22/2020	13:20	N1	DD-D020803	DBG037R-062220	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG037R	6/22/2020	13:20	N1	DD-D020803	DBG037R-062220	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.6		0.07	0.24	ug/WIPE
DBG037R	6/22/2020	13:20	N1	DD-D020803	DBG037R-062220	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG037R	6/22/2020	13:20	N1	DD-D020803	DBG037R-062220	SW8082A	SW	TOTAL PCBs	5.6		-	0.24	ug/WIPE
DBG038R	6/22/2020	13:25	N1	DD-D020804	DBG038R-062220	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG038R	6/22/2020	13:25	N1	DD-D020804	DBG038R-062220	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG038R	6/22/2020	13:25	N1	DD-D020804	DBG038R-062220	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG038R	6/22/2020	13:25	N1	DD-D020804	DBG038R-062220	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3.6		0.088	0.24	ug/WIPE
DBG038R	6/22/2020	13:25	N1	DD-D020804	DBG038R-062220	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG038R	6/22/2020	13:25	N1	DD-D020804	DBG038R-062220	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.2		0.07	0.24	ug/WIPE
DBG038R	6/22/2020	13:25	N1	DD-D020804	DBG038R-062220	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG038R	6/22/2020	13:25	N1	DD-D020804	DBG038R-062220	SW8082A	SW	TOTAL PCBs	4.8		-	0.24	ug/WIPE
DBG039R	6/22/2020	13:27	N1	DD-D020806	DBG039R-062220	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG039R	6/22/2020	13:27	N1	DD-D020806	DBG039R-062220	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG039R	6/22/2020	13:27	N1	DD-D020806	DBG039R-062220	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG039R	6/22/2020	13:27	N1	DD-D020806	DBG039R-062220	SW8082A	SW	PCB-1242 (AROCLOR 1242)	4.5		0.088	0.24	ug/WIPE
DBG039R	6/22/2020	13:27	N1	DD-D020806	DBG039R-062220	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG039R	6/22/2020	13:27	N1	DD-D020806	DBG039R-062220	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.4		0.07	0.24	ug/WIPE
DBG039R	6/22/2020	13:27	N1	DD-D020806	DBG039R-062220	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG039R	6/22/2020	13:27	N1	DD-D020806	DBG039R-062220	SW8082A	SW	TOTAL PCBs	5.9		-	0.24	ug/WIPE
DBG040R	6/22/2020	13:32	N1	DD-D020807	DBG040R-062220	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG040R	6/22/2020	13:32	N1	DD-D020807	DBG040R-062220	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG040R	6/22/2020	13:32	N1	DD-D020807	DBG040R-062220	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG040R	6/22/2020	13:32	N1	DD-D020807	DBG040R-062220	SW8082A	SW	PCB-1242 (AROCLOR 1242)	5.9		0.088	0.24	ug/WIPE
DBG040R	6/22/2020	13:32	N1	DD-D020807	DBG040R-062220	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG040R	6/22/2020	13:32	N1	DD-D020807	DBG040R-062220	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.9		0.07	0.24	ug/WIPE
DBG040R	6/22/2020	13:32	N1	DD-D020807	DBG040R-062220	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG040R	6/22/2020	13:32	N1	DD-D020807	DBG040R-062220	SW8082A	SW	TOTAL PCBs	7.8		-	0.24	ug/WIPE
DBG041R	6/22/2020	13:36	N1	DD-D020808	DBG041R-062220	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG041R	6/22/2020	13:36	N1	DD-D020808	DBG041R-062220	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE



Attachment 4 - Wall and Ceiling Wipe Final Resample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
DBG041R	6/22/2020	13:36	N1	DD-D020808	DBG041R-062220	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG041R	6/22/2020	13:36	N1	DD-D020808	DBG041R-062220	SW8082A	SW	PCB-1242 (AROCLOR 1242)	7	U	0.088	0.24	ug/WIPE
DBG041R	6/22/2020	13:36	N1	DD-D020808	DBG041R-062220	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG041R	6/22/2020	13:36	N1	DD-D020808	DBG041R-062220	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2	U	0.07	0.24	ug/WIPE
DBG041R	6/22/2020	13:36	N1	DD-D020808	DBG041R-062220	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG041R	6/22/2020	13:36	N1	DD-D020808	DBG041R-062220	SW8082A	SW	TOTAL PCBs	9	U	-	0.24	ug/WIPE
DBG042R	6/22/2020	13:40	N1	DD-D020809	DBG042R-062220	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG042R	6/22/2020	13:40	N1	DD-D020809	DBG042R-062220	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG042R	6/22/2020	13:40	N1	DD-D020809	DBG042R-062220	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG042R	6/22/2020	13:40	N1	DD-D020809	DBG042R-062220	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3.6	U	0.088	0.24	ug/WIPE
DBG042R	6/22/2020	13:40	N1	DD-D020809	DBG042R-062220	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG042R	6/22/2020	13:40	N1	DD-D020809	DBG042R-062220	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.2	U	0.07	0.24	ug/WIPE
DBG042R	6/22/2020	13:40	N1	DD-D020809	DBG042R-062220	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG042R	6/22/2020	13:40	N1	DD-D020809	DBG042R-062220	SW8082A	SW	TOTAL PCBs	4.8	U	-	0.24	ug/WIPE
DBG043R	6/22/2020	17:00	N1	DD-D020810	DBG043R-062220	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG043R	6/22/2020	17:00	N1	DD-D020810	DBG043R-062220	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG043R	6/22/2020	17:00	N1	DD-D020810	DBG043R-062220	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG043R	6/22/2020	17:00	N1	DD-D020810	DBG043R-062220	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3.8	U	0.088	0.24	ug/WIPE
DBG043R	6/22/2020	17:00	N1	DD-D020810	DBG043R-062220	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG043R	6/22/2020	17:00	N1	DD-D020810	DBG043R-062220	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.1	U	0.07	0.24	ug/WIPE
DBG043R	6/22/2020	17:00	N1	DD-D020810	DBG043R-062220	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG043R	6/22/2020	17:00	N1	DD-D020810	DBG043R-062220	SW8082A	SW	TOTAL PCBs	4.9	U	-	0.24	ug/WIPE
DBG045R	7/9/2020	15:30	N1	DD-D024301	DBG045R-070920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG045R	7/9/2020	15:30	N1	DD-D024301	DBG045R-070920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG045R	7/9/2020	15:30	N1	DD-D024301	DBG045R-070920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG045R	7/9/2020	15:30	N1	DD-D024301	DBG045R-070920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2.8	U	0.088	0.24	ug/WIPE
DBG045R	7/9/2020	15:30	N1	DD-D024301	DBG045R-070920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG045R	7/9/2020	15:30	N1	DD-D024301	DBG045R-070920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.89	U	0.07	0.24	ug/WIPE
DBG045R	7/9/2020	15:30	N1	DD-D024301	DBG045R-070920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG045R	7/9/2020	15:30	N1	DD-D024301	DBG045R-070920	SW8082A	SW	TOTAL PCBs	3.69	U	-	0.24	ug/WIPE
DBG053R	6/22/2020	13:45	N1	DD-D020901	DBG053R-062220	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG053R	6/22/2020	13:45	N1	DD-D020901	DBG053R-062220	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG053R	6/22/2020	13:45	N1	DD-D020901	DBG053R-062220	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG053R	6/22/2020	13:45	N1	DD-D020901	DBG053R-062220	SW8082A	SW	PCB-1242 (AROCLOR 1242)	5.3	U	0.088	0.24	ug/WIPE
DBG053R	6/22/2020	13:45	N1	DD-D020901	DBG053R-062220	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG053R	6/22/2020	13:45	N1	DD-D020901	DBG053R-062220	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.8	U	0.07	0.24	ug/WIPE
DBG053R	6/22/2020	13:45	N1	DD-D020901	DBG053R-062220	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG053R	6/22/2020	13:45	N1	DD-D020901	DBG053R-062220	SW8082A	SW	TOTAL PCBs	7.1	U	-	0.24	ug/WIPE
DBG054R	6/22/2020	13:50	N1	DD-D020902	DBG054R-062220	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG054R	6/22/2020	13:50	N1	DD-D020902	DBG054R-062220	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG054R	6/22/2020	13:50	N1	DD-D020902	DBG054R-062220	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG054R	6/22/2020	13:50	N1	DD-D020902	DBG054R-062220	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2.9	U	0.088	0.24	ug/WIPE
DBG054R	6/22/2020	13:50	N1	DD-D020902	DBG054R-062220	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG054R	6/22/2020	13:50	N1	DD-D020902	DBG054R-062220	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.89	U	0.07	0.24	ug/WIPE
DBG054R	6/22/2020	13:50	N1	DD-D020902	DBG054R-062220	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG054R	6/22/2020	13:50	N1	DD-D020902	DBG054R-062220	SW8082A	SW	TOTAL PCBs	3.79	U	-	0.24	ug/WIPE
DBG055R	6/22/2020	13:55	N1	DD-D020903	DBG055R-062220	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG055R	6/22/2020	13:55	N1	DD-D020903	DBG055R-062220	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG055R	6/22/2020	13:55	N1	DD-D020903	DBG055R-062220	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG055R	6/22/2020	13:55	N1	DD-D020903	DBG055R-062220	SW8082A	SW	PCB-1242 (AROCLOR 1242)	5.7	U	0.088	0.24	ug/WIPE
DBG055R	6/22/2020	13:55	N1	DD-D020903	DBG055R-062220	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE

Attachment 4 - Wall and Ceiling Wipe Final Resample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
DBG055R	6/22/2020	13:55	N1	DD-D020903	DBG055R-062220	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.7		0.07	0.24	ug/WIPE
DBG055R	6/22/2020	13:55	N1	DD-D020903	DBG055R-062220	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG055R	6/22/2020	13:55	N1	DD-D020903	DBG055R-062220	SW8082A	SW	TOTAL PCBs	7.4		-	0.24	ug/WIPE
DBG056R	6/22/2020	13:58	N1	DD-D020904	DBG056R-062220	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG056R	6/22/2020	13:58	N1	DD-D020904	DBG056R-062220	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG056R	6/22/2020	13:58	N1	DD-D020904	DBG056R-062220	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG056R	6/22/2020	13:58	N1	DD-D020904	DBG056R-062220	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	4.8		0.088	0.24	ug/WIPE
DBG056R	6/22/2020	13:58	N1	DD-D020904	DBG056R-062220	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG056R	6/22/2020	13:58	N1	DD-D020904	DBG056R-062220	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.3		0.07	0.24	ug/WIPE
DBG056R	6/22/2020	13:58	N1	DD-D020904	DBG056R-062220	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG056R	6/22/2020	13:58	N1	DD-D020904	DBG056R-062220	SW8082A	SW	TOTAL PCBs	6.1		-	0.24	ug/WIPE
DBG057R	6/22/2020	14:01	N1	DD-D020905	DBG057R-062220	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG057R	6/22/2020	14:01	N1	DD-D020905	DBG057R-062220	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG057R	6/22/2020	14:01	N1	DD-D020905	DBG057R-062220	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG057R	6/22/2020	14:01	N1	DD-D020905	DBG057R-062220	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.1		0.088	0.24	ug/WIPE
DBG057R	6/22/2020	14:01	N1	DD-D020905	DBG057R-062220	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG057R	6/22/2020	14:01	N1	DD-D020905	DBG057R-062220	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1		0.07	0.24	ug/WIPE
DBG057R	6/22/2020	14:01	N1	DD-D020905	DBG057R-062220	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG057R	6/22/2020	14:01	N1	DD-D020905	DBG057R-062220	SW8082A	SW	TOTAL PCBs	4.1		-	0.24	ug/WIPE
DBG058R	6/22/2020	14:05	N1	DD-D020906	DBG058R-062220	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG058R	6/22/2020	14:05	N1	DD-D020906	DBG058R-062220	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG058R	6/22/2020	14:05	N1	DD-D020906	DBG058R-062220	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG058R	6/22/2020	14:05	N1	DD-D020906	DBG058R-062220	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	4.3		0.088	0.24	ug/WIPE
DBG058R	6/22/2020	14:05	N1	DD-D020906	DBG058R-062220	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG058R	6/22/2020	14:05	N1	DD-D020906	DBG058R-062220	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.6		0.07	0.24	ug/WIPE
DBG058R	6/22/2020	14:05	N1	DD-D020906	DBG058R-062220	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG058R	6/22/2020	14:05	N1	DD-D020906	DBG058R-062220	SW8082A	SW	TOTAL PCBs	5.9		-	0.24	ug/WIPE
DBG059R	6/22/2020	14:09	N1	DD-D020907	DBG059R-062220	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG059R	6/22/2020	14:09	N1	DD-D020907	DBG059R-062220	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG059R	6/22/2020	14:09	N1	DD-D020907	DBG059R-062220	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG059R	6/22/2020	14:09	N1	DD-D020907	DBG059R-062220	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.9		0.088	0.24	ug/WIPE
DBG059R	6/22/2020	14:09	N1	DD-D020907	DBG059R-062220	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG059R	6/22/2020	14:09	N1	DD-D020907	DBG059R-062220	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.9		0.07	0.24	ug/WIPE
DBG059R	6/22/2020	14:09	N1	DD-D020907	DBG059R-062220	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG059R	6/22/2020	14:09	N1	DD-D020907	DBG059R-062220	SW8082A	SW	TOTAL PCBs	3.8		-	0.24	ug/WIPE
DBG060R	6/22/2020	14:14	N1	DD-D020908	DBG060R-062220	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG060R	6/22/2020	14:14	N1	DD-D020908	DBG060R-062220	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG060R	6/22/2020	14:14	N1	DD-D020908	DBG060R-062220	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG060R	6/22/2020	14:14	N1	DD-D020908	DBG060R-062220	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3		0.088	0.24	ug/WIPE
DBG060R	6/22/2020	14:14	N1	DD-D020908	DBG060R-062220	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG060R	6/22/2020	14:14	N1	DD-D020908	DBG060R-062220	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.1		0.07	0.24	ug/WIPE
DBG060R	6/22/2020	14:14	N1	DD-D020908	DBG060R-062220	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG060R	6/22/2020	14:14	N1	DD-D020908	DBG060R-062220	SW8082A	SW	TOTAL PCBs	4.1		-	0.24	ug/WIPE
DBG066R	6/22/2020	14:20	N1	DD-D020909	DBG066R-062220	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG066R	6/22/2020	14:20	N1	DD-D020909	DBG066R-062220	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG066R	6/22/2020	14:20	N1	DD-D020909	DBG066R-062220	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG066R	6/22/2020	14:20	N1	DD-D020909	DBG066R-062220	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.8		0.088	0.24	ug/WIPE
DBG066R	6/22/2020	14:20	N1	DD-D020909	DBG066R-062220	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG066R	6/22/2020	14:20	N1	DD-D020909	DBG066R-062220	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.1		0.07	0.24	ug/WIPE
DBG066R	6/22/2020	14:20	N1	DD-D020909	DBG066R-062220	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG066R	6/22/2020	14:20	N1	DD-D020909	DBG066R-062220	SW8082A	SW	TOTAL PCBs	3.9		-	0.24	ug/WIPE

Attachment 4 - Wall and Ceiling Wipe Final Resample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
DBG069R	6/22/2020	14:23	N1	DD-D021001	DBG069R-062220	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG069R	6/22/2020	14:23	N1	DD-D021001	DBG069R-062220	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG069R	6/22/2020	14:23	N1	DD-D021001	DBG069R-062220	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG069R	6/22/2020	14:23	N1	DD-D021001	DBG069R-062220	SW8082A	SW	PCB-1242 (AROCLOR 1242)	4.4		0.088	0.24	ug/WIPE
DBG069R	6/22/2020	14:23	N1	DD-D021001	DBG069R-062220	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG069R	6/22/2020	14:23	N1	DD-D021001	DBG069R-062220	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.5		0.07	0.24	ug/WIPE
DBG069R	6/22/2020	14:23	N1	DD-D021001	DBG069R-062220	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG069R	6/22/2020	14:23	N1	DD-D021001	DBG069R-062220	SW8082A	SW	TOTAL PCBs	5.9		-	0.24	ug/WIPE
DBG070R	6/22/2020	14:26	N1	DD-D021002	DBG070R-062220	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG070R	6/22/2020	14:26	N1	DD-D021002	DBG070R-062220	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG070R	6/22/2020	14:26	N1	DD-D021002	DBG070R-062220	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG070R	6/22/2020	14:26	N1	DD-D021002	DBG070R-062220	SW8082A	SW	PCB-1242 (AROCLOR 1242)	4.2		0.088	0.24	ug/WIPE
DBG070R	6/22/2020	14:26	N1	DD-D021002	DBG070R-062220	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG070R	6/22/2020	14:26	N1	DD-D021002	DBG070R-062220	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.3		0.07	0.24	ug/WIPE
DBG070R	6/22/2020	14:26	N1	DD-D021002	DBG070R-062220	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG070R	6/22/2020	14:26	N1	DD-D021002	DBG070R-062220	SW8082A	SW	TOTAL PCBs	5.5		-	0.24	ug/WIPE
DBG072R	6/22/2020	14:30	N1	DD-D021003	DBG072R-062220	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG072R	6/22/2020	14:30	N1	DD-D021003	DBG072R-062220	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG072R	6/22/2020	14:30	N1	DD-D021003	DBG072R-062220	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG072R	6/22/2020	14:30	N1	DD-D021003	DBG072R-062220	SW8082A	SW	PCB-1242 (AROCLOR 1242)	5.6		0.088	0.24	ug/WIPE
DBG072R	6/22/2020	14:30	N1	DD-D021003	DBG072R-062220	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG072R	6/22/2020	14:30	N1	DD-D021003	DBG072R-062220	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.7		0.07	0.24	ug/WIPE
DBG072R	6/22/2020	14:30	N1	DD-D021003	DBG072R-062220	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG072R	6/22/2020	14:30	N1	DD-D021003	DBG072R-062220	SW8082A	SW	TOTAL PCBs	7.3		-	0.24	ug/WIPE
DBG073R	6/22/2020	14:33	N1	DD-D021004	DBG073R-062220	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG073R	6/22/2020	14:33	N1	DD-D021004	DBG073R-062220	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG073R	6/22/2020	14:33	N1	DD-D021004	DBG073R-062220	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG073R	6/22/2020	14:33	N1	DD-D021004	DBG073R-062220	SW8082A	SW	PCB-1242 (AROCLOR 1242)	5.4		0.088	0.24	ug/WIPE
DBG073R	6/22/2020	14:33	N1	DD-D021004	DBG073R-062220	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG073R	6/22/2020	14:33	N1	DD-D021004	DBG073R-062220	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.6		0.07	0.24	ug/WIPE
DBG073R	6/22/2020	14:33	N1	DD-D021004	DBG073R-062220	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG073R	6/22/2020	14:33	N1	DD-D021004	DBG073R-062220	SW8082A	SW	TOTAL PCBs	7		-	0.24	ug/WIPE
DBG074R	6/22/2020	14:40	N1	DD-D021005	DBG074R-062220	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG074R	6/22/2020	14:40	N1	DD-D021005	DBG074R-062220	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG074R	6/22/2020	14:40	N1	DD-D021005	DBG074R-062220	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG074R	6/22/2020	14:40	N1	DD-D021005	DBG074R-062220	SW8082A	SW	PCB-1242 (AROCLOR 1242)	4.4		0.088	0.24	ug/WIPE
DBG074R	6/22/2020	14:40	N1	DD-D021005	DBG074R-062220	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG074R	6/22/2020	14:40	N1	DD-D021005	DBG074R-062220	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.4		0.07	0.24	ug/WIPE
DBG074R	6/22/2020	14:40	N1	DD-D021005	DBG074R-062220	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG074R	6/22/2020	14:40	N1	DD-D021005	DBG074R-062220	SW8082A	SW	TOTAL PCBs	5.8		-	0.24	ug/WIPE
DBG076R	6/22/2020	14:45	N1	DD-D021106	DBG076R-062220	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG076R	6/22/2020	14:45	N1	DD-D021106	DBG076R-062220	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG076R	6/22/2020	14:45	N1	DD-D021106	DBG076R-062220	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG076R	6/22/2020	14:45	N1	DD-D021106	DBG076R-062220	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3.9		0.088	0.24	ug/WIPE
DBG076R	6/22/2020	14:45	N1	DD-D021106	DBG076R-062220	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG076R	6/22/2020	14:45	N1	DD-D021106	DBG076R-062220	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.2		0.07	0.24	ug/WIPE
DBG076R	6/22/2020	14:45	N1	DD-D021106	DBG076R-062220	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG076R	6/22/2020	14:45	N1	DD-D021106	DBG076R-062220	SW8082A	SW	TOTAL PCBs	5.1		-	0.24	ug/WIPE
DBG081R	6/22/2020	15:26	N1	DD-D021006	DBG081R-062220	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG081R	6/22/2020	15:26	N1	DD-D021006	DBG081R-062220	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG081R	6/22/2020	15:26	N1	DD-D021006	DBG081R-062220	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE

Attachment 4 - Wall and Ceiling Wipe Final Resample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
DBG081R	6/22/2020	15:26	N1	DD-D021006	DBG081R-062220	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1.9		0.088	0.24	ug/WIPE
DBG081R	6/22/2020	15:26	N1	DD-D021006	DBG081R-062220	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG081R	6/22/2020	15:26	N1	DD-D021006	DBG081R-062220	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.69		0.07	0.24	ug/WIPE
DBG081R	6/22/2020	15:26	N1	DD-D021006	DBG081R-062220	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG081R	6/22/2020	15:26	N1	DD-D021006	DBG081R-062220	SW8082A	SW	TOTAL PCBs	2.59		-	0.24	ug/WIPE
DBG082R	6/22/2020	15:30	N1	DD-D021007	DBG082R-062220	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG082R	6/22/2020	15:30	N1	DD-D021007	DBG082R-062220	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG082R	6/22/2020	15:30	N1	DD-D021007	DBG082R-062220	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG082R	6/22/2020	15:30	N1	DD-D021007	DBG082R-062220	SW8082A	SW	PCB-1242 (AROCLOR 1242)	5.1		0.088	0.24	ug/WIPE
DBG082R	6/22/2020	15:30	N1	DD-D021007	DBG082R-062220	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG082R	6/22/2020	15:30	N1	DD-D021007	DBG082R-062220	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.3		0.07	0.24	ug/WIPE
DBG082R	6/22/2020	15:30	N1	DD-D021007	DBG082R-062220	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG082R	6/22/2020	15:30	N1	DD-D021007	DBG082R-062220	SW8082A	SW	TOTAL PCBs	6.4		-	0.24	ug/WIPE
DBG083R	6/22/2020	15:35	N1	DD-D021008	DBG083R-062220	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG083R	6/22/2020	15:35	N1	DD-D021008	DBG083R-062220	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG083R	6/22/2020	15:35	N1	DD-D021008	DBG083R-062220	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG083R	6/22/2020	15:35	N1	DD-D021008	DBG083R-062220	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3.5		0.088	0.24	ug/WIPE
DBG083R	6/22/2020	15:35	N1	DD-D021008	DBG083R-062220	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG083R	6/22/2020	15:35	N1	DD-D021008	DBG083R-062220	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1		0.07	0.24	ug/WIPE
DBG083R	6/22/2020	15:35	N1	DD-D021008	DBG083R-062220	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG083R	6/22/2020	15:35	N1	DD-D021008	DBG083R-062220	SW8082A	SW	TOTAL PCBs	4.5		-	0.24	ug/WIPE
DBG084R	6/22/2020	15:37	N1	DD-D021009	DBG084R-062220	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG084R	6/22/2020	15:37	N1	DD-D021009	DBG084R-062220	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG084R	6/22/2020	15:37	N1	DD-D021009	DBG084R-062220	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG084R	6/22/2020	15:37	N1	DD-D021009	DBG084R-062220	SW8082A	SW	PCB-1242 (AROCLOR 1242)	5.4		0.088	0.24	ug/WIPE
DBG084R	6/22/2020	15:37	N1	DD-D021009	DBG084R-062220	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG084R	6/22/2020	15:37	N1	DD-D021009	DBG084R-062220	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.6		0.07	0.24	ug/WIPE
DBG084R	6/22/2020	15:37	N1	DD-D021009	DBG084R-062220	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG084R	6/22/2020	15:37	N1	DD-D021009	DBG084R-062220	SW8082A	SW	TOTAL PCBs	7		-	0.24	ug/WIPE
DBG085R	6/22/2020	15:40	N1	DD-D021010	DBG085R-062220	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG085R	6/22/2020	15:40	N1	DD-D021010	DBG085R-062220	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG085R	6/22/2020	15:40	N1	DD-D021010	DBG085R-062220	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG085R	6/22/2020	15:40	N1	DD-D021010	DBG085R-062220	SW8082A	SW	PCB-1242 (AROCLOR 1242)	5.8		0.088	0.24	ug/WIPE
DBG085R	6/22/2020	15:40	N1	DD-D021010	DBG085R-062220	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG085R	6/22/2020	15:40	N1	DD-D021010	DBG085R-062220	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.6		0.07	0.24	ug/WIPE
DBG085R	6/22/2020	15:40	N1	DD-D021010	DBG085R-062220	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG085R	6/22/2020	15:40	N1	DD-D021010	DBG085R-062220	SW8082A	SW	TOTAL PCBs	7.4		-	0.24	ug/WIPE
DBG086R	6/22/2020	15:44	N1	DD-D021101	DBG086R-062220	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG086R	6/22/2020	15:44	N1	DD-D021101	DBG086R-062220	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG086R	6/22/2020	15:44	N1	DD-D021101	DBG086R-062220	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG086R	6/22/2020	15:44	N1	DD-D021101	DBG086R-062220	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3.9		0.088	0.24	ug/WIPE
DBG086R	6/22/2020	15:44	N1	DD-D021101	DBG086R-062220	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG086R	6/22/2020	15:44	N1	DD-D021101	DBG086R-062220	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.3		0.07	0.24	ug/WIPE
DBG086R	6/22/2020	15:44	N1	DD-D021101	DBG086R-062220	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG086R	6/22/2020	15:44	N1	DD-D021101	DBG086R-062220	SW8082A	SW	TOTAL PCBs	5.2		-	0.24	ug/WIPE
DBG089R	6/22/2020	15:48	N1	DD-D021102	DBG089R-062220	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG089R	6/22/2020	15:48	N1	DD-D021102	DBG089R-062220	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG089R	6/22/2020	15:48	N1	DD-D021102	DBG089R-062220	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG089R	6/22/2020	15:48	N1	DD-D021102	DBG089R-062220	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3.7		0.088	0.24	ug/WIPE
DBG089R	6/22/2020	15:48	N1	DD-D021102	DBG089R-062220	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG089R	6/22/2020	15:48	N1	DD-D021102	DBG089R-062220	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.1		0.07	0.24	ug/WIPE

Attachment 4 - Wall and Ceiling Wipe Final Resample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
DBG089R	6/22/2020	15:48	N1	DD-D021102	DBG089R-062220	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG089R	6/22/2020	15:48	N1	DD-D021102	DBG089R-062220	SW8082A	SW	TOTAL PCBs	4.8		-	0.24	ug/WIPE
DBG090R	6/22/2020	15:52	N1	DD-D021103	DBG090R-062220	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG090R	6/22/2020	15:52	N1	DD-D021103	DBG090R-062220	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG090R	6/22/2020	15:52	N1	DD-D021103	DBG090R-062220	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG090R	6/22/2020	15:52	N1	DD-D021103	DBG090R-062220	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.8		0.088	0.24	ug/WIPE
DBG090R	6/22/2020	15:52	N1	DD-D021103	DBG090R-062220	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG090R	6/22/2020	15:52	N1	DD-D021103	DBG090R-062220	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.1		0.07	0.24	ug/WIPE
DBG090R	6/22/2020	15:52	N1	DD-D021103	DBG090R-062220	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG090R	6/22/2020	15:52	N1	DD-D021103	DBG090R-062220	SW8082A	SW	TOTAL PCBs	4.9		-	0.24	ug/WIPE
DBG091R	6/22/2020	15:55	N1	DD-D021104	DBG091R-062220	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG091R	6/22/2020	15:55	N1	DD-D021104	DBG091R-062220	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG091R	6/22/2020	15:55	N1	DD-D021104	DBG091R-062220	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG091R	6/22/2020	15:55	N1	DD-D021104	DBG091R-062220	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.7		0.088	0.24	ug/WIPE
DBG091R	6/22/2020	15:55	N1	DD-D021104	DBG091R-062220	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG091R	6/22/2020	15:55	N1	DD-D021104	DBG091R-062220	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.1		0.07	0.24	ug/WIPE
DBG091R	6/22/2020	15:55	N1	DD-D021104	DBG091R-062220	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG091R	6/22/2020	15:55	N1	DD-D021104	DBG091R-062220	SW8082A	SW	TOTAL PCBs	4.8		-	0.24	ug/WIPE
DBG092R	6/22/2020	15:58	N1	DD-D021105	DBG092R-062220	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
DBG092R	6/22/2020	15:58	N1	DD-D021105	DBG092R-062220	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
DBG092R	6/22/2020	15:58	N1	DD-D021105	DBG092R-062220	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
DBG092R	6/22/2020	15:58	N1	DD-D021105	DBG092R-062220	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.8		0.088	0.24	ug/WIPE
DBG092R	6/22/2020	15:58	N1	DD-D021105	DBG092R-062220	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
DBG092R	6/22/2020	15:58	N1	DD-D021105	DBG092R-062220	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.93		0.07	0.24	ug/WIPE
DBG092R	6/22/2020	15:58	N1	DD-D021105	DBG092R-062220	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
DBG092R	6/22/2020	15:58	N1	DD-D021105	DBG092R-062220	SW8082A	SW	TOTAL PCBs	3.73		-	0.24	ug/WIPE
EBG001R	6/24/2020	7:16	N1	DD-D021201	EBG001R-062420	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG001R	6/24/2020	7:16	N1	DD-D021201	EBG001R-062420	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG001R	6/24/2020	7:16	N1	DD-D021201	EBG001R-062420	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG001R	6/24/2020	7:16	N1	DD-D021201	EBG001R-062420	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.1		0.088	0.24	ug/WIPE
EBG001R	6/24/2020	7:16	N1	DD-D021201	EBG001R-062420	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG001R	6/24/2020	7:16	N1	DD-D021201	EBG001R-062420	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.84		0.07	0.24	ug/WIPE
EBG001R	6/24/2020	7:16	N1	DD-D021201	EBG001R-062420	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG001R	6/24/2020	7:16	N1	DD-D021201	EBG001R-062420	SW8082A	SW	TOTAL PCBs	3.94		-	0.24	ug/WIPE
EBG002R	6/24/2020	7:19	N1	DD-D021202	EBG002R-062420	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.36	0.96	ug/WIPE
EBG002R	6/24/2020	7:19	N1	DD-D021202	EBG002R-062420	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.47	0.96	ug/WIPE
EBG002R	6/24/2020	7:19	N1	DD-D021202	EBG002R-062420	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.56	0.96	ug/WIPE
EBG002R	6/24/2020	7:19	N1	DD-D021202	EBG002R-062420	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3		0.35	0.96	ug/WIPE
EBG002R	6/24/2020	7:19	N1	DD-D021202	EBG002R-062420	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.37	0.96	ug/WIPE
EBG002R	6/24/2020	7:19	N1	DD-D021202	EBG002R-062420	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.1		0.28	0.96	ug/WIPE
EBG002R	6/24/2020	7:19	N1	DD-D021202	EBG002R-062420	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.36	0.96	ug/WIPE
EBG002R	6/24/2020	7:19	N1	DD-D021202	EBG002R-062420	SW8082A	SW	TOTAL PCBs	4.1		-	0.96	ug/WIPE
EBG003R	6/24/2020	7:25	N1	DD-D021203	EBG003R-062420	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG003R	6/24/2020	7:25	N1	DD-D021203	EBG003R-062420	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG003R	6/24/2020	7:25	N1	DD-D021203	EBG003R-062420	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG003R	6/24/2020	7:25	N1	DD-D021203	EBG003R-062420	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	4.2		0.088	0.24	ug/WIPE
EBG003R	6/24/2020	7:25	N1	DD-D021203	EBG003R-062420	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG003R	6/24/2020	7:25	N1	DD-D021203	EBG003R-062420	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.1		0.07	0.24	ug/WIPE
EBG003R	6/24/2020	7:25	N1	DD-D021203	EBG003R-062420	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG003R	6/24/2020	7:25	N1	DD-D021203	EBG003R-062420	SW8082A	SW	TOTAL PCBs	5.3		-	0.24	ug/WIPE
EBG004R	6/24/2020	7:29	N1	DD-D021204	EBG004R-062420	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE



Attachment 4 - Wall and Ceiling Wipe Final Resample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
EBG004R	6/24/2020	7:29	N1	DD-D021204	EBG004R-062420	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG004R	6/24/2020	7:29	N1	DD-D021204	EBG004R-062420	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG004R	6/24/2020	7:29	N1	DD-D021204	EBG004R-062420	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.5		0.088	0.24	ug/WIPE
EBG004R	6/24/2020	7:29	N1	DD-D021204	EBG004R-062420	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG004R	6/24/2020	7:29	N1	DD-D021204	EBG004R-062420	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.3		0.07	0.24	ug/WIPE
EBG004R	6/24/2020	7:29	N1	DD-D021204	EBG004R-062420	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG004R	6/24/2020	7:29	N1	DD-D021204	EBG004R-062420	SW8082A	SW	TOTAL PCBs	4.8		-	0.24	ug/WIPE
EBG005R	6/24/2020	7:34	N1	DD-D021205	EBG005R-062420	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG005R	6/24/2020	7:34	N1	DD-D021205	EBG005R-062420	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG005R	6/24/2020	7:34	N1	DD-D021205	EBG005R-062420	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG005R	6/24/2020	7:34	N1	DD-D021205	EBG005R-062420	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.56		0.088	0.24	ug/WIPE
EBG005R	6/24/2020	7:34	N1	DD-D021205	EBG005R-062420	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG005R	6/24/2020	7:34	N1	DD-D021205	EBG005R-062420	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.19	J	0.07	0.24	ug/WIPE
EBG005R	6/24/2020	7:34	N1	DD-D021205	EBG005R-062420	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG005R	6/24/2020	7:34	N1	DD-D021205	EBG005R-062420	SW8082A	SW	TOTAL PCBs	0.75		-	0.24	ug/WIPE
EBG006R	6/24/2020	7:42	N1	DD-D021206	EBG006R-062420	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG006R	6/24/2020	7:42	N1	DD-D021206	EBG006R-062420	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG006R	6/24/2020	7:42	N1	DD-D021206	EBG006R-062420	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG006R	6/24/2020	7:42	N1	DD-D021206	EBG006R-062420	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.7		0.088	0.24	ug/WIPE
EBG006R	6/24/2020	7:42	N1	DD-D021206	EBG006R-062420	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG006R	6/24/2020	7:42	N1	DD-D021206	EBG006R-062420	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.78		0.07	0.24	ug/WIPE
EBG006R	6/24/2020	7:42	N1	DD-D021206	EBG006R-062420	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG006R	6/24/2020	7:42	N1	DD-D021206	EBG006R-062420	SW8082A	SW	TOTAL PCBs	3.48		-	0.24	ug/WIPE
EBG007	5/11/2020	9:07	N1	DD-D008407	EBG007-051120	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG008R	6/24/2020	7:48	N1	DD-D021207	EBG008R-062420	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG008R	6/24/2020	7:48	N1	DD-D021207	EBG008R-062420	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG008R	6/24/2020	7:48	N1	DD-D021207	EBG008R-062420	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG008R	6/24/2020	7:48	N1	DD-D021207	EBG008R-062420	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.6		0.088	0.24	ug/WIPE
EBG008R	6/24/2020	7:48	N1	DD-D021207	EBG008R-062420	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG008R	6/24/2020	7:48	N1	DD-D021207	EBG008R-062420	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.95		0.07	0.24	ug/WIPE
EBG008R	6/24/2020	7:48	N1	DD-D021207	EBG008R-062420	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG008R	6/24/2020	7:48	N1	DD-D021207	EBG008R-062420	SW8082A	SW	TOTAL PCBs	3.55		-	0.24	ug/WIPE
EBG009R	6/24/2020	7:52	N1	DD-D021208	EBG009R-062420	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG009R	6/24/2020	7:52	N1	DD-D021208	EBG009R-062420	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG009R	6/24/2020	7:52	N1	DD-D021208	EBG009R-062420	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG009R	6/24/2020	7:52	N1	DD-D021208	EBG009R-062420	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	1.6		0.088	0.24	ug/WIPE
EBG009R	6/24/2020	7:52	N1	DD-D021208	EBG009R-062420	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG009R	6/24/2020	7:52	N1	DD-D021208	EBG009R-062420	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.55		0.07	0.24	ug/WIPE
EBG009R	6/24/2020	7:52	N1	DD-D021208	EBG009R-062420	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG009R	6/24/2020	7:52	N1	DD-D021208	EBG009R-062420	SW8082A	SW	TOTAL PCBs	2.15		-	0.24	ug/WIPE
EBG010R	6/25/2020	6:30	N1	DD-D021209	EBG010R-062520	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG010R	6/25/2020	6:30	N1	DD-D021209	EBG010R-062520	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG010R	6/25/2020	6:30	N1	DD-D021209	EBG010R-062520	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG010R	6/25/2020	6:30	N1	DD-D021209	EBG010R-062520	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.24	J	0.088	0.24	ug/WIPE
EBG010R	6/25/2020	6:30	N1	DD-D021209	EBG010R-062520	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG010R	6/25/2020	6:30	N1	DD-D021209	EBG010R-062520	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.11	J	0.07	0.24	ug/WIPE
EBG010R	6/25/2020	6:30	N1	DD-D021209	EBG010R-062520	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG010R	6/25/2020	6:30	N1	DD-D021209	EBG010R-062520	SW8082A	SW	TOTAL PCBs	0.35		-	0.24	ug/WIPE
EBG013R	6/25/2020	6:35	N1	DD-D021210	EBG013R-062520	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG013R	6/25/2020	6:35	N1	DD-D021210	EBG013R-062520	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG013R	6/25/2020	6:35	N1	DD-D021210	EBG013R-062520	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE

Attachment 4 - Wall and Ceiling Wipe Final Resample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
EBGO13R	6/25/2020	6:35	N1	DD-D021210	EBGO13R-062520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	5.1		0.088	0.24	ug/WIPE
EBGO13R	6/25/2020	6:35	N1	DD-D021210	EBGO13R-062520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBGO13R	6/25/2020	6:35	N1	DD-D021210	EBGO13R-062520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.3		0.07	0.24	ug/WIPE
EBGO13R	6/25/2020	6:35	N1	DD-D021210	EBGO13R-062520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBGO13R	6/25/2020	6:35	N1	DD-D021210	EBGO13R-062520	SW8082A	SW	TOTAL PCBs	6.4		-	0.24	ug/WIPE
EBGO14R	6/25/2020	6:40	N1	DD-D021301	EBGO14R-062520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBGO14R	6/25/2020	6:40	N1	DD-D021301	EBGO14R-062520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBGO14R	6/25/2020	6:40	N1	DD-D021301	EBGO14R-062520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBGO14R	6/25/2020	6:40	N1	DD-D021301	EBGO14R-062520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	6		0.088	0.24	ug/WIPE
EBGO14R	6/25/2020	6:40	N1	DD-D021301	EBGO14R-062520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBGO14R	6/25/2020	6:40	N1	DD-D021301	EBGO14R-062520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.6		0.07	0.24	ug/WIPE
EBGO14R	6/25/2020	6:40	N1	DD-D021301	EBGO14R-062520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBGO14R	6/25/2020	6:40	N1	DD-D021301	EBGO14R-062520	SW8082A	SW	TOTAL PCBs	7.6		-	0.24	ug/WIPE
EBGO15R	6/25/2020	7:00	N1	DD-D021302	EBGO15R-062520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBGO15R	6/25/2020	7:00	N1	DD-D021302	EBGO15R-062520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBGO15R	6/25/2020	7:00	N1	DD-D021302	EBGO15R-062520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBGO15R	6/25/2020	7:00	N1	DD-D021302	EBGO15R-062520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3.8		0.088	0.24	ug/WIPE
EBGO15R	6/25/2020	7:00	N1	DD-D021302	EBGO15R-062520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBGO15R	6/25/2020	7:00	N1	DD-D021302	EBGO15R-062520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.2		0.07	0.24	ug/WIPE
EBGO15R	6/25/2020	7:00	N1	DD-D021302	EBGO15R-062520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBGO15R	6/25/2020	7:00	N1	DD-D021302	EBGO15R-062520	SW8082A	SW	TOTAL PCBs	5		-	0.24	ug/WIPE
EBGO23R	6/25/2020	7:05	N1	DD-D021303	EBGO23R-062520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBGO23R	6/25/2020	7:05	N1	DD-D021303	EBGO23R-062520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBGO23R	6/25/2020	7:05	N1	DD-D021303	EBGO23R-062520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBGO23R	6/25/2020	7:05	N1	DD-D021303	EBGO23R-062520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1.6		0.088	0.24	ug/WIPE
EBGO23R	6/25/2020	7:05	N1	DD-D021303	EBGO23R-062520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBGO23R	6/25/2020	7:05	N1	DD-D021303	EBGO23R-062520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.48		0.07	0.24	ug/WIPE
EBGO23R	6/25/2020	7:05	N1	DD-D021303	EBGO23R-062520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBGO23R	6/25/2020	7:05	N1	DD-D021303	EBGO23R-062520	SW8082A	SW	TOTAL PCBs	2.08		-	0.24	ug/WIPE
EBGO24R	6/25/2020	7:13	N1	DD-D021304	EBGO24R-062520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBGO24R	6/25/2020	7:13	N1	DD-D021304	EBGO24R-062520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBGO24R	6/25/2020	7:13	N1	DD-D021304	EBGO24R-062520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBGO24R	6/25/2020	7:13	N1	DD-D021304	EBGO24R-062520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	5.2		0.088	0.24	ug/WIPE
EBGO24R	6/25/2020	7:13	N1	DD-D021304	EBGO24R-062520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBGO24R	6/25/2020	7:13	N1	DD-D021304	EBGO24R-062520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.8		0.07	0.24	ug/WIPE
EBGO24R	6/25/2020	7:13	N1	DD-D021304	EBGO24R-062520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBGO24R	6/25/2020	7:13	N1	DD-D021304	EBGO24R-062520	SW8082A	SW	TOTAL PCBs	7		-	0.24	ug/WIPE
EBGO25R	6/25/2020	7:17	N1	DD-D021305	EBGO25R-062520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBGO25R	6/25/2020	7:17	N1	DD-D021305	EBGO25R-062520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBGO25R	6/25/2020	7:17	N1	DD-D021305	EBGO25R-062520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBGO25R	6/25/2020	7:17	N1	DD-D021305	EBGO25R-062520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3.3		0.088	0.24	ug/WIPE
EBGO25R	6/25/2020	7:17	N1	DD-D021305	EBGO25R-062520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBGO25R	6/25/2020	7:17	N1	DD-D021305	EBGO25R-062520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.88		0.07	0.24	ug/WIPE
EBGO25R	6/25/2020	7:17	N1	DD-D021305	EBGO25R-062520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBGO25R	6/25/2020	7:17	N1	DD-D021305	EBGO25R-062520	SW8082A	SW	TOTAL PCBs	4.18		-	0.24	ug/WIPE
EBGO26R	6/25/2020	7:22	N1	DD-D021306	EBGO26R-062520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBGO26R	6/25/2020	7:22	N1	DD-D021306	EBGO26R-062520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBGO26R	6/25/2020	7:22	N1	DD-D021306	EBGO26R-062520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBGO26R	6/25/2020	7:22	N1	DD-D021306	EBGO26R-062520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	4.7		0.088	0.24	ug/WIPE
EBGO26R	6/25/2020	7:22	N1	DD-D021306	EBGO26R-062520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBGO26R	6/25/2020	7:22	N1	DD-D021306	EBGO26R-062520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.5		0.07	0.24	ug/WIPE

Attachment 4 - Wall and Ceiling Wipe Final Resample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
EBG026R	6/25/2020	7:22	N1	DD-D021306	EBG026R-062520	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG026R	6/25/2020	7:22	N1	DD-D021306	EBG026R-062520	SW8082A	SW	TOTAL PCBs	6.2		-	0.24	ug/WIPE
EBG027R	6/25/2020	7:26	N1	DD-D021307	EBG027R-062520	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG027R	6/25/2020	7:26	N1	DD-D021307	EBG027R-062520	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG027R	6/25/2020	7:26	N1	DD-D021307	EBG027R-062520	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG027R	6/25/2020	7:26	N1	DD-D021307	EBG027R-062520	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	5		0.088	0.24	ug/WIPE
EBG027R	6/25/2020	7:26	N1	DD-D021307	EBG027R-062520	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG027R	6/25/2020	7:26	N1	DD-D021307	EBG027R-062520	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.6		0.07	0.24	ug/WIPE
EBG027R	6/25/2020	7:26	N1	DD-D021307	EBG027R-062520	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG027R	6/25/2020	7:26	N1	DD-D021307	EBG027R-062520	SW8082A	SW	TOTAL PCBs	6.6		-	0.24	ug/WIPE
EBG030R	6/25/2020	7:33	N1	DD-D021308	EBG030R-062520	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG030R	6/25/2020	7:33	N1	DD-D021308	EBG030R-062520	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG030R	6/25/2020	7:33	N1	DD-D021308	EBG030R-062520	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG030R	6/25/2020	7:33	N1	DD-D021308	EBG030R-062520	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.2		0.088	0.24	ug/WIPE
EBG030R	6/25/2020	7:33	N1	DD-D021308	EBG030R-062520	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG030R	6/25/2020	7:33	N1	DD-D021308	EBG030R-062520	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.72		0.07	0.24	ug/WIPE
EBG030R	6/25/2020	7:33	N1	DD-D021308	EBG030R-062520	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG030R	6/25/2020	7:33	N1	DD-D021308	EBG030R-062520	SW8082A	SW	TOTAL PCBs	2.92		-	0.24	ug/WIPE
EBG031R	6/25/2020	7:36	N1	DD-D021309	EBG031R-062520	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG031R	6/25/2020	7:36	N1	DD-D021309	EBG031R-062520	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG031R	6/25/2020	7:36	N1	DD-D021309	EBG031R-062520	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG031R	6/25/2020	7:36	N1	DD-D021309	EBG031R-062520	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	5.5		0.088	0.24	ug/WIPE
EBG031R	6/25/2020	7:36	N1	DD-D021309	EBG031R-062520	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG031R	6/25/2020	7:36	N1	DD-D021309	EBG031R-062520	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.3		0.07	0.24	ug/WIPE
EBG031R	6/25/2020	7:36	N1	DD-D021309	EBG031R-062520	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG031R	6/25/2020	7:36	N1	DD-D021309	EBG031R-062520	SW8082A	SW	TOTAL PCBs	6.8		-	0.24	ug/WIPE
EBG032R	6/25/2020	7:50	N1	DD-D021310	EBG032R-062520	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG032R	6/25/2020	7:50	N1	DD-D021310	EBG032R-062520	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG032R	6/25/2020	7:50	N1	DD-D021310	EBG032R-062520	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG032R	6/25/2020	7:50	N1	DD-D021310	EBG032R-062520	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	6.5		0.088	0.24	ug/WIPE
EBG032R	6/25/2020	7:50	N1	DD-D021310	EBG032R-062520	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG032R	6/25/2020	7:50	N1	DD-D021310	EBG032R-062520	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	2		0.07	0.24	ug/WIPE
EBG032R	6/25/2020	7:50	N1	DD-D021310	EBG032R-062520	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG032R	6/25/2020	7:50	N1	DD-D021310	EBG032R-062520	SW8082A	SW	TOTAL PCBs	8.5		-	0.24	ug/WIPE
EBG033R	6/25/2020	7:44	N1	DD-D021401	EBG033R-062520	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG033R	6/25/2020	7:44	N1	DD-D021401	EBG033R-062520	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG033R	6/25/2020	7:44	N1	DD-D021401	EBG033R-062520	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG033R	6/25/2020	7:44	N1	DD-D021401	EBG033R-062520	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	4.6		0.088	0.24	ug/WIPE
EBG033R	6/25/2020	7:44	N1	DD-D021401	EBG033R-062520	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG033R	6/25/2020	7:44	N1	DD-D021401	EBG033R-062520	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.4		0.07	0.24	ug/WIPE
EBG033R	6/25/2020	7:44	N1	DD-D021401	EBG033R-062520	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG033R	6/25/2020	7:44	N1	DD-D021401	EBG033R-062520	SW8082A	SW	TOTAL PCBs	6		-	0.24	ug/WIPE
EBG041R	6/25/2020	11:30	N1	DD-D021402	EBG041R-062520	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG041R	6/25/2020	11:30	N1	DD-D021402	EBG041R-062520	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG041R	6/25/2020	11:30	N1	DD-D021402	EBG041R-062520	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG041R	6/25/2020	11:30	N1	DD-D021402	EBG041R-062520	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.5		0.088	0.24	ug/WIPE
EBG041R	6/25/2020	11:30	N1	DD-D021402	EBG041R-062520	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG041R	6/25/2020	11:30	N1	DD-D021402	EBG041R-062520	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.97		0.07	0.24	ug/WIPE
EBG041R	6/25/2020	11:30	N1	DD-D021402	EBG041R-062520	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG041R	6/25/2020	11:30	N1	DD-D021402	EBG041R-062520	SW8082A	SW	TOTAL PCBs	3.47		-	0.24	ug/WIPE
EBG042R	6/25/2020	11:25	N1	DD-D021403	EBG042R-062520	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE

Attachment 4 - Wall and Ceiling Wipe Final Resample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
EBG042R	6/25/2020	11:25	N1	DD-D021403	EBG042R-062520	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG042R	6/25/2020	11:25	N1	DD-D021403	EBG042R-062520	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG042R	6/25/2020	11:25	N1	DD-D021403	EBG042R-062520	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.2		0.088	0.24	ug/WIPE
EBG042R	6/25/2020	11:25	N1	DD-D021403	EBG042R-062520	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG042R	6/25/2020	11:25	N1	DD-D021403	EBG042R-062520	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.74		0.07	0.24	ug/WIPE
EBG042R	6/25/2020	11:25	N1	DD-D021403	EBG042R-062520	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG043R	6/25/2020	11:20	N1	DD-D021404	EBG043R-062520	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG043R	6/25/2020	11:20	N1	DD-D021404	EBG043R-062520	SW8082A	SW	TOTAL PCBs	2.94		-	0.24	ug/WIPE
EBG043R	6/25/2020	11:20	N1	DD-D021404	EBG043R-062520	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG043R	6/25/2020	11:20	N1	DD-D021404	EBG043R-062520	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG043R	6/25/2020	11:20	N1	DD-D021404	EBG043R-062520	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.5		0.088	0.24	ug/WIPE
EBG043R	6/25/2020	11:20	N1	DD-D021404	EBG043R-062520	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG043R	6/25/2020	11:20	N1	DD-D021404	EBG043R-062520	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.3		0.07	0.24	ug/WIPE
EBG043R	6/25/2020	11:20	N1	DD-D021404	EBG043R-062520	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG043R	6/25/2020	11:20	N1	DD-D021404	EBG043R-062520	SW8082A	SW	TOTAL PCBs	7.74		-	0.24	ug/WIPE
EBG055R	6/25/2020	11:52	N1	DD-D021405	EBG055R-062520	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG055R	6/25/2020	11:52	N1	DD-D021405	EBG055R-062520	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG055R	6/25/2020	11:52	N1	DD-D021405	EBG055R-062520	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG055R	6/25/2020	11:52	N1	DD-D021405	EBG055R-062520	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.62		0.088	0.24	ug/WIPE
EBG055R	6/25/2020	11:52	N1	DD-D021405	EBG055R-062520	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG055R	6/25/2020	11:52	N1	DD-D021405	EBG055R-062520	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.23	J	0.07	0.24	ug/WIPE
EBG055R	6/25/2020	11:52	N1	DD-D021405	EBG055R-062520	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG055R	6/25/2020	11:52	N1	DD-D021405	EBG055R-062520	SW8082A	SW	TOTAL PCBs	0.85		-	0.24	ug/WIPE
EBG056R	6/25/2020	8:50	N1	DD-D021406	EBG056R-062520	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG056R	6/25/2020	8:50	N1	DD-D021406	EBG056R-062520	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG056R	6/25/2020	8:50	N1	DD-D021406	EBG056R-062520	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG056R	6/25/2020	8:50	N1	DD-D021406	EBG056R-062520	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	4.6		0.088	0.24	ug/WIPE
EBG056R	6/25/2020	8:50	N1	DD-D021406	EBG056R-062520	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG056R	6/25/2020	8:50	N1	DD-D021406	EBG056R-062520	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.8		0.07	0.24	ug/WIPE
EBG056R	6/25/2020	8:50	N1	DD-D021406	EBG056R-062520	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG056R	6/25/2020	8:50	N1	DD-D021406	EBG056R-062520	SW8082A	SW	TOTAL PCBs	6.4		-	0.24	ug/WIPE
EBG057R	6/25/2020	9:05	N1	DD-D021407	EBG057R-062520	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG057R	6/25/2020	9:05	N1	DD-D021407	EBG057R-062520	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG057R	6/25/2020	9:05	N1	DD-D021407	EBG057R-062520	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG057R	6/25/2020	9:05	N1	DD-D021407	EBG057R-062520	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.6		0.088	0.24	ug/WIPE
EBG057R	6/25/2020	9:05	N1	DD-D021407	EBG057R-062520	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG057R	6/25/2020	9:05	N1	DD-D021407	EBG057R-062520	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.76		0.07	0.24	ug/WIPE
EBG057R	6/25/2020	9:05	N1	DD-D021407	EBG057R-062520	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG057R	6/25/2020	9:05	N1	DD-D021407	EBG057R-062520	SW8082A	SW	TOTAL PCBs	3.36		-	0.24	ug/WIPE
EBG065R	6/25/2020	6:55	N1	DD-D021408	EBG065R-062520	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG065R	6/25/2020	6:55	N1	DD-D021408	EBG065R-062520	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG065R	6/25/2020	6:55	N1	DD-D021408	EBG065R-062520	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG065R	6/25/2020	6:55	N1	DD-D021408	EBG065R-062520	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	4.3		0.088	0.24	ug/WIPE
EBG065R	6/25/2020	6:55	N1	DD-D021408	EBG065R-062520	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG065R	6/25/2020	6:55	N1	DD-D021408	EBG065R-062520	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.4		0.07	0.24	ug/WIPE
EBG065R	6/25/2020	6:55	N1	DD-D021408	EBG065R-062520	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG065R	6/25/2020	6:55	N1	DD-D021408	EBG065R-062520	SW8082A	SW	TOTAL PCBs	5.7		-	0.24	ug/WIPE
EBG067R	6/25/2020	7:00	N1	DD-D021409	EBG067R-062520	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG067R	6/25/2020	7:00	N1	DD-D021409	EBG067R-062520	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG067R	6/25/2020	7:00	N1	DD-D021409	EBG067R-062520	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG067R	6/25/2020	7:00	N1	DD-D021409	EBG067R-062520	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.7		0.088	0.24	ug/WIPE

## Attachment 4 - Wall and Ceiling Wipe Final Resample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
EBG067R	6/25/2020	7:00	N1	DD-D021409	EBG067R-062520	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG067R	6/25/2020	7:00	N1	DD-D021409	EBG067R-062520	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.84	U	0.07	0.24	ug/WIPE
EBG067R	6/25/2020	7:00	N1	DD-D021409	EBG067R-062520	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG067R	6/25/2020	7:00	N1	DD-D021409	EBG067R-062520	SW8082A	SW	TOTAL PCBs	4.54		-	0.24	ug/WIPE
EBG091R	6/25/2020	9:15	N1	DD-D021410	EBG091R-062520	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG091R	6/25/2020	9:15	N1	DD-D021410	EBG091R-062520	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG091R	6/25/2020	9:15	N1	DD-D021410	EBG091R-062520	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG091R	6/25/2020	9:15	N1	DD-D021410	EBG091R-062520	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.5		0.088	0.24	ug/WIPE
EBG091R	6/25/2020	9:15	N1	DD-D021410	EBG091R-062520	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG091R	6/25/2020	9:15	N1	DD-D021410	EBG091R-062520	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.7		0.07	0.24	ug/WIPE
EBG091R	6/25/2020	9:15	N1	DD-D021410	EBG091R-062520	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG091R	6/25/2020	9:15	N1	DD-D021410	EBG091R-062520	SW8082A	SW	TOTAL PCBs	3.2		-	0.24	ug/WIPE
EBG092R	6/25/2020	9:30	N1	DD-D021501	EBG092R-062520	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG092R	6/25/2020	9:30	N1	DD-D021501	EBG092R-062520	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG092R	6/25/2020	9:30	N1	DD-D021501	EBG092R-062520	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG092R	6/25/2020	9:30	N1	DD-D021501	EBG092R-062520	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.6		0.088	0.24	ug/WIPE
EBG092R	6/25/2020	9:30	N1	DD-D021501	EBG092R-062520	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG092R	6/25/2020	9:30	N1	DD-D021501	EBG092R-062520	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.1		0.07	0.24	ug/WIPE
EBG092R	6/25/2020	9:30	N1	DD-D021501	EBG092R-062520	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG092R	6/25/2020	9:30	N1	DD-D021501	EBG092R-062520	SW8082A	SW	TOTAL PCBs	3.7		-	0.24	ug/WIPE
EBG093R	6/25/2020	9:45	N1	DD-D021502	EBG093R-062520	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG093R	6/25/2020	9:45	N1	DD-D021502	EBG093R-062520	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG093R	6/25/2020	9:45	N1	DD-D021502	EBG093R-062520	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG093R	6/25/2020	9:45	N1	DD-D021502	EBG093R-062520	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	1.9		0.088	0.24	ug/WIPE
EBG093R	6/25/2020	9:45	N1	DD-D021502	EBG093R-062520	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG093R	6/25/2020	9:45	N1	DD-D021502	EBG093R-062520	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.69		0.07	0.24	ug/WIPE
EBG093R	6/25/2020	9:45	N1	DD-D021502	EBG093R-062520	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG093R	6/25/2020	9:45	N1	DD-D021502	EBG093R-062520	SW8082A	SW	TOTAL PCBs	2.59		-	0.24	ug/WIPE
EBG094R	6/25/2020	7:05	N1	DD-D021503	EBG094R-062520	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG094R	6/25/2020	7:05	N1	DD-D021503	EBG094R-062520	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG094R	6/25/2020	7:05	N1	DD-D021503	EBG094R-062520	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG094R	6/25/2020	7:05	N1	DD-D021503	EBG094R-062520	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.1		0.088	0.24	ug/WIPE
EBG094R	6/25/2020	7:05	N1	DD-D021503	EBG094R-062520	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG094R	6/25/2020	7:05	N1	DD-D021503	EBG094R-062520	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1		0.07	0.24	ug/WIPE
EBG094R	6/25/2020	7:05	N1	DD-D021503	EBG094R-062520	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG094R	6/25/2020	7:05	N1	DD-D021503	EBG094R-062520	SW8082A	SW	TOTAL PCBs	4.1		-	0.24	ug/WIPE
EBG095R	6/25/2020	7:10	N1	DD-D021504	EBG095R-062520	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG095R	6/25/2020	7:10	N1	DD-D021504	EBG095R-062520	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG095R	6/25/2020	7:10	N1	DD-D021504	EBG095R-062520	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG095R	6/25/2020	7:10	N1	DD-D021504	EBG095R-062520	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.5		0.088	0.24	ug/WIPE
EBG095R	6/25/2020	7:10	N1	DD-D021504	EBG095R-062520	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG095R	6/25/2020	7:10	N1	DD-D021504	EBG095R-062520	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1		0.07	0.24	ug/WIPE
EBG095R	6/25/2020	7:10	N1	DD-D021504	EBG095R-062520	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG095R	6/25/2020	7:10	N1	DD-D021504	EBG095R-062520	SW8082A	SW	TOTAL PCBs	3.5		-	0.24	ug/WIPE
EBG096R	6/25/2020	7:15	N1	DD-D021505	EBG096R-062520	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG096R	6/25/2020	7:15	N1	DD-D021505	EBG096R-062520	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG096R	6/25/2020	7:15	N1	DD-D021505	EBG096R-062520	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG096R	6/25/2020	7:15	N1	DD-D021505	EBG096R-062520	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	5.4		0.088	0.24	ug/WIPE
EBG096R	6/25/2020	7:15	N1	DD-D021505	EBG096R-062520	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG096R	6/25/2020	7:15	N1	DD-D021505	EBG096R-062520	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.6		0.07	0.24	ug/WIPE
EBG096R	6/25/2020	7:15	N1	DD-D021505	EBG096R-062520	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE



Attachment 4 - Wall and Ceiling Wipe Final Resample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
EBG096R	6/25/2020	7:15	N1	DD-D021505	EBG096R-062520	SW8082A	SW	TOTAL PCBs	7		-	0.24	ug/WIPE
EBG100R	6/25/2020	7:22	N1	DD-D021506	EBG100R-062520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG100R	6/25/2020	7:22	N1	DD-D021506	EBG100R-062520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG100R	6/25/2020	7:22	N1	DD-D021506	EBG100R-062520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG100R	6/25/2020	7:22	N1	DD-D021506	EBG100R-062520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3		0.088	0.24	ug/WIPE
EBG100R	6/25/2020	7:22	N1	DD-D021506	EBG100R-062520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG100R	6/25/2020	7:22	N1	DD-D021506	EBG100R-062520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.92		0.07	0.24	ug/WIPE
EBG100R	6/25/2020	7:22	N1	DD-D021506	EBG100R-062520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG100R	6/25/2020	7:22	N1	DD-D021506	EBG100R-062520	SW8082A	SW	TOTAL PCBs	3.92		-	0.24	ug/WIPE
EBG101R	6/25/2020	7:30	N1	DD-D021507	EBG101R-062520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG101R	6/25/2020	7:30	N1	DD-D021507	EBG101R-062520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG101R	6/25/2020	7:30	N1	DD-D021507	EBG101R-062520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG101R	6/25/2020	7:30	N1	DD-D021507	EBG101R-062520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1.5		0.088	0.24	ug/WIPE
EBG101R	6/25/2020	7:30	N1	DD-D021507	EBG101R-062520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG101R	6/25/2020	7:30	N1	DD-D021507	EBG101R-062520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.52		0.07	0.24	ug/WIPE
EBG101R	6/25/2020	7:30	N1	DD-D021507	EBG101R-062520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG101R	6/25/2020	7:30	N1	DD-D021507	EBG101R-062520	SW8082A	SW	TOTAL PCBs	2.02		-	0.24	ug/WIPE
EBG102R	6/25/2020	7:35	N1	DD-D021508	EBG102R-062520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG102R	6/25/2020	7:35	N1	DD-D021508	EBG102R-062520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG102R	6/25/2020	7:35	N1	DD-D021508	EBG102R-062520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG102R	6/25/2020	7:35	N1	DD-D021508	EBG102R-062520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.66		0.088	0.24	ug/WIPE
EBG102R	6/25/2020	7:35	N1	DD-D021508	EBG102R-062520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG102R	6/25/2020	7:35	N1	DD-D021508	EBG102R-062520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.21	J	0.07	0.24	ug/WIPE
EBG102R	6/25/2020	7:35	N1	DD-D021508	EBG102R-062520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG102R	6/25/2020	7:35	N1	DD-D021508	EBG102R-062520	SW8082A	SW	TOTAL PCBs	0.87		-	0.24	ug/WIPE
EBG103R	6/25/2020	7:40	N1	DD-D021509	EBG103R-062520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG103R	6/25/2020	7:40	N1	DD-D021509	EBG103R-062520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG103R	6/25/2020	7:40	N1	DD-D021509	EBG103R-062520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG103R	6/25/2020	7:40	N1	DD-D021509	EBG103R-062520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	5.2		0.088	0.24	ug/WIPE
EBG103R	6/25/2020	7:40	N1	DD-D021509	EBG103R-062520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG103R	6/25/2020	7:40	N1	DD-D021509	EBG103R-062520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.4		0.07	0.24	ug/WIPE
EBG103R	6/25/2020	7:40	N1	DD-D021509	EBG103R-062520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG103R	6/25/2020	7:40	N1	DD-D021509	EBG103R-062520	SW8082A	SW	TOTAL PCBs	6.6		-	0.24	ug/WIPE
EBG104R	6/25/2020	7:45	N1	DD-D021510	EBG104R-062520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG104R	6/25/2020	7:45	N1	DD-D021510	EBG104R-062520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG104R	6/25/2020	7:45	N1	DD-D021510	EBG104R-062520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG104R	6/25/2020	7:45	N1	DD-D021510	EBG104R-062520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3.1		0.088	0.24	ug/WIPE
EBG104R	6/25/2020	7:45	N1	DD-D021510	EBG104R-062520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG104R	6/25/2020	7:45	N1	DD-D021510	EBG104R-062520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.99		0.07	0.24	ug/WIPE
EBG104R	6/25/2020	7:45	N1	DD-D021510	EBG104R-062520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG104R	6/25/2020	7:45	N1	DD-D021510	EBG104R-062520	SW8082A	SW	TOTAL PCBs	4.09		-	0.24	ug/WIPE
EBG105R	6/25/2020	7:50	N1	DD-D021601	EBG105R-062520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG105R	6/25/2020	7:50	N1	DD-D021601	EBG105R-062520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG105R	6/25/2020	7:50	N1	DD-D021601	EBG105R-062520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG105R	6/25/2020	7:50	N1	DD-D021601	EBG105R-062520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3.7		0.088	0.24	ug/WIPE
EBG105R	6/25/2020	7:50	N1	DD-D021601	EBG105R-062520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG105R	6/25/2020	7:50	N1	DD-D021601	EBG105R-062520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.3		0.07	0.24	ug/WIPE
EBG105R	6/25/2020	7:50	N1	DD-D021601	EBG105R-062520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG105R	6/25/2020	7:50	N1	DD-D021601	EBG105R-062520	SW8082A	SW	TOTAL PCBs	5		-	0.24	ug/WIPE
EBG109R	6/25/2020	10:05	N1	DD-D021602	EBG109R-062520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG109R	6/25/2020	10:05	N1	DD-D021602	EBG109R-062520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE

Attachment 4 - Wall and Ceiling Wipe Final Resample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
EBG109R	6/25/2020	10:05	N1	DD-D021602	EBG109R-062520	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG109R	6/25/2020	10:05	N1	DD-D021602	EBG109R-062520	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2		0.088	0.24	ug/WIPE
EBG109R	6/25/2020	10:05	N1	DD-D021602	EBG109R-062520	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG109R	6/25/2020	10:05	N1	DD-D021602	EBG109R-062520	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.82		0.07	0.24	ug/WIPE
EBG109R	6/25/2020	10:05	N1	DD-D021602	EBG109R-062520	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG109R	6/25/2020	10:05	N1	DD-D021602	EBG109R-062520	SW8082A	SW	TOTAL PCBs	2.82		-	0.24	ug/WIPE
EBG110R	6/25/2020	10:20	N1	DD-D021603	EBG110R-062520	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG110R	6/25/2020	10:20	N1	DD-D021603	EBG110R-062520	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG110R	6/25/2020	10:20	N1	DD-D021603	EBG110R-062520	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG110R	6/25/2020	10:20	N1	DD-D021603	EBG110R-062520	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.2		0.088	0.24	ug/WIPE
EBG110R	6/25/2020	10:20	N1	DD-D021603	EBG110R-062520	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG110R	6/25/2020	10:20	N1	DD-D021603	EBG110R-062520	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.94		0.07	0.24	ug/WIPE
EBG110R	6/25/2020	10:20	N1	DD-D021603	EBG110R-062520	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG110R	6/25/2020	10:20	N1	DD-D021603	EBG110R-062520	SW8082A	SW	TOTAL PCBs	3.14		-	0.24	ug/WIPE
EBG111R	6/25/2020	10:40	N1	DD-D021604	EBG111R-062520	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG111R	6/25/2020	10:40	N1	DD-D021604	EBG111R-062520	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG111R	6/25/2020	10:40	N1	DD-D021604	EBG111R-062520	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG111R	6/25/2020	10:40	N1	DD-D021604	EBG111R-062520	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.6		0.088	0.24	ug/WIPE
EBG111R	6/25/2020	10:40	N1	DD-D021604	EBG111R-062520	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG111R	6/25/2020	10:40	N1	DD-D021604	EBG111R-062520	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.82		0.07	0.24	ug/WIPE
EBG111R	6/25/2020	10:40	N1	DD-D021604	EBG111R-062520	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG111R	6/25/2020	10:40	N1	DD-D021604	EBG111R-062520	SW8082A	SW	TOTAL PCBs	3.42		-	0.24	ug/WIPE
EBG115R	6/26/2020	11:45	N1	DD-D021605	EBG115R-062620	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG115R	6/26/2020	11:45	N1	DD-D021605	EBG115R-062620	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG115R	6/26/2020	11:45	N1	DD-D021605	EBG115R-062620	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG115R	6/26/2020	11:45	N1	DD-D021605	EBG115R-062620	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.4		0.088	0.24	ug/WIPE
EBG115R	6/26/2020	11:45	N1	DD-D021605	EBG115R-062620	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG115R	6/26/2020	11:45	N1	DD-D021605	EBG115R-062620	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.1		0.07	0.24	ug/WIPE
EBG115R	6/26/2020	11:45	N1	DD-D021605	EBG115R-062620	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG115R	6/26/2020	11:45	N1	DD-D021605	EBG115R-062620	SW8082A	SW	TOTAL PCBs	4.5		-	0.24	ug/WIPE
EBG116R	6/26/2020	11:50	N1	DD-D021606	EBG116R-062620	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG116R	6/26/2020	11:50	N1	DD-D021606	EBG116R-062620	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG116R	6/26/2020	11:50	N1	DD-D021606	EBG116R-062620	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG116R	6/26/2020	11:50	N1	DD-D021606	EBG116R-062620	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.6		0.088	0.24	ug/WIPE
EBG116R	6/26/2020	11:50	N1	DD-D021606	EBG116R-062620	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG116R	6/26/2020	11:50	N1	DD-D021606	EBG116R-062620	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.68		0.07	0.24	ug/WIPE
EBG116R	6/26/2020	11:50	N1	DD-D021606	EBG116R-062620	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG116R	6/26/2020	11:50	N1	DD-D021606	EBG116R-062620	SW8082A	SW	TOTAL PCBs	3.28		-	0.24	ug/WIPE
EBG117R	6/26/2020	11:55	N1	DD-D021607	EBG117R-062620	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG117R	6/26/2020	11:55	N1	DD-D021607	EBG117R-062620	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG117R	6/26/2020	11:55	N1	DD-D021607	EBG117R-062620	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG117R	6/26/2020	11:55	N1	DD-D021607	EBG117R-062620	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.78		0.088	0.24	ug/WIPE
EBG117R	6/26/2020	11:55	N1	DD-D021607	EBG117R-062620	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG117R	6/26/2020	11:55	N1	DD-D021607	EBG117R-062620	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.28		0.07	0.24	ug/WIPE
EBG117R	6/26/2020	11:55	N1	DD-D021607	EBG117R-062620	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG117R	6/26/2020	11:55	N1	DD-D021607	EBG117R-062620	SW8082A	SW	TOTAL PCBs	1.06		-	0.24	ug/WIPE
EBG118R	6/26/2020	11:58	N1	DD-D021608	EBG118R-062620	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG118R	6/26/2020	11:58	N1	DD-D021608	EBG118R-062620	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG118R	6/26/2020	11:58	N1	DD-D021608	EBG118R-062620	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG118R	6/26/2020	11:58	N1	DD-D021608	EBG118R-062620	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.2		0.088	0.24	ug/WIPE
EBG118R	6/26/2020	11:58	N1	DD-D021608	EBG118R-062620	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE

Attachment 4 - Wall and Ceiling Wipe Final Resample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
EBG118R	6/26/2020	11:58	N1	DD-D021608	EBG118R-062620	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.1		0.07	0.24	ug/WIPE
EBG118R	6/26/2020	11:58	N1	DD-D021608	EBG118R-062620	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG118R	6/26/2020	11:58	N1	DD-D021608	EBG118R-062620	SW8082A	SW	TOTAL PCBs	4.3		-	0.24	ug/WIPE
EBG119R	6/26/2020	12:00	N1	DD-D021609	EBG119R-062620	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG119R	6/26/2020	12:00	N1	DD-D021609	EBG119R-062620	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG119R	6/26/2020	12:00	N1	DD-D021609	EBG119R-062620	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG119R	6/26/2020	12:00	N1	DD-D021609	EBG119R-062620	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.2		0.088	0.24	ug/WIPE
EBG119R	6/26/2020	12:00	N1	DD-D021609	EBG119R-062620	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG119R	6/26/2020	12:00	N1	DD-D021609	EBG119R-062620	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.1		0.07	0.24	ug/WIPE
EBG119R	6/26/2020	12:00	N1	DD-D021609	EBG119R-062620	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG119R	6/26/2020	12:00	N1	DD-D021609	EBG119R-062620	SW8082A	SW	TOTAL PCBs	4.3		-	0.24	ug/WIPE
EBG120R	6/26/2020	12:05	N1	DD-D021610	EBG120R-062620	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG120R	6/26/2020	12:05	N1	DD-D021610	EBG120R-062620	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG120R	6/26/2020	12:05	N1	DD-D021610	EBG120R-062620	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG120R	6/26/2020	12:05	N1	DD-D021610	EBG120R-062620	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.8		0.088	0.24	ug/WIPE
EBG120R	6/26/2020	12:05	N1	DD-D021610	EBG120R-062620	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG120R	6/26/2020	12:05	N1	DD-D021610	EBG120R-062620	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.71		0.07	0.24	ug/WIPE
EBG120R	6/26/2020	12:05	N1	DD-D021610	EBG120R-062620	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG120R	6/26/2020	12:05	N1	DD-D021610	EBG120R-062620	SW8082A	SW	TOTAL PCBs	3.51		-	0.24	ug/WIPE
EBG121R	6/26/2020	12:08	N1	DD-D021701	EBG121R-062620	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG121R	6/26/2020	12:08	N1	DD-D021701	EBG121R-062620	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG121R	6/26/2020	12:08	N1	DD-D021701	EBG121R-062620	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG121R	6/26/2020	12:08	N1	DD-D021701	EBG121R-062620	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.1		0.088	0.24	ug/WIPE
EBG121R	6/26/2020	12:08	N1	DD-D021701	EBG121R-062620	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG121R	6/26/2020	12:08	N1	DD-D021701	EBG121R-062620	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.83		0.07	0.24	ug/WIPE
EBG121R	6/26/2020	12:08	N1	DD-D021701	EBG121R-062620	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG121R	6/26/2020	12:08	N1	DD-D021701	EBG121R-062620	SW8082A	SW	TOTAL PCBs	3.93		-	0.24	ug/WIPE
EBG122R	6/26/2020	12:12	N1	DD-D021702	EBG122R-062620	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG122R	6/26/2020	12:12	N1	DD-D021702	EBG122R-062620	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG122R	6/26/2020	12:12	N1	DD-D021702	EBG122R-062620	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG122R	6/26/2020	12:12	N1	DD-D021702	EBG122R-062620	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.77		0.088	0.24	ug/WIPE
EBG122R	6/26/2020	12:12	N1	DD-D021702	EBG122R-062620	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG122R	6/26/2020	12:12	N1	DD-D021702	EBG122R-062620	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.31		0.07	0.24	ug/WIPE
EBG122R	6/26/2020	12:12	N1	DD-D021702	EBG122R-062620	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG122R	6/26/2020	12:12	N1	DD-D021702	EBG122R-062620	SW8082A	SW	TOTAL PCBs	1.08		-	0.24	ug/WIPE
EBG123R	6/26/2020	12:15	N1	DD-D021703	EBG123R-062620	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG123R	6/26/2020	12:15	N1	DD-D021703	EBG123R-062620	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG123R	6/26/2020	12:15	N1	DD-D021703	EBG123R-062620	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG123R	6/26/2020	12:15	N1	DD-D021703	EBG123R-062620	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	4		0.088	0.24	ug/WIPE
EBG123R	6/26/2020	12:15	N1	DD-D021703	EBG123R-062620	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG123R	6/26/2020	12:15	N1	DD-D021703	EBG123R-062620	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.2		0.07	0.24	ug/WIPE
EBG123R	6/26/2020	12:15	N1	DD-D021703	EBG123R-062620	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG123R	6/26/2020	12:15	N1	DD-D021703	EBG123R-062620	SW8082A	SW	TOTAL PCBs	5.2		-	0.24	ug/WIPE
EBG129R	6/26/2020	16:25	N1	DD-D021704	EBG129R-062620	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG129R	6/26/2020	16:25	N1	DD-D021704	EBG129R-062620	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG129R	6/26/2020	16:25	N1	DD-D021704	EBG129R-062620	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG129R	6/26/2020	16:25	N1	DD-D021704	EBG129R-062620	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.6		0.088	0.24	ug/WIPE
EBG129R	6/26/2020	16:25	N1	DD-D021704	EBG129R-062620	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG129R	6/26/2020	16:25	N1	DD-D021704	EBG129R-062620	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.94		0.07	0.24	ug/WIPE
EBG129R	6/26/2020	16:25	N1	DD-D021704	EBG129R-062620	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG129R	6/26/2020	16:25	N1	DD-D021704	EBG129R-062620	SW8082A	SW	TOTAL PCBs	4.54		-	0.24	ug/WIPE

Attachment 4 - Wall and Ceiling Wipe Final Resample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
EBG130R	6/26/2020	16:30	N1	DD-D021705	EBG130R-062620	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG130R	6/26/2020	16:30	N1	DD-D021705	EBG130R-062620	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG130R	6/26/2020	16:30	N1	DD-D021705	EBG130R-062620	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG130R	6/26/2020	16:30	N1	DD-D021705	EBG130R-062620	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3.4		0.088	0.24	ug/WIPE
EBG130R	6/26/2020	16:30	N1	DD-D021705	EBG130R-062620	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG130R	6/26/2020	16:30	N1	DD-D021705	EBG130R-062620	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.1		0.07	0.24	ug/WIPE
EBG130R	6/26/2020	16:30	N1	DD-D021705	EBG130R-062620	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG130R	6/26/2020	16:30	N1	DD-D021705	EBG130R-062620	SW8082A	SW	TOTAL PCBs	4.5		-	0.24	ug/WIPE
EBG131R	6/26/2020	16:32	N1	DD-D021706	EBG131R-062620	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG131R	6/26/2020	16:32	N1	DD-D021706	EBG131R-062620	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG131R	6/26/2020	16:32	N1	DD-D021706	EBG131R-062620	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG131R	6/26/2020	16:32	N1	DD-D021706	EBG131R-062620	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2.5		0.088	0.24	ug/WIPE
EBG131R	6/26/2020	16:32	N1	DD-D021706	EBG131R-062620	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG131R	6/26/2020	16:32	N1	DD-D021706	EBG131R-062620	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.97		0.07	0.24	ug/WIPE
EBG131R	6/26/2020	16:32	N1	DD-D021706	EBG131R-062620	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG131R	6/26/2020	16:32	N1	DD-D021706	EBG131R-062620	SW8082A	SW	TOTAL PCBs	3.47		-	0.24	ug/WIPE
EBG132R	6/26/2020	16:35	N1	DD-D021707	EBG132R-062620	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG132R	6/26/2020	16:35	N1	DD-D021707	EBG132R-062620	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG132R	6/26/2020	16:35	N1	DD-D021707	EBG132R-062620	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG132R	6/26/2020	16:35	N1	DD-D021707	EBG132R-062620	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3.1		0.088	0.24	ug/WIPE
EBG132R	6/26/2020	16:35	N1	DD-D021707	EBG132R-062620	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG132R	6/26/2020	16:35	N1	DD-D021707	EBG132R-062620	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.96		0.07	0.24	ug/WIPE
EBG132R	6/26/2020	16:35	N1	DD-D021707	EBG132R-062620	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG132R	6/26/2020	16:35	N1	DD-D021707	EBG132R-062620	SW8082A	SW	TOTAL PCBs	4.06		-	0.24	ug/WIPE
EBG133R	6/26/2020	16:38	N1	DD-D021708	EBG133R-062620	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG133R	6/26/2020	16:38	N1	DD-D021708	EBG133R-062620	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG133R	6/26/2020	16:38	N1	DD-D021708	EBG133R-062620	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG133R	6/26/2020	16:38	N1	DD-D021708	EBG133R-062620	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3.6		0.088	0.24	ug/WIPE
EBG133R	6/26/2020	16:38	N1	DD-D021708	EBG133R-062620	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG133R	6/26/2020	16:38	N1	DD-D021708	EBG133R-062620	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.1		0.07	0.24	ug/WIPE
EBG133R	6/26/2020	16:38	N1	DD-D021708	EBG133R-062620	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG133R	6/26/2020	16:38	N1	DD-D021708	EBG133R-062620	SW8082A	SW	TOTAL PCBs	4.7		-	0.24	ug/WIPE
EBG138R	6/26/2020	16:40	N1	DD-D021709	EBG138R-062620	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG138R	6/26/2020	16:40	N1	DD-D021709	EBG138R-062620	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG138R	6/26/2020	16:40	N1	DD-D021709	EBG138R-062620	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG138R	6/26/2020	16:40	N1	DD-D021709	EBG138R-062620	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3.9		0.088	0.24	ug/WIPE
EBG138R	6/26/2020	16:40	N1	DD-D021709	EBG138R-062620	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG138R	6/26/2020	16:40	N1	DD-D021709	EBG138R-062620	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.1		0.07	0.24	ug/WIPE
EBG138R	6/26/2020	16:40	N1	DD-D021709	EBG138R-062620	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG138R	6/26/2020	16:40	N1	DD-D021709	EBG138R-062620	SW8082A	SW	TOTAL PCBs	5		-	0.24	ug/WIPE
EBG139R	6/26/2020	16:50	N1	DD-D021710	EBG139R-062620	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
EBG139R	6/26/2020	16:50	N1	DD-D021710	EBG139R-062620	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
EBG139R	6/26/2020	16:50	N1	DD-D021710	EBG139R-062620	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
EBG139R	6/26/2020	16:50	N1	DD-D021710	EBG139R-062620	SW8082A	SW	PCB-1242 (AROCLOR 1242)	4.3		0.088	0.24	ug/WIPE
EBG139R	6/26/2020	16:50	N1	DD-D021710	EBG139R-062620	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
EBG139R	6/26/2020	16:50	N1	DD-D021710	EBG139R-062620	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.1		0.07	0.24	ug/WIPE
EBG139R	6/26/2020	16:50	N1	DD-D021710	EBG139R-062620	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
EBG139R	6/26/2020	16:50	N1	DD-D021710	EBG139R-062620	SW8082A	SW	TOTAL PCBs	5.4		-	0.24	ug/WIPE
FBG010R	6/29/2020	15:30	N1	DD-D021801	FBG010R-062920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
FBG010R	6/29/2020	15:30	N1	DD-D021801	FBG010R-062920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
FBG010R	6/29/2020	15:30	N1	DD-D021801	FBG010R-062920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE

Attachment 4 - Wall and Ceiling Wipe Final Resample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
FBG010R	6/29/2020	15:30	N1	DD-D021801	FBG010R-062920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1.4		0.088	0.24	ug/WIPE
FBG010R	6/29/2020	15:30	N1	DD-D021801	FBG010R-062920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
FBG010R	6/29/2020	15:30	N1	DD-D021801	FBG010R-062920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.64		0.07	0.24	ug/WIPE
FBG010R	6/29/2020	15:30	N1	DD-D021801	FBG010R-062920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
FBG010R	6/29/2020	15:30	N1	DD-D021801	FBG010R-062920	SW8082A	SW	TOTAL PCBs	2.04		-	0.24	ug/WIPE
FBG011R	6/29/2020	15:33	N1	DD-D021802	FBG011R-062920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
FBG011R	6/29/2020	15:33	N1	DD-D021802	FBG011R-062920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
FBG011R	6/29/2020	15:33	N1	DD-D021802	FBG011R-062920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
FBG011R	6/29/2020	15:33	N1	DD-D021802	FBG011R-062920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2.7		0.088	0.24	ug/WIPE
FBG011R	6/29/2020	15:33	N1	DD-D021802	FBG011R-062920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
FBG011R	6/29/2020	15:33	N1	DD-D021802	FBG011R-062920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.99		0.07	0.24	ug/WIPE
FBG011R	6/29/2020	15:33	N1	DD-D021802	FBG011R-062920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
FBG011R	6/29/2020	15:33	N1	DD-D021802	FBG011R-062920	SW8082A	SW	TOTAL PCBs	3.69		-	0.24	ug/WIPE
FBG012R	6/29/2020	15:36	N1	DD-D021803	FBG012R-062920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
FBG012R	6/29/2020	15:36	N1	DD-D021803	FBG012R-062920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
FBG012R	6/29/2020	15:36	N1	DD-D021803	FBG012R-062920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
FBG012R	6/29/2020	15:36	N1	DD-D021803	FBG012R-062920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2.8		0.088	0.24	ug/WIPE
FBG012R	6/29/2020	15:36	N1	DD-D021803	FBG012R-062920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
FBG012R	6/29/2020	15:36	N1	DD-D021803	FBG012R-062920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.89		0.07	0.24	ug/WIPE
FBG012R	6/29/2020	15:36	N1	DD-D021803	FBG012R-062920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
FBG012R	6/29/2020	15:36	N1	DD-D021803	FBG012R-062920	SW8082A	SW	TOTAL PCBs	3.69		-	0.24	ug/WIPE
FBG015R	6/29/2020	15:45	N1	DD-D021804	FBG015R-062920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
FBG015R	6/29/2020	15:45	N1	DD-D021804	FBG015R-062920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
FBG015R	6/29/2020	15:45	N1	DD-D021804	FBG015R-062920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
FBG015R	6/29/2020	15:45	N1	DD-D021804	FBG015R-062920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2.1		0.088	0.24	ug/WIPE
FBG015R	6/29/2020	15:45	N1	DD-D021804	FBG015R-062920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
FBG015R	6/29/2020	15:45	N1	DD-D021804	FBG015R-062920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.7		0.07	0.24	ug/WIPE
FBG015R	6/29/2020	15:45	N1	DD-D021804	FBG015R-062920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
FBG015R	6/29/2020	15:45	N1	DD-D021804	FBG015R-062920	SW8082A	SW	TOTAL PCBs	2.8		-	0.24	ug/WIPE
FBG016R	6/29/2020	15:48	N1	DD-D021805	FBG016R-062920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
FBG016R	6/29/2020	15:48	N1	DD-D021805	FBG016R-062920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
FBG016R	6/29/2020	15:48	N1	DD-D021805	FBG016R-062920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
FBG016R	6/29/2020	15:48	N1	DD-D021805	FBG016R-062920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2.1		0.088	0.24	ug/WIPE
FBG016R	6/29/2020	15:48	N1	DD-D021805	FBG016R-062920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
FBG016R	6/29/2020	15:48	N1	DD-D021805	FBG016R-062920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.78		0.07	0.24	ug/WIPE
FBG016R	6/29/2020	15:48	N1	DD-D021805	FBG016R-062920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
FBG016R	6/29/2020	15:48	N1	DD-D021805	FBG016R-062920	SW8082A	SW	TOTAL PCBs	2.88		-	0.24	ug/WIPE
FBG017R	6/29/2020	15:50	N1	DD-D021806	FBG017R-062920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
FBG017R	6/29/2020	15:50	N1	DD-D021806	FBG017R-062920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
FBG017R	6/29/2020	15:50	N1	DD-D021806	FBG017R-062920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
FBG017R	6/29/2020	15:50	N1	DD-D021806	FBG017R-062920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3		0.088	0.24	ug/WIPE
FBG017R	6/29/2020	15:50	N1	DD-D021806	FBG017R-062920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
FBG017R	6/29/2020	15:50	N1	DD-D021806	FBG017R-062920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.3		0.07	0.24	ug/WIPE
FBG017R	6/29/2020	15:50	N1	DD-D021806	FBG017R-062920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
FBG017R	6/29/2020	15:50	N1	DD-D021806	FBG017R-062920	SW8082A	SW	TOTAL PCBs	4.3		-	0.24	ug/WIPE
FBG022R	6/29/2020	15:39	N1	DD-D021807	FBG022R-062920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
FBG022R	6/29/2020	15:39	N1	DD-D021807	FBG022R-062920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
FBG022R	6/29/2020	15:39	N1	DD-D021807	FBG022R-062920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
FBG022R	6/29/2020	15:39	N1	DD-D021807	FBG022R-062920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2	J	0.088	0.24	ug/WIPE
FBG022R	6/29/2020	15:39	N1	DD-D021807	FBG022R-062920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
FBG022R	6/29/2020	15:39	N1	DD-D021807	FBG022R-062920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.62	J	0.07	0.24	ug/WIPE



Attachment 4 - Wall and Ceiling Wipe Final Resample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
FBG022R	6/29/2020	15:39	N1	DD-D021807	FBG022R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
FBG022R	6/29/2020	15:39	N1	DD-D021807	FBG022R-062920	SW8082A	SW	TOTAL PCBs	2.62		-	0.24	ug/WIPE
FBG023R	6/29/2020	15:52	N1	DD-D021808	FBG023R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
FBG023R	6/29/2020	15:52	N1	DD-D021808	FBG023R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
FBG023R	6/29/2020	15:52	N1	DD-D021808	FBG023R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
FBG023R	6/29/2020	15:52	N1	DD-D021808	FBG023R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	4.2		0.088	0.24	ug/WIPE
FBG023R	6/29/2020	15:52	N1	DD-D021808	FBG023R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
FBG023R	6/29/2020	15:52	N1	DD-D021808	FBG023R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.2		0.07	0.24	ug/WIPE
FBG023R	6/29/2020	15:52	N1	DD-D021808	FBG023R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
FBG023R	6/29/2020	15:52	N1	DD-D021808	FBG023R-062920	SW8082A	SW	TOTAL PCBs	5.4		-	0.24	ug/WIPE
FBG036R	6/29/2020	13:55	N1	DD-D021809	FBG036R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
FBG036R	6/29/2020	13:55	N1	DD-D021809	FBG036R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
FBG036R	6/29/2020	13:55	N1	DD-D021809	FBG036R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
FBG036R	6/29/2020	13:55	N1	DD-D021809	FBG036R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.65		0.088	0.24	ug/WIPE
FBG036R	6/29/2020	13:55	N1	DD-D021809	FBG036R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
FBG036R	6/29/2020	13:55	N1	DD-D021809	FBG036R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.26		0.07	0.24	ug/WIPE
FBG036R	6/29/2020	13:55	N1	DD-D021809	FBG036R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
FBG036R	6/29/2020	13:55	N1	DD-D021809	FBG036R-062920	SW8082A	SW	TOTAL PCBs	0.91		-	0.24	ug/WIPE
FBG037R	6/29/2020	15:58	N1	DD-D021810	FBG037R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
FBG037R	6/29/2020	15:58	N1	DD-D021810	FBG037R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
FBG037R	6/29/2020	15:58	N1	DD-D021810	FBG037R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
FBG037R	6/29/2020	15:58	N1	DD-D021810	FBG037R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.1		0.088	0.24	ug/WIPE
FBG037R	6/29/2020	15:58	N1	DD-D021810	FBG037R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
FBG037R	6/29/2020	15:58	N1	DD-D021810	FBG037R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.76		0.07	0.24	ug/WIPE
FBG037R	6/29/2020	15:58	N1	DD-D021810	FBG037R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
FBG037R	6/29/2020	15:58	N1	DD-D021810	FBG037R-062920	SW8082A	SW	TOTAL PCBs	2.86		-	0.24	ug/WIPE
FBG038R	6/29/2020	16:00	N1	DD-D021901	FBG038R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
FBG038R	6/29/2020	16:00	N1	DD-D021901	FBG038R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
FBG038R	6/29/2020	16:00	N1	DD-D021901	FBG038R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
FBG038R	6/29/2020	16:00	N1	DD-D021901	FBG038R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.96		0.088	0.24	ug/WIPE
FBG038R	6/29/2020	16:00	N1	DD-D021901	FBG038R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
FBG038R	6/29/2020	16:00	N1	DD-D021901	FBG038R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.37		0.07	0.24	ug/WIPE
FBG038R	6/29/2020	16:00	N1	DD-D021901	FBG038R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
FBG038R	6/29/2020	16:00	N1	DD-D021901	FBG038R-062920	SW8082A	SW	TOTAL PCBs	1.33		-	0.24	ug/WIPE
FBG039R	6/29/2020	16:03	N1	DD-D021902	FBG039R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
FBG039R	6/29/2020	16:03	N1	DD-D021902	FBG039R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
FBG039R	6/29/2020	16:03	N1	DD-D021902	FBG039R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
FBG039R	6/29/2020	16:03	N1	DD-D021902	FBG039R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.74		0.088	0.24	ug/WIPE
FBG039R	6/29/2020	16:03	N1	DD-D021902	FBG039R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
FBG039R	6/29/2020	16:03	N1	DD-D021902	FBG039R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.37		0.07	0.24	ug/WIPE
FBG039R	6/29/2020	16:03	N1	DD-D021902	FBG039R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
FBG039R	6/29/2020	16:03	N1	DD-D021902	FBG039R-062920	SW8082A	SW	TOTAL PCBs	1.11		-	0.24	ug/WIPE
GBG020R	6/29/2020	10:15	N1	DD-D022001	GBG020R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG020R	6/29/2020	10:15	N1	DD-D022001	GBG020R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG020R	6/29/2020	10:15	N1	DD-D022001	GBG020R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG020R	6/29/2020	10:15	N1	DD-D022001	GBG020R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.1		0.088	0.24	ug/WIPE
GBG020R	6/29/2020	10:15	N1	DD-D022001	GBG020R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG020R	6/29/2020	10:15	N1	DD-D022001	GBG020R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.1		0.07	0.24	ug/WIPE
GBG020R	6/29/2020	10:15	N1	DD-D022001	GBG020R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG020R	6/29/2020	10:15	N1	DD-D022001	GBG020R-062920	SW8082A	SW	TOTAL PCBs	4.2		-	0.24	ug/WIPE
GBG021R	6/29/2020	10:20	N1	DD-D022002	GBG021R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE

Attachment 4 - Wall and Ceiling Wipe Final Resample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
GBG021R	6/29/2020	10:20	N1	DD-D022002	GBG021R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG021R	6/29/2020	10:20	N1	DD-D022002	GBG021R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG021R	6/29/2020	10:20	N1	DD-D022002	GBG021R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.9		0.088	0.24	ug/WIPE
GBG021R	6/29/2020	10:20	N1	DD-D022002	GBG021R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG021R	6/29/2020	10:20	N1	DD-D022002	GBG021R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.34		0.07	0.24	ug/WIPE
GBG021R	6/29/2020	10:20	N1	DD-D022002	GBG021R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG021R	6/29/2020	10:20	N1	DD-D022002	GBG021R-062920	SW8082A	SW	TOTAL PCBs	1.24		-	0.24	ug/WIPE
GBG022R	6/29/2020	10:23	N1	DD-D022003	GBG022R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG022R	6/29/2020	10:23	N1	DD-D022003	GBG022R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG022R	6/29/2020	10:23	N1	DD-D022003	GBG022R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG022R	6/29/2020	10:23	N1	DD-D022003	GBG022R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.4		0.088	0.24	ug/WIPE
GBG022R	6/29/2020	10:23	N1	DD-D022003	GBG022R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG022R	6/29/2020	10:23	N1	DD-D022003	GBG022R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.92		0.07	0.24	ug/WIPE
GBG022R	6/29/2020	10:23	N1	DD-D022003	GBG022R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG022R	6/29/2020	10:23	N1	DD-D022003	GBG022R-062920	SW8082A	SW	TOTAL PCBs	3.32		-	0.24	ug/WIPE
GBG023R	6/29/2020	10:25	N1	DD-D022004	GBG023R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	UJ	0.09	0.24	ug/WIPE
GBG023R	6/29/2020	10:25	N1	DD-D022004	GBG023R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	UJ	0.12	0.24	ug/WIPE
GBG023R	6/29/2020	10:25	N1	DD-D022004	GBG023R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	UJ	0.14	0.24	ug/WIPE
GBG023R	6/29/2020	10:25	N1	DD-D022004	GBG023R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.83	J	0.088	0.24	ug/WIPE
GBG023R	6/29/2020	10:25	N1	DD-D022004	GBG023R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	UJ	0.092	0.24	ug/WIPE
GBG023R	6/29/2020	10:25	N1	DD-D022004	GBG023R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.41	J	0.07	0.24	ug/WIPE
GBG023R	6/29/2020	10:25	N1	DD-D022004	GBG023R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	UJ	0.09	0.24	ug/WIPE
GBG023R	6/29/2020	10:25	N1	DD-D022004	GBG023R-062920	SW8082A	SW	TOTAL PCBs	1.24		-	0.24	ug/WIPE
GBG024R	6/29/2020	10:28	N1	DD-D022005	GBG024R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG024R	6/29/2020	10:28	N1	DD-D022005	GBG024R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG024R	6/29/2020	10:28	N1	DD-D022005	GBG024R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG024R	6/29/2020	10:28	N1	DD-D022005	GBG024R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.8		0.088	0.24	ug/WIPE
GBG024R	6/29/2020	10:28	N1	DD-D022005	GBG024R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG024R	6/29/2020	10:28	N1	DD-D022005	GBG024R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.2		0.07	0.24	ug/WIPE
GBG024R	6/29/2020	10:28	N1	DD-D022005	GBG024R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG024R	6/29/2020	10:28	N1	DD-D022005	GBG024R-062920	SW8082A	SW	TOTAL PCBs	5		-	0.24	ug/WIPE
GBG025R	6/29/2020	10:32	N1	DD-D022006	GBG025R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG025R	6/29/2020	10:32	N1	DD-D022006	GBG025R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG025R	6/29/2020	10:32	N1	DD-D022006	GBG025R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG025R	6/29/2020	10:32	N1	DD-D022006	GBG025R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.2		0.088	0.24	ug/WIPE
GBG025R	6/29/2020	10:32	N1	DD-D022006	GBG025R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG025R	6/29/2020	10:32	N1	DD-D022006	GBG025R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.94		0.07	0.24	ug/WIPE
GBG025R	6/29/2020	10:32	N1	DD-D022006	GBG025R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG025R	6/29/2020	10:32	N1	DD-D022006	GBG025R-062920	SW8082A	SW	TOTAL PCBs	4.14		-	0.24	ug/WIPE
GBG026R	6/29/2020	10:35	N1	DD-D022007	GBG026R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG026R	6/29/2020	10:35	N1	DD-D022007	GBG026R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG026R	6/29/2020	10:35	N1	DD-D022007	GBG026R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG026R	6/29/2020	10:35	N1	DD-D022007	GBG026R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3	J	0.088	0.24	ug/WIPE
GBG026R	6/29/2020	10:35	N1	DD-D022007	GBG026R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG026R	6/29/2020	10:35	N1	DD-D022007	GBG026R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.97	J	0.07	0.24	ug/WIPE
GBG026R	6/29/2020	10:35	N1	DD-D022007	GBG026R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG026R	6/29/2020	10:35	N1	DD-D022007	GBG026R-062920	SW8082A	SW	TOTAL PCBs	3.97		-	0.24	ug/WIPE
GBG027R	6/29/2020	10:38	N1	DD-D022008	GBG027R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG027R	6/29/2020	10:38	N1	DD-D022008	GBG027R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG027R	6/29/2020	10:38	N1	DD-D022008	GBG027R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG027R	6/29/2020	10:38	N1	DD-D022008	GBG027R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.26		0.088	0.24	ug/WIPE

Attachment 4 - Wall and Ceiling Wipe Final Resample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
GBG027R	6/29/2020	10:38	N1	DD-D022008	GBG027R-062920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG027R	6/29/2020	10:38	N1	DD-D022008	GBG027R-062920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.09	J	0.07	0.24	ug/WIPE
GBG027R	6/29/2020	10:38	N1	DD-D022008	GBG027R-062920	SW8082A	SW	TOTAL PCBs	4.32		-	0.24	ug/WIPE
GBG027R	6/29/2020	10:38	N1	DD-D022008	GBG027R-062920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG028R	6/29/2020	10:41	N1	DD-D022009	GBG028R-062920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG028R	6/29/2020	10:41	N1	DD-D022009	GBG028R-062920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG028R	6/29/2020	10:41	N1	DD-D022009	GBG028R-062920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG028R	6/29/2020	10:41	N1	DD-D022009	GBG028R-062920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.16	J	0.088	0.24	ug/WIPE
GBG028R	6/29/2020	10:41	N1	DD-D022009	GBG028R-062920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG028R	6/29/2020	10:41	N1	DD-D022009	GBG028R-062920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
GBG028R	6/29/2020	10:41	N1	DD-D022009	GBG028R-062920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG028R	6/29/2020	10:41	N1	DD-D022009	GBG028R-062920	SW8082A	SW	TOTAL PCBs	0.16		-	0.24	ug/WIPE
GBG032R	6/29/2020	10:45	N1	DD-D022010	GBG032R-062920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG032R	6/29/2020	10:45	N1	DD-D022010	GBG032R-062920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG032R	6/29/2020	10:45	N1	DD-D022010	GBG032R-062920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG032R	6/29/2020	10:45	N1	DD-D022010	GBG032R-062920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2.5		0.088	0.24	ug/WIPE
GBG032R	6/29/2020	10:45	N1	DD-D022010	GBG032R-062920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG032R	6/29/2020	10:45	N1	DD-D022010	GBG032R-062920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.83		0.07	0.24	ug/WIPE
GBG032R	6/29/2020	10:45	N1	DD-D022010	GBG032R-062920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG032R	6/29/2020	10:45	N1	DD-D022010	GBG032R-062920	SW8082A	SW	TOTAL PCBs	3.33		-	0.24	ug/WIPE
GBG034R	6/29/2020	10:49	N1	DD-D022101	GBG034R-062920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG034R	6/29/2020	10:49	N1	DD-D022101	GBG034R-062920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG034R	6/29/2020	10:49	N1	DD-D022101	GBG034R-062920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG034R	6/29/2020	10:49	N1	DD-D022101	GBG034R-062920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2		0.088	0.24	ug/WIPE
GBG034R	6/29/2020	10:49	N1	DD-D022101	GBG034R-062920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG034R	6/29/2020	10:49	N1	DD-D022101	GBG034R-062920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.65		0.07	0.24	ug/WIPE
GBG034R	6/29/2020	10:49	N1	DD-D022101	GBG034R-062920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG034R	6/29/2020	10:49	N1	DD-D022101	GBG034R-062920	SW8082A	SW	TOTAL PCBs	2.65		-	0.24	ug/WIPE
GBG039R	6/29/2020	10:55	N1	DD-D022102	GBG039R-062920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG039R	6/29/2020	10:55	N1	DD-D022102	GBG039R-062920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG039R	6/29/2020	10:55	N1	DD-D022102	GBG039R-062920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG039R	6/29/2020	10:55	N1	DD-D022102	GBG039R-062920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	4.2		0.088	0.24	ug/WIPE
GBG039R	6/29/2020	10:55	N1	DD-D022102	GBG039R-062920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG039R	6/29/2020	10:55	N1	DD-D022102	GBG039R-062920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.4		0.07	0.24	ug/WIPE
GBG039R	6/29/2020	10:55	N1	DD-D022102	GBG039R-062920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG039R	6/29/2020	10:55	N1	DD-D022102	GBG039R-062920	SW8082A	SW	TOTAL PCBs	5.6		-	0.24	ug/WIPE
GBG040R	6/29/2020	10:57	N1	DD-D022103	GBG040R-062920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG040R	6/29/2020	10:57	N1	DD-D022103	GBG040R-062920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG040R	6/29/2020	10:57	N1	DD-D022103	GBG040R-062920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG040R	6/29/2020	10:57	N1	DD-D022103	GBG040R-062920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	4.9		0.088	0.24	ug/WIPE
GBG040R	6/29/2020	10:57	N1	DD-D022103	GBG040R-062920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG040R	6/29/2020	10:57	N1	DD-D022103	GBG040R-062920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.5		0.07	0.24	ug/WIPE
GBG040R	6/29/2020	10:57	N1	DD-D022103	GBG040R-062920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG040R	6/29/2020	10:57	N1	DD-D022103	GBG040R-062920	SW8082A	SW	TOTAL PCBs	6.4		-	0.24	ug/WIPE
GBG041R	6/29/2020	11:01	N1	DD-D022104	GBG041R-062920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG041R	6/29/2020	11:01	N1	DD-D022104	GBG041R-062920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG041R	6/29/2020	11:01	N1	DD-D022104	GBG041R-062920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG041R	6/29/2020	11:01	N1	DD-D022104	GBG041R-062920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3.8		0.088	0.24	ug/WIPE
GBG041R	6/29/2020	11:01	N1	DD-D022104	GBG041R-062920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG041R	6/29/2020	11:01	N1	DD-D022104	GBG041R-062920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.1		0.07	0.24	ug/WIPE
GBG041R	6/29/2020	11:01	N1	DD-D022104	GBG041R-062920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE

Attachment 4 - Wall and Ceiling Wipe Final Resample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
GBG041R	6/29/2020	11:01	N1	DD-D022104	GBG041R-062920	SW8082A	SW	TOTAL PCBs	4.9		-	0.24	ug/WIPE
GBG044R	6/29/2020	11:05	N1	DD-D022105	GBG044R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG044R	6/29/2020	11:05	N1	DD-D022105	GBG044R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG044R	6/29/2020	11:05	N1	DD-D022105	GBG044R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG044R	6/29/2020	11:05	N1	DD-D022105	GBG044R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.14	J	0.088	0.24	ug/WIPE
GBG044R	6/29/2020	11:05	N1	DD-D022105	GBG044R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG044R	6/29/2020	11:05	N1	DD-D022105	GBG044R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	ND	U	0.07	0.24	ug/WIPE
GBG044R	6/29/2020	11:05	N1	DD-D022105	GBG044R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG044R	6/29/2020	11:05	N1	DD-D022105	GBG044R-062920	SW8082A	SW	TOTAL PCBs	0.14		-	0.24	ug/WIPE
GBG045R	6/29/2020	11:10	N1	DD-D022106	GBG045R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG045R	6/29/2020	11:10	N1	DD-D022106	GBG045R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG045R	6/29/2020	11:10	N1	DD-D022106	GBG045R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG045R	6/29/2020	11:10	N1	DD-D022106	GBG045R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	4.5		0.088	0.24	ug/WIPE
GBG045R	6/29/2020	11:10	N1	DD-D022106	GBG045R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG045R	6/29/2020	11:10	N1	DD-D022106	GBG045R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.3		0.07	0.24	ug/WIPE
GBG045R	6/29/2020	11:10	N1	DD-D022106	GBG045R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG045R	6/29/2020	11:10	N1	DD-D022106	GBG045R-062920	SW8082A	SW	TOTAL PCBs	5.8		-	0.24	ug/WIPE
GBG046R	6/29/2020	10:12	N1	DD-D022107	GBG046R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG046R	6/29/2020	10:12	N1	DD-D022107	GBG046R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG046R	6/29/2020	10:12	N1	DD-D022107	GBG046R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG046R	6/29/2020	10:12	N1	DD-D022107	GBG046R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.7		0.088	0.24	ug/WIPE
GBG046R	6/29/2020	10:12	N1	DD-D022107	GBG046R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG046R	6/29/2020	10:12	N1	DD-D022107	GBG046R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.2		0.07	0.24	ug/WIPE
GBG046R	6/29/2020	10:12	N1	DD-D022107	GBG046R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG046R	6/29/2020	10:12	N1	DD-D022107	GBG046R-062920	SW8082A	SW	TOTAL PCBs	4.9		-	0.24	ug/WIPE
GBG047R	6/29/2020	11:15	N1	DD-D022108	GBG047R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG047R	6/29/2020	11:15	N1	DD-D022108	GBG047R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG047R	6/29/2020	11:15	N1	DD-D022108	GBG047R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG047R	6/29/2020	11:15	N1	DD-D022108	GBG047R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3		0.088	0.24	ug/WIPE
GBG047R	6/29/2020	11:15	N1	DD-D022108	GBG047R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG047R	6/29/2020	11:15	N1	DD-D022108	GBG047R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.85		0.07	0.24	ug/WIPE
GBG047R	6/29/2020	11:15	N1	DD-D022108	GBG047R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG047R	6/29/2020	11:15	N1	DD-D022108	GBG047R-062920	SW8082A	SW	TOTAL PCBs	3.85		-	0.24	ug/WIPE
GBG050R	6/29/2020	11:19	N1	DD-D022109	GBG050R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG050R	6/29/2020	11:19	N1	DD-D022109	GBG050R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG050R	6/29/2020	11:19	N1	DD-D022109	GBG050R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG050R	6/29/2020	11:19	N1	DD-D022109	GBG050R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2		0.088	0.24	ug/WIPE
GBG050R	6/29/2020	11:19	N1	DD-D022109	GBG050R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG050R	6/29/2020	11:19	N1	DD-D022109	GBG050R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.73		0.07	0.24	ug/WIPE
GBG050R	6/29/2020	11:19	N1	DD-D022109	GBG050R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG050R	6/29/2020	11:19	N1	DD-D022109	GBG050R-062920	SW8082A	SW	TOTAL PCBs	2.73		-	0.24	ug/WIPE
GBG051R	6/29/2020	11:22	N1	DD-D022110	GBG051R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG051R	6/29/2020	11:22	N1	DD-D022110	GBG051R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG051R	6/29/2020	11:22	N1	DD-D022110	GBG051R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG051R	6/29/2020	11:22	N1	DD-D022110	GBG051R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.6		0.088	0.24	ug/WIPE
GBG051R	6/29/2020	11:22	N1	DD-D022110	GBG051R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG051R	6/29/2020	11:22	N1	DD-D022110	GBG051R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.3		0.07	0.24	ug/WIPE
GBG051R	6/29/2020	11:22	N1	DD-D022110	GBG051R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG051R	6/29/2020	11:22	N1	DD-D022110	GBG051R-062920	SW8082A	SW	TOTAL PCBs	4.9		-	0.24	ug/WIPE
GBG056R	6/29/2020	11:25	N1	DD-D022201	GBG056R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG056R	6/29/2020	11:25	N1	DD-D022201	GBG056R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE

Attachment 4 - Wall and Ceiling Wipe Final Resample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
GBG056R	6/29/2020	11:25	N1	DD-D022201	GBG056R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG056R	6/29/2020	11:25	N1	DD-D022201	GBG056R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.2	U	0.088	0.24	ug/WIPE
GBG056R	6/29/2020	11:25	N1	DD-D022201	GBG056R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG056R	6/29/2020	11:25	N1	DD-D022201	GBG056R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.63	U	0.07	0.24	ug/WIPE
GBG056R	6/29/2020	11:25	N1	DD-D022201	GBG056R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG056R	6/29/2020	11:25	N1	DD-D022201	GBG056R-062920	SW8082A	SW	TOTAL PCBs	2.83	U	-	0.24	ug/WIPE
GBG057R	6/29/2020	11:30	N1	DD-D022202	GBG057R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG057R	6/29/2020	11:30	N1	DD-D022202	GBG057R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG057R	6/29/2020	11:30	N1	DD-D022202	GBG057R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG057R	6/29/2020	11:30	N1	DD-D022202	GBG057R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.7	U	0.088	0.24	ug/WIPE
GBG057R	6/29/2020	11:30	N1	DD-D022202	GBG057R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG057R	6/29/2020	11:30	N1	DD-D022202	GBG057R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1	U	0.07	0.24	ug/WIPE
GBG057R	6/29/2020	11:30	N1	DD-D022202	GBG057R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG057R	6/29/2020	11:30	N1	DD-D022202	GBG057R-062920	SW8082A	SW	TOTAL PCBs	3.7	U	-	0.24	ug/WIPE
GBG058R	6/29/2020	11:32	N1	DD-D022203	GBG058R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG058R	6/29/2020	11:32	N1	DD-D022203	GBG058R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG058R	6/29/2020	11:32	N1	DD-D022203	GBG058R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG058R	6/29/2020	11:32	N1	DD-D022203	GBG058R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	4.4	U	0.088	0.24	ug/WIPE
GBG058R	6/29/2020	11:32	N1	DD-D022203	GBG058R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG058R	6/29/2020	11:32	N1	DD-D022203	GBG058R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.4	U	0.07	0.24	ug/WIPE
GBG058R	6/29/2020	11:32	N1	DD-D022203	GBG058R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG058R	6/29/2020	11:32	N1	DD-D022203	GBG058R-062920	SW8082A	SW	TOTAL PCBs	5.8	U	-	0.24	ug/WIPE
GBG059R	6/29/2020	11:35	N1	DD-D022204	GBG059R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG059R	6/29/2020	11:35	N1	DD-D022204	GBG059R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG059R	6/29/2020	11:35	N1	DD-D022204	GBG059R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG059R	6/29/2020	11:35	N1	DD-D022204	GBG059R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.2	U	0.088	0.24	ug/WIPE
GBG059R	6/29/2020	11:35	N1	DD-D022204	GBG059R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG059R	6/29/2020	11:35	N1	DD-D022204	GBG059R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.91	U	0.07	0.24	ug/WIPE
GBG059R	6/29/2020	11:35	N1	DD-D022204	GBG059R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG059R	6/29/2020	11:35	N1	DD-D022204	GBG059R-062920	SW8082A	SW	TOTAL PCBs	4.11	U	-	0.24	ug/WIPE
GBG060R	6/29/2020	11:45	N1	DD-D022205	GBG060R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG060R	6/29/2020	11:45	N1	DD-D022205	GBG060R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG060R	6/29/2020	11:45	N1	DD-D022205	GBG060R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG060R	6/29/2020	11:45	N1	DD-D022205	GBG060R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.4	U	0.088	0.24	ug/WIPE
GBG060R	6/29/2020	11:45	N1	DD-D022205	GBG060R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG060R	6/29/2020	11:45	N1	DD-D022205	GBG060R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.95	U	0.07	0.24	ug/WIPE
GBG060R	6/29/2020	11:45	N1	DD-D022205	GBG060R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG060R	6/29/2020	11:45	N1	DD-D022205	GBG060R-062920	SW8082A	SW	TOTAL PCBs	4.35	U	-	0.24	ug/WIPE
GBG061R	6/29/2020	11:48	N1	DD-D022206	GBG061R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG061R	6/29/2020	11:48	N1	DD-D022206	GBG061R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG061R	6/29/2020	11:48	N1	DD-D022206	GBG061R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG061R	6/29/2020	11:48	N1	DD-D022206	GBG061R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.3	U	0.088	0.24	ug/WIPE
GBG061R	6/29/2020	11:48	N1	DD-D022206	GBG061R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG061R	6/29/2020	11:48	N1	DD-D022206	GBG061R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.78	U	0.07	0.24	ug/WIPE
GBG061R	6/29/2020	11:48	N1	DD-D022206	GBG061R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG061R	6/29/2020	11:48	N1	DD-D022206	GBG061R-062920	SW8082A	SW	TOTAL PCBs	3.08	U	-	0.24	ug/WIPE
GBG064R	6/29/2020	11:50	N1	DD-D022207	GBG064R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG064R	6/29/2020	11:50	N1	DD-D022207	GBG064R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG064R	6/29/2020	11:50	N1	DD-D022207	GBG064R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG064R	6/29/2020	11:50	N1	DD-D022207	GBG064R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.8	U	0.088	0.24	ug/WIPE
GBG064R	6/29/2020	11:50	N1	DD-D022207	GBG064R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE



Attachment 4 - Wall and Ceiling Wipe Final Resample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
GBG064R	6/29/2020	11:50	N1	DD-D022207	GBG064R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.83		0.07	0.24	ug/WIPE
GBG064R	6/29/2020	11:50	N1	DD-D022207	GBG064R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG064R	6/29/2020	11:50	N1	DD-D022207	GBG064R-062920	SW8082A	SW	TOTAL PCBs	3.63		-	0.24	ug/WIPE
GBG065R	6/29/2020	11:55	N1	DD-D022208	GBG065R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG065R	6/29/2020	11:55	N1	DD-D022208	GBG065R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG065R	6/29/2020	11:55	N1	DD-D022208	GBG065R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG065R	6/29/2020	11:55	N1	DD-D022208	GBG065R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	1.2		0.088	0.24	ug/WIPE
GBG065R	6/29/2020	11:55	N1	DD-D022208	GBG065R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG065R	6/29/2020	11:55	N1	DD-D022208	GBG065R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.46		0.07	0.24	ug/WIPE
GBG065R	6/29/2020	11:55	N1	DD-D022208	GBG065R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG065R	6/29/2020	11:55	N1	DD-D022208	GBG065R-062920	SW8082A	SW	TOTAL PCBs	1.66		-	0.24	ug/WIPE
GBG074R	6/29/2020	12:55	N1	DD-D022209	GBG074R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG074R	6/29/2020	12:55	N1	DD-D022209	GBG074R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG074R	6/29/2020	12:55	N1	DD-D022209	GBG074R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG074R	6/29/2020	12:55	N1	DD-D022209	GBG074R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	1.3		0.088	0.24	ug/WIPE
GBG074R	6/29/2020	12:55	N1	DD-D022209	GBG074R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG074R	6/29/2020	12:55	N1	DD-D022209	GBG074R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.45		0.07	0.24	ug/WIPE
GBG074R	6/29/2020	12:55	N1	DD-D022209	GBG074R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG074R	6/29/2020	12:55	N1	DD-D022209	GBG074R-062920	SW8082A	SW	TOTAL PCBs	1.75		-	0.24	ug/WIPE
GBG075R	6/29/2020	12:58	N1	DD-D022210	GBG075R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG075R	6/29/2020	12:58	N1	DD-D022210	GBG075R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG075R	6/29/2020	12:58	N1	DD-D022210	GBG075R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG075R	6/29/2020	12:58	N1	DD-D022210	GBG075R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.3		0.088	0.24	ug/WIPE
GBG075R	6/29/2020	12:58	N1	DD-D022210	GBG075R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG075R	6/29/2020	12:58	N1	DD-D022210	GBG075R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.9		0.07	0.24	ug/WIPE
GBG075R	6/29/2020	12:58	N1	DD-D022210	GBG075R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG075R	6/29/2020	12:58	N1	DD-D022210	GBG075R-062920	SW8082A	SW	TOTAL PCBs	3.2		-	0.24	ug/WIPE
GBG080R	6/29/2020	13:02	N1	DD-D022301	GBG080R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG080R	6/29/2020	13:02	N1	DD-D022301	GBG080R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG080R	6/29/2020	13:02	N1	DD-D022301	GBG080R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG080R	6/29/2020	13:02	N1	DD-D022301	GBG080R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	0.13	J	0.088	0.24	ug/WIPE
GBG080R	6/29/2020	13:02	N1	DD-D022301	GBG080R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG080R	6/29/2020	13:02	N1	DD-D022301	GBG080R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	ND	U	0.07	0.24	ug/WIPE
GBG080R	6/29/2020	13:02	N1	DD-D022301	GBG080R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG080R	6/29/2020	13:02	N1	DD-D022301	GBG080R-062920	SW8082A	SW	TOTAL PCBs	0.13		-	0.24	ug/WIPE
GBG081R	6/29/2020	13:05	N1	DD-D022302	GBG081R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG081R	6/29/2020	13:05	N1	DD-D022302	GBG081R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG081R	6/29/2020	13:05	N1	DD-D022302	GBG081R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG081R	6/29/2020	13:05	N1	DD-D022302	GBG081R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	4		0.088	0.24	ug/WIPE
GBG081R	6/29/2020	13:05	N1	DD-D022302	GBG081R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG081R	6/29/2020	13:05	N1	DD-D022302	GBG081R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.4		0.07	0.24	ug/WIPE
GBG081R	6/29/2020	13:05	N1	DD-D022302	GBG081R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG081R	6/29/2020	13:05	N1	DD-D022302	GBG081R-062920	SW8082A	SW	TOTAL PCBs	5.4		-	0.24	ug/WIPE
GBG084R	6/29/2020	13:07	N1	DD-D022303	GBG084R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG084R	6/29/2020	13:07	N1	DD-D022303	GBG084R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG084R	6/29/2020	13:07	N1	DD-D022303	GBG084R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG084R	6/29/2020	13:07	N1	DD-D022303	GBG084R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.5		0.088	0.24	ug/WIPE
GBG084R	6/29/2020	13:07	N1	DD-D022303	GBG084R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG084R	6/29/2020	13:07	N1	DD-D022303	GBG084R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.76		0.07	0.24	ug/WIPE
GBG084R	6/29/2020	13:07	N1	DD-D022303	GBG084R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG084R	6/29/2020	13:07	N1	DD-D022303	GBG084R-062920	SW8082A	SW	TOTAL PCBs	3.26		-	0.24	ug/WIPE

Attachment 4 - Wall and Ceiling Wipe Final Resample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
GBG085R	6/29/2020	13:09	N1	DD-D022304	GBG085R-062920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG085R	6/29/2020	13:09	N1	DD-D022304	GBG085R-062920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG085R	6/29/2020	13:09	N1	DD-D022304	GBG085R-062920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG085R	6/29/2020	13:09	N1	DD-D022304	GBG085R-062920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.69		0.088	0.24	ug/WIPE
GBG085R	6/29/2020	13:09	N1	DD-D022304	GBG085R-062920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG085R	6/29/2020	13:09	N1	DD-D022304	GBG085R-062920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.43		0.07	0.24	ug/WIPE
GBG085R	6/29/2020	13:09	N1	DD-D022304	GBG085R-062920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG085R	6/29/2020	13:09	N1	DD-D022304	GBG085R-062920	SW8082A	SW	TOTAL PCBs	1.12		-	0.24	ug/WIPE
GBG088R	6/29/2020	13:15	N1	DD-D022305	GBG088R-062920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG088R	6/29/2020	13:15	N1	DD-D022305	GBG088R-062920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG088R	6/29/2020	13:15	N1	DD-D022305	GBG088R-062920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG088R	6/29/2020	13:15	N1	DD-D022305	GBG088R-062920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2.5		0.088	0.24	ug/WIPE
GBG088R	6/29/2020	13:15	N1	DD-D022305	GBG088R-062920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG088R	6/29/2020	13:15	N1	DD-D022305	GBG088R-062920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.83		0.07	0.24	ug/WIPE
GBG088R	6/29/2020	13:15	N1	DD-D022305	GBG088R-062920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG088R	6/29/2020	13:15	N1	DD-D022305	GBG088R-062920	SW8082A	SW	TOTAL PCBs	3.33		-	0.24	ug/WIPE
GBG089R	6/29/2020	13:17	N1	DD-D022306	GBG089R-062920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG089R	6/29/2020	13:17	N1	DD-D022306	GBG089R-062920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG089R	6/29/2020	13:17	N1	DD-D022306	GBG089R-062920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG089R	6/29/2020	13:17	N1	DD-D022306	GBG089R-062920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2.3	J	0.088	0.24	ug/WIPE
GBG089R	6/29/2020	13:17	N1	DD-D022306	GBG089R-062920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG089R	6/29/2020	13:17	N1	DD-D022306	GBG089R-062920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.63	J	0.07	0.24	ug/WIPE
GBG089R	6/29/2020	13:17	N1	DD-D022306	GBG089R-062920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG089R	6/29/2020	13:17	N1	DD-D022306	GBG089R-062920	SW8082A	SW	TOTAL PCBs	2.93		-	0.24	ug/WIPE
GBG092R	6/29/2020	13:21	N1	DD-D022307	GBG092R-062920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG092R	6/29/2020	13:21	N1	DD-D022307	GBG092R-062920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG092R	6/29/2020	13:21	N1	DD-D022307	GBG092R-062920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG092R	6/29/2020	13:21	N1	DD-D022307	GBG092R-062920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2.6		0.088	0.24	ug/WIPE
GBG092R	6/29/2020	13:21	N1	DD-D022307	GBG092R-062920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG092R	6/29/2020	13:21	N1	DD-D022307	GBG092R-062920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.84		0.07	0.24	ug/WIPE
GBG092R	6/29/2020	13:21	N1	DD-D022307	GBG092R-062920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG092R	6/29/2020	13:21	N1	DD-D022307	GBG092R-062920	SW8082A	SW	TOTAL PCBs	3.44		-	0.24	ug/WIPE
GBG093R	6/29/2020	13:25	N1	DD-D022308	GBG093R-062920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG093R	6/29/2020	13:25	N1	DD-D022308	GBG093R-062920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG093R	6/29/2020	13:25	N1	DD-D022308	GBG093R-062920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG093R	6/29/2020	13:25	N1	DD-D022308	GBG093R-062920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2.7		0.088	0.24	ug/WIPE
GBG093R	6/29/2020	13:25	N1	DD-D022308	GBG093R-062920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG093R	6/29/2020	13:25	N1	DD-D022308	GBG093R-062920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.75		0.07	0.24	ug/WIPE
GBG093R	6/29/2020	13:25	N1	DD-D022308	GBG093R-062920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG093R	6/29/2020	13:25	N1	DD-D022308	GBG093R-062920	SW8082A	SW	TOTAL PCBs	3.45		-	0.24	ug/WIPE
GBG096R	6/29/2020	13:27	N1	DD-D022309	GBG093R-062920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG096R	6/29/2020	13:27	N1	DD-D022309	GBG093R-062920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG096R	6/29/2020	13:27	N1	DD-D022309	GBG093R-062920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG096R	6/29/2020	13:27	N1	DD-D022309	GBG093R-062920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.27		0.088	0.24	ug/WIPE
GBG096R	6/29/2020	13:27	N1	DD-D022309	GBG093R-062920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG096R	6/29/2020	13:27	N1	DD-D022309	GBG093R-062920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.12	J	0.07	0.24	ug/WIPE
GBG096R	6/29/2020	13:27	N1	DD-D022309	GBG093R-062920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG096R	6/29/2020	13:27	N1	DD-D022309	GBG093R-062920	SW8082A	SW	TOTAL PCBs	0.39		-	0.24	ug/WIPE
GBG097R	6/29/2020	13:30	N1	DD-D022310	GBG097R-062920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG097R	6/29/2020	13:30	N1	DD-D022310	GBG097R-062920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG097R	6/29/2020	13:30	N1	DD-D022310	GBG097R-062920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE

Attachment 4 - Wall and Ceiling Wipe Final Resample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
GBG097R	6/29/2020	13:30	N1	DD-D022310	GBG097R-062920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2.5		0.088	0.24	ug/WIPE
GBG097R	6/29/2020	13:30	N1	DD-D022310	GBG097R-062920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG097R	6/29/2020	13:30	N1	DD-D022310	GBG097R-062920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.85		0.07	0.24	ug/WIPE
GBG097R	6/29/2020	13:30	N1	DD-D022310	GBG097R-062920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG097R	6/29/2020	13:30	N1	DD-D022310	GBG097R-062920	SW8082A	SW	TOTAL PCBs	3.35		-	0.24	ug/WIPE
GBG104R	6/29/2020	13:33	N1	DD-D022401	GBG104R-062920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG104R	6/29/2020	13:33	N1	DD-D022401	GBG104R-062920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG104R	6/29/2020	13:33	N1	DD-D022401	GBG104R-062920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG104R	6/29/2020	13:33	N1	DD-D022401	GBG104R-062920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1.9		0.088	0.24	ug/WIPE
GBG104R	6/29/2020	13:33	N1	DD-D022401	GBG104R-062920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG104R	6/29/2020	13:33	N1	DD-D022401	GBG104R-062920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.72		0.07	0.24	ug/WIPE
GBG104R	6/29/2020	13:33	N1	DD-D022401	GBG104R-062920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG104R	6/29/2020	13:33	N1	DD-D022401	GBG104R-062920	SW8082A	SW	TOTAL PCBs	2.62		-	0.24	ug/WIPE
GBG105R	6/29/2020	13:36	N1	DD-D022402	GBG105R-062920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG105R	6/29/2020	13:36	N1	DD-D022402	GBG105R-062920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG105R	6/29/2020	13:36	N1	DD-D022402	GBG105R-062920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG105R	6/29/2020	13:36	N1	DD-D022402	GBG105R-062920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2		0.088	0.24	ug/WIPE
GBG105R	6/29/2020	13:36	N1	DD-D022402	GBG105R-062920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG105R	6/29/2020	13:36	N1	DD-D022402	GBG105R-062920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.5		0.07	0.24	ug/WIPE
GBG105R	6/29/2020	13:36	N1	DD-D022402	GBG105R-062920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG105R	6/29/2020	13:36	N1	DD-D022402	GBG105R-062920	SW8082A	SW	TOTAL PCBs	2.5		-	0.24	ug/WIPE
GBG106R	6/29/2020	13:41	N1	DD-D022403	GBG106R-062920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG106R	6/29/2020	13:41	N1	DD-D022403	GBG106R-062920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG106R	6/29/2020	13:41	N1	DD-D022403	GBG106R-062920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG106R	6/29/2020	13:41	N1	DD-D022403	GBG106R-062920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2.5		0.088	0.24	ug/WIPE
GBG106R	6/29/2020	13:41	N1	DD-D022403	GBG106R-062920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG106R	6/29/2020	13:41	N1	DD-D022403	GBG106R-062920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.8		0.07	0.24	ug/WIPE
GBG106R	6/29/2020	13:41	N1	DD-D022403	GBG106R-062920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG106R	6/29/2020	13:41	N1	DD-D022403	GBG106R-062920	SW8082A	SW	TOTAL PCBs	3.3		-	0.24	ug/WIPE
GBG107R	6/29/2020	13:44	N1	DD-D022404	GBG107R-062920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG107R	6/29/2020	13:44	N1	DD-D022404	GBG107R-062920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG107R	6/29/2020	13:44	N1	DD-D022404	GBG107R-062920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG107R	6/29/2020	13:44	N1	DD-D022404	GBG107R-062920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2.8		0.088	0.24	ug/WIPE
GBG107R	6/29/2020	13:44	N1	DD-D022404	GBG107R-062920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG107R	6/29/2020	13:44	N1	DD-D022404	GBG107R-062920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.87		0.07	0.24	ug/WIPE
GBG107R	6/29/2020	13:44	N1	DD-D022404	GBG107R-062920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG107R	6/29/2020	13:44	N1	DD-D022404	GBG107R-062920	SW8082A	SW	TOTAL PCBs	3.67		-	0.24	ug/WIPE
GBG108R	6/29/2020	13:48	N1	DD-D022405	GBG108R-062920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG108R	6/29/2020	13:48	N1	DD-D022405	GBG108R-062920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG108R	6/29/2020	13:48	N1	DD-D022405	GBG108R-062920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG108R	6/29/2020	13:48	N1	DD-D022405	GBG108R-062920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3.8		0.088	0.24	ug/WIPE
GBG108R	6/29/2020	13:48	N1	DD-D022405	GBG108R-062920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG108R	6/29/2020	13:48	N1	DD-D022405	GBG108R-062920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.2		0.07	0.24	ug/WIPE
GBG108R	6/29/2020	13:48	N1	DD-D022405	GBG108R-062920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG108R	6/29/2020	13:48	N1	DD-D022405	GBG108R-062920	SW8082A	SW	TOTAL PCBs	5		-	0.24	ug/WIPE
GBG109R	6/29/2020	13:51	N1	DD-D022406	GBG109R-062920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG109R	6/29/2020	13:51	N1	DD-D022406	GBG109R-062920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG109R	6/29/2020	13:51	N1	DD-D022406	GBG109R-062920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG109R	6/29/2020	13:51	N1	DD-D022406	GBG109R-062920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3.2		0.088	0.24	ug/WIPE
GBG109R	6/29/2020	13:51	N1	DD-D022406	GBG109R-062920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG109R	6/29/2020	13:51	N1	DD-D022406	GBG109R-062920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.1		0.07	0.24	ug/WIPE

## Attachment 4 - Wall and Ceiling Wipe Final Resample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
GBG109R	6/29/2020	13:51	N1	DD-D022406	GBG109R-062920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG109R	6/29/2020	13:51	N1	DD-D022406	GBG109R-062920	SW8082A	SW	TOTAL PCBs	4.3		-	0.24	ug/WIPE
GBG112R	6/29/2020	13:55	N1	DD-D022407	GBG112R-062920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG112R	6/29/2020	13:55	N1	DD-D022407	GBG112R-062920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG112R	6/29/2020	13:55	N1	DD-D022407	GBG112R-062920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG112R	6/29/2020	13:55	N1	DD-D022407	GBG112R-062920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2		0.088	0.24	ug/WIPE
GBG112R	6/29/2020	13:55	N1	DD-D022407	GBG112R-062920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG112R	6/29/2020	13:55	N1	DD-D022407	GBG112R-062920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.55		0.07	0.24	ug/WIPE
GBG112R	6/29/2020	13:55	N1	DD-D022407	GBG112R-062920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG112R	6/29/2020	13:55	N1	DD-D022407	GBG112R-062920	SW8082A	SW	TOTAL PCBs	2.55		-	0.24	ug/WIPE
GBG113R	6/29/2020	13:58	N1	DD-D022408	GBG113R-062920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG113R	6/29/2020	13:58	N1	DD-D022408	GBG113R-062920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG113R	6/29/2020	13:58	N1	DD-D022408	GBG113R-062920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG113R	6/29/2020	13:58	N1	DD-D022408	GBG113R-062920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1.7		0.088	0.24	ug/WIPE
GBG113R	6/29/2020	13:58	N1	DD-D022408	GBG113R-062920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG113R	6/29/2020	13:58	N1	DD-D022408	GBG113R-062920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.68		0.07	0.24	ug/WIPE
GBG113R	6/29/2020	13:58	N1	DD-D022408	GBG113R-062920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG113R	6/29/2020	13:58	N1	DD-D022408	GBG113R-062920	SW8082A	SW	TOTAL PCBs	2.38		-	0.24	ug/WIPE
GBG116R	6/29/2020	14:04	N1	DD-D022409	GBG116R-062920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG116R	6/29/2020	14:04	N1	DD-D022409	GBG116R-062920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG116R	6/29/2020	14:04	N1	DD-D022409	GBG116R-062920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG116R	6/29/2020	14:04	N1	DD-D022409	GBG116R-062920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.89		0.088	0.24	ug/WIPE
GBG116R	6/29/2020	14:04	N1	DD-D022409	GBG116R-062920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG116R	6/29/2020	14:04	N1	DD-D022409	GBG116R-062920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.49		0.07	0.24	ug/WIPE
GBG116R	6/29/2020	14:04	N1	DD-D022409	GBG116R-062920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG116R	6/29/2020	14:04	N1	DD-D022409	GBG116R-062920	SW8082A	SW	TOTAL PCBs	1.38		-	0.24	ug/WIPE
GBG117R	6/29/2020	14:07	N1	DD-D022410	GBG117R-062920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG117R	6/29/2020	14:07	N1	DD-D022410	GBG117R-062920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG117R	6/29/2020	14:07	N1	DD-D022410	GBG117R-062920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG117R	6/29/2020	14:07	N1	DD-D022410	GBG117R-062920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3.4		0.088	0.24	ug/WIPE
GBG117R	6/29/2020	14:07	N1	DD-D022410	GBG117R-062920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG117R	6/29/2020	14:07	N1	DD-D022410	GBG117R-062920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.96		0.07	0.24	ug/WIPE
GBG117R	6/29/2020	14:07	N1	DD-D022410	GBG117R-062920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG117R	6/29/2020	14:07	N1	DD-D022410	GBG117R-062920	SW8082A	SW	TOTAL PCBs	4.36		-	0.24	ug/WIPE
GBG118R	6/29/2020	14:09	N1	DD-D022501	GBG118R-062920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG118R	6/29/2020	14:09	N1	DD-D022501	GBG118R-062920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG118R	6/29/2020	14:09	N1	DD-D022501	GBG118R-062920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG118R	6/29/2020	14:09	N1	DD-D022501	GBG118R-062920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1.8		0.088	0.24	ug/WIPE
GBG118R	6/29/2020	14:09	N1	DD-D022501	GBG118R-062920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG118R	6/29/2020	14:09	N1	DD-D022501	GBG118R-062920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.69		0.07	0.24	ug/WIPE
GBG118R	6/29/2020	14:09	N1	DD-D022501	GBG118R-062920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG118R	6/29/2020	14:09	N1	DD-D022501	GBG118R-062920	SW8082A	SW	TOTAL PCBs	2.49		-	0.24	ug/WIPE
GBG119R	6/29/2020	14:13	N1	DD-D022502	GBG119R-062920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG119R	6/29/2020	14:13	N1	DD-D022502	GBG119R-062920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG119R	6/29/2020	14:13	N1	DD-D022502	GBG119R-062920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG119R	6/29/2020	14:13	N1	DD-D022502	GBG119R-062920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2.2		0.088	0.24	ug/WIPE
GBG119R	6/29/2020	14:13	N1	DD-D022502	GBG119R-062920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG119R	6/29/2020	14:13	N1	DD-D022502	GBG119R-062920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.77		0.07	0.24	ug/WIPE
GBG119R	6/29/2020	14:13	N1	DD-D022502	GBG119R-062920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG119R	6/29/2020	14:13	N1	DD-D022502	GBG119R-062920	SW8082A	SW	TOTAL PCBs	2.97		-	0.24	ug/WIPE
GBG122R	6/29/2020	14:18	N1	DD-D022503	GBG122R-062920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE

Attachment 4 - Wall and Ceiling Wipe Final Resample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
GBG122R	6/29/2020	14:18	N1	DD-D022503	GBG122R-062920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG122R	6/29/2020	14:18	N1	DD-D022503	GBG122R-062920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG122R	6/29/2020	14:18	N1	DD-D022503	GBG122R-062920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2.4		0.088	0.24	ug/WIPE
GBG122R	6/29/2020	14:18	N1	DD-D022503	GBG122R-062920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG122R	6/29/2020	14:18	N1	DD-D022503	GBG122R-062920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.83		0.07	0.24	ug/WIPE
GBG122R	6/29/2020	14:18	N1	DD-D022503	GBG122R-062920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG122R	6/29/2020	14:18	N1	DD-D022503	GBG122R-062920	SW8082A	SW	TOTAL PCBs	3.23		-	0.24	ug/WIPE
GBG123R	6/29/2020	14:20	N1	DD-D022504	GBG123R-062920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG123R	6/29/2020	14:20	N1	DD-D022504	GBG123R-062920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG123R	6/29/2020	14:20	N1	DD-D022504	GBG123R-062920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG123R	6/29/2020	14:20	N1	DD-D022504	GBG123R-062920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2.7		0.088	0.24	ug/WIPE
GBG123R	6/29/2020	14:20	N1	DD-D022504	GBG123R-062920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG123R	6/29/2020	14:20	N1	DD-D022504	GBG123R-062920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.8		0.07	0.24	ug/WIPE
GBG123R	6/29/2020	14:20	N1	DD-D022504	GBG123R-062920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG123R	6/29/2020	14:20	N1	DD-D022504	GBG123R-062920	SW8082A	SW	TOTAL PCBs	3.5		-	0.24	ug/WIPE
GBG124R	6/29/2020	14:22	N1	DD-D022505	GBG124R-062920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG124R	6/29/2020	14:22	N1	DD-D022505	GBG124R-062920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG124R	6/29/2020	14:22	N1	DD-D022505	GBG124R-062920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG124R	6/29/2020	14:22	N1	DD-D022505	GBG124R-062920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	0.72		0.088	0.24	ug/WIPE
GBG124R	6/29/2020	14:22	N1	DD-D022505	GBG124R-062920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG124R	6/29/2020	14:22	N1	DD-D022505	GBG124R-062920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.3		0.07	0.24	ug/WIPE
GBG124R	6/29/2020	14:22	N1	DD-D022505	GBG124R-062920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG124R	6/29/2020	14:22	N1	DD-D022505	GBG124R-062920	SW8082A	SW	TOTAL PCBs	1.02		-	0.24	ug/WIPE
GBG125R	6/29/2020	14:25	N1	DD-D022506	GBG125R-062920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG125R	6/29/2020	14:25	N1	DD-D022506	GBG125R-062920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG125R	6/29/2020	14:25	N1	DD-D022506	GBG125R-062920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG125R	6/29/2020	14:25	N1	DD-D022506	GBG125R-062920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3.6		0.088	0.24	ug/WIPE
GBG125R	6/29/2020	14:25	N1	DD-D022506	GBG125R-062920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG125R	6/29/2020	14:25	N1	DD-D022506	GBG125R-062920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.1		0.07	0.24	ug/WIPE
GBG125R	6/29/2020	14:25	N1	DD-D022506	GBG125R-062920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG125R	6/29/2020	14:25	N1	DD-D022506	GBG125R-062920	SW8082A	SW	TOTAL PCBs	4.7		-	0.24	ug/WIPE
GBG134R	6/29/2020	14:29	N1	DD-D022507	GBG134R-062920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG134R	6/29/2020	14:29	N1	DD-D022507	GBG134R-062920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG134R	6/29/2020	14:29	N1	DD-D022507	GBG134R-062920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG134R	6/29/2020	14:29	N1	DD-D022507	GBG134R-062920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
GBG134R	6/29/2020	14:29	N1	DD-D022507	GBG134R-062920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG134R	6/29/2020	14:29	N1	DD-D022507	GBG134R-062920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
GBG134R	6/29/2020	14:29	N1	DD-D022507	GBG134R-062920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG134R	6/29/2020	14:29	N1	DD-D022507	GBG134R-062920	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
GBG135R	6/29/2020	14:31	N1	DD-D022508	GBG135R-062920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG135R	6/29/2020	14:31	N1	DD-D022508	GBG135R-062920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG135R	6/29/2020	14:31	N1	DD-D022508	GBG135R-062920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG135R	6/29/2020	14:31	N1	DD-D022508	GBG135R-062920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	2.4		0.088	0.24	ug/WIPE
GBG135R	6/29/2020	14:31	N1	DD-D022508	GBG135R-062920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG135R	6/29/2020	14:31	N1	DD-D022508	GBG135R-062920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.87		0.07	0.24	ug/WIPE
GBG135R	6/29/2020	14:31	N1	DD-D022508	GBG135R-062920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG135R	6/29/2020	14:31	N1	DD-D022508	GBG135R-062920	SW8082A	SW	TOTAL PCBs	3.27		-	0.24	ug/WIPE
GBG136R	6/29/2020	14:35	N1	DD-D022509	GBG136R-062920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG136R	6/29/2020	14:35	N1	DD-D022509	GBG136R-062920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG136R	6/29/2020	14:35	N1	DD-D022509	GBG136R-062920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG136R	6/29/2020	14:35	N1	DD-D022509	GBG136R-062920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3.9		0.088	0.24	ug/WIPE



Attachment 4 - Wall and Ceiling Wipe Final Resample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
GBG136R	6/29/2020	14:35	N1	DD-D022509	GBG136R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG136R	6/29/2020	14:35	N1	DD-D022509	GBG136R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.1	U	0.07	0.24	ug/WIPE
GBG136R	6/29/2020	14:35	N1	DD-D022509	GBG136R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG136R	6/29/2020	14:35	N1	DD-D022509	GBG136R-062920	SW8082A	SW	TOTAL PCBs	5		-	0.24	ug/WIPE
GBG137R	6/29/2020	14:38	N1	DD-D022510	GBG137R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
GBG137R	6/29/2020	14:38	N1	DD-D022510	GBG137R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
GBG137R	6/29/2020	14:38	N1	DD-D022510	GBG137R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
GBG137R	6/29/2020	14:38	N1	DD-D022510	GBG137R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	1.9		0.088	0.24	ug/WIPE
GBG137R	6/29/2020	14:38	N1	DD-D022510	GBG137R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
GBG137R	6/29/2020	14:38	N1	DD-D022510	GBG137R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.92		0.07	0.24	ug/WIPE
GBG137R	6/29/2020	14:38	N1	DD-D022510	GBG137R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
GBG137R	6/29/2020	14:38	N1	DD-D022510	GBG137R-062920	SW8082A	SW	TOTAL PCBs	2.82		-	0.24	ug/WIPE
SAB004R	6/25/2020	13:20	N1	DD-D022601	SAB004R-062520	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
SAB004R	6/25/2020	13:20	N1	DD-D022601	SAB004R-062520	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
SAB004R	6/25/2020	13:20	N1	DD-D022601	SAB004R-062520	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
SAB004R	6/25/2020	13:20	N1	DD-D022601	SAB004R-062520	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.1		0.088	0.24	ug/WIPE
SAB004R	6/25/2020	13:20	N1	DD-D022601	SAB004R-062520	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
SAB004R	6/25/2020	13:20	N1	DD-D022601	SAB004R-062520	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1		0.07	0.24	ug/WIPE
SAB004R	6/25/2020	13:20	N1	DD-D022601	SAB004R-062520	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
SAB004R	6/25/2020	13:20	N1	DD-D022601	SAB004R-062520	SW8082A	SW	TOTAL PCBs	4.1		-	0.24	ug/WIPE
SAB005R	6/29/2020	16:30	N1	DD-D022602	SAB005R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
SAB005R	6/29/2020	16:30	N1	DD-D022602	SAB005R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
SAB005R	6/29/2020	16:30	N1	DD-D022602	SAB005R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
SAB005R	6/29/2020	16:30	N1	DD-D022602	SAB005R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.7		0.088	0.24	ug/WIPE
SAB005R	6/29/2020	16:30	N1	DD-D022602	SAB005R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
SAB005R	6/29/2020	16:30	N1	DD-D022602	SAB005R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.76		0.07	0.24	ug/WIPE
SAB005R	6/29/2020	16:30	N1	DD-D022602	SAB005R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
SAB005R	6/29/2020	16:30	N1	DD-D022602	SAB005R-062920	SW8082A	SW	TOTAL PCBs	3.46		-	0.24	ug/WIPE
SAB006R	6/29/2020	16:35	N1	DD-D022603	SAB006R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
SAB006R	6/29/2020	16:35	N1	DD-D022603	SAB006R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
SAB006R	6/29/2020	16:35	N1	DD-D022603	SAB006R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
SAB006R	6/29/2020	16:35	N1	DD-D022603	SAB006R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.4		0.088	0.24	ug/WIPE
SAB006R	6/29/2020	16:35	N1	DD-D022603	SAB006R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
SAB006R	6/29/2020	16:35	N1	DD-D022603	SAB006R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.77		0.07	0.24	ug/WIPE
SAB006R	6/29/2020	16:35	N1	DD-D022603	SAB006R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
SAB006R	6/29/2020	16:35	N1	DD-D022603	SAB006R-062920	SW8082A	SW	TOTAL PCBs	3.17		-	0.24	ug/WIPE
SAB007R	6/25/2020	14:00	N1	DD-D022604	SAB007R-062520	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
SAB007R	6/25/2020	14:00	N1	DD-D022604	SAB007R-062520	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
SAB007R	6/25/2020	14:00	N1	DD-D022604	SAB007R-062520	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
SAB007R	6/25/2020	14:00	N1	DD-D022604	SAB007R-062520	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.8		0.088	0.24	ug/WIPE
SAB007R	6/25/2020	14:00	N1	DD-D022604	SAB007R-062520	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
SAB007R	6/25/2020	14:00	N1	DD-D022604	SAB007R-062520	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.97		0.07	0.24	ug/WIPE
SAB007R	6/25/2020	14:00	N1	DD-D022604	SAB007R-062520	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
SAB007R	6/25/2020	14:00	N1	DD-D022604	SAB007R-062520	SW8082A	SW	TOTAL PCBs	4.77		-	0.24	ug/WIPE
SAB008R	6/29/2020	16:38	N1	DD-D022605	SAB008R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
SAB008R	6/29/2020	16:38	N1	DD-D022605	SAB008R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
SAB008R	6/29/2020	16:38	N1	DD-D022605	SAB008R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
SAB008R	6/29/2020	16:38	N1	DD-D022605	SAB008R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	1.9		0.088	0.24	ug/WIPE
SAB008R	6/29/2020	16:38	N1	DD-D022605	SAB008R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
SAB008R	6/29/2020	16:38	N1	DD-D022605	SAB008R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.58		0.07	0.24	ug/WIPE
SAB008R	6/29/2020	16:38	N1	DD-D022605	SAB008R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE

Attachment 4 - Wall and Ceiling Wipe Final Resample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
SAB008R	6/29/2020	16:38	N1	DD-D022605	SAB008R-062920	SW8082A	SW	TOTAL PCBs	2.48		-	0.24	ug/WIPE
SAB009R	6/29/2020	16:41	N1	DD-D022606	SAB009R-062920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
SAB009R	6/29/2020	16:41	N1	DD-D022606	SAB009R-062920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
SAB009R	6/29/2020	16:41	N1	DD-D022606	SAB009R-062920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
SAB009R	6/29/2020	16:41	N1	DD-D022606	SAB009R-062920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1.8		0.088	0.24	ug/WIPE
SAB009R	6/29/2020	16:41	N1	DD-D022606	SAB009R-062920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
SAB009R	6/29/2020	16:41	N1	DD-D022606	SAB009R-062920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.59		0.07	0.24	ug/WIPE
SAB009R	6/29/2020	16:41	N1	DD-D022606	SAB009R-062920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
SAB009R	6/29/2020	16:41	N1	DD-D022606	SAB009R-062920	SW8082A	SW	TOTAL PCBs	2.39		-	0.24	ug/WIPE
SAB010R	6/8/2020	11:25	N1	DD-D017807	SAB010R-060820	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
SAB010R	6/8/2020	11:25	N1	DD-D017807	SAB010R-060820	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
SAB010R	6/8/2020	11:25	N1	DD-D017807	SAB010R-060820	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
SAB010R	6/8/2020	11:25	N1	DD-D017807	SAB010R-060820	SW8082A	SW	PCB-1242 (AROCLOR 1242)	7.8		0.088	0.24	ug/WIPE
SAB010R	6/8/2020	11:25	N1	DD-D017807	SAB010R-060820	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
SAB010R	6/8/2020	11:25	N1	DD-D017807	SAB010R-060820	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2.1		0.07	0.24	ug/WIPE
SAB010R	6/8/2020	11:25	N1	DD-D017807	SAB010R-060820	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
SAB010R	6/8/2020	11:25	N1	DD-D017807	SAB010R-060820	SW8082A	SW	TOTAL PCBs	9.9		-	0.24	ug/WIPE
SAB011R	6/8/2020	11:28	N1	DD-D017808	SAB011R-060820	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
SAB011R	6/8/2020	11:28	N1	DD-D017808	SAB011R-060820	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
SAB011R	6/8/2020	11:28	N1	DD-D017808	SAB011R-060820	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
SAB011R	6/8/2020	11:28	N1	DD-D017808	SAB011R-060820	SW8082A	SW	PCB-1242 (AROCLOR 1242)	7.3		0.088	0.24	ug/WIPE
SAB011R	6/8/2020	11:28	N1	DD-D017808	SAB011R-060820	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
SAB011R	6/8/2020	11:28	N1	DD-D017808	SAB011R-060820	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2.6		0.07	0.24	ug/WIPE
SAB011R	6/8/2020	11:28	N1	DD-D017808	SAB011R-060820	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
SAB011R	6/8/2020	11:28	N1	DD-D017808	SAB011R-060820	SW8082A	SW	TOTAL PCBs	9.9		-	0.24	ug/WIPE
SAB012R	6/8/2020	11:30	N1	DD-D017809	SAB012R-060820	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
SAB012R	6/8/2020	11:30	N1	DD-D017809	SAB012R-060820	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
SAB012R	6/8/2020	11:30	N1	DD-D017809	SAB012R-060820	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
SAB012R	6/8/2020	11:30	N1	DD-D017809	SAB012R-060820	SW8082A	SW	PCB-1242 (AROCLOR 1242)	4.6		0.088	0.24	ug/WIPE
SAB012R	6/8/2020	11:30	N1	DD-D017809	SAB012R-060820	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
SAB012R	6/8/2020	11:30	N1	DD-D017809	SAB012R-060820	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.3		0.07	0.24	ug/WIPE
SAB012R	6/8/2020	11:30	N1	DD-D017809	SAB012R-060820	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
SAB012R	6/8/2020	11:30	N1	DD-D017809	SAB012R-060820	SW8082A	SW	TOTAL PCBs	5.9		-	0.24	ug/WIPE
SAB013R	6/8/2020	11:38	N1	DD-D017810	SAB013R-060820	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
SAB013R	6/8/2020	11:38	N1	DD-D017810	SAB013R-060820	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
SAB013R	6/8/2020	11:38	N1	DD-D017810	SAB013R-060820	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
SAB013R	6/8/2020	11:38	N1	DD-D017810	SAB013R-060820	SW8082A	SW	PCB-1242 (AROCLOR 1242)	5.5		0.088	0.24	ug/WIPE
SAB013R	6/8/2020	11:38	N1	DD-D017810	SAB013R-060820	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
SAB013R	6/8/2020	11:38	N1	DD-D017810	SAB013R-060820	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.8		0.07	0.24	ug/WIPE
SAB013R	6/8/2020	11:38	N1	DD-D017810	SAB013R-060820	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
SAB013R	6/8/2020	11:38	N1	DD-D017810	SAB013R-060820	SW8082A	SW	TOTAL PCBs	7.3		-	0.24	ug/WIPE
SAB014R	6/8/2020	11:41	N1	DD-D017901	SAB014R-060820	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
SAB014R	6/8/2020	11:41	N1	DD-D017901	SAB014R-060820	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
SAB014R	6/8/2020	11:41	N1	DD-D017901	SAB014R-060820	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
SAB014R	6/8/2020	11:41	N1	DD-D017901	SAB014R-060820	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3.1		0.088	0.24	ug/WIPE
SAB014R	6/8/2020	11:41	N1	DD-D017901	SAB014R-060820	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
SAB014R	6/8/2020	11:41	N1	DD-D017901	SAB014R-060820	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.75		0.07	0.24	ug/WIPE
SAB014R	6/8/2020	11:41	N1	DD-D017901	SAB014R-060820	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
SAB014R	6/8/2020	11:41	N1	DD-D017901	SAB014R-060820	SW8082A	SW	TOTAL PCBs	3.85		-	0.24	ug/WIPE
SAB015R	6/8/2020	10:53	N1	DD-D017902	SAB015R-060820	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
SAB015R	6/8/2020	10:53	N1	DD-D017902	SAB015R-060820	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE

Attachment 4 - Wall and Ceiling Wipe Final Resample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
SAB015R	6/8/2020	10:53	N1	DD-D017902	SAB015R-060820	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
SAB015R	6/8/2020	10:53	N1	DD-D017902	SAB015R-060820	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.8	U	0.088	0.24	ug/WIPE
SAB015R	6/8/2020	10:53	N1	DD-D017902	SAB015R-060820	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
SAB015R	6/8/2020	10:53	N1	DD-D017902	SAB015R-060820	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.7	U	0.07	0.24	ug/WIPE
SAB015R	6/8/2020	10:53	N1	DD-D017902	SAB015R-060820	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
SAB015R	6/8/2020	10:53	N1	DD-D017902	SAB015R-060820	SW8082A	SW	TOTAL PCBs	3.5	U	-	0.24	ug/WIPE
SAB019R	6/8/2020	11:45	N1	DD-D017903	SAB019R-060820	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
SAB019R	6/8/2020	11:45	N1	DD-D017903	SAB019R-060820	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
SAB019R	6/8/2020	11:45	N1	DD-D017903	SAB019R-060820	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
SAB019R	6/8/2020	11:45	N1	DD-D017903	SAB019R-060820	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	6	U	0.088	0.24	ug/WIPE
SAB019R	6/8/2020	11:45	N1	DD-D017903	SAB019R-060820	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
SAB019R	6/8/2020	11:45	N1	DD-D017903	SAB019R-060820	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.7	U	0.07	0.24	ug/WIPE
SAB019R	6/8/2020	11:45	N1	DD-D017903	SAB019R-060820	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
SAB019R	6/8/2020	11:45	N1	DD-D017903	SAB019R-060820	SW8082A	SW	TOTAL PCBs	7.7	U	-	0.24	ug/WIPE
SAB020R	6/8/2020	11:50	N1	DD-D017904	SAB020R-060820	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
SAB020R	6/8/2020	11:50	N1	DD-D017904	SAB020R-060820	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
SAB020R	6/8/2020	11:50	N1	DD-D017904	SAB020R-060820	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
SAB020R	6/8/2020	11:50	N1	DD-D017904	SAB020R-060820	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	4.4	U	0.088	0.24	ug/WIPE
SAB020R	6/8/2020	11:50	N1	DD-D017904	SAB020R-060820	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
SAB020R	6/8/2020	11:50	N1	DD-D017904	SAB020R-060820	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1	U	0.07	0.24	ug/WIPE
SAB020R	6/8/2020	11:50	N1	DD-D017904	SAB020R-060820	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
SAB020R	6/8/2020	11:50	N1	DD-D017904	SAB020R-060820	SW8082A	SW	TOTAL PCBs	5.4	U	-	0.24	ug/WIPE
SAB021R	6/8/2020	10:25	N1	DD-D017905	SAB021R-060820	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
SAB021R	6/8/2020	10:25	N1	DD-D017905	SAB021R-060820	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
SAB021R	6/8/2020	10:25	N1	DD-D017905	SAB021R-060820	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
SAB021R	6/8/2020	10:25	N1	DD-D017905	SAB021R-060820	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.5	U	0.088	0.24	ug/WIPE
SAB021R	6/8/2020	10:25	N1	DD-D017905	SAB021R-060820	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
SAB021R	6/8/2020	10:25	N1	DD-D017905	SAB021R-060820	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.67	U	0.07	0.24	ug/WIPE
SAB021R	6/8/2020	10:25	N1	DD-D017905	SAB021R-060820	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
SAB021R	6/8/2020	10:25	N1	DD-D017905	SAB021R-060820	SW8082A	SW	TOTAL PCBs	3.17	U	-	0.24	ug/WIPE
SAB022R	6/25/2020	13:40	N1	DD-D022706	SAB022R-062520	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
SAB022R	6/25/2020	13:40	N1	DD-D022706	SAB022R-062520	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
SAB022R	6/25/2020	13:40	N1	DD-D022706	SAB022R-062520	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
SAB022R	6/25/2020	13:40	N1	DD-D022706	SAB022R-062520	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.2	U	0.088	0.24	ug/WIPE
SAB022R	6/25/2020	13:40	N1	DD-D022706	SAB022R-062520	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
SAB022R	6/25/2020	13:40	N1	DD-D022706	SAB022R-062520	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.84	U	0.07	0.24	ug/WIPE
SAB022R	6/25/2020	13:40	N1	DD-D022706	SAB022R-062520	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
SAB022R	6/25/2020	13:40	N1	DD-D022706	SAB022R-062520	SW8082A	SW	TOTAL PCBs	4.04	U	-	0.24	ug/WIPE
SAB023R	6/29/2020	16:46	N1	DD-D022707	SAB023R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
SAB023R	6/29/2020	16:46	N1	DD-D022707	SAB023R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
SAB023R	6/29/2020	16:46	N1	DD-D022707	SAB023R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
SAB023R	6/29/2020	16:46	N1	DD-D022707	SAB023R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.9	U	0.088	0.24	ug/WIPE
SAB023R	6/29/2020	16:46	N1	DD-D022707	SAB023R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
SAB023R	6/29/2020	16:46	N1	DD-D022707	SAB023R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.56	U	0.07	0.24	ug/WIPE
SAB023R	6/29/2020	16:46	N1	DD-D022707	SAB023R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
SAB023R	6/29/2020	16:46	N1	DD-D022707	SAB023R-062920	SW8082A	SW	TOTAL PCBs	3.46	U	-	0.24	ug/WIPE
SAB024R	6/29/2020	16:49	N1	DD-D022708	SAB024R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
SAB024R	6/29/2020	16:49	N1	DD-D022708	SAB024R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
SAB024R	6/29/2020	16:49	N1	DD-D022708	SAB024R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
SAB024R	6/29/2020	16:49	N1	DD-D022708	SAB024R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	1.9	U	0.088	0.24	ug/WIPE
SAB024R	6/29/2020	16:49	N1	DD-D022708	SAB024R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE

Attachment 4 - Wall and Ceiling Wipe Final Resample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
SAB024R	6/29/2020	16:49	N1	DD-D022708	SAB024R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.51		0.07	0.24	ug/WIPE
SAB024R	6/29/2020	16:49	N1	DD-D022708	SAB024R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
SAB024R	6/29/2020	16:49	N1	DD-D022708	SAB024R-062920	SW8082A	SW	TOTAL PCBs	2.41		-	0.24	ug/WIPE
SAB025R	6/25/2020	13:46	N1	DD-D022709	SAB025R-062520	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
SAB025R	6/25/2020	13:46	N1	DD-D022709	SAB025R-062520	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
SAB025R	6/25/2020	13:46	N1	DD-D022709	SAB025R-062520	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
SAB025R	6/25/2020	13:46	N1	DD-D022709	SAB025R-062520	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	4.7		0.088	0.24	ug/WIPE
SAB025R	6/25/2020	13:46	N1	DD-D022709	SAB025R-062520	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
SAB025R	6/25/2020	13:46	N1	DD-D022709	SAB025R-062520	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.1		0.07	0.24	ug/WIPE
SAB025R	6/25/2020	13:46	N1	DD-D022709	SAB025R-062520	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
SAB025R	6/25/2020	13:46	N1	DD-D022709	SAB025R-062520	SW8082A	SW	TOTAL PCBs	5.8		-	0.24	ug/WIPE
SAB026R	6/29/2020	16:52	N1	DD-D022710	SAB026R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
SAB026R	6/29/2020	16:52	N1	DD-D022710	SAB026R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
SAB026R	6/29/2020	16:52	N1	DD-D022710	SAB026R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
SAB026R	6/29/2020	16:52	N1	DD-D022710	SAB026R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	1		0.088	0.24	ug/WIPE
SAB026R	6/29/2020	16:52	N1	DD-D022710	SAB026R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
SAB026R	6/29/2020	16:52	N1	DD-D022710	SAB026R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.32		0.07	0.24	ug/WIPE
SAB026R	6/29/2020	16:52	N1	DD-D022710	SAB026R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
SAB026R	6/29/2020	16:52	N1	DD-D022710	SAB026R-062920	SW8082A	SW	TOTAL PCBs	1.32		-	0.24	ug/WIPE
SAB027R	6/29/2020	16:55	N1	DD-D022801	SAB027R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
SAB027R	6/29/2020	16:55	N1	DD-D022801	SAB027R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
SAB027R	6/29/2020	16:55	N1	DD-D022801	SAB027R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
SAB027R	6/29/2020	16:55	N1	DD-D022801	SAB027R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	1.6		0.088	0.24	ug/WIPE
SAB027R	6/29/2020	16:55	N1	DD-D022801	SAB027R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
SAB027R	6/29/2020	16:55	N1	DD-D022801	SAB027R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.4		0.07	0.24	ug/WIPE
SAB027R	6/29/2020	16:55	N1	DD-D022801	SAB027R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
SAB027R	6/29/2020	16:55	N1	DD-D022801	SAB027R-062920	SW8082A	SW	TOTAL PCBs	2		-	0.24	ug/WIPE
SAB028R	6/25/2020	13:50	N1	DD-D022802	SAB028R-062520	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
SAB028R	6/25/2020	13:50	N1	DD-D022802	SAB028R-062520	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
SAB028R	6/25/2020	13:50	N1	DD-D022802	SAB028R-062520	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
SAB028R	6/25/2020	13:50	N1	DD-D022802	SAB028R-062520	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.6		0.088	0.24	ug/WIPE
SAB028R	6/25/2020	13:50	N1	DD-D022802	SAB028R-062520	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
SAB028R	6/25/2020	13:50	N1	DD-D022802	SAB028R-062520	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.1		0.07	0.24	ug/WIPE
SAB028R	6/25/2020	13:50	N1	DD-D022802	SAB028R-062520	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
SAB028R	6/25/2020	13:50	N1	DD-D022802	SAB028R-062520	SW8082A	SW	TOTAL PCBs	4.7		-	0.24	ug/WIPE
SAB029R	6/29/2020	16:58	N1	DD-D022803	SAB029R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
SAB029R	6/29/2020	16:58	N1	DD-D022803	SAB029R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
SAB029R	6/29/2020	16:58	N1	DD-D022803	SAB029R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
SAB029R	6/29/2020	16:58	N1	DD-D022803	SAB029R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2		0.088	0.24	ug/WIPE
SAB029R	6/29/2020	16:58	N1	DD-D022803	SAB029R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
SAB029R	6/29/2020	16:58	N1	DD-D022803	SAB029R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.48		0.07	0.24	ug/WIPE
SAB029R	6/29/2020	16:58	N1	DD-D022803	SAB029R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
SAB029R	6/29/2020	16:58	N1	DD-D022803	SAB029R-062920	SW8082A	SW	TOTAL PCBs	2.48		-	0.24	ug/WIPE
SAB030R	6/29/2020	17:00	N1	DD-D022804	SAB030R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
SAB030R	6/29/2020	17:00	N1	DD-D022804	SAB030R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
SAB030R	6/29/2020	17:00	N1	DD-D022804	SAB030R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
SAB030R	6/29/2020	17:00	N1	DD-D022804	SAB030R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.2		0.088	0.24	ug/WIPE
SAB030R	6/29/2020	17:00	N1	DD-D022804	SAB030R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
SAB030R	6/29/2020	17:00	N1	DD-D022804	SAB030R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.88		0.07	0.24	ug/WIPE
SAB030R	6/29/2020	17:00	N1	DD-D022804	SAB030R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
SAB030R	6/29/2020	17:00	N1	DD-D022804	SAB030R-062920	SW8082A	SW	TOTAL PCBs	4.08		-	0.24	ug/WIPE

Attachment 4 - Wall and Ceiling Wipe Final Resample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
SAB031R	6/25/2020	13:55	N1	DD-D022805	SAB031R-062520	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
SAB031R	6/25/2020	13:55	N1	DD-D022805	SAB031R-062520	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
SAB031R	6/25/2020	13:55	N1	DD-D022805	SAB031R-062520	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
SAB031R	6/25/2020	13:55	N1	DD-D022805	SAB031R-062520	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	4		0.088	0.24	ug/WIPE
SAB031R	6/25/2020	13:55	N1	DD-D022805	SAB031R-062520	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
SAB031R	6/25/2020	13:55	N1	DD-D022805	SAB031R-062520	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1		0.07	0.24	ug/WIPE
SAB031R	6/25/2020	13:55	N1	DD-D022805	SAB031R-062520	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
SAB031R	6/25/2020	13:55	N1	DD-D022805	SAB031R-062520	SW8082A	SW	TOTAL PCBs	5		-	0.24	ug/WIPE
SAB032R	6/29/2020	17:03	N1	DD-D022806	SAB032R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
SAB032R	6/29/2020	17:03	N1	DD-D022806	SAB032R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
SAB032R	6/29/2020	17:03	N1	DD-D022806	SAB032R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
SAB032R	6/29/2020	17:03	N1	DD-D022806	SAB032R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	3.2		0.088	0.24	ug/WIPE
SAB032R	6/29/2020	17:03	N1	DD-D022806	SAB032R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
SAB032R	6/29/2020	17:03	N1	DD-D022806	SAB032R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.83		0.07	0.24	ug/WIPE
SAB032R	6/29/2020	17:03	N1	DD-D022806	SAB032R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
SAB032R	6/29/2020	17:03	N1	DD-D022806	SAB032R-062920	SW8082A	SW	TOTAL PCBs	4.03		-	0.24	ug/WIPE
SAB033R	6/29/2020	17:05	N1	DD-D022807	SAB033R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
SAB033R	6/29/2020	17:05	N1	DD-D022807	SAB033R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
SAB033R	6/29/2020	17:05	N1	DD-D022807	SAB033R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
SAB033R	6/29/2020	17:05	N1	DD-D022807	SAB033R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.3		0.088	0.24	ug/WIPE
SAB033R	6/29/2020	17:05	N1	DD-D022807	SAB033R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
SAB033R	6/29/2020	17:05	N1	DD-D022807	SAB033R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.7		0.07	0.24	ug/WIPE
SAB033R	6/29/2020	17:05	N1	DD-D022807	SAB033R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
SAB033R	6/29/2020	17:05	N1	DD-D022807	SAB033R-062920	SW8082A	SW	TOTAL PCBs	3		-	0.24	ug/WIPE
SAB034R	6/25/2020	14:15	N1	DD-D022808	SAB034R-062520	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
SAB034R	6/25/2020	14:15	N1	DD-D022808	SAB034R-062520	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
SAB034R	6/25/2020	14:15	N1	DD-D022808	SAB034R-062520	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
SAB034R	6/25/2020	14:15	N1	DD-D022808	SAB034R-062520	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.9		0.088	0.24	ug/WIPE
SAB034R	6/25/2020	14:15	N1	DD-D022808	SAB034R-062520	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
SAB034R	6/25/2020	14:15	N1	DD-D022808	SAB034R-062520	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	1.6		0.07	0.24	ug/WIPE
SAB034R	6/25/2020	14:15	N1	DD-D022808	SAB034R-062520	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
SAB034R	6/25/2020	14:15	N1	DD-D022808	SAB034R-062520	SW8082A	SW	TOTAL PCBs	4.5		-	0.24	ug/WIPE
SAB035R	6/29/2020	17:07	N1	DD-D022809	SAB035R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
SAB035R	6/29/2020	17:07	N1	DD-D022809	SAB035R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
SAB035R	6/29/2020	17:07	N1	DD-D022809	SAB035R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
SAB035R	6/29/2020	17:07	N1	DD-D022809	SAB035R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.2		0.088	0.24	ug/WIPE
SAB035R	6/29/2020	17:07	N1	DD-D022809	SAB035R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
SAB035R	6/29/2020	17:07	N1	DD-D022809	SAB035R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.72		0.07	0.24	ug/WIPE
SAB035R	6/29/2020	17:07	N1	DD-D022809	SAB035R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
SAB035R	6/29/2020	17:07	N1	DD-D022809	SAB035R-062920	SW8082A	SW	TOTAL PCBs	2.92		-	0.24	ug/WIPE
SAB036R	6/29/2020	17:10	N1	DD-D022810	SAB036R-062920	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
SAB036R	6/29/2020	17:10	N1	DD-D022810	SAB036R-062920	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
SAB036R	6/29/2020	17:10	N1	DD-D022810	SAB036R-062920	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE
SAB036R	6/29/2020	17:10	N1	DD-D022810	SAB036R-062920	SW8082A	SW	PCB-1242 (AROCOLOR 1242)	2.6		0.088	0.24	ug/WIPE
SAB036R	6/29/2020	17:10	N1	DD-D022810	SAB036R-062920	SW8082A	SW	PCB-1248 (AROCOLOR 1248)	ND	U	0.092	0.24	ug/WIPE
SAB036R	6/29/2020	17:10	N1	DD-D022810	SAB036R-062920	SW8082A	SW	PCB-1254 (AROCOLOR 1254)	0.74		0.07	0.24	ug/WIPE
SAB036R	6/29/2020	17:10	N1	DD-D022810	SAB036R-062920	SW8082A	SW	PCB-1260 (AROCOLOR 1260)	ND	U	0.09	0.24	ug/WIPE
SAB036R	6/29/2020	17:10	N1	DD-D022810	SAB036R-062920	SW8082A	SW	TOTAL PCBs	3.34		-	0.24	ug/WIPE
SAB037R	6/25/2020	14:20	N1	DD-D022901	SAB037R-062520	SW8082A	SW	PCB-1016 (AROCOLOR 1016)	ND	U	0.09	0.24	ug/WIPE
SAB037R	6/25/2020	14:20	N1	DD-D022901	SAB037R-062520	SW8082A	SW	PCB-1221 (AROCOLOR 1221)	ND	U	0.12	0.24	ug/WIPE
SAB037R	6/25/2020	14:20	N1	DD-D022901	SAB037R-062520	SW8082A	SW	PCB-1232 (AROCOLOR 1232)	ND	U	0.14	0.24	ug/WIPE



Attachment 4 - Wall and Ceiling Wipe Final Resample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
SAB037R	6/25/2020	14:20	N1	DD-D022901	SAB037R-062520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	5.8		0.088	0.24	ug/WIPE
SAB037R	6/25/2020	14:20	N1	DD-D022901	SAB037R-062520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
SAB037R	6/25/2020	14:20	N1	DD-D022901	SAB037R-062520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	2.6		0.07	0.24	ug/WIPE
SAB037R	6/25/2020	14:20	N1	DD-D022901	SAB037R-062520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
SAB037R	6/25/2020	14:20	N1	DD-D022901	SAB037R-062520	SW8082A	SW	TOTAL PCBs	8.4		-	0.24	ug/WIPE
SAB038R	6/29/2020	17:13	N1	DD-D022902	SAB038R-062920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
SAB038R	6/29/2020	17:13	N1	DD-D022902	SAB038R-062920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
SAB038R	6/29/2020	17:13	N1	DD-D022902	SAB038R-062920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
SAB038R	6/29/2020	17:13	N1	DD-D022902	SAB038R-062920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3.9		0.088	0.24	ug/WIPE
SAB038R	6/29/2020	17:13	N1	DD-D022902	SAB038R-062920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
SAB038R	6/29/2020	17:13	N1	DD-D022902	SAB038R-062920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.8		0.07	0.24	ug/WIPE
SAB038R	6/29/2020	17:13	N1	DD-D022902	SAB038R-062920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
SAB038R	6/29/2020	17:13	N1	DD-D022902	SAB038R-062920	SW8082A	SW	TOTAL PCBs	5.7		-	0.24	ug/WIPE
SAB039R	6/29/2020	17:15	N1	DD-D022903	SAB039R-062920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
SAB039R	6/29/2020	17:15	N1	DD-D022903	SAB039R-062920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
SAB039R	6/29/2020	17:15	N1	DD-D022903	SAB039R-062920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
SAB039R	6/29/2020	17:15	N1	DD-D022903	SAB039R-062920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3.5		0.088	0.24	ug/WIPE
SAB039R	6/29/2020	17:15	N1	DD-D022903	SAB039R-062920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
SAB039R	6/29/2020	17:15	N1	DD-D022903	SAB039R-062920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.2		0.07	0.24	ug/WIPE
SAB039R	6/29/2020	17:15	N1	DD-D022903	SAB039R-062920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
SAB039R	6/29/2020	17:15	N1	DD-D022903	SAB039R-062920	SW8082A	SW	TOTAL PCBs	4.7		-	0.24	ug/WIPE
SAB040R	6/25/2020	14:30	N1	DD-D022904	SAB040R-062520	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
SAB040R	6/25/2020	14:30	N1	DD-D022904	SAB040R-062520	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
SAB040R	6/25/2020	14:30	N1	DD-D022904	SAB040R-062520	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
SAB040R	6/25/2020	14:30	N1	DD-D022904	SAB040R-062520	SW8082A	SW	PCB-1242 (AROCLOR 1242)	4		0.088	0.24	ug/WIPE
SAB040R	6/25/2020	14:30	N1	DD-D022904	SAB040R-062520	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
SAB040R	6/25/2020	14:30	N1	DD-D022904	SAB040R-062520	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.1		0.07	0.24	ug/WIPE
SAB040R	6/25/2020	14:30	N1	DD-D022904	SAB040R-062520	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
SAB040R	6/25/2020	14:30	N1	DD-D022904	SAB040R-062520	SW8082A	SW	TOTAL PCBs	5.1		-	0.24	ug/WIPE
SAB041R	6/29/2020	17:18	N1	DD-D022905	SAB041R-062920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
SAB041R	6/29/2020	17:18	N1	DD-D022905	SAB041R-062920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
SAB041R	6/29/2020	17:18	N1	DD-D022905	SAB041R-062920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
SAB041R	6/29/2020	17:18	N1	DD-D022905	SAB041R-062920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3.4		0.088	0.24	ug/WIPE
SAB041R	6/29/2020	17:18	N1	DD-D022905	SAB041R-062920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
SAB041R	6/29/2020	17:18	N1	DD-D022905	SAB041R-062920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.2		0.07	0.24	ug/WIPE
SAB041R	6/29/2020	17:18	N1	DD-D022905	SAB041R-062920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
SAB041R	6/29/2020	17:18	N1	DD-D022905	SAB041R-062920	SW8082A	SW	TOTAL PCBs	4.6		-	0.24	ug/WIPE
SAB042R	6/29/2020	17:20	N1	DD-D022906	SAB042R-062920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
SAB042R	6/29/2020	17:20	N1	DD-D022906	SAB042R-062920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
SAB042R	6/29/2020	17:20	N1	DD-D022906	SAB042R-062920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
SAB042R	6/29/2020	17:20	N1	DD-D022906	SAB042R-062920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	1.5		0.088	0.24	ug/WIPE
SAB042R	6/29/2020	17:20	N1	DD-D022906	SAB042R-062920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
SAB042R	6/29/2020	17:20	N1	DD-D022906	SAB042R-062920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.48		0.07	0.24	ug/WIPE
SAB042R	6/29/2020	17:20	N1	DD-D022906	SAB042R-062920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
SAB042R	6/29/2020	17:20	N1	DD-D022906	SAB042R-062920	SW8082A	SW	TOTAL PCBs	1.98		-	0.24	ug/WIPE
SAB043R	6/29/2020	16:17	N1	DD-D022907	SAB043R-062920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
SAB043R	6/29/2020	16:17	N1	DD-D022907	SAB043R-062920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
SAB043R	6/29/2020	16:17	N1	DD-D022907	SAB043R-062920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
SAB043R	6/29/2020	16:17	N1	DD-D022907	SAB043R-062920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
SAB043R	6/29/2020	16:17	N1	DD-D022907	SAB043R-062920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
SAB043R	6/29/2020	16:17	N1	DD-D022907	SAB043R-062920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE

Attachment 4 - Wall and Ceiling Wipe Final Resample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
SAB043R	6/29/2020	16:17	N1	DD-D022907	SAB043R-062920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
SAB043R	6/29/2020	16:17	N1	DD-D022907	SAB043R-062920	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
SAB044R	6/29/2020	16:15	N1	DD-D022908	SAB044R-062920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
SAB044R	6/29/2020	16:15	N1	DD-D022908	SAB044R-062920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
SAB044R	6/29/2020	16:15	N1	DD-D022908	SAB044R-062920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
SAB044R	6/29/2020	16:15	N1	DD-D022908	SAB044R-062920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3.3		0.088	0.24	ug/WIPE
SAB044R	6/29/2020	16:15	N1	DD-D022908	SAB044R-062920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
SAB044R	6/29/2020	16:15	N1	DD-D022908	SAB044R-062920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.93		0.07	0.24	ug/WIPE
SAB044R	6/29/2020	16:15	N1	DD-D022908	SAB044R-062920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
SAB044R	6/29/2020	16:15	N1	DD-D022908	SAB044R-062920	SW8082A	SW	TOTAL PCBs	4.23		-	0.24	ug/WIPE
SAB045R	6/29/2020	16:07	N1	DD-D022909	SAB045R-062920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
SAB045R	6/29/2020	16:07	N1	DD-D022909	SAB045R-062920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
SAB045R	6/29/2020	16:07	N1	DD-D022909	SAB045R-062920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
SAB045R	6/29/2020	16:07	N1	DD-D022909	SAB045R-062920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3.5		0.088	0.24	ug/WIPE
SAB045R	6/29/2020	16:07	N1	DD-D022909	SAB045R-062920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
SAB045R	6/29/2020	16:07	N1	DD-D022909	SAB045R-062920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	1.2		0.07	0.24	ug/WIPE
SAB045R	6/29/2020	16:07	N1	DD-D022909	SAB045R-062920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
SAB045R	6/29/2020	16:07	N1	DD-D022909	SAB045R-062920	SW8082A	SW	TOTAL PCBs	4.7		-	0.24	ug/WIPE
SAB046R	6/29/2020	16:26	N1	DD-D022910	SAB046R-062920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
SAB046R	6/29/2020	16:26	N1	DD-D022910	SAB046R-062920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
SAB046R	6/29/2020	16:26	N1	DD-D022910	SAB046R-062920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
SAB046R	6/29/2020	16:26	N1	DD-D022910	SAB046R-062920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3		0.088	0.24	ug/WIPE
SAB046R	6/29/2020	16:26	N1	DD-D022910	SAB046R-062920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
SAB046R	6/29/2020	16:26	N1	DD-D022910	SAB046R-062920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.76		0.07	0.24	ug/WIPE
SAB046R	6/29/2020	16:26	N1	DD-D022910	SAB046R-062920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
SAB046R	6/29/2020	16:26	N1	DD-D022910	SAB046R-062920	SW8082A	SW	TOTAL PCBs	3.76		-	0.24	ug/WIPE
SAB047R	6/29/2020	16:21	N1	DD-D023001	SAB047R-062920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
SAB047R	6/29/2020	16:21	N1	DD-D023001	SAB047R-062920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
SAB047R	6/29/2020	16:21	N1	DD-D023001	SAB047R-062920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
SAB047R	6/29/2020	16:21	N1	DD-D023001	SAB047R-062920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3		0.088	0.24	ug/WIPE
SAB047R	6/29/2020	16:21	N1	DD-D023001	SAB047R-062920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
SAB047R	6/29/2020	16:21	N1	DD-D023001	SAB047R-062920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.88		0.07	0.24	ug/WIPE
SAB047R	6/29/2020	16:21	N1	DD-D023001	SAB047R-062920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
SAB047R	6/29/2020	16:21	N1	DD-D023001	SAB047R-062920	SW8082A	SW	TOTAL PCBs	3.88		-	0.24	ug/WIPE
SAB048R	6/29/2020	16:24	N1	DD-D023002	SAB048R-062920	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
SAB048R	6/29/2020	16:24	N1	DD-D023002	SAB048R-062920	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
SAB048R	6/29/2020	16:24	N1	DD-D023002	SAB048R-062920	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
SAB048R	6/29/2020	16:24	N1	DD-D023002	SAB048R-062920	SW8082A	SW	PCB-1242 (AROCLOR 1242)	3.1		0.088	0.24	ug/WIPE
SAB048R	6/29/2020	16:24	N1	DD-D023002	SAB048R-062920	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
SAB048R	6/29/2020	16:24	N1	DD-D023002	SAB048R-062920	SW8082A	SW	PCB-1254 (AROCLOR 1254)	0.88		0.07	0.24	ug/WIPE
SAB048R	6/29/2020	16:24	N1	DD-D023002	SAB048R-062920	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
SAB048R	6/29/2020	16:24	N1	DD-D023002	SAB048R-062920	SW8082A	SW	TOTAL PCBs	3.98		-	0.24	ug/WIPE

Notes:

- J = estimated value
- ND = non-detect
- N1 = normal environmental sample
- PCB = Polychlorinated biphenyl
- SW = Wipe Sample
- U = non-detect

Attachment 4 - Wall and Ceiling Wipe Final Resample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Test	Matrix	Analyte	Result	Qual	Detection Limit	Reporting Limit	Units
----------	--------------	--------------	-------------	------------	-----------	------	--------	---------	--------	------	-----------------	-----------------	-------

ug/WIPE = micrograms per wipe

UJ = estimated non-detect

# Attachment 4A

Attachment 4A - Wall and Ceiling Wipe Resample Summary Results

Original Sample Results			Resample Results			Final Resample Results		
Location	Sample ID	Results µg/Wipe	Location	Sample ID	Results µg/Wipe	Location	Sample ID	Results µg/Wipe
CL001-003-005	CL001-003-005-051420-COMP-B	16	CL001BR	CL001BR-061620	5.8			
			CL003BR	CL003BR-061620	5.1			
			CL005BR	CL005BR-061620	5.9			
CL007-009-011	CL007-009-011-051420-COMP-B	28.4	CL007BR	CL007BR-061620	6.5			
			CL009BR	CL009BR-061620	10.4	CL009BZ	CL009BZ-072420	3.01
			CL011BR	CL011BR-061620	10.4	CL011BZ	CL011BZ-072420	3.25
CL013-015-017	CL013-015-017-051420-COMP-B	27.9	CL013BR	CL013BR-061620	10.2	CL013BZ	CL013BZ-072420	4.34
			CL015BR	CL015BR-061620	10.4	CL015BZ	CL015BZ-072420	2.36
			CL017BR	CL017BR-061620	8.4			
CL019-021-023	CL019-021-023-051420-COMP-B	18.1	CL019BR	CL019BR-061620	10.1	CL019BZ	CL019BZ-072420	3.17
			CL021BR	CL021BR-061620	9.7			
			CL023BR	CL023BR-061620	5.6			
CL025-027-029	CL025-027-029-051420-COMP-B	24.9	CL025BR	CL025BR-061620	7.8			
			CL027BR	CL027BR-061620	6.9			
			CL029BR	CL029BR-061620	6.2			
CL031-033-035	CL031-033-035-051420-COMP-B	18.2	CL031BR	CL031BR-061620	10.5	CL031BZ	CL031BZ-072420	4.01
			CL033BR	CL033BR-061620	8.4			
			CL035BR	CL035BR-061620	8.6			
CL037-039-041	CL037-039-041-051420-COMP-B	13.9	CL037BR	CL037BR-061620	9			
			CL039BR	CL039BR-061620	5.7			
			CL041BR	CL041BR-061620	5.4			
CL043-045	CL043-045-051420-COMP-B	16.8	CL043BR	CL043BR-061620	6.2			
			CL045BR	CL045BR-061620	9.2			
CL044-046	CL044-046-051420-COMP-P	14.1	CL044PR	CL044PR-061620	1.09			
			CL046PR	CL046PR-061620	0.14			
CL055-057	CL055-057-051420-COMP-B	27.9	CL055BR	CL055BR-061620	9.3			
			CL057BR	CL057BR-061620	8.6			
BBG044	BBG044-042120	12.3	BBG044R	BBG044R-062920	4.9			
BBG065-066	BBG065-066-042120-COMP	14.8	BBG065R	BBG065R-062920	4			
			BBG066R	BBG066R-062920	2.35			
BBG076-077	BBG076-077-042120-COMP	11.4	BBG076R	BBG076R-062920	2.48			
			BBG077R	BBG077R-062920	2.69			
BBG082	BBG082-042120	10.6	BBG082R	BBG082R-062920	2.73			
BBG095-096	BBG095-096-042120-COMP	16.4	BBG095R	BBG095R-062920	0.86			
			BBG096R	BBG096R-062920	0.13			
BBG097	BBG097-042120	12.1	BBG097R	BBG097R-062920	2.1			
BBG112	BBG112-042220	14.5	BBG112R	BBG112R-062920	3.14			
BBG121-122	BBG121-122-042220-COMP	11.4	BBG121R	BBG121R-062920	2.98			
			BBG122R	BBG122R-062920	1.18			
BBG134-135	BBG134-135-042220-COMP	16.3	BBG134R	BBG134R-062920	1.75			
			BBG135R	BBG135R-062920	1.04			
BBG137-138	BBG137-138-042220-COMP	11.9	BBG137R	BBG137R-062920	3.54			
			BBG138R	BBG138R-062920	1.01			
BBG152-153	BBG152-153-042220-COMP	15.7	BBG152R	BBG152R-062920	3.36			
			BBG153R	BBG153R-062920	1.82			
BBG158-159	BBG158-159-042220-COMP	15.9	BBG158R	BBG158R-062920	1.34			
			BBG159R	BBG159R-062920	3.71			
BBG161	BBG161-042220	13.5	BBG161R	BBG161R-062920	0.51			
BBG171-172	BBG171-172-042220-COMP	13.6	BBG171R	BBG171R-062920	3.15			



Attachment 4A - Wall and Ceiling Wipe Resample Summary Results

Original Sample Results			Resample Results			Final Resample Results		
Location	Sample ID	Results µg/Wipe	Location	Sample ID	Results µg/Wipe	Location	Sample ID	Results µg/Wipe
			BBG172R	BBG172R-062920	3.06			
BBG173	BBG173-042220	10	BBG173R	BBG173R-062920	1.03			
CBG002-003	CBG002-003-042320-COMP	10.8	CBG002R	CBG002R-062920	2.53			
			CBG003R	CBG003R-062920	1.02			
CBG004-005	CBG004-005-042320-COMP	10	CBG004R	CBG004R-062920	2.7			
			CBG005R	CBG005R-062920	0.54			
CBG007	CBG007-042320	10	CBG007R	CBG007R-062920	3.08			
CBG010-011	CBG010-011-042320-COMP	16.3	CBG010R	CBG010R-062920	2.62			
			CBG011R	CBG011R-062920	2.68			
CBG019-020	CBG019-020-042320-COMP	11.7	CBG019R	CBG019R-062920	0.81			
			CBG020R	CBG020R-062920	2.25			
CBG023	CBG023-042320	14.1	CBG023R	CBG023R-062920	1.99			
CBG028-029	CBG028-029-042320-COMP	11.4	CBG028R	CBG028R-062920	3.04			
			CBG029R	CBG029R-062920	1.48			
CBG040	CBG040-042320	10.1	CBG040R	CBG040R-062920	3.33			
CBG043	CBG043-042320	11	CBG043R	CBG043R-062920	4			
CBG051-056-057	CBG051-056-057-042420-COMP	14	CBG051R	CBG051R-062920	0.58			
			CBG056R	CBG056R-062920	2.17			
			CBG057R	CBG057R-062920	2.06			
CBG093-094	CBG093-094-042820-COMP	11.2	CBG093R	CBG093R-062220	9.5			
			CBG094R	CBG094R-062220	6			
CBG104-115	CBG104-115-042920-COMP	17.1	CBG104R	CBG104R-062220	7.2			
			CBG115R	CBG115R-062220	8.6			
CBG107-112	CBG107-112-042920-COMP	11.3	CBG107R	CBG107R-062220	7.3			
			CBG112R	CBG112R-062220	6.7			
CBG129-130-143	CBG129-130-143-042820-COMP	10.8	CBG129R	CBG129R-062220	3.23			
			CBG130R	CBG130R-062220	6.3			
			CBG143R	CBG143R-062220	7.1			
DBG003-013	DBG003-013-043020-COMP	12.1	DBG003R	DBG003R-062220	3.53			
			DBG013R	DBG013R-062220	5.8			
DBG006-007-008	DBG006-007-008-043020-COMP	15.2	DBG006R	DBG006R-062220	6.4			
			DBG007R	DBG007R-062220	5.3			
			DBG008R	DBG008R-062220	3.91			
DBG017-018-027	DBG017-018-027-050820-COMP	10.5	DBG017R	DBG017R-062220	5.5			
			DBG018R	DBG018R-062220	4.6			
			DBG027R	DBG027R-062220	7.1			
DBG020-021-024	DBG020-021-024-050820-COMP	13	DBG020R	DBG020R-062220	7.8			
			DBG021R	DBG021R-062220	7.8			
			DBG024R	DBG024R-062220	3.49			
DBG033-034-045	DBG033-034-045-050820-COMP	10.6	DBG033R	DBG033R-062220	5			
			DBG034R	DBG034R-062220	4.5			
			DBG045R	DBG045R-070920	3.7			
DBG037-038-042	DBG037-038-042-050820-COMP	22	DBG037R	DBG037R-062220	5.6			
			DBG038R	DBG038R-062220	4.8			
			DBG042R	DBG042R-062220	4.8			
DBG039-040-041	DBG039-040-041-050820-COMP	11.9	DBG039R	DBG039R-062220	5.9			
			DBG040R	DBG040R-062220	7.8			
			DBG041R	DBG041R-062220	9			
DBG043	DBG043-050820	15.9	DBG043R	DBG043R-062220	4.9			

Attachment 4A - Wall and Ceiling Wipe Resample Summary Results

Original Sample Results			Resample Results			Final Resample Results		
Location	Sample ID	Results µg/Wipe	Location	Sample ID	Results µg/Wipe	Location	Sample ID	Results µg/Wipe
DBG053-060	DBG053-060-050820-COMP	10.4	DBG053R	DBG053R-062220	7.1			
			DBG060R	DBG060R-062220	4.1			
DBG054-059	DBG054-059-050820-COMP	13.6	DBG054R	DBG054R-062220	3.79			
			DBG059R	DBG059R-062220	3.8			
DBG055-057	DBG055-057-050820-COMP	18.6	DBG055R	DBG055R-062220	7.4			
			DBG057R	DBG057R-062220	4.1			
DBG056-058	DBG056-058-050820-COMP	13.3	DBG056R	DBG056R-062220	6.1			
			DBG058R	DBG058R-062220	5.9			
DBG066-076	DBG066-076-050820-COMP	12	DBG066R	DBG066R-062220	3.9			
			DBG076R	DBG076R-062220	5.1			
DBG069-070-074	DBG069-070-074-050820-COMP	20.9	DBG069R	DBG069R-062220	5.9			
			DBG070R	DBG070R-062220	5.3			
			DBG074R	DBG074R-062220	5.8			
DBG072-073	DBG072-073-050820-COMP	13.9	DBG072R	DBG072R-062220	7.3			
			DBG073R	DBG073R-062220	7			
DBG081-092	DBG081-092-051120-COMP	13.5	DBG081R	DBG081R-062220	2.69			
			DBG092R	DBG092R-062220	3.73			
DBG082-083-091	DBG082-083-091-051120-COMP	15	DBG082R	DBG082R-062220	6.4			
			DBG083R	DBG083R-062220	4.5			
			DBG091R	DBG091R-062220	4.9			
DBG084-090	DBG084-090-051120-COMP	12.5	DBG084R	DBG084R-062220	7			
			DBG090R	DBG090R-062220	4.9			
DBG085-086-089	DBG085-086-089-051120-COMP	20.1	DBG085R	DBG085R-062220	6.4			
			DBG086R	DBG086R-062220	5.2			
			DBG089R	DBG089R-062220	4.8			
EBG001-002-003	EBG001-002-003-051120-COMP	14.5	EBG001R	EBG001R-062420	3.94			
			EBG002R	EBG002R-062420	4.1			
			EBG003R	EBG003R-062420	5.3			
EBG004-005-006	EBG004-005-006-051120-COMP	20.4	EBG004R	EBG004R-062420	4.7			
			EBG005R	EBG005R-062420	0.75			
			EBG006R	EBG006R-062420	3.48			
EBG008-009-010	EBG008-009-010-051120-COMP	17.6	EBG008R	EBG008R-062420	3.55			
			EBG009R	EBG009R-062420	2.15			
			EBG010R	EBG010R-062520	0.35			
EBG013-014-015	EBG013-014-015-051120-COMP	21.6	EBG013R	EBG013R-062520	6.4			
			EBG014R	EBG014R-062520	7.6			
			EBG015R	EBG015R-062520	5			
EBG023-024	EBG023-024-051120-COMP	10.3	EBG023R	EBG023R-062520	2.08			
			EBG024R	EBG024R-062520	7			
EBG025-026	EBG025-026-051120-COMP	13	EBG025R	EBG025R-062520	4.18			
			EBG026R	EBG026R-062520	6.2			
EBG027	EBG027-051120	12.9	EBG027R	EBG027R-062520	6.6			
EBG030-031	EBG030-031-051120-COMP	13.2	EBG030R	EBG030R-062520	2.92			
			EBG031R	EBG031R-062520	6.8			
EBG032-033	EBG032-033-051120-COMP	11.9	EBG032R	EBG032R-062520	8.5			
			EBG033R	EBG033R-062520	6			
EBG041-042-043	EBG041-042-043-051120-COMP	26.8	EBG041R	EBG041R-062520	3.47			
			EBG042R	EBG042R-062520	2.94			
			EBG043R	EBG043R-062520	4.8			

Attachment 4A - Wall and Ceiling Wipe Resample Summary Results

Original Sample Results			Resample Results			Final Resample Results		
Location	Sample ID	Results µg/Wipe	Location	Sample ID	Results µg/Wipe	Location	Sample ID	Results µg/Wipe
EBG055-056-057	EBG055-056-057-051120-COMP	10.5	EBG055R	EBG055R-062520	0.85			
			EBG056R	EBG056R-062520	6.4			
			EBG057R	EBG057R-062520	3.36			
EBG065-067	EBG065-067-051120-COMP	11.8	EBG065R	EBG065R-062520	5.7			
			EBG067R	EBG067R-062520	4.54			
EBG091-092-093	EBG091-092-093-051220-COMP	16.7	EBG091R	EBG091R-062520	3.2			
			EBG092R	EBG092R-062520	3.7			
			EBG093R	EBG093R-062520	2.59			
EBG094-095-096	EBG094-095-096-051220-COMP	10.5	EBG094R	EBG094R-062520	4.1			
			EBG095R	EBG095R-062520	3.5			
			EBG096R	EBG096R-062520	7			
EBG100-101-102	EBG100-101-102-051220-COMP	13.4	EBG100R	EBG100R-062520	3.92			
			EBG101R	EBG101R-062520	2.02			
			EBG102R	EBG102R-062520	0.87			
EBG103-104-105	EBG103-104-105-051220-COMP	15.4	EBG103R	EBG103R-062520	6.6			
			EBG104R	EBG104R-062520	4.09			
			EBG105R	EBG105R-062520	5			
EBG109-110-111	EBG109-110-111-051220-COMP	11.7	EBG109R	EBG109R-062520	2.82			
			EBG110R	EBG110R-062520	3.14			
			EBG111R	EBG111R-062520	3.42			
EBG115-116-117	EBG115-116-117-051220-COMP	10.1	EBG115R	EBG115R-062620	4.5			
			EBG116R	EBG116R-062620	3.48			
			EBG117R	EBG117R-062620	1.06			
EBG118-119-120	EBG118-119-120-051220-COMP	16.5	EBG118R	EBG118R-062620	4.3			
			EBG119R	EBG119R-062620	4.3			
			EBG120R	EBG120R-062620	3.51			
EBG121-122-123	EBG121-122-123-051220-COMP	16.1	EBG121R	EBG121R-062620	3.93			
			EBG122R	EBG122R-062620	1.08			
			EBG123R	EBG123R-062620	5.2			
EBG129-130-131	EBG129-130-131-051220-COMP	17.2	EBG129R	EBG129R-062620	4.54			
			EBG130R	EBG130R-062620	4.5			
			EBG131R	EBG131R-062620	3.47			
EBG132-133	EBG132-133-051220-COMP	11.8	EBG132R	EBG132R-062620	4.06			
			EBG133R	EBG133R-062620	4.7			
EBG138-139	EBG138-139-051220-COMP	14.3	EBG138R	EBG138R-062620	5			
			EBG139R	EBG139R-062620	5.4			
FBG010-011-012	FBG010-011-012-051220-COMP	15.3	FBG010R	FBG010R-062920	2.04			
			FBG011R	FBG011R-062920	3.69			
			FBG012R	FBG012R-062920	3.69			
FBG015-016-017	FBG015-016-017-051220-COMP	24.8	FBG015R	FBG015R-062920	2.8			
			FBG016R	FBG016R-062920	2.88			
			FBG017R	FBG017R-062920	4.3			
FBG022-023	FBG022-023-051220-COMP	17.1	FBG022R	FBG022R-062920	2.62			
			FBG023R	FBG023R-062920	5.4			
FBG036-037	FBG036-037-051220-COMP	11.4	FBG036R	FBG036R-062920	0.91			
			FBG037R	FBG037R-062920	2.86			
FBG038-039	FBG038-039-051220-COMP	13.4	FBG038R	FBG038R-062920	1.33			
			FBG039R	FBG039R-062920	1.11			
GBG020-021	GBG020-021-051320-COMP	15.7	GBG020R	GBG020R-062920	4.2			

Attachment 4A - Wall and Ceiling Wipe Resample Summary Results

Original Sample Results			Resample Results			Final Resample Results		
Location	Sample ID	Results µg/Wipe	Location	Sample ID	Results µg/Wipe	Location	Sample ID	Results µg/Wipe
			GBG021R	GBG021R-062920	1.24			
GBG022-023	GBG022-023-051320-COMP	12.8	GBG022R	GBG022R-062920	3.32			
			GBG023R	GBG023R-062920	1.24			
GBG024-025	GBG024-025-051320-COMP	19.8	GBG024R	GBG024R-062920	5			
			GBG025R	GBG025R-062920	4.14			
GBG026-027-028	GBG026-027-028-051320-COMP	12.5	GBG026R	GBG026R-062920	3.97			
			GBG027R	GBG027R-062920	0.35			
			GBG028R	GBG028R-062920	0.16			
GBG032-034	GBG032-034-051320-COMP	12.7	GBG032R	GBG032R-062920	3.33			
			GBG034R	GBG034R-062920	2.65			
GBG039-040-041	GBG039-040-041-051320-COMP	14.2	GBG039R	GBG039R-062920	5.9			
			GBG040R	GBG040R-062920	6.4			
			GBG041R	GBG041R-062920	4.9			
GBG044-045	GBG044-045-051320-COMP	22.4	GBG044R	GBG044R-062920	0.14			
			GBG045R	GBG045R-062920	5.8			
GBG046-047	GBG046-047-051320-COMP	13.1	GBG046R	GBG046R-062920	4.9			
			GBG047R	GBG047R-062920	3.85			
GBG050-051	GBG050-051-051320-COMP	10.6	GBG050R	GBG050R-062920	2.73			
			GBG051R	GBG051R-062920	4.9			
GBG056-057	GBG056-057-051320-COMP	24.1	GBG056R	GBG056R-062920	2.83			
			GBG057R	GBG057R-062920	3.7			
GBG058-059	GBG058-059-051320-COMP	18.3	GBG058R	GBG058R-062920	5.8			
			GBG059R	GBG059R-062920	4.11			
GBG060-061	GBG060-061-051320-COMP	18	GBG060R	GBG060R-062920	4.35			
			GBG061R	GBG061R-062920	3.08			
GBG064-065	GBG064-065-051320-COMP	16.9	GBG064R	GBG064R-062920	3.63			
			GBG065R	GBG065R-062920	1.66			
GBG074-075	GBG074-075-051320-COMP	10.1	GBG074R	GBG074R-062920	1.75			
			GBG075R	GBG075R-062920	4.2			
GBG080-081	GBG080-081-051320-COMP	14	GBG080R	GBG080R-062920	0.13			
			GBG081R	GBG081R-062920	5.4			
GBG084-085	GBG084-085-051320-COMP	10.7	GBG084R	GBG084R-062920	3.26			
			GBG085R	GBG085R-062920	1.12			
GBG088-089	GBG088-089-051320-COMP	15.3	GBG088R	GBG088R-062920	3.33			
			GBG089R	GBG089R-062920	2.93			
GBG092-093	GBG092-093-051420-COMP	35.5	GBG092R	GBG092R-062920	3.44			
			GBG093R	GBG093R-062920	3.45			
GBG096-097	GBG096-097-051420-COMP	24.1	GBG096R	GBG096R-062920	0.39			
			GBG097R	GBG097R-062920	3.35			
GBG104-105	GBG104-105-051420-COMP	26.6	GBG104R	GBG104R-062920	2.62			
			GBG105R	GBG105R-062920	2.5			
GBG106	GBG106-051420	10.9	GBG106R	GBG106R-062920	3.3			
GBG107-108	GBG107-108-051420-COMP	10.5	GBG107R	GBG107R-062920	3.67			
			GBG108R	GBG108R-062920	5			
GBG109	GBG109-051420	19.1	GBG109R	GBG109R-062920	4.3			
GBG112-113	GBG112-113-051420-COMP	11.3	GBG112R	GBG112R-062920	2.55			
			GBG113R	GBG113R-062920	2.38			
GBG116-117	GBG116-117-051420-COMP	28	GBG116R	GBG116R-062920	1.38			
			GBG117R	GBG117R-062920	4.36			

Attachment 4A - Wall and Ceiling Wipe Resample Summary Results

Original Sample Results			Resample Results			Final Resample Results		
Location	Sample ID	Results µg/Wipe	Location	Sample ID	Results µg/Wipe	Location	Sample ID	Results µg/Wipe
GBG118-119	GBG118-119-051420-COMP	29.8	GBG118R	GBG118R-062920	2.77			
			GBG119R	GBG119R-062920	3.37			
GBG134-135	GBG134-135-051420-COMP	23.1	GBG134R	GBG134R-062920	ND			
			GBG135R	GBG135R-062920	3.69			
GBG136-137	GBG136-137-051420-COMP	21.4	GBG136R	GBG136R-062920	5.7			
			GBG137R	GBG137R-062920	3.2			
SAB004-005-006	SAB004-005-006-051420-COMP	14.4	SAB004R	SAB004R-062520	4.1			
			SAB005R	SAB005R-062920	4.07			
			SAB006R	SAB006R-062920	3.54			
SAB007-008-009	SAB007-008-009-051420-COMP	12.8	SAB007R	SAB007R-062520	4.77			
			SAB008R	SAB008R-062920	2.74			
			SAB009R	SAB009R-062920	2.65			
SAB010-011-012	SAB010-011-012-051420-COMP	21.8	SAB010R	SAB010R-060820	9.9			
			SAB011R	SAB011R-060820	9.9			
			SAB012R	SAB012R-060820	5.9			
SAB013-014-015	SAB013-014-015-051420-COMP	11.4	SAB013R	SAB013R-060820	7.3			
			SAB014R	SAB014R-060820	4.15			
			SAB015R	SAB015R-060820	3.5			
SAB019-020-021	SAB019-020-021-051420-COMP	12.6	SAB019R	SAB019R-060820	7.7			
			SAB020R	SAB020R-060820	5.4			
			SAB021R	SAB021R-060820	3.17			
SAB022-023-024	SAB022-023-024-051420-COMP	14.8	SAB022R	SAB022R-062520	4.04			
			SAB023R	SAB023R-062920	3.46			
			SAB024R	SAB024R-062920	2.41			
SAB025-026-027	SAB025-026-027-051420-COMP	14.8	SAB025R	SAB025R-062520	5.8			
			SAB026R	SAB026R-062920	1.32			
			SAB027R	SAB027R-062920	2			
SAB028-029-030	SAB028-029-030-051420-COMP	16.6	SAB028R	SAB028R-062520	4.7			
			SAB039R	SAB039R-062920	2.48			
			SAB030R	SAB030R-062920	4.08			
SAB031-032-033	SAB031-032-033-051520-COMP	13.5	SAB031R	SAB031R-062520	5			
			SAB032R	SAB032R-062920	4.03			
			SAB033R	SAB033R-062920	3			
SAB034-035-036	SAB034-035-036-051520-COMP	15.2	SAB034R	SAB034R-062520	4.5			
			SAB035R	SAB035R-062920	2.92			
			SAB036R	SAB036R-062920	3.34			
SAB037-038-039	SAB037-038-039-051520-COMP	13.9	SAB037R	SAB037R-062520	8.4			
			SAB038R	SAB038R-062920	5.7			
			SAB039R	SAB039R-062920	4.7			
SAB040-041-042	SAB040-041-042-051520-COMP	11.1	SAB040R	SAB040R-062520	5.1			
			SAB041R	SAB041R-062920	4.6			
			SAB042R	SAB042R-062920	1.98			
SAB043-044-045	SAB043-044-045-051520-COMP	15.9	SAB043R	SAB043R-062920	ND			
			SAB044R	SAB044R-062920	4.23			
			SAB045R	SAB045R-062920	4.7			
SAB046-047-048	SAB046-047-048-051520-COMP	13.3	SAB046R	SAB046R-062920	3.76			
			SAB047R	SAB047R-062920	3.88			
			SAB048R	SAB048R-062920	3.98			
GBG122-123	GBG122-123-051420-COMP	16.5	GBG122R	GBG122R-062920	3.63			



Attachment 4A - Wall and Ceiling Wipe Resample Summary Results

Original Sample Results			Resample Results			Final Resample Results		
Location	Sample ID	Results µg/Wipe	Location	Sample ID	Results µg/Wipe	Location	Sample ID	Results µg/Wipe
			GBG123R	GBG123R-062920	3.89			
GBG124-125	GBG124-125-051420-COMP	12.7	GBG124R	GBG124R-062920	1.1			
			GBG125R	GBG125R-062920	5.2			
CL079-081	CL079-081-051820-COMP-B	10.6	CL079BR	CL079BR-061720	4.5			
			CL081BR	CL081BR-061720	7.8			
CL083-085	CL083-085-051820-COMP-B	18.4	CL083BR	CL083BR-061720	5.2			
			CL085BR	CL085BR-061720	7.8			
CL095-097	CL095-097-051820-COMP-B	13.6	CL095BR	CL095BR-061720	7.6			
			CL097BR	CL097BR-061720	8.99			
CL107-109	CL107-109-051820-COMP-B	12.6	CL107BR	CL107BR-061720	7			
			CL109BR	CL109BR-061720	4.1			
CL117-119	CL117-119-051820-COMP-B	20.5	CL117BR	CL117BR-061720	6.8			
			CL119BR	CL119BR-061720	7.8			
CL121-123	CL121-123-051820-COMP-B	14.1	CL121BR	CL121BR-061720	1.35			
			CL123BR	CL123BR-061720	9.1			
CL129-131	CL129-131-051820-COMP-B	11.9	CL129BR	CL129BR-061720	5.3			
			CL131BR	CL131BR-061720	7.7			
CL141-143	CL141-143-051820-COMP-B	16.5	CL141BR	CL141BR-061920	6.8			
			CL143BR	CL143BR-061920	7.1			
CL145-147	CL145-147-051820-COMP-B	16	CL145BR	CL145BR-061920	6			
			CL147BR	CL147BR-061920	3.48			
CL153	CL153-051820-B	10.7	CL153BR	CL153BR-061920	5.4			
CL155-157	CL155-157-051820-COMP-B	10.5	CL155BR	CL155BR-061920	7			
			CL157BR	CL157BR-061920	4.9			
CL163-165	CL163-165-051820-COMP-B	11.5	CL163BR	CL163BR-061920	6.9			
			CL165BR	CL165BR-061920	4.3			
CL173-175	CL173-175-051820-COMP-B	10.1	CL173BR	CL173BR-061920	5.6			
			CL175BR	CL175BR-061920	5.3			
CL183-185	CL183-185-051820-COMP-B	14.6	CL183BR	CL183BR-061920	4.8			
			CL185BR	CL185BR-061920	5.6			
CL187	CL187-051820-B	24.7	CL187BR	CL187BR-061920	7.2			
CL197-199	CL197-199-051920-COMP-B	12.4	CL197BR	CL197BR-061920	6.9			
			CL199BR	CL199BR-061920	6.1			
CL201-203	CL201-203-051920-COMP-B	11.4	CL201BR	CL201BR-061920	5.2			
			CL203BR	CL203BR-061920	5.1			
CL207-209	CL207-209-051920-COMP-B	11.8	CL207BR	CL207BR-061920	8.1			
			CL209BR	CL209BR-061920	4.9			
CL218-219	CL218-219-051920-COMP-B	10.1	CL218BR	CL218BR-061920	4.19			
			CL219BR	CL219BR-061920	6.2			
CL221-223	CL221-223-051920-COMP-B	12	CL221BR	CL221BR-061920	7.2			
			CL223BR	CL223BR-061920	7.5			
CL229-231	CL229-231-051920-COMP-B	11	CL229BR	CL229BR-061920	7.5			
			CL231BR	CL231BR-061920	8.7			
CL233-235	CL233-235-051920-COMP-B	10.3	CL233BR	CL233BR-061920	5.2			
			CL235BR	CL235BR-061920	5.2			
CL241-243	CL241-243-051920-COMP-B	11.7	CL241BR	CL241BR-061920	4.1			
			CL243BR	CL243BR-061920	3.52			
CL245-247	CL245-247-051920-COMP-B	16.9	CL245BR	CL245BR-061920	4.6			
			CL247BR	CL247BR-061920	7.2			

Attachment 4A - Wall and Ceiling Wipe Resample Summary Results

Original Sample Results			Resample Results			Final Resample Results		
Location	Sample ID	Results µg/Wipe	Location	Sample ID	Results µg/Wipe	Location	Sample ID	Results µg/Wipe

Notes:

ND = non-detect

µg/Wipe = micrograms per wipe

# Attachment 5

Attachment 5 - Floor Sample Locations

Location	Date	Control No	Sample ID	Sample Type
A1	3/31/2020	RA-C069401	A1-01-00-05-033120	Concrete Floor Core Sample
A2	3/31/2020	RA-C069402	A2-01-00-05-033120	Concrete Floor Core Sample
A3	3/31/2020	RA-C069403	A3-01-00-05-033120	Concrete Floor Core Sample
A4	3/31/2020	RA-C069404	A4-01-00-05-033120	Concrete Floor Core Sample
A5	3/31/2020	RA-C069405	A5-01-00-05-033120	Concrete Floor Core Sample
B1	3/31/2020	RA-C069406	B1-01-00-05-033120	Concrete Floor Core Sample
B2	3/31/2020	RA-C069407	B2-01-00-05-033120	Concrete Floor Core Sample
B3	3/31/2020	RA-C069408	B3-01-00-05-033120	Concrete Floor Core Sample
B4	3/31/2020	RA-C069409	B4-01-00-05-033120	Concrete Floor Core Sample
B5	3/31/2020	RA-C069410	B5-01-00-05-033120	Concrete Floor Core Sample
C1	3/31/2020	RA-C069501	C1-01-00-05-033120	Concrete Floor Core Sample
C2	3/31/2020	RA-C069502	C2-01-00-05-033120	Concrete Floor Core Sample
C3	3/31/2020	RA-C069503	C3-01-00-05-033120	Concrete Floor Core Sample
C4	3/31/2020	RA-C069504	C4-01-00-05-033120	Concrete Floor Core Sample
C5	3/31/2020	RA-C069505	C5-01-00-05-033120	Concrete Floor Core Sample
D1	3/31/2020	RA-C069506	D1-01-00-05-033120	Concrete Floor Core Sample
D2	3/31/2020	RA-C069507	D2-01-00-05-033120	Concrete Floor Core Sample
D3	3/31/2020	RA-C069508	D3-01-00-05-033120	Concrete Floor Core Sample
D4	3/31/2020	RA-C069509	D4-01-00-05-033120	Concrete Floor Core Sample
D5	3/31/2020	RA-C069510	D5-01-00-05-033120	Concrete Floor Core Sample
E1	3/31/2020	RA-C069601	E1-01-00-05-033120	Concrete Floor Core Sample
E2	3/31/2020	RA-C069602	E2-01-00-05-033120	Concrete Floor Core Sample
E3	3/31/2020	RA-C069603	E3-01-00-05-033120	Concrete Floor Core Sample
E4	3/31/2020	RA-C069604	E4-01-00-05-033120	Concrete Floor Core Sample
E5	3/31/2020	RA-C069605	E5-01-00-05-033120	Concrete Floor Core Sample
F1	3/31/2020	RA-C069606	F1-01-00-05-033120	Concrete Floor Core Sample
F2	3/31/2020	RA-C069607	F2-01-00-05-033120	Concrete Floor Core Sample
F3	3/31/2020	RA-C069608	F3-01-00-05-033120	Concrete Floor Core Sample
F4	3/31/2020	RA-C069609	F4-01-00-05-033120	Concrete Floor Core Sample
F5	3/31/2020	RA-C069610	F5-01-00-05-033120	Concrete Floor Core Sample
10Q	8/25/2020	DD-D024908	10Q-00-05-082520	Concrete Floor Core Sample
11E	8/25/2020	DD-D024909	11E-00-05-082520	Concrete Floor Core Sample
11H	8/25/2020	DD-D024910	11H-00-05-082520	Concrete Floor Core Sample
11S	9/10/2020	DD-D025001	11S-00-05-09102020	Concrete Floor Core Sample
13M	8/25/2020	DD-D025002	13M-00-05-082520	Concrete Floor Core Sample
14B	8/25/2020	DD-D025003	14B-00-05-082520	Concrete Floor Core Sample
14H	8/25/2020	DD-D025004	14H-00-05-082520	Concrete Floor Core Sample
14K	8/25/2020	DD-D025005	14K-00-05-082520	Concrete Floor Core Sample
15D	8/25/2020	DD-D025006	15D-00-05-082520	Concrete Floor Core Sample
15Q	8/25/2020	DD-D025007	15Q-00-05-082520	Concrete Floor Core Sample
15T	9/10/2020	DD-D025008	15T-00-05-09102020	Concrete Floor Core Sample
16L	8/25/2020	DD-D025009	16L-00-05-082520	Concrete Floor Core Sample
17E	8/25/2020	DD-D025010	17E-00-05-082520	Concrete Floor Core Sample
17H	8/25/2020	DD-D025010	17H-00-05-082520	Concrete Floor Core Sample

Attachment 5 - Floor Sample Locations

Location	Date	Control No	Sample ID	Sample Type
17N	8/25/2020	DD-D025102	17N-00-05-082520	Concrete Floor Core Sample
17P	8/25/2020	DD-D025103	17P-00-05-082520	Concrete Floor Core Sample
20H	8/25/2020	DD-D025104	20H-00-05-082520	Concrete Floor Core Sample
20J	8/25/2020	DD-D025105	20J-00-05-082520	Concrete Floor Core Sample
20K	8/25/2020	DD-D025106	20K-00-05-082520	Concrete Floor Core Sample
20L	8/25/2020	DD-D025107	20L-00-05-082520	Concrete Floor Core Sample
20P	8/25/2020	DD-D025108	20P-00-05-082520	Concrete Floor Core Sample
21J	8/25/2020	DD-D025109	21J-00-05-082520	Concrete Floor Core Sample
21L	8/25/2020	DD-D025110	21L-00-05-082520	Concrete Floor Core Sample
22H	8/25/2020	DD-D025201	22H-00-05-082520	Concrete Floor Core Sample
22J	8/25/2020	DD-D025202	22J-00-05-082520	Concrete Floor Core Sample
22K	8/25/2020	DD-D025203	22K-00-05-082520	Concrete Floor Core Sample
22L	8/25/2020	DD-D025204	22L-00-05-082520	Concrete Floor Core Sample
23B	8/25/2020	DD-D025205	23B-00-05-082520	Concrete Floor Core Sample
23E	8/25/2020	DD-D025206	23E-00-05-082520	Concrete Floor Core Sample
23N	8/25/2020	DD-D025207	23N-00-05-082520	Concrete Floor Core Sample
24K	8/25/2020	DD-D025208	24K-00-05-082520	Concrete Floor Core Sample
26E	8/25/2020	DD-D025209	26E-00-05-082520	Concrete Floor Core Sample
26H	8/25/2020	DD-D025210	26H-00-05-082520	Concrete Floor Core Sample
26P	8/25/2020	DD-D025301	26P-00-05-082520	Concrete Floor Core Sample
2D	9/10/2020	DD-D024801	2D-00-05-09102020	Concrete Floor Core Sample
2J	9/10/2020	DD-D024802	2J-00-05-09102020	Concrete Floor Core Sample
2V	9/10/2020	DD-D024803	2V-00-05-09102020	Concrete Floor Core Sample
5B	9/10/2020	DD-D024804	5B-00-05-09102020	Concrete Floor Core Sample
5G	9/10/2020	DD-D024805	5G-00-05-09102020	Concrete Floor Core Sample
5J	9/10/2020	DD-D024806	5J-00-05-09102020	Concrete Floor Core Sample
5L	9/10/2020	DD-D024807	5L-00-05-09102020	Concrete Floor Core Sample
5S	9/10/2020	DD-D024808	5S-00-05-09102020	Concrete Floor Core Sample
5V	9/10/2020	DD-D024809	5V-00-05-09102020	Concrete Floor Core Sample
7E	9/10/2020	DD-D024810	7E-00-05-09102020	Concrete Floor Core Sample
7I	9/10/2020	DD-D024901	7I-00-05-09102020	Concrete Floor Core Sample
7P	9/10/2020	DD-D024902	7P-00-05-09102020	Concrete Floor Core Sample
8A	9/10/2020	DD-D024903	8A-00-05-09102020	Concrete Floor Core Sample
8G	9/10/2020	DD-D024904	8G-00-05-09102020	Concrete Floor Core Sample
8M	9/10/2020	DD-D024905	8M-00-05-09102020	Concrete Floor Core Sample
8R	9/10/2020	DD-D024906	8R-00-05-09102020	Concrete Floor Core Sample
8V	9/10/2020	DD-D024907	8V-00-05-09102020	Concrete Floor Core Sample
SUMP12N	8/19/2020	DD-D027106	SUMP12N-00-05-081920	Sump Concrete Core Sample
SUMP12O	8/19/2020	DD-D027104	SUMP12O-00-05-081920	Sump Concrete Core Sample
SUMP12P	8/19/2020	DD-D027102	SUMP12P-00-05-081920	Sump Concrete Core Sample
SUMP13N	8/19/2020	DD-D027105	SUMP13N-00-05-081920	Sump Concrete Core Sample
SUMP13O	8/19/2020	DD-D027103	SUMP13O-00-05-081920	Sump Concrete Core Sample
SUMP13P	8/19/2020	DD-D027101	SUMP13P-00-05	Sump Concrete Core Sample
SUMP41F	8/20/2020	DD-D027901	SUMP41F-00-05-082020	Sump Concrete Core Sample



Attachment 5 - Floor Sample Locations

Location	Date	Control No	Sample ID	Sample Type
SUMP41W	8/20/2020	DD-D027902	SUMP41W-00-05-082020	Sump Concrete Core Sample
SUMP42F	8/20/2020	DD-D027903	SUMP42F-00-05-082020	Sump Concrete Core Sample
SUMP42W	8/20/2020	DD-D027904	SUMP42W-00-05-082020	Sump Concrete Core Sample
SUMPWE1	8/19/2020	DD-D027205	SUMPWE1-00-05-081920	Sump Concrete Core Sample
SUMPWE2	8/19/2020	DD-D027206	SUMPWE2-00-05-081920	Sump Concrete Core Sample
SUMPWN1	8/19/2020	DD-D027201	SUMPWN1-00-05-081920	Sump Concrete Core Sample
SUMPWN2	8/19/2020	DD-D027202	SUMPWN2-00-05-081920	Sump Concrete Core Sample
SUMPWS1	8/19/2020	DD-D027203	SUMPWS1-00-05-081920	Sump Concrete Core Sample
SUMPWS2	8/19/2020	DD-D027204	SUMPWS2-00-05-081920	Sump Concrete Core Sample
SUMPWW1	8/19/2020	DD-D027207	SUMPWW1-00-05-081920	Sump Concrete Core Sample
SUMPWW2	8/19/2020	DD-D027208	SUMPWW2-00-05-081920	Sump Concrete Core Sample
28D	8/24/2020	DD-D024501	28D-082420	Support Building Floor Wipe Sample
28E	8/24/2020	DD-D024502	28E-082420	Support Building Floor Wipe Sample
28F	8/24/2020	DD-D024503	28F-082420	Support Building Floor Wipe Sample
28G	8/24/2020	DD-D024504	28G-082420	Support Building Floor Wipe Sample
28H	8/24/2020	DD-D024505	28H-082420	Support Building Floor Wipe Sample
28I	8/24/2020	DD-D024506	28I-082420	Support Building Floor Wipe Sample
28J	8/24/2020	DD-D024507	28J-082420	Support Building Floor Wipe Sample
28K	8/24/2020	DD-D024508	28K-082420	Support Building Floor Wipe Sample
29D	8/24/2020	DD-D024601	29D-042420	Support Building Floor Wipe Sample
29E	8/24/2020	DD-D024602	29E-042420	Support Building Floor Wipe Sample
29F	8/24/2020	DD-D024603	29F-042420	Support Building Floor Wipe Sample
29G	8/24/2020	DD-D024604	29G-042420	Support Building Floor Wipe Sample
29H	8/24/2020	DD-D024605	29H-042420	Support Building Floor Wipe Sample
29I	8/24/2020	DD-D024606	29I-042420	Support Building Floor Wipe Sample
29J	8/24/2020	DD-D024607	29J-042420	Support Building Floor Wipe Sample
29K	8/24/2020	DD-D024608	29K-042420	Support Building Floor Wipe Sample
30D	8/24/2020	DD-D024701	30D-042420	Support Building Floor Wipe Sample
30E	8/24/2020	DD-D024702	30E-042420	Support Building Floor Wipe Sample
30F	8/24/2020	DD-D024703	30F-042420	Support Building Floor Wipe Sample
30G	8/24/2020	DD-D024704	30G-042420	Support Building Floor Wipe Sample
30H	8/24/2020	DD-D024705	30H-042420	Support Building Floor Wipe Sample
30I	8/24/2020	DD-D024706	30I-042420	Support Building Floor Wipe Sample
30J	8/24/2020	DD-D024707	30J-042420	Support Building Floor Wipe Sample
30K	8/24/2020	DD-D024708	30K-042420	Support Building Floor Wipe Sample

# Attachment 6

Attachment 6 - Floor Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Analysis	Matrix	Analyte	Result	Qualifier	Detection Limit	Reporting Limit	Units
A1	3/31/2020	8:45	N1	RA-C069401	A1-01-00-05-033120	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0061	0.017	mg/Kg
A1	3/31/2020	8:45	N1	RA-C069401	A1-01-00-05-033120	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0081	0.017	mg/Kg
A1	3/31/2020	8:45	N1	RA-C069401	A1-01-00-05-033120	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0095	0.017	mg/Kg
A1	3/31/2020	8:45	N1	RA-C069401	A1-01-00-05-033120	SW8082A	SN	PCB-1242 (AROCLOR 1242)	ND	U	0.0059	0.017	mg/Kg
A1	3/31/2020	8:45	N1	RA-C069401	A1-01-00-05-033120	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0062	0.017	mg/Kg
A1	3/31/2020	8:45	N1	RA-C069401	A1-01-00-05-033120	SW8082A	SN	PCB-1254 (AROCLOR 1254)	ND	U	0.0048	0.017	mg/Kg
A1	3/31/2020	8:45	N1	RA-C069401	A1-01-00-05-033120	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0061	0.017	mg/Kg
A1	3/31/2020	8:45	N1	RA-C069401	A1-01-00-05-033120	SW8082A	SN	TOTAL PCBs	ND	U	-	0.017	mg/Kg
A2	3/31/2020	8:55	N1	RA-C069402	A2-01-00-05-033120	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0061	0.017	mg/Kg
A2	3/31/2020	8:55	N1	RA-C069402	A2-01-00-05-033120	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.008	0.017	mg/Kg
A2	3/31/2020	8:55	N1	RA-C069402	A2-01-00-05-033120	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0094	0.017	mg/Kg
A2	3/31/2020	8:55	N1	RA-C069402	A2-01-00-05-033120	SW8082A	SN	PCB-1242 (AROCLOR 1242)	0.26		0.0059	0.017	mg/Kg
A2	3/31/2020	8:55	N1	RA-C069402	A2-01-00-05-033120	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0062	0.017	mg/Kg
A2	3/31/2020	8:55	N1	RA-C069402	A2-01-00-05-033120	SW8082A	SN	PCB-1254 (AROCLOR 1254)	0.16		0.0048	0.017	mg/Kg
A2	3/31/2020	8:55	N1	RA-C069402	A2-01-00-05-033120	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0061	0.017	mg/Kg
A2	3/31/2020	8:55	N1	RA-C069402	A2-01-00-05-033120	SW8082A	SN	TOTAL PCBs	0.42		-	0.017	mg/Kg
A3	3/31/2020	9:02	N1	RA-C069403	A3-01-00-05-033120	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0062	0.017	mg/Kg
A3	3/31/2020	9:02	N1	RA-C069403	A3-01-00-05-033120	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0081	0.017	mg/Kg
A3	3/31/2020	9:02	N1	RA-C069403	A3-01-00-05-033120	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0096	0.017	mg/Kg
A3	3/31/2020	9:02	N1	RA-C069403	A3-01-00-05-033120	SW8082A	SN	PCB-1242 (AROCLOR 1242)	0.19		0.006	0.017	mg/Kg
A3	3/31/2020	9:02	N1	RA-C069403	A3-01-00-05-033120	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0063	0.017	mg/Kg
A3	3/31/2020	9:02	N1	RA-C069403	A3-01-00-05-033120	SW8082A	SN	PCB-1254 (AROCLOR 1254)	0.14		0.0048	0.017	mg/Kg
A3	3/31/2020	9:02	N1	RA-C069403	A3-01-00-05-033120	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0062	0.017	mg/Kg
A3	3/31/2020	9:02	N1	RA-C069403	A3-01-00-05-033120	SW8082A	SN	TOTAL PCBs	0.33		-	0.017	mg/Kg
A4	3/31/2020	9:08	N1	RA-C069404	A4-01-00-05-033120	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.006	0.017	mg/Kg
A4	3/31/2020	9:08	N1	RA-C069404	A4-01-00-05-033120	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.008	0.017	mg/Kg
A4	3/31/2020	9:08	N1	RA-C069404	A4-01-00-05-033120	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0094	0.017	mg/Kg
A4	3/31/2020	9:08	N1	RA-C069404	A4-01-00-05-033120	SW8082A	SN	PCB-1242 (AROCLOR 1242)	0.04		0.0058	0.017	mg/Kg
A4	3/31/2020	9:08	N1	RA-C069404	A4-01-00-05-033120	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0061	0.017	mg/Kg
A4	3/31/2020	9:08	N1	RA-C069404	A4-01-00-05-033120	SW8082A	SN	PCB-1254 (AROCLOR 1254)	0.022		0.0047	0.017	mg/Kg
A4	3/31/2020	9:08	N1	RA-C069404	A4-01-00-05-033120	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.006	0.017	mg/Kg
A4	3/31/2020	9:08	N1	RA-C069404	A4-01-00-05-033120	SW8082A	SN	TOTAL PCBs	0.062		-	0.017	mg/Kg
A5	3/31/2020	9:18	N1	RA-C069405	A5-01-00-05-033120	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0062	0.017	mg/Kg
A5	3/31/2020	9:18	N1	RA-C069405	A5-01-00-05-033120	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0081	0.017	mg/Kg
A5	3/31/2020	9:18	N1	RA-C069405	A5-01-00-05-033120	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0096	0.017	mg/Kg
A5	3/31/2020	9:18	N1	RA-C069405	A5-01-00-05-033120	SW8082A	SN	PCB-1242 (AROCLOR 1242)	0.02		0.006	0.017	mg/Kg
A5	3/31/2020	9:18	N1	RA-C069405	A5-01-00-05-033120	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0063	0.017	mg/Kg
A5	3/31/2020	9:18	N1	RA-C069405	A5-01-00-05-033120	SW8082A	SN	PCB-1254 (AROCLOR 1254)	ND	U	0.0048	0.017	mg/Kg
A5	3/31/2020	9:18	N1	RA-C069405	A5-01-00-05-033120	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0062	0.017	mg/Kg
A5	3/31/2020	9:18	N1	RA-C069405	A5-01-00-05-033120	SW8082A	SN	TOTAL PCBs	0.02		-	0.017	mg/Kg
B1	3/31/2020	9:25	N1	RA-C069406	B1-01-00-05-033120	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0061	0.017	mg/Kg
B1	3/31/2020	9:25	N1	RA-C069406	B1-01-00-05-033120	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0081	0.017	mg/Kg
B1	3/31/2020	9:25	N1	RA-C069406	B1-01-00-05-033120	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0095	0.017	mg/Kg
B1	3/31/2020	9:25	N1	RA-C069406	B1-01-00-05-033120	SW8082A	SN	PCB-1242 (AROCLOR 1242)	0.13		0.0059	0.017	mg/Kg
B1	3/31/2020	9:25	N1	RA-C069406	B1-01-00-05-033120	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0062	0.017	mg/Kg
B1	3/31/2020	9:25	N1	RA-C069406	B1-01-00-05-033120	SW8082A	SN	PCB-1254 (AROCLOR 1254)	0.049		0.0048	0.017	mg/Kg
B1	3/31/2020	9:25	N1	RA-C069406	B1-01-00-05-033120	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0061	0.017	mg/Kg
B1	3/31/2020	9:25	N1	RA-C069406	B1-01-00-05-033120	SW8082A	SN	TOTAL PCBs	0.179		-	0.017	mg/Kg
B2	3/31/2020	9:30	N1	RA-C069407	B2-01-00-05-033120	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0061	0.017	mg/Kg
B2	3/31/2020	9:30	N1	RA-C069407	B2-01-00-05-033120	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0081	0.017	mg/Kg
B2	3/31/2020	9:30	N1	RA-C069407	B2-01-00-05-033120	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0095	0.017	mg/Kg
B2	3/31/2020	9:30	N1	RA-C069407	B2-01-00-05-033120	SW8082A	SN	PCB-1242 (AROCLOR 1242)	0.17		0.0059	0.017	mg/Kg
B2	3/31/2020	9:30	N1	RA-C069407	B2-01-00-05-033120	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0062	0.017	mg/Kg
B2	3/31/2020	9:30	N1	RA-C069407	B2-01-00-05-033120	SW8082A	SN	PCB-1254 (AROCLOR 1254)	0.071		0.0048	0.017	mg/Kg
B2	3/31/2020	9:30	N1	RA-C069407	B2-01-00-05-033120	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0061	0.017	mg/Kg

Attachment 6 - Floor Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Analysis	Matrix	Analyte	Result	Qualifier	Detection Limit	Reporting Limit	Units
B2	3/31/2020	9:30	N1	RA-C069407	B2-01-00-05-033120	SW8082A	SN	TOTAL PCBs	0.241		-	0.017	mg/Kg
B3	3/31/2020	9:35	N1	RA-C069408	B3-01-00-05-033120	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0059	0.017	mg/Kg
B3	3/31/2020	9:35	N1	RA-C069408	B3-01-00-05-033120	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0078	0.017	mg/Kg
B3	3/31/2020	9:35	N1	RA-C069408	B3-01-00-05-033120	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0091	0.017	mg/Kg
B3	3/31/2020	9:35	N1	RA-C069408	B3-01-00-05-033120	SW8082A	SN	PCB-1242 (AROCLOR 1242)	0.051		0.0057	0.017	mg/Kg
B3	3/31/2020	9:35	N1	RA-C069408	B3-01-00-05-033120	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.006	0.017	mg/Kg
B3	3/31/2020	9:35	N1	RA-C069408	B3-01-00-05-033120	SW8082A	SN	PCB-1254 (AROCLOR 1254)	0.016	J	0.0046	0.017	mg/Kg
B3	3/31/2020	9:35	N1	RA-C069408	B3-01-00-05-033120	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0059	0.017	mg/Kg
B3	3/31/2020	9:35	N1	RA-C069408	B3-01-00-05-033120	SW8082A	SN	TOTAL PCBs	0.067		-	0.017	mg/Kg
B4	3/31/2020	9:40	N1	RA-C069409	B4-01-00-05-033120	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0061	0.017	mg/Kg
B4	3/31/2020	9:40	N1	RA-C069409	B4-01-00-05-033120	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.008	0.017	mg/Kg
B4	3/31/2020	9:40	N1	RA-C069409	B4-01-00-05-033120	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0094	0.017	mg/Kg
B4	3/31/2020	9:40	N1	RA-C069409	B4-01-00-05-033120	SW8082A	SN	PCB-1242 (AROCLOR 1242)	0.25		0.0059	0.017	mg/Kg
B4	3/31/2020	9:40	N1	RA-C069409	B4-01-00-05-033120	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0062	0.017	mg/Kg
B4	3/31/2020	9:40	N1	RA-C069409	B4-01-00-05-033120	SW8082A	SN	PCB-1254 (AROCLOR 1254)	0.088		0.0048	0.017	mg/Kg
B4	3/31/2020	9:40	N1	RA-C069409	B4-01-00-05-033120	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0061	0.017	mg/Kg
B4	3/31/2020	9:40	N1	RA-C069409	B4-01-00-05-033120	SW8082A	SN	TOTAL PCBs	0.338		-	0.017	mg/Kg
B5	3/31/2020	9:47	N1	RA-C069410	B5-01-00-05-033120	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0061	0.017	mg/Kg
B5	3/31/2020	9:47	N1	RA-C069410	B5-01-00-05-033120	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0081	0.017	mg/Kg
B5	3/31/2020	9:47	N1	RA-C069410	B5-01-00-05-033120	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0095	0.017	mg/Kg
B5	3/31/2020	9:47	N1	RA-C069410	B5-01-00-05-033120	SW8082A	SN	PCB-1242 (AROCLOR 1242)	0.1		0.0059	0.017	mg/Kg
B5	3/31/2020	9:47	N1	RA-C069410	B5-01-00-05-033120	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0062	0.017	mg/Kg
B5	3/31/2020	9:47	N1	RA-C069410	B5-01-00-05-033120	SW8082A	SN	PCB-1254 (AROCLOR 1254)	0.042		0.0048	0.017	mg/Kg
B5	3/31/2020	9:47	N1	RA-C069410	B5-01-00-05-033120	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0061	0.017	mg/Kg
B5	3/31/2020	9:47	N1	RA-C069410	B5-01-00-05-033120	SW8082A	SN	TOTAL PCBs	0.142		-	0.017	mg/Kg
C1	3/31/2020	10:37	N1	RA-C069501	C1-01-00-05-033120	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0061	0.017	mg/Kg
C1	3/31/2020	10:37	N1	RA-C069501	C1-01-00-05-033120	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0081	0.017	mg/Kg
C1	3/31/2020	10:37	N1	RA-C069501	C1-01-00-05-033120	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0095	0.017	mg/Kg
C1	3/31/2020	10:37	N1	RA-C069501	C1-01-00-05-033120	SW8082A	SN	PCB-1242 (AROCLOR 1242)	0.12		0.0059	0.017	mg/Kg
C1	3/31/2020	10:37	N1	RA-C069501	C1-01-00-05-033120	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0062	0.017	mg/Kg
C1	3/31/2020	10:37	N1	RA-C069501	C1-01-00-05-033120	SW8082A	SN	PCB-1254 (AROCLOR 1254)	0.059		0.0048	0.017	mg/Kg
C1	3/31/2020	10:37	N1	RA-C069501	C1-01-00-05-033120	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0061	0.017	mg/Kg
C2	3/31/2020	10:44	N1	RA-C069502	C2-01-00-05-033120	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0058	0.016	mg/Kg
C2	3/31/2020	10:44	N1	RA-C069502	C2-01-00-05-033120	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0076	0.016	mg/Kg
C2	3/31/2020	10:44	N1	RA-C069502	C2-01-00-05-033120	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.009	0.016	mg/Kg
C2	3/31/2020	10:44	N1	RA-C069502	C2-01-00-05-033120	SW8082A	SN	PCB-1242 (AROCLOR 1242)	0.15		0.0056	0.016	mg/Kg
C2	3/31/2020	10:44	N1	RA-C069502	C2-01-00-05-033120	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0059	0.016	mg/Kg
C2	3/31/2020	10:44	N1	RA-C069502	C2-01-00-05-033120	SW8082A	SN	PCB-1254 (AROCLOR 1254)	0.086		0.0046	0.016	mg/Kg
C2	3/31/2020	10:44	N1	RA-C069502	C2-01-00-05-033120	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0058	0.016	mg/Kg
C2	3/31/2020	10:44	N1	RA-C069502	C2-01-00-05-033120	SW8082A	SN	TOTAL PCBs	0.236		-	0.016	mg/Kg
C3	3/31/2020	10:51	N1	RA-C069503	C3-01-00-05-033120	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0059	0.017	mg/Kg
C3	3/31/2020	10:51	N1	RA-C069503	C3-01-00-05-033120	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0078	0.017	mg/Kg
C3	3/31/2020	10:51	N1	RA-C069503	C3-01-00-05-033120	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0092	0.017	mg/Kg
C3	3/31/2020	10:51	N1	RA-C069503	C3-01-00-05-033120	SW8082A	SN	PCB-1242 (AROCLOR 1242)	0.07		0.0057	0.017	mg/Kg
C3	3/31/2020	10:51	N1	RA-C069503	C3-01-00-05-033120	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.006	0.017	mg/Kg
C3	3/31/2020	10:51	N1	RA-C069503	C3-01-00-05-033120	SW8082A	SN	PCB-1254 (AROCLOR 1254)	0.051		0.0046	0.017	mg/Kg
C3	3/31/2020	10:51	N1	RA-C069503	C3-01-00-05-033120	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0059	0.017	mg/Kg
C3	3/31/2020	10:51	N1	RA-C069503	C3-01-00-05-033120	SW8082A	SN	TOTAL PCBs	0.121		-	0.017	mg/Kg
C4	3/31/2020	11:00	N1	RA-C069504	C4-01-00-05-033120	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0059	0.017	mg/Kg
C4	3/31/2020	11:00	N1	RA-C069504	C4-01-00-05-033120	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0078	0.017	mg/Kg
C4	3/31/2020	11:00	N1	RA-C069504	C4-01-00-05-033120	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0092	0.017	mg/Kg
C4	3/31/2020	11:00	N1	RA-C069504	C4-01-00-05-033120	SW8082A	SN	PCB-1242 (AROCLOR 1242)	ND	U	0.0057	0.017	mg/Kg
C4	3/31/2020	11:00	N1	RA-C069504	C4-01-00-05-033120	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.006	0.017	mg/Kg
C4	3/31/2020	11:00	N1	RA-C069504	C4-01-00-05-033120	SW8082A	SN	PCB-1254 (AROCLOR 1254)	ND	U	0.0046	0.017	mg/Kg
C4	3/31/2020	11:00	N1	RA-C069504	C4-01-00-05-033120	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0059	0.017	mg/Kg

Attachment 6 - Floor Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Analysis	Matrix	Analyte	Result	Qualifier	Detection Limit	Reporting Limit	Units
C4	3/31/2020	11:00	N1	RA-C069504	C4-01-00-05-033120	SW8082A	SN	TOTAL PCBs	ND	U	-	0.017	mg/Kg
C5	3/31/2020	11:15	N1	RA-C069505	C5-01-00-05-033120	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0062	0.017	mg/Kg
C5	3/31/2020	11:15	N1	RA-C069505	C5-01-00-05-033120	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0081	0.017	mg/Kg
C5	3/31/2020	11:15	N1	RA-C069505	C5-01-00-05-033120	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0096	0.017	mg/Kg
C5	3/31/2020	11:15	N1	RA-C069505	C5-01-00-05-033120	SW8082A	SN	PCB-1242 (AROCLOR 1242)	0.043		0.006	0.017	mg/Kg
C5	3/31/2020	11:15	N1	RA-C069505	C5-01-00-05-033120	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0063	0.017	mg/Kg
C5	3/31/2020	11:15	N1	RA-C069505	C5-01-00-05-033120	SW8082A	SN	PCB-1254 (AROCLOR 1254)	0.014	J	0.0048	0.017	mg/Kg
C5	3/31/2020	11:15	N1	RA-C069505	C5-01-00-05-033120	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0062	0.017	mg/Kg
C5	3/31/2020	11:15	N1	RA-C069505	C5-01-00-05-033120	SW8082A	SN	TOTAL PCBs	0.057		-	0.017	mg/Kg
D1	3/31/2020	12:16	N1	RA-C069506	D1-01-00-05-033120	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0059	0.017	mg/Kg
D1	3/31/2020	12:16	N1	RA-C069506	D1-01-00-05-033120	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0078	0.017	mg/Kg
D1	3/31/2020	12:16	N1	RA-C069506	D1-01-00-05-033120	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0091	0.017	mg/Kg
D1	3/31/2020	12:16	N1	RA-C069506	D1-01-00-05-033120	SW8082A	SN	PCB-1242 (AROCLOR 1242)	0.11		0.0057	0.017	mg/Kg
D1	3/31/2020	12:16	N1	RA-C069506	D1-01-00-05-033120	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.006	0.017	mg/Kg
D1	3/31/2020	12:16	N1	RA-C069506	D1-01-00-05-033120	SW8082A	SN	PCB-1254 (AROCLOR 1254)	0.049		0.0046	0.017	mg/Kg
D1	3/31/2020	12:16	N1	RA-C069506	D1-01-00-05-033120	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0059	0.017	mg/Kg
D1	3/31/2020	12:16	N1	RA-C069506	D1-01-00-05-033120	SW8082A	SN	TOTAL PCBs	0.159		-	0.017	mg/Kg
D2	3/31/2020	12:25	N1	RA-C069507	D2-01-00-05-033120	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0061	0.017	mg/Kg
D2	3/31/2020	12:25	N1	RA-C069507	D2-01-00-05-033120	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0081	0.017	mg/Kg
D2	3/31/2020	12:25	N1	RA-C069507	D2-01-00-05-033120	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0095	0.017	mg/Kg
D2	3/31/2020	12:25	N1	RA-C069507	D2-01-00-05-033120	SW8082A	SN	PCB-1242 (AROCLOR 1242)	ND	U	0.0059	0.017	mg/Kg
D2	3/31/2020	12:25	N1	RA-C069507	D2-01-00-05-033120	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0062	0.017	mg/Kg
D2	3/31/2020	12:25	N1	RA-C069507	D2-01-00-05-033120	SW8082A	SN	PCB-1254 (AROCLOR 1254)	ND	U	0.0048	0.017	mg/Kg
D2	3/31/2020	12:25	N1	RA-C069507	D2-01-00-05-033120	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0061	0.017	mg/Kg
D2	3/31/2020	12:25	N1	RA-C069507	D2-01-00-05-033120	SW8082A	SN	TOTAL PCBs	ND	U	-	0.017	mg/Kg
D3	3/31/2020	12:30	N1	RA-C069508	D3-01-00-05-033120	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.006	0.017	mg/Kg
D3	3/31/2020	12:30	N1	RA-C069508	D3-01-00-05-033120	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.008	0.017	mg/Kg
D3	3/31/2020	12:30	N1	RA-C069508	D3-01-00-05-033120	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0094	0.017	mg/Kg
D3	3/31/2020	12:30	N1	RA-C069508	D3-01-00-05-033120	SW8082A	SN	PCB-1242 (AROCLOR 1242)	0.72		0.0058	0.017	mg/Kg
D3	3/31/2020	12:30	N1	RA-C069508	D3-01-00-05-033120	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0061	0.017	mg/Kg
D3	3/31/2020	12:30	N1	RA-C069508	D3-01-00-05-033120	SW8082A	SN	PCB-1254 (AROCLOR 1254)	0.31		0.0047	0.017	mg/Kg
D3	3/31/2020	12:30	N1	RA-C069508	D3-01-00-05-033120	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.006	0.017	mg/Kg
D3	3/31/2020	12:30	N1	RA-C069508	D3-01-00-05-033120	SW8082A	SN	TOTAL PCBs	1.03		-	0.017	mg/Kg
D4	3/31/2020	12:35	N1	RA-C069509	D4-01-00-05-033120	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0061	0.017	mg/Kg
D4	3/31/2020	12:35	N1	RA-C069509	D4-01-00-05-033120	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.008	0.017	mg/Kg
D4	3/31/2020	12:35	N1	RA-C069509	D4-01-00-05-033120	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0095	0.017	mg/Kg
D4	3/31/2020	12:35	N1	RA-C069509	D4-01-00-05-033120	SW8082A	SN	PCB-1242 (AROCLOR 1242)	0.073		0.0059	0.017	mg/Kg
D4	3/31/2020	12:35	N1	RA-C069509	D4-01-00-05-033120	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0062	0.017	mg/Kg
D4	3/31/2020	12:35	N1	RA-C069509	D4-01-00-05-033120	SW8082A	SN	PCB-1254 (AROCLOR 1254)	0.033		0.0048	0.017	mg/Kg
D4	3/31/2020	12:35	N1	RA-C069509	D4-01-00-05-033120	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0061	0.017	mg/Kg
D4	3/31/2020	12:35	N1	RA-C069509	D4-01-00-05-033120	SW8082A	SN	TOTAL PCBs	0.106		-	0.017	mg/Kg
D5	3/31/2020	12:42	N1	RA-C069510	D5-01-00-05-033120	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0059	0.017	mg/Kg
D5	3/31/2020	12:42	N1	RA-C069510	D5-01-00-05-033120	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0078	0.017	mg/Kg
D5	3/31/2020	12:42	N1	RA-C069510	D5-01-00-05-033120	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0092	0.017	mg/Kg
D5	3/31/2020	12:42	N1	RA-C069510	D5-01-00-05-033120	SW8082A	SN	PCB-1242 (AROCLOR 1242)	ND	U	0.0057	0.017	mg/Kg
D5	3/31/2020	12:42	N1	RA-C069510	D5-01-00-05-033120	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.006	0.017	mg/Kg
D5	3/31/2020	12:42	N1	RA-C069510	D5-01-00-05-033120	SW8082A	SN	PCB-1254 (AROCLOR 1254)	ND	U	0.0046	0.017	mg/Kg
D5	3/31/2020	12:42	N1	RA-C069510	D5-01-00-05-033120	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0059	0.017	mg/Kg
D5	3/31/2020	12:42	N1	RA-C069510	D5-01-00-05-033120	SW8082A	SN	TOTAL PCBs	ND	U	-	0.017	mg/Kg
E1	3/31/2020	11:30	N1	RA-C069601	E1-01-00-05-033120	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0061	0.017	mg/Kg
E1	3/31/2020	11:30	N1	RA-C069601	E1-01-00-05-033120	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.008	0.017	mg/Kg
E1	3/31/2020	11:30	N1	RA-C069601	E1-01-00-05-033120	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0094	0.017	mg/Kg
E1	3/31/2020	11:30	N1	RA-C069601	E1-01-00-05-033120	SW8082A	SN	PCB-1242 (AROCLOR 1242)	0.052		0.0059	0.017	mg/Kg
E1	3/31/2020	11:30	N1	RA-C069601	E1-01-00-05-033120	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0062	0.017	mg/Kg
E1	3/31/2020	11:30	N1	RA-C069601	E1-01-00-05-033120	SW8082A	SN	PCB-1254 (AROCLOR 1254)	0.022		0.0048	0.017	mg/Kg



Attachment 6 - Floor Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Analysis	Matrix	Analyte	Result	Qualifier	Detection Limit	Reporting Limit	Units
E1	3/31/2020	11:30	N1	RA-C069601	E1-01-00-05-033120	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0061	0.017	mg/Kg
E1	3/31/2020	11:30	N1	RA-C069601	E1-01-00-05-033120	SW8082A	SN	TOTAL PCBs	0.074		-	0.017	mg/Kg
E2	3/31/2020	11:37	N1	RA-C069602	E2-01-00-05-033120	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0061	0.017	mg/Kg
E2	3/31/2020	11:37	N1	RA-C069602	E2-01-00-05-033120	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.008	0.017	mg/Kg
E2	3/31/2020	11:37	N1	RA-C069602	E2-01-00-05-033120	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0094	0.017	mg/Kg
E2	3/31/2020	11:37	N1	RA-C069602	E2-01-00-05-033120	SW8082A	SN	PCB-1242 (AROCLOR 1242)	ND	U	0.0059	0.017	mg/Kg
E2	3/31/2020	11:37	N1	RA-C069602	E2-01-00-05-033120	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0062	0.017	mg/Kg
E2	3/31/2020	11:37	N1	RA-C069602	E2-01-00-05-033120	SW8082A	SN	PCB-1254 (AROCLOR 1254)	ND	U	0.0048	0.017	mg/Kg
E2	3/31/2020	11:37	N1	RA-C069602	E2-01-00-05-033120	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0061	0.017	mg/Kg
E2	3/31/2020	11:37	N1	RA-C069602	E2-01-00-05-033120	SW8082A	SN	TOTAL PCBs	ND	U	-	0.017	mg/Kg
E3	3/31/2020	11:50	N1	RA-C069603	E3-01-00-05-033120	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0061	0.017	mg/Kg
E3	3/31/2020	11:50	N1	RA-C069603	E3-01-00-05-033120	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.008	0.017	mg/Kg
E3	3/31/2020	11:50	N1	RA-C069603	E3-01-00-05-033120	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0095	0.017	mg/Kg
E3	3/31/2020	11:50	N1	RA-C069603	E3-01-00-05-033120	SW8082A	SN	PCB-1242 (AROCLOR 1242)	0.092	J	0.0059	0.017	mg/Kg
E3	3/31/2020	11:50	N1	RA-C069603	E3-01-00-05-033120	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0062	0.017	mg/Kg
E3	3/31/2020	11:50	N1	RA-C069603	E3-01-00-05-033120	SW8082A	SN	PCB-1254 (AROCLOR 1254)	0.041		0.0048	0.017	mg/Kg
E3	3/31/2020	11:50	N1	RA-C069603	E3-01-00-05-033120	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0061	0.017	mg/Kg
E3	3/31/2020	11:50	N1	RA-C069603	E3-01-00-05-033120	SW8082A	SN	TOTAL PCBs	0.133		-	0.017	mg/Kg
E4	3/31/2020	12:00	N1	RA-C069604	E4-01-00-05-033120	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0061	0.017	mg/Kg
E4	3/31/2020	12:00	N1	RA-C069604	E4-01-00-05-033120	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.008	0.017	mg/Kg
E4	3/31/2020	12:00	N1	RA-C069604	E4-01-00-05-033120	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0095	0.017	mg/Kg
E4	3/31/2020	12:00	N1	RA-C069604	E4-01-00-05-033120	SW8082A	SN	PCB-1242 (AROCLOR 1242)	0.041		0.0059	0.017	mg/Kg
E4	3/31/2020	12:00	N1	RA-C069604	E4-01-00-05-033120	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0062	0.017	mg/Kg
E4	3/31/2020	12:00	N1	RA-C069604	E4-01-00-05-033120	SW8082A	SN	PCB-1254 (AROCLOR 1254)	0.022		0.0048	0.017	mg/Kg
E4	3/31/2020	12:00	N1	RA-C069604	E4-01-00-05-033120	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0061	0.017	mg/Kg
E4	3/31/2020	12:00	N1	RA-C069604	E4-01-00-05-033120	SW8082A	SN	TOTAL PCBs	0.063		-	0.017	mg/Kg
E5	3/31/2020	12:06	N1	RA-C069605	E5-01-00-05-033120	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	UJ	0.006	0.017	mg/Kg
E5	3/31/2020	12:06	N1	RA-C069605	E5-01-00-05-033120	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	UJ	0.0079	0.017	mg/Kg
E5	3/31/2020	12:06	N1	RA-C069605	E5-01-00-05-033120	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	UJ	0.0093	0.017	mg/Kg
E5	3/31/2020	12:06	N1	RA-C069605	E5-01-00-05-033120	SW8082A	SN	PCB-1242 (AROCLOR 1242)	ND	UJ	0.0058	0.017	mg/Kg
E5	3/31/2020	12:06	N1	RA-C069605	E5-01-00-05-033120	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	UJ	0.0061	0.017	mg/Kg
E5	3/31/2020	12:06	N1	RA-C069605	E5-01-00-05-033120	SW8082A	SN	PCB-1254 (AROCLOR 1254)	ND	UJ	0.0047	0.017	mg/Kg
E5	3/31/2020	12:06	N1	RA-C069605	E5-01-00-05-033120	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	UJ	0.006	0.017	mg/Kg
E5	3/31/2020	12:06	N1	RA-C069605	E5-01-00-05-033120	SW8082A	SN	TOTAL PCBs	ND	U	-	0.017	mg/Kg
F1	3/31/2020	9:55	N1	RA-C069606	F1-01-00-05-033120	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.006	0.017	mg/Kg
F1	3/31/2020	9:55	N1	RA-C069606	F1-01-00-05-033120	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.008	0.017	mg/Kg
F1	3/31/2020	9:55	N1	RA-C069606	F1-01-00-05-033120	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0094	0.017	mg/Kg
F1	3/31/2020	9:55	N1	RA-C069606	F1-01-00-05-033120	SW8082A	SN	PCB-1242 (AROCLOR 1242)	0.38		0.0058	0.017	mg/Kg
F1	3/31/2020	9:55	N1	RA-C069606	F1-01-00-05-033120	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0061	0.017	mg/Kg
F1	3/31/2020	9:55	N1	RA-C069606	F1-01-00-05-033120	SW8082A	SN	PCB-1254 (AROCLOR 1254)	0.16		0.0047	0.017	mg/Kg
F1	3/31/2020	9:55	N1	RA-C069606	F1-01-00-05-033120	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.006	0.017	mg/Kg
F1	3/31/2020	9:55	N1	RA-C069606	F1-01-00-05-033120	SW8082A	SN	TOTAL PCBs	0.54		-	0.017	mg/Kg
F2	3/31/2020	10:05	N1	RA-C069607	F2-01-00-05-033120	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0061	0.017	mg/Kg
F2	3/31/2020	10:05	N1	RA-C069607	F2-01-00-05-033120	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.008	0.017	mg/Kg
F2	3/31/2020	10:05	N1	RA-C069607	F2-01-00-05-033120	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0094	0.017	mg/Kg
F2	3/31/2020	10:05	N1	RA-C069607	F2-01-00-05-033120	SW8082A	SN	PCB-1242 (AROCLOR 1242)	0.028		0.0059	0.017	mg/Kg
F2	3/31/2020	10:05	N1	RA-C069607	F2-01-00-05-033120	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0062	0.017	mg/Kg
F2	3/31/2020	10:05	N1	RA-C069607	F2-01-00-05-033120	SW8082A	SN	PCB-1254 (AROCLOR 1254)	0.021		0.0048	0.017	mg/Kg
F2	3/31/2020	10:05	N1	RA-C069607	F2-01-00-05-033120	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0061	0.017	mg/Kg
F2	3/31/2020	10:05	N1	RA-C069607	F2-01-00-05-033120	SW8082A	SN	TOTAL PCBs	0.049		-	0.017	mg/Kg
F3	3/31/2020	10:10	N1	RA-C069608	F3-01-00-05-033120	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.006	0.017	mg/Kg
F3	3/31/2020	10:10	N1	RA-C069608	F3-01-00-05-033120	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0079	0.017	mg/Kg
F3	3/31/2020	10:10	N1	RA-C069608	F3-01-00-05-033120	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0093	0.017	mg/Kg
F3	3/31/2020	10:10	N1	RA-C069608	F3-01-00-05-033120	SW8082A	SN	PCB-1242 (AROCLOR 1242)	0.024		0.0058	0.017	mg/Kg
F3	3/31/2020	10:10	N1	RA-C069608	F3-01-00-05-033120	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0061	0.017	mg/Kg

Attachment 6 - Floor Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Analysis	Matrix	Analyte	Result	Qualifier	Detection Limit	Reporting Limit	Units
F3	3/31/2020	10:10	N1	RA-C069608	F3-01-00-05-033120	SW8082A	SN	PCB-1254 (AROCLOR 1254)	0.013	J	0.0047	0.017	mg/Kg
F3	3/31/2020	10:10	N1	RA-C069608	F3-01-00-05-033120	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.006	0.017	mg/Kg
F3	3/31/2020	10:10	N1	RA-C069608	F3-01-00-05-033120	SW8082A	SN	TOTAL PCBs	0.037		-	0.017	mg/Kg
F4	3/31/2020	10:15	N1	RA-C069609	F4-01-00-05-033120	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.006	0.017	mg/Kg
F4	3/31/2020	10:15	N1	RA-C069609	F4-01-00-05-033120	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0079	0.017	mg/Kg
F4	3/31/2020	10:15	N1	RA-C069609	F4-01-00-05-033120	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0093	0.017	mg/Kg
F4	3/31/2020	10:15	N1	RA-C069609	F4-01-00-05-033120	SW8082A	SN	PCB-1242 (AROCLOR 1242)	0.046		0.0058	0.017	mg/Kg
F4	3/31/2020	10:15	N1	RA-C069609	F4-01-00-05-033120	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0061	0.017	mg/Kg
F4	3/31/2020	10:15	N1	RA-C069609	F4-01-00-05-033120	SW8082A	SN	PCB-1254 (AROCLOR 1254)	0.041		0.0047	0.017	mg/Kg
F4	3/31/2020	10:15	N1	RA-C069609	F4-01-00-05-033120	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.006	0.017	mg/Kg
F4	3/31/2020	10:15	N1	RA-C069609	F4-01-00-05-033120	SW8082A	SN	TOTAL PCBs	0.087		-	0.017	mg/Kg
F5	3/31/2020	10:22	N1	RA-C069610	F5-01-00-05-033120	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0061	0.017	mg/Kg
F5	3/31/2020	10:22	N1	RA-C069610	F5-01-00-05-033120	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.008	0.017	mg/Kg
F5	3/31/2020	10:22	N1	RA-C069610	F5-01-00-05-033120	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0095	0.017	mg/Kg
F5	3/31/2020	10:22	N1	RA-C069610	F5-01-00-05-033120	SW8082A	SN	PCB-1242 (AROCLOR 1242)	0.039		0.0059	0.017	mg/Kg
F5	3/31/2020	10:22	N1	RA-C069610	F5-01-00-05-033120	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0062	0.017	mg/Kg
F5	3/31/2020	10:22	N1	RA-C069610	F5-01-00-05-033120	SW8082A	SN	PCB-1254 (AROCLOR 1254)	0.025		0.0048	0.017	mg/Kg
F5	3/31/2020	10:22	N1	RA-C069610	F5-01-00-05-033120	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0061	0.017	mg/Kg
F5	3/31/2020	10:22	N1	RA-C069610	F5-01-00-05-033120	SW8082A	SN	TOTAL PCBs	0.064		-	0.017	mg/Kg
10Q	8/25/2020	12:05	N1	DD-D024908	10Q-00-05-082520	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0062	0.018	mg/Kg
10Q	8/25/2020	12:05	N1	DD-D024908	10Q-00-05-082520	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0081	0.018	mg/Kg
10Q	8/25/2020	12:05	N1	DD-D024908	10Q-00-05-082520	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0096	0.018	mg/Kg
10Q	8/25/2020	12:05	N1	DD-D024908	10Q-00-05-082520	SW8082A	SN	PCB-1242 (AROCLOR 1242)	0.041		0.006	0.018	mg/Kg
10Q	8/25/2020	12:05	N1	DD-D024908	10Q-00-05-082520	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0063	0.018	mg/Kg
10Q	8/25/2020	12:05	N1	DD-D024908	10Q-00-05-082520	SW8082A	SN	PCB-1254 (AROCLOR 1254)	0.009	J	0.0048	0.018	mg/Kg
10Q	8/25/2020	12:05	N1	DD-D024908	10Q-00-05-082520	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0062	0.018	mg/Kg
10Q	8/25/2020	12:05	N1	DD-D024908	10Q-00-05-082520	SW8082A	SN	TOTAL PCBs	0.05		-	0.018	mg/Kg
11E	8/25/2020	8:08	N1	DD-D024909	11E-00-05-082520	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0059	0.017	mg/Kg
11E	8/25/2020	8:08	N1	DD-D024909	11E-00-05-082520	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0078	0.017	mg/Kg
11E	8/25/2020	8:08	N1	DD-D024909	11E-00-05-082520	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0092	0.017	mg/Kg
11E	8/25/2020	8:08	N1	DD-D024909	11E-00-05-082520	SW8082A	SN	PCB-1242 (AROCLOR 1242)	0.016	J	0.0057	0.017	mg/Kg
11E	8/25/2020	8:08	N1	DD-D024909	11E-00-05-082520	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.006	0.017	mg/Kg
11E	8/25/2020	8:08	N1	DD-D024909	11E-00-05-082520	SW8082A	SN	PCB-1254 (AROCLOR 1254)	0.0061	J	0.0046	0.017	mg/Kg
11E	8/25/2020	8:08	N1	DD-D024909	11E-00-05-082520	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0059	0.017	mg/Kg
11E	8/25/2020	8:08	N1	DD-D024909	11E-00-05-082520	SW8082A	SN	TOTAL PCBs	0.0221		-	0.017	mg/Kg
11H	8/25/2020	8:15	N1	DD-D024910	11H-00-05-082520	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0061	0.017	mg/Kg
11H	8/25/2020	8:15	N1	DD-D024910	11H-00-05-082520	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.008	0.017	mg/Kg
11H	8/25/2020	8:15	N1	DD-D024910	11H-00-05-082520	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0094	0.017	mg/Kg
11H	8/25/2020	8:15	N1	DD-D024910	11H-00-05-082520	SW8082A	SN	PCB-1242 (AROCLOR 1242)	0.046		0.0059	0.017	mg/Kg
11H	8/25/2020	8:15	N1	DD-D024910	11H-00-05-082520	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0062	0.017	mg/Kg
11H	8/25/2020	8:15	N1	DD-D024910	11H-00-05-082520	SW8082A	SN	PCB-1254 (AROCLOR 1254)	0.015	J	0.0048	0.017	mg/Kg
11H	8/25/2020	8:15	N1	DD-D024910	11H-00-05-082520	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0061	0.017	mg/Kg
11H	8/25/2020	8:15	N1	DD-D024910	11H-00-05-082520	SW8082A	SN	TOTAL PCBs	0.061		-	0.017	mg/Kg
11S	9/10/2020	7:40	N1	DD-D025001	11S-00-05-09102020	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0059	0.017	mg/Kg
11S	9/10/2020	7:40	N1	DD-D025001	11S-00-05-09102020	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0077	0.017	mg/Kg
11S	9/10/2020	7:40	N1	DD-D025001	11S-00-05-09102020	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0091	0.017	mg/Kg
11S	9/10/2020	7:40	N1	DD-D025001	11S-00-05-09102020	SW8082A	SN	PCB-1242 (AROCLOR 1242)	ND	U	0.0057	0.017	mg/Kg
11S	9/10/2020	7:40	N1	DD-D025001	11S-00-05-09102020	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.006	0.017	mg/Kg
11S	9/10/2020	7:40	N1	DD-D025001	11S-00-05-09102020	SW8082A	SN	PCB-1254 (AROCLOR 1254)	ND	U	0.0046	0.017	mg/Kg
11S	9/10/2020	7:40	N1	DD-D025001	11S-00-05-09102020	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0059	0.017	mg/Kg
11S	9/10/2020	7:40	N1	DD-D025001	11S-00-05-09102020	SW8082A	SN	TOTAL PCBs	ND	U	-	0.017	mg/Kg
13M	8/25/2020	11:35	N1	DD-D025002	13M-00-05-082520	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0061	0.017	mg/Kg
13M	8/25/2020	11:35	N1	DD-D025002	13M-00-05-082520	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.008	0.017	mg/Kg
13M	8/25/2020	11:35	N1	DD-D025002	13M-00-05-082520	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0095	0.017	mg/Kg
13M	8/25/2020	11:35	N1	DD-D025002	13M-00-05-082520	SW8082A	SN	PCB-1242 (AROCLOR 1242)	ND	U	0.0059	0.017	mg/Kg

Attachment 6 - Floor Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Analysis	Matrix	Analyte	Result	Qualifier	Detection Limit	Reporting Limit	Units
13M	8/25/2020	11:35	N1	DD-D025002	13M-00-05-082520	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0062	0.017	mg/Kg
13M	8/25/2020	11:35	N1	DD-D025002	13M-00-05-082520	SW8082A	SN	PCB-1254 (AROCLOR 1254)	ND	U	0.0048	0.017	mg/Kg
13M	8/25/2020	11:35	N1	DD-D025002	13M-00-05-082520	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0061	0.017	mg/Kg
13M	8/25/2020	11:35	N1	DD-D025002	13M-00-05-082520	SW8082A	SN	TOTAL PCBs	ND	U	-	0.017	mg/Kg
14B	8/25/2020	7:55	N1	DD-D025003	14B-00-05-082520	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.006	0.017	mg/Kg
14B	8/25/2020	7:55	N1	DD-D025003	14B-00-05-082520	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0079	0.017	mg/Kg
14B	8/25/2020	7:55	N1	DD-D025003	14B-00-05-082520	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0092	0.017	mg/Kg
14B	8/25/2020	7:55	N1	DD-D025003	14B-00-05-082520	SW8082A	SN	PCB-1242 (AROCLOR 1242)	0.013	J	0.0058	0.017	mg/Kg
14B	8/25/2020	7:55	N1	DD-D025003	14B-00-05-082520	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0061	0.017	mg/Kg
14B	8/25/2020	7:55	N1	DD-D025003	14B-00-05-082520	SW8082A	SN	PCB-1254 (AROCLOR 1254)	ND	U	0.0047	0.017	mg/Kg
14B	8/25/2020	7:55	N1	DD-D025003	14B-00-05-082520	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.006	0.017	mg/Kg
14B	8/25/2020	7:55	N1	DD-D025003	14B-00-05-082520	SW8082A	SN	TOTAL PCBs	0.013		-	0.017	mg/Kg
14H	8/25/2020	8:20	N1	DD-D025004	14H-00-05-082520	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0061	0.017	mg/Kg
14H	8/25/2020	8:20	N1	DD-D025004	14H-00-05-082520	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.008	0.017	mg/Kg
14H	8/25/2020	8:20	N1	DD-D025004	14H-00-05-082520	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0094	0.017	mg/Kg
14H	8/25/2020	8:20	N1	DD-D025004	14H-00-05-082520	SW8082A	SN	PCB-1242 (AROCLOR 1242)	ND	U	0.0059	0.017	mg/Kg
14H	8/25/2020	8:20	N1	DD-D025004	14H-00-05-082520	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0062	0.017	mg/Kg
14H	8/25/2020	8:20	N1	DD-D025004	14H-00-05-082520	SW8082A	SN	PCB-1254 (AROCLOR 1254)	ND	U	0.0048	0.017	mg/Kg
14H	8/25/2020	8:20	N1	DD-D025004	14H-00-05-082520	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0061	0.017	mg/Kg
14H	8/25/2020	8:20	N1	DD-D025004	14H-00-05-082520	SW8082A	SN	TOTAL PCBs	ND	U	-	0.017	mg/Kg
14K	8/25/2020	9:47	N1	DD-D025005	14K-00-05-082520	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0053	0.015	mg/Kg
14K	8/25/2020	9:47	N1	DD-D025005	14K-00-05-082520	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.007	0.015	mg/Kg
14K	8/25/2020	9:47	N1	DD-D025005	14K-00-05-082520	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0082	0.015	mg/Kg
14K	8/25/2020	9:47	N1	DD-D025005	14K-00-05-082520	SW8082A	SN	PCB-1242 (AROCLOR 1242)	ND	U	0.0051	0.015	mg/Kg
14K	8/25/2020	9:47	N1	DD-D025005	14K-00-05-082520	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0054	0.015	mg/Kg
14K	8/25/2020	9:47	N1	DD-D025005	14K-00-05-082520	SW8082A	SN	PCB-1254 (AROCLOR 1254)	ND	U	0.0042	0.015	mg/Kg
14K	8/25/2020	9:47	N1	DD-D025005	14K-00-05-082520	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0053	0.015	mg/Kg
14K	8/25/2020	9:47	N1	DD-D025005	14K-00-05-082520	SW8082A	SN	TOTAL PCBs	ND	U	-	0.015	mg/Kg
15D	8/25/2020	8:00	N1	DD-D025006	15D-00-05-082520	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0058	0.016	mg/Kg
15D	8/25/2020	8:00	N1	DD-D025006	15D-00-05-082520	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0077	0.016	mg/Kg
15D	8/25/2020	8:00	N1	DD-D025006	15D-00-05-082520	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.009	0.016	mg/Kg
15D	8/25/2020	8:00	N1	DD-D025006	15D-00-05-082520	SW8082A	SN	PCB-1242 (AROCLOR 1242)	ND	U	0.0056	0.016	mg/Kg
15D	8/25/2020	8:00	N1	DD-D025006	15D-00-05-082520	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0059	0.016	mg/Kg
15D	8/25/2020	8:00	N1	DD-D025006	15D-00-05-082520	SW8082A	SN	PCB-1254 (AROCLOR 1254)	ND	U	0.0046	0.016	mg/Kg
15D	8/25/2020	8:00	N1	DD-D025006	15D-00-05-082520	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0058	0.016	mg/Kg
15D	8/25/2020	8:00	N1	DD-D025006	15D-00-05-082520	SW8082A	SN	TOTAL PCBs	ND	U	-	0.016	mg/Kg
15Q	8/25/2020	11:53	N1	DD-D025007	15Q-00-05-082520	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0061	0.017	mg/Kg
15Q	8/25/2020	11:53	N1	DD-D025007	15Q-00-05-082520	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0081	0.017	mg/Kg
15Q	8/25/2020	11:53	N1	DD-D025007	15Q-00-05-082520	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0095	0.017	mg/Kg
15Q	8/25/2020	11:53	N1	DD-D025007	15Q-00-05-082520	SW8082A	SN	PCB-1242 (AROCLOR 1242)	ND	U	0.0059	0.017	mg/Kg
15Q	8/25/2020	11:53	N1	DD-D025007	15Q-00-05-082520	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0062	0.017	mg/Kg
15Q	8/25/2020	11:53	N1	DD-D025007	15Q-00-05-082520	SW8082A	SN	PCB-1254 (AROCLOR 1254)	ND	U	0.0048	0.017	mg/Kg
15Q	8/25/2020	11:53	N1	DD-D025007	15Q-00-05-082520	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0061	0.017	mg/Kg
15Q	8/25/2020	11:53	N1	DD-D025007	15Q-00-05-082520	SW8082A	SN	TOTAL PCBs	ND	U	-	0.017	mg/Kg
15T	9/10/2020	7:30	N1	DD-D025008	15T-00-05-09102020	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0054	0.015	mg/Kg
15T	9/10/2020	7:30	N1	DD-D025008	15T-00-05-09102020	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0072	0.015	mg/Kg
15T	9/10/2020	7:30	N1	DD-D025008	15T-00-05-09102020	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0084	0.015	mg/Kg
15T	9/10/2020	7:30	N1	DD-D025008	15T-00-05-09102020	SW8082A	SN	PCB-1242 (AROCLOR 1242)	ND	U	0.0053	0.015	mg/Kg
15T	9/10/2020	7:30	N1	DD-D025008	15T-00-05-09102020	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0055	0.015	mg/Kg
15T	9/10/2020	7:30	N1	DD-D025008	15T-00-05-09102020	SW8082A	SN	PCB-1254 (AROCLOR 1254)	ND	U	0.0043	0.015	mg/Kg
15T	9/10/2020	7:30	N1	DD-D025008	15T-00-05-09102020	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0054	0.015	mg/Kg
15T	9/10/2020	7:30	N1	DD-D025008	15T-00-05-09102020	SW8082A	SN	TOTAL PCBs	ND	U	-	0.015	mg/Kg
16L	8/25/2020	9:53	N1	DD-D025009	16L-00-05-082520	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0057	0.016	mg/Kg
16L	8/25/2020	9:53	N1	DD-D025009	16L-00-05-082520	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0075	0.016	mg/Kg
16L	8/25/2020	9:53	N1	DD-D025009	16L-00-05-082520	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0089	0.016	mg/Kg

## Attachment 6 - Floor Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Analysis	Matrix	Analyte	Result	Qualifier	Detection Limit	Reporting Limit	Units
16L	8/25/2020	9:53	N1	DD-D025009	16L-00-05-082520	SW8082A	SN	PCB-1242 (AROCLOR 1242)	ND	U	0.0055	0.016	mg/Kg
16L	8/25/2020	9:53	N1	DD-D025009	16L-00-05-082520	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0058	0.016	mg/Kg
16L	8/25/2020	9:53	N1	DD-D025009	16L-00-05-082520	SW8082A	SN	PCB-1254 (AROCLOR 1254)	ND	U	0.0045	0.016	mg/Kg
16L	8/25/2020	9:53	N1	DD-D025009	16L-00-05-082520	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0057	0.016	mg/Kg
16L	8/25/2020	9:53	N1	DD-D025009	16L-00-05-082520	SW8082A	SN	TOTAL PCBs	ND	U	-	0.016	mg/Kg
17E	8/25/2020	8:35	N1	DD-D025010	17E-00-05-082520	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0056	0.016	mg/Kg
17E	8/25/2020	8:35	N1	DD-D025010	17E-00-05-082520	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0073	0.016	mg/Kg
17E	8/25/2020	8:35	N1	DD-D025010	17E-00-05-082520	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0086	0.016	mg/Kg
17E	8/25/2020	8:35	N1	DD-D025010	17E-00-05-082520	SW8082A	SN	PCB-1242 (AROCLOR 1242)	0.021		0.0054	0.016	mg/Kg
17E	8/25/2020	8:35	N1	DD-D025010	17E-00-05-082520	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0057	0.016	mg/Kg
17E	8/25/2020	8:35	N1	DD-D025010	17E-00-05-082520	SW8082A	SN	PCB-1254 (AROCLOR 1254)	0.0081	J	0.0044	0.016	mg/Kg
17E	8/25/2020	8:35	N1	DD-D025010	17E-00-05-082520	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0056	0.016	mg/Kg
17E	8/25/2020	8:35	N1	DD-D025010	17E-00-05-082520	SW8082A	SN	TOTAL PCBs	0.0291		-	0.016	mg/Kg
17H	8/25/2020	9:40	N1	DD-D025101	17H-00-05-082520	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0059	0.017	mg/Kg
17H	8/25/2020	9:40	N1	DD-D025101	17H-00-05-082520	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0077	0.017	mg/Kg
17H	8/25/2020	9:40	N1	DD-D025101	17H-00-05-082520	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0091	0.017	mg/Kg
17H	8/25/2020	9:40	N1	DD-D025101	17H-00-05-082520	SW8082A	SN	PCB-1242 (AROCLOR 1242)	ND	U	0.0057	0.017	mg/Kg
17H	8/25/2020	9:40	N1	DD-D025101	17H-00-05-082520	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.006	0.017	mg/Kg
17H	8/25/2020	9:40	N1	DD-D025101	17H-00-05-082520	SW8082A	SN	PCB-1254 (AROCLOR 1254)	ND	U	0.0046	0.017	mg/Kg
17H	8/25/2020	9:40	N1	DD-D025101	17H-00-05-082520	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0059	0.017	mg/Kg
17H	8/25/2020	9:40	N1	DD-D025101	17H-00-05-082520	SW8082A	SN	TOTAL PCBs	ND	U	-	0.017	mg/Kg
17N	8/25/2020	11:30	N1	DD-D025102	17N-00-05-082520	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0058	0.016	mg/Kg
17N	8/25/2020	11:30	N1	DD-D025102	17N-00-05-082520	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0076	0.016	mg/Kg
17N	8/25/2020	11:30	N1	DD-D025102	17N-00-05-082520	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0089	0.016	mg/Kg
17N	8/25/2020	11:30	N1	DD-D025102	17N-00-05-082520	SW8082A	SN	PCB-1242 (AROCLOR 1242)	ND	U	0.0056	0.016	mg/Kg
17N	8/25/2020	11:30	N1	DD-D025102	17N-00-05-082520	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0058	0.016	mg/Kg
17N	8/25/2020	11:30	N1	DD-D025102	17N-00-05-082520	SW8082A	SN	PCB-1254 (AROCLOR 1254)	ND	U	0.0045	0.016	mg/Kg
17N	8/25/2020	11:30	N1	DD-D025102	17N-00-05-082520	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0058	0.016	mg/Kg
17N	8/25/2020	11:30	N1	DD-D025102	17N-00-05-082520	SW8082A	SN	TOTAL PCBs	ND	U	-	0.016	mg/Kg
17P	8/25/2020	11:35	N1	DD-D025103	17P-00-05-082520	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0062	0.018	mg/Kg
17P	8/25/2020	11:35	N1	DD-D025103	17P-00-05-082520	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0081	0.018	mg/Kg
17P	8/25/2020	11:35	N1	DD-D025103	17P-00-05-082520	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0096	0.018	mg/Kg
17P	8/25/2020	11:35	N1	DD-D025103	17P-00-05-082520	SW8082A	SN	PCB-1242 (AROCLOR 1242)	ND	U	0.006	0.018	mg/Kg
17P	8/25/2020	11:35	N1	DD-D025103	17P-00-05-082520	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0063	0.018	mg/Kg
17P	8/25/2020	11:35	N1	DD-D025103	17P-00-05-082520	SW8082A	SN	PCB-1254 (AROCLOR 1254)	ND	U	0.0048	0.018	mg/Kg
17P	8/25/2020	11:35	N1	DD-D025103	17P-00-05-082520	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0062	0.018	mg/Kg
17P	8/25/2020	11:35	N1	DD-D025103	17P-00-05-082520	SW8082A	SN	TOTAL PCBs	ND	U	-	0.018	mg/Kg
20H	8/25/2020	9:30	N1	DD-D025104	20H-00-05-082520	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0058	0.016	mg/Kg
20H	8/25/2020	9:30	N1	DD-D025104	20H-00-05-082520	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0076	0.016	mg/Kg
20H	8/25/2020	9:30	N1	DD-D025104	20H-00-05-082520	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.009	0.016	mg/Kg
20H	8/25/2020	9:30	N1	DD-D025104	20H-00-05-082520	SW8082A	SN	PCB-1242 (AROCLOR 1242)	ND	U	0.0056	0.016	mg/Kg
20H	8/25/2020	9:30	N1	DD-D025104	20H-00-05-082520	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0059	0.016	mg/Kg
20H	8/25/2020	9:30	N1	DD-D025104	20H-00-05-082520	SW8082A	SN	PCB-1254 (AROCLOR 1254)	ND	U	0.0046	0.016	mg/Kg
20H	8/25/2020	9:30	N1	DD-D025104	20H-00-05-082520	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0058	0.016	mg/Kg
20H	8/25/2020	9:30	N1	DD-D025104	20H-00-05-082520	SW8082A	SN	TOTAL PCBs	ND	U	-	0.016	mg/Kg
20J	8/25/2020	10:00	N1	DD-D025105	20J-00-05-082520	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0057	0.016	mg/Kg
20J	8/25/2020	10:00	N1	DD-D025105	20J-00-05-082520	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0075	0.016	mg/Kg
20J	8/25/2020	10:00	N1	DD-D025105	20J-00-05-082520	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0088	0.016	mg/Kg
20J	8/25/2020	10:00	N1	DD-D025105	20J-00-05-082520	SW8082A	SN	PCB-1242 (AROCLOR 1242)	ND	U	0.0055	0.016	mg/Kg
20J	8/25/2020	10:00	N1	DD-D025105	20J-00-05-082520	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0058	0.016	mg/Kg
20J	8/25/2020	10:00	N1	DD-D025105	20J-00-05-082520	SW8082A	SN	PCB-1254 (AROCLOR 1254)	ND	U	0.0044	0.016	mg/Kg
20J	8/25/2020	10:00	N1	DD-D025105	20J-00-05-082520	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0057	0.016	mg/Kg
20J	8/25/2020	10:00	N1	DD-D025105	20J-00-05-082520	SW8082A	SN	TOTAL PCBs	ND	U	-	0.016	mg/Kg
20K	8/25/2020	10:07	N1	DD-D025106	20K-00-05-082520	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0058	0.016	mg/Kg
20K	8/25/2020	10:07	N1	DD-D025106	20K-00-05-082520	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0076	0.016	mg/Kg

## Attachment 6 - Floor Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Analysis	Matrix	Analyte	Result	Qualifier	Detection Limit	Reporting Limit	Units
20K	8/25/2020	10:07	N1	DD-D025106	20K-00-05-082520	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.009	0.016	mg/Kg
20K	8/25/2020	10:07	N1	DD-D025106	20K-00-05-082520	SW8082A	SN	PCB-1242 (AROCLOR 1242)	ND	U	0.0056	0.016	mg/Kg
20K	8/25/2020	10:07	N1	DD-D025106	20K-00-05-082520	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0059	0.016	mg/Kg
20K	8/25/2020	10:07	N1	DD-D025106	20K-00-05-082520	SW8082A	SN	PCB-1254 (AROCLOR 1254)	ND	U	0.0045	0.016	mg/Kg
20K	8/25/2020	10:07	N1	DD-D025106	20K-00-05-082520	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0058	0.016	mg/Kg
20K	8/25/2020	10:07	N1	DD-D025106	20K-00-05-082520	SW8082A	SN	TOTAL PCBs	ND	U	-	0.016	mg/Kg
20L	8/25/2020	10:12	N1	DD-D025107	20L-00-05-082520	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0055	0.016	mg/Kg
20L	8/25/2020	10:12	N1	DD-D025107	20L-00-05-082520	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0072	0.016	mg/Kg
20L	8/25/2020	10:12	N1	DD-D025107	20L-00-05-082520	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0085	0.016	mg/Kg
20L	8/25/2020	10:12	N1	DD-D025107	20L-00-05-082520	SW8082A	SN	PCB-1242 (AROCLOR 1242)	ND	U	0.0053	0.016	mg/Kg
20L	8/25/2020	10:12	N1	DD-D025107	20L-00-05-082520	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0056	0.016	mg/Kg
20L	8/25/2020	10:12	N1	DD-D025107	20L-00-05-082520	SW8082A	SN	PCB-1254 (AROCLOR 1254)	ND	U	0.0043	0.016	mg/Kg
20L	8/25/2020	10:12	N1	DD-D025107	20L-00-05-082520	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0055	0.016	mg/Kg
20L	8/25/2020	10:12	N1	DD-D025107	20L-00-05-082520	SW8082A	SN	TOTAL PCBs	ND	U	-	0.016	mg/Kg
20P	8/25/2020	11:22	N1	DD-D025108	20P-00-05-082520	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0056	0.016	mg/Kg
20P	8/25/2020	11:22	N1	DD-D025108	20P-00-05-082520	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0074	0.016	mg/Kg
20P	8/25/2020	11:22	N1	DD-D025108	20P-00-05-082520	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0086	0.016	mg/Kg
20P	8/25/2020	11:22	N1	DD-D025108	20P-00-05-082520	SW8082A	SN	PCB-1242 (AROCLOR 1242)	ND	U	0.0054	0.016	mg/Kg
20P	8/25/2020	11:22	N1	DD-D025108	20P-00-05-082520	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0057	0.016	mg/Kg
20P	8/25/2020	11:22	N1	DD-D025108	20P-00-05-082520	SW8082A	SN	PCB-1254 (AROCLOR 1254)	ND	U	0.0044	0.016	mg/Kg
20P	8/25/2020	11:22	N1	DD-D025108	20P-00-05-082520	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0056	0.016	mg/Kg
20P	8/25/2020	11:22	N1	DD-D025108	20P-00-05-082520	SW8082A	SN	TOTAL PCBs	ND	U	-	0.016	mg/Kg
21J	8/25/2020	10:22	N1	DD-D025109	21J-00-05-082520	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0053	0.015	mg/Kg
21J	8/25/2020	10:22	N1	DD-D025109	21J-00-05-082520	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.007	0.015	mg/Kg
21J	8/25/2020	10:22	N1	DD-D025109	21J-00-05-082520	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0083	0.015	mg/Kg
21J	8/25/2020	10:22	N1	DD-D025109	21J-00-05-082520	SW8082A	SN	PCB-1242 (AROCLOR 1242)	ND	U	0.0052	0.015	mg/Kg
21J	8/25/2020	10:22	N1	DD-D025109	21J-00-05-082520	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0054	0.015	mg/Kg
21J	8/25/2020	10:22	N1	DD-D025109	21J-00-05-082520	SW8082A	SN	PCB-1254 (AROCLOR 1254)	ND	U	0.0042	0.015	mg/Kg
21J	8/25/2020	10:22	N1	DD-D025109	21J-00-05-082520	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0053	0.015	mg/Kg
21J	8/25/2020	10:22	N1	DD-D025109	21J-00-05-082520	SW8082A	SN	TOTAL PCBs	ND	U	-	0.015	mg/Kg
21L	8/25/2020	10:17	N1	DD-D025110	21L-00-05-082520	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0058	0.016	mg/Kg
21L	8/25/2020	10:17	N1	DD-D025110	21L-00-05-082520	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0077	0.016	mg/Kg
21L	8/25/2020	10:17	N1	DD-D025110	21L-00-05-082520	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0091	0.016	mg/Kg
21L	8/25/2020	10:17	N1	DD-D025110	21L-00-05-082520	SW8082A	SN	PCB-1242 (AROCLOR 1242)	ND	U	0.0056	0.016	mg/Kg
21L	8/25/2020	10:17	N1	DD-D025110	21L-00-05-082520	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0059	0.016	mg/Kg
21L	8/25/2020	10:17	N1	DD-D025110	21L-00-05-082520	SW8082A	SN	PCB-1254 (AROCLOR 1254)	ND	U	0.0046	0.016	mg/Kg
21L	8/25/2020	10:17	N1	DD-D025110	21L-00-05-082520	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0058	0.016	mg/Kg
21L	8/25/2020	10:17	N1	DD-D025110	21L-00-05-082520	SW8082A	SN	TOTAL PCBs	ND	U	-	0.016	mg/Kg
22H	8/25/2020	9:25	N1	DD-D025201	22H-00-05-082520	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.006	0.017	mg/Kg
22H	8/25/2020	9:25	N1	DD-D025201	22H-00-05-082520	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.008	0.017	mg/Kg
22H	8/25/2020	9:25	N1	DD-D025201	22H-00-05-082520	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0094	0.017	mg/Kg
22H	8/25/2020	9:25	N1	DD-D025201	22H-00-05-082520	SW8082A	SN	PCB-1242 (AROCLOR 1242)	ND	U	0.0058	0.017	mg/Kg
22H	8/25/2020	9:25	N1	DD-D025201	22H-00-05-082520	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0061	0.017	mg/Kg
22H	8/25/2020	9:25	N1	DD-D025201	22H-00-05-082520	SW8082A	SN	PCB-1254 (AROCLOR 1254)	ND	U	0.0047	0.017	mg/Kg
22H	8/25/2020	9:25	N1	DD-D025201	22H-00-05-082520	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.006	0.017	mg/Kg
22H	8/25/2020	9:25	N1	DD-D025201	22H-00-05-082520	SW8082A	SN	TOTAL PCBs	ND	U	-	0.017	mg/Kg
22J	8/25/2020	10:35	N1	DD-D025202	22J-00-05-082520	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0059	0.017	mg/Kg
22J	8/25/2020	10:35	N1	DD-D025202	22J-00-05-082520	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0078	0.017	mg/Kg
22J	8/25/2020	10:35	N1	DD-D025202	22J-00-05-082520	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0092	0.017	mg/Kg
22J	8/25/2020	10:35	N1	DD-D025202	22J-00-05-082520	SW8082A	SN	PCB-1242 (AROCLOR 1242)	ND	U	0.0057	0.017	mg/Kg
22J	8/25/2020	10:35	N1	DD-D025202	22J-00-05-082520	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.006	0.017	mg/Kg
22J	8/25/2020	10:35	N1	DD-D025202	22J-00-05-082520	SW8082A	SN	PCB-1254 (AROCLOR 1254)	ND	U	0.0046	0.017	mg/Kg
22J	8/25/2020	10:35	N1	DD-D025202	22J-00-05-082520	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0059	0.017	mg/Kg
22J	8/25/2020	10:35	N1	DD-D025202	22J-00-05-082520	SW8082A	SN	TOTAL PCBs	ND	U	-	0.017	mg/Kg
22K	8/25/2020	10:40	N1	DD-D025203	22K-00-05-082520	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0058	0.016	mg/Kg



## Attachment 6 - Floor Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Analysis	Matrix	Analyte	Result	Qualifier	Detection Limit	Reporting Limit	Units
22K	8/25/2020	10:40	N1	DD-D025203	22K-00-05-082520	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0076	0.016	mg/Kg
22K	8/25/2020	10:40	N1	DD-D025203	22K-00-05-082520	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.009	0.016	mg/Kg
22K	8/25/2020	10:40	N1	DD-D025203	22K-00-05-082520	SW8082A	SN	PCB-1242 (AROCLOR 1242)	ND	U	0.0056	0.016	mg/Kg
22K	8/25/2020	10:40	N1	DD-D025203	22K-00-05-082520	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0059	0.016	mg/Kg
22K	8/25/2020	10:40	N1	DD-D025203	22K-00-05-082520	SW8082A	SN	PCB-1254 (AROCLOR 1254)	ND	U	0.0045	0.016	mg/Kg
22K	8/25/2020	10:40	N1	DD-D025203	22K-00-05-082520	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0058	0.016	mg/Kg
22K	8/25/2020	10:40	N1	DD-D025203	22K-00-05-082520	SW8082A	SN	TOTAL PCBs	ND	U	-	0.016	mg/Kg
22L	8/25/2020	11:02	N1	DD-D025204	22L-00-05-082520	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0059	0.017	mg/Kg
22L	8/25/2020	11:02	N1	DD-D025204	22L-00-05-082520	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0077	0.017	mg/Kg
22L	8/25/2020	11:02	N1	DD-D025204	22L-00-05-082520	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0091	0.017	mg/Kg
22L	8/25/2020	11:02	N1	DD-D025204	22L-00-05-082520	SW8082A	SN	PCB-1242 (AROCLOR 1242)	ND	U	0.0057	0.017	mg/Kg
22L	8/25/2020	11:02	N1	DD-D025204	22L-00-05-082520	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.006	0.017	mg/Kg
22L	8/25/2020	11:02	N1	DD-D025204	22L-00-05-082520	SW8082A	SN	PCB-1254 (AROCLOR 1254)	ND	U	0.0046	0.017	mg/Kg
22L	8/25/2020	11:02	N1	DD-D025204	22L-00-05-082520	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0059	0.017	mg/Kg
22L	8/25/2020	11:02	N1	DD-D025204	22L-00-05-082520	SW8082A	SN	TOTAL PCBs	ND	U	-	0.017	mg/Kg
23B	8/25/2020	7:40	N1	DD-D025205	23B-00-05-082520	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0057	0.016	mg/Kg
23B	8/25/2020	7:40	N1	DD-D025205	23B-00-05-082520	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0075	0.016	mg/Kg
23B	8/25/2020	7:40	N1	DD-D025205	23B-00-05-082520	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0088	0.016	mg/Kg
23B	8/25/2020	7:40	N1	DD-D025205	23B-00-05-082520	SW8082A	SN	PCB-1242 (AROCLOR 1242)	ND	U	0.0055	0.016	mg/Kg
23B	8/25/2020	7:40	N1	DD-D025205	23B-00-05-082520	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0058	0.016	mg/Kg
23B	8/25/2020	7:40	N1	DD-D025205	23B-00-05-082520	SW8082A	SN	PCB-1254 (AROCLOR 1254)	ND	U	0.0045	0.016	mg/Kg
23B	8/25/2020	7:40	N1	DD-D025205	23B-00-05-082520	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0057	0.016	mg/Kg
23B	8/25/2020	7:40	N1	DD-D025205	23B-00-05-082520	SW8082A	SN	TOTAL PCBs	ND	U	-	0.016	mg/Kg
23E	8/25/2020	8:50	N1	DD-D025206	23E-00-05-082520	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0059	0.017	mg/Kg
23E	8/25/2020	8:50	N1	DD-D025206	23E-00-05-082520	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0077	0.017	mg/Kg
23E	8/25/2020	8:50	N1	DD-D025206	23E-00-05-082520	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0091	0.017	mg/Kg
23E	8/25/2020	8:50	N1	DD-D025206	23E-00-05-082520	SW8082A	SN	PCB-1242 (AROCLOR 1242)	ND	U	0.0057	0.017	mg/Kg
23E	8/25/2020	8:50	N1	DD-D025206	23E-00-05-082520	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.006	0.017	mg/Kg
23E	8/25/2020	8:50	N1	DD-D025206	23E-00-05-082520	SW8082A	SN	PCB-1254 (AROCLOR 1254)	ND	U	0.0046	0.017	mg/Kg
23E	8/25/2020	8:50	N1	DD-D025206	23E-00-05-082520	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0059	0.017	mg/Kg
23E	8/25/2020	8:50	N1	DD-D025206	23E-00-05-082520	SW8082A	SN	TOTAL PCBs	ND	U	-	0.017	mg/Kg
23N	8/25/2020	11:12	N1	DD-D025207	23N-00-05-082520	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0061	0.017	mg/Kg
23N	8/25/2020	11:12	N1	DD-D025207	23N-00-05-082520	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0081	0.017	mg/Kg
23N	8/25/2020	11:12	N1	DD-D025207	23N-00-05-082520	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0095	0.017	mg/Kg
23N	8/25/2020	11:12	N1	DD-D025207	23N-00-05-082520	SW8082A	SN	PCB-1242 (AROCLOR 1242)	ND	U	0.0059	0.017	mg/Kg
23N	8/25/2020	11:12	N1	DD-D025207	23N-00-05-082520	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0062	0.017	mg/Kg
23N	8/25/2020	11:12	N1	DD-D025207	23N-00-05-082520	SW8082A	SN	PCB-1254 (AROCLOR 1254)	ND	U	0.0048	0.017	mg/Kg
23N	8/25/2020	11:12	N1	DD-D025207	23N-00-05-082520	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0061	0.017	mg/Kg
23N	8/25/2020	11:12	N1	DD-D025207	23N-00-05-082520	SW8082A	SN	TOTAL PCBs	ND	U	-	0.017	mg/Kg
24K	8/25/2020	11:07	N1	DD-D025208	24K-00-05-082520	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0059	0.017	mg/Kg
24K	8/25/2020	11:07	N1	DD-D025208	24K-00-05-082520	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0078	0.017	mg/Kg
24K	8/25/2020	11:07	N1	DD-D025208	24K-00-05-082520	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0092	0.017	mg/Kg
24K	8/25/2020	11:07	N1	DD-D025208	24K-00-05-082520	SW8082A	SN	PCB-1242 (AROCLOR 1242)	ND	U	0.0057	0.017	mg/Kg
24K	8/25/2020	11:07	N1	DD-D025208	24K-00-05-082520	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.006	0.017	mg/Kg
24K	8/25/2020	11:07	N1	DD-D025208	24K-00-05-082520	SW8082A	SN	PCB-1254 (AROCLOR 1254)	ND	U	0.0046	0.017	mg/Kg
24K	8/25/2020	11:07	N1	DD-D025208	24K-00-05-082520	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0059	0.017	mg/Kg
24K	8/25/2020	11:07	N1	DD-D025208	24K-00-05-082520	SW8082A	SN	TOTAL PCBs	ND	U	-	0.017	mg/Kg
26E	8/25/2020	9:12	N1	DD-D025209	26E-00-05-082520	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0059	0.017	mg/Kg
26E	8/25/2020	9:12	N1	DD-D025209	26E-00-05-082520	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0078	0.017	mg/Kg
26E	8/25/2020	9:12	N1	DD-D025209	26E-00-05-082520	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0092	0.017	mg/Kg
26E	8/25/2020	9:12	N1	DD-D025209	26E-00-05-082520	SW8082A	SN	PCB-1242 (AROCLOR 1242)	ND	U	0.0057	0.017	mg/Kg
26E	8/25/2020	9:12	N1	DD-D025209	26E-00-05-082520	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.006	0.017	mg/Kg
26E	8/25/2020	9:12	N1	DD-D025209	26E-00-05-082520	SW8082A	SN	PCB-1254 (AROCLOR 1254)	ND	U	0.0046	0.017	mg/Kg
26E	8/25/2020	9:12	N1	DD-D025209	26E-00-05-082520	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0059	0.017	mg/Kg
26E	8/25/2020	9:12	N1	DD-D025209	26E-00-05-082520	SW8082A	SN	TOTAL PCBs	ND	U	-	0.017	mg/Kg

Attachment 6 - Floor Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Analysis	Matrix	Analyte	Result	Qualifier	Detection Limit	Reporting Limit	Units
26H	8/25/2020	9:18	N1	DD-D025210	26H-00-05-082520	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0058	0.016	mg/Kg
26H	8/25/2020	9:18	N1	DD-D025210	26H-00-05-082520	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0076	0.016	mg/Kg
26H	8/25/2020	9:18	N1	DD-D025210	26H-00-05-082520	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.009	0.016	mg/Kg
26H	8/25/2020	9:18	N1	DD-D025210	26H-00-05-082520	SW8082A	SN	PCB-1242 (AROCLOR 1242)	ND	U	0.0056	0.016	mg/Kg
26H	8/25/2020	9:18	N1	DD-D025210	26H-00-05-082520	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0059	0.016	mg/Kg
26H	8/25/2020	9:18	N1	DD-D025210	26H-00-05-082520	SW8082A	SN	PCB-1254 (AROCLOR 1254)	ND	U	0.0045	0.016	mg/Kg
26H	8/25/2020	9:18	N1	DD-D025210	26H-00-05-082520	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0058	0.016	mg/Kg
26H	8/25/2020	9:18	N1	DD-D025210	26H-00-05-082520	SW8082A	SN	TOTAL PCBs	ND	U	-	0.016	mg/Kg
26P	8/25/2020	11:17	N1	DD-D025301	26P-00-05-082520	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0053	0.015	mg/Kg
26P	8/25/2020	11:17	N1	DD-D025301	26P-00-05-082520	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.007	0.015	mg/Kg
26P	8/25/2020	11:17	N1	DD-D025301	26P-00-05-082520	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0082	0.015	mg/Kg
26P	8/25/2020	11:17	N1	DD-D025301	26P-00-05-082520	SW8082A	SN	PCB-1242 (AROCLOR 1242)	ND	U	0.0051	0.015	mg/Kg
26P	8/25/2020	11:17	N1	DD-D025301	26P-00-05-082520	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0054	0.015	mg/Kg
26P	8/25/2020	11:17	N1	DD-D025301	26P-00-05-082520	SW8082A	SN	PCB-1254 (AROCLOR 1254)	ND	U	0.0042	0.015	mg/Kg
26P	8/25/2020	11:17	N1	DD-D025301	26P-00-05-082520	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0053	0.015	mg/Kg
26P	8/25/2020	11:17	N1	DD-D025301	26P-00-05-082520	SW8082A	SN	TOTAL PCBs	ND	U	-	0.015	mg/Kg
2D	9/10/2020	9:15	N1	DD-D024801	2D-00-05-09102020	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.006	0.017	mg/Kg
2D	9/10/2020	9:15	N1	DD-D024801	2D-00-05-09102020	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0078	0.017	mg/Kg
2D	9/10/2020	9:15	N1	DD-D024801	2D-00-05-09102020	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0092	0.017	mg/Kg
2D	9/10/2020	9:15	N1	DD-D024801	2D-00-05-09102020	SW8082A	SN	PCB-1242 (AROCLOR 1242)	ND	U	0.0058	0.017	mg/Kg
2D	9/10/2020	9:15	N1	DD-D024801	2D-00-05-09102020	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0061	0.017	mg/Kg
2D	9/10/2020	9:15	N1	DD-D024801	2D-00-05-09102020	SW8082A	SN	PCB-1254 (AROCLOR 1254)	ND	U	0.0047	0.017	mg/Kg
2D	9/10/2020	9:15	N1	DD-D024801	2D-00-05-09102020	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.006	0.017	mg/Kg
2D	9/10/2020	9:15	N1	DD-D024801	2D-00-05-09102020	SW8082A	SN	TOTAL PCBs	ND	U	-	0.017	mg/Kg
2J	9/10/2020	8:45	N1	DD-D024802	2J-00-05-09102020	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0061	0.017	mg/Kg
2J	9/10/2020	8:45	N1	DD-D024802	2J-00-05-09102020	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.008	0.017	mg/Kg
2J	9/10/2020	8:45	N1	DD-D024802	2J-00-05-09102020	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0094	0.017	mg/Kg
2J	9/10/2020	8:45	N1	DD-D024802	2J-00-05-09102020	SW8082A	SN	PCB-1242 (AROCLOR 1242)	ND	U	0.0059	0.017	mg/Kg
2J	9/10/2020	8:45	N1	DD-D024802	2J-00-05-09102020	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0062	0.017	mg/Kg
2J	9/10/2020	8:45	N1	DD-D024802	2J-00-05-09102020	SW8082A	SN	PCB-1254 (AROCLOR 1254)	ND	U	0.0048	0.017	mg/Kg
2J	9/10/2020	8:45	N1	DD-D024802	2J-00-05-09102020	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0061	0.017	mg/Kg
2J	9/10/2020	8:45	N1	DD-D024802	2J-00-05-09102020	SW8082A	SN	TOTAL PCBs	ND	U	-	0.017	mg/Kg
2V	9/10/2020	8:10	N1	DD-D024803	2V-00-05-09102020	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.006	0.017	mg/Kg
2V	9/10/2020	8:10	N1	DD-D024803	2V-00-05-09102020	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0078	0.017	mg/Kg
2V	9/10/2020	8:10	N1	DD-D024803	2V-00-05-09102020	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0092	0.017	mg/Kg
2V	9/10/2020	8:10	N1	DD-D024803	2V-00-05-09102020	SW8082A	SN	PCB-1242 (AROCLOR 1242)	ND	U	0.0058	0.017	mg/Kg
2V	9/10/2020	8:10	N1	DD-D024803	2V-00-05-09102020	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.006	0.017	mg/Kg
2V	9/10/2020	8:10	N1	DD-D024803	2V-00-05-09102020	SW8082A	SN	PCB-1254 (AROCLOR 1254)	ND	U	0.0047	0.017	mg/Kg
2V	9/10/2020	8:10	N1	DD-D024803	2V-00-05-09102020	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.006	0.017	mg/Kg
2V	9/10/2020	8:10	N1	DD-D024803	2V-00-05-09102020	SW8082A	SN	TOTAL PCBs	ND	U	-	0.017	mg/Kg
5B	9/10/2020	9:05	N1	DD-D024804	5B-00-05-09102020	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.006	0.017	mg/Kg
5B	9/10/2020	9:05	N1	DD-D024804	5B-00-05-09102020	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0079	0.017	mg/Kg
5B	9/10/2020	9:05	N1	DD-D024804	5B-00-05-09102020	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0093	0.017	mg/Kg
5B	9/10/2020	9:05	N1	DD-D024804	5B-00-05-09102020	SW8082A	SN	PCB-1242 (AROCLOR 1242)	ND	U	0.0058	0.017	mg/Kg
5B	9/10/2020	9:05	N1	DD-D024804	5B-00-05-09102020	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0061	0.017	mg/Kg
5B	9/10/2020	9:05	N1	DD-D024804	5B-00-05-09102020	SW8082A	SN	PCB-1254 (AROCLOR 1254)	ND	U	0.0047	0.017	mg/Kg
5B	9/10/2020	9:05	N1	DD-D024804	5B-00-05-09102020	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.006	0.017	mg/Kg
5G	9/10/2020	9:00	N1	DD-D024805	5G-00-05-09102020	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0059	0.017	mg/Kg
5G	9/10/2020	9:00	N1	DD-D024805	5G-00-05-09102020	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0077	0.017	mg/Kg
5G	9/10/2020	9:00	N1	DD-D024805	5G-00-05-09102020	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0091	0.017	mg/Kg
5G	9/10/2020	9:00	N1	DD-D024805	5G-00-05-09102020	SW8082A	SN	PCB-1242 (AROCLOR 1242)	ND	U	0.0057	0.017	mg/Kg
5G	9/10/2020	9:00	N1	DD-D024805	5G-00-05-09102020	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.006	0.017	mg/Kg
5G	9/10/2020	9:00	N1	DD-D024805	5G-00-05-09102020	SW8082A	SN	PCB-1254 (AROCLOR 1254)	ND	U	0.0046	0.017	mg/Kg
5G	9/10/2020	9:00	N1	DD-D024805	5G-00-05-09102020	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0059	0.017	mg/Kg
5G	9/10/2020	9:00	N1	DD-D024805	5G-00-05-09102020	SW8082A	SN	TOTAL PCBs	ND	U	-	0.017	mg/Kg

Attachment 6 - Floor Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Analysis	Matrix	Analyte	Result	Qualifier	Detection Limit	Reporting Limit	Units
5J	9/10/2020	8:40	N1	DD-D024806	5J-00-05-09102020	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0055	0.016	mg/Kg
5J	9/10/2020	8:40	N1	DD-D024806	5J-00-05-09102020	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0073	0.016	mg/Kg
5J	9/10/2020	8:40	N1	DD-D024806	5J-00-05-09102020	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0086	0.016	mg/Kg
5J	9/10/2020	8:40	N1	DD-D024806	5J-00-05-09102020	SW8082A	SN	PCB-1242 (AROCLOR 1242)	ND	U	0.0053	0.016	mg/Kg
5J	9/10/2020	8:40	N1	DD-D024806	5J-00-05-09102020	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0056	0.016	mg/Kg
5J	9/10/2020	8:40	N1	DD-D024806	5J-00-05-09102020	SW8082A	SN	PCB-1254 (AROCLOR 1254)	ND	U	0.0043	0.016	mg/Kg
5J	9/10/2020	8:40	N1	DD-D024806	5J-00-05-09102020	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0055	0.016	mg/Kg
5J	9/10/2020	8:40	N1	DD-D024806	5J-00-05-09102020	SW8082A	SN	TOTAL PCBs	ND	U	-	0.016	mg/Kg
5L	9/10/2020	8:36	N1	DD-D024807	5L-00-05-09102020	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0056	0.016	mg/Kg
5L	9/10/2020	8:36	N1	DD-D024807	5L-00-05-09102020	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0074	0.016	mg/Kg
5L	9/10/2020	8:36	N1	DD-D024807	5L-00-05-09102020	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0087	0.016	mg/Kg
5L	9/10/2020	8:36	N1	DD-D024807	5L-00-05-09102020	SW8082A	SN	PCB-1242 (AROCLOR 1242)	0.024		0.0054	0.016	mg/Kg
5L	9/10/2020	8:36	N1	DD-D024807	5L-00-05-09102020	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0057	0.016	mg/Kg
5L	9/10/2020	8:36	N1	DD-D024807	5L-00-05-09102020	SW8082A	SN	PCB-1254 (AROCLOR 1254)	ND	U	0.0044	0.016	mg/Kg
5L	9/10/2020	8:36	N1	DD-D024807	5L-00-05-09102020	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0056	0.016	mg/Kg
5L	9/10/2020	8:36	N1	DD-D024807	5L-00-05-09102020	SW8082A	SN	TOTAL PCBs	0.024		-	0.016	mg/Kg
5S	9/10/2020	7:57	N1	DD-D024808	5S-00-05-09102020	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0061	0.017	mg/Kg
5S	9/10/2020	7:57	N1	DD-D024808	5S-00-05-09102020	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.008	0.017	mg/Kg
5S	9/10/2020	7:57	N1	DD-D024808	5S-00-05-09102020	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0095	0.017	mg/Kg
5S	9/10/2020	7:57	N1	DD-D024808	5S-00-05-09102020	SW8082A	SN	PCB-1242 (AROCLOR 1242)	ND	U	0.0059	0.017	mg/Kg
5S	9/10/2020	7:57	N1	DD-D024808	5S-00-05-09102020	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0062	0.017	mg/Kg
5S	9/10/2020	7:57	N1	DD-D024808	5S-00-05-09102020	SW8082A	SN	PCB-1254 (AROCLOR 1254)	ND	U	0.0048	0.017	mg/Kg
5S	9/10/2020	7:57	N1	DD-D024808	5S-00-05-09102020	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0061	0.017	mg/Kg
5S	9/10/2020	7:57	N1	DD-D024808	5S-00-05-09102020	SW8082A	SN	TOTAL PCBs	ND	U	-	0.017	mg/Kg
5V	9/10/2020	8:03	N1	DD-D024809	5V-00-05-09102020	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0061	0.017	mg/Kg
5V	9/10/2020	8:03	N1	DD-D024809	5V-00-05-09102020	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0081	0.017	mg/Kg
5V	9/10/2020	8:03	N1	DD-D024809	5V-00-05-09102020	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0095	0.017	mg/Kg
5V	9/10/2020	8:03	N1	DD-D024809	5V-00-05-09102020	SW8082A	SN	PCB-1242 (AROCLOR 1242)	ND	U	0.0059	0.017	mg/Kg
5V	9/10/2020	8:03	N1	DD-D024809	5V-00-05-09102020	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0062	0.017	mg/Kg
5V	9/10/2020	8:03	N1	DD-D024809	5V-00-05-09102020	SW8082A	SN	PCB-1254 (AROCLOR 1254)	ND	U	0.0048	0.017	mg/Kg
5V	9/10/2020	8:03	N1	DD-D024809	5V-00-05-09102020	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0061	0.017	mg/Kg
5V	9/10/2020	8:03	N1	DD-D024809	5V-00-05-09102020	SW8082A	SN	TOTAL PCBs	ND	U	-	0.017	mg/Kg
7E	9/10/2020	9:20	N1	DD-D024810	7E-00-05-09102020	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0053	0.015	mg/Kg
7E	9/10/2020	9:20	N1	DD-D024810	7E-00-05-09102020	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0069	0.015	mg/Kg
7E	9/10/2020	9:20	N1	DD-D024810	7E-00-05-09102020	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0082	0.015	mg/Kg
7E	9/10/2020	9:20	N1	DD-D024810	7E-00-05-09102020	SW8082A	SN	PCB-1242 (AROCLOR 1242)	ND	U	0.0051	0.015	mg/Kg
7E	9/10/2020	9:20	N1	DD-D024810	7E-00-05-09102020	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0054	0.015	mg/Kg
7E	9/10/2020	9:20	N1	DD-D024810	7E-00-05-09102020	SW8082A	SN	PCB-1254 (AROCLOR 1254)	ND	U	0.0041	0.015	mg/Kg
7E	9/10/2020	9:20	N1	DD-D024810	7E-00-05-09102020	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0053	0.015	mg/Kg
7E	9/10/2020	9:20	N1	DD-D024810	7E-00-05-09102020	SW8082A	SN	TOTAL PCBs	ND	U	-	0.015	mg/Kg
7I	9/10/2020	8:50	N1	DD-D024901	7I-00-05-09102020	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0059	0.017	mg/Kg
7I	9/10/2020	8:50	N1	DD-D024901	7I-00-05-09102020	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0078	0.017	mg/Kg
7I	9/10/2020	8:50	N1	DD-D024901	7I-00-05-09102020	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0092	0.017	mg/Kg
7I	9/10/2020	8:50	N1	DD-D024901	7I-00-05-09102020	SW8082A	SN	PCB-1242 (AROCLOR 1242)	ND	U	0.0057	0.017	mg/Kg
7I	9/10/2020	8:50	N1	DD-D024901	7I-00-05-09102020	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.006	0.017	mg/Kg
7I	9/10/2020	8:50	N1	DD-D024901	7I-00-05-09102020	SW8082A	SN	PCB-1254 (AROCLOR 1254)	ND	U	0.0046	0.017	mg/Kg
7I	9/10/2020	8:50	N1	DD-D024901	7I-00-05-09102020	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0059	0.017	mg/Kg
7I	9/10/2020	8:50	N1	DD-D024901	7I-00-05-09102020	SW8082A	SN	TOTAL PCBs	ND	U	-	0.017	mg/Kg
7P	9/10/2020	8:18	N1	DD-D024902	7P-00-05-09102020	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0059	0.017	mg/Kg
7P	9/10/2020	8:18	N1	DD-D024902	7P-00-05-09102020	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0078	0.017	mg/Kg
7P	9/10/2020	8:18	N1	DD-D024902	7P-00-05-09102020	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0092	0.017	mg/Kg
7P	9/10/2020	8:18	N1	DD-D024902	7P-00-05-09102020	SW8082A	SN	PCB-1242 (AROCLOR 1242)	ND	U	0.0057	0.017	mg/Kg
7P	9/10/2020	8:18	N1	DD-D024902	7P-00-05-09102020	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.006	0.017	mg/Kg
7P	9/10/2020	8:18	N1	DD-D024902	7P-00-05-09102020	SW8082A	SN	PCB-1254 (AROCLOR 1254)	ND	U	0.0046	0.017	mg/Kg
7P	9/10/2020	8:18	N1	DD-D024902	7P-00-05-09102020	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0059	0.017	mg/Kg

Attachment 6 - Floor Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Analysis	Matrix	Analyte	Result	Qualifier	Detection Limit	Reporting Limit	Units
7P	9/10/2020	8:18	N1	DD-D024902	7P-00-05-09102020	SW8082A	SN	TOTAL PCBs	ND	U	-	0.017	mg/Kg
8A	9/10/2020	9:10	N1	DD-D024903	8A-00-05-09102020	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0056	0.016	mg/Kg
8A	9/10/2020	9:10	N1	DD-D024903	8A-00-05-09102020	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0074	0.016	mg/Kg
8A	9/10/2020	9:10	N1	DD-D024903	8A-00-05-09102020	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0087	0.016	mg/Kg
8A	9/10/2020	9:10	N1	DD-D024903	8A-00-05-09102020	SW8082A	SN	PCB-1242 (AROCLOR 1242)	ND	U	0.0054	0.016	mg/Kg
8A	9/10/2020	9:10	N1	DD-D024903	8A-00-05-09102020	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0057	0.016	mg/Kg
8A	9/10/2020	9:10	N1	DD-D024903	8A-00-05-09102020	SW8082A	SN	PCB-1254 (AROCLOR 1254)	ND	U	0.0044	0.016	mg/Kg
8A	9/10/2020	9:10	N1	DD-D024903	8A-00-05-09102020	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0056	0.016	mg/Kg
8A	9/10/2020	9:10	N1	DD-D024903	8A-00-05-09102020	SW8082A	SN	TOTAL PCBs	ND	U	-	0.016	mg/Kg
8G	9/10/2020	8:55	N1	DD-D024904	8G-00-05-09102020	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0056	0.016	mg/Kg
8G	9/10/2020	8:55	N1	DD-D024904	8G-00-05-09102020	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0074	0.016	mg/Kg
8G	9/10/2020	8:55	N1	DD-D024904	8G-00-05-09102020	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0088	0.016	mg/Kg
8G	9/10/2020	8:55	N1	DD-D024904	8G-00-05-09102020	SW8082A	SN	PCB-1242 (AROCLOR 1242)	ND	U	0.0055	0.016	mg/Kg
8G	9/10/2020	8:55	N1	DD-D024904	8G-00-05-09102020	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0057	0.016	mg/Kg
8G	9/10/2020	8:55	N1	DD-D024904	8G-00-05-09102020	SW8082A	SN	PCB-1254 (AROCLOR 1254)	ND	U	0.0044	0.016	mg/Kg
8G	9/10/2020	8:55	N1	DD-D024904	8G-00-05-09102020	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0056	0.016	mg/Kg
8G	9/10/2020	8:55	N1	DD-D024904	8G-00-05-09102020	SW8082A	SN	TOTAL PCBs	ND	U	-	0.016	mg/Kg
8M	9/10/2020	8:25	N1	DD-D024905	8M-00-05-09102020	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0057	0.016	mg/Kg
8M	9/10/2020	8:25	N1	DD-D024905	8M-00-05-09102020	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0075	0.016	mg/Kg
8M	9/10/2020	8:25	N1	DD-D024905	8M-00-05-09102020	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0089	0.016	mg/Kg
8M	9/10/2020	8:25	N1	DD-D024905	8M-00-05-09102020	SW8082A	SN	PCB-1242 (AROCLOR 1242)	ND	U	0.0055	0.016	mg/Kg
8M	9/10/2020	8:25	N1	DD-D024905	8M-00-05-09102020	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0058	0.016	mg/Kg
8M	9/10/2020	8:25	N1	DD-D024905	8M-00-05-09102020	SW8082A	SN	PCB-1254 (AROCLOR 1254)	ND	U	0.0045	0.016	mg/Kg
8M	9/10/2020	8:25	N1	DD-D024905	8M-00-05-09102020	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0057	0.016	mg/Kg
8M	9/10/2020	8:25	N1	DD-D024905	8M-00-05-09102020	SW8082A	SN	TOTAL PCBs	ND	U	-	0.016	mg/Kg
8R	9/10/2020	7:48	N1	DD-D024906	8R-00-05-09102020	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.006	0.017	mg/Kg
8R	9/10/2020	7:48	N1	DD-D024906	8R-00-05-09102020	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0078	0.017	mg/Kg
8R	9/10/2020	7:48	N1	DD-D024906	8R-00-05-09102020	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0092	0.017	mg/Kg
8R	9/10/2020	7:48	N1	DD-D024906	8R-00-05-09102020	SW8082A	SN	PCB-1242 (AROCLOR 1242)	ND	U	0.0058	0.017	mg/Kg
8R	9/10/2020	7:48	N1	DD-D024906	8R-00-05-09102020	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0061	0.017	mg/Kg
8R	9/10/2020	7:48	N1	DD-D024906	8R-00-05-09102020	SW8082A	SN	PCB-1254 (AROCLOR 1254)	ND	U	0.0047	0.017	mg/Kg
8R	9/10/2020	7:48	N1	DD-D024906	8R-00-05-09102020	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.006	0.017	mg/Kg
8R	9/10/2020	7:48	N1	DD-D024906	8R-00-05-09102020	SW8082A	SN	TOTAL PCBs	ND	U	-	0.017	mg/Kg
8V	9/10/2020	7:52	N1	DD-D024907	8V-00-05-09102020	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0061	0.017	mg/Kg
8V	9/10/2020	7:52	N1	DD-D024907	8V-00-05-09102020	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.008	0.017	mg/Kg
8V	9/10/2020	7:52	N1	DD-D024907	8V-00-05-09102020	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0094	0.017	mg/Kg
8V	9/10/2020	7:52	N1	DD-D024907	8V-00-05-09102020	SW8082A	SN	PCB-1242 (AROCLOR 1242)	ND	U	0.0059	0.017	mg/Kg
8V	9/10/2020	7:52	N1	DD-D024907	8V-00-05-09102020	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0062	0.017	mg/Kg
8V	9/10/2020	7:52	N1	DD-D024907	8V-00-05-09102020	SW8082A	SN	PCB-1254 (AROCLOR 1254)	ND	U	0.0048	0.017	mg/Kg
8V	9/10/2020	7:52	N1	DD-D024907	8V-00-05-09102020	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0061	0.017	mg/Kg
8V	9/10/2020	7:52	N1	DD-D024907	8V-00-05-09102020	SW8082A	SN	TOTAL PCBs	ND	U	-	0.017	mg/Kg
SUMP12N	8/19/2020	14:15	N1	DD-D027106	SUMP12N-00-05-081920	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0056	0.016	mg/Kg
SUMP12N	8/19/2020	14:15	N1	DD-D027106	SUMP12N-00-05-081920	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0074	0.016	mg/Kg
SUMP12N	8/19/2020	14:15	N1	DD-D027106	SUMP12N-00-05-081920	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0088	0.016	mg/Kg
SUMP12N	8/19/2020	14:15	N1	DD-D027106	SUMP12N-00-05-081920	SW8082A	SN	PCB-1242 (AROCLOR 1242)	ND	U	0.0055	0.016	mg/Kg
SUMP12N	8/19/2020	14:15	N1	DD-D027106	SUMP12N-00-05-081920	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0057	0.016	mg/Kg
SUMP12N	8/19/2020	14:15	N1	DD-D027106	SUMP12N-00-05-081920	SW8082A	SN	PCB-1254 (AROCLOR 1254)	ND	U	0.0044	0.016	mg/Kg
SUMP12N	8/19/2020	14:15	N1	DD-D027106	SUMP12N-00-05-081920	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0056	0.016	mg/Kg
SUMP12N	8/19/2020	14:15	N1	DD-D027106	SUMP12N-00-05-081920	SW8082A	SN	TOTAL PCBs	ND	U	-	0.016	mg/Kg
SUMP12O	8/19/2020	13:45	N1	DD-D027104	SUMP12O-00-05-081920	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0057	0.016	mg/Kg
SUMP12O	8/19/2020	13:45	N1	DD-D027104	SUMP12O-00-05-081920	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0075	0.016	mg/Kg
SUMP12O	8/19/2020	13:45	N1	DD-D027104	SUMP12O-00-05-081920	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0088	0.016	mg/Kg
SUMP12O	8/19/2020	13:45	N1	DD-D027104	SUMP12O-00-05-081920	SW8082A	SN	PCB-1242 (AROCLOR 1242)	ND	U	0.0055	0.016	mg/Kg
SUMP12O	8/19/2020	13:45	N1	DD-D027104	SUMP12O-00-05-081920	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0058	0.016	mg/Kg
SUMP12O	8/19/2020	13:45	N1	DD-D027104	SUMP12O-00-05-081920	SW8082A	SN	PCB-1254 (AROCLOR 1254)	ND	U	0.0045	0.016	mg/Kg



## Attachment 6 - Floor Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Analysis	Matrix	Analyte	Result	Qualifier	Detection Limit	Reporting Limit	Units
SUMP12O	8/19/2020	13:45	N1	DD-D027104	SUMP12O-00-05-081920	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0057	0.016	mg/Kg
SUMP12O	8/19/2020	13:45	N1	DD-D027104	SUMP12O-00-05-081920	SW8082A	SN	TOTAL PCBs	ND	U	-	0.016	mg/Kg
SUMP12P	8/19/2020	13:15	N1	DD-D027102	SUMP12P-00-05-081920	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.006	0.017	mg/Kg
SUMP12P	8/19/2020	13:15	N1	DD-D027102	SUMP12P-00-05-081920	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0079	0.017	mg/Kg
SUMP12P	8/19/2020	13:15	N1	DD-D027102	SUMP12P-00-05-081920	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0093	0.017	mg/Kg
SUMP12P	8/19/2020	13:15	N1	DD-D027102	SUMP12P-00-05-081920	SW8082A	SN	PCB-1242 (AROCLOR 1242)	ND	U	0.0058	0.017	mg/Kg
SUMP12P	8/19/2020	13:15	N1	DD-D027102	SUMP12P-00-05-081920	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0061	0.017	mg/Kg
SUMP12P	8/19/2020	13:15	N1	DD-D027102	SUMP12P-00-05-081920	SW8082A	SN	PCB-1254 (AROCLOR 1254)	ND	U	0.0047	0.017	mg/Kg
SUMP12P	8/19/2020	13:15	N1	DD-D027102	SUMP12P-00-05-081920	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.006	0.017	mg/Kg
SUMP12P	8/19/2020	13:15	N1	DD-D027102	SUMP12P-00-05-081920	SW8082A	SN	TOTAL PCBs	ND	U	-	0.017	mg/Kg
SUMP13N	8/19/2020	14:00	N1	DD-D027105	SUMP13N-00-05-081920	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0057	0.016	mg/Kg
SUMP13N	8/19/2020	14:00	N1	DD-D027105	SUMP13N-00-05-081920	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0076	0.016	mg/Kg
SUMP13N	8/19/2020	14:00	N1	DD-D027105	SUMP13N-00-05-081920	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0089	0.016	mg/Kg
SUMP13N	8/19/2020	14:00	N1	DD-D027105	SUMP13N-00-05-081920	SW8082A	SN	PCB-1242 (AROCLOR 1242)	0.017		0.0055	0.016	mg/Kg
SUMP13N	8/19/2020	14:00	N1	DD-D027105	SUMP13N-00-05-081920	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0058	0.016	mg/Kg
SUMP13N	8/19/2020	14:00	N1	DD-D027105	SUMP13N-00-05-081920	SW8082A	SN	PCB-1254 (AROCLOR 1254)	ND	U	0.0045	0.016	mg/Kg
SUMP13N	8/19/2020	14:00	N1	DD-D027105	SUMP13N-00-05-081920	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0057	0.016	mg/Kg
SUMP13N	8/19/2020	14:00	N1	DD-D027105	SUMP13N-00-05-081920	SW8082A	SN	TOTAL PCBs	0.017		-	0.016	mg/Kg
SUMP13O	8/19/2020	13:30	N1	DD-D027103	SUMP13O-00-05-081920	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0061	0.017	mg/Kg
SUMP13O	8/19/2020	13:30	N1	DD-D027103	SUMP13O-00-05-081920	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.008	0.017	mg/Kg
SUMP13O	8/19/2020	13:30	N1	DD-D027103	SUMP13O-00-05-081920	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0095	0.017	mg/Kg
SUMP13O	8/19/2020	13:30	N1	DD-D027103	SUMP13O-00-05-081920	SW8082A	SN	PCB-1242 (AROCLOR 1242)	ND	U	0.0059	0.017	mg/Kg
SUMP13O	8/19/2020	13:30	N1	DD-D027103	SUMP13O-00-05-081920	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0062	0.017	mg/Kg
SUMP13O	8/19/2020	13:30	N1	DD-D027103	SUMP13O-00-05-081920	SW8082A	SN	PCB-1254 (AROCLOR 1254)	ND	U	0.0048	0.017	mg/Kg
SUMP13O	8/19/2020	13:30	N1	DD-D027103	SUMP13O-00-05-081920	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0061	0.017	mg/Kg
SUMP13O	8/19/2020	13:30	N1	DD-D027103	SUMP13O-00-05-081920	SW8082A	SN	TOTAL PCBs	ND	U	-	0.017	mg/Kg
SUMP13P	8/19/2020	13:00	N1	DD-D027101	SUMP13P-00-05-081920	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0061	0.017	mg/Kg
SUMP13P	8/19/2020	13:00	N1	DD-D027101	SUMP13P-00-05-081920	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0081	0.017	mg/Kg
SUMP13P	8/19/2020	13:00	N1	DD-D027101	SUMP13P-00-05-081920	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0095	0.017	mg/Kg
SUMP13P	8/19/2020	13:00	N1	DD-D027101	SUMP13P-00-05-081920	SW8082A	SN	PCB-1242 (AROCLOR 1242)	ND	U	0.0059	0.017	mg/Kg
SUMP13P	8/19/2020	13:00	N1	DD-D027101	SUMP13P-00-05-081920	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0062	0.017	mg/Kg
SUMP13P	8/19/2020	13:00	N1	DD-D027101	SUMP13P-00-05-081920	SW8082A	SN	PCB-1254 (AROCLOR 1254)	ND	U	0.0048	0.017	mg/Kg
SUMP13P	8/19/2020	13:00	N1	DD-D027101	SUMP13P-00-05-081920	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0061	0.017	mg/Kg
SUMP13P	8/19/2020	13:00	N1	DD-D027101	SUMP13P-00-05-081920	SW8082A	SN	TOTAL PCBs	ND	U	-	0.017	mg/Kg
SUMP41F	8/20/2020	8:00	N1	DD-D027901	SUMP41F-00-05-082020	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0059	0.017	mg/Kg
SUMP41F	8/20/2020	8:00	N1	DD-D027901	SUMP41F-00-05-082020	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0078	0.017	mg/Kg
SUMP41F	8/20/2020	8:00	N1	DD-D027901	SUMP41F-00-05-082020	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0092	0.017	mg/Kg
SUMP41F	8/20/2020	8:00	N1	DD-D027901	SUMP41F-00-05-082020	SW8082A	SN	PCB-1242 (AROCLOR 1242)	ND	U	0.0057	0.017	mg/Kg
SUMP41F	8/20/2020	8:00	N1	DD-D027901	SUMP41F-00-05-082020	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.006	0.017	mg/Kg
SUMP41F	8/20/2020	8:00	N1	DD-D027901	SUMP41F-00-05-082020	SW8082A	SN	PCB-1254 (AROCLOR 1254)	ND	U	0.0046	0.017	mg/Kg
SUMP41F	8/20/2020	8:00	N1	DD-D027901	SUMP41F-00-05-082020	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0059	0.017	mg/Kg
SUMP41F	8/20/2020	8:00	N1	DD-D027901	SUMP41F-00-05-082020	SW8082A	SN	TOTAL PCBs	ND	U	-	0.017	mg/Kg
SUMP41W	8/20/2020	8:30	N1	DD-D027902	SUMP41W-00-05-082020	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.006	0.017	mg/Kg
SUMP41W	8/20/2020	8:30	N1	DD-D027902	SUMP41W-00-05-082020	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0079	0.017	mg/Kg
SUMP41W	8/20/2020	8:30	N1	DD-D027902	SUMP41W-00-05-082020	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0094	0.017	mg/Kg
SUMP41W	8/20/2020	8:30	N1	DD-D027902	SUMP41W-00-05-082020	SW8082A	SN	PCB-1242 (AROCLOR 1242)	0.021		0.0058	0.017	mg/Kg
SUMP41W	8/20/2020	8:30	N1	DD-D027902	SUMP41W-00-05-082020	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0061	0.017	mg/Kg
SUMP41W	8/20/2020	8:30	N1	DD-D027902	SUMP41W-00-05-082020	SW8082A	SN	PCB-1254 (AROCLOR 1254)	0.007	J	0.0047	0.017	mg/Kg
SUMP41W	8/20/2020	8:30	N1	DD-D027902	SUMP41W-00-05-082020	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.006	0.017	mg/Kg
SUMP41W	8/20/2020	8:30	N1	DD-D027902	SUMP41W-00-05-082020	SW8082A	SN	TOTAL PCBs	0.028		-	0.017	mg/Kg
SUMP42F	8/20/2020	9:30	N1	DD-D027903	SUMP42F-00-05-082020	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0061	0.017	mg/Kg
SUMP42F	8/20/2020	9:30	N1	DD-D027903	SUMP42F-00-05-082020	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.008	0.017	mg/Kg
SUMP42F	8/20/2020	9:30	N1	DD-D027903	SUMP42F-00-05-082020	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0094	0.017	mg/Kg
SUMP42F	8/20/2020	9:30	N1	DD-D027903	SUMP42F-00-05-082020	SW8082A	SN	PCB-1242 (AROCLOR 1242)	0.12		0.0059	0.017	mg/Kg
SUMP42F	8/20/2020	9:30	N1	DD-D027903	SUMP42F-00-05-082020	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0062	0.017	mg/Kg



Attachment 6 - Floor Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Analysis	Matrix	Analyte	Result	Qualifier	Detection Limit	Reporting Limit	Units
SUMP42F	8/20/2020	9:30	N1	DD-D027903	SUMP42F-00-05-082020	SW8082A	SN	PCB-1254 (AROCLOR 1254)	0.046		0.0048	0.017	mg/Kg
SUMP42F	8/20/2020	9:30	N1	DD-D027903	SUMP42F-00-05-082020	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0061	0.017	mg/Kg
SUMP42F	8/20/2020	9:30	N1	DD-D027903	SUMP42F-00-05-082020	SW8082A	SN	TOTAL PCBs	0.166		-	0.017	mg/Kg
SUMP42W	8/20/2020	10:00	N1	DD-D027904	SUMP42W-00-05-082020	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.006	0.017	mg/Kg
SUMP42W	8/20/2020	10:00	N1	DD-D027904	SUMP42W-00-05-082020	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0078	0.017	mg/Kg
SUMP42W	8/20/2020	10:00	N1	DD-D027904	SUMP42W-00-05-082020	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0092	0.017	mg/Kg
SUMP42W	8/20/2020	10:00	N1	DD-D027904	SUMP42W-00-05-082020	SW8082A	SN	PCB-1242 (AROCLOR 1242)	ND	U	0.0058	0.017	mg/Kg
SUMP42W	8/20/2020	10:00	N1	DD-D027904	SUMP42W-00-05-082020	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0061	0.017	mg/Kg
SUMP42W	8/20/2020	10:00	N1	DD-D027904	SUMP42W-00-05-082020	SW8082A	SN	PCB-1254 (AROCLOR 1254)	ND	U	0.0047	0.017	mg/Kg
SUMP42W	8/20/2020	10:00	N1	DD-D027904	SUMP42W-00-05-082020	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.006	0.017	mg/Kg
SUMP42W	8/20/2020	10:00	N1	DD-D027904	SUMP42W-00-05-082020	SW8082A	SN	TOTAL PCBs	ND	U	-	0.017	mg/Kg
SUMPWE1	8/19/2020	11:45	N1	DD-D027205	SUMPWE1-00-05-081920	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0062	0.017	mg/Kg
SUMPWE1	8/19/2020	11:45	N1	DD-D027205	SUMPWE1-00-05-081920	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0081	0.017	mg/Kg
SUMPWE1	8/19/2020	11:45	N1	DD-D027205	SUMPWE1-00-05-081920	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0095	0.017	mg/Kg
SUMPWE1	8/19/2020	11:45	N1	DD-D027205	SUMPWE1-00-05-081920	SW8082A	SN	PCB-1242 (AROCLOR 1242)	0.13		0.006	0.017	mg/Kg
SUMPWE1	8/19/2020	11:45	N1	DD-D027205	SUMPWE1-00-05-081920	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0063	0.017	mg/Kg
SUMPWE1	8/19/2020	11:45	N1	DD-D027205	SUMPWE1-00-05-081920	SW8082A	SN	PCB-1254 (AROCLOR 1254)	0.055		0.0048	0.017	mg/Kg
SUMPWE1	8/19/2020	11:45	N1	DD-D027205	SUMPWE1-00-05-081920	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0062	0.017	mg/Kg
SUMPWE1	8/19/2020	11:45	N1	DD-D027205	SUMPWE1-00-05-081920	SW8082A	SN	TOTAL PCBs	0.185		-	0.017	mg/Kg
SUMPWE2	8/19/2020	12:10	N1	DD-D027206	SUMPWE2-00-05-081920	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.006	0.017	mg/Kg
SUMPWE2	8/19/2020	12:10	N1	DD-D027206	SUMPWE2-00-05-081920	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0078	0.017	mg/Kg
SUMPWE2	8/19/2020	12:10	N1	DD-D027206	SUMPWE2-00-05-081920	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0092	0.017	mg/Kg
SUMPWE2	8/19/2020	12:10	N1	DD-D027206	SUMPWE2-00-05-081920	SW8082A	SN	PCB-1242 (AROCLOR 1242)	ND	U	0.0058	0.017	mg/Kg
SUMPWE2	8/19/2020	12:10	N1	DD-D027206	SUMPWE2-00-05-081920	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0061	0.017	mg/Kg
SUMPWE2	8/19/2020	12:10	N1	DD-D027206	SUMPWE2-00-05-081920	SW8082A	SN	PCB-1254 (AROCLOR 1254)	ND	U	0.0047	0.017	mg/Kg
SUMPWE2	8/19/2020	12:10	N1	DD-D027206	SUMPWE2-00-05-081920	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.006	0.017	mg/Kg
SUMPWE2	8/19/2020	12:10	N1	DD-D027206	SUMPWE2-00-05-081920	SW8082A	SN	TOTAL PCBs	ND	U	-	0.017	mg/Kg
SUMPWN1	8/19/2020	8:00	N1	DD-D027201	SUMPWN1-00-05-081920	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0057	0.016	mg/Kg
SUMPWN1	8/19/2020	8:00	N1	DD-D027201	SUMPWN1-00-05-081920	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0074	0.016	mg/Kg
SUMPWN1	8/19/2020	8:00	N1	DD-D027201	SUMPWN1-00-05-081920	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0088	0.016	mg/Kg
SUMPWN1	8/19/2020	8:00	N1	DD-D027201	SUMPWN1-00-05-081920	SW8082A	SN	PCB-1242 (AROCLOR 1242)	0.14		0.0055	0.016	mg/Kg
SUMPWN1	8/19/2020	8:00	N1	DD-D027201	SUMPWN1-00-05-081920	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0058	0.016	mg/Kg
SUMPWN1	8/19/2020	8:00	N1	DD-D027201	SUMPWN1-00-05-081920	SW8082A	SN	PCB-1254 (AROCLOR 1254)	0.052		0.0044	0.016	mg/Kg
SUMPWN1	8/19/2020	8:00	N1	DD-D027201	SUMPWN1-00-05-081920	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0057	0.016	mg/Kg
SUMPWN1	8/19/2020	8:00	N1	DD-D027201	SUMPWN1-00-05-081920	SW8082A	SN	TOTAL PCBs	0.192		-	0.016	mg/Kg
SUMPWN2	8/19/2020	8:10	N1	DD-D027202	SUMPWN2-00-05-081920	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0058	0.016	mg/Kg
SUMPWN2	8/19/2020	8:10	N1	DD-D027202	SUMPWN2-00-05-081920	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0076	0.016	mg/Kg
SUMPWN2	8/19/2020	8:10	N1	DD-D027202	SUMPWN2-00-05-081920	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.009	0.016	mg/Kg
SUMPWN2	8/19/2020	8:10	N1	DD-D027202	SUMPWN2-00-05-081920	SW8082A	SN	PCB-1242 (AROCLOR 1242)	0.083		0.0056	0.016	mg/Kg
SUMPWN2	8/19/2020	8:10	N1	DD-D027202	SUMPWN2-00-05-081920	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0059	0.016	mg/Kg
SUMPWN2	8/19/2020	8:10	N1	DD-D027202	SUMPWN2-00-05-081920	SW8082A	SN	PCB-1254 (AROCLOR 1254)	0.032		0.0045	0.016	mg/Kg
SUMPWN2	8/19/2020	8:10	N1	DD-D027202	SUMPWN2-00-05-081920	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0058	0.016	mg/Kg
SUMPWN2	8/19/2020	8:10	N1	DD-D027202	SUMPWN2-00-05-081920	SW8082A	SN	TOTAL PCBs	0.115		-	0.016	mg/Kg
SUMPWS1	8/19/2020	11:15	N1	DD-D027203	SUMPWS1-00-05-081920	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	UJ	0.0055	0.016	mg/Kg
SUMPWS1	8/19/2020	11:15	N1	DD-D027203	SUMPWS1-00-05-081920	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	UJ	0.0072	0.016	mg/Kg
SUMPWS1	8/19/2020	11:15	N1	DD-D027203	SUMPWS1-00-05-081920	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	UJ	0.0085	0.016	mg/Kg
SUMPWS1	8/19/2020	11:15	N1	DD-D027203	SUMPWS1-00-05-081920	SW8082A	SN	PCB-1242 (AROCLOR 1242)	0.039	J	0.0053	0.016	mg/Kg
SUMPWS1	8/19/2020	11:15	N1	DD-D027203	SUMPWS1-00-05-081920	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	UJ	0.0056	0.016	mg/Kg
SUMPWS1	8/19/2020	11:15	N1	DD-D027203	SUMPWS1-00-05-081920	SW8082A	SN	PCB-1254 (AROCLOR 1254)	ND	UJ	0.0043	0.016	mg/Kg
SUMPWS1	8/19/2020	11:15	N1	DD-D027203	SUMPWS1-00-05-081920	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	UJ	0.0055	0.016	mg/Kg
SUMPWS1	8/19/2020	11:15	N1	DD-D027203	SUMPWS1-00-05-081920	SW8082A	SN	TOTAL PCBs	0.039		-	0.016	mg/Kg
SUMPWS2	8/19/2020	11:25	N1	DD-D027204	SUMPWS2-00-05-081920	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0058	0.016	mg/Kg
SUMPWS2	8/19/2020	11:25	N1	DD-D027204	SUMPWS2-00-05-081920	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0076	0.016	mg/Kg
SUMPWS2	8/19/2020	11:25	N1	DD-D027204	SUMPWS2-00-05-081920	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.009	0.016	mg/Kg
SUMPWS2	8/19/2020	11:25	N1	DD-D027204	SUMPWS2-00-05-081920	SW8082A	SN	PCB-1242 (AROCLOR 1242)	0.022		0.0056	0.016	mg/Kg

## Attachment 6 - Floor Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Analysis	Matrix	Analyte	Result	Qualifier	Detection Limit	Reporting Limit	Units
SUMPWS2	8/19/2020	11:25	N1	DD-D027204	SUMPWS2-00-05-081920	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0059	0.016	mg/Kg
SUMPWS2	8/19/2020	11:25	N1	DD-D027204	SUMPWS2-00-05-081920	SW8082A	SN	PCB-1254 (AROCLOR 1254)	0.018		0.0045	0.016	mg/Kg
SUMPWS2	8/19/2020	11:25	N1	DD-D027204	SUMPWS2-00-05-081920	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0058	0.016	mg/Kg
SUMPWS2	8/19/2020	11:25	N1	DD-D027204	SUMPWS2-00-05-081920	SW8082A	SN	TOTAL PCBs	0.04		-	0.016	mg/Kg
SUMPWW1	8/19/2020	8:25	N1	DD-D027207	SUMPWW1-00-05-081920	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0054	0.015	mg/Kg
SUMPWW1	8/19/2020	8:25	N1	DD-D027207	SUMPWW1-00-05-081920	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0072	0.015	mg/Kg
SUMPWW1	8/19/2020	8:25	N1	DD-D027207	SUMPWW1-00-05-081920	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0084	0.015	mg/Kg
SUMPWW1	8/19/2020	8:25	N1	DD-D027207	SUMPWW1-00-05-081920	SW8082A	SN	PCB-1242 (AROCLOR 1242)	ND	U	0.0053	0.015	mg/Kg
SUMPWW1	8/19/2020	8:25	N1	DD-D027207	SUMPWW1-00-05-081920	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0055	0.015	mg/Kg
SUMPWW1	8/19/2020	8:25	N1	DD-D027207	SUMPWW1-00-05-081920	SW8082A	SN	PCB-1254 (AROCLOR 1254)	ND	U	0.0043	0.015	mg/Kg
SUMPWW1	8/19/2020	8:25	N1	DD-D027207	SUMPWW1-00-05-081920	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0054	0.015	mg/Kg
SUMPWW1	8/19/2020	8:25	N1	DD-D027207	SUMPWW1-00-05-081920	SW8082A	SN	TOTAL PCBs	ND	U	-	0.015	mg/Kg
SUMPWW2	8/19/2020	8:35	N1	DD-D027208	SUMPWW2-00-05-081920	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0062	0.017	mg/Kg
SUMPWW2	8/19/2020	8:35	N1	DD-D027208	SUMPWW2-00-05-081920	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0081	0.017	mg/Kg
SUMPWW2	8/19/2020	8:35	N1	DD-D027208	SUMPWW2-00-05-081920	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0096	0.017	mg/Kg
SUMPWW2	8/19/2020	8:35	N1	DD-D027208	SUMPWW2-00-05-081920	SW8082A	SN	PCB-1242 (AROCLOR 1242)	ND	U	0.006	0.017	mg/Kg
SUMPWW2	8/19/2020	8:35	N1	DD-D027208	SUMPWW2-00-05-081920	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0063	0.017	mg/Kg
SUMPWW2	8/19/2020	8:35	N1	DD-D027208	SUMPWW2-00-05-081920	SW8082A	SN	PCB-1254 (AROCLOR 1254)	ND	U	0.0048	0.017	mg/Kg
SUMPWW2	8/19/2020	8:35	N1	DD-D027208	SUMPWW2-00-05-081920	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0062	0.017	mg/Kg
SUMPWW2	8/19/2020	8:35	N1	DD-D027208	SUMPWW2-00-05-081920	SW8082A	SN	TOTAL PCBs	ND	U	-	0.017	mg/Kg
28D	8/24/2020	13:23	N1	DD-D024501	28D-082420	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
28D	8/24/2020	13:23	N1	DD-D024501	28D-082420	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
28D	8/24/2020	13:23	N1	DD-D024501	28D-082420	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
28D	8/24/2020	13:23	N1	DD-D024501	28D-082420	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
28D	8/24/2020	13:23	N1	DD-D024501	28D-082420	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
28D	8/24/2020	13:23	N1	DD-D024501	28D-082420	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
28D	8/24/2020	13:23	N1	DD-D024501	28D-082420	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
28D	8/24/2020	13:23	N1	DD-D024501	28D-082420	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
28E	8/24/2020	13:20	N1	DD-D024502	28E-082420	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
28E	8/24/2020	13:20	N1	DD-D024502	28E-082420	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
28E	8/24/2020	13:20	N1	DD-D024502	28E-082420	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
28E	8/24/2020	13:20	N1	DD-D024502	28E-082420	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
28E	8/24/2020	13:20	N1	DD-D024502	28E-082420	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
28E	8/24/2020	13:20	N1	DD-D024502	28E-082420	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
28E	8/24/2020	13:20	N1	DD-D024502	28E-082420	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
28E	8/24/2020	13:20	N1	DD-D024502	28E-082420	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
28F	8/24/2020	13:15	N1	DD-D024503	28F-082420	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
28F	8/24/2020	13:15	N1	DD-D024503	28F-082420	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
28F	8/24/2020	13:15	N1	DD-D024503	28F-082420	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
28F	8/24/2020	13:15	N1	DD-D024503	28F-082420	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
28F	8/24/2020	13:15	N1	DD-D024503	28F-082420	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
28F	8/24/2020	13:15	N1	DD-D024503	28F-082420	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
28F	8/24/2020	13:15	N1	DD-D024503	28F-082420	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
28F	8/24/2020	13:15	N1	DD-D024503	28F-082420	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
28G	8/24/2020	13:12	N1	DD-D024504	28G-082420	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
28G	8/24/2020	13:12	N1	DD-D024504	28G-082420	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
28G	8/24/2020	13:12	N1	DD-D024504	28G-082420	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
28G	8/24/2020	13:12	N1	DD-D024504	28G-082420	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
28G	8/24/2020	13:12	N1	DD-D024504	28G-082420	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
28G	8/24/2020	13:12	N1	DD-D024504	28G-082420	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
28G	8/24/2020	13:12	N1	DD-D024504	28G-082420	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
28G	8/24/2020	13:12	N1	DD-D024504	28G-082420	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
28H	8/24/2020	13:06	N1	DD-D024505	28H-082420	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
28H	8/24/2020	13:06	N1	DD-D024505	28H-082420	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
28H	8/24/2020	13:06	N1	DD-D024505	28H-082420	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE





Attachment 6 - Floor Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Analysis	Matrix	Analyte	Result	Qualifier	Detection Limit	Reporting Limit	Units
30F	8/24/2020	13:44	N1	DD-D024703	30F-042420	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
30F	8/24/2020	13:44	N1	DD-D024703	30F-042420	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
30F	8/24/2020	13:44	N1	DD-D024703	30F-042420	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
30F	8/24/2020	13:44	N1	DD-D024703	30F-042420	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
30F	8/24/2020	13:44	N1	DD-D024703	30F-042420	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
30F	8/24/2020	13:44	N1	DD-D024703	30F-042420	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
30F	8/24/2020	13:44	N1	DD-D024703	30F-042420	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
30G	8/24/2020	13:46	N1	DD-D024704	30G-042420	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
30G	8/24/2020	13:46	N1	DD-D024704	30G-042420	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
30G	8/24/2020	13:46	N1	DD-D024704	30G-042420	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
30G	8/24/2020	13:46	N1	DD-D024704	30G-042420	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
30G	8/24/2020	13:46	N1	DD-D024704	30G-042420	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
30G	8/24/2020	13:46	N1	DD-D024704	30G-042420	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
30G	8/24/2020	13:46	N1	DD-D024704	30G-042420	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
30G	8/24/2020	13:46	N1	DD-D024704	30G-042420	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
30H	8/24/2020	13:48	N1	DD-D024705	30H-042420	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
30H	8/24/2020	13:48	N1	DD-D024705	30H-042420	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
30H	8/24/2020	13:48	N1	DD-D024705	30H-042420	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
30H	8/24/2020	13:48	N1	DD-D024705	30H-042420	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
30H	8/24/2020	13:48	N1	DD-D024705	30H-042420	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
30H	8/24/2020	13:48	N1	DD-D024705	30H-042420	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
30H	8/24/2020	13:48	N1	DD-D024705	30H-042420	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
30H	8/24/2020	13:48	N1	DD-D024705	30H-042420	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
30I	8/24/2020	13:50	N1	DD-D024706	30I-042420	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
30I	8/24/2020	13:50	N1	DD-D024706	30I-042420	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
30I	8/24/2020	13:50	N1	DD-D024706	30I-042420	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
30I	8/24/2020	13:50	N1	DD-D024706	30I-042420	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
30I	8/24/2020	13:50	N1	DD-D024706	30I-042420	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
30I	8/24/2020	13:50	N1	DD-D024706	30I-042420	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
30I	8/24/2020	13:50	N1	DD-D024706	30I-042420	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
30I	8/24/2020	13:50	N1	DD-D024706	30I-042420	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
30J	8/24/2020	12:15	N1	DD-D024707	30J-042420	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
30J	8/24/2020	12:15	N1	DD-D024707	30J-042420	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
30J	8/24/2020	12:15	N1	DD-D024707	30J-042420	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
30J	8/24/2020	12:15	N1	DD-D024707	30J-042420	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
30J	8/24/2020	12:15	N1	DD-D024707	30J-042420	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
30J	8/24/2020	12:15	N1	DD-D024707	30J-042420	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
30J	8/24/2020	12:15	N1	DD-D024707	30J-042420	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
30J	8/24/2020	12:15	N1	DD-D024707	30J-042420	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
30K	8/24/2020	12:01	N1	DD-D024708	30K-042420	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
30K	8/24/2020	12:01	N1	DD-D024708	30K-042420	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
30K	8/24/2020	12:01	N1	DD-D024708	30K-042420	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
30K	8/24/2020	12:01	N1	DD-D024708	30K-042420	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
30K	8/24/2020	12:01	N1	DD-D024708	30K-042420	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
30K	8/24/2020	12:01	N1	DD-D024708	30K-042420	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
30K	8/24/2020	12:01	N1	DD-D024708	30K-042420	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
30K	8/24/2020	12:01	N1	DD-D024708	30K-042420	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE

Notes:

- J = estimated value
- mg/Kg = milligrams per kilogram
- ND = non-detect
- PCB = polychlorinated biphenyl
- SN = solid matrix
- SW = wipe sample
- U = non-detect



Attachment 6 - Floor Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Analysis	Matrix	Analyte	Result	Qualifier	Detection Limit	Reporting Limit	Units
----------	--------------	--------------	-------------	------------	-----------	----------	--------	---------	--------	-----------	-----------------	-----------------	-------

ug/WIPE = micrograms per wipe  
 UJ = estimated non-detect

# Attachment 7

Attachment 7 - Concrete Core Floor Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Analysis	Matrix	Analyte	Result	Qualifier	Detection Limit	Reporting Limit	Units
A1	3/31/2020	8:45	N1	RA-C069401	A1-01-00-05-033120	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0061	0.017	mg/Kg
A1	3/31/2020	8:45	N1	RA-C069401	A1-01-00-05-033120	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0081	0.017	mg/Kg
A1	3/31/2020	8:45	N1	RA-C069401	A1-01-00-05-033120	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0095	0.017	mg/Kg
A1	3/31/2020	8:45	N1	RA-C069401	A1-01-00-05-033120	SW8082A	SN	PCB-1242 (AROCLOR 1242)	ND	U	0.0059	0.017	mg/Kg
A1	3/31/2020	8:45	N1	RA-C069401	A1-01-00-05-033120	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0062	0.017	mg/Kg
A1	3/31/2020	8:45	N1	RA-C069401	A1-01-00-05-033120	SW8082A	SN	PCB-1254 (AROCLOR 1254)	ND	U	0.0048	0.017	mg/Kg
A1	3/31/2020	8:45	N1	RA-C069401	A1-01-00-05-033120	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0061	0.017	mg/Kg
A1	3/31/2020	8:45	N1	RA-C069401	A1-01-00-05-033120	SW8082A	SN	TOTAL PCBs	ND	U	-	0.017	mg/Kg
A2	3/31/2020	8:55	N1	RA-C069402	A2-01-00-05-033120	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0061	0.017	mg/Kg
A2	3/31/2020	8:55	N1	RA-C069402	A2-01-00-05-033120	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.008	0.017	mg/Kg
A2	3/31/2020	8:55	N1	RA-C069402	A2-01-00-05-033120	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0094	0.017	mg/Kg
A2	3/31/2020	8:55	N1	RA-C069402	A2-01-00-05-033120	SW8082A	SN	PCB-1242 (AROCLOR 1242)	0.26		0.0059	0.017	mg/Kg
A2	3/31/2020	8:55	N1	RA-C069402	A2-01-00-05-033120	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0062	0.017	mg/Kg
A2	3/31/2020	8:55	N1	RA-C069402	A2-01-00-05-033120	SW8082A	SN	PCB-1254 (AROCLOR 1254)	0.16		0.0048	0.017	mg/Kg
A2	3/31/2020	8:55	N1	RA-C069402	A2-01-00-05-033120	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0061	0.017	mg/Kg
A2	3/31/2020	8:55	N1	RA-C069402	A2-01-00-05-033120	SW8082A	SN	TOTAL PCBs	0.42		-	0.017	mg/Kg
A3	3/31/2020	9:02	N1	RA-C069403	A3-01-00-05-033120	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0062	0.017	mg/Kg
A3	3/31/2020	9:02	N1	RA-C069403	A3-01-00-05-033120	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0081	0.017	mg/Kg
A3	3/31/2020	9:02	N1	RA-C069403	A3-01-00-05-033120	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0096	0.017	mg/Kg
A3	3/31/2020	9:02	N1	RA-C069403	A3-01-00-05-033120	SW8082A	SN	PCB-1242 (AROCLOR 1242)	0.19		0.006	0.017	mg/Kg
A3	3/31/2020	9:02	N1	RA-C069403	A3-01-00-05-033120	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0063	0.017	mg/Kg
A3	3/31/2020	9:02	N1	RA-C069403	A3-01-00-05-033120	SW8082A	SN	PCB-1254 (AROCLOR 1254)	0.14		0.0048	0.017	mg/Kg
A3	3/31/2020	9:02	N1	RA-C069403	A3-01-00-05-033120	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0062	0.017	mg/Kg
A3	3/31/2020	9:02	N1	RA-C069403	A3-01-00-05-033120	SW8082A	SN	TOTAL PCBs	0.33		-	0.017	mg/Kg
A4	3/31/2020	9:08	N1	RA-C069404	A4-01-00-05-033120	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.006	0.017	mg/Kg
A4	3/31/2020	9:08	N1	RA-C069404	A4-01-00-05-033120	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.008	0.017	mg/Kg
A4	3/31/2020	9:08	N1	RA-C069404	A4-01-00-05-033120	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0094	0.017	mg/Kg
A4	3/31/2020	9:08	N1	RA-C069404	A4-01-00-05-033120	SW8082A	SN	PCB-1242 (AROCLOR 1242)	0.04		0.0058	0.017	mg/Kg
A4	3/31/2020	9:08	N1	RA-C069404	A4-01-00-05-033120	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0061	0.017	mg/Kg
A4	3/31/2020	9:08	N1	RA-C069404	A4-01-00-05-033120	SW8082A	SN	PCB-1254 (AROCLOR 1254)	0.022		0.0047	0.017	mg/Kg
A4	3/31/2020	9:08	N1	RA-C069404	A4-01-00-05-033120	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.006	0.017	mg/Kg
A4	3/31/2020	9:08	N1	RA-C069404	A4-01-00-05-033120	SW8082A	SN	TOTAL PCBs	0.062		-	0.017	mg/Kg
A5	3/31/2020	9:18	N1	RA-C069405	A5-01-00-05-033120	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0062	0.017	mg/Kg
A5	3/31/2020	9:18	N1	RA-C069405	A5-01-00-05-033120	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0081	0.017	mg/Kg
A5	3/31/2020	9:18	N1	RA-C069405	A5-01-00-05-033120	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0096	0.017	mg/Kg
A5	3/31/2020	9:18	N1	RA-C069405	A5-01-00-05-033120	SW8082A	SN	PCB-1242 (AROCLOR 1242)	0.02		0.006	0.017	mg/Kg
A5	3/31/2020	9:18	N1	RA-C069405	A5-01-00-05-033120	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0063	0.017	mg/Kg
A5	3/31/2020	9:18	N1	RA-C069405	A5-01-00-05-033120	SW8082A	SN	PCB-1254 (AROCLOR 1254)	ND	U	0.0048	0.017	mg/Kg
A5	3/31/2020	9:18	N1	RA-C069405	A5-01-00-05-033120	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0062	0.017	mg/Kg
A5	3/31/2020	9:18	N1	RA-C069405	A5-01-00-05-033120	SW8082A	SN	TOTAL PCBs	0.02		-	0.017	mg/Kg
B1	3/31/2020	9:25	N1	RA-C069406	B1-01-00-05-033120	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0061	0.017	mg/Kg

Attachment 7 - Concrete Core Floor Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Analysis	Matrix	Analyte	Result	Qualifier	Detection Limit	Reporting Limit	Units
B1	3/31/2020	9:25	N1	RA-C069406	B1-01-00-05-033120	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0081	0.017	mg/Kg
B1	3/31/2020	9:25	N1	RA-C069406	B1-01-00-05-033120	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0095	0.017	mg/Kg
B1	3/31/2020	9:25	N1	RA-C069406	B1-01-00-05-033120	SW8082A	SN	PCB-1242 (AROCLOR 1242)	0.13		0.0059	0.017	mg/Kg
B1	3/31/2020	9:25	N1	RA-C069406	B1-01-00-05-033120	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0062	0.017	mg/Kg
B1	3/31/2020	9:25	N1	RA-C069406	B1-01-00-05-033120	SW8082A	SN	PCB-1254 (AROCLOR 1254)	0.049		0.0048	0.017	mg/Kg
B1	3/31/2020	9:25	N1	RA-C069406	B1-01-00-05-033120	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0061	0.017	mg/Kg
B1	3/31/2020	9:25	N1	RA-C069406	B1-01-00-05-033120	SW8082A	SN	TOTAL PCBs	0.179		-	0.017	mg/Kg
B2	3/31/2020	9:30	N1	RA-C069407	B2-01-00-05-033120	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0061	0.017	mg/Kg
B2	3/31/2020	9:30	N1	RA-C069407	B2-01-00-05-033120	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0081	0.017	mg/Kg
B2	3/31/2020	9:30	N1	RA-C069407	B2-01-00-05-033120	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0095	0.017	mg/Kg
B2	3/31/2020	9:30	N1	RA-C069407	B2-01-00-05-033120	SW8082A	SN	PCB-1242 (AROCLOR 1242)	0.17		0.0059	0.017	mg/Kg
B2	3/31/2020	9:30	N1	RA-C069407	B2-01-00-05-033120	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0062	0.017	mg/Kg
B2	3/31/2020	9:30	N1	RA-C069407	B2-01-00-05-033120	SW8082A	SN	PCB-1254 (AROCLOR 1254)	0.071		0.0048	0.017	mg/Kg
B2	3/31/2020	9:30	N1	RA-C069407	B2-01-00-05-033120	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0061	0.017	mg/Kg
B2	3/31/2020	9:30	N1	RA-C069407	B2-01-00-05-033120	SW8082A	SN	TOTAL PCBs	0.241		-	0.017	mg/Kg
B3	3/31/2020	9:35	N1	RA-C069408	B3-01-00-05-033120	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0059	0.017	mg/Kg
B3	3/31/2020	9:35	N1	RA-C069408	B3-01-00-05-033120	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0078	0.017	mg/Kg
B3	3/31/2020	9:35	N1	RA-C069408	B3-01-00-05-033120	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0091	0.017	mg/Kg
B3	3/31/2020	9:35	N1	RA-C069408	B3-01-00-05-033120	SW8082A	SN	PCB-1242 (AROCLOR 1242)	0.051		0.0057	0.017	mg/Kg
B3	3/31/2020	9:35	N1	RA-C069408	B3-01-00-05-033120	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.006	0.017	mg/Kg
B3	3/31/2020	9:35	N1	RA-C069408	B3-01-00-05-033120	SW8082A	SN	PCB-1254 (AROCLOR 1254)	0.016	J	0.0046	0.017	mg/Kg
B3	3/31/2020	9:35	N1	RA-C069408	B3-01-00-05-033120	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0059	0.017	mg/Kg
B3	3/31/2020	9:35	N1	RA-C069408	B3-01-00-05-033120	SW8082A	SN	TOTAL PCBs	0.067		-	0.017	mg/Kg
B4	3/31/2020	9:40	N1	RA-C069409	B4-01-00-05-033120	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0061	0.017	mg/Kg
B4	3/31/2020	9:40	N1	RA-C069409	B4-01-00-05-033120	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.008	0.017	mg/Kg
B4	3/31/2020	9:40	N1	RA-C069409	B4-01-00-05-033120	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0094	0.017	mg/Kg
B4	3/31/2020	9:40	N1	RA-C069409	B4-01-00-05-033120	SW8082A	SN	PCB-1242 (AROCLOR 1242)	0.25		0.0059	0.017	mg/Kg
B4	3/31/2020	9:40	N1	RA-C069409	B4-01-00-05-033120	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0062	0.017	mg/Kg
B4	3/31/2020	9:40	N1	RA-C069409	B4-01-00-05-033120	SW8082A	SN	PCB-1254 (AROCLOR 1254)	0.088		0.0048	0.017	mg/Kg
B4	3/31/2020	9:40	N1	RA-C069409	B4-01-00-05-033120	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0061	0.017	mg/Kg
B4	3/31/2020	9:40	N1	RA-C069409	B4-01-00-05-033120	SW8082A	SN	TOTAL PCBs	0.338		-	0.017	mg/Kg
B5	3/31/2020	9:47	N1	RA-C069410	B5-01-00-05-033120	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0061	0.017	mg/Kg
B5	3/31/2020	9:47	N1	RA-C069410	B5-01-00-05-033120	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0081	0.017	mg/Kg
B5	3/31/2020	9:47	N1	RA-C069410	B5-01-00-05-033120	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0095	0.017	mg/Kg
B5	3/31/2020	9:47	N1	RA-C069410	B5-01-00-05-033120	SW8082A	SN	PCB-1242 (AROCLOR 1242)	0.1		0.0059	0.017	mg/Kg
B5	3/31/2020	9:47	N1	RA-C069410	B5-01-00-05-033120	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0062	0.017	mg/Kg
B5	3/31/2020	9:47	N1	RA-C069410	B5-01-00-05-033120	SW8082A	SN	PCB-1254 (AROCLOR 1254)	0.042		0.0048	0.017	mg/Kg
B5	3/31/2020	9:47	N1	RA-C069410	B5-01-00-05-033120	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0061	0.017	mg/Kg
B5	3/31/2020	9:47	N1	RA-C069410	B5-01-00-05-033120	SW8082A	SN	TOTAL PCBs	0.142		-	0.017	mg/Kg
C1	3/31/2020	10:37	N1	RA-C069501	C1-01-00-05-033120	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0061	0.017	mg/Kg
C1	3/31/2020	10:37	N1	RA-C069501	C1-01-00-05-033120	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0081	0.017	mg/Kg

Attachment 7 - Concrete Core Floor Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Analysis	Matrix	Analyte	Result	Qualifier	Detection Limit	Reporting Limit	Units
C1	3/31/2020	10:37	N1	RA-C069501	C1-01-00-05-033120	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0095	0.017	mg/Kg
C1	3/31/2020	10:37	N1	RA-C069501	C1-01-00-05-033120	SW8082A	SN	PCB-1242 (AROCLOR 1242)	0.12		0.0059	0.017	mg/Kg
C1	3/31/2020	10:37	N1	RA-C069501	C1-01-00-05-033120	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0062	0.017	mg/Kg
C1	3/31/2020	10:37	N1	RA-C069501	C1-01-00-05-033120	SW8082A	SN	PCB-1254 (AROCLOR 1254)	0.059		0.0048	0.017	mg/Kg
C1	3/31/2020	10:37	N1	RA-C069501	C1-01-00-05-033120	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0061	0.017	mg/Kg
C2	3/31/2020	10:44	N1	RA-C069502	C2-01-00-05-033120	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0058	0.016	mg/Kg
C2	3/31/2020	10:44	N1	RA-C069502	C2-01-00-05-033120	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0076	0.016	mg/Kg
C2	3/31/2020	10:44	N1	RA-C069502	C2-01-00-05-033120	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.009	0.016	mg/Kg
C2	3/31/2020	10:44	N1	RA-C069502	C2-01-00-05-033120	SW8082A	SN	PCB-1242 (AROCLOR 1242)	0.15		0.0056	0.016	mg/Kg
C2	3/31/2020	10:44	N1	RA-C069502	C2-01-00-05-033120	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0059	0.016	mg/Kg
C2	3/31/2020	10:44	N1	RA-C069502	C2-01-00-05-033120	SW8082A	SN	PCB-1254 (AROCLOR 1254)	0.086		0.0046	0.016	mg/Kg
C2	3/31/2020	10:44	N1	RA-C069502	C2-01-00-05-033120	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0058	0.016	mg/Kg
C2	3/31/2020	10:44	N1	RA-C069502	C2-01-00-05-033120	SW8082A	SN	TOTAL PCBs	0.236		-	0.016	mg/Kg
C3	3/31/2020	10:51	N1	RA-C069503	C3-01-00-05-033120	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0059	0.017	mg/Kg
C3	3/31/2020	10:51	N1	RA-C069503	C3-01-00-05-033120	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0078	0.017	mg/Kg
C3	3/31/2020	10:51	N1	RA-C069503	C3-01-00-05-033120	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0092	0.017	mg/Kg
C3	3/31/2020	10:51	N1	RA-C069503	C3-01-00-05-033120	SW8082A	SN	PCB-1242 (AROCLOR 1242)	0.07		0.0057	0.017	mg/Kg
C3	3/31/2020	10:51	N1	RA-C069503	C3-01-00-05-033120	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.006	0.017	mg/Kg
C3	3/31/2020	10:51	N1	RA-C069503	C3-01-00-05-033120	SW8082A	SN	PCB-1254 (AROCLOR 1254)	0.051		0.0046	0.017	mg/Kg
C3	3/31/2020	10:51	N1	RA-C069503	C3-01-00-05-033120	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0059	0.017	mg/Kg
C3	3/31/2020	10:51	N1	RA-C069503	C3-01-00-05-033120	SW8082A	SN	TOTAL PCBs	0.121		-	0.017	mg/Kg
C4	3/31/2020	11:00	N1	RA-C069504	C4-01-00-05-033120	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0059	0.017	mg/Kg
C4	3/31/2020	11:00	N1	RA-C069504	C4-01-00-05-033120	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0078	0.017	mg/Kg
C4	3/31/2020	11:00	N1	RA-C069504	C4-01-00-05-033120	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0092	0.017	mg/Kg
C4	3/31/2020	11:00	N1	RA-C069504	C4-01-00-05-033120	SW8082A	SN	PCB-1242 (AROCLOR 1242)	ND	U	0.0057	0.017	mg/Kg
C4	3/31/2020	11:00	N1	RA-C069504	C4-01-00-05-033120	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.006	0.017	mg/Kg
C4	3/31/2020	11:00	N1	RA-C069504	C4-01-00-05-033120	SW8082A	SN	PCB-1254 (AROCLOR 1254)	ND	U	0.0046	0.017	mg/Kg
C4	3/31/2020	11:00	N1	RA-C069504	C4-01-00-05-033120	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0059	0.017	mg/Kg
C4	3/31/2020	11:00	N1	RA-C069504	C4-01-00-05-033120	SW8082A	SN	TOTAL PCBs	ND	U	-	0.017	mg/Kg
C5	3/31/2020	11:15	N1	RA-C069505	C5-01-00-05-033120	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0062	0.017	mg/Kg
C5	3/31/2020	11:15	N1	RA-C069505	C5-01-00-05-033120	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0081	0.017	mg/Kg
C5	3/31/2020	11:15	N1	RA-C069505	C5-01-00-05-033120	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0096	0.017	mg/Kg
C5	3/31/2020	11:15	N1	RA-C069505	C5-01-00-05-033120	SW8082A	SN	PCB-1242 (AROCLOR 1242)	0.043		0.006	0.017	mg/Kg
C5	3/31/2020	11:15	N1	RA-C069505	C5-01-00-05-033120	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0063	0.017	mg/Kg
C5	3/31/2020	11:15	N1	RA-C069505	C5-01-00-05-033120	SW8082A	SN	PCB-1254 (AROCLOR 1254)	0.014	J	0.0048	0.017	mg/Kg
C5	3/31/2020	11:15	N1	RA-C069505	C5-01-00-05-033120	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0062	0.017	mg/Kg
C5	3/31/2020	11:15	N1	RA-C069505	C5-01-00-05-033120	SW8082A	SN	TOTAL PCBs	0.057		-	0.017	mg/Kg
D1	3/31/2020	12:16	N1	RA-C069506	D1-01-00-05-033120	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0059	0.017	mg/Kg
D1	3/31/2020	12:16	N1	RA-C069506	D1-01-00-05-033120	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0078	0.017	mg/Kg
D1	3/31/2020	12:16	N1	RA-C069506	D1-01-00-05-033120	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0091	0.017	mg/Kg
D1	3/31/2020	12:16	N1	RA-C069506	D1-01-00-05-033120	SW8082A	SN	PCB-1242 (AROCLOR 1242)	0.11		0.0057	0.017	mg/Kg



Attachment 7 - Concrete Core Floor Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Analysis	Matrix	Analyte	Result	Qualifier	Detection Limit	Reporting Limit	Units
D1	3/31/2020	12:16	N1	RA-C069506	D1-01-00-05-033120	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.006	0.017	mg/Kg
D1	3/31/2020	12:16	N1	RA-C069506	D1-01-00-05-033120	SW8082A	SN	PCB-1254 (AROCLOR 1254)	0.049		0.0046	0.017	mg/Kg
D1	3/31/2020	12:16	N1	RA-C069506	D1-01-00-05-033120	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0059	0.017	mg/Kg
D1	3/31/2020	12:16	N1	RA-C069506	D1-01-00-05-033120	SW8082A	SN	TOTAL PCBs	0.159		-	0.017	mg/Kg
D2	3/31/2020	12:25	N1	RA-C069507	D2-01-00-05-033120	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0061	0.017	mg/Kg
D2	3/31/2020	12:25	N1	RA-C069507	D2-01-00-05-033120	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0081	0.017	mg/Kg
D2	3/31/2020	12:25	N1	RA-C069507	D2-01-00-05-033120	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0095	0.017	mg/Kg
D2	3/31/2020	12:25	N1	RA-C069507	D2-01-00-05-033120	SW8082A	SN	PCB-1242 (AROCLOR 1242)	ND	U	0.0059	0.017	mg/Kg
D2	3/31/2020	12:25	N1	RA-C069507	D2-01-00-05-033120	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0062	0.017	mg/Kg
D2	3/31/2020	12:25	N1	RA-C069507	D2-01-00-05-033120	SW8082A	SN	PCB-1254 (AROCLOR 1254)	ND	U	0.0048	0.017	mg/Kg
D2	3/31/2020	12:25	N1	RA-C069507	D2-01-00-05-033120	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0061	0.017	mg/Kg
D2	3/31/2020	12:25	N1	RA-C069507	D2-01-00-05-033120	SW8082A	SN	TOTAL PCBs	ND	U	-	0.017	mg/Kg
D3	3/31/2020	12:30	N1	RA-C069508	D3-01-00-05-033120	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.006	0.017	mg/Kg
D3	3/31/2020	12:30	N1	RA-C069508	D3-01-00-05-033120	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.008	0.017	mg/Kg
D3	3/31/2020	12:30	N1	RA-C069508	D3-01-00-05-033120	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0094	0.017	mg/Kg
D3	3/31/2020	12:30	N1	RA-C069508	D3-01-00-05-033120	SW8082A	SN	PCB-1242 (AROCLOR 1242)	0.72		0.0058	0.017	mg/Kg
D3	3/31/2020	12:30	N1	RA-C069508	D3-01-00-05-033120	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0061	0.017	mg/Kg
D3	3/31/2020	12:30	N1	RA-C069508	D3-01-00-05-033120	SW8082A	SN	PCB-1254 (AROCLOR 1254)	0.31		0.0047	0.017	mg/Kg
D3	3/31/2020	12:30	N1	RA-C069508	D3-01-00-05-033120	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.006	0.017	mg/Kg
D3	3/31/2020	12:30	N1	RA-C069508	D3-01-00-05-033120	SW8082A	SN	TOTAL PCBs	1.03		-	0.017	mg/Kg
D4	3/31/2020	12:35	N1	RA-C069509	D4-01-00-05-033120	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0061	0.017	mg/Kg
D4	3/31/2020	12:35	N1	RA-C069509	D4-01-00-05-033120	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.008	0.017	mg/Kg
D4	3/31/2020	12:35	N1	RA-C069509	D4-01-00-05-033120	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0095	0.017	mg/Kg
D4	3/31/2020	12:35	N1	RA-C069509	D4-01-00-05-033120	SW8082A	SN	PCB-1242 (AROCLOR 1242)	0.073		0.0059	0.017	mg/Kg
D4	3/31/2020	12:35	N1	RA-C069509	D4-01-00-05-033120	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0062	0.017	mg/Kg
D4	3/31/2020	12:35	N1	RA-C069509	D4-01-00-05-033120	SW8082A	SN	PCB-1254 (AROCLOR 1254)	0.033		0.0048	0.017	mg/Kg
D4	3/31/2020	12:35	N1	RA-C069509	D4-01-00-05-033120	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0061	0.017	mg/Kg
D4	3/31/2020	12:35	N1	RA-C069509	D4-01-00-05-033120	SW8082A	SN	TOTAL PCBs	0.106		-	0.017	mg/Kg
D5	3/31/2020	12:42	N1	RA-C069510	D5-01-00-05-033120	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0059	0.017	mg/Kg
D5	3/31/2020	12:42	N1	RA-C069510	D5-01-00-05-033120	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0078	0.017	mg/Kg
D5	3/31/2020	12:42	N1	RA-C069510	D5-01-00-05-033120	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0092	0.017	mg/Kg
D5	3/31/2020	12:42	N1	RA-C069510	D5-01-00-05-033120	SW8082A	SN	PCB-1242 (AROCLOR 1242)	ND	U	0.0057	0.017	mg/Kg
D5	3/31/2020	12:42	N1	RA-C069510	D5-01-00-05-033120	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.006	0.017	mg/Kg
D5	3/31/2020	12:42	N1	RA-C069510	D5-01-00-05-033120	SW8082A	SN	PCB-1254 (AROCLOR 1254)	ND	U	0.0046	0.017	mg/Kg
D5	3/31/2020	12:42	N1	RA-C069510	D5-01-00-05-033120	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0059	0.017	mg/Kg
D5	3/31/2020	12:42	N1	RA-C069510	D5-01-00-05-033120	SW8082A	SN	TOTAL PCBs	ND	U	-	0.017	mg/Kg
E1	3/31/2020	11:30	N1	RA-C069601	E1-01-00-05-033120	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0061	0.017	mg/Kg
E1	3/31/2020	11:30	N1	RA-C069601	E1-01-00-05-033120	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.008	0.017	mg/Kg
E1	3/31/2020	11:30	N1	RA-C069601	E1-01-00-05-033120	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0094	0.017	mg/Kg
E1	3/31/2020	11:30	N1	RA-C069601	E1-01-00-05-033120	SW8082A	SN	PCB-1242 (AROCLOR 1242)	0.052		0.0059	0.017	mg/Kg
E1	3/31/2020	11:30	N1	RA-C069601	E1-01-00-05-033120	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0062	0.017	mg/Kg

Attachment 7 - Concrete Core Floor Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Analysis	Matrix	Analyte	Result	Qualifier	Detection Limit	Reporting Limit	Units
E1	3/31/2020	11:30	N1	RA-C069601	E1-01-00-05-033120	SW8082A	SN	PCB-1254 (AROCLOR 1254)	0.022		0.0048	0.017	mg/Kg
E1	3/31/2020	11:30	N1	RA-C069601	E1-01-00-05-033120	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0061	0.017	mg/Kg
E1	3/31/2020	11:30	N1	RA-C069601	E1-01-00-05-033120	SW8082A	SN	TOTAL PCBs	0.074		-	0.017	mg/Kg
E2	3/31/2020	11:37	N1	RA-C069602	E2-01-00-05-033120	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0061	0.017	mg/Kg
E2	3/31/2020	11:37	N1	RA-C069602	E2-01-00-05-033120	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.008	0.017	mg/Kg
E2	3/31/2020	11:37	N1	RA-C069602	E2-01-00-05-033120	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0094	0.017	mg/Kg
E2	3/31/2020	11:37	N1	RA-C069602	E2-01-00-05-033120	SW8082A	SN	PCB-1242 (AROCLOR 1242)	ND	U	0.0059	0.017	mg/Kg
E2	3/31/2020	11:37	N1	RA-C069602	E2-01-00-05-033120	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0062	0.017	mg/Kg
E2	3/31/2020	11:37	N1	RA-C069602	E2-01-00-05-033120	SW8082A	SN	PCB-1254 (AROCLOR 1254)	ND	U	0.0048	0.017	mg/Kg
E2	3/31/2020	11:37	N1	RA-C069602	E2-01-00-05-033120	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0061	0.017	mg/Kg
E2	3/31/2020	11:37	N1	RA-C069602	E2-01-00-05-033120	SW8082A	SN	TOTAL PCBs	ND	U	-	0.017	mg/Kg
E3	3/31/2020	11:50	N1	RA-C069603	E3-01-00-05-033120	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0061	0.017	mg/Kg
E3	3/31/2020	11:50	N1	RA-C069603	E3-01-00-05-033120	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.008	0.017	mg/Kg
E3	3/31/2020	11:50	N1	RA-C069603	E3-01-00-05-033120	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0095	0.017	mg/Kg
E3	3/31/2020	11:50	N1	RA-C069603	E3-01-00-05-033120	SW8082A	SN	PCB-1242 (AROCLOR 1242)	0.092	J	0.0059	0.017	mg/Kg
E3	3/31/2020	11:50	N1	RA-C069603	E3-01-00-05-033120	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0062	0.017	mg/Kg
E3	3/31/2020	11:50	N1	RA-C069603	E3-01-00-05-033120	SW8082A	SN	PCB-1254 (AROCLOR 1254)	0.041		0.0048	0.017	mg/Kg
E3	3/31/2020	11:50	N1	RA-C069603	E3-01-00-05-033120	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0061	0.017	mg/Kg
E3	3/31/2020	11:50	N1	RA-C069603	E3-01-00-05-033120	SW8082A	SN	TOTAL PCBs	0.133		-	0.017	mg/Kg
E4	3/31/2020	12:00	N1	RA-C069604	E4-01-00-05-033120	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0061	0.017	mg/Kg
E4	3/31/2020	12:00	N1	RA-C069604	E4-01-00-05-033120	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.008	0.017	mg/Kg
E4	3/31/2020	12:00	N1	RA-C069604	E4-01-00-05-033120	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0095	0.017	mg/Kg
E4	3/31/2020	12:00	N1	RA-C069604	E4-01-00-05-033120	SW8082A	SN	PCB-1242 (AROCLOR 1242)	0.041		0.0059	0.017	mg/Kg
E4	3/31/2020	12:00	N1	RA-C069604	E4-01-00-05-033120	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0062	0.017	mg/Kg
E4	3/31/2020	12:00	N1	RA-C069604	E4-01-00-05-033120	SW8082A	SN	PCB-1254 (AROCLOR 1254)	0.022		0.0048	0.017	mg/Kg
E4	3/31/2020	12:00	N1	RA-C069604	E4-01-00-05-033120	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0061	0.017	mg/Kg
E4	3/31/2020	12:00	N1	RA-C069604	E4-01-00-05-033120	SW8082A	SN	TOTAL PCBs	0.063		-	0.017	mg/Kg
E5	3/31/2020	12:06	N1	RA-C069605	E5-01-00-05-033120	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	UJ	0.006	0.017	mg/Kg
E5	3/31/2020	12:06	N1	RA-C069605	E5-01-00-05-033120	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	UJ	0.0079	0.017	mg/Kg
E5	3/31/2020	12:06	N1	RA-C069605	E5-01-00-05-033120	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	UJ	0.0093	0.017	mg/Kg
E5	3/31/2020	12:06	N1	RA-C069605	E5-01-00-05-033120	SW8082A	SN	PCB-1242 (AROCLOR 1242)	ND	UJ	0.0058	0.017	mg/Kg
E5	3/31/2020	12:06	N1	RA-C069605	E5-01-00-05-033120	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	UJ	0.0061	0.017	mg/Kg
E5	3/31/2020	12:06	N1	RA-C069605	E5-01-00-05-033120	SW8082A	SN	PCB-1254 (AROCLOR 1254)	ND	UJ	0.0047	0.017	mg/Kg
E5	3/31/2020	12:06	N1	RA-C069605	E5-01-00-05-033120	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	UJ	0.006	0.017	mg/Kg
E5	3/31/2020	12:06	N1	RA-C069605	E5-01-00-05-033120	SW8082A	SN	TOTAL PCBs	ND	U	-	0.017	mg/Kg
F1	3/31/2020	9:55	N1	RA-C069606	F1-01-00-05-033120	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.006	0.017	mg/Kg
F1	3/31/2020	9:55	N1	RA-C069606	F1-01-00-05-033120	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.008	0.017	mg/Kg
F1	3/31/2020	9:55	N1	RA-C069606	F1-01-00-05-033120	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0094	0.017	mg/Kg
F1	3/31/2020	9:55	N1	RA-C069606	F1-01-00-05-033120	SW8082A	SN	PCB-1242 (AROCLOR 1242)	0.38		0.0058	0.017	mg/Kg
F1	3/31/2020	9:55	N1	RA-C069606	F1-01-00-05-033120	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0061	0.017	mg/Kg
F1	3/31/2020	9:55	N1	RA-C069606	F1-01-00-05-033120	SW8082A	SN	PCB-1254 (AROCLOR 1254)	0.16		0.0047	0.017	mg/Kg

Attachment 7 - Concrete Core Floor Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Analysis	Matrix	Analyte	Result	Qualifier	Detection Limit	Reporting Limit	Units
F1	3/31/2020	9:55	N1	RA-C069606	F1-01-00-05-033120	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.006	0.017	mg/Kg
F1	3/31/2020	9:55	N1	RA-C069606	F1-01-00-05-033120	SW8082A	SN	TOTAL PCBs	0.54		-	0.017	mg/Kg
F2	3/31/2020	10:05	N1	RA-C069607	F2-01-00-05-033120	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0061	0.017	mg/Kg
F2	3/31/2020	10:05	N1	RA-C069607	F2-01-00-05-033120	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.008	0.017	mg/Kg
F2	3/31/2020	10:05	N1	RA-C069607	F2-01-00-05-033120	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0094	0.017	mg/Kg
F2	3/31/2020	10:05	N1	RA-C069607	F2-01-00-05-033120	SW8082A	SN	PCB-1242 (AROCLOR 1242)	0.028		0.0059	0.017	mg/Kg
F2	3/31/2020	10:05	N1	RA-C069607	F2-01-00-05-033120	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0062	0.017	mg/Kg
F2	3/31/2020	10:05	N1	RA-C069607	F2-01-00-05-033120	SW8082A	SN	PCB-1254 (AROCLOR 1254)	0.021		0.0048	0.017	mg/Kg
F2	3/31/2020	10:05	N1	RA-C069607	F2-01-00-05-033120	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0061	0.017	mg/Kg
F2	3/31/2020	10:05	N1	RA-C069607	F2-01-00-05-033120	SW8082A	SN	TOTAL PCBs	0.049		-	0.017	mg/Kg
F3	3/31/2020	10:10	N1	RA-C069608	F3-01-00-05-033120	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.006	0.017	mg/Kg
F3	3/31/2020	10:10	N1	RA-C069608	F3-01-00-05-033120	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0079	0.017	mg/Kg
F3	3/31/2020	10:10	N1	RA-C069608	F3-01-00-05-033120	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0093	0.017	mg/Kg
F3	3/31/2020	10:10	N1	RA-C069608	F3-01-00-05-033120	SW8082A	SN	PCB-1242 (AROCLOR 1242)	0.024		0.0058	0.017	mg/Kg
F3	3/31/2020	10:10	N1	RA-C069608	F3-01-00-05-033120	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0061	0.017	mg/Kg
F3	3/31/2020	10:10	N1	RA-C069608	F3-01-00-05-033120	SW8082A	SN	PCB-1254 (AROCLOR 1254)	0.013	J	0.0047	0.017	mg/Kg
F3	3/31/2020	10:10	N1	RA-C069608	F3-01-00-05-033120	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.006	0.017	mg/Kg
F3	3/31/2020	10:10	N1	RA-C069608	F3-01-00-05-033120	SW8082A	SN	TOTAL PCBs	0.037		-	0.017	mg/Kg
F4	3/31/2020	10:15	N1	RA-C069609	F4-01-00-05-033120	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.006	0.017	mg/Kg
F4	3/31/2020	10:15	N1	RA-C069609	F4-01-00-05-033120	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0079	0.017	mg/Kg
F4	3/31/2020	10:15	N1	RA-C069609	F4-01-00-05-033120	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0093	0.017	mg/Kg
F4	3/31/2020	10:15	N1	RA-C069609	F4-01-00-05-033120	SW8082A	SN	PCB-1242 (AROCLOR 1242)	0.046		0.0058	0.017	mg/Kg
F4	3/31/2020	10:15	N1	RA-C069609	F4-01-00-05-033120	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0061	0.017	mg/Kg
F4	3/31/2020	10:15	N1	RA-C069609	F4-01-00-05-033120	SW8082A	SN	PCB-1254 (AROCLOR 1254)	0.041		0.0047	0.017	mg/Kg
F4	3/31/2020	10:15	N1	RA-C069609	F4-01-00-05-033120	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.006	0.017	mg/Kg
F4	3/31/2020	10:15	N1	RA-C069609	F4-01-00-05-033120	SW8082A	SN	TOTAL PCBs	0.087		-	0.017	mg/Kg
F5	3/31/2020	10:22	N1	RA-C069610	F5-01-00-05-033120	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0061	0.017	mg/Kg
F5	3/31/2020	10:22	N1	RA-C069610	F5-01-00-05-033120	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.008	0.017	mg/Kg
F5	3/31/2020	10:22	N1	RA-C069610	F5-01-00-05-033120	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0095	0.017	mg/Kg
F5	3/31/2020	10:22	N1	RA-C069610	F5-01-00-05-033120	SW8082A	SN	PCB-1242 (AROCLOR 1242)	0.039		0.0059	0.017	mg/Kg
F5	3/31/2020	10:22	N1	RA-C069610	F5-01-00-05-033120	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0062	0.017	mg/Kg
F5	3/31/2020	10:22	N1	RA-C069610	F5-01-00-05-033120	SW8082A	SN	PCB-1254 (AROCLOR 1254)	0.025		0.0048	0.017	mg/Kg
F5	3/31/2020	10:22	N1	RA-C069610	F5-01-00-05-033120	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0061	0.017	mg/Kg
F5	3/31/2020	10:22	N1	RA-C069610	F5-01-00-05-033120	SW8082A	SN	TOTAL PCBs	0.064		-	0.017	mg/Kg
10Q	8/25/2020	12:05	N1	DD-D024908	10Q-00-05-082520	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0062	0.018	mg/Kg
10Q	8/25/2020	12:05	N1	DD-D024908	10Q-00-05-082520	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0081	0.018	mg/Kg
10Q	8/25/2020	12:05	N1	DD-D024908	10Q-00-05-082520	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0096	0.018	mg/Kg
10Q	8/25/2020	12:05	N1	DD-D024908	10Q-00-05-082520	SW8082A	SN	PCB-1242 (AROCLOR 1242)	0.041		0.006	0.018	mg/Kg
10Q	8/25/2020	12:05	N1	DD-D024908	10Q-00-05-082520	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0063	0.018	mg/Kg
10Q	8/25/2020	12:05	N1	DD-D024908	10Q-00-05-082520	SW8082A	SN	PCB-1254 (AROCLOR 1254)	0.009	J	0.0048	0.018	mg/Kg
10Q	8/25/2020	12:05	N1	DD-D024908	10Q-00-05-082520	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0062	0.018	mg/Kg

## Attachment 7 - Concrete Core Floor Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Analysis	Matrix	Analyte	Result	Qualifier	Detection Limit	Reporting Limit	Units
10Q	8/25/2020	12:05	N1	DD-D024908	10Q-00-05-082520	SW8082A	SN	TOTAL PCBs	0.05		-	0.018	mg/Kg
11E	8/25/2020	8:08	N1	DD-D024909	11E-00-05-082520	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0059	0.017	mg/Kg
11E	8/25/2020	8:08	N1	DD-D024909	11E-00-05-082520	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0078	0.017	mg/Kg
11E	8/25/2020	8:08	N1	DD-D024909	11E-00-05-082520	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0092	0.017	mg/Kg
11E	8/25/2020	8:08	N1	DD-D024909	11E-00-05-082520	SW8082A	SN	PCB-1242 (AROCLOR 1242)	0.016	J	0.0057	0.017	mg/Kg
11E	8/25/2020	8:08	N1	DD-D024909	11E-00-05-082520	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.006	0.017	mg/Kg
11E	8/25/2020	8:08	N1	DD-D024909	11E-00-05-082520	SW8082A	SN	PCB-1254 (AROCLOR 1254)	0.0061	J	0.0046	0.017	mg/Kg
11E	8/25/2020	8:08	N1	DD-D024909	11E-00-05-082520	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0059	0.017	mg/Kg
11E	8/25/2020	8:08	N1	DD-D024909	11E-00-05-082520	SW8082A	SN	TOTAL PCBs	0.0221		-	0.017	mg/Kg
11H	8/25/2020	8:15	N1	DD-D024910	11H-00-05-082520	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0061	0.017	mg/Kg
11H	8/25/2020	8:15	N1	DD-D024910	11H-00-05-082520	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.008	0.017	mg/Kg
11H	8/25/2020	8:15	N1	DD-D024910	11H-00-05-082520	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0094	0.017	mg/Kg
11H	8/25/2020	8:15	N1	DD-D024910	11H-00-05-082520	SW8082A	SN	PCB-1242 (AROCLOR 1242)	0.046		0.0059	0.017	mg/Kg
11H	8/25/2020	8:15	N1	DD-D024910	11H-00-05-082520	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0062	0.017	mg/Kg
11H	8/25/2020	8:15	N1	DD-D024910	11H-00-05-082520	SW8082A	SN	PCB-1254 (AROCLOR 1254)	0.015	J	0.0048	0.017	mg/Kg
11H	8/25/2020	8:15	N1	DD-D024910	11H-00-05-082520	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0061	0.017	mg/Kg
11H	8/25/2020	8:15	N1	DD-D024910	11H-00-05-082520	SW8082A	SN	TOTAL PCBs	0.061		-	0.017	mg/Kg
11S	9/10/2020	7:40	N1	DD-D025001	11S-00-05-09102020	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0059	0.017	mg/Kg
11S	9/10/2020	7:40	N1	DD-D025001	11S-00-05-09102020	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0077	0.017	mg/Kg
11S	9/10/2020	7:40	N1	DD-D025001	11S-00-05-09102020	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0091	0.017	mg/Kg
11S	9/10/2020	7:40	N1	DD-D025001	11S-00-05-09102020	SW8082A	SN	PCB-1242 (AROCLOR 1242)	ND	U	0.0057	0.017	mg/Kg
11S	9/10/2020	7:40	N1	DD-D025001	11S-00-05-09102020	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.006	0.017	mg/Kg
11S	9/10/2020	7:40	N1	DD-D025001	11S-00-05-09102020	SW8082A	SN	PCB-1254 (AROCLOR 1254)	ND	U	0.0046	0.017	mg/Kg
11S	9/10/2020	7:40	N1	DD-D025001	11S-00-05-09102020	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0059	0.017	mg/Kg
11S	9/10/2020	7:40	N1	DD-D025001	11S-00-05-09102020	SW8082A	SN	TOTAL PCBs	ND	U	-	0.017	mg/Kg
13M	8/25/2020	11:35	N1	DD-D025002	13M-00-05-082520	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0061	0.017	mg/Kg
13M	8/25/2020	11:35	N1	DD-D025002	13M-00-05-082520	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.008	0.017	mg/Kg
13M	8/25/2020	11:35	N1	DD-D025002	13M-00-05-082520	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0095	0.017	mg/Kg
13M	8/25/2020	11:35	N1	DD-D025002	13M-00-05-082520	SW8082A	SN	PCB-1242 (AROCLOR 1242)	ND	U	0.0059	0.017	mg/Kg
13M	8/25/2020	11:35	N1	DD-D025002	13M-00-05-082520	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0062	0.017	mg/Kg
13M	8/25/2020	11:35	N1	DD-D025002	13M-00-05-082520	SW8082A	SN	PCB-1254 (AROCLOR 1254)	ND	U	0.0048	0.017	mg/Kg
13M	8/25/2020	11:35	N1	DD-D025002	13M-00-05-082520	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0061	0.017	mg/Kg
13M	8/25/2020	11:35	N1	DD-D025002	13M-00-05-082520	SW8082A	SN	TOTAL PCBs	ND	U	-	0.017	mg/Kg
14B	8/25/2020	7:55	N1	DD-D025003	14B-00-05-082520	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.006	0.017	mg/Kg
14B	8/25/2020	7:55	N1	DD-D025003	14B-00-05-082520	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0079	0.017	mg/Kg
14B	8/25/2020	7:55	N1	DD-D025003	14B-00-05-082520	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0092	0.017	mg/Kg
14B	8/25/2020	7:55	N1	DD-D025003	14B-00-05-082520	SW8082A	SN	PCB-1242 (AROCLOR 1242)	0.013	J	0.0058	0.017	mg/Kg
14B	8/25/2020	7:55	N1	DD-D025003	14B-00-05-082520	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0061	0.017	mg/Kg
14B	8/25/2020	7:55	N1	DD-D025003	14B-00-05-082520	SW8082A	SN	PCB-1254 (AROCLOR 1254)	ND	U	0.0047	0.017	mg/Kg
14B	8/25/2020	7:55	N1	DD-D025003	14B-00-05-082520	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.006	0.017	mg/Kg
14B	8/25/2020	7:55	N1	DD-D025003	14B-00-05-082520	SW8082A	SN	TOTAL PCBs	0.013		-	0.017	mg/Kg

Attachment 7 - Concrete Core Floor Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Analysis	Matrix	Analyte	Result	Qualifier	Detection Limit	Reporting Limit	Units
14H	8/25/2020	8:20	N1	DD-D025004	14H-00-05-082520	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0061	0.017	mg/Kg
14H	8/25/2020	8:20	N1	DD-D025004	14H-00-05-082520	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.008	0.017	mg/Kg
14H	8/25/2020	8:20	N1	DD-D025004	14H-00-05-082520	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0094	0.017	mg/Kg
14H	8/25/2020	8:20	N1	DD-D025004	14H-00-05-082520	SW8082A	SN	PCB-1242 (AROCLOR 1242)	ND	U	0.0059	0.017	mg/Kg
14H	8/25/2020	8:20	N1	DD-D025004	14H-00-05-082520	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0062	0.017	mg/Kg
14H	8/25/2020	8:20	N1	DD-D025004	14H-00-05-082520	SW8082A	SN	PCB-1254 (AROCLOR 1254)	ND	U	0.0048	0.017	mg/Kg
14H	8/25/2020	8:20	N1	DD-D025004	14H-00-05-082520	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0061	0.017	mg/Kg
14H	8/25/2020	8:20	N1	DD-D025004	14H-00-05-082520	SW8082A	SN	TOTAL PCBs	ND	U	-	0.017	mg/Kg
14K	8/25/2020	9:47	N1	DD-D025005	14K-00-05-082520	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0053	0.015	mg/Kg
14K	8/25/2020	9:47	N1	DD-D025005	14K-00-05-082520	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.007	0.015	mg/Kg
14K	8/25/2020	9:47	N1	DD-D025005	14K-00-05-082520	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0082	0.015	mg/Kg
14K	8/25/2020	9:47	N1	DD-D025005	14K-00-05-082520	SW8082A	SN	PCB-1242 (AROCLOR 1242)	ND	U	0.0051	0.015	mg/Kg
14K	8/25/2020	9:47	N1	DD-D025005	14K-00-05-082520	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0054	0.015	mg/Kg
14K	8/25/2020	9:47	N1	DD-D025005	14K-00-05-082520	SW8082A	SN	PCB-1254 (AROCLOR 1254)	ND	U	0.0042	0.015	mg/Kg
14K	8/25/2020	9:47	N1	DD-D025005	14K-00-05-082520	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0053	0.015	mg/Kg
14K	8/25/2020	9:47	N1	DD-D025005	14K-00-05-082520	SW8082A	SN	TOTAL PCBs	ND	U	-	0.015	mg/Kg
15D	8/25/2020	8:00	N1	DD-D025006	15D-00-05-082520	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0058	0.016	mg/Kg
15D	8/25/2020	8:00	N1	DD-D025006	15D-00-05-082520	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0077	0.016	mg/Kg
15D	8/25/2020	8:00	N1	DD-D025006	15D-00-05-082520	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.009	0.016	mg/Kg
15D	8/25/2020	8:00	N1	DD-D025006	15D-00-05-082520	SW8082A	SN	PCB-1242 (AROCLOR 1242)	ND	U	0.0056	0.016	mg/Kg
15D	8/25/2020	8:00	N1	DD-D025006	15D-00-05-082520	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0059	0.016	mg/Kg
15D	8/25/2020	8:00	N1	DD-D025006	15D-00-05-082520	SW8082A	SN	PCB-1254 (AROCLOR 1254)	ND	U	0.0046	0.016	mg/Kg
15D	8/25/2020	8:00	N1	DD-D025006	15D-00-05-082520	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0058	0.016	mg/Kg
15D	8/25/2020	8:00	N1	DD-D025006	15D-00-05-082520	SW8082A	SN	TOTAL PCBs	ND	U	-	0.016	mg/Kg
15Q	8/25/2020	11:53	N1	DD-D025007	15Q-00-05-082520	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0061	0.017	mg/Kg
15Q	8/25/2020	11:53	N1	DD-D025007	15Q-00-05-082520	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0081	0.017	mg/Kg
15Q	8/25/2020	11:53	N1	DD-D025007	15Q-00-05-082520	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0095	0.017	mg/Kg
15Q	8/25/2020	11:53	N1	DD-D025007	15Q-00-05-082520	SW8082A	SN	PCB-1242 (AROCLOR 1242)	ND	U	0.0059	0.017	mg/Kg
15Q	8/25/2020	11:53	N1	DD-D025007	15Q-00-05-082520	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0062	0.017	mg/Kg
15Q	8/25/2020	11:53	N1	DD-D025007	15Q-00-05-082520	SW8082A	SN	PCB-1254 (AROCLOR 1254)	ND	U	0.0048	0.017	mg/Kg
15Q	8/25/2020	11:53	N1	DD-D025007	15Q-00-05-082520	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0061	0.017	mg/Kg
15Q	8/25/2020	11:53	N1	DD-D025007	15Q-00-05-082520	SW8082A	SN	TOTAL PCBs	ND	U	-	0.017	mg/Kg
15T	9/10/2020	7:30	N1	DD-D025008	15T-00-05-09102020	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0054	0.015	mg/Kg
15T	9/10/2020	7:30	N1	DD-D025008	15T-00-05-09102020	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0072	0.015	mg/Kg
15T	9/10/2020	7:30	N1	DD-D025008	15T-00-05-09102020	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0084	0.015	mg/Kg
15T	9/10/2020	7:30	N1	DD-D025008	15T-00-05-09102020	SW8082A	SN	PCB-1242 (AROCLOR 1242)	ND	U	0.0053	0.015	mg/Kg
15T	9/10/2020	7:30	N1	DD-D025008	15T-00-05-09102020	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0055	0.015	mg/Kg
15T	9/10/2020	7:30	N1	DD-D025008	15T-00-05-09102020	SW8082A	SN	PCB-1254 (AROCLOR 1254)	ND	U	0.0043	0.015	mg/Kg
15T	9/10/2020	7:30	N1	DD-D025008	15T-00-05-09102020	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0054	0.015	mg/Kg
15T	9/10/2020	7:30	N1	DD-D025008	15T-00-05-09102020	SW8082A	SN	TOTAL PCBs	ND	U	-	0.015	mg/Kg
16L	8/25/2020	9:53	N1	DD-D025009	16L-00-05-082520	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0057	0.016	mg/Kg



Attachment 7 - Concrete Core Floor Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Analysis	Matrix	Analyte	Result	Qualifier	Detection Limit	Reporting Limit	Units
16L	8/25/2020	9:53	N1	DD-D025009	16L-00-05-082520	SW8082A	SN	PCB-1221 (AROCOLOR 1221)	ND	U	0.0075	0.016	mg/Kg
16L	8/25/2020	9:53	N1	DD-D025009	16L-00-05-082520	SW8082A	SN	PCB-1232 (AROCOLOR 1232)	ND	U	0.0089	0.016	mg/Kg
16L	8/25/2020	9:53	N1	DD-D025009	16L-00-05-082520	SW8082A	SN	PCB-1242 (AROCOLOR 1242)	ND	U	0.0055	0.016	mg/Kg
16L	8/25/2020	9:53	N1	DD-D025009	16L-00-05-082520	SW8082A	SN	PCB-1248 (AROCOLOR 1248)	ND	U	0.0058	0.016	mg/Kg
16L	8/25/2020	9:53	N1	DD-D025009	16L-00-05-082520	SW8082A	SN	PCB-1254 (AROCOLOR 1254)	ND	U	0.0045	0.016	mg/Kg
16L	8/25/2020	9:53	N1	DD-D025009	16L-00-05-082520	SW8082A	SN	PCB-1260 (AROCOLOR 1260)	ND	U	0.0057	0.016	mg/Kg
16L	8/25/2020	9:53	N1	DD-D025009	16L-00-05-082520	SW8082A	SN	TOTAL PCBs	ND	U	-	0.016	mg/Kg
17E	8/25/2020	8:35	N1	DD-D025010	17E-00-05-082520	SW8082A	SN	PCB-1016 (AROCOLOR 1016)	ND	U	0.0056	0.016	mg/Kg
17E	8/25/2020	8:35	N1	DD-D025010	17E-00-05-082520	SW8082A	SN	PCB-1221 (AROCOLOR 1221)	ND	U	0.0073	0.016	mg/Kg
17E	8/25/2020	8:35	N1	DD-D025010	17E-00-05-082520	SW8082A	SN	PCB-1232 (AROCOLOR 1232)	ND	U	0.0086	0.016	mg/Kg
17E	8/25/2020	8:35	N1	DD-D025010	17E-00-05-082520	SW8082A	SN	PCB-1242 (AROCOLOR 1242)	0.021		0.0054	0.016	mg/Kg
17E	8/25/2020	8:35	N1	DD-D025010	17E-00-05-082520	SW8082A	SN	PCB-1248 (AROCOLOR 1248)	ND	U	0.0057	0.016	mg/Kg
17E	8/25/2020	8:35	N1	DD-D025010	17E-00-05-082520	SW8082A	SN	PCB-1254 (AROCOLOR 1254)	0.0081	J	0.0044	0.016	mg/Kg
17E	8/25/2020	8:35	N1	DD-D025010	17E-00-05-082520	SW8082A	SN	PCB-1260 (AROCOLOR 1260)	ND	U	0.0056	0.016	mg/Kg
17E	8/25/2020	8:35	N1	DD-D025010	17E-00-05-082520	SW8082A	SN	TOTAL PCBs	0.0291		-	0.016	mg/Kg
17H	8/25/2020	9:40	N1	DD-D025101	17H-00-05-082520	SW8082A	SN	PCB-1016 (AROCOLOR 1016)	ND	U	0.0059	0.017	mg/Kg
17H	8/25/2020	9:40	N1	DD-D025101	17H-00-05-082520	SW8082A	SN	PCB-1221 (AROCOLOR 1221)	ND	U	0.0077	0.017	mg/Kg
17H	8/25/2020	9:40	N1	DD-D025101	17H-00-05-082520	SW8082A	SN	PCB-1232 (AROCOLOR 1232)	ND	U	0.0091	0.017	mg/Kg
17H	8/25/2020	9:40	N1	DD-D025101	17H-00-05-082520	SW8082A	SN	PCB-1242 (AROCOLOR 1242)	ND	U	0.0057	0.017	mg/Kg
17H	8/25/2020	9:40	N1	DD-D025101	17H-00-05-082520	SW8082A	SN	PCB-1248 (AROCOLOR 1248)	ND	U	0.006	0.017	mg/Kg
17H	8/25/2020	9:40	N1	DD-D025101	17H-00-05-082520	SW8082A	SN	PCB-1254 (AROCOLOR 1254)	ND	U	0.0046	0.017	mg/Kg
17H	8/25/2020	9:40	N1	DD-D025101	17H-00-05-082520	SW8082A	SN	PCB-1260 (AROCOLOR 1260)	ND	U	0.0059	0.017	mg/Kg
17H	8/25/2020	9:40	N1	DD-D025101	17H-00-05-082520	SW8082A	SN	TOTAL PCBs	ND	U	-	0.017	mg/Kg
17N	8/25/2020	11:30	N1	DD-D025102	17N-00-05-082520	SW8082A	SN	PCB-1016 (AROCOLOR 1016)	ND	U	0.0058	0.016	mg/Kg
17N	8/25/2020	11:30	N1	DD-D025102	17N-00-05-082520	SW8082A	SN	PCB-1221 (AROCOLOR 1221)	ND	U	0.0076	0.016	mg/Kg
17N	8/25/2020	11:30	N1	DD-D025102	17N-00-05-082520	SW8082A	SN	PCB-1232 (AROCOLOR 1232)	ND	U	0.0089	0.016	mg/Kg
17N	8/25/2020	11:30	N1	DD-D025102	17N-00-05-082520	SW8082A	SN	PCB-1242 (AROCOLOR 1242)	ND	U	0.0056	0.016	mg/Kg
17N	8/25/2020	11:30	N1	DD-D025102	17N-00-05-082520	SW8082A	SN	PCB-1248 (AROCOLOR 1248)	ND	U	0.0058	0.016	mg/Kg
17N	8/25/2020	11:30	N1	DD-D025102	17N-00-05-082520	SW8082A	SN	PCB-1254 (AROCOLOR 1254)	ND	U	0.0045	0.016	mg/Kg
17N	8/25/2020	11:30	N1	DD-D025102	17N-00-05-082520	SW8082A	SN	PCB-1260 (AROCOLOR 1260)	ND	U	0.0058	0.016	mg/Kg
17N	8/25/2020	11:30	N1	DD-D025102	17N-00-05-082520	SW8082A	SN	TOTAL PCBs	ND	U	-	0.016	mg/Kg
17P	8/25/2020	11:35	N1	DD-D025103	17P-00-05-082520	SW8082A	SN	PCB-1016 (AROCOLOR 1016)	ND	U	0.0062	0.018	mg/Kg
17P	8/25/2020	11:35	N1	DD-D025103	17P-00-05-082520	SW8082A	SN	PCB-1221 (AROCOLOR 1221)	ND	U	0.0081	0.018	mg/Kg
17P	8/25/2020	11:35	N1	DD-D025103	17P-00-05-082520	SW8082A	SN	PCB-1232 (AROCOLOR 1232)	ND	U	0.0096	0.018	mg/Kg
17P	8/25/2020	11:35	N1	DD-D025103	17P-00-05-082520	SW8082A	SN	PCB-1242 (AROCOLOR 1242)	ND	U	0.006	0.018	mg/Kg
17P	8/25/2020	11:35	N1	DD-D025103	17P-00-05-082520	SW8082A	SN	PCB-1248 (AROCOLOR 1248)	ND	U	0.0063	0.018	mg/Kg
17P	8/25/2020	11:35	N1	DD-D025103	17P-00-05-082520	SW8082A	SN	PCB-1254 (AROCOLOR 1254)	ND	U	0.0048	0.018	mg/Kg
17P	8/25/2020	11:35	N1	DD-D025103	17P-00-05-082520	SW8082A	SN	PCB-1260 (AROCOLOR 1260)	ND	U	0.0062	0.018	mg/Kg
17P	8/25/2020	11:35	N1	DD-D025103	17P-00-05-082520	SW8082A	SN	TOTAL PCBs	ND	U	-	0.018	mg/Kg
20H	8/25/2020	9:30	N1	DD-D025104	20H-00-05-082520	SW8082A	SN	PCB-1016 (AROCOLOR 1016)	ND	U	0.0058	0.016	mg/Kg
20H	8/25/2020	9:30	N1	DD-D025104	20H-00-05-082520	SW8082A	SN	PCB-1221 (AROCOLOR 1221)	ND	U	0.0076	0.016	mg/Kg

Attachment 7 - Concrete Core Floor Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Analysis	Matrix	Analyte	Result	Qualifier	Detection Limit	Reporting Limit	Units
20H	8/25/2020	9:30	N1	DD-D025104	20H-00-05-082520	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.009	0.016	mg/Kg
20H	8/25/2020	9:30	N1	DD-D025104	20H-00-05-082520	SW8082A	SN	PCB-1242 (AROCLOR 1242)	ND	U	0.0056	0.016	mg/Kg
20H	8/25/2020	9:30	N1	DD-D025104	20H-00-05-082520	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0059	0.016	mg/Kg
20H	8/25/2020	9:30	N1	DD-D025104	20H-00-05-082520	SW8082A	SN	PCB-1254 (AROCLOR 1254)	ND	U	0.0046	0.016	mg/Kg
20H	8/25/2020	9:30	N1	DD-D025104	20H-00-05-082520	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0058	0.016	mg/Kg
20H	8/25/2020	9:30	N1	DD-D025104	20H-00-05-082520	SW8082A	SN	TOTAL PCBs	ND	U	-	0.016	mg/Kg
20J	8/25/2020	10:00	N1	DD-D025105	20J-00-05-082520	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0057	0.016	mg/Kg
20J	8/25/2020	10:00	N1	DD-D025105	20J-00-05-082520	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0075	0.016	mg/Kg
20J	8/25/2020	10:00	N1	DD-D025105	20J-00-05-082520	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0088	0.016	mg/Kg
20J	8/25/2020	10:00	N1	DD-D025105	20J-00-05-082520	SW8082A	SN	PCB-1242 (AROCLOR 1242)	ND	U	0.0055	0.016	mg/Kg
20J	8/25/2020	10:00	N1	DD-D025105	20J-00-05-082520	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0058	0.016	mg/Kg
20J	8/25/2020	10:00	N1	DD-D025105	20J-00-05-082520	SW8082A	SN	PCB-1254 (AROCLOR 1254)	ND	U	0.0044	0.016	mg/Kg
20J	8/25/2020	10:00	N1	DD-D025105	20J-00-05-082520	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0057	0.016	mg/Kg
20J	8/25/2020	10:00	N1	DD-D025105	20J-00-05-082520	SW8082A	SN	TOTAL PCBs	ND	U	-	0.016	mg/Kg
20K	8/25/2020	10:07	N1	DD-D025106	20K-00-05-082520	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0058	0.016	mg/Kg
20K	8/25/2020	10:07	N1	DD-D025106	20K-00-05-082520	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0076	0.016	mg/Kg
20K	8/25/2020	10:07	N1	DD-D025106	20K-00-05-082520	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.009	0.016	mg/Kg
20K	8/25/2020	10:07	N1	DD-D025106	20K-00-05-082520	SW8082A	SN	PCB-1242 (AROCLOR 1242)	ND	U	0.0056	0.016	mg/Kg
20K	8/25/2020	10:07	N1	DD-D025106	20K-00-05-082520	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0059	0.016	mg/Kg
20K	8/25/2020	10:07	N1	DD-D025106	20K-00-05-082520	SW8082A	SN	PCB-1254 (AROCLOR 1254)	ND	U	0.0045	0.016	mg/Kg
20K	8/25/2020	10:07	N1	DD-D025106	20K-00-05-082520	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0058	0.016	mg/Kg
20K	8/25/2020	10:07	N1	DD-D025106	20K-00-05-082520	SW8082A	SN	TOTAL PCBs	ND	U	-	0.016	mg/Kg
20L	8/25/2020	10:12	N1	DD-D025107	20L-00-05-082520	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0055	0.016	mg/Kg
20L	8/25/2020	10:12	N1	DD-D025107	20L-00-05-082520	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0072	0.016	mg/Kg
20L	8/25/2020	10:12	N1	DD-D025107	20L-00-05-082520	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0085	0.016	mg/Kg
20L	8/25/2020	10:12	N1	DD-D025107	20L-00-05-082520	SW8082A	SN	PCB-1242 (AROCLOR 1242)	ND	U	0.0053	0.016	mg/Kg
20L	8/25/2020	10:12	N1	DD-D025107	20L-00-05-082520	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0056	0.016	mg/Kg
20L	8/25/2020	10:12	N1	DD-D025107	20L-00-05-082520	SW8082A	SN	PCB-1254 (AROCLOR 1254)	ND	U	0.0043	0.016	mg/Kg
20L	8/25/2020	10:12	N1	DD-D025107	20L-00-05-082520	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0055	0.016	mg/Kg
20L	8/25/2020	10:12	N1	DD-D025107	20L-00-05-082520	SW8082A	SN	TOTAL PCBs	ND	U	-	0.016	mg/Kg
20P	8/25/2020	11:22	N1	DD-D025108	20P-00-05-082520	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0056	0.016	mg/Kg
20P	8/25/2020	11:22	N1	DD-D025108	20P-00-05-082520	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0074	0.016	mg/Kg
20P	8/25/2020	11:22	N1	DD-D025108	20P-00-05-082520	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0086	0.016	mg/Kg
20P	8/25/2020	11:22	N1	DD-D025108	20P-00-05-082520	SW8082A	SN	PCB-1242 (AROCLOR 1242)	ND	U	0.0054	0.016	mg/Kg
20P	8/25/2020	11:22	N1	DD-D025108	20P-00-05-082520	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0057	0.016	mg/Kg
20P	8/25/2020	11:22	N1	DD-D025108	20P-00-05-082520	SW8082A	SN	PCB-1254 (AROCLOR 1254)	ND	U	0.0044	0.016	mg/Kg
20P	8/25/2020	11:22	N1	DD-D025108	20P-00-05-082520	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0056	0.016	mg/Kg
20P	8/25/2020	11:22	N1	DD-D025108	20P-00-05-082520	SW8082A	SN	TOTAL PCBs	ND	U	-	0.016	mg/Kg
21J	8/25/2020	10:22	N1	DD-D025109	21J-00-05-082520	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0053	0.015	mg/Kg
21J	8/25/2020	10:22	N1	DD-D025109	21J-00-05-082520	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.007	0.015	mg/Kg
21J	8/25/2020	10:22	N1	DD-D025109	21J-00-05-082520	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0083	0.015	mg/Kg

Attachment 7 - Concrete Core Floor Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Analysis	Matrix	Analyte	Result	Qualifier	Detection Limit	Reporting Limit	Units
21J	8/25/2020	10:22	N1	DD-D025109	21J-00-05-082520	SW8082A	SN	PCB-1242 (AROCLOR 1242)	ND	U	0.0052	0.015	mg/Kg
21J	8/25/2020	10:22	N1	DD-D025109	21J-00-05-082520	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0054	0.015	mg/Kg
21J	8/25/2020	10:22	N1	DD-D025109	21J-00-05-082520	SW8082A	SN	PCB-1254 (AROCLOR 1254)	ND	U	0.0042	0.015	mg/Kg
21J	8/25/2020	10:22	N1	DD-D025109	21J-00-05-082520	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0053	0.015	mg/Kg
21J	8/25/2020	10:22	N1	DD-D025109	21J-00-05-082520	SW8082A	SN	TOTAL PCBs	ND	U	-	0.015	mg/Kg
21L	8/25/2020	10:17	N1	DD-D025110	21L-00-05-082520	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0058	0.016	mg/Kg
21L	8/25/2020	10:17	N1	DD-D025110	21L-00-05-082520	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0077	0.016	mg/Kg
21L	8/25/2020	10:17	N1	DD-D025110	21L-00-05-082520	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0091	0.016	mg/Kg
21L	8/25/2020	10:17	N1	DD-D025110	21L-00-05-082520	SW8082A	SN	PCB-1242 (AROCLOR 1242)	ND	U	0.0056	0.016	mg/Kg
21L	8/25/2020	10:17	N1	DD-D025110	21L-00-05-082520	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0059	0.016	mg/Kg
21L	8/25/2020	10:17	N1	DD-D025110	21L-00-05-082520	SW8082A	SN	PCB-1254 (AROCLOR 1254)	ND	U	0.0046	0.016	mg/Kg
21L	8/25/2020	10:17	N1	DD-D025110	21L-00-05-082520	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0058	0.016	mg/Kg
21L	8/25/2020	10:17	N1	DD-D025110	21L-00-05-082520	SW8082A	SN	TOTAL PCBs	ND	U	-	0.016	mg/Kg
22H	8/25/2020	9:25	N1	DD-D025201	22H-00-05-082520	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.006	0.017	mg/Kg
22H	8/25/2020	9:25	N1	DD-D025201	22H-00-05-082520	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.008	0.017	mg/Kg
22H	8/25/2020	9:25	N1	DD-D025201	22H-00-05-082520	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0094	0.017	mg/Kg
22H	8/25/2020	9:25	N1	DD-D025201	22H-00-05-082520	SW8082A	SN	PCB-1242 (AROCLOR 1242)	ND	U	0.0058	0.017	mg/Kg
22H	8/25/2020	9:25	N1	DD-D025201	22H-00-05-082520	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0061	0.017	mg/Kg
22H	8/25/2020	9:25	N1	DD-D025201	22H-00-05-082520	SW8082A	SN	PCB-1254 (AROCLOR 1254)	ND	U	0.0047	0.017	mg/Kg
22H	8/25/2020	9:25	N1	DD-D025201	22H-00-05-082520	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.006	0.017	mg/Kg
22H	8/25/2020	9:25	N1	DD-D025201	22H-00-05-082520	SW8082A	SN	TOTAL PCBs	ND	U	-	0.017	mg/Kg
22J	8/25/2020	10:35	N1	DD-D025202	22J-00-05-082520	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0059	0.017	mg/Kg
22J	8/25/2020	10:35	N1	DD-D025202	22J-00-05-082520	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0078	0.017	mg/Kg
22J	8/25/2020	10:35	N1	DD-D025202	22J-00-05-082520	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0092	0.017	mg/Kg
22J	8/25/2020	10:35	N1	DD-D025202	22J-00-05-082520	SW8082A	SN	PCB-1242 (AROCLOR 1242)	ND	U	0.0057	0.017	mg/Kg
22J	8/25/2020	10:35	N1	DD-D025202	22J-00-05-082520	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.006	0.017	mg/Kg
22J	8/25/2020	10:35	N1	DD-D025202	22J-00-05-082520	SW8082A	SN	PCB-1254 (AROCLOR 1254)	ND	U	0.0046	0.017	mg/Kg
22J	8/25/2020	10:35	N1	DD-D025202	22J-00-05-082520	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0059	0.017	mg/Kg
22J	8/25/2020	10:35	N1	DD-D025202	22J-00-05-082520	SW8082A	SN	TOTAL PCBs	ND	U	-	0.017	mg/Kg
22K	8/25/2020	10:40	N1	DD-D025203	22K-00-05-082520	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0058	0.016	mg/Kg
22K	8/25/2020	10:40	N1	DD-D025203	22K-00-05-082520	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0076	0.016	mg/Kg
22K	8/25/2020	10:40	N1	DD-D025203	22K-00-05-082520	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.009	0.016	mg/Kg
22K	8/25/2020	10:40	N1	DD-D025203	22K-00-05-082520	SW8082A	SN	PCB-1242 (AROCLOR 1242)	ND	U	0.0056	0.016	mg/Kg
22K	8/25/2020	10:40	N1	DD-D025203	22K-00-05-082520	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0059	0.016	mg/Kg
22K	8/25/2020	10:40	N1	DD-D025203	22K-00-05-082520	SW8082A	SN	PCB-1254 (AROCLOR 1254)	ND	U	0.0045	0.016	mg/Kg
22K	8/25/2020	10:40	N1	DD-D025203	22K-00-05-082520	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0058	0.016	mg/Kg
22K	8/25/2020	10:40	N1	DD-D025203	22K-00-05-082520	SW8082A	SN	TOTAL PCBs	ND	U	-	0.016	mg/Kg
22L	8/25/2020	11:02	N1	DD-D025204	22L-00-05-082520	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0059	0.017	mg/Kg
22L	8/25/2020	11:02	N1	DD-D025204	22L-00-05-082520	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0077	0.017	mg/Kg
22L	8/25/2020	11:02	N1	DD-D025204	22L-00-05-082520	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0091	0.017	mg/Kg
22L	8/25/2020	11:02	N1	DD-D025204	22L-00-05-082520	SW8082A	SN	PCB-1242 (AROCLOR 1242)	ND	U	0.0057	0.017	mg/Kg

## Attachment 7 - Concrete Core Floor Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Analysis	Matrix	Analyte	Result	Qualifier	Detection Limit	Reporting Limit	Units
22L	8/25/2020	11:02	N1	DD-D025204	22L-00-05-082520	SW8082A	SN	PCB-1248 (AROCOLOR 1248)	ND	U	0.006	0.017	mg/Kg
22L	8/25/2020	11:02	N1	DD-D025204	22L-00-05-082520	SW8082A	SN	PCB-1254 (AROCOLOR 1254)	ND	U	0.0046	0.017	mg/Kg
22L	8/25/2020	11:02	N1	DD-D025204	22L-00-05-082520	SW8082A	SN	PCB-1260 (AROCOLOR 1260)	ND	U	0.0059	0.017	mg/Kg
22L	8/25/2020	11:02	N1	DD-D025204	22L-00-05-082520	SW8082A	SN	TOTAL PCBs	ND	U	-	0.017	mg/Kg
23B	8/25/2020	7:40	N1	DD-D025205	23B-00-05-082520	SW8082A	SN	PCB-1016 (AROCOLOR 1016)	ND	U	0.0057	0.016	mg/Kg
23B	8/25/2020	7:40	N1	DD-D025205	23B-00-05-082520	SW8082A	SN	PCB-1221 (AROCOLOR 1221)	ND	U	0.0075	0.016	mg/Kg
23B	8/25/2020	7:40	N1	DD-D025205	23B-00-05-082520	SW8082A	SN	PCB-1232 (AROCOLOR 1232)	ND	U	0.0088	0.016	mg/Kg
23B	8/25/2020	7:40	N1	DD-D025205	23B-00-05-082520	SW8082A	SN	PCB-1242 (AROCOLOR 1242)	ND	U	0.0055	0.016	mg/Kg
23B	8/25/2020	7:40	N1	DD-D025205	23B-00-05-082520	SW8082A	SN	PCB-1248 (AROCOLOR 1248)	ND	U	0.0058	0.016	mg/Kg
23B	8/25/2020	7:40	N1	DD-D025205	23B-00-05-082520	SW8082A	SN	PCB-1254 (AROCOLOR 1254)	ND	U	0.0045	0.016	mg/Kg
23B	8/25/2020	7:40	N1	DD-D025205	23B-00-05-082520	SW8082A	SN	PCB-1260 (AROCOLOR 1260)	ND	U	0.0057	0.016	mg/Kg
23B	8/25/2020	7:40	N1	DD-D025205	23B-00-05-082520	SW8082A	SN	TOTAL PCBs	ND	U	-	0.016	mg/Kg
23E	8/25/2020	8:50	N1	DD-D025206	23E-00-05-082520	SW8082A	SN	PCB-1016 (AROCOLOR 1016)	ND	U	0.0059	0.017	mg/Kg
23E	8/25/2020	8:50	N1	DD-D025206	23E-00-05-082520	SW8082A	SN	PCB-1221 (AROCOLOR 1221)	ND	U	0.0077	0.017	mg/Kg
23E	8/25/2020	8:50	N1	DD-D025206	23E-00-05-082520	SW8082A	SN	PCB-1232 (AROCOLOR 1232)	ND	U	0.0091	0.017	mg/Kg
23E	8/25/2020	8:50	N1	DD-D025206	23E-00-05-082520	SW8082A	SN	PCB-1242 (AROCOLOR 1242)	ND	U	0.0057	0.017	mg/Kg
23E	8/25/2020	8:50	N1	DD-D025206	23E-00-05-082520	SW8082A	SN	PCB-1248 (AROCOLOR 1248)	ND	U	0.006	0.017	mg/Kg
23E	8/25/2020	8:50	N1	DD-D025206	23E-00-05-082520	SW8082A	SN	PCB-1254 (AROCOLOR 1254)	ND	U	0.0046	0.017	mg/Kg
23E	8/25/2020	8:50	N1	DD-D025206	23E-00-05-082520	SW8082A	SN	PCB-1260 (AROCOLOR 1260)	ND	U	0.0059	0.017	mg/Kg
23E	8/25/2020	8:50	N1	DD-D025206	23E-00-05-082520	SW8082A	SN	TOTAL PCBs	ND	U	-	0.017	mg/Kg
23N	8/25/2020	11:12	N1	DD-D025207	23N-00-05-082520	SW8082A	SN	PCB-1016 (AROCOLOR 1016)	ND	U	0.0061	0.017	mg/Kg
23N	8/25/2020	11:12	N1	DD-D025207	23N-00-05-082520	SW8082A	SN	PCB-1221 (AROCOLOR 1221)	ND	U	0.0081	0.017	mg/Kg
23N	8/25/2020	11:12	N1	DD-D025207	23N-00-05-082520	SW8082A	SN	PCB-1232 (AROCOLOR 1232)	ND	U	0.0095	0.017	mg/Kg
23N	8/25/2020	11:12	N1	DD-D025207	23N-00-05-082520	SW8082A	SN	PCB-1242 (AROCOLOR 1242)	ND	U	0.0059	0.017	mg/Kg
23N	8/25/2020	11:12	N1	DD-D025207	23N-00-05-082520	SW8082A	SN	PCB-1248 (AROCOLOR 1248)	ND	U	0.0062	0.017	mg/Kg
23N	8/25/2020	11:12	N1	DD-D025207	23N-00-05-082520	SW8082A	SN	PCB-1254 (AROCOLOR 1254)	ND	U	0.0048	0.017	mg/Kg
23N	8/25/2020	11:12	N1	DD-D025207	23N-00-05-082520	SW8082A	SN	PCB-1260 (AROCOLOR 1260)	ND	U	0.0061	0.017	mg/Kg
23N	8/25/2020	11:12	N1	DD-D025207	23N-00-05-082520	SW8082A	SN	TOTAL PCBs	ND	U	-	0.017	mg/Kg
24K	8/25/2020	11:07	N1	DD-D025208	24K-00-05-082520	SW8082A	SN	PCB-1016 (AROCOLOR 1016)	ND	U	0.0059	0.017	mg/Kg
24K	8/25/2020	11:07	N1	DD-D025208	24K-00-05-082520	SW8082A	SN	PCB-1221 (AROCOLOR 1221)	ND	U	0.0078	0.017	mg/Kg
24K	8/25/2020	11:07	N1	DD-D025208	24K-00-05-082520	SW8082A	SN	PCB-1232 (AROCOLOR 1232)	ND	U	0.0092	0.017	mg/Kg
24K	8/25/2020	11:07	N1	DD-D025208	24K-00-05-082520	SW8082A	SN	PCB-1242 (AROCOLOR 1242)	ND	U	0.0057	0.017	mg/Kg
24K	8/25/2020	11:07	N1	DD-D025208	24K-00-05-082520	SW8082A	SN	PCB-1248 (AROCOLOR 1248)	ND	U	0.006	0.017	mg/Kg
24K	8/25/2020	11:07	N1	DD-D025208	24K-00-05-082520	SW8082A	SN	PCB-1254 (AROCOLOR 1254)	ND	U	0.0046	0.017	mg/Kg
24K	8/25/2020	11:07	N1	DD-D025208	24K-00-05-082520	SW8082A	SN	PCB-1260 (AROCOLOR 1260)	ND	U	0.0059	0.017	mg/Kg
24K	8/25/2020	11:07	N1	DD-D025208	24K-00-05-082520	SW8082A	SN	TOTAL PCBs	ND	U	-	0.017	mg/Kg
26E	8/25/2020	9:12	N1	DD-D025209	26E-00-05-082520	SW8082A	SN	PCB-1016 (AROCOLOR 1016)	ND	U	0.0059	0.017	mg/Kg
26E	8/25/2020	9:12	N1	DD-D025209	26E-00-05-082520	SW8082A	SN	PCB-1221 (AROCOLOR 1221)	ND	U	0.0078	0.017	mg/Kg
26E	8/25/2020	9:12	N1	DD-D025209	26E-00-05-082520	SW8082A	SN	PCB-1232 (AROCOLOR 1232)	ND	U	0.0092	0.017	mg/Kg
26E	8/25/2020	9:12	N1	DD-D025209	26E-00-05-082520	SW8082A	SN	PCB-1242 (AROCOLOR 1242)	ND	U	0.0057	0.017	mg/Kg
26E	8/25/2020	9:12	N1	DD-D025209	26E-00-05-082520	SW8082A	SN	PCB-1248 (AROCOLOR 1248)	ND	U	0.006	0.017	mg/Kg

Attachment 7 - Concrete Core Floor Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Analysis	Matrix	Analyte	Result	Qualifier	Detection Limit	Reporting Limit	Units
26E	8/25/2020	9:12	N1	DD-D025209	26E-00-05-082520	SW8082A	SN	PCB-1254 (AROCLOR 1254)	ND	U	0.0046	0.017	mg/Kg
26E	8/25/2020	9:12	N1	DD-D025209	26E-00-05-082520	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0059	0.017	mg/Kg
26E	8/25/2020	9:12	N1	DD-D025209	26E-00-05-082520	SW8082A	SN	TOTAL PCBs	ND	U	-	0.017	mg/Kg
26H	8/25/2020	9:18	N1	DD-D025210	26H-00-05-082520	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0058	0.016	mg/Kg
26H	8/25/2020	9:18	N1	DD-D025210	26H-00-05-082520	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0076	0.016	mg/Kg
26H	8/25/2020	9:18	N1	DD-D025210	26H-00-05-082520	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.009	0.016	mg/Kg
26H	8/25/2020	9:18	N1	DD-D025210	26H-00-05-082520	SW8082A	SN	PCB-1242 (AROCLOR 1242)	ND	U	0.0056	0.016	mg/Kg
26H	8/25/2020	9:18	N1	DD-D025210	26H-00-05-082520	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0059	0.016	mg/Kg
26H	8/25/2020	9:18	N1	DD-D025210	26H-00-05-082520	SW8082A	SN	PCB-1254 (AROCLOR 1254)	ND	U	0.0045	0.016	mg/Kg
26H	8/25/2020	9:18	N1	DD-D025210	26H-00-05-082520	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0058	0.016	mg/Kg
26H	8/25/2020	9:18	N1	DD-D025210	26H-00-05-082520	SW8082A	SN	TOTAL PCBs	ND	U	-	0.016	mg/Kg
26P	8/25/2020	11:17	N1	DD-D025301	26P-00-05-082520	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0053	0.015	mg/Kg
26P	8/25/2020	11:17	N1	DD-D025301	26P-00-05-082520	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.007	0.015	mg/Kg
26P	8/25/2020	11:17	N1	DD-D025301	26P-00-05-082520	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0082	0.015	mg/Kg
26P	8/25/2020	11:17	N1	DD-D025301	26P-00-05-082520	SW8082A	SN	PCB-1242 (AROCLOR 1242)	ND	U	0.0051	0.015	mg/Kg
26P	8/25/2020	11:17	N1	DD-D025301	26P-00-05-082520	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0054	0.015	mg/Kg
26P	8/25/2020	11:17	N1	DD-D025301	26P-00-05-082520	SW8082A	SN	PCB-1254 (AROCLOR 1254)	ND	U	0.0042	0.015	mg/Kg
26P	8/25/2020	11:17	N1	DD-D025301	26P-00-05-082520	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0053	0.015	mg/Kg
26P	8/25/2020	11:17	N1	DD-D025301	26P-00-05-082520	SW8082A	SN	TOTAL PCBs	ND	U	-	0.015	mg/Kg
2D	9/10/2020	9:15	N1	DD-D024801	2D-00-05-09102020	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.006	0.017	mg/Kg
2D	9/10/2020	9:15	N1	DD-D024801	2D-00-05-09102020	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0078	0.017	mg/Kg
2D	9/10/2020	9:15	N1	DD-D024801	2D-00-05-09102020	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0092	0.017	mg/Kg
2D	9/10/2020	9:15	N1	DD-D024801	2D-00-05-09102020	SW8082A	SN	PCB-1242 (AROCLOR 1242)	ND	U	0.0058	0.017	mg/Kg
2D	9/10/2020	9:15	N1	DD-D024801	2D-00-05-09102020	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0061	0.017	mg/Kg
2D	9/10/2020	9:15	N1	DD-D024801	2D-00-05-09102020	SW8082A	SN	PCB-1254 (AROCLOR 1254)	ND	U	0.0047	0.017	mg/Kg
2D	9/10/2020	9:15	N1	DD-D024801	2D-00-05-09102020	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.006	0.017	mg/Kg
2D	9/10/2020	9:15	N1	DD-D024801	2D-00-05-09102020	SW8082A	SN	TOTAL PCBs	ND	U	-	0.017	mg/Kg
2J	9/10/2020	8:45	N1	DD-D024802	2J-00-05-09102020	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0061	0.017	mg/Kg
2J	9/10/2020	8:45	N1	DD-D024802	2J-00-05-09102020	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.008	0.017	mg/Kg
2J	9/10/2020	8:45	N1	DD-D024802	2J-00-05-09102020	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0094	0.017	mg/Kg
2J	9/10/2020	8:45	N1	DD-D024802	2J-00-05-09102020	SW8082A	SN	PCB-1242 (AROCLOR 1242)	ND	U	0.0059	0.017	mg/Kg
2J	9/10/2020	8:45	N1	DD-D024802	2J-00-05-09102020	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0062	0.017	mg/Kg
2J	9/10/2020	8:45	N1	DD-D024802	2J-00-05-09102020	SW8082A	SN	PCB-1254 (AROCLOR 1254)	ND	U	0.0048	0.017	mg/Kg
2J	9/10/2020	8:45	N1	DD-D024802	2J-00-05-09102020	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0061	0.017	mg/Kg
2J	9/10/2020	8:45	N1	DD-D024802	2J-00-05-09102020	SW8082A	SN	TOTAL PCBs	ND	U	-	0.017	mg/Kg
2V	9/10/2020	8:10	N1	DD-D024803	2V-00-05-09102020	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.006	0.017	mg/Kg
2V	9/10/2020	8:10	N1	DD-D024803	2V-00-05-09102020	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0078	0.017	mg/Kg
2V	9/10/2020	8:10	N1	DD-D024803	2V-00-05-09102020	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0092	0.017	mg/Kg
2V	9/10/2020	8:10	N1	DD-D024803	2V-00-05-09102020	SW8082A	SN	PCB-1242 (AROCLOR 1242)	ND	U	0.0058	0.017	mg/Kg
2V	9/10/2020	8:10	N1	DD-D024803	2V-00-05-09102020	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.006	0.017	mg/Kg
2V	9/10/2020	8:10	N1	DD-D024803	2V-00-05-09102020	SW8082A	SN	PCB-1254 (AROCLOR 1254)	ND	U	0.0047	0.017	mg/Kg



Attachment 7 - Concrete Core Floor Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Analysis	Matrix	Analyte	Result	Qualifier	Detection Limit	Reporting Limit	Units
2V	9/10/2020	8:10	N1	DD-D024803	2V-00-05-09102020	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.006	0.017	mg/Kg
2V	9/10/2020	8:10	N1	DD-D024803	2V-00-05-09102020	SW8082A	SN	TOTAL PCBs	ND	U	-	0.017	mg/Kg
5B	9/10/2020	9:05	N1	DD-D024804	5B-00-05-09102020	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.006	0.017	mg/Kg
5B	9/10/2020	9:05	N1	DD-D024804	5B-00-05-09102020	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0079	0.017	mg/Kg
5B	9/10/2020	9:05	N1	DD-D024804	5B-00-05-09102020	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0093	0.017	mg/Kg
5B	9/10/2020	9:05	N1	DD-D024804	5B-00-05-09102020	SW8082A	SN	PCB-1242 (AROCLOR 1242)	ND	U	0.0058	0.017	mg/Kg
5B	9/10/2020	9:05	N1	DD-D024804	5B-00-05-09102020	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0061	0.017	mg/Kg
5B	9/10/2020	9:05	N1	DD-D024804	5B-00-05-09102020	SW8082A	SN	PCB-1254 (AROCLOR 1254)	ND	U	0.0047	0.017	mg/Kg
5B	9/10/2020	9:05	N1	DD-D024804	5B-00-05-09102020	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.006	0.017	mg/Kg
5G	9/10/2020	9:00	N1	DD-D024805	5G-00-05-09102020	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0059	0.017	mg/Kg
5G	9/10/2020	9:00	N1	DD-D024805	5G-00-05-09102020	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0077	0.017	mg/Kg
5G	9/10/2020	9:00	N1	DD-D024805	5G-00-05-09102020	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0091	0.017	mg/Kg
5G	9/10/2020	9:00	N1	DD-D024805	5G-00-05-09102020	SW8082A	SN	PCB-1242 (AROCLOR 1242)	ND	U	0.0057	0.017	mg/Kg
5G	9/10/2020	9:00	N1	DD-D024805	5G-00-05-09102020	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.006	0.017	mg/Kg
5G	9/10/2020	9:00	N1	DD-D024805	5G-00-05-09102020	SW8082A	SN	PCB-1254 (AROCLOR 1254)	ND	U	0.0046	0.017	mg/Kg
5G	9/10/2020	9:00	N1	DD-D024805	5G-00-05-09102020	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0059	0.017	mg/Kg
5G	9/10/2020	9:00	N1	DD-D024805	5G-00-05-09102020	SW8082A	SN	TOTAL PCBs	ND	U	-	0.017	mg/Kg
5J	9/10/2020	8:40	N1	DD-D024806	5J-00-05-09102020	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0055	0.016	mg/Kg
5J	9/10/2020	8:40	N1	DD-D024806	5J-00-05-09102020	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0073	0.016	mg/Kg
5J	9/10/2020	8:40	N1	DD-D024806	5J-00-05-09102020	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0086	0.016	mg/Kg
5J	9/10/2020	8:40	N1	DD-D024806	5J-00-05-09102020	SW8082A	SN	PCB-1242 (AROCLOR 1242)	ND	U	0.0053	0.016	mg/Kg
5J	9/10/2020	8:40	N1	DD-D024806	5J-00-05-09102020	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0056	0.016	mg/Kg
5J	9/10/2020	8:40	N1	DD-D024806	5J-00-05-09102020	SW8082A	SN	PCB-1254 (AROCLOR 1254)	ND	U	0.0043	0.016	mg/Kg
5J	9/10/2020	8:40	N1	DD-D024806	5J-00-05-09102020	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0055	0.016	mg/Kg
5J	9/10/2020	8:40	N1	DD-D024806	5J-00-05-09102020	SW8082A	SN	TOTAL PCBs	ND	U	-	0.016	mg/Kg
5L	9/10/2020	8:36	N1	DD-D024807	5L-00-05-09102020	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0056	0.016	mg/Kg
5L	9/10/2020	8:36	N1	DD-D024807	5L-00-05-09102020	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0074	0.016	mg/Kg
5L	9/10/2020	8:36	N1	DD-D024807	5L-00-05-09102020	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0087	0.016	mg/Kg
5L	9/10/2020	8:36	N1	DD-D024807	5L-00-05-09102020	SW8082A	SN	PCB-1242 (AROCLOR 1242)	0.024		0.0054	0.016	mg/Kg
5L	9/10/2020	8:36	N1	DD-D024807	5L-00-05-09102020	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0057	0.016	mg/Kg
5L	9/10/2020	8:36	N1	DD-D024807	5L-00-05-09102020	SW8082A	SN	PCB-1254 (AROCLOR 1254)	ND	U	0.0044	0.016	mg/Kg
5L	9/10/2020	8:36	N1	DD-D024807	5L-00-05-09102020	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0056	0.016	mg/Kg
5L	9/10/2020	8:36	N1	DD-D024807	5L-00-05-09102020	SW8082A	SN	TOTAL PCBs	0.024		-	0.016	mg/Kg
5S	9/10/2020	7:57	N1	DD-D024808	5S-00-05-09102020	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0061	0.017	mg/Kg
5S	9/10/2020	7:57	N1	DD-D024808	5S-00-05-09102020	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.008	0.017	mg/Kg
5S	9/10/2020	7:57	N1	DD-D024808	5S-00-05-09102020	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0095	0.017	mg/Kg
5S	9/10/2020	7:57	N1	DD-D024808	5S-00-05-09102020	SW8082A	SN	PCB-1242 (AROCLOR 1242)	ND	U	0.0059	0.017	mg/Kg
5S	9/10/2020	7:57	N1	DD-D024808	5S-00-05-09102020	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0062	0.017	mg/Kg
5S	9/10/2020	7:57	N1	DD-D024808	5S-00-05-09102020	SW8082A	SN	PCB-1254 (AROCLOR 1254)	ND	U	0.0048	0.017	mg/Kg
5S	9/10/2020	7:57	N1	DD-D024808	5S-00-05-09102020	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0061	0.017	mg/Kg
5S	9/10/2020	7:57	N1	DD-D024808	5S-00-05-09102020	SW8082A	SN	TOTAL PCBs	ND	U	-	0.017	mg/Kg

Attachment 7 - Concrete Core Floor Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Analysis	Matrix	Analyte	Result	Qualifier	Detection Limit	Reporting Limit	Units
5V	9/10/2020	8:03	N1	DD-D024809	5V-00-05-09102020	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0061	0.017	mg/Kg
5V	9/10/2020	8:03	N1	DD-D024809	5V-00-05-09102020	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0081	0.017	mg/Kg
5V	9/10/2020	8:03	N1	DD-D024809	5V-00-05-09102020	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0095	0.017	mg/Kg
5V	9/10/2020	8:03	N1	DD-D024809	5V-00-05-09102020	SW8082A	SN	PCB-1242 (AROCLOR 1242)	ND	U	0.0059	0.017	mg/Kg
5V	9/10/2020	8:03	N1	DD-D024809	5V-00-05-09102020	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0062	0.017	mg/Kg
5V	9/10/2020	8:03	N1	DD-D024809	5V-00-05-09102020	SW8082A	SN	PCB-1254 (AROCLOR 1254)	ND	U	0.0048	0.017	mg/Kg
5V	9/10/2020	8:03	N1	DD-D024809	5V-00-05-09102020	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0061	0.017	mg/Kg
5V	9/10/2020	8:03	N1	DD-D024809	5V-00-05-09102020	SW8082A	SN	TOTAL PCBs	ND	U	-	0.017	mg/Kg
7E	9/10/2020	9:20	N1	DD-D024810	7E-00-05-09102020	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0053	0.015	mg/Kg
7E	9/10/2020	9:20	N1	DD-D024810	7E-00-05-09102020	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0069	0.015	mg/Kg
7E	9/10/2020	9:20	N1	DD-D024810	7E-00-05-09102020	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0082	0.015	mg/Kg
7E	9/10/2020	9:20	N1	DD-D024810	7E-00-05-09102020	SW8082A	SN	PCB-1242 (AROCLOR 1242)	ND	U	0.0051	0.015	mg/Kg
7E	9/10/2020	9:20	N1	DD-D024810	7E-00-05-09102020	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0054	0.015	mg/Kg
7E	9/10/2020	9:20	N1	DD-D024810	7E-00-05-09102020	SW8082A	SN	PCB-1254 (AROCLOR 1254)	ND	U	0.0041	0.015	mg/Kg
7E	9/10/2020	9:20	N1	DD-D024810	7E-00-05-09102020	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0053	0.015	mg/Kg
7E	9/10/2020	9:20	N1	DD-D024810	7E-00-05-09102020	SW8082A	SN	TOTAL PCBs	ND	U	-	0.015	mg/Kg
7I	9/10/2020	8:50	N1	DD-D024901	7I-00-05-09102020	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0059	0.017	mg/Kg
7I	9/10/2020	8:50	N1	DD-D024901	7I-00-05-09102020	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0078	0.017	mg/Kg
7I	9/10/2020	8:50	N1	DD-D024901	7I-00-05-09102020	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0092	0.017	mg/Kg
7I	9/10/2020	8:50	N1	DD-D024901	7I-00-05-09102020	SW8082A	SN	PCB-1242 (AROCLOR 1242)	ND	U	0.0057	0.017	mg/Kg
7I	9/10/2020	8:50	N1	DD-D024901	7I-00-05-09102020	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.006	0.017	mg/Kg
7I	9/10/2020	8:50	N1	DD-D024901	7I-00-05-09102020	SW8082A	SN	PCB-1254 (AROCLOR 1254)	ND	U	0.0046	0.017	mg/Kg
7I	9/10/2020	8:50	N1	DD-D024901	7I-00-05-09102020	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0059	0.017	mg/Kg
7I	9/10/2020	8:50	N1	DD-D024901	7I-00-05-09102020	SW8082A	SN	TOTAL PCBs	ND	U	-	0.017	mg/Kg
7P	9/10/2020	8:18	N1	DD-D024902	7P-00-05-09102020	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0059	0.017	mg/Kg
7P	9/10/2020	8:18	N1	DD-D024902	7P-00-05-09102020	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0078	0.017	mg/Kg
7P	9/10/2020	8:18	N1	DD-D024902	7P-00-05-09102020	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0092	0.017	mg/Kg
7P	9/10/2020	8:18	N1	DD-D024902	7P-00-05-09102020	SW8082A	SN	PCB-1242 (AROCLOR 1242)	ND	U	0.0057	0.017	mg/Kg
7P	9/10/2020	8:18	N1	DD-D024902	7P-00-05-09102020	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.006	0.017	mg/Kg
7P	9/10/2020	8:18	N1	DD-D024902	7P-00-05-09102020	SW8082A	SN	PCB-1254 (AROCLOR 1254)	ND	U	0.0046	0.017	mg/Kg
7P	9/10/2020	8:18	N1	DD-D024902	7P-00-05-09102020	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0059	0.017	mg/Kg
7P	9/10/2020	8:18	N1	DD-D024902	7P-00-05-09102020	SW8082A	SN	TOTAL PCBs	ND	U	-	0.017	mg/Kg
8A	9/10/2020	9:10	N1	DD-D024903	8A-00-05-09102020	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0056	0.016	mg/Kg
8A	9/10/2020	9:10	N1	DD-D024903	8A-00-05-09102020	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0074	0.016	mg/Kg
8A	9/10/2020	9:10	N1	DD-D024903	8A-00-05-09102020	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0087	0.016	mg/Kg
8A	9/10/2020	9:10	N1	DD-D024903	8A-00-05-09102020	SW8082A	SN	PCB-1242 (AROCLOR 1242)	ND	U	0.0054	0.016	mg/Kg
8A	9/10/2020	9:10	N1	DD-D024903	8A-00-05-09102020	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0057	0.016	mg/Kg
8A	9/10/2020	9:10	N1	DD-D024903	8A-00-05-09102020	SW8082A	SN	PCB-1254 (AROCLOR 1254)	ND	U	0.0044	0.016	mg/Kg
8A	9/10/2020	9:10	N1	DD-D024903	8A-00-05-09102020	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0056	0.016	mg/Kg
8A	9/10/2020	9:10	N1	DD-D024903	8A-00-05-09102020	SW8082A	SN	TOTAL PCBs	ND	U	-	0.016	mg/Kg
8G	9/10/2020	8:55	N1	DD-D024904	8G-00-05-09102020	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0056	0.016	mg/Kg

Attachment 7 - Concrete Core Floor Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Analysis	Matrix	Analyte	Result	Qualifier	Detection Limit	Reporting Limit	Units
8G	9/10/2020	8:55	N1	DD-D024904	8G-00-05-09102020	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0074	0.016	mg/Kg
8G	9/10/2020	8:55	N1	DD-D024904	8G-00-05-09102020	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0088	0.016	mg/Kg
8G	9/10/2020	8:55	N1	DD-D024904	8G-00-05-09102020	SW8082A	SN	PCB-1242 (AROCLOR 1242)	ND	U	0.0055	0.016	mg/Kg
8G	9/10/2020	8:55	N1	DD-D024904	8G-00-05-09102020	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0057	0.016	mg/Kg
8G	9/10/2020	8:55	N1	DD-D024904	8G-00-05-09102020	SW8082A	SN	PCB-1254 (AROCLOR 1254)	ND	U	0.0044	0.016	mg/Kg
8G	9/10/2020	8:55	N1	DD-D024904	8G-00-05-09102020	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0056	0.016	mg/Kg
8G	9/10/2020	8:55	N1	DD-D024904	8G-00-05-09102020	SW8082A	SN	TOTAL PCBs	ND	U	-	0.016	mg/Kg
8M	9/10/2020	8:25	N1	DD-D024905	8M-00-05-09102020	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0057	0.016	mg/Kg
8M	9/10/2020	8:25	N1	DD-D024905	8M-00-05-09102020	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0075	0.016	mg/Kg
8M	9/10/2020	8:25	N1	DD-D024905	8M-00-05-09102020	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0089	0.016	mg/Kg
8M	9/10/2020	8:25	N1	DD-D024905	8M-00-05-09102020	SW8082A	SN	PCB-1242 (AROCLOR 1242)	ND	U	0.0055	0.016	mg/Kg
8M	9/10/2020	8:25	N1	DD-D024905	8M-00-05-09102020	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0058	0.016	mg/Kg
8M	9/10/2020	8:25	N1	DD-D024905	8M-00-05-09102020	SW8082A	SN	PCB-1254 (AROCLOR 1254)	ND	U	0.0045	0.016	mg/Kg
8M	9/10/2020	8:25	N1	DD-D024905	8M-00-05-09102020	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0057	0.016	mg/Kg
8M	9/10/2020	8:25	N1	DD-D024905	8M-00-05-09102020	SW8082A	SN	TOTAL PCBs	ND	U	-	0.016	mg/Kg
8R	9/10/2020	7:48	N1	DD-D024906	8R-00-05-09102020	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.006	0.017	mg/Kg
8R	9/10/2020	7:48	N1	DD-D024906	8R-00-05-09102020	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0078	0.017	mg/Kg
8R	9/10/2020	7:48	N1	DD-D024906	8R-00-05-09102020	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0092	0.017	mg/Kg
8R	9/10/2020	7:48	N1	DD-D024906	8R-00-05-09102020	SW8082A	SN	PCB-1242 (AROCLOR 1242)	ND	U	0.0058	0.017	mg/Kg
8R	9/10/2020	7:48	N1	DD-D024906	8R-00-05-09102020	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0061	0.017	mg/Kg
8R	9/10/2020	7:48	N1	DD-D024906	8R-00-05-09102020	SW8082A	SN	PCB-1254 (AROCLOR 1254)	ND	U	0.0047	0.017	mg/Kg
8R	9/10/2020	7:48	N1	DD-D024906	8R-00-05-09102020	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.006	0.017	mg/Kg
8R	9/10/2020	7:48	N1	DD-D024906	8R-00-05-09102020	SW8082A	SN	TOTAL PCBs	ND	U	-	0.017	mg/Kg
8V	9/10/2020	7:52	N1	DD-D024907	8V-00-05-09102020	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0061	0.017	mg/Kg
8V	9/10/2020	7:52	N1	DD-D024907	8V-00-05-09102020	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.008	0.017	mg/Kg
8V	9/10/2020	7:52	N1	DD-D024907	8V-00-05-09102020	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0094	0.017	mg/Kg
8V	9/10/2020	7:52	N1	DD-D024907	8V-00-05-09102020	SW8082A	SN	PCB-1242 (AROCLOR 1242)	ND	U	0.0059	0.017	mg/Kg
8V	9/10/2020	7:52	N1	DD-D024907	8V-00-05-09102020	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0062	0.017	mg/Kg
8V	9/10/2020	7:52	N1	DD-D024907	8V-00-05-09102020	SW8082A	SN	PCB-1254 (AROCLOR 1254)	ND	U	0.0048	0.017	mg/Kg
8V	9/10/2020	7:52	N1	DD-D024907	8V-00-05-09102020	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0061	0.017	mg/Kg
8V	9/10/2020	7:52	N1	DD-D024907	8V-00-05-09102020	SW8082A	SN	TOTAL PCBs	ND	U	-	0.017	mg/Kg

Notes:

J = estimated value

mg/Kg = milligrams per kilogram

ND = non-detect

PCB = polychlorinated biphenyl

SN = solid matrix

U = non-detect

UJ = estimated non-detect

# Attachment 8

Attachment 8 - Concrete Core Sump Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Analysis	Matrix	Analyte	Result	Qualifier	Detection Limit	Reporting Limit	Units
SUMP12N	8/19/2020	14:15	N1	DD-D027106	SUMP12N-00-05-081920	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0056	0.016	mg/Kg
SUMP12N	8/19/2020	14:15	N1	DD-D027106	SUMP12N-00-05-081920	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0074	0.016	mg/Kg
SUMP12N	8/19/2020	14:15	N1	DD-D027106	SUMP12N-00-05-081920	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0088	0.016	mg/Kg
SUMP12N	8/19/2020	14:15	N1	DD-D027106	SUMP12N-00-05-081920	SW8082A	SN	PCB-1242 (AROCLOR 1242)	ND	U	0.0055	0.016	mg/Kg
SUMP12N	8/19/2020	14:15	N1	DD-D027106	SUMP12N-00-05-081920	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0057	0.016	mg/Kg
SUMP12N	8/19/2020	14:15	N1	DD-D027106	SUMP12N-00-05-081920	SW8082A	SN	PCB-1254 (AROCLOR 1254)	ND	U	0.0044	0.016	mg/Kg
SUMP12N	8/19/2020	14:15	N1	DD-D027106	SUMP12N-00-05-081920	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0056	0.016	mg/Kg
SUMP12N	8/19/2020	14:15	N1	DD-D027106	SUMP12N-00-05-081920	SW8082A	SN	TOTAL PCBs	ND	U	-	0.016	mg/Kg
SUMP12O	8/19/2020	13:45	N1	DD-D027104	SUMP12O-00-05-081920	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0057	0.016	mg/Kg
SUMP12O	8/19/2020	13:45	N1	DD-D027104	SUMP12O-00-05-081920	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0075	0.016	mg/Kg
SUMP12O	8/19/2020	13:45	N1	DD-D027104	SUMP12O-00-05-081920	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0088	0.016	mg/Kg
SUMP12O	8/19/2020	13:45	N1	DD-D027104	SUMP12O-00-05-081920	SW8082A	SN	PCB-1242 (AROCLOR 1242)	ND	U	0.0055	0.016	mg/Kg
SUMP12O	8/19/2020	13:45	N1	DD-D027104	SUMP12O-00-05-081920	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0058	0.016	mg/Kg
SUMP12O	8/19/2020	13:45	N1	DD-D027104	SUMP12O-00-05-081920	SW8082A	SN	PCB-1254 (AROCLOR 1254)	ND	U	0.0045	0.016	mg/Kg
SUMP12O	8/19/2020	13:45	N1	DD-D027104	SUMP12O-00-05-081920	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0057	0.016	mg/Kg
SUMP12O	8/19/2020	13:45	N1	DD-D027104	SUMP12O-00-05-081920	SW8082A	SN	TOTAL PCBs	ND	U	-	0.016	mg/Kg
SUMP12P	8/19/2020	13:15	N1	DD-D027102	SUMP12P-00-05-081920	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.006	0.017	mg/Kg
SUMP12P	8/19/2020	13:15	N1	DD-D027102	SUMP12P-00-05-081920	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0079	0.017	mg/Kg
SUMP12P	8/19/2020	13:15	N1	DD-D027102	SUMP12P-00-05-081920	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0093	0.017	mg/Kg
SUMP12P	8/19/2020	13:15	N1	DD-D027102	SUMP12P-00-05-081920	SW8082A	SN	PCB-1242 (AROCLOR 1242)	ND	U	0.0058	0.017	mg/Kg
SUMP12P	8/19/2020	13:15	N1	DD-D027102	SUMP12P-00-05-081920	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0061	0.017	mg/Kg
SUMP12P	8/19/2020	13:15	N1	DD-D027102	SUMP12P-00-05-081920	SW8082A	SN	PCB-1254 (AROCLOR 1254)	ND	U	0.0047	0.017	mg/Kg
SUMP12P	8/19/2020	13:15	N1	DD-D027102	SUMP12P-00-05-081920	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.006	0.017	mg/Kg
SUMP12P	8/19/2020	13:15	N1	DD-D027102	SUMP12P-00-05-081920	SW8082A	SN	TOTAL PCBs	ND	U	-	0.017	mg/Kg
SUMP13N	8/19/2020	14:00	N1	DD-D027105	SUMP13N-00-05-081920	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0057	0.016	mg/Kg
SUMP13N	8/19/2020	14:00	N1	DD-D027105	SUMP13N-00-05-081920	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0076	0.016	mg/Kg
SUMP13N	8/19/2020	14:00	N1	DD-D027105	SUMP13N-00-05-081920	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0089	0.016	mg/Kg
SUMP13N	8/19/2020	14:00	N1	DD-D027105	SUMP13N-00-05-081920	SW8082A	SN	PCB-1242 (AROCLOR 1242)	0.017		0.0055	0.016	mg/Kg
SUMP13N	8/19/2020	14:00	N1	DD-D027105	SUMP13N-00-05-081920	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0058	0.016	mg/Kg
SUMP13N	8/19/2020	14:00	N1	DD-D027105	SUMP13N-00-05-081920	SW8082A	SN	PCB-1254 (AROCLOR 1254)	ND	U	0.0045	0.016	mg/Kg
SUMP13N	8/19/2020	14:00	N1	DD-D027105	SUMP13N-00-05-081920	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0057	0.016	mg/Kg
SUMP13N	8/19/2020	14:00	N1	DD-D027105	SUMP13N-00-05-081920	SW8082A	SN	TOTAL PCBs	0.017		-	0.016	mg/Kg
SUMP13O	8/19/2020	13:30	N1	DD-D027103	SUMP13O-00-05-081920	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0061	0.017	mg/Kg
SUMP13O	8/19/2020	13:30	N1	DD-D027103	SUMP13O-00-05-081920	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.008	0.017	mg/Kg
SUMP13O	8/19/2020	13:30	N1	DD-D027103	SUMP13O-00-05-081920	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0095	0.017	mg/Kg
SUMP13O	8/19/2020	13:30	N1	DD-D027103	SUMP13O-00-05-081920	SW8082A	SN	PCB-1242 (AROCLOR 1242)	ND	U	0.0059	0.017	mg/Kg
SUMP13O	8/19/2020	13:30	N1	DD-D027103	SUMP13O-00-05-081920	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0062	0.017	mg/Kg
SUMP13O	8/19/2020	13:30	N1	DD-D027103	SUMP13O-00-05-081920	SW8082A	SN	PCB-1254 (AROCLOR 1254)	ND	U	0.0048	0.017	mg/Kg
SUMP13O	8/19/2020	13:30	N1	DD-D027103	SUMP13O-00-05-081920	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0061	0.017	mg/Kg
SUMP13O	8/19/2020	13:30	N1	DD-D027103	SUMP13O-00-05-081920	SW8082A	SN	TOTAL PCBs	ND	U	-	0.017	mg/Kg
SUMP13P	8/19/2020	13:00	N1	DD-D027101	SUMP13P-00-05-081920	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0061	0.017	mg/Kg



Attachment 8 - Concrete Core Sump Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Analysis	Matrix	Analyte	Result	Qualifier	Detection Limit	Reporting Limit	Units
SUMP13P	8/19/2020	13:00	N1	DD-D027101	SUMP13P-00-05-081920	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0081	0.017	mg/Kg
SUMP13P	8/19/2020	13:00	N1	DD-D027101	SUMP13P-00-05-081920	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0095	0.017	mg/Kg
SUMP13P	8/19/2020	13:00	N1	DD-D027101	SUMP13P-00-05-081920	SW8082A	SN	PCB-1242 (AROCLOR 1242)	ND	U	0.0059	0.017	mg/Kg
SUMP13P	8/19/2020	13:00	N1	DD-D027101	SUMP13P-00-05-081920	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0062	0.017	mg/Kg
SUMP13P	8/19/2020	13:00	N1	DD-D027101	SUMP13P-00-05-081920	SW8082A	SN	PCB-1254 (AROCLOR 1254)	ND	U	0.0048	0.017	mg/Kg
SUMP13P	8/19/2020	13:00	N1	DD-D027101	SUMP13P-00-05-081920	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0061	0.017	mg/Kg
SUMP13P	8/19/2020	13:00	N1	DD-D027101	SUMP13P-00-05-081920	SW8082A	SN	TOTAL PCBs	ND	U	-	0.017	mg/Kg
SUMP41F	8/20/2020	8:00	N1	DD-D027901	SUMP41F-00-05-082020	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0059	0.017	mg/Kg
SUMP41F	8/20/2020	8:00	N1	DD-D027901	SUMP41F-00-05-082020	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0078	0.017	mg/Kg
SUMP41F	8/20/2020	8:00	N1	DD-D027901	SUMP41F-00-05-082020	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0092	0.017	mg/Kg
SUMP41F	8/20/2020	8:00	N1	DD-D027901	SUMP41F-00-05-082020	SW8082A	SN	PCB-1242 (AROCLOR 1242)	ND	U	0.0057	0.017	mg/Kg
SUMP41F	8/20/2020	8:00	N1	DD-D027901	SUMP41F-00-05-082020	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.006	0.017	mg/Kg
SUMP41F	8/20/2020	8:00	N1	DD-D027901	SUMP41F-00-05-082020	SW8082A	SN	PCB-1254 (AROCLOR 1254)	ND	U	0.0046	0.017	mg/Kg
SUMP41F	8/20/2020	8:00	N1	DD-D027901	SUMP41F-00-05-082020	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0059	0.017	mg/Kg
SUMP41F	8/20/2020	8:00	N1	DD-D027901	SUMP41F-00-05-082020	SW8082A	SN	TOTAL PCBs	ND	U	-	0.017	mg/Kg
SUMP41W	8/20/2020	8:30	N1	DD-D027902	SUMP41W-00-05-082020	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.006	0.017	mg/Kg
SUMP41W	8/20/2020	8:30	N1	DD-D027902	SUMP41W-00-05-082020	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0079	0.017	mg/Kg
SUMP41W	8/20/2020	8:30	N1	DD-D027902	SUMP41W-00-05-082020	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0094	0.017	mg/Kg
SUMP41W	8/20/2020	8:30	N1	DD-D027902	SUMP41W-00-05-082020	SW8082A	SN	PCB-1242 (AROCLOR 1242)	0.021		0.0058	0.017	mg/Kg
SUMP41W	8/20/2020	8:30	N1	DD-D027902	SUMP41W-00-05-082020	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0061	0.017	mg/Kg
SUMP41W	8/20/2020	8:30	N1	DD-D027902	SUMP41W-00-05-082020	SW8082A	SN	PCB-1254 (AROCLOR 1254)	0.007	J	0.0047	0.017	mg/Kg
SUMP41W	8/20/2020	8:30	N1	DD-D027902	SUMP41W-00-05-082020	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.006	0.017	mg/Kg
SUMP41W	8/20/2020	8:30	N1	DD-D027902	SUMP41W-00-05-082020	SW8082A	SN	TOTAL PCBs	0.028		-	0.017	mg/Kg
SUMP42F	8/20/2020	9:30	N1	DD-D027903	SUMP42F-00-05-082020	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0061	0.017	mg/Kg
SUMP42F	8/20/2020	9:30	N1	DD-D027903	SUMP42F-00-05-082020	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.008	0.017	mg/Kg
SUMP42F	8/20/2020	9:30	N1	DD-D027903	SUMP42F-00-05-082020	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0094	0.017	mg/Kg
SUMP42F	8/20/2020	9:30	N1	DD-D027903	SUMP42F-00-05-082020	SW8082A	SN	PCB-1242 (AROCLOR 1242)	0.12		0.0059	0.017	mg/Kg
SUMP42F	8/20/2020	9:30	N1	DD-D027903	SUMP42F-00-05-082020	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0062	0.017	mg/Kg
SUMP42F	8/20/2020	9:30	N1	DD-D027903	SUMP42F-00-05-082020	SW8082A	SN	PCB-1254 (AROCLOR 1254)	0.046		0.0048	0.017	mg/Kg
SUMP42F	8/20/2020	9:30	N1	DD-D027903	SUMP42F-00-05-082020	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0061	0.017	mg/Kg
SUMP42F	8/20/2020	9:30	N1	DD-D027903	SUMP42F-00-05-082020	SW8082A	SN	TOTAL PCBs	0.166		-	0.017	mg/Kg
SUMP42W	8/20/2020	10:00	N1	DD-D027904	SUMP42W-00-05-082020	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.006	0.017	mg/Kg
SUMP42W	8/20/2020	10:00	N1	DD-D027904	SUMP42W-00-05-082020	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0078	0.017	mg/Kg
SUMP42W	8/20/2020	10:00	N1	DD-D027904	SUMP42W-00-05-082020	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0092	0.017	mg/Kg
SUMP42W	8/20/2020	10:00	N1	DD-D027904	SUMP42W-00-05-082020	SW8082A	SN	PCB-1242 (AROCLOR 1242)	ND	U	0.0058	0.017	mg/Kg
SUMP42W	8/20/2020	10:00	N1	DD-D027904	SUMP42W-00-05-082020	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0061	0.017	mg/Kg
SUMP42W	8/20/2020	10:00	N1	DD-D027904	SUMP42W-00-05-082020	SW8082A	SN	PCB-1254 (AROCLOR 1254)	ND	U	0.0047	0.017	mg/Kg
SUMP42W	8/20/2020	10:00	N1	DD-D027904	SUMP42W-00-05-082020	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.006	0.017	mg/Kg
SUMP42W	8/20/2020	10:00	N1	DD-D027904	SUMP42W-00-05-082020	SW8082A	SN	TOTAL PCBs	ND	U	-	0.017	mg/Kg
SUMPWE1	8/19/2020	11:45	N1	DD-D027205	SUMPWE1-00-05-081920	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0062	0.017	mg/Kg
SUMPWE1	8/19/2020	11:45	N1	DD-D027205	SUMPWE1-00-05-081920	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0081	0.017	mg/Kg

Attachment 8 - Concrete Core Sump Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Analysis	Matrix	Analyte	Result	Qualifier	Detection Limit	Reporting Limit	Units
SUMPWE1	8/19/2020	11:45	N1	DD-D027205	SUMPWE1-00-05-081920	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0095	0.017	mg/Kg
SUMPWE1	8/19/2020	11:45	N1	DD-D027205	SUMPWE1-00-05-081920	SW8082A	SN	PCB-1242 (AROCLOR 1242)	0.13		0.006	0.017	mg/Kg
SUMPWE1	8/19/2020	11:45	N1	DD-D027205	SUMPWE1-00-05-081920	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0063	0.017	mg/Kg
SUMPWE1	8/19/2020	11:45	N1	DD-D027205	SUMPWE1-00-05-081920	SW8082A	SN	PCB-1254 (AROCLOR 1254)	0.055		0.0048	0.017	mg/Kg
SUMPWE1	8/19/2020	11:45	N1	DD-D027205	SUMPWE1-00-05-081920	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0062	0.017	mg/Kg
SUMPWE1	8/19/2020	11:45	N1	DD-D027205	SUMPWE1-00-05-081920	SW8082A	SN	TOTAL PCBs	0.185		-	0.017	mg/Kg
SUMPWE2	8/19/2020	12:10	N1	DD-D027206	SUMPWE2-00-05-081920	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.006	0.017	mg/Kg
SUMPWE2	8/19/2020	12:10	N1	DD-D027206	SUMPWE2-00-05-081920	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0078	0.017	mg/Kg
SUMPWE2	8/19/2020	12:10	N1	DD-D027206	SUMPWE2-00-05-081920	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0092	0.017	mg/Kg
SUMPWE2	8/19/2020	12:10	N1	DD-D027206	SUMPWE2-00-05-081920	SW8082A	SN	PCB-1242 (AROCLOR 1242)	ND	U	0.0058	0.017	mg/Kg
SUMPWE2	8/19/2020	12:10	N1	DD-D027206	SUMPWE2-00-05-081920	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0061	0.017	mg/Kg
SUMPWE2	8/19/2020	12:10	N1	DD-D027206	SUMPWE2-00-05-081920	SW8082A	SN	PCB-1254 (AROCLOR 1254)	ND	U	0.0047	0.017	mg/Kg
SUMPWE2	8/19/2020	12:10	N1	DD-D027206	SUMPWE2-00-05-081920	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.006	0.017	mg/Kg
SUMPWE2	8/19/2020	12:10	N1	DD-D027206	SUMPWE2-00-05-081920	SW8082A	SN	TOTAL PCBs	ND	U	-	0.017	mg/Kg
SUMPWN1	8/19/2020	8:00	N1	DD-D027201	SUMPWN1-00-05-081920	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0057	0.016	mg/Kg
SUMPWN1	8/19/2020	8:00	N1	DD-D027201	SUMPWN1-00-05-081920	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0074	0.016	mg/Kg
SUMPWN1	8/19/2020	8:00	N1	DD-D027201	SUMPWN1-00-05-081920	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0088	0.016	mg/Kg
SUMPWN1	8/19/2020	8:00	N1	DD-D027201	SUMPWN1-00-05-081920	SW8082A	SN	PCB-1242 (AROCLOR 1242)	0.14		0.0055	0.016	mg/Kg
SUMPWN1	8/19/2020	8:00	N1	DD-D027201	SUMPWN1-00-05-081920	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0058	0.016	mg/Kg
SUMPWN1	8/19/2020	8:00	N1	DD-D027201	SUMPWN1-00-05-081920	SW8082A	SN	PCB-1254 (AROCLOR 1254)	0.052		0.0044	0.016	mg/Kg
SUMPWN1	8/19/2020	8:00	N1	DD-D027201	SUMPWN1-00-05-081920	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0057	0.016	mg/Kg
SUMPWN1	8/19/2020	8:00	N1	DD-D027201	SUMPWN1-00-05-081920	SW8082A	SN	TOTAL PCBs	0.192		-	0.016	mg/Kg
SUMPWN2	8/19/2020	8:10	N1	DD-D027202	SUMPWN2-00-05-081920	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0058	0.016	mg/Kg
SUMPWN2	8/19/2020	8:10	N1	DD-D027202	SUMPWN2-00-05-081920	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0076	0.016	mg/Kg
SUMPWN2	8/19/2020	8:10	N1	DD-D027202	SUMPWN2-00-05-081920	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.009	0.016	mg/Kg
SUMPWN2	8/19/2020	8:10	N1	DD-D027202	SUMPWN2-00-05-081920	SW8082A	SN	PCB-1242 (AROCLOR 1242)	0.083		0.0056	0.016	mg/Kg
SUMPWN2	8/19/2020	8:10	N1	DD-D027202	SUMPWN2-00-05-081920	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0059	0.016	mg/Kg
SUMPWN2	8/19/2020	8:10	N1	DD-D027202	SUMPWN2-00-05-081920	SW8082A	SN	PCB-1254 (AROCLOR 1254)	0.032		0.0045	0.016	mg/Kg
SUMPWN2	8/19/2020	8:10	N1	DD-D027202	SUMPWN2-00-05-081920	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0058	0.016	mg/Kg
SUMPWN2	8/19/2020	8:10	N1	DD-D027202	SUMPWN2-00-05-081920	SW8082A	SN	TOTAL PCBs	0.115		-	0.016	mg/Kg
SUMPWS1	8/19/2020	11:15	N1	DD-D027203	SUMPWS1-00-05-081920	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	UJ	0.0055	0.016	mg/Kg
SUMPWS1	8/19/2020	11:15	N1	DD-D027203	SUMPWS1-00-05-081920	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	UJ	0.0072	0.016	mg/Kg
SUMPWS1	8/19/2020	11:15	N1	DD-D027203	SUMPWS1-00-05-081920	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	UJ	0.0085	0.016	mg/Kg
SUMPWS1	8/19/2020	11:15	N1	DD-D027203	SUMPWS1-00-05-081920	SW8082A	SN	PCB-1242 (AROCLOR 1242)	0.039	J	0.0053	0.016	mg/Kg
SUMPWS1	8/19/2020	11:15	N1	DD-D027203	SUMPWS1-00-05-081920	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	UJ	0.0056	0.016	mg/Kg
SUMPWS1	8/19/2020	11:15	N1	DD-D027203	SUMPWS1-00-05-081920	SW8082A	SN	PCB-1254 (AROCLOR 1254)	ND	UJ	0.0043	0.016	mg/Kg
SUMPWS1	8/19/2020	11:15	N1	DD-D027203	SUMPWS1-00-05-081920	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	UJ	0.0055	0.016	mg/Kg
SUMPWS1	8/19/2020	11:15	N1	DD-D027203	SUMPWS1-00-05-081920	SW8082A	SN	TOTAL PCBs	0.039		-	0.016	mg/Kg
SUMPWS2	8/19/2020	11:25	N1	DD-D027204	SUMPWS2-00-05-081920	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0058	0.016	mg/Kg
SUMPWS2	8/19/2020	11:25	N1	DD-D027204	SUMPWS2-00-05-081920	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0076	0.016	mg/Kg
SUMPWS2	8/19/2020	11:25	N1	DD-D027204	SUMPWS2-00-05-081920	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.009	0.016	mg/Kg

Attachment 8 - Concrete Core Sump Sample Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Analysis	Matrix	Analyte	Result	Qualifier	Detection Limit	Reporting Limit	Units
SUMPWS2	8/19/2020	11:25	N1	DD-D027204	SUMPWS2-00-05-081920	SW8082A	SN	PCB-1242 (AROCLOR 1242)	0.022		0.0056	0.016	mg/Kg
SUMPWS2	8/19/2020	11:25	N1	DD-D027204	SUMPWS2-00-05-081920	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0059	0.016	mg/Kg
SUMPWS2	8/19/2020	11:25	N1	DD-D027204	SUMPWS2-00-05-081920	SW8082A	SN	PCB-1254 (AROCLOR 1254)	0.018		0.0045	0.016	mg/Kg
SUMPWS2	8/19/2020	11:25	N1	DD-D027204	SUMPWS2-00-05-081920	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0058	0.016	mg/Kg
SUMPWS2	8/19/2020	11:25	N1	DD-D027204	SUMPWS2-00-05-081920	SW8082A	SN	TOTAL PCBs	0.04		-	0.016	mg/Kg
SUMPWW1	8/19/2020	8:25	N1	DD-D027207	SUMPWW1-00-05-081920	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0054	0.015	mg/Kg
SUMPWW1	8/19/2020	8:25	N1	DD-D027207	SUMPWW1-00-05-081920	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0072	0.015	mg/Kg
SUMPWW1	8/19/2020	8:25	N1	DD-D027207	SUMPWW1-00-05-081920	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0084	0.015	mg/Kg
SUMPWW1	8/19/2020	8:25	N1	DD-D027207	SUMPWW1-00-05-081920	SW8082A	SN	PCB-1242 (AROCLOR 1242)	ND	U	0.0053	0.015	mg/Kg
SUMPWW1	8/19/2020	8:25	N1	DD-D027207	SUMPWW1-00-05-081920	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0055	0.015	mg/Kg
SUMPWW1	8/19/2020	8:25	N1	DD-D027207	SUMPWW1-00-05-081920	SW8082A	SN	PCB-1254 (AROCLOR 1254)	ND	U	0.0043	0.015	mg/Kg
SUMPWW1	8/19/2020	8:25	N1	DD-D027207	SUMPWW1-00-05-081920	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0054	0.015	mg/Kg
SUMPWW1	8/19/2020	8:25	N1	DD-D027207	SUMPWW1-00-05-081920	SW8082A	SN	TOTAL PCBs	ND	U	-	0.015	mg/Kg
SUMPWW2	8/19/2020	8:35	N1	DD-D027208	SUMPWW2-00-05-081920	SW8082A	SN	PCB-1016 (AROCLOR 1016)	ND	U	0.0062	0.017	mg/Kg
SUMPWW2	8/19/2020	8:35	N1	DD-D027208	SUMPWW2-00-05-081920	SW8082A	SN	PCB-1221 (AROCLOR 1221)	ND	U	0.0081	0.017	mg/Kg
SUMPWW2	8/19/2020	8:35	N1	DD-D027208	SUMPWW2-00-05-081920	SW8082A	SN	PCB-1232 (AROCLOR 1232)	ND	U	0.0096	0.017	mg/Kg
SUMPWW2	8/19/2020	8:35	N1	DD-D027208	SUMPWW2-00-05-081920	SW8082A	SN	PCB-1242 (AROCLOR 1242)	ND	U	0.006	0.017	mg/Kg
SUMPWW2	8/19/2020	8:35	N1	DD-D027208	SUMPWW2-00-05-081920	SW8082A	SN	PCB-1248 (AROCLOR 1248)	ND	U	0.0063	0.017	mg/Kg
SUMPWW2	8/19/2020	8:35	N1	DD-D027208	SUMPWW2-00-05-081920	SW8082A	SN	PCB-1254 (AROCLOR 1254)	ND	U	0.0048	0.017	mg/Kg
SUMPWW2	8/19/2020	8:35	N1	DD-D027208	SUMPWW2-00-05-081920	SW8082A	SN	PCB-1260 (AROCLOR 1260)	ND	U	0.0062	0.017	mg/Kg
SUMPWW2	8/19/2020	8:35	N1	DD-D027208	SUMPWW2-00-05-081920	SW8082A	SN	TOTAL PCBs	ND	U	-	0.017	mg/Kg

Notes:

J = estimated value

mg/Kg = milligrams per kilogram

ND = non-detect

PCB = polychlorinated biphenyl

SN = solid matrix

U = non-detect

UJ = estimated non-detect

# Attachment 9

Attachment 9 - Support Building Floor Sample Wipe Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Analysis	Matrix	Analyte	Result	Qualifier	Detection Limit	Reporting Limit	Units
28D	8/24/2020	13:23	N1	DD-D024501	28D-082420	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
28D	8/24/2020	13:23	N1	DD-D024501	28D-082420	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
28D	8/24/2020	13:23	N1	DD-D024501	28D-082420	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
28D	8/24/2020	13:23	N1	DD-D024501	28D-082420	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
28D	8/24/2020	13:23	N1	DD-D024501	28D-082420	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
28D	8/24/2020	13:23	N1	DD-D024501	28D-082420	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
28D	8/24/2020	13:23	N1	DD-D024501	28D-082420	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
28D	8/24/2020	13:23	N1	DD-D024501	28D-082420	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
28E	8/24/2020	13:20	N1	DD-D024502	28E-082420	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
28E	8/24/2020	13:20	N1	DD-D024502	28E-082420	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
28E	8/24/2020	13:20	N1	DD-D024502	28E-082420	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
28E	8/24/2020	13:20	N1	DD-D024502	28E-082420	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
28E	8/24/2020	13:20	N1	DD-D024502	28E-082420	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
28E	8/24/2020	13:20	N1	DD-D024502	28E-082420	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
28E	8/24/2020	13:20	N1	DD-D024502	28E-082420	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
28E	8/24/2020	13:20	N1	DD-D024502	28E-082420	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
28F	8/24/2020	13:15	N1	DD-D024503	28F-082420	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
28F	8/24/2020	13:15	N1	DD-D024503	28F-082420	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
28F	8/24/2020	13:15	N1	DD-D024503	28F-082420	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
28F	8/24/2020	13:15	N1	DD-D024503	28F-082420	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
28F	8/24/2020	13:15	N1	DD-D024503	28F-082420	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
28F	8/24/2020	13:15	N1	DD-D024503	28F-082420	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
28F	8/24/2020	13:15	N1	DD-D024503	28F-082420	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
28F	8/24/2020	13:15	N1	DD-D024503	28F-082420	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
28G	8/24/2020	13:12	N1	DD-D024504	28G-082420	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
28G	8/24/2020	13:12	N1	DD-D024504	28G-082420	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
28G	8/24/2020	13:12	N1	DD-D024504	28G-082420	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
28G	8/24/2020	13:12	N1	DD-D024504	28G-082420	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
28G	8/24/2020	13:12	N1	DD-D024504	28G-082420	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
28G	8/24/2020	13:12	N1	DD-D024504	28G-082420	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
28G	8/24/2020	13:12	N1	DD-D024504	28G-082420	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
28G	8/24/2020	13:12	N1	DD-D024504	28G-082420	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
28H	8/24/2020	13:06	N1	DD-D024505	28H-082420	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
28H	8/24/2020	13:06	N1	DD-D024505	28H-082420	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
28H	8/24/2020	13:06	N1	DD-D024505	28H-082420	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
28H	8/24/2020	13:06	N1	DD-D024505	28H-082420	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
28H	8/24/2020	13:06	N1	DD-D024505	28H-082420	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
28H	8/24/2020	13:06	N1	DD-D024505	28H-082420	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
28H	8/24/2020	13:06	N1	DD-D024505	28H-082420	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
28H	8/24/2020	13:06	N1	DD-D024505	28H-082420	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
28I	8/24/2020	12:59	N1	DD-D024506	28I-082420	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE



Attachment 9 - Support Building Floor Sample Wipe Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Analysis	Matrix	Analyte	Result	Qualifier	Detection Limit	Reporting Limit	Units
28I	8/24/2020	12:59	N1	DD-D024506	28I-082420	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
28I	8/24/2020	12:59	N1	DD-D024506	28I-082420	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
28I	8/24/2020	12:59	N1	DD-D024506	28I-082420	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
28I	8/24/2020	12:59	N1	DD-D024506	28I-082420	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
28I	8/24/2020	12:59	N1	DD-D024506	28I-082420	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
28I	8/24/2020	12:59	N1	DD-D024506	28I-082420	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
28I	8/24/2020	12:59	N1	DD-D024506	28I-082420	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
28J	8/24/2020	12:40	N1	DD-D024507	28J-082420	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
28J	8/24/2020	12:40	N1	DD-D024507	28J-082420	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
28J	8/24/2020	12:40	N1	DD-D024507	28J-082420	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
28J	8/24/2020	12:40	N1	DD-D024507	28J-082420	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
28J	8/24/2020	12:40	N1	DD-D024507	28J-082420	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
28J	8/24/2020	12:40	N1	DD-D024507	28J-082420	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
28J	8/24/2020	12:40	N1	DD-D024507	28J-082420	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
28J	8/24/2020	12:40	N1	DD-D024507	28J-082420	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
28K	8/24/2020	12:08	N1	DD-D024508	28K-082420	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
28K	8/24/2020	12:08	N1	DD-D024508	28K-082420	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
28K	8/24/2020	12:08	N1	DD-D024508	28K-082420	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
28K	8/24/2020	12:08	N1	DD-D024508	28K-082420	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
28K	8/24/2020	12:08	N1	DD-D024508	28K-082420	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
28K	8/24/2020	12:08	N1	DD-D024508	28K-082420	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
28K	8/24/2020	12:08	N1	DD-D024508	28K-082420	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
28K	8/24/2020	12:08	N1	DD-D024508	28K-082420	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
29D	8/24/2020	13:25	N1	DD-D024601	29D-042420	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
29D	8/24/2020	13:25	N1	DD-D024601	29D-042420	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
29D	8/24/2020	13:25	N1	DD-D024601	29D-042420	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
29D	8/24/2020	13:25	N1	DD-D024601	29D-042420	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
29D	8/24/2020	13:25	N1	DD-D024601	29D-042420	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
29D	8/24/2020	13:25	N1	DD-D024601	29D-042420	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
29D	8/24/2020	13:25	N1	DD-D024601	29D-042420	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
29D	8/24/2020	13:25	N1	DD-D024601	29D-042420	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
29E	8/24/2020	13:32	N1	DD-D024602	29E-042420	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
29E	8/24/2020	13:32	N1	DD-D024602	29E-042420	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
29E	8/24/2020	13:32	N1	DD-D024602	29E-042420	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
29E	8/24/2020	13:32	N1	DD-D024602	29E-042420	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
29E	8/24/2020	13:32	N1	DD-D024602	29E-042420	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
29E	8/24/2020	13:32	N1	DD-D024602	29E-042420	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
29E	8/24/2020	13:32	N1	DD-D024602	29E-042420	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
29E	8/24/2020	13:32	N1	DD-D024602	29E-042420	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
29F	8/24/2020	13:34	N1	DD-D024603	29F-042420	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
29F	8/24/2020	13:34	N1	DD-D024603	29F-042420	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE

Attachment 9 - Support Building Floor Sample Wipe Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Analysis	Matrix	Analyte	Result	Qualifier	Detection Limit	Reporting Limit	Units
29F	8/24/2020	13:34	N1	DD-D024603	29F-042420	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
29F	8/24/2020	13:34	N1	DD-D024603	29F-042420	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
29F	8/24/2020	13:34	N1	DD-D024603	29F-042420	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
29F	8/24/2020	13:34	N1	DD-D024603	29F-042420	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
29F	8/24/2020	13:34	N1	DD-D024603	29F-042420	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
29F	8/24/2020	13:34	N1	DD-D024603	29F-042420	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
29G	8/24/2020	13:36	N1	DD-D024604	29G-042420	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
29G	8/24/2020	13:36	N1	DD-D024604	29G-042420	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
29G	8/24/2020	13:36	N1	DD-D024604	29G-042420	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
29G	8/24/2020	13:36	N1	DD-D024604	29G-042420	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
29G	8/24/2020	13:36	N1	DD-D024604	29G-042420	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
29G	8/24/2020	13:36	N1	DD-D024604	29G-042420	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
29G	8/24/2020	13:36	N1	DD-D024604	29G-042420	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
29G	8/24/2020	13:36	N1	DD-D024604	29G-042420	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
29H	8/24/2020	13:08	N1	DD-D024605	29H-042420	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
29H	8/24/2020	13:08	N1	DD-D024605	29H-042420	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
29H	8/24/2020	13:08	N1	DD-D024605	29H-042420	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
29H	8/24/2020	13:08	N1	DD-D024605	29H-042420	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
29H	8/24/2020	13:08	N1	DD-D024605	29H-042420	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
29H	8/24/2020	13:08	N1	DD-D024605	29H-042420	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
29H	8/24/2020	13:08	N1	DD-D024605	29H-042420	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
29H	8/24/2020	13:08	N1	DD-D024605	29H-042420	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
29I	8/24/2020	13:02	N1	DD-D024606	29I-042420	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
29I	8/24/2020	13:02	N1	DD-D024606	29I-042420	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
29I	8/24/2020	13:02	N1	DD-D024606	29I-042420	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
29I	8/24/2020	13:02	N1	DD-D024606	29I-042420	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
29I	8/24/2020	13:02	N1	DD-D024606	29I-042420	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
29I	8/24/2020	13:02	N1	DD-D024606	29I-042420	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
29I	8/24/2020	13:02	N1	DD-D024606	29I-042420	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
29I	8/24/2020	13:02	N1	DD-D024606	29I-042420	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
29J	8/24/2020	12:20	N1	DD-D024607	29J-042420	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
29J	8/24/2020	12:20	N1	DD-D024607	29J-042420	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
29J	8/24/2020	12:20	N1	DD-D024607	29J-042420	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
29J	8/24/2020	12:20	N1	DD-D024607	29J-042420	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
29J	8/24/2020	12:20	N1	DD-D024607	29J-042420	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
29J	8/24/2020	12:20	N1	DD-D024607	29J-042420	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
29J	8/24/2020	12:20	N1	DD-D024607	29J-042420	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
29J	8/24/2020	12:20	N1	DD-D024607	29J-042420	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
29K	8/24/2020	12:05	N1	DD-D024608	29K-042420	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
29K	8/24/2020	12:05	N1	DD-D024608	29K-042420	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
29K	8/24/2020	12:05	N1	DD-D024608	29K-042420	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE

Attachment 9 - Support Building Floor Sample Wipe Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Analysis	Matrix	Analyte	Result	Qualifier	Detection Limit	Reporting Limit	Units
29K	8/24/2020	12:05	N1	DD-D024608	29K-042420	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
29K	8/24/2020	12:05	N1	DD-D024608	29K-042420	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
29K	8/24/2020	12:05	N1	DD-D024608	29K-042420	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
29K	8/24/2020	12:05	N1	DD-D024608	29K-042420	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
29K	8/24/2020	12:05	N1	DD-D024608	29K-042420	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
30D	8/24/2020	13:28	N1	DD-D024701	30D-042420	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
30D	8/24/2020	13:28	N1	DD-D024701	30D-042420	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
30D	8/24/2020	13:28	N1	DD-D024701	30D-042420	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
30D	8/24/2020	13:28	N1	DD-D024701	30D-042420	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
30D	8/24/2020	13:28	N1	DD-D024701	30D-042420	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
30D	8/24/2020	13:28	N1	DD-D024701	30D-042420	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
30D	8/24/2020	13:28	N1	DD-D024701	30D-042420	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
30D	8/24/2020	13:28	N1	DD-D024701	30D-042420	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
30E	8/24/2020	13:30	N1	DD-D024702	30E-042420	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
30E	8/24/2020	13:30	N1	DD-D024702	30E-042420	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
30E	8/24/2020	13:30	N1	DD-D024702	30E-042420	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
30E	8/24/2020	13:30	N1	DD-D024702	30E-042420	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
30E	8/24/2020	13:30	N1	DD-D024702	30E-042420	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
30E	8/24/2020	13:30	N1	DD-D024702	30E-042420	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
30E	8/24/2020	13:30	N1	DD-D024702	30E-042420	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
30E	8/24/2020	13:30	N1	DD-D024702	30E-042420	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
30F	8/24/2020	13:44	N1	DD-D024703	30F-042420	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
30F	8/24/2020	13:44	N1	DD-D024703	30F-042420	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
30F	8/24/2020	13:44	N1	DD-D024703	30F-042420	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
30F	8/24/2020	13:44	N1	DD-D024703	30F-042420	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
30F	8/24/2020	13:44	N1	DD-D024703	30F-042420	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
30F	8/24/2020	13:44	N1	DD-D024703	30F-042420	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
30F	8/24/2020	13:44	N1	DD-D024703	30F-042420	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
30F	8/24/2020	13:44	N1	DD-D024703	30F-042420	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
30G	8/24/2020	13:46	N1	DD-D024704	30G-042420	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
30G	8/24/2020	13:46	N1	DD-D024704	30G-042420	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
30G	8/24/2020	13:46	N1	DD-D024704	30G-042420	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
30G	8/24/2020	13:46	N1	DD-D024704	30G-042420	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
30G	8/24/2020	13:46	N1	DD-D024704	30G-042420	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
30G	8/24/2020	13:46	N1	DD-D024704	30G-042420	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
30G	8/24/2020	13:46	N1	DD-D024704	30G-042420	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
30G	8/24/2020	13:46	N1	DD-D024704	30G-042420	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
30H	8/24/2020	13:48	N1	DD-D024705	30H-042420	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
30H	8/24/2020	13:48	N1	DD-D024705	30H-042420	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
30H	8/24/2020	13:48	N1	DD-D024705	30H-042420	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
30H	8/24/2020	13:48	N1	DD-D024705	30H-042420	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE

Attachment 9 - Support Building Floor Sample Wipe Results

Location	Date Sampled	Time Sampled	Sample Type	Control No	Sample ID	Analysis	Matrix	Analyte	Result	Qualifier	Detection Limit	Reporting Limit	Units
30H	8/24/2020	13:48	N1	DD-D024705	30H-042420	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
30H	8/24/2020	13:48	N1	DD-D024705	30H-042420	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
30H	8/24/2020	13:48	N1	DD-D024705	30H-042420	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
30H	8/24/2020	13:48	N1	DD-D024705	30H-042420	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
30I	8/24/2020	13:50	N1	DD-D024706	30I-042420	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
30I	8/24/2020	13:50	N1	DD-D024706	30I-042420	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
30I	8/24/2020	13:50	N1	DD-D024706	30I-042420	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
30I	8/24/2020	13:50	N1	DD-D024706	30I-042420	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
30I	8/24/2020	13:50	N1	DD-D024706	30I-042420	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
30I	8/24/2020	13:50	N1	DD-D024706	30I-042420	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
30I	8/24/2020	13:50	N1	DD-D024706	30I-042420	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
30I	8/24/2020	13:50	N1	DD-D024706	30I-042420	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
30J	8/24/2020	12:15	N1	DD-D024707	30J-042420	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
30J	8/24/2020	12:15	N1	DD-D024707	30J-042420	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
30J	8/24/2020	12:15	N1	DD-D024707	30J-042420	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
30J	8/24/2020	12:15	N1	DD-D024707	30J-042420	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
30J	8/24/2020	12:15	N1	DD-D024707	30J-042420	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
30J	8/24/2020	12:15	N1	DD-D024707	30J-042420	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
30J	8/24/2020	12:15	N1	DD-D024707	30J-042420	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
30J	8/24/2020	12:15	N1	DD-D024707	30J-042420	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE
30K	8/24/2020	12:01	N1	DD-D024708	30K-042420	SW8082A	SW	PCB-1016 (AROCLOR 1016)	ND	U	0.09	0.24	ug/WIPE
30K	8/24/2020	12:01	N1	DD-D024708	30K-042420	SW8082A	SW	PCB-1221 (AROCLOR 1221)	ND	U	0.12	0.24	ug/WIPE
30K	8/24/2020	12:01	N1	DD-D024708	30K-042420	SW8082A	SW	PCB-1232 (AROCLOR 1232)	ND	U	0.14	0.24	ug/WIPE
30K	8/24/2020	12:01	N1	DD-D024708	30K-042420	SW8082A	SW	PCB-1242 (AROCLOR 1242)	ND	U	0.088	0.24	ug/WIPE
30K	8/24/2020	12:01	N1	DD-D024708	30K-042420	SW8082A	SW	PCB-1248 (AROCLOR 1248)	ND	U	0.092	0.24	ug/WIPE
30K	8/24/2020	12:01	N1	DD-D024708	30K-042420	SW8082A	SW	PCB-1254 (AROCLOR 1254)	ND	U	0.07	0.24	ug/WIPE
30K	8/24/2020	12:01	N1	DD-D024708	30K-042420	SW8082A	SW	PCB-1260 (AROCLOR 1260)	ND	U	0.09	0.24	ug/WIPE
30K	8/24/2020	12:01	N1	DD-D024708	30K-042420	SW8082A	SW	TOTAL PCBs	ND	U	-	0.24	ug/WIPE

Notes:

ND = non-detect

PCB = polychlorinated biphenyl

SW = wipe sample

U = non-detect

ug/WIPE = micrograms per wipe

# **Attachment 10**





UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
REGION 1 – NEW ENGLAND  
5 POST OFFICE SQUARE – SUITE 100  
BOSTON, MASSACHUSETTS 02109-3912

December 14, 2020

Edward Anthes-Washburn, Executive Director  
New Bedford Harbor Development Commission  
52 Fisherman's Wharf  
New Bedford, MA 02740

RE: Termination of EPA need for access to property for the New Bedford Harbor Superfund Site Remedy.

ADDRESS OF PROPERTIES: New Bedford, MA Assessor's Map 72, Lots 283 and 284; Map 66, Lots 145, 147, 148, and 170 (all in the vicinity of Hervey Tichon Avenue).

On September 10, 2001 the United States Environmental Protection Agency (EPA) was granted voluntary access by the City of New Bedford/Harbor Development Commission (Access Agreement) to conduct response actions under the authority of the Comprehensive Environmental Response, Compensation and Liability Act of 1980, as amended (CERCLA – commonly referred to as “Superfund”), 42 U.S.C. § 9601 *et. seq.* This letter is to inform you that as of December 31<sup>st</sup>, 2020 EPA will be ceasing all Superfund operations on the subject properties and will no longer require access under the City’s Access Agreement. EPA makes no ownership claim to the building and infrastructure present on the properties and is leaving the properties as is. The United States shall not be responsible for the condition of the building and infrastructure as of December 31<sup>st</sup>, 2020 nor for damages to real or personal property or injuries to persons which may arise from, or be incident to, any future use or activities on the properties listed above after December 31<sup>st</sup>, 2020.

EPA has completed decontamination of polychlorinated biphenyls (PCBs) from the building present on Lot 284 under the standards of CERCLA and the Toxic Substances Control Act (TSCA), 15 U.S.C. § 2601 *et seq.*, so that future unrestricted use of the building, as defined by TSCA, will not pose an unreasonable risk of injury to health or the environment in accordance with TSCA regulatory requirements at 40 C.F.R. §761.61(c). See Attachment 1 – [*Dewatering Facility Decontamination Report*].

In addition, EPA makes no ownership claim over filled land and infrastructure created as part of EPA’s Superfund response actions by the filling of intertidal waters and the construction of marine bulkhead and other infrastructure adjacent to the City-owned properties listed above (except for rights of navigational servitude retained by the United States under Article I, § 8, of the United States Constitution). The created filled land and infrastructure is being left as is. The United States shall not be responsible for the condition of the filled land and infrastructure as of

December 31<sup>st</sup>, 2020 nor for damages to real or personal property or injuries to persons which may arise from or be incident to any future use of the filled land or created infrastructure after December 31<sup>st</sup>, 2020.

If you have any additional questions about the contents of this letter or EPA's completion of its Superfund response action on the subject properties please contact Natalie McClaine, Project Manager, at (617) 918 - 1331 or [mcclaine.natalie@epa.gov](mailto:mcclaine.natalie@epa.gov), and for any legal questions please contact David Peterson, Senior Enforcement Counsel, at (617) 918-1891 or [peterson.david@epa.gov](mailto:peterson.david@epa.gov).

Best Regards,

Robert G. Cianciarulo, Chief  
Remediation Branch 1  
Superfund and Emergency Management Division

cc: David Dickerson, EPA  
Natalie McClaine, EPA  
David Peterson, EPA  
Paul Craffey, MassDEP  
Blair Bailey, Counsel for the Harbor Development Commission

Attachment: *Dewatering Facility Decontamination Report*