

## Nierenberg, Kara (she/her/hers)

---

**From:** Todd Majer <tmajer@demaximis.com>  
**Sent:** Monday, August 28, 2023 9:39 PM  
**To:** Nierenberg, Kara (she/her/hers); dante.grady@mass.gov; garry waldeck  
**Cc:** Bruce Thompson; Jessie McCusker; Christine Taddonio; Andy Schkuta; Kurt Oosterman  
**Subject:** RE: NMI - Enabling Phase Remedial Action - Asbestos Abatement Work Plan

**Follow Up Flag:** Follow up  
**Flag Status:** Flagged

Hi Kara,

Response to EPA's conditions on the Mount Carmel Construction Abatement Work Plan:

1. I have requested from USEI / Mount Carmel, the method and measures that would need to be taken if the transite piping needs to be cut to be removed. We will include the description as an addendum to the Work Plan for your review.
2. We will send an updated off-site rule request for the asbestos waste in the coming weeks.
3. If the material is not approved by the off-site rule request to go to USEI's WDI facility in Belleville, Michigan, the work plan will be updated to reflect the new disposal facility.

Talk to you tomorrow.

Todd Majer  
de maximis, inc.  
978-875-0635

---

**From:** Nierenberg, Kara (she/her/hers) <Nierenberg.Kara@epa.gov>  
**Sent:** Monday, August 28, 2023 9:31 AM  
**To:** Todd Majer <tmajer@demaximis.com>; dante.grady@mass.gov; garry waldeck <Garry.Waldeck@state.ma.us>  
**Cc:** Bruce Thompson <brucet@demaximis.com>; Jessie McCusker <jessie@demaximis.com>; Christine Taddonio <CTaddonio@demaximis.com>; Andy Schkuta <Andrew.Schkuta@aecom.com>; Kurt Oosterman <Kurt.Oosterman@usecology.com>  
**Subject:** RE: NMI - Enabling Phase Remedial Action - Asbestos Abatement Work Plan

**\*\* WARNING EXTERNAL SENDER \*\***

Hi Todd –

Thank you for sending this plan over. We reviewed the plan and had 3 comments. The comments are included in the attached conditional approval of the plan. Please let me know if you have any questions.

Best,

Kara Kelly Nierenberg, PE  
Massachusetts Superfund  
617-918-1435

---

**From:** Todd Majer <[tmajer@demaximis.com](mailto:tmajer@demaximis.com)>

**Sent:** Friday, August 18, 2023 2:05 PM

**To:** [dante.grady@mass.gov](mailto:dante.grady@mass.gov); Nierenberg, Kara (she/her/hers) <[Nierenberg.Kara@epa.gov](mailto:Nierenberg.Kara@epa.gov)>; garry waldeck <[Garry.Waldeck@state.ma.us](mailto:Garry.Waldeck@state.ma.us)>

**Cc:** Bruce Thompson <[brucet@demaximis.com](mailto:brucet@demaximis.com)>; Jessie McCusker <[jessie@demaximis.com](mailto:jessie@demaximis.com)>; Christine Taddonio <[CTaddonio@demaximis.com](mailto:CTaddonio@demaximis.com)>; Andy Schkuta <[Andrew.Schkuta@aecom.com](mailto:Andrew.Schkuta@aecom.com)>; Kurt Oosterman <[Kurt.Oosterman@usecology.com](mailto:Kurt.Oosterman@usecology.com)>

**Subject:** NMI - Enabling Phase Remedial Action - Asbestos Abatement Work Plan

Hi Kara, Garry & Grady,

Attached for your review and approval, please find the Asbestos Abatement Work Plan to remove the transite pipe that was discovered during the enabling phase remedial action activities.

**We would like to start the work on Wednesday August 30, 2023.**

Mount Carmel Construction provided the 10-day notification to MAAssDEP and DLI on Wednesday August 16, 2023.

Let me know if you have any questions.

Thank you and have a great weekend.

Todd Majer  
de maximis, inc.  
978-875-0635

*ATTENTION: This e-mail message, including any attachment, is confidential and may be privileged. If you are not the intended recipient, then please (i) do not print, forward, or copy this e-mail, (ii) notify us of the error by a reply to this e-mail, and (iii) delete this e-mail from your computer. Thank you.*

*ATTENTION: This e-mail message, including any attachment, is confidential and may be privileged. If you are not the intended recipient, then please (i) do not print, forward, or copy this e-mail, (ii) notify us of the error by a reply to this e-mail, and (iii) delete this e-mail from your computer. Thank you.*