Monitoring Report for Seafood Harvested in 2024 from the New Bedford Harbor Superfund Site

by

Massachusetts Department of Environmental Protection

and

Massachusetts Division of Marine Fisheries

April 2025

SEMS Doc ID 100035289

TABLE OF CONTENTS

1. Introduction
2. Seafood Monitoring Program Design
3. 2024 Field Collection
4. Analytical Chemistry
5. Results and Discussion
6. References

FIGURES

Figure 1 Fish Closure Areas I to III
Figure 2 Alewife Sample Locations Area I
Figure 3 American Lobster Locations Areas II and III
Figure 4 Black Sea Bass Locations Areas II and III
Figure 5 Conch Locations Areas II and III
Figure 6 Quahog (Pre-spawn) and Surface Water Sample Locations Areas I to III
Figure 7 Scup Locations Areas II and III
Figure 8 Tautog Locations Areas II and III
Figure 9 Blue Crab, Bluefish, and Striped Bass Locations Areas I to III
Figure 10 PCBs Concentrations in Alewife Area I
Figure 11 PCBs Concentrations in American Lobster Meat Areas II and III
Figure 12 PCBs Concentrations in American Lobster Tomalley Areas II and III
Figure 13 PCBs Concentrations in American Lobster Meat and Tomalley Areas II and III
Figure 14 PCBs Concentrations in Black Sea Bass Areas I to III
Figure 15 PCBs Concentrations in Blue Crab Area I
Figure 16 PCBs Concentrations in Bluefish Areas I to III
Figure 17 PCBs Concentrations in Conch Areas II and III
Figure 18 PCBs Concentrations in Quahog (Pre-Spawn) Areas I to III
Figure 19 PCBs Concentrations in Scup Areas II and III
Figure 20 PCBs Concentrations in Striped Bass Areas I to III
Figure 21 PCBs Concentrations in Tautog Areas II and III
Figure 22 PCBs Concentrations in Surface Water (Total) Areas I to III
Figure 23 PCBs Concentrations in Surface Water (Dissolved) Areas I to III

TABLES

Table 1 Summary of Sample Data for Alewife Area I
Table 2 Summary of Sample Data for American Lobster Meat Areas II and III
Table 3 Summary of Sample Data for American Lobster Tomalley Areas II and III
Table 4 Summary of Sample Data for American Lobster Meat and Tomalley Areas II and III
Table 5 Summary of Sample Data for Black Sea Bass Areas II and III
Table 6 Summary of Sample Data for Blue Crab Area I
Table 7 Summary of Sample Data for Bluefish Areas I to III
Table 8 Summary of Sample Data for Conch Areas II and III
Table 9 Summary of Sample Data for Quahog (Pre-Spawn) Areas I to III

TABLES (Continued)

Table 10 Summary of Sample Data for Scup Areas II to III
Table 11 Summary of Sample Data for Striped Bass Areas I to III
Table 12 Summary of Sample Data for Striped Bass Stomach Areas I to III
Table 13 Summary of Sample Data for Tautog Areas II to III
Table 14 Summary of Sample Data for Surface Water (Total) Areas I to III
Table 15 Summary of Sample Data for Surface Water (Dissolve) Areas I to III

APPENDICIES

Appendix A Laboratory Data
Appendix B Data Validation Summary, MassDEP, NBH Superfund Site, Seafood Contaminant Survey Monitoring 2024 Sampling, March 25, 2025
Appendix C Seafood Monitoring - Field Sampling Activities for the NBH Superfund Site 2024 Annual Report, January 9, 2025
Appendix D 2024 Field Sample Report New Bedford Harbor Superfund Site, February 21, 2025
Appendix D PCB Congener Calculations 136 vs 148 for 2017 Memo, May 30, 2018

1. Introduction

This report documents the levels of PCBs (polychlorinated biphenyls) measured in edible seafood species caught in New Bedford Harbor and surrounding Buzzards Bay in southeastern Massachusetts in 2024. This seafood monitoring program is part of the ongoing PCB cleanup program for the New Bedford Harbor (NBH) Superfund Site and was a collaborative effort involving the MA Department of Marine Fisheries (DMF), the MA Department of Environmental Protection, (MassDEP), and the U.S. Environmental Protection Agency Region I (EPA).

Due to the identification of high PCB levels in area seafood, the MA Department of Public Health in 1979 promulgated regulations restricting seafood consumption in three closure areas in and around NBH as shown on Figure 1 (MADPH, 1979). NBH was subsequently listed as a Superfund site in 1983. Per the 1998 Record of Decision (ROD) (EPA, 1998) for the Site, as modified by six Explanation of Significant Differences (ESDs) to date, over 1.1 million cubic yards (cy) of *in situ* contaminated sediment has been removed by dredging or shoreline excavation to meet the sediment cleanup levels. Consistent with the 1998 ROD, this seafood monitoring program will aid in the evaluation of the overall effectiveness of the harbor cleanup, as well as assist in the implementation of institutional controls and seafood consumption recommendations.

2. Seafood Monitoring Program Design

Based on previous investigations and risk assessments performed at the NBH Site, a variety of species were selected for this monitoring program that are considered locally caught seafood; are generally available for field collection; and which bracket potential worse case tissue levels **(**MassDEP, 2024**)**. In previous sampling rounds, these species include lobster (*Homarus americanus*), blue crabs (*Carcinus maenas*), quahog (i.e., hard shelled clam, *Mercenaria mercenaria*), alewife (*Alosa pseudoharengus*), American eel (*Anguilla rostrata*), black sea bass (*Centropristes striatus*), winter flounder (*Pseudopleuronectes americanus*), and scup (*Stenotomus chrysops).* The goal of this seafood monitoring program is to acquire annual collections of either a subset or all of these species (or others, *e.g.*, striped bass and bluefish) in sufficient numbers from all three closure areas to enable statistical comparisons between them, but with the understanding that some species may not necessarily be caught in sufficient numbers every year. Typically, more species are collected in the year prior to the Superfund Five Year Review (FYR) process then in non-FYR years. The species collected in 2024 were for the 2025 FYR, so the goal was to collect all the species that were collected in the past for previous FYRs.

To meet this goal, the monitoring design calls for five composite samples for each species from each of the three closure areas. Based on previous site sampling experience, modifications have been made to the original sampling approach such as the types of species readily available and the number of organisms per sample. The species collected for 2024 were alewife, black sea bass, blue crabs, bluefish, lobster, quahog, scup, tautog, channel and/or knobbed whelk (*i.e.*, conch), and striped bass, as well as surface water.

Each composite sample consisted of legally harvestable organisms. The bluefish and striped bass samples consisted of one organism per location. The quahog and conch composited sample generally consisted of 12 organisms per location.

In addition to comparing the results of this monitoring to past and future seafood monitoring results, the results of this seafood monitoring program will be compared to the current U.S. Food and Drug Administration's (FDA's) criteria for PCBs in commercial seafood of 2 parts per million (ppm). It was exceedances of the FDA criteria in NBH seafood which prompted promulgation of the state's seafood closure areas in 1979 (the FDA criteria at that time was 5 ppm). In addition to comparisons to the current FDA level, and as explained in the 1998 ROD, EPA will compare the results of the seafood monitoring program to a risk-based site-specific threshold of 0.02 ppm PCBs. Consistent with CERCLA and the NCP, the selected remedy for the Site (EPA, 1998, Section X) uses this health-based seafood criteria of 0.02 ppm PCBs based on local patterns of seafood consumption which involve more frequent consumption of local PCB-contaminated seafood than that assumed by the FDA standard.

3. 2024 Field Collection

The DMF on-site field sampling program included the collection of alewife, lobster, quahog, scup, tautog, whelk, and surface water. The Sampling Report for species collected in 2024 by DMF is in Appendix C (MA DMF, 2025). The WSP (MassDEP's contractor) on-site field sampling program included the collection of blue crab, bluefish and striped bass. The Sampling Report for species collected in 2024 by WSP is in Appendix D (WSP, 2025a).

The alewife were collected in April (Figure 2) using a net. The lobsters were collected in June and July (Figure 3) using lobster pots. The black sea bass were collected in June and July (Figure 4) using fish pots. The whelks were collected in June, July, and October (Figure 5) using conch pots. The quahogs were collected pre-spawn in May (Figure 6) using a rake and diver. The scup were collected in May to October (Figure 7) using a hook and line. The tautog were collected in May to September (Figure 8) using fish pots. The blue crabs were collected in June (Figure 9) using crab pots. The bluefish and striped bass were collected in August (Figure 9) using a hook and line. The surface water samples were collected in May (Figure 6) by hand in a glass bottle. Water samples were collected at the same locations as the quahog sample except locations I-A, II-D, and II-G where no surface water samples were collected, and three additional locations North of the Coggeshall St. Bridge. It was decided to eliminate the samples at locations II-D and II-G because the previous sampling in 2011 showed levels significantly below the Ambient Water Quality Criteria (AWQC) of 0.03 ug/l (or ppb) and location I-A had the lowest PCB concentration in Area I. Water samples were collected at mid-level depth, except if the water depth was less than six feet, then the samples were collected at the surface to avoid turbidity in the samples.

Complete collection information including the dates collected, identification information, species, station identification, latitude and longitude, and collection method are

included on the Field Collection Forms in Appendices C and D. All fish/shellfish samples were delivered frozen to Alpha Woods Hole Labs (Alpha) in Mansfield, MA for analysis. The surface water samples were kept on ice (but not frozen) in a container maintained at 4^{o} C.

4. Analytical Chemistry

The seafood and water samples were analyzed for 148 PCB congeners by GC/MS-SIM (gas chromatography/mass spectrometry-selective ion monitoring) based on EPA Methods 680 and 8270D. In previous sampling rounds starting in 2003 to 2016, 136 PCB congeners had been analyzed. The additional twelve PCB congeners did not significantly add to the total concentrations (see Appendix E), thus allowing comparisons with previous site data. The 148 congeners measured included the eighteen NOAA (National Oceanic and Atmospheric Administration) list congeners and the twelve WHO '98 (1998 World Health Organization) list of dioxin-like congeners. Two congeners, BZ #105 and #118, appear on both lists. The NOAA congener list was used by the MA DMF in its analysis of Area III lobsters from 1988 to 1998, while Aroclors had been used previous to this. The NOAA list typically represents approximately 45% of the total PCB in marine tissue (NOAA, 1993).

The congeners quantitated in this effort are listed in the New Bedford Harbor Superfund Site Quality Assurance Project Plan Revision 18 **(**MassDEP, 2024a**).** The WHO '98 congeners were included to enable the evaluation of risks to human health due to the presence of any dioxin-like PCB congeners, if deemed necessary.

Tissue from the collected specimens was filleted, sub-sampled and/or composited as necessary for sample homogenization, extraction and analysis. Species included quahog, conch alewife, black sea bass, blue crab, blue fish, lobster, scup, striped bass, and tautog.

- The first step in the analytical process for the quahog and conch samples was the compositing of twelve to thirteen individual samples from each location; these were combined to form one composite sample per location and were homogenized using a tissuemizer.
- The first step in the analytical process for the bluefish and striped bass was to take the tissue for each sample location and homogenize using a tissuemizer. Bluefish fillets were processed with the skin on, with one split sample prepared with the skin off. Striped bass fillets with the skin off and striped bass stomach contents were processed as individual samples.
- The first step in the analytical process for the black sea bass, scup, and tautog was the compositing of the tissue from up to five specimens per location (if multiple caught) and homogenize using a tissuemizer to obtain one sample per location. Scup fillets were processed with the skin off, with one split sample prepared with the skin on. Tautog fillets were processed with the skin on, with one split sample prepared with the skin off. Black sea bass fillets were processed with the skin off.
- The first step in the analytical process for the alewife was to take the tissue for the one sample location and homogenize using a tissuemizer. Alewife fillets with the skin off and alewife roe were processed as individual samples.

- The first step in the analytical process for the blue crab was the compositing of the tissue from up to five specimen per location (if multiple caught) and homogenize using a tissuemizer to obtain one sample per location. Blue crab consisted of leg and claw meat.
- The first step in the analytical process for the lobster was the compositing of the tissue from up to five specimens per location (if multiple caught) and homogenize using a tissuemizer to obtain one sample per location. Lobster meat, consisting of tail and claw, and lobster tomalley were processed as individual samples.

From each seafood group, approximately five grams of wet sample tissue were collected. This sample tissue was then extracted using EPA Method 3570 Microscale Solvent Extraction (MSE) techniques (spin extraction with acetone/methylene chloride in a sealed vessel).

The extracts were concentrated. The lipid portion of the extract was removed and separated from the PCB portion, which was cleaned up prior to analysis. Following sample cleanup, extracts were dried and concentrated using the Kuderna-Danish (K-D) method, brought up to final volume and analyzed. Extract cleanup was performed using Alumina Column Cleanup. Gel Permeation Chromatography (GPC), Sulfuric Acid Cleanup, and/or Silica Gel Cleanup are also employed as appropriate, based on the sample extracts and tissue species.

Sample analysis of water and tissue using GC/MS-SIM allowed identification and quantitation of congeners using selected PCB congeners from BZ1 to BZ209. The identification of the specific congeners was accomplished by comparing their mass spectra with the electron impact spectra of the calibration standards. Congener concentrations were determined using mean relative response factors from a multi-level calibration curve. Response factors for congeners were determined relative to internal standard technique. A multi-point curve was used for the individual congeners to demonstrate the linear range of the instrument.

Continuing calibrations assured linearity remained for the duration of the analysis. Laboratory SOPs are available in the Quality Assurance Project Plan Revision 18 (MassDEP, 2024a) should further details on chromatographic conditions, quality control criteria, and other elements of the analysis be needed. While lipid content was reported, the wet weight PCB concentrations reported herein are not lipid normalized.

The data validation summary for the laboratory analysis is presented in Appendix B (WSP, 2025).

5. Results and Discussion

As with previous studies of sediments, water column, seafood, and air at the NBH Site, the current data set demonstrates a generally decreasing trend (north to south) of PCB levels in locally caught seafood. In other words, tissue PCB levels decrease proportionally with the distance from the primary source of PCBs to the upper harbor (the Aerovox facility). Figures 10 to 23 graphically summarize the current data, and Tables 1 to 15 tabulate the

totals and averages of the congener sample results

PCBs are a group of similar organic molecules featuring a “figure-eight” structure of two bonded benzene rings with chlorine atoms attached at up to ten different attachment sites. Theoretically, up to 209 different PCB congeners (or molecular variations) are possible, yet only about 120 of these are found in the natural environment. Furthermore, NOAA has demonstrated that 18 specific congeners are the most pervasive and generally make up almost half of the PCB mass in marine tissues. In addition, WHO considers the twelve specific dioxin-like congeners to present the greatest risk to human health. As noted above in Section 4, two congeners, BZ #105 and BZ #118, are included in both the NOAA and the WHO congener sets.

Overall, the current data set indicates continued levels of PCBs in NBH area seafood above the 1998 ROD’s site-specific target level of 0.02 ppm, with certain exceptions as discussed further below. Only one alewife sample location was collected. The alewife fillet sample was 0.18 ppm, and the roe sample was 0.044 ppm. Both samples are above the site-specific target level of 0.02 ppm. The American lobster meat samples range between 0.03 ppm and 0.071 ppm and all locations are above the site-specific target level of 0.02 ppm. The American lobster tomalley samples range between 2.9 ppm and 9.2 ppm and all locations are above the site-specific target level of 0.02 ppm and the FDA limit of 2 ppm. The American lobster meat and tomalley weighted average samples range between 0.41 ppm and 1.3 ppm, and all locations are above the site-specific target level of 0.02 ppm. The black sea bass samples range between 0.035 ppm and 0.24 ppm and all locations are above the site-specific target level of 0.02 ppm. The blue crab samples range between 0.34 ppm and 1.3 ppm and all locations are above the site-specific target level of 0.02 ppm. The bluefish samples range between 0.023 ppm and 23 ppm and all locations are above the site-specific target level of 0.02 ppm. One bluefish location (A-1) sample was split for analysis with the skin-on and skin-off. The skin-on concentration was 8.4 ppm and the skin-off concentration was 11 ppm. The conch samples range between 0.036 ppm and 0.31 ppm and all locations are above the site-specific target level of 0.02 ppm. The quahog samples range between 0.21 ppm and 0.41 ppm for Area I; between 0.022 ppm and 0.17 ppm for Area II; and between 0.0036 ppm and 0.032 ppm for Area III. All quahog samples from Areas I and II locations are above the site-specific target level of 0.02 ppm. One quahog sample from Area III location B-3 is above the site-specific target level of 0.02 ppm (0.032 ppm), while all the other Area III quahog samples were below this level. The scup samples range between 0.039 ppm and 0.87 ppm and all locations are above the site-specific target level of 0.02 ppm. One scup location (A-2) sample was split for analysis with the skin-on and skin-off. The skin-on concentration was 0.59 ppm, and the skin-off concentration was 0.59 ppm. The striped bass samples range between 0.12 ppm and 0.7 ppm and all locations are above the site-specific target level of 0.02 ppm. The tautog samples range between 0.016 ppm and 0.62 ppm and all locations are above the site-specific target level of 0.02 ppm except location 3B. One tautog location (A-2) sample was split for analysis with the skin-on and skin-off. The skin-on concentration was 0.15 ppm, and the skin-off concentration was 0.11 ppm.

There was no alewife, American lobster meat, black sea bass, blue crab, conch, quahog, scup, striped bass, or tautog samples above the FDA level of 2 ppm. The bluefish at

all locations in Area I and Area II (except locations A-2) are above the FDA limit of 2 ppm ranging from 2.5 ppm to 23 ppm. All American lobster tomalley locations are above the FDA level of 2 ppm ranging from 2.9 ppm to 9.2 ppm.

The total surface water samples range between 0.02 ppb to 0.065 ppb in the area north of the Coggeshall Street bridge; 0.03 ppb to 0.042 ppb in Area I south of the Coggeshall Street bridge; 0.00093 ppb to 0.0082 ppb in Area II; and non-detect to 0.00028 ppb in Area III. The site-specific target level for surface water is the Ambient Water Quality Criteria (AWQC) of 0.03 ug/l (or ppb). For these total surface water samples, two of the seven locations in Area I and all locations in Area II and Area III were below the AWQC.

The dissolved surface water samples range between 0.016 ppb to 0.031 ppb in the area north of the Coggeshall Street bridge; 0.012 ppb to 0.032 ppb in Area I south of the Coggeshall Street bridge ; non-detect to 0.0044 ppb in Area II; and non-detect in Area III. For the dissolved surface water samples, the AWQC was met at all locations in Areas I, II and III, except at two locations mid-way in Area 1 which were only slightly higher than the 0.03 ug/l (30 ng/l) AWQC value (*i.e.*, 31 and 32 ng/l).

It should be noted that these PCB levels do not apply to seafood caught by the harbor's commercial fishing fleet (except for any quahog and conch collected commercially in Areas 2 and 3) as this seafood is caught significantly further offshore than the three PCB closure areas at the New Bedford Harbor Superfund Site. However, these results do indicate the need to continue the outreach program to inform and educate the local communities and recreational sport fishermen about the seafood consumption regulations and advisories.

The seafood sampling program has been on-going since 2002. These reports can be found at the EPA's web site at www.epa.gov/new-bedford-harbor under "Technical Documents".

6. References

EPA, 1998. Record of Decision for the Upper and Lower Harbor Operable Unit, New Bedford Harbor Superfund Site, New Bedford, Massachusetts. U.S. EPA - Region I New England. September 1998

MADPH, 1979. Massachusetts Department of Public Health Regulations 105 CMR 260.000. 1979

MassDEP, 2024. Seafood Monitoring and Field Sampling Work Plan, New Bedford Harbor Superfund Site, Massachusetts Department of Environmental Protection. April 22, 2024

MassDEP, 2024a. Quality Assurance Project Plan Revision 18, New Bedford Harbor Superfund Site, New Bedford, Massachusetts. Massachusetts Department of Environmental Protection. March 25, 2024

MADMF, 2025. Seafood Monitoring - Field Sampling Activities for the New Bedford Harbor Superfund Site 2024 Annual Report, Vin Malkoski, Senior Marine Fisheries Biologist, Massachusetts Division of Marine Fisheries. January 9, 2025

NOAA, 1993. NOAA Technical Memorandum NOA ORCA 71. National Status and Trends Program for Marine Environmental Quality. Sampling and Analytical Methods of the National Status and Trends Program National Benthic Surveillance and Mussel Watch Projects, 1984-1992. Volume 1. Silver Springs, Maryland. July 1993

WSP, 2025. Data Validation Summary, MassDEP, NBH Superfund Site, Seafood Contaminant Survey Monitoring 2024 Sampling. March 25, 2025

WSP, 2025a. 2024 Field Sample Report New Bedford Harbor Superfund Site. February 21, 2025

FIGURES

Figure 1 Fish Closure Areas I to III
Figure 2 Alewife Sample Locations Area I
Figure 3 American Lobster Locations Areas II and III
Figure 4 Black Sea Bass Locations Areas II and III
Figure 5 Conch Locations Areas II and III
Figure 6 Quahog (Pre-spawn) and Surface Water Sample Locations Areas I to III
Figure 7 Scup Locations Areas II and III
Figure 8 Tautog Locations Areas II and III
Figure 9 Blue Crab, Bluefish, and Striped Bass Locations Areas I to III
Figure 10 PCBs Concentrations in Alewife Area I
Figure 11 PCBs Concentrations in American Lobster Meat Areas II and III
Figure 12 PCBs Concentrations in American Lobster Tomalley Areas II and III
Figure 13 PCBs Concentrations in American Lobster Meat and Tomalley Areas II and III
Figure 14 PCBs Concentrations in Black Sea Bass Areas I to III
Figure 15 PCBs Concentrations in Blue Crab Area I
Figure 16 PCBs Concentrations in Bluefish Areas I to III
Figure 17 PCBs Concentrations in Conch Areas II and III
Figure 18 PCBs Concentrations in Quahog (Pre-Spawn) Areas I to III
Figure 19 PCBs Concentrations in Scup Areas II and III
Figure 20 PCBs Concentrations in Striped Bass Areas I to III
Figure 21 PCBs Concentrations in Tautog Areas II and III
Figure 22 PCBs Concentrations in Surface Water (Total) Areas I to III
Figure 23 PCBs Concentrations in Surface Water (Dissolved) Areas I to III



Figure 1 Fish Closure Areas I to III



Figure 2 Alewife Locations Area I



Figure 3 American Lobster Locations Areas II and III



Figure 4 Black Sea Bass Locations Areas II and III



Figure 5 Whelk (Conch) Locations Areas II and III



Figure 6. Pre-spawn Quahogs and Water, Areas I, II, & III



Figure 7 Scup Sample Locations Areas II and III



Figure 8 Tautog Locations Areas II and III



Prepared/Date: REB 2/12/25
Checked/Date: CHL 12/22/23

Mass DEP
New Bedford Harbor Monitoring
New Bedford, Massachusetts

Arae I, Area II and Area III
Sampling Locations
Project 3626236242 Figure 9

Document: \\corp.pbwan.net\GLB-E&I\US\SPW\M100-PLD2\Project\Projects\New Bedford Harbor Superfund Site\SARSS VIG\SIMapDocuments\2024_Locations_8x11P
PDF: \\corp.pbwan.net\GLB-E&I\US\SPW\M100-PLD2\Project\Projects\New Bedford Harbor Superfund Site\SARSS VIG\SIFigures\Figure 1- 2024.pdf 2/12/2025 2:30 PM rory.barnett



Figure 10 PCBs Concentrations in Alewife Areas I - 2024

Note: The PCBs concentrations are the detected values as reported on Column 4 of Table 1, and do not include the ½ detection level value for samples where PCBs were not detected.



Figure 11 PCBs Concentrations in American Lobster Meat Areas II and III - 2024

Note: The PCBs concentrations are the detected values as reported on Column 4 of Table 1, and do not include the ½ detection level value for samples where PCBs were not detected.



Figure 12 PCBs Concentrations in American Lobster Tomalley Areas II and III - 2024

Note: The PCBs concentrations are the detected values as reported on Column 4 of Table 1, and do not include the ½ detection level value for samples where PCBs were not detected.



Figure 13 PCBs Concentrations in American Lobster Meat and Tomalley (Weighted Average) Areas II and III - 2024

Note: The PCBs concentrations are the detected values as reported on Column 4 of Table 1, and do not include the ½ detection level value for samples where PCBs were not detected.



Figure 14 PCBs Concentrations in Black Sea Bass Areas II and III - 2024

Note: The PCBs concentrations are the detected values as reported on Column 4 of Table 1, and do not include the ½ detection level value for samples where PCBs were not detected.



Figure 15 PCBs Concentrations in Blue Crab Area I - 2024

Note: The PCBs concentrations are the detected values as reported on Column 4 of Table 1, and do not include the ½ detection level value for samples where PCBs were not detected.



Figure 16 PCBs Concentrations in Bluefish Areas I to III - 2024

Note: The PCBs concentrations are the detected values as reported on Column 4 of Table 1, and do not include the ½ detection level value for samples where PCBs were not detected.



Figure 17 PCBs Concentrations in Conch Areas II and III - 2024

Note: The PCBs concentrations are the detected values as reported on Column 4 of Table 2, and do not include the ½ detection level value for samples where PCBs were not detected.



Figure 18 PCBs Concentrations in Quahog (Pre-Spawn) Areas I to III - 2024

Note: The PCBs concentrations are the detected values as reported on Column 4 of Table 3, and do not include the ½ detection level value for samples where PCBs were not detected.



Figure 19 PCBs Concentrations in Scup Areas II and III - 2024

Note: The PCBs concentrations are the detected values as reported on Column 4 of Table 3, and do not include the ½ detection level value for samples where PCBs were not detected.



Figure 20 PCBs Concentrations in Striped Bass Areas I to III - 2024

Note: The PCBs concentrations are the detected values as reported on Column 4 of Table 3, and do not include the ½ detection level value for samples where PCBs were not detected.





Figure 21 PCBs Concentrations in Tautog Areas II and III - 2024

Note: The PCBs concentrations are the detected values as reported on Column 4 of Table 3, and do not include the ½ detection level value for samples where PCBs were not detected.





Figure 22 PCBs Concentrations for Surface Water (Total) Area I - 2024

Note: The PCBs concentrations are the detected values as reported on Column 4 of Table 4, and do not include the ½ detection level value for samples where PCBs were not detected.



Figure 22 (Continued) PCBs Concentrations for Surface Water (Total) Areas II and III - 2024

Note: The PCBs concentrations are the detected values as reported on Column 4 of Table 4, and do not include the ½ detection level value for samples where PCBs were not detected.





Figure 23 PCBs Concentrations for Surface Water (Dissolved) Area I - 2024

Note: The PCBs concentrations are the detected values as reported on Column 4 of Table 4, and do not include the ½ detection level value for samples where PCBs were not detected.





Figure 23 (Continued) PCBs Concentrations for Surface Water (Dissolved) Areas II and III - 2024

Note: The PCBs concentrations are the detected values as reported on Column 4 of Table 4, and do not include the ½ detection level value for samples where PCBs were not detected.

TABLES

Table 1 Summary of Sample Data for Alewife Area I
Table 2 Summary of Sample Data for American Lobster Meat Areas II and III
Table 3 Summary of Sample Data for American Lobster Tomalley Areas II and III
Table 4 Summary of Sample Data for American Lobster Meat and Tomalley Areas II and III
Table 5 Summary of Sample Data for Black Sea Bass Areas II and III
Table 6 Summary of Sample Data for Blue Crab Area I
Table 7 Summary of Sample Data for Bluefish Areas I to III
Table 8 Summary of Sample Data for Conch Areas II and III
Table 9 Summary of Sample Data for Quahog (Pre-Spawn) Areas I to III
Table 10 Summary of Sample Data for Scup Areas II to III
Table 11 Summary of Sample Data for Striped Bass Areas I to III
Table 12 Summary of Sample Data for Striped Bass Stomach Areas I to III
Table 13 Summary of Sample Data for Tautog Areas II to III
Table 14 Summary of Sample Data for Surface Water (Total) Areas I to III
Table 15 Summary of Sample Data for Surface Water (Dissolve) Areas I to III

Table 1 Summary of Sample Data for Alewife Area 1 - 2024

Parameter	Lipids	Total PCB Congeners[1]	Total PCB Congeners Hits[2]	Total NOAA Congeners[3]	Total WHO Congeners[4]	Total WHO+NOAA Congeners[5]
	PERCENT	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG
Station						
C1 - Fillet	3.8	0.20 J3	0.18	0.079 J4	0.016 J3	0.083 J3
C1 - Roe	2.3	0.067 J2	0.044	0.021 J3	0.0047 J1	0.023 J2

Table 2 Summary of Sample Data for American Lobster Meat Areas 2 and 3 - 2024

Parameter	Lipids	Total PCB Congeners[1]	Total PCB Congeners Hits[2]	Total NOAA Congeners[3]	Total WHO Congeners[4]	Total WHO+NOAA Congeners[5]
	PERCENT	MG/KG	MG/KG	MG/KG	MG/KG	MG/KG
Station						
L2-Station A	0.27	0.092 J2	0.071	0.048 J3	0.018 J3	0.052 J3
L2-Station B	0.24	0.056 J2	0.033	0.024 J3	0.0096 J2	0.027 J3
L2-Station C	0.21	0.054 J2	0.030	0.022 J3	0.0079 J2	0.024 J2
L2-Station D	0.26	0.13 J2	0.11	0.065 J3	0.021 J3	0.070 J3
Average	0.25	0.083	0.061	0.040	0.014	0.043
L3-Station A	0.24	0.042 J1	0.019	0.014 J3	0.0055 J2	0.016 J2
L3-Station B	0.57	0.053 J2	0.031	0.023 J3	0.0084 J2	0.025 J2
L3-Station D	0.22	0.035 J1	0.0079	0.0081 J2	0.0039 J1	0.010 J2
L3-Station E	0.23	0.054 J2	0.035	0.022 J3	0.0079 J2	0.025 J3
Average	0.32	0.046	0.023	0.017	0.0064	0.019

Table 3 Summary of Sample Data for American Lobster Tomalley Areas 2 and 3 - 2024

Parameter	Lipids		Total PCB Congeners[1]		Total PCB Congeners Hits[2]		Total NOAA Congeners[3]		Total WHO Congeners[4]		Total WHO+NOAA Congeners[5]	
	PERCENT		MG/KG		MG/KG		MG/KG		MG/KG		MG/KG	
Station												
L2-Station A	6.7		6.8	J4	6.8		4.5	J4	1.5	J4	4.8	J4
L2-Station B	13		5.9	J3	5.8		3.8	J4	1.3	J4	4.1	J4
L2-Station C	12		6.6	J4	6.5		4.1	J4	1.2	J4	4.3	J4
L2-Station D	9.0		8.1	J4	8.0		4.8	J4	1.4	J4	5.1	J4
Average	10		6.9		6.8		4.3		1.4		4.6	
L3-Station A	32		9.3	J3	9.2		5.5	J4	1.6	J4	5.9	J4
L3-Station B	15		3.0	J3	2.9		1.9	J4	0.58	J4	2.1	J4
L3-Station D	31		5.8	J4	5.8		3.7	J4	1.1	J4	4.0	J4
L3-Station E	16		6.1	J4	6.0		3.6	J4	1.0	J4	3.8	J4
Average	24		6.1		6.0		3.7		1.1		4.0	

Table 4 Data Calculations for American Lobster Meat and Tomalley Areas 2 and 3 - 2024

Area II - PCB Congeners									
Station	**meat[1] PCB concentration (mg/kg)**	**total meat wt (kg)**	**meat PCB mass (mg) (concentration x wt)**	**tomalley[1] PCB Concentration (mg/kg)**	**total tomalley wt (kg)**	**tomalley PCB mass (mg) (concentration x wt)**	**total weight lobster (kg)**	**total PCB mass lobster (mg)**	**total lobster PCB concentration (mg/kg)**
L2-Station A	0.092	0.18	0.016	6.8	0.025	0.17	0.20	0.18	0.91
L2-Station B	0.056	0.15	0.0086	5.9	0.021	0.12	0.17	0.13	0.76
L2-Station C	0.054	0.16	0.0085	6.6	0.037	0.25	0.19	0.25	1.3
L2-Station D	0.13	0.14	0.018	8.1	0.019	0.16	0.16	0.18	1.1
								Average	**1.0**

Area III - PCB Congeners									
Station	**meat[1] PCB concentration (mg/kg)**	**total meat wt (kg)**	**meat PCB mass (mg) (concentration x wt)**	**tomalley[1] PCB Concentration (mg/kg)**	**total tomalley wt (kg)**	**tomalley PCB mass (mg) (concentration x wt)**	**total weight lobster (kg)**	**total PCB mass lobster (mg)**	**total lobster PCB concentration (mg/kg)**
L3-Station A	0.042	0.40	0.017	9.3	0.043	0.40	0.44	0.42	0.94
L3-Station B	0.053	0.62	0.033	3.0	0.085	0.26	0.71	0.29	0.41
L3-Station D	0.035	0.29	0.010	5.8	0.030	0.17	0.32	0.18	0.57
L3-Station E	0.054	0.56	0.030	6.1	0.094	0.57	0.65	0.60	0.93
								Average	**0.71**

Table 5 Summary of Sample Data for Black Sea Bass Areas 2 and 3 - 2024

Parameter	Lipids		Total PCB Congeners[1]		Total PCB Congeners Hits[2]		Total NOAA Congeners[3]		Total WHO Congeners[4]		Total WHO+NOAA Congeners[5]	
	PERCENT		MG/KG		MG/KG		MG/KG		MG/KG		MG/KG	
Station												
SB2-Station A	0.54		0.12	J2	0.11		0.060	J3	0.014	J3	0.064	J3
SB2-Station C	0.69		0.056	J2	0.037		0.023	J3	0.0059	J2	0.025	J2
SB2-Station D	0.30		0.25	J3	0.24		0.13	J4	0.031	J3	0.14	J4
Average	0.51		0.14		0.13		0.071		0.017		0.076	
SB3-Station A	0.45		0.067	J2	0.049		0.031	J3	0.0081	J2	0.034	J3
SB3-Station B	0.35		0.10	J2	0.089		0.058	J3	0.014	J3	0.062	J3
SB3-Station C	1.5		0.056	J2	0.036		0.024	J3	0.0061	J2	0.026	J3
SB3-Station D	0.82		0.053	J2	0.035		0.023	J3	0.0061	J2	0.025	J3
Average	0.78		0.069		0.052		0.034		0.0086		0.037	

Table 6 Summary of Sample Data for Blue Crab Area 1 - 2024

Parameter	Lipids		Total PCB Congeners[1]		Total PCB Congeners Hits[2]		Total NOAA Congeners[3]		Total WHO Congeners[4]		Total WHO+NOAA Congeners[5]	
	PERCENT		MG/KG		MG/KG		MG/KG		MG/KG		MG/KG	
Station												
BC1-Station A	0.31		0.90	J4	0.89		0.44	J4	0.095	J4	0.46	J4
BC1-Station B	0.66		1.3	J4	1.3		0.52	J4	0.12	J4	0.55	J4
BC1-Station C	0.55		0.47	J3	0.46		0.22	J4	0.051	J3	0.23	J4
BC1-Station D	0.26		0.35	J3	0.34		0.18	J4	0.059	J3	0.19	J4
Average	0.45		0.76		0.75		0.34		0.081		0.36	

Table 7 Summary of Sample Data for Bluefish Areas 1, 2 and 3 - 2024

Parameter	Lipids		Total PCB Congeners[1]		Total PCB Congeners		Total NOAA Congeners[3]		Total WHO Congeners[4]		Total WHO+NOAA	
	PERCENT		MG/KG		MG/KG		MG/KG		MG/KG		MG/KG	
Station												
BF1-Station A	2.7		8.5	J4	8.4		3.4	J4	0.53	J4	3.5	J4
BF1-Station B	2.2		11	J4	11		4.3	J4	0.72	J4	4.5	J4
BF1-Station C	3.2		15	J4	15		5.7	J4	0.87	J4	5.9	J4
BF1-Station D	3.0		17	J4	17		6.6	J4	0.96	J4	6.8	J4
BF1-Station E	4.3		23	J4	23		9.1	J4	1.4	J4	9.4	J4
Average	3.1		15		15		5.8		0.90		6.0	
BF1-Station A	2.2		11	J4	11		4.3	J4	0.71	J4	4.5	J4
(this was split sample with skin off)												
BF2-Station A	1.5		0.92	J4	0.91		0.37	J4	0.066	J3	0.38	J4
BF2-Station B	3.1		2.5	J4	2.5		1.1	J4	0.24	J4	1.2	J4
BF2-Station C	3.6		3.4	J4	3.4		1.4	J4	0.28	J4	1.5	J4
BF2-Station D	2.2		4.9	J4	4.9		2.0	J4	0.35	J4	2.0	J4
BF2-Station E	3.3		13	J4	13		5.1	J4	0.83	J4	5.3	J4
Average	2.7		4.9		4.9		2.0		0.35		2.1	
BF3-Station A	2.9		0.30	J3	0.29		0.13	J4	0.030	J3	0.14	J3
BF3-Station B	2.0		0.20	J3	0.19		0.092	J4	0.021	J3	0.098	J3
BF3-Station C	3.0		0.17	J3	0.16		0.074	J4	0.016	J3	0.079	J3
BF3-Station D	2.2		0.14	J3	0.13		0.065	J4	0.014	J3	0.069	J3
BF3-Station E	2.4		0.042	J2	0.023		0.014	J3	0.0042	J2	0.016	J2
Average	2.5		0.17		0.16		0.075		0.017		0.080	
Note: Blue Fish were analyzed with Skin on, unless noted otherwise.												

Table 8 Summary of Sample Data for Conch Areas 2 and 3 - 2024

Parameter	Lipids		Total PCB Congeners[1]		Total PCB Congeners Hits[2]		Total NOAA Congeners[3]		Total WHO Congeners[4]		Total WHO+NOAA Congeners[5]	
	PERCENT		MG/KG		MG/KG		MG/KG		MG/KG		MG/KG	
Station												
CN2-Station A	0.63		0.29	J3	0.28		0.14	J4	0.024	J3	0.15	J4
CN2-Station B	0.46		0.13	J3	0.12		0.060	J3	0.013	J3	0.065	J3
CN2-Station C	0.61		0.22	J3	0.21		0.096	J4	0.017	J3	0.10	J3
CN2-Station D	0.61		0.29	J3	0.28		0.14	J4	0.027	J3	0.15	J3
CN2-Station E	0.69		0.32	J3	0.31		0.15	J4	0.020	J3	0.15	J3
Average	0.60		0.25		0.24		0.12		0.020		0.12	
CN3-Station A	0.55		0.056	J2	0.036		0.022	J3	0.0043	J2	0.025	J3
CN3-Station B	0.70		0.056	J2	0.038		0.023	J3	0.0040	J2	0.025	J3
CN3-Station C	0.64		0.10	J2	0.085		0.044	J3	0.0085	J2	0.048	J3
CN3-Station D	0.44		0.056	J2	0.036		0.021	J3	0.0036	J2	0.024	J3
CN3-Station E	0.48		0.064	J2	0.047		0.026	J3	0.0050	J2	0.029	J3
Average	0.56		0.066		0.048		0.027		0.0051		0.030	

Table 9 Summary of Sample Data for Quahog (Pre-Spawn) Areas 1, 2 and 3 - 2024

Parameter	Lipids		Total PCB Congeners[1]		Total PCB Congeners Hits[2]		Total NOAA Congeners[3]		Total WHO Congeners[4]		Total WHO+NOAA Congeners[5]	
	PERCENT		MG/KG		MG/KG		MG/KG		MG/KG		MG/KG	
Station												
Q1-Station A	0.31		0.22	J3	0.21		0.078	J4	0.015	J3	0.082	J3
Q1-Station B	0.30		0.22	J3	0.21		0.078	J4	0.015	J3	0.083	J3
Q1-Station C	0.25		0.36	J3	0.35		0.13	J4	0.027	J3	0.14	J3
Q1-Station D	0.28		0.41	J3	0.41		0.15	J4	0.029	J3	0.16	J4
Q1-Station E	0.34		0.36	J3	0.35		0.13	J4	0.023	J3	0.14	J4
Average	0.30		0.31		0.31		0.11		0.022		0.12	
Q2-Station B	0.37		0.041	J2	0.022		0.011	J2	0.0033	J1	0.013	J2
Q2-Station C	0.39		0.18	J3	0.17		0.066	J4	0.014	J3	0.070	J3
Q2-Station D	0.39		0.077	J2	0.060		0.025	J3	0.0054	J2	0.027	J3
Q2-Station F	0.19		0.050	J2	0.033		0.015	J3	0.0039	J2	0.017	J2
Q2-Station G	0.32		0.047	J2	0.028		0.013	J3	0.0041	J2	0.015	J2
Q2-Station H	0.39		0.11	J2	0.10		0.040	J3	0.0078	J2	0.043	J3
Average	0.34		0.084		0.069		0.028		0.0064		0.031	
Q3-Station B	0.38		0.049	J2	0.032		0.015	J3	0.0040	J2	0.017	J2
Q3-Station D	0.36		0.035	J1	0.012		0.0076	J2	0.0030	J1	0.0097	J2
Q3-Station I	0.17		0.033	J1	0.012		0.0069	J2	0.0027	J1	0.0088	J2
Q3-Station J	0.27		0.030	J1	0.0036		0.0048	J1	0.0026	J1	0.0068	J1
Average	0.30		0.037		0.015		0.0086		0.0031		0.011	

Table 10 Summary of Sample Data for Scup Areas 2 and 3 - 2024

Parameter	Lipids		Total PCB Congeners[1]		Congeners Hits[2]		Total NOAA Congeners[3]		Total WHO Congeners[4]		WHO+NOAA Congeners[5]	
	PERCENT		MG/KG		MG/KG		MG/KG		MG/KG		MG/KG	
Station												
S2-Station A	1.3		0.29	J3	0.27		0.17	J4	0.039	J3	0.18	J4
S2-Station B	1.8		0.77	J3	0.76		0.48	J4	0.10	J4	0.50	J4
S2-Station C	0.85		0.88	J3	0.87		0.50	J4	0.13	J4	0.53	J4
S2-Station D	0.99		0.73	J3	0.72		0.43	J4	0.11	J4	0.45	J4
S2-Station E	2.0		0.067	J2	0.047		0.030	J3	0.0065	J2	0.033	J3
Average	1.4		0.55		0.53		0.32		0.077		0.34	
S2-Station A	2.4		0.60	J3	0.59		0.38	J4	0.086	J4	0.40	J4
(this was split sample with skin on)												
S3-Station A	0.97		0.059	J2	0.039		0.028	J3	0.0066	J2	0.031	J3
S3-Station B	0.71		0.10	J2	0.081		0.054	J3	0.013	J3	0.058	J3
S3-Station C	2.0		0.21	J3	0.19		0.12	J4	0.027	J3	0.13	J3
S3-Station D	0.98		0.19	J3	0.18		0.11	J4	0.023	J3	0.11	J3
S3-Station E	1.2		0.31	J3	0.29		0.15	J4	0.031	J3	0.16	J4
Average	1.2		0.17		0.16		0.092		0.020		0.098	
Note: Scup were analyzed with skin off, unless noted otherwise.												

Table 11 Summary of Sample Data for Striped Bass Areas 1, 2 and 3 - 2024

Parameter	Lipids		Total PCB Congeners[1]		Total PCB Congeners Hits[2]		Total NOAA Congeners[3]		Total WHO Congeners[4]		Total WHO+NOAA Congeners[5]	
	PERCENT		MG/KG		MG/KG		MG/KG		MG/KG		MG/KG	
Station												
StB1-Station A	2.5		0.45	J3	0.45		0.21	J4	0.036	J3	0.21	J4
StB1-Station B	1.5		0.33	J3	0.32		0.13	J4	0.019	J3	0.14	J4
StB1-Station C	2.1		0.62	J3	0.61		0.26	J4	0.040	J3	0.27	J4
StB1-Station D	2.9		0.71	J3	0.70		0.30	J4	0.056	J3	0.31	J4
Average	2.3		0.53		0.52		0.23		0.038		0.23	
StB2-Station A	0.99		0.22	J3	0.21		0.11	J4	0.020	J3	0.11	J4
StB2-Station B	1.2		0.62	J3	0.61		0.28	J4	0.055	J3	0.29	J4
Average	1.1		0.42		0.41		0.20		0.038		0.20	
StB3-Station A	1.9		0.64	J4	0.64		0.30	J4	0.066	J4	0.32	J4
StB3-Station B	1.5		0.13	J3	0.12		0.060	J4	0.012	J3	0.064	J3
StB3-Station C	1.6		0.16	J3	0.15		0.075	J4	0.015	J3	0.080	J3
StB3-Station D	0.79		0.17	J3	0.16		0.077	J4	0.020	J3	0.083	J3
StB3-Station E	0.82		0.20	J3	0.19		0.081	J4	0.011	J3	0.085	J3
Average	1.3		0.26		0.25		0.12		0.025		0.13	

Table 12 Summary of Sample Data for Striped Bass Stomach Areas 1, 2 and 3 - 2024

Parameter	Lipids		Total PCB Congeners[1]		Total PCB Congeners Hits[2]		Total NOAA Congeners[3]		Total WHO Congeners[4]		Total WHO+NOAA Congeners[5]	
	PERCENT		MG/KG		MG/KG		MG/KG		MG/KG		MG/KG	
Station												
StB1-Station A	0.76		0.076	J2	0.063		0.030	J4	0.0065	J2	0.032	J3
StB1-Station B	0.87		0.078	J2	0.063		0.027	J3	0.0050	J2	0.029	J3
StB1-Station C	0.97		0.084	J2	0.071		0.031	J3	0.0058	J2	0.033	J3
StB1-Station D	0.90		0.091	J2	0.078		0.034	J3	0.0072	J2	0.036	J3
Average	0.88		0.082		0.069		0.031		0.0061		0.033	
StB2-Station A	1.2		0.31	J3	0.29		0.13	J4	0.030	J3	0.14	J3
StB2-Station B	1.6		0.37	J2	0.31		0.14	J3	0.032	J2	0.15	J3
Average	1.4		0.34		0.30		0.14		0.031		0.15	
StB3-Station A	2.8		0.29	J3	0.28		0.12	J4	0.028	J3	0.13	J3
StB3-Station B	1.5		0.070	J2	0.055		0.030	J3	0.0067	J2	0.033	J3
StB3-Station C	1.2		0.045	J2	0.024		0.014	J3	0.0039	J1	0.016	J2
StB3-Station D	2.7		0.19	J3	0.18		0.084	J4	0.022	J3	0.089	J3
StB3-Station E	0.83		0.37	J3	0.36		0.19	J4	0.045	J3	0.20	J4
Average	1.8		0.19		0.18		0.088		0.021		0.094	

Table 13 Summary of Sample Data for Tautog Areas 2 and 3 - 2024

Parameter	Lipids		Total PCB Congeners[1]		Total PCB Congeners Hits[2]		Total NOAA Congeners[3]		Total WHO Congeners[4]		Total WHO+NOAA Congeners[5]	
	PERCENT		MG/KG		MG/KG		MG/KG		MG/KG		MG/KG	
Station												
Tau2-Station A	1.2		0.16	J3	0.15		0.093	J4	0.024	J3	0.10	J3
Tau2-Station B	1.1		0.17	J3	0.16		0.099	J4	0.025	J3	0.11	J3
Tau2-Station C	1.4		0.63	J3	0.62		0.37	J4	0.092	J4	0.40	J4
Tau2-Station D	1.7		0.17	J3	0.15		0.094	J4	0.022	J3	0.10	J4
Tau2-Station E	1.4		0.27	J3	0.25		0.15	J4	0.035	J3	0.17	J4
Average	1.4		0.28		0.27		0.16		0.040		0.18	
Tau2-Station A	1.2		0.13	J2	0.11		0.068	J4	0.017	J3	0.077	J3
(this was split sample with skin off)												
Tau3-Station A	1.4		0.043	J2	0.022		0.016	J3	0.0048	J2	0.019	J2
Tau3-Station B	1.4		0.040	J1	0.016		0.013	J2	0.0042	J2	0.015	J2
Tau3-Station C	1.5		0.11	J2	0.094		0.058	J3	0.015	J3	0.065	J3
Tau3-Station D	0.98		0.099	J2	0.083		0.054	J3	0.013	J3	0.060	J3
Average	1.3		0.073		0.054		0.035		0.0093		0.040	
Note: Tautog were analyzed with skin on, unless noted otherwise.												

Table 14 Summary of Sample Data for Surface Water (Total) Co-located with Quahogs Areas 1, 2 and 3 - 2024

Parameter	Total PCB Congeners[1]		Total PCB Congeners Hits[2]		Total NOAA Congeners[3]		Total WHO Congeners[4]		Total WHO+NOAA Congeners[5]	
	NG/L		NG/L		NG/L		NG/L		NG/L	
Station										
AVX FACILITY	53	J1	20		11	J2	3.4	J1	13	J2
COGGESHALL BRIDGE	88	J2	65		24	J3	4.1	J1	27	J2
MID-WAY	78	J2	52		20	J3	3.7	J1	23	J2
Q1-Station B	55	J2	30		14	J2	3.5	J1	16	J2
Q1-Station C	68	J2	41		18	J2	4.7	J1	21	J2
Q1-Station D	62	J2	37		16	J2	4.2	J1	18	J2
Q1-Station E	67	J2	42		17	J2	4.0	J1	20	J2
Average	63		38		16		4.1		19	
Q2-Station B	36	J1	0.93		4.8	J1	3.2	J1	7.5	J1
Q2-Station C	40	J1	8.2		6.9	J2	3.3	J1	9.5	J1
Q2-Station F	35	J1	1.6		4.7	J1	3.0	J1	7.3	J1
Q2-Station H	40	J1	7.0		6.5	J2	3.2	J1	9.2	J1
Average	38		4.4		5.7		3.2		8.4	
Q3-Station B	36	J1	ND		4.6	J1	3.2	J1	7.3	J1
Q3-Station D	36	J1	0.28		4.7	J1	3.2	J1	7.4	J1
Q3-Station I	36	J1	ND		4.6	J1	3.1	J1	7.2	J1
Q3-Station J	36	J1	ND		4.6	J1	3.2	J1	7.3	J1
Average	36		0.28		4.6		3.2		7.3	

Table 15 Summary of Sample Data for Surface Water (Dissolved) Co-located with Quahogs Areas 1, 2 and 3 - 2024

Parameter	Total PCB Congeners[1]		Total PCB Congeners Hits[2]		Total NOAA Congeners[3]		Total WHO Congeners[4]		Total WHO+NOAA Congeners[5]	
	NG/L		NG/L		NG/L		NG/L		NG/L	
Station										
AUX FACILITY	47	J1	16		9.0	J2	3.3	J1	11.8	J1
COGGESHALL BRIDGE	52	J1	21		11	J2	3.2	J1	13	J2
MID-WAY	61	J2	31		14	J2	3.2	J1	17	J2
Q1-Station B	42	J1	12		8.4	J2	3.0	J1	11	J1
Q1-Station C	48	J1	18		9.5	J2	3.4	J1	12	J2
Q1-Station D	45	J1	12		8.4	J2	3.3	J1	11	J1
Q1-Station E	60	J2	32		13	J2	3.4	J1	16	J2
Average	49		19		9.9		3.3		13	
Q2-Station B	36	J1	ND		4.6	J1	3.2	J1	7.3	J1
Q2-Station C	38	J1	4.4		5.8	J1	3.2	J1	8.5	J1
Q2-Station F	35	J1	0.34		4.5	J1	3.0	J1	7.1	J1
Q2-Station H	38	J1	3.2		5.6	J1	3.2	J1	8.3	J1
Average	37		2.0		5.1		3.1		7.8	
Q3-Station B	36	J1	ND		4.6	J1	3.2	J1	7.3	J1
Q3-Station D	35	J1	ND		4.5	J1	3.1	J1	7.1	J1
Q3-Station I	36	J1	ND		4.7	J1	3.2	J1	7.4	J1
Q3-Station J	36	J1	ND		4.7	J1	3.2	J1	7.4	J1
Average	36		ND		4.6		3.2		7.3	

Notes for 2024 Report Tables:

[1] = summation of 130 PCB congener results (1/2 sample quantitation limit [SQL] used for non-detected results)

[2] = summation of detected 130 PCB congeners

[3] = summation of 18 NOAA PCB congener results (1/2 SQL used for non-detected results)

[4] = summation of 12 WHO PCB congener results (1/2 SQL used for non-detected results)

[5] = summation of 12 WHO and 18 NOAA PCB congener results (1/2 SQL used for non-detected results)

U = not detected (ND); value represents SQL
J = estimated value
J1 = concentration of detected congeners contributes < 50% of total congener result
J2 = concentration of detected congeners contributes > 50% of total congener result
J3 = concentration of detected congeners contributes > 90% of total congener result
J4 = concentration of detected congeners contributes > 99% of total congener result
mg/kg = milligrams per kilogram (wet weight)
ng/L = nanograms per liter
ND = No PCB congeners detected above the SQL

Prepared by: KLD 4/2/2025
Checked by: AP 4/9/2025

Appendices

Appendix A	Laboratory Data
Appendix B	Data Validation Summary, MassDEP, NBH Superfund Site, Seafood Contaminant Survey Monitoring 2024 Sampling, March 25, 2025
Appendix C	Seafood Monitoring - Field Sampling Activities for the NBH Superfund Site 2024 Annual Report, January 9, 2025
Appendix D	2024 Field Sample Report New Bedford Harbor Superfund Site, February 21, 2025
Appendix E	PCB Congener Calculation Memo, May 30, 2018

Appendix A

Laboratory Data On-Site

Table 1 Summary of Sample Data for Alewife Area I
Table 2a Summary of Sample Data for Black Sea Bass Area II
Table 2b Summary of Sample Data for Black Sea Bass Area III
Table 3 Summary of Sample Data for Blue Crab Area I
Table 4a Summary of Sample Data for Bluefish Area I
Table 4b Summary of Sample Data for Bluefish Area II
Table 4c Summary of Sample Data for Bluefish Area III
Table 5a Summary of Sample Data for Conch Area II
Table 5b Summary of Sample Data for Conch Area III
Table 6a Summary of Sample Data for Lobster Meat Area II
Table 6b Summary of Sample Data for Lobster Meat Area III
Table 7a Summary of Sample Data for Lobster Tomalley Area II
Table 7b Summary of Sample Data for Lobster Tomalley Area III
Table 8a Summary of Sample Data for Pre-Spawn Quahog Area I
Table 8b Summary of Sample Data for Pre-Spawn Quahog Area II
Table 8c Summary of Sample Data for Pre-Spawn Quahog Area III
Table 9a Summary of Sample Data for Total and Dissolved Surface Water Area I
Table 9b Summary of Sample Data for Total and Dissolved Surface Water Area II
Table 9c Summary of Sample Data for Total and Dissolved Surface Water Area III
Table 10a Summary of Sample Data for Scup Area II
Table 10b Summary of Sample Data for Scup Area III
Table 11a Summary of Sample Data for Striped Bass Area I
Table 11b Summary of Sample Data for Striped Bass Area II
Table 11c Summary of Sample Data for Striped Bass Area III
Table 12a Summary of Sample Data for Striped Bass Stomach Area I
Table 12b Summary of Sample Data for Striped Bass Stomach Area II
Table 12c Summary of Sample Data for Striped Bass Stomach Area III
Table 13a Summary of Sample Data for Tautog Area II
Table 13b Summary of Sample Data for Tautog Area III
Table 14 Summary of Sample Data for Total and Dissolved Surface Water North of Coggeshall Street Bridge

TABLE 1 - SUMMARY OF SAMPLE DATA FOR ALEWIFE (MG/KG WET WEIGHT) AREA 1 - 2024

		Sample#	NBH24-FF-C-1-FILLET		NBH24-FF-C-1-ROE	
		Species	Alewife Fillet		Alewife Roe	
		Species Type	TIS		TIS	
		Area	1		1	
		Station	AL1-Station C		AL1-Station C	
		Sample Date	4/17/2024		4/17/2024	
Parameter	**Units**		Result	Qualifier	Result	Qualifier
Lipids	PERCENT		3.8		2.3	
Total PCB Congeners[1]	MG/KG		0.20	J3	0.067	J2
Total PCB Congeners Hits[2]	MG/KG		0.18		0.044	
Total NOAA Congeners[3]	MG/KG		0.079	J4	0.021	J3
Total WHO Congeners[4]	MG/KG		0.016	J3	0.0047	J1
Total NOAA / WHO Combined[5]	MG/KG		0.083	J3	0.023	J2
Cl1-BZ#1	MG/KG		0.00046	U	0.00049	U
Cl1-BZ#3	MG/KG		0.00046	U	0.00049	U
Cl2-BZ#4/#10	MG/KG		0.00064	J	0.00057	J
Cl2-BZ#5	MG/KG		0.00046	U	0.00049	U
Cl2-BZ#6	MG/KG		0.00078		0.00067	
Cl2-BZ#7	MG/KG		0.00046	U	0.00049	U
Cl2-BZ#8	MG/KG		0.00076		0.00049	U
Cl2-BZ#12	MG/KG		0.00046	U	0.00049	U
Cl2-BZ#13	MG/KG		0.00091	U	0.00098	U
Cl2-BZ#15	MG/KG		0.00034	J	0.00049	U
Cl3-BZ#16	MG/KG		0.00046	U	0.00065	J
Cl3-BZ#17	MG/KG		0.0013		0.00039	J
Cl3-BZ#18	MG/KG		0.0029		0.0021	
Cl3-BZ#19	MG/KG		0.00044	J	0.00031	J
Cl3-BZ#21/#20	MG/KG		0.00091	U	0.00098	U
Cl3-BZ#22	MG/KG		0.0010	J	0.00049	U
Cl3-BZ#24	MG/KG		0.00046	U	0.00049	U
Cl3-BZ#25	MG/KG		0.00046	U	0.00049	U
Cl3-BZ#26	MG/KG		0.0041		0.0014	
Cl3-BZ#27	MG/KG		0.00061		0.00055	
Cl3-BZ#28	MG/KG		0.0051	J	0.0015	
Cl3-BZ#29	MG/KG		0.00046	U	0.00049	U
Cl3-BZ#31	MG/KG		0.0058		0.0016	
Cl3-BZ#32	MG/KG		0.0013		0.00035	J
Cl3-BZ#33	MG/KG		0.00046	U	0.00049	U
Cl3-BZ#37	MG/KG		0.00046	U	0.00049	U
Cl4-BZ#40	MG/KG		0.00045	J	0.00026	J
Cl4-BZ#41	MG/KG		0.00046	U	0.00049	U
Cl4-BZ#42	MG/KG		0.0016		0.00040	J
Cl4-BZ#43	MG/KG		0.00046	U	0.00049	U
Cl4-BZ#44	MG/KG		0.0028		0.0017	
Cl4-BZ#45	MG/KG		0.00033	J	0.00032	J
Cl4-BZ#47	MG/KG		0.0033		0.00066	
Cl4-BZ#48	MG/KG		0.00031	J	0.00049	U
Cl4-BZ#49	MG/KG		0.0089		0.0018	
Cl4-BZ#50	MG/KG		0.00046	U	0.00049	U
Cl4-BZ#51	MG/KG		0.00058		0.00049	U
Cl4-BZ#52	MG/KG		0.012		0.0040	
Cl4-BZ#53	MG/KG		0.0011		0.00051	
Cl4-BZ#54	MG/KG		0.00046	U	0.00049	U
Cl4-BZ#56	MG/KG		0.0013		0.00031	J

Created by: KLD 4/1/2025
Checked by: AP 4/2/2025

TABLE 1 - SUMMARY OF SAMPLE DATA FOR ALEWIFE (MG/KG WET WEIGHT) AREA 1 - 2024

		Sample#	NBH24-FF-C-1-FILLET		NBH24-FF-C-1-ROE	
		Species	Alewife Fillet		Alewife Roe	
		Species Type	TIS		TIS	
		Area	1		1	
		Station	AL1-Station C		AL1-Station C	
		Sample Date	4/17/2024		4/17/2024	
Parameter	**Units**		Result	Qualifier	Result	Qualifier
Cl4-BZ#60	MG/KG		0.00058		0.00049	U
Cl4-BZ#63	MG/KG		0.00033	J	0.00049	U
Cl4-BZ#66	MG/KG		0.0038		0.00078	
Cl4-BZ#68/#64	MG/KG		0.0021		0.00051	J
Cl4-BZ#70	MG/KG		0.0030		0.00055	J
Cl4-BZ#71	MG/KG		0.0012		0.00035	J
Cl4-BZ#73/#46	MG/KG		0.00091	U	0.00098	U
Cl4-BZ#74	MG/KG		0.0027		0.00050	
Cl4-BZ#76	MG/KG		0.00046	U	0.00049	U
Cl4-BZ#77	MG/KG		0.00031	J	0.00049	U
Cl4-BZ#81	MG/KG		0.00046	U	0.00049	U
Cl5-BZ#82	MG/KG		0.00053		0.00049	U
Cl5-BZ#83/#125/#112	MG/KG		0.0014	U	0.0015	U
Cl5-BZ#85	MG/KG		0.0013		0.00028	J
Cl5-BZ#87/#111	MG/KG		0.0016		0.00098	U
Cl5-BZ#89/#84	MG/KG		0.0013		0.00075	J
Cl5-BZ#91	MG/KG		0.0017		0.00046	J
Cl5-BZ#92	MG/KG		0.0023		0.00055	
Cl5-BZ#97	MG/KG		0.0027		0.00057	J
Cl5-BZ#99	MG/KG		0.0083		0.0016	
Cl5-BZ#100	MG/KG		0.00046	U	0.00049	U
Cl5-BZ#101/#90	MG/KG		0.011		0.0020	
Cl5-BZ#104	MG/KG		0.00046	U	0.00049	U
Cl5-BZ#105	MG/KG		0.0018		0.00037	J
Cl5-BZ#107/#123	MG/KG		0.0012		0.00098	U
Cl5-BZ#110	MG/KG		0.0081		0.0017	
Cl5-BZ#114	MG/KG		0.00037	J	0.00049	U
Cl5-BZ#118	MG/KG		0.0098		0.0016	
Cl5-BZ#119	MG/KG		0.00063		0.00049	U
Cl5-BZ#121/#95/#88	MG/KG		0.0038		0.0020	
Cl5-BZ#124	MG/KG		0.00029	J	0.00049	U
Cl5-BZ#126	MG/KG		0.00046	U	0.00049	U
Cl6-BZ#128	MG/KG		0.0017		0.00035	J
Cl6-BZ#129/#158	MG/KG		0.00099		0.00098	U
Cl6-BZ#130/#164	MG/KG		0.0012		0.00098	U
Cl6-BZ#131	MG/KG		0.00046	U	0.00049	U
Cl6-BZ#132	MG/KG		0.0016		0.00036	J
Cl6-BZ#134	MG/KG		0.00039	J	0.00049	U
Cl6-BZ#135	MG/KG		0.0011		0.00028	J
Cl6-BZ#136	MG/KG		0.00057		0.00049	U
Cl6-BZ#137	MG/KG		0.00036	J	0.00049	U
Cl6-BZ#138	MG/KG		0.0071		0.0014	
Cl6-BZ#141	MG/KG		0.00077		0.00049	U
Cl6-BZ#144	MG/KG		0.00046	U	0.00049	U
Cl6-BZ#146	MG/KG		0.0028		0.00060	
Cl6-BZ#147/#149	MG/KG		0.0063		0.0013	
Cl6-BZ#151	MG/KG		0.0014		0.00036	J
Cl6-BZ#153	MG/KG		0.015		0.0027	

Created by: KLD 4/1/2025
Checked by: AP 4/2/2025

TABLE 1 - SUMMARY OF SAMPLE DATA FOR ALEWIFE (MG/KG WET WEIGHT) AREA 1 - 2024

		Sample#	NBH24-FF-C-1-FILLET		NBH24-FF-C-1-ROE	
		Species	Alewife Fillet		Alewife Roe	
		Species Type	TIS		TIS	
		Area	1		1	
		Station	AL1-Station C		AL1-Station C	
		Sample Date	4/17/2024		4/17/2024	
Parameter	**Units**		Result	Qualifier	Result	Qualifier
Cl6-BZ#154	MG/KG		0.00064		0.00049	U
Cl6-BZ#155	MG/KG		0.00046	U	0.00049	U
Cl6-BZ#156	MG/KG		0.00074		0.00049	U
Cl6-BZ#157	MG/KG		0.00043	J	0.00049	U
Cl6-BZ#163/#160	MG/KG		0.0034		0.00063	J
Cl6-BZ#167	MG/KG		0.00054		0.00049	U
Cl6-BZ#168	MG/KG		0.00046	U	0.00049	U
Cl6-BZ#169	MG/KG		0.00046	U	0.00049	U
Cl7-BZ#170	MG/KG		0.00067		0.00049	U
Cl7-BZ#171	MG/KG		0.00035	J	0.00049	U
Cl7-BZ#172	MG/KG		0.00024	J	0.00049	U
Cl7-BZ#173	MG/KG		0.00046	U	0.00049	U
Cl7-BZ#174	MG/KG		0.00056		0.00049	U
Cl7-BZ#176	MG/KG		0.00046	U	0.00049	U
Cl7-BZ#177	MG/KG		0.00091		0.00025	J
Cl7-BZ#178	MG/KG		0.00060		0.00049	U
Cl7-BZ#180	MG/KG		0.0019		0.00035	J
Cl7-BZ#182/#175	MG/KG		0.00091	U	0.00098	U
Cl7-BZ#183	MG/KG		0.00087		0.00025	J
Cl7-BZ#184	MG/KG		0.00046	U	0.00049	U
Cl7-BZ#185	MG/KG		0.00046	U	0.00049	U
Cl7-BZ#187	MG/KG		0.0030		0.00070	
Cl7-BZ#188	MG/KG		0.00046	U	0.00049	U
Cl7-BZ#189	MG/KG		0.00046	U	0.00049	U
Cl7-BZ#190	MG/KG		0.00046	U	0.00049	U
Cl7-BZ#191	MG/KG		0.00046	U	0.00049	U
Cl7-BZ#193	MG/KG		0.00046	U	0.00049	U
Cl8-BZ#194	MG/KG		0.00046	U	0.00049	U
Cl8-BZ#195	MG/KG		0.00046	U	0.00049	U
Cl8-BZ#196	MG/KG		0.00046	U	0.00049	U
Cl8-BZ#197	MG/KG		0.00046	U	0.00049	U
Cl8-BZ#199	MG/KG		0.00046	U	0.00049	U
Cl8-BZ#201	MG/KG		0.00085		0.00049	U
Cl8-BZ#202	MG/KG		0.00047		0.00049	U
Cl8-BZ#203	MG/KG		0.00035	J	0.00049	U
Cl8-BZ#204/#200	MG/KG		0.00091	U	0.00098	U
Cl8-BZ#205	MG/KG		0.00046	U	0.00049	U
Cl9-BZ#206	MG/KG		0.00046	U	0.00049	U
Cl9-BZ#207	MG/KG		0.00046	U	0.00049	U
Cl9-BZ#208	MG/KG		0.00046	U	0.00049	U
Cl10-BZ#209	MG/KG		0.00046	U	0.00049	U

TABLE 2a - SUMMARY OF SAMPLE DATA FOR BLACK SEA BASS (MG/KG WET WEIGHT) AREA 2 - 2024

		Sample#	NBH24-FF-A-2		NBH24-FF-C-2		NBH24-FF-D-2	
		Species	Black Sea Bass		Black Sea Bass		Black Sea Bass	
		Species Type	TIS		TIS		TIS	
		Area	2		2		2	
		Station	SB2-Station A		SB2-Station C		SB2-Station D	
		Sample Date	6/20/2024		7/1/2024		6/17/2024	
Parameter	**Units**		Result	Qualifier	Result	Qualifier	Result	Qualifier
Lipids	PERCENT		0.54		0.69		0.30	
Total PCB Congeners[1]	MG/KG		0.12	J2	0.056	J2	0.25	J3
Total PCB Congeners Hits[2]	MG/KG		0.11		0.037		0.24	
Total NOAA Congeners[3]	MG/KG		0.060	J3	0.023	J3	0.13	J4
Total WHO Congeners[4]	MG/KG		0.014	J3	0.0059	J2	0.031	J3
Total NOAA / WHO Combined[5]	MG/KG		0.064	J3	0.025	J2	0.14	J4
Cl1-BZ#1	MG/KG		0.00040	U	0.00037	U	0.00034	U
Cl1-BZ#3	MG/KG		0.00040	U	0.00037	U	0.00034	U
Cl2-BZ#4/#10	MG/KG		0.00080	U	0.00075	U	0.00069	U
Cl2-BZ#5	MG/KG		0.00040	U	0.00037	U	0.00034	U
Cl2-BZ#6	MG/KG		0.00040	U	0.00037	U	0.00034	U
Cl2-BZ#7	MG/KG		0.00040	U	0.00037	U	0.00034	U
Cl2-BZ#8	MG/KG		0.00040	U	0.00037	U	0.00034	U
Cl2-BZ#12	MG/KG		0.00040	U	0.00037	U	0.00034	U
Cl2-BZ#13	MG/KG		0.00080	U	0.00075	U	0.00069	U
Cl2-BZ#15	MG/KG		0.00040	U	0.00037	U	0.00034	U
Cl3-BZ#16	MG/KG		0.00040	U	0.00037	U	0.00034	U
Cl3-BZ#17	MG/KG		0.00040	U	0.00022	J	0.00034	U
Cl3-BZ#18	MG/KG		0.00028	J	0.00030	J	0.00034	U
Cl3-BZ#19	MG/KG		0.00040	U	0.00037	U	0.00034	U
Cl3-BZ#21/#20	MG/KG		0.00080	U	0.00075	U	0.00069	U
Cl3-BZ#22	MG/KG		0.00040	U	0.00037	U	0.00034	U
Cl3-BZ#24	MG/KG		0.00040	U	0.00037	U	0.00034	U
Cl3-BZ#25	MG/KG		0.00040	U	0.00037	U	0.00034	U
Cl3-BZ#26	MG/KG		0.00040	J	0.00043		0.00047	
Cl3-BZ#27	MG/KG		0.00040	U	0.00037	U	0.00034	U
Cl3-BZ#28	MG/KG		0.00075		0.0014		0.0011	
Cl3-BZ#29	MG/KG		0.00040	U	0.00037	U	0.00034	U
Cl3-BZ#31	MG/KG		0.00041		0.00037	U	0.00021	J
Cl3-BZ#32	MG/KG		0.00021	J	0.00037	U	0.00034	U
Cl3-BZ#33	MG/KG		0.00040	U	0.00037	U	0.00034	U
Cl3-BZ#37	MG/KG		0.00040	U	0.00037	U	0.00034	U
Cl4-BZ#40	MG/KG		0.00040	U	0.00037	U	0.00019	J
Cl4-BZ#41	MG/KG		0.00040	U	0.00037	U	0.00034	U
Cl4-BZ#42	MG/KG		0.00042		0.00020	J	0.00060	
Cl4-BZ#43	MG/KG		0.00040	U	0.00037	U	0.00034	U
Cl4-BZ#44	MG/KG		0.0011		0.00069		0.0019	
Cl4-BZ#45	MG/KG		0.00040	U	0.00037	U	0.00034	U
Cl4-BZ#47	MG/KG		0.0015		0.0010		0.0029	
Cl4-BZ#48	MG/KG		0.00040	U	0.00037	U	0.00034	U
Cl4-BZ#49	MG/KG		0.0023		0.0013		0.0040	
Cl4-BZ#50	MG/KG		0.00040	U	0.00037	U	0.00034	U
Cl4-BZ#51	MG/KG		0.00040	U	0.00037	U	0.00034	U
Cl4-BZ#52	MG/KG		0.0048		0.0023		0.0094	
Cl4-BZ#53	MG/KG		0.00040	U	0.00037	U	0.00034	U
Cl4-BZ#54	MG/KG		0.00040	U	0.00037	U	0.00034	U
Cl4-BZ#56	MG/KG		0.00021	J	0.00037	U	0.00046	

TABLE 2a - SUMMARY OF SAMPLE DATA FOR BLACK SEA BASS (MG/KG WET WEIGHT) AREA 2 - 2024

		Sample#	NBH24-FF-A-2		NBH24-FF-C-2		NBH24-FF-D-2	
		Species	Black Sea Bass		Black Sea Bass		Black Sea Bass	
		Species Type	TIS		TIS		TIS	
		Area	2		2		2	
		Station	SB2-Station A		SB2-Station C		SB2-Station D	
		Sample Date	6/20/2024		7/1/2024		6/17/2024	
Parameter	**Units**		Result	Qualifier	Result	Qualifier	Result	Qualifier
Cl4-BZ#60	MG/KG		0.00040	U	0.00037	U	0.00040	
Cl4-BZ#63	MG/KG		0.00040	U	0.00037	U	0.00036	
Cl4-BZ#66	MG/KG		0.0018		0.0010		0.0034	
Cl4-BZ#68/#64	MG/KG		0.00053	J	0.00038	J	0.0013	
Cl4-BZ#70	MG/KG		0.00040	U	0.00037	U	0.00023	J
Cl4-BZ#71	MG/KG		0.00040	U	0.00037	U	0.00034	U
Cl4-BZ#73/#46	MG/KG		0.00080	U	0.00075	U	0.00069	U
Cl4-BZ#74	MG/KG		0.0010		0.00074		0.0025	
Cl4-BZ#76	MG/KG		0.00040	U	0.00037	U	0.00034	U
Cl4-BZ#77	MG/KG		0.00040	U	0.00037	U	0.00034	U
Cl4-BZ#81	MG/KG		0.00040	U	0.00037	U	0.00034	U
Cl5-BZ#82	MG/KG		0.00020	J	0.00037	U	0.00041	
Cl5-BZ#83/#125/#112	MG/KG		0.0012	U	0.0011	U	0.00071	J
Cl5-BZ#85	MG/KG		0.00086		0.00027	J	0.0018	
Cl5-BZ#87/#111	MG/KG		0.00061	J	0.00075	U	0.0015	
Cl5-BZ#89/#84	MG/KG		0.00051	J	0.00039	J	0.00091	
Cl5-BZ#91	MG/KG		0.00083		0.00028	J	0.0017	
Cl5-BZ#92	MG/KG		0.0018		0.00051		0.0046	
Cl5-BZ#97	MG/KG		0.00081		0.00038		0.0017	
Cl5-BZ#99	MG/KG		0.0022		0.0020		0.0036	
Cl5-BZ#100	MG/KG		0.00040	U	0.00037	U	0.00034	U
Cl5-BZ#101/#90	MG/KG		0.0070		0.0019		0.017	
Cl5-BZ#104	MG/KG		0.00040	U	0.00037	U	0.00034	U
Cl5-BZ#105	MG/KG		0.0013		0.00048		0.0032	
Cl5-BZ#107/#123	MG/KG		0.00095		0.00075	U	0.0019	
Cl5-BZ#110	MG/KG		0.0041		0.0011		0.014	
Cl5-BZ#114	MG/KG		0.00039	J	0.00037	U	0.00085	
Cl5-BZ#118	MG/KG		0.0092		0.0033		0.021	
Cl5-BZ#119	MG/KG		0.00056		0.00026	J	0.0015	
Cl5-BZ#121/#95/#88	MG/KG		0.0018		0.00079	J	0.0041	
Cl5-BZ#124	MG/KG		0.00040	U	0.00037	U	0.00034	U
Cl5-BZ#126	MG/KG		0.00040	U	0.00037	U	0.00034	U
Cl6-BZ#128	MG/KG		0.0020		0.00052		0.0047	
Cl6-BZ#129/#158	MG/KG		0.00096		0.00040	J	0.0029	
Cl6-BZ#130/#164	MG/KG		0.00084		0.00075	U	0.0023	
Cl6-BZ#131	MG/KG		0.00040	U	0.00037	U	0.00034	U
Cl6-BZ#132	MG/KG		0.00095		0.00024	J	0.0026	
Cl6-BZ#134	MG/KG		0.00039	J	0.00037	U	0.0011	
Cl6-BZ#135	MG/KG		0.00083		0.00037	U	0.0021	
Cl6-BZ#136	MG/KG		0.00022	J	0.00037	U	0.00065	
Cl6-BZ#137	MG/KG		0.00028	J	0.00037	U	0.00081	
Cl6-BZ#138	MG/KG		0.0060		0.0020		0.016	
Cl6-BZ#141	MG/KG		0.00036	J	0.00037	U	0.0012	
Cl6-BZ#144	MG/KG		0.00040	U	0.00037	U	0.00022	J
Cl6-BZ#146	MG/KG		0.0035		0.00091		0.0067	
Cl6-BZ#147/#149	MG/KG		0.0051		0.0010		0.014	
Cl6-BZ#151	MG/KG		0.00081		0.00026	J	0.0023	
Cl6-BZ#153	MG/KG		0.020		0.0059		0.041	

TABLE 2a - SUMMARY OF SAMPLE DATA FOR BLACK SEA BASS (MG/KG WET WEIGHT) AREA 2 - 2024

		Sample#	NBH24-FF-A-2		NBH24-FF-C-2		NBH24-FF-D-2	
		Species	Black Sea Bass		Black Sea Bass		Black Sea Bass	
		Species Type	TIS		TIS		TIS	
		Area	2		2		2	
		Station	SB2-Station A		SB2-Station C		SB2-Station D	
		Sample Date	6/20/2024		7/1/2024		6/17/2024	
Parameter	**Units**		Result	Qualifier	Result	Qualifier	Result	Qualifier
Cl6-BZ#154	MG/KG		0.00040	U	0.00037	U	0.00034	U
Cl6-BZ#155	MG/KG		0.00040	U	0.00037	U	0.00034	U
Cl6-BZ#156	MG/KG		0.00072		0.00025	J	0.0018	
Cl6-BZ#157	MG/KG		0.00038	J	0.00037	U	0.00071	
Cl6-BZ#163/#160	MG/KG		0.0036		0.0011		0.0084	
Cl6-BZ#167	MG/KG		0.00054		0.00037	U	0.0010	
Cl6-BZ#168	MG/KG		0.00040	U	0.00037	U	0.00034	U
Cl6-BZ#169	MG/KG		0.00040	U	0.00037	U	0.00034	U
Cl7-BZ#170	MG/KG		0.00096		0.00026	J	0.0024	
Cl7-BZ#171	MG/KG		0.00040	U	0.00037	U	0.00054	
Cl7-BZ#172	MG/KG		0.00022	J	0.00037	U	0.00048	
Cl7-BZ#173	MG/KG		0.00040	U	0.00037	U	0.00034	U
Cl7-BZ#174	MG/KG		0.00030	J	0.00037	U	0.00090	
Cl7-BZ#176	MG/KG		0.00040	U	0.00037	U	0.00034	U
Cl7-BZ#177	MG/KG		0.00051		0.00023	J	0.0012	
Cl7-BZ#178	MG/KG		0.00045		0.00026	J	0.00090	
Cl7-BZ#180	MG/KG		0.0020		0.00070		0.0048	
Cl7-BZ#182/#175	MG/KG		0.00080	U	0.00075	U	0.00069	U
Cl7-BZ#183	MG/KG		0.00080		0.00031	J	0.0017	
Cl7-BZ#184	MG/KG		0.00040	U	0.00037	U	0.00034	U
Cl7-BZ#185	MG/KG		0.00040	U	0.00037	U	0.00034	U
Cl7-BZ#187	MG/KG		0.0025		0.00099		0.0048	
Cl7-BZ#188	MG/KG		0.00040	U	0.00037	U	0.00034	U
Cl7-BZ#189	MG/KG		0.00040	U	0.00037	U	0.00018	J
Cl7-BZ#190	MG/KG		0.00040	U	0.00037	U	0.00045	
Cl7-BZ#191	MG/KG		0.00040	U	0.00037	U	0.00019	J
Cl7-BZ#193	MG/KG		0.00040	U	0.00037	U	0.00032	J
Cl8-BZ#194	MG/KG		0.00038	J	0.00037	U	0.00073	
Cl8-BZ#195	MG/KG		0.00040	U	0.00037	U	0.00018	J
Cl8-BZ#196	MG/KG		0.00026	J	0.00037	U	0.00042	
Cl8-BZ#197	MG/KG		0.00040	U	0.00037	U	0.00034	U
Cl8-BZ#199	MG/KG		0.00040	U	0.00037	U	0.00034	U
Cl8-BZ#201	MG/KG		0.00046		0.00025	J	0.0010	
Cl8-BZ#202	MG/KG		0.00027	J	0.00037	U	0.00050	
Cl8-BZ#203	MG/KG		0.00024	J	0.00037	U	0.00049	
Cl8-BZ#204/#200	MG/KG		0.00080	U	0.00075	U	0.00069	U
Cl8-BZ#205	MG/KG		0.00040	U	0.00037	U	0.00034	U
Cl9-BZ#206	MG/KG		0.00040	U	0.00037	U	0.00046	
Cl9-BZ#207	MG/KG		0.00040	U	0.00037	U	0.00034	U
Cl9-BZ#208	MG/KG		0.00040	U	0.00037	U	0.00024	J
Cl10-BZ#209	MG/KG		0.00040	U	0.00037	U	0.00034	U

TABLE 2b - SUMMARY OF SAMPLE DATA FOR BLACK SEA BASS (MG/KG WET WEIGHT) AREA 3 - 2024

		Sample#	NBH24-FF-A-3		NBH24-FF-B-3		NBH24-FF-C-3		NBH24-FF-D-3	
		Species	Black Sea Bass		Black Sea Bass		Black Sea Bass		Black Sea Bass	
		Species Type	TIS		TIS		TIS		TIS	
		Area	3		3		3		3	
		Station	SB3-Station A		SB3-Station B		SB3-Station C		SB3-Station D	
		Sample Date	6/25/2024		7/1/2024		6/7/2024		6/9/2024	
Parameter	**Units**		Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
Lipids	PERCENT		0.45		0.35		1.5		0.82	
Total PCB Congeners[1]	MG/KG		0.067	J2	0.10	J2	0.056	J2	0.053	J2
Total PCB Congeners Hits[2]	MG/KG		0.049		0.089		0.036		0.035	
Total NOAA Congeners[3]	MG/KG		0.031	J3	0.058	J3	0.024	J3	0.023	J3
Total WHO Congeners[4]	MG/KG		0.0081	J2	0.014	J3	0.0061	J2	0.0061	J2
Total NOAA / WHO Combined[5]	MG/KG		0.034	J3	0.062	J3	0.026	J3	0.025	J3
Cl1-BZ#1	MG/KG		0.00037	U	0.00036	U	0.00038	U	0.00035	U
Cl1-BZ#3	MG/KG		0.00037	U	0.00036	U	0.00038	U	0.00035	U
Cl2-BZ#4/#10	MG/KG		0.00075	U	0.00072	U	0.00077	U	0.00071	U
Cl2-BZ#5	MG/KG		0.00037	U	0.00036	U	0.00038	U	0.00035	U
Cl2-BZ#6	MG/KG		0.00037	U	0.00036	U	0.00038	U	0.00035	U
Cl2-BZ#7	MG/KG		0.00037	U	0.00036	U	0.00038	U	0.00035	U
Cl2-BZ#8	MG/KG		0.00037	U	0.00036	U	0.00038	U	0.00035	U
Cl2-BZ#12	MG/KG		0.00037	U	0.00036	U	0.00038	U	0.00035	U
Cl2-BZ#13	MG/KG		0.00075	U	0.00072	U	0.00077	U	0.00071	U
Cl2-BZ#15	MG/KG		0.00037	U	0.00036	U	0.00038	U	0.00035	U
Cl3-BZ#16	MG/KG		0.00037	U	0.00036	U	0.00038	U	0.00035	U
Cl3-BZ#17	MG/KG		0.00037	U	0.00036	U	0.00038	U	0.00035	U
Cl3-BZ#18	MG/KG		0.00037	U	0.00036	U	0.00029	J	0.00035	U
Cl3-BZ#19	MG/KG		0.00037	U	0.00036	U	0.00038	U	0.00035	U
Cl3-BZ#21/#20	MG/KG		0.00075	U	0.00072	U	0.00077	U	0.00071	U
Cl3-BZ#22	MG/KG		0.00037	U	0.00036	U	0.00038	U	0.00035	U
Cl3-BZ#24	MG/KG		0.00037	U	0.00036	U	0.00038	U	0.00035	U
Cl3-BZ#25	MG/KG		0.00037	U	0.00036	U	0.00038	U	0.00035	U
Cl3-BZ#26	MG/KG		0.00037	U	0.00036	U	0.00038	U	0.00035	U
Cl3-BZ#27	MG/KG		0.00037	U	0.00036	U	0.00038	U	0.00035	U
Cl3-BZ#28	MG/KG		0.00036	J	0.00022	J	0.00026	J	0.00026	J
Cl3-BZ#29	MG/KG		0.00037	U	0.00036	U	0.00038	U	0.00035	U
Cl3-BZ#31	MG/KG		0.00037	U	0.00036	U	0.00038	U	0.00035	U
Cl3-BZ#32	MG/KG		0.00037	U	0.00036	U	0.00038	U	0.00035	U
Cl3-BZ#33	MG/KG		0.00037	U	0.00036	U	0.00038	U	0.00035	U
Cl3-BZ#37	MG/KG		0.00037	U	0.00036	U	0.00038	U	0.00035	U
Cl4-BZ#40	MG/KG		0.00037	U	0.00036	U	0.00038	U	0.00035	U
Cl4-BZ#41	MG/KG		0.00037	U	0.00036	U	0.00038	U	0.00035	U
Cl4-BZ#42	MG/KG		0.00037	U	0.00036	U	0.00038	U	0.00035	U
Cl4-BZ#43	MG/KG		0.00037	U	0.00036	U	0.00038	U	0.00035	U
Cl4-BZ#44	MG/KG		0.00033	J	0.00029	J	0.00031	J	0.00019	J
Cl4-BZ#45	MG/KG		0.00037	U	0.00036	U	0.00038	U	0.00035	U
Cl4-BZ#47	MG/KG		0.00046		0.00034	J	0.00040		0.00030	J
Cl4-BZ#48	MG/KG		0.00037	U	0.00036	U	0.00038	U	0.00035	U
Cl4-BZ#49	MG/KG		0.00056		0.00058		0.00056		0.00036	
Cl4-BZ#50	MG/KG		0.00037	U	0.00036	U	0.00038	U	0.00035	U
Cl4-BZ#51	MG/KG		0.00037	U	0.00036	U	0.00038	U	0.00035	U
Cl4-BZ#52	MG/KG		0.0012		0.0019		0.0010		0.00079	
Cl4-BZ#53	MG/KG		0.00037	U	0.00036	U	0.00038	U	0.00035	U
Cl4-BZ#54	MG/KG		0.00037	U	0.00036	U	0.00038	U	0.00035	U
Cl4-BZ#56	MG/KG		0.00037	U	0.00020	J	0.00038	U	0.00035	U

TABLE 2b - SUMMARY OF SAMPLE DATA FOR BLACK SEA BASS (MG/KG WET WEIGHT) AREA 3 - 2024

		Sample#	NBH24-FF-A-3		NBH24-FF-B-3		NBH24-FF-C-3		NBH24-FF-D-3	
		Species	Black Sea Bass		Black Sea Bass		Black Sea Bass		Black Sea Bass	
		Species Type	TIS		TIS		TIS		TIS	
		Area	3		3		3		3	
		Station	SB3-Station A		SB3-Station B		SB3-Station C		SB3-Station D	
		Sample Date	6/25/2024		7/1/2024		6/7/2024		6/9/2024	
Parameter	**Units**		Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
Cl4-BZ#60	MG/KG		0.00037	U	0.00036	U	0.00038	U	0.00035	U
Cl4-BZ#63	MG/KG		0.00037	U	0.00036	U	0.00038	U	0.00035	U
Cl4-BZ#66	MG/KG		0.00066		0.00076		0.00056		0.00045	
Cl4-BZ#68/#64	MG/KG		0.00075	U	0.00072	U	0.00077	U	0.00071	U
Cl4-BZ#70	MG/KG		0.00037	U	0.00036	U	0.00038	U	0.00035	U
Cl4-BZ#71	MG/KG		0.00037	U	0.00036	U	0.00038	U	0.00035	U
Cl4-BZ#73/#46	MG/KG		0.00075	U	0.00072	U	0.00077	U	0.00071	U
Cl4-BZ#74	MG/KG		0.00039		0.00072		0.00030	J	0.00027	J
Cl4-BZ#76	MG/KG		0.00037	U	0.00036	U	0.00038	U	0.00035	U
Cl4-BZ#77	MG/KG		0.00037	U	0.00036	U	0.00038	U	0.00035	U
Cl4-BZ#81	MG/KG		0.00037	U	0.00036	U	0.00038	U	0.00035	U
Cl5-BZ#82	MG/KG		0.00037	U	0.00036	U	0.00038	U	0.00035	U
Cl5-BZ#83/#125/#112	MG/KG		0.0011	U	0.0011	U	0.0012	U	0.0011	U
Cl5-BZ#85	MG/KG		0.00035	J	0.00028	J	0.00035	J	0.00024	J
Cl5-BZ#87/#111	MG/KG		0.00075	U	0.00051	J	0.00077	U	0.00071	U
Cl5-BZ#89/#84	MG/KG		0.00075	U	0.00072	U	0.00077	U	0.00071	U
Cl5-BZ#91	MG/KG		0.00024	J	0.00042		0.00032	J	0.00022	J
Cl5-BZ#92	MG/KG		0.00068		0.0017		0.00059		0.00062	
Cl5-BZ#97	MG/KG		0.00048		0.00024	J	0.00034	J	0.00035	U
Cl5-BZ#99	MG/KG		0.0011		0.00071		0.00071		0.00042	
Cl5-BZ#100	MG/KG		0.00037	U	0.00036	U	0.00038	U	0.00035	U
Cl5-BZ#101/#90	MG/KG		0.0026		0.0064		0.0020		0.0020	
Cl5-BZ#104	MG/KG		0.00037	U	0.00036	U	0.00038	U	0.00035	U
Cl5-BZ#105	MG/KG		0.00069		0.0013		0.00048		0.00056	
Cl5-BZ#107/#123	MG/KG		0.00052	J	0.0011		0.00077	U	0.00038	J
Cl5-BZ#110	MG/KG		0.0014		0.0014		0.0011		0.0011	
Cl5-BZ#114	MG/KG		0.00021	J	0.00044		0.00020	J	0.00025	J
Cl5-BZ#118	MG/KG		0.0049		0.0090		0.0033		0.0034	
Cl5-BZ#119	MG/KG		0.00021	J	0.00022	J	0.00038	U	0.00035	U
Cl5-BZ#121/#95/#88	MG/KG		0.00060	J	0.0011		0.0012	U	0.00053	J
Cl5-BZ#124	MG/KG		0.00037	U	0.00036	U	0.00038	U	0.00035	U
Cl5-BZ#126	MG/KG		0.00037	U	0.00036	U	0.00038	U	0.00035	U
Cl6-BZ#128	MG/KG		0.00092		0.0017		0.00086		0.00083	
Cl6-BZ#129/#158	MG/KG		0.00052	J	0.00073		0.00040	J	0.00052	J
Cl6-BZ#130/#164	MG/KG		0.00038	J	0.00068	J	0.00077	U	0.00071	U
Cl6-BZ#131	MG/KG		0.00037	U	0.00036	U	0.00038	U	0.00035	U
Cl6-BZ#132	MG/KG		0.00040		0.00045		0.00028	J	0.00024	J
Cl6-BZ#134	MG/KG		0.00037	U	0.00020	J	0.00038	U	0.00020	J
Cl6-BZ#135	MG/KG		0.00033	J	0.00055		0.00030	J	0.00029	J
Cl6-BZ#136	MG/KG		0.00037	U	0.00036	U	0.00038	U	0.00035	U
Cl6-BZ#137	MG/KG		0.00037	U	0.00036	U	0.00038	U	0.00035	U
Cl6-BZ#138	MG/KG		0.0039		0.0064		0.0028		0.0026	
Cl6-BZ#141	MG/KG		0.00022	J	0.00048		0.00038	U	0.00035	U
Cl6-BZ#144	MG/KG		0.00037	U	0.00036	U	0.00038	U	0.00035	U
Cl6-BZ#146	MG/KG		0.0019		0.0038		0.0015		0.0015	
Cl6-BZ#147/#149	MG/KG		0.0021		0.0036		0.0016		0.0017	
Cl6-BZ#151	MG/KG		0.00034	J	0.00088		0.00033	J	0.00031	J
Cl6-BZ#153	MG/KG		0.012		0.022		0.0081		0.0083	

TABLE 2b - SUMMARY OF SAMPLE DATA FOR BLACK SEA BASS (MG/KG WET WEIGHT) AREA 3 - 2024

		Sample#	NBH24-FF-A-3		NBH24-FF-B-3		NBH24-FF-C-3		NBH24-FF-D-3	
		Species	Black Sea Bass		Black Sea Bass		Black Sea Bass		Black Sea Bass	
		Species Type	TIS		TIS		TIS		TIS	
		Area	3		3		3		3	
		Station	SB3-Station A		SB3-Station B		SB3-Station C		SB3-Station D	
		Sample Date	6/25/2024		7/1/2024		6/7/2024		6/9/2024	
Parameter	**Units**		Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
Cl6-BZ#154	MG/KG		0.00037	U	0.00036	U	0.00038	U	0.00035	U
Cl6-BZ#155	MG/KG		0.00037	U	0.00036	U	0.00038	U	0.00035	U
Cl6-BZ#156	MG/KG		0.00043		0.00076		0.00034	J	0.00031	J
Cl6-BZ#157	MG/KG		0.00022	J	0.00044		0.00022	J	0.00021	J
Cl6-BZ#163/#160	MG/KG		0.0020		0.0042		0.0014		0.0017	
Cl6-BZ#167	MG/KG		0.00030	J	0.00050		0.00027	J	0.00021	J
Cl6-BZ#168	MG/KG		0.00037	U	0.00036	U	0.00038	U	0.00035	U
Cl6-BZ#169	MG/KG		0.00037	U	0.00036	U	0.00038	U	0.00035	U
Cl7-BZ#170	MG/KG		0.00060		0.0012		0.00049		0.00043	
Cl7-BZ#171	MG/KG		0.00019	J	0.00027	J	0.00038	U	0.00035	U
Cl7-BZ#172	MG/KG		0.00037	U	0.00021	J	0.00038	U	0.00035	U
Cl7-BZ#173	MG/KG		0.00037	U	0.00036	U	0.00038	U	0.00035	U
Cl7-BZ#174	MG/KG		0.00020	J	0.00026	J	0.00038	U	0.00035	U
Cl7-BZ#176	MG/KG		0.00037	U	0.00036	U	0.00038	U	0.00035	U
Cl7-BZ#177	MG/KG		0.00036	J	0.00073		0.00034	J	0.00036	
Cl7-BZ#178	MG/KG		0.00036	J	0.00052		0.00026	J	0.00033	J
Cl7-BZ#180	MG/KG		0.0011		0.0023		0.0010		0.00086	
Cl7-BZ#182/#175	MG/KG		0.00075	U	0.00072	U	0.00077	U	0.00071	U
Cl7-BZ#183	MG/KG		0.00047		0.00081		0.00035	J	0.00038	
Cl7-BZ#184	MG/KG		0.00037	U	0.00036	U	0.00038	U	0.00035	U
Cl7-BZ#185	MG/KG		0.00037	U	0.00036	U	0.00038	U	0.00035	U
Cl7-BZ#187	MG/KG		0.0016		0.0030		0.0014		0.0013	
Cl7-BZ#188	MG/KG		0.00037	U	0.00036	U	0.00038	U	0.00035	U
Cl7-BZ#189	MG/KG		0.00037	U	0.00036	U	0.00038	U	0.00035	U
Cl7-BZ#190	MG/KG		0.00037	U	0.00036	U	0.00038	U	0.00035	U
Cl7-BZ#191	MG/KG		0.00037	U	0.00036	U	0.00038	U	0.00035	U
Cl7-BZ#193	MG/KG		0.00037	U	0.00020	J	0.00038	U	0.00035	U
Cl8-BZ#194	MG/KG		0.00024	J	0.00036		0.00038	U	0.00035	U
Cl8-BZ#195	MG/KG		0.00037	U	0.00036	U	0.00038	U	0.00035	U
Cl8-BZ#196	MG/KG		0.00037	U	0.00024	J	0.00038	U	0.00035	U
Cl8-BZ#197	MG/KG		0.00037	U	0.00036	U	0.00038	U	0.00035	U
Cl8-BZ#199	MG/KG		0.00037	U	0.00036	U	0.00038	U	0.00035	U
Cl8-BZ#201	MG/KG		0.00042		0.00064		0.00030	J	0.00028	J
Cl8-BZ#202	MG/KG		0.00037	U	0.00032	J	0.00028	J	0.00020	J
Cl8-BZ#203	MG/KG		0.00037	U	0.00036		0.00038	U	0.00035	U
Cl8-BZ#204/#200	MG/KG		0.00075	U	0.00072	U	0.00077	U	0.00071	U
Cl8-BZ#205	MG/KG		0.00037	U	0.00036	U	0.00038	U	0.00035	U
Cl9-BZ#206	MG/KG		0.00037	U	0.00028	J	0.00038	U	0.00035	U
Cl9-BZ#207	MG/KG		0.00037	U	0.00036	U	0.00038	U	0.00035	U
Cl9-BZ#208	MG/KG		0.00037	U	0.00036	U	0.00038	U	0.00035	U
Cl10-BZ#209	MG/KG		0.00037	U	0.00036	U	0.00038	U	0.00035	U

TABLE 3 - SUMMARY OF SAMPLE DATA FOR BLUE CRAB (MG/KG WET WEIGHT) AREA 1 - 2024

	Sample#	COMP AI-123BC		COMP BI-123BC		COMP CI-123BC		COMP DI-123BC	
	Species	Blue Crab		Blue Crab		Blue Crab		Blue Crab	
	Species Type	TIS		TIS		TIS		TIS	
	Area	1		1		1		1	
	Station	BC1-Station A		BC1-Station B		BC1-Station C		BC1-Station D	
	Sample Date	8/27/2024		8/29/2024		8/28/2024		8/28/2024	
Parameter	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
Lipids	PERCENT	0.31		0.66		0.55		0.26	
Total PCB Congeners[1]	MG/KG	0.90	J4	1.3	J4	0.47	J3	0.35	J3
Total PCB Congeners Hits[2]	MG/KG	0.89		1.3		0.46		0.34	
Total NOAA Congeners[3]	MG/KG	0.44	J4	0.52	J4	0.22	J4	0.18	J4
Total WHO Congeners[4]	MG/KG	0.095	J4	0.12	J4	0.051	J3	0.059	J3
Total NOAA / WHO Combined[5]	MG/KG	0.46	J4	0.55	J4	0.23	J4	0.19	J4
Cl1-BZ#1	MG/KG	0.00036	U	0.00034	U	0.00038	U	0.00036	U
Cl1-BZ#3	MG/KG	0.00036	U	0.00034	U	0.00038	U	0.00036	U
Cl2-BZ#4/#10	MG/KG	0.00074		0.00069	U	0.00076	U	0.00073	U
Cl2-BZ#5	MG/KG	0.00036	U	0.00034	U	0.00038	U	0.00036	U
Cl2-BZ#6	MG/KG	0.0028		0.0011		0.0010		0.00029	J
Cl2-BZ#7	MG/KG	0.00036	U	0.00034	U	0.00038	U	0.00036	U
Cl2-BZ#8	MG/KG	0.0058		0.0049		0.0029		0.00084	
Cl2-BZ#12	MG/KG	0.00036	U	0.00034	U	0.00038	U	0.00036	U
Cl2-BZ#13	MG/KG	0.0015		0.0014		0.00077		0.00073	U
Cl2-BZ#15	MG/KG	0.0059		0.0072		0.0016		0.0012	
Cl3-BZ#16	MG/KG	0.00036	U	0.00034	U	0.00038	U	0.00036	U
Cl3-BZ#17	MG/KG	0.0042		0.0034		0.0032		0.00077	
Cl3-BZ#18	MG/KG	0.0064		0.0026		0.0042		0.0011	
Cl3-BZ#19	MG/KG	0.00040		0.00034	U	0.00038	U	0.00036	U
Cl3-BZ#21/#20	MG/KG	0.00071	U	0.00069	U	0.00076	U	0.00073	U
Cl3-BZ#22	MG/KG	0.0037		0.0033		0.0031		0.0017	
Cl3-BZ#24	MG/KG	0.00036	U	0.00034	U	0.00038	U	0.00036	U
Cl3-BZ#25	MG/KG	0.017		0.027		0.0094		0.00036	U
Cl3-BZ#26	MG/KG	0.016		0.016		0.0084		0.0027	
Cl3-BZ#27	MG/KG	0.0020		0.00063		0.0010		0.00030	J
Cl3-BZ#28	MG/KG	0.16		0.18		0.070		0.044	
Cl3-BZ#29	MG/KG	0.00036	U	0.00034	U	0.00038	U	0.00036	U
Cl3-BZ#31	MG/KG	0.031		0.081		0.020		0.0070	
Cl3-BZ#32	MG/KG	0.0078		0.0065		0.0043		0.0011	
Cl3-BZ#33	MG/KG	0.00036	U	0.00034	U	0.00038	U	0.00036	U
Cl3-BZ#37	MG/KG	0.0032		0.0048		0.0017		0.0014	
Cl4-BZ#40	MG/KG	0.00024	J	0.00034	U	0.00038		0.00036	U
Cl4-BZ#41	MG/KG	0.00036	U	0.00034	U	0.00038	U	0.00036	U
Cl4-BZ#42	MG/KG	0.0025		0.0053		0.0022		0.00091	
Cl4-BZ#43	MG/KG	0.00022	J	0.00034	U	0.00038	U	0.00036	U
Cl4-BZ#44	MG/KG	0.0023		0.0010		0.0024		0.00053	
Cl4-BZ#45	MG/KG	0.00036	U	0.00034	U	0.00038	U	0.00036	U
Cl4-BZ#47	MG/KG	0.065		0.11		0.028		0.019	
Cl4-BZ#48	MG/KG	0.00052		0.00053		0.00046		0.00019	J
Cl4-BZ#49	MG/KG	0.020		0.071		0.016		0.0040	
Cl4-BZ#50	MG/KG	0.00036	U	0.00034	U	0.00038	U	0.00036	U
Cl4-BZ#51	MG/KG	0.0016		0.0011		0.00095		0.00023	J
Cl4-BZ#52	MG/KG	0.023		0.014		0.018		0.0039	
Cl4-BZ#53	MG/KG	0.0020		0.00063		0.0015		0.00029	J
Cl4-BZ#54	MG/KG	0.00036	U	0.00034	U	0.00038	U	0.00036	U
Cl4-BZ#56	MG/KG	0.0016		0.0025		0.0013		0.00061	

TABLE 3 - SUMMARY OF SAMPLE DATA FOR BLUE CRAB (MG/KG WET WEIGHT) AREA 1 - 2024

		Sample#	COMP AI-123BC		COMP BI-123BC		COMP CI-123BC		COMP DI-123BC	
		Species	Blue Crab		Blue Crab		Blue Crab		Blue Crab	
		Species Type	TIS		TIS		TIS		TIS	
		Area	1		1		1		1	
		Station	BC1-Station A		BC1-Station B		BC1-Station C		BC1-Station D	
		Sample Date	8/27/2024		8/29/2024		8/28/2024		8/28/2024	
Parameter	**Units**		Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
Cl4-BZ#60	MG/KG		0.011		0.0086		0.0071		0.0073	
Cl4-BZ#63	MG/KG		0.0020		0.0029		0.00095		0.00084	
Cl4-BZ#66	MG/KG		0.035		0.042		0.019		0.020	
Cl4-BZ#68/#64	MG/KG		0.0083		0.018		0.0049		0.0024	
Cl4-BZ#70	MG/KG		0.0035		0.0056		0.0030		0.0014	
Cl4-BZ#71	MG/KG		0.0071		0.0052		0.0031		0.0012	
Cl4-BZ#73/#46	MG/KG		0.00077		0.00037	J	0.00076	U	0.00073	U
Cl4-BZ#74	MG/KG		0.031		0.036		0.017		0.018	
Cl4-BZ#76	MG/KG		0.00036	U	0.00034	U	0.00038	U	0.00036	U
Cl4-BZ#77	MG/KG		0.0016		0.0024		0.00089		0.0010	
Cl4-BZ#81	MG/KG		0.00036	U	0.00034	U	0.00038	U	0.00036	U
Cl5-BZ#82	MG/KG		0.00036	U	0.00034	U	0.00038	U	0.00036	U
Cl5-BZ#83/#125/#112	MG/KG		0.0011	U	0.0010	U	0.0011	U	0.0011	U
Cl5-BZ#85	MG/KG		0.0072		0.0071		0.0037		0.0043	
Cl5-BZ#87/#111	MG/KG		0.0011		0.0012		0.0010		0.00073	U
Cl5-BZ#89/#84	MG/KG		0.00099		0.00049	J	0.00090		0.00042	J
Cl5-BZ#91	MG/KG		0.0039		0.0071		0.0026		0.0010	
Cl5-BZ#92	MG/KG		0.0032		0.0030		0.0019		0.0010	
Cl5-BZ#97	MG/KG		0.0029		0.0053		0.0027		0.0011	
Cl5-BZ#99	MG/KG		0.070		0.091		0.033		0.033	
Cl5-BZ#100	MG/KG		0.0038		0.0084		0.0017		0.00095	
Cl5-BZ#101/#90	MG/KG		0.016		0.034		0.011		0.0051	
Cl5-BZ#104	MG/KG		0.00036	U	0.00034	U	0.00038	U	0.00036	U
Cl5-BZ#105	MG/KG		0.012		0.012		0.0069		0.0085	
Cl5-BZ#107/#123	MG/KG		0.0049		0.0066		0.0025		0.0024	
Cl5-BZ#110	MG/KG		0.015		0.031		0.011		0.0048	
Cl5-BZ#114	MG/KG		0.0017		0.0025		0.00095		0.0011	
Cl5-BZ#118	MG/KG		0.067		0.088		0.035		0.041	
Cl5-BZ#119	MG/KG		0.010		0.020		0.0045		0.0032	
Cl5-BZ#121/#95/#88	MG/KG		0.0036		0.0024		0.0030		0.0011	
Cl5-BZ#124	MG/KG		0.00045		0.00063		0.00029	J	0.00036	U
Cl5-BZ#126	MG/KG		0.00033	J	0.00034	U	0.00038	U	0.00036	U
Cl6-BZ#128	MG/KG		0.0057		0.0059		0.0025		0.0032	
Cl6-BZ#129/#158	MG/KG		0.0058		0.0074		0.0031		0.0033	
Cl6-BZ#130/#164	MG/KG		0.0022		0.0033		0.0011		0.00085	
Cl6-BZ#131	MG/KG		0.00036	U	0.00034	U	0.00038	U	0.00036	U
Cl6-BZ#132	MG/KG		0.00045		0.00033	J	0.00055		0.00036	U
Cl6-BZ#134	MG/KG		0.00037		0.00035		0.00035	J	0.00036	U
Cl6-BZ#135	MG/KG		0.0012		0.0016		0.00063		0.00040	
Cl6-BZ#136	MG/KG		0.00034	J	0.00027	J	0.00025	J	0.00036	U
Cl6-BZ#137	MG/KG		0.0022		0.0029		0.0013		0.0013	
Cl6-BZ#138	MG/KG		0.029		0.027		0.012		0.016	
Cl6-BZ#141	MG/KG		0.00042	J	0.00079		0.00043		0.00033	J
Cl6-BZ#144	MG/KG		0.00036	U	0.00019	J	0.00038	U	0.00036	U
Cl6-BZ#146	MG/KG		0.0093		0.014		0.0045		0.0043	
Cl6-BZ#147/#149	MG/KG		0.012		0.029		0.0072		0.0031	
Cl6-BZ#151	MG/KG		0.00079		0.001		0.00071		0.0002	J
Cl6-BZ#153	MG/KG		0.061		0.093		0.027		0.034	

Created by: KLD 4/1/2025
Checked by: AP 4/2/2025

TABLE 3 - SUMMARY OF SAMPLE DATA FOR BLUE CRAB (MG/KG WET WEIGHT) AREA 1 - 2024

		Sample#	COMP AI-123BC		COMP BI-123BC		COMP CI-123BC		COMP DI-123BC	
		Species	Blue Crab		Blue Crab		Blue Crab		Blue Crab	
		Species Type	TIS		TIS		TIS		TIS	
		Area	1		1		1		1	
		Station	BC1-Station A		BC1-Station B		BC1-Station C		BC1-Station D	
		Sample Date	8/27/2024		8/29/2024		8/28/2024		8/28/2024	
Parameter	**Units**		Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
Cl6-BZ#154	MG/KG		0.0039		0.0081		0.0016		0.0013	
Cl6-BZ#155	MG/KG		0.00036	U	0.00018	J	0.00038	U	0.00036	U
Cl6-BZ#156	MG/KG		0.0039		0.0059		0.0022		0.0025	
Cl6-BZ#157	MG/KG		0.00093		0.0012		0.00049		0.00065	
Cl6-BZ#163/#160	MG/KG		0.013		0.022		0.0057		0.0053	
Cl6-BZ#167	MG/KG		0.0022		0.0038		0.0012		0.0013	
Cl6-BZ#168	MG/KG		0.00036	U	0.00034	U	0.00038	U	0.00036	U
Cl6-BZ#169	MG/KG		0.00036	U	0.00034	U	0.00038	U	0.00036	U
Cl7-BZ#170	MG/KG		0.0018		0.0025		0.00069		0.00095	
Cl7-BZ#171	MG/KG		0.00086		0.0013		0.00039		0.00050	
Cl7-BZ#172	MG/KG		0.00048		0.00077		0.00025	J	0.00036	U
Cl7-BZ#173	MG/KG		0.00036	U	0.00034	U	0.00038	U	0.00036	U
Cl7-BZ#174	MG/KG		0.00023	J	0.00056		0.00021	J	0.00036	U
Cl7-BZ#176	MG/KG		0.00036	U	0.00034	U	0.00038	U	0.00036	U
Cl7-BZ#177	MG/KG		0.00078		0.0014		0.00047		0.00036	J
Cl7-BZ#178	MG/KG		0.0010		0.0017		0.00057		0.00032	J
Cl7-BZ#180	MG/KG		0.0049		0.0079		0.0023		0.0030	
Cl7-BZ#182/#175	MG/KG		0.00071	U	0.00069	U	0.00076	U	0.00073	U
Cl7-BZ#183	MG/KG		0.0020		0.0033		0.00085		0.0011	
Cl7-BZ#184	MG/KG		0.00036	U	0.00034	U	0.00038	U	0.00036	U
Cl7-BZ#185	MG/KG		0.00036	U	0.00034	U	0.00038	U	0.00036	U
Cl7-BZ#187	MG/KG		0.0060		0.010		0.0024		0.0024	
Cl7-BZ#188	MG/KG		0.00036	U	0.00024	J	0.00038	U	0.00036	U
Cl7-BZ#189	MG/KG		0.00036	U	0.00029	J	0.00038	U	0.00036	U
Cl7-BZ#190	MG/KG		0.00052		0.00099		0.00029	J	0.00023	J
Cl7-BZ#191	MG/KG		0.00019	J	0.00036		0.00038	U	0.00036	U
Cl7-BZ#193	MG/KG		0.00030	J	0.00054		0.00038	U	0.00036	U
Cl8-BZ#194	MG/KG		0.00032	J	0.00099		0.00038	U	0.00036	U
Cl8-BZ#195	MG/KG		0.00036	U	0.00034	U	0.00038	U	0.00036	U
Cl8-BZ#196	MG/KG		0.00024	J	0.00057		0.00038	U	0.00036	U
Cl8-BZ#197	MG/KG		0.00036	U	0.00034	U	0.00038	U	0.00036	U
Cl8-BZ#199	MG/KG		0.00036	U	0.00034	U	0.00038	U	0.00036	U
Cl8-BZ#201	MG/KG		0.00050		0.0011		0.00030	J	0.00035	J
Cl8-BZ#202	MG/KG		0.00040		0.00078		0.00038	U	0.00036	U
Cl8-BZ#203	MG/KG		0.00022	J	0.00078		0.00038	U	0.00036	U
Cl8-BZ#204/#200	MG/KG		0.00071	U	0.00069	U	0.00076	U	0.00073	U
Cl8-BZ#205	MG/KG		0.00036	U	0.00034	U	0.00038	U	0.00036	U
Cl9-BZ#206	MG/KG		0.00036	U	0.00035		0.00038	U	0.00036	U
Cl9-BZ#207	MG/KG		0.00036	U	0.00034	U	0.00038	U	0.00036	U
Cl9-BZ#208	MG/KG		0.00036	U	0.00026	J	0.00038	U	0.00036	U
Cl10-BZ#209	MG/KG		0.00036	U	0.00034	U	0.00038	U	0.00036	U

Created by: KLD 4/1/2025
Checked by: AP 4/2/2025

TABLE 4a - SUMMARY OF SAMPLE DATA FOR BLUE FISH (MG/KG WET WEIGHT) AREA 1 - 2024

		Sample#	AI-A-BF-SKIN OFF		AI-A-BF-SKIN ON		AI-B-BF		AI-C-BF	
		Species	Blue Fish		Blue Fish		Blue Fish		Blue Fish	
		Species Type	TIS		TIS		TIS		TIS	
		Area	1		1		1		1	
		Station	BF1-Station A		BF1-Station A		BF1-Station B		BF1-Station C	
		Sample Date	8/27/2024		8/27/2024		8/28/2024		8/28/2024	
Parameter	**Units**		Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
Lipids	PERCENT		2.2		2.7		2.2		3.2	
Total PCB Congeners[1]	MG/KG		11	J4	8.5	J4	11	J4	15	J4
Total PCB Congeners Hits[2]	MG/KG		11		8.4		11		15	
Total NOAA Congeners[3]	MG/KG		4.3	J4	3.4	J4	4.3	J4	5.7	J4
Total WHO Congeners[4]	MG/KG		0.71	J4	0.53	J4	0.72	J4	0.87	J4
Total NOAA / WHO Combined[5]	MG/KG		4.5	J4	3.5	J4	4.5	J4	5.9	J4
Cl1-BZ#1	MG/KG		0.0014	U	0.0016	U	0.0014	U	0.0014	U
Cl1-BZ#3	MG/KG		0.0014	U	0.0016	U	0.0014	U	0.0014	U
Cl2-BZ#4/#10	MG/KG		0.0080		0.0082		0.0080		0.013	
Cl2-BZ#5	MG/KG		0.0014	U	0.0016	U	0.0014	U	0.0014	U
Cl2-BZ#6	MG/KG		0.023		0.017		0.023		0.033	
Cl2-BZ#7	MG/KG		0.0014	U	0.0016	U	0.0014	U	0.00089	J
Cl2-BZ#8	MG/KG		0.023		0.020		0.023		0.036	
Cl2-BZ#12	MG/KG		0.0014	U	0.0016	U	0.0014	U	0.0014	U
Cl2-BZ#13	MG/KG		0.0029	U	0.0031	U	0.0028	U	0.0028	U
Cl2-BZ#15	MG/KG		0.00093	J	0.0016	U	0.00092	J	0.0011	J
Cl3-BZ#16	MG/KG		0.0093		0.0076		0.010		0.014	
Cl3-BZ#17	MG/KG		0.074		0.058		0.075		0.11	
Cl3-BZ#18	MG/KG		0.15		0.12		0.15		0.23	
Cl3-BZ#19	MG/KG		0.013		0.012		0.013		0.022	
Cl3-BZ#21/#20	MG/KG		0.016		0.014		0.017		0.020	
Cl3-BZ#22	MG/KG		0.031		0.027		0.030		0.044	
Cl3-BZ#24	MG/KG		0.00083	J	0.00087	J	0.0014	U	0.0011	J
Cl3-BZ#25	MG/KG		0.13		0.0016	U	0.14		0.15	
Cl3-BZ#26	MG/KG		0.26		0.21		0.26		0.39	
Cl3-BZ#27	MG/KG		0.028		0.019		0.028		0.041	
Cl3-BZ#28	MG/KG		0.36		0.27		0.36		0.51	
Cl3-BZ#29	MG/KG		0.0014	U	0.0016	U	0.0014	U	0.0014	U
Cl3-BZ#31	MG/KG		0.28		0.22		0.28		0.42	
Cl3-BZ#32	MG/KG		0.069		0.054		0.069		0.11	
Cl3-BZ#33	MG/KG		0.0094		0.0098		0.0094		0.021	
Cl3-BZ#37	MG/KG		0.0014	U	0.0016	U	0.0014	U	0.0014	U
Cl4-BZ#40	MG/KG		0.017		0.015		0.017		0.026	
Cl4-BZ#41	MG/KG		0.0037		0.0036		0.0038		0.0053	
Cl4-BZ#42	MG/KG		0.077		0.067		0.079		0.11	
Cl4-BZ#43	MG/KG		0.0061		0.0047		0.0069		0.0084	
Cl4-BZ#44	MG/KG		0.18		0.15		0.18		0.25	
Cl4-BZ#45	MG/KG		0.013		0.012		0.014		0.019	
Cl4-BZ#47	MG/KG		0.29		0.22		0.29		0.40	
Cl4-BZ#48	MG/KG		0.020		0.016		0.020		0.028	
Cl4-BZ#49	MG/KG		0.79		0.61		0.78		1.1	
Cl4-BZ#50	MG/KG		0.0015		0.0013	J	0.0014	J	0.0021	
Cl4-BZ#51	MG/KG		0.036		0.030		0.036		0.059	
Cl4-BZ#52	MG/KG		0.99		0.74		0.98		1.4	
Cl4-BZ#53	MG/KG		0.086		0.064		0.087		0.14	
Cl4-BZ#54	MG/KG		0.0017		0.0013	J	0.0019		0.0024	
Cl4-BZ#56	MG/KG		0.043		0.039		0.043		0.065	

TABLE 4a - SUMMARY OF SAMPLE DATA FOR BLUE FISH (MG/KG WET WEIGHT) AREA 1 - 2024

		Sample#	AI-A-BF-SKIN OFF		AI-A-BF-SKIN ON		AI-B-BF		AI-C-BF	
		Species	Blue Fish		Blue Fish		Blue Fish		Blue Fish	
		Species Type	TIS		TIS		TIS		TIS	
		Area	1		1		1		1	
		Station	BF1-Station A		BF1-Station A		BF1-Station B		BF1-Station C	
		Sample Date	8/27/2024		8/27/2024		8/28/2024		8/28/2024	
Parameter	**Units**		Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
Cl4-BZ#60	MG/KG		0.031		0.024		0.032		0.039	
Cl4-BZ#63	MG/KG		0.020		0.014		0.019		0.025	
Cl4-BZ#66	MG/KG		0.22		0.16		0.23		0.28	
Cl4-BZ#68/#64	MG/KG		0.14		0.11		0.14		0.19	
Cl4-BZ#70	MG/KG		0.13		0.11		0.13		0.18	
Cl4-BZ#71	MG/KG		0.093		0.073		0.093		0.14	
Cl4-BZ#73/#46	MG/KG		0.010		0.0083		0.010		0.016	
Cl4-BZ#74	MG/KG		0.17		0.12		0.17		0.21	
Cl4-BZ#76	MG/KG		0.0014	U	0.0016	U	0.0014	U	0.0014	U
Cl4-BZ#77	MG/KG		0.0027		0.0025		0.0033		0.0045	
Cl4-BZ#81	MG/KG		0.0014	U	0.0016	U	0.0014	U	0.0014	U
Cl5-BZ#82	MG/KG		0.022		0.018		0.021		0.029	
Cl5-BZ#83/#125/#112	MG/KG		0.026		0.025		0.025		0.034	
Cl5-BZ#85	MG/KG		0.065		0.051		0.063		0.079	
Cl5-BZ#87/#111	MG/KG		0.090		0.076		0.091		0.12	
Cl5-BZ#89/#84	MG/KG		0.066		0.063		0.068		0.11	
Cl5-BZ#91	MG/KG		0.14		0.12		0.14		0.20	
Cl5-BZ#92	MG/KG		0.14		0.11		0.14		0.18	
Cl5-BZ#97	MG/KG		0.17		0.14		0.17		0.23	
Cl5-BZ#99	MG/KG		0.53		0.40		0.53		0.65	
Cl5-BZ#100	MG/KG		0.020		0.015		0.020		0.028	
Cl5-BZ#101/#90	MG/KG		0.72		0.57		0.68		0.88	
Cl5-BZ#104	MG/KG		0.0014	U	0.0016	U	0.0014	U	0.0014	U
Cl5-BZ#105	MG/KG		0.082		0.061		0.084		0.10	
Cl5-BZ#107/#123	MG/KG		0.044		0.033		0.044		0.054	
Cl5-BZ#110	MG/KG		0.60		0.46		0.60		0.76	
Cl5-BZ#114	MG/KG		0.014		0.011		0.013		0.017	
Cl5-BZ#118	MG/KG		0.50		0.37		0.51		0.61	
Cl5-BZ#119	MG/KG		0.060		0.041		0.060		0.076	
Cl5-BZ#121/#95/#88	MG/KG		0.27		0.23		0.27		0.39	
Cl5-BZ#124	MG/KG		0.011		0.0090		0.011		0.015	
Cl5-BZ#126	MG/KG		0.0019		0.0014	J	0.0016		0.0022	
Cl6-BZ#128	MG/KG		0.066		0.055		0.067		0.084	
Cl6-BZ#129/#158	MG/KG		0.061		0.050		0.065		0.080	
Cl6-BZ#130/#164	MG/KG		0.052		0.043		0.052		0.068	
Cl6-BZ#131	MG/KG		0.0048		0.0051		0.0048		0.0079	
Cl6-BZ#132	MG/KG		0.072		0.068		0.072		0.10	
Cl6-BZ#134	MG/KG		0.022		0.021		0.022		0.034	
Cl6-BZ#135	MG/KG		0.044		0.038	J	0.044		0.063	
Cl6-BZ#136	MG/KG		0.041		0.039		0.040		0.066	
Cl6-BZ#137	MG/KG		0.020		0.017		0.021		0.026	
Cl6-BZ#138	MG/KG		0.30		0.25		0.31		0.39	
Cl6-BZ#141	MG/KG		0.031		0.027		0.031		0.041	
Cl6-BZ#144	MG/KG		0.0099		0.0087		0.0098		0.014	
Cl6-BZ#146	MG/KG		0.091		0.075		0.092		0.12	
Cl6-BZ#147/#149	MG/KG		0.38		0.33		0.38		0.54	
Cl6-BZ#151	MG/KG		0.056		0.047		0.057		0.078	
Cl6-BZ#153	MG/KG		0.60		0.48		0.61		0.75	

Created by: KLD 4/1/2025
Checked by: AP 4/9/2025

TABLE 4a - SUMMARY OF SAMPLE DATA FOR BLUE FISH (MG/KG WET WEIGHT) AREA 1 - 2024

		Sample#	AI-A-BF-SKIN OFF		AI-A-BF-SKIN ON		AI-B-BF		AI-C-BF	
		Species	Blue Fish		Blue Fish		Blue Fish		Blue Fish	
		Species Type	TIS		TIS		TIS		TIS	
		Area	1		1		1		1	
		Station	BF1-Station A		BF1-Station A		BF1-Station B		BF1-Station C	
		Sample Date	8/27/2024		8/27/2024		8/28/2024		8/28/2024	
Parameter	**Units**		Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
Cl6-BZ#154	MG/KG		0.028		0.021		0.027		0.035	
Cl6-BZ#155	MG/KG		0.0014	U	0.0016	U	0.0014	U	0.0014	U
Cl6-BZ#156	MG/KG		0.033		0.027		0.034		0.042	
Cl6-BZ#157	MG/KG		0.0089		0.0078	J	0.0096		0.011	
Cl6-BZ#163/#160	MG/KG		0.12		0.094		0.12		0.15	
Cl6-BZ#167	MG/KG		0.019		0.016		0.020		0.026	
Cl6-BZ#168	MG/KG		0.0014	U	0.0016	U	0.0014	U	0.0014	U
Cl6-BZ#169	MG/KG		0.0014	U	0.0016	U	0.0014	U	0.0014	U
Cl7-BZ#170	MG/KG		0.029		0.027		0.029		0.042	
Cl7-BZ#171	MG/KG		0.011		0.011		0.010		0.015	
Cl7-BZ#172	MG/KG		0.0057		0.0055		0.0059		0.0083	
Cl7-BZ#173	MG/KG		0.0014	U	0.0016	U	0.00081	J	0.00088	J
Cl7-BZ#174	MG/KG		0.014		0.014		0.014		0.021	
Cl7-BZ#176	MG/KG		0.0029		0.0032		0.0027		0.0044	
Cl7-BZ#177	MG/KG		0.016		0.016		0.016		0.022	
Cl7-BZ#178	MG/KG		0.0092		0.0084		0.0092		0.013	
Cl7-BZ#180	MG/KG		0.061		0.059		0.061		0.086	
Cl7-BZ#182/#175	MG/KG		0.0020	J	0.0021	J	0.0024	J	0.0029	
Cl7-BZ#183	MG/KG		0.022		0.020		0.021		0.030	
Cl7-BZ#184	MG/KG		0.0014	U	0.0016	U	0.0014	U	0.0014	U
Cl7-BZ#185	MG/KG		0.0015		0.0016		0.0017		0.0025	
Cl7-BZ#187	MG/KG		0.055		0.051		0.056		0.078	
Cl7-BZ#188	MG/KG		0.00087	J	0.0016	U	0.0014	U	0.00095	J
Cl7-BZ#189	MG/KG		0.0018		0.0020		0.0017		0.0028	
Cl7-BZ#190	MG/KG		0.0058		0.0057		0.0059		0.0087	
Cl7-BZ#191	MG/KG		0.0018		0.0017		0.0019		0.0026	
Cl7-BZ#193	MG/KG		0.0038		0.0036		0.0036		0.0050	
Cl8-BZ#194	MG/KG		0.0080		0.0087		0.0087		0.012	
Cl8-BZ#195	MG/KG		0.0026		0.0032		0.0025		0.0041	
Cl8-BZ#196	MG/KG		0.0035		0.0044		0.0040		0.0057	
Cl8-BZ#197	MG/KG		0.0014	U	0.0016	U	0.0014	U	0.00073	J
Cl8-BZ#199	MG/KG		0.0014	U	0.00088	J	0.0014	U	0.0010	J
Cl8-BZ#201	MG/KG		0.0082		0.0087		0.0078		0.012	
Cl8-BZ#202	MG/KG		0.0030		0.0030		0.0032		0.0045	
Cl8-BZ#203	MG/KG		0.0059		0.0064		0.0054		0.0079	
Cl8-BZ#204/#200	MG/KG		0.0029	U	0.0016	J	0.0016	J	0.0024	J
Cl8-BZ#205	MG/KG		0.0014	U	0.0016	U	0.0014	U	0.0014	U
Cl9-BZ#206	MG/KG		0.0034		0.0041		0.0031		0.0055	
Cl9-BZ#207	MG/KG		0.0014	U	0.0016	U	0.0014	U	0.00079	J
Cl9-BZ#208	MG/KG		0.0015		0.0019		0.0017		0.0027	
Cl10-BZ#209	MG/KG		0.0014	U	0.00083	J	0.00094	J	0.0013	J

Created by: KLD 4/1/2025
Checked by: AP 4/9/2025

TABLE 4a - SUMMARY OF SAMPLE DATA FOR BLUE FISH (MG/KG WET WEIGHT) AREA 1 - 2024

		Sample#	AI-D-BF		AI-E-BF	
		Species	Blue Fish		Blue Fish	
		Species Type	TIS		TIS	
		Area	1		1	
		Station	BF1-Station D		BF1-Station E	
		Sample Date	8/28/2024		8/28/2024	
Parameter	**Units**		Result	Qualifier	Result	Qualifier
Lipids	PERCENT		3.0		4.3	
Total PCB Congeners[1]	MG/KG		17	J4	23	J4
Total PCB Congeners Hits[2]	MG/KG		17		23	
Total NOAA Congeners[3]	MG/KG		6.6	J4	9.1	J4
Total WHO Congeners[4]	MG/KG		0.96	J4	1.4	J4
Total NOAA / WHO Combined[5]	MG/KG		6.8	J4	9.4	J4
Cl1-BZ#1	MG/KG		0.0035	U	0.0072	U
Cl1-BZ#3	MG/KG		0.0035	U	0.0072	U
Cl2-BZ#4/#10	MG/KG		0.016		0.022	
Cl2-BZ#5	MG/KG		0.0035	U	0.0072	U
Cl2-BZ#6	MG/KG		0.041		0.054	
Cl2-BZ#7	MG/KG		0.0035	U	0.0072	U
Cl2-BZ#8	MG/KG		0.041		0.060	
Cl2-BZ#12	MG/KG		0.0035	U	0.0072	U
Cl2-BZ#13	MG/KG		0.0069	U	0.014	U
Cl2-BZ#15	MG/KG		0.0035	U	0.0072	U
Cl3-BZ#16	MG/KG		0.016		0.020	
Cl3-BZ#17	MG/KG		0.14		0.19	
Cl3-BZ#18	MG/KG		0.28		0.38	
Cl3-BZ#19	MG/KG		0.023		0.036	
Cl3-BZ#21/#20	MG/KG		0.024		0.026	
Cl3-BZ#22	MG/KG		0.049		0.072	
Cl3-BZ#24	MG/KG		0.0035	U	0.0072	U
Cl3-BZ#25	MG/KG		0.0035	U	0.27	
Cl3-BZ#26	MG/KG		0.46		0.65	
Cl3-BZ#27	MG/KG		0.052		0.067	
Cl3-BZ#28	MG/KG		0.60		0.84	
Cl3-BZ#29	MG/KG		0.0035	U	0.0072	U
Cl3-BZ#31	MG/KG		0.48		0.70	
Cl3-BZ#32	MG/KG		0.12		0.17	
Cl3-BZ#33	MG/KG		0.025		0.028	
Cl3-BZ#37	MG/KG		0.0035	U	0.015	
Cl4-BZ#40	MG/KG		0.028		0.040	
Cl4-BZ#41	MG/KG		0.0060		0.0097	
Cl4-BZ#42	MG/KG		0.13		0.19	
Cl4-BZ#43	MG/KG		0.011		0.014	
Cl4-BZ#44	MG/KG		0.28		0.41	
Cl4-BZ#45	MG/KG		0.023		0.032	
Cl4-BZ#47	MG/KG		0.47		0.66	
Cl4-BZ#48	MG/KG		0.036		0.045	
Cl4-BZ#49	MG/KG		1.4		1.8	
Cl4-BZ#50	MG/KG		0.0028	J	0.0045	J
Cl4-BZ#51	MG/KG		0.072		0.097	
Cl4-BZ#52	MG/KG		1.7		2.3	
Cl4-BZ#53	MG/KG		0.17		0.22	
Cl4-BZ#54	MG/KG		0.0033	J	0.0042	J
Cl4-BZ#56	MG/KG		0.071		0.10	

TABLE 4a - SUMMARY OF SAMPLE DATA FOR BLUE FISH (MG/KG WET WEIGHT) AREA 1 - 2024

		Sample#	AI-D-BF		AI-E-BF	
		Species	Blue Fish		Blue Fish	
		Species Type	TIS		TIS	
		Area	1		1	
		Station	BF1-Station D		BF1-Station E	
		Sample Date	8/28/2024		8/28/2024	
Parameter	**Units**		Result	Qualifier	Result	Qualifier
Cl4-BZ#60	MG/KG		0.043		0.061	
Cl4-BZ#63	MG/KG		0.025		0.036	
Cl4-BZ#66	MG/KG		0.31		0.44	
Cl4-BZ#68/#64	MG/KG		0.22		0.31	
Cl4-BZ#70	MG/KG		0.20		0.28	
Cl4-BZ#71	MG/KG		0.17		0.23	
Cl4-BZ#73/#46	MG/KG		0.020		0.028	
Cl4-BZ#74	MG/KG		0.24		0.34	
Cl4-BZ#76	MG/KG		0.0035	U	0.0072	U
Cl4-BZ#77	MG/KG		0.0045		0.0080	
Cl4-BZ#81	MG/KG		0.0035	U	0.0072	U
Cl5-BZ#82	MG/KG		0.033		0.047	
Cl5-BZ#83/#125/#112	MG/KG		0.040		0.053	
Cl5-BZ#85	MG/KG		0.090		0.13	
Cl5-BZ#87/#111	MG/KG		0.14		0.19	
Cl5-BZ#89/#84	MG/KG		0.12		0.17	
Cl5-BZ#91	MG/KG		0.23		0.32	
Cl5-BZ#92	MG/KG		0.21		0.28	
Cl5-BZ#97	MG/KG		0.26		0.36	
Cl5-BZ#99	MG/KG		0.75		1.1	
Cl5-BZ#100	MG/KG		0.033		0.046	
Cl5-BZ#101/#90	MG/KG		1.0		1.4	
Cl5-BZ#104	MG/KG		0.0035	U	0.0072	U
Cl5-BZ#105	MG/KG		0.11		0.15	J
Cl5-BZ#107/#123	MG/KG		0.058		0.083	
Cl5-BZ#110	MG/KG		0.88		1.2	
Cl5-BZ#114	MG/KG		0.020		0.029	J
Cl5-BZ#118	MG/KG		0.68		0.96	
Cl5-BZ#119	MG/KG		0.088		0.12	
Cl5-BZ#121/#95/#88	MG/KG		0.44		0.61	
Cl5-BZ#124	MG/KG		0.017		0.023	
Cl5-BZ#126	MG/KG		0.0026	J	0.0048	J
Cl6-BZ#128	MG/KG		0.095		0.13	
Cl6-BZ#129/#158	MG/KG		0.090		0.12	
Cl6-BZ#130/#164	MG/KG		0.075		0.10	
Cl6-BZ#131	MG/KG		0.0080		0.012	
Cl6-BZ#132	MG/KG		0.12		0.15	
Cl6-BZ#134	MG/KG		0.038		0.047	
Cl6-BZ#135	MG/KG		0.070	J	0.096	
Cl6-BZ#136	MG/KG		0.074		0.098	
Cl6-BZ#137	MG/KG		0.029		0.039	
Cl6-BZ#138	MG/KG		0.44		0.57	
Cl6-BZ#141	MG/KG		0.047		0.063	
Cl6-BZ#144	MG/KG		0.016		0.023	
Cl6-BZ#146	MG/KG		0.13		0.18	
Cl6-BZ#147/#149	MG/KG		0.61		0.81	
Cl6-BZ#151	MG/KG		0.089		0.12	
Cl6-BZ#153	MG/KG		0.85		1.2	J

TABLE 4a - SUMMARY OF SAMPLE DATA FOR BLUE FISH (MG/KG WET WEIGHT) AREA 1 - 2024

		Sample#	AI-D-BF		AI-E-BF	
		Species	Blue Fish		Blue Fish	
		Species Type	TIS		TIS	
		Area	1		1	
		Station	BF1-Station D		BF1-Station E	
		Sample Date	8/28/2024		8/28/2024	
Parameter	**Units**		Result	Qualifier	Result	Qualifier
Cl6-BZ#154	MG/KG		0.042		0.057	
Cl6-BZ#155	MG/KG		0.0035	U	0.0072	U
Cl6-BZ#156	MG/KG		0.046		0.067	
Cl6-BZ#157	MG/KG		0.013	J	0.018	J
Cl6-BZ#163/#160	MG/KG		0.17		0.26	
Cl6-BZ#167	MG/KG		0.030		0.039	
Cl6-BZ#168	MG/KG		0.0035	U	0.0072	U
Cl6-BZ#169	MG/KG		0.0035	U	0.0072	U
Cl7-BZ#170	MG/KG		0.045		0.060	
Cl7-BZ#171	MG/KG		0.018		0.024	
Cl7-BZ#172	MG/KG		0.010		0.013	
Cl7-BZ#173	MG/KG		0.0035	U	0.0072	U
Cl7-BZ#174	MG/KG		0.024		0.032	
Cl7-BZ#176	MG/KG		0.0050		0.0060	J
Cl7-BZ#177	MG/KG		0.025		0.034	
Cl7-BZ#178	MG/KG		0.014		0.020	
Cl7-BZ#180	MG/KG		0.098		0.13	
Cl7-BZ#182/#175	MG/KG		0.0037	J	0.014	U
Cl7-BZ#183	MG/KG		0.034		0.045	
Cl7-BZ#184	MG/KG		0.0035	U	0.0072	U
Cl7-BZ#185	MG/KG		0.0030	J	0.0044	J
Cl7-BZ#187	MG/KG		0.086		0.12	
Cl7-BZ#188	MG/KG		0.0035	U	0.0072	U
Cl7-BZ#189	MG/KG		0.0025	J	0.0040	J
Cl7-BZ#190	MG/KG		0.0093		0.013	
Cl7-BZ#191	MG/KG		0.0029	J	0.0038	J
Cl7-BZ#193	MG/KG		0.0064		0.0063	J
Cl8-BZ#194	MG/KG		0.013		0.017	
Cl8-BZ#195	MG/KG		0.0059		0.0068	J
Cl8-BZ#196	MG/KG		0.0084		0.0065	J
Cl8-BZ#197	MG/KG		0.0035	U	0.0072	U
Cl8-BZ#199	MG/KG		0.0035	U	0.0072	U
Cl8-BZ#201	MG/KG		0.014		0.019	
Cl8-BZ#202	MG/KG		0.0049		0.0063	J
Cl8-BZ#203	MG/KG		0.0088		0.013	
Cl8-BZ#204/#200	MG/KG		0.0069	U	0.014	U
Cl8-BZ#205	MG/KG		0.0035	U	0.0072	U
Cl9-BZ#206	MG/KG		0.0071		0.0089	
Cl9-BZ#207	MG/KG		0.0035	U	0.0072	U
Cl9-BZ#208	MG/KG		0.0025	J	0.0044	J
Cl10-BZ#209	MG/KG		0.0035	U	0.0072	U

TABLE 4b - SUMMARY OF SAMPLE DATA FOR BLUE FISH (MG/KG WET WEIGHT) AREA 2 - 2024

	Sample#	AII-A-BF		AII-B-BF		AII-C-BF	
	Species	Blue Fish		Blue Fish		Blue Fish	
	Species Type	TIS		TIS		TIS	
	Area	2		2		2	
	Station	BF2-Station A		BF2-Station B		BF2-Station C	
	Sample Date	8/28/2024		8/28/2024		8/28/2024	
Parameter	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier
Lipids	PERCENT	1.5		3.1		3.6	
Total PCB Congeners[1]	MG/KG	0.92	J4	2.5	J4	3.4	J4
Total PCB Congeners Hits[2]	MG/KG	0.91		2.5		3.4	
Total NOAA Congeners[3]	MG/KG	0.37	J4	1.1	J4	1.4	J4
Total WHO Congeners[4]	MG/KG	0.066	J3	0.24	J4	0.28	J4
Total NOAA / WHO Combined[5]	MG/KG	0.38	J4	1.2	J4	1.5	J4
Cl1-BZ#1	MG/KG	0.00036	U	0.00022	J	0.00057	
Cl1-BZ#3	MG/KG	0.00036	U	0.00034	U	0.00039	U
Cl2-BZ#4/#10	MG/KG	0.00065	J	0.0010		0.0062	
Cl2-BZ#5	MG/KG	0.00036	U	0.00034	U	0.00039	U
Cl2-BZ#6	MG/KG	0.0010		0.0014		0.0068	
Cl2-BZ#7	MG/KG	0.00036	U	0.00034	U	0.00047	
Cl2-BZ#8	MG/KG	0.0015		0.0023		0.013	
Cl2-BZ#12	MG/KG	0.00036	U	0.00034	U	0.00039	U
Cl2-BZ#13	MG/KG	0.00073	U	0.00068	U	0.00077	U
Cl2-BZ#15	MG/KG	0.00036	U	0.00021	J	0.00032	J
Cl3-BZ#16	MG/KG	0.0015		0.00034	U	0.0063	
Cl3-BZ#17	MG/KG	0.0042		0.0060		0.021	
Cl3-BZ#18	MG/KG	0.0082		0.012		0.046	
Cl3-BZ#19	MG/KG	0.00092		0.0011		0.0050	
Cl3-BZ#21/#20	MG/KG	0.0012		0.0011		0.0036	
Cl3-BZ#22	MG/KG	0.0030		0.0048		0.011	
Cl3-BZ#24	MG/KG	0.00036	U	0.00034	U	0.00049	
Cl3-BZ#25	MG/KG	0.00036	U	0.00034	U	0.00039	U
Cl3-BZ#26	MG/KG	0.014		0.025		0.053	
Cl3-BZ#27	MG/KG	0.0014		0.0019		0.0070	
Cl3-BZ#28	MG/KG	0.020		0.042		0.089	
Cl3-BZ#29	MG/KG	0.00036	U	0.00034	U	0.00039	U
Cl3-BZ#31	MG/KG	0.015		0.027		0.069	
Cl3-BZ#32	MG/KG	0.0032		0.0055		0.020	
Cl3-BZ#33	MG/KG	0.0014		0.00075		0.0073	
Cl3-BZ#37	MG/KG	0.00036	U	0.0014		0.0020	
Cl4-BZ#40	MG/KG	0.0021		0.0031		0.0061	
Cl4-BZ#41	MG/KG	0.00054		0.00059		0.0017	
Cl4-BZ#42	MG/KG	0.0078		0.013		0.023	
Cl4-BZ#43	MG/KG	0.00055		0.0012		0.0018	
Cl4-BZ#44	MG/KG	0.017		0.030		0.056	
Cl4-BZ#45	MG/KG	0.0014		0.0021		0.0050	
Cl4-BZ#47	MG/KG	0.018		0.044		0.071	
Cl4-BZ#48	MG/KG	0.0017		0.0022		0.0061	
Cl4-BZ#49	MG/KG	0.048		0.11		0.18	
Cl4-BZ#50	MG/KG	0.00036	U	0.00034	U	0.00033	J
Cl4-BZ#51	MG/KG	0.0017		0.0022		0.0064	
Cl4-BZ#52	MG/KG	0.065		0.13		0.25	
Cl4-BZ#53	MG/KG	0.0045		0.0065		0.020	
Cl4-BZ#54	MG/KG	0.00036	U	0.00034	U	0.00046	
Cl4-BZ#56	MG/KG	0.0044		0.0086		0.016	

TABLE 4b - SUMMARY OF SAMPLE DATA FOR BLUE FISH (MG/KG WET WEIGHT) AREA 2 - 2024

	Sample#	AII-A-BF		AII-B-BF		AII-C-BF	
	Species	Blue Fish		Blue Fish		Blue Fish	
	Species Type	TIS		TIS		TIS	
	Area	2		2		2	
	Station	BF2-Station A		BF2-Station B		BF2-Station C	
	Sample Date	8/28/2024		8/28/2024		8/28/2024	
Parameter	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier
Cl4-BZ#60	MG/KG	0.0026		0.0067		0.011	
Cl4-BZ#63	MG/KG	0.0017		0.0048		0.0068	
Cl4-BZ#66	MG/KG	0.021		0.054		0.083	
Cl4-BZ#68/#64	MG/KG	0.011		0.025		0.043	
Cl4-BZ#70	MG/KG	0.010		0.031		0.050	
Cl4-BZ#71	MG/KG	0.0063		0.0088		0.019	
Cl4-BZ#73/#46	MG/KG	0.00082		0.0012		0.0025	
Cl4-BZ#74	MG/KG	0.012		0.037		0.055	
Cl4-BZ#76	MG/KG	0.00036	U	0.00034	U	0.00039	U
Cl4-BZ#77	MG/KG	0.00044		0.00070		0.0014	
Cl4-BZ#81	MG/KG	0.00036	U	0.00034	U	0.00039	U
Cl5-BZ#82	MG/KG	0.0027		0.0053		0.0080	
Cl5-BZ#83/#125/#112	MG/KG	0.0033		0.0076		0.010	
Cl5-BZ#85	MG/KG	0.0077		0.022		0.028	
Cl5-BZ#87/#111	MG/KG	0.0092		0.026		0.036	
Cl5-BZ#89/#84	MG/KG	0.0090		0.012		0.023	
Cl5-BZ#91	MG/KG	0.013		0.028		0.040	
Cl5-BZ#92	MG/KG	0.015		0.042		0.051	
Cl5-BZ#97	MG/KG	0.019		0.042		0.059	
Cl5-BZ#99	MG/KG	0.050		0.16		0.18	
Cl5-BZ#100	MG/KG	0.0013		0.0035		0.0045	
Cl5-BZ#101/#90	MG/KG	0.064		0.19		0.24	
Cl5-BZ#104	MG/KG	0.00036	U	0.00034	U	0.00039	U
Cl5-BZ#105	MG/KG	0.0082		0.028		0.036	
Cl5-BZ#107/#123	MG/KG	0.0052		0.017		0.019	
Cl5-BZ#110	MG/KG	0.059		0.15		0.20	
Cl5-BZ#114	MG/KG	0.0012		0.0045		0.0050	
Cl5-BZ#118	MG/KG	0.045		0.17		0.19	
Cl5-BZ#119	MG/KG	0.0045		0.013		0.016	
Cl5-BZ#121/#95/#88	MG/KG	0.029		0.059		0.091	
Cl5-BZ#124	MG/KG	0.00058		0.0028		0.0032	
Cl5-BZ#126	MG/KG	0.00036	U	0.00061		0.00065	
Cl6-BZ#128	MG/KG	0.0080		0.027		0.031	
Cl6-BZ#129/#158	MG/KG	0.0050		0.019		0.022	
Cl6-BZ#130/#164	MG/KG	0.0057		0.019		0.021	
Cl6-BZ#131	MG/KG	0.00062		0.00088		0.0015	
Cl6-BZ#132	MG/KG	0.010		0.026		0.032	
Cl6-BZ#134	MG/KG	0.0026		0.0052		0.0076	
Cl6-BZ#135	MG/KG	0.0050		0.014		0.016	
Cl6-BZ#136	MG/KG	0.0042		0.0075		0.011	
Cl6-BZ#137	MG/KG	0.0017		0.0065		0.0074	
Cl6-BZ#138	MG/KG	0.036		0.13		0.13	
Cl6-BZ#141	MG/KG	0.0026		0.0085		0.010	
Cl6-BZ#144	MG/KG	0.00094		0.0029		0.0034	
Cl6-BZ#146	MG/KG	0.011		0.039		0.038	
Cl6-BZ#147/#149	MG/KG	0.039		0.11		0.13	
Cl6-BZ#151	MG/KG	0.0056		0.017		0.020	
Cl6-BZ#153	MG/KG	0.065		0.24		0.23	

Created by: KLD 4/1/2025
Checked by: AP 4/9/2025

TABLE 4b - SUMMARY OF SAMPLE DATA FOR BLUE FISH (MG/KG WET WEIGHT) AREA 2 - 2024

	Sample#	AII-A-BF		AII-B-BF		AII-C-BF	
	Species	Blue Fish		Blue Fish		Blue Fish	
	Species Type	TIS		TIS		TIS	
	Area	2		2		2	
	Station	BF2-Station A		BF2-Station B		BF2-Station C	
	Sample Date	8/28/2024		8/28/2024		8/28/2024	
Parameter	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier
Cl6-BZ#154	MG/KG	0.0022		0.0073		0.0074	
Cl6-BZ#155	MG/KG	0.00036	U	0.00034	U	0.00039	U
Cl6-BZ#156	MG/KG	0.0023		0.010		0.013	
Cl6-BZ#157	MG/KG	0.0010		0.0034		0.0039	
Cl6-BZ#163/#160	MG/KG	0.012		0.047		0.046	
Cl6-BZ#167	MG/KG	0.0016		0.0067		0.0069	
Cl6-BZ#168	MG/KG	0.00036	U	0.00034	U	0.00039	U
Cl6-BZ#169	MG/KG	0.00036	U	0.00034	U	0.00039	U
Cl7-BZ#170	MG/KG	0.0024		0.0092		0.0099	
Cl7-BZ#171	MG/KG	0.0010		0.0036		0.0039	
Cl7-BZ#172	MG/KG	0.00058		0.0018		0.0020	
Cl7-BZ#173	MG/KG	0.00036	U	0.00034	U	0.00023	J
Cl7-BZ#174	MG/KG	0.0014		0.0045		0.0052	
Cl7-BZ#176	MG/KG	0.00029	J	0.00083		0.00090	
Cl7-BZ#177	MG/KG	0.0018		0.0059		0.0065	
Cl7-BZ#178	MG/KG	0.00089		0.0031		0.0033	
Cl7-BZ#180	MG/KG	0.0047		0.019		0.020	
Cl7-BZ#182/#175	MG/KG	0.00073	U	0.00075		0.00077	
Cl7-BZ#183	MG/KG	0.0019		0.0069		0.0072	
Cl7-BZ#184	MG/KG	0.00036	U	0.00034	U	0.00039	U
Cl7-BZ#185	MG/KG	0.00036	U	0.00034		0.00043	
Cl7-BZ#187	MG/KG	0.0054		0.019		0.019	
Cl7-BZ#188	MG/KG	0.00036	U	0.00020	J	0.00039	U
Cl7-BZ#189	MG/KG	0.00036	U	0.00065		0.00066	
Cl7-BZ#190	MG/KG	0.00041		0.0015		0.0017	
Cl7-BZ#191	MG/KG	0.00036	U	0.00050		0.00054	
Cl7-BZ#193	MG/KG	0.00036	J	0.0013		0.0014	
Cl8-BZ#194	MG/KG	0.00055		0.0017		0.0020	
Cl8-BZ#195	MG/KG	0.00036	U	0.00060		0.00062	
Cl8-BZ#196	MG/KG	0.00033	J	0.00096		0.0010	
Cl8-BZ#197	MG/KG	0.00036	U	0.00034	U	0.00039	U
Cl8-BZ#199	MG/KG	0.00036	U	0.00034	U	0.00039	U
Cl8-BZ#201	MG/KG	0.00062		0.00210		0.0023	
Cl8-BZ#202	MG/KG	0.00038		0.00087		0.00093	
Cl8-BZ#203	MG/KG	0.00035	J	0.00099		0.0013	
Cl8-BZ#204/#200	MG/KG	0.00073	U	0.00049	J	0.00058	J
Cl8-BZ#205	MG/KG	0.00036	U	0.00034	U	0.00039	U
Cl9-BZ#206	MG/KG	0.00023	J	0.00065		0.00062	
Cl9-BZ#207	MG/KG	0.00036	U	0.00034	U	0.00039	U
Cl9-BZ#208	MG/KG	0.00036	U	0.00032	J	0.00033	J
Cl10-BZ#209	MG/KG	0.00036	U	0.00034	U	0.00039	U

TABLE 4b - SUMMARY OF SAMPLE DATA FOR BLUE FISH (MG/KG WET WEIGHT) AREA 2 - 2024

	Sample#	AII-D-BF		AII-E-BF	
	Species	Blue Fish		Blue Fish	
	Species Type	TIS		TIS	
	Area	2		2	
	Station	BF2-Station D		BF2-Station E	
	Sample Date	8/29/2024		8/29/2024	
Parameter	**Units**	Result	Qualifier	Result	Qualifier
Lipids	PERCENT	2.2		3.3	
Total PCB Congeners[1]	MG/KG	4.9	J4	13	J4
Total PCB Congeners Hits[2]	MG/KG	4.9		13	
Total NOAA Congeners[3]	MG/KG	2.0	J4	5.1	J4
Total WHO Congeners[4]	MG/KG	0.35	J4	0.83	J4
Total NOAA / WHO Combined[5]	MG/KG	2.0	J4	5.3	J4
Cl1-BZ#1	MG/KG	0.00070	U	0.0015	U
Cl1-BZ#3	MG/KG	0.00070	U	0.0015	U
Cl2-BZ#4/#10	MG/KG	0.0015		0.0093	
Cl2-BZ#5	MG/KG	0.00070	U	0.0015	U
Cl2-BZ#6	MG/KG	0.0034		0.024	
Cl2-BZ#7	MG/KG	0.00070	U	0.00090	J
Cl2-BZ#8	MG/KG	0.0047		0.028	
Cl2-BZ#12	MG/KG	0.00070	U	0.0015	U
Cl2-BZ#13	MG/KG	0.0014	U	0.0030	U
Cl2-BZ#15	MG/KG	0.00070	U	0.00080	J
Cl3-BZ#16	MG/KG	0.0028		0.0099	
Cl3-BZ#17	MG/KG	0.020		0.087	
Cl3-BZ#18	MG/KG	0.042		0.18	
Cl3-BZ#19	MG/KG	0.0034		0.017	
Cl3-BZ#21/#20	MG/KG	0.0057		0.019	
Cl3-BZ#22	MG/KG	0.013		0.037	
Cl3-BZ#24	MG/KG	0.00070	U	0.00092	J
Cl3-BZ#25	MG/KG	0.041		0.0015	U
Cl3-BZ#26	MG/KG	0.093		0.31	
Cl3-BZ#27	MG/KG	0.0064		0.030	
Cl3-BZ#28	MG/KG	0.14		0.41	
Cl3-BZ#29	MG/KG	0.00070	U	0.0015	U
Cl3-BZ#31	MG/KG	0.089		0.33	
Cl3-BZ#32	MG/KG	0.021		0.080	
Cl3-BZ#33	MG/KG	0.0053		0.017	
Cl3-BZ#37	MG/KG	0.00070	U	0.0015	U
Cl4-BZ#40	MG/KG	0.0081		0.021	
Cl4-BZ#41	MG/KG	0.0017		0.0035	
Cl4-BZ#42	MG/KG	0.036		0.095	
Cl4-BZ#43	MG/KG	0.0029		0.0062	
Cl4-BZ#44	MG/KG	0.084		0.21	
Cl4-BZ#45	MG/KG	0.0061		0.016	
Cl4-BZ#47	MG/KG	0.13		0.34	
Cl4-BZ#48	MG/KG	0.0075		0.023	
Cl4-BZ#49	MG/KG	0.34		0.92	
Cl4-BZ#50	MG/KG	0.00060	J	0.0018	
Cl4-BZ#51	MG/KG	0.013		0.042	
Cl4-BZ#52	MG/KG	0.42		1.1	
Cl4-BZ#53	MG/KG	0.029		0.097	
Cl4-BZ#54	MG/KG	0.00046	J	0.0018	
Cl4-BZ#56	MG/KG	0.022		0.057	

TABLE 4b - SUMMARY OF SAMPLE DATA FOR BLUE FISH (MG/KG WET WEIGHT) AREA 2 - 2024

	Sample#	AII-D-BF		AII-E-BF	
	Species	Blue Fish		Blue Fish	
	Species Type	TIS		TIS	
	Area	2		2	
	Station	BF2-Station D		BF2-Station E	
	Sample Date	8/29/2024		8/29/2024	
Parameter	**Units**	Result	Qualifier	Result	Qualifier
Cl4-BZ#60	MG/KG	0.015		0.036	
Cl4-BZ#63	MG/KG	0.0094		0.021	
Cl4-BZ#66	MG/KG	0.11		0.26	
Cl4-BZ#68/#64	MG/KG	0.065		0.17	
Cl4-BZ#70	MG/KG	0.059		0.16	
Cl4-BZ#71	MG/KG	0.037		0.11	
Cl4-BZ#73/#46	MG/KG	0.0044		0.012	
Cl4-BZ#74	MG/KG	0.080		0.20	
Cl4-BZ#76	MG/KG	0.00070	U	0.00096	J
Cl4-BZ#77	MG/KG	0.0016		0.0044	
Cl4-BZ#81	MG/KG	0.00070	U	0.0015	U
Cl5-BZ#82	MG/KG	0.011		0.025	
Cl5-BZ#83/#125/#112	MG/KG	0.012		0.031	
Cl5-BZ#85	MG/KG	0.035		0.080	
Cl5-BZ#87/#111	MG/KG	0.047		0.11	
Cl5-BZ#89/#84	MG/KG	0.036		0.090	
Cl5-BZ#91	MG/KG	0.066		0.17	
Cl5-BZ#92	MG/KG	0.066		0.17	
Cl5-BZ#97	MG/KG	0.085		0.21	
Cl5-BZ#99	MG/KG	0.26		0.64	
Cl5-BZ#100	MG/KG	0.0092		0.024	
Cl5-BZ#101/#90	MG/KG	0.34		0.87	
Cl5-BZ#104	MG/KG	0.00070	U	0.0015	U
Cl5-BZ#105	MG/KG	0.041		0.096	
Cl5-BZ#107/#123	MG/KG	0.021		0.051	
Cl5-BZ#110	MG/KG	0.28		0.71	
Cl5-BZ#114	MG/KG	0.0067	J	0.016	J
Cl5-BZ#118	MG/KG	0.24		0.58	
Cl5-BZ#119	MG/KG	0.026		0.068	
Cl5-BZ#121/#95/#88	MG/KG	0.13		0.33	
Cl5-BZ#124	MG/KG	0.0048		0.012	
Cl5-BZ#126	MG/KG	0.00086		0.0018	
Cl6-BZ#128	MG/KG	0.035		0.083	
Cl6-BZ#129/#158	MG/KG	0.030		0.075	
Cl6-BZ#130/#164	MG/KG	0.025		0.062	
Cl6-BZ#131	MG/KG	0.0024		0.0064	
Cl6-BZ#132	MG/KG	0.037		0.092	
Cl6-BZ#134	MG/KG	0.011		0.029	
Cl6-BZ#135	MG/KG	0.021	J	0.052	J
Cl6-BZ#136	MG/KG	0.021		0.055	
Cl6-BZ#137	MG/KG	0.010		0.025	
Cl6-BZ#138	MG/KG	0.16		0.37	
Cl6-BZ#141	MG/KG	0.014		0.039	
Cl6-BZ#144	MG/KG	0.0047		0.012	
Cl6-BZ#146	MG/KG	0.046		0.11	
Cl6-BZ#147/#149	MG/KG	0.18		0.47	
Cl6-BZ#151	MG/KG	0.026		0.068	
Cl6-BZ#153	MG/KG	0.30		0.72	

Created by: KLD 4/1/2025
Checked by: AP 4/9/2025

TABLE 4b - SUMMARY OF SAMPLE DATA FOR BLUE FISH (MG/KG WET WEIGHT) AREA 2 - 2024

		Sample#	AII-D-BF		AII-E-BF	
		Species	Blue Fish		Blue Fish	
		Species Type	TIS		TIS	
		Area	2		2	
		Station	BF2-Station D		BF2-Station E	
		Sample Date	8/29/2024		8/29/2024	
Parameter	**Units**		Result	Qualifier	Result	Qualifier
Cl6-BZ#154	MG/KG		0.013		0.033	
Cl6-BZ#155	MG/KG		0.00070	U	0.0015	U
Cl6-BZ#156	MG/KG		0.016		0.041	
Cl6-BZ#157	MG/KG		0.0047	J	0.011	J
Cl6-BZ#163/#160	MG/KG		0.058		0.15	
Cl6-BZ#167	MG/KG		0.0095		0.024	
Cl6-BZ#168	MG/KG		0.00070	U	0.0015	U
Cl6-BZ#169	MG/KG		0.00070	U	0.0015	U
Cl7-BZ#170	MG/KG		0.015		0.039	
Cl7-BZ#171	MG/KG		0.0055		0.014	
Cl7-BZ#172	MG/KG		0.0029		0.0078	
Cl7-BZ#173	MG/KG		0.00070	U	0.0010	J
Cl7-BZ#174	MG/KG		0.0068		0.019	
Cl7-BZ#176	MG/KG		0.0015		0.0041	
Cl7-BZ#177	MG/KG		0.0077		0.020	
Cl7-BZ#178	MG/KG		0.0045		0.012	
Cl7-BZ#180	MG/KG		0.032		0.082	
Cl7-BZ#182/#175	MG/KG		0.0011	J	0.0028	J
Cl7-BZ#183	MG/KG		0.011		0.028	
Cl7-BZ#184	MG/KG		0.00070	U	0.0015	U
Cl7-BZ#185	MG/KG		0.00077		0.0023	
Cl7-BZ#187	MG/KG		0.028		0.073	
Cl7-BZ#188	MG/KG		0.00070	U	0.00090	J
Cl7-BZ#189	MG/KG		0.00096		0.0022	
Cl7-BZ#190	MG/KG		0.0030		0.0081	
Cl7-BZ#191	MG/KG		0.00092		0.0022	
Cl7-BZ#193	MG/KG		0.0019		0.0048	
Cl8-BZ#194	MG/KG		0.0042		0.011	
Cl8-BZ#195	MG/KG		0.0014		0.0039	
Cl8-BZ#196	MG/KG		0.0020		0.0053	
Cl8-BZ#197	MG/KG		0.00070	U	0.0015	U
Cl8-BZ#199	MG/KG		0.00070	U	0.00096	J
Cl8-BZ#201	MG/KG		0.0040		0.012	
Cl8-BZ#202	MG/KG		0.0016		0.0041	
Cl8-BZ#203	MG/KG		0.0032		0.0080	
Cl8-BZ#204/#200	MG/KG		0.00080	J	0.0020	J
Cl8-BZ#205	MG/KG		0.00070	U	0.0015	U
Cl9-BZ#206	MG/KG		0.0019		0.0052	
Cl9-BZ#207	MG/KG		0.00070	U	0.00079	J
Cl9-BZ#208	MG/KG		0.00071		0.0023	
Cl10-BZ#209	MG/KG		0.00064	J	0.0016	

TABLE 4c - SUMMARY OF SAMPLE DATA FOR BLUE FISH (MG/KG WET WEIGHT) AREA 3 - 2024

	Sample#	AIII-A-BF		AIII-B-BF		AIII-C-BF	
	Species	Blue Fish		Blue Fish		Blue Fish	
	Species Type	TIS		TIS		TIS	
	Area	3		3		3	
	Station	BF3-Station A		BF3-Station B		BF3-Station C	
	Sample Date	8/28/2024		8/28/2024		8/28/2024	
Parameter	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier
Lipids	PERCENT	2.9		2.0		3.0	
Total PCB Congeners[1]	MG/KG	0.30	J3	0.20	J3	0.17	J3
Total PCB Congeners Hits[2]	MG/KG	0.29		0.19		0.16	
Total NOAA Congeners[3]	MG/KG	0.13	J4	0.092	J4	0.074	J4
Total WHO Congeners[4]	MG/KG	0.030	J3	0.021	J3	0.016	J3
Total NOAA / WHO Combined[5]	MG/KG	0.14	J3	0.098	J3	0.079	J3
Cl1-BZ#1	MG/KG	0.00036	U	0.00037	U	0.00038	U
Cl1-BZ#3	MG/KG	0.00036	U	0.00037	U	0.00038	U
Cl2-BZ#4/#10	MG/KG	0.00073	U	0.00075	U	0.00075	U
Cl2-BZ#5	MG/KG	0.00036	U	0.00037	U	0.00038	U
Cl2-BZ#6	MG/KG	0.00036	U	0.00037	U	0.00038	U
Cl2-BZ#7	MG/KG	0.00036	U	0.00037	U	0.00038	U
Cl2-BZ#8	MG/KG	0.00035	J	0.00033	J	0.00026	J
Cl2-BZ#12	MG/KG	0.00036	U	0.00037	U	0.00038	U
Cl2-BZ#13	MG/KG	0.00073	U	0.00075	U	0.00075	U
Cl2-BZ#15	MG/KG	0.00036	U	0.00037	U	0.00038	U
Cl3-BZ#16	MG/KG	0.00036	U	0.00037	U	0.00038	U
Cl3-BZ#17	MG/KG	0.00062		0.00043		0.00039	
Cl3-BZ#18	MG/KG	0.00084		0.00058		0.00073	
Cl3-BZ#19	MG/KG	0.00036	U	0.00037	U	0.00038	U
Cl3-BZ#21/#20	MG/KG	0.00073	U	0.00075	U	0.00075	U
Cl3-BZ#22	MG/KG	0.00036	U	0.00037	U	0.00038	U
Cl3-BZ#24	MG/KG	0.00036	U	0.00037	U	0.00038	U
Cl3-BZ#25	MG/KG	0.00036	U	0.00037	U	0.00038	U
Cl3-BZ#26	MG/KG	0.0013		0.00083		0.0011	
Cl3-BZ#27	MG/KG	0.00036	U	0.00037	U	0.00038	U
Cl3-BZ#28	MG/KG	0.0028		0.0020		0.0017	
Cl3-BZ#29	MG/KG	0.00036	U	0.00037	U	0.00038	U
Cl3-BZ#31	MG/KG	0.0021		0.0010		0.0020	
Cl3-BZ#32	MG/KG	0.00059		0.00044		0.00045	
Cl3-BZ#33	MG/KG	0.00038		0.00037	U	0.00038	U
Cl3-BZ#37	MG/KG	0.00036	U	0.00037	U	0.00038	U
Cl4-BZ#40	MG/KG	0.00039		0.00037	U	0.00038	U
Cl4-BZ#41	MG/KG	0.00036	U	0.00037	U	0.00038	U
Cl4-BZ#42	MG/KG	0.0013		0.00071		0.00083	
Cl4-BZ#43	MG/KG	0.00036	U	0.00037	U	0.00038	U
Cl4-BZ#44	MG/KG	0.0025		0.0014		0.0017	
Cl4-BZ#45	MG/KG	0.00023	J	0.00037	U	0.00038	U
Cl4-BZ#47	MG/KG	0.0035		0.0021		0.0022	
Cl4-BZ#48	MG/KG	0.00033	J	0.00037	U	0.00038	U
Cl4-BZ#49	MG/KG	0.0081		0.0045		0.0051	
Cl4-BZ#50	MG/KG	0.00036	U	0.00037	U	0.00038	U
Cl4-BZ#51	MG/KG	0.00032	J	0.00022	J	0.00023	J
Cl4-BZ#52	MG/KG	0.011		0.0060		0.0075	
Cl4-BZ#53	MG/KG	0.00085		0.00044		0.00054	
Cl4-BZ#54	MG/KG	0.00036	U	0.00037	U	0.00038	U
Cl4-BZ#56	MG/KG	0.0010		0.00063		0.00056	

TABLE 4c - SUMMARY OF SAMPLE DATA FOR BLUE FISH (MG/KG WET WEIGHT) AREA 3 - 2024

		Sample#	AIII-A-BF		AIII-B-BF		AIII-C-BF	
		Species	Blue Fish		Blue Fish		Blue Fish	
		Species Type	TIS		TIS		TIS	
		Area	3		3		3	
		Station	BF3-Station A		BF3-Station B		BF3-Station C	
		Sample Date	8/28/2024		8/28/2024		8/28/2024	
Parameter	**Units**		Result	Qualifier	Result	Qualifier	Result	Qualifier
Cl4-BZ#60	MG/KG		0.00037		0.00030	J	0.00031	J
Cl4-BZ#63	MG/KG		0.00046		0.00036	J	0.00026	J
Cl4-BZ#66	MG/KG		0.0057		0.0035		0.0032	
Cl4-BZ#68/#64	MG/KG		0.0017		0.00093		0.0011	
Cl4-BZ#70	MG/KG		0.0023		0.0014		0.0016	
Cl4-BZ#71	MG/KG		0.0011		0.00062		0.00064	
Cl4-BZ#73/#46	MG/KG		0.00073	U	0.00075	U	0.00075	U
Cl4-BZ#74	MG/KG		0.0024		0.0016		0.0015	
Cl4-BZ#76	MG/KG		0.00036	U	0.00037	U	0.00038	U
Cl4-BZ#77	MG/KG		0.00036	U	0.00037	U	0.00038	U
Cl4-BZ#81	MG/KG		0.00036	U	0.00037	U	0.00038	U
Cl5-BZ#82	MG/KG		0.00083		0.00048		0.00038	U
Cl5-BZ#83/#125/#112	MG/KG		0.0010	J	0.00058	J	0.00059	J
Cl5-BZ#85	MG/KG		0.0029		0.0017		0.0014	
Cl5-BZ#87/#111	MG/KG		0.0024		0.0014		0.0015	
Cl5-BZ#89/#84	MG/KG		0.0019		0.0012		0.0012	
Cl5-BZ#91	MG/KG		0.0033		0.0018		0.0017	
Cl5-BZ#92	MG/KG		0.0047		0.0027		0.0026	
Cl5-BZ#97	MG/KG		0.0058		0.0034		0.0027	
Cl5-BZ#99	MG/KG		0.021		0.013		0.011	
Cl5-BZ#100	MG/KG		0.00046		0.00027	J	0.00027	J
Cl5-BZ#101/#90	MG/KG		0.022		0.013		0.012	
Cl5-BZ#104	MG/KG		0.00036	U	0.00037	U	0.00038	U
Cl5-BZ#105	MG/KG		0.0030		0.0020		0.0017	
Cl5-BZ#107/#123	MG/KG		0.0028		0.0021		0.0014	
Cl5-BZ#110	MG/KG		0.016		0.0082		0.0085	
Cl5-BZ#114	MG/KG		0.00067		0.00048		0.00032	J
Cl5-BZ#118	MG/KG		0.020		0.014		0.011	
Cl5-BZ#119	MG/KG		0.0015		0.00096		0.00081	
Cl5-BZ#121/#95/#88	MG/KG		0.0070		0.0036		0.0038	
Cl5-BZ#124	MG/KG		0.00036	U	0.00037	U	0.00038	U
Cl5-BZ#126	MG/KG		0.00036	U	0.00037	U	0.00038	U
Cl6-BZ#128	MG/KG		0.0045		0.0031		0.0023	
Cl6-BZ#129/#158	MG/KG		0.0020		0.0013		0.0012	
Cl6-BZ#130/#164	MG/KG		0.0026		0.0017		0.0014	
Cl6-BZ#131	MG/KG		0.00018	J	0.00037	U	0.00038	U
Cl6-BZ#132	MG/KG		0.0035		0.0020		0.0018	
Cl6-BZ#134	MG/KG		0.0012		0.00060		0.00050	
Cl6-BZ#135	MG/KG		0.0019		0.0011		0.0010	
Cl6-BZ#136	MG/KG		0.0013		0.00072		0.00067	
Cl6-BZ#137	MG/KG		0.00076		0.00041		0.00036	J
Cl6-BZ#138	MG/KG		0.018		0.013		0.0094	
Cl6-BZ#141	MG/KG		0.00088		0.00059		0.00051	
Cl6-BZ#144	MG/KG		0.00042		0.00024	J	0.00038	U
Cl6-BZ#146	MG/KG		0.0066		0.0050		0.0036	
Cl6-BZ#147/#149	MG/KG		0.016		0.0095		0.0077	
Cl6-BZ#151	MG/KG		0.0023		0.0015		0.0012	
Cl6-BZ#153	MG/KG		0.036		0.027		0.019	

Created by: KLD 4/1/2025
Checked by: AP 4/9/2025

TABLE 4c - SUMMARY OF SAMPLE DATA FOR BLUE FISH (MG/KG WET WEIGHT) AREA 3 - 2024

	Sample#	AIII-A-BF		AIII-B-BF		AIII-C-BF	
	Species	Blue Fish		Blue Fish		Blue Fish	
	Species Type	TIS		TIS		TIS	
	Area	3		3		3	
	Station	BF3-Station A		BF3-Station B		BF3-Station C	
	Sample Date	8/28/2024		8/28/2024		8/28/2024	
Parameter	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier
Cl6-BZ#154	MG/KG	0.0010		0.00076		0.00053	
Cl6-BZ#155	MG/KG	0.00036	U	0.00037	U	0.00038	U
Cl6-BZ#156	MG/KG	0.0012		0.0010		0.00072	
Cl6-BZ#157	MG/KG	0.00067		0.00046		0.00037	J
Cl6-BZ#163/#160	MG/KG	0.0078		0.0055		0.0040	
Cl6-BZ#167	MG/KG	0.00080		0.00063		0.00048	
Cl6-BZ#168	MG/KG	0.00036	U	0.00037	U	0.00038	U
Cl6-BZ#169	MG/KG	0.00036	U	0.00037	U	0.00038	U
Cl7-BZ#170	MG/KG	0.0015		0.0012		0.00088	
Cl7-BZ#171	MG/KG	0.00055		0.00046		0.00036	J
Cl7-BZ#172	MG/KG	0.00031	J	0.00026	J	0.00038	U
Cl7-BZ#173	MG/KG	0.00036	U	0.00037	U	0.00038	U
Cl7-BZ#174	MG/KG	0.00077		0.00056		0.00040	
Cl7-BZ#176	MG/KG	0.00036	U	0.00037	U	0.00038	U
Cl7-BZ#177	MG/KG	0.0012		0.00093		0.00072	
Cl7-BZ#178	MG/KG	0.00064		0.00057		0.00041	
Cl7-BZ#180	MG/KG	0.0029		0.0023		0.0017	
Cl7-BZ#182/#175	MG/KG	0.00073	U	0.00075	U	0.00075	U
Cl7-BZ#183	MG/KG	0.0010		0.00080		0.00064	
Cl7-BZ#184	MG/KG	0.00036	U	0.00037	U	0.00038	U
Cl7-BZ#185	MG/KG	0.00036	U	0.00037	U	0.00038	U
Cl7-BZ#187	MG/KG	0.0034		0.0030		0.0022	
Cl7-BZ#188	MG/KG	0.00036	U	0.00037	U	0.00038	U
Cl7-BZ#189	MG/KG	0.00036	U	0.00037	U	0.00038	U
Cl7-BZ#190	MG/KG	0.00020	J	0.00037	U	0.00038	U
Cl7-BZ#191	MG/KG	0.00036	U	0.00037	U	0.00038	U
Cl7-BZ#193	MG/KG	0.00021	J	0.00021	J	0.00038	U
Cl8-BZ#194	MG/KG	0.00040		0.00043		0.00038	U
Cl8-BZ#195	MG/KG	0.00036	U	0.00037	U	0.00038	U
Cl8-BZ#196	MG/KG	0.00022	J	0.00024	J	0.00038	U
Cl8-BZ#197	MG/KG	0.00036	U	0.00037	U	0.00038	U
Cl8-BZ#199	MG/KG	0.00036	U	0.00037	U	0.00038	U
Cl8-BZ#201	MG/KG	0.00054		0.00058		0.00035	J
Cl8-BZ#202	MG/KG	0.00030	J	0.00034	J	0.00022	J
Cl8-BZ#203	MG/KG	0.00036	U	0.00022	J	0.00038	U
Cl8-BZ#204/#200	MG/KG	0.00073	U	0.00075	U	0.00075	U
Cl8-BZ#205	MG/KG	0.00036	U	0.00037	U	0.00038	U
Cl9-BZ#206	MG/KG	0.00036	U	0.00022	J	0.00038	U
Cl9-BZ#207	MG/KG	0.00036	U	0.00037	U	0.00038	U
Cl9-BZ#208	MG/KG	0.00036	U	0.00021	J	0.00038	U
Cl10-BZ#209	MG/KG	0.00036	U	0.00037	U	0.00038	U

Created by: KLD 4/1/2025
Checked by: AP 4/9/2025

TABLE 4c - SUMMARY OF SAMPLE DATA FOR BLUE FISH (MG/KG WET WEIGHT) AREA 3 - 2024

		Sample#	AIII-D-BF		AIII-E-BF	
		Species	Blue Fish		Blue Fish	
		Species Type	TIS		TIS	
		Area	3		3	
		Station	BF3-Station D		BF3-Station E	
		Sample Date	8/28/2024		8/28/2024	
Parameter	**Units**		Result	Qualifier	Result	Qualifier
Lipids	PERCENT		2.2		2.4	
Total PCB Congeners[1]	MG/KG		0.14	J3	0.042	J2
Total PCB Congeners Hits[2]	MG/KG		0.13		0.023	
Total NOAA Congeners[3]	MG/KG		0.065	J4	0.014	J3
Total WHO Congeners[4]	MG/KG		0.014	J3	0.0042	J2
Total NOAA / WHO Combined[5]	MG/KG		0.069	J3	0.016	J2
Cl1-BZ#1	MG/KG		0.00033	U	0.00035	U
Cl1-BZ#3	MG/KG		0.00033	U	0.00035	U
Cl2-BZ#4/#10	MG/KG		0.00067	U	0.00069	U
Cl2-BZ#5	MG/KG		0.00033	U	0.00035	U
Cl2-BZ#6	MG/KG		0.00019	J	0.00035	U
Cl2-BZ#7	MG/KG		0.00033	U	0.00035	U
Cl2-BZ#8	MG/KG		0.00032	J	0.00035	U
Cl2-BZ#12	MG/KG		0.00033	U	0.00035	U
Cl2-BZ#13	MG/KG		0.00067	U	0.00069	U
Cl2-BZ#15	MG/KG		0.00033	U	0.00035	U
Cl3-BZ#16	MG/KG		0.00033	U	0.00035	U
Cl3-BZ#17	MG/KG		0.00037		0.00035	U
Cl3-BZ#18	MG/KG		0.00053		0.00035	U
Cl3-BZ#19	MG/KG		0.00033	U	0.00035	U
Cl3-BZ#21/#20	MG/KG		0.00067	U	0.00069	U
Cl3-BZ#22	MG/KG		0.00033	U	0.00035	U
Cl3-BZ#24	MG/KG		0.00033	U	0.00035	U
Cl3-BZ#25	MG/KG		0.00033	U	0.00035	U
Cl3-BZ#26	MG/KG		0.00067		0.00035	U
Cl3-BZ#27	MG/KG		0.00033	U	0.00035	U
Cl3-BZ#28	MG/KG		0.0015		0.00035	U
Cl3-BZ#29	MG/KG		0.00033	U	0.00035	U
Cl3-BZ#31	MG/KG		0.00033	U	0.00035	U
Cl3-BZ#32	MG/KG		0.00045		0.00035	U
Cl3-BZ#33	MG/KG		0.00033	U	0.00035	U
Cl3-BZ#37	MG/KG		0.00033	U	0.00035	U
Cl4-BZ#40	MG/KG		0.00033	U	0.00035	U
Cl4-BZ#41	MG/KG		0.00033	U	0.00035	U
Cl4-BZ#42	MG/KG		0.00063		0.00035	U
Cl4-BZ#43	MG/KG		0.00033	U	0.00035	U
Cl4-BZ#44	MG/KG		0.0011		0.00022	J
Cl4-BZ#45	MG/KG		0.00033	U	0.00035	U
Cl4-BZ#47	MG/KG		0.0016		0.00031	J
Cl4-BZ#48	MG/KG		0.00033	U	0.00035	U
Cl4-BZ#49	MG/KG		0.0036		0.00088	
Cl4-BZ#50	MG/KG		0.00033	U	0.00035	U
Cl4-BZ#51	MG/KG		0.00019	J	0.00035	U
Cl4-BZ#52	MG/KG		0.0055		0.00035	U
Cl4-BZ#53	MG/KG		0.00040		0.00035	U
Cl4-BZ#54	MG/KG		0.00033	U	0.00035	U
Cl4-BZ#56	MG/KG		0.00054		0.00035	U

TABLE 4c - SUMMARY OF SAMPLE DATA FOR BLUE FISH (MG/KG WET WEIGHT) AREA 3 - 2024

		Sample#	AIII-D-BF		AIII-E-BF	
		Species	Blue Fish		Blue Fish	
		Species Type	TIS		TIS	
		Area	3		3	
		Station	BF3-Station D		BF3-Station E	
		Sample Date	8/28/2024		8/28/2024	
Parameter	**Units**		Result	Qualifier	Result	Qualifier
Cl4-BZ#60	MG/KG		0.00021	J	0.00035	U
Cl4-BZ#63	MG/KG		0.00025	J	0.00035	U
Cl4-BZ#66	MG/KG		0.0027		0.00053	
Cl4-BZ#68/#64	MG/KG		0.00074		0.00069	U
Cl4-BZ#70	MG/KG		0.0013		0.00028	J
Cl4-BZ#71	MG/KG		0.00052		0.00035	U
Cl4-BZ#73/#46	MG/KG		0.00067	U	0.00069	U
Cl4-BZ#74	MG/KG		0.0011		0.00023	J
Cl4-BZ#76	MG/KG		0.00033	U	0.00035	U
Cl4-BZ#77	MG/KG		0.00033	U	0.00035	U
Cl4-BZ#81	MG/KG		0.00033	U	0.00035	U
Cl5-BZ#82	MG/KG		0.00036		0.00035	U
Cl5-BZ#83/#125/#112	MG/KG		0.0010	U	0.0010	U
Cl5-BZ#85	MG/KG		0.0012		0.00033	J
Cl5-BZ#87/#111	MG/KG		0.00090		0.00069	U
Cl5-BZ#89/#84	MG/KG		0.00093		0.00069	U
Cl5-BZ#91	MG/KG		0.0013		0.00020	J
Cl5-BZ#92	MG/KG		0.0018		0.00029	J
Cl5-BZ#97	MG/KG		0.0023		0.00037	
Cl5-BZ#99	MG/KG		0.0092		0.0019	
Cl5-BZ#100	MG/KG		0.00022	J	0.00035	U
Cl5-BZ#101/#90	MG/KG		0.0087		0.0016	
Cl5-BZ#104	MG/KG		0.00033	U	0.00035	U
Cl5-BZ#105	MG/KG		0.0014		0.00035	
Cl5-BZ#107/#123	MG/KG		0.0013		0.00038	J
Cl5-BZ#110	MG/KG		0.0057		0.00074	
Cl5-BZ#114	MG/KG		0.00035		0.00035	U
Cl5-BZ#118	MG/KG		0.0091		0.0019	
Cl5-BZ#119	MG/KG		0.00059		0.00035	U
Cl5-BZ#121/#95/#88	MG/KG		0.0028		0.00061	J
Cl5-BZ#124	MG/KG		0.00033	U	0.00035	U
Cl5-BZ#126	MG/KG		0.00033	U	0.00035	U
Cl6-BZ#128	MG/KG		0.0020		0.00051	
Cl6-BZ#129/#158	MG/KG		0.00085		0.00069	U
Cl6-BZ#130/#164	MG/KG		0.0011		0.00069	U
Cl6-BZ#131	MG/KG		0.00033	U	0.00035	U
Cl6-BZ#132	MG/KG		0.0014		0.00021	J
Cl6-BZ#134	MG/KG		0.00045		0.00035	U
Cl6-BZ#135	MG/KG		0.00089		0.00035	U
Cl6-BZ#136	MG/KG		0.00056		0.00035	U
Cl6-BZ#137	MG/KG		0.00030	J	0.00035	U
Cl6-BZ#138	MG/KG		0.0085		0.0018	
Cl6-BZ#141	MG/KG		0.00035		0.00035	U
Cl6-BZ#144	MG/KG		0.00020	J	0.00035	U
Cl6-BZ#146	MG/KG		0.0033		0.00086	
Cl6-BZ#147/#149	MG/KG		0.0066		0.0010	
Cl6-BZ#151	MG/KG		0.0010		0.00018	J
Cl6-BZ#153	MG/KG		0.019		0.0044	

Created by: KLD 4/1/2025
Checked by: AP 4/9/2025

TABLE 4c - SUMMARY OF SAMPLE DATA FOR BLUE FISH (MG/KG WET WEIGHT) AREA 3 - 2024

		Sample#	AIII-D-BF		AIII-E-BF	
		Species	Blue Fish		Blue Fish	
		Species Type	TIS		TIS	
		Area	3		3	
		Station	BF3-Station D		BF3-Station E	
		Sample Date	8/28/2024		8/28/2024	
Parameter	**Units**		Result	Qualifier	Result	Qualifier
Cl6-BZ#154	MG/KG		0.00055		0.00035	U
Cl6-BZ#155	MG/KG		0.00033	U	0.00035	U
Cl6-BZ#156	MG/KG		0.00060		0.00035	U
Cl6-BZ#157	MG/KG		0.00039		0.00035	U
Cl6-BZ#163/#160	MG/KG		0.0035		0.00075	
Cl6-BZ#167	MG/KG		0.00041		0.00035	U
Cl6-BZ#168	MG/KG		0.00033	U	0.00035	U
Cl6-BZ#169	MG/KG		0.00033	U	0.00035	U
Cl7-BZ#170	MG/KG		0.00086		0.00024	J
Cl7-BZ#171	MG/KG		0.00031	J	0.00035	U
Cl7-BZ#172	MG/KG		0.00021	J	0.00035	U
Cl7-BZ#173	MG/KG		0.00033	U	0.00035	U
Cl7-BZ#174	MG/KG		0.00035		0.00035	U
Cl7-BZ#176	MG/KG		0.00033	U	0.00035	U
Cl7-BZ#177	MG/KG		0.00065		0.00018	J
Cl7-BZ#178	MG/KG		0.00041		0.00017	J
Cl7-BZ#180	MG/KG		0.0016		0.00041	
Cl7-BZ#182/#175	MG/KG		0.00067	U	0.00069	U
Cl7-BZ#183	MG/KG		0.00063		0.00018	J
Cl7-BZ#184	MG/KG		0.00033	U	0.00035	U
Cl7-BZ#185	MG/KG		0.00033	U	0.00035	U
Cl7-BZ#187	MG/KG		0.0022		0.00067	
Cl7-BZ#188	MG/KG		0.00033	U	0.00035	U
Cl7-BZ#189	MG/KG		0.00033	U	0.00035	U
Cl7-BZ#190	MG/KG		0.00033	U	0.00035	U
Cl7-BZ#191	MG/KG		0.00033	U	0.00035	U
Cl7-BZ#193	MG/KG		0.00033	U	0.00035	U
Cl8-BZ#194	MG/KG		0.00027	J	0.00035	U
Cl8-BZ#195	MG/KG		0.00033	U	0.00035	U
Cl8-BZ#196	MG/KG		0.00018	J	0.00035	U
Cl8-BZ#197	MG/KG		0.00033	U	0.00035	U
Cl8-BZ#199	MG/KG		0.00033	U	0.00035	U
Cl8-BZ#201	MG/KG		0.00043		0.00035	U
Cl8-BZ#202	MG/KG		0.00019	J	0.00035	U
Cl8-BZ#203	MG/KG		0.00020	J	0.00035	U
Cl8-BZ#204/#200	MG/KG		0.00067	U	0.00069	U
Cl8-BZ#205	MG/KG		0.00033	U	0.00035	U
Cl9-BZ#206	MG/KG		0.00033	U	0.00035	U
Cl9-BZ#207	MG/KG		0.00033	U	0.00035	U
Cl9-BZ#208	MG/KG		0.00033	U	0.00035	U
Cl10-BZ#209	MG/KG		0.00033	U	0.00035	U

TABLE 5a - SUMMARY OF SAMPLE DATA FOR CONCH (MG/KG WET WEIGHT) AREA 2 - 2024

		Sample#	NBH24-SF-A-2		NBH24-SF-B-2		NBH24-SF-C-2		NBH24-SF-D-2		NBH24-SF-E-2	
		Species	Conch		Conch		Conch		Conch		Conch	
		Species Type	TIS		TIS		TIS		TIS		TIS	
		Area	2		2		2		2		2	
		Station	CN2-Station A		CN2-Station B		CN2-Station C		CN2-Station D		CN2-Station E	
		Sample Date	7/3/2024		6/25/2024		10/28/2024		10/23/2024		10/24/2024	
Parameter	**Units**		Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
Lipids	PERCENT		0.63		0.46		0.61		0.61		0.69	
Total PCB Congeners[1]	MG/KG		0.29	J3	0.13	J3	0.22	J3	0.29	J3	0.32	J3
Total PCB Congeners Hits[2]	MG/KG		0.28		0.12		0.21		0.28		0.31	
Total NOAA Congeners[3]	MG/KG		0.14	J4	0.060	J3	0.096	J4	0.14	J4	0.15	J4
Total WHO Congeners[4]	MG/KG		0.024	J3	0.013	J3	0.017	J3	0.027	J3	0.020	J3
Total NOAA / WHO Combined[5]	MG/KG		0.15	J4	0.065	J3	0.10	J3	0.15	J3	0.15	J3
Cl1-BZ#1	MG/KG		0.00038	U	0.00036	U	0.00038	U	0.00036	U	0.00034	U
Cl1-BZ#3	MG/KG		0.00038	U	0.00036	U	0.00038	U	0.00036	U	0.00034	U
Cl2-BZ#4/#10	MG/KG		0.00075	U	0.00071	U	0.00076	U	0.00073	U	0.00069	U
Cl2-BZ#5	MG/KG		0.00038	U	0.00036	U	0.00038	U	0.00036	U	0.00034	U
Cl2-BZ#6	MG/KG		0.00019	J	0.00036	U	0.00024	J	0.00025	J	0.00035	
Cl2-BZ#7	MG/KG		0.00038	U	0.00036	U	0.00038	U	0.00036	U	0.00034	U
Cl2-BZ#8	MG/KG		0.00038	U	0.00036	U	0.00038	U	0.00036	U	0.00034	U
Cl2-BZ#12	MG/KG		0.00038	U	0.00036	U	0.00038	U	0.00036	U	0.00034	U
Cl2-BZ#13	MG/KG		0.00075	U	0.00071	U	0.00076	U	0.00073	U	0.00069	U
Cl2-BZ#15	MG/KG		0.00038	U	0.00036	U	0.00023	J	0.00019	J	0.00027	J
Cl3-BZ#16	MG/KG		0.00038	U	0.00036	U	0.00038	U	0.00036	U	0.00034	U
Cl3-BZ#17	MG/KG		0.00038	U	0.00036	U	0.00038	U	0.00036	U	0.00033	J
Cl3-BZ#18	MG/KG		0.00051		0.00038		0.0014		0.0011		0.0016	
Cl3-BZ#19	MG/KG		0.00038	U	0.00036	U	0.00038	U	0.00036	U	0.00034	U
Cl3-BZ#21/#20	MG/KG		0.00075	U	0.00071	U	0.00076	U	0.00073	U	0.00045	J
Cl3-BZ#22	MG/KG		0.00038	U	0.00036	U	0.00039		0.00036	J	0.00054	
Cl3-BZ#24	MG/KG		0.00038	U	0.00036	U	0.00038	U	0.00036	U	0.00034	U
Cl3-BZ#25	MG/KG		0.00038	U	0.00036	U	0.00038	U	0.00036	U	0.00034	U
Cl3-BZ#26	MG/KG		0.0016		0.00084		0.0025		0.0024		0.0038	
Cl3-BZ#27	MG/KG		0.00038	U	0.00036	U	0.00020	J	0.00019	J	0.00030	J
Cl3-BZ#28	MG/KG		0.00080		0.00037		0.0012		0.0010		0.0022	
Cl3-BZ#29	MG/KG		0.00038	U	0.00036	U	0.00038	U	0.00036	U	0.00034	U
Cl3-BZ#31	MG/KG		0.0021		0.0010		0.0036		0.0032		0.0062	
Cl3-BZ#32	MG/KG		0.00038	U	0.00036	U	0.00028	J	0.00024	J	0.00035	
Cl3-BZ#33	MG/KG		0.00038	U	0.00036	U	0.00038	U	0.00036	U	0.00034	U
Cl3-BZ#37	MG/KG		0.00020	J	0.00036	U	0.00038	U	0.00028	J	0.00027	J
Cl4-BZ#40	MG/KG		0.00024	J	0.00036	U	0.00045		0.00033	J	0.00044	
Cl4-BZ#41	MG/KG		0.00038	U	0.00036	U	0.00038	U	0.00036	U	0.00034	U
Cl4-BZ#42	MG/KG		0.00063		0.00035	J	0.00080		0.00079		0.0011	
Cl4-BZ#43	MG/KG		0.00038	U	0.00036	U	0.00038	U	0.00036	U	0.00034	U
Cl4-BZ#44	MG/KG		0.0031		0.0015		0.0037		0.0040		0.0050	
Cl4-BZ#45	MG/KG		0.00038	U	0.00036	U	0.00038	U	0.00036	U	0.00034	U
Cl4-BZ#47	MG/KG		0.00091		0.00041		0.0012		0.0011		0.0018	
Cl4-BZ#48	MG/KG		0.00038	U	0.00036	U	0.00038	U	0.00036	U	0.00034	U
Cl4-BZ#49	MG/KG		0.0085		0.0039		0.0091		0.0097		0.015	
Cl4-BZ#50	MG/KG		0.00038	U	0.00036	U	0.00038	U	0.00036	U	0.00034	U
Cl4-BZ#51	MG/KG		0.00038	U	0.00036	U	0.00038	U	0.00036	U	0.00034	U
Cl4-BZ#52	MG/KG		0.011		0.0055		0.013		0.013		0.018	
Cl4-BZ#53	MG/KG		0.00038	U	0.00036	U	0.00038	U	0.00036	U	0.00022	J
Cl4-BZ#54	MG/KG		0.00038	U	0.00036	U	0.00038	U	0.00036	U	0.00034	U
Cl4-BZ#56	MG/KG		0.00064		0.00030	J	0.00074		0.00074		0.00085	
Cl4-BZ#60	MG/KG		0.00053		0.00021	J	0.00049		0.00077		0.00078	
Cl4-BZ#63	MG/KG		0.00049		0.00030	J	0.00045		0.00071		0.00067	
Cl4-BZ#66	MG/KG		0.0041		0.0020		0.0037		0.0059		0.0059	
Cl4-BZ#68/#64	MG/KG		0.0020		0.0011		0.0026		0.0029		0.0037	
Cl4-BZ#70	MG/KG		0.0034		0.0015		0.0030		0.0030		0.0046	
Cl4-BZ#71	MG/KG		0.00040		0.00028	J	0.00065		0.00062		0.00079	

TABLE 5a - SUMMARY OF SAMPLE DATA FOR CONCH (MG/KG WET WEIGHT) AREA 2 - 2024

		Sample#	NBH24-SF-A-2		NBH24-SF-B-2		NBH24-SF-C-2		NBH24-SF-D-2		NBH24-SF-E-2	
		Species	Conch		Conch		Conch		Conch		Conch	
		Species Type	TIS		TIS		TIS		TIS		TIS	
		Area	2		2		2		2		2	
		Station	CN2-Station A		CN2-Station B		CN2-Station C		CN2-Station D		CN2-Station E	
		Sample Date	7/3/2024		6/25/2024		10/28/2024		10/23/2024		10/24/2024	
Parameter	**Units**		Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
Cl4-BZ#73/#46	MG/KG		0.00075	U	0.00071	U	0.00076	U	0.00073	U	0.00069	U
Cl4-BZ#74	MG/KG		0.0017		0.00086		0.0019		0.0030		0.0027	
Cl4-BZ#76	MG/KG		0.00038	U	0.00036	U	0.00038	U	0.00036	U	0.00034	U
Cl4-BZ#77	MG/KG		0.00038	U	0.00036	U	0.00038	U	0.00036	U	0.00034	U
Cl4-BZ#81	MG/KG		0.00038	U	0.00036	U	0.00038	U	0.00036	U	0.00034	U
Cl5-BZ#82	MG/KG		0.00038	U	0.00036	U	0.00038	U	0.00036	U	0.00034	U
Cl5-BZ#83/#125/#112	MG/KG		0.0012		0.00069	J	0.00089	J	0.00082	J	0.0013	
Cl5-BZ#85	MG/KG		0.0025		0.00094		0.0018		0.0028		0.0027	
Cl5-BZ#87/#111	MG/KG		0.0018		0.00062	J	0.0016		0.0019		0.0021	
Cl5-BZ#89/#84	MG/KG		0.0011		0.00063	J	0.0012		0.0011		0.0013	
Cl5-BZ#91	MG/KG		0.0023		0.0013		0.0023		0.0027		0.0034	
Cl5-BZ#92	MG/KG		0.0058		0.0027		0.0039		0.0042		0.0051	
Cl5-BZ#97	MG/KG		0.0039		0.0014		0.0033		0.0044		0.0057	
Cl5-BZ#99	MG/KG		0.014		0.0060		0.0097		0.018		0.017	
Cl5-BZ#100	MG/KG		0.00038	U	0.00036	U	0.00038	U	0.00030	J	0.00027	J
Cl5-BZ#101/#90	MG/KG		0.020		0.0090		0.016		0.020		0.024	
Cl5-BZ#104	MG/KG		0.00038	U	0.00036	U	0.00038	U	0.00036	U	0.00034	U
Cl5-BZ#105	MG/KG		0.0028		0.0013		0.0020		0.0035		0.0029	
Cl5-BZ#107/#123	MG/KG		0.0031		0.0013		0.0017		0.0023		0.0023	
Cl5-BZ#110	MG/KG		0.012		0.0063		0.013		0.015		0.018	
Cl5-BZ#114	MG/KG		0.00094		0.00037		0.00057		0.00091		0.00087	
Cl5-BZ#118	MG/KG		0.011		0.0066		0.0089		0.015		0.010	
Cl5-BZ#119	MG/KG		0.0013		0.00070		0.00084		0.0016		0.0015	
Cl5-BZ#121/#95/#88	MG/KG		0.0035		0.0017		0.0033		0.0035		0.0043	
Cl5-BZ#124	MG/KG		0.00043		0.00027	J	0.00030	J	0.00034	J	0.00042	
Cl5-BZ#126	MG/KG		0.00038	U	0.00036	U	0.00038	U	0.00036	U	0.00034	U
Cl6-BZ#128	MG/KG		0.0050		0.0019		0.0031		0.0045		0.0041	
Cl6-BZ#129/#158	MG/KG		0.0032		0.0012		0.0018		0.0033		0.0028	
Cl6-BZ#130/#164	MG/KG		0.0028		0.0014		0.0020		0.0025		0.0024	
Cl6-BZ#131	MG/KG		0.00038	U	0.00036	U	0.00038	U	0.00036	U	0.00034	U
Cl6-BZ#132	MG/KG		0.0021		0.00088		0.0019		0.0023		0.0023	
Cl6-BZ#134	MG/KG		0.0011		0.00055		0.00066		0.00067		0.00081	
Cl6-BZ#135	MG/KG		0.0014		0.00074		0.0011		0.0011		0.0012	
Cl6-BZ#136	MG/KG		0.00043		0.00019	J	0.00038		0.00037		0.00047	
Cl6-BZ#137	MG/KG		0.0010		0.00049		0.00057		0.0011		0.0011	
Cl6-BZ#138	MG/KG		0.020		0.0072		0.011		0.020		0.019	
Cl6-BZ#141	MG/KG		0.00092		0.00044		0.00060		0.00087		0.00094	
Cl6-BZ#144	MG/KG		0.00036	J	0.00036	U	0.00038	U	0.00035	J	0.00034	
Cl6-BZ#146	MG/KG		0.0093		0.0038		0.0049		0.0061		0.0063	
Cl6-BZ#147/#149	MG/KG		0.010		0.0048		0.0085		0.011		0.013	
Cl6-BZ#151	MG/KG		0.0022		0.00088		0.0013		0.0015		0.0016	
Cl6-BZ#153	MG/KG		0.047		0.018		0.025		0.041		0.043	
Cl6-BZ#154	MG/KG		0.00097		0.00062		0.00057		0.0012		0.0011	
Cl6-BZ#155	MG/KG		0.00038	U	0.00036	U	0.00038	U	0.00036	U	0.00034	U
Cl6-BZ#156	MG/KG		0.0024		0.0010		0.0012		0.0021		0.0017	
Cl6-BZ#157	MG/KG		0.00099		0.00049		0.00047		0.00082		0.00072	
Cl6-BZ#163/#160	MG/KG		0.011		0.0045		0.0059		0.0065		0.0064	
Cl6-BZ#167	MG/KG		0.0014		0.00062		0.00083		0.0012		0.0011	
Cl6-BZ#168	MG/KG		0.00038	U	0.00036	U	0.00038	U	0.00036	U	0.00034	U
Cl6-BZ#169	MG/KG		0.00038	U	0.00036	U	0.00038	U	0.00036	U	0.00034	U
Cl7-BZ#170	MG/KG		0.0022		0.0010		0.0011		0.0020		0.0018	
Cl7-BZ#171	MG/KG		0.00086		0.00044		0.00046		0.00074		0.00069	
Cl7-BZ#172	MG/KG		0.00067		0.00031	J	0.00033	J	0.00035	J	0.00033	J
Cl7-BZ#173	MG/KG		0.00038	U	0.00036	U	0.00038	U	0.00036	U	0.00034	U
Cl7-BZ#174	MG/KG		0.00067	J	0.00030	J	0.00052		0.00062		0.00053	

TABLE 5a - SUMMARY OF SAMPLE DATA FOR CONCH (MG/KG WET WEIGHT) AREA 2 - 2024

		Sample#	NBH24-SF-A-2		NBH24-SF-B-2		NBH24-SF-C-2		NBH24-SF-D-2		NBH24-SF-E-2	
		Species	Conch		Conch		Conch		Conch		Conch	
		Species Type	TIS		TIS		TIS		TIS		TIS	
		Area	2		2		2		2		2	
		Station	CN2-Station A		CN2-Station B		CN2-Station C		CN2-Station D		CN2-Station E	
		Sample Date	7/3/2024		6/25/2024		10/28/2024		10/23/2024		10/24/2024	
Parameter	**Units**		Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
Cl7-BZ#176	MG/KG		0.00038	U	0.00036	U	0.00038	U	0.00036	U	0.00034	U
Cl7-BZ#177	MG/KG		0.0012		0.00067		0.00076		0.00086		0.00080	
Cl7-BZ#178	MG/KG		0.0010		0.00048		0.00048		0.00054		0.00058	
Cl7-BZ#180	MG/KG		0.0053		0.0024		0.0027		0.0044		0.0039	
Cl7-BZ#182/#175	MG/KG		0.00075	U	0.00071	U	0.00076	U	0.00073	U	0.00069	U
Cl7-BZ#183	MG/KG		0.0018		0.00069		0.00094		0.0017		0.0017	
Cl7-BZ#184	MG/KG		0.00038	U	0.00036	U	0.00038	U	0.00036	U	0.00034	U
Cl7-BZ#185	MG/KG		0.00038	U	0.00036	U	0.00038	U	0.00036	U	0.00034	U
Cl7-BZ#187	MG/KG		0.0059		0.0026		0.0031		0.0037		0.0042	
Cl7-BZ#188	MG/KG		0.00038	U	0.00036	U	0.00038	U	0.00036	U	0.00034	U
Cl7-BZ#189	MG/KG		0.00037	J	0.00036	U	0.00038	U	0.00036	U	0.00034	U
Cl7-BZ#190	MG/KG		0.00034	J	0.00036	U	0.00038	U	0.00024	J	0.00034	U
Cl7-BZ#191	MG/KG		0.00038	U	0.00036	U	0.00038	U	0.00036	U	0.00034	U
Cl7-BZ#193	MG/KG		0.00046		0.00027	J	0.00019	J	0.00028	J	0.00028	J
Cl8-BZ#194	MG/KG		0.00064		0.00026	J	0.00029	J	0.00048		0.00040	
Cl8-BZ#195	MG/KG		0.00038	U	0.00036	U	0.00038	U	0.00036	U	0.00034	U
Cl8-BZ#196	MG/KG		0.00034	J	0.00036	U	0.00038	U	0.00028	J	0.00024	J
Cl8-BZ#197	MG/KG		0.00020	J	0.00036	U	0.00038	U	0.00036	U	0.00034	U
Cl8-BZ#199	MG/KG		0.00038	U	0.00036	U	0.00038	U	0.00036	U	0.00034	U
Cl8-BZ#201	MG/KG		0.00084		0.00043		0.00039		0.00049		0.00050	
Cl8-BZ#202	MG/KG		0.00047		0.00024	J	0.00025	J	0.00027	J	0.00034	
Cl8-BZ#203	MG/KG		0.00040		0.00019	J	0.00038	U	0.00027	J	0.00028	J
Cl8-BZ#204/#200	MG/KG		0.00075	U	0.00071	U	0.00076	U	0.00073	U	0.00069	U
Cl8-BZ#205	MG/KG		0.00038	U	0.00036	U	0.00038	U	0.00036	U	0.00034	U
Cl9-BZ#206	MG/KG		0.00037	J	0.00036	U	0.00038	U	0.00036	U	0.00034	U
Cl9-BZ#207	MG/KG		0.00038	U	0.00036	U	0.00038	U	0.00036	U	0.00034	U
Cl9-BZ#208	MG/KG		0.00025	J	0.00036	U	0.00038	U	0.00036	U	0.00034	U
Cl10-BZ#209	MG/KG		0.00038	U	0.00036	U	0.00038	U	0.00036	U	0.00034	U

TABLE 5b - SUMMARY OF SAMPLE DATA FOR CONCH (MG/KG WET WEIGHT) AREA 3 - 2024

	Sample#	NBH24-SF-A-3		NBH24-SF-B-3		NBH24-SF-C-3		NBH24-SF-D-3		NBH24-SF-E-3	
	Species	Conch		Conch		Conch		Conch		Conch	
	Species Type	TIS		TIS		TIS		TIS		TIS	
	Area	3		3		3		3		3	
	Station	CN3-Station A		CN3-Station B		CN3-Station C		CN3-Station D		CN3-Station E	
	Sample Date	10/28/2024		10/24/2024		10/21/2024		10/21/2024		10/23/2024	
Parameter	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
Lipids	PERCENT	0.55		0.70		0.64		0.44		0.48	
Total PCB Congeners[1]	MG/KG	0.056	J2	0.056	J2	0.10	J2	0.056	J2	0.064	J2
Total PCB Congeners Hits[2]	MG/KG	0.036		0.038		0.085		0.036		0.047	
Total NOAA Congeners[3]	MG/KG	0.022	J3	0.023	J3	0.044	J3	0.021	J3	0.026	J3
Total WHO Congeners[4]	MG/KG	0.0043	J2	0.0040	J2	0.0085	J2	0.0036	J2	0.0050	J2
Total NOAA / WHO Combined[5]	MG/KG	0.025	J3	0.025	J3	0.048	J3	0.024	J3	0.029	J3
Cl1-BZ#1	MG/KG	0.00039	U	0.00035	U	0.00040	U	0.00037	U	0.00035	U
Cl1-BZ#3	MG/KG	0.00039	U	0.00035	U	0.00040	U	0.00037	U	0.00035	U
Cl2-BZ#4/#10	MG/KG	0.00077	U	0.00070	U	0.00080	U	0.00074	U	0.00071	U
Cl2-BZ#5	MG/KG	0.00039	U	0.00035	U	0.00040	U	0.00037	U	0.00035	U
Cl2-BZ#6	MG/KG	0.00039	U	0.00035	U	0.00040	U	0.00037	U	0.00035	U
Cl2-BZ#7	MG/KG	0.00039	U	0.00035	U	0.00040	U	0.00037	U	0.00035	U
Cl2-BZ#8	MG/KG	0.00039	U	0.00035	U	0.00040	U	0.00037	U	0.00035	U
Cl2-BZ#12	MG/KG	0.00039	U	0.00035	U	0.00040	U	0.00037	U	0.00035	U
Cl2-BZ#13	MG/KG	0.00077	U	0.00070	U	0.00080	U	0.00074	U	0.00071	U
Cl2-BZ#15	MG/KG	0.00039	U	0.00035	U	0.00040	U	0.00037	U	0.00035	U
Cl3-BZ#16	MG/KG	0.00039	U	0.00035	U	0.00040	U	0.00037	U	0.00035	U
Cl3-BZ#17	MG/KG	0.00039	U	0.00035	U	0.00040	U	0.00037	U	0.00035	U
Cl3-BZ#18	MG/KG	0.00039	U	0.00035	U	0.00040	U	0.00037	U	0.00035	U
Cl3-BZ#19	MG/KG	0.00039	U	0.00035	U	0.00040	U	0.00037	U	0.00035	U
Cl3-BZ#21/#20	MG/KG	0.00077	U	0.00070	U	0.00080	U	0.00074	U	0.00071	U
Cl3-BZ#22	MG/KG	0.00039	U	0.00035	U	0.00040	U	0.00037	U	0.00035	U
Cl3-BZ#24	MG/KG	0.00039	U	0.00035	U	0.00040	U	0.00037	U	0.00035	U
Cl3-BZ#25	MG/KG	0.00039	U	0.00035	U	0.00040	U	0.00037	U	0.00035	U
Cl3-BZ#26	MG/KG	0.00039	U	0.00035	U	0.00035	J	0.00037	U	0.00027	J
Cl3-BZ#27	MG/KG	0.00039	U	0.00035	U	0.00040	U	0.00037	U	0.00035	U
Cl3-BZ#28	MG/KG	0.00039	U	0.00035	U	0.00040	U	0.00029	J	0.00035	U
Cl3-BZ#29	MG/KG	0.00039	U	0.00035	U	0.00040	U	0.00037	U	0.00035	U
Cl3-BZ#31	MG/KG	0.00039	U	0.00021	J	0.00064		0.00027	J	0.00037	
Cl3-BZ#32	MG/KG	0.00039	U	0.00035	U	0.00040	U	0.00037	U	0.00035	U
Cl3-BZ#33	MG/KG	0.00039	U	0.00035	U	0.00040	U	0.00037	U	0.00035	U
Cl3-BZ#37	MG/KG	0.00039	U	0.00035	U	0.00040	U	0.00037	U	0.00035	U
Cl4-BZ#40	MG/KG	0.00039	U	0.00035	U	0.00040	U	0.00037	U	0.00035	U
Cl4-BZ#41	MG/KG	0.00039	U	0.00035	U	0.00040	U	0.00037	U	0.00035	U
Cl4-BZ#42	MG/KG	0.00039	U	0.00035	U	0.00040	U	0.00037	U	0.00035	U
Cl4-BZ#43	MG/KG	0.00039	U	0.00035	U	0.00040	U	0.00037	U	0.00035	U
Cl4-BZ#44	MG/KG	0.00027	J	0.00032	J	0.00084		0.00042		0.00050	
Cl4-BZ#45	MG/KG	0.00039	U	0.00035	U	0.00040	U	0.00037	U	0.00035	U
Cl4-BZ#47	MG/KG	0.00039	U	0.00035	U	0.00028	J	0.00037	U	0.00035	U
Cl4-BZ#48	MG/KG	0.00039	U	0.00035	U	0.00040	U	0.00037	U	0.00035	U
Cl4-BZ#49	MG/KG	0.00080		0.00095		0.0027		0.0012		0.0014	
Cl4-BZ#50	MG/KG	0.00039	U	0.00035	U	0.00040	U	0.00037	U	0.00035	U
Cl4-BZ#51	MG/KG	0.00039	U	0.00035	U	0.00040	U	0.00037	U	0.00035	U
Cl4-BZ#52	MG/KG	0.00077		0.00089		0.0032		0.0013		0.0015	
Cl4-BZ#53	MG/KG	0.00039	U	0.00035	U	0.00040	U	0.00037	U	0.00035	U
Cl4-BZ#54	MG/KG	0.00039	U	0.00035	U	0.00040	U	0.00037	U	0.00035	U
Cl4-BZ#56	MG/KG	0.00039	U	0.00035	U	0.00025	J	0.00037	U	0.00035	U
Cl4-BZ#60	MG/KG	0.00039	U	0.00035	U	0.00040	U	0.00037	U	0.00035	U
Cl4-BZ#63	MG/KG	0.00039	U	0.00035	U	0.00040	U	0.00037	U	0.00035	U
Cl4-BZ#66	MG/KG	0.00056		0.00053		0.0016		0.00059		0.00069	
Cl4-BZ#68/#64	MG/KG	0.00077	U	0.00070	U	0.00068	J	0.00074	U	0.00041	J
Cl4-BZ#70	MG/KG	0.00034	J	0.00038		0.0011		0.00041		0.00061	
Cl4-BZ#71	MG/KG	0.00039	U	0.00035	U	0.00040	U	0.00037	U	0.00035	U

TABLE 5b - SUMMARY OF SAMPLE DATA FOR CONCH (MG/KG WET WEIGHT) AREA 3 - 2024

	Sample#	NBH24-SF-A-3		NBH24-SF-B-3		NBH24-SF-C-3		NBH24-SF-D-3		NBH24-SF-E-3	
	Species	Conch		Conch		Conch		Conch		Conch	
	Species Type	TIS		TIS		TIS		TIS		TIS	
	Area	3		3		3		3		3	
	Station	CN3-Station A		CN3-Station B		CN3-Station C		CN3-Station D		CN3-Station E	
	Sample Date	10/28/2024		10/24/2024		10/21/2024		10/21/2024		10/23/2024	
Parameter	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
Cl4-BZ#73/#46	MG/KG	0.00077	U	0.00070	U	0.00080	U	0.00074	U	0.00071	U
Cl4-BZ#74	MG/KG	0.00039	U	0.00023	J	0.00050		0.00028	J	0.00026	J
Cl4-BZ#76	MG/KG	0.00039	U	0.00035	U	0.00040	U	0.00037	U	0.00035	U
Cl4-BZ#77	MG/KG	0.00039	U	0.00035	U	0.00040	U	0.00037	U	0.00035	U
Cl4-BZ#81	MG/KG	0.00039	U	0.00035	U	0.00040	U	0.00037	U	0.00035	U
Cl5-BZ#82	MG/KG	0.00039	U	0.00035	U	0.00040	U	0.00037	U	0.00035	U
Cl5-BZ#83/#125/#112	MG/KG	0.0012	U	0.0011	U	0.0012	U	0.0011	U	0.0011	U
Cl5-BZ#85	MG/KG	0.00041		0.00042		0.00078		0.00035	J	0.00043	
Cl5-BZ#87/#111	MG/KG	0.00077	U	0.00070	U	0.00042	J	0.00074	U	0.00071	U
Cl5-BZ#89/#84	MG/KG	0.00077	U	0.00070	U	0.00080	U	0.00074	U	0.00071	U
Cl5-BZ#91	MG/KG	0.00032	J	0.00030	J	0.00082		0.00034	J	0.00052	
Cl5-BZ#92	MG/KG	0.00050		0.00064		0.0017		0.00050		0.00079	
Cl5-BZ#97	MG/KG	0.00043		0.00037		0.0011		0.00052		0.00052	
Cl5-BZ#99	MG/KG	0.0020		0.0021		0.0052		0.0022		0.0024	
Cl5-BZ#100	MG/KG	0.00039	U	0.00035	U	0.00040	U	0.00037	U	0.00035	U
Cl5-BZ#101/#90	MG/KG	0.0022		0.0028		0.0064		0.0026		0.0036	
Cl5-BZ#104	MG/KG	0.00039	U	0.00035	U	0.00040	U	0.00037	U	0.00035	U
Cl5-BZ#105	MG/KG	0.00043		0.00029	J	0.00079		0.00032	J	0.00044	
Cl5-BZ#107/#123	MG/KG	0.00056	J	0.00048	J	0.0010		0.00045	J	0.00065	J
Cl5-BZ#110	MG/KG	0.0012		0.0014		0.0042		0.0019		0.0024	
Cl5-BZ#114	MG/KG	0.00039	U	0.00020	J	0.00032	J	0.00021	J	0.00020	J
Cl5-BZ#118	MG/KG	0.0012		0.0014		0.0039		0.0011		0.0021	
Cl5-BZ#119	MG/KG	0.00020	J	0.00020	J	0.00047		0.00019	J	0.00020	J
Cl5-BZ#121/#95/#88	MG/KG	0.0012	U	0.0011	U	0.0010	J	0.0011	U	0.0011	U
Cl5-BZ#124	MG/KG	0.00039	U	0.00035	U	0.00040	U	0.00037	U	0.00035	U
Cl5-BZ#126	MG/KG	0.00039	U	0.00035	U	0.00040	U	0.00037	U	0.00035	U
Cl6-BZ#128	MG/KG	0.00088		0.00087		0.0016		0.00082		0.0011	
Cl6-BZ#129/#158	MG/KG	0.00047	J	0.00070	U	0.00080		0.00052	J	0.00058	J
Cl6-BZ#130/#164	MG/KG	0.00040	J	0.00047	J	0.00083		0.00045	J	0.00065	J
Cl6-BZ#131	MG/KG	0.00039	U	0.00035	U	0.00040	U	0.00037	U	0.00035	U
Cl6-BZ#132	MG/KG	0.00030	J	0.00023	J	0.00075		0.00041		0.00047	
Cl6-BZ#134	MG/KG	0.00039	U	0.00035	U	0.00033	J	0.00037	U	0.00035	U
Cl6-BZ#135	MG/KG	0.00039	U	0.00035	U	0.00043		0.00021	J	0.00023	J
Cl6-BZ#136	MG/KG	0.00039	U	0.00035	U	0.00040	U	0.00037	U	0.00035	U
Cl6-BZ#137	MG/KG	0.00025	J	0.00035	U	0.00027	J	0.00037	U	0.00022	J
Cl6-BZ#138	MG/KG	0.0035		0.0035		0.0062		0.0035		0.0039	
Cl6-BZ#141	MG/KG	0.00039	U	0.00035	U	0.00022	J	0.00037	U	0.00035	U
Cl6-BZ#144	MG/KG	0.00039	U	0.00035	U	0.00040	U	0.00037	U	0.00035	U
Cl6-BZ#146	MG/KG	0.0016		0.0016		0.0027		0.0012		0.0018	
Cl6-BZ#147/#149	MG/KG	0.0016		0.0016		0.0036		0.0017		0.0024	
Cl6-BZ#151	MG/KG	0.00022	J	0.00025	J	0.00062		0.00020	J	0.00028	J
Cl6-BZ#153	MG/KG	0.0085		0.0082		0.014		0.0076		0.0089	
Cl6-BZ#154	MG/KG	0.00023	J	0.00023	J	0.00039	J	0.00023	J	0.00023	J
Cl6-BZ#155	MG/KG	0.00039	U	0.00035	U	0.00040	U	0.00037	U	0.00035	U
Cl6-BZ#156	MG/KG	0.00041		0.00036		0.00066		0.00028	J	0.00033	J
Cl6-BZ#157	MG/KG	0.00021	J	0.00023	J	0.00039	J	0.00037	U	0.00019	J
Cl6-BZ#163/#160	MG/KG	0.0014		0.0015		0.0035		0.0013		0.0019	
Cl6-BZ#167	MG/KG	0.00031	J	0.00020	J	0.00045		0.00037	U	0.00025	J
Cl6-BZ#168	MG/KG	0.00039	U	0.00035	U	0.00040	U	0.00037	U	0.00035	U
Cl6-BZ#169	MG/KG	0.00039	U	0.00035	U	0.00040	U	0.00037	U	0.00035	U
Cl7-BZ#170	MG/KG	0.00042		0.00058		0.00083		0.00043		0.00046	
Cl7-BZ#171	MG/KG	0.00039	U	0.00035	U	0.00031	J	0.00037	U	0.00023	J
Cl7-BZ#172	MG/KG	0.00039	U	0.00035	U	0.00023	J	0.00037	U	0.00035	U
Cl7-BZ#173	MG/KG	0.00039	U	0.00035	U	0.00040	U	0.00037	U	0.00035	U
Cl7-BZ#174	MG/KG	0.00039	U	0.00035	U	0.00040	U	0.00037	U	0.00035	U

TABLE 5b - SUMMARY OF SAMPLE DATA FOR CONCH (MG/KG WET WEIGHT) AREA 3 - 2024

	Sample#	NBH24-SF-A-3		NBH24-SF-B-3		NBH24-SF-C-3		NBH24-SF-D-3		NBH24-SF-E-3	
	Species	Conch		Conch		Conch		Conch		Conch	
	Species Type	TIS		TIS		TIS		TIS		TIS	
	Area	3		3		3		3		3	
	Station	CN3-Station A		CN3-Station B		CN3-Station C		CN3-Station D		CN3-Station E	
	Sample Date	10/28/2024		10/24/2024		10/21/2024		10/21/2024		10/23/2024	
Parameter	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
Cl7-BZ#176	MG/KG	0.00039	U	0.00035	U	0.00040	U	0.00037	U	0.00035	U
Cl7-BZ#177	MG/KG	0.00022	J	0.00026	J	0.00050		0.00037	U	0.00022	J
Cl7-BZ#178	MG/KG	0.00023	J	0.00029	J	0.00032	J	0.00037	U	0.00021	J
Cl7-BZ#180	MG/KG	0.00094		0.0011		0.0015		0.00077		0.00091	
Cl7-BZ#182/#175	MG/KG	0.00077	U	0.00070	U	0.00080	U	0.00074	U	0.00071	U
Cl7-BZ#183	MG/KG	0.00037	J	0.00035	J	0.00056		0.00042		0.00040	
Cl7-BZ#184	MG/KG	0.00039	U	0.00035	U	0.00040	U	0.00037	U	0.00035	U
Cl7-BZ#185	MG/KG	0.00039	U	0.00035	U	0.00040	U	0.00037	U	0.00035	U
Cl7-BZ#187	MG/KG	0.0011		0.0013		0.0019		0.00085		0.0011	
Cl7-BZ#188	MG/KG	0.00039	U	0.00035	U	0.00040	U	0.00037	U	0.00035	U
Cl7-BZ#189	MG/KG	0.00039	U	0.00035	U	0.00040	U	0.00037	U	0.00035	U
Cl7-BZ#190	MG/KG	0.00039	U	0.00035	U	0.00040	U	0.00037	U	0.00035	U
Cl7-BZ#191	MG/KG	0.00039	U	0.00035	U	0.00040	U	0.00037	U	0.00035	U
Cl7-BZ#193	MG/KG	0.00039	U	0.00035	U	0.00040	U	0.00037	U	0.00035	U
Cl8-BZ#194	MG/KG	0.00039	U	0.00035	U	0.00021	J	0.00037	U	0.00035	U
Cl8-BZ#195	MG/KG	0.00039	U	0.00035	U	0.00040	U	0.00037	U	0.00035	U
Cl8-BZ#196	MG/KG	0.00039	U	0.00035	U	0.00040	U	0.00037	U	0.00035	U
Cl8-BZ#197	MG/KG	0.00039	U	0.00035	U	0.00040	U	0.00037	U	0.00035	U
Cl8-BZ#199	MG/KG	0.00039	U	0.00035	U	0.00040	U	0.00037	U	0.00035	U
Cl8-BZ#201	MG/KG	0.00039	U	0.00026	J	0.00026	J	0.00037	U	0.00035	U
Cl8-BZ#202	MG/KG	0.00039	U	0.00019	J	0.00040	U	0.00037	U	0.00035	U
Cl8-BZ#203	MG/KG	0.00039	U	0.00035	U	0.00040	U	0.00037	U	0.00035	U
Cl8-BZ#204/#200	MG/KG	0.00077	U	0.00070	U	0.00080	U	0.00074	U	0.00071	U
Cl8-BZ#205	MG/KG	0.00039	U	0.00035	U	0.00040	U	0.00037	U	0.00035	U
Cl9-BZ#206	MG/KG	0.00039	U	0.00035	U	0.00040	U	0.00037	U	0.00035	U
Cl9-BZ#207	MG/KG	0.00039	U	0.00035	U	0.00040	U	0.00037	U	0.00035	U
Cl9-BZ#208	MG/KG	0.00039	U	0.00035	U	0.00040	U	0.00037	U	0.00035	U
Cl10-BZ#209	MG/KG	0.00039	U	0.00035	U	0.00040	U	0.00037	U	0.00035	U

TABLE 6a - SUMMARY OF SAMPLE DATA FOR LOBSTER MEAT (MG/KG WET WEIGHT) AREA 2 - 2024

		Sample#	NBH24-L-A-2-M		NBH24-L-B-2-M		NBH24-L-C-2-M		NBH24-L-D-2-M	
		Species	Lobster Meat		Lobster Meat		Lobster Meat		Lobster Meat	
		Species Type	TIS		TIS		TIS		TIS	
		Area	2		2		2		2	
		Station	L2-Station A		L2-Station B		L2-Station C		L2-Station D	
		Sample Date	6/17/2024		6/17/2024		6/20/2024		6/17/2024	
Parameter	**Units**		Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
Lipids	PERCENT		0.27		0.24		0.21		0.26	
Total PCB Congeners[1]	MG/KG		0.092	J2	0.056	J2	0.054	J2	0.13	J2
Total PCB Congeners Hits[2]	MG/KG		0.071		0.033		0.030		0.11	
Total NOAA Congeners[3]	MG/KG		0.048	J3	0.024	J3	0.022	J3	0.065	J3
Total WHO Congeners[4]	MG/KG		0.018	J3	0.0096	J2	0.0079	J2	0.021	J3
Total NOAA / WHO Combined[5]	MG/KG		0.052	J3	0.027	J3	0.024	J2	0.070	J3
Cl1-BZ#1	MG/KG		0.00037	U	0.00038	U	0.00038	U	0.00036	U
Cl1-BZ#3	MG/KG		0.00037	U	0.00038	U	0.00038	U	0.00036	U
Cl2-BZ#4/#10	MG/KG		0.00075	U	0.00076	U	0.00076	U	0.00073	U
Cl2-BZ#5	MG/KG		0.00037	U	0.00038	U	0.00038	U	0.00036	U
Cl2-BZ#6	MG/KG		0.00037	U	0.00038	U	0.00038	U	0.00036	U
Cl2-BZ#7	MG/KG		0.00037	U	0.00038	U	0.00038	U	0.00036	U
Cl2-BZ#8	MG/KG		0.00037	U	0.00038	U	0.00038	U	0.00036	U
Cl2-BZ#12	MG/KG		0.00037	U	0.00038	U	0.00038	U	0.00036	U
Cl2-BZ#13	MG/KG		0.00075	U	0.00076	U	0.00076	U	0.00073	U
Cl2-BZ#15	MG/KG		0.00037	U	0.00038	U	0.00038	U	0.00036	U
Cl3-BZ#16	MG/KG		0.00037	U	0.00038	U	0.00038	U	0.00036	U
Cl3-BZ#17	MG/KG		0.00037	U	0.00038	U	0.00038	U	0.00036	U
Cl3-BZ#18	MG/KG		0.00037	U	0.00038	U	0.00038	U	0.00036	U
Cl3-BZ#19	MG/KG		0.00037	U	0.00038	U	0.00038	U	0.00036	U
Cl3-BZ#21/#20	MG/KG		0.00075	U	0.00076	U	0.00076	U	0.00073	U
Cl3-BZ#22	MG/KG		0.00037	U	0.00038	U	0.00038	U	0.00036	U
Cl3-BZ#24	MG/KG		0.00037	U	0.00038	U	0.00038	U	0.00036	U
Cl3-BZ#25	MG/KG		0.00037	U	0.00038	U	0.00038	U	0.00036	U
Cl3-BZ#26	MG/KG		0.00037	U	0.00038	U	0.00038	U	0.00024	J
Cl3-BZ#27	MG/KG		0.00037	U	0.00038	U	0.00038	U	0.00036	U
Cl3-BZ#28	MG/KG		0.0021		0.0012		0.00075		0.0018	
Cl3-BZ#29	MG/KG		0.00037	U	0.00038	U	0.00038	U	0.00036	U
Cl3-BZ#31	MG/KG		0.00022	J	0.00038	U	0.00038	U	0.00049	
Cl3-BZ#32	MG/KG		0.00037	U	0.00038	U	0.00038	U	0.00036	U
Cl3-BZ#33	MG/KG		0.00037	U	0.00038	U	0.00038	U	0.00036	U
Cl3-BZ#37	MG/KG		0.00037	U	0.00038	U	0.00038	U	0.00036	U
Cl4-BZ#40	MG/KG		0.00037	U	0.00038	U	0.00038	U	0.00036	U
Cl4-BZ#41	MG/KG		0.00037	U	0.00038	U	0.00038	U	0.00036	U
Cl4-BZ#42	MG/KG		0.00037	U	0.00038	U	0.00038	U	0.00036	U
Cl4-BZ#43	MG/KG		0.00037	U	0.00038	U	0.00038	U	0.00036	U
Cl4-BZ#44	MG/KG		0.00037	U	0.00038	U	0.00038	U	0.00036	U
Cl4-BZ#45	MG/KG		0.00037	U	0.00038	U	0.00038	U	0.00036	U
Cl4-BZ#47	MG/KG		0.0026		0.0011		0.00096		0.0023	
Cl4-BZ#48	MG/KG		0.00037	U	0.00038	U	0.00038	U	0.00036	U
Cl4-BZ#49	MG/KG		0.00037	U	0.00038	U	0.00038	U	0.00085	
Cl4-BZ#50	MG/KG		0.00037	U	0.00038	U	0.00038	U	0.00036	U
Cl4-BZ#51	MG/KG		0.00037	U	0.00038	U	0.00038	U	0.00036	U
Cl4-BZ#52	MG/KG		0.00026	J	0.00038	U	0.00038	U	0.00088	
Cl4-BZ#53	MG/KG		0.00037	U	0.00038	U	0.00038	U	0.00036	U
Cl4-BZ#54	MG/KG		0.00037	U	0.00038	U	0.00038	U	0.00036	U
Cl4-BZ#56	MG/KG		0.00037	U	0.00038	U	0.00038	U	0.00021	J

TABLE 6a - SUMMARY OF SAMPLE DATA FOR LOBSTER MEAT (MG/KG WET WEIGHT) AREA 2 - 2024

		Sample#	NBH24-L-A-2-M		NBH24-L-B-2-M		NBH24-L-C-2-M		NBH24-L-D-2-M	
		Species	Lobster Meat		Lobster Meat		Lobster Meat		Lobster Meat	
		Species Type	TIS		TIS		TIS		TIS	
		Area	2		2		2		2	
		Station	L2-Station A		L2-Station B		L2-Station C		L2-Station D	
		Sample Date	6/17/2024		6/17/2024		6/20/2024		6/17/2024	
Parameter	**Units**		Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
Cl4-BZ#60	MG/KG		0.00029	J	0.00038	U	0.00038	U	0.00031	J
Cl4-BZ#63	MG/KG		0.00020	J	0.00038	U	0.00038	U	0.00032	J
Cl4-BZ#66	MG/KG		0.0037		0.0016		0.0012		0.0035	
Cl4-BZ#68/#64	MG/KG		0.00075	U	0.00076	U	0.00076	U	0.00062	J
Cl4-BZ#70	MG/KG		0.00037	U	0.00038	U	0.00038	U	0.00044	
Cl4-BZ#71	MG/KG		0.00020	J	0.00038	U	0.00038	U	0.00040	
Cl4-BZ#73/#46	MG/KG		0.00075	U	0.00076	U	0.00076	U	0.00073	U
Cl4-BZ#74	MG/KG		0.0023		0.0011		0.00078		0.0022	
Cl4-BZ#76	MG/KG		0.00037	U	0.00038	U	0.00038	U	0.00036	U
Cl4-BZ#77	MG/KG		0.00022	J	0.00038	U	0.00038	U	0.00022	J
Cl4-BZ#81	MG/KG		0.00037	U	0.00038	U	0.00038	U	0.00036	U
Cl5-BZ#82	MG/KG		0.00037	U	0.00038	U	0.00038	U	0.00036	U
Cl5-BZ#83/#125/#112	MG/KG		0.0011	U	0.0011	U	0.0011	U	0.0011	U
Cl5-BZ#85	MG/KG		0.0012		0.00042		0.00044		0.0013	
Cl5-BZ#87/#111	MG/KG		0.00075	U	0.00076	U	0.00076	U	0.00037	J
Cl5-BZ#89/#84	MG/KG		0.00075	U	0.00076	U	0.00076	U	0.00073	U
Cl5-BZ#91	MG/KG		0.00037	U	0.00038	U	0.00038	U	0.00036	J
Cl5-BZ#92	MG/KG		0.00024	J	0.00038	U	0.00038	U	0.00096	
Cl5-BZ#97	MG/KG		0.00037	U	0.00038	U	0.00038	U	0.00037	
Cl5-BZ#99	MG/KG		0.0060		0.0030		0.0032		0.011	
Cl5-BZ#100	MG/KG		0.00037	U	0.00038	U	0.00038	U	0.00036	U
Cl5-BZ#101/#90	MG/KG		0.00088		0.00045	J	0.00044	J	0.0043	
Cl5-BZ#104	MG/KG		0.00037	U	0.00038	U	0.00038	U	0.00036	U
Cl5-BZ#105	MG/KG		0.0020		0.00098		0.00061		0.0020	
Cl5-BZ#107/#123	MG/KG		0.00073	J	0.00041	J	0.00076	U	0.0012	
Cl5-BZ#110	MG/KG		0.00023	J	0.00023	J	0.00019	J	0.0033	
Cl5-BZ#114	MG/KG		0.00033	J	0.00020	J	0.00038	U	0.00050	
Cl5-BZ#118	MG/KG		0.012		0.0062		0.0051		0.015	
Cl5-BZ#119	MG/KG		0.00035	J	0.00038	U	0.00038	U	0.00098	
Cl5-BZ#121/#95/#88	MG/KG		0.0011	U	0.0011	U	0.0011	U	0.0011	U
Cl5-BZ#124	MG/KG		0.00037	U	0.00038	U	0.00038	U	0.00036	U
Cl5-BZ#126	MG/KG		0.00037	U	0.00038	U	0.00038	U	0.00036	U
Cl6-BZ#128	MG/KG		0.0018		0.00080		0.00090		0.0023	
Cl6-BZ#129/#158	MG/KG		0.00079		0.00048	J	0.00076	U	0.0012	
Cl6-BZ#130/#164	MG/KG		0.00075	U	0.00076	U	0.00076	U	0.00073	
Cl6-BZ#131	MG/KG		0.00037	U	0.00038	U	0.00038	U	0.00036	U
Cl6-BZ#132	MG/KG		0.00037	U	0.00038	U	0.00038	U	0.00026	J
Cl6-BZ#134	MG/KG		0.00037	U	0.00038	U	0.00038	U	0.00036	U
Cl6-BZ#135	MG/KG		0.00037	U	0.00038	U	0.00038	U	0.00023	J
Cl6-BZ#136	MG/KG		0.00037	U	0.00038	U	0.00038	U	0.00036	U
Cl6-BZ#137	MG/KG		0.00042		0.00038	U	0.00038	U	0.00048	
Cl6-BZ#138	MG/KG		0.0059		0.0029		0.0027		0.0090	
Cl6-BZ#141	MG/KG		0.00037	U	0.00038	U	0.00038	U	0.00019	J
Cl6-BZ#144	MG/KG		0.00037	U	0.00038	U	0.00038	U	0.00036	U
Cl6-BZ#146	MG/KG		0.0023		0.0011		0.0013		0.0037	
Cl6-BZ#147/#149	MG/KG		0.00075	U	0.00076	U	0.00076	U	0.0025	
Cl6-BZ#151	MG/KG		0.00037	U	0.00038	U	0.00038	U	0.00064	
Cl6-BZ#153	MG/KG		0.015		0.0070		0.0073		0.021	

Created by: KLD 4/1/2025
Checked by: AP 4/3/2025

TABLE 6a - SUMMARY OF SAMPLE DATA FOR LOBSTER MEAT (MG/KG WET WEIGHT) AREA 2 - 2024

		Sample#	NBH24-L-A-2-M		NBH24-L-B-2-M		NBH24-L-C-2-M		NBH24-L-D-2-M	
		Species	Lobster Meat		Lobster Meat		Lobster Meat		Lobster Meat	
		Species Type	TIS		TIS		TIS		TIS	
		Area	2		2		2		2	
		Station	L2-Station A		L2-Station B		L2-Station C		L2-Station D	
		Sample Date	6/17/2024		6/17/2024		6/20/2024		6/17/2024	
Parameter	**Units**		Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
Cl6-BZ#154	MG/KG		0.00037	U	0.00038	U	0.00038	U	0.00052	
Cl6-BZ#155	MG/KG		0.00037	U	0.00038	U	0.00038	U	0.00036	U
Cl6-BZ#156	MG/KG		0.00092		0.00037	J	0.00032	J	0.0010	
Cl6-BZ#157	MG/KG		0.00033	J	0.00038	U	0.00038	U	0.00042	
Cl6-BZ#163/#160	MG/KG		0.0028		0.0014		0.0012		0.0041	
Cl6-BZ#167	MG/KG		0.00061		0.00029	J	0.00019	J	0.00084	
Cl6-BZ#168	MG/KG		0.00037	U	0.00038	U	0.00038	U	0.00036	U
Cl6-BZ#169	MG/KG		0.00037	U	0.00038	U	0.00038	U	0.00036	U
Cl7-BZ#170	MG/KG		0.00083		0.00038	J	0.00044		0.00096	
Cl7-BZ#171	MG/KG		0.00019	J	0.00038	U	0.00038	U	0.00031	J
Cl7-BZ#172	MG/KG		0.00037	U	0.00038	U	0.00038	U	0.00036	U
Cl7-BZ#173	MG/KG		0.00037	U	0.00038	U	0.00038	U	0.00036	U
Cl7-BZ#174	MG/KG		0.00037	U	0.00038	U	0.00038	U	0.00036	U
Cl7-BZ#176	MG/KG		0.00037	U	0.00038	U	0.00038	U	0.00036	U
Cl7-BZ#177	MG/KG		0.00020	J	0.00038	U	0.00038	U	0.00047	
Cl7-BZ#178	MG/KG		0.00035	J	0.00038	U	0.00038	U	0.00037	
Cl7-BZ#180	MG/KG		0.0014		0.00060		0.00071		0.0018	
Cl7-BZ#182/#175	MG/KG		0.00075	U	0.00076	U	0.00076	U	0.00073	U
Cl7-BZ#183	MG/KG		0.00025	J	0.00038	U	0.00021	J	0.00058	
Cl7-BZ#184	MG/KG		0.00037	U	0.00038	U	0.00038	U	0.00036	U
Cl7-BZ#185	MG/KG		0.00037	U	0.00038	U	0.00038	U	0.00036	U
Cl7-BZ#187	MG/KG		0.0014		0.00074		0.00077		0.0022	
Cl7-BZ#188	MG/KG		0.00037	U	0.00038	U	0.00038	U	0.00036	U
Cl7-BZ#189	MG/KG		0.00037	U	0.00038	U	0.00038	U	0.00036	U
Cl7-BZ#190	MG/KG		0.00037	U	0.00038	U	0.00038	U	0.00036	U
Cl7-BZ#191	MG/KG		0.00037	U	0.00038	U	0.00038	U	0.00036	U
Cl7-BZ#193	MG/KG		0.00037	U	0.00038	U	0.00038	U	0.00036	U
Cl8-BZ#194	MG/KG		0.00037	U	0.00038	U	0.00038	U	0.00036	U
Cl8-BZ#195	MG/KG		0.00037	U	0.00038	U	0.00038	U	0.00036	U
Cl8-BZ#196	MG/KG		0.00037	U	0.00038	U	0.00038	U	0.00036	U
Cl8-BZ#197	MG/KG		0.00037	U	0.00038	U	0.00038	U	0.00036	U
Cl8-BZ#199	MG/KG		0.00037	U	0.00038	U	0.00038	U	0.00036	U
Cl8-BZ#201	MG/KG		0.00037	U	0.00038	U	0.00038	U	0.00032	J
Cl8-BZ#202	MG/KG		0.00037	U	0.00038	U	0.00038	U	0.00036	U
Cl8-BZ#203	MG/KG		0.00037	U	0.00038	U	0.00038	U	0.00036	U
Cl8-BZ#204/#200	MG/KG		0.00075	U	0.00076	U	0.00076	U	0.00073	U
Cl8-BZ#205	MG/KG		0.00037	U	0.00038	U	0.00038	U	0.00036	U
Cl9-BZ#206	MG/KG		0.00037	U	0.00038	U	0.00038	U	0.00036	U
Cl9-BZ#207	MG/KG		0.00037	U	0.00038	U	0.00038	U	0.00036	U
Cl9-BZ#208	MG/KG		0.00037	U	0.00038	U	0.00038	U	0.00036	U
Cl10-BZ#209	MG/KG		0.00037	U	0.00038	U	0.00038	U	0.00036	U

TABLE 6b - SUMMARY OF SAMPLE DATA FOR LOBSTER MEAT (MG/KG WET WEIGHT) AREA 3 - 2024

	Sample#	NBH24-L-A-3-M		NBH24-L-B-3-M		NBH24-L-D-3-M		NBH24-L-E-3-M	
	Species	Lobster Meat		Lobster Meat		Lobster Meat		Lobster Meat	
	Species Type	TIS		TIS		TIS		TIS	
	Area	3		3		3		3	
	Station	L3-Station A		L3-Station B		L3-Station D		L3-Station E	
	Sample Date	7/17/2024		7/19/2024		6/25/2024		7/29/2024	
Parameter	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
Lipids	PERCENT	0.24		0.57		0.22		0.23	
Total PCB Congeners[1]	MG/KG	0.042	J1	0.053	J2	0.035	J1	0.054	J2
Total PCB Congeners Hits[2]	MG/KG	0.019		0.031		0.0079		0.035	
Total NOAA Congeners[3]	MG/KG	0.014	J3	0.023	J3	0.0081	J2	0.022	J3
Total WHO Congeners[4]	MG/KG	0.0055	J2	0.0084	J2	0.0039	J1	0.0079	J2
Total NOAA / WHO Combined[5]	MG/KG	0.016	J2	0.025	J2	0.010	J2	0.025	J3
Cl1-BZ#1	MG/KG	0.00037	U	0.00037	U	0.00039	U	0.00035	U
Cl1-BZ#3	MG/KG	0.00037	U	0.00037	U	0.00039	U	0.00035	U
Cl2-BZ#4/#10	MG/KG	0.00075	U	0.00075	U	0.00078	U	0.00070	U
Cl2-BZ#5	MG/KG	0.00037	U	0.00037	U	0.00039	U	0.00035	U
Cl2-BZ#6	MG/KG	0.00037	U	0.00037	U	0.00039	U	0.00035	U
Cl2-BZ#7	MG/KG	0.00037	U	0.00037	U	0.00039	U	0.00035	U
Cl2-BZ#8	MG/KG	0.00037	U	0.00037	U	0.00039	U	0.00035	U
Cl2-BZ#12	MG/KG	0.00037	U	0.00037	U	0.00039	U	0.00035	U
Cl2-BZ#13	MG/KG	0.00075	U	0.00075	U	0.00078	U	0.00070	U
Cl2-BZ#15	MG/KG	0.00037	U	0.00037	U	0.00039	U	0.00035	U
Cl3-BZ#16	MG/KG	0.00037	U	0.00037	U	0.00039	U	0.00035	U
Cl3-BZ#17	MG/KG	0.00037	U	0.00037	U	0.00039	U	0.00035	U
Cl3-BZ#18	MG/KG	0.00037	U	0.00037	U	0.00039	U	0.00035	U
Cl3-BZ#19	MG/KG	0.00037	U	0.00037	U	0.00039	U	0.00035	U
Cl3-BZ#21/#20	MG/KG	0.00075	U	0.00075	U	0.00078	U	0.00070	U
Cl3-BZ#22	MG/KG	0.00037	U	0.00037	U	0.00039	U	0.00035	U
Cl3-BZ#24	MG/KG	0.00037	U	0.00037	U	0.00039	U	0.00035	U
Cl3-BZ#25	MG/KG	0.00037	U	0.00037	U	0.00039	U	0.00035	U
Cl3-BZ#26	MG/KG	0.00037	U	0.00037	U	0.00039	U	0.00035	U
Cl3-BZ#27	MG/KG	0.00037	U	0.00037	U	0.00039	U	0.00035	U
Cl3-BZ#28	MG/KG	0.00059		0.00060	J	0.00039	U	0.00056	
Cl3-BZ#29	MG/KG	0.00037	U	0.00037	U	0.00039	U	0.00035	U
Cl3-BZ#31	MG/KG	0.00037	U	0.00037	U	0.00039	U	0.00035	U
Cl3-BZ#32	MG/KG	0.00037	U	0.00037	U	0.00039	U	0.00035	U
Cl3-BZ#33	MG/KG	0.00037	U	0.00037	U	0.00039	U	0.00035	U
Cl3-BZ#37	MG/KG	0.00037	U	0.00037	U	0.00039	U	0.00035	U
Cl4-BZ#40	MG/KG	0.00037	U	0.00037	U	0.00039	U	0.00035	U
Cl4-BZ#41	MG/KG	0.00037	U	0.00037	U	0.00039	U	0.00035	U
Cl4-BZ#42	MG/KG	0.00037	U	0.00037	U	0.00039	U	0.00035	U
Cl4-BZ#43	MG/KG	0.00037	U	0.00037	U	0.00039	U	0.00035	U
Cl4-BZ#44	MG/KG	0.00037	U	0.00037	U	0.00039	U	0.00035	U
Cl4-BZ#45	MG/KG	0.00037	U	0.00037	U	0.00039	U	0.00035	U
Cl4-BZ#47	MG/KG	0.00065		0.00057		0.00035	J	0.00083	
Cl4-BZ#48	MG/KG	0.00037	U	0.00037	U	0.00039	U	0.00035	U
Cl4-BZ#49	MG/KG	0.00037	U	0.00037	U	0.00039	U	0.00023	J
Cl4-BZ#50	MG/KG	0.00037	U	0.00037	U	0.00039	U	0.00035	U
Cl4-BZ#51	MG/KG	0.00037	U	0.00037	U	0.00039	U	0.00035	U
Cl4-BZ#52	MG/KG	0.00021	J	0.00037	U	0.00039	U	0.00031	J
Cl4-BZ#53	MG/KG	0.00037	U	0.00037	U	0.00039	U	0.00035	U
Cl4-BZ#54	MG/KG	0.00037	U	0.00037	U	0.00039	U	0.00035	U
Cl4-BZ#56	MG/KG	0.00037	U	0.00037	U	0.00039	U	0.00035	U

TABLE 6b - SUMMARY OF SAMPLE DATA FOR LOBSTER MEAT (MG/KG WET WEIGHT) AREA 3 - 2024

		Sample#	NBH24-L-A-3-M		NBH24-L-B-3-M		NBH24-L-D-3-M		NBH24-L-E-3-M	
		Species	Lobster Meat		Lobster Meat		Lobster Meat		Lobster Meat	
		Species Type	TIS		TIS		TIS		TIS	
		Area	3		3		3		3	
		Station	L3-Station A		L3-Station B		L3-Station D		L3-Station E	
		Sample Date	7/17/2024		7/19/2024		6/25/2024		7/29/2024	
Parameter	**Units**		Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
Cl4-BZ#60	MG/KG		0.00037	U	0.00037	U	0.00039	U	0.00035	U
Cl4-BZ#63	MG/KG		0.00037	U	0.00037	U	0.00039	U	0.00035	U
Cl4-BZ#66	MG/KG		0.00077		0.0010		0.00042		0.0012	
Cl4-BZ#68/#64	MG/KG		0.00075	U	0.00075	U	0.00078	U	0.00070	U
Cl4-BZ#70	MG/KG		0.00037	U	0.00037	U	0.00039	U	0.00035	U
Cl4-BZ#71	MG/KG		0.00037	U	0.00037	U	0.00039	U	0.00019	J
Cl4-BZ#73/#46	MG/KG		0.00075	U	0.00075	U	0.00078	U	0.00070	U
Cl4-BZ#74	MG/KG		0.00048		0.00060		0.00020	J	0.00073	
Cl4-BZ#76	MG/KG		0.00037	U	0.00037	U	0.00039	U	0.00035	U
Cl4-BZ#77	MG/KG		0.00037	U	0.00037	U	0.00039	U	0.00035	U
Cl4-BZ#81	MG/KG		0.00037	U	0.00037	U	0.00039	U	0.00035	U
Cl5-BZ#82	MG/KG		0.00037	U	0.00037	U	0.00039	U	0.00035	U
Cl5-BZ#83/#125/#112	MG/KG		0.0011	U	0.0011	U	0.0012	U	0.0011	U
Cl5-BZ#85	MG/KG		0.00035	J	0.00030	J	0.00039	U	0.00046	
Cl5-BZ#87/#111	MG/KG		0.00075	U	0.00075	U	0.00078	U	0.00070	U
Cl5-BZ#89/#84	MG/KG		0.00075	U	0.00075	U	0.00078	U	0.00070	U
Cl5-BZ#91	MG/KG		0.00037	U	0.00037	U	0.00039	U	0.00035	U
Cl5-BZ#92	MG/KG		0.00024	J	0.00037	U	0.00039	U	0.00030	J
Cl5-BZ#97	MG/KG		0.00037	U	0.00037	U	0.00039	U	0.00035	U
Cl5-BZ#99	MG/KG		0.0018		0.0022		0.00095		0.0033	
Cl5-BZ#100	MG/KG		0.00037	U	0.00037	U	0.00039	U	0.00035	U
Cl5-BZ#101/#90	MG/KG		0.00054	J	0.00047	J	0.00078	U	0.00099	
Cl5-BZ#104	MG/KG		0.00037	U	0.00037	U	0.00039	U	0.00035	U
Cl5-BZ#105	MG/KG		0.00044		0.00059		0.00022	J	0.00068	
Cl5-BZ#107/#123	MG/KG		0.00075	U	0.00041	J	0.00078	U	0.00049	J
Cl5-BZ#110	MG/KG		0.00042		0.00037	U	0.00039	U	0.00086	
Cl5-BZ#114	MG/KG		0.00037	U	0.00037	U	0.00039	U	0.00018	J
Cl5-BZ#118	MG/KG		0.0029		0.0053		0.0015		0.0049	
Cl5-BZ#119	MG/KG		0.00037	U	0.00037	U	0.00039	U	0.00032	J
Cl5-BZ#121/#95/#88	MG/KG		0.0011	U	0.0011	U	0.0012	U	0.0011	U
Cl5-BZ#124	MG/KG		0.00037	U	0.00037	U	0.00039	U	0.00035	U
Cl5-BZ#126	MG/KG		0.00037	U	0.00037	U	0.00039	U	0.00035	U
Cl6-BZ#128	MG/KG		0.00050		0.00082	J	0.00029	J	0.00076	
Cl6-BZ#129/#158	MG/KG		0.00075	U	0.00040	J	0.00078	U	0.00047	J
Cl6-BZ#130/#164	MG/KG		0.00075	U	0.00075	U	0.00078	U	0.00070	U
Cl6-BZ#131	MG/KG		0.00037	U	0.00037	U	0.00039	U	0.00035	U
Cl6-BZ#132	MG/KG		0.00037	U	0.00037	U	0.00039	U	0.00035	U
Cl6-BZ#134	MG/KG		0.00037	U	0.00037	U	0.00039	U	0.00035	U
Cl6-BZ#135	MG/KG		0.00037	U	0.00037	U	0.00039	U	0.00035	U
Cl6-BZ#136	MG/KG		0.00037	U	0.00037	U	0.00039	U	0.00035	U
Cl6-BZ#137	MG/KG		0.00037	U	0.00037	U	0.00039	U	0.00023	J
Cl6-BZ#138	MG/KG		0.0016		0.0026		0.00074		0.0031	
Cl6-BZ#141	MG/KG		0.00037	U	0.00037	U	0.00039	U	0.00035	U
Cl6-BZ#144	MG/KG		0.00037	U	0.00037	U	0.00039	U	0.00035	U
Cl6-BZ#146	MG/KG		0.00070		0.0014		0.00039	J	0.0012	
Cl6-BZ#147/#149	MG/KG		0.00040	J	0.00039	J	0.00078	U	0.00058	J
Cl6-BZ#151	MG/KG		0.00037	U	0.00037	U	0.00039	U	0.00035	U
Cl6-BZ#153	MG/KG		0.0038		0.0078		0.0023		0.0068	

Created by: KLD 4/1/2025
Checked by: AP 4/3/2025

TABLE 6b - SUMMARY OF SAMPLE DATA FOR LOBSTER MEAT (MG/KG WET WEIGHT) AREA 3 - 2024

	Sample#	NBH24-L-A-3-M		NBH24-L-B-3-M		NBH24-L-D-3-M		NBH24-L-E-3-M	
	Species	Lobster Meat		Lobster Meat		Lobster Meat		Lobster Meat	
	Species Type	TIS		TIS		TIS		TIS	
	Area	3		3		3		3	
	Station	L3-Station A		L3-Station B		L3-Station D		L3-Station E	
	Sample Date	7/17/2024		7/19/2024		6/25/2024		7/29/2024	
Parameter	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
Cl6-BZ#154	MG/KG	0.00037	U	0.00037	U	0.00039	U	0.00035	U
Cl6-BZ#155	MG/KG	0.00037	U	0.00037	U	0.00039	U	0.00035	U
Cl6-BZ#156	MG/KG	0.00023	J	0.00047		0.00039	U	0.00036	
Cl6-BZ#157	MG/KG	0.00037	U	0.00029	J	0.00039	U	0.00035	U
Cl6-BZ#163/#160	MG/KG	0.00088		0.0015		0.00078	U	0.0014	
Cl6-BZ#167	MG/KG	0.00037	U	0.00037	U	0.00039	U	0.00029	J
Cl6-BZ#168	MG/KG	0.00037	U	0.00037	U	0.00039	U	0.00035	U
Cl6-BZ#169	MG/KG	0.00037	U	0.00037	U	0.00039	U	0.00035	U
Cl7-BZ#170	MG/KG	0.00026	J	0.00046		0.00039	U	0.00040	
Cl7-BZ#171	MG/KG	0.00037	U	0.00037	U	0.00039	U	0.00018	J
Cl7-BZ#172	MG/KG	0.00037	U	0.00037	U	0.00039	U	0.00035	U
Cl7-BZ#173	MG/KG	0.00037	U	0.00037	U	0.00039	U	0.00035	U
Cl7-BZ#174	MG/KG	0.00037	U	0.00037	U	0.00039	U	0.00035	U
Cl7-BZ#176	MG/KG	0.00037	U	0.00037	U	0.00039	U	0.00035	U
Cl7-BZ#177	MG/KG	0.00037	U	0.00037	U	0.00039	U	0.00024	J
Cl7-BZ#178	MG/KG	0.00037	U	0.00022	J	0.00039	U	0.00018	J
Cl7-BZ#180	MG/KG	0.00038		0.00085		0.00026	J	0.00080	
Cl7-BZ#182/#175	MG/KG	0.00075	U	0.00075	U	0.00078	U	0.00070	U
Cl7-BZ#183	MG/KG	0.00037	U	0.00037	U	0.00039	U	0.00030	J
Cl7-BZ#184	MG/KG	0.00037	U	0.00037	U	0.00039	U	0.00035	U
Cl7-BZ#185	MG/KG	0.00037	U	0.00037	U	0.00039	U	0.00035	U
Cl7-BZ#187	MG/KG	0.00050		0.0011		0.00029	J	0.00099	
Cl7-BZ#188	MG/KG	0.00037	U	0.00037	U	0.00039	U	0.00035	U
Cl7-BZ#189	MG/KG	0.00037	U	0.00037	U	0.00039	U	0.00035	U
Cl7-BZ#190	MG/KG	0.00037	U	0.00037	U	0.00039	U	0.00035	U
Cl7-BZ#191	MG/KG	0.00037	U	0.00037	U	0.00039	U	0.00035	U
Cl7-BZ#193	MG/KG	0.00037	U	0.00037	U	0.00039	U	0.00035	U
Cl8-BZ#194	MG/KG	0.00037	U	0.00037	U	0.00039	U	0.00035	U
Cl8-BZ#195	MG/KG	0.00037	U	0.00037	U	0.00039	U	0.00035	U
Cl8-BZ#196	MG/KG	0.00037	U	0.00037	U	0.00039	U	0.00035	U
Cl8-BZ#197	MG/KG	0.00037	U	0.00037	U	0.00039	U	0.00035	U
Cl8-BZ#199	MG/KG	0.00037	U	0.00037	U	0.00039	U	0.00035	U
Cl8-BZ#201	MG/KG	0.00037	U	0.00037	U	0.00039	U	0.00025	J
Cl8-BZ#202	MG/KG	0.00037	U	0.00037	U	0.00039	U	0.00035	U
Cl8-BZ#203	MG/KG	0.00037	U	0.00037	U	0.00039	U	0.00035	U
Cl8-BZ#204/#200	MG/KG	0.00075	U	0.00075	U	0.00078	U	0.00070	U
Cl8-BZ#205	MG/KG	0.00037	U	0.00037	U	0.00039	U	0.00035	U
Cl9-BZ#206	MG/KG	0.00037	U	0.00037	U	0.00039	U	0.00035	U
Cl9-BZ#207	MG/KG	0.00037	U	0.00037	U	0.00039	U	0.00035	U
Cl9-BZ#208	MG/KG	0.00037	U	0.00037	U	0.00039	U	0.00035	U
Cl10-BZ#209	MG/KG	0.00037	U	0.00037	U	0.00039	U	0.00035	U

TABLE 7a - SUMMARY OF SAMPLE DATA FOR LOBSTER TOMALLEY (MG/KG WET WEIGHT) AREA 2 - 2024

	Sample#	NBH24-L-A-2-T		NBH24-L-B-2-T		NBH24-L-C-2-T		NBH24-L-D-2-T	
	Species	Lobster Tomalley		Lobster Tomalley		Lobster Tomalley		Lobster Tomalley	
	Species Type	TIS		TIS		TIS		TIS	
	Area	2		2		2		2	
	Station	L2-Station A		L2-Station B		L2-Station C		L2-Station D	
	Sample Date	6/17/2024		6/17/2024		6/20/2024		6/17/2024	
Parameter	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
Lipids	PERCENT	6.7		13		12		9.0	
Total PCB Congeners[1]	MG/KG	6.8	J4	5.9	J3	6.6	J4	8.1	J4
Total PCB Congeners Hits[2]	MG/KG	6.8		5.8		6.5		8.0	
Total NOAA Congeners[3]	MG/KG	4.5	J4	3.8	J4	4.1	J4	4.8	J4
Total WHO Congeners[4]	MG/KG	1.5	J4	1.3	J4	1.2	J4	1.4	J4
Total NOAA / WHO Combined[5]	MG/KG	4.8	J4	4.1	J4	4.3	J4	5.1	J4
Cl1-BZ#1	MG/KG	0.0020	U	0.0020	U	0.0020	U	0.0019	U
Cl1-BZ#3	MG/KG	0.0020	U	0.0020	U	0.0020	U	0.0019	U
Cl2-BZ#4/#10	MG/KG	0.0039	U	0.0040	U	0.0039	U	0.0039	U
Cl2-BZ#5	MG/KG	0.0020	U	0.0020	U	0.0020	U	0.0019	U
Cl2-BZ#6	MG/KG	0.0013	J	0.0020	U	0.0020	U	0.0015	J
Cl2-BZ#7	MG/KG	0.0020	U	0.0020	U	0.0020	U	0.0019	U
Cl2-BZ#8	MG/KG	0.0040		0.0033		0.0035		0.0028	
Cl2-BZ#12	MG/KG	0.0020	U	0.0020	U	0.0020	U	0.0019	U
Cl2-BZ#13	MG/KG	0.0039	U	0.0040	U	0.0039	U	0.0039	U
Cl2-BZ#15	MG/KG	0.0028		0.0040		0.0031		0.0025	
Cl3-BZ#16	MG/KG	0.0020	U	0.0020	U	0.0020	U	0.0019	U
Cl3-BZ#17	MG/KG	0.0013	J	0.0015	J	0.0017	J	0.0040	
Cl3-BZ#18	MG/KG	0.0013	J	0.0015	J	0.0018	J	0.0039	
Cl3-BZ#19	MG/KG	0.0020	U	0.0020	U	0.0020	U	0.0019	U
Cl3-BZ#21/#20	MG/KG	0.0039	U	0.0040	U	0.0039	U	0.0039	U
Cl3-BZ#22	MG/KG	0.0018	J	0.0021		0.0020	U	0.0037	
Cl3-BZ#24	MG/KG	0.0020	U	0.0020	U	0.0020	U	0.0019	U
Cl3-BZ#25	MG/KG	0.0020	U	0.0020	U	0.0020	U	0.0019	U
Cl3-BZ#26	MG/KG	0.0028		0.0028		0.0028		0.0099	
Cl3-BZ#27	MG/KG	0.0020	U	0.0020	U	0.0020	U	0.0011	J
Cl3-BZ#28	MG/KG	0.14		0.14		0.12		0.097	
Cl3-BZ#29	MG/KG	0.0020	U	0.0020	U	0.0020	U	0.0019	U
Cl3-BZ#31	MG/KG	0.010		0.013		0.0099		0.025	
Cl3-BZ#32	MG/KG	0.0082		0.0089		0.014		0.0070	
Cl3-BZ#33	MG/KG	0.0035		0.0041		0.0020	U	0.0032	
Cl3-BZ#37	MG/KG	0.0089		0.011		0.011		0.0085	
Cl4-BZ#40	MG/KG	0.0020	U	0.0020	U	0.0020	U	0.0019	U
Cl4-BZ#41	MG/KG	0.0020	U	0.0020	U	0.0020	U	0.0019	U
Cl4-BZ#42	MG/KG	0.0020	U	0.0020	U	0.0020	U	0.0051	
Cl4-BZ#43	MG/KG	0.0020	U	0.0013	J	0.0012	J	0.0019	U
Cl4-BZ#44	MG/KG	0.0012	J	0.0020	U	0.0013	J	0.0053	
Cl4-BZ#45	MG/KG	0.0020	U	0.0020	U	0.0020	U	0.0019	U
Cl4-BZ#47	MG/KG	0.19		0.14		0.18		0.13	
Cl4-BZ#48	MG/KG	0.0020	U	0.0020	U	0.0016	J	0.0021	
Cl4-BZ#49	MG/KG	0.0035		0.0030		0.0057		0.042	
Cl4-BZ#50	MG/KG	0.0020	U	0.0020	U	0.0020	U	0.0019	U
Cl4-BZ#51	MG/KG	0.0020	U	0.0020	U	0.0020	U	0.0014	J
Cl4-BZ#52	MG/KG	0.014		0.012		0.014		0.040	
Cl4-BZ#53	MG/KG	0.0020	U	0.0020	U	0.0020	U	0.0017	J
Cl4-BZ#54	MG/KG	0.0020	U	0.0020	U	0.0020	U	0.0019	U
Cl4-BZ#56	MG/KG	0.0030		0.0031		0.0039		0.011	

TABLE 7a - SUMMARY OF SAMPLE DATA FOR LOBSTER TOMALLEY (MG/KG WET WEIGHT) AREA 2 - 2024

		Sample#	NBH24-L-A-2-T		NBH24-L-B-2-T		NBH24-L-C-2-T		NBH24-L-D-2-T	
		Species	Lobster Tomalley		Lobster Tomalley		Lobster Tomalley		Lobster Tomalley	
		Species Type	TIS		TIS		TIS		TIS	
		Area	2		2		2		2	
		Station	L2-Station A		L2-Station B		L2-Station C		L2-Station D	
		Sample Date	6/17/2024		6/17/2024		6/20/2024		6/17/2024	
Parameter	**Units**		Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
Cl4-BZ#60	MG/KG		0.023		0.019		0.015		0.020	
Cl4-BZ#63	MG/KG		0.013		0.014		0.014		0.016	
Cl4-BZ#66	MG/KG		0.26		0.22		0.25		0.20	
Cl4-BZ#68/#64	MG/KG		0.0089		0.013		0.016		0.036	
Cl4-BZ#70	MG/KG		0.0044		0.0044		0.0053		0.021	
Cl4-BZ#71	MG/KG		0.012		0.013		0.021		0.019	
Cl4-BZ#73/#46	MG/KG		0.0039	U	0.0040	U	0.0039	U	0.0039	U
Cl4-BZ#74	MG/KG		0.15		0.14		0.12		0.12	
Cl4-BZ#76	MG/KG		0.0020	U	0.0020	U	0.0020	U	0.0019	U
Cl4-BZ#77	MG/KG		0.014		0.019		0.015		0.013	
Cl4-BZ#81	MG/KG		0.0020	U	0.0020	U	0.0011	J	0.0019	U
Cl5-BZ#82	MG/KG		0.0020	U	0.0020	U	0.0020	U	0.0019	U
Cl5-BZ#83/#125/#112	MG/KG		0.0059	U	0.0060	U	0.0059	U	0.0067	
Cl5-BZ#85	MG/KG		0.091		0.062		0.080		0.077	
Cl5-BZ#87/#111	MG/KG		0.0032	J	0.0029	J	0.0028	J	0.017	
Cl5-BZ#89/#84	MG/KG		0.0039	U	0.0040	U	0.0039	U	0.0021	J
Cl5-BZ#91	MG/KG		0.0020	U	0.0010	J	0.0010	J	0.021	
Cl5-BZ#92	MG/KG		0.016		0.019		0.023		0.048	
Cl5-BZ#97	MG/KG		0.0020	U	0.0020	U	0.0020	U	0.014	
Cl5-BZ#99	MG/KG		0.51		0.50		0.71		0.68	
Cl5-BZ#100	MG/KG		0.0056		0.0045		0.0091		0.0066	
Cl5-BZ#101/#90	MG/KG		0.070		0.075		0.10		0.27	
Cl5-BZ#104	MG/KG		0.0020	U	0.0020	U	0.0020	U	0.0019	U
Cl5-BZ#105	MG/KG		0.15		0.12		0.11		0.14	
Cl5-BZ#107/#123	MG/KG		0.067		0.063		0.074		0.089	
Cl5-BZ#110	MG/KG		0.017		0.022		0.034		0.18	
Cl5-BZ#114	MG/KG		0.035		0.028		0.027		0.033	
Cl5-BZ#118	MG/KG		1.0		0.91		0.82		0.98	
Cl5-BZ#119	MG/KG		0.027		0.026		0.039		0.053	
Cl5-BZ#121/#95/#88	MG/KG		0.0059	U	0.0060	U	0.0059	U	0.013	
Cl5-BZ#124	MG/KG		0.0020	U	0.0020	U	0.0012	J	0.0057	
Cl5-BZ#126	MG/KG		0.0030		0.0028		0.0032		0.0030	
Cl6-BZ#128	MG/KG		0.15		0.11		0.15		0.15	
Cl6-BZ#129/#158	MG/KG		0.055		0.051		0.055		0.077	
Cl6-BZ#130/#164	MG/KG		0.023		0.022		0.030		0.053	
Cl6-BZ#131	MG/KG		0.0020	U	0.0020	U	0.0020	U	0.0019	U
Cl6-BZ#132	MG/KG		0.0020	U	0.0020	U	0.0020	U	0.017	
Cl6-BZ#134	MG/KG		0.0020	U	0.0020	U	0.0020	U	0.0060	
Cl6-BZ#135	MG/KG		0.0033		0.0033		0.0051		0.012	
Cl6-BZ#136	MG/KG		0.0020	U	0.0020	U	0.0020	U	0.0019	
Cl6-BZ#137	MG/KG		0.034		0.023		0.025		0.030	
Cl6-BZ#138	MG/KG		0.59		0.47		0.56		0.72	
Cl6-BZ#141	MG/KG		0.0020	U	0.0020	U	0.0013	J	0.014	
Cl6-BZ#144	MG/KG		0.0020	U	0.0020	U	0.0020	U	0.0032	
Cl6-BZ#146	MG/KG		0.25		0.21		0.24		0.29	
Cl6-BZ#147/#149	MG/KG		0.035		0.029		0.045		0.17	
Cl6-BZ#151	MG/KG		0.0020	U	0.0015	J	0.0028		0.038	
Cl6-BZ#153	MG/KG		1.7		1.5		1.6		1.8	

Created by: KLD 4/1/2025
Checked by: AP 4/3/2025

TABLE 7a - SUMMARY OF SAMPLE DATA FOR LOBSTER TOMALLEY (MG/KG WET WEIGHT) AREA 2 - 2024

		Sample#	NBH24-L-A-2-T		NBH24-L-B-2-T		NBH24-L-C-2-T		NBH24-L-D-2-T	
		Species	Lobster Tomalley		Lobster Tomalley		Lobster Tomalley		Lobster Tomalley	
		Species Type	TIS		TIS		TIS		TIS	
		Area	2		2		2		2	
		Station	L2-Station A		L2-Station B		L2-Station C		L2-Station D	
		Sample Date	6/17/2024		6/17/2024		6/20/2024		6/17/2024	
Parameter	**Units**		Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
Cl6-BZ#154	MG/KG		0.0037		0.0058		0.012		0.031	
Cl6-BZ#155	MG/KG		0.0020	U	0.0020	U	0.0020	U	0.0019	U
Cl6-BZ#156	MG/KG		0.078		0.058		0.061		0.075	
Cl6-BZ#157	MG/KG		0.033		0.025		0.027		0.030	
Cl6-BZ#163/#160	MG/KG		0.27		0.21		0.26		0.31	
Cl6-BZ#167	MG/KG		0.052		0.043		0.042		0.050	
Cl6-BZ#168	MG/KG		0.0020	U	0.0020	U	0.0020	U	0.0019	U
Cl6-BZ#169	MG/KG		0.0020	U	0.0020	U	0.0020	U	0.0019	U
Cl7-BZ#170	MG/KG		0.079		0.054		0.071		0.071	
Cl7-BZ#171	MG/KG		0.015		0.011		0.017		0.022	
Cl7-BZ#172	MG/KG		0.012		0.0084		0.012		0.013	
Cl7-BZ#173	MG/KG		0.0020	U	0.0020	U	0.0020	U	0.0019	U
Cl7-BZ#174	MG/KG		0.0020	U	0.0020	U	0.0014	J	0.0058	
Cl7-BZ#176	MG/KG		0.0020	U	0.0020	U	0.0020	U	0.0019	U
Cl7-BZ#177	MG/KG		0.021		0.013		0.023		0.029	
Cl7-BZ#178	MG/KG		0.021		0.016		0.021		0.024	
Cl7-BZ#180	MG/KG		0.17		0.11		0.13		0.15	
Cl7-BZ#182/#175	MG/KG		0.0042		0.0038	J	0.0048		0.0046	
Cl7-BZ#183	MG/KG		0.025		0.027		0.037		0.048	
Cl7-BZ#184	MG/KG		0.0020	U	0.0020	U	0.0020	U	0.0019	U
Cl7-BZ#185	MG/KG		0.0020	U	0.0020	U	0.0020	U	0.0019	U
Cl7-BZ#187	MG/KG		0.14		0.12		0.14		0.17	
Cl7-BZ#188	MG/KG		0.0011	J	0.0020	U	0.0011	J	0.0014	J
Cl7-BZ#189	MG/KG		0.0060		0.0041		0.0057		0.0054	
Cl7-BZ#190	MG/KG		0.011		0.0067		0.0086		0.0095	
Cl7-BZ#191	MG/KG		0.0030		0.0029		0.0035		0.0039	
Cl7-BZ#193	MG/KG		0.011		0.0083		0.010		0.011	
Cl8-BZ#194	MG/KG		0.020		0.013		0.019		0.018	
Cl8-BZ#195	MG/KG		0.0050		0.0032		0.0045		0.0036	
Cl8-BZ#196	MG/KG		0.0086		0.0077		0.010		0.0089	
Cl8-BZ#197	MG/KG		0.0020	U	0.0020	U	0.0011	J	0.0014	J
Cl8-BZ#199	MG/KG		0.0020	U	0.0020	U	0.0020	U	0.0019	U
Cl8-BZ#201	MG/KG		0.018		0.015		0.022		0.022	
Cl8-BZ#202	MG/KG		0.0076		0.0069		0.0077		0.0094	
Cl8-BZ#203	MG/KG		0.0095		0.0067		0.0083		0.0097	
Cl8-BZ#204/#200	MG/KG		0.0035	J	0.0033	J	0.0033	J	0.0047	
Cl8-BZ#205	MG/KG		0.0020	U	0.0020	U	0.0020	U	0.0019	U
Cl9-BZ#206	MG/KG		0.0068		0.0049		0.0061		0.0062	
Cl9-BZ#207	MG/KG		0.0020	U	0.0020	U	0.0012	J	0.0019	U
Cl9-BZ#208	MG/KG		0.0033		0.0035		0.0036		0.0031	
Cl10-BZ#209	MG/KG		0.0024		0.0022		0.0021		0.0027	

Created by: KLD 4/1/2025
Checked by: AP 4/3/2025

TABLE 7b - SUMMARY OF SAMPLE DATA FOR LOBSTER TOMALLEY (MG/KG WET WEIGHT) AREA 3 - 2024

	Sample#	NBH24-L-A-3-T		NBH24-L-B-3-T		NBH24-L-D-3-T		NBH24-L-E-3-T	
	Species	Lobster Tomalley		Lobster Tomalley		Lobster Tomalley		Lobster Tomalley	
	Species Type	TIS		TIS		TIS		TIS	
	Area	3		3		3		3	
	Station	L3-Station A		L3-Station B		L3-Station D		L3-Station E	
	Sample Date	7/17/2024		7/19/2024		6/25/2024		7/29/2024	
Parameter	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
Lipids	PERCENT	32		15		31		16	
Total PCB Congeners[1]	MG/KG	9.3	J3	3.0	J3	5.8	J4	6.1	J4
Total PCB Congeners Hits[2]	MG/KG	9.2		2.9		5.8		6.0	
Total NOAA Congeners[3]	MG/KG	5.5	J4	1.9	J4	3.7	J4	3.6	J4
Total WHO Congeners[4]	MG/KG	1.6	J4	0.58	J4	1.1	J4	1.0	J4
Total NOAA / WHO Combined[5]	MG/KG	5.9	J4	2.1	J4	4.0	J4	3.8	J4
Cl1-BZ#1	MG/KG	0.0030	J	0.0017	U	0.0020	U	0.00098	J
Cl1-BZ#3	MG/KG	0.0037	U	0.0017	U	0.0020	U	0.0015	U
Cl2-BZ#4/#10	MG/KG	0.0074	U	0.0035	U	0.0039	U	0.0031	U
Cl2-BZ#5	MG/KG	0.0037	U	0.0017	U	0.0020	U	0.0015	U
Cl2-BZ#6	MG/KG	0.0031	J	0.0017	U	0.00098	J	0.0014	J
Cl2-BZ#7	MG/KG	0.0037	U	0.0017	U	0.0020	U	0.0015	U
Cl2-BZ#8	MG/KG	0.010		0.0011	J	0.0033		0.0034	
Cl2-BZ#12	MG/KG	0.0037	U	0.0017	U	0.0020	U	0.0015	U
Cl2-BZ#13	MG/KG	0.0074	U	0.0035	U	0.0039	U	0.0031	U
Cl2-BZ#15	MG/KG	0.0053		0.0012	J	0.0021		0.0018	
Cl3-BZ#16	MG/KG	0.0037	U	0.0017	U	0.0020	U	0.0015	U
Cl3-BZ#17	MG/KG	0.0062		0.0017	U	0.0020		0.0046	
Cl3-BZ#18	MG/KG	0.0055		0.0017	U	0.0017	J	0.0048	
Cl3-BZ#19	MG/KG	0.0037	U	0.0017	U	0.0020	U	0.0015	U
Cl3-BZ#21/#20	MG/KG	0.0074	U	0.0035	U	0.0039	U	0.0031	U
Cl3-BZ#22	MG/KG	0.0076		0.0017	U	0.0020	U	0.0038	
Cl3-BZ#24	MG/KG	0.0037	U	0.0017	U	0.0020	U	0.0015	U
Cl3-BZ#25	MG/KG	0.0037	U	0.0017	U	0.0020	U	0.0015	U
Cl3-BZ#26	MG/KG	0.010		0.0015	J	0.0035		0.0072	
Cl3-BZ#27	MG/KG	0.0037	U	0.0017	U	0.0020	U	0.0010	J
Cl3-BZ#28	MG/KG	0.19		0.033		0.062		0.071	
Cl3-BZ#29	MG/KG	0.0037	U	0.0017	U	0.0020	U	0.0015	U
Cl3-BZ#31	MG/KG	0.030		0.0039		0.012		0.018	
Cl3-BZ#32	MG/KG	0.026		0.0032		0.0069		0.0096	
Cl3-BZ#33	MG/KG	0.0037	U	0.0017	U	0.0020	U	0.0015	U
Cl3-BZ#37	MG/KG	0.015		0.0031	J	0.0078		0.0081	
Cl4-BZ#40	MG/KG	0.0037	U	0.0017	U	0.0020	U	0.0015	U
Cl4-BZ#41	MG/KG	0.0037	U	0.0017	U	0.0020	U	0.0015	U
Cl4-BZ#42	MG/KG	0.0037	U	0.0017	U	0.0020	U	0.0025	
Cl4-BZ#43	MG/KG	0.0042		0.0017	U	0.0016	J	0.0013	J
Cl4-BZ#44	MG/KG	0.0047		0.0017	U	0.0023		0.0034	
Cl4-BZ#45	MG/KG	0.0037	U	0.0017	U	0.0020	U	0.0015	U
Cl4-BZ#47	MG/KG	0.24		0.043		0.086		0.11	
Cl4-BZ#48	MG/KG	0.0034	J	0.0017	U	0.0020		0.0020	
Cl4-BZ#49	MG/KG	0.017		0.0047		0.0063		0.022	
Cl4-BZ#50	MG/KG	0.0037	U	0.0017	U	0.0020	U	0.0015	U
Cl4-BZ#51	MG/KG	0.0020	J	0.0017	U	0.0013	J	0.0018	
Cl4-BZ#52	MG/KG	0.064		0.010		0.021		0.032	
Cl4-BZ#53	MG/KG	0.0019	J	0.0017	U	0.0020	U	0.0025	
Cl4-BZ#54	MG/KG	0.0037	U	0.0017	U	0.0020	U	0.0015	U
Cl4-BZ#56	MG/KG	0.0088		0.0021		0.0050		0.0073	

TABLE 7b - SUMMARY OF SAMPLE DATA FOR LOBSTER TOMALLEY (MG/KG WET WEIGHT) AREA 3 - 2024

		Sample#	NBH24-L-A-3-T		NBH24-L-B-3-T		NBH24-L-D-3-T		NBH24-L-E-3-T	
		Species	Lobster Tomalley		Lobster Tomalley		Lobster Tomalley		Lobster Tomalley	
		Species Type	TIS		TIS		TIS		TIS	
		Area	3		3		3		3	
		Station	L3-Station A		L3-Station B		L3-Station D		L3-Station E	
		Sample Date	7/17/2024		7/19/2024		6/25/2024		7/29/2024	
Parameter	**Units**		Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
Cl4-BZ#60	MG/KG		0.025		0.0057		0.012		0.014	
Cl4-BZ#63	MG/KG		0.023		0.0053		0.010		0.012	
Cl4-BZ#66	MG/KG		0.32		0.086		0.17		0.16	
Cl4-BZ#68/#64	MG/KG		0.034		0.0051		0.014		0.024	
Cl4-BZ#70	MG/KG		0.018		0.0029		0.0088		0.015	
Cl4-BZ#71	MG/KG		0.038		0.0044		0.012		0.020	
Cl4-BZ#73/#46	MG/KG		0.0074	U	0.0035	U	0.0039	U	0.0031	U
Cl4-BZ#74	MG/KG		0.18		0.044		0.086		0.095	
Cl4-BZ#76	MG/KG		0.0037	U	0.0017	U	0.0020	U	0.0015	U
Cl4-BZ#77	MG/KG		0.018		0.0071		0.013		0.0096	
Cl4-BZ#81	MG/KG		0.0037	U	0.0017	U	0.0020	U	0.0015	U
Cl5-BZ#82	MG/KG		0.0037	U	0.0017	U	0.0020	U	0.0015	U
Cl5-BZ#83/#125/#112	MG/KG		0.011	U	0.0052	U	0.0059	U	0.0037	J
Cl5-BZ#85	MG/KG		0.12		0.026		0.063		0.077	
Cl5-BZ#87/#111	MG/KG		0.0092		0.0025	J	0.0063		0.0077	
Cl5-BZ#89/#84	MG/KG		0.0074	U	0.0035	U	0.0039	U	0.0031	U
Cl5-BZ#91	MG/KG		0.0039		0.0018		0.0022		0.0077	
Cl5-BZ#92	MG/KG		0.074		0.0084		0.024		0.045	
Cl5-BZ#97	MG/KG		0.0037	U	0.0010	J	0.0014	J	0.0039	
Cl5-BZ#99	MG/KG		0.80		0.20		0.46		0.53	
Cl5-BZ#100	MG/KG		0.012		0.0023		0.0052		0.0087	
Cl5-BZ#101/#90	MG/KG		0.22		0.050		0.13		0.18	
Cl5-BZ#104	MG/KG		0.0037	U	0.0017	U	0.0020	U	0.0015	U
Cl5-BZ#105	MG/KG		0.15		0.053		0.098		0.096	
Cl5-BZ#107/#123	MG/KG		0.10		0.034		0.074		0.063	
Cl5-BZ#110	MG/KG		0.12		0.016		0.047		0.099	
Cl5-BZ#114	MG/KG		0.035		0.013		0.031		0.022	
Cl5-BZ#118	MG/KG		1.1		0.40		0.73		0.68	
Cl5-BZ#119	MG/KG		0.050		0.010		0.024		0.038	
Cl5-BZ#121/#95/#88	MG/KG		0.0082	J	0.0052	U	0.0046	J	0.0076	
Cl5-BZ#124	MG/KG		0.0034	J	0.0017	U	0.0020		0.0036	
Cl5-BZ#126	MG/KG		0.0061		0.0022		0.0044		0.0027	
Cl6-BZ#128	MG/KG		0.19		0.056		0.11		0.12	
Cl6-BZ#129/#158	MG/KG		0.083		0.026		0.047		0.054	
Cl6-BZ#130/#164	MG/KG		0.059		0.013		0.028		0.036	
Cl6-BZ#131	MG/KG		0.0037	U	0.0017	U	0.0020	U	0.0015	U
Cl6-BZ#132	MG/KG		0.0039		0.0017	U	0.0020	U	0.0058	
Cl6-BZ#134	MG/KG		0.0037	U	0.0017	U	0.0020	U	0.0010	J
Cl6-BZ#135	MG/KG		0.019		0.0030		0.0071		0.0096	
Cl6-BZ#136	MG/KG		0.0037	U	0.0017	U	0.0020	U	0.0015	U
Cl6-BZ#137	MG/KG		0.036		0.012		0.024		0.026	
Cl6-BZ#138	MG/KG		0.75		0.25		0.49		0.53	
Cl6-BZ#141	MG/KG		0.0061		0.0014	J	0.0035		0.0088	
Cl6-BZ#144	MG/KG		0.0037	U	0.0017	U	0.0020	U	0.0014	J
Cl6-BZ#146	MG/KG		0.35		0.13		0.23		0.22	
Cl6-BZ#147/#149	MG/KG		0.091		0.024		0.044		0.089	
Cl6-BZ#151	MG/KG		0.0083		0.0018		0.0041		0.018	
Cl6-BZ#153	MG/KG		2.0		0.79		1.5		1.3	

Created by: KLD 4/1/2025
Checked by: AP 4/3/2025

TABLE 7b - SUMMARY OF SAMPLE DATA FOR LOBSTER TOMALLEY (MG/KG WET WEIGHT) AREA 3 - 2024

		Sample#	NBH24-L-A-3-T		NBH24-L-B-3-T		NBH24-L-D-3-T		NBH24-L-E-3-T	
		Species	Lobster Tomalley		Lobster Tomalley		Lobster Tomalley		Lobster Tomalley	
		Species Type	TIS		TIS		TIS		TIS	
		Area	3		3		3		3	
		Station	L3-Station A		L3-Station B		L3-Station D		L3-Station E	
		Sample Date	7/17/2024		7/19/2024		6/25/2024		7/29/2024	
Parameter	**Units**		Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
Cl6-BZ#154	MG/KG		0.020		0.0036		0.010		0.024	
Cl6-BZ#155	MG/KG		0.0037	U	0.0017	U	0.0020	U	0.00080	J
Cl6-BZ#156	MG/KG		0.086		0.033		0.061		0.058	
Cl6-BZ#157	MG/KG		0.037		0.015		0.026		0.023	
Cl6-BZ#163/#160	MG/KG		0.38		0.13		0.24		0.23	
Cl6-BZ#167	MG/KG		0.061		0.025		0.049		0.041	
Cl6-BZ#168	MG/KG		0.0037	U	0.0017	U	0.0020	U	0.0015	U
Cl6-BZ#169	MG/KG		0.0037	U	0.0017	U	0.0020	U	0.0015	U
Cl7-BZ#170	MG/KG		0.090		0.034		0.065		0.063	
Cl7-BZ#171	MG/KG		0.022		0.0068		0.016		0.018	
Cl7-BZ#172	MG/KG		0.018		0.0069		0.012		0.014	
Cl7-BZ#173	MG/KG		0.0037	U	0.0017	U	0.0020	U	0.0011	J
Cl7-BZ#174	MG/KG		0.0055		0.0012	J	0.0025		0.0048	
Cl7-BZ#176	MG/KG		0.0037	U	0.0017	U	0.0020	U	0.0015	U
Cl7-BZ#177	MG/KG		0.043		0.012		0.024		0.028	
Cl7-BZ#178	MG/KG		0.033		0.013		0.022		0.024	
Cl7-BZ#180	MG/KG		0.19		0.076		0.13		0.14	
Cl7-BZ#182/#175	MG/KG		0.0062	J	0.0026	J	0.0055		0.0050	
Cl7-BZ#183	MG/KG		0.051		0.017		0.038		0.041	
Cl7-BZ#184	MG/KG		0.0037	U	0.0017	U	0.0020	U	0.0015	U
Cl7-BZ#185	MG/KG		0.0037	U	0.0017	U	0.0020	U	0.0011	J
Cl7-BZ#187	MG/KG		0.22		0.090		0.16		0.16	
Cl7-BZ#188	MG/KG		0.0037	U	0.0010	J	0.0017	J	0.0021	
Cl7-BZ#189	MG/KG		0.0071		0.0031		0.0065		0.0047	
Cl7-BZ#190	MG/KG		0.012		0.0046		0.0095		0.0096	
Cl7-BZ#191	MG/KG		0.0054		0.0020		0.0034		0.0027	
Cl7-BZ#193	MG/KG		0.015		0.0061		0.0088		0.011	
Cl8-BZ#194	MG/KG		0.027		0.012		0.023		0.025	
Cl8-BZ#195	MG/KG		0.0066		0.0027		0.0050		0.0071	
Cl8-BZ#196	MG/KG		0.015		0.0064		0.011		0.013	
Cl8-BZ#197	MG/KG		0.0037	U	0.0017	U	0.0019	J	0.0018	
Cl8-BZ#199	MG/KG		0.0037	U	0.0017	U	0.0020	U	0.0015	U
Cl8-BZ#201	MG/KG		0.032		0.015		0.021		0.032	
Cl8-BZ#202	MG/KG		0.014		0.0093		0.012		0.015	
Cl8-BZ#203	MG/KG		0.012		0.0055		0.010		0.014	
Cl8-BZ#204/#200	MG/KG		0.0065	J	0.0035	J	0.0066		0.0071	
Cl8-BZ#205	MG/KG		0.0037	U	0.0017	U	0.0015	J	0.0015	U
Cl9-BZ#206	MG/KG		0.011		0.0059		0.011		0.020	
Cl9-BZ#207	MG/KG		0.0037	U	0.0011	J	0.0020		0.0032	
Cl9-BZ#208	MG/KG		0.0067		0.0034		0.0060		0.011	
Cl10-BZ#209	MG/KG		0.0053		0.0025		0.0052		0.012	

TABLE 8a - SUMMARY OF SAMPLE DATA FOR QUAHOG (MG/KG WET WEIGHT) AREA 1 - 2024

		Sample#	NBH24-SF-A-1		NBH24-SF-B-1		NBH24-SF-C-1		NBH24-SF-D-1		NBH24-SF-E-1	
		Species	Quahog		Quahog		Quahog		Quahog		Quahog	
		Species Type	TIS		TIS		TIS		TIS		TIS	
		Area	1		1		1		1		1	
		Station	Q1-Station A		Q1-Station B		Q1-Station C		Q1-Station D		Q1-Station E	
		Sample Date	5/9/2024		5/9/2024		5/22/2024		5/22/2024		5/22/2024	
Parameter	**Units**		Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
Lipids	PERCENT		0.31		0.30		0.25		0.28		0.34	
Total PCB Congeners[1]	MG/KG		0.22	J3	0.22	J3	0.36	J3	0.41	J3	0.36	J3
Total PCB Congeners Hits[2]	MG/KG		0.21		0.21		0.35		0.41		0.35	
Total NOAA Congeners[3]	MG/KG		0.078	J4	0.078	J4	0.13	J4	0.15	J4	0.13	J4
Total WHO Congeners[4]	MG/KG		0.015	J3	0.015	J3	0.027	J3	0.029	J3	0.023	J3
Total NOAA / WHO Combined[5]	MG/KG		0.082	J3	0.083	J3	0.14	J3	0.16	J4	0.14	J4
Cl1-BZ#1	MG/KG		0.00039	U	0.00038	U	0.00040	U	0.00034	U	0.00038	U
Cl1-BZ#3	MG/KG		0.00039	U	0.00038	U	0.00040	U	0.00034	U	0.00038	U
Cl2-BZ#4/#10	MG/KG		0.00077	U	0.00076	U	0.00079	U	0.00069	U	0.00076	U
Cl2-BZ#5	MG/KG		0.00039	U	0.00038	U	0.00040	U	0.00034	U	0.00038	U
Cl2-BZ#6	MG/KG		0.00045		0.00044		0.00046		0.00045		0.00054	
Cl2-BZ#7	MG/KG		0.00039	U	0.00038	U	0.00040	U	0.00034	U	0.00038	U
Cl2-BZ#8	MG/KG		0.00045		0.00046		0.00043		0.00046		0.00054	
Cl2-BZ#12	MG/KG		0.00039	U	0.00038	U	0.00040	U	0.00034	U	0.00038	U
Cl2-BZ#13	MG/KG		0.00077	U	0.00076	U	0.00079	U	0.00046	J	0.00076	U
Cl2-BZ#15	MG/KG		0.00038	J	0.00036	J	0.00049		0.00066		0.00067	
Cl3-BZ#16	MG/KG		0.00068		0.00048		0.00076		0.00084		0.00068	
Cl3-BZ#17	MG/KG		0.0016		0.0015		0.0020		0.0027		0.0028	
Cl3-BZ#18	MG/KG		0.0029		0.0029		0.0043		0.0051		0.0056	
Cl3-BZ#19	MG/KG		0.00022	J	0.00030	J	0.00036	J	0.00044		0.00047	
Cl3-BZ#21/#20	MG/KG		0.00065	J	0.00074	J	0.0010		0.0014		0.00091	
Cl3-BZ#22	MG/KG		0.0012		0.0013		0.0019		0.0023		0.0016	
Cl3-BZ#24	MG/KG		0.00039	U	0.00038	U	0.00040	U	0.00034	U	0.00038	U
Cl3-BZ#25	MG/KG		0.00039	U	0.00038	U	0.00040	U	0.00034	U	0.00038	U
Cl3-BZ#26	MG/KG		0.0052		0.0052		0.0078		0.010		0.0099	
Cl3-BZ#27	MG/KG		0.00050		0.00055		0.00074		0.00088		0.0010	
Cl3-BZ#28	MG/KG		0.0061		0.0064		0.011		0.016		0.013	
Cl3-BZ#29	MG/KG		0.00039	U	0.00038	U	0.00040	U	0.00034	U	0.00038	U
Cl3-BZ#31	MG/KG		0.0062		0.0065		0.011		0.015		0.013	
Cl3-BZ#32	MG/KG		0.0012		0.0012		0.0015		0.0020		0.0024	
Cl3-BZ#33	MG/KG		0.00063		0.00055		0.00092		0.00084		0.00057	
Cl3-BZ#37	MG/KG		0.00069		0.00065		0.0011		0.0015		0.0011	
Cl4-BZ#40	MG/KG		0.00066		0.00066		0.0011		0.0014		0.0010	
Cl4-BZ#41	MG/KG		0.00023	J	0.00029	J	0.00035	J	0.00037		0.00026	J
Cl4-BZ#42	MG/KG		0.0019		0.0018		0.0033		0.0039		0.0034	
Cl4-BZ#43	MG/KG		0.00039	U	0.00038	U	0.00035	J	0.00034	U	0.00038	U
Cl4-BZ#44	MG/KG		0.0049		0.0048		0.0078		0.0089		0.0072	
Cl4-BZ#45	MG/KG		0.00058		0.00053		0.00081		0.00089		0.00072	
Cl4-BZ#47	MG/KG		0.0041		0.0045		0.0074		0.010		0.0094	
Cl4-BZ#48	MG/KG		0.00064		0.00066		0.0013		0.0013		0.0011	
Cl4-BZ#49	MG/KG		0.012		0.012		0.019		0.025		0.023	
Cl4-BZ#50	MG/KG		0.00039	U	0.00038	U	0.00040	U	0.00034	U	0.00038	U
Cl4-BZ#51	MG/KG		0.00046		0.00048		0.00070		0.00076		0.0010	
Cl4-BZ#52	MG/KG		0.017		0.017		0.026		0.032		0.031	
Cl4-BZ#53	MG/KG		0.0012		0.0012		0.0017		0.0020		0.0027	
Cl4-BZ#54	MG/KG		0.00039	U	0.00038	U	0.00040	U	0.00034	U	0.00038	U
Cl4-BZ#56	MG/KG		0.0019		0.0019		0.0038		0.0042		0.0029	
Cl4-BZ#60	MG/KG		0.0010		0.00083		0.0019		0.0022		0.0015	
Cl4-BZ#63	MG/KG		0.00051		0.00046		0.00084		0.0011		0.00078	
Cl4-BZ#66	MG/KG		0.0049		0.0050		0.0098		0.012		0.0088	
Cl4-BZ#68/#64	MG/KG		0.0038		0.0037		0.0064		0.0079		0.0063	
Cl4-BZ#70	MG/KG		0.0039		0.0039		0.0075		0.0085		0.0059	
Cl4-BZ#71	MG/KG		0.0018		0.0020		0.0029		0.0035		0.0038	

TABLE 8a - SUMMARY OF SAMPLE DATA FOR QUAHOG (MG/KG WET WEIGHT) AREA 1 - 2024

		Sample#	NBH24-SF-A-1		NBH24-SF-B-1		NBH24-SF-C-1		NBH24-SF-D-1		NBH24-SF-E-1	
		Species	Quahog		Quahog		Quahog		Quahog		Quahog	
		Species Type	TIS		TIS		TIS		TIS		TIS	
		Area	1		1		1		1		1	
		Station	Q1-Station A		Q1-Station B		Q1-Station C		Q1-Station D		Q1-Station E	
		Sample Date	5/9/2024		5/9/2024		5/22/2024		5/22/2024		5/22/2024	
Parameter	**Units**		Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
Cl4-BZ#73/#46	MG/KG		0.00077	U	0.00076	U	0.00079	U	0.00050	J	0.00047	J
Cl4-BZ#74	MG/KG		0.0037		0.0037		0.0074		0.0093		0.0062	
Cl4-BZ#76	MG/KG		0.00039	U	0.00038	U	0.00040	U	0.00034	U	0.00038	U
Cl4-BZ#77	MG/KG		0.00036	J	0.00039		0.00078		0.00080		0.00064	
Cl4-BZ#81	MG/KG		0.00039	U	0.00038	U	0.00040	U	0.00034	U	0.00038	U
Cl5-BZ#82	MG/KG		0.00074		0.00073		0.0011		0.0011		0.00079	
Cl5-BZ#83/#125/#112	MG/KG		0.00059	J	0.00069	J	0.00090	J	0.00097	J	0.0011	J
Cl5-BZ#85	MG/KG		0.0013		0.0013		0.0021		0.0026		0.0017	
Cl5-BZ#87/#111	MG/KG		0.0027		0.0025		0.0036		0.0039		0.0026	
Cl5-BZ#89/#84	MG/KG		0.0023		0.0021		0.0032		0.0035		0.0030	
Cl5-BZ#91	MG/KG		0.0028		0.0028		0.0043		0.0052		0.0048	
Cl5-BZ#92	MG/KG		0.0034		0.0032		0.0048		0.0060		0.0050	
Cl5-BZ#97	MG/KG		0.0033		0.0032		0.0056		0.0058		0.0046	
Cl5-BZ#99	MG/KG		0.0088		0.0089		0.015		0.018		0.015	
Cl5-BZ#100	MG/KG		0.00037	J	0.00033	J	0.00044		0.00067		0.00065	
Cl5-BZ#101/#90	MG/KG		0.013		0.013		0.023		0.024		0.020	
Cl5-BZ#104	MG/KG		0.00039	U	0.00038	U	0.00040	U	0.00034	U	0.00038	U
Cl5-BZ#105	MG/KG		0.0019		0.0018		0.0033		0.0037		0.0026	
Cl5-BZ#107/#123	MG/KG		0.0011		0.0012		0.0020		0.0022		0.0018	
Cl5-BZ#110	MG/KG		0.014		0.014		0.023		0.027		0.021	
Cl5-BZ#114	MG/KG		0.00034	J	0.00044		0.00055		0.00056		0.00052	
Cl5-BZ#118	MG/KG		0.0092		0.0091		0.017		0.018		0.014	
Cl5-BZ#119	MG/KG		0.00085		0.00092		0.0015		0.0018		0.0019	
Cl5-BZ#121/#95/#88	MG/KG		0.0064		0.0063		0.0092		0.010		0.0092	
Cl5-BZ#124	MG/KG		0.00035	J	0.00037	J	0.00051		0.00065		0.00055	
Cl5-BZ#126	MG/KG		0.00039	U	0.00038	U	0.00040	U	0.00034	U	0.00038	U
Cl6-BZ#128	MG/KG		0.0013		0.0011		0.0018		0.0022		0.0016	
Cl6-BZ#129/#158	MG/KG		0.00094		0.00076		0.0014		0.0016		0.0012	
Cl6-BZ#130/#164	MG/KG		0.0014		0.0014		0.0022		0.0023		0.0019	
Cl6-BZ#131	MG/KG		0.00039	U	0.00038	U	0.00040	U	0.00020	J	0.00038	U
Cl6-BZ#132	MG/KG		0.0022		0.0021		0.0034		0.0032		0.0026	
Cl6-BZ#134	MG/KG		0.00048		0.00042		0.00067		0.00064		0.00058	
Cl6-BZ#135	MG/KG		0.0013		0.0014		0.0019		0.0022		0.0020	
Cl6-BZ#136	MG/KG		0.00091		0.00085		0.0013		0.0013		0.0013	
Cl6-BZ#137	MG/KG		0.00061		0.00055		0.00090		0.0010		0.00076	
Cl6-BZ#138	MG/KG		0.0037		0.0033		0.0057		0.0065		0.0047	
Cl6-BZ#141	MG/KG		0.00069		0.00067		0.0011		0.0012		0.00084	
Cl6-BZ#144	MG/KG		0.00039	U	0.00021	J	0.00030	J	0.00028	J	0.00026	J
Cl6-BZ#146	MG/KG		0.0020		0.0020		0.0031		0.0035		0.0031	
Cl6-BZ#147/#149	MG/KG		0.0074		0.0073		0.012		0.013		0.012	
Cl6-BZ#151	MG/KG		0.00083		0.00071		0.0012		0.0014		0.0013	
Cl6-BZ#153	MG/KG		0.0096		0.0098		0.016		0.016		0.015	
Cl6-BZ#154	MG/KG		0.00037	J	0.00038		0.00054		0.00063		0.00078	
Cl6-BZ#155	MG/KG		0.00039	U	0.00038	U	0.00040	U	0.00034	U	0.00038	U
Cl6-BZ#156	MG/KG		0.00085		0.00084		0.0014		0.0015		0.0012	
Cl6-BZ#157	MG/KG		0.00027	J	0.00033	J	0.00049		0.00053		0.00036	J
Cl6-BZ#163/#160	MG/KG		0.0034		0.0033		0.0050		0.0056		0.0050	
Cl6-BZ#167	MG/KG		0.00040		0.00040		0.00062		0.00064		0.00062	
Cl6-BZ#168	MG/KG		0.00039	U	0.00038	U	0.00040	U	0.00034	U	0.00038	U
Cl6-BZ#169	MG/KG		0.00039	U	0.00038	U	0.00040	U	0.00034	U	0.00038	U
Cl7-BZ#170	MG/KG		0.00058		0.00047		0.00078		0.00090		0.00075	
Cl7-BZ#171	MG/KG		0.00039	U	0.00038	U	0.00040	U	0.00032	J	0.00038	U
Cl7-BZ#172	MG/KG		0.00039	U	0.00038	U	0.00023	J	0.00033	J	0.00038	U
Cl7-BZ#173	MG/KG		0.00039	U	0.00038	U	0.00040	U	0.00034	U	0.00038	U
Cl7-BZ#174	MG/KG		0.00057		0.00052		0.00078		0.00074		0.00062	

TABLE 8a - SUMMARY OF SAMPLE DATA FOR QUAHOG (MG/KG WET WEIGHT) AREA 1 - 2024

	Sample#	NBH24-SF-A-1		NBH24-SF-B-1		NBH24-SF-C-1		NBH24-SF-D-1		NBH24-SF-E-1	
	Species	Quahog		Quahog		Quahog		Quahog		Quahog	
	Species Type	TIS		TIS		TIS		TIS		TIS	
	Area	1		1		1		1		1	
	Station	Q1-Station A		Q1-Station B		Q1-Station C		Q1-Station D		Q1-Station E	
	Sample Date	5/9/2024		5/9/2024		5/22/2024		5/22/2024		5/22/2024	
Parameter	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
Cl7-BZ#176	MG/KG	0.00039	U	0.00038	U	0.00040	U	0.00034	U	0.00038	U
Cl7-BZ#177	MG/KG	0.00061		0.00064		0.00082		0.00078		0.00077	
Cl7-BZ#178	MG/KG	0.00039	U	0.00030	J	0.00028	J	0.00033	J	0.00033	J
Cl7-BZ#180	MG/KG	0.0012		0.0013		0.0020		0.0022		0.0017	
Cl7-BZ#182/#175	MG/KG	0.00077	U	0.00076	U	0.00079	U	0.00069	U	0.00076	U
Cl7-BZ#183	MG/KG	0.00042		0.00031	J	0.00048		0.00050		0.00037	J
Cl7-BZ#184	MG/KG	0.00039	U	0.00038	U	0.00040	U	0.00034	U	0.00038	U
Cl7-BZ#185	MG/KG	0.00039	U	0.00038	U	0.00040	U	0.00034	U	0.00038	U
Cl7-BZ#187	MG/KG	0.0012		0.0013		0.0020		0.0021		0.0020	
Cl7-BZ#188	MG/KG	0.00039	U	0.00038	U	0.00040	U	0.00034	U	0.00038	U
Cl7-BZ#189	MG/KG	0.00039	U	0.00038	U	0.00040	U	0.00034	U	0.00038	U
Cl7-BZ#190	MG/KG	0.00039	U	0.00038	U	0.00026	J	0.00024	J	0.00022	J
Cl7-BZ#191	MG/KG	0.00039	U	0.00038	U	0.00040	U	0.00034	U	0.00038	U
Cl7-BZ#193	MG/KG	0.00039	U	0.00038	U	0.00040	U	0.00021	J	0.00038	U
Cl8-BZ#194	MG/KG	0.00039	U	0.00038	U	0.00040	U	0.00031	J	0.00038	U
Cl8-BZ#195	MG/KG	0.00039	U	0.00038	U	0.00040	U	0.00034	U	0.00038	U
Cl8-BZ#196	MG/KG	0.00039	U	0.00038	U	0.00040	U	0.00034	U	0.00038	U
Cl8-BZ#197	MG/KG	0.00039	U	0.00038	U	0.00040	U	0.00034	U	0.00038	U
Cl8-BZ#199	MG/KG	0.00039	U	0.00038	U	0.00040	U	0.00034	U	0.00038	U
Cl8-BZ#201	MG/KG	0.00039	U	0.00038	U	0.00030	J	0.00031	J	0.00036	J
Cl8-BZ#202	MG/KG	0.00039	U	0.00038	U	0.00040	U	0.00034	U	0.00038	U
Cl8-BZ#203	MG/KG	0.00039	U	0.00038	U	0.00040	U	0.00017	J	0.00038	U
Cl8-BZ#204/#200	MG/KG	0.00077	U	0.00076	U	0.00079	U	0.00069	U	0.00076	U
Cl8-BZ#205	MG/KG	0.00039	U	0.00038	U	0.00040	U	0.00034	U	0.00038	U
Cl9-BZ#206	MG/KG	0.00039	U	0.00038	U	0.00040	U	0.00034	U	0.00038	U
Cl9-BZ#207	MG/KG	0.00039	U	0.00038	U	0.00040	U	0.00034	U	0.00038	U
Cl9-BZ#208	MG/KG	0.00039	U	0.00038	U	0.00040	U	0.00034	U	0.00038	U
Cl10-BZ#209	MG/KG	0.00039	U	0.00038	U	0.00040	U	0.00034	U	0.00038	U

TABLE 8b - SUMMARY OF SAMPLE DATA FOR QUAHOG (MG/KG WET WEIGHT) AREA 2 - 2024

		Sample#	NBH24-SF-B-2		NBH24-SF-C-2		NBH24-SF-D-2		NBH24-SF-F-2	
		Species	Quahog		Quahog		Quahog		Quahog	
		Species Type	TIS		TIS		TIS		TIS	
		Area	2		2		2		2	
		Station	Q2-Station B		Q2-Station C		Q2-Station D		Q2-Station F	
		Sample Date	5/7/2024		5/7/2024		5/7/2024		5/9/2024	
Parameter	**Units**		Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
Lipids	PERCENT		0.37		0.39		0.39		0.19	
Total PCB Congeners[1]	MG/KG		0.041	J2	0.18	J3	0.077	J2	0.050	J2
Total PCB Congeners Hits[2]	MG/KG		0.022		0.17		0.060		0.033	
Total NOAA Congeners[3]	MG/KG		0.011	J2	0.066	J4	0.025	J3	0.015	J3
Total WHO Congeners[4]	MG/KG		0.0033	J1	0.014	J3	0.0054	J2	0.0039	J2
Total NOAA / WHO Combined[5]	MG/KG		0.013	J2	0.070	J3	0.027	J3	0.017	J2
Cl1-BZ#1	MG/KG		0.00035	U	0.00038	U	0.00038	U	0.00035	U
Cl1-BZ#3	MG/KG		0.00035	U	0.00038	U	0.00038	U	0.00035	U
Cl2-BZ#4/#10	MG/KG		0.00071	U	0.00076	U	0.00075	U	0.00069	U
Cl2-BZ#5	MG/KG		0.00035	U	0.00038	U	0.00038	U	0.00035	U
Cl2-BZ#6	MG/KG		0.00035	U	0.00022	J	0.00038	U	0.00035	U
Cl2-BZ#7	MG/KG		0.00035	U	0.00038	U	0.00038	U	0.00035	U
Cl2-BZ#8	MG/KG		0.00035	U	0.00032	J	0.00038	U	0.00035	U
Cl2-BZ#12	MG/KG		0.00035	U	0.00038	U	0.00038	U	0.00035	U
Cl2-BZ#13	MG/KG		0.00071	U	0.00076	U	0.00075	U	0.00069	U
Cl2-BZ#15	MG/KG		0.00035	U	0.00030	J	0.00038	U	0.00035	U
Cl3-BZ#16	MG/KG		0.00035	U	0.00038	U	0.00038	U	0.00035	U
Cl3-BZ#17	MG/KG		0.00035	U	0.0010		0.00025	J	0.00035	U
Cl3-BZ#18	MG/KG		0.00035	U	0.0022		0.00055		0.00031	J
Cl3-BZ#19	MG/KG		0.00035	U	0.00026	J	0.00038	U	0.00035	U
Cl3-BZ#21/#20	MG/KG		0.00071	U	0.00076	U	0.00075	U	0.00069	U
Cl3-BZ#22	MG/KG		0.00035	U	0.00076		0.00037	J	0.00035	U
Cl3-BZ#24	MG/KG		0.00035	U	0.00038	U	0.00038	U	0.00035	U
Cl3-BZ#25	MG/KG		0.00035	U	0.00038	U	0.00038	U	0.00035	U
Cl3-BZ#26	MG/KG		0.00028	J	0.0032		0.0012		0.00064	
Cl3-BZ#27	MG/KG		0.00035	U	0.00046		0.00038	U	0.00035	U
Cl3-BZ#28	MG/KG		0.00041		0.0043		0.0016		0.0010	
Cl3-BZ#29	MG/KG		0.00035	U	0.00038	U	0.00038	U	0.00035	U
Cl3-BZ#31	MG/KG		0.00037		0.0045		0.0017		0.0011	
Cl3-BZ#32	MG/KG		0.00035	U	0.00090		0.00019	J	0.00035	U
Cl3-BZ#33	MG/KG		0.00035	U	0.00038	U	0.00038	U	0.00035	U
Cl3-BZ#37	MG/KG		0.00035	U	0.00056		0.00038	U	0.00035	U
Cl4-BZ#40	MG/KG		0.00035	U	0.00048		0.00038	U	0.00035	U
Cl4-BZ#41	MG/KG		0.00035	U	0.00038	U	0.00038	U	0.00035	U
Cl4-BZ#42	MG/KG		0.00035	U	0.0015		0.00046		0.00032	J
Cl4-BZ#43	MG/KG		0.00035	U	0.00038	U	0.00038	U	0.00035	U
Cl4-BZ#44	MG/KG		0.00035	J	0.0032		0.0012		0.00065	
Cl4-BZ#45	MG/KG		0.00035	U	0.00043		0.00038	U	0.00035	U
Cl4-BZ#47	MG/KG		0.00044		0.0035		0.0013		0.00083	
Cl4-BZ#48	MG/KG		0.00035	U	0.00054		0.00038	U	0.00035	U
Cl4-BZ#49	MG/KG		0.00095		0.0096		0.0032		0.0018	
Cl4-BZ#50	MG/KG		0.00035	U	0.00038	U	0.00038	U	0.00035	U
Cl4-BZ#51	MG/KG		0.00035	U	0.00050		0.00038	U	0.00035	U
Cl4-BZ#52	MG/KG		0.0014		0.014		0.0048		0.0028	
Cl4-BZ#53	MG/KG		0.00035	U	0.0013		0.00026	J	0.00023	J
Cl4-BZ#54	MG/KG		0.00035	U	0.00038	U	0.00038	U	0.00035	U
Cl4-BZ#56	MG/KG		0.00021	J	0.0014		0.00047		0.00029	J

TABLE 8b - SUMMARY OF SAMPLE DATA FOR QUAHOG (MG/KG WET WEIGHT) AREA 2 - 2024

		Sample#	NBH24-SF-B-2		NBH24-SF-C-2		NBH24-SF-D-2		NBH24-SF-F-2	
		Species	Quahog		Quahog		Quahog		Quahog	
		Species Type	TIS		TIS		TIS		TIS	
		Area	2		2		2		2	
		Station	Q2-Station B		Q2-Station C		Q2-Station D		Q2-Station F	
		Sample Date	5/7/2024		5/7/2024		5/7/2024		5/9/2024	
Parameter	**Units**		Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
Cl4-BZ#60	MG/KG		0.00035	U	0.00071		0.00022	J	0.00035	U
Cl4-BZ#63	MG/KG		0.00035	U	0.00039		0.00038	U	0.00035	U
Cl4-BZ#66	MG/KG		0.00059		0.0042		0.0016		0.00091	
Cl4-BZ#68/#64	MG/KG		0.00071	U	0.0024		0.00084		0.00056	J
Cl4-BZ#70	MG/KG		0.00049		0.0031		0.0012		0.00065	
Cl4-BZ#71	MG/KG		0.00019	J	0.0016		0.00057		0.00033	J
Cl4-BZ#73/#46	MG/KG		0.00071	U	0.00076	U	0.00075	U	0.00069	U
Cl4-BZ#74	MG/KG		0.00029	J	0.0028		0.00094		0.00053	
Cl4-BZ#76	MG/KG		0.00035	U	0.00038	U	0.00038	U	0.00035	U
Cl4-BZ#77	MG/KG		0.00035	U	0.00040		0.00038	U	0.00035	U
Cl4-BZ#81	MG/KG		0.00035	U	0.00038	U	0.00038	U	0.00035	U
Cl5-BZ#82	MG/KG		0.00035	U	0.00054		0.00038	U	0.00035	U
Cl5-BZ#83/#125/#112	MG/KG		0.0011	U	0.00063	J	0.0011	U	0.0010	U
Cl5-BZ#85	MG/KG		0.00035	U	0.0011		0.00038		0.00020	J
Cl5-BZ#87/#111	MG/KG		0.00071	U	0.0017		0.00068	J	0.00069	U
Cl5-BZ#89/#84	MG/KG		0.00043	J	0.0017		0.00077		0.00048	J
Cl5-BZ#91	MG/KG		0.00035		0.0023		0.00080		0.00046	
Cl5-BZ#92	MG/KG		0.00059		0.0029		0.0012		0.00069	
Cl5-BZ#97	MG/KG		0.00049		0.0024		0.00086		0.00050	
Cl5-BZ#99	MG/KG		0.0014		0.0079		0.0032		0.0019	
Cl5-BZ#100	MG/KG		0.00035	U	0.00036	J	0.00038	U	0.00035	U
Cl5-BZ#101/#90	MG/KG		0.0020		0.011		0.0045		0.0023	
Cl5-BZ#104	MG/KG		0.00035	U	0.00038	U	0.00038	U	0.00035	U
Cl5-BZ#105	MG/KG		0.00035	U	0.0015		0.00055		0.00031	J
Cl5-BZ#107/#123	MG/KG		0.00071	U	0.0012		0.00048	J	0.00035	J
Cl5-BZ#110	MG/KG		0.0015		0.011		0.0040		0.0021	
Cl5-BZ#114	MG/KG		0.00035	U	0.00037	J	0.00038	U	0.00035	U
Cl5-BZ#118	MG/KG		0.0012		0.0081		0.0026		0.0017	
Cl5-BZ#119	MG/KG		0.00035	U	0.00087		0.00034	J	0.00027	J
Cl5-BZ#121/#95/#88	MG/KG		0.00080	J	0.0051		0.0019		0.0010	
Cl5-BZ#124	MG/KG		0.00035	U	0.00024	J	0.00038	U	0.00035	U
Cl5-BZ#126	MG/KG		0.00035	U	0.00038	U	0.00038	U	0.00035	U
Cl6-BZ#128	MG/KG		0.00035	U	0.0011		0.00044		0.00031	J
Cl6-BZ#129/#158	MG/KG		0.00071	U	0.00064	J	0.00075	U	0.00069	U
Cl6-BZ#130/#164	MG/KG		0.00071	U	0.0013		0.00056	J	0.00069	U
Cl6-BZ#131	MG/KG		0.00035	U	0.00038	U	0.00038	U	0.00035	U
Cl6-BZ#132	MG/KG		0.00044		0.0020		0.00075		0.00033	J
Cl6-BZ#134	MG/KG		0.00035	U	0.00047		0.00038	U	0.00035	U
Cl6-BZ#135	MG/KG		0.00030	J	0.0014		0.00056		0.00037	
Cl6-BZ#136	MG/KG		0.00035	U	0.00082		0.00027	J	0.00035	U
Cl6-BZ#137	MG/KG		0.00035	U	0.00048		0.00038	U	0.00035	U
Cl6-BZ#138	MG/KG		0.00062		0.0029		0.0011		0.00064	
Cl6-BZ#141	MG/KG		0.00035	U	0.00054		0.00020	J	0.00035	U
Cl6-BZ#144	MG/KG		0.00035	U	0.00038	U	0.00038	U	0.00035	U
Cl6-BZ#146	MG/KG		0.00059		0.0022		0.0010		0.00063	
Cl6-BZ#147/#149	MG/KG		0.0012		0.0069		0.0025		0.0014	
Cl6-BZ#151	MG/KG		0.00035	U	0.00067		0.00023	J	0.00035	U
Cl6-BZ#153	MG/KG		0.0021		0.010		0.0039		0.0024	

Created by: KLD 4/1/2025
Checked by: AP 4/3/2025

TABLE 8b - SUMMARY OF SAMPLE DATA FOR QUAHOG (MG/KG WET WEIGHT) AREA 2 - 2024

	Sample#	NBH24-SF-B-2		NBH24-SF-C-2		NBH24-SF-D-2		NBH24-SF-F-2	
	Species	Quahog		Quahog		Quahog		Quahog	
	Species Type	TIS		TIS		TIS		TIS	
	Area	2		2		2		2	
	Station	Q2-Station B		Q2-Station C		Q2-Station D		Q2-Station F	
	Sample Date	5/7/2024		5/7/2024		5/7/2024		5/9/2024	
Parameter	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
Cl6-BZ#154	MG/KG	0.00035	U	0.00042		0.00038	U	0.00035	U
Cl6-BZ#155	MG/KG	0.00035	U	0.00038	U	0.00038	U	0.00035	U
Cl6-BZ#156	MG/KG	0.00035	U	0.00078		0.00030	J	0.00035	U
Cl6-BZ#157	MG/KG	0.00035	U	0.00023	J	0.00038	U	0.00035	U
Cl6-BZ#163/#160	MG/KG	0.00067	J	0.0033		0.0014		0.00083	
Cl6-BZ#167	MG/KG	0.00035	U	0.00041		0.00038	U	0.00035	U
Cl6-BZ#168	MG/KG	0.00035	U	0.00038	U	0.00038	U	0.00035	U
Cl6-BZ#169	MG/KG	0.00035	U	0.00038	U	0.00038	U	0.00035	U
Cl7-BZ#170	MG/KG	0.00035	U	0.00045		0.00038	U	0.00035	U
Cl7-BZ#171	MG/KG	0.00035	U	0.00038	U	0.00038	U	0.00035	U
Cl7-BZ#172	MG/KG	0.00035	U	0.00038	U	0.00038	U	0.00035	U
Cl7-BZ#173	MG/KG	0.00035	U	0.00038	U	0.00038	U	0.00035	U
Cl7-BZ#174	MG/KG	0.00035	U	0.00051		0.00028	J	0.00035	U
Cl7-BZ#176	MG/KG	0.00035	U	0.00038	U	0.00038	U	0.00035	U
Cl7-BZ#177	MG/KG	0.00022	J	0.00069		0.00033	J	0.00035	U
Cl7-BZ#178	MG/KG	0.00035	U	0.00027	J	0.00038	U	0.00035	U
Cl7-BZ#180	MG/KG	0.00032	J	0.0013		0.00053		0.00028	J
Cl7-BZ#182/#175	MG/KG	0.00071	U	0.00076	U	0.00075	U	0.00069	U
Cl7-BZ#183	MG/KG	0.00035	U	0.00028	J	0.00038	U	0.00035	U
Cl7-BZ#184	MG/KG	0.00035	U	0.00038	U	0.00038	U	0.00035	U
Cl7-BZ#185	MG/KG	0.00035	U	0.00038	U	0.00038	U	0.00035	U
Cl7-BZ#187	MG/KG	0.00038		0.0014		0.00060		0.00035	
Cl7-BZ#188	MG/KG	0.00035	U	0.00038	U	0.00038	U	0.00035	U
Cl7-BZ#189	MG/KG	0.00035	U	0.00038	U	0.00038	U	0.00035	U
Cl7-BZ#190	MG/KG	0.00035	U	0.00038	U	0.00038	U	0.00035	U
Cl7-BZ#191	MG/KG	0.00035	U	0.00038	U	0.00038	U	0.00035	U
Cl7-BZ#193	MG/KG	0.00035	U	0.00038	U	0.00038	U	0.00035	U
Cl8-BZ#194	MG/KG	0.00035	U	0.00038	U	0.00038	U	0.00035	U
Cl8-BZ#195	MG/KG	0.00035	U	0.00038	U	0.00038	U	0.00035	U
Cl8-BZ#196	MG/KG	0.00035	U	0.00038	U	0.00038	U	0.00035	U
Cl8-BZ#197	MG/KG	0.00035	U	0.00038	U	0.00038	U	0.00035	U
Cl8-BZ#199	MG/KG	0.00035	U	0.00038	U	0.00038	U	0.00035	U
Cl8-BZ#201	MG/KG	0.00035	U	0.00030	J	0.00038	U	0.00035	U
Cl8-BZ#202	MG/KG	0.00035	U	0.00038	U	0.00038	U	0.00035	U
Cl8-BZ#203	MG/KG	0.00035	U	0.00038	U	0.00038	U	0.00035	U
Cl8-BZ#204/#200	MG/KG	0.00071	U	0.00076	U	0.00075	U	0.00069	U
Cl8-BZ#205	MG/KG	0.00035	U	0.00038	U	0.00038	U	0.00035	U
Cl9-BZ#206	MG/KG	0.00035	U	0.00038	U	0.00038	U	0.00035	U
Cl9-BZ#207	MG/KG	0.00035	U	0.00038	U	0.00038	U	0.00035	U
Cl9-BZ#208	MG/KG	0.00035	U	0.00038	U	0.00038	U	0.00035	U
Cl10-BZ#209	MG/KG	0.00035	U	0.00038	U	0.00038	U	0.00035	U

TABLE 8b - SUMMARY OF SAMPLE DATA FOR QUAHOG (MG/KG WET WEIGHT) AREA 2 - 2024

	Sample#	NBH24-SF-G-2		NBH24-SF-H-2	
	Species	Quahog		Quahog	
	Species Type	TIS		TIS	
	Area	2		2	
	Station	Q2-Station G		Q2-Station H	
	Sample Date	5/7/2024		5/7/2024	
Parameter	**Units**	Result	Qualifier	Result	Qualifier
Lipids	PERCENT	0.32		0.39	
Total PCB Congeners[1]	MG/KG	0.047	J2	0.11	J2
Total PCB Congeners Hits[2]	MG/KG	0.028		0.10	
Total NOAA Congeners[3]	MG/KG	0.013	J3	0.040	J3
Total WHO Congeners[4]	MG/KG	0.0041	J2	0.0078	J2
Total NOAA / WHO Combined[5]	MG/KG	0.015	J2	0.043	J3
Cl1-BZ#1	MG/KG	0.00037	U	0.00039	U
Cl1-BZ#3	MG/KG	0.00037	U	0.00039	U
Cl2-BZ#4/#10	MG/KG	0.00073	U	0.00077	U
Cl2-BZ#5	MG/KG	0.00037	U	0.00039	U
Cl2-BZ#6	MG/KG	0.00037	U	0.00039	U
Cl2-BZ#7	MG/KG	0.00037	U	0.00039	U
Cl2-BZ#8	MG/KG	0.00037	U	0.00019	J
Cl2-BZ#12	MG/KG	0.00037	U	0.00039	U
Cl2-BZ#13	MG/KG	0.00073	U	0.00077	U
Cl2-BZ#15	MG/KG	0.00037	U	0.00027	J
Cl3-BZ#16	MG/KG	0.00037	U	0.00039	U
Cl3-BZ#17	MG/KG	0.00037	U	0.00062	
Cl3-BZ#18	MG/KG	0.00037	U	0.0013	
Cl3-BZ#19	MG/KG	0.00037	U	0.00039	U
Cl3-BZ#21/#20	MG/KG	0.00073	U	0.00077	U
Cl3-BZ#22	MG/KG	0.00037	U	0.00066	
Cl3-BZ#24	MG/KG	0.00037	U	0.00039	U
Cl3-BZ#25	MG/KG	0.00037	U	0.00039	U
Cl3-BZ#26	MG/KG	0.00034	J	0.0020	
Cl3-BZ#27	MG/KG	0.00037	U	0.00022	J
Cl3-BZ#28	MG/KG	0.00049		0.0027	
Cl3-BZ#29	MG/KG	0.00037	U	0.00039	U
Cl3-BZ#31	MG/KG	0.00049		0.0026	
Cl3-BZ#32	MG/KG	0.00037	U	0.00050	
Cl3-BZ#33	MG/KG	0.00037	U	0.00039	U
Cl3-BZ#37	MG/KG	0.00037	U	0.00043	
Cl4-BZ#40	MG/KG	0.00037	U	0.00031	J
Cl4-BZ#41	MG/KG	0.00037	U	0.00039	U
Cl4-BZ#42	MG/KG	0.00024	J	0.00078	
Cl4-BZ#43	MG/KG	0.00037	U	0.00039	U
Cl4-BZ#44	MG/KG	0.00048		0.0021	
Cl4-BZ#45	MG/KG	0.00037	U	0.00029	J
Cl4-BZ#47	MG/KG	0.00057		0.0022	
Cl4-BZ#48	MG/KG	0.00037	U	0.00025	J
Cl4-BZ#49	MG/KG	0.0012		0.0053	
Cl4-BZ#50	MG/KG	0.00037	U	0.00039	U
Cl4-BZ#51	MG/KG	0.00037	U	0.00021	J
Cl4-BZ#52	MG/KG	0.0017		0.0078	
Cl4-BZ#53	MG/KG	0.00037	U	0.00063	
Cl4-BZ#54	MG/KG	0.00037	U	0.00039	U
Cl4-BZ#56	MG/KG	0.00024	J	0.00079	

TABLE 8b - SUMMARY OF SAMPLE DATA FOR QUAHOG (MG/KG WET WEIGHT) AREA 2 - 2024

	Sample#	NBH24-SF-G-2		NBH24-SF-H-2	
	Species	Quahog		Quahog	
	Species Type	TIS		TIS	
	Area	2		2	
	Station	Q2-Station G		Q2-Station H	
	Sample Date	5/7/2024		5/7/2024	
Parameter	**Units**	Result	Qualifier	Result	Qualifier
Cl4-BZ#60	MG/KG	0.00037	U	0.00035	J
Cl4-BZ#63	MG/KG	0.00037	U	0.00020	J
Cl4-BZ#66	MG/KG	0.00080		0.0024	
Cl4-BZ#68/#64	MG/KG	0.00073	U	0.0015	
Cl4-BZ#70	MG/KG	0.00052		0.0018	
Cl4-BZ#71	MG/KG	0.00024	J	0.00091	
Cl4-BZ#73/#46	MG/KG	0.00073	U	0.00077	U
Cl4-BZ#74	MG/KG	0.00035	J	0.0016	
Cl4-BZ#76	MG/KG	0.00037	U	0.00039	U
Cl4-BZ#77	MG/KG	0.00037	U	0.00039	U
Cl4-BZ#81	MG/KG	0.00037	U	0.00039	U
Cl5-BZ#82	MG/KG	0.00037	U	0.00030	J
Cl5-BZ#83/#125/#112	MG/KG	0.0011	U	0.0012	U
Cl5-BZ#85	MG/KG	0.00027	J	0.00068	
Cl5-BZ#87/#111	MG/KG	0.00040	J	0.00097	
Cl5-BZ#89/#84	MG/KG	0.00063	J	0.0012	
Cl5-BZ#91	MG/KG	0.00036	J	0.0012	
Cl5-BZ#92	MG/KG	0.00069		0.0018	
Cl5-BZ#97	MG/KG	0.00050		0.0015	
Cl5-BZ#99	MG/KG	0.0017		0.0049	
Cl5-BZ#100	MG/KG	0.00037	U	0.00021	J
Cl5-BZ#101/#90	MG/KG	0.0024		0.0064	
Cl5-BZ#104	MG/KG	0.00037	U	0.00039	U
Cl5-BZ#105	MG/KG	0.00033	J	0.00081	
Cl5-BZ#107/#123	MG/KG	0.00073	U	0.00076	J
Cl5-BZ#110	MG/KG	0.0020		0.0062	
Cl5-BZ#114	MG/KG	0.00037	U	0.00020	J
Cl5-BZ#118	MG/KG	0.0017		0.0042	
Cl5-BZ#119	MG/KG	0.00037	U	0.00059	
Cl5-BZ#121/#95/#88	MG/KG	0.00095	J	0.0031	
Cl5-BZ#124	MG/KG	0.00037	U	0.00039	U
Cl5-BZ#126	MG/KG	0.00037	U	0.00039	U
Cl6-BZ#128	MG/KG	0.00031	J	0.00068	
Cl6-BZ#129/#158	MG/KG	0.00073	U	0.00052	J
Cl6-BZ#130/#164	MG/KG	0.00073	U	0.00076	J
Cl6-BZ#131	MG/KG	0.00037	U	0.00039	U
Cl6-BZ#132	MG/KG	0.00054		0.0013	
Cl6-BZ#134	MG/KG	0.00037	U	0.00024	J
Cl6-BZ#135	MG/KG	0.00033	J	0.00083	
Cl6-BZ#136	MG/KG	0.00022	J	0.00047	
Cl6-BZ#137	MG/KG	0.00037	U	0.00030	J
Cl6-BZ#138	MG/KG	0.00079		0.0021	
Cl6-BZ#141	MG/KG	0.00037	U	0.00037	J
Cl6-BZ#144	MG/KG	0.00037	U	0.00039	U
Cl6-BZ#146	MG/KG	0.00060		0.0016	
Cl6-BZ#147/#149	MG/KG	0.0014		0.0040	
Cl6-BZ#151	MG/KG	0.00037	U	0.00049	
Cl6-BZ#153	MG/KG	0.0024		0.0062	

TABLE 8b - SUMMARY OF SAMPLE DATA FOR QUAHOG (MG/KG WET WEIGHT) AREA 2 - 2024

		Sample#	NBH24-SF-G-2		NBH24-SF-H-2	
		Species	Quahog		Quahog	
		Species Type	TIS		TIS	
		Area	2		2	
		Station	Q2-Station G		Q2-Station H	
		Sample Date	5/7/2024		5/7/2024	
Parameter	**Units**		Result	Qualifier	Result	Qualifier
Cl6-BZ#154	MG/KG		0.00037	U	0.00026	J
Cl6-BZ#155	MG/KG		0.00037	U	0.00039	U
Cl6-BZ#156	MG/KG		0.00022	J	0.00043	
Cl6-BZ#157	MG/KG		0.00037	U	0.00020	J
Cl6-BZ#163/#160	MG/KG		0.00077		0.0020	
Cl6-BZ#167	MG/KG		0.00037	U	0.00023	J
Cl6-BZ#168	MG/KG		0.00037	U	0.00039	U
Cl6-BZ#169	MG/KG		0.00037	U	0.00039	U
Cl7-BZ#170	MG/KG		0.00037	U	0.00038	J
Cl7-BZ#171	MG/KG		0.00037	U	0.00039	U
Cl7-BZ#172	MG/KG		0.00037	U	0.00039	U
Cl7-BZ#173	MG/KG		0.00037	U	0.00039	U
Cl7-BZ#174	MG/KG		0.00037	U	0.00032	J
Cl7-BZ#176	MG/KG		0.00037	U	0.00039	U
Cl7-BZ#177	MG/KG		0.00032	J	0.00043	
Cl7-BZ#178	MG/KG		0.00037	U	0.00039	U
Cl7-BZ#180	MG/KG		0.00035	J	0.00090	
Cl7-BZ#182/#175	MG/KG		0.00073	U	0.00077	U
Cl7-BZ#183	MG/KG		0.00037	U	0.00039	U
Cl7-BZ#184	MG/KG		0.00037	U	0.00039	U
Cl7-BZ#185	MG/KG		0.00037	U	0.00039	U
Cl7-BZ#187	MG/KG		0.00040		0.00094	
Cl7-BZ#188	MG/KG		0.00037	U	0.00039	U
Cl7-BZ#189	MG/KG		0.00037	U	0.00039	U
Cl7-BZ#190	MG/KG		0.00037	U	0.00039	U
Cl7-BZ#191	MG/KG		0.00037	U	0.00039	U
Cl7-BZ#193	MG/KG		0.00037	U	0.00039	U
Cl8-BZ#194	MG/KG		0.00037	U	0.00039	U
Cl8-BZ#195	MG/KG		0.00037	U	0.00039	U
Cl8-BZ#196	MG/KG		0.00037	U	0.00039	U
Cl8-BZ#197	MG/KG		0.00037	U	0.00039	U
Cl8-BZ#199	MG/KG		0.00037	U	0.00039	U
Cl8-BZ#201	MG/KG		0.00037	U	0.00022	J
Cl8-BZ#202	MG/KG		0.00037	U	0.00039	U
Cl8-BZ#203	MG/KG		0.00037	U	0.00039	U
Cl8-BZ#204/#200	MG/KG		0.00073	U	0.00077	U
Cl8-BZ#205	MG/KG		0.00037	U	0.00039	U
Cl9-BZ#206	MG/KG		0.00037	U	0.00039	U
Cl9-BZ#207	MG/KG		0.00037	U	0.00039	U
Cl9-BZ#208	MG/KG		0.00037	U	0.00039	U
Cl10-BZ#209	MG/KG		0.00037	U	0.00039	U

TABLE 8c - SUMMARY OF SAMPLE DATA FOR QUAHOG (MG/KG WET WEIGHT) AREA 3 - 2024

		Sample#	NBH24-SF-B-3		NBH24-SF-D-3		NBH24-SF-I-3		NBH24-SF-J-3	
		Species	Quahog		Quahog		Quahog		Quahog	
		Species Type	TIS		TIS		TIS		TIS	
		Area	3		3		3		3	
		Station	Q3-Station B		Q3-Station D		Q3-Station I		Q3-Station J	
		Sample Date	5/24/2024		5/9/2024		5/23/2024		5/23/2024	
Parameter	**Units**		Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
Lipids	PERCENT		0.38		0.36		0.17		0.27	
Total PCB Congeners[1]	MG/KG		0.049	J2	0.035	J1	0.033	J1	0.030	J1
Total PCB Congeners Hits[2]	MG/KG		0.032		0.012		0.012		0.0036	
Total NOAA Congeners[3]	MG/KG		0.015	J3	0.0076	J2	0.0069	J2	0.0048	J1
Total WHO Congeners[4]	MG/KG		0.0040	J2	0.0030	J1	0.0027	J1	0.0026	J1
Total NOAA / WHO Combined[5]	MG/KG		0.017	J2	0.0097	J2	0.0088	J2	0.0068	J1
Cl1-BZ#1	MG/KG		0.00034	U	0.00037	U	0.00034	U	0.00038	U
Cl1-BZ#3	MG/KG		0.00034	U	0.00037	U	0.00034	U	0.00038	U
Cl2-BZ#4/#10	MG/KG		0.00069	U	0.00074	U	0.00069	U	0.00075	U
Cl2-BZ#5	MG/KG		0.00034	U	0.00037	U	0.00034	U	0.00038	U
Cl2-BZ#6	MG/KG		0.00034	U	0.00037	U	0.00034	U	0.00038	U
Cl2-BZ#7	MG/KG		0.00034	U	0.00037	U	0.00034	U	0.00038	U
Cl2-BZ#8	MG/KG		0.00034	U	0.00037	U	0.00034	U	0.00038	U
Cl2-BZ#12	MG/KG		0.00034	U	0.00037	U	0.00034	U	0.00038	U
Cl2-BZ#13	MG/KG		0.00069	U	0.00074	U	0.00069	U	0.00075	U
Cl2-BZ#15	MG/KG		0.00034	U	0.00037	U	0.00034	U	0.00038	U
Cl3-BZ#16	MG/KG		0.00034	U	0.00037	U	0.00034	U	0.00038	U
Cl3-BZ#17	MG/KG		0.00034	U	0.00037	U	0.00034	U	0.00038	U
Cl3-BZ#18	MG/KG		0.00025	J	0.00037	U	0.00034	U	0.00038	U
Cl3-BZ#19	MG/KG		0.00034	U	0.00037	U	0.00034	U	0.00038	U
Cl3-BZ#21/#20	MG/KG		0.00069	U	0.00074	U	0.00069	U	0.00075	U
Cl3-BZ#22	MG/KG		0.00034	U	0.00037	U	0.00034	U	0.00038	U
Cl3-BZ#24	MG/KG		0.00034	U	0.00037	U	0.00034	U	0.00038	U
Cl3-BZ#25	MG/KG		0.00034	U	0.00037	U	0.00034	U	0.00038	U
Cl3-BZ#26	MG/KG		0.00046		0.00019	J	0.00018	J	0.00038	U
Cl3-BZ#27	MG/KG		0.00034	U	0.00037	U	0.00034	U	0.00038	U
Cl3-BZ#28	MG/KG		0.00084		0.00033	J	0.00030	J	0.00038	U
Cl3-BZ#29	MG/KG		0.00034	U	0.00037	U	0.00034	U	0.00038	U
Cl3-BZ#31	MG/KG		0.00092		0.00037	U	0.00031	J	0.00038	U
Cl3-BZ#32	MG/KG		0.00034	U	0.00037	U	0.00034	U	0.00038	U
Cl3-BZ#33	MG/KG		0.00034	U	0.00037	U	0.00034	U	0.00038	U
Cl3-BZ#37	MG/KG		0.00034	U	0.00037	U	0.00034	U	0.00038	U
Cl4-BZ#40	MG/KG		0.00034	U	0.00037	U	0.00034	U	0.00038	U
Cl4-BZ#41	MG/KG		0.00034	U	0.00037	U	0.00034	U	0.00038	U
Cl4-BZ#42	MG/KG		0.00022	J	0.00037	U	0.00034	U	0.00038	U
Cl4-BZ#43	MG/KG		0.00034	U	0.00037	U	0.00034	U	0.00038	U
Cl4-BZ#44	MG/KG		0.00071		0.00023	J	0.00031	J	0.00038	U
Cl4-BZ#45	MG/KG		0.00034	U	0.00037	U	0.00034	U	0.00038	U
Cl4-BZ#47	MG/KG		0.00055		0.00028	J	0.00023	J	0.00038	U
Cl4-BZ#48	MG/KG		0.00034	U	0.00037	U	0.00034	U	0.00038	U
Cl4-BZ#49	MG/KG		0.0012		0.00060		0.00066		0.00028	J
Cl4-BZ#50	MG/KG		0.00034	U	0.00037	U	0.00034	U	0.00038	U
Cl4-BZ#51	MG/KG		0.00034	U	0.00037	U	0.00034	U	0.00038	U
Cl4-BZ#52	MG/KG		0.0020		0.00096		0.00096		0.00046	
Cl4-BZ#53	MG/KG		0.00021	J	0.00037	U	0.00034	U	0.00038	U
Cl4-BZ#54	MG/KG		0.00034	U	0.00037	U	0.00034	U	0.00038	U
Cl4-BZ#56	MG/KG		0.00023	J	0.00037	U	0.00034	U	0.00038	U

TABLE 8c - SUMMARY OF SAMPLE DATA FOR QUAHOG (MG/KG WET WEIGHT) AREA 3 - 2024

		Sample#	NBH24-SF-B-3		NBH24-SF-D-3		NBH24-SF-I-3		NBH24-SF-J-3	
		Species	Quahog		Quahog		Quahog		Quahog	
		Species Type	TIS		TIS		TIS		TIS	
		Area	3		3		3		3	
		Station	Q3-Station B		Q3-Station D		Q3-Station I		Q3-Station J	
		Sample Date	5/24/2024		5/9/2024		5/23/2024		5/23/2024	
Parameter	**Units**		Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
Cl4-BZ#60	MG/KG		0.00034	U	0.00037	U	0.00034	U	0.00038	U
Cl4-BZ#63	MG/KG		0.00034	U	0.00037	U	0.00034	U	0.00038	U
Cl4-BZ#66	MG/KG		0.00092		0.00033	J	0.00029	J	0.00038	U
Cl4-BZ#68/#64	MG/KG		0.00069	U	0.00074	U	0.00069	U	0.00075	U
Cl4-BZ#70	MG/KG		0.00061		0.00028	J	0.00024	J	0.00038	U
Cl4-BZ#71	MG/KG		0.00028	J	0.00037	U	0.00034	U	0.00038	U
Cl4-BZ#73/#46	MG/KG		0.00069	U	0.00074	U	0.00069	U	0.00075	U
Cl4-BZ#74	MG/KG		0.00044		0.00037	U	0.00017	J	0.00038	U
Cl4-BZ#76	MG/KG		0.00034	U	0.00037	U	0.00034	U	0.00038	U
Cl4-BZ#77	MG/KG		0.00034	U	0.00037	U	0.00034	U	0.00038	U
Cl4-BZ#81	MG/KG		0.00034	U	0.00037	U	0.00034	U	0.00038	U
Cl5-BZ#82	MG/KG		0.00034	U	0.00037	U	0.00034	U	0.00038	U
Cl5-BZ#83/#125/#112	MG/KG		0.0010	U	0.0011	U	0.0010	U	0.0011	U
Cl5-BZ#85	MG/KG		0.00031	J	0.00037	U	0.00034	U	0.00038	U
Cl5-BZ#87/#111	MG/KG		0.00038	J	0.00074	U	0.00069	U	0.00075	U
Cl5-BZ#89/#84	MG/KG		0.00055	J	0.00074	U	0.00069	U	0.00075	U
Cl5-BZ#91	MG/KG		0.00040		0.00028	J	0.00019	J	0.00038	U
Cl5-BZ#92	MG/KG		0.00068		0.00030	J	0.00030	J	0.00038	U
Cl5-BZ#97	MG/KG		0.00062		0.00023	J	0.00026	J	0.00038	U
Cl5-BZ#99	MG/KG		0.0017		0.00085		0.00080		0.00038	
Cl5-BZ#100	MG/KG		0.00034	U	0.00037	U	0.00034	U	0.00038	U
Cl5-BZ#101/#90	MG/KG		0.0025		0.0012		0.0011		0.00054	J
Cl5-BZ#104	MG/KG		0.00034	U	0.00037	U	0.00034	U	0.00038	U
Cl5-BZ#105	MG/KG		0.00036		0.00037	U	0.00034	U	0.00038	U
Cl5-BZ#107/#123	MG/KG		0.00069	U	0.00074	U	0.00069	U	0.00075	U
Cl5-BZ#110	MG/KG		0.0020		0.00089		0.00094		0.00044	
Cl5-BZ#114	MG/KG		0.00034	U	0.00037	U	0.00034	U	0.00038	U
Cl5-BZ#118	MG/KG		0.0017		0.00082		0.00067		0.00039	
Cl5-BZ#119	MG/KG		0.00018	J	0.00037	U	0.00034	U	0.00038	U
Cl5-BZ#121/#95/#88	MG/KG		0.00098	J	0.0011	U	0.0010	U	0.0011	U
Cl5-BZ#124	MG/KG		0.00034	U	0.00037	U	0.00034	U	0.00038	U
Cl5-BZ#126	MG/KG		0.00034	U	0.00037	U	0.00034	U	0.00038	U
Cl6-BZ#128	MG/KG		0.00040		0.00037	U	0.00034	U	0.00038	U
Cl6-BZ#129/#158	MG/KG		0.00069	U	0.00074	U	0.00069	U	0.00075	U
Cl6-BZ#130/#164	MG/KG		0.00047	J	0.00074	U	0.00069	U	0.00075	U
Cl6-BZ#131	MG/KG		0.00034	U	0.00037	U	0.00034	U	0.00038	U
Cl6-BZ#132	MG/KG		0.00049		0.00026	J	0.00033	J	0.00038	U
Cl6-BZ#134	MG/KG		0.00034	U	0.00037	U	0.00034	U	0.00038	U
Cl6-BZ#135	MG/KG		0.00037		0.00019	J	0.00021	J	0.00038	U
Cl6-BZ#136	MG/KG		0.00018	J	0.00037	U	0.00034	U	0.00038	U
Cl6-BZ#137	MG/KG		0.00034	U	0.00037	U	0.00034	U	0.00038	U
Cl6-BZ#138	MG/KG		0.0010		0.00039		0.00035		0.00021	J
Cl6-BZ#141	MG/KG		0.00034	U	0.00037	U	0.00034	U	0.00038	U
Cl6-BZ#144	MG/KG		0.00034	U	0.00037	U	0.00034	U	0.00038	U
Cl6-BZ#146	MG/KG		0.00067		0.00041		0.00034	J	0.00022	J
Cl6-BZ#147/#149	MG/KG		0.0014		0.00083		0.00072		0.00075	U
Cl6-BZ#151	MG/KG		0.00027	J	0.00037	U	0.00034	U	0.00038	U
Cl6-BZ#153	MG/KG		0.0026		0.0015		0.0012		0.00071	

Created by: KLD 4/1/2025
Checked by: AP 4/3/2025

TABLE 8c - SUMMARY OF SAMPLE DATA FOR QUAHOG (MG/KG WET WEIGHT) AREA 3 - 2024

		Sample#	NBH24-SF-B-3		NBH24-SF-D-3		NBH24-SF-I-3		NBH24-SF-J-3	
		Species	Quahog		Quahog		Quahog		Quahog	
		Species Type	TIS		TIS		TIS		TIS	
		Area	3		3		3		3	
		Station	Q3-Station B		Q3-Station D		Q3-Station I		Q3-Station J	
		Sample Date	5/24/2024		5/9/2024		5/23/2024		5/23/2024	
Parameter	**Units**		Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
Cl6-BZ#154	MG/KG		0.00034	U	0.00037	U	0.00034	U	0.00038	U
Cl6-BZ#155	MG/KG		0.00034	U	0.00037	U	0.00034	U	0.00038	U
Cl6-BZ#156	MG/KG		0.00034	U	0.00037	U	0.00034	U	0.00038	U
Cl6-BZ#157	MG/KG		0.00034	U	0.00037	U	0.00034	U	0.00038	U
Cl6-BZ#163/#160	MG/KG		0.00094		0.00048	J	0.00054	J	0.00075	U
Cl6-BZ#167	MG/KG		0.00034	U	0.00037	U	0.00034	U	0.00038	U
Cl6-BZ#168	MG/KG		0.00034	U	0.00037	U	0.00034	U	0.00038	U
Cl6-BZ#169	MG/KG		0.00034	U	0.00037	U	0.00034	U	0.00038	U
Cl7-BZ#170	MG/KG		0.00034	U	0.00037	U	0.00034	U	0.00038	U
Cl7-BZ#171	MG/KG		0.00034	U	0.00037	U	0.00034	U	0.00038	U
Cl7-BZ#172	MG/KG		0.00034	U	0.00037	U	0.00034	U	0.00038	U
Cl7-BZ#173	MG/KG		0.00034	U	0.00037	U	0.00034	U	0.00038	U
Cl7-BZ#174	MG/KG		0.00034	U	0.00037	U	0.00034	U	0.00038	U
Cl7-BZ#176	MG/KG		0.00034	U	0.00037	U	0.00034	U	0.00038	U
Cl7-BZ#177	MG/KG		0.00024	J	0.00037	U	0.00034	U	0.00038	U
Cl7-BZ#178	MG/KG		0.00034	U	0.00037	U	0.00034	U	0.00038	U
Cl7-BZ#180	MG/KG		0.00038		0.00020	J	0.00034	U	0.00038	U
Cl7-BZ#182/#175	MG/KG		0.00069	U	0.00074	U	0.00069	U	0.00075	U
Cl7-BZ#183	MG/KG		0.00034	U	0.00037	U	0.00034	U	0.00038	U
Cl7-BZ#184	MG/KG		0.00034	U	0.00037	U	0.00034	U	0.00038	U
Cl7-BZ#185	MG/KG		0.00034	U	0.00037	U	0.00034	U	0.00038	U
Cl7-BZ#187	MG/KG		0.00041		0.00023	J	0.00024	J	0.00038	U
Cl7-BZ#188	MG/KG		0.00034	U	0.00037	U	0.00034	U	0.00038	U
Cl7-BZ#189	MG/KG		0.00034	U	0.00037	U	0.00034	U	0.00038	U
Cl7-BZ#190	MG/KG		0.00034	U	0.00037	U	0.00034	U	0.00038	U
Cl7-BZ#191	MG/KG		0.00034	U	0.00037	U	0.00034	U	0.00038	U
Cl7-BZ#193	MG/KG		0.00034	U	0.00037	U	0.00034	U	0.00038	U
Cl8-BZ#194	MG/KG		0.00034	U	0.00037	U	0.00034	U	0.00038	U
Cl8-BZ#195	MG/KG		0.00034	U	0.00037	U	0.00034	U	0.00038	U
Cl8-BZ#196	MG/KG		0.00034	U	0.00037	U	0.00034	U	0.00038	U
Cl8-BZ#197	MG/KG		0.00034	U	0.00037	U	0.00034	U	0.00038	U
Cl8-BZ#199	MG/KG		0.00034	U	0.00037	U	0.00034	U	0.00038	U
Cl8-BZ#201	MG/KG		0.00034	U	0.00037	U	0.00034	U	0.00038	U
Cl8-BZ#202	MG/KG		0.00034	U	0.00037	U	0.00034	U	0.00038	U
Cl8-BZ#203	MG/KG		0.00034	U	0.00037	U	0.00034	U	0.00038	U
Cl8-BZ#204/#200	MG/KG		0.00069	U	0.00074	U	0.00069	U	0.00075	U
Cl8-BZ#205	MG/KG		0.00034	U	0.00037	U	0.00034	U	0.00038	U
Cl9-BZ#206	MG/KG		0.00034	U	0.00037	U	0.00034	U	0.00038	U
Cl9-BZ#207	MG/KG		0.00034	U	0.00037	U	0.00034	U	0.00038	U
Cl9-BZ#208	MG/KG		0.00034	U	0.00037	U	0.00034	U	0.00038	U
Cl10-BZ#209	MG/KG		0.00034	U	0.00037	U	0.00034	U	0.00038	U

TABLE 9a - SUMMARY OF SAMPLE DATA FOR CO-LOCATED SURFACE WATER (NG/L) AREA 1 - 2024

	Sample#	NBH24-SF-B1 - DISSOLVED		NBH24-SF-B1 - TOTAL		NBH24-SF-C1 - DISSOLVED		NBH24-SF-C1 - TOTAL	
	Species/Media	Surface Water (co-located with Quahogs)		Surface Water (co-located with Quahogs)		Surface Water (co-located with Quahogs)		Surface Water (co-located with Quahogs)	
	Media Type	SW		SW		SW		SW	
	Area	1		1		1		1	
	Station	Q1-Station B		Q1-Station B		Q1-Station C		Q1-Station C	
	Sample Date	5/9/2024		5/9/2024		5/22/2024		5/22/2024	
Parameter	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
Total PCB Congeners[1]	NG/L	42	J1	55	J2	48	J1	68	J2
Total PCB Congeners Hits[2]	NG/L	12		30		18		41	
Total NOAA Congeners[3]	NG/L	8.4	J2	14	J2	9.5	J2	18	J2
Total WHO Congeners[4]	NG/L	3.0	J1	3.5	J1	3.4	J1	4.7	J1
Total NOAA / WHO Combined[5]	NG/L	11	J1	16	J2	12	J2	21	J2
Cl1-BZ#1	NG/L	0.46	UJ	0.46	UJ	0.51	U	0.52	U
Cl1-BZ#3	NG/L	0.46	UJ	0.46	UJ	0.51	U	0.52	U
Cl2-BZ#4/#10	NG/L	0.60	J	0.81	J	0.53	J	0.60	J
Cl2-BZ#5	NG/L	0.46	UJ	0.46	UJ	0.51	U	0.52	U
Cl2-BZ#6	NG/L	0.46	UJ	0.46	UJ	0.51	U	0.52	U
Cl2-BZ#7	NG/L	0.46	UJ	0.46	UJ	0.51	U	0.52	U
Cl2-BZ#8	NG/L	0.46	UJ	0.26	J	0.51	U	0.52	U
Cl2-BZ#12	NG/L	0.46	UJ	0.46	UJ	0.51	U	0.52	U
Cl2-BZ#13	NG/L	0.46	UJ	0.46	UJ	0.51	U	0.52	U
Cl2-BZ#15	NG/L	0.27	J	0.28	J	0.51	U	0.31	J
Cl3-BZ#16	NG/L	0.46	UJ	0.45	J	0.35	J	0.40	J
Cl3-BZ#17	NG/L	0.69	J	0.97	J	0.76		0.98	
Cl3-BZ#18	NG/L	1.6	J	2.2	J	1.7		2.2	
Cl3-BZ#19	NG/L	0.32	J	0.41	J	0.36	J	0.34	J
Cl3-BZ#21/#20	NG/L	0.93	UJ	0.93	UJ	1.0	U	1.0	U
Cl3-BZ#22	NG/L	0.46	UJ	0.35	J	0.26	J	0.40	J
Cl3-BZ#24	NG/L	0.46	UJ	0.46	UJ	0.51	U	0.52	U
Cl3-BZ#25	NG/L	0.46	UJ	0.46	UJ	1.3		1.5	
Cl3-BZ#26	NG/L	1.2	J	2.0	J	1.3		1.9	
Cl3-BZ#27	NG/L	0.26	J	0.43	J	0.32	J	0.39	J
Cl3-BZ#28	NG/L	0.84	J	1.6	J	1.0		1.6	
Cl3-BZ#29	NG/L	0.46	UJ	0.46	UJ	0.51	U	0.52	U
Cl3-BZ#31	NG/L	1.2	J	1.9	J	1.4		2.1	
Cl3-BZ#32	NG/L	0.44	J	0.67	J	0.50	J	0.68	
Cl3-BZ#33	NG/L	0.46	UJ	0.46	UJ	0.51	U	0.52	U
Cl3-BZ#37	NG/L	0.46	UJ	0.46	UJ	0.51	U	0.27	J
Cl4-BZ#40	NG/L	0.46	UJ	0.46	UJ	0.51	U	0.52	U
Cl4-BZ#41	NG/L	0.46	UJ	0.46	UJ	0.51	U	0.52	U
Cl4-BZ#42	NG/L	0.24	J	0.37	J	0.31	J	0.50	J
Cl4-BZ#43	NG/L	0.46	UJ	0.46	UJ	0.51	U	0.52	U
Cl4-BZ#44	NG/L	0.67	J	1.3	J	0.66		1.3	
Cl4-BZ#45	NG/L	0.46	UJ	0.46	UJ	0.51	U	0.52	U
Cl4-BZ#47	NG/L	0.27	J	0.65	J	0.42	J	0.85	
Cl4-BZ#48	NG/L	0.46	UJ	0.46	UJ	0.51	U	0.52	U
Cl4-BZ#49	NG/L	1.0	J	2.1	J	1.3		2.6	
Cl4-BZ#50	NG/L	0.46	UJ	0.46	UJ	0.51	U	0.52	U
Cl4-BZ#51	NG/L	0.46	UJ	0.46	UJ	0.51	U	0.52	U
Cl4-BZ#52	NG/L	1.8	J	3.2	J	2.1		3.8	
Cl4-BZ#53	NG/L	0.27	J	0.48	J	0.28	J	0.48	J
Cl4-BZ#54	NG/L	0.46	UJ	0.46	UJ	0.51	U	0.52	U
Cl4-BZ#56	NG/L	0.46	UJ	0.46	UJ	0.51	U	0.39	J

TABLE 9a - SUMMARY OF SAMPLE DATA FOR CO-LOCATED SURFACE WATER (NG/L) AREA 1 - 2024

		Sample#	NBH24-SF-B1 - DISSOLVED		NBH24-SF-B1 - TOTAL		NBH24-SF-C1 - DISSOLVED		NBH24-SF-C1 - TOTAL	
		Species/Media	Surface Water (co-located with Quahogs)		Surface Water (co-located with Quahogs)		Surface Water (co-located with Quahogs)		Surface Water (co-located with Quahogs)	
		Media Type	SW		SW		SW		SW	
		Area	1		1		1		1	
		Station	Q1-Station B		Q1-Station B		Q1-Station C		Q1-Station C	
		Sample Date	5/9/2024		5/9/2024		5/22/2024		5/22/2024	
Parameter	**Units**		Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
Cl4-BZ#60	NG/L		0.46	UJ	0.46	UJ	0.51	U	0.52	U
Cl4-BZ#63	NG/L		0.46	UJ	0.46	UJ	0.51	U	0.52	U
Cl4-BZ#66	NG/L		0.46	UJ	0.48	J	0.35	J	0.98	
Cl4-BZ#68/#64	NG/L		0.93	UJ	0.66	J	1.0	U	0.77	J
Cl4-BZ#70	NG/L		0.27	J	0.43	J	0.33	J	0.84	
Cl4-BZ#71	NG/L		0.46	UJ	0.39	J	0.26	J	0.46	J
Cl4-BZ#73/#46	NG/L		0.93	UJ	0.93	UJ	1.0	U	1.0	U
Cl4-BZ#74	NG/L		0.46	UJ	0.36	J	0.28	J	0.74	
Cl4-BZ#76	NG/L		0.46	UJ	0.46	UJ	0.51	U	0.52	U
Cl4-BZ#77	NG/L		0.46	UJ	0.46	UJ	0.51	U	0.52	U
Cl4-BZ#81	NG/L		0.46	UJ	0.46	UJ	0.51	U	0.52	U
Cl5-BZ#82	NG/L		0.46	UJ	0.46	UJ	0.51	U	0.52	U
Cl5-BZ#83/#125/#112	NG/L		1.4	UJ	1.4	UJ	1.5	U	1.6	U
Cl5-BZ#85	NG/L		0.46	UJ	0.46	UJ	0.51	U	0.52	U
Cl5-BZ#87/#111	NG/L		0.93	UJ	0.93	UJ	1.0	U	1.0	U
Cl5-BZ#89/#84	NG/L		0.93	UJ	0.63	J	1.0	U	0.88	J
Cl5-BZ#91	NG/L		0.46	UJ	0.36	J	0.51	U	0.54	
Cl5-BZ#92	NG/L		0.46	UJ	0.45	J	0.51	U	0.54	
Cl5-BZ#97	NG/L		0.46	UJ	0.45	J	0.51	U	0.58	
Cl5-BZ#99	NG/L		0.46	UJ	0.55	J	0.32	J	1.1	
Cl5-BZ#100	NG/L		0.46	UJ	0.46	UJ	0.51	U	0.52	U
Cl5-BZ#101/#90	NG/L		0.93	UJ	0.86	J	0.61	J	1.8	
Cl5-BZ#104	NG/L		0.46	UJ	0.46	UJ	0.51	U	0.52	U
Cl5-BZ#105	NG/L		0.46	UJ	0.46	UJ	0.51	U	0.31	J
Cl5-BZ#107/#123	NG/L		0.93	UJ	0.93	UJ	1.0	U	1.0	U
Cl5-BZ#110	NG/L		0.36	J	1.3	J	0.61		2.1	
Cl5-BZ#114	NG/L		0.46	UJ	0.46	UJ	0.51	U	0.52	U
Cl5-BZ#118	NG/L		0.46	UJ	0.71	J	0.35	J	1.5	
Cl5-BZ#119	NG/L		0.46	UJ	0.46	UJ	0.51	U	0.52	U
Cl5-BZ#121/#95/#88	NG/L		1.4	UJ	0.80	J	1.5	U	1.1	J
Cl5-BZ#124	NG/L		0.46	UJ	0.46	UJ	0.51	U	0.52	U
Cl5-BZ#126	NG/L		0.46	UJ	0.46	UJ	0.51	U	0.52	U
Cl6-BZ#128	NG/L		0.46	UJ	0.46	UJ	0.51	U	0.52	U
Cl6-BZ#129/#158	NG/L		0.93	UJ	0.93	UJ	1.0	U	1.0	U
Cl6-BZ#130/#164	NG/L		0.93	UJ	0.93	UJ	1.0	U	1.0	U
Cl6-BZ#131	NG/L		0.46	UJ	0.46	UJ	0.51	U	0.52	U
Cl6-BZ#132	NG/L		0.46	UJ	0.46	UJ	0.51	U	0.42	J
Cl6-BZ#134	NG/L		0.46	UJ	0.46	UJ	0.51	U	0.52	U
Cl6-BZ#135	NG/L		0.46	UJ	0.46	UJ	0.51	U	0.52	U
Cl6-BZ#136	NG/L		0.46	UJ	0.46	UJ	0.51	U	0.52	U
Cl6-BZ#137	NG/L		0.46	UJ	0.46	UJ	0.51	U	0.52	U
Cl6-BZ#138	NG/L		0.46	UJ	0.50	J	0.51	U	0.87	
Cl6-BZ#141	NG/L		0.46	UJ	0.46	UJ	0.51	U	0.52	U
Cl6-BZ#144	NG/L		0.46	UJ	0.46	UJ	0.51	U	0.52	U
Cl6-BZ#146	NG/L		0.46	UJ	0.46	UJ	0.51	U	0.52	U
Cl6-BZ#147/#149	NG/L		0.93	UJ	0.59	J	1.0	U	0.96	J
Cl6-BZ#151	NG/L		0.46	UJ	0.46	UJ	0.51	U	0.52	U

Created by: KLD 4/1/2025
Checked by: AP 4/3/2025

TABLE 9a - SUMMARY OF SAMPLE DATA FOR CO-LOCATED SURFACE WATER (NG/L) AREA 1 - 2024

		Sample#	NBH24-SF-B1 - DISSOLVED		NBH24-SF-B1 - TOTAL		NBH24-SF-C1 - DISSOLVED		NBH24-SF-C1 - TOTAL	
		Species/Media	Surface Water (co-located with Quahogs)		Surface Water (co-located with Quahogs)		Surface Water (co-located with Quahogs)		Surface Water (co-located with Quahogs)	
		Media Type	SW		SW		SW		SW	
		Area	1		1		1		1	
		Station	Q1-Station B		Q1-Station B		Q1-Station C		Q1-Station C	
		Sample Date	5/9/2024		5/9/2024		5/22/2024		5/22/2024	
Parameter	**Units**		Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
Cl6-BZ#153	NG/L		0.46	UJ	0.58	J	0.27	J	1.2	
Cl6-BZ#154	NG/L		0.46	UJ	0.46	UJ	0.51	U	0.52	U
Cl6-BZ#155	NG/L		0.46	UJ	0.46	UJ	0.51	U	0.52	U
Cl6-BZ#156	NG/L		0.46	UJ	0.46	UJ	0.51	U	0.52	U
Cl6-BZ#157	NG/L		0.46	UJ	0.46	UJ	0.51	U	0.52	U
Cl6-BZ#163/#160	NG/L		0.93	UJ	0.93	UJ	1.0	U	1.0	U
Cl6-BZ#167	NG/L		0.46	UJ	0.46	UJ	0.51	U	0.52	U
Cl6-BZ#168	NG/L		0.46	UJ	0.46	UJ	0.51	U	0.52	U
Cl6-BZ#169	NG/L		0.46	UJ	0.46	UJ	0.51	U	0.52	U
Cl7-BZ#170	NG/L		0.46	UJ	0.46	UJ	0.51	U	0.52	U
Cl7-BZ#171	NG/L		0.46	UJ	0.46	UJ	0.51	U	0.52	U
Cl7-BZ#172	NG/L		0.46	UJ	0.46	UJ	0.51	U	0.52	U
Cl7-BZ#173	NG/L		0.46	UJ	0.46	UJ	0.51	U	0.52	U
Cl7-BZ#174	NG/L		0.46	UJ	0.46	UJ	0.51	U	0.52	U
Cl7-BZ#176	NG/L		0.46	UJ	0.46	UJ	0.51	U	0.52	U
Cl7-BZ#177	NG/L		0.46	UJ	0.46	UJ	0.51	U	0.52	U
Cl7-BZ#178	NG/L		0.46	UJ	0.46	UJ	0.51	U	0.52	U
Cl7-BZ#180	NG/L		0.46	UJ	0.46	UJ	0.51	U	0.52	U
Cl7-BZ#182/#175	NG/L		0.93	UJ	0.93	UJ	1.0	U	1.0	U
Cl7-BZ#183	NG/L		0.46	UJ	0.46	UJ	0.51	U	0.52	U
Cl7-BZ#184	NG/L		0.46	UJ	0.46	UJ	0.51	U	0.52	U
Cl7-BZ#185	NG/L		0.46	UJ	0.46	UJ	0.51	U	0.52	U
Cl7-BZ#187	NG/L		0.46	UJ	0.46	UJ	0.51	U	0.52	U
Cl7-BZ#188	NG/L		0.46	UJ	0.46	UJ	0.51	U	0.52	U
Cl7-BZ#189	NG/L		0.46	UJ	0.46	UJ	0.51	U	0.52	U
Cl7-BZ#190	NG/L		0.46	UJ	0.46	UJ	0.51	U	0.52	U
Cl7-BZ#191	NG/L		0.46	UJ	0.46	UJ	0.51	U	0.52	U
Cl7-BZ#193	NG/L		0.46	UJ	0.46	UJ	0.51	U	0.52	U
Cl8-BZ#194	NG/L		0.46	UJ	0.46	UJ	0.51	U	0.52	U
Cl8-BZ#195	NG/L		0.46	UJ	0.46	UJ	0.51	U	0.52	U
Cl8-BZ#196	NG/L		0.46	UJ	0.46	UJ	0.51	U	0.52	U
Cl8-BZ#197	NG/L		0.46	UJ	0.46	UJ	0.51	U	0.52	U
Cl8-BZ#199	NG/L		0.46	UJ	0.46	UJ	0.51	U	0.52	U
Cl8-BZ#201	NG/L		0.46	UJ	0.46	UJ	0.51	U	0.52	U
Cl8-BZ#202	NG/L		0.46	UJ	0.46	UJ	0.51	U	0.52	U
Cl8-BZ#203	NG/L		0.46	UJ	0.46	UJ	0.51	U	0.52	U
Cl8-BZ#204/#200	NG/L		0.93	UJ	0.93	UJ	1.0	U	1.0	U
Cl8-BZ#205	NG/L		0.46	UJ	0.46	UJ	0.51	U	0.52	U
Cl9-BZ#206	NG/L		0.46	UJ	0.46	UJ	0.51	U	0.52	U
Cl9-BZ#207	NG/L		0.46	UJ	0.46	UJ	0.51	U	0.52	U
Cl9-BZ#208	NG/L		0.46	UJ	0.46	UJ	0.51	U	0.52	U
Cl10-BZ#209	NG/L		0.46	UJ	0.46	UJ	0.51	U	0.52	U

TABLE 9a - SUMMARY OF SAMPLE DATA FOR CO-LOCATED SURFACE WATER (NG/L) AREA 1 - 2024

	Sample#	NBH24-SF-D1 - DISSOLVED		NBH24-SF-D1 - TOTAL		NBH24-SF-E1 - DISSOLVED		NBH24-SF-E1 - TOTAL	
	Species/Media	Surface Water (co-located with Quahogs)		Surface Water (co-located with Quahogs)		Surface Water (co-located with Quahogs)		Surface Water (co-located with Quahogs)	
	Media Type	SW		SW		SW		SW	
	Area	1		1		1		1	
	Station	Q1-Station D		Q1-Station D		Q1-Station E		Q1-Station E	
	Sample Date	5/22/2024		5/22/2024		5/22/2024		5/22/2024	
Parameter	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
Total PCB Congeners[1]	NG/L	45	J1	62	J2	60	J2	67	J2
Total PCB Congeners Hits[2]	NG/L	12		37		32		42	
Total NOAA Congeners[3]	NG/L	8.4	J2	16	J2	13	J2	17	J2
Total WHO Congeners[4]	NG/L	3.3	J1	4.2	J1	3.4	J1	4.0	J1
Total NOAA / WHO Combined[5]	NG/L	11	J1	18	J2	16	J2	20	J2
Cl1-BZ#1	NG/L	0.49	U	0.50	U	0.49	U	0.49	U
Cl1-BZ#3	NG/L	0.49	U	0.50	U	0.49	U	0.49	U
Cl2-BZ#4/#10	NG/L	0.99	U	0.61	J	1.1		1.0	
Cl2-BZ#5	NG/L	0.49	U	0.50	U	0.49	U	0.49	U
Cl2-BZ#6	NG/L	0.49	U	0.50	U	0.56		0.57	
Cl2-BZ#7	NG/L	0.49	U	0.50	U	0.49	U	0.49	U
Cl2-BZ#8	NG/L	0.49	U	0.50	U	0.46	J	0.52	
Cl2-BZ#12	NG/L	0.49	U	0.50	U	0.49	U	0.49	U
Cl2-BZ#13	NG/L	0.49	U	0.50	U	0.49	U	0.49	U
Cl2-BZ#15	NG/L	0.49	U	0.32	J	0.36	J	0.42	J
Cl3-BZ#16	NG/L	0.28	J	0.37	J	0.32	J	0.49	U
Cl3-BZ#17	NG/L	0.62		0.95		1.2		1.2	
Cl3-BZ#18	NG/L	1.3		2.1		2.7		2.7	
Cl3-BZ#19	NG/L	0.30	J	0.38	J	0.60		0.53	
Cl3-BZ#21/#20	NG/L	0.99	U	1.0	U	0.99	U	0.98	U
Cl3-BZ#22	NG/L	0.49	U	0.38	J	0.34	J	0.34	J
Cl3-BZ#24	NG/L	0.49	U	0.50	U	0.49	U	0.49	U
Cl3-BZ#25	NG/L	0.89		1.5		1.4		2.4	
Cl3-BZ#26	NG/L	1.1		1.9		2.3		2.4	
Cl3-BZ#27	NG/L	0.49	U	0.39	J	0.60		0.56	
Cl3-BZ#28	NG/L	1.1		2.0		2.0		2.4	
Cl3-BZ#29	NG/L	0.49	U	0.50	U	0.49	U	0.49	U
Cl3-BZ#31	NG/L	1.3		2.3		2.4		2.6	
Cl3-BZ#32	NG/L	0.43	J	0.73		0.99		0.93	
Cl3-BZ#33	NG/L	0.49	U	0.50	U	0.49	U	0.49	U
Cl3-BZ#37	NG/L	0.49	U	0.50	U	0.49	U	0.25	J
Cl4-BZ#40	NG/L	0.49	U	0.50	U	0.49	U	0.49	U
Cl4-BZ#41	NG/L	0.49	U	0.50	U	0.49	U	0.49	U
Cl4-BZ#42	NG/L	0.49	U	0.44	J	0.30	J	0.52	
Cl4-BZ#43	NG/L	0.49	U	0.50	U	0.49	U	0.49	U
Cl4-BZ#44	NG/L	0.61		1.2		0.80		1.1	
Cl4-BZ#45	NG/L	0.49	U	0.50	U	0.49	U	0.49	U
Cl4-BZ#47	NG/L	0.31	J	0.83		2.3		0.87	
Cl4-BZ#48	NG/L	0.49	U	0.50	U	0.49	U	0.49	U
Cl4-BZ#49	NG/L	1.1		2.5		2.0		2.7	
Cl4-BZ#50	NG/L	0.49	U	0.50	U	0.49	U	0.49	U
Cl4-BZ#51	NG/L	0.49	U	0.50	U	0.48	J	0.28	J
Cl4-BZ#52	NG/L	1.6		3.5		3.3		3.9	
Cl4-BZ#53	NG/L	0.49	U	0.48	J	0.59		0.67	
Cl4-BZ#54	NG/L	0.49	U	0.50	U	0.49	U	0.49	U
Cl4-BZ#56	NG/L	0.49	U	0.34	J	0.49	U	0.32	J

TABLE 9a - SUMMARY OF SAMPLE DATA FOR CO-LOCATED SURFACE WATER (NG/L) AREA 1 - 2024

	Sample#	NBH24-SF-D1 - DISSOLVED		NBH24-SF-D1 - TOTAL		NBH24-SF-E1 - DISSOLVED		NBH24-SF-E1 - TOTAL	
	Species/Media	Surface Water (co-located with Quahogs)		Surface Water (co-located with Quahogs)		Surface Water (co-located with Quahogs)		Surface Water (co-located with Quahogs)	
	Media Type	SW		SW		SW		SW	
	Area	1		1		1		1	
	Station	Q1-Station D		Q1-Station D		Q1-Station E		Q1-Station E	
	Sample Date	5/22/2024		5/22/2024		5/22/2024		5/22/2024	
Parameter	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
Cl4-BZ#60	NG/L	0.49	U	0.50	U	0.49	U	0.49	U
Cl4-BZ#63	NG/L	0.49	U	0.50	U	0.49	U	0.49	U
Cl4-BZ#66	NG/L	0.26	J	0.79		0.41	J	0.71	
Cl4-BZ#68/#64	NG/L	0.99	U	0.70	J	1.1		0.68	J
Cl4-BZ#70	NG/L	0.27	J	0.64		0.40	J	0.53	
Cl4-BZ#71	NG/L	0.49	U	0.39	J	0.37	J	0.58	
Cl4-BZ#73/#46	NG/L	0.99	U	1.0	U	0.99	U	0.98	U
Cl4-BZ#74	NG/L	0.49	U	0.54		0.30	J	0.55	
Cl4-BZ#76	NG/L	0.49	U	0.50	U	0.49	U	0.49	U
Cl4-BZ#77	NG/L	0.49	U	0.50	U	0.49	U	0.49	U
Cl4-BZ#81	NG/L	0.49	U	0.50	U	0.49	U	0.49	U
Cl5-BZ#82	NG/L	0.49	U	0.50	U	0.49	U	0.49	U
Cl5-BZ#83/#125/#112	NG/L	1.5	U	1.5	U	1.5	U	1.5	U
Cl5-BZ#85	NG/L	0.49	U	0.50	U	0.49	U	0.49	U
Cl5-BZ#87/#111	NG/L	0.99	U	1.0	U	0.99	U	0.98	U
Cl5-BZ#89/#84	NG/L	0.99	U	0.63	J	0.99	U	0.68	J
Cl5-BZ#91	NG/L	0.49	U	0.44	J	0.28	J	0.48	J
Cl5-BZ#92	NG/L	0.49	U	0.40	J	0.49	U	0.30	J
Cl5-BZ#97	NG/L	0.49	U	0.51		0.49	U	0.48	J
Cl5-BZ#99	NG/L	0.49	U	0.95		0.26	J	0.88	
Cl5-BZ#100	NG/L	0.49	U	0.50	U	0.49	U	0.49	U
Cl5-BZ#101/#90	NG/L	0.99	U	1.4		0.58	J	1.3	
Cl5-BZ#104	NG/L	0.49	U	0.50	U	0.49	U	0.49	U
Cl5-BZ#105	NG/L	0.49	U	0.28	J	0.49	U	0.49	U
Cl5-BZ#107/#123	NG/L	0.99	U	1.0	U	0.99	U	0.98	U
Cl5-BZ#110	NG/L	0.51		1.5		0.78		1.5	
Cl5-BZ#114	NG/L	0.49	U	0.50	U	0.49	U	0.49	U
Cl5-BZ#118	NG/L	0.34	J	1.1		0.40	J	1.1	
Cl5-BZ#119	NG/L	0.49	U	0.50	U	0.49	U	0.49	U
Cl5-BZ#121/#95/#88	NG/L	1.5	U	0.92	J	1.5	U	0.89	J
Cl5-BZ#124	NG/L	0.49	U	0.50	U	0.49	U	0.49	U
Cl5-BZ#126	NG/L	0.49	U	0.50	U	0.49	U	0.49	U
Cl6-BZ#128	NG/L	0.49	U	0.50	U	0.49	U	0.49	U
Cl6-BZ#129/#158	NG/L	0.99	U	1.0	U	0.99	U	0.98	U
Cl6-BZ#130/#164	NG/L	0.99	U	1.0	U	0.99	U	0.98	U
Cl6-BZ#131	NG/L	0.49	U	0.50	U	0.49	U	0.49	U
Cl6-BZ#132	NG/L	0.49	U	0.27	J	0.49	U	0.49	U
Cl6-BZ#134	NG/L	0.49	U	0.50	U	0.49	U	0.49	U
Cl6-BZ#135	NG/L	0.49	U	0.50	U	0.49	U	0.49	U
Cl6-BZ#136	NG/L	0.49	U	0.50	U	0.49	U	0.49	U
Cl6-BZ#137	NG/L	0.49	U	0.50	U	0.49	U	0.49	U
Cl6-BZ#138	NG/L	0.49	U	0.54		0.49	U	0.51	
Cl6-BZ#141	NG/L	0.49	U	0.50	U	0.49	U	0.49	U
Cl6-BZ#144	NG/L	0.49	U	0.50	U	0.49	U	0.49	U
Cl6-BZ#146	NG/L	0.49	U	0.50	U	0.49	U	0.49	U
Cl6-BZ#147/#149	NG/L	0.99	U	0.72	J	0.99	U	0.78	J
Cl6-BZ#151	NG/L	0.49	U	0.50	U	0.49	U	0.49	U

Created by: KLD 4/1/2025
Checked by: AP 4/3/2025

TABLE 9a - SUMMARY OF SAMPLE DATA FOR CO-LOCATED SURFACE WATER (NG/L) AREA 1 - 2024

		Sample#	NBH24-SF-D1 - DISSOLVED		NBH24-SF-D1 - TOTAL		NBH24-SF-E1 - DISSOLVED		NBH24-SF-E1 - TOTAL	
		Species/Media	Surface Water (co-located with Quahogs)		Surface Water (co-located with Quahogs)		Surface Water (co-located with Quahogs)		Surface Water (co-located with Quahogs)	
		Media Type	SW		SW		SW		SW	
		Area	1		1		1		1	
		Station	Q1-Station D		Q1-Station D		Q1-Station E		Q1-Station E	
		Sample Date	5/22/2024		5/22/2024		5/22/2024		5/22/2024	
Parameter	**Units**		Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
Cl6-BZ#153	NG/L		0.49	U	0.85		0.27	J	0.85	
Cl6-BZ#154	NG/L		0.49	U	0.50	U	0.49	U	0.49	U
Cl6-BZ#155	NG/L		0.49	U	0.50	U	0.49	U	0.49	U
Cl6-BZ#156	NG/L		0.49	U	0.50	U	0.49	U	0.49	U
Cl6-BZ#157	NG/L		0.49	U	0.50	U	0.49	U	0.49	U
Cl6-BZ#163/#160	NG/L		0.99	U	1.0	U	0.99	U	0.98	U
Cl6-BZ#167	NG/L		0.49	U	0.50	U	0.49	U	0.49	U
Cl6-BZ#168	NG/L		0.49	U	0.50	U	0.49	U	0.49	U
Cl6-BZ#169	NG/L		0.49	U	0.50	U	0.49	U	0.49	U
Cl7-BZ#170	NG/L		0.49	U	0.50	U	0.49	U	0.49	U
Cl7-BZ#171	NG/L		0.49	U	0.50	U	0.49	U	0.49	U
Cl7-BZ#172	NG/L		0.49	U	0.50	U	0.49	U	0.49	U
Cl7-BZ#173	NG/L		0.49	U	0.50	U	0.49	U	0.49	U
Cl7-BZ#174	NG/L		0.49	U	0.50	U	0.49	U	0.49	U
Cl7-BZ#176	NG/L		0.49	U	0.50	U	0.49	U	0.49	U
Cl7-BZ#177	NG/L		0.49	U	0.50	U	0.49	U	0.49	U
Cl7-BZ#178	NG/L		0.49	U	0.50	U	0.49	U	0.49	U
Cl7-BZ#180	NG/L		0.49	U	0.50	U	0.49	U	0.49	U
Cl7-BZ#182/#175	NG/L		0.99	U	1.0	U	0.99	U	0.98	U
Cl7-BZ#183	NG/L		0.49	U	0.50	U	0.49	U	0.49	U
Cl7-BZ#184	NG/L		0.49	U	0.50	U	0.49	U	0.49	U
Cl7-BZ#185	NG/L		0.49	U	0.50	U	0.49	U	0.49	U
Cl7-BZ#187	NG/L		0.49	U	0.50	U	0.49	U	0.49	U
Cl7-BZ#188	NG/L		0.49	U	0.50	U	0.49	U	0.49	U
Cl7-BZ#189	NG/L		0.49	U	0.50	U	0.49	U	0.49	U
Cl7-BZ#190	NG/L		0.49	U	0.50	U	0.49	U	0.49	U
Cl7-BZ#191	NG/L		0.49	U	0.50	U	0.49	U	0.49	U
Cl7-BZ#193	NG/L		0.49	U	0.50	U	0.49	U	0.49	U
Cl8-BZ#194	NG/L		0.49	U	0.50	U	0.49	U	0.49	U
Cl8-BZ#195	NG/L		0.49	U	0.50	U	0.49	U	0.49	U
Cl8-BZ#196	NG/L		0.49	U	0.50	U	0.49	U	0.49	U
Cl8-BZ#197	NG/L		0.49	U	0.50	U	0.49	U	0.49	U
Cl8-BZ#199	NG/L		0.49	U	0.50	U	0.49	U	0.49	U
Cl8-BZ#201	NG/L		0.49	U	0.50	U	0.49	U	0.49	U
Cl8-BZ#202	NG/L		0.49	U	0.50	U	0.49	U	0.49	U
Cl8-BZ#203	NG/L		0.49	U	0.50	U	0.49	U	0.49	U
Cl8-BZ#204/#200	NG/L		0.99	U	1.0	U	0.99	U	0.98	U
Cl8-BZ#205	NG/L		0.49	U	0.50	U	0.49	U	0.49	U
Cl9-BZ#206	NG/L		0.49	U	0.50	U	0.49	U	0.49	U
Cl9-BZ#207	NG/L		0.49	U	0.50	U	0.49	U	0.49	U
Cl9-BZ#208	NG/L		0.49	U	0.50	U	0.49	U	0.49	U
Cl10-BZ#209	NG/L		0.49	U	0.50	U	0.49	U	0.49	U

TABLE 9b - SUMMARY OF SAMPLE DATA FOR CO-LOCATED SURFACE WATER (NG/L) AREA 2 - 2024

	Sample#	NBH24-SF-B2 - DISSOLVED		NBH24-SF-B2 - TOTAL		NBH24-SF-C2 - DISSOLVED		NBH24-SF-C2 - TOTAL		NBH24-SF-F2 - DISSOLVED	
	Species/Media	Surface Water (co-located with Quahogs)		Surface Water (co-located with Quahogs)		Surface Water (co-located with Quahogs)		Surface Water (co-located with Quahogs)		Surface Water (co-located with Quahogs)	
	Media Type	SW		SW		SW		SW		SW	
	Area	2		2		2		2		2	
	Station	Q2-Station B		Q2-Station B		Q2-Station C		Q2-Station C		Q2-Station F	
	Sample Date	5/7/2024		5/7/2024		5/7/2024		5/7/2024		5/9/2024	
Parameter	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
Total PCB Congeners[1]	NG/L	36	J1	36	J1	38	J1	40	J1	35	J1
Total PCB Congeners Hits[2]	NG/L	ND		0.93		4.4		8.2		0.34	
Total NOAA Congeners[3]	NG/L	4.6	J1	4.8	J1	5.8	J1	6.9	J2	4.5	J1
Total WHO Congeners[4]	NG/L	3.2	J1	3.2	J1	3.2	J1	3.3	J1	3.0	J1
Total NOAA / WHO Combined[5]	NG/L	7.3	J1	7.5	J1	8.5	J1	9.5	J1	7.1	J1
Cl1-BZ#1	NG/L	0.49	U	0.49	U	0.49	U	0.49	U	0.47	UJ
Cl1-BZ#3	NG/L	0.49	U	0.49	U	0.49	U	0.49	U	0.47	UJ
Cl2-BZ#4/#10	NG/L	0.98	U	0.98	U	0.98	U	0.98	U	0.93	UJ
Cl2-BZ#5	NG/L	0.49	U	0.49	U	0.49	U	0.49	U	0.47	UJ
Cl2-BZ#6	NG/L	0.49	U	0.49	U	0.49	U	0.49	U	0.47	UJ
Cl2-BZ#7	NG/L	0.49	U	0.49	U	0.49	U	0.49	U	0.47	UJ
Cl2-BZ#8	NG/L	0.49	U	0.49	U	0.49	U	0.49	U	0.47	UJ
Cl2-BZ#12	NG/L	0.49	U	0.49	U	0.49	U	0.49	U	0.47	UJ
Cl2-BZ#13	NG/L	0.49	U	0.49	U	0.49	U	0.49	U	0.47	UJ
Cl2-BZ#15	NG/L	0.49	U	0.49	U	0.49	U	0.49	U	0.47	UJ
Cl3-BZ#16	NG/L	0.49	U	0.49	U	0.49	U	0.49	U	0.47	UJ
Cl3-BZ#17	NG/L	0.49	U	0.49	U	0.33	J	0.32	J	0.47	UJ
Cl3-BZ#18	NG/L	0.49	U	0.49	U	0.66		0.70		0.47	UJ
Cl3-BZ#19	NG/L	0.49	U	0.49	U	0.49	U	0.49	U	0.47	UJ
Cl3-BZ#21/#20	NG/L	0.98	U	0.98	U	0.98	U	0.98	U	0.93	UJ
Cl3-BZ#22	NG/L	0.49	U	0.49	U	0.49	U	0.49	U	0.47	UJ
Cl3-BZ#24	NG/L	0.49	U	0.49	U	0.49	U	0.49	U	0.47	UJ
Cl3-BZ#25	NG/L	0.49	U	0.49	U	0.29	J	0.40	J	0.47	UJ
Cl3-BZ#26	NG/L	0.49	U	0.49	U	0.53		0.62		0.47	UJ
Cl3-BZ#27	NG/L	0.49	U	0.49	U	0.49	U	0.49	U	0.47	UJ
Cl3-BZ#28	NG/L	0.49	U	0.49	U	0.42	J	0.54		0.47	UJ
Cl3-BZ#29	NG/L	0.49	U	0.49	U	0.49	U	0.49	U	0.47	UJ
Cl3-BZ#31	NG/L	0.49	U	0.49	U	0.66		0.78		0.47	UJ
Cl3-BZ#32	NG/L	0.49	U	0.49	U	0.49	U	0.49	U	0.47	UJ
Cl3-BZ#33	NG/L	0.49	U	0.49	U	0.49	U	0.49	U	0.47	UJ
Cl3-BZ#37	NG/L	0.49	U	0.49	U	0.49	U	0.49	U	0.47	UJ
Cl4-BZ#40	NG/L	0.49	U	0.49	U	0.49	U	0.49	U	0.47	UJ
Cl4-BZ#41	NG/L	0.49	U	0.49	U	0.49	U	0.49	U	0.47	UJ
Cl4-BZ#42	NG/L	0.49	U	0.49	U	0.49	U	0.49	U	0.47	UJ
Cl4-BZ#43	NG/L	0.49	U	0.49	U	0.49	U	0.49	U	0.47	UJ
Cl4-BZ#44	NG/L	0.49	U	0.49	U	0.30	J	0.52		0.47	UJ
Cl4-BZ#45	NG/L	0.49	U	0.49	U	0.49	U	0.49	U	0.47	UJ
Cl4-BZ#47	NG/L	0.49	U	0.49	U	0.49	U	0.25	J	0.47	UJ
Cl4-BZ#48	NG/L	0.49	U	0.49	U	0.49	U	0.49	U	0.47	UJ
Cl4-BZ#49	NG/L	0.49	U	0.49	U	0.48	J	0.78		0.47	UJ
Cl4-BZ#50	NG/L	0.49	U	0.49	U	0.49	U	0.49	U	0.47	UJ
Cl4-BZ#51	NG/L	0.49	U	0.49	U	0.49	U	0.49	U	0.47	UJ
Cl4-BZ#52	NG/L	0.49	U	0.36	J	0.75		1.1		0.34	J
Cl4-BZ#53	NG/L	0.49	U	0.49	U	0.49	U	0.49	U	0.47	UJ
Cl4-BZ#54	NG/L	0.49	U	0.49	U	0.49	U	0.49	U	0.47	UJ
Cl4-BZ#56	NG/L	0.49	U	0.49	U	0.49	U	0.49	U	0.47	UJ

TABLE 9b - SUMMARY OF SAMPLE DATA FOR CO-LOCATED SURFACE WATER (NG/L) AREA 2 - 2024

	Sample#	NBH24-SF-B2 - DISSOLVED		NBH24-SF-B2 - TOTAL		NBH24-SF-C2 - DISSOLVED		NBH24-SF-C2 - TOTAL		NBH24-SF-F2 - DISSOLVED	
	Species/Media	Surface Water (co-located with Quahogs)		Surface Water (co-located with Quahogs)		Surface Water (co-located with Quahogs)		Surface Water (co-located with Quahogs)		Surface Water (co-located with Quahogs)	
	Media Type	SW		SW		SW		SW		SW	
	Area	2		2		2		2		2	
	Station	Q2-Station B		Q2-Station B		Q2-Station C		Q2-Station C		Q2-Station F	
	Sample Date	5/7/2024		5/7/2024		5/7/2024		5/7/2024		5/9/2024	
Parameter	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
Cl4-BZ#60	NG/L	0.49	U	0.49	U	0.49	U	0.49	U	0.47	UJ
Cl4-BZ#63	NG/L	0.49	U	0.49	U	0.49	U	0.49	U	0.47	UJ
Cl4-BZ#66	NG/L	0.49	U	0.49	U	0.49	U	0.26	J	0.47	UJ
Cl4-BZ#68/#64	NG/L	0.98	U	0.98	U	0.98	U	0.98	U	0.93	UJ
Cl4-BZ#70	NG/L	0.49	U	0.49	U	0.49	U	0.49	U	0.47	UJ
Cl4-BZ#71	NG/L	0.49	U	0.49	U	0.49	U	0.49	U	0.47	UJ
Cl4-BZ#73/#46	NG/L	0.98	U	0.98	U	0.98	U	0.98	U	0.93	UJ
Cl4-BZ#74	NG/L	0.49	U	0.49	U	0.49	U	0.49	U	0.47	UJ
Cl4-BZ#76	NG/L	0.49	U	0.49	U	0.49	U	0.49	U	0.47	UJ
Cl4-BZ#77	NG/L	0.49	U	0.49	U	0.49	U	0.49	U	0.47	UJ
Cl4-BZ#81	NG/L	0.49	U	0.49	U	0.49	U	0.49	U	0.47	UJ
Cl5-BZ#82	NG/L	0.49	U	0.49	U	0.49	U	0.49	U	0.47	UJ
Cl5-BZ#83/#125/#112	NG/L	1.5	U	1.5	U	1.5	U	1.5	U	1.4	UJ
Cl5-BZ#85	NG/L	0.49	U	0.49	U	0.49	U	0.49	U	0.47	UJ
Cl5-BZ#87/#111	NG/L	0.98	U	0.98	U	0.98	U	0.98	U	0.93	UJ
Cl5-BZ#89/#84	NG/L	0.98	U	0.98	U	0.98	U	0.98	U	0.93	UJ
Cl5-BZ#91	NG/L	0.49	U	0.49	U	0.49	U	0.49	U	0.47	UJ
Cl5-BZ#92	NG/L	0.49	U	0.49	U	0.49	U	0.49	U	0.47	UJ
Cl5-BZ#97	NG/L	0.49	U	0.49	U	0.49	U	0.49	U	0.47	UJ
Cl5-BZ#99	NG/L	0.49	U	0.49	U	0.49	U	0.37	J	0.47	UJ
Cl5-BZ#100	NG/L	0.49	U	0.49	U	0.49	U	0.49	U	0.47	UJ
Cl5-BZ#101/#90	NG/L	0.98	U	0.98	U	0.98	U	0.98	U	0.93	UJ
Cl5-BZ#104	NG/L	0.49	U	0.49	U	0.49	U	0.49	U	0.47	UJ
Cl5-BZ#105	NG/L	0.49	U	0.49	U	0.49	U	0.49	U	0.47	UJ
Cl5-BZ#107/#123	NG/L	0.98	U	0.98	U	0.98	U	0.98	U	0.93	UJ
Cl5-BZ#110	NG/L	0.49	U	0.30	J	0.49	U	0.55		0.47	UJ
Cl5-BZ#114	NG/L	0.49	U	0.49	U	0.49	U	0.49	U	0.47	UJ
Cl5-BZ#118	NG/L	0.49	U	0.49	U	0.49	U	0.35	J	0.47	UJ
Cl5-BZ#119	NG/L	0.49	U	0.49	U	0.49	U	0.49	U	0.47	UJ
Cl5-BZ#121/#95/#88	NG/L	1.5	U	1.5	U	1.5	U	1.5	U	1.4	UJ
Cl5-BZ#124	NG/L	0.49	U	0.49	U	0.49	U	0.49	U	0.47	UJ
Cl5-BZ#126	NG/L	0.49	U	0.49	U	0.49	U	0.49	U	0.47	UJ
Cl6-BZ#128	NG/L	0.49	U	0.49	U	0.49	U	0.49	U	0.47	UJ
Cl6-BZ#129/#158	NG/L	0.98	U	0.98	U	0.98	U	0.98	U	0.93	UJ
Cl6-BZ#130/#164	NG/L	0.98	U	0.98	U	0.98	U	0.98	U	0.93	UJ
Cl6-BZ#131	NG/L	0.49	U	0.49	U	0.49	U	0.49	U	0.47	UJ
Cl6-BZ#132	NG/L	0.49	U	0.49	U	0.49	U	0.49	U	0.47	UJ
Cl6-BZ#134	NG/L	0.49	U	0.49	U	0.49	U	0.49	U	0.47	UJ
Cl6-BZ#135	NG/L	0.49	U	0.49	U	0.49	U	0.49	U	0.47	UJ
Cl6-BZ#136	NG/L	0.49	U	0.49	U	0.49	U	0.49	U	0.47	UJ
Cl6-BZ#137	NG/L	0.49	U	0.49	U	0.49	U	0.49	U	0.47	UJ
Cl6-BZ#138	NG/L	0.49	U	0.49	U	0.49	U	0.27	J	0.47	UJ
Cl6-BZ#141	NG/L	0.49	U	0.49	U	0.49	U	0.49	U	0.47	UJ
Cl6-BZ#144	NG/L	0.49	U	0.49	U	0.49	U	0.49	U	0.47	UJ
Cl6-BZ#146	NG/L	0.49	U	0.49	U	0.49	U	0.49	U	0.47	UJ
Cl6-BZ#147/#149	NG/L	0.98	U	0.98	U	0.98	U	0.98	U	0.93	UJ
Cl6-BZ#151	NG/L	0.49	U	0.49	U	0.49	U	0.49	U	0.47	UJ

Created by: KLD 4/1/2025
Checked by: AP 4/3/2025

TABLE 9b - SUMMARY OF SAMPLE DATA FOR CO-LOCATED SURFACE WATER (NG/L) AREA 2 - 2024

	Sample#	NBH24-SF-B2 - DISSOLVED		NBH24-SF-B2 - TOTAL		NBH24-SF-C2 - DISSOLVED		NBH24-SF-C2 - TOTAL		NBH24-SF-F2 - DISSOLVED	
	Species/Media	Surface Water (co-located with Quahogs)		Surface Water (co-located with Quahogs)		Surface Water (co-located with Quahogs)		Surface Water (co-located with Quahogs)		Surface Water (co-located with Quahogs)	
	Media Type	SW		SW		SW		SW		SW	
	Area	2		2		2		2		2	
	Station	Q2-Station B		Q2-Station B		Q2-Station C		Q2-Station C		Q2-Station F	
	Sample Date	5/7/2024		5/7/2024		5/7/2024		5/7/2024		5/9/2024	
Parameter	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
Cl6-BZ#153	NG/L	0.49	U	0.26	J	0.49	U	0.41	J	0.47	UJ
Cl6-BZ#154	NG/L	0.49	U	0.49	U	0.49	U	0.49	U	0.47	UJ
Cl6-BZ#155	NG/L	0.49	U	0.49	U	0.49	U	0.49	U	0.47	UJ
Cl6-BZ#156	NG/L	0.49	U	0.49	U	0.49	U	0.49	U	0.47	UJ
Cl6-BZ#157	NG/L	0.49	U	0.49	U	0.49	U	0.49	U	0.47	UJ
Cl6-BZ#163/#160	NG/L	0.98	U	0.98	U	0.98	U	0.98	U	0.93	UJ
Cl6-BZ#167	NG/L	0.49	U	0.49	U	0.49	U	0.49	U	0.47	UJ
Cl6-BZ#168	NG/L	0.49	U	0.49	U	0.49	U	0.49	U	0.47	UJ
Cl6-BZ#169	NG/L	0.49	U	0.49	U	0.49	U	0.49	U	0.47	UJ
Cl7-BZ#170	NG/L	0.49	U	0.49	U	0.49	U	0.49	U	0.47	UJ
Cl7-BZ#171	NG/L	0.49	U	0.49	U	0.49	U	0.49	U	0.47	UJ
Cl7-BZ#172	NG/L	0.49	U	0.49	U	0.49	U	0.49	U	0.47	UJ
Cl7-BZ#173	NG/L	0.49	U	0.49	U	0.49	U	0.49	U	0.47	UJ
Cl7-BZ#174	NG/L	0.49	U	0.49	U	0.49	U	0.49	U	0.47	UJ
Cl7-BZ#176	NG/L	0.49	U	0.49	U	0.49	U	0.49	U	0.47	UJ
Cl7-BZ#177	NG/L	0.49	U	0.49	U	0.49	U	0.49	U	0.47	UJ
Cl7-BZ#178	NG/L	0.49	U	0.49	U	0.49	U	0.49	U	0.47	UJ
Cl7-BZ#180	NG/L	0.49	U	0.49	U	0.49	U	0.49	U	0.47	UJ
Cl7-BZ#182/#175	NG/L	0.98	U	0.98	U	0.98	U	0.98	U	0.93	UJ
Cl7-BZ#183	NG/L	0.49	U	0.49	U	0.49	U	0.49	U	0.47	UJ
Cl7-BZ#184	NG/L	0.49	U	0.49	U	0.49	U	0.49	U	0.47	UJ
Cl7-BZ#185	NG/L	0.49	U	0.49	U	0.49	U	0.49	U	0.47	UJ
Cl7-BZ#187	NG/L	0.49	U	0.49	U	0.49	U	0.49	U	0.47	UJ
Cl7-BZ#188	NG/L	0.49	U	0.49	U	0.49	U	0.49	U	0.47	UJ
Cl7-BZ#189	NG/L	0.49	U	0.49	U	0.49	U	0.49	U	0.47	UJ
Cl7-BZ#190	NG/L	0.49	U	0.49	U	0.49	U	0.49	U	0.47	UJ
Cl7-BZ#191	NG/L	0.49	U	0.49	U	0.49	U	0.49	U	0.47	UJ
Cl7-BZ#193	NG/L	0.49	U	0.49	U	0.49	U	0.49	U	0.47	UJ
Cl8-BZ#194	NG/L	0.49	U	0.49	U	0.49	U	0.49	U	0.47	UJ
Cl8-BZ#195	NG/L	0.49	U	0.49	U	0.49	U	0.49	U	0.47	UJ
Cl8-BZ#196	NG/L	0.49	U	0.49	U	0.49	U	0.49	U	0.47	UJ
Cl8-BZ#197	NG/L	0.49	U	0.49	U	0.49	U	0.49	U	0.47	UJ
Cl8-BZ#199	NG/L	0.49	U	0.49	U	0.49	U	0.49	U	0.47	UJ
Cl8-BZ#201	NG/L	0.49	U	0.49	U	0.49	U	0.49	U	0.47	UJ
Cl8-BZ#202	NG/L	0.49	U	0.49	U	0.49	U	0.49	U	0.47	UJ
Cl8-BZ#203	NG/L	0.49	U	0.49	U	0.49	U	0.49	U	0.47	UJ
Cl8-BZ#204/#200	NG/L	0.98	U	0.98	U	0.98	U	0.98	U	0.93	UJ
Cl8-BZ#205	NG/L	0.49	U	0.49	U	0.49	U	0.49	U	0.47	UJ
Cl9-BZ#206	NG/L	0.49	U	0.49	U	0.49	U	0.49	U	0.47	UJ
Cl9-BZ#207	NG/L	0.49	U	0.49	U	0.49	U	0.49	U	0.47	UJ
Cl9-BZ#208	NG/L	0.49	U	0.49	U	0.49	U	0.49	U	0.47	UJ
Cl10-BZ#209	NG/L	0.49	U	0.49	U	0.49	U	0.49	U	0.47	UJ

Created by: KLD 4/1/2025
Checked by: AP 4/3/2025

TABLE 9b - SUMMARY OF SAMPLE DATA FOR CO-LOCATED SURFACE WATER (NG/L) AREA 2 - 2024

	Sample#	NBH24-SF-F2 - TOTAL		NBH24-SF-H2 - DISSOLVED		NBH24-SF-H2 - TOTAL	
	Species/Media	Surface Water (co-located with Quahogs)		Surface Water (co-located with Quahogs)		Surface Water (co-located with Quahogs)	
	Media Type	SW		SW		SW	
	Area	2		2		2	
	Station	Q2-Station F		Q2-Station H		Q2-Station H	
	Sample Date	5/9/2024		5/7/2024		5/7/2024	
Parameter	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier
Total PCB Congeners[1]	NG/L	35	J1	38	J1	40	J1
Total PCB Congeners Hits[2]	NG/L	1.6		3.2		7.0	
Total NOAA Congeners[3]	NG/L	4.7	J1	5.6	J1	6.5	J2
Total WHO Congeners[4]	NG/L	3.0	J1	3.2	J1	3.2	J1
Total NOAA / WHO Combined[5]	NG/L	7.3	J1	8.3	J1	9.2	J1
Cl1-BZ#1	NG/L	0.46	U	0.49	U	0.49	U
Cl1-BZ#3	NG/L	0.46	U	0.49	U	0.49	U
Cl2-BZ#4/#10	NG/L	0.93	U	0.98	U	0.98	U
Cl2-BZ#5	NG/L	0.46	U	0.49	U	0.49	U
Cl2-BZ#6	NG/L	0.46	U	0.49	U	0.49	U
Cl2-BZ#7	NG/L	0.46	U	0.49	U	0.49	U
Cl2-BZ#8	NG/L	0.46	U	0.49	U	0.49	U
Cl2-BZ#12	NG/L	0.46	U	0.49	U	0.49	U
Cl2-BZ#13	NG/L	0.46	U	0.49	U	0.49	U
Cl2-BZ#15	NG/L	0.46	U	0.49	U	0.49	U
Cl3-BZ#16	NG/L	0.46	U	0.49	U	0.49	U
Cl3-BZ#17	NG/L	0.46	U	0.49	U	0.32	J
Cl3-BZ#18	NG/L	0.46	U	0.53		0.70	
Cl3-BZ#19	NG/L	0.46	U	0.49	U	0.49	U
Cl3-BZ#21/#20	NG/L	0.93	U	0.98	U	0.98	U
Cl3-BZ#22	NG/L	0.46	U	0.49	U	0.49	U
Cl3-BZ#24	NG/L	0.46	U	0.49	U	0.49	U
Cl3-BZ#25	NG/L	0.46	U	0.49	U	0.42	J
Cl3-BZ#26	NG/L	0.46	U	0.42	J	0.61	
Cl3-BZ#27	NG/L	0.46	U	0.49	U	0.49	U
Cl3-BZ#28	NG/L	0.28	J	0.45	J	0.54	
Cl3-BZ#29	NG/L	0.46	U	0.49	U	0.49	U
Cl3-BZ#31	NG/L	0.31	J	0.51		0.79	
Cl3-BZ#32	NG/L	0.46	U	0.49	U	0.49	U
Cl3-BZ#33	NG/L	0.46	U	0.49	U	0.49	U
Cl3-BZ#37	NG/L	0.46	U	0.49	U	0.49	U
Cl4-BZ#40	NG/L	0.46	U	0.49	U	0.49	U
Cl4-BZ#41	NG/L	0.46	U	0.49	U	0.49	U
Cl4-BZ#42	NG/L	0.46	U	0.49	U	0.49	U
Cl4-BZ#43	NG/L	0.46	U	0.49	U	0.49	U
Cl4-BZ#44	NG/L	0.46	U	0.33	J	0.40	J
Cl4-BZ#45	NG/L	0.46	U	0.49	U	0.49	U
Cl4-BZ#47	NG/L	0.46	U	0.49	U	0.49	U
Cl4-BZ#48	NG/L	0.46	U	0.49	U	0.49	U
Cl4-BZ#49	NG/L	0.28	J	0.40	J	0.77	
Cl4-BZ#50	NG/L	0.46	U	0.49	U	0.49	U
Cl4-BZ#51	NG/L	0.46	U	0.49	U	0.49	U
Cl4-BZ#52	NG/L	0.50		0.62		1.1	
Cl4-BZ#53	NG/L	0.46	U	0.49	U	0.49	U
Cl4-BZ#54	NG/L	0.46	U	0.49	U	0.49	U
Cl4-BZ#56	NG/L	0.46	U	0.49	U	0.49	U

TABLE 9b - SUMMARY OF SAMPLE DATA FOR CO-LOCATED SURFACE WATER (NG/L) AREA 2 - 2024

	Sample#	NBH24-SF-F2 - TOTAL		NBH24-SF-H2 - DISSOLVED		NBH24-SF-H2 - TOTAL	
	Species/Media	Surface Water (co-located with Quahogs)		Surface Water (co-located with Quahogs)		Surface Water (co-located with Quahogs)	
	Media Type	SW		SW		SW	
	Area	2		2		2	
	Station	Q2-Station F		Q2-Station H		Q2-Station H	
	Sample Date	5/9/2024		5/7/2024		5/7/2024	
Parameter	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier
Cl4-BZ#60	NG/L	0.46	U	0.49	U	0.49	U
Cl4-BZ#63	NG/L	0.46	U	0.49	U	0.49	U
Cl4-BZ#66	NG/L	0.46	U	0.49	U	0.49	U
Cl4-BZ#68/#64	NG/L	0.93	U	0.98	U	0.98	U
Cl4-BZ#70	NG/L	0.46	U	0.49	U	0.49	U
Cl4-BZ#71	NG/L	0.46	U	0.49	U	0.49	U
Cl4-BZ#73/#46	NG/L	0.93	U	0.98	U	0.98	U
Cl4-BZ#74	NG/L	0.46	U	0.49	U	0.49	U
Cl4-BZ#76	NG/L	0.46	U	0.49	U	0.49	U
Cl4-BZ#77	NG/L	0.46	U	0.49	U	0.49	U
Cl4-BZ#81	NG/L	0.46	U	0.49	U	0.49	U
Cl5-BZ#82	NG/L	0.46	U	0.49	U	0.49	U
Cl5-BZ#83/#125/#112	NG/L	1.4	U	1.5	U	1.5	U
Cl5-BZ#85	NG/L	0.46	U	0.49	U	0.49	U
Cl5-BZ#87/#111	NG/L	0.93	U	0.98	U	0.98	U
Cl5-BZ#89/#84	NG/L	0.93	U	0.98	U	0.98	U
Cl5-BZ#91	NG/L	0.46	U	0.49	U	0.49	U
Cl5-BZ#92	NG/L	0.46	U	0.49	U	0.49	U
Cl5-BZ#97	NG/L	0.46	U	0.49	U	0.49	U
Cl5-BZ#99	NG/L	0.46	U	0.49	U	0.27	J
Cl5-BZ#100	NG/L	0.46	U	0.49	U	0.49	U
Cl5-BZ#101/#90	NG/L	0.93	U	0.98	U	0.98	U
Cl5-BZ#104	NG/L	0.46	U	0.49	U	0.49	U
Cl5-BZ#105	NG/L	0.46	U	0.49	U	0.49	U
Cl5-BZ#107/#123	NG/L	0.93	U	0.98	U	0.98	U
Cl5-BZ#110	NG/L	0.24	J	0.49	U	0.45	J
Cl5-BZ#114	NG/L	0.46	U	0.49	U	0.49	U
Cl5-BZ#118	NG/L	0.46	U	0.49	U	0.30	J
Cl5-BZ#119	NG/L	0.46	U	0.49	U	0.49	U
Cl5-BZ#121/#95/#88	NG/L	1.4	U	1.5	U	1.5	U
Cl5-BZ#124	NG/L	0.46	U	0.49	U	0.49	U
Cl5-BZ#126	NG/L	0.46	U	0.49	U	0.49	U
Cl6-BZ#128	NG/L	0.46	U	0.49	U	0.49	U
Cl6-BZ#129/#158	NG/L	0.93	U	0.98	U	0.98	U
Cl6-BZ#130/#164	NG/L	0.93	U	0.98	U	0.98	U
Cl6-BZ#131	NG/L	0.46	U	0.49	U	0.49	U
Cl6-BZ#132	NG/L	0.46	U	0.49	U	0.49	U
Cl6-BZ#134	NG/L	0.46	U	0.49	U	0.49	U
Cl6-BZ#135	NG/L	0.46	U	0.49	U	0.49	U
Cl6-BZ#136	NG/L	0.46	U	0.49	U	0.49	U
Cl6-BZ#137	NG/L	0.46	U	0.49	U	0.49	U
Cl6-BZ#138	NG/L	0.46	U	0.49	U	0.49	U
Cl6-BZ#141	NG/L	0.46	U	0.49	U	0.49	U
Cl6-BZ#144	NG/L	0.46	U	0.49	U	0.49	U
Cl6-BZ#146	NG/L	0.46	U	0.49	U	0.49	U
Cl6-BZ#147/#149	NG/L	0.93	U	0.98	U	0.98	U
Cl6-BZ#151	NG/L	0.46	U	0.49	U	0.49	U

TABLE 9b - SUMMARY OF SAMPLE DATA FOR CO-LOCATED SURFACE WATER (NG/L) AREA 2 - 2024

	Sample#	NBH24-SF-F2 - TOTAL		NBH24-SF-H2 - DISSOLVED		NBH24-SF-H2 - TOTAL	
	Species/Media	Surface Water (co-located with Quahogs)		Surface Water (co-located with Quahogs)		Surface Water (co-located with Quahogs)	
	Media Type	SW		SW		SW	
	Area	2		2		2	
	Station	Q2-Station F		Q2-Station H		Q2-Station H	
	Sample Date	5/9/2024		5/7/2024		5/7/2024	
Parameter	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier
Cl6-BZ#153	NG/L	0.46	U	0.49	U	0.32	J
Cl6-BZ#154	NG/L	0.46	U	0.49	U	0.49	U
Cl6-BZ#155	NG/L	0.46	U	0.49	U	0.49	U
Cl6-BZ#156	NG/L	0.46	U	0.49	U	0.49	U
Cl6-BZ#157	NG/L	0.46	U	0.49	U	0.49	U
Cl6-BZ#163/#160	NG/L	0.93	U	0.98	U	0.98	U
Cl6-BZ#167	NG/L	0.46	U	0.49	U	0.49	U
Cl6-BZ#168	NG/L	0.46	U	0.49	U	0.49	U
Cl6-BZ#169	NG/L	0.46	U	0.49	U	0.49	U
Cl7-BZ#170	NG/L	0.46	U	0.49	U	0.49	U
Cl7-BZ#171	NG/L	0.46	U	0.49	U	0.49	U
Cl7-BZ#172	NG/L	0.46	U	0.49	U	0.49	U
Cl7-BZ#173	NG/L	0.46	U	0.49	U	0.49	U
Cl7-BZ#174	NG/L	0.46	U	0.49	U	0.49	U
Cl7-BZ#176	NG/L	0.46	U	0.49	U	0.49	U
Cl7-BZ#177	NG/L	0.46	U	0.49	U	0.49	U
Cl7-BZ#178	NG/L	0.46	U	0.49	U	0.49	U
Cl7-BZ#180	NG/L	0.46	U	0.49	U	0.49	U
Cl7-BZ#182/#175	NG/L	0.93	U	0.98	U	0.98	U
Cl7-BZ#183	NG/L	0.46	U	0.49	U	0.49	U
Cl7-BZ#184	NG/L	0.46	U	0.49	U	0.49	U
Cl7-BZ#185	NG/L	0.46	U	0.49	U	0.49	U
Cl7-BZ#187	NG/L	0.46	U	0.49	U	0.49	U
Cl7-BZ#188	NG/L	0.46	U	0.49	U	0.49	U
Cl7-BZ#189	NG/L	0.46	U	0.49	U	0.49	U
Cl7-BZ#190	NG/L	0.46	U	0.49	U	0.49	U
Cl7-BZ#191	NG/L	0.46	U	0.49	U	0.49	U
Cl7-BZ#193	NG/L	0.46	U	0.49	U	0.49	U
Cl8-BZ#194	NG/L	0.46	U	0.49	U	0.49	U
Cl8-BZ#195	NG/L	0.46	U	0.49	U	0.49	U
Cl8-BZ#196	NG/L	0.46	U	0.49	U	0.49	U
Cl8-BZ#197	NG/L	0.46	U	0.49	U	0.49	U
Cl8-BZ#199	NG/L	0.46	U	0.49	U	0.49	U
Cl8-BZ#201	NG/L	0.46	U	0.49	U	0.49	U
Cl8-BZ#202	NG/L	0.46	U	0.49	U	0.49	U
Cl8-BZ#203	NG/L	0.46	U	0.49	U	0.49	U
Cl8-BZ#204/#200	NG/L	0.93	U	0.98	U	0.98	U
Cl8-BZ#205	NG/L	0.46	U	0.49	U	0.49	U
Cl9-BZ#206	NG/L	0.46	U	0.49	U	0.49	U
Cl9-BZ#207	NG/L	0.46	U	0.49	U	0.49	U
Cl9-BZ#208	NG/L	0.46	U	0.49	U	0.49	U
Cl10-BZ#209	NG/L	0.46	U	0.49	U	0.49	U

TABLE 9c - SUMMARY OF SAMPLE DATA FOR CO-LOCATED SURFACE WATER (NG/L) AREA 3 - 2024

	Sample#	NBH24-SF-B3 - DISSOLVED		NBH24-SF-B3 - TOTAL		NBH24-SF-D3 - DISSOLVED		NBH24-SF-D3 - TOTAL		NBH24-SF-I3 - DISSOLVED	
	Species/Media	Surface Water (co-located with Quahogs)		Surface Water (co-located with Quahogs)		Surface Water (co-located with Quahogs)		Surface Water (co-located with Quahogs)		Surface Water (co-located with Quahogs)	
	Media Type	SW		SW		SW		SW		SW	
	Area	3		3		3		3		3	
	Station	Q3-Station B		Q3-Station B		Q3-Station D		Q3-Station D		Q3-Station I	
	Sample Date	5/24/2024		5/24/2024		5/9/2024		5/9/2024		5/23/2024	
Parameter	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
Total PCB Congeners[1]	NG/L	36	J1	36	J1	35	J1	36	J1	36	J1
Total PCB Congeners Hits[2]	NG/L	ND		ND		ND		0.28		ND	
Total NOAA Congeners[3]	NG/L	4.6	J1	4.6	J1	4.5	J1	4.7	J1	4.7	J1
Total WHO Congeners[4]	NG/L	3.2	J1	3.2	J1	3.1	J1	3.2	J1	3.2	J1
Total NOAA / WHO Combined[5]	NG/L	7.3	J1	7.3	J1	7.1	J1	7.4	J1	7.4	J1
Cl1-BZ#1	NG/L	0.49	U	0.49	U	0.47	UJ	0.49	U	0.49	U
Cl1-BZ#3	NG/L	0.49	U	0.49	U	0.47	UJ	0.49	U	0.49	U
Cl2-BZ#4/#10	NG/L	0.98	U	0.98	U	0.94	UJ	0.98	U	0.98	U
Cl2-BZ#5	NG/L	0.49	U	0.49	U	0.47	UJ	0.49	U	0.49	U
Cl2-BZ#6	NG/L	0.49	U	0.49	U	0.47	UJ	0.49	U	0.49	U
Cl2-BZ#7	NG/L	0.49	U	0.49	U	0.47	UJ	0.49	U	0.49	U
Cl2-BZ#8	NG/L	0.49	U	0.49	U	0.47	UJ	0.49	U	0.49	U
Cl2-BZ#12	NG/L	0.49	U	0.49	U	0.47	UJ	0.49	U	0.49	U
Cl2-BZ#13	NG/L	0.49	U	0.49	U	0.47	UJ	0.49	U	0.49	U
Cl2-BZ#15	NG/L	0.49	U	0.49	U	0.47	UJ	0.49	U	0.49	U
Cl3-BZ#16	NG/L	0.49	U	0.49	U	0.47	UJ	0.49	U	0.49	U
Cl3-BZ#17	NG/L	0.49	U	0.49	U	0.47	UJ	0.49	U	0.49	U
Cl3-BZ#18	NG/L	0.49	U	0.49	U	0.47	UJ	0.49	U	0.49	U
Cl3-BZ#19	NG/L	0.49	U	0.49	U	0.47	UJ	0.49	U	0.49	U
Cl3-BZ#21/#20	NG/L	0.98	U	0.98	U	0.94	UJ	0.98	U	0.98	U
Cl3-BZ#22	NG/L	0.49	U	0.49	U	0.47	UJ	0.49	U	0.49	U
Cl3-BZ#24	NG/L	0.49	U	0.49	U	0.47	UJ	0.49	U	0.49	U
Cl3-BZ#25	NG/L	0.49	U	0.49	U	0.47	UJ	0.49	U	0.49	U
Cl3-BZ#26	NG/L	0.49	U	0.49	U	0.47	UJ	0.49	U	0.49	U
Cl3-BZ#27	NG/L	0.49	U	0.49	U	0.47	UJ	0.49	U	0.49	U
Cl3-BZ#28	NG/L	0.49	U	0.49	U	0.47	UJ	0.49	U	0.49	U
Cl3-BZ#29	NG/L	0.49	U	0.49	U	0.47	UJ	0.49	U	0.49	U
Cl3-BZ#31	NG/L	0.49	U	0.49	U	0.47	UJ	0.49	U	0.49	U
Cl3-BZ#32	NG/L	0.49	U	0.49	U	0.47	UJ	0.49	U	0.49	U
Cl3-BZ#33	NG/L	0.49	U	0.49	U	0.47	UJ	0.49	U	0.49	U
Cl3-BZ#37	NG/L	0.49	U	0.49	U	0.47	UJ	0.49	U	0.49	U
Cl4-BZ#40	NG/L	0.49	U	0.49	U	0.47	UJ	0.49	U	0.49	U
Cl4-BZ#41	NG/L	0.49	U	0.49	U	0.47	UJ	0.49	U	0.49	U
Cl4-BZ#42	NG/L	0.49	U	0.49	U	0.47	UJ	0.49	U	0.49	U
Cl4-BZ#43	NG/L	0.49	U	0.49	U	0.47	UJ	0.49	U	0.49	U
Cl4-BZ#44	NG/L	0.49	U	0.49	U	0.47	UJ	0.49	U	0.49	U
Cl4-BZ#45	NG/L	0.49	U	0.49	U	0.47	UJ	0.49	U	0.49	U
Cl4-BZ#47	NG/L	0.49	U	0.49	U	0.47	UJ	0.49	U	0.49	U
Cl4-BZ#48	NG/L	0.49	U	0.49	U	0.47	UJ	0.49	U	0.49	U
Cl4-BZ#49	NG/L	0.49	U	0.49	U	0.47	UJ	0.49	U	0.49	U
Cl4-BZ#50	NG/L	0.49	U	0.49	U	0.47	UJ	0.49	U	0.49	U
Cl4-BZ#51	NG/L	0.49	U	0.49	U	0.47	UJ	0.49	U	0.49	U
Cl4-BZ#52	NG/L	0.49	U	0.49	U	0.47	UJ	0.28	J	0.49	U
Cl4-BZ#53	NG/L	0.49	U	0.49	U	0.47	UJ	0.49	U	0.49	U
Cl4-BZ#54	NG/L	0.49	U	0.49	U	0.47	UJ	0.49	U	0.49	U
Cl4-BZ#56	NG/L	0.49	U	0.49	U	0.47	UJ	0.49	U	0.49	U

TABLE 9c - SUMMARY OF SAMPLE DATA FOR CO-LOCATED SURFACE WATER (NG/L) AREA 3 - 2024

		Sample#	NBH24-SF-B3 - DISSOLVED		NBH24-SF-B3 - TOTAL		NBH24-SF-D3 - DISSOLVED		NBH24-SF-D3 - TOTAL		NBH24-SF-I3 - DISSOLVED	
		Species/Media	Surface Water (co-located with Quahogs)		Surface Water (co-located with Quahogs)		Surface Water (co-located with Quahogs)		Surface Water (co-located with Quahogs)		Surface Water (co-located with Quahogs)	
		Media Type	SW		SW		SW		SW		SW	
		Area	3		3		3		3		3	
		Station	Q3-Station B		Q3-Station B		Q3-Station D		Q3-Station D		Q3-Station I	
		Sample Date	5/24/2024		5/24/2024		5/9/2024		5/9/2024		5/23/2024	
Parameter	**Units**		Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
Cl4-BZ#60	NG/L		0.49	U	0.49	U	0.47	UJ	0.49	U	0.49	U
Cl4-BZ#63	NG/L		0.49	U	0.49	U	0.47	UJ	0.49	U	0.49	U
Cl4-BZ#66	NG/L		0.49	U	0.49	U	0.47	UJ	0.49	U	0.49	U
Cl4-BZ#68/#64	NG/L		0.98	U	0.98	U	0.94	UJ	0.98	U	0.98	U
Cl4-BZ#70	NG/L		0.49	U	0.49	U	0.47	UJ	0.49	U	0.49	U
Cl4-BZ#71	NG/L		0.49	U	0.49	U	0.47	UJ	0.49	U	0.49	U
Cl4-BZ#73/#46	NG/L		0.98	U	0.98	U	0.94	UJ	0.98	U	0.98	U
Cl4-BZ#74	NG/L		0.49	U	0.49	U	0.47	UJ	0.49	U	0.49	U
Cl4-BZ#76	NG/L		0.49	U	0.49	U	0.47	UJ	0.49	U	0.49	U
Cl4-BZ#77	NG/L		0.49	U	0.49	U	0.47	UJ	0.49	U	0.49	U
Cl4-BZ#81	NG/L		0.49	U	0.49	U	0.47	UJ	0.49	U	0.49	U
Cl5-BZ#82	NG/L		0.49	U	0.49	U	0.47	UJ	0.49	U	0.49	U
Cl5-BZ#83/#125/#112	NG/L		1.5	U	1.5	U	1.4	UJ	1.5	U	1.5	U
Cl5-BZ#85	NG/L		0.49	U	0.49	U	0.47	UJ	0.49	U	0.49	U
Cl5-BZ#87/#111	NG/L		0.98	U	0.98	U	0.94	UJ	0.98	U	0.98	U
Cl5-BZ#89/#84	NG/L		0.98	U	0.98	U	0.94	UJ	0.98	U	0.98	U
Cl5-BZ#91	NG/L		0.49	U	0.49	U	0.47	UJ	0.49	U	0.49	U
Cl5-BZ#92	NG/L		0.49	U	0.49	U	0.47	UJ	0.49	U	0.49	U
Cl5-BZ#97	NG/L		0.49	U	0.49	U	0.47	UJ	0.49	U	0.49	U
Cl5-BZ#99	NG/L		0.49	U	0.49	U	0.47	UJ	0.49	U	0.49	U
Cl5-BZ#100	NG/L		0.49	U	0.49	U	0.47	UJ	0.49	U	0.49	U
Cl5-BZ#101/#90	NG/L		0.98	U	0.98	U	0.94	UJ	0.98	U	0.98	U
Cl5-BZ#104	NG/L		0.49	U	0.49	U	0.47	UJ	0.49	U	0.49	U
Cl5-BZ#105	NG/L		0.49	U	0.49	U	0.47	UJ	0.49	U	0.49	U
Cl5-BZ#107/#123	NG/L		0.98	U	0.98	U	0.94	UJ	0.98	U	0.98	U
Cl5-BZ#110	NG/L		0.49	U	0.49	U	0.47	UJ	0.49	U	0.49	U
Cl5-BZ#114	NG/L		0.49	U	0.49	U	0.47	UJ	0.49	U	0.49	U
Cl5-BZ#118	NG/L		0.49	U	0.49	U	0.47	UJ	0.49	U	0.49	U
Cl5-BZ#119	NG/L		0.49	U	0.49	U	0.47	UJ	0.49	U	0.49	U
Cl5-BZ#121/#95/#88	NG/L		1.5	U	1.5	U	1.4	UJ	1.5	U	1.5	U
Cl5-BZ#124	NG/L		0.49	U	0.49	U	0.47	UJ	0.49	U	0.49	U
Cl5-BZ#126	NG/L		0.49	U	0.49	U	0.47	UJ	0.49	U	0.49	U
Cl6-BZ#128	NG/L		0.49	U	0.49	U	0.47	UJ	0.49	U	0.49	U
Cl6-BZ#129/#158	NG/L		0.98	U	0.98	U	0.94	UJ	0.98	U	0.98	U
Cl6-BZ#130/#164	NG/L		0.98	U	0.98	U	0.94	UJ	0.98	U	0.98	U
Cl6-BZ#131	NG/L		0.49	U	0.49	U	0.47	UJ	0.49	U	0.49	U
Cl6-BZ#132	NG/L		0.49	U	0.49	U	0.47	UJ	0.49	U	0.49	U
Cl6-BZ#134	NG/L		0.49	U	0.49	U	0.47	UJ	0.49	U	0.49	U
Cl6-BZ#135	NG/L		0.49	U	0.49	U	0.47	UJ	0.49	U	0.49	U
Cl6-BZ#136	NG/L		0.49	U	0.49	U	0.47	UJ	0.49	U	0.49	U
Cl6-BZ#137	NG/L		0.49	U	0.49	U	0.47	UJ	0.49	U	0.49	U
Cl6-BZ#138	NG/L		0.49	U	0.49	U	0.47	UJ	0.49	U	0.49	U
Cl6-BZ#141	NG/L		0.49	U	0.49	U	0.47	UJ	0.49	U	0.49	U
Cl6-BZ#144	NG/L		0.49	U	0.49	U	0.47	UJ	0.49	U	0.49	U
Cl6-BZ#146	NG/L		0.49	U	0.49	U	0.47	UJ	0.49	U	0.49	U
Cl6-BZ#147/#149	NG/L		0.98	U	0.98	U	0.94	UJ	0.98	U	0.98	U
Cl6-BZ#151	NG/L		0.49	U	0.49	U	0.47	UJ	0.49	U	0.49	U

Created by: KLD 4/1/2025
Checked by: AP 4/3/2025

TABLE 9c - SUMMARY OF SAMPLE DATA FOR CO-LOCATED SURFACE WATER (NG/L) AREA 3 - 2024

	Sample#	NBH24-SF-B3 - DISSOLVED		NBH24-SF-B3 - TOTAL		NBH24-SF-D3 - DISSOLVED		NBH24-SF-D3 - TOTAL		NBH24-SF-I3 - DISSOLVED	
	Species/Media	Surface Water (co-located with Quahogs)		Surface Water (co-located with Quahogs)		Surface Water (co-located with Quahogs)		Surface Water (co-located with Quahogs)		Surface Water (co-located with Quahogs)	
	Media Type	SW		SW		SW		SW		SW	
	Area	3		3		3		3		3	
	Station	Q3-Station B		Q3-Station B		Q3-Station D		Q3-Station D		Q3-Station I	
	Sample Date	5/24/2024		5/24/2024		5/9/2024		5/9/2024		5/23/2024	
Parameter	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
Cl6-BZ#153	NG/L	0.49	U	0.49	U	0.47	UJ	0.49	U	0.49	U
Cl6-BZ#154	NG/L	0.49	U	0.49	U	0.47	UJ	0.49	U	0.49	U
Cl6-BZ#155	NG/L	0.49	U	0.49	U	0.47	UJ	0.49	U	0.49	U
Cl6-BZ#156	NG/L	0.49	U	0.49	U	0.47	UJ	0.49	U	0.49	U
Cl6-BZ#157	NG/L	0.49	U	0.49	U	0.47	UJ	0.49	U	0.49	U
Cl6-BZ#163/#160	NG/L	0.98	U	0.98	U	0.94	UJ	0.98	U	0.98	U
Cl6-BZ#167	NG/L	0.49	U	0.49	U	0.47	UJ	0.49	U	0.49	U
Cl6-BZ#168	NG/L	0.49	U	0.49	U	0.47	UJ	0.49	U	0.49	U
Cl6-BZ#169	NG/L	0.49	U	0.49	U	0.47	UJ	0.49	U	0.49	U
Cl7-BZ#170	NG/L	0.49	U	0.49	U	0.47	UJ	0.49	U	0.49	U
Cl7-BZ#171	NG/L	0.49	U	0.49	U	0.47	UJ	0.49	U	0.49	U
Cl7-BZ#172	NG/L	0.49	U	0.49	U	0.47	UJ	0.49	U	0.49	U
Cl7-BZ#173	NG/L	0.49	U	0.49	U	0.47	UJ	0.49	U	0.49	U
Cl7-BZ#174	NG/L	0.49	U	0.49	U	0.47	UJ	0.49	U	0.49	U
Cl7-BZ#176	NG/L	0.49	U	0.49	U	0.47	UJ	0.49	U	0.49	U
Cl7-BZ#177	NG/L	0.49	U	0.49	U	0.47	UJ	0.49	U	0.49	U
Cl7-BZ#178	NG/L	0.49	U	0.49	U	0.47	UJ	0.49	U	0.49	U
Cl7-BZ#180	NG/L	0.49	U	0.49	U	0.47	UJ	0.49	U	0.49	U
Cl7-BZ#182/#175	NG/L	0.98	U	0.98	U	0.94	UJ	0.98	U	0.98	U
Cl7-BZ#183	NG/L	0.49	U	0.49	U	0.47	UJ	0.49	U	0.49	U
Cl7-BZ#184	NG/L	0.49	U	0.49	U	0.47	UJ	0.49	U	0.49	U
Cl7-BZ#185	NG/L	0.49	U	0.49	U	0.47	UJ	0.49	U	0.49	U
Cl7-BZ#187	NG/L	0.49	U	0.49	U	0.47	UJ	0.49	U	0.49	U
Cl7-BZ#188	NG/L	0.49	U	0.49	U	0.47	UJ	0.49	U	0.49	U
Cl7-BZ#189	NG/L	0.49	U	0.49	U	0.47	UJ	0.49	U	0.49	U
Cl7-BZ#190	NG/L	0.49	U	0.49	U	0.47	UJ	0.49	U	0.49	U
Cl7-BZ#191	NG/L	0.49	U	0.49	U	0.47	UJ	0.49	U	0.49	U
Cl7-BZ#193	NG/L	0.49	U	0.49	U	0.47	UJ	0.49	U	0.49	U
Cl8-BZ#194	NG/L	0.49	U	0.49	U	0.47	UJ	0.49	U	0.49	U
Cl8-BZ#195	NG/L	0.49	U	0.49	U	0.47	UJ	0.49	U	0.49	U
Cl8-BZ#196	NG/L	0.49	U	0.49	U	0.47	UJ	0.49	U	0.49	U
Cl8-BZ#197	NG/L	0.49	U	0.49	U	0.47	UJ	0.49	U	0.49	U
Cl8-BZ#199	NG/L	0.49	U	0.49	U	0.47	UJ	0.49	U	0.49	U
Cl8-BZ#201	NG/L	0.49	U	0.49	U	0.47	UJ	0.49	U	0.49	U
Cl8-BZ#202	NG/L	0.49	U	0.49	U	0.47	UJ	0.49	U	0.49	U
Cl8-BZ#203	NG/L	0.49	U	0.49	U	0.47	UJ	0.49	U	0.49	U
Cl8-BZ#204/#200	NG/L	0.98	U	0.98	U	0.94	UJ	0.98	U	0.98	U
Cl8-BZ#205	NG/L	0.49	U	0.49	U	0.47	UJ	0.49	U	0.49	U
Cl9-BZ#206	NG/L	0.49	U	0.49	U	0.47	UJ	0.49	U	0.49	U
Cl9-BZ#207	NG/L	0.49	U	0.49	U	0.47	UJ	0.49	U	0.49	U
Cl9-BZ#208	NG/L	0.49	U	0.49	U	0.47	UJ	0.49	U	0.49	U
Cl10-BZ#209	NG/L	0.49	U	0.49	U	0.47	UJ	0.49	U	0.49	U

Created by: KLD 4/1/2025
Checked by: AP 4/3/2025

TABLE 9c - SUMMARY OF SAMPLE DATA FOR CO-LOCATED SURFACE WATER (NG/L) AREA 3 - 2024

	Sample#	NBH24-SF-I3 - TOTAL		NBH24-SF-J3 - DISSOLVED		NBH24-SF-J3 - TOTAL	
	Species/Media	Surface Water (co-located with Quahogs)		Surface Water (co-located with Quahogs)		Surface Water (co-located with Quahogs)	
	Media Type	SW		SW		SW	
	Area	3		3		3	
	Station	Q3-Station I		Q3-Station J		Q3-Station J	
	Sample Date	5/23/2024		5/23/2024		5/23/2024	
Parameter	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier
Total PCB Congeners[1]	NG/L	36	J1	36	J1	36	J1
Total PCB Congeners Hits[2]	NG/L	ND		ND		ND	
Total NOAA Congeners[3]	NG/L	4.6	J1	4.7	J1	4.6	J1
Total WHO Congeners[4]	NG/L	3.1	J1	3.2	J1	3.2	J1
Total NOAA / WHO Combined[5]	NG/L	7.2	J1	7.4	J1	7.3	J1
Cl1-BZ#1	NG/L	0.48	U	0.49	U	0.49	U
Cl1-BZ#3	NG/L	0.48	U	0.49	U	0.49	U
Cl2-BZ#4/#10	NG/L	0.97	U	0.98	U	0.98	U
Cl2-BZ#5	NG/L	0.48	U	0.49	U	0.49	U
Cl2-BZ#6	NG/L	0.48	U	0.49	U	0.49	U
Cl2-BZ#7	NG/L	0.48	U	0.49	U	0.49	U
Cl2-BZ#8	NG/L	0.48	U	0.49	U	0.49	U
Cl2-BZ#12	NG/L	0.48	U	0.49	U	0.49	U
Cl2-BZ#13	NG/L	0.48	U	0.49	U	0.49	U
Cl2-BZ#15	NG/L	0.48	U	0.49	U	0.49	U
Cl3-BZ#16	NG/L	0.48	U	0.49	U	0.49	U
Cl3-BZ#17	NG/L	0.48	U	0.49	U	0.49	U
Cl3-BZ#18	NG/L	0.48	U	0.49	U	0.49	U
Cl3-BZ#19	NG/L	0.48	U	0.49	U	0.49	U
Cl3-BZ#21/#20	NG/L	0.97	U	0.98	U	0.98	U
Cl3-BZ#22	NG/L	0.48	U	0.49	U	0.49	U
Cl3-BZ#24	NG/L	0.48	U	0.49	U	0.49	U
Cl3-BZ#25	NG/L	0.48	U	0.49	U	0.49	U
Cl3-BZ#26	NG/L	0.48	U	0.49	U	0.49	U
Cl3-BZ#27	NG/L	0.48	U	0.49	U	0.49	U
Cl3-BZ#28	NG/L	0.48	U	0.49	U	0.49	U
Cl3-BZ#29	NG/L	0.48	U	0.49	U	0.49	U
Cl3-BZ#31	NG/L	0.48	U	0.49	U	0.49	U
Cl3-BZ#32	NG/L	0.48	U	0.49	U	0.49	U
Cl3-BZ#33	NG/L	0.48	U	0.49	U	0.49	U
Cl3-BZ#37	NG/L	0.48	U	0.49	U	0.49	U
Cl4-BZ#40	NG/L	0.48	U	0.49	U	0.49	U
Cl4-BZ#41	NG/L	0.48	U	0.49	U	0.49	U
Cl4-BZ#42	NG/L	0.48	U	0.49	U	0.49	U
Cl4-BZ#43	NG/L	0.48	U	0.49	U	0.49	U
Cl4-BZ#44	NG/L	0.48	U	0.49	U	0.49	U
Cl4-BZ#45	NG/L	0.48	U	0.49	U	0.49	U
Cl4-BZ#47	NG/L	0.48	U	0.49	U	0.49	U
Cl4-BZ#48	NG/L	0.48	U	0.49	U	0.49	U
Cl4-BZ#49	NG/L	0.48	U	0.49	U	0.49	U
Cl4-BZ#50	NG/L	0.48	U	0.49	U	0.49	U
Cl4-BZ#51	NG/L	0.48	U	0.49	U	0.49	U
Cl4-BZ#52	NG/L	0.48	U	0.49	U	0.49	U
Cl4-BZ#53	NG/L	0.48	U	0.49	U	0.49	U
Cl4-BZ#54	NG/L	0.48	U	0.49	U	0.49	U
Cl4-BZ#56	NG/L	0.48	U	0.49	U	0.49	U

TABLE 9c - SUMMARY OF SAMPLE DATA FOR CO-LOCATED SURFACE WATER (NG/L) AREA 3 - 2024

	Sample#	NBH24-SF-I3 - TOTAL		NBH24-SF-J3 - DISSOLVED		NBH24-SF-J3 - TOTAL	
	Species/Media	Surface Water (co-located with Quahogs)		Surface Water (co-located with Quahogs)		Surface Water (co-located with Quahogs)	
	Media Type	SW		SW		SW	
	Area	3		3		3	
	Station	Q3-Station I		Q3-Station J		Q3-Station J	
	Sample Date	5/23/2024		5/23/2024		5/23/2024	
Parameter	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier
Cl4-BZ#60	NG/L	0.48	U	0.49	U	0.49	U
Cl4-BZ#63	NG/L	0.48	U	0.49	U	0.49	U
Cl4-BZ#66	NG/L	0.48	U	0.49	U	0.49	U
Cl4-BZ#68/#64	NG/L	0.97	U	0.98	U	0.98	U
Cl4-BZ#70	NG/L	0.48	U	0.49	U	0.49	U
Cl4-BZ#71	NG/L	0.48	U	0.49	U	0.49	U
Cl4-BZ#73/#46	NG/L	0.97	U	0.98	U	0.98	U
Cl4-BZ#74	NG/L	0.48	U	0.49	U	0.49	U
Cl4-BZ#76	NG/L	0.48	U	0.49	U	0.49	U
Cl4-BZ#77	NG/L	0.48	U	0.49	U	0.49	U
Cl4-BZ#81	NG/L	0.48	U	0.49	U	0.49	U
Cl5-BZ#82	NG/L	0.48	U	0.49	U	0.49	U
Cl5-BZ#83/#125/#112	NG/L	1.5	U	1.5	U	1.5	U
Cl5-BZ#85	NG/L	0.48	U	0.49	U	0.49	U
Cl5-BZ#87/#111	NG/L	0.97	U	0.98	U	0.98	U
Cl5-BZ#89/#84	NG/L	0.97	U	0.98	U	0.98	U
Cl5-BZ#91	NG/L	0.48	U	0.49	U	0.49	U
Cl5-BZ#92	NG/L	0.48	U	0.49	U	0.49	U
Cl5-BZ#97	NG/L	0.48	U	0.49	U	0.49	U
Cl5-BZ#99	NG/L	0.48	U	0.49	U	0.49	U
Cl5-BZ#100	NG/L	0.48	U	0.49	U	0.49	U
Cl5-BZ#101/#90	NG/L	0.97	U	0.98	U	0.98	U
Cl5-BZ#104	NG/L	0.48	U	0.49	U	0.49	U
Cl5-BZ#105	NG/L	0.48	U	0.49	U	0.49	U
Cl5-BZ#107/#123	NG/L	0.97	U	0.98	U	0.98	U
Cl5-BZ#110	NG/L	0.48	U	0.49	U	0.49	U
Cl5-BZ#114	NG/L	0.48	U	0.49	U	0.49	U
Cl5-BZ#118	NG/L	0.48	U	0.49	U	0.49	U
Cl5-BZ#119	NG/L	0.48	U	0.49	U	0.49	U
Cl5-BZ#121/#95/#88	NG/L	1.5	U	1.5	U	1.5	U
Cl5-BZ#124	NG/L	0.48	U	0.49	U	0.49	U
Cl5-BZ#126	NG/L	0.48	U	0.49	U	0.49	U
Cl6-BZ#128	NG/L	0.48	U	0.49	U	0.49	U
Cl6-BZ#129/#158	NG/L	0.97	U	0.98	U	0.98	U
Cl6-BZ#130/#164	NG/L	0.97	U	0.98	U	0.98	U
Cl6-BZ#131	NG/L	0.48	U	0.49	U	0.49	U
Cl6-BZ#132	NG/L	0.48	U	0.49	U	0.49	U
Cl6-BZ#134	NG/L	0.48	U	0.49	U	0.49	U
Cl6-BZ#135	NG/L	0.48	U	0.49	U	0.49	U
Cl6-BZ#136	NG/L	0.48	U	0.49	U	0.49	U
Cl6-BZ#137	NG/L	0.48	U	0.49	U	0.49	U
Cl6-BZ#138	NG/L	0.48	U	0.49	U	0.49	U
Cl6-BZ#141	NG/L	0.48	U	0.49	U	0.49	U
Cl6-BZ#144	NG/L	0.48	U	0.49	U	0.49	U
Cl6-BZ#146	NG/L	0.48	U	0.49	U	0.49	U
Cl6-BZ#147/#149	NG/L	0.97	U	0.98	U	0.98	U
Cl6-BZ#151	NG/L	0.48	U	0.49	U	0.49	U

TABLE 9c - SUMMARY OF SAMPLE DATA FOR CO-LOCATED SURFACE WATER (NG/L) AREA 3 - 2024

		Sample#	NBH24-SF-I3 - TOTAL		NBH24-SF-J3 - DISSOLVED		NBH24-SF-J3 - TOTAL	
		Species/Media	Surface Water (co-located with Quahogs)		Surface Water (co-located with Quahogs)		Surface Water (co-located with Quahogs)	
		Media Type	SW		SW		SW	
		Area	3		3		3	
		Station	Q3-Station I		Q3-Station J		Q3-Station J	
		Sample Date	5/23/2024		5/23/2024		5/23/2024	
Parameter	**Units**		Result	Qualifier	Result	Qualifier	Result	Qualifier
Cl6-BZ#153	NG/L		0.48	U	0.49	U	0.49	U
Cl6-BZ#154	NG/L		0.48	U	0.49	U	0.49	U
Cl6-BZ#155	NG/L		0.48	U	0.49	U	0.49	U
Cl6-BZ#156	NG/L		0.48	U	0.49	U	0.49	U
Cl6-BZ#157	NG/L		0.48	U	0.49	U	0.49	U
Cl6-BZ#163/#160	NG/L		0.97	U	0.98	U	0.98	U
Cl6-BZ#167	NG/L		0.48	U	0.49	U	0.49	U
Cl6-BZ#168	NG/L		0.48	U	0.49	U	0.49	U
Cl6-BZ#169	NG/L		0.48	U	0.49	U	0.49	U
Cl7-BZ#170	NG/L		0.48	U	0.49	U	0.49	U
Cl7-BZ#171	NG/L		0.48	U	0.49	U	0.49	U
Cl7-BZ#172	NG/L		0.48	U	0.49	U	0.49	U
Cl7-BZ#173	NG/L		0.48	U	0.49	U	0.49	U
Cl7-BZ#174	NG/L		0.48	U	0.49	U	0.49	U
Cl7-BZ#176	NG/L		0.48	U	0.49	U	0.49	U
Cl7-BZ#177	NG/L		0.48	U	0.49	U	0.49	U
Cl7-BZ#178	NG/L		0.48	U	0.49	U	0.49	U
Cl7-BZ#180	NG/L		0.48	U	0.49	U	0.49	U
Cl7-BZ#182/#175	NG/L		0.97	U	0.98	U	0.98	U
Cl7-BZ#183	NG/L		0.48	U	0.49	U	0.49	U
Cl7-BZ#184	NG/L		0.48	U	0.49	U	0.49	U
Cl7-BZ#185	NG/L		0.48	U	0.49	U	0.49	U
Cl7-BZ#187	NG/L		0.48	U	0.49	U	0.49	U
Cl7-BZ#188	NG/L		0.48	U	0.49	U	0.49	U
Cl7-BZ#189	NG/L		0.48	U	0.49	U	0.49	U
Cl7-BZ#190	NG/L		0.48	U	0.49	U	0.49	U
Cl7-BZ#191	NG/L		0.48	U	0.49	U	0.49	U
Cl7-BZ#193	NG/L		0.48	U	0.49	U	0.49	U
Cl8-BZ#194	NG/L		0.48	U	0.49	U	0.49	U
Cl8-BZ#195	NG/L		0.48	U	0.49	U	0.49	U
Cl8-BZ#196	NG/L		0.48	U	0.49	U	0.49	U
Cl8-BZ#197	NG/L		0.48	U	0.49	U	0.49	U
Cl8-BZ#199	NG/L		0.48	U	0.49	U	0.49	U
Cl8-BZ#201	NG/L		0.48	U	0.49	U	0.49	U
Cl8-BZ#202	NG/L		0.48	U	0.49	U	0.49	U
Cl8-BZ#203	NG/L		0.48	U	0.49	U	0.49	U
Cl8-BZ#204/#200	NG/L		0.97	U	0.98	U	0.98	U
Cl8-BZ#205	NG/L		0.48	U	0.49	U	0.49	U
Cl9-BZ#206	NG/L		0.48	U	0.49	U	0.49	U
Cl9-BZ#207	NG/L		0.48	U	0.49	U	0.49	U
Cl9-BZ#208	NG/L		0.48	U	0.49	U	0.49	U
Cl10-BZ#209	NG/L		0.48	U	0.49	U	0.49	U

TABLE 10a - SUMMARY OF SAMPLE DATA FOR SCUP (MG/KG WET WEIGHT) AREA 2 - 2024

		Sample#	NBH24-FF-A-2-S-OFF		NBH24-FF-A-2-S-ON		NBH24-FF-B-2		NBH24-FF-C-2	
		Species	Scup		Scup		Scup		Scup	
		Species Type	TIS		TIS		TIS		TIS	
		Area	2		2		2		2	
		Station	S2-Station A		S2-Station A		S2-Station B		S2-Station C	
		Sample Date	6/4/2024		6/4/2024		5/21/2024		6/7/2024	
Parameter	**Units**		Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
Lipids	PERCENT		1.3		2.4		1.8		0.85	
Total PCB Congeners[1]	MG/KG		0.29	J3	0.60	J3	0.77	J3	0.88	J3
Total PCB Congeners Hits[2]	MG/KG		0.27		0.59		0.76		0.87	
Total NOAA Congeners[3]	MG/KG		0.17	J4	0.38	J4	0.48	J4	0.50	J4
Total WHO Congeners[4]	MG/KG		0.039	J3	0.086	J4	0.10	J4	0.13	J4
Total NOAA / WHO Combined[5]	MG/KG		0.18	J4	0.40	J4	0.50	J4	0.53	J4
Cl1-BZ#1	MG/KG		0.00039	U	0.00039	U	0.00040	U	0.00037	U
Cl1-BZ#3	MG/KG		0.00039	U	0.00039	U	0.00040	U	0.00037	U
Cl2-BZ#4/#10	MG/KG		0.00079	U	0.00078	U	0.00079	U	0.00073	U
Cl2-BZ#5	MG/KG		0.00039	U	0.00039	U	0.00040	U	0.00037	U
Cl2-BZ#6	MG/KG		0.00039	U	0.00039	U	0.00040	U	0.00037	U
Cl2-BZ#7	MG/KG		0.00039	U	0.00039	U	0.00040	U	0.00037	U
Cl2-BZ#8	MG/KG		0.00039	U	0.00039	U	0.00040	U	0.00037	U
Cl2-BZ#12	MG/KG		0.00039	U	0.00039	U	0.00040	U	0.00037	U
Cl2-BZ#13	MG/KG		0.00079	U	0.00078	U	0.00079	U	0.00073	U
Cl2-BZ#15	MG/KG		0.00039	U	0.00039	U	0.00040	U	0.00037	U
Cl3-BZ#16	MG/KG		0.00039	U	0.00039	U	0.00040	U	0.00037	U
Cl3-BZ#17	MG/KG		0.00029	J	0.00043		0.00049		0.00087	
Cl3-BZ#18	MG/KG		0.00045		0.00076		0.00053		0.0016	
Cl3-BZ#19	MG/KG		0.00039	U	0.00039	U	0.00040	U	0.00037	U
Cl3-BZ#21/#20	MG/KG		0.00079	U	0.00078	U	0.00079	U	0.00043	J
Cl3-BZ#22	MG/KG		0.00039	U	0.00039	U	0.00024	J	0.00040	
Cl3-BZ#24	MG/KG		0.00039	U	0.00039	U	0.00040	U	0.00037	U
Cl3-BZ#25	MG/KG		0.00039	U	0.00039	U	0.00040	U	0.00037	U
Cl3-BZ#26	MG/KG		0.00073		0.0014		0.0016		0.0024	
Cl3-BZ#27	MG/KG		0.00039	U	0.00039	U	0.00040	U	0.00037	U
Cl3-BZ#28	MG/KG		0.0019		0.0032		0.0035		0.0051	
Cl3-BZ#29	MG/KG		0.00039	U	0.00039	U	0.00040	U	0.00037	U
Cl3-BZ#31	MG/KG		0.00047		0.00082		0.00040	U	0.00080	
Cl3-BZ#32	MG/KG		0.00039	U	0.00039	U	0.00040	U	0.00030	J
Cl3-BZ#33	MG/KG		0.00039	U	0.00039	U	0.00040	U	0.00037	U
Cl3-BZ#37	MG/KG		0.00039	U	0.00038	J	0.00044		0.00068	
Cl4-BZ#40	MG/KG		0.00039	U	0.00039	U	0.00040	U	0.00037	U
Cl4-BZ#41	MG/KG		0.00039	U	0.00039	U	0.00040	U	0.00037	U
Cl4-BZ#42	MG/KG		0.00064		0.0013		0.0014		0.0019	
Cl4-BZ#43	MG/KG		0.00039	U	0.00039	U	0.00040	U	0.00037	U
Cl4-BZ#44	MG/KG		0.00074		0.0010		0.0018	J	0.0025	
Cl4-BZ#45	MG/KG		0.00039	U	0.00039	U	0.00040	U	0.00037	U
Cl4-BZ#47	MG/KG		0.0045		0.0092		0.012		0.027	
Cl4-BZ#48	MG/KG		0.00039	U	0.00039	U	0.00027	J	0.00054	
Cl4-BZ#49	MG/KG		0.0059		0.012		0.016		0.033	
Cl4-BZ#50	MG/KG		0.00039	U	0.00039	U	0.00040	U	0.00037	U
Cl4-BZ#51	MG/KG		0.00039	U	0.00039	U	0.00040	U	0.00023	J
Cl4-BZ#52	MG/KG		0.0053		0.011		0.017		0.021	
Cl4-BZ#53	MG/KG		0.00039	U	0.00039	U	0.00040	U	0.00024	J
Cl4-BZ#54	MG/KG		0.00039	U	0.00039	U	0.00040	U	0.00037	U
Cl4-BZ#56	MG/KG		0.00066		0.0012		0.0018		0.0024	

TABLE 10a - SUMMARY OF SAMPLE DATA FOR SCUP (MG/KG WET WEIGHT) AREA 2 - 2024

		Sample#	NBH24-FF-A-2-S-OFF		NBH24-FF-A-2-S-ON		NBH24-FF-B-2		NBH24-FF-C-2	
		Species	Scup		Scup		Scup		Scup	
		Species Type	TIS		TIS		TIS		TIS	
		Area	2		2		2		2	
		Station	S2-Station A		S2-Station A		S2-Station B		S2-Station C	
		Sample Date	6/4/2024		6/4/2024		5/21/2024		6/7/2024	
Parameter	**Units**		Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
Cl4-BZ#60	MG/KG		0.00046		0.00095		0.0012		0.0045	
Cl4-BZ#63	MG/KG		0.00049		0.00096		0.0014		0.0026	
Cl4-BZ#66	MG/KG		0.0057		0.011		0.015		0.029	
Cl4-BZ#68/#64	MG/KG		0.0013		0.0025		0.0038		0.0071	
Cl4-BZ#70	MG/KG		0.00031	J	0.00052		0.00048		0.00044	
Cl4-BZ#71	MG/KG		0.00039	U	0.00024	J	0.00031	J	0.00046	
Cl4-BZ#73/#46	MG/KG		0.00079	U	0.00078	U	0.00079	U	0.00073	U
Cl4-BZ#74	MG/KG		0.0029		0.0058		0.0083		0.022	
Cl4-BZ#76	MG/KG		0.00039	U	0.00039	U	0.00040	U	0.00037	U
Cl4-BZ#77	MG/KG		0.00039	U	0.00039	U	0.00040	U	0.00037	U
Cl4-BZ#81	MG/KG		0.00039	U	0.00039	U	0.00040	U	0.00037	U
Cl5-BZ#82	MG/KG		0.00039	U	0.00039	U	0.00032	J	0.00038	
Cl5-BZ#83/#125/#112	MG/KG		0.0012	U	0.0012	U	0.0012	U	0.0011	U
Cl5-BZ#85	MG/KG		0.0029		0.0058		0.0085		0.012	
Cl5-BZ#87/#111	MG/KG		0.00082		0.0018		0.0031		0.0031	
Cl5-BZ#89/#84	MG/KG		0.00079	U	0.00078	U	0.00079	U	0.00073	U
Cl5-BZ#91	MG/KG		0.0010		0.0019		0.0035		0.0033	
Cl5-BZ#92	MG/KG		0.00047		0.00080		0.0016		0.0019	
Cl5-BZ#97	MG/KG		0.0035		0.0065		0.010		0.016	
Cl5-BZ#99	MG/KG		0.024		0.050		0.066	J-	0.083	
Cl5-BZ#100	MG/KG		0.00048		0.0011		0.0014		0.0019	
Cl5-BZ#101/#90	MG/KG		0.019		0.038		0.059	J-	0.085	
Cl5-BZ#104	MG/KG		0.00039	U	0.00039	U	0.00040	U	0.00037	U
Cl5-BZ#105	MG/KG		0.0035		0.0078		0.0096		0.016	
Cl5-BZ#107/#123	MG/KG		0.0023		0.0050		0.0058		0.0069	
Cl5-BZ#110	MG/KG		0.0036		0.0070		0.014		0.015	
Cl5-BZ#114	MG/KG		0.0012		0.0024		0.0027		0.0030	
Cl5-BZ#118	MG/KG		0.026		0.059		0.069	J-	0.091	
Cl5-BZ#119	MG/KG		0.0016		0.0029		0.0039		0.0057	
Cl5-BZ#121/#95/#88	MG/KG		0.0013		0.0022		0.0044		0.0041	
Cl5-BZ#124	MG/KG		0.00039	U	0.00039	U	0.00040	U	0.00037	U
Cl5-BZ#126	MG/KG		0.00039	U	0.00039	U	0.00040	U	0.00037	U
Cl6-BZ#128	MG/KG		0.0060		0.013		0.018		0.016	
Cl6-BZ#129/#158	MG/KG		0.0029		0.0062		0.0097		0.010	
Cl6-BZ#130/#164	MG/KG		0.00046	J	0.00099		0.0017		0.0015	
Cl6-BZ#131	MG/KG		0.00039	U	0.00039	U	0.00030	J	0.00031	J
Cl6-BZ#132	MG/KG		0.00039	U	0.00046		0.00089		0.0014	
Cl6-BZ#134	MG/KG		0.00039	U	0.00039	U	0.00040	U	0.00037	U
Cl6-BZ#135	MG/KG		0.00039	U	0.00039	U	0.00025	J	0.00038	
Cl6-BZ#136	MG/KG		0.00022	J	0.00035	J	0.00076		0.00050	
Cl6-BZ#137	MG/KG		0.0012		0.0023		0.0035		0.0040	
Cl6-BZ#138	MG/KG		0.028		0.063		0.084	J-	0.070	
Cl6-BZ#141	MG/KG		0.00037	J	0.00062		0.0011		0.0013	
Cl6-BZ#144	MG/KG		0.00030	J	0.00059		0.00085		0.0012	
Cl6-BZ#146	MG/KG		0.0078		0.017		0.020		0.018	
Cl6-BZ#147/#149	MG/KG		0.0043		0.0083		0.015		0.015	
Cl6-BZ#151	MG/KG		0.00039		0.00072		0.0014		0.0010	
Cl6-BZ#153	MG/KG		0.060		0.14		0.16		0.13	

TABLE 10a - SUMMARY OF SAMPLE DATA FOR SCUP (MG/KG WET WEIGHT) AREA 2 - 2024

		Sample#	NBH24-FF-A-2-S-OFF		NBH24-FF-A-2-S-ON		NBH24-FF-B-2		NBH24-FF-C-2	
		Species	Scup		Scup		Scup		Scup	
		Species Type	TIS		TIS		TIS		TIS	
		Area	2		2		2		2	
		Station	S2-Station A		S2-Station A		S2-Station B		S2-Station C	
		Sample Date	6/4/2024		6/4/2024		5/21/2024		6/7/2024	
Parameter	**Units**		Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
Cl6-BZ#154	MG/KG		0.0016		0.0030		0.0038		0.0040	
Cl6-BZ#155	MG/KG		0.00039	U	0.00039	U	0.00040	U	0.00037	U
Cl6-BZ#156	MG/KG		0.0023		0.0054		0.0069		0.0068	
Cl6-BZ#157	MG/KG		0.0010		0.0022		0.0023		0.0022	
Cl6-BZ#163/#160	MG/KG		0.0029		0.0063		0.0086		0.0087	
Cl6-BZ#167	MG/KG		0.0016		0.0035		0.0044		0.0036	
Cl6-BZ#168	MG/KG		0.00039	U	0.00039	U	0.00040	U	0.00037	U
Cl6-BZ#169	MG/KG		0.00039	U	0.00039	U	0.00040	U	0.00037	U
Cl7-BZ#170	MG/KG		0.0036		0.0082		0.011		0.0073	
Cl7-BZ#171	MG/KG		0.0013		0.0026		0.0033		0.0025	
Cl7-BZ#172	MG/KG		0.00028	J	0.00054		0.00066		0.00064	
Cl7-BZ#173	MG/KG		0.00039	U	0.00039	U	0.00040	U	0.00037	U
Cl7-BZ#174	MG/KG		0.00039	U	0.00039	U	0.00034	J	0.00032	J
Cl7-BZ#176	MG/KG		0.00039	U	0.00039	U	0.00021	J	0.00037	U
Cl7-BZ#177	MG/KG		0.00039	U	0.00037	J	0.00052		0.00038	
Cl7-BZ#178	MG/KG		0.00039	U	0.00026	J	0.00022	J	0.00037	U
Cl7-BZ#180	MG/KG		0.0073		0.017		0.020		0.016	
Cl7-BZ#182/#175	MG/KG		0.00079	U	0.00047	J	0.00046	J	0.00042	J
Cl7-BZ#183	MG/KG		0.0027		0.0056		0.0068		0.0054	
Cl7-BZ#184	MG/KG		0.00039	U	0.00039	U	0.00040	U	0.00037	U
Cl7-BZ#185	MG/KG		0.00039	U	0.00039	U	0.00040	U	0.00037	U
Cl7-BZ#187	MG/KG		0.0045		0.0089		0.0099		0.0097	
Cl7-BZ#188	MG/KG		0.00039	U	0.00021	J	0.00040	U	0.00023	J
Cl7-BZ#189	MG/KG		0.00039	U	0.00053		0.00050		0.00036	J
Cl7-BZ#190	MG/KG		0.00056		0.0011		0.0015		0.0014	
Cl7-BZ#191	MG/KG		0.00039	U	0.00039		0.00052		0.00043	
Cl7-BZ#193	MG/KG		0.00026	J	0.00064		0.00050		0.00059	
Cl8-BZ#194	MG/KG		0.0015		0.0030		0.0027		0.0022	
Cl8-BZ#195	MG/KG		0.00039	U	0.00072		0.00093		0.00074	
Cl8-BZ#196	MG/KG		0.00068		0.0017		0.0015		0.0013	
Cl8-BZ#197	MG/KG		0.00039	U	0.00028	J	0.00021	J	0.00019	J
Cl8-BZ#199	MG/KG		0.00039	U	0.00039	U	0.00040	U	0.00037	U
Cl8-BZ#201	MG/KG		0.00043		0.00069		0.00072		0.00062	
Cl8-BZ#202	MG/KG		0.00039	U	0.00028	J	0.00024	J	0.00037	U
Cl8-BZ#203	MG/KG		0.00084		0.0016		0.0017		0.0015	
Cl8-BZ#204/#200	MG/KG		0.00043	J	0.00062	J	0.00045	J	0.00047	J
Cl8-BZ#205	MG/KG		0.00039	U	0.00039	U	0.00040	U	0.00037	U
Cl9-BZ#206	MG/KG		0.00086		0.0016		0.0012		0.0013	
Cl9-BZ#207	MG/KG		0.00039	U	0.00033	J	0.00040	U	0.00022	J
Cl9-BZ#208	MG/KG		0.00023	J	0.00033	J	0.00025	J	0.00031	J
Cl10-BZ#209	MG/KG		0.00039	J	0.00075		0.00057		0.00055	

TABLE 10a - SUMMARY OF SAMPLE DATA FOR SCUP (MG/KG WET WEIGHT) AREA 2 - 2024

		Sample#	NBH24-FF-D-2		NBH24-FF-E-2	
		Species	Scup		Scup	
		Species Type	TIS		TIS	
		Area	2		2	
		Station	S2-Station D		S2-Station E	
		Sample Date	6/9/2024		5/7/2024	
Parameter	**Units**		Result	Qualifier	Result	Qualifier
Lipids	PERCENT		0.99		2.0	
Total PCB Congeners[1]	MG/KG		0.73	J3	0.067	J2
Total PCB Congeners Hits[2]	MG/KG		0.72		0.047	
Total NOAA Congeners[3]	MG/KG		0.43	J4	0.030	J3
Total WHO Congeners[4]	MG/KG		0.11	J4	0.0065	J2
Total NOAA / WHO Combined[5]	MG/KG		0.45	J4	0.033	J3
Cl1-BZ#1	MG/KG		0.00040	U	0.00039	U
Cl1-BZ#3	MG/KG		0.00040	U	0.00039	U
Cl2-BZ#4/#10	MG/KG		0.00080	U	0.00078	U
Cl2-BZ#5	MG/KG		0.00040	U	0.00039	U
Cl2-BZ#6	MG/KG		0.00040	U	0.00039	U
Cl2-BZ#7	MG/KG		0.00040	U	0.00039	U
Cl2-BZ#8	MG/KG		0.00040	U	0.00039	U
Cl2-BZ#12	MG/KG		0.00040	U	0.00039	U
Cl2-BZ#13	MG/KG		0.00080	U	0.00078	U
Cl2-BZ#15	MG/KG		0.00040	U	0.00039	U
Cl3-BZ#16	MG/KG		0.00040	U	0.00039	U
Cl3-BZ#17	MG/KG		0.0012		0.00039	U
Cl3-BZ#18	MG/KG		0.0016		0.00020	J
Cl3-BZ#19	MG/KG		0.00040	U	0.00039	U
Cl3-BZ#21/#20	MG/KG		0.00080	U	0.00078	U
Cl3-BZ#22	MG/KG		0.00047		0.00039	U
Cl3-BZ#24	MG/KG		0.00040	U	0.00039	U
Cl3-BZ#25	MG/KG		0.00040	U	0.00039	U
Cl3-BZ#26	MG/KG		0.0023		0.00022	J
Cl3-BZ#27	MG/KG		0.00040	U	0.00039	U
Cl3-BZ#28	MG/KG		0.0074		0.00054	
Cl3-BZ#29	MG/KG		0.00040	U	0.00039	U
Cl3-BZ#31	MG/KG		0.00070		0.00039	U
Cl3-BZ#32	MG/KG		0.00055		0.00039	U
Cl3-BZ#33	MG/KG		0.00040	U	0.00039	U
Cl3-BZ#37	MG/KG		0.00040	U	0.00039	U
Cl4-BZ#40	MG/KG		0.00040	U	0.00039	U
Cl4-BZ#41	MG/KG		0.00040	U	0.00039	U
Cl4-BZ#42	MG/KG		0.0022		0.00039	U
Cl4-BZ#43	MG/KG		0.00040	U	0.00039	U
Cl4-BZ#44	MG/KG		0.0024		0.00028	J
Cl4-BZ#45	MG/KG		0.00020	J	0.00039	U
Cl4-BZ#47	MG/KG		0.018		0.00053	
Cl4-BZ#48	MG/KG		0.00056		0.00039	U
Cl4-BZ#49	MG/KG		0.021		0.00089	
Cl4-BZ#50	MG/KG		0.00040	U	0.00039	U
Cl4-BZ#51	MG/KG		0.00031	J	0.00039	U
Cl4-BZ#52	MG/KG		0.022		0.0011	
Cl4-BZ#53	MG/KG		0.00033	J	0.00039	U
Cl4-BZ#54	MG/KG		0.00040	U	0.00039	U
Cl4-BZ#56	MG/KG		0.0016		0.00039	U

TABLE 10a - SUMMARY OF SAMPLE DATA FOR SCUP (MG/KG WET WEIGHT) AREA 2 - 2024

		Sample#	NBH24-FF-D-2		NBH24-FF-E-2	
		Species	Scup		Scup	
		Species Type	TIS		TIS	
		Area	2		2	
		Station	S2-Station D		S2-Station E	
		Sample Date	6/9/2024		5/7/2024	
Parameter	**Units**		Result	Qualifier	Result	Qualifier
Cl4-BZ#60	MG/KG		0.0024		0.00039	U
Cl4-BZ#63	MG/KG		0.0019		0.00039	U
Cl4-BZ#66	MG/KG		0.020		0.00089	
Cl4-BZ#68/#64	MG/KG		0.0058		0.00078	U
Cl4-BZ#70	MG/KG		0.00048		0.00021	J
Cl4-BZ#71	MG/KG		0.00084		0.00039	U
Cl4-BZ#73/#46	MG/KG		0.00080	U	0.00078	U
Cl4-BZ#74	MG/KG		0.014		0.00044	
Cl4-BZ#76	MG/KG		0.00040	U	0.00039	U
Cl4-BZ#77	MG/KG		0.00040	U	0.00039	U
Cl4-BZ#81	MG/KG		0.00040	U	0.00039	U
Cl5-BZ#82	MG/KG		0.00036	J	0.00039	U
Cl5-BZ#83/#125/#112	MG/KG		0.0012	U	0.0012	U
Cl5-BZ#85	MG/KG		0.0073		0.00043	
Cl5-BZ#87/#111	MG/KG		0.0029		0.00078	U
Cl5-BZ#89/#84	MG/KG		0.00080	U	0.00078	U
Cl5-BZ#91	MG/KG		0.0032		0.00025	J
Cl5-BZ#92	MG/KG		0.0020		0.00024	J
Cl5-BZ#97	MG/KG		0.010		0.00066	
Cl5-BZ#99	MG/KG		0.058		0.0030	
Cl5-BZ#100	MG/KG		0.0013		0.00039	U
Cl5-BZ#101/#90	MG/KG		0.051		0.0029	
Cl5-BZ#104	MG/KG		0.00040	U	0.00039	U
Cl5-BZ#105	MG/KG		0.012		0.00055	
Cl5-BZ#107/#123	MG/KG		0.0058		0.00051	J
Cl5-BZ#110	MG/KG		0.016		0.0011	
Cl5-BZ#114	MG/KG		0.0026		0.00039	U
Cl5-BZ#118	MG/KG		0.072		0.0036	
Cl5-BZ#119	MG/KG		0.0041		0.00024	J
Cl5-BZ#121/#95/#88	MG/KG		0.0044		0.0012	U
Cl5-BZ#124	MG/KG		0.00040	U	0.00039	U
Cl5-BZ#126	MG/KG		0.00040	U	0.00039	U
Cl6-BZ#128	MG/KG		0.013		0.00082	
Cl6-BZ#129/#158	MG/KG		0.0076		0.00078	U
Cl6-BZ#130/#164	MG/KG		0.0017		0.00078	U
Cl6-BZ#131	MG/KG		0.00030	J	0.00039	U
Cl6-BZ#132	MG/KG		0.0014		0.00039	U
Cl6-BZ#134	MG/KG		0.00040	U	0.00039	U
Cl6-BZ#135	MG/KG		0.00045		0.00039	U
Cl6-BZ#136	MG/KG		0.00081		0.00039	U
Cl6-BZ#137	MG/KG		0.0031		0.00039	U
Cl6-BZ#138	MG/KG		0.058		0.0039	
Cl6-BZ#141	MG/KG		0.0011		0.00039	U
Cl6-BZ#144	MG/KG		0.00067		0.00039	U
Cl6-BZ#146	MG/KG		0.018		0.0018	
Cl6-BZ#147/#149	MG/KG		0.015		0.0016	
Cl6-BZ#151	MG/KG		0.0014		0.00024	J
Cl6-BZ#153	MG/KG		0.14		0.0093	

Created by: KLD 4/1/2025
Checked by: AP 4/9/2025

TABLE 10a - SUMMARY OF SAMPLE DATA FOR SCUP (MG/KG WET WEIGHT) AREA 2 - 2024

		Sample#	NBH24-FF-D-2		NBH24-FF-E-2	
		Species	Scup		Scup	
		Species Type	TIS		TIS	
		Area	2		2	
		Station	S2-Station D		S2-Station E	
		Sample Date	6/9/2024		5/7/2024	
Parameter	**Units**		Result	Qualifier	Result	Qualifier
Cl6-BZ#154	MG/KG		0.0028		0.00035	J
Cl6-BZ#155	MG/KG		0.00040	U	0.00039	U
Cl6-BZ#156	MG/KG		0.0061		0.00031	J
Cl6-BZ#157	MG/KG		0.0022		0.00039	U
Cl6-BZ#163/#160	MG/KG		0.0095		0.0011	
Cl6-BZ#167	MG/KG		0.0036		0.00022	J
Cl6-BZ#168	MG/KG		0.00040	U	0.00039	U
Cl6-BZ#169	MG/KG		0.00040	U	0.00039	U
Cl7-BZ#170	MG/KG		0.0070		0.00059	
Cl7-BZ#171	MG/KG		0.0024		0.00032	J
Cl7-BZ#172	MG/KG		0.00062		0.00039	U
Cl7-BZ#173	MG/KG		0.00040	U	0.00039	U
Cl7-BZ#174	MG/KG		0.00040		0.00039	U
Cl7-BZ#176	MG/KG		0.00022	J	0.00039	U
Cl7-BZ#177	MG/KG		0.00060		0.00039	U
Cl7-BZ#178	MG/KG		0.00036	J	0.00039	U
Cl7-BZ#180	MG/KG		0.015		0.0016	
Cl7-BZ#182/#175	MG/KG		0.00045	J	0.00078	U
Cl7-BZ#183	MG/KG		0.0055		0.00085	
Cl7-BZ#184	MG/KG		0.00040	U	0.00039	U
Cl7-BZ#185	MG/KG		0.00040	U	0.00039	U
Cl7-BZ#187	MG/KG		0.0099		0.0025	
Cl7-BZ#188	MG/KG		0.00040	U	0.00039	U
Cl7-BZ#189	MG/KG		0.00048		0.00039	U
Cl7-BZ#190	MG/KG		0.0012		0.00039	U
Cl7-BZ#191	MG/KG		0.00039	J	0.00039	U
Cl7-BZ#193	MG/KG		0.00067		0.00039	U
Cl8-BZ#194	MG/KG		0.0023		0.00039	U
Cl8-BZ#195	MG/KG		0.00070		0.00039	U
Cl8-BZ#196	MG/KG		0.0014		0.00046	
Cl8-BZ#197	MG/KG		0.00040	U	0.00039	U
Cl8-BZ#199	MG/KG		0.00040	U	0.00039	U
Cl8-BZ#201	MG/KG		0.00092		0.00051	
Cl8-BZ#202	MG/KG		0.00036	J	0.00038	J
Cl8-BZ#203	MG/KG		0.0014		0.00030	J
Cl8-BZ#204/#200	MG/KG		0.00045	J	0.00078	U
Cl8-BZ#205	MG/KG		0.00040	U	0.00039	U
Cl9-BZ#206	MG/KG		0.0015		0.00056	
Cl9-BZ#207	MG/KG		0.00040	U	0.00039	U
Cl9-BZ#208	MG/KG		0.00039	J	0.00032	J
Cl10-BZ#209	MG/KG		0.00077		0.00054	

TABLE 10b - SUMMARY OF SAMPLE DATA FOR SCUP (MG/KG WET WEIGHT) AREA 3 - 2024

	Sample#	NBH24-FF-A-3		NBH24-FF-B-3		NBH24-FF-C-3		NBH24-FF-D-3		NBH24-FF-E-3	
	Species	Scup		Scup		Scup		Scup		Scup	
	Species Type	TIS		TIS		TIS		TIS		TIS	
	Area	3		3		3		3		3	
	Station	S3-Station A		S3-Station B		S3-Station C		S3-Station D		S3-Station E	
	Sample Date	6/20/2024		8/2/2024		6/7/2024		7/14/2024		8/2/2024	
Parameter	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
Lipids	PERCENT	0.97		0.71		2.0		0.98		1.2	
Total PCB Congeners[1]	MG/KG	0.059	J2	0.10	J2	0.21	J3	0.19	J3	0.31	J3
Total PCB Congeners Hits[2]	MG/KG	0.039		0.081		0.19		0.18		0.29	
Total NOAA Congeners[3]	MG/KG	0.028	J3	0.054	J3	0.12	J4	0.11	J4	0.15	J4
Total WHO Congeners[4]	MG/KG	0.0066	J2	0.013	J3	0.027	J3	0.023	J3	0.031	J3
Total NOAA / WHO Combined[5]	MG/KG	0.031	J3	0.058	J3	0.13	J3	0.11	J3	0.16	J4
Cl1-BZ#1	MG/KG	0.00036	UJ	0.00037	U	0.00039	U	0.00036	U	0.00038	U
Cl1-BZ#3	MG/KG	0.00036	UJ	0.00037	U	0.00039	U	0.00036	U	0.00038	U
Cl2-BZ#4/#10	MG/KG	0.00071	UJ	0.00074	U	0.00079	U	0.00072	U	0.00077	U
Cl2-BZ#5	MG/KG	0.00036	UJ	0.00037	U	0.00039	U	0.00036	U	0.00038	U
Cl2-BZ#6	MG/KG	0.00036	UJ	0.00037	U	0.00039	U	0.00036	U	0.00021	J
Cl2-BZ#7	MG/KG	0.00036	UJ	0.00037	U	0.00039	U	0.00036	U	0.00038	U
Cl2-BZ#8	MG/KG	0.00036	UJ	0.00037	U	0.00039	U	0.00036	U	0.00024	J
Cl2-BZ#12	MG/KG	0.00036	UJ	0.00037	U	0.00039	U	0.00036	U	0.00038	U
Cl2-BZ#13	MG/KG	0.00071	UJ	0.00074	U	0.00079	U	0.00072	U	0.00077	U
Cl2-BZ#15	MG/KG	0.00036	UJ	0.00037	U	0.00039	U	0.00036	U	0.00038	U
Cl3-BZ#16	MG/KG	0.00036	UJ	0.00037	U	0.00039	U	0.00036	U	0.00038	U
Cl3-BZ#17	MG/KG	0.00036	UJ	0.00037	U	0.00039	U	0.00025	J	0.00071	
Cl3-BZ#18	MG/KG	0.00036	UJ	0.00037	U	0.00029	J	0.00032	J	0.0013	
Cl3-BZ#19	MG/KG	0.00036	UJ	0.00037	U	0.00039	U	0.00036	U	0.00038	U
Cl3-BZ#21/#20	MG/KG	0.00071	UJ	0.00074	U	0.00079	U	0.00072	U	0.00077	U
Cl3-BZ#22	MG/KG	0.00036	UJ	0.00037	U	0.00039	U	0.00036	U	0.00044	
Cl3-BZ#24	MG/KG	0.00036	UJ	0.00037	U	0.00039	U	0.00036	U	0.00038	U
Cl3-BZ#25	MG/KG	0.00036	UJ	0.00037	U	0.00039	U	0.00036	U	0.00038	U
Cl3-BZ#26	MG/KG	0.00036	UJ	0.00037	U	0.00043		0.00047		0.0021	
Cl3-BZ#27	MG/KG	0.00036	UJ	0.00037	U	0.00039	U	0.00036	U	0.00038	U
Cl3-BZ#28	MG/KG	0.00036	UJ	0.00067		0.0011		0.0010		0.0029	
Cl3-BZ#29	MG/KG	0.00036	UJ	0.00037	U	0.00039	U	0.00036	U	0.00038	U
Cl3-BZ#31	MG/KG	0.00036	UJ	0.00037	U	0.00039	U	0.00036	U	0.00038	U
Cl3-BZ#32	MG/KG	0.00036	UJ	0.00037	U	0.00039	U	0.00036	U	0.00045	
Cl3-BZ#33	MG/KG	0.00036	UJ	0.00037	U	0.00039	U	0.00036	U	0.00038	U
Cl3-BZ#37	MG/KG	0.00036	UJ	0.00037	U	0.00039	U	0.00036	U	0.00038	U
Cl4-BZ#40	MG/KG	0.00036	UJ	0.00037	U	0.00039	U	0.00036	U	0.00038	U
Cl4-BZ#41	MG/KG	0.00036	UJ	0.00037	U	0.00039	U	0.00036	U	0.00038	U
Cl4-BZ#42	MG/KG	0.00036	UJ	0.00037	U	0.00024	J	0.00040		0.00097	
Cl4-BZ#43	MG/KG	0.00036	UJ	0.00037	U	0.00039	U	0.00036	U	0.00038	U
Cl4-BZ#44	MG/KG	0.00036	UJ	0.00037	U	0.00049		0.00070		0.0030	
Cl4-BZ#45	MG/KG	0.00036	UJ	0.00037	U	0.00039	U	0.00036	U	0.00032	J
Cl4-BZ#47	MG/KG	0.00043	J-	0.00089		0.0026		0.0023		0.0051	
Cl4-BZ#48	MG/KG	0.00036	UJ	0.00037	U	0.00039	U	0.00036	U	0.00038	U
Cl4-BZ#49	MG/KG	0.00046	J-	0.0014		0.0036		0.0034		0.010	
Cl4-BZ#50	MG/KG	0.00036	UJ	0.00037	U	0.00039	U	0.00036	U	0.00038	U
Cl4-BZ#51	MG/KG	0.00036	UJ	0.00037	U	0.00039	U	0.00036	U	0.00023	J
Cl4-BZ#52	MG/KG	0.00045	J-	0.0012		0.0046		0.0037		0.014	
Cl4-BZ#53	MG/KG	0.00036	UJ	0.00037	U	0.00039	U	0.00036	U	0.00030	J
Cl4-BZ#54	MG/KG	0.00036	UJ	0.00037	U	0.00039	U	0.00036	U	0.00038	U
Cl4-BZ#56	MG/KG	0.00036	UJ	0.00023	J	0.00047		0.00042		0.0012	
Cl4-BZ#60	MG/KG	0.00036	UJ	0.00037	U	0.00027	J	0.00021	J	0.00059	
Cl4-BZ#63	MG/KG	0.00036	UJ	0.00037	U	0.00033	J	0.00029	J	0.00061	
Cl4-BZ#66	MG/KG	0.00070	J-	0.0016		0.0040		0.0030		0.0063	
Cl4-BZ#68/#64	MG/KG	0.00071	UJ	0.00074	U	0.00079		0.00068	J	0.0026	
Cl4-BZ#70	MG/KG	0.00036	UJ	0.00037	U	0.00025	J	0.00020	J	0.00070	
Cl4-BZ#71	MG/KG	0.00036	UJ	0.00037	U	0.00039	U	0.00027	J	0.00065	

TABLE 10b - SUMMARY OF SAMPLE DATA FOR SCUP (MG/KG WET WEIGHT) AREA 3 - 2024

	Sample#	NBH24-FF-A-3		NBH24-FF-B-3		NBH24-FF-C-3		NBH24-FF-D-3		NBH24-FF-E-3	
	Species	Scup		Scup		Scup		Scup		Scup	
	Species Type	TIS		TIS		TIS		TIS		TIS	
	Area	3		3		3		3		3	
	Station	S3-Station A		S3-Station B		S3-Station C		S3-Station D		S3-Station E	
	Sample Date	6/20/2024		8/2/2024		6/7/2024		7/14/2024		8/2/2024	
Parameter	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
Cl4-BZ#73/#46	MG/KG	0.00071	UJ	0.00074	U	0.00079	U	0.00072	U	0.00077	U
Cl4-BZ#74	MG/KG	0.00032	J-	0.00070		0.0021		0.0014		0.0034	
Cl4-BZ#76	MG/KG	0.00036	UJ	0.00037	U	0.00039	U	0.00036	U	0.00038	U
Cl4-BZ#77	MG/KG	0.00036	UJ	0.00037	U	0.00039	U	0.00036	U	0.00038	U
Cl4-BZ#81	MG/KG	0.00036	UJ	0.00037	U	0.00039	U	0.00036	U	0.00038	U
Cl5-BZ#82	MG/KG	0.00036	UJ	0.00037	U	0.00039	U	0.00036	U	0.00036	J
Cl5-BZ#83/#125/#112	MG/KG	0.0011	UJ	0.0011	U	0.0012	U	0.0011	U	0.0012	U
Cl5-BZ#85	MG/KG	0.00031	J-	0.00081		0.0016		0.0014		0.0035	
Cl5-BZ#87/#111	MG/KG	0.00071	UJ	0.00074	U	0.00074	J	0.00081		0.0030	
Cl5-BZ#89/#84	MG/KG	0.00071	UJ	0.00074	U	0.00079	U	0.00072	U	0.00063	J
Cl5-BZ#91	MG/KG	0.00036	UJ	0.00036	J	0.00090		0.00097		0.0030	
Cl5-BZ#92	MG/KG	0.00036	UJ	0.00025	J	0.00072		0.00065		0.0025	
Cl5-BZ#97	MG/KG	0.00038	J-	0.00095		0.0020		0.0020		0.0059	
Cl5-BZ#99	MG/KG	0.0030	J-	0.0070		0.015		0.013		0.022	
Cl5-BZ#100	MG/KG	0.00036	UJ	0.00037	U	0.00027	J	0.00029	J	0.00059	
Cl5-BZ#101/#90	MG/KG	0.0024	J-	0.0054		0.014		0.011		0.025	
Cl5-BZ#104	MG/KG	0.00036	UJ	0.00037	U	0.00039	U	0.00036	U	0.00038	U
Cl5-BZ#105	MG/KG	0.00054	J-	0.0011		0.0026		0.0020		0.0031	
Cl5-BZ#107/#123	MG/KG	0.00043	J-	0.00095		0.0018		0.0016		0.0022	
Cl5-BZ#110	MG/KG	0.00045	J-	0.0011		0.0031		0.0035		0.015	
Cl5-BZ#114	MG/KG	0.00026	J-	0.00041		0.00083		0.00070		0.00077	
Cl5-BZ#118	MG/KG	0.0036	J-	0.0078		0.018		0.015		0.021	
Cl5-BZ#119	MG/KG	0.00036	UJ	0.00037		0.00084		0.00072		0.0014	
Cl5-BZ#121/#95/#88	MG/KG	0.0011	UJ	0.0011	U	0.0013		0.0014		0.0050	
Cl5-BZ#124	MG/KG	0.00036	UJ	0.00037	U	0.00039	U	0.00036	U	0.00038	U
Cl5-BZ#126	MG/KG	0.00036	UJ	0.00037	U	0.00039	U	0.00036	U	0.00038	U
Cl6-BZ#128	MG/KG	0.0011	J-	0.0018		0.0036		0.0038		0.0045	
Cl6-BZ#129/#158	MG/KG	0.00071	UJ	0.00063	J	0.0015		0.0017		0.0026	
Cl6-BZ#130/#164	MG/KG	0.00071	UJ	0.00074	U	0.00068	J	0.00071	J	0.0016	
Cl6-BZ#131	MG/KG	0.00036	UJ	0.00037	U	0.00039	U	0.00036	U	0.00038	U
Cl6-BZ#132	MG/KG	0.00036	UJ	0.00037	U	0.00037	J	0.00070		0.0018	
Cl6-BZ#134	MG/KG	0.00036	UJ	0.00037	U	0.00039	U	0.00036	U	0.00034	J
Cl6-BZ#135	MG/KG	0.00036	UJ	0.00037	U	0.00039	U	0.00023	J	0.00055	
Cl6-BZ#136	MG/KG	0.00036	UJ	0.00037	U	0.00023	J	0.00033	J	0.0011	
Cl6-BZ#137	MG/KG	0.00036	UJ	0.00027	J	0.00072		0.00058		0.00088	
Cl6-BZ#138	MG/KG	0.0045	J-	0.0085		0.016		0.017		0.020	
Cl6-BZ#141	MG/KG	0.00036	UJ	0.00037	U	0.00034	J	0.00055		0.00080	
Cl6-BZ#144	MG/KG	0.00036	UJ	0.00037	U	0.00021	J	0.00036	U	0.00045	
Cl6-BZ#146	MG/KG	0.0017	J-	0.0031		0.0066		0.0052		0.0061	
Cl6-BZ#147/#149	MG/KG	0.0011	J-	0.0017		0.0049		0.0051		0.012	
Cl6-BZ#151	MG/KG	0.00019	J-	0.00019	J	0.00054		0.00060		0.0015	
Cl6-BZ#153	MG/KG	0.010	J-	0.019		0.043		0.038		0.039	
Cl6-BZ#154	MG/KG	0.00033	J-	0.00064		0.00093		0.00092		0.0013	
Cl6-BZ#155	MG/KG	0.00036	UJ	0.00037	U	0.00039	U	0.00036	U	0.00038	U
Cl6-BZ#156	MG/KG	0.00033	J-	0.00076		0.0016		0.0013		0.0017	
Cl6-BZ#157	MG/KG	0.00026	J-	0.00032	J	0.00063		0.00064		0.00067	
Cl6-BZ#163/#160	MG/KG	0.00070	J-	0.0018		0.0041		0.0027		0.0054	
Cl6-BZ#167	MG/KG	0.00028	J-	0.00048		0.0011		0.0011		0.0010	
Cl6-BZ#168	MG/KG	0.00036	UJ	0.00037	U	0.00039	U	0.00036	U	0.00038	U
Cl6-BZ#169	MG/KG	0.00036	UJ	0.00037	U	0.00039	U	0.00036	U	0.00038	U
Cl7-BZ#170	MG/KG	0.00064	J-	0.0011		0.0020		0.0024		0.0022	
Cl7-BZ#171	MG/KG	0.00026	J-	0.00042		0.00073		0.00084		0.00068	
Cl7-BZ#172	MG/KG	0.00036	UJ	0.00037	U	0.00032	J	0.00021	J	0.00026	J
Cl7-BZ#173	MG/KG	0.00036	UJ	0.00037	U	0.00039	U	0.00036	U	0.00038	U
Cl7-BZ#174	MG/KG	0.00036	UJ	0.00037	U	0.00039	U	0.00026	J	0.00040	

Created by: KLD 4/1/2025
Checked by: AP 4/9/2025

TABLE 10b - SUMMARY OF SAMPLE DATA FOR SCUP (MG/KG WET WEIGHT) AREA 3 - 2024

	Sample#	NBH24-FF-A-3		NBH24-FF-B-3		NBH24-FF-C-3		NBH24-FF-D-3		NBH24-FF-E-3	
	Species	Scup		Scup		Scup		Scup		Scup	
	Species Type	TIS		TIS		TIS		TIS		TIS	
	Area	3		3		3		3		3	
	Station	S3-Station A		S3-Station B		S3-Station C		S3-Station D		S3-Station E	
	Sample Date	6/20/2024		8/2/2024		6/7/2024		7/14/2024		8/2/2024	
Parameter	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
Cl7-BZ#176	MG/KG	0.00036	UJ	0.00037	U	0.00039	U	0.00036	U	0.00038	U
Cl7-BZ#177	MG/KG	0.00036	UJ	0.00037	U	0.00049		0.00025	J	0.00058	
Cl7-BZ#178	MG/KG	0.00036	UJ	0.00037	U	0.00030	J	0.00020	J	0.00038	U
Cl7-BZ#180	MG/KG	0.0014	J-	0.0023		0.0045		0.0050		0.0042	
Cl7-BZ#182/#175	MG/KG	0.00071	UJ	0.00074	U	0.00079	U	0.00072	U	0.00077	U
Cl7-BZ#183	MG/KG	0.00052	J-	0.00087		0.0018		0.0017		0.0014	
Cl7-BZ#184	MG/KG	0.00036	UJ	0.00037	U	0.00039	U	0.00036	U	0.00038	U
Cl7-BZ#185	MG/KG	0.00036	UJ	0.00037	U	0.00039	U	0.00036	U	0.00038	U
Cl7-BZ#187	MG/KG	0.0014	J-	0.0023		0.0052		0.0039		0.0038	
Cl7-BZ#188	MG/KG	0.00036	UJ	0.00037	U	0.00039	U	0.00036	U	0.00038	U
Cl7-BZ#189	MG/KG	0.00036	UJ	0.00037	U	0.00039	U	0.00036	U	0.00038	U
Cl7-BZ#190	MG/KG	0.00036	UJ	0.00037	U	0.00031	J	0.00028	J	0.00039	
Cl7-BZ#191	MG/KG	0.00036	UJ	0.00037	U	0.00039	U	0.00036	U	0.00038	U
Cl7-BZ#193	MG/KG	0.00036	UJ	0.00037	U	0.00030	J	0.00019	J	0.00023	J
Cl8-BZ#194	MG/KG	0.00036	UJ	0.00051		0.00083		0.0013		0.00069	
Cl8-BZ#195	MG/KG	0.00036	UJ	0.00037	U	0.00039	U	0.00036	U	0.00038	U
Cl8-BZ#196	MG/KG	0.00027	J-	0.00033	J	0.00048		0.00068		0.00033	J
Cl8-BZ#197	MG/KG	0.00036	UJ	0.00037	U	0.00039	U	0.00036	U	0.00038	U
Cl8-BZ#199	MG/KG	0.00036	UJ	0.00037	U	0.00039	U	0.00036	U	0.00038	U
Cl8-BZ#201	MG/KG	0.00036	UJ	0.00037	U	0.00053		0.00063		0.00054	
Cl8-BZ#202	MG/KG	0.00036	UJ	0.00037	U	0.00052		0.00024	J	0.00038	U
Cl8-BZ#203	MG/KG	0.00027	J-	0.00027	J	0.00048		0.00064		0.00050	
Cl8-BZ#204/#200	MG/KG	0.00071	UJ	0.00074	U	0.00040	J	0.00072	U	0.00077	U
Cl8-BZ#205	MG/KG	0.00036	UJ	0.00037	U	0.00039	U	0.00036	U	0.00038	U
Cl9-BZ#206	MG/KG	0.00024	J-	0.00032	J	0.00058		0.0010		0.00042	
Cl9-BZ#207	MG/KG	0.00036	UJ	0.00037	U	0.00039	U	0.00036	U	0.00038	U
Cl9-BZ#208	MG/KG	0.00036	UJ	0.00037	U	0.00039	U	0.00022	J	0.00038	U
Cl10-BZ#209	MG/KG	0.00036	UJ	0.00020	J	0.00039	U	0.00070		0.00038	U

TABLE 11a - SUMMARY OF SAMPLE DATA FOR STRIPED BASS (MG/KG WET WEIGHT) AREA 1 - 2024

		Sample#	AI-A-SB-FF		AI-B-SB-FF		AI-C-SB-FF		AI-D-SB-FF	
		Species	Striped Bass		Striped Bass		Striped Bass		Striped Bass	
		Species Type	TIS		TIS		TIS		TIS	
		Area	1		1		1		1	
		Station	StB1-Station A		StB1-Station B		StB1-Station C		StB1-Station D	
		Sample Date	6/10/2024		6/10/2024		6/10/2024		6/10/2024	
Parameter	**Units**		Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
Lipids	PERCENT		2.5		1.5		2.1		2.9	
Total PCB Congeners[1]	MG/KG		0.45	J3	0.33	J3	0.62	J3	0.71	J3
Total PCB Congeners Hits[2]	MG/KG		0.45		0.32		0.61		0.70	
Total NOAA Congeners[3]	MG/KG		0.21	J4	0.13	J4	0.26	J4	0.30	J4
Total WHO Congeners[4]	MG/KG		0.036	J3	0.019	J3	0.040	J3	0.056	J3
Total NOAA / WHO Combined[5]	MG/KG		0.21	J4	0.14	J4	0.27	J4	0.31	J4
Cl1-BZ#1	MG/KG		0.00038	U	0.00036	U	0.00039	U	0.00039	U
Cl1-BZ#3	MG/KG		0.00038	U	0.00036	U	0.00039	U	0.00039	U
Cl2-BZ#4/#10	MG/KG		0.0015		0.0011		0.0027		0.0021	
Cl2-BZ#5	MG/KG		0.00038	U	0.00036	U	0.00039	U	0.00039	U
Cl2-BZ#6	MG/KG		0.0013		0.0011		0.0031		0.0022	
Cl2-BZ#7	MG/KG		0.00038	U	0.00036	U	0.00039	U	0.00039	U
Cl2-BZ#8	MG/KG		0.0013		0.0011		0.0032		0.0022	
Cl2-BZ#12	MG/KG		0.00038	U	0.00036	U	0.00039	U	0.00039	U
Cl2-BZ#13	MG/KG		0.00076	U	0.00072	U	0.00079	U	0.00078	U
Cl2-BZ#15	MG/KG		0.00027	J	0.00029	J	0.00096		0.00052	
Cl3-BZ#16	MG/KG		0.0012		0.00072		0.00039	U	0.00039	U
Cl3-BZ#17	MG/KG		0.0036		0.0037		0.0086		0.0053	
Cl3-BZ#18	MG/KG		0.0073		0.0072		0.018		0.011	
Cl3-BZ#19	MG/KG		0.0010		0.00087		0.0023		0.0015	
Cl3-BZ#21/#20	MG/KG		0.00076	U	0.00072	U	0.00079	U	0.00078	U
Cl3-BZ#22	MG/KG		0.0014		0.0016		0.0035		0.0023	
Cl3-BZ#24	MG/KG		0.00038	U	0.00036	U	0.00039	U	0.00039	U
Cl3-BZ#25	MG/KG		0.00038	U	0.00036	U	0.00039	U	0.00039	U
Cl3-BZ#26	MG/KG		0.010		0.011		0.023		0.015	
Cl3-BZ#27	MG/KG		0.0015		0.0015		0.0037		0.0022	
Cl3-BZ#28	MG/KG		0.012		0.013		0.027		0.020	
Cl3-BZ#29	MG/KG		0.00038	U	0.00036	U	0.00039	U	0.00039	U
Cl3-BZ#31	MG/KG		0.0094		0.0099		0.025		0.014	
Cl3-BZ#32	MG/KG		0.0030		0.0031		0.0083		0.0048	
Cl3-BZ#33	MG/KG		0.00038	U	0.00036	U	0.00039	U	0.00039	U
Cl3-BZ#37	MG/KG		0.00064		0.00053		0.00093		0.00082	
Cl4-BZ#40	MG/KG		0.00088		0.00077		0.0014		0.0013	
Cl4-BZ#41	MG/KG		0.00025	J	0.00018	J	0.00060		0.00033	J
Cl4-BZ#42	MG/KG		0.0030		0.0029		0.0051		0.0053	
Cl4-BZ#43	MG/KG		0.00029	J	0.00023	J	0.00042		0.00037	J
Cl4-BZ#44	MG/KG		0.0070		0.0069		0.012		0.011	
Cl4-BZ#45	MG/KG		0.00069		0.00066		0.0012		0.00094	
Cl4-BZ#47	MG/KG		0.0081		0.0085		0.013		0.017	
Cl4-BZ#48	MG/KG		0.00092		0.00085		0.0016		0.0018	
Cl4-BZ#49	MG/KG		0.022		0.025		0.037		0.042	
Cl4-BZ#50	MG/KG		0.00038	U	0.00036	U	0.00039	U	0.00039	U
Cl4-BZ#51	MG/KG		0.0014		0.0016		0.0029		0.0021	
Cl4-BZ#52	MG/KG		0.029		0.032		0.051		0.050	
Cl4-BZ#53	MG/KG		0.0028		0.0031		0.0060		0.0040	
Cl4-BZ#54	MG/KG		0.00038	U	0.00036	U	0.00039	U	0.00039	U
Cl4-BZ#56	MG/KG		0.0020		0.0016		0.0029		0.0035	

TABLE 11a - SUMMARY OF SAMPLE DATA FOR STRIPED BASS (MG/KG WET WEIGHT) AREA 1 - 2024

	Sample#	AI-A-SB-FF		AI-B-SB-FF		AI-C-SB-FF		AI-D-SB-FF	
	Species	Striped Bass		Striped Bass		Striped Bass		Striped Bass	
	Species Type	TIS		TIS		TIS		TIS	
	Area	1		1		1		1	
	Station	StB1-Station A		StB1-Station B		StB1-Station C		StB1-Station D	
	Sample Date	6/10/2024		6/10/2024		6/10/2024		6/10/2024	
Parameter	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
Cl4-BZ#60	MG/KG	0.00094		0.00098		0.0015		0.0021	
Cl4-BZ#63	MG/KG	0.00066		0.00058		0.0010		0.0014	
Cl4-BZ#66	MG/KG	0.0072		0.0066		0.010		0.016	
Cl4-BZ#68/#64	MG/KG	0.0044		0.0045		0.0075		0.0084	
Cl4-BZ#70	MG/KG	0.0040		0.0035		0.0063		0.0068	
Cl4-BZ#71	MG/KG	0.0037		0.0040		0.0063		0.0057	
Cl4-BZ#73/#46	MG/KG	0.00051	J	0.00048	J	0.00097		0.00063	J
Cl4-BZ#74	MG/KG	0.0050		0.0048		0.0074		0.011	
Cl4-BZ#76	MG/KG	0.00038	U	0.00036	U	0.00039	U	0.00039	U
Cl4-BZ#77	MG/KG	0.00031	J	0.00027	J	0.00063		0.00051	
Cl4-BZ#81	MG/KG	0.00038	U	0.00036	U	0.00039	U	0.00039	U
Cl5-BZ#82	MG/KG	0.00074		0.00071		0.0012		0.0015	
Cl5-BZ#83/#125/#112	MG/KG	0.00086	J	0.00060	J	0.00099	J	0.0014	
Cl5-BZ#85	MG/KG	0.0025		0.0017		0.0029		0.0046	
Cl5-BZ#87/#111	MG/KG	0.0031		0.0025		0.0039		0.0062	
Cl5-BZ#89/#84	MG/KG	0.0026		0.0021		0.0039		0.0037	
Cl5-BZ#91	MG/KG	0.0040		0.0038		0.0058		0.0089	
Cl5-BZ#92	MG/KG	0.0053		0.0036		0.0061		0.0094	
Cl5-BZ#97	MG/KG	0.0058		0.0047		0.0074		0.012	
Cl5-BZ#99	MG/KG	0.019		0.013		0.024		0.037	
Cl5-BZ#100	MG/KG	0.00057		0.00054		0.00094		0.0013	
Cl5-BZ#101/#90	MG/KG	0.026		0.018		0.030		0.048	
Cl5-BZ#104	MG/KG	0.00038	U	0.00036	U	0.00039	U	0.00039	U
Cl5-BZ#105	MG/KG	0.0033		0.0020		0.0040		0.0059	
Cl5-BZ#107/#123	MG/KG	0.0029		0.0014		0.0029		0.0042	
Cl5-BZ#110	MG/KG	0.016		0.013		0.022		0.034	
Cl5-BZ#114	MG/KG	0.0010		0.00047		0.00092		0.0012	
Cl5-BZ#118	MG/KG	0.024		0.013		0.027		0.038	
Cl5-BZ#119	MG/KG	0.0016		0.0013		0.0023		0.0034	
Cl5-BZ#121/#95/#88	MG/KG	0.0082		0.0068		0.011		0.014	
Cl5-BZ#124	MG/KG	0.00039		0.00027	J	0.00058		0.00087	
Cl5-BZ#126	MG/KG	0.00038	U	0.00036	U	0.00039	U	0.00039	U
Cl6-BZ#128	MG/KG	0.0043		0.0020		0.0045		0.0060	
Cl6-BZ#129/#158	MG/KG	0.0023		0.0013		0.0028		0.0040	
Cl6-BZ#130/#164	MG/KG	0.0025		0.0012		0.0024		0.0035	
Cl6-BZ#131	MG/KG	0.00038	U	0.00036	U	0.00031	J	0.00037	J
Cl6-BZ#132	MG/KG	0.0028		0.0018		0.0028		0.0045	
Cl6-BZ#134	MG/KG	0.00065		0.00040		0.00076		0.0010	
Cl6-BZ#135	MG/KG	0.0015		0.00089		0.0015		0.0020	
Cl6-BZ#136	MG/KG	0.0014		0.00094		0.0015		0.0023	
Cl6-BZ#137	MG/KG	0.00081		0.00051		0.0011		0.0014	
Cl6-BZ#138	MG/KG	0.020		0.0076		0.018		0.023	
Cl6-BZ#141	MG/KG	0.0013		0.00083		0.0015		0.0022	
Cl6-BZ#144	MG/KG	0.00049		0.00024	J	0.00061		0.00072	
Cl6-BZ#146	MG/KG	0.0078		0.0030		0.0067		0.0083	
Cl6-BZ#147/#149	MG/KG	0.014		0.0084		0.016		0.024	
Cl6-BZ#151	MG/KG	0.0033		0.0017		0.0030		0.0047	
Cl6-BZ#153	MG/KG	0.045		0.017		0.040		0.049	

Created by: KLD 4/1/2025
Checked by: AP 4/9/2025

TABLE 11a - SUMMARY OF SAMPLE DATA FOR STRIPED BASS (MG/KG WET WEIGHT) AREA 1 - 2024

	Sample#	AI-A-SB-FF		AI-B-SB-FF		AI-C-SB-FF		AI-D-SB-FF	
	Species	Striped Bass		Striped Bass		Striped Bass		Striped Bass	
	Species Type	TIS		TIS		TIS		TIS	
	Area	1		1		1		1	
	Station	StB1-Station A		StB1-Station B		StB1-Station C		StB1-Station D	
	Sample Date	6/10/2024		6/10/2024		6/10/2024		6/10/2024	
Parameter	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
Cl6-BZ#154	MG/KG	0.0014		0.00069		0.0015		0.0020	
Cl6-BZ#155	MG/KG	0.00038	U	0.00036	U	0.00039	U	0.00039	U
Cl6-BZ#156	MG/KG	0.0019		0.00082		0.0020		0.0025	
Cl6-BZ#157	MG/KG	0.00073		0.00038		0.00065		0.00083	
Cl6-BZ#163/#160	MG/KG	0.0083		0.0038		0.0076		0.011	
Cl6-BZ#167	MG/KG	0.0014		0.00051		0.0013		0.0016	
Cl6-BZ#168	MG/KG	0.00038	U	0.00036	U	0.00039	U	0.00039	U
Cl6-BZ#169	MG/KG	0.00038	U	0.00036	U	0.00039	U	0.00039	U
Cl7-BZ#170	MG/KG	0.0026		0.0010		0.0023		0.0027	
Cl7-BZ#171	MG/KG	0.00084		0.00043		0.00092		0.0010	
Cl7-BZ#172	MG/KG	0.00058		0.00025	J	0.00057		0.00065	
Cl7-BZ#173	MG/KG	0.00038	U	0.00036	U	0.00039	U	0.00039	U
Cl7-BZ#174	MG/KG	0.00097		0.00046		0.00083		0.0012	
Cl7-BZ#176	MG/KG	0.00028	J	0.00036	U	0.00022	J	0.00033	J
Cl7-BZ#177	MG/KG	0.0018		0.00076		0.0013		0.0017	
Cl7-BZ#178	MG/KG	0.0012		0.00055		0.00088		0.0011	
Cl7-BZ#180	MG/KG	0.0060		0.0022		0.0047		0.0057	
Cl7-BZ#182/#175	MG/KG	0.00076	U	0.00072	U	0.00079	U	0.00078	U
Cl7-BZ#183	MG/KG	0.0023		0.00096		0.0019		0.0023	
Cl7-BZ#184	MG/KG	0.00038	U	0.00036	U	0.00039	U	0.00039	U
Cl7-BZ#185	MG/KG	0.00038	U	0.00036	U	0.00039	U	0.00039	U
Cl7-BZ#187	MG/KG	0.0076		0.0029		0.0055		0.0069	
Cl7-BZ#188	MG/KG	0.00038	U	0.00036	U	0.00039	U	0.00039	U
Cl7-BZ#189	MG/KG	0.00038	U	0.00036	U	0.00039	U	0.00039	U
Cl7-BZ#190	MG/KG	0.00048		0.00030	J	0.00048		0.00053	
Cl7-BZ#191	MG/KG	0.00038	U	0.00036	U	0.00039	U	0.00039	U
Cl7-BZ#193	MG/KG	0.00046		0.00019	J	0.00033	J	0.00038	J
Cl8-BZ#194	MG/KG	0.0013		0.00055		0.00089		0.0011	
Cl8-BZ#195	MG/KG	0.00039		0.00036	U	0.00039	U	0.00037	J
Cl8-BZ#196	MG/KG	0.00087		0.00028	J	0.00052		0.00064	
Cl8-BZ#197	MG/KG	0.00038	U	0.00036	U	0.00039	U	0.00039	U
Cl8-BZ#199	MG/KG	0.00038	U	0.00036	U	0.00039	U	0.00039	U
Cl8-BZ#201	MG/KG	0.0022		0.00084		0.0014		0.0018	
Cl8-BZ#202	MG/KG	0.0010		0.00046		0.00067		0.00080	
Cl8-BZ#203	MG/KG	0.0010		0.00038		0.00060		0.00083	
Cl8-BZ#204/#200	MG/KG	0.00045	J	0.00072	U	0.00079	U	0.00078	U
Cl8-BZ#205	MG/KG	0.00038	U	0.00036	U	0.00039	U	0.00039	U
Cl9-BZ#206	MG/KG	0.0015		0.00056		0.00082		0.0011	
Cl9-BZ#207	MG/KG	0.00027	J	0.00036	U	0.00039	U	0.00039	U
Cl9-BZ#208	MG/KG	0.00082		0.00036	J	0.00046		0.00070	
Cl10-BZ#209	MG/KG	0.0012		0.00056		0.00047		0.00089	

Created by: KLD 4/1/2025
Checked by: AP 4/9/2025

TABLE 11b - SUMMARY OF SAMPLE DATA FOR STRIPED BASS (MG/KG WET WEIGHT) AREA 2 - 2024

		Sample#	AII-A-SB-FF		AII-B-SB-FF	
		Species	Striped Bass		Striped Bass	
		Species Type	TIS		TIS	
		Area	2		2	
		Station	StB2-Station A		StB2-Station B	
		Sample Date	6/12/2024		6/26/2024	
Parameter	**Units**		Result	Qualifier	Result	Qualifier
Lipids	PERCENT		0.99		1.2	
Total PCB Congeners[1]	MG/KG		0.22	J3	0.62	J3
Total PCB Congeners Hits[2]	MG/KG		0.21		0.61	
Total NOAA Congeners[3]	MG/KG		0.11	J4	0.28	J4
Total WHO Congeners[4]	MG/KG		0.020	J3	0.055	J3
Total NOAA / WHO Combined[5]	MG/KG		0.11	J4	0.29	J4
Cl1-BZ#1	MG/KG		0.00040	U	0.00038	U
Cl1-BZ#3	MG/KG		0.00040	U	0.00038	U
Cl2-BZ#4/#10	MG/KG		0.00055	J	0.00058	J
Cl2-BZ#5	MG/KG		0.00040	U	0.00038	U
Cl2-BZ#6	MG/KG		0.00076		0.00082	
Cl2-BZ#7	MG/KG		0.00040	U	0.00038	U
Cl2-BZ#8	MG/KG		0.00074		0.00084	
Cl2-BZ#12	MG/KG		0.00040	U	0.00038	U
Cl2-BZ#13	MG/KG		0.00079	U	0.00075	U
Cl2-BZ#15	MG/KG		0.00040	U	0.00038	U
Cl3-BZ#16	MG/KG		0.00046		0.00038	U
Cl3-BZ#17	MG/KG		0.0016		0.0020	
Cl3-BZ#18	MG/KG		0.0033		0.0037	
Cl3-BZ#19	MG/KG		0.00048		0.00052	
Cl3-BZ#21/#20	MG/KG		0.00079	U	0.00075	U
Cl3-BZ#22	MG/KG		0.00052		0.00088	
Cl3-BZ#24	MG/KG		0.00040	U	0.00038	U
Cl3-BZ#25	MG/KG		0.00040	U	0.00038	U
Cl3-BZ#26	MG/KG		0.0037		0.0064	
Cl3-BZ#27	MG/KG		0.00073		0.00084	
Cl3-BZ#28	MG/KG		0.0047		0.0087	
Cl3-BZ#29	MG/KG		0.00040	U	0.00038	U
Cl3-BZ#31	MG/KG		0.0047		0.0065	
Cl3-BZ#32	MG/KG		0.0013		0.0018	
Cl3-BZ#33	MG/KG		0.00040	U	0.00038	U
Cl3-BZ#37	MG/KG		0.00025	J	0.00038	U
Cl4-BZ#40	MG/KG		0.00036	J	0.00049	
Cl4-BZ#41	MG/KG		0.00040	U	0.00038	U
Cl4-BZ#42	MG/KG		0.00079		0.0032	
Cl4-BZ#43	MG/KG		0.00040	U	0.00020	J
Cl4-BZ#44	MG/KG		0.0020		0.0057	
Cl4-BZ#45	MG/KG		0.00023	J	0.00039	
Cl4-BZ#47	MG/KG		0.0023		0.013	
Cl4-BZ#48	MG/KG		0.00021	J	0.00080	
Cl4-BZ#49	MG/KG		0.0061		0.031	
Cl4-BZ#50	MG/KG		0.00040	U	0.00038	U
Cl4-BZ#51	MG/KG		0.00048		0.0013	
Cl4-BZ#52	MG/KG		0.0094		0.033	
Cl4-BZ#53	MG/KG		0.0011		0.0022	
Cl4-BZ#54	MG/KG		0.00040	U	0.00038	U
Cl4-BZ#56	MG/KG		0.00060		0.0025	

TABLE 11b - SUMMARY OF SAMPLE DATA FOR STRIPED BASS (MG/KG WET WEIGHT) AREA 2 - 2024

		Sample#	AII-A-SB-FF		AII-B-SB-FF	
		Species	Striped Bass		Striped Bass	
		Species Type	TIS		TIS	
		Area	2		2	
		Station	StB2-Station A		StB2-Station B	
		Sample Date	6/12/2024		6/26/2024	
Parameter	**Units**		Result	Qualifier	Result	Qualifier
Cl4-BZ#60	MG/KG		0.00029	J	0.0012	
Cl4-BZ#63	MG/KG		0.00028	J	0.0010	
Cl4-BZ#66	MG/KG		0.0021		0.011	
Cl4-BZ#68/#64	MG/KG		0.0012		0.0052	
Cl4-BZ#70	MG/KG		0.0012		0.0052	
Cl4-BZ#71	MG/KG		0.00093		0.0039	
Cl4-BZ#73/#46	MG/KG		0.00079	U	0.00075	U
Cl4-BZ#74	MG/KG		0.0017		0.0080	
Cl4-BZ#76	MG/KG		0.00040	U	0.00038	U
Cl4-BZ#77	MG/KG		0.00040	U	0.00038	U
Cl4-BZ#81	MG/KG		0.00040	U	0.00038	U
Cl5-BZ#82	MG/KG		0.00027	J	0.0010	
Cl5-BZ#83/#125/#112	MG/KG		0.0012	U	0.0012	
Cl5-BZ#85	MG/KG		0.00096		0.0045	
Cl5-BZ#87/#111	MG/KG		0.0013		0.0050	
Cl5-BZ#89/#84	MG/KG		0.00097		0.0021	
Cl5-BZ#91	MG/KG		0.0014		0.0075	
Cl5-BZ#92	MG/KG		0.0022		0.0092	
Cl5-BZ#97	MG/KG		0.0019		0.011	
Cl5-BZ#99	MG/KG		0.0093		0.041	
Cl5-BZ#100	MG/KG		0.00034	J	0.0016	
Cl5-BZ#101/#90	MG/KG		0.010		0.047	
Cl5-BZ#104	MG/KG		0.00040	U	0.00038	U
Cl5-BZ#105	MG/KG		0.0015		0.0050	
Cl5-BZ#107/#123	MG/KG		0.0015		0.0037	
Cl5-BZ#110	MG/KG		0.0048		0.028	
Cl5-BZ#114	MG/KG		0.00073		0.0014	
Cl5-BZ#118	MG/KG		0.012		0.038	
Cl5-BZ#119	MG/KG		0.00085		0.0044	
Cl5-BZ#121/#95/#88	MG/KG		0.0027		0.010	
Cl5-BZ#124	MG/KG		0.00040	U	0.00072	
Cl5-BZ#126	MG/KG		0.00040	U	0.00038	U
Cl6-BZ#128	MG/KG		0.0025		0.0062	
Cl6-BZ#129/#158	MG/KG		0.0018		0.0050	
Cl6-BZ#130/#164	MG/KG		0.0012		0.0037	
Cl6-BZ#131	MG/KG		0.00040	U	0.00043	
Cl6-BZ#132	MG/KG		0.0012		0.0036	
Cl6-BZ#134	MG/KG		0.00032	J	0.0011	
Cl6-BZ#135	MG/KG		0.00063		0.0016	
Cl6-BZ#136	MG/KG		0.00055		0.0024	
Cl6-BZ#137	MG/KG		0.00075		0.0017	
Cl6-BZ#138	MG/KG		0.012		0.028	
Cl6-BZ#141	MG/KG		0.00070		0.0023	
Cl6-BZ#144	MG/KG		0.00026	J	0.00086	
Cl6-BZ#146	MG/KG		0.0054		0.010	
Cl6-BZ#147/#149	MG/KG		0.0059		0.024	
Cl6-BZ#151	MG/KG		0.0016		0.0051	
Cl6-BZ#153	MG/KG		0.033		0.064	

Created by: KLD 4/1/2025
Checked by: AP 4/9/2025

TABLE 11b - SUMMARY OF SAMPLE DATA FOR STRIPED BASS (MG/KG WET WEIGHT) AREA 2 - 2024

		Sample#	AII-A-SB-FF		AII-B-SB-FF	
		Species	Striped Bass		Striped Bass	
		Species Type	TIS		TIS	
		Area	2		2	
		Station	StB2-Station A		StB2-Station B	
		Sample Date	6/12/2024		6/26/2024	
Parameter	**Units**		Result	Qualifier	Result	Qualifier
Cl6-BZ#154	MG/KG		0.00094		0.0029	
Cl6-BZ#155	MG/KG		0.00040	U	0.00038	U
Cl6-BZ#156	MG/KG		0.0013		0.0030	
Cl6-BZ#157	MG/KG		0.00039	J	0.00087	
Cl6-BZ#163/#160	MG/KG		0.0059		0.013	
Cl6-BZ#167	MG/KG		0.0011		0.0021	
Cl6-BZ#168	MG/KG		0.00040	U	0.00038	U
Cl6-BZ#169	MG/KG		0.00040	U	0.00038	U
Cl7-BZ#170	MG/KG		0.0019		0.0036	
Cl7-BZ#171	MG/KG		0.00071		0.0014	
Cl7-BZ#172	MG/KG		0.00043		0.00084	
Cl7-BZ#173	MG/KG		0.00040	U	0.00038	U
Cl7-BZ#174	MG/KG		0.00036	J	0.00096	
Cl7-BZ#176	MG/KG		0.00040	U	0.00030	J
Cl7-BZ#177	MG/KG		0.00089		0.0019	
Cl7-BZ#178	MG/KG		0.00063		0.0012	
Cl7-BZ#180	MG/KG		0.0043		0.0084	
Cl7-BZ#182/#175	MG/KG		0.00079	U	0.00075	U
Cl7-BZ#183	MG/KG		0.0015		0.0029	
Cl7-BZ#184	MG/KG		0.00040	U	0.00038	U
Cl7-BZ#185	MG/KG		0.00040	U	0.00022	J
Cl7-BZ#187	MG/KG		0.0051		0.0087	
Cl7-BZ#188	MG/KG		0.00040	U	0.00038	U
Cl7-BZ#189	MG/KG		0.00040	U	0.00036	J
Cl7-BZ#190	MG/KG		0.00044		0.00080	
Cl7-BZ#191	MG/KG		0.00040	U	0.00023	J
Cl7-BZ#193	MG/KG		0.00034	J	0.00055	
Cl8-BZ#194	MG/KG		0.00090		0.0016	
Cl8-BZ#195	MG/KG		0.00026	J	0.00047	
Cl8-BZ#196	MG/KG		0.00051		0.00083	
Cl8-BZ#197	MG/KG		0.00040	U	0.00038	U
Cl8-BZ#199	MG/KG		0.00040	U	0.00038	U
Cl8-BZ#201	MG/KG		0.0015		0.0020	
Cl8-BZ#202	MG/KG		0.00068		0.00080	
Cl8-BZ#203	MG/KG		0.00067		0.0011	
Cl8-BZ#204/#200	MG/KG		0.00079	U	0.00042	J
Cl8-BZ#205	MG/KG		0.00040	U	0.00038	U
Cl9-BZ#206	MG/KG		0.00098		0.0014	
Cl9-BZ#207	MG/KG		0.00022	J	0.00026	J
Cl9-BZ#208	MG/KG		0.00064		0.00076	
Cl10-BZ#209	MG/KG		0.00084		0.0010	

TABLE 11c - SUMMARY OF SAMPLE DATA FOR STRIPED BASS (MG/KG WET WEIGHT) AREA 3 - 2024

	Sample#	AIII-A-SB-FF		AIII-B-SB-FF		AIII-C-SB-FF		AIII-D-SB-FF		AIII-E-SB-FF	
	Species	Striped Bass		Striped Bass		Striped Bass		Striped Bass		Striped Bass	
	Species Type	TIS		TIS		TIS		TIS		TIS	
	Area	3		3		3		3		3	
	Station	StB3-Station A		StB3-Station B		StB3-Station C		StB3-Station D		StB3-Station E	
	Sample Date	6/11/2024		6/11/2024		6/11/2024		6/11/2024		6/27/2024	
Parameter	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
Lipids	PERCENT	1.9		1.5		1.6		0.79		0.82	
Total PCB Congeners[1]	MG/KG	0.64	J4	0.13	J3	0.16	J3	0.17	J3	0.20	J3
Total PCB Congeners Hits[2]	MG/KG	0.64		0.12		0.15		0.16		0.19	
Total NOAA Congeners[3]	MG/KG	0.30	J4	0.060	J4	0.075	J4	0.077	J4	0.081	J4
Total WHO Congeners[4]	MG/KG	0.066	J4	0.012	J3	0.015	J3	0.020	J3	0.011	J3
Total NOAA / WHO Combined[5]	MG/KG	0.32	J4	0.064	J3	0.080	J3	0.083	J3	0.085	J3
Cl1-BZ#1	MG/KG	0.00034	U	0.00035	U	0.00039	U	0.00036	U	0.00037	U
Cl1-BZ#3	MG/KG	0.00034	U	0.00035	U	0.00039	U	0.00036	U	0.00037	U
Cl2-BZ#4/#10	MG/KG	0.0024		0.00071	U	0.00078	U	0.00072	U	0.00053	J
Cl2-BZ#5	MG/KG	0.00034	U	0.00035	U	0.00039	U	0.00036	U	0.00037	U
Cl2-BZ#6	MG/KG	0.0024		0.00035	U	0.00039	U	0.00036	U	0.00073	
Cl2-BZ#7	MG/KG	0.00034	U	0.00035	U	0.00039	U	0.00036	U	0.00037	U
Cl2-BZ#8	MG/KG	0.0024		0.00035	U	0.00039	U	0.00036	U	0.00073	
Cl2-BZ#12	MG/KG	0.00034	U	0.00035	U	0.00039	U	0.00036	U	0.00037	U
Cl2-BZ#13	MG/KG	0.00067	U	0.00071	U	0.00078	U	0.00072	U	0.00075	U
Cl2-BZ#15	MG/KG	0.00067		0.00035	U	0.00039	U	0.00036	U	0.00037	U
Cl3-BZ#16	MG/KG	0.00055		0.00035	U	0.00039	U	0.00036	U	0.00037	U
Cl3-BZ#17	MG/KG	0.0034		0.00037		0.00046		0.00036	U	0.0027	
Cl3-BZ#18	MG/KG	0.0076		0.00070		0.00070		0.00021	J	0.0053	
Cl3-BZ#19	MG/KG	0.0014		0.00035	U	0.00039	U	0.00036	U	0.00066	
Cl3-BZ#21/#20	MG/KG	0.00067	U	0.00071	U	0.00078	U	0.00072	U	0.00075	U
Cl3-BZ#22	MG/KG	0.00090		0.00035	U	0.00039	U	0.00036	U	0.00073	
Cl3-BZ#24	MG/KG	0.00034	U	0.00035	U	0.00039	U	0.00036	U	0.00037	U
Cl3-BZ#25	MG/KG	0.00034	U	0.00035	U	0.00039	U	0.00036	U	0.00037	U
Cl3-BZ#26	MG/KG	0.0072		0.00034	J	0.0017		0.00034	J	0.0073	
Cl3-BZ#27	MG/KG	0.0017		0.00035	U	0.00039	U	0.00036	U	0.0013	
Cl3-BZ#28	MG/KG	0.0081		0.00073		0.0023		0.00057		0.0079	
Cl3-BZ#29	MG/KG	0.00034	U	0.00035	U	0.00039	U	0.00036	U	0.00037	U
Cl3-BZ#31	MG/KG	0.0074		0.00038		0.0014		0.00036	U	0.0075	
Cl3-BZ#32	MG/KG	0.0030		0.00035	U	0.00042		0.00036	U	0.0025	
Cl3-BZ#33	MG/KG	0.00034	U	0.00035	U	0.00039	U	0.00036	U	0.00037	U
Cl3-BZ#37	MG/KG	0.00034	U	0.00035	U	0.00039	U	0.00036	U	0.00037	U
Cl4-BZ#40	MG/KG	0.00045		0.00035	U	0.00027	J	0.00036	U	0.00041	
Cl4-BZ#41	MG/KG	0.00034	U	0.00035	U	0.00039	U	0.00036	U	0.00037	U
Cl4-BZ#42	MG/KG	0.0024		0.00032	J	0.00079		0.00051		0.0016	
Cl4-BZ#43	MG/KG	0.00034	U	0.00035	U	0.00039	U	0.00036	U	0.00037	U
Cl4-BZ#44	MG/KG	0.0043		0.00064		0.0013		0.00094		0.0035	
Cl4-BZ#45	MG/KG	0.00038		0.00035	U	0.00039	U	0.00036	U	0.00040	
Cl4-BZ#47	MG/KG	0.011		0.00073		0.0022		0.0018		0.0045	
Cl4-BZ#48	MG/KG	0.00063		0.00035	U	0.00035	J	0.00036	U	0.00054	
Cl4-BZ#49	MG/KG	0.025		0.0013		0.0056		0.0034		0.013	
Cl4-BZ#50	MG/KG	0.00034	U	0.00035	U	0.00039	U	0.00036	U	0.00037	U
Cl4-BZ#51	MG/KG	0.0012		0.00035	U	0.00041		0.00036	U	0.0011	
Cl4-BZ#52	MG/KG	0.026		0.0017		0.0067		0.0041		0.016	
Cl4-BZ#53	MG/KG	0.0020		0.00021	J	0.00057		0.00027	J	0.0024	
Cl4-BZ#54	MG/KG	0.00034	U	0.00035	U	0.00039	U	0.00036	U	0.00037	U
Cl4-BZ#56	MG/KG	0.0022		0.00035	J	0.00069		0.00054		0.00083	
Cl4-BZ#60	MG/KG	0.00096		0.00035	U	0.00023	J	0.00028	J	0.00042	
Cl4-BZ#63	MG/KG	0.00088		0.00018	J	0.00021	J	0.00033	J	0.00029	J
Cl4-BZ#66	MG/KG	0.0095		0.0013		0.0021		0.0025		0.0031	
Cl4-BZ#68/#64	MG/KG	0.0041		0.00046	J	0.00099		0.00088		0.0022	
Cl4-BZ#70	MG/KG	0.0034		0.00061		0.0011		0.00090		0.0018	
Cl4-BZ#71	MG/KG	0.0031		0.00039		0.0011		0.00054		0.0024	

Created by: KLD 4/1/2025
Checked by: AP 4/3/2025

TABLE 11c - SUMMARY OF SAMPLE DATA FOR STRIPED BASS (MG/KG WET WEIGHT) AREA 3 - 2024

	Sample#	AIII-A-SB-FF		AIII-B-SB-FF		AIII-C-SB-FF		AIII-D-SB-FF		AIII-E-SB-FF	
	Species	Striped Bass		Striped Bass		Striped Bass		Striped Bass		Striped Bass	
	Species Type	TIS		TIS		TIS		TIS		TIS	
	Area	3		3		3		3		3	
	Station	StB3-Station A		StB3-Station B		StB3-Station C		StB3-Station D		StB3-Station E	
	Sample Date	6/11/2024		6/11/2024		6/11/2024		6/11/2024		6/27/2024	
Parameter	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
Cl4-BZ#73/#46	MG/KG	0.00037	J	0.00071	U	0.00078	U	0.00072	U	0.00075	U
Cl4-BZ#74	MG/KG	0.0066		0.00084		0.0013		0.0015		0.0020	
Cl4-BZ#76	MG/KG	0.00034	U	0.00035	U	0.00039	U	0.00036	U	0.00037	U
Cl4-BZ#77	MG/KG	0.00019	J	0.00035	U	0.00039	U	0.00036	U	0.00037	U
Cl4-BZ#81	MG/KG	0.00034	U	0.00035	U	0.00039	U	0.00036	U	0.00037	U
Cl5-BZ#82	MG/KG	0.00083		0.00022	J	0.00031	J	0.00037		0.00037	U
Cl5-BZ#83/#125/#112	MG/KG	0.00084	J	0.0011	U	0.0012	U	0.0011	U	0.0011	U
Cl5-BZ#85	MG/KG	0.0049		0.00084		0.0011		0.0014		0.00096	
Cl5-BZ#87/#111	MG/KG	0.0050		0.00093		0.0012		0.0014		0.0011	
Cl5-BZ#89/#84	MG/KG	0.0014		0.00051	J	0.00068	J	0.00062	J	0.0012	
Cl5-BZ#91	MG/KG	0.0062		0.00065		0.0013		0.0016		0.0017	
Cl5-BZ#92	MG/KG	0.0097		0.0011		0.0017		0.0025		0.0017	
Cl5-BZ#97	MG/KG	0.011		0.0014		0.0021		0.0026		0.0023	
Cl5-BZ#99	MG/KG	0.046		0.0060		0.0075		0.011		0.0069	
Cl5-BZ#100	MG/KG	0.0018		0.00020	J	0.00023	J	0.00034	J	0.00027	J
Cl5-BZ#101/#90	MG/KG	0.050		0.0061		0.0092		0.012		0.0087	
Cl5-BZ#104	MG/KG	0.00034	U	0.00035	U	0.00039	U	0.00036	U	0.00037	U
Cl5-BZ#105	MG/KG	0.0056		0.0011		0.0013		0.0018		0.0010	
Cl5-BZ#107/#123	MG/KG	0.0048		0.00085		0.0013		0.0016		0.00085	
Cl5-BZ#110	MG/KG	0.027		0.0028		0.0044		0.0067		0.0058	
Cl5-BZ#114	MG/KG	0.0017		0.00036		0.00044		0.00045		0.00025	J
Cl5-BZ#118	MG/KG	0.046		0.0073		0.0087		0.013		0.0064	
Cl5-BZ#119	MG/KG	0.0046		0.00048		0.00057		0.00081		0.00058	
Cl5-BZ#121/#95/#88	MG/KG	0.0084		0.0012		0.0020		0.0024		0.0033	
Cl5-BZ#124	MG/KG	0.00072		0.00019	J	0.00039	U	0.00023	J	0.00037	U
Cl5-BZ#126	MG/KG	0.00020	J	0.00035	U	0.00039	U	0.00036	U	0.00037	U
Cl6-BZ#128	MG/KG	0.0080		0.0017		0.0020		0.0028		0.0014	
Cl6-BZ#129/#158	MG/KG	0.0052		0.0010		0.00099		0.0015		0.00075	
Cl6-BZ#130/#164	MG/KG	0.0037		0.00089		0.0010		0.0014		0.00069	J
Cl6-BZ#131	MG/KG	0.00035		0.00035	U	0.00039	U	0.00036	U	0.00037	U
Cl6-BZ#132	MG/KG	0.0031		0.00097		0.0011		0.0016		0.00083	
Cl6-BZ#134	MG/KG	0.00066		0.00027	J	0.00029	J	0.00036		0.00026	J
Cl6-BZ#135	MG/KG	0.0013		0.00052		0.00047		0.00072		0.00043	
Cl6-BZ#136	MG/KG	0.0014		0.00037		0.00049		0.00061		0.00049	
Cl6-BZ#137	MG/KG	0.0019		0.00044		0.00035	J	0.00058		0.00027	J
Cl6-BZ#138	MG/KG	0.034		0.0080		0.0086		0.010		0.0063	
Cl6-BZ#141	MG/KG	0.0024		0.00065		0.00060		0.00074		0.00054	
Cl6-BZ#144	MG/KG	0.00078		0.00023	J	0.00020	J	0.00024	J	0.00037	U
Cl6-BZ#146	MG/KG	0.012		0.0031		0.0040		0.0039		0.0024	
Cl6-BZ#147/#149	MG/KG	0.020		0.0042		0.0053		0.0075		0.0044	
Cl6-BZ#151	MG/KG	0.0052		0.0012		0.0016		0.0016		0.0010	
Cl6-BZ#153	MG/KG	0.077		0.018		0.021		0.023		0.013	
Cl6-BZ#154	MG/KG	0.0034		0.00066		0.00076		0.00069		0.00057	
Cl6-BZ#155	MG/KG	0.00034	U	0.00035	U	0.00039	U	0.00036	U	0.00037	U
Cl6-BZ#156	MG/KG	0.0039		0.00069		0.00085		0.0011		0.00049	
Cl6-BZ#157	MG/KG	0.0011		0.00031	J	0.00037	J	0.00043		0.00026	J
Cl6-BZ#163/#160	MG/KG	0.014		0.0027		0.0038		0.0047		0.0020	
Cl6-BZ#167	MG/KG	0.0024		0.00069		0.00060		0.00071		0.00040	
Cl6-BZ#168	MG/KG	0.00034	U	0.00035	U	0.00039	U	0.00036	U	0.00037	U
Cl6-BZ#169	MG/KG	0.00034	U	0.00035	U	0.00039	U	0.00036	U	0.00037	U
Cl7-BZ#170	MG/KG	0.0044		0.0015		0.0014		0.0012		0.00090	
Cl7-BZ#171	MG/KG	0.0014		0.00058		0.00063		0.00043		0.00038	
Cl7-BZ#172	MG/KG	0.00090		0.00041		0.00036	J	0.00034	J	0.00031	J
Cl7-BZ#173	MG/KG	0.00034	U	0.00035	U	0.00039	U	0.00036	U	0.00037	U
Cl7-BZ#174	MG/KG	0.00091		0.00057		0.00050		0.00043		0.00043	

Created by: KLD 4/1/2025
Checked by: AP 4/3/2025

TABLE 11c - SUMMARY OF SAMPLE DATA FOR STRIPED BASS (MG/KG WET WEIGHT) AREA 3 - 2024

		Sample#	AIII-A-SB-FF		AIII-B-SB-FF		AIII-C-SB-FF		AIII-D-SB-FF		AIII-E-SB-FF	
		Species	Striped Bass		Striped Bass		Striped Bass		Striped Bass		Striped Bass	
		Species Type	TIS		TIS		TIS		TIS		TIS	
		Area	3		3		3		3		3	
		Station	StB3-Station A		StB3-Station B		StB3-Station C		StB3-Station D		StB3-Station E	
		Sample Date	6/11/2024		6/11/2024		6/11/2024		6/11/2024		6/27/2024	
Parameter		**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
Cl7-BZ#176		MG/KG	0.00034	U	0.00019	J	0.00039	U	0.00036	U	0.00037	U
Cl7-BZ#177		MG/KG	0.0014		0.00096		0.00096		0.00077		0.00067	
Cl7-BZ#178		MG/KG	0.0012		0.00079		0.00081		0.00055		0.00052	
Cl7-BZ#180		MG/KG	0.0089		0.0039		0.0032		0.0022		0.0022	
Cl7-BZ#182/#175		MG/KG	0.00067	U	0.00071	U	0.00078	U	0.00072	U	0.00075	U
Cl7-BZ#183		MG/KG	0.0032		0.0015		0.0014		0.00094		0.00089	
Cl7-BZ#184		MG/KG	0.00034	U	0.00035	U	0.00039	U	0.00036	U	0.00037	U
Cl7-BZ#185		MG/KG	0.00018	J	0.00035	U	0.00039	U	0.00036	U	0.00037	U
Cl7-BZ#187		MG/KG	0.0092		0.0045		0.0046		0.0027		0.0032	
Cl7-BZ#188		MG/KG	0.00017	J	0.00035	U	0.00039	U	0.00036	U	0.00037	U
Cl7-BZ#189		MG/KG	0.00027	J	0.00035	U	0.00039	U	0.00036	U	0.00037	U
Cl7-BZ#190		MG/KG	0.00081		0.00031	J	0.00029	J	0.00019	J	0.00037	U
Cl7-BZ#191		MG/KG	0.00020	J	0.00035	U	0.00039	U	0.00036	U	0.00037	U
Cl7-BZ#193		MG/KG	0.00069		0.00024	J	0.00028	J	0.00023	J	0.00037	U
Cl8-BZ#194		MG/KG	0.0018		0.0010		0.00084		0.00035	J	0.00067	
Cl8-BZ#195		MG/KG	0.00049		0.00033	J	0.00021	J	0.00036	U	0.00037	U
Cl8-BZ#196		MG/KG	0.00095		0.00063		0.00051		0.00020	J	0.00044	
Cl8-BZ#197		MG/KG	0.00034	U	0.00035	U	0.00039	U	0.00036	U	0.00037	U
Cl8-BZ#199		MG/KG	0.00034	U	0.00035	U	0.00039	U	0.00036	U	0.00037	U
Cl8-BZ#201		MG/KG	0.0021		0.0019		0.0016		0.00055		0.00088	
Cl8-BZ#202		MG/KG	0.00080		0.0011		0.00076		0.00024	J	0.00053	
Cl8-BZ#203		MG/KG	0.0011		0.0010		0.00067		0.00024	J	0.00043	
Cl8-BZ#204/#200		MG/KG	0.00049	J	0.00053	J	0.00078	U	0.00072	U	0.00075	U
Cl8-BZ#205		MG/KG	0.00034	U	0.00035	U	0.00039	U	0.00036	U	0.00037	U
Cl9-BZ#206		MG/KG	0.0015		0.0016		0.0012		0.00030	J	0.00097	
Cl9-BZ#207		MG/KG	0.00025	J	0.00027	J	0.00039	U	0.00036	U	0.00037	U
Cl9-BZ#208		MG/KG	0.00066		0.00088		0.00068		0.00036	U	0.00051	
Cl10-BZ#209		MG/KG	0.00099		0.0014		0.00089		0.00036	U	0.00070	

Created by: KLD 4/1/2025
Checked by: AP 4/3/2025

TABLE 12a - SUMMARY OF SAMPLE DATA FOR STRIPED BASS STOMACH (MG/KG WET WEIGHT) AREA 1 - 2024

	Sample#	AI-A-SB-SC		AI-B-SB-SC		AI-C-SB-SC		AI-D-SB-SC	
	Species	Striped Bass Stomach		Striped Bass Stomach		Striped Bass Stomach		Striped Bass Stomach	
	Species Type	TIS		TIS		TIS		TIS	
	Area	1		1		1		1	
	Station	StB1-Station A		StB1-Station B		StB1-Station C		StB1-Station D	
	Sample Date	6/10/2024		6/10/2024		6/10/2024		6/10/2024	
Parameter	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
Lipids	PERCENT	0.76		0.87		0.97		0.90	
Total PCB Congeners[1]	MG/KG	0.076	J2	0.078	J2	0.084	J2	0.091	J2
Total PCB Congeners Hits[2]	MG/KG	0.063		0.063		0.071		0.078	
Total NOAA Congeners[3]	MG/KG	0.030	J4	0.027	J3	0.031	J3	0.034	J3
Total WHO Congeners[4]	MG/KG	0.0065	J2	0.0050	J2	0.0058	J2	0.0072	J2
Total NOAA / WHO Combined[5]	MG/KG	0.032	J3	0.029	J3	0.033	J3	0.036	J3
Cl1-BZ#1	MG/KG	0.00034	U	0.00035	U	0.00036	U	0.00036	U
Cl1-BZ#3	MG/KG	0.00034	U	0.00035	U	0.00036	U	0.00036	U
Cl2-BZ#4/#10	MG/KG	0.00069	U	0.00069	U	0.00037	J	0.00072	U
Cl2-BZ#5	MG/KG	0.00034	U	0.00035	U	0.00036	U	0.00036	U
Cl2-BZ#6	MG/KG	0.00022	J	0.00023	J	0.00041		0.00031	J
Cl2-BZ#7	MG/KG	0.00034	U	0.00035	U	0.00036	U	0.00036	U
Cl2-BZ#8	MG/KG	0.00023	J	0.00028	J	0.00044		0.00032	J
Cl2-BZ#12	MG/KG	0.00034	U	0.00035	U	0.00036	U	0.00036	U
Cl2-BZ#13	MG/KG	0.00069	U	0.00069	U	0.00072	U	0.00072	U
Cl2-BZ#15	MG/KG	0.00034	U	0.00035	U	0.00036	U	0.00036	U
Cl3-BZ#16	MG/KG	0.00034	U	0.00035	U	0.00036	U	0.00036	U
Cl3-BZ#17	MG/KG	0.00058		0.00080		0.0011		0.00067	
Cl3-BZ#18	MG/KG	0.0011		0.0015		0.0021		0.0013	
Cl3-BZ#19	MG/KG	0.00034	U	0.00035	U	0.00034	J	0.00025	J
Cl3-BZ#21/#20	MG/KG	0.00069	U	0.00069	U	0.00072	U	0.00072	U
Cl3-BZ#22	MG/KG	0.00034	U	0.00035	U	0.00046		0.00036	U
Cl3-BZ#24	MG/KG	0.00034	U	0.00035	U	0.00036	U	0.00036	U
Cl3-BZ#25	MG/KG	0.00034	U	0.00035	U	0.00036	U	0.00036	U
Cl3-BZ#26	MG/KG	0.0014		0.0023		0.0026		0.0017	
Cl3-BZ#27	MG/KG	0.00028	J	0.00035		0.00049		0.00027	J
Cl3-BZ#28	MG/KG	0.0018		0.0030		0.0033		0.0029	
Cl3-BZ#29	MG/KG	0.00034	U	0.00035	U	0.00036	U	0.00036	U
Cl3-BZ#31	MG/KG	0.00099		0.0024		0.0027		0.0017	
Cl3-BZ#32	MG/KG	0.00049		0.00083		0.00089		0.00060	
Cl3-BZ#33	MG/KG	0.00034	U	0.00035	U	0.00036	U	0.00036	U
Cl3-BZ#37	MG/KG	0.00034	U	0.00035	U	0.00036	U	0.00036	U
Cl4-BZ#40	MG/KG	0.00034	U	0.00035	U	0.00019	J	0.00036	U
Cl4-BZ#41	MG/KG	0.00034	U	0.00035	U	0.00036	U	0.00036	U
Cl4-BZ#42	MG/KG	0.00047		0.00069		0.00057		0.00062	
Cl4-BZ#43	MG/KG	0.00034	U	0.00035	U	0.00036	U	0.00036	U
Cl4-BZ#44	MG/KG	0.0010		0.0014		0.0015		0.0013	
Cl4-BZ#45	MG/KG	0.00034	U	0.00035	U	0.00022	J	0.00036	U
Cl4-BZ#47	MG/KG	0.0011		0.0018		0.0015		0.0019	
Cl4-BZ#48	MG/KG	0.00034	U	0.00020	J	0.00020	J	0.00025	J
Cl4-BZ#49	MG/KG	0.0029		0.0050		0.0042		0.0047	
Cl4-BZ#50	MG/KG	0.00034	U	0.00035	U	0.00036	U	0.00036	U
Cl4-BZ#51	MG/KG	0.00022	J	0.00036		0.00040		0.00025	J
Cl4-BZ#52	MG/KG	0.0040		0.0063		0.0059		0.0056	
Cl4-BZ#53	MG/KG	0.00042		0.00061		0.00070		0.00052	
Cl4-BZ#54	MG/KG	0.00034	U	0.00035	U	0.00036	U	0.00036	U
Cl4-BZ#56	MG/KG	0.00027	J	0.00039		0.00035	J	0.00041	

TABLE 12a - SUMMARY OF SAMPLE DATA FOR STRIPED BASS STOMACH (MG/KG WET WEIGHT) AREA 1 - 2024

		Sample#	AI-A-SB-SC		AI-B-SB-SC		AI-C-SB-SC		AI-D-SB-SC	
		Species	Striped Bass Stomach		Striped Bass Stomach		Striped Bass Stomach		Striped Bass Stomach	
		Species Type	TIS		TIS		TIS		TIS	
		Area	1		1		1		1	
		Station	StB1-Station A		StB1-Station B		StB1-Station C		StB1-Station D	
		Sample Date	6/10/2024		6/10/2024		6/10/2024		6/10/2024	
Parameter	**Units**		Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
Cl4-BZ#60	MG/KG		0.00034	U	0.00021	J	0.00020	J	0.00025	J
Cl4-BZ#63	MG/KG		0.00034	U	0.00023	J	0.00036	U	0.00019	J
Cl4-BZ#66	MG/KG		0.0011		0.0014		0.0012		0.0017	
Cl4-BZ#68/#64	MG/KG		0.00068	J	0.00098		0.00092		0.0010	
Cl4-BZ#70	MG/KG		0.00067		0.00080		0.00077		0.00071	
Cl4-BZ#71	MG/KG		0.00057		0.00078		0.00079		0.00072	
Cl4-BZ#73/#46	MG/KG		0.00069	U	0.00069	U	0.00072	U	0.00072	U
Cl4-BZ#74	MG/KG		0.00080		0.0010		0.00092		0.0013	
Cl4-BZ#76	MG/KG		0.00034	U	0.00035	U	0.00036	U	0.00036	U
Cl4-BZ#77	MG/KG		0.00034	U	0.00035	U	0.00036	U	0.00036	U
Cl4-BZ#81	MG/KG		0.00034	U	0.00035	U	0.00036	U	0.00036	U
Cl5-BZ#82	MG/KG		0.00034	U	0.00035	U	0.00036	U	0.00020	J
Cl5-BZ#83/#125/#112	MG/KG		0.0010	U	0.0010	U	0.0011	U	0.0011	U
Cl5-BZ#85	MG/KG		0.00039		0.00038		0.00035	J	0.00052	
Cl5-BZ#87/#111	MG/KG		0.00058	J	0.00056	J	0.00060	J	0.00075	
Cl5-BZ#89/#84	MG/KG		0.00055	J	0.00066	J	0.00073		0.00070	J
Cl5-BZ#91	MG/KG		0.00071		0.00081		0.00078		0.0011	
Cl5-BZ#92	MG/KG		0.00092		0.00080		0.00075		0.0011	
Cl5-BZ#97	MG/KG		0.00094		0.0011		0.00097		0.0014	
Cl5-BZ#99	MG/KG		0.0028		0.0026		0.0029		0.0040	
Cl5-BZ#100	MG/KG		0.00034	U	0.00035	U	0.00036	U	0.00021	J
Cl5-BZ#101/#90	MG/KG		0.0036		0.0033		0.0036		0.0052	
Cl5-BZ#104	MG/KG		0.00034	U	0.00035	U	0.00036	U	0.00036	U
Cl5-BZ#105	MG/KG		0.00053		0.00041		0.00046		0.00068	
Cl5-BZ#107/#123	MG/KG		0.00048	J	0.00069	U	0.00046	J	0.00049	J
Cl5-BZ#110	MG/KG		0.0026		0.0027		0.0028		0.0038	
Cl5-BZ#114	MG/KG		0.00021	J	0.00035	U	0.00036	U	0.00018	J
Cl5-BZ#118	MG/KG		0.0035		0.0026		0.0032		0.0042	
Cl5-BZ#119	MG/KG		0.00024	J	0.00031	J	0.00029	J	0.00039	
Cl5-BZ#121/#95/#88	MG/KG		0.0015		0.0016		0.0014		0.0016	
Cl5-BZ#124	MG/KG		0.00034	U	0.00035	U	0.00036	U	0.00036	U
Cl5-BZ#126	MG/KG		0.00034	U	0.00035	U	0.00036	U	0.00036	U
Cl6-BZ#128	MG/KG		0.00062		0.00034	J	0.00055		0.00070	
Cl6-BZ#129/#158	MG/KG		0.00041	J	0.00069	U	0.00038	J	0.00048	J
Cl6-BZ#130/#164	MG/KG		0.00043	J	0.00069	U	0.00037	J	0.00044	J
Cl6-BZ#131	MG/KG		0.00034	U	0.00035	U	0.00036	U	0.00036	U
Cl6-BZ#132	MG/KG		0.00048		0.00033	J	0.00045		0.00050	
Cl6-BZ#134	MG/KG		0.00034	U	0.00035	U	0.00036	U	0.00036	U
Cl6-BZ#135	MG/KG		0.00026	J	0.00021	J	0.00024	J	0.00026	J
Cl6-BZ#136	MG/KG		0.00024	J	0.00018	J	0.00022	J	0.00030	J
Cl6-BZ#137	MG/KG		0.00034	U	0.00035	U	0.00036	U	0.00021	J
Cl6-BZ#138	MG/KG		0.0030		0.0016		0.0021		0.0025	
Cl6-BZ#141	MG/KG		0.00024	J	0.00035	U	0.00019	J	0.00026	J
Cl6-BZ#144	MG/KG		0.00034	U	0.00035	U	0.00036	U	0.00036	U
Cl6-BZ#146	MG/KG		0.0011		0.00069		0.00083		0.00094	
Cl6-BZ#147/#149	MG/KG		0.0022		0.0017		0.0021		0.0026	
Cl6-BZ#151	MG/KG		0.00053		0.00034	J	0.00037		0.00060	
Cl6-BZ#153	MG/KG		0.0063		0.0033		0.0048		0.0053	

Created by: KLD 4/1/2025
Checked by: AP 4/9/2025

TABLE 12a - SUMMARY OF SAMPLE DATA FOR STRIPED BASS STOMACH (MG/KG WET WEIGHT) AREA 1 - 2024

		Sample#	AI-A-SB-SC		AI-B-SB-SC		AI-C-SB-SC		AI-D-SB-SC	
		Species	Striped Bass Stomach		Striped Bass Stomach		Striped Bass Stomach		Striped Bass Stomach	
		Species Type	TIS		TIS		TIS		TIS	
		Area	1		1		1		1	
		Station	StB1-Station A		StB1-Station B		StB1-Station C		StB1-Station D	
		Sample Date	6/10/2024		6/10/2024		6/10/2024		6/10/2024	
Parameter	**Units**		Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
Cl6-BZ#154	MG/KG		0.00021	J	0.00022	J	0.00036	U	0.00028	J
Cl6-BZ#155	MG/KG		0.00034	U	0.00035	U	0.00036	U	0.00036	U
Cl6-BZ#156	MG/KG		0.00034	J	0.00022	J	0.00020	J	0.00035	J
Cl6-BZ#157	MG/KG		0.00034	U	0.00035	U	0.00036	U	0.00036	U
Cl6-BZ#163/#160	MG/KG		0.0013		0.00076		0.00097		0.0012	
Cl6-BZ#167	MG/KG		0.00036		0.00035	U	0.00020	J	0.00020	J
Cl6-BZ#168	MG/KG		0.00034	U	0.00035	U	0.00036	U	0.00036	U
Cl6-BZ#169	MG/KG		0.00034	U	0.00035	U	0.00036	U	0.00036	U
Cl7-BZ#170	MG/KG		0.00037		0.00019	J	0.00038		0.00032	J
Cl7-BZ#171	MG/KG		0.00018	J	0.00035	U	0.00036	U	0.00036	U
Cl7-BZ#172	MG/KG		0.00034	U	0.00035	U	0.00036	U	0.00036	U
Cl7-BZ#173	MG/KG		0.00034	U	0.00035	U	0.00036	U	0.00036	U
Cl7-BZ#174	MG/KG		0.00034	U	0.00035	U	0.00036	U	0.00019	J
Cl7-BZ#176	MG/KG		0.00034	U	0.00035	U	0.00036	U	0.00036	U
Cl7-BZ#177	MG/KG		0.00032	J	0.00035	U	0.00036	U	0.00025	J
Cl7-BZ#178	MG/KG		0.00020	J	0.00035	U	0.00036	U	0.00036	U
Cl7-BZ#180	MG/KG		0.00078		0.00039		0.00051		0.00070	
Cl7-BZ#182/#175	MG/KG		0.00069	U	0.00069	U	0.00072	U	0.00072	U
Cl7-BZ#183	MG/KG		0.00039		0.00021	J	0.00024	J	0.00026	J
Cl7-BZ#184	MG/KG		0.00034	U	0.00035	U	0.00036	U	0.00036	U
Cl7-BZ#185	MG/KG		0.00034	U	0.00035	U	0.00036	U	0.00036	U
Cl7-BZ#187	MG/KG		0.0011		0.00058		0.00070		0.00085	
Cl7-BZ#188	MG/KG		0.00034	U	0.00035	U	0.00036	U	0.00036	U
Cl7-BZ#189	MG/KG		0.00034	U	0.00035	U	0.00036	U	0.00036	U
Cl7-BZ#190	MG/KG		0.00034	U	0.00035	U	0.00036	U	0.00036	U
Cl7-BZ#191	MG/KG		0.00034	U	0.00035	U	0.00036	U	0.00036	U
Cl7-BZ#193	MG/KG		0.00034	U	0.00035	U	0.00036	U	0.00036	U
Cl8-BZ#194	MG/KG		0.00034	U	0.00035	U	0.00036	U	0.00036	U
Cl8-BZ#195	MG/KG		0.00034	U	0.00035	U	0.00036	U	0.00036	U
Cl8-BZ#196	MG/KG		0.00034	U	0.00035	U	0.00036	U	0.00036	U
Cl8-BZ#197	MG/KG		0.00034	U	0.00035	U	0.00036	U	0.00036	U
Cl8-BZ#199	MG/KG		0.00034	U	0.00035	U	0.00036	U	0.00036	U
Cl8-BZ#201	MG/KG		0.00031	J	0.00035	U	0.00036	U	0.00018	J
Cl8-BZ#202	MG/KG		0.00034	U	0.00035	U	0.00036	U	0.00036	U
Cl8-BZ#203	MG/KG		0.00034	U	0.00035	U	0.00036	U	0.00036	U
Cl8-BZ#204/#200	MG/KG		0.00069	U	0.00069	U	0.00072	U	0.00072	U
Cl8-BZ#205	MG/KG		0.00034	U	0.00035	U	0.00036	U	0.00036	U
Cl9-BZ#206	MG/KG		0.00021	J	0.00035	U	0.00036	U	0.00036	U
Cl9-BZ#207	MG/KG		0.00034	U	0.00035	U	0.00036	U	0.00036	U
Cl9-BZ#208	MG/KG		0.00034	U	0.00035	U	0.00036	U	0.00036	U
Cl10-BZ#209	MG/KG		0.00020	J	0.00035	U	0.00036	U	0.00036	U

TABLE 12b - SUMMARY OF SAMPLE DATA FOR STRIPED BASS STOMACH (MG/KG WET WEIGHT) AREA 2 - 2024

	Sample#	AII-A-SB-SC		AII-B-SB-SC	
	Species	Striped Bass Stomach		Striped Bass Stomach	
	Species Type	TIS		TIS	
	Area	2		2	
	Station	StB2-Station A		StB2-Station B	
	Sample Date	6/12/2024		6/26/2024	
Parameter	**Units**	Result	Qualifier	Result	Qualifier
Lipids	PERCENT	1.2		1.6	
Total PCB Congeners[1]	MG/KG	0.31	J3	0.37	J2
Total PCB Congeners Hits[2]	MG/KG	0.29		0.31	
Total NOAA Congeners[3]	MG/KG	0.13	J4	0.14	J3
Total WHO Congeners[4]	MG/KG	0.030	J3	0.032	J2
Total NOAA / WHO Combined[5]	MG/KG	0.14	J3	0.15	J3
Cl1-BZ#1	MG/KG	0.00061	U	0.0016	U
Cl1-BZ#3	MG/KG	0.00061	U	0.0016	U
Cl2-BZ#4/#10	MG/KG	0.0012	U	0.0031	U
Cl2-BZ#5	MG/KG	0.00061	U	0.0016	U
Cl2-BZ#6	MG/KG	0.00054	J	0.0016	U
Cl2-BZ#7	MG/KG	0.00061	U	0.0016	U
Cl2-BZ#8	MG/KG	0.00076		0.00088	J
Cl2-BZ#12	MG/KG	0.00061	U	0.0016	U
Cl2-BZ#13	MG/KG	0.0012	U	0.0031	U
Cl2-BZ#15	MG/KG	0.00061	U	0.0016	U
Cl3-BZ#16	MG/KG	0.00061	U	0.0016	U
Cl3-BZ#17	MG/KG	0.0012		0.0017	
Cl3-BZ#18	MG/KG	0.0027		0.0027	
Cl3-BZ#19	MG/KG	0.00044	J	0.0016	U
Cl3-BZ#21/#20	MG/KG	0.0012	U	0.0031	U
Cl3-BZ#22	MG/KG	0.0013		0.0014	J
Cl3-BZ#24	MG/KG	0.00061	U	0.0016	U
Cl3-BZ#25	MG/KG	0.00061	U	0.0016	U
Cl3-BZ#26	MG/KG	0.0042		0.0042	
Cl3-BZ#27	MG/KG	0.00062		0.0016	U
Cl3-BZ#28	MG/KG	0.0050		0.0057	
Cl3-BZ#29	MG/KG	0.00061	U	0.0016	U
Cl3-BZ#31	MG/KG	0.0043		0.0036	
Cl3-BZ#32	MG/KG	0.0013		0.0014	J
Cl3-BZ#33	MG/KG	0.00061	U	0.0016	U
Cl3-BZ#37	MG/KG	0.00061	U	0.0016	U
Cl4-BZ#40	MG/KG	0.00052	J	0.0016	U
Cl4-BZ#41	MG/KG	0.00061	U	0.0016	U
Cl4-BZ#42	MG/KG	0.0013		0.0020	
Cl4-BZ#43	MG/KG	0.00061	U	0.0016	U
Cl4-BZ#44	MG/KG	0.0030		0.0037	
Cl4-BZ#45	MG/KG	0.00061	U	0.0016	U
Cl4-BZ#47	MG/KG	0.0038		0.0077	
Cl4-BZ#48	MG/KG	0.00061	U	0.0016	U
Cl4-BZ#49	MG/KG	0.0055		0.017	
Cl4-BZ#50	MG/KG	0.00061	U	0.0016	U
Cl4-BZ#51	MG/KG	0.00050	J	0.00090	J
Cl4-BZ#52	MG/KG	0.015		0.018	
Cl4-BZ#53	MG/KG	0.00099		0.0012	J
Cl4-BZ#54	MG/KG	0.00061	U	0.0016	U
Cl4-BZ#56	MG/KG	0.0011		0.0016	

TABLE 12b - SUMMARY OF SAMPLE DATA FOR STRIPED BASS STOMACH (MG/KG WET WEIGHT) AREA 2 - 2024

		Sample#	AII-A-SB-SC		AII-B-SB-SC	
		Species	Striped Bass Stomach		Striped Bass Stomach	
		Species Type	TIS		TIS	
		Area	2		2	
		Station	StB2-Station A		StB2-Station B	
		Sample Date	6/12/2024		6/26/2024	
Parameter	Units		Result	Qualifier	Result	Qualifier
Cl4-BZ#60	MG/KG		0.00089		0.0016	U
Cl4-BZ#63	MG/KG		0.00043	J	0.0016	U
Cl4-BZ#66	MG/KG		0.0044		0.0060	
Cl4-BZ#68/#64	MG/KG		0.0029		0.0030	J
Cl4-BZ#70	MG/KG		0.0024		0.0029	
Cl4-BZ#71	MG/KG		0.0016		0.0026	
Cl4-BZ#73/#46	MG/KG		0.0012	U	0.0031	U
Cl4-BZ#74	MG/KG		0.0037		0.0048	
Cl4-BZ#76	MG/KG		0.00061	U	0.0016	U
Cl4-BZ#77	MG/KG		0.00061	U	0.0016	U
Cl4-BZ#81	MG/KG		0.00061	U	0.0016	U
Cl5-BZ#82	MG/KG		0.00050	J	0.0016	U
Cl5-BZ#83/#125/#112	MG/KG		0.00098	J	0.0047	U
Cl5-BZ#85	MG/KG		0.0019		0.0023	
Cl5-BZ#87/#111	MG/KG		0.0017		0.0026	J
Cl5-BZ#89/#84	MG/KG		0.0020		0.0022	J
Cl5-BZ#91	MG/KG		0.0031		0.0043	
Cl5-BZ#92	MG/KG		0.0049		0.0051	
Cl5-BZ#97	MG/KG		0.0047		0.0064	
Cl5-BZ#99	MG/KG		0.016		0.021	
Cl5-BZ#100	MG/KG		0.00048	J	0.0016	U
Cl5-BZ#101/#90	MG/KG		0.018		0.024	
Cl5-BZ#104	MG/KG		0.00061	U	0.0016	U
Cl5-BZ#105	MG/KG		0.0033		0.0029	
Cl5-BZ#107/#123	MG/KG		0.0019		0.0019	J
Cl5-BZ#110	MG/KG		0.017		0.015	
Cl5-BZ#114	MG/KG		0.00084		0.00087	J
Cl5-BZ#118	MG/KG		0.019		0.019	
Cl5-BZ#119	MG/KG		0.0012		0.0027	
Cl5-BZ#121/#95/#88	MG/KG		0.0064		0.0055	
Cl5-BZ#124	MG/KG		0.00031	J	0.0016	U
Cl5-BZ#126	MG/KG		0.00061	U	0.0016	U
Cl6-BZ#128	MG/KG		0.0036		0.0037	
Cl6-BZ#129/#158	MG/KG		0.0024		0.0028	J
Cl6-BZ#130/#164	MG/KG		0.0024		0.0023	J
Cl6-BZ#131	MG/KG		0.00061	U	0.0016	U
Cl6-BZ#132	MG/KG		0.0031		0.0021	
Cl6-BZ#134	MG/KG		0.00077		0.0016	U
Cl6-BZ#135	MG/KG		0.0021		0.00091	J
Cl6-BZ#136	MG/KG		0.0011		0.0013	J
Cl6-BZ#137	MG/KG		0.00090		0.0011	J
Cl6-BZ#138	MG/KG		0.014		0.014	
Cl6-BZ#141	MG/KG		0.0012		0.0014	J
Cl6-BZ#144	MG/KG		0.00034	J	0.0016	U
Cl6-BZ#146	MG/KG		0.0054		0.0051	
Cl6-BZ#147/#149	MG/KG		0.015		0.012	
Cl6-BZ#151	MG/KG		0.0023		0.0029	
Cl6-BZ#153	MG/KG		0.033		0.029	

TABLE 12b - SUMMARY OF SAMPLE DATA FOR STRIPED BASS STOMACH (MG/KG WET WEIGHT) AREA 2 - 2024

		Sample#	AII-A-SB-SC		AII-B-SB-SC	
		Species	Striped Bass Stomach		Striped Bass Stomach	
		Species Type	TIS		TIS	
		Area	2		2	
		Station	StB2-Station A		StB2-Station B	
		Sample Date	6/12/2024		6/26/2024	
Parameter	**Units**		Result	Qualifier	Result	Qualifier
Cl6-BZ#154	MG/KG		0.0010		0.0017	
Cl6-BZ#155	MG/KG		0.00061	U	0.0016	U
Cl6-BZ#156	MG/KG		0.0016		0.0014	J
Cl6-BZ#157	MG/KG		0.00071		0.0016	U
Cl6-BZ#163/#160	MG/KG		0.0067		0.0060	
Cl6-BZ#167	MG/KG		0.0011		0.0013	J
Cl6-BZ#168	MG/KG		0.00061	U	0.0016	U
Cl6-BZ#169	MG/KG		0.00061	U	0.0016	U
Cl7-BZ#170	MG/KG		0.0020		0.0022	
Cl7-BZ#171	MG/KG		0.00075		0.00095	J
Cl7-BZ#172	MG/KG		0.00042	J	0.0016	U
Cl7-BZ#173	MG/KG		0.00061	U	0.0016	U
Cl7-BZ#174	MG/KG		0.00089		0.00094	J
Cl7-BZ#176	MG/KG		0.00061	U	0.0016	U
Cl7-BZ#177	MG/KG		0.0010		0.0012	J
Cl7-BZ#178	MG/KG		0.00061		0.0016	U
Cl7-BZ#180	MG/KG		0.0032		0.0035	
Cl7-BZ#182/#175	MG/KG		0.0012	U	0.0031	U
Cl7-BZ#183	MG/KG		0.0015		0.0013	J
Cl7-BZ#184	MG/KG		0.00061	U	0.0016	U
Cl7-BZ#185	MG/KG		0.00061	U	0.0016	U
Cl7-BZ#187	MG/KG		0.0042		0.0045	
Cl7-BZ#188	MG/KG		0.00061	U	0.0016	U
Cl7-BZ#189	MG/KG		0.00061	U	0.0016	U
Cl7-BZ#190	MG/KG		0.00036	J	0.0016	U
Cl7-BZ#191	MG/KG		0.00061	U	0.0016	U
Cl7-BZ#193	MG/KG		0.00061	U	0.0016	U
Cl8-BZ#194	MG/KG		0.00061	U	0.0016	U
Cl8-BZ#195	MG/KG		0.00061	U	0.0016	U
Cl8-BZ#196	MG/KG		0.00041	J	0.0016	U
Cl8-BZ#197	MG/KG		0.00061	U	0.0016	U
Cl8-BZ#199	MG/KG		0.00061	U	0.0016	U
Cl8-BZ#201	MG/KG		0.00094		0.0010	J
Cl8-BZ#202	MG/KG		0.00043	J	0.0016	U
Cl8-BZ#203	MG/KG		0.00041	J	0.0016	U
Cl8-BZ#204/#200	MG/KG		0.0012	U	0.0031	U
Cl8-BZ#205	MG/KG		0.00061	U	0.0016	U
Cl9-BZ#206	MG/KG		0.00040	J	0.0016	U
Cl9-BZ#207	MG/KG		0.00061	U	0.0016	U
Cl9-BZ#208	MG/KG		0.00037	J	0.0016	U
Cl10-BZ#209	MG/KG		0.00049	J	0.0016	U

TABLE 12c - SUMMARY OF SAMPLE DATA FOR STRIPED BASS STOMACH (MG/KG WET WEIGHT) AREA 3 - 2024

	Sample#	AIII-A-SB-SC		AIII-B-SB-SC		AIII-C-SB-SC		AIII-D-SB-SC		AIII-E-SB-SC	
	Species	Striped Bass Stomach		Striped Bass Stomach		Striped Bass Stomach		Striped Bass Stomach		Striped Bass Stomach	
	Species Type	TIS		TIS		TIS		TIS		TIS	
	Area	3		3		3		3		3	
	Station	StB3-Station A		StB3-Station B		StB3-Station C		StB3-Station D		StB3-Station E	
	Sample Date	6/11/2024		6/11/2024		6/11/2024		6/11/2024		6/27/2024	
Parameter	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
Lipids	PERCENT	2.8		1.5		1.2		2.7		0.83	
Total PCB Congeners[1]	MG/KG	0.29	J3	0.070	J2	0.045	J2	0.19	J3	0.37	J3
Total PCB Congeners Hits[2]	MG/KG	0.28		0.055		0.024		0.18		0.36	
Total NOAA Congeners[3]	MG/KG	0.12	J4	0.030	J3	0.014	J3	0.084	J4	0.19	J4
Total WHO Congeners[4]	MG/KG	0.028	J3	0.0067	J2	0.0039	J1	0.022	J3	0.045	J3
Total NOAA / WHO Combined[5]	MG/KG	0.13	J3	0.033	J3	0.016	J2	0.089	J3	0.20	J4
Cl1-BZ#1	MG/KG	0.00039	U	0.00038	U	0.00039	U	0.00039	U	0.00040	U
Cl1-BZ#3	MG/KG	0.00039	U	0.00038	U	0.00039	U	0.00039	U	0.00040	U
Cl2-BZ#4/#10	MG/KG	0.0016		0.00076	U	0.00077	U	0.00078	U	0.00080	U
Cl2-BZ#5	MG/KG	0.00039	U	0.00038	U	0.00039	U	0.00039	U	0.00040	U
Cl2-BZ#6	MG/KG	0.0016		0.00038	U	0.00039	U	0.00039	U	0.00037	J
Cl2-BZ#7	MG/KG	0.00039	U	0.00038	U	0.00039	U	0.00039	U	0.00040	U
Cl2-BZ#8	MG/KG	0.0023		0.00038	U	0.00039	U	0.00039	U	0.00058	
Cl2-BZ#12	MG/KG	0.00039	U	0.00038	U	0.00039	U	0.00039	U	0.00040	U
Cl2-BZ#13	MG/KG	0.00077	U	0.00076	U	0.00077	U	0.00078	U	0.00080	U
Cl2-BZ#15	MG/KG	0.00044		0.00038	U	0.00039	U	0.00039	U	0.00040	U
Cl3-BZ#16	MG/KG	0.00030	J	0.00038	U	0.00039	U	0.00039	U	0.00028	J
Cl3-BZ#17	MG/KG	0.0022		0.00038	U	0.00039	U	0.00022	J	0.0015	
Cl3-BZ#18	MG/KG	0.0047		0.00023	J	0.00039	U	0.00033	J	0.0024	
Cl3-BZ#19	MG/KG	0.00099		0.00038	U	0.00039	U	0.00039	U	0.00031	J
Cl3-BZ#21/#20	MG/KG	0.00077	U	0.00076	U	0.00077	U	0.00078	U	0.00080	U
Cl3-BZ#22	MG/KG	0.0015		0.00038	U	0.00023	J	0.00039	U	0.00082	
Cl3-BZ#24	MG/KG	0.00039	U	0.00038	U	0.00039	U	0.00039	U	0.00040	U
Cl3-BZ#25	MG/KG	0.00039	U	0.00038	U	0.00039	U	0.00039	U	0.00040	U
Cl3-BZ#26	MG/KG	0.0044		0.00019	J	0.00040		0.00061		0.0030	
Cl3-BZ#27	MG/KG	0.0011		0.00038	U	0.00039	U	0.00039	U	0.00065	
Cl3-BZ#28	MG/KG	0.0054		0.00042		0.00061		0.0011		0.0057	
Cl3-BZ#29	MG/KG	0.00039	U	0.00038	U	0.00039	U	0.00039	U	0.00040	U
Cl3-BZ#31	MG/KG	0.0049		0.00038	U	0.00039	U	0.00046		0.0029	
Cl3-BZ#32	MG/KG	0.0019		0.00038	U	0.00039	U	0.00025	J	0.0018	
Cl3-BZ#33	MG/KG	0.00039	U	0.00038	U	0.00039	U	0.00039	U	0.00022	J
Cl3-BZ#37	MG/KG	0.00039	U	0.00038	U	0.00039	U	0.00039	U	0.00044	
Cl4-BZ#40	MG/KG	0.00025	J	0.00038	U	0.00039	U	0.00039	U	0.00046	
Cl4-BZ#41	MG/KG	0.00039	U	0.00038	U	0.00039	U	0.00039	U	0.00040	U
Cl4-BZ#42	MG/KG	0.0014		0.00038	U	0.00022	J	0.00073		0.0012	
Cl4-BZ#43	MG/KG	0.00039	U	0.00038	U	0.00039	U	0.00039	U	0.00040	U
Cl4-BZ#44	MG/KG	0.0026		0.00039		0.00029	J	0.0014		0.0027	
Cl4-BZ#45	MG/KG	0.00037	J	0.00038	U	0.00039	U	0.00039	U	0.00034	J
Cl4-BZ#47	MG/KG	0.0056		0.00046		0.00047		0.0028		0.0063	
Cl4-BZ#48	MG/KG	0.00043		0.00038	U	0.00039	U	0.00022	J	0.00030	J
Cl4-BZ#49	MG/KG	0.013		0.00068		0.0011		0.0052		0.0078	
Cl4-BZ#50	MG/KG	0.00039	U	0.00038	U	0.00039	U	0.00039	U	0.00040	U
Cl4-BZ#51	MG/KG	0.00069		0.00038	U	0.00039	U	0.00039	U	0.00073	
Cl4-BZ#52	MG/KG	0.014		0.00086		0.0013		0.0061		0.0096	
Cl4-BZ#53	MG/KG	0.0014		0.00038	U	0.00039	U	0.00027	J	0.0012	
Cl4-BZ#54	MG/KG	0.00039	U	0.00038	U	0.00039	U	0.00039	U	0.00040	U
Cl4-BZ#56	MG/KG	0.0012		0.00023	J	0.00039	U	0.00069		0.00082	
Cl4-BZ#60	MG/KG	0.00078		0.00038	U	0.00039	U	0.00040		0.00066	
Cl4-BZ#63	MG/KG	0.00052		0.00038	U	0.00039	U	0.00038	J	0.00062	
Cl4-BZ#66	MG/KG	0.0056		0.00073		0.00045		0.0039		0.0074	
Cl4-BZ#68/#64	MG/KG	0.0024		0.00076	U	0.00077	U	0.0012		0.0029	
Cl4-BZ#70	MG/KG	0.0020		0.00028	J	0.00022	J	0.0014		0.0019	
Cl4-BZ#71	MG/KG	0.0020		0.00038	U	0.00025	J	0.00075		0.0020	

Created by: KLD 4/1/2025
Checked by: AP 4/3/2025

TABLE 12c - SUMMARY OF SAMPLE DATA FOR STRIPED BASS STOMACH (MG/KG WET WEIGHT) AREA 3 - 2024

		Sample#	AIII-A-SB-SC		AIII-B-SB-SC		AIII-C-SB-SC		AIII-D-SB-SC		AIII-E-SB-SC	
		Species	Striped Bass Stomach		Striped Bass Stomach		Striped Bass Stomach		Striped Bass Stomach		Striped Bass Stomach	
		Species Type	TIS		TIS		TIS		TIS		TIS	
		Area	3		3		3		3		3	
		Station	StB3-Station A		StB3-Station B		StB3-Station C		StB3-Station D		StB3-Station E	
		Sample Date	6/11/2024		6/11/2024		6/11/2024		6/11/2024		6/27/2024	
Parameter	**Units**		Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
Cl4-BZ#73/#46	MG/KG		0.00077	U	0.00076	U	0.00077	U	0.00078	U	0.00080	U
Cl4-BZ#74	MG/KG		0.0036		0.00046		0.00026	J	0.0022		0.0033	
Cl4-BZ#76	MG/KG		0.00039	U	0.00038	U	0.00039	U	0.00039	U	0.00040	U
Cl4-BZ#77	MG/KG		0.00039	U	0.00038	U	0.00039	U	0.00039	U	0.00034	J
Cl4-BZ#81	MG/KG		0.00039	U	0.00038	U	0.00039	U	0.00039	U	0.00040	U
Cl5-BZ#82	MG/KG		0.00058		0.00038	U	0.00039	U	0.00045		0.00040	U
Cl5-BZ#83/#125/#112	MG/KG		0.00062	J	0.0011	U	0.0012	U	0.0012	U	0.00098	J
Cl5-BZ#85	MG/KG		0.0022		0.00054		0.00022	J	0.0019		0.0054	
Cl5-BZ#87/#111	MG/KG		0.0024		0.00053	J	0.00077	U	0.0018		0.0012	
Cl5-BZ#89/#84	MG/KG		0.0012		0.00044	J	0.00077	U	0.00087		0.0012	
Cl5-BZ#91	MG/KG		0.0030		0.00035	J	0.00025	J	0.0021		0.0022	
Cl5-BZ#92	MG/KG		0.0043		0.00065		0.00037	J	0.0032		0.0052	
Cl5-BZ#97	MG/KG		0.0052		0.00082		0.00055		0.0036		0.00098	
Cl5-BZ#99	MG/KG		0.019		0.0029		0.0014		0.013		0.031	
Cl5-BZ#100	MG/KG		0.00070		0.00038	U	0.00039	U	0.00034	J	0.00071	
Cl5-BZ#101/#90	MG/KG		0.021		0.0032		0.0017		0.015		0.0088	
Cl5-BZ#104	MG/KG		0.00039	U	0.00038	U	0.00039	U	0.00039	U	0.00040	U
Cl5-BZ#105	MG/KG		0.0029		0.00058		0.00039	U	0.0024		0.0042	
Cl5-BZ#107/#123	MG/KG		0.0021		0.00048	J	0.00077	U	0.0019		0.0036	
Cl5-BZ#110	MG/KG		0.013		0.0015		0.00086		0.0095		0.0087	
Cl5-BZ#114	MG/KG		0.00074		0.00021	J	0.00039	U	0.00051		0.0010	
Cl5-BZ#118	MG/KG		0.020		0.0036		0.0016		0.015		0.030	
Cl5-BZ#119	MG/KG		0.0020		0.00025	J	0.00039	U	0.0010		0.0025	
Cl5-BZ#121/#95/#88	MG/KG		0.0044		0.00065	J	0.0012	U	0.0033		0.0030	
Cl5-BZ#124	MG/KG		0.00037	J	0.00038	U	0.00039	U	0.00022	J	0.00040	U
Cl5-BZ#126	MG/KG		0.00039	U	0.00038	U	0.00039	U	0.00039	U	0.00040	U
Cl6-BZ#128	MG/KG		0.0033		0.00099		0.00042		0.0030		0.0080	
Cl6-BZ#129/#158	MG/KG		0.0020		0.00050	J	0.00077	U	0.0013		0.0033	
Cl6-BZ#130/#164	MG/KG		0.0015		0.00040	J	0.00077	U	0.0014		0.0025	
Cl6-BZ#131	MG/KG		0.00039	U	0.00038	U	0.00039	U	0.00039	U	0.00040	U
Cl6-BZ#132	MG/KG		0.0014		0.00039		0.00028	J	0.0017		0.0013	
Cl6-BZ#134	MG/KG		0.00035	J	0.00038	U	0.00039	U	0.00044		0.0011	
Cl6-BZ#135	MG/KG		0.00074		0.00038	U	0.00039	U	0.00090		0.0016	
Cl6-BZ#136	MG/KG		0.00062		0.00038	U	0.00039	U	0.00067		0.0013	
Cl6-BZ#137	MG/KG		0.00060		0.00022	J	0.00039	U	0.00046		0.0014	
Cl6-BZ#138	MG/KG		0.012		0.004		0.0015		0.011		0.034	
Cl6-BZ#141	MG/KG		0.00079		0.00036	J	0.00039	U	0.00056		0.00040	U
Cl6-BZ#144	MG/KG		0.00032	J	0.00038	U	0.00039	U	0.00032	J	0.00040	U
Cl6-BZ#146	MG/KG		0.0042		0.0016		0.00078		0.0036		0.0092	
Cl6-BZ#147/#149	MG/KG		0.0080		0.0020		0.0010		0.0077		0.0055	
Cl6-BZ#151	MG/KG		0.0020		0.00058		0.00039		0.0016		0.0032	
Cl6-BZ#153	MG/KG		0.025		0.0086		0.0034		0.021		0.059	
Cl6-BZ#154	MG/KG		0.00096		0.00037	J	0.00039	U	0.00065		0.0018	
Cl6-BZ#155	MG/KG		0.00039	U	0.00038	U	0.00039	U	0.00039	U	0.00040	U
Cl6-BZ#156	MG/KG		0.00039	U	0.00037	J	0.00039	U	0.00080		0.0025	
Cl6-BZ#157	MG/KG		0.00067		0.00028	J	0.00039	U	0.00051		0.0012	
Cl6-BZ#163/#160	MG/KG		0.0055		0.0013		0.00072	J	0.0045		0.012	
Cl6-BZ#167	MG/KG		0.00077		0.00024	J	0.00039	U	0.00053		0.0016	
Cl6-BZ#168	MG/KG		0.00039	U	0.00038	U	0.00039	U	0.00039	U	0.00040	U
Cl6-BZ#169	MG/KG		0.00039	U	0.00038	U	0.00039	U	0.00039	U	0.00040	U
Cl7-BZ#170	MG/KG		0.0012		0.00069		0.00029	J	0.0010		0.0033	
Cl7-BZ#171	MG/KG		0.00049		0.00033	J	0.00039	U	0.00036	J	0.0013	
Cl7-BZ#172	MG/KG		0.00025	J	0.00038	U	0.00039	U	0.00039	U	0.00061	
Cl7-BZ#173	MG/KG		0.00039	U	0.00038	U	0.00039	U	0.00039	U	0.00040	U
Cl7-BZ#174	MG/KG		0.00042		0.00027	J	0.00039	U	0.00033	J	0.00034	J

Created by: KLD 4/1/2025
Checked by: AP 4/3/2025

TABLE 12c - SUMMARY OF SAMPLE DATA FOR STRIPED BASS STOMACH (MG/KG WET WEIGHT) AREA 3 - 2024

		Sample#	AIII-A-SB-SC		AIII-B-SB-SC		AIII-C-SB-SC		AIII-D-SB-SC		AIII-E-SB-SC	
		Species	Striped Bass Stomach		Striped Bass Stomach		Striped Bass Stomach		Striped Bass Stomach		Striped Bass Stomach	
		Species Type	TIS		TIS		TIS		TIS		TIS	
		Area	3		3		3		3		3	
		Station	StB3-Station A		StB3-Station B		StB3-Station C		StB3-Station D		StB3-Station E	
		Sample Date	6/11/2024		6/11/2024		6/11/2024		6/11/2024		6/27/2024	
Parameter	**Units**		Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
Cl7-BZ#176	MG/KG		0.00039	U	0.00038	U	0.00039	U	0.00039	U	0.00040	U
Cl7-BZ#177	MG/KG		0.00052		0.00038		0.00021	J	0.00059		0.0023	
Cl7-BZ#178	MG/KG		0.00046		0.00031	J	0.00020	J	0.00043		0.0011	
Cl7-BZ#180	MG/KG		0.0021		0.0017		0.00055		0.0016		0.0061	
Cl7-BZ#182/#175	MG/KG		0.00077	U	0.00076	U	0.00077	U	0.00078	U	0.00080	U
Cl7-BZ#183	MG/KG		0.00090		0.00082		0.00027	J	0.00072		0.0022	
Cl7-BZ#184	MG/KG		0.00039	U	0.00038	U	0.00039	U	0.00039	U	0.00040	U
Cl7-BZ#185	MG/KG		0.00039	U	0.00038	U	0.00039	U	0.00039	U	0.00040	U
Cl7-BZ#187	MG/KG		0.0025		0.0022		0.00076		0.0022		0.0060	
Cl7-BZ#188	MG/KG		0.00039	U	0.00038	U	0.00039	U	0.00039	U	0.00040	U
Cl7-BZ#189	MG/KG		0.00039	U	0.00038	U	0.00039	U	0.00039	U	0.00031	J
Cl7-BZ#190	MG/KG		0.00030	J	0.00038	U	0.00039	U	0.00039	U	0.00042	
Cl7-BZ#191	MG/KG		0.00039	U	0.00038	U	0.00039	U	0.00039	U	0.00040	U
Cl7-BZ#193	MG/KG		0.00039	U	0.00038	U	0.00039	U	0.00039	U	0.00041	
Cl8-BZ#194	MG/KG		0.00039	U	0.00056		0.00039	U	0.00039	U	0.0011	J
Cl8-BZ#195	MG/KG		0.00039	U	0.00038	U	0.00039	U	0.00039	U	0.00040	U
Cl8-BZ#196	MG/KG		0.00024	J	0.00029	J	0.00039	U	0.00039	U	0.00060	
Cl8-BZ#197	MG/KG		0.00039	U	0.00038	U	0.00039	U	0.00039	U	0.00040	U
Cl8-BZ#199	MG/KG		0.00039	U	0.00038	U	0.00039	U	0.00039	U	0.00040	U
Cl8-BZ#201	MG/KG		0.00041		0.00064		0.00023	J	0.00035	J	0.0011	
Cl8-BZ#202	MG/KG		0.00027	J	0.00044		0.00039	U	0.00039	U	0.00052	
Cl8-BZ#203	MG/KG		0.00022	J	0.00043		0.00039	U	0.00039	U	0.00044	
Cl8-BZ#204/#200	MG/KG		0.00077	U	0.00076	U	0.00077	U	0.00078	U	0.00080	U
Cl8-BZ#205	MG/KG		0.00039	U	0.00038	U	0.00039	U	0.00039	U	0.00040	U
Cl9-BZ#206	MG/KG		0.00026	J	0.00074		0.00039	U	0.00039	U	0.00045	
Cl9-BZ#207	MG/KG		0.00039	U	0.00038	U	0.00039	U	0.00039	U	0.00040	U
Cl9-BZ#208	MG/KG		0.00039	U	0.00032	J	0.00039	U	0.00039	U	0.00036	J
Cl10-BZ#209	MG/KG		0.00039	U	0.00063		0.00039	U	0.00039	U	0.00048	

TABLE 13a - SUMMARY OF SAMPLE DATA FOR TAUTOG (MG/KG WET WEIGHT) AREA 2 - 2024

	Sample#	NBH24-FF-A-2-S-OFF		NBH24-FF-A-2-S-ON		NBH24-FF-B-2		NBH24-FF-C-2	
	Species	Tautog		Tautog		Tautog		Tautog	
	Species Type	TIS		TIS		TIS		TIS	
	Area	2		2		2		2	
	Station	Tau2-Station A		Tau2-Station A		Tau2-Station B		Tau2-Station C	
	Sample Date	5/21/2024		5/21/2024		5/21/2024		5/10/2024	
Parameter	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
Lipids	PERCENT	1.2		1.2		1.1		1.4	
Total PCB Congeners[1]	MG/KG	0.13	J2	0.16	J3	0.17	J3	0.63	J3
Total PCB Congeners Hits[2]	MG/KG	0.11		0.15		0.16		0.62	
Total NOAA Congeners[3]	MG/KG	0.068	J4	0.093	J4	0.099	J4	0.37	J4
Total WHO Congeners[4]	MG/KG	0.017	J3	0.024	J3	0.025	J3	0.092	J4
Total NOAA / WHO Combined[5]	MG/KG	0.077	J3	0.10	J3	0.11	J3	0.40	J4
Cl1-BZ#1	MG/KG	0.00037	U	0.00038	U	0.00039	U	0.00038	U
Cl1-BZ#3	MG/KG	0.00037	U	0.00038	U	0.00039	U	0.00038	U
Cl2-BZ#4/#10	MG/KG	0.00075	U	0.00077	U	0.00077	U	0.00077	U
Cl2-BZ#5	MG/KG	0.00037	U	0.00038	U	0.00039	U	0.00038	U
Cl2-BZ#6	MG/KG	0.00037	U	0.00038	U	0.00039	U	0.00030	J
Cl2-BZ#7	MG/KG	0.00037	U	0.00038	U	0.00039	U	0.00038	U
Cl2-BZ#8	MG/KG	0.00037	U	0.00038	U	0.00039	U	0.00038	U
Cl2-BZ#12	MG/KG	0.00037	U	0.00038	U	0.00039	U	0.00038	U
Cl2-BZ#13	MG/KG	0.00075	U	0.00077	U	0.00077	U	0.00077	U
Cl2-BZ#15	MG/KG	0.00037	U	0.00038	U	0.00039	U	0.00038	U
Cl3-BZ#16	MG/KG	0.00037	U	0.00038	U	0.00039	U	0.00024	J
Cl3-BZ#17	MG/KG	0.00037	U	0.00038	U	0.00030	J	0.00069	
Cl3-BZ#18	MG/KG	0.00037	U	0.00038	U	0.00057		0.0014	
Cl3-BZ#19	MG/KG	0.00037	U	0.00038	U	0.00039	U	0.00038	U
Cl3-BZ#21/#20	MG/KG	0.00075	U	0.00077	U	0.00077	U	0.00041	J
Cl3-BZ#22	MG/KG	0.00037	U	0.00038	U	0.00035	J	0.0011	
Cl3-BZ#24	MG/KG	0.00037	U	0.00038	U	0.00039	U	0.00038	U
Cl3-BZ#25	MG/KG	0.00037	U	0.00038	U	0.00039	U	0.00038	U
Cl3-BZ#26	MG/KG	0.00087		0.0012		0.0013		0.0075	
Cl3-BZ#27	MG/KG	0.00037	U	0.00038	U	0.00039	U	0.00035	J
Cl3-BZ#28	MG/KG	0.0020		0.0032		0.0027		0.019	
Cl3-BZ#29	MG/KG	0.00037	U	0.00038	U	0.00039	U	0.00038	U
Cl3-BZ#31	MG/KG	0.00064		0.00078		0.00090		0.0038	
Cl3-BZ#32	MG/KG	0.00020	J	0.00026	J	0.00030	J	0.0016	
Cl3-BZ#33	MG/KG	0.00037	U	0.00038	U	0.00039	U	0.00038	U
Cl3-BZ#37	MG/KG	0.00037	U	0.00038	U	0.00039	U	0.00038	U
Cl4-BZ#40	MG/KG	0.00037	U	0.00038	U	0.00039	U	0.00036	J
Cl4-BZ#41	MG/KG	0.00037	U	0.00038	U	0.00039	U	0.00038	U
Cl4-BZ#42	MG/KG	0.00037	U	0.00038	U	0.00044		0.00070	
Cl4-BZ#43	MG/KG	0.00037	U	0.00038	U	0.00039	U	0.00038	U
Cl4-BZ#44	MG/KG	0.00032	J	0.00043		0.00062		0.0029	
Cl4-BZ#45	MG/KG	0.00037	U	0.00038	U	0.00039	U	0.00040	
Cl4-BZ#47	MG/KG	0.00024	J	0.00034	J	0.0022		0.0039	
Cl4-BZ#48	MG/KG	0.00037	U	0.00038	U	0.00039	U	0.00038	U
Cl4-BZ#49	MG/KG	0.0013		0.0018		0.0035		0.017	
Cl4-BZ#50	MG/KG	0.00037	U	0.00038	U	0.00039	U	0.00038	U
Cl4-BZ#51	MG/KG	0.00037	U	0.00038	U	0.00039	U	0.00040	
Cl4-BZ#52	MG/KG	0.0038		0.0050		0.0050		0.033	
Cl4-BZ#53	MG/KG	0.00037	U	0.00038	U	0.00024	J	0.00049	
Cl4-BZ#54	MG/KG	0.00037	U	0.00038	U	0.00039	U	0.00038	U
Cl4-BZ#56	MG/KG	0.00027	J	0.00034	J	0.00041		0.0019	

TABLE 13a - SUMMARY OF SAMPLE DATA FOR TAUTOG (MG/KG WET WEIGHT) AREA 2 - 2024

		Sample#	NBH24-FF-A-2-S-OFF		NBH24-FF-A-2-S-ON		NBH24-FF-B-2		NBH24-FF-C-2	
		Species	Tautog		Tautog		Tautog		Tautog	
		Species Type	TIS		TIS		TIS		TIS	
		Area	2		2		2		2	
		Station	Tau2-Station A		Tau2-Station A		Tau2-Station B		Tau2-Station C	
		Sample Date	5/21/2024		5/21/2024		5/21/2024		5/10/2024	
Parameter	**Units**		Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
Cl4-BZ#60	MG/KG		0.00046		0.00067		0.00055		0.0034	
Cl4-BZ#63	MG/KG		0.00047		0.00061		0.00038	J	0.0024	
Cl4-BZ#66	MG/KG		0.00080		0.0011		0.0041		0.0097	
Cl4-BZ#68/#64	MG/KG		0.00081		0.0011		0.0012		0.0071	
Cl4-BZ#70	MG/KG		0.00077		0.0011		0.00089		0.0032	
Cl4-BZ#71	MG/KG		0.00037	U	0.00038	U	0.00026	J	0.00093	
Cl4-BZ#73/#46	MG/KG		0.00075	U	0.00077	U	0.00077	U	0.00077	U
Cl4-BZ#74	MG/KG		0.0026		0.0034		0.0030		0.017	
Cl4-BZ#76	MG/KG		0.00037	U	0.00038	U	0.00039	U	0.00038	U
Cl4-BZ#77	MG/KG		0.00020	J	0.00031	J	0.00021	J	0.00051	
Cl4-BZ#81	MG/KG		0.00037	U	0.00038	U	0.00039	U	0.00038	U
Cl5-BZ#82	MG/KG		0.00037	U	0.00038	U	0.00039	U	0.00042	
Cl5-BZ#83/#125/#112	MG/KG		0.0011	U	0.0012	U	0.0012	U	0.0012	U
Cl5-BZ#85	MG/KG		0.00024	J	0.00021	J	0.0015		0.0027	
Cl5-BZ#87/#111	MG/KG		0.00060	J	0.00076	J	0.00086		0.0048	
Cl5-BZ#89/#84	MG/KG		0.00075	U	0.00077	U	0.00077	U	0.0017	
Cl5-BZ#91	MG/KG		0.00058		0.00070		0.0011		0.0045	
Cl5-BZ#92	MG/KG		0.0013		0.0013		0.0011		0.0052	
Cl5-BZ#97	MG/KG		0.00037	U	0.00038	U	0.00092		0.0011	
Cl5-BZ#99	MG/KG		0.00036	J	0.00057		0.0087		0.0066	
Cl5-BZ#100	MG/KG		0.00037	U	0.00038	U	0.00019	J	0.00038	U
Cl5-BZ#101/#90	MG/KG		0.010		0.013		0.0097		0.059	
Cl5-BZ#104	MG/KG		0.00037	U	0.00038	U	0.00039	U	0.00038	U
Cl5-BZ#105	MG/KG		0.0020		0.0028		0.0031		0.013	
Cl5-BZ#107/#123	MG/KG		0.0023		0.0031		0.0019		0.0080	
Cl5-BZ#110	MG/KG		0.0021		0.0026		0.0030		0.020	
Cl5-BZ#114	MG/KG		0.00073		0.0010		0.00087		0.0029	
Cl5-BZ#118	MG/KG		0.0067		0.0094		0.015		0.051	
Cl5-BZ#119	MG/KG		0.00037	U	0.00038	U	0.00075		0.00027	J
Cl5-BZ#121/#95/#88	MG/KG		0.00064	J	0.00086	J	0.0013		0.0012	U
Cl5-BZ#124	MG/KG		0.00037	U	0.00038	U	0.00039	U	0.00034	J
Cl5-BZ#126	MG/KG		0.00037	U	0.00038	U	0.00039	U	0.00032	J
Cl6-BZ#128	MG/KG		0.0017		0.0022		0.0033		0.011	
Cl6-BZ#129/#158	MG/KG		0.00043	J	0.00053	J	0.0013		0.0041	
Cl6-BZ#130/#164	MG/KG		0.00066	J	0.00071	J	0.00056	J	0.0029	
Cl6-BZ#131	MG/KG		0.00037	U	0.00038	U	0.00039	U	0.00043	
Cl6-BZ#132	MG/KG		0.00050		0.00059		0.00054		0.0023	
Cl6-BZ#134	MG/KG		0.00037	U	0.00038	U	0.00039	U	0.00054	
Cl6-BZ#135	MG/KG		0.00021	J	0.00024	J	0.00024	J	0.00084	
Cl6-BZ#136	MG/KG		0.00037	U	0.00038	U	0.00039	U	0.00064	
Cl6-BZ#137	MG/KG		0.00033	J	0.00042		0.00083		0.0026	
Cl6-BZ#138	MG/KG		0.00069		0.0011		0.0086		0.011	
Cl6-BZ#141	MG/KG		0.00019	J	0.00028	J	0.00021	J	0.0012	
Cl6-BZ#144	MG/KG		0.00037	U	0.00038	U	0.00039	U	0.00071	
Cl6-BZ#146	MG/KG		0.0061		0.0084		0.0051		0.020	
Cl6-BZ#147/#149	MG/KG		0.0026		0.0031		0.0032		0.016	
Cl6-BZ#151	MG/KG		0.00049		0.00059		0.00051		0.0022	
Cl6-BZ#153	MG/KG		0.029		0.040		0.036		0.12	

TABLE 13a - SUMMARY OF SAMPLE DATA FOR TAUTOG (MG/KG WET WEIGHT) AREA 2 - 2024

		Sample#	NBH24-FF-A-2-S-OFF		NBH24-FF-A-2-S-ON		NBH24-FF-B-2		NBH24-FF-C-2	
		Species	Tautog		Tautog		Tautog		Tautog	
		Species Type	TIS		TIS		TIS		TIS	
		Area	2		2		2		2	
		Station	Tau2-Station A		Tau2-Station A		Tau2-Station B		Tau2-Station C	
		Sample Date	5/21/2024		5/21/2024		5/21/2024		5/10/2024	
Parameter	**Units**		Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
Cl6-BZ#154	MG/KG		0.00037	U	0.00038	U	0.00040		0.00038	U
Cl6-BZ#155	MG/KG		0.00037	U	0.00038	U	0.00039	U	0.00038	U
Cl6-BZ#156	MG/KG		0.0024		0.0032		0.0019		0.0082	
Cl6-BZ#157	MG/KG		0.00087		0.0012		0.00070		0.0028	
Cl6-BZ#163/#160	MG/KG		0.0052		0.0067		0.0037		0.019	
Cl6-BZ#167	MG/KG		0.0014		0.0018		0.0012		0.0044	
Cl6-BZ#168	MG/KG		0.00037	U	0.00038	U	0.00039	U	0.00038	U
Cl6-BZ#169	MG/KG		0.00037	U	0.00038	U	0.00039	U	0.00038	U
Cl7-BZ#170	MG/KG		0.0021		0.0027		0.0020		0.0083	
Cl7-BZ#171	MG/KG		0.00043		0.00055		0.00054		0.0019	
Cl7-BZ#172	MG/KG		0.00020	J	0.00028	J	0.00039	U	0.00084	
Cl7-BZ#173	MG/KG		0.00037	U	0.00038	U	0.00039	U	0.00038	U
Cl7-BZ#174	MG/KG		0.00037	U	0.00038	U	0.00039	U	0.00034	J
Cl7-BZ#176	MG/KG		0.00037	U	0.00038	U	0.00039	U	0.00020	J
Cl7-BZ#177	MG/KG		0.00044		0.00049		0.00030	J	0.0013	
Cl7-BZ#178	MG/KG		0.00032	J	0.00045		0.00024	J	0.0011	
Cl7-BZ#180	MG/KG		0.0042		0.0062		0.0039		0.015	
Cl7-BZ#182/#175	MG/KG		0.00075	U	0.00077	U	0.00077	U	0.00051	J
Cl7-BZ#183	MG/KG		0.00060		0.00082		0.0010		0.0033	
Cl7-BZ#184	MG/KG		0.00037	U	0.00038	U	0.00039	U	0.00038	U
Cl7-BZ#185	MG/KG		0.00037	U	0.00038	U	0.00039	U	0.00038	U
Cl7-BZ#187	MG/KG		0.0041		0.0054		0.0033		0.014	
Cl7-BZ#188	MG/KG		0.00037	U	0.00038	U	0.00039	U	0.00038	U
Cl7-BZ#189	MG/KG		0.00023	J	0.00024	J	0.00039	U	0.00064	
Cl7-BZ#190	MG/KG		0.00034	J	0.00047		0.00035	J	0.0014	
Cl7-BZ#191	MG/KG		0.00037	U	0.00038	U	0.00039	U	0.00040	
Cl7-BZ#193	MG/KG		0.00025	J	0.00028	J	0.00039	U	0.00080	
Cl8-BZ#194	MG/KG		0.00073		0.0011		0.00060		0.0022	
Cl8-BZ#195	MG/KG		0.00025	J	0.00020	J	0.00039	U	0.00072	
Cl8-BZ#196	MG/KG		0.00028	J	0.00039		0.00030	J	0.0015	
Cl8-BZ#197	MG/KG		0.00037	U	0.00038	U	0.00039	U	0.00038	U
Cl8-BZ#199	MG/KG		0.00037	U	0.00038	U	0.00039	U	0.00038	U
Cl8-BZ#201	MG/KG		0.00040		0.00057		0.00029	J	0.0016	
Cl8-BZ#202	MG/KG		0.00037	U	0.00038	U	0.00039	U	0.00058	
Cl8-BZ#203	MG/KG		0.00032	J	0.00050		0.00031	J	0.0012	
Cl8-BZ#204/#200	MG/KG		0.00075	U	0.00077	U	0.00077	U	0.00052	J
Cl8-BZ#205	MG/KG		0.00037	U	0.00038	U	0.00039	U	0.00038	U
Cl9-BZ#206	MG/KG		0.00022	J	0.00042		0.00032	J	0.00089	
Cl9-BZ#207	MG/KG		0.00037	U	0.00038	U	0.00039	U	0.00019	J
Cl9-BZ#208	MG/KG		0.00037	U	0.00038	U	0.00039	U	0.00029	J
Cl10-BZ#209	MG/KG		0.00037	U	0.00038	U	0.00039	U	0.00024	J

TABLE 13a - SUMMARY OF SAMPLE DATA FOR TAUTOG (MG/KG WET WEIGHT) AREA 2 - 2024

		Sample#	NBH24-FF-D-2		NBH24-FF-E-2	
		Species	Tautog		Tautog	
		Species Type	TIS		TIS	
		Area	2		2	
		Station	Tau2-Station D		Tau2-Station E	
		Sample Date	5/7/2024		5/7/2024	
Parameter	**Units**		Result	Qualifier	Result	Qualifier
Lipids	PERCENT		1.7		1.4	
Total PCB Congeners[1]	MG/KG		0.17	J3	0.27	J3
Total PCB Congeners Hits[2]	MG/KG		0.15		0.25	
Total NOAA Congeners[3]	MG/KG		0.094	J4	0.15	J4
Total WHO Congeners[4]	MG/KG		0.022	J3	0.035	J3
Total NOAA / WHO Combined[5]	MG/KG		0.10	J4	0.17	J4
Cl1-BZ#1	MG/KG		0.00037	U	0.00038	U
Cl1-BZ#3	MG/KG		0.00037	U	0.00038	U
Cl2-BZ#4/#10	MG/KG		0.00074	U	0.00076	U
Cl2-BZ#5	MG/KG		0.00037	U	0.00038	U
Cl2-BZ#6	MG/KG		0.00037	U	0.00038	U
Cl2-BZ#7	MG/KG		0.00037	U	0.00038	U
Cl2-BZ#8	MG/KG		0.00037	U	0.00038	U
Cl2-BZ#12	MG/KG		0.00037	U	0.00038	U
Cl2-BZ#13	MG/KG		0.00074	U	0.00076	U
Cl2-BZ#15	MG/KG		0.00037	U	0.00038	U
Cl3-BZ#16	MG/KG		0.00037	U	0.00038	U
Cl3-BZ#17	MG/KG		0.00037	U	0.00038	U
Cl3-BZ#18	MG/KG		0.00021	J	0.00023	J
Cl3-BZ#19	MG/KG		0.00037	U	0.00038	U
Cl3-BZ#21/#20	MG/KG		0.00074	U	0.00076	U
Cl3-BZ#22	MG/KG		0.00037	U	0.00038	U
Cl3-BZ#24	MG/KG		0.00037	U	0.00038	U
Cl3-BZ#25	MG/KG		0.00037	U	0.00038	U
Cl3-BZ#26	MG/KG		0.0024		0.0030	
Cl3-BZ#27	MG/KG		0.00037	U	0.00038	U
Cl3-BZ#28	MG/KG		0.0046		0.0066	
Cl3-BZ#29	MG/KG		0.00037	U	0.00038	U
Cl3-BZ#31	MG/KG		0.0014		0.0025	
Cl3-BZ#32	MG/KG		0.00050		0.00044	
Cl3-BZ#33	MG/KG		0.00037	U	0.00038	U
Cl3-BZ#37	MG/KG		0.00037	U	0.00038	U
Cl4-BZ#40	MG/KG		0.00037	U	0.00038	U
Cl4-BZ#41	MG/KG		0.00037	U	0.00038	U
Cl4-BZ#42	MG/KG		0.00037	U	0.00038	U
Cl4-BZ#43	MG/KG		0.00037	U	0.00038	U
Cl4-BZ#44	MG/KG		0.00054		0.00072	
Cl4-BZ#45	MG/KG		0.00037	U	0.00038	U
Cl4-BZ#47	MG/KG		0.00053		0.00067	
Cl4-BZ#48	MG/KG		0.00037	U	0.00038	U
Cl4-BZ#49	MG/KG		0.0025		0.0016	
Cl4-BZ#50	MG/KG		0.00037	U	0.00038	U
Cl4-BZ#51	MG/KG		0.00037	U	0.00038	U
Cl4-BZ#52	MG/KG		0.0079		0.011	
Cl4-BZ#53	MG/KG		0.00037	U	0.00020	J
Cl4-BZ#54	MG/KG		0.00037	U	0.00038	U
Cl4-BZ#56	MG/KG		0.00043		0.00059	

TABLE 13a - SUMMARY OF SAMPLE DATA FOR TAUTOG (MG/KG WET WEIGHT) AREA 2 - 2024

		Sample#	NBH24-FF-D-2		NBH24-FF-E-2	
		Species	Tautog		Tautog	
		Species Type	TIS		TIS	
		Area	2		2	
		Station	Tau2-Station D		Tau2-Station E	
		Sample Date	5/7/2024		5/7/2024	
Parameter	**Units**		Result	Qualifier	Result	Qualifier
Cl4-BZ#60	MG/KG		0.00077		0.0014	
Cl4-BZ#63	MG/KG		0.00070		0.0011	
Cl4-BZ#66	MG/KG		0.0014		0.0015	
Cl4-BZ#68/#64	MG/KG		0.0015		0.0019	
Cl4-BZ#70	MG/KG		0.0013		0.0019	
Cl4-BZ#71	MG/KG		0.00037	U	0.00024	J
Cl4-BZ#73/#46	MG/KG		0.00074	U	0.00076	U
Cl4-BZ#74	MG/KG		0.0036		0.0067	
Cl4-BZ#76	MG/KG		0.00037	U	0.00038	U
Cl4-BZ#77	MG/KG		0.00023	J	0.00041	
Cl4-BZ#81	MG/KG		0.00037	U	0.00038	U
Cl5-BZ#82	MG/KG		0.00037	U	0.00038	U
Cl5-BZ#83/#125/#112	MG/KG		0.0011	U	0.0011	U
Cl5-BZ#85	MG/KG		0.00031	J	0.00044	
Cl5-BZ#87/#111	MG/KG		0.0014		0.0014	
Cl5-BZ#89/#84	MG/KG		0.00074	U	0.00076	U
Cl5-BZ#91	MG/KG		0.00094		0.0013	
Cl5-BZ#92	MG/KG		0.0013		0.0026	
Cl5-BZ#97	MG/KG		0.00037	U	0.00040	
Cl5-BZ#99	MG/KG		0.00071		0.00096	
Cl5-BZ#100	MG/KG		0.00037	U	0.00038	U
Cl5-BZ#101/#90	MG/KG		0.016		0.025	
Cl5-BZ#104	MG/KG		0.00037	U	0.00038	U
Cl5-BZ#105	MG/KG		0.0029		0.0044	
Cl5-BZ#107/#123	MG/KG		0.0028		0.0046	
Cl5-BZ#110	MG/KG		0.0029		0.0043	
Cl5-BZ#114	MG/KG		0.00086		0.0015	
Cl5-BZ#118	MG/KG		0.010		0.013	
Cl5-BZ#119	MG/KG		0.00037	U	0.00038	U
Cl5-BZ#121/#95/#88	MG/KG		0.0013		0.0014	
Cl5-BZ#124	MG/KG		0.00019	J	0.00027	J
Cl5-BZ#126	MG/KG		0.00037	U	0.00021	J
Cl6-BZ#128	MG/KG		0.0021		0.0026	
Cl6-BZ#129/#158	MG/KG		0.00062	J	0.00067	J
Cl6-BZ#130/#164	MG/KG		0.00076		0.0013	
Cl6-BZ#131	MG/KG		0.00037	U	0.00038	U
Cl6-BZ#132	MG/KG		0.00056		0.0010	
Cl6-BZ#134	MG/KG		0.00037	U	0.00029	J
Cl6-BZ#135	MG/KG		0.00020	J	0.00045	
Cl6-BZ#136	MG/KG		0.00020	J	0.00022	J
Cl6-BZ#137	MG/KG		0.00047		0.00080	
Cl6-BZ#138	MG/KG		0.0014		0.0021	
Cl6-BZ#141	MG/KG		0.00031	J	0.00054	
Cl6-BZ#144	MG/KG		0.00020	J	0.00035	J
Cl6-BZ#146	MG/KG		0.0067		0.013	
Cl6-BZ#147/#149	MG/KG		0.0039		0.0061	
Cl6-BZ#151	MG/KG		0.00056		0.00099	
Cl6-BZ#153	MG/KG		0.034		0.064	

TABLE 13a - SUMMARY OF SAMPLE DATA FOR TAUTOG (MG/KG WET WEIGHT) AREA 2 - 2024

		Sample#	NBH24-FF-D-2		NBH24-FF-E-2	
		Species	Tautog		Tautog	
		Species Type	TIS		TIS	
		Area	2		2	
		Station	Tau2-Station D		Tau2-Station E	
		Sample Date	5/7/2024		5/7/2024	
Parameter	**Units**		Result	Qualifier	Result	Qualifier
Cl6-BZ#154	MG/KG		0.00037	U	0.00038	U
Cl6-BZ#155	MG/KG		0.00037	U	0.00038	U
Cl6-BZ#156	MG/KG		0.0023		0.0054	
Cl6-BZ#157	MG/KG		0.00081		0.0018	
Cl6-BZ#163/#160	MG/KG		0.0064		0.011	
Cl6-BZ#167	MG/KG		0.0014		0.0029	
Cl6-BZ#168	MG/KG		0.00037	U	0.00038	U
Cl6-BZ#169	MG/KG		0.00037	U	0.00038	U
Cl7-BZ#170	MG/KG		0.0022		0.0047	
Cl7-BZ#171	MG/KG		0.00053		0.00090	
Cl7-BZ#172	MG/KG		0.00024	J	0.00043	
Cl7-BZ#173	MG/KG		0.00037	U	0.00038	U
Cl7-BZ#174	MG/KG		0.00037	U	0.00024	J
Cl7-BZ#176	MG/KG		0.00037	U	0.00038	U
Cl7-BZ#177	MG/KG		0.00038		0.00064	
Cl7-BZ#178	MG/KG		0.00037	J	0.00060	
Cl7-BZ#180	MG/KG		0.0045		0.0094	
Cl7-BZ#182/#175	MG/KG		0.00074	U	0.00076	U
Cl7-BZ#183	MG/KG		0.00088		0.0015	
Cl7-BZ#184	MG/KG		0.00037	U	0.00038	U
Cl7-BZ#185	MG/KG		0.00037	U	0.00038	U
Cl7-BZ#187	MG/KG		0.0047		0.0084	
Cl7-BZ#188	MG/KG		0.00037	U	0.00038	U
Cl7-BZ#189	MG/KG		0.00021	J	0.00038	J
Cl7-BZ#190	MG/KG		0.00046		0.00087	
Cl7-BZ#191	MG/KG		0.00037	U	0.00038	U
Cl7-BZ#193	MG/KG		0.00023	J	0.00045	
Cl8-BZ#194	MG/KG		0.00074		0.0015	
Cl8-BZ#195	MG/KG		0.00026	J	0.00043	
Cl8-BZ#196	MG/KG		0.00037		0.00056	
Cl8-BZ#197	MG/KG		0.00037	U	0.00038	U
Cl8-BZ#199	MG/KG		0.00037	U	0.00038	U
Cl8-BZ#201	MG/KG		0.00048		0.00079	
Cl8-BZ#202	MG/KG		0.00023	J	0.00037	J
Cl8-BZ#203	MG/KG		0.00045		0.00074	
Cl8-BZ#204/#200	MG/KG		0.00074	U	0.00076	U
Cl8-BZ#205	MG/KG		0.00037	U	0.00038	U
Cl9-BZ#206	MG/KG		0.00024	J	0.00054	
Cl9-BZ#207	MG/KG		0.00037	U	0.00038	U
Cl9-BZ#208	MG/KG		0.00037	U	0.00038	U
Cl10-BZ#209	MG/KG		0.00037	U	0.00038	U

TABLE 13b - SUMMARY OF SAMPLE DATA FOR TAUTOG (MG/KG WET WEIGHT) AREA 3 - 2024

		Sample#	NBH24-FF-A-3		NBH24-FF-B-3		NBH24-FF-C-3		NBH24-FF-D-3	
		Species	Tautog		Tautog		Tautog		Tautog	
		Species Type	TIS		TIS		TIS		TIS	
		Area	3		3		3		3	
		Station	Tau3-Station A		Tau3-Station B		Tau3-Station C		Tau3-Station D	
		Sample Date	6/25/2024		7/8/2024		6/7/2024		6/17/2024	
Parameter	**Units**		Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
Lipids	PERCENT		1.4		1.4		1.5		0.98	
Total PCB Congeners[1]	MG/KG		0.043	J2	0.040	J1	0.11	J2	0.099	J2
Total PCB Congeners Hits[2]	MG/KG		0.022		0.016		0.094		0.083	
Total NOAA Congeners[3]	MG/KG		0.016	J3	0.013	J2	0.058	J3	0.054	J3
Total WHO Congeners[4]	MG/KG		0.0048	J2	0.0042	J2	0.015	J3	0.013	J3
Total NOAA / WHO Combined[5]	MG/KG		0.019	J2	0.015	J2	0.065	J3	0.060	J3
Cl1-BZ#1	MG/KG		0.00034	U	0.00038	U	0.00039	U	0.00037	U
Cl1-BZ#3	MG/KG		0.00034	U	0.00038	U	0.00039	U	0.00037	U
Cl2-BZ#4/#10	MG/KG		0.00069	U	0.00077	U	0.00077	U	0.00075	U
Cl2-BZ#5	MG/KG		0.00034	U	0.00038	U	0.00039	U	0.00037	U
Cl2-BZ#6	MG/KG		0.00034	U	0.00038	U	0.00039	U	0.00037	U
Cl2-BZ#7	MG/KG		0.00034	U	0.00038	U	0.00039	U	0.00037	U
Cl2-BZ#8	MG/KG		0.00034	U	0.00038	U	0.00039	U	0.00037	U
Cl2-BZ#12	MG/KG		0.00034	U	0.00038	U	0.00039	U	0.00037	U
Cl2-BZ#13	MG/KG		0.00069	U	0.00077	U	0.00077	U	0.00075	U
Cl2-BZ#15	MG/KG		0.00034	U	0.00038	U	0.00039	U	0.00037	U
Cl3-BZ#16	MG/KG		0.00034	U	0.00038	U	0.00039	U	0.00037	U
Cl3-BZ#17	MG/KG		0.00034	U	0.00038	U	0.00039	U	0.00037	U
Cl3-BZ#18	MG/KG		0.00034	U	0.00038	U	0.00039	U	0.00037	U
Cl3-BZ#19	MG/KG		0.00034	U	0.00038	U	0.00039	U	0.00037	U
Cl3-BZ#21/#20	MG/KG		0.00069	U	0.00077	U	0.00077	U	0.00075	U
Cl3-BZ#22	MG/KG		0.00034	U	0.00038	U	0.00039	U	0.00037	U
Cl3-BZ#24	MG/KG		0.00034	U	0.00038	U	0.00039	U	0.00037	U
Cl3-BZ#25	MG/KG		0.00034	U	0.00038	U	0.00039	U	0.00037	U
Cl3-BZ#26	MG/KG		0.00034	U	0.00038	U	0.00044		0.00052	
Cl3-BZ#27	MG/KG		0.00034	U	0.00038	U	0.00039	U	0.00037	U
Cl3-BZ#28	MG/KG		0.00033	J	0.00026	J	0.0011		0.0012	
Cl3-BZ#29	MG/KG		0.00034	U	0.00038	U	0.00039	U	0.00037	U
Cl3-BZ#31	MG/KG		0.00034	U	0.00038	U	0.00035	J	0.00033	J
Cl3-BZ#32	MG/KG		0.00034	U	0.00038	U	0.00039	U	0.00037	U
Cl3-BZ#33	MG/KG		0.00034	U	0.00038	U	0.00039	U	0.00037	U
Cl3-BZ#37	MG/KG		0.00034	U	0.00038	U	0.00039	U	0.00037	U
Cl4-BZ#40	MG/KG		0.00034	U	0.00038	U	0.00039	U	0.00037	U
Cl4-BZ#41	MG/KG		0.00034	U	0.00038	U	0.00039	U	0.00037	U
Cl4-BZ#42	MG/KG		0.00034	U	0.00038	U	0.00039	U	0.00037	U
Cl4-BZ#43	MG/KG		0.00034	U	0.00038	U	0.00039	U	0.00037	U
Cl4-BZ#44	MG/KG		0.00034	U	0.00038	U	0.00023	J	0.00028	J
Cl4-BZ#45	MG/KG		0.00034	U	0.00038	U	0.00039	U	0.00037	U
Cl4-BZ#47	MG/KG		0.00034	U	0.00038	U	0.00039	U	0.00045	
Cl4-BZ#48	MG/KG		0.00034	U	0.00038	U	0.00039	U	0.00037	U
Cl4-BZ#49	MG/KG		0.00024	J	0.00038	U	0.00079		0.00092	
Cl4-BZ#50	MG/KG		0.00034	U	0.00038	U	0.00039	U	0.00037	U
Cl4-BZ#51	MG/KG		0.00034	U	0.00038	U	0.00039	U	0.00037	U
Cl4-BZ#52	MG/KG		0.00050		0.00038	J	0.0031		0.0026	
Cl4-BZ#53	MG/KG		0.00034	U	0.00038	U	0.00039	U	0.00037	U
Cl4-BZ#54	MG/KG		0.00034	U	0.00038	U	0.00039	U	0.00037	U
Cl4-BZ#56	MG/KG		0.00034	U	0.00038	U	0.00025	J	0.00024	J

TABLE 13b - SUMMARY OF SAMPLE DATA FOR TAUTOG (MG/KG WET WEIGHT) AREA 3 - 2024

		Sample#	NBH24-FF-A-3		NBH24-FF-B-3		NBH24-FF-C-3		NBH24-FF-D-3	
		Species	Tautog		Tautog		Tautog		Tautog	
		Species Type	TIS		TIS		TIS		TIS	
		Area	3		3		3		3	
		Station	Tau3-Station A		Tau3-Station B		Tau3-Station C		Tau3-Station D	
		Sample Date	6/25/2024		7/8/2024		6/7/2024		6/17/2024	
Parameter	**Units**		Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
Cl4-BZ#60	MG/KG		0.00034	U	0.00038	U	0.00026	J	0.00041	
Cl4-BZ#63	MG/KG		0.00034	U	0.00038	U	0.00036	J	0.00032	J
Cl4-BZ#66	MG/KG		0.00034	U	0.00038	U	0.00068		0.0013	
Cl4-BZ#68/#64	MG/KG		0.00069	U	0.00077	U	0.00069	J	0.00054	J
Cl4-BZ#70	MG/KG		0.00034	U	0.00038	U	0.00049		0.00041	
Cl4-BZ#71	MG/KG		0.00034	U	0.00038	U	0.00039	U	0.00037	U
Cl4-BZ#73/#46	MG/KG		0.00069	U	0.00077	U	0.00077	U	0.00075	U
Cl4-BZ#74	MG/KG		0.00044		0.00026	J	0.0018		0.0019	
Cl4-BZ#76	MG/KG		0.00034	U	0.00038	U	0.00039	U	0.00037	U
Cl4-BZ#77	MG/KG		0.00034	U	0.00038	U	0.00039	U	0.00037	U
Cl4-BZ#81	MG/KG		0.00034	U	0.00038	U	0.00039	U	0.00037	U
Cl5-BZ#82	MG/KG		0.00034	U	0.00038	U	0.00039	U	0.00037	U
Cl5-BZ#83/#125/#112	MG/KG		0.0010	U	0.0012	U	0.0012	U	0.0011	U
Cl5-BZ#85	MG/KG		0.00034	U	0.00038	U	0.00039	U	0.00037	J
Cl5-BZ#87/#111	MG/KG		0.00069	U	0.00077	U	0.00062	J	0.00048	J
Cl5-BZ#89/#84	MG/KG		0.00069	U	0.00077	U	0.00077	U	0.00075	U
Cl5-BZ#91	MG/KG		0.00034	U	0.00038	U	0.00047		0.00050	
Cl5-BZ#92	MG/KG		0.00034	U	0.00038	U	0.0014		0.00071	
Cl5-BZ#97	MG/KG		0.00034	U	0.00038	U	0.00039	U	0.00037	U
Cl5-BZ#99	MG/KG		0.00034	U	0.00052		0.00042		0.00059	
Cl5-BZ#100	MG/KG		0.00034	U	0.00038	U	0.00039	U	0.00037	U
Cl5-BZ#101/#90	MG/KG		0.0021		0.0013		0.010		0.0084	
Cl5-BZ#104	MG/KG		0.00034	U	0.00038	U	0.00039	U	0.00037	U
Cl5-BZ#105	MG/KG		0.00060		0.00026	J	0.0016		0.0017	
Cl5-BZ#107/#123	MG/KG		0.00064	J	0.00049	J	0.0022		0.0016	
Cl5-BZ#110	MG/KG		0.00027	J	0.00038	U	0.0016		0.0011	
Cl5-BZ#114	MG/KG		0.00027	J	0.00038	U	0.00057		0.00054	
Cl5-BZ#118	MG/KG		0.0014		0.0012		0.0063		0.0061	
Cl5-BZ#119	MG/KG		0.00034	U	0.00038	U	0.00039	U	0.00037	U
Cl5-BZ#121/#95/#88	MG/KG		0.0010	U	0.0012	U	0.0012	U	0.0011	U
Cl5-BZ#124	MG/KG		0.00034	U	0.00038	U	0.00039	U	0.00037	U
Cl5-BZ#126	MG/KG		0.00034	U	0.00038	U	0.00039	U	0.00037	U
Cl6-BZ#128	MG/KG		0.00040		0.00030	J	0.0018		0.0017	
Cl6-BZ#129/#158	MG/KG		0.00069	U	0.00077	U	0.00039	J	0.00051	J
Cl6-BZ#130/#164	MG/KG		0.00069	U	0.00077	U	0.00073	J	0.00039	J
Cl6-BZ#131	MG/KG		0.00034	U	0.00038	U	0.00039	U	0.00037	U
Cl6-BZ#132	MG/KG		0.00034	U	0.00038	U	0.00046		0.00025	J
Cl6-BZ#134	MG/KG		0.00034	U	0.00038	U	0.00039	U	0.00037	U
Cl6-BZ#135	MG/KG		0.00034	U	0.00038	U	0.00039	U	0.00037	U
Cl6-BZ#136	MG/KG		0.00034	U	0.00038	U	0.00039	U	0.00037	U
Cl6-BZ#137	MG/KG		0.00034	U	0.00038	U	0.00034	J	0.00035	J
Cl6-BZ#138	MG/KG		0.00034	U	0.00049		0.00070		0.0027	
Cl6-BZ#141	MG/KG		0.00034	U	0.00038	U	0.00033	J	0.00019	J
Cl6-BZ#144	MG/KG		0.00034	U	0.00038	U	0.00039	U	0.00037	U
Cl6-BZ#146	MG/KG		0.0016		0.0013		0.0049		0.0038	
Cl6-BZ#147/#149	MG/KG		0.00050	J	0.00077	U	0.0030		0.0021	
Cl6-BZ#151	MG/KG		0.00034	U	0.00038	U	0.00051		0.00033	J
Cl6-BZ#153	MG/KG		0.0067		0.0046		0.024		0.021	

TABLE 13b - SUMMARY OF SAMPLE DATA FOR TAUTOG (MG/KG WET WEIGHT) AREA 3 - 2024

	Sample#	NBH24-FF-A-3		NBH24-FF-B-3		NBH24-FF-C-3		NBH24-FF-D-3	
	Species	Tautog		Tautog		Tautog		Tautog	
	Species Type	TIS		TIS		TIS		TIS	
	Area	3		3		3		3	
	Station	Tau3-Station A		Tau3-Station B		Tau3-Station C		Tau3-Station D	
	Sample Date	6/25/2024		7/8/2024		6/7/2024		6/17/2024	
Parameter	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
Cl6-BZ#154	MG/KG	0.00034	U	0.00038	U	0.00039	U	0.00037	U
Cl6-BZ#155	MG/KG	0.00034	U	0.00038	U	0.00039	U	0.00037	U
Cl6-BZ#156	MG/KG	0.00058		0.00055		0.0017		0.0014	
Cl6-BZ#157	MG/KG	0.00023	J	0.00026	J	0.00062		0.00051	
Cl6-BZ#163/#160	MG/KG	0.0014		0.0011		0.0058		0.0037	
Cl6-BZ#167	MG/KG	0.00031	J	0.00026	J	0.00094		0.00078	
Cl6-BZ#168	MG/KG	0.00034	U	0.00038	U	0.00039	U	0.00037	U
Cl6-BZ#169	MG/KG	0.00034	U	0.00038	U	0.00039	U	0.00037	U
Cl7-BZ#170	MG/KG	0.00058		0.00048		0.0018		0.0014	
Cl7-BZ#171	MG/KG	0.00034	U	0.00038	U	0.00040		0.00038	
Cl7-BZ#172	MG/KG	0.00034	U	0.00038	U	0.00026	J	0.00037	U
Cl7-BZ#173	MG/KG	0.00034	U	0.00038	U	0.00039	U	0.00037	U
Cl7-BZ#174	MG/KG	0.00034	U	0.00038	U	0.00039	U	0.00037	U
Cl7-BZ#176	MG/KG	0.00034	U	0.00038	U	0.00039	U	0.00037	U
Cl7-BZ#177	MG/KG	0.00034	U	0.00038	U	0.00056		0.00029	J
Cl7-BZ#178	MG/KG	0.00034	U	0.00038	U	0.00039		0.00025	J
Cl7-BZ#180	MG/KG	0.0011		0.0010		0.0030		0.0026	
Cl7-BZ#182/#175	MG/KG	0.00069	U	0.00077	U	0.00077	U	0.00075	U
Cl7-BZ#183	MG/KG	0.00018	J	0.00038	U	0.00057		0.00065	
Cl7-BZ#184	MG/KG	0.00034	U	0.00038	U	0.00039	U	0.00037	U
Cl7-BZ#185	MG/KG	0.00034	U	0.00038	U	0.00039	U	0.00037	U
Cl7-BZ#187	MG/KG	0.0011		0.0010		0.0033		0.0027	
Cl7-BZ#188	MG/KG	0.00034	U	0.00038	U	0.00039	U	0.00037	U
Cl7-BZ#189	MG/KG	0.00034	U	0.00038	U	0.00039	U	0.00037	U
Cl7-BZ#190	MG/KG	0.00034	U	0.00038	U	0.00029	J	0.00025	J
Cl7-BZ#191	MG/KG	0.00034	U	0.00038	U	0.00039	U	0.00037	U
Cl7-BZ#193	MG/KG	0.00034	U	0.00038	U	0.00027	J	0.00037	U
Cl8-BZ#194	MG/KG	0.00034	U	0.00027	J	0.00055		0.00044	
Cl8-BZ#195	MG/KG	0.00034	U	0.00038	U	0.00039	U	0.00037	U
Cl8-BZ#196	MG/KG	0.00034	U	0.00038	U	0.00024	J	0.00027	J
Cl8-BZ#197	MG/KG	0.00034	U	0.00038	U	0.00039	U	0.00037	U
Cl8-BZ#199	MG/KG	0.00034	U	0.00038	U	0.00039	U	0.00037	U
Cl8-BZ#201	MG/KG	0.00034	U	0.00038	U	0.00042		0.00033	J
Cl8-BZ#202	MG/KG	0.00034	U	0.00038	U	0.00039	U	0.00037	U
Cl8-BZ#203	MG/KG	0.00034	U	0.00038	U	0.00030	J	0.00024	J
Cl8-BZ#204/#200	MG/KG	0.00069	U	0.00077	U	0.00077	U	0.00075	U
Cl8-BZ#205	MG/KG	0.00034	U	0.00038	U	0.00039	U	0.00037	U
Cl9-BZ#206	MG/KG	0.00023	J	0.00038	U	0.00022	J	0.00037	U
Cl9-BZ#207	MG/KG	0.00034	U	0.00038	U	0.00039	U	0.00037	U
Cl9-BZ#208	MG/KG	0.00034	U	0.00038	U	0.00039	U	0.00037	U
Cl10-BZ#209	MG/KG	0.00034	U	0.00038	U	0.00039	U	0.00037	U

TABLE 14 - SUMMARY OF SAMPLE DATA FOR SURFACE WATER (NG/L) - 2024

	Sample#	AUX FACILITY - DISSOLVED		AUX FACILITY - TOTAL		COGGESHALL BRIDGE - DISSOLVED		COGGESHALL BRIDGE - TOTAL	
	Media	Surface Water		Surface Water		Surface Water		Surface Water	
	Media Type	SW		SW		SW		SW	
	Area	AUX Facility		AUX Facility		Coggeshall Bridge		Coggeshall Bridge	
	Station	NA		NA		NA		NA	
	Sample Date	5/22/2024		5/22/2024		5/22/2024		5/22/2024	
Parameter	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
Total PCB Congeners[1]	NG/L	47	J1	53	J1	52	J1	88	J2
Total PCB Congeners Hits[2]	NG/L	16		20		21		65	
Total NOAA Congeners[3]	NG/L	9.0	J2	11	J2	11	J2	24	J3
Total WHO Congeners[4]	NG/L	3.3	J1	3.4	J1	3.2	J1	4.1	J1
Total NOAA / WHO Combined[5]	NG/L	12	J1	13	J2	13	J2	27	J2
Cl1-BZ#1	NG/L	0.27	J	0.52	U	0.27	J	0.28	J
Cl1-BZ#3	NG/L	0.50	U	0.52	U	0.49	U	0.49	U
Cl2-BZ#4/#10	NG/L	1.0		1.1		1.2		1.9	
Cl2-BZ#5	NG/L	0.50	U	0.52	U	0.49	U	0.49	U
Cl2-BZ#6	NG/L	0.76		0.78		0.89		1.6	
Cl2-BZ#7	NG/L	0.50	U	0.52	U	0.49	U	0.49	U
Cl2-BZ#8	NG/L	0.67		0.76		0.83		1.5	
Cl2-BZ#12	NG/L	0.50	U	0.52	U	0.49	U	0.49	U
Cl2-BZ#13	NG/L	0.50	U	0.52	U	0.49	U	0.60	
Cl2-BZ#15	NG/L	0.29	J	0.33	J	0.36	J	0.70	
Cl3-BZ#16	NG/L	0.50	U	0.52	U	0.49	U	0.25	J
Cl3-BZ#17	NG/L	0.71		0.87		1.0		2.1	
Cl3-BZ#18	NG/L	1.7		1.9		2.3		4.6	
Cl3-BZ#19	NG/L	0.49	J	0.53		0.59		1.1	
Cl3-BZ#21/#20	NG/L	1.0	U	1.0	U	0.99	U	0.99	U
Cl3-BZ#22	NG/L	0.50	U	0.52	U	0.49	U	0.41	J
Cl3-BZ#24	NG/L	0.50	U	0.52	U	0.49	U	0.49	U
Cl3-BZ#25	NG/L	0.50	U	0.99		2.0		3.9	
Cl3-BZ#26	NG/L	1.2		1.4		1.7		3.8	
Cl3-BZ#27	NG/L	0.47	J	0.53		0.60		1.2	
Cl3-BZ#28	NG/L	1.1		1.5		1.6		3.8	
Cl3-BZ#29	NG/L	0.50	U	0.52	U	0.49	U	0.49	U
Cl3-BZ#31	NG/L	1.5		1.7		1.6		4.0	
Cl3-BZ#32	NG/L	0.65		0.73		0.87		1.8	
Cl3-BZ#33	NG/L	0.50	U	0.52	U	0.49	U	0.49	U
Cl3-BZ#37	NG/L	0.50	U	0.52	U	0.49	U	0.49	U
Cl4-BZ#40	NG/L	0.50	U	0.52	U	0.49	U	0.26	J
Cl4-BZ#41	NG/L	0.50	U	0.52	U	0.49	U	0.49	U
Cl4-BZ#42	NG/L	0.50	U	0.52	U	0.49	U	0.52	
Cl4-BZ#43	NG/L	0.50	U	0.52	U	0.49	U	0.49	U
Cl4-BZ#44	NG/L	0.35	J	0.50	J	0.47	J	1.3	
Cl4-BZ#45	NG/L	0.50	U	0.52	U	0.49	U	0.49	U
Cl4-BZ#47	NG/L	0.46	J	0.49	J	0.38	J	1.3	
Cl4-BZ#48	NG/L	0.50	U	0.52	U	0.49	U	0.49	U
Cl4-BZ#49	NG/L	1.2		1.6		1.5		4.4	
Cl4-BZ#50	NG/L	0.50	U	0.52	U	0.49	U	0.49	U
Cl4-BZ#51	NG/L	0.50	U	0.52	U	0.49	U	0.59	
Cl4-BZ#52	NG/L	1.7		2.2		2.2		6.4	
Cl4-BZ#53	NG/L	0.55		0.70		0.55		1.3	
Cl4-BZ#54	NG/L	0.50	U	0.52	U	0.49	U	0.49	U

Created by: KLD 4/3/2025
Checked by: AP 4/9/2025

TABLE 14 - SUMMARY OF SAMPLE DATA FOR SURFACE WATER (NG/L) - 2024

		AUX FACILITY - DISSOLVED		AUX FACILITY - TOTAL		COGGESHALL BRIDGE - DISSOLVED		COGGESHALL BRIDGE - TOTAL	
Sample#		AUX FACILITY - DISSOLVED		AUX FACILITY - TOTAL		COGGESHALL BRIDGE - DISSOLVED		COGGESHALL BRIDGE - TOTAL	
Media		Surface Water		Surface Water		Surface Water		Surface Water	
Media Type		SW		SW		SW		SW	
Area		AUX Facility		AUX Facility		Coggeshall Bridge		Coggeshall Bridge	
Station		NA		NA		NA		NA	
Sample Date		5/22/2024		5/22/2024		5/22/2024		5/22/2024	
Parameter	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
Cl4-BZ#56	NG/L	0.50	U	0.52	U	0.49	U	0.31	J
Cl4-BZ#60	NG/L	0.50	U	0.52	U	0.49	U	0.49	U
Cl4-BZ#63	NG/L	0.50	U	0.52	U	0.49	U	0.49	U
Cl4-BZ#66	NG/L	0.50	U	0.52	U	0.49	U	0.82	
Cl4-BZ#68/#64	NG/L	1.0	U	1.0	U	0.99	U	0.77	J
Cl4-BZ#70	NG/L	0.50	U	0.52	U	0.49	U	0.55	
Cl4-BZ#71	NG/L	0.30	J	0.38	J	0.33	J	0.98	
Cl4-BZ#73/#46	NG/L	1.0	U	1.0	U	0.99	U	0.99	U
Cl4-BZ#74	NG/L	0.50	U	0.52	U	0.49	U	0.49	
Cl4-BZ#76	NG/L	0.50	U	0.52	U	0.49	U	0.49	U
Cl4-BZ#77	NG/L	0.50	U	0.52	U	0.49	U	0.49	U
Cl4-BZ#81	NG/L	0.50	U	0.52	U	0.49	U	0.49	U
Cl5-BZ#82	NG/L	0.50	U	0.52	U	0.49	U	0.49	U
Cl5-BZ#83/#125/#112	NG/L	1.5	U	1.6	U	1.5	U	1.5	U
Cl5-BZ#85	NG/L	0.50	U	0.52	U	0.49	U	0.49	U
Cl5-BZ#87/#111	NG/L	1.0	U	1.0	U	0.99	U	0.99	U
Cl5-BZ#89/#84	NG/L	1.0	U	1.0	U	0.99	U	0.68	J
Cl5-BZ#91	NG/L	0.50	U	0.52	U	0.49	U	0.54	
Cl5-BZ#92	NG/L	0.50	U	0.52	U	0.49	U	0.40	J
Cl5-BZ#97	NG/L	0.50	U	0.52	U	0.49	U	0.52	
Cl5-BZ#99	NG/L	0.50	U	0.32	J	0.49	U	1.0	
Cl5-BZ#100	NG/L	0.50	U	0.52	U	0.49	U	0.49	U
Cl5-BZ#101/#90	NG/L	1.0	U	1.0	U	0.99	U	1.3	
Cl5-BZ#104	NG/L	0.50	U	0.52	U	0.49	U	0.49	U
Cl5-BZ#105	NG/L	0.50	U	0.52	U	0.49	U	0.27	J
Cl5-BZ#107/#123	NG/L	1.0	U	1.0	U	0.99	U	0.99	U
Cl5-BZ#110	NG/L	0.31	J	0.42	J	0.39	J	1.8	
Cl5-BZ#114	NG/L	0.50	U	0.52	U	0.49	U	0.49	U
Cl5-BZ#118	NG/L	0.50	U	0.52	U	0.49	U	1.1	
Cl5-BZ#119	NG/L	0.50	U	0.52	U	0.49	U	0.49	U
Cl5-BZ#121/#95/#88	NG/L	1.5	U	1.6	U	1.5	U	1.1	J
Cl5-BZ#124	NG/L	0.50	U	0.52	U	0.49	U	0.49	U
Cl5-BZ#126	NG/L	0.50	U	0.52	U	0.49	U	0.49	U
Cl6-BZ#128	NG/L	0.50	U	0.52	U	0.49	U	0.49	U
Cl6-BZ#129/#158	NG/L	1.0	U	1.0	U	0.99	U	0.99	U
Cl6-BZ#130/#164	NG/L	1.0	U	1.0	U	0.99	U	0.99	U
Cl6-BZ#131	NG/L	0.50	U	0.52	U	0.49	U	0.49	U
Cl6-BZ#132	NG/L	0.50	U	0.52	U	0.49	U	0.25	J
Cl6-BZ#134	NG/L	0.50	U	0.52	U	0.49	U	0.49	U
Cl6-BZ#135	NG/L	0.50	U	0.52	U	0.49	U	0.49	U
Cl6-BZ#136	NG/L	0.50	U	0.52	U	0.49	U	0.49	U
Cl6-BZ#137	NG/L	0.50	U	0.52	U	0.49	U	0.49	U
Cl6-BZ#138	NG/L	0.50	U	0.52	U	0.49	U	0.55	
Cl6-BZ#141	NG/L	0.50	U	0.52	U	0.49	U	0.49	U
Cl6-BZ#144	NG/L	0.50	U	0.52	U	0.49	U	0.49	U
Cl6-BZ#146	NG/L	0.50	U	0.52	U	0.49	U	0.49	U

Created by: KLD 4/3/2025
Checked by: AP 4/9/2025

TABLE 14 - SUMMARY OF SAMPLE DATA FOR SURFACE WATER (NG/L) - 2024

	Sample#	AUX FACILITY - DISSOLVED		AUX FACILITY - TOTAL		COGGESHALL BRIDGE - DISSOLVED		COGGESHALL BRIDGE - TOTAL	
	Media	Surface Water		Surface Water		Surface Water		Surface Water	
	Media Type	SW		SW		SW		SW	
	Area	AUX Facility		AUX Facility		Coggeshall Bridge		Coggeshall Bridge	
	Station	NA		NA		NA		NA	
	Sample Date	5/22/2024		5/22/2024		5/22/2024		5/22/2024	
Parameter	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
Cl6-BZ#147/#149	NG/L	1.0	U	1.0	U	0.99	U	0.97	J
Cl6-BZ#151	NG/L	0.50	U	0.52	U	0.49	U	0.49	U
Cl6-BZ#153	NG/L	0.50	U	0.30	J	0.49	U	0.92	
Cl6-BZ#154	NG/L	0.50	U	0.52	U	0.49	U	0.49	U
Cl6-BZ#155	NG/L	0.50	U	0.52	U	0.49	U	0.49	U
Cl6-BZ#156	NG/L	0.50	U	0.52	U	0.49	U	0.49	U
Cl6-BZ#157	NG/L	0.50	U	0.52	U	0.49	U	0.49	U
Cl6-BZ#163/#160	NG/L	1.0	U	1.0	U	0.99	U	0.99	U
Cl6-BZ#167	NG/L	0.50	U	0.52	U	0.49	U	0.49	U
Cl6-BZ#168	NG/L	0.50	U	0.52	U	0.49	U	0.49	U
Cl6-BZ#169	NG/L	0.50	U	0.52	U	0.49	U	0.49	U
Cl7-BZ#170	NG/L	0.50	U	0.52	U	0.49	U	0.49	U
Cl7-BZ#171	NG/L	0.50	U	0.52	U	0.49	U	0.49	U
Cl7-BZ#172	NG/L	0.50	U	0.52	U	0.49	U	0.49	U
Cl7-BZ#173	NG/L	0.50	U	0.52	U	0.49	U	0.49	U
Cl7-BZ#174	NG/L	0.50	U	0.52	U	0.49	U	0.49	U
Cl7-BZ#176	NG/L	0.50	U	0.52	U	0.49	U	0.49	U
Cl7-BZ#177	NG/L	0.50	U	0.52	U	0.49	U	0.49	U
Cl7-BZ#178	NG/L	0.50	U	0.52	U	0.49	U	0.49	U
Cl7-BZ#180	NG/L	0.50	U	0.52	U	0.49	U	0.49	U
Cl7-BZ#182/#175	NG/L	1.0	U	1.0	U	0.99	U	0.99	U
Cl7-BZ#183	NG/L	0.50	U	0.52	U	0.49	U	0.49	U
Cl7-BZ#184	NG/L	0.50	U	0.52	U	0.49	U	0.49	U
Cl7-BZ#185	NG/L	0.50	U	0.52	U	0.49	U	0.49	U
Cl7-BZ#187	NG/L	0.50	U	0.52	U	0.49	U	0.49	U
Cl7-BZ#188	NG/L	0.50	U	0.52	U	0.49	U	0.49	U
Cl7-BZ#189	NG/L	0.50	U	0.52	U	0.49	U	0.49	U
Cl7-BZ#190	NG/L	0.50	U	0.52	U	0.49	U	0.49	U
Cl7-BZ#191	NG/L	0.50	U	0.52	U	0.49	U	0.49	U
Cl7-BZ#193	NG/L	0.50	U	0.52	U	0.49	U	0.49	U
Cl8-BZ#194	NG/L	0.50	U	0.52	U	0.49	U	0.49	U
Cl8-BZ#195	NG/L	0.50	U	0.52	U	0.49	U	0.49	U
Cl8-BZ#196	NG/L	0.50	U	0.52	U	0.49	U	0.49	U
Cl8-BZ#197	NG/L	0.50	U	0.52	U	0.49	U	0.49	U
Cl8-BZ#199	NG/L	0.50	U	0.52	U	0.49	U	0.49	U
Cl8-BZ#201	NG/L	0.50	U	0.52	U	0.49	U	0.49	U
Cl8-BZ#202	NG/L	0.50	U	0.52	U	0.49	U	0.49	U
Cl8-BZ#203	NG/L	0.50	U	0.52	U	0.49	U	0.49	U
Cl8-BZ#204/#200	NG/L	1.0	U	1.0	U	0.99	U	0.99	U
Cl8-BZ#205	NG/L	0.50	U	0.52	U	0.49	U	0.49	U
Cl9-BZ#206	NG/L	0.50	U	0.52	U	0.49	U	0.49	U
Cl9-BZ#207	NG/L	0.50	U	0.52	U	0.49	U	0.49	U
Cl9-BZ#208	NG/L	0.50	U	0.52	U	0.49	U	0.49	U
Cl10-BZ#209	NG/L	0.50	U	0.52	U	0.49	U	0.49	U

Created by: KLD 4/3/2025
Checked by: AP 4/9/2025

TABLE 14 - SUMMARY OF SAMPLE DATA FOR SURFACE WATER (NG/L) - 2024

		MID-WAY - TOTAL		MID-WAY-DISSOLVED	
Sample#					
Media		Surface Water		Surface Water	
Media Type		SW		SW	
Area		Mid-Way		Mid-Way	
Station		NA		NA	
Sample Date		5/22/2024		5/22/2024	
Parameter	**Units**	Result	Qualifier	Result	Qualifier
Total PCB Congeners[1]	NG/L	78	J2	61	J2
Total PCB Congeners Hits[2]	NG/L	52		31	
Total NOAA Congeners[3]	NG/L	20	J3	14	J2
Total WHO Congeners[4]	NG/L	3.7	J1	3.2	J1
Total NOAA / WHO Combined[5]	NG/L	23	J2	17	J2
Cl1-BZ#1	NG/L	0.29	J	0.31	J
Cl1-BZ#3	NG/L	0.51	U	0.50	U
Cl2-BZ#4/#10	NG/L	1.7		1.6	
Cl2-BZ#5	NG/L	0.51	U	0.50	U
Cl2-BZ#6	NG/L	1.4		1.3	
Cl2-BZ#7	NG/L	0.51	U	0.50	U
Cl2-BZ#8	NG/L	1.3		1.2	
Cl2-BZ#12	NG/L	0.51	U	0.50	U
Cl2-BZ#13	NG/L	0.40	J	0.30	J
Cl2-BZ#15	NG/L	0.62		0.47	J
Cl3-BZ#16	NG/L	0.51	U	0.50	U
Cl3-BZ#17	NG/L	1.8		1.4	
Cl3-BZ#18	NG/L	4.0		3.1	
Cl3-BZ#19	NG/L	0.98		0.88	
Cl3-BZ#21/#20	NG/L	1.0	U	0.99	U
Cl3-BZ#22	NG/L	0.34	J	0.50	U
Cl3-BZ#24	NG/L	0.51	U	0.50	U
Cl3-BZ#25	NG/L	1.8		0.88	
Cl3-BZ#26	NG/L	3.3		2.3	
Cl3-BZ#27	NG/L	1.1		0.82	
Cl3-BZ#28	NG/L	3.3		2.3	
Cl3-BZ#29	NG/L	0.51	U	0.50	U
Cl3-BZ#31	NG/L	3.9		2.9	
Cl3-BZ#32	NG/L	1.6		1.2	
Cl3-BZ#33	NG/L	0.51	U	0.50	U
Cl3-BZ#37	NG/L	0.51	U	0.50	U
Cl4-BZ#40	NG/L	0.51	U	0.50	U
Cl4-BZ#41	NG/L	0.51	U	0.50	U
Cl4-BZ#42	NG/L	0.43	J	0.29	J
Cl4-BZ#43	NG/L	0.51	U	0.50	U
Cl4-BZ#44	NG/L	1.2		0.65	
Cl4-BZ#45	NG/L	0.51	U	0.50	U
Cl4-BZ#47	NG/L	1.1		0.57	
Cl4-BZ#48	NG/L	0.51	U	0.50	U
Cl4-BZ#49	NG/L	3.7		2.1	
Cl4-BZ#50	NG/L	0.51	U	0.50	U
Cl4-BZ#51	NG/L	0.41	J	0.28	J
Cl4-BZ#52	NG/L	5.2		3.3	
Cl4-BZ#53	NG/L	1.4		0.92	
Cl4-BZ#54	NG/L	0.51	U	0.50	U

TABLE 14 - SUMMARY OF SAMPLE DATA FOR SURFACE WATER (NG/L) - 2024

	Sample#	MID-WAY - TOTAL		MID-WAY- DISSOLVED	
	Media	Surface Water		Surface Water	
	Media Type	SW		SW	
	Area	Mid-Way		Mid-Way	
	Station	NA		NA	
	Sample Date	5/22/2024		5/22/2024	
Parameter	**Units**	Result	Qualifier	Result	Qualifier
Cl4-BZ#56	NG/L	0.51	U	0.50	U
Cl4-BZ#60	NG/L	0.51	U	0.50	U
Cl4-BZ#63	NG/L	0.51	U	0.50	U
Cl4-BZ#66	NG/L	0.61		0.26	J
Cl4-BZ#68/#64	NG/L	0.64	J	0.99	U
Cl4-BZ#70	NG/L	0.41	J	0.50	U
Cl4-BZ#71	NG/L	0.75		0.48	J
Cl4-BZ#73/#46	NG/L	1.0	U	0.99	U
Cl4-BZ#74	NG/L	0.34	J	0.50	U
Cl4-BZ#76	NG/L	0.51	U	0.50	U
Cl4-BZ#77	NG/L	0.51	U	0.50	U
Cl4-BZ#81	NG/L	0.51	U	0.50	U
Cl5-BZ#82	NG/L	0.51	U	0.50	U
Cl5-BZ#83/#125/#112	NG/L	1.5	U	1.5	U
Cl5-BZ#85	NG/L	0.51	U	0.50	U
Cl5-BZ#87/#111	NG/L	1.0	U	0.99	U
Cl5-BZ#89/#84	NG/L	0.64	J	0.99	U
Cl5-BZ#91	NG/L	0.42	J	0.50	U
Cl5-BZ#92	NG/L	0.31	J	0.50	U
Cl5-BZ#97	NG/L	0.41	J	0.50	U
Cl5-BZ#99	NG/L	0.79		0.37	J
Cl5-BZ#100	NG/L	0.51	U	0.50	U
Cl5-BZ#101/#90	NG/L	1.1		0.99	U
Cl5-BZ#104	NG/L	0.51	U	0.50	U
Cl5-BZ#105	NG/L	0.51	U	0.50	U
Cl5-BZ#107/#123	NG/L	1.0	U	0.99	U
Cl5-BZ#110	NG/L	1.3		0.55	
Cl5-BZ#114	NG/L	0.51	U	0.50	U
Cl5-BZ#118	NG/L	0.67		0.26	J
Cl5-BZ#119	NG/L	0.51	U	0.50	U
Cl5-BZ#121/#95/#88	NG/L	0.84	J	1.5	U
Cl5-BZ#124	NG/L	0.51	U	0.50	U
Cl5-BZ#126	NG/L	0.51	U	0.50	U
Cl6-BZ#128	NG/L	0.51	U	0.50	U
Cl6-BZ#129/#158	NG/L	1.0	U	0.99	U
Cl6-BZ#130/#164	NG/L	1.0	U	0.99	U
Cl6-BZ#131	NG/L	0.51	U	0.50	U
Cl6-BZ#132	NG/L	0.51	U	0.50	U
Cl6-BZ#134	NG/L	0.51	U	0.50	U
Cl6-BZ#135	NG/L	0.51	U	0.50	U
Cl6-BZ#136	NG/L	0.51	U	0.50	U
Cl6-BZ#137	NG/L	0.51	U	0.50	U
Cl6-BZ#138	NG/L	0.42	J	0.50	U
Cl6-BZ#141	NG/L	0.51	U	0.50	U
Cl6-BZ#144	NG/L	0.51	U	0.50	U
Cl6-BZ#146	NG/L	0.51	U	0.50	U

Created by: KLD 4/3/2025
Checked by: AP 4/9/2025

TABLE 14 - SUMMARY OF SAMPLE DATA FOR SURFACE WATER (NG/L) - 2024

	Sample#	MID-WAY - TOTAL		MID-WAY- DISSOLVED	
	Media	Surface Water		Surface Water	
	Media Type	SW		SW	
	Area	Mid-Way		Mid-Way	
	Station	NA		NA	
	Sample Date	5/22/2024		5/22/2024	
Parameter	**Units**	Result	Qualifier	Result	Qualifier
Cl6-BZ#147/#149	NG/L	0.64	J	0.99	U
Cl6-BZ#151	NG/L	0.51	U	0.50	U
Cl6-BZ#153	NG/L	0.68		0.50	U
Cl6-BZ#154	NG/L	0.51	U	0.50	U
Cl6-BZ#155	NG/L	0.51	U	0.50	U
Cl6-BZ#156	NG/L	0.51	U	0.50	U
Cl6-BZ#157	NG/L	0.51	U	0.50	U
Cl6-BZ#163/#160	NG/L	1.0	U	0.99	U
Cl6-BZ#167	NG/L	0.51	U	0.50	U
Cl6-BZ#168	NG/L	0.51	U	0.50	U
Cl6-BZ#169	NG/L	0.51	U	0.50	U
Cl7-BZ#170	NG/L	0.51	U	0.50	U
Cl7-BZ#171	NG/L	0.51	U	0.50	U
Cl7-BZ#172	NG/L	0.51	U	0.50	U
Cl7-BZ#173	NG/L	0.51	U	0.50	U
Cl7-BZ#174	NG/L	0.51	U	0.50	U
Cl7-BZ#176	NG/L	0.51	U	0.50	U
Cl7-BZ#177	NG/L	0.51	U	0.50	U
Cl7-BZ#178	NG/L	0.51	U	0.50	U
Cl7-BZ#180	NG/L	0.51	U	0.50	U
Cl7-BZ#182/#175	NG/L	1.0	U	0.99	U
Cl7-BZ#183	NG/L	0.51	U	0.50	U
Cl7-BZ#184	NG/L	0.51	U	0.50	U
Cl7-BZ#185	NG/L	0.51	U	0.50	U
Cl7-BZ#187	NG/L	0.51	U	0.50	U
Cl7-BZ#188	NG/L	0.51	U	0.50	U
Cl7-BZ#189	NG/L	0.51	U	0.50	U
Cl7-BZ#190	NG/L	0.51	U	0.50	U
Cl7-BZ#191	NG/L	0.51	U	0.50	U
Cl7-BZ#193	NG/L	0.51	U	0.50	U
Cl8-BZ#194	NG/L	0.51	U	0.50	U
Cl8-BZ#195	NG/L	0.51	U	0.50	U
Cl8-BZ#196	NG/L	0.51	U	0.50	U
Cl8-BZ#197	NG/L	0.51	U	0.50	U
Cl8-BZ#199	NG/L	0.51	U	0.50	U
Cl8-BZ#201	NG/L	0.51	U	0.50	U
Cl8-BZ#202	NG/L	0.51	U	0.50	U
Cl8-BZ#203	NG/L	0.51	U	0.50	U
Cl8-BZ#204/#200	NG/L	1.0	U	0.99	U
Cl8-BZ#205	NG/L	0.51	U	0.50	U
Cl9-BZ#206	NG/L	0.51	U	0.50	U
Cl9-BZ#207	NG/L	0.51	U	0.50	U
Cl9-BZ#208	NG/L	0.51	U	0.50	U
Cl10-BZ#209	NG/L	0.51	U	0.50	U

Created by: KLD 4/3/2025
Checked by: AP 4/9/2025

Notes for 2024 Appendix Tables:

[1] = summation of 130 PCB congener results (1/2 sample quantitation limit [SQL] used for non-detected results)
[2] = summation of detected 130 PCB congeners
[3] = summation of 18 NOAA PCB congener results (1/2 SQL used for non-detected results)
[4] = summation of 12 WHO PCB congener results (1/2 SQL used for non-detected results)
[5] = summation of 12 WHO and 18 NOAA PCB congener results (1/2 SQL used for non-detected results)

U = not detected (ND); value represents SQL
J = estimated value
J1 = concentration of detected congeners contributes < 50% of total congener result
J2 = concentration of detected congeners contributes > 50% of total congener result
J3 = concentration of detected congeners contributes > 90% of total congener result
J4 = concentration of detected congeners contributes > 99% of total congener result
mg/kg = milligrams per kilogram (wet weight)
ng/L = nanograms per liter
ND = No PCB congeners detected above the SQL

Prepared by: KLD 4/1/2025
Checked by: AP 4/9/2025

Appendix B

Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor
Seafood Contaminant Survey Monitoring 2024 Sampling
March 25, 2025

Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

INTRODUCTION

Tissue and water samples were collected as part of the New Bedford Harbor Superfund Site Seafood Contaminant Survey Monitoring. Samples were collected by the Massachusetts Department of Marine Fisheries (MADMF) and/or WSP. Samples were submitted to Alpha Analytical Laboratory located in Mansfield, Massachusetts, for processing and analysis. Tissue samples were analyzed for percent lipids and polychlorinated biphenyls (PCBs) by gas chromatography/mass spectrometry (GC/MS) Selected Ion Monitoring (SIM). Water samples were analyzed for polychlorinated biphenyls (PCBs) by GC/MS SIM.

A summary of samples and methods can be found in Table 1. The following table outlines the associated Sample Delivery Group (SDG), species, sample collection date, and sample collection location for the samples included in this report:

SDG	Species/Sample Type	Sample Date	Sample Location
L2425317	Alewife	April 2024	New Bedford Harbor
L2425326	Quahog	May 2024	New Bedford Harbor
L2449588	Blue Crab	August 2024	New Bedford Harbor
L2449594	Blue Fish	August 2024	New Bedford Harbor
L2464617	Black Sea Bass	June-July 2024	New Bedford Harbor
L2464306	Conch	June-October 2024	New Bedford Harbor
L2464618	Lobster	June-July 2024	New Bedford Harbor
L2464620	Scup	May-June 2024	New Bedford Harbor
L2432818	Striped Bass	June 2024	New Bedford Harbor
L2464621	Tautog, BSB, Scup	May-July 2024	New Bedford Harbor
L2428797	Water (Quahog Area)	May 2024	New Bedford Harbor
L2425313	Water (Quahog Area)	May 2024	New Bedford Harbor
L2426113	Water (Quahog Area)	May 2024	New Bedford Harbor

The data packages were validated using U.S. Environmental Protection Agency (USEPA) Region 1 - EPA New England Environmental Data Review Program Guidance and Data Review Supplement (USEPA, 2018), National Functional Guidelines for Superfund Organic Data Review (USEPA, 2017), Alpha Analytical Laboratory Standard Operating Procedure (SOP) 2162 (Alpha, 2017), and the Massachusetts Department of Environmental Protection (MADEP) Quality Assurance Project Plan (QAPP), Seafood Contaminant Survey, New Bedford Harbor Superfund Site, Revision 18.0 (MADEP, 2024). Data were validated following Stage 2A and/or Stage 2B checks (USEPA, 2009) as specified in the QAPP. In accordance with the QAPP, Stage 2A data validation was performed on 95 percent of the samples, and Stage 2B data validation was performed on 5 percent of the samples. For the 2024 sampling events, Stage 2B validation was performed on the following Bluefish samples (SDG L2449594):

<u>Bluefish</u>
AI-A-BF-SKIN ON
AI-A-BF-SKIN OFF
AI-B-BF
AI-C-BF

AI-D-BF
AI-E-BF
AII-A-BF
AII-B-BF
AII-C-BF
AIII-A-BF
AIII-B-BF
AIII-C-BF
AIII-D-BF
AIII-E-BF
AII-D-BF
AII-E-BF

Data qualifications were completed, if necessary, in accordance with the guidelines or the professional judgment of the project chemist. The following qualifiers as reported by the laboratory or applied during data validation are included in the final data set:

J = The reported concentration is considered an estimated value

J- = The reported concentration is considered an estimated value with potential low bias

U = The target compound was not detected above the method detection limit or was qualified as not detected during data validation

UJ = The target compound was not detected and the associated detection limit is estimated

For Stage 2A data validation, data were evaluated for the following parameters:

* Collection and Preservation
* Holding Times
* Data Completeness
* Initial Calibration (for Stage 2A only if problems noted in case narrative)
  Continuing Calibration (for Stage 2A only if problems noted in case narrative)
* Blanks
  Surrogate Standards
  Standard Reference Material (SRM)
  Laboratory Control Sample/Laboratory Control Sample Duplicate (LCS/LCSD)
  Matrix Spike/Matrix Spike Duplicates (MS/MSD)
  Laboratory Duplicates
* Internal Standards (for Stage 2A only if problems noted in case narrative)
* Instrument Tune (for Stage 2A only if problems noted in case narrative)
* Target Compound Quantitation (for Stage 2A only if problems noted in case narrative)
* Miscellaneous

* - all criteria were met for this parameter

For Stage 2B data validation, the above checks were completed along with evaluations of initial calibrations, continuing calibrations, instrument tuning, and internal standards using summary forms provided in the data package.

DATA VALIDATION SUMMARY

In general, laboratory performance is considered acceptable and all results are usable as qualified. A summary of analytical results can be found in Table 2. The following qualifying statements have been applied to the 2024 data.

Holding Times

PCB (L2426113) – The extraction hold time was exceeded for the following samples due to laboratory oversight:

- NBH24-SF-D3 – DISSOLVED
- NBH24-SF-F2 – DISSOLVED
- NBH24-SF-B1 – DISSOLVED

Associated results were qualified as estimated (UJ/J) due to hold time exceedance. Qualified results are listed in Table 3 with reason code HT.

The laboratory re-extracted and reanalyzed the following sample due to poor surrogate recovery. The hold time was exceeded for the re-extraction.

- NBH24-SF-B1 – TOTAL (reanalysis)

Associated results were qualified as estimated (UJ/J) due to hold time exceedance. Qualified results are listed in Table 3 with reason code HT.

Initial and Continuing Calibration

Only opening continuing calibration verifications were checked as part of the data validation review. Closing continuing calibration verifications were not included in the validation of this data set.

PCB (L2449594) – The continuing calibration sample associated with samples AII-D-BF and AII-E-BF had percent recoveries for the following compounds outside of quality control limits

- Cl6-BZ#135
- Cl5-BZ#114
- Cl6-BZ#157

Detections for these congeners were qualified as estimated (J). Qualified results are listed in Table 3 with reason code CCV%D.

The continuing calibration sample associated with samples AI-A-BF-SKIN ON and AI-D-BF had percent recoveries for the following compounds outside of quality control limits

- Cl6-BZ#135
- Cl6-BZ#157

Detections for these congeners were qualified as estimated (J). Qualified results are listed in Table 3 with reason code CCV%D.

The continuing calibration sample associated with samples AI-E-BF had percent recoveries for the following compounds outside of quality control limits

- Cl5-BZ#114
- Cl6-BZ#153
- Cl5-BZ#105
- Cl6-BZ#157

Detections for these congeners were qualified as estimated (J). Qualified results are listed in Table 3 with reason code CCV%D.

Surrogate Standards

PCB (L2464620) – Sample NBH24-FF-A-3 (47) has surrogate percent recoveries for Cl3-BZ#19-C13 lower than the 50-125 control limits. Positive and non-detect results for all congeners in associated scup sample NBH24-FF-A-3 were qualified estimated (J-/UJ) with reason code SSL.

PCB (L2426113) – The surrogate recoveries were outside quality control limits for the first analysis of water sample NBH24-SF-B1. Results were refused flagged in favor of the reanalysis. No qualifications were made.

Standard Reference Material

PCB (L2436859) – The SRM recoveries were outside quality control limits for the first analysis of striped bass samples in SDG L2436859. Results were reported from a second analysis with SRM recoveries within quality control limits. No qualifications were made.

Laboratory Control Sample/Laboratory Control Sample Duplicate

PCB (L2464306) – The LCS/LCSD associated with conch samples NBH24-SF-C-2, NBH24-SF-D-2, and NBH24-SF-E-2 had relative percent differences greater than the control limit of 30 for the following congener:

- Cl2-BZ#15 (37)

Detections for this congener in conch samples NBH24-SF-C-2, NBH24-SF-D-2, and NBH24-SF-E-2 were qualified estimated (J) with reason code LCSRPD.

Matrix Spike

PCB (L2464620) – The MS associated with scup sample NBH24-FF-B-2 had percent recoveries lower than the 40-140 control limits for the following congeners:

- Cl5-BZ#101/#90 (34)
- Cl5-BZ#118 (32)
- Cl6-BZ#138 (15)

Detections for these congeners in scup sample NBH24-FF-B-2 were qualified estimated and may represent a potential low bias (J-).

The MS associated with scup sample NBH24-FF-B-2 had percent recoveries lower than the 40-140 control limits for the following congener:

- Cl5-BZ#99 (0)

Detections for this congener in scup sample NBH24-FF-B-2 were qualified as estimated with a low bias (J-) due to poor recoveries.

Laboratory Duplicates

PCB (L2425317) – The laboratory duplicate associated with alewife sample NBH24-FF-C-1-FILLET had an RPD greater than the control limit of 30 for the following congeners:

- CI3-BZ#28 (33)
- CI3-BZ#22 (41)

Detections for these congeners in alewife sample NBH24-FF-C-1-FILLET were qualified estimated (J) with reason code LD.

The laboratory duplicate associated with alewife sample NBH24-FF-C-1-ROE had an RPD greater than the control limit of 30 for the following congeners:

- CI3-BZ#16 (31)
- CI4-BZ#70 (39)
- CI5-BZ#97 (33)

Detections for these congeners in alewife sample NBH24-FF-C-1-ROE were qualified estimated (J) with reason code LD.

PCB (L2449588) – The laboratory duplicate associated with blue crab sample COMP AI-123BC had an RPD greater than the control limit of 30 for the following congener:

- CI6-BZ#141 (38)

Detections of this congener in blue crab sample COMP AI-123BC were qualified estimated (J) with reason code LD

PCB (L2464306) – The laboratory duplicate associated with conch sample NBH24-SF-A-2 had an RPD greater than the control limit of 30 for the following congener:

- CL7-BZ#174 (40)

Detections of this congener in conch sample NBH24-SF-A-2 were qualified estimated (J) with reason code LD.

PCB (L2464618) – The laboratory duplicate associated with lobster sample NBH24-L-B-3-M had an RPD greater than the control limit of 30 for the following congeners:

- Cl3-BZ#28 (33)
- Cl6-BZ#128 (33)

Detections of these congeners in lobster sample NBH24-L-B-3-M were qualified estimated (J) with reason code LD.

The laboratory duplicate associated with lobster sample NBH24-L-B-3-T had an RPD greater than the control limit of 30 for the following congener:

- Cl3-BZ#37 (44)

Detections of this congener in lobster sample NBH24-L-B-3-T were qualified estimated (J) with reason code LD.

PCB (L2464620) – The laboratory duplicate associated with scup sample NBH24-FF-B-2 had an RPD greater than the control limit of 30 for the following congener:

- Cl4-BZ#44 (31)

Detections of this congener in scup sample NBH24-FF-B-2 were qualified estimated (J) with reason code LD.

PCB (L2436859) – The laboratory duplicate associated with striped bass sample AIII-E-SB-SC had an RPD greater than the control limit of 30 for the following congener:

- Cl8-BZ#194 (31)

Detections of this congener in sample AIII-E-SB-SC were qualified estimated (J) with reason code LD.

Miscellaneous

PCB (L2449594) – The laboratory did not analyze an MS/MSD for this SDG as requested. This was noted in the case narrative. Data qualifiers are not required due to the lack of matrix QC results.

Sensitivity

Laboratory reporting limits were found to be acceptable for tissue and surface water samples.

References

USEPA, 2009. Guidance for Labeling Externally Validated Laboratory Analytical Data for Superfund Use; USEPA Office of Solid Waste and Emergency Response; EPA-540-R-08-005; January 2009.

USEPA, 2017. National Functional Guidelines for Superfund Organic Data Review; USEPA Office of Emergency and Remedial Response; EPA-540-R-2017-002; January 2017.

USEPA, 2018. Region 1 - EPA New England Environmental Data Review Program Guidance and Data Review Supplement; EPA Quality Assurance Unit & TechLaw Environmental Services Assistance team (ESAT) Contract Support; Region 1 – EPA New England Office of Environmental Measurement and Evaluation (OEME); June 2018.

Alpha Analytical, Inc., 2017. "Determination of PCB Homologs and 209 Individual Congeners by GC/MS-SIM," Alpha Analytical, Inc.; November 2017.

MADEP, 2024. Quality Assurance Project Plan (QAPP), Seafood Contaminant Survey, New Bedford Harbor Superfund Site, Revision 18.0 Massachusetts Department of Environmental Protection, 2024.

Data Validator:

Signature: T. Sultan Date: 3/24/2025

Reviewed by:

Signature: Kathy J Anderson Date: 3/25/25

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

				Location	AL1-Station C		AL1-Station C		AUX FACILITY		AUX FACILITY	
				Lab Sample Delivery Group	L2425317		L2425317		L2428797		L2428797	
				Field Sample Date	4/17/2024 0:00		4/17/2024 0:00		5/22/2024 9:03		5/22/2024 9:03	
				Field Sample ID	NBH24-FF-C-1-FILLET		NBH24-FF-C-1-ROE		AUX FACILITY - DISSOLVED		AUX FACILITY - TOTAL	
				Media Type	Alewife Fillet		Alewife Roe		SW		SW	
				QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	Lipids	LIPIDS	T	Lipids	PERCENT	3.83		2.33					
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#1	UG/KG	0.457	U	0.491	U				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#3	UG/KG	0.457	U	0.491	U				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#12	UG/KG	0.457	U	0.491	U				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#13	UG/KG	0.914	U	0.982	U				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#15	UG/KG	0.338	J	0.491	U				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#4/#10	UG/KG	0.64	J	0.57	J				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#5	UG/KG	0.457	U	0.491	U				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#6	UG/KG	0.775		0.665					
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#7	UG/KG	0.457	U	0.491	U				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#8	UG/KG	0.762		0.491	U				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#16	UG/KG	0.457	U	0.651	J				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#17	UG/KG	1.31		0.393	J				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#18	UG/KG	2.89		2.09					
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#19	UG/KG	0.437	J	0.31	J				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#21/#20	UG/KG	0.914	U	0.982	U				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#22	UG/KG	1.04	J	0.491	U				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#24	UG/KG	0.457	U	0.491	U				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#25	UG/KG	0.457	U	0.491	U				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#26	UG/KG	4.12		1.38					
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#27	UG/KG	0.61		0.546					
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#28	UG/KG	5.12	J	1.46					
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#29	UG/KG	0.457	U	0.491	U				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#31	UG/KG	5.79		1.6					
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#32	UG/KG	1.32		0.348	J				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#33	UG/KG	0.457	U	0.491	U				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#37	UG/KG	0.457	U	0.491	U				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#40	UG/KG	0.449	J	0.263	J				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#41	UG/KG	0.457	U	0.491	U				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#42	UG/KG	1.59		0.395	J				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#43	UG/KG	0.457	U	0.491	U				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#44	UG/KG	2.84		1.71					
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#45	UG/KG	0.329	J	0.319	J				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#47	UG/KG	3.28		0.66					
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#48	UG/KG	0.31	J	0.491	U				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#49	UG/KG	8.88		1.76					
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#50	UG/KG	0.457	U	0.491	U				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#51	UG/KG	0.577		0.491	U				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#52	UG/KG	11.5		4					

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	AL1-Station C		AL1-Station C		AUX FACILITY		AUX FACILITY	
					Lab Sample Delivery Group	L2425317		L2425317		L2428797		L2428797	
					Field Sample Date	4/17/2024 0:00		4/17/2024 0:00		5/22/2024 9:03		5/22/2024 9:03	
					Field Sample ID	NBH24-FF-C-1-FILLET		NBH24-FF-C-1-ROE		AUX FACILITY - DISSOLVED		AUX FACILITY - TOTAL	
					Media Type	Alewife Fillet		Alewife Roe		SW		SW	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#53	UG/KG	1.11		0.513					
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#54	UG/KG	0.457	U	0.491	U				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#56	UG/KG	1.33		0.314	J				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#60	UG/KG	0.583		0.491	U				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#63	UG/KG	0.331	J	0.491	U				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#66	UG/KG	3.81		0.777					
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#68/#64	UG/KG	2.13		0.505	J				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#70	UG/KG	2.99		0.554	J				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#71	UG/KG	1.18		0.352	J				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#73/#46	UG/KG	0.914	U	0.982	U				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#74	UG/KG	2.66		0.501					
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#76	UG/KG	0.457	U	0.491	U				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#77	UG/KG	0.311	J	0.491	U				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#81	UG/KG	0.457	U	0.491	U				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#100	UG/KG	0.457	U	0.491	U				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#101/#90	UG/KG	10.6		1.98					
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#104	UG/KG	0.457	U	0.491	U				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#105	UG/KG	1.75		0.372	J				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#107/#123	UG/KG	1.22		0.982	U				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#110	UG/KG	8.1		1.71					
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#114	UG/KG	0.372	J	0.491	U				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#118	UG/KG	9.76		1.64					
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#119	UG/KG	0.626		0.491	U				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#121/#95/#88	UG/KG	3.83		1.98					
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#124	UG/KG	0.285	J	0.491	U				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#126	UG/KG	0.457	U	0.491	U				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#82	UG/KG	0.525		0.491	U				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#83/#125/#112	UG/KG	1.37	U	1.47	U				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#85	UG/KG	1.26		0.277	J				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#87/#111	UG/KG	1.58		0.982	U				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#89/#84	UG/KG	1.31		0.748	J				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#91	UG/KG	1.7		0.46	J				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#92	UG/KG	2.28		0.551					
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#97	UG/KG	2.69		0.569	J				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#99	UG/KG	8.31		1.59					
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#128	UG/KG	1.7		0.351	J				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#129/#158	UG/KG	0.992		0.982	U				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#130/#164	UG/KG	1.21		0.982	U				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#131	UG/KG	0.457	U	0.491	U				

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

				Location	AL1-Station C		AL1-Station C		AUX FACILITY		AUX FACILITY	
				Lab Sample Delivery Group	L2425317		L2425317		L2428797		L2428797	
				Field Sample Date	4/17/2024 0:00		4/17/2024 0:00		5/22/2024 9:03		5/22/2024 9:03	
				Field Sample ID	NBH24-FF-C-1-FILLET		NBH24-FF-C-1-ROE		AUX FACILITY - DISSOLVED		AUX FACILITY - TOTAL	
				Media Type	Alewife Fillet		Alewife Roe		SW		SW	
				QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#132	UG/KG	1.6		0.36	J				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#134	UG/KG	0.388	J	0.491	U				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#135	UG/KG	1.07		0.277	J				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#136	UG/KG	0.571		0.491	U				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#137	UG/KG	0.364	J	0.491	U				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#138	UG/KG	7.05		1.38					
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#141	UG/KG	0.767		0.491	U				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#144	UG/KG	0.457	U	0.491	U				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#146	UG/KG	2.8		0.596					
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#147/#149	UG/KG	6.25		1.29					
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#151	UG/KG	1.37		0.358	J				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#153	UG/KG	14.6		2.72					
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#154	UG/KG	0.641		0.491	U				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#155	UG/KG	0.457	U	0.491	U				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#156	UG/KG	0.739		0.491	U				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#157	UG/KG	0.431	J	0.491	U				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#163/#160	UG/KG	3.4		0.634	J				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#167	UG/KG	0.54		0.491	U				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#168	UG/KG	0.457	U	0.491	U				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#169	UG/KG	0.457	U	0.491	U				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#170	UG/KG	0.67		0.491	U				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#171	UG/KG	0.35	J	0.491	U				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#172	UG/KG	0.244	J	0.491	U				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#173	UG/KG	0.457	U	0.491	U				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#174	UG/KG	0.558		0.491	U				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#176	UG/KG	0.457	U	0.491	U				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#177	UG/KG	0.906		0.248	J				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#178	UG/KG	0.601		0.491	U				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#180	UG/KG	1.9		0.35	J				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#182/#175	UG/KG	0.914	U	0.982	U				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#183	UG/KG	0.866		0.248	J				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#184	UG/KG	0.457	U	0.491	U				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#185	UG/KG	0.457	U	0.491	U				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#187	UG/KG	3.04		0.695					
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#188	UG/KG	0.457	U	0.491	U				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#189	UG/KG	0.457	U	0.491	U				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#190	UG/KG	0.457	U	0.491	U				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#191	UG/KG	0.457	U	0.491	U				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#193	UG/KG	0.457	U	0.491	U				

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	AL1-Station C		AL1-Station C		AUX FACILITY		AUX FACILITY	
					Lab Sample Delivery Group	L2425317		L2425317		L2428797		L2428797	
					Field Sample Date	4/17/2024 0:00		4/17/2024 0:00		5/22/2024 9:03		5/22/2024 9:03	
					Field Sample ID	NBH24-FF-C-1-FILLET		NBH24-FF-C-1-ROE		AUX FACILITY - DISSOLVED		AUX FACILITY - TOTAL	
					Media Type	Alewife Fillet		Alewife Roe		SW		SW	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#194	UG/KG	0.457	U	0.491	U				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#195	UG/KG	0.457	U	0.491	U				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#196	UG/KG	0.457	U	0.491	U				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#197	UG/KG	0.457	U	0.491	U				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#199	UG/KG	0.457	U	0.491	U				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#201	UG/KG	0.852		0.491	U				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#202	UG/KG	0.473		0.491	U				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#203	UG/KG	0.347	J	0.491	U				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#204/#200	UG/KG	0.914	U	0.982	U				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#205	UG/KG	0.457	U	0.491	U				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#206	UG/KG	0.457	U	0.491	U				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#207	UG/KG	0.457	U	0.491	U				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#208	UG/KG	0.457	U	0.491	U				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Decachlorobiphenyl	UG/KG	0.457	U	0.491	U				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Total PCBs	UG/KG	185		44					
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#1	NG/L					0.271	J	0.521	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#3	NG/L					0.5	U	0.521	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#12	NG/L					0.5	U	0.521	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#13	NG/L					0.5	U	0.521	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#15	NG/L					0.287	J	0.327	J
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#4/#10	NG/L					1.03		1.08	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#5	NG/L					0.5	U	0.521	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#6	NG/L					0.756		0.78	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#7	NG/L					0.5	U	0.521	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#8	NG/L					0.668		0.76	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#16	NG/L					0.5	U	0.521	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#17	NG/L					0.708		0.866	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#18	NG/L					1.69		1.94	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#19	NG/L					0.488	J	0.525	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#21/#20	NG/L					1	U	1.04	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#22	NG/L					0.5	U	0.521	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#24	NG/L					0.5	U	0.521	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#25	NG/L					0.5	U	0.985	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#26	NG/L					1.23		1.44	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#27	NG/L					0.465	J	0.528	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#28	NG/L					1.12		1.45	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#29	NG/L					0.5	U	0.521	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#31	NG/L					1.54		1.7	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#32	NG/L					0.648		0.729	

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	AL1-Station C		AL1-Station C		AUX FACILITY		AUX FACILITY	
					Lab Sample Delivery Group	L2425317		L2425317		L2428797		L2428797	
					Field Sample Date	4/17/2024 0:00		4/17/2024 0:00		5/22/2024 9:03		5/22/2024 9:03	
					Field Sample ID	NBH24-FF-C-1-FILLET		NBH24-FF-C-1-ROE		AUX FACILITY - DISSOLVED		AUX FACILITY - TOTAL	
					Media Type	Alewife Fillet		Alewife Roe		SW		SW	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#33	NG/L					0.5 U		0.521 U	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#37	NG/L					0.5 U		0.521 U	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#40	NG/L					0.5 U		0.521 U	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#41	NG/L					0.5 U		0.521 U	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#42	NG/L					0.5 U		0.521 U	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#43	NG/L					0.5 U		0.521 U	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#44	NG/L					0.347 J		0.496 J	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#45	NG/L					0.5 U		0.521 U	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#47	NG/L					0.464 J		0.494 J	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#48	NG/L					0.5 U		0.521 U	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#49	NG/L					1.16		1.58	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#50	NG/L					0.5 U		0.521 U	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#51	NG/L					0.5 U		0.521 U	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#52	NG/L					1.72		2.23	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#53	NG/L					0.552		0.696	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#54	NG/L					0.5 U		0.521 U	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#56	NG/L					0.5 U		0.521 U	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#60	NG/L					0.5 U		0.521 U	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#63	NG/L					0.5 U		0.521 U	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#66	NG/L					0.5 U		0.521 U	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#68/#64	NG/L					1 U		1.04 U	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#70	NG/L					0.5 U		0.521 U	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#71	NG/L					0.299 J		0.384 J	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#73/#46	NG/L					1 U		1.04 U	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#74	NG/L					0.5 U		0.521 U	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#76	NG/L					0.5 U		0.521 U	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#77	NG/L					0.5 U		0.521 U	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#81	NG/L					0.5 U		0.521 U	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#100	NG/L					0.5 U		0.521 U	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#101/#90	NG/L					1 U		1.04 U	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#104	NG/L					0.5 U		0.521 U	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#105	NG/L					0.5 U		0.521 U	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#107/#123	NG/L					1 U		1.04 U	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#110	NG/L					0.306 J		0.424 J	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#114	NG/L					0.5 U		0.521 U	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#118	NG/L					0.5 U		0.521 U	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#119	NG/L					0.5 U		0.521 U	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#121/#95/#88	NG/L					1.5 U		1.56 U	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#124	NG/L					0.5 U		0.521 U	

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	AL1-Station C		AL1-Station C		AUX FACILITY		AUX FACILITY	
					Lab Sample Delivery Group	L2425317		L2425317		L2428797		L2428797	
					Field Sample Date	4/17/2024 0:00		4/17/2024 0:00		5/22/2024 9:03		5/22/2024 9:03	
					Field Sample ID	NBH24-FF-C-1-FILLET		NBH24-FF-C-1-ROE		AUX FACILITY - DISSOLVED		AUX FACILITY - TOTAL	
					Media Type	Alewife Fillet		Alewife Roe		SW		SW	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#126	NG/L					0.5	U	0.521	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#82	NG/L					0.5	U	0.521	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#83/#125/#112	NG/L					1.5	U	1.56	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#85	NG/L					0.5	U	0.521	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#87/#111	NG/L					1	U	1.04	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#89/#84	NG/L					1	U	1.04	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#91	NG/L					0.5	U	0.521	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#92	NG/L					0.5	U	0.521	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#97	NG/L					0.5	U	0.521	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#99	NG/L					0.5	U	0.318	J
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#128	NG/L					0.5	U	0.521	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#129/#158	NG/L					1	U	1.04	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#130/#164	NG/L					1	U	1.04	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#131	NG/L					0.5	U	0.521	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#132	NG/L					0.5	U	0.521	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#134	NG/L					0.5	U	0.521	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#135	NG/L					0.5	U	0.521	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#136	NG/L					0.5	U	0.521	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#137	NG/L					0.5	U	0.521	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#138	NG/L					0.5	U	0.521	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#141	NG/L					0.5	U	0.521	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#144	NG/L					0.5	U	0.521	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#146	NG/L					0.5	U	0.521	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#147/#149	NG/L					1	U	1.04	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#151	NG/L					0.5	U	0.521	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#153	NG/L					0.5	U	0.302	J
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#154	NG/L					0.5	U	0.521	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#155	NG/L					0.5	U	0.521	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#156	NG/L					0.5	U	0.521	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#157	NG/L					0.5	U	0.521	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#163/#160	NG/L					1	U	1.04	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#167	NG/L					0.5	U	0.521	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#168	NG/L					0.5	U	0.521	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#169	NG/L					0.5	U	0.521	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#170	NG/L					0.5	U	0.521	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#171	NG/L					0.5	U	0.521	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#172	NG/L					0.5	U	0.521	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#173	NG/L					0.5	U	0.521	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#174	NG/L					0.5	U	0.521	U

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	AL1-Station C		AL1-Station C		AUX FACILITY		AUX FACILITY	
					Lab Sample Delivery Group	L2425317		L2425317		L2428797		L2428797	
					Field Sample Date	4/17/2024 0:00		4/17/2024 0:00		5/22/2024 9:03		5/22/2024 9:03	
					Field Sample ID	NBH24-FF-C-1-FILLET		NBH24-FF-C-1-ROE		AUX FACILITY - DISSOLVED		AUX FACILITY - TOTAL	
					Media Type	Alewife Fillet		Alewife Roe		SW		SW	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#176	NG/L					0.5	U	0.521	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#177	NG/L					0.5	U	0.521	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#178	NG/L					0.5	U	0.521	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#180	NG/L					0.5	U	0.521	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#182/#175	NG/L					1	U	1.04	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#183	NG/L					0.5	U	0.521	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#184	NG/L					0.5	U	0.521	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#185	NG/L					0.5	U	0.521	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#187	NG/L					0.5	U	0.521	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#188	NG/L					0.5	U	0.521	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#189	NG/L					0.5	U	0.521	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#190	NG/L					0.5	U	0.521	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#191	NG/L					0.5	U	0.521	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#193	NG/L					0.5	U	0.521	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#194	NG/L					0.5	U	0.521	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#195	NG/L					0.5	U	0.521	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#196	NG/L					0.5	U	0.521	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#197	NG/L					0.5	U	0.521	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#199	NG/L					0.5	U	0.521	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#201	NG/L					0.5	U	0.521	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#202	NG/L					0.5	U	0.521	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#203	NG/L					0.5	U	0.521	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#204/#200	NG/L					1	U	1.04	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#205	NG/L					0.5	U	0.521	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#206	NG/L					0.5	U	0.521	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#207	NG/L					0.5	U	0.521	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#208	NG/L					0.5	U	0.521	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Decachlorobiphenyl	NG/L					0.5	U	0.521	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Total PCBs	NG/L					15.7		20	

NOTES:
B = biological
L = liquid
ug/kg = microgram per kilogram
ng/L = nanograms per liter
U = not detected at the reported detection limit
UJ = estimated value at the reporting limit
J = estimated value
J- = estimated value biased low
FS = field sample

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

				Location	BC1-Station A		BC1-Station B		BC1-Station C		BC1-Station D	
				Lab Sample Delivery Group	L2449588		L2449588		L2449588		L2449588	
				Field Sample Date	8/27/2024 10:10		8/29/2024 9:10		8/28/2024 9:15		8/28/2024 10:24	
				Field Sample ID	COMP AI-123BC		COMP BI-123BC		COMP CI-123BC		COMP DI-123BC	
				Media Type	Blue Crab		Blue Crab		Blue Crab		Blue Crab	
				QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result Qualifier		Result Qualifier		Result Qualifier		Result Qualifier
B	Lipids	LIPIDS	T	Lipids	PERCENT	0.314		0.661		0.55		0.262
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#1	UG/KG	0.357 U		0.344 U		0.382 U		0.364 U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#3	UG/KG	0.357 U		0.344 U		0.382 U		0.364 U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#12	UG/KG	0.357 U		0.344 U		0.382 U		0.364 U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#13	UG/KG	1.5		1.39		0.773		0.727 U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#15	UG/KG	5.85		7.19		1.56		1.19
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#4/#10	UG/KG	0.744		0.688 U		0.763 U		0.727 U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#5	UG/KG	0.357 U		0.344 U		0.382 U		0.364 U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#6	UG/KG	2.76		1.06		0.995		0.289 J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#7	UG/KG	0.357 U		0.344 U		0.382 U		0.364 U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#8	UG/KG	5.8		4.85		2.88		0.838
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#16	UG/KG	0.357 U		0.344 U		0.382 U		0.364 U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#17	UG/KG	4.21		3.38		3.15		0.769
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#18	UG/KG	6.41		2.6		4.21		1.08
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#19	UG/KG	0.401		0.344 U		0.382 U		0.364 U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#21/#20	UG/KG	0.714 U		0.688 U		0.763 U		0.727 U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#22	UG/KG	3.72		3.3		3.1		1.72
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#24	UG/KG	0.357 U		0.344 U		0.382 U		0.364 U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#25	UG/KG	17.4		26.6		9.41		0.364 U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#26	UG/KG	16.4		15.7		8.35		2.7
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#27	UG/KG	2.02		0.626		1.02		0.298 J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#28	UG/KG	164		179		69.8		44.2
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#29	UG/KG	0.357 U		0.344 U		0.382 U		0.364 U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#31	UG/KG	30.9		81.2		19.7		7.03
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#32	UG/KG	7.82		6.49		4.31		1.05
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#33	UG/KG	0.357 U		0.344 U		0.382 U		0.364 U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#37	UG/KG	3.15		4.8		1.67		1.38
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#40	UG/KG	0.242 J		0.344 U		0.382		0.364 U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#41	UG/KG	0.357 U		0.344 U		0.382 U		0.364 U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#42	UG/KG	2.47		5.33		2.24		0.91
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#43	UG/KG	0.221 J		0.344 U		0.382 U		0.364 U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#44	UG/KG	2.25		1.01		2.44		0.534
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#45	UG/KG	0.357 U		0.344 U		0.382 U		0.364 U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#47	UG/KG	65.1		112		28		18.5
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#48	UG/KG	0.524		0.525		0.455		0.188 J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#49	UG/KG	19.8		70.8		16.2		4.02
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#50	UG/KG	0.357 U		0.344 U		0.382 U		0.364 U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#51	UG/KG	1.61		1.13		0.953		0.23 J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#52	UG/KG	22.8		13.6		17.5		3.91

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	BC1-Station A		BC1-Station B		BC1-Station C		BC1-Station D	
					Lab Sample Delivery Group	L2449588		L2449588		L2449588		L2449588	
					Field Sample Date	8/27/2024 10:10		8/29/2024 9:10		8/28/2024 9:15		8/28/2024 10:24	
					Field Sample ID	COMP AI-123BC		COMP BI-123BC		COMP CI-123BC		COMP DI-123BC	
					Media Type	Blue Crab		Blue Crab		Blue Crab		Blue Crab	
					QC Code	FS		FS		FS		FS	
Matrix	Method Class	Analysis Method	Fraction	Parameter	Units	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#53	UG/KG	2.03		0.634		1.47		0.292	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#54	UG/KG	0.357	U	0.344	U	0.382	U	0.364	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#56	UG/KG	1.63		2.54		1.32		0.609	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#60	UG/KG	10.8		8.64		7.08		7.33	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#63	UG/KG	2		2.86		0.947		0.838	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#66	UG/KG	35.2		42		18.9		19.5	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#68/#64	UG/KG	8.25		18.4		4.87		2.37	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#70	UG/KG	3.54		5.64		2.98		1.35	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#71	UG/KG	7.05		5.23		3.12		1.16	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#73/#46	UG/KG	0.768		0.37	J	0.763	U	0.727	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#74	UG/KG	31.1		35.9		16.7		17.7	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#76	UG/KG	0.357	U	0.344	U	0.382	U	0.364	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#77	UG/KG	1.63		2.37		0.888		1.02	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#81	UG/KG	0.357	U	0.344	U	0.382	U	0.364	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#100	UG/KG	3.77		8.42		1.66		0.953	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#101/#90	UG/KG	16.4		34.2		11.3		5.11	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#104	UG/KG	0.357	U	0.344	U	0.382	U	0.364	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#105	UG/KG	11.9		12.4		6.94		8.46	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#107/#123	UG/KG	4.91		6.59		2.46		2.44	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#110	UG/KG	15		31.1		10.6		4.78	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#114	UG/KG	1.71		2.45		0.945		1.06	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#118	UG/KG	67.2		87.5		35.3		40.7	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#119	UG/KG	10.3		19.6		4.45		3.15	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#121/#95/#88	UG/KG	3.59		2.36		3.03		1.09	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#124	UG/KG	0.449		0.626		0.286	J	0.364	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#126	UG/KG	0.326	J	0.344	U	0.382	U	0.364	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#82	UG/KG	0.357	U	0.344	U	0.382	U	0.364	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#83/#125/#112	UG/KG	1.07	U	1.03	U	1.14	U	1.09	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#85	UG/KG	7.16		7.07		3.67		4.26	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#87/#111	UG/KG	1.05		1.24		1.04		0.727	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#89/#84	UG/KG	0.987		0.494	J	0.898		0.42	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#91	UG/KG	3.86		7.1		2.59		1.03	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#92	UG/KG	3.23		2.97		1.93		1.01	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#97	UG/KG	2.93		5.34		2.69		1.09	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#99	UG/KG	69.8		91.3		33		32.9	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#128	UG/KG	5.66		5.9		2.47		3.19	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#129/#158	UG/KG	5.76		7.43		3.05		3.29	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#130/#164	UG/KG	2.18		3.28		1.06		0.849	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#131	UG/KG	0.357	U	0.344	U	0.382	U	0.364	U

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	BC1-Station A		BC1-Station B		BC1-Station C		BC1-Station D	
					Lab Sample Delivery Group	L2449588		L2449588		L2449588		L2449588	
					Field Sample Date	8/27/2024 10:10		8/29/2024 9:10		8/28/2024 9:15		8/28/2024 10:24	
					Field Sample ID	COMP AI-123BC		COMP BI-123BC		COMP CI-123BC		COMP DI-123BC	
					Media Type	Blue Crab		Blue Crab		Blue Crab		Blue Crab	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#132	UG/KG	0.448		0.328	J	0.55		0.364	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#134	UG/KG	0.373		0.346		0.353	J	0.364	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#135	UG/KG	1.2		1.6		0.634		0.402	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#136	UG/KG	0.337	J	0.271	J	0.254	J	0.364	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#137	UG/KG	2.24		2.87		1.25		1.31	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#138	UG/KG	28.6		26.8		11.6		15.7	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#141	UG/KG	0.416	J	0.786		0.43		0.332	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#144	UG/KG	0.357	U	0.193	J	0.382	U	0.364	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#146	UG/KG	9.27		13.8		4.46		4.33	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#147/#149	UG/KG	11.6		28.8		7.23		3.12	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#151	UG/KG	0.794		1.02		0.711		0.197	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#153	UG/KG	61.1		92.5		27.2		33.8	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#154	UG/KG	3.92		8.13		1.64		1.32	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#155	UG/KG	0.357	U	0.176	J	0.382	U	0.364	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#156	UG/KG	3.92		5.85		2.21		2.54	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#157	UG/KG	0.931		1.22		0.494		0.646	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#163/#160	UG/KG	12.9		21.6		5.69		5.33	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#167	UG/KG	2.24		3.78		1.15		1.32	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#168	UG/KG	0.357	U	0.344	U	0.382	U	0.364	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#169	UG/KG	0.357	U	0.344	U	0.382	U	0.364	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#170	UG/KG	1.84		2.52		0.693		0.947	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#171	UG/KG	0.861		1.29		0.389		0.502	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#172	UG/KG	0.484		0.77		0.254	J	0.364	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#173	UG/KG	0.357	U	0.344	U	0.382	U	0.364	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#174	UG/KG	0.226	J	0.556		0.213	J	0.364	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#176	UG/KG	0.357	U	0.344	U	0.382	U	0.364	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#177	UG/KG	0.784		1.36		0.472		0.358	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#178	UG/KG	1.04		1.65		0.572		0.319	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#180	UG/KG	4.88		7.91		2.31		2.96	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#182/#175	UG/KG	0.714	U	0.688	U	0.763	U	0.727	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#183	UG/KG	1.99		3.3		0.845		1.09	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#184	UG/KG	0.357	U	0.344	U	0.382	U	0.364	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#185	UG/KG	0.357	U	0.344	U	0.382	U	0.364	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#187	UG/KG	5.99		10.4		2.41		2.43	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#188	UG/KG	0.357	U	0.242	J	0.382	U	0.364	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#189	UG/KG	0.357	U	0.291	J	0.382	U	0.364	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#190	UG/KG	0.516		0.987		0.289	J	0.233	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#191	UG/KG	0.194	J	0.356		0.382	U	0.364	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#193	UG/KG	0.297	J	0.54		0.382	U	0.364	U

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	BC1-Station A		BC1-Station B		BC1-Station C		BC1-Station D	
					Lab Sample Delivery Group	L2449588		L2449588		L2449588		L2449588	
					Field Sample Date	8/27/2024 10:10		8/29/2024 9:10		8/28/2024 9:15		8/28/2024 10:24	
					Field Sample ID	COMP AI-123BC		COMP BI-123BC		COMP CI-123BC		COMP DI-123BC	
					Media Type	Blue Crab		Blue Crab		Blue Crab		Blue Crab	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#194	UG/KG	0.318	J	0.986		0.382	U	0.364	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#195	UG/KG	0.357	U	0.344	U	0.382	U	0.364	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#196	UG/KG	0.238	J	0.569		0.382	U	0.364	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#197	UG/KG	0.357	U	0.344	U	0.382	U	0.364	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#199	UG/KG	0.357	U	0.344	U	0.382	U	0.364	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#201	UG/KG	0.501		1.1		0.302	J	0.348	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#202	UG/KG	0.4		0.783		0.382	U	0.364	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#203	UG/KG	0.217	J	0.776		0.382	U	0.364	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#204/#200	UG/KG	0.714	U	0.688	U	0.763	U	0.727	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#205	UG/KG	0.357	U	0.344	U	0.382	U	0.364	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#206	UG/KG	0.357	U	0.352		0.382	U	0.364	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#207	UG/KG	0.357	U	0.344	U	0.382	U	0.364	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#208	UG/KG	0.357	U	0.26	J	0.382	U	0.364	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Decachlorobiphenyl	UG/KG	0.357	U	0.344	U	0.382	U	0.364	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Total PCBs	UG/KG	891		1250		461		338	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#1	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#3	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#12	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#13	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#15	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#4/#10	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#5	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#6	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#7	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#8	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#16	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#17	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#18	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#19	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#21/#20	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#22	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#24	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#25	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#26	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#27	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#28	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#29	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#31	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#32	NG/L								

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

						BC1-Station A		BC1-Station B		BC1-Station C		BC1-Station D	
					Location								
					Lab Sample Delivery Group	L2449588		L2449588		L2449588		L2449588	
					Field Sample Date	8/27/2024 10:10		8/29/2024 9:10		8/28/2024 9:15		8/28/2024 10:24	
					Field Sample ID	COMP AI-123BC		COMP BI-123BC		COMP CI-123BC		COMP DI-123BC	
					Media Type	Blue Crab		Blue Crab		Blue Crab		Blue Crab	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#33	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#37	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#40	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#41	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#42	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#43	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#44	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#45	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#47	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#48	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#49	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#50	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#51	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#52	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#53	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#54	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#56	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#60	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#63	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#66	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#68/#64	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#70	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#71	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#73/#46	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#74	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#76	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#77	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#81	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#100	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#101/#90	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#104	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#105	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#107/#123	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#110	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#114	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#118	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#119	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#121/#95/#88	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#124	NG/L								

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	BC1-Station A		BC1-Station B		BC1-Station C		BC1-Station D	
					Lab Sample Delivery Group	L2449588		L2449588		L2449588		L2449588	
					Field Sample Date	8/27/2024 10:10		8/29/2024 9:10		8/28/2024 9:15		8/28/2024 10:24	
					Field Sample ID	COMP AI-123BC		COMP BI-123BC		COMP CI-123BC		COMP DI-123BC	
					Media Type	Blue Crab		Blue Crab		Blue Crab		Blue Crab	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#126	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#82	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#83/#125/#112	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#85	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#87/#111	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#89/#84	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#91	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#92	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#97	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#99	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#128	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#129/#158	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#130/#164	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#131	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#132	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#134	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#135	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#136	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#137	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#138	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#141	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#144	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#146	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#147/#149	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#151	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#153	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#154	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#155	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#156	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#157	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#163/#160	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#167	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#168	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#169	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#170	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#171	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#172	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#173	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#174	NG/L								

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	BC1-Station A		BC1-Station B		BC1-Station C		BC1-Station D	
					Lab Sample Delivery Group	L2449588		L2449588		L2449588		L2449588	
					Field Sample Date	8/27/2024 10:10		8/29/2024 9:10		8/28/2024 9:15		8/28/2024 10:24	
					Field Sample ID	COMP AI-123BC		COMP BI-123BC		COMP CI-123BC		COMP DI-123BC	
					Media Type	Blue Crab		Blue Crab		Blue Crab		Blue Crab	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#176	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#177	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#178	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#180	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#182/#175	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#183	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#184	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#185	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#187	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#188	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#189	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#190	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#191	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#193	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#194	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#195	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#196	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#197	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#199	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#201	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#202	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#203	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#204/#200	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#205	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#206	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#207	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#208	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Decachlorobiphenyl	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Total PCBs	NG/L								

NOTES:
B = biological
L = liquid
ug/kg = microgram per kilogram
ng/L = nanograms per liter
U = not detected at the reported detection limit
UJ = estimated value at the reporting limit
J = estimated value
J- = estimated value biased low
FS = field sample

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

				Location	BF1-Station A		BF1-Station A		BF1-Station B		BF1-Station C	
				Lab Sample Delivery Group	L2449594		L2449594		L2449594		L2449594	
				Field Sample Date	8/27/2024 16:10		8/27/2024 16:10		8/28/2024 8:10		8/28/2024 8:15	
				Field Sample ID	AI-A-BF-SKIN OFF		AI-A-BF-SKIN ON		AI-B-BF		AI-C-BF	
				Media Type	9 inch		9 inch		8 inch		8.75 inch	
				QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	Lipids	LIPIDS	T	Lipids	PERCENT	2.22		2.74		2.16		3.24	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#1	UG/KG	1.44	U	1.56	U	1.42	U	1.4	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#3	UG/KG	1.44	U	1.56	U	1.42	U	1.4	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#12	UG/KG	1.44	U	1.56	U	1.42	U	1.4	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#13	UG/KG	2.88	U	3.11	U	2.84	U	2.8	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#15	UG/KG	0.929	J	1.56	U	0.919	J	1.1	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#4/#10	UG/KG	7.99		8.19		8.02		12.9	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#5	UG/KG	1.44	U	1.56	U	1.42	U	1.4	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#6	UG/KG	22.6		16.7		22.6		33.2	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#7	UG/KG	1.44	U	1.56	U	1.42	U	0.887	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#8	UG/KG	22.6		20.2		22.7		36	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#16	UG/KG	9.26		7.61		9.96		14.2	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#17	UG/KG	74.4		58		74.9		114	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#18	UG/KG	153		121		152		233	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#19	UG/KG	12.5		12		13.1		21.7	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#21/#20	UG/KG	15.8		13.7		17.1		20.1	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#22	UG/KG	30.5		26.6		29.8		44	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#24	UG/KG	0.832	J	0.872	J	1.42	U	1.05	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#25	UG/KG	129		1.56	U	136		147	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#26	UG/KG	262		205		262		387	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#27	UG/KG	27.7		18.5		28.1		40.8	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#28	UG/KG	355		269		355		509	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#29	UG/KG	1.44	U	1.56	U	1.42	U	1.4	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#31	UG/KG	275		219		280		415	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#32	UG/KG	69.1		54.1		69		107	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#33	UG/KG	9.35		9.77		9.44		20.9	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#37	UG/KG	1.44	U	1.56	U	1.42	U	1.4	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#40	UG/KG	17.2		14.8		16.6		25.5	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#41	UG/KG	3.74		3.55		3.8		5.3	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#42	UG/KG	77.4		66.7		79.4		114	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#43	UG/KG	6.11		4.72		6.85		8.36	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#44	UG/KG	177		145		177		246	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#45	UG/KG	13.2		12		13.6		18.8	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#47	UG/KG	292		215		291		398	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#48	UG/KG	19.9		16		20.1		27.7	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#49	UG/KG	787		608		784		1140	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#50	UG/KG	1.46		1.28	J	1.38	J	2.07	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#51	UG/KG	35.6		29.6		35.8		58.7	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#52	UG/KG	988		743		984		1380	

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	BF1-Station A		BF1-Station A		BF1-Station B		BF1-Station C	
					Lab Sample Delivery Group	L2449594		L2449594		L2449594		L2449594	
					Field Sample Date	8/27/2024 16:10		8/27/2024 16:10		8/28/2024 8:10		8/28/2024 8:15	
					Field Sample ID	AI-A-BF-SKIN OFF		AI-A-BF-SKIN ON		AI-B-BF		AI-C-BF	
					Media Type	9 inch		9 inch		8 inch		8.75 inch	
					QC Code	FS		FS		FS		FS	
Matrix	Method Class	Analysis Method	Fraction	Parameter	Units	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#53	UG/KG	86.3		64.4		86.6		135	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#54	UG/KG	1.7		1.26	J	1.86		2.44	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#56	UG/KG	42.9		38.8		43		64.6	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#60	UG/KG	31.1		24		31.6		39	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#63	UG/KG	19.8		13.6		19.4		24.5	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#66	UG/KG	221		161		225		276	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#68/#64	UG/KG	143		113		143		194	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#70	UG/KG	130		107		131		182	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#71	UG/KG	93.1		73		92.5		142	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#73/#46	UG/KG	10.2		8.26		9.99		16.3	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#74	UG/KG	166		123		168		212	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#76	UG/KG	1.44	U	1.56	U	1.42	U	1.4	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#77	UG/KG	2.7		2.47		3.25		4.51	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#81	UG/KG	1.44	U	1.56	U	1.42	U	1.4	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#100	UG/KG	19.6		14.9		20.3		27.8	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#101/#90	UG/KG	715		567		684		882	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#104	UG/KG	1.44	U	1.56	U	1.42	U	1.4	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#105	UG/KG	81.6		60.6		83.6		99.6	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#107/#123	UG/KG	43.7		33.1		43.8		53.8	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#110	UG/KG	601		462		600		763	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#114	UG/KG	13.6		11.4		13.4		17.3	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#118	UG/KG	498		369		510		614	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#119	UG/KG	59.8		41		60		75.7	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#121/#95/#88	UG/KG	272		225		274		388	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#124	UG/KG	10.7		8.95		10.6		15	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#126	UG/KG	1.91		1.4	J	1.59		2.16	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#82	UG/KG	21.5		18.2		20.7		29.2	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#83/#125/#112	UG/KG	25.5		24.6		25.3		34.2	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#85	UG/KG	64.7		51.3		63		79.4	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#87/#111	UG/KG	90.4		75.8		90.6		121	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#89/#84	UG/KG	66		63		67.6		106	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#91	UG/KG	143		117		142		201	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#92	UG/KG	141		109		141		180	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#97	UG/KG	168		141		167		229	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#99	UG/KG	534		398		533		646	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#128	UG/KG	66.2		55.4		66.7		84	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#129/#158	UG/KG	61.2		49.9		64.8		79.8	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#130/#164	UG/KG	51.9		43		52.4		67.6	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#131	UG/KG	4.75		5.07		4.82		7.91	

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	BF1-Station A		BF1-Station A		BF1-Station B		BF1-Station C	
					Lab Sample Delivery Group	L2449594		L2449594		L2449594		L2449594	
					Field Sample Date	8/27/2024 16:10		8/27/2024 16:10		8/28/2024 8:10		8/28/2024 8:15	
					Field Sample ID	AI-A-BF-SKIN OFF		AI-A-BF-SKIN ON		AI-B-BF		AI-C-BF	
					Media Type	9 inch		9 inch		8 inch		8.75 inch	
					QC Code	FS		FS		FS		FS	
Matrix	Method Class	Analysis Method	Fraction	Parameter	Units	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#132	UG/KG	72.3		67.5		72.3		103	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#134	UG/KG	22.1		20.6		22.4		33.6	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#135	UG/KG	43.6		38.3	J	44.4		62.8	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#136	UG/KG	40.6		38.9		39.9		65.5	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#137	UG/KG	20.3		16.8		20.7		25.8	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#138	UG/KG	303		252		307		387	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#141	UG/KG	30.6		26.5		30.8		41.4	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#144	UG/KG	9.88		8.74		9.77		13.6	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#146	UG/KG	91.3		74.5		91.8		115	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#147/#149	UG/KG	381		329		384		539	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#151	UG/KG	56.4		47.2		57.2		78.2	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#153	UG/KG	599		479		605		749	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#154	UG/KG	27.7		21.4		27.2		35.3	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#155	UG/KG	1.44	U	1.56	U	1.42	U	1.4	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#156	UG/KG	32.6		26.6		33.7		42	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#157	UG/KG	8.85		7.84	J	9.57		11.4	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#163/#160	UG/KG	124		94.1		124		153	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#167	UG/KG	19.3		15.9		19.9		25.5	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#168	UG/KG	1.44	U	1.56	U	1.42	U	1.4	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#169	UG/KG	1.44	U	1.56	U	1.42	U	1.4	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#170	UG/KG	28.7		27.4		28.7		41.6	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#171	UG/KG	10.9		10.5		10.3		15	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#172	UG/KG	5.68		5.54		5.87		8.3	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#173	UG/KG	1.44	U	1.56	U	0.806	J	0.876	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#174	UG/KG	14.3		13.9		14.1		21.3	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#176	UG/KG	2.93		3.19		2.72		4.35	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#177	UG/KG	15.6		15.7		15.6		22.2	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#178	UG/KG	9.24		8.36		9.15		12.5	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#180	UG/KG	60.7		58.7		61.2		85.9	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#182/#175	UG/KG	1.96	J	2.14	J	2.35	J	2.89	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#183	UG/KG	21.7		19.8		21.2		29.7	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#184	UG/KG	1.44	U	1.56	U	1.42	U	1.4	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#185	UG/KG	1.47		1.62		1.69		2.46	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#187	UG/KG	55.1		50.5		55.8		77.7	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#188	UG/KG	0.869	J	1.56	U	1.42	U	0.948	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#189	UG/KG	1.79		2.03		1.65		2.83	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#190	UG/KG	5.75		5.7		5.93		8.71	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#191	UG/KG	1.76		1.69		1.92		2.58	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#193	UG/KG	3.79		3.6		3.62		4.98	

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	BF1-Station A		BF1-Station A		BF1-Station B		BF1-Station C	
					Lab Sample Delivery Group	L2449594		L2449594		L2449594		L2449594	
					Field Sample Date	8/27/2024 16:10		8/27/2024 16:10		8/28/2024 8:10		8/28/2024 8:15	
					Field Sample ID	AI-A-BF-SKIN OFF		AI-A-BF-SKIN ON		AI-B-BF		AI-C-BF	
					Media Type	9 inch		9 inch		8 inch		8.75 inch	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#194	UG/KG	7.97		8.65		8.65		11.9	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#195	UG/KG	2.57		3.19		2.53		4.09	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#196	UG/KG	3.47		4.41		3.97		5.72	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#197	UG/KG	1.44	U	1.56	U	1.42	U	0.727	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#199	UG/KG	1.44	U	0.878	J	1.42	U	1.01	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#201	UG/KG	8.18		8.71		7.76		12.1	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#202	UG/KG	3		3.04		3.22		4.5	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#203	UG/KG	5.85		6.37		5.42		7.92	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#204/#200	UG/KG	2.88	U	1.6	J	1.59	J	2.38	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#205	UG/KG	1.44	U	1.56	U	1.42	U	1.4	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#206	UG/KG	3.38		4.05		3.06		5.48	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#207	UG/KG	1.44	U	1.56	U	1.42	U	0.786	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#208	UG/KG	1.51		1.86		1.65		2.69	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Decachlorobiphenyl	UG/KG	1.44	U	0.831	J	0.939	J	1.33	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Total PCBs	UG/KG	10800		8430		10800		14600	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#1	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#3	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#12	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#13	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#15	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#4/#10	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#5	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#6	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#7	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#8	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#16	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#17	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#18	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#19	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#21/#20	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#22	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#24	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#25	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#26	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#27	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#28	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#29	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#31	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#32	NG/L								

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	BF1-Station A		BF1-Station A		BF1-Station B		BF1-Station C	
					Lab Sample Delivery Group	L2449594		L2449594		L2449594		L2449594	
					Field Sample Date	8/27/2024 16:10		8/27/2024 16:10		8/28/2024 8:10		8/28/2024 8:15	
					Field Sample ID	AI-A-BF-SKIN OFF		AI-A-BF-SKIN ON		AI-B-BF		AI-C-BF	
					Media Type	9 inch		9 inch		8 inch		8.75 inch	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#33	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#37	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#40	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#41	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#42	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#43	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#44	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#45	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#47	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#48	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#49	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#50	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#51	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#52	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#53	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#54	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#56	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#60	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#63	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#66	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#68/#64	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#70	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#71	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#73/#46	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#74	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#76	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#77	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#81	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#100	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#101/#90	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#104	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#105	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#107/#123	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#110	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#114	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#118	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#119	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#121/#95/#88	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#124	NG/L								

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	BF1-Station A		BF1-Station A		BF1-Station B		BF1-Station C	
					Lab Sample Delivery Group	L2449594		L2449594		L2449594		L2449594	
					Field Sample Date	8/27/2024 16:10		8/27/2024 16:10		8/28/2024 8:10		8/28/2024 8:15	
					Field Sample ID	AI-A-BF-SKIN OFF		AI-A-BF-SKIN ON		AI-B-BF		AI-C-BF	
					Media Type	9 inch		9 inch		8 inch		8.75 inch	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#126	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#82	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#83/#125/#112	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#85	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#87/#111	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#89/#84	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#91	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#92	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#97	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#99	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#128	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#129/#158	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#130/#164	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#131	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#132	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#134	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#135	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#136	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#137	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#138	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#141	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#144	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#146	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#147/#149	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#151	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#153	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#154	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#155	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#156	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#157	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#163/#160	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#167	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#168	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#169	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#170	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#171	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#172	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#173	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#174	NG/L								

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

				Location	BF1-Station A		BF1-Station A		BF1-Station B		BF1-Station C	
				Lab Sample Delivery Group	L2449594		L2449594		L2449594		L2449594	
				Field Sample Date	8/27/2024 16:10		8/27/2024 16:10		8/28/2024 8:10		8/28/2024 8:15	
				Field Sample ID	AI-A-BF-SKIN OFF		AI-A-BF-SKIN ON		AI-B-BF		AI-C-BF	
				Media Type	9 inch		9 inch		8 inch		8.75 inch	
				QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#176	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#177	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#178	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#180	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#182/#175	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#183	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#184	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#185	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#187	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#188	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#189	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#190	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#191	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#193	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#194	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#195	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#196	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#197	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#199	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#201	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#202	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#203	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#204/#200	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#205	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#206	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#207	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#208	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Decachlorobiphenyl	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Total PCBs	NG/L								

NOTES:
B = biological
FS = field sample
L = liquid
ug/kg = microgram per kilogram
ng/L = nanograms per liter
U = not detected at the reported detection limit
UJ = estimated value at the reporting limit
J = estimated value
J- = estimated value biased low

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	BF1-Station D		BF1-Station E		BF2-Station A		BF2-Station B	
					Lab Sample Delivery Group	L2449594		L2449594		L2449594		L2449594	
					Field Sample Date	8/28/2024 8:20		8/28/2024 8:30		8/28/2024 14:45		8/28/2024 14:55	
					Field Sample ID	AI-D-BF		AI-E-BF		AII-A-BF		AII-B-BF	
					Media Type	8.5 inch		8.125 inch		8.5 inch		8.125 inch	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	Lipids	LIPIDS	T	Lipids	PERCENT	2.97		4.27		1.52		3.06	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#1	UG/KG	3.47	U	7.17	U	0.364	U	0.221	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#3	UG/KG	3.47	U	7.17	U	0.364	U	0.341	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#12	UG/KG	3.47	U	7.17	U	0.364	U	0.341	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#13	UG/KG	6.94	U	14.3	U	0.728	U	0.682	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#15	UG/KG	3.47	U	7.17	U	0.364	U	0.213	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#4/#10	UG/KG	15.6		21.6		0.654	J	1.03	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#5	UG/KG	3.47	U	7.17	U	0.364	U	0.341	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#6	UG/KG	40.5		53.7		1.04		1.44	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#7	UG/KG	3.47	U	7.17	U	0.364	U	0.341	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#8	UG/KG	40.8		59.8		1.48		2.31	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#16	UG/KG	15.7		20.2		1.47		0.341	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#17	UG/KG	137		186		4.22		6	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#18	UG/KG	281		384		8.21		12.3	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#19	UG/KG	23.3		36.1		0.922		1.07	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#21/#20	UG/KG	24.4		26		1.23		1.11	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#22	UG/KG	48.9		72		3.02		4.76	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#24	UG/KG	3.47	U	7.17	U	0.364	U	0.341	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#25	UG/KG	3.47	U	273		0.364	U	0.341	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#26	UG/KG	461		647		13.9		24.6	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#27	UG/KG	51.6		67.3		1.44		1.93	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#28	UG/KG	596		837		20.4		42.1	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#29	UG/KG	3.47	U	7.17	U	0.364	U	0.341	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#31	UG/KG	476		701		15.4		27.3	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#32	UG/KG	122		173		3.16		5.49	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#33	UG/KG	25.2		28.4		1.36		0.745	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#37	UG/KG	3.47	U	14.5		0.364	U	1.41	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#40	UG/KG	27.5		40		2.11		3.08	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#41	UG/KG	6.04		9.66		0.541		0.586	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#42	UG/KG	131		185		7.83		13.2	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#43	UG/KG	11.1		14		0.554		1.2	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#44	UG/KG	284		410		17		30.3	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#45	UG/KG	22.6		32.1		1.37		2.09	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#47	UG/KG	470		660		18.4		44.1	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#48	UG/KG	36		44.5		1.7		2.21	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#49	UG/KG	1350		1840		47.7		105	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#50	UG/KG	2.8	J	4.52	J	0.364	U	0.341	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#51	UG/KG	71.6		97.4		1.67		2.19	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#52	UG/KG	1660		2270		64.9		133	

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	BF1-Station D		BF1-Station E		BF2-Station A		BF2-Station B	
					Lab Sample Delivery Group	L2449594		L2449594		L2449594		L2449594	
					Field Sample Date	8/28/2024 8:20		8/28/2024 8:30		8/28/2024 14:45		8/28/2024 14:55	
					Field Sample ID	AI-D-BF		AI-E-BF		AII-A-BF		AII-B-BF	
					Media Type	8.5 inch		8.125 inch		8.5 inch		8.125 inch	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#53	UG/KG	167		219		4.45		6.52	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#54	UG/KG	3.3	J	4.17	J	0.364	U	0.341	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#56	UG/KG	70.8		102		4.41		8.63	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#60	UG/KG	42.5		60.8		2.57		6.71	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#63	UG/KG	25		36		1.71		4.75	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#66	UG/KG	307		439		20.9		53.9	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#68/#64	UG/KG	224		314		11.3		24.6	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#70	UG/KG	195		280		10.1		31.3	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#71	UG/KG	170		226		6.25		8.82	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#73/#46	UG/KG	19.6		28.4		0.817		1.15	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#74	UG/KG	236		340		12.2		36.6	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#76	UG/KG	3.47	U	7.17	U	0.364	U	0.341	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#77	UG/KG	4.47		8.01		0.438		0.696	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#81	UG/KG	3.47	U	7.17	U	0.364	U	0.341	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#100	UG/KG	32.5		45.5		1.31		3.48	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#101/#90	UG/KG	1030		1400		64.4		192	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#104	UG/KG	3.47	U	7.17	U	0.364	U	0.341	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#105	UG/KG	110		152	J	8.23		28.2	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#107/#123	UG/KG	57.8		82.8		5.23		16.9	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#110	UG/KG	878		1210		59.3		148	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#114	UG/KG	19.8		29.2	J	1.23		4.48	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#118	UG/KG	675		957		44.8		168	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#119	UG/KG	88.4		119		4.45		13.2	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#121/#95/#88	UG/KG	436		614		29.2		59.2	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#124	UG/KG	17		22.8		0.58		2.75	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#126	UG/KG	2.64	J	4.77	J	0.364	U	0.608	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#82	UG/KG	33.3		46.5		2.65		5.31	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#83/#125/#112	UG/KG	40.1		53.4		3.25		7.63	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#85	UG/KG	89.5		127		7.67		21.8	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#87/#111	UG/KG	136		192		9.23		26	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#89/#84	UG/KG	118		169		9.02		11.7	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#91	UG/KG	232		317		12.8		28	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#92	UG/KG	208		282		14.6		41.7	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#97	UG/KG	258		358		18.5		42.2	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#99	UG/KG	747		1070		50.3		160	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#128	UG/KG	95.4		131		7.99		27.3	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#129/#158	UG/KG	89.6		122		5.02		18.5	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#130/#164	UG/KG	75.3		102		5.65		18.7	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#131	UG/KG	8.01		12		0.617		0.883	

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	BF1-Station D		BF1-Station E		BF2-Station A		BF2-Station B	
					Lab Sample Delivery Group	L2449594		L2449594		L2449594		L2449594	
					Field Sample Date	8/28/2024 8:20		8/28/2024 8:30		8/28/2024 14:45		8/28/2024 14:55	
					Field Sample ID	AI-D-BF		AI-E-BF		AII-A-BF		AII-B-BF	
					Media Type	8.5 inch		8.125 inch		8.5 inch		8.125 inch	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#132	UG/KG	115		154		9.96		25.6	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#134	UG/KG	37.8		47.3		2.58		5.24	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#135	UG/KG	69.7 J		95.5		4.97		14.2	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#136	UG/KG	73.9		97.5		4.23		7.54	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#137	UG/KG	29.1		39.4		1.68		6.52	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#138	UG/KG	435		572		35.8		127	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#141	UG/KG	46.8		62.6		2.57		8.45	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#144	UG/KG	15.5		22.6		0.938		2.85	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#146	UG/KG	129		179		10.6		38.7	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#147/#149	UG/KG	613		813		39.2		111	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#151	UG/KG	88.9		119		5.56		17.1	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#153	UG/KG	854		1170 J		64.6		244	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#154	UG/KG	42.2		57.4		2.22		7.25	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#155	UG/KG	3.47 U		7.17 U		0.364 U		0.341 U	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#156	UG/KG	46.2		67.4		2.34		10.1	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#157	UG/KG	13.1 J		17.7 J		0.975		3.44	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#163/#160	UG/KG	168		264		12.3		46.9	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#167	UG/KG	29.8		38.9		1.6		6.66	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#168	UG/KG	3.47 U		7.17 U		0.364 U		0.341 U	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#169	UG/KG	3.47 U		7.17 U		0.364 U		0.341 U	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#170	UG/KG	45.4		60.4		2.41		9.15	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#171	UG/KG	17.6		23.5		1.04		3.6	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#172	UG/KG	10		13.1		0.578		1.79	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#173	UG/KG	3.47 U		7.17 U		0.364 U		0.341 U	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#174	UG/KG	23.6		31.7		1.41		4.54	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#176	UG/KG	5.03		5.96 J		0.29 J		0.827	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#177	UG/KG	25.1		33.9		1.8		5.91	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#178	UG/KG	14.4		20.4		0.885		3.1	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#180	UG/KG	97.6		128		4.68		18.6	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#182/#175	UG/KG	3.69 J		14.3 U		0.728 U		0.75	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#183	UG/KG	33.6		45.3		1.88		6.87	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#184	UG/KG	3.47 U		7.17 U		0.364 U		0.341 U	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#185	UG/KG	3.02 J		4.43 J		0.364 U		0.344	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#187	UG/KG	86.4		116		5.37		19.2	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#188	UG/KG	3.47 U		7.17 U		0.364 U		0.199 J	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#189	UG/KG	2.54 J		4 J		0.364 U		0.645	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#190	UG/KG	9.27		12.6		0.407		1.49	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#191	UG/KG	2.91 J		3.76 J		0.364 U		0.5	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#193	UG/KG	6.42		6.28 J		0.363 J		1.26	

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	BF1-Station D		BF1-Station E		BF2-Station A		BF2-Station B	
					Lab Sample Delivery Group	L2449594		L2449594		L2449594		L2449594	
					Field Sample Date	8/28/2024 8:20		8/28/2024 8:30		8/28/2024 14:45		8/28/2024 14:55	
					Field Sample ID	AI-D-BF		AI-E-BF		AII-A-BF		AII-B-BF	
					Media Type	8.5 inch		8.125 inch		8.5 inch		8.125 inch	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#194	UG/KG	13.1		17		0.549		1.72	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#195	UG/KG	5.86		6.78	J	0.364	U	0.598	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#196	UG/KG	8.41		6.51	J	0.333	J	0.959	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#197	UG/KG	3.47	U	7.17	U	0.364	U	0.341	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#199	UG/KG	3.47	U	7.17	U	0.364	U	0.341	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#201	UG/KG	13.6		19.4		0.622		2.09	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#202	UG/KG	4.88		6.31	J	0.38		0.87	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#203	UG/KG	8.84		12.5		0.354	J	0.992	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#204/#200	UG/KG	6.94	U	14.3	U	0.728	U	0.486	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#205	UG/KG	3.47	U	7.17	U	0.364	U	0.341	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#206	UG/KG	7.14		8.86		0.23	J	0.652	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#207	UG/KG	3.47	U	7.17	U	0.364	U	0.341	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#208	UG/KG	2.47	J	4.39	J	0.364	U	0.318	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Decachlorobiphenyl	UG/KG	3.47	U	7.17	U	0.364	U	0.341	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Total PCBs	UG/KG	16600		23300		909		2470	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#1	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#3	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#12	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#13	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#15	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#4/#10	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#5	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#6	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#7	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#8	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#16	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#17	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#18	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#19	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#21/#20	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#22	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#24	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#25	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#26	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#27	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#28	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#29	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#31	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#32	NG/L								

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

						BF1-Station D		BF1-Station E		BF2-Station A		BF2-Station B	
					Location								
					Lab Sample Delivery Group	L2449594		L2449594		L2449594		L2449594	
					Field Sample Date	8/28/2024 8:20		8/28/2024 8:30		8/28/2024 14:45		8/28/2024 14:55	
					Field Sample ID	AI-D-BF		AI-E-BF		AII-A-BF		AII-B-BF	
					Media Type	8.5 inch		8.125 inch		8.5 inch		8.125 inch	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#33	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#37	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#40	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#41	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#42	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#43	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#44	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#45	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#47	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#48	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#49	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#50	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#51	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#52	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#53	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#54	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#56	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#60	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#63	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#66	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#68/#64	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#70	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#71	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#73/#46	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#74	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#76	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#77	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#81	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#100	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#101/#90	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#104	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#105	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#107/#123	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#110	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#114	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#118	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#119	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#121/#95/#88	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#124	NG/L								

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	BF1-Station D		BF1-Station E		BF2-Station A		BF2-Station B	
					Lab Sample Delivery Group	L2449594		L2449594		L2449594		L2449594	
					Field Sample Date	8/28/2024 8:20		8/28/2024 8:30		8/28/2024 14:45		8/28/2024 14:55	
					Field Sample ID	AI-D-BF		AI-E-BF		AII-A-BF		AII-B-BF	
					Media Type	8.5 inch		8.125 inch		8.5 inch		8.125 inch	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#126	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#82	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#83/#125/#112	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#85	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#87/#111	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#89/#84	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#91	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#92	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#97	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#99	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#128	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#129/#158	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#130/#164	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#131	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#132	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#134	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#135	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#136	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#137	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#138	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#141	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#144	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#146	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#147/#149	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#151	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#153	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#154	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#155	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#156	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#157	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#163/#160	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#167	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#168	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#169	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#170	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#171	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#172	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#173	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#174	NG/L								

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

						BF1-Station D		BF1-Station E		BF2-Station A		BF2-Station B	
				Location		BF1-Station D		BF1-Station E		BF2-Station A		BF2-Station B	
				Lab Sample Delivery Group		L2449594		L2449594		L2449594		L2449594	
				Field Sample Date		8/28/2024 8:20		8/28/2024 8:30		8/28/2024 14:45		8/28/2024 14:55	
				Field Sample ID		AI-D-BF		AI-E-BF		AII-A-BF		AII-B-BF	
				Media Type		8.5 inch		8.125 inch		8.5 inch		8.125 inch	
				QC Code		FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#176	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#177	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#178	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#180	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#182/#175	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#183	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#184	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#185	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#187	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#188	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#189	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#190	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#191	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#193	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#194	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#195	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#196	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#197	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#199	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#201	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#202	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#203	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#204/#200	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#205	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#206	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#207	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#208	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Decachlorobiphenyl	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Total PCBs	NG/L								

NOTES:
B = biological
L = liquid
ug/kg = microgram per kilogram
ng/L = nanograms per liter
U = not detected at the reported detection limit
UJ = estimated value at the reporting limit
J = estimated value
J- = estimated value biased low
FS = field sample

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	BF2-Station C		BF2-Station D		BF2-Station E		BF3-Station A	
					Lab Sample Delivery Group	L2449594		L2449594		L2449594		L2449594	
					Field Sample Date	8/28/2024 15:00		8/29/2024 9:40		8/29/2024 10:00		8/28/2024 14:00	
					Field Sample ID	AII-C-BF		AII-D-BF		AII-E-BF		AIII-A-BF	
					Media Type	8.75 inch		9.25 inch		10 inch		8.5 inch	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	Lipids	LIPIDS	T	Lipids	PERCENT	3.58		2.2		3.31		2.87	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#1	UG/KG	0.571		0.696	U	1.49	U	0.362	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#3	UG/KG	0.385	U	0.696	U	1.49	U	0.362	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#12	UG/KG	0.385	U	0.696	U	1.49	U	0.362	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#13	UG/KG	0.771	U	1.39	U	2.98	U	0.725	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#15	UG/KG	0.322	J	0.696	U	0.796	J	0.362	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#4/#10	UG/KG	6.24		1.52		9.3		0.725	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#5	UG/KG	0.385	U	0.696	U	1.49	U	0.362	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#6	UG/KG	6.77		3.4		23.9		0.362	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#7	UG/KG	0.472		0.696	U	0.9	J	0.362	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#8	UG/KG	12.9		4.67		27.7		0.35	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#16	UG/KG	6.26		2.76		9.86		0.362	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#17	UG/KG	20.9		20.4		86.6		0.623	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#18	UG/KG	45.6		41.8		181		0.837	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#19	UG/KG	5.04		3.4		16.8		0.362	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#21/#20	UG/KG	3.55		5.65		18.5		0.725	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#22	UG/KG	11		12.5		36.8		0.362	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#24	UG/KG	0.49		0.696	U	0.924	J	0.362	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#25	UG/KG	0.385	U	41.4		1.49	U	0.362	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#26	UG/KG	53.1		93.2		311		1.29	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#27	UG/KG	7.02		6.35		30.1		0.362	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#28	UG/KG	89.2		136		413		2.76	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#29	UG/KG	0.385	U	0.696	U	1.49	U	0.362	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#31	UG/KG	68.9		88.5		334		2.13	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#32	UG/KG	19.5		20.8		80.3		0.586	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#33	UG/KG	7.29		5.26		16.6		0.378	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#37	UG/KG	1.96		0.696	U	1.49	U	0.362	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#40	UG/KG	6.05		8.14		20.9		0.386	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#41	UG/KG	1.7		1.67		3.47		0.362	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#42	UG/KG	23		36.4		95.4		1.3	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#43	UG/KG	1.82		2.9		6.17		0.362	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#44	UG/KG	56.3		83.6		212		2.51	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#45	UG/KG	4.99		6.06		16		0.226	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#47	UG/KG	70.7		128		335		3.46	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#48	UG/KG	6.11		7.52		22.8		0.328	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#49	UG/KG	180		336		922		8.08	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#50	UG/KG	0.328	J	0.598	J	1.75		0.362	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#51	UG/KG	6.39		12.8		42.1		0.32	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#52	UG/KG	249		417		1130		10.7	

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	BF2-Station C		BF2-Station D		BF2-Station E		BF3-Station A	
					Lab Sample Delivery Group	L2449594		L2449594		L2449594		L2449594	
					Field Sample Date	8/28/2024 15:00		8/29/2024 9:40		8/29/2024 10:00		8/28/2024 14:00	
					Field Sample ID	AII-C-BF		AII-D-BF		AII-E-BF		AIII-A-BF	
					Media Type	8.75 inch		9.25 inch		10 inch		8.5 inch	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#53	UG/KG	19.5		29.2		97.2		0.845	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#54	UG/KG	0.457		0.46	J	1.84		0.362	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#56	UG/KG	15.5		21.6		57		1.01	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#60	UG/KG	11.3		15.3		36.2		0.368	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#63	UG/KG	6.76		9.37		21.3		0.458	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#66	UG/KG	83.1		108		256		5.67	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#68/#64	UG/KG	42.6		65		167		1.73	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#70	UG/KG	50.1		58.7		157		2.34	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#71	UG/KG	18.5		37.3		106		1.11	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#73/#46	UG/KG	2.47		4.44		12.1		0.725	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#74	UG/KG	54.5		79.6		195		2.36	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#76	UG/KG	0.385	U	0.696	U	0.956	J	0.362	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#77	UG/KG	1.42		1.55		4.37		0.362	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#81	UG/KG	0.385	U	0.696	U	1.49	U	0.362	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#100	UG/KG	4.53		9.21		23.6		0.463	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#101/#90	UG/KG	236		336		868		21.9	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#104	UG/KG	0.385	U	0.696	U	1.49	U	0.362	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#105	UG/KG	35.6		41.3		95.7		3.04	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#107/#123	UG/KG	19.1		21		51.4		2.76	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#110	UG/KG	202		284		712		15.6	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#114	UG/KG	4.95		6.71	J	16.2	J	0.673	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#118	UG/KG	191		242		579		19.5	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#119	UG/KG	15.6		26.4		68.4		1.53	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#121/#95/#88	UG/KG	90.7		132		328		6.97	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#124	UG/KG	3.23		4.78		12.4		0.362	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#126	UG/KG	0.653		0.856		1.81		0.362	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#82	UG/KG	8.04		11.2		25		0.828	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#83/#125/#112	UG/KG	10.4		12.1		30.8		1.04	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#85	UG/KG	28.2		34.5		80.1		2.87	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#87/#111	UG/KG	35.6		47.4		113		2.4	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#89/#84	UG/KG	23		35.8		90.2		1.94	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#91	UG/KG	40.2		66.4		172		3.3	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#92	UG/KG	50.6		66		167		4.67	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#97	UG/KG	58.6		85.2		210		5.79	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#99	UG/KG	182		260		639		20.6	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#128	UG/KG	30.7		34.8		82.8		4.49	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#129/#158	UG/KG	21.5		30.3		74.8		1.97	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#130/#164	UG/KG	21.4		24.6		62.1		2.59	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#131	UG/KG	1.45		2.42		6.43		0.183	J

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	BF2-Station C		BF2-Station D		BF2-Station E		BF3-Station A	
					Lab Sample Delivery Group	L2449594		L2449594		L2449594		L2449594	
					Field Sample Date	8/28/2024 15:00		8/29/2024 9:40		8/29/2024 10:00		8/28/2024 14:00	
					Field Sample ID	AII-C-BF		AII-D-BF		AII-E-BF		AIII-A-BF	
					Media Type	8.75 inch		9.25 inch		10 inch		8.5 inch	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#132	UG/KG	31.9		37.2		91.5		3.53	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#134	UG/KG	7.6		10.7		29.3		1.15	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#135	UG/KG	16		20.8	J	52.4	J	1.87	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#136	UG/KG	10.8		20.9		54.8		1.33	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#137	UG/KG	7.35		10.2		24.8		0.758	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#138	UG/KG	134		160		373		18.4	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#141	UG/KG	10.2		14.4		38.5		0.876	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#144	UG/KG	3.39		4.7		12.2		0.416	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#146	UG/KG	38.4		46		110		6.55	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#147/#149	UG/KG	130		180		466		15.8	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#151	UG/KG	19.5		25.9		68.2		2.3	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#153	UG/KG	233		303		720		36.1	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#154	UG/KG	7.38		12.7		33.3		1.02	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#155	UG/KG	0.385	U	0.696	U	1.49	U	0.362	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#156	UG/KG	12.5		15.9		40.8		1.23	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#157	UG/KG	3.9		4.71	J	11.4	J	0.668	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#163/#160	UG/KG	46.4		57.8		145		7.75	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#167	UG/KG	6.94		9.45		24.3		0.804	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#168	UG/KG	0.385	U	0.696	U	1.49	U	0.362	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#169	UG/KG	0.385	U	0.696	U	1.49	U	0.362	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#170	UG/KG	9.88		14.6		38.8		1.5	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#171	UG/KG	3.94		5.45		14.2		0.547	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#172	UG/KG	1.96		2.85		7.83		0.314	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#173	UG/KG	0.225	J	0.696	U	0.998	J	0.362	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#174	UG/KG	5.21		6.79		18.6		0.772	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#176	UG/KG	0.902		1.48		4.08		0.362	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#177	UG/KG	6.54		7.67		20.3		1.16	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#178	UG/KG	3.26		4.48		11.8		0.64	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#180	UG/KG	19.8		32.4		81.7		2.86	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#182/#175	UG/KG	0.774		1.09	J	2.83	J	0.725	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#183	UG/KG	7.17		11.1		28		1.04	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#184	UG/KG	0.385	U	0.696	U	1.49	U	0.362	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#185	UG/KG	0.425		0.767		2.34		0.362	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#187	UG/KG	19.4		27.7		72.7		3.42	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#188	UG/KG	0.385	U	0.696	U	0.897	J	0.362	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#189	UG/KG	0.661		0.959		2.24		0.362	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#190	UG/KG	1.73		3.01		8.06		0.2	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#191	UG/KG	0.539		0.921		2.2		0.362	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#193	UG/KG	1.37		1.94		4.83		0.209	J

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	BF2-Station C		BF2-Station D		BF2-Station E		BF3-Station A	
					Lab Sample Delivery Group	L2449594		L2449594		L2449594		L2449594	
					Field Sample Date	8/28/2024 15:00		8/29/2024 9:40		8/29/2024 10:00		8/28/2024 14:00	
					Field Sample ID	AII-C-BF		AII-D-BF		AII-E-BF		AIII-A-BF	
					Media Type	8.75 inch		9.25 inch		10 inch		8.5 inch	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#194	UG/KG	2.03		4.16		11.2		0.401	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#195	UG/KG	0.62		1.35		3.94		0.362	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#196	UG/KG	1.03		1.96		5.34		0.215	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#197	UG/KG	0.385	U	0.696	U	1.49	U	0.362	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#199	UG/KG	0.385	U	0.696	U	0.959	J	0.362	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#201	UG/KG	2.34		3.99		11.6		0.541	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#202	UG/KG	0.929		1.57		4.14		0.301	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#203	UG/KG	1.28		3.24		7.96		0.362	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#204/#200	UG/KG	0.58	J	0.799	J	2.03	J	0.725	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#205	UG/KG	0.385	U	0.696	U	1.49	U	0.362	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#206	UG/KG	0.62		1.93		5.16		0.362	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#207	UG/KG	0.385	U	0.696	U	0.792	J	0.362	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#208	UG/KG	0.331	J	0.712		2.29		0.362	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Decachlorobiphenyl	UG/KG	0.385	U	0.641	J	1.56		0.362	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Total PCBs	UG/KG	3410		4850		12700		292	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#1	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#3	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#12	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#13	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#15	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#4/#10	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#5	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#6	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#7	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#8	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#16	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#17	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#18	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#19	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#21/#20	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#22	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#24	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#25	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#26	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#27	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#28	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#29	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#31	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#32	NG/L								

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	BF2-Station C		BF2-Station D		BF2-Station E		BF3-Station A	
					Lab Sample Delivery Group	L2449594		L2449594		L2449594		L2449594	
					Field Sample Date	8/28/2024 15:00		8/29/2024 9:40		8/29/2024 10:00		8/28/2024 14:00	
					Field Sample ID	AII-C-BF		AII-D-BF		AII-E-BF		AIII-A-BF	
					Media Type	8.75 inch		9.25 inch		10 inch		8.5 inch	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#33	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#37	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#40	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#41	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#42	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#43	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#44	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#45	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#47	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#48	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#49	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#50	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#51	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#52	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#53	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#54	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#56	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#60	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#63	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#66	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#68/#64	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#70	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#71	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#73/#46	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#74	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#76	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#77	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#81	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#100	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#101/#90	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#104	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#105	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#107/#123	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#110	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#114	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#118	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#119	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#121/#95/#88	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#124	NG/L								

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	BF2-Station C		BF2-Station D		BF2-Station E		BF3-Station A	
					Lab Sample Delivery Group	L2449594		L2449594		L2449594		L2449594	
					Field Sample Date	8/28/2024 15:00		8/29/2024 9:40		8/29/2024 10:00		8/28/2024 14:00	
					Field Sample ID	AII-C-BF		AII-D-BF		AII-E-BF		AIII-A-BF	
					Media Type	8.75 inch		9.25 inch		10 inch		8.5 inch	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#126	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#82	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#83/#125/#112	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#85	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#87/#111	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#89/#84	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#91	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#92	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#97	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#99	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#128	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#129/#158	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#130/#164	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#131	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#132	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#134	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#135	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#136	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#137	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#138	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#141	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#144	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#146	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#147/#149	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#151	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#153	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#154	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#155	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#156	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#157	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#163/#160	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#167	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#168	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#169	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#170	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#171	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#172	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#173	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#174	NG/L								

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

						BF2-Station C		BF2-Station D		BF2-Station E		BF3-Station A	
				Location		BF2-Station C		BF2-Station D		BF2-Station E		BF3-Station A	
				Lab Sample Delivery Group		L2449594		L2449594		L2449594		L2449594	
				Field Sample Date		8/28/2024 15:00		8/29/2024 9:40		8/29/2024 10:00		8/28/2024 14:00	
				Field Sample ID		AII-C-BF		AII-D-BF		AII-E-BF		AIII-A-BF	
				Media Type		8.75 inch		9.25 inch		10 inch		8.5 inch	
				QC Code		FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#176	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#177	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#178	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#180	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#182/#175	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#183	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#184	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#185	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#187	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#188	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#189	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#190	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#191	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#193	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#194	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#195	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#196	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#197	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#199	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#201	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#202	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#203	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#204/#200	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#205	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#206	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#207	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#208	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Decachlorobiphenyl	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Total PCBs	NG/L								

NOTES:
B = biological
L = liquid
ug/kg = microgram per kilogram
ng/L = nanograms per liter
U = not detected at the reported detection limit
UJ = estimated value at the reporting limit
J = estimated value
J- = estimated value biased low
FS = field sample

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	BF3-Station B		BF3-Station C		BF3-Station D		BF3-Station E	
					Lab Sample Delivery Group	L2449594		L2449594		L2449594		L2449594	
					Field Sample Date	8/28/2024 14:15		8/28/2024 14:25		8/28/2024 14:30		8/28/2024 14:35	
					Field Sample ID	AIII-B-BF		AIII-C-BF		AIII-D-BF		AIII-E-BF	
					Media Type	9.5 inch		9 inch		8.75 inch		8.75 inch	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	Lipids	LIPIDS	T	Lipids	PERCENT	2.03		2.95		2.22		2.37	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#1	UG/KG	0.372	U	0.376	U	0.334	U	0.345	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#3	UG/KG	0.372	U	0.376	U	0.334	U	0.345	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#12	UG/KG	0.372	U	0.376	U	0.334	U	0.345	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#13	UG/KG	0.745	U	0.752	U	0.669	U	0.69	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#15	UG/KG	0.372	U	0.376	U	0.334	U	0.345	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#4/#10	UG/KG	0.745	U	0.752	U	0.669	U	0.69	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#5	UG/KG	0.372	U	0.376	U	0.334	U	0.345	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#6	UG/KG	0.372	U	0.376	U	0.188	J	0.345	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#7	UG/KG	0.372	U	0.376	U	0.334	U	0.345	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#8	UG/KG	0.334	J	0.26	J	0.315	J	0.345	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#16	UG/KG	0.372	U	0.376	U	0.334	U	0.345	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#17	UG/KG	0.429		0.385		0.368		0.345	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#18	UG/KG	0.58		0.732		0.533		0.345	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#19	UG/KG	0.372	U	0.376	U	0.334	U	0.345	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#21/#20	UG/KG	0.745	U	0.752	U	0.669	U	0.69	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#22	UG/KG	0.372	U	0.376	U	0.334	U	0.345	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#24	UG/KG	0.372	U	0.376	U	0.334	U	0.345	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#25	UG/KG	0.372	U	0.376	U	0.334	U	0.345	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#26	UG/KG	0.831		1.05		0.67		0.345	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#27	UG/KG	0.372	U	0.376	U	0.334	U	0.345	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#28	UG/KG	1.99		1.72		1.47		0.345	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#29	UG/KG	0.372	U	0.376	U	0.334	U	0.345	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#31	UG/KG	1.02		1.97		0.334	U	0.345	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#32	UG/KG	0.441		0.448		0.451		0.345	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#33	UG/KG	0.372	U	0.376	U	0.334	U	0.345	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#37	UG/KG	0.372	U	0.376	U	0.334	U	0.345	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#40	UG/KG	0.372	U	0.376	U	0.334	U	0.345	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#41	UG/KG	0.372	U	0.376	U	0.334	U	0.345	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#42	UG/KG	0.711		0.831		0.625		0.345	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#43	UG/KG	0.372	U	0.376	U	0.334	U	0.345	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#44	UG/KG	1.37		1.66		1.13		0.22	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#45	UG/KG	0.372	U	0.376	U	0.334	U	0.345	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#47	UG/KG	2.06		2.17		1.64		0.308	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#48	UG/KG	0.372	U	0.376	U	0.334	U	0.345	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#49	UG/KG	4.52		5.13		3.59		0.882	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#50	UG/KG	0.372	U	0.376	U	0.334	U	0.345	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#51	UG/KG	0.223	J	0.228	J	0.189	J	0.345	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#52	UG/KG	6		7.5		5.5		0.345	U

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	BF3-Station B		BF3-Station C		BF3-Station D		BF3-Station E	
					Lab Sample Delivery Group	L2449594		L2449594		L2449594		L2449594	
					Field Sample Date	8/28/2024 14:15		8/28/2024 14:25		8/28/2024 14:30		8/28/2024 14:35	
					Field Sample ID	AIII-B-BF		AIII-C-BF		AIII-D-BF		AIII-E-BF	
					Media Type	9.5 inch		9 inch		8.75 inch		8.75 inch	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#53	UG/KG	0.442		0.535		0.403		0.345	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#54	UG/KG	0.372	U	0.376	U	0.334	U	0.345	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#56	UG/KG	0.633		0.556		0.542		0.345	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#60	UG/KG	0.299	J	0.31	J	0.209	J	0.345	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#63	UG/KG	0.36	J	0.259	J	0.249	J	0.345	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#66	UG/KG	3.53		3.2		2.73		0.529	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#68/#64	UG/KG	0.926		1.12		0.744		0.69	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#70	UG/KG	1.42		1.61		1.25		0.282	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#71	UG/KG	0.615		0.641		0.519		0.345	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#73/#46	UG/KG	0.745	U	0.752	U	0.669	U	0.69	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#74	UG/KG	1.56		1.5		1.14		0.231	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#76	UG/KG	0.372	U	0.376	U	0.334	U	0.345	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#77	UG/KG	0.372	U	0.376	U	0.334	U	0.345	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#81	UG/KG	0.372	U	0.376	U	0.334	U	0.345	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#100	UG/KG	0.266	J	0.265	J	0.22	J	0.345	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#101/#90	UG/KG	13		11.6		8.72		1.58	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#104	UG/KG	0.372	U	0.376	U	0.334	U	0.345	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#105	UG/KG	2.02		1.67		1.37		0.352	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#107/#123	UG/KG	2.1		1.42		1.3		0.379	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#110	UG/KG	8.17		8.48		5.71		0.743	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#114	UG/KG	0.478		0.316	J	0.349		0.345	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#118	UG/KG	13.5		10.5		9.14		1.89	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#119	UG/KG	0.959		0.813		0.585		0.345	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#121/#95/#88	UG/KG	3.62		3.79		2.82		0.606	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#124	UG/KG	0.372	U	0.376	U	0.334	U	0.345	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#126	UG/KG	0.372	U	0.376	U	0.334	U	0.345	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#82	UG/KG	0.484		0.376	U	0.36		0.345	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#83/#125/#112	UG/KG	0.584	J	0.592	J	1	U	1.03	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#85	UG/KG	1.69		1.42		1.16		0.333	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#87/#111	UG/KG	1.41		1.47		0.896		0.69	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#89/#84	UG/KG	1.15		1.19		0.928		0.69	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#91	UG/KG	1.8		1.73		1.3		0.196	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#92	UG/KG	2.68		2.58		1.78		0.29	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#97	UG/KG	3.41		2.73		2.3		0.368	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#99	UG/KG	13.2		10.6		9.23		1.9	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#128	UG/KG	3.08		2.29		1.95		0.514	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#129/#158	UG/KG	1.33		1.2		0.852		0.69	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#130/#164	UG/KG	1.7		1.35		1.14		0.69	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#131	UG/KG	0.372	U	0.376	U	0.334	U	0.345	U

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	BF3-Station B		BF3-Station C		BF3-Station D		BF3-Station E	
					Lab Sample Delivery Group	L2449594		L2449594		L2449594		L2449594	
					Field Sample Date	8/28/2024 14:15		8/28/2024 14:25		8/28/2024 14:30		8/28/2024 14:35	
					Field Sample ID	AIII-B-BF		AIII-C-BF		AIII-D-BF		AIII-E-BF	
					Media Type	9.5 inch		9 inch		8.75 inch		8.75 inch	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#132	UG/KG	1.99		1.82		1.4		0.214	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#134	UG/KG	0.604		0.496		0.453		0.345	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#135	UG/KG	1.11		1.02		0.89		0.345	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#136	UG/KG	0.72		0.671		0.562		0.345	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#137	UG/KG	0.413		0.356	J	0.298	J	0.345	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#138	UG/KG	12.8		9.38		8.51		1.84	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#141	UG/KG	0.592		0.508		0.352		0.345	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#144	UG/KG	0.235	J	0.376	U	0.202	J	0.345	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#146	UG/KG	4.98		3.58		3.27		0.859	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#147/#149	UG/KG	9.49		7.7		6.57		1.04	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#151	UG/KG	1.45		1.24		1.01		0.183	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#153	UG/KG	26.7		18.6		18.5		4.36	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#154	UG/KG	0.755		0.526		0.55		0.345	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#155	UG/KG	0.372	U	0.376	U	0.334	U	0.345	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#156	UG/KG	1.01		0.715		0.596		0.345	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#157	UG/KG	0.463		0.369	J	0.386		0.345	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#163/#160	UG/KG	5.51		4		3.54		0.754	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#167	UG/KG	0.632		0.48		0.409		0.345	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#168	UG/KG	0.372	U	0.376	U	0.334	U	0.345	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#169	UG/KG	0.372	U	0.376	U	0.334	U	0.345	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#170	UG/KG	1.17		0.879		0.856		0.241	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#171	UG/KG	0.455		0.358	J	0.31	J	0.345	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#172	UG/KG	0.264	J	0.376	U	0.214	J	0.345	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#173	UG/KG	0.372	U	0.376	U	0.334	U	0.345	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#174	UG/KG	0.558		0.395		0.353		0.345	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#176	UG/KG	0.372	U	0.376	U	0.334	U	0.345	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#177	UG/KG	0.93		0.717		0.645		0.179	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#178	UG/KG	0.574		0.408		0.412		0.173	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#180	UG/KG	2.34		1.65		1.56		0.41	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#182/#175	UG/KG	0.745	U	0.752	U	0.669	U	0.69	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#183	UG/KG	0.796		0.64		0.634		0.178	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#184	UG/KG	0.372	U	0.376	U	0.334	U	0.345	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#185	UG/KG	0.372	U	0.376	U	0.334	U	0.345	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#187	UG/KG	3.01		2.15		2.18		0.674	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#188	UG/KG	0.372	U	0.376	U	0.334	U	0.345	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#189	UG/KG	0.372	U	0.376	U	0.334	U	0.345	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#190	UG/KG	0.372	U	0.376	U	0.334	U	0.345	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#191	UG/KG	0.372	U	0.376	U	0.334	U	0.345	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#193	UG/KG	0.208	J	0.376	U	0.334	U	0.345	U

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	BF3-Station B		BF3-Station C		BF3-Station D		BF3-Station E	
					Lab Sample Delivery Group	L2449594		L2449594		L2449594		L2449594	
					Field Sample Date	8/28/2024 14:15		8/28/2024 14:25		8/28/2024 14:30		8/28/2024 14:35	
					Field Sample ID	AIII-B-BF		AIII-C-BF		AIII-D-BF		AIII-E-BF	
					Media Type	9.5 inch		9 inch		8.75 inch		8.75 inch	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#194	UG/KG	0.426		0.376	U	0.271	J	0.345	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#195	UG/KG	0.372	U	0.376	U	0.334	U	0.345	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#196	UG/KG	0.235	J	0.376	U	0.181	J	0.345	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#197	UG/KG	0.372	U	0.376	U	0.334	U	0.345	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#199	UG/KG	0.372	U	0.376	U	0.334	U	0.345	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#201	UG/KG	0.578		0.353	J	0.428		0.345	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#202	UG/KG	0.337	J	0.217	J	0.185	J	0.345	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#203	UG/KG	0.221	J	0.376	U	0.195	J	0.345	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#204/#200	UG/KG	0.745	U	0.752	U	0.669	U	0.69	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#205	UG/KG	0.372	U	0.376	U	0.334	U	0.345	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#206	UG/KG	0.218	J	0.376	U	0.334	U	0.345	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#207	UG/KG	0.372	U	0.376	U	0.334	U	0.345	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#208	UG/KG	0.213	J	0.376	U	0.334	U	0.345	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Decachlorobiphenyl	UG/KG	0.372	U	0.376	U	0.334	U	0.345	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Total PCBs	UG/KG	189		159		132		22.7	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#1	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#3	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#12	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#13	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#15	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#4/#10	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#5	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#6	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#7	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#8	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#16	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#17	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#18	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#19	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#21/#20	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#22	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#24	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#25	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#26	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#27	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#28	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#29	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#31	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#32	NG/L								

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

						BF3-Station B		BF3-Station C		BF3-Station D		BF3-Station E	
				Location									
				Lab Sample Delivery Group		L2449594		L2449594		L2449594		L2449594	
				Field Sample Date		8/28/2024 14:15		8/28/2024 14:25		8/28/2024 14:30		8/28/2024 14:35	
				Field Sample ID		AIII-B-BF		AIII-C-BF		AIII-D-BF		AIII-E-BF	
				Media Type		9.5 inch		9 inch		8.75 inch		8.75 inch	
				QC Code		FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#33	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#37	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#40	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#41	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#42	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#43	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#44	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#45	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#47	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#48	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#49	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#50	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#51	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#52	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#53	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#54	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#56	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#60	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#63	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#66	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#68/#64	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#70	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#71	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#73/#46	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#74	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#76	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#77	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#81	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#100	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#101/#90	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#104	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#105	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#107/#123	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#110	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#114	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#118	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#119	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#121/#95/#88	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#124	NG/L								

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	BF3-Station B		BF3-Station C		BF3-Station D		BF3-Station E	
					Lab Sample Delivery Group	L2449594		L2449594		L2449594		L2449594	
					Field Sample Date	8/28/2024 14:15		8/28/2024 14:25		8/28/2024 14:30		8/28/2024 14:35	
					Field Sample ID	AIII-B-BF		AIII-C-BF		AIII-D-BF		AIII-E-BF	
					Media Type	9.5 inch		9 inch		8.75 inch		8.75 inch	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#126	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#82	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#83/#125/#112	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#85	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#87/#111	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#89/#84	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#91	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#92	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#97	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#99	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#128	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#129/#158	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#130/#164	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#131	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#132	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#134	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#135	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#136	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#137	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#138	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#141	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#144	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#146	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#147/#149	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#151	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#153	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#154	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#155	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#156	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#157	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#163/#160	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#167	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#168	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#169	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#170	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#171	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#172	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#173	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#174	NG/L								

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

						BF3-Station B		BF3-Station C		BF3-Station D		BF3-Station E	
				Location		BF3-Station B		BF3-Station C		BF3-Station D		BF3-Station E	
				Lab Sample Delivery Group		L2449594		L2449594		L2449594		L2449594	
				Field Sample Date		8/28/2024 14:15		8/28/2024 14:25		8/28/2024 14:30		8/28/2024 14:35	
				Field Sample ID		AIII-B-BF		AIII-C-BF		AIII-D-BF		AIII-E-BF	
				Media Type		9.5 inch		9 inch		8.75 inch		8.75 inch	
				QC Code		FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#176	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#177	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#178	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#180	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#182/#175	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#183	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#184	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#185	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#187	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#188	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#189	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#190	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#191	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#193	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#194	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#195	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#196	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#197	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#199	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#201	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#202	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#203	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#204/#200	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#205	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#206	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#207	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#208	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Decachlorobiphenyl	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Total PCBs	NG/L								

NOTES:
B = biological
FS = field sample
L = liquid
ug/kg = microgram per kilogram
ng/L = nanograms per liter
U = not detected at the reported detection limit
UJ = estimated value at the reporting limit
J = estimated value
J- = estimated value biased low

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	CN2-Station A		CN2-Station B		CN2-Station B		CN2-Station C	
					Lab Sample Delivery Group	L2464306		L2425326		L2464306		L2425326	
					Field Sample Date	7/3/2024 0:00		5/7/2024 0:00		6/25/2024 0:00		5/7/2024 0:00	
					Field Sample ID	NBH24-SF-A-2		NBH24-SF-B-2		NBH24-SF-B-2		NBH24-SF-C-2	
					Media Type	Conch		Conch		Conch		Conch	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	Lipids	LIPIDS	T	Lipids	PERCENT	0.632		0.368		0.455		0.393	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#1	UG/KG	0.376	U	0.354	U	0.355	U	0.378	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#3	UG/KG	0.376	U	0.354	U	0.355	U	0.378	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#12	UG/KG	0.376	U	0.354	U	0.355	U	0.378	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#13	UG/KG	0.752	U	0.708	U	0.71	U	0.756	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#15	UG/KG	0.376	U	0.354	U	0.355	U	0.3	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#4/#10	UG/KG	0.752	U	0.708	U	0.71	U	0.756	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#5	UG/KG	0.376	U	0.354	U	0.355	U	0.378	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#6	UG/KG	0.191	J	0.354	U	0.355	U	0.224	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#7	UG/KG	0.376	U	0.354	U	0.355	U	0.378	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#8	UG/KG	0.376	U	0.354	U	0.355	U	0.316	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#16	UG/KG	0.376	U	0.354	U	0.355	U	0.378	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#17	UG/KG	0.376	U	0.354	U	0.355	U	1.04	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#18	UG/KG	0.51		0.354	U	0.379		2.19	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#19	UG/KG	0.376	U	0.354	U	0.355	U	0.259	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#21/#20	UG/KG	0.752	U	0.708	U	0.71	U	0.756	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#22	UG/KG	0.376	U	0.354	U	0.355	U	0.761	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#24	UG/KG	0.376	U	0.354	U	0.355	U	0.378	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#25	UG/KG	0.376	U	0.354	U	0.355	U	0.378	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#26	UG/KG	1.55		0.279	J	0.836		3.23	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#27	UG/KG	0.376	U	0.354	U	0.355	U	0.46	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#28	UG/KG	0.798		0.408		0.373		4.26	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#29	UG/KG	0.376	U	0.354	U	0.355	U	0.378	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#31	UG/KG	2.13		0.369		1.03		4.49	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#32	UG/KG	0.376	U	0.354	U	0.355	U	0.895	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#33	UG/KG	0.376	U	0.354	U	0.355	U	0.378	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#37	UG/KG	0.199	J	0.354	U	0.355	U	0.558	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#40	UG/KG	0.24	J	0.354	U	0.355	U	0.484	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#41	UG/KG	0.376	U	0.354	U	0.355	U	0.378	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#42	UG/KG	0.632		0.354	U	0.35	J	1.45	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#43	UG/KG	0.376	U	0.354	U	0.355	U	0.378	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#44	UG/KG	3.05		0.348	J	1.45		3.22	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#45	UG/KG	0.376	U	0.354	U	0.355	U	0.429	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#47	UG/KG	0.91		0.44		0.406		3.54	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#48	UG/KG	0.376	U	0.354	U	0.355	U	0.538	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#49	UG/KG	8.48		0.949		3.9		9.58	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#50	UG/KG	0.376	U	0.354	U	0.355	U	0.378	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#51	UG/KG	0.376	U	0.354	U	0.355	U	0.5	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#52	UG/KG	11.4		1.4		5.51		13.9	

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	CN2-Station A		CN2-Station B		CN2-Station B		CN2-Station C	
					Lab Sample Delivery Group	L2464306		L2425326		L2464306		L2425326	
					Field Sample Date	7/3/2024 0:00		5/7/2024 0:00		6/25/2024 0:00		5/7/2024 0:00	
					Field Sample ID	NBH24-SF-A-2		NBH24-SF-B-2		NBH24-SF-B-2		NBH24-SF-C-2	
					Media Type	Conch		Conch		Conch		Conch	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#53	UG/KG	0.376	U	0.354	U	0.355	U	1.28	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#54	UG/KG	0.376	U	0.354	U	0.355	U	0.378	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#56	UG/KG	0.644		0.214	J	0.298	J	1.36	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#60	UG/KG	0.532		0.354	U	0.21	J	0.705	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#63	UG/KG	0.49		0.354	U	0.297	J	0.385	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#66	UG/KG	4.14		0.592		1.98		4.16	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#68/#64	UG/KG	1.98		0.708	U	1.05		2.41	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#70	UG/KG	3.36		0.491		1.48		3.08	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#71	UG/KG	0.397		0.188	J	0.278	J	1.62	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#73/#46	UG/KG	0.752	U	0.708	U	0.71	U	0.756	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#74	UG/KG	1.72		0.294	J	0.863		2.78	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#76	UG/KG	0.376	U	0.354	U	0.355	U	0.378	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#77	UG/KG	0.376	U	0.354	U	0.355	U	0.398	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#81	UG/KG	0.376	U	0.354	U	0.355	U	0.378	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#100	UG/KG	0.376	U	0.354	U	0.355	U	0.357	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#101/#90	UG/KG	19.6		2		9		11	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#104	UG/KG	0.376	U	0.354	U	0.355	U	0.378	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#105	UG/KG	2.8		0.354	U	1.33		1.45	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#107/#123	UG/KG	3.14		0.708	U	1.25		1.22	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#110	UG/KG	12.4		1.53		6.26		11.2	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#114	UG/KG	0.938		0.354	U	0.371		0.373	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#118	UG/KG	11.3		1.17		6.6		8.1	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#119	UG/KG	1.33		0.354	U	0.697		0.87	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#121/#95/#88	UG/KG	3.52		0.804	J	1.7		5.13	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#124	UG/KG	0.43		0.354	U	0.265	J	0.236	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#126	UG/KG	0.376	U	0.354	U	0.355	U	0.378	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#82	UG/KG	0.376	U	0.354	U	0.355	U	0.544	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#83/#125/#112	UG/KG	1.18		1.06	U	0.693	J	0.628	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#85	UG/KG	2.5		0.354	U	0.937		1.05	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#87/#111	UG/KG	1.77		0.708	U	0.621	J	1.7	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#89/#84	UG/KG	1.11		0.432	J	0.629	J	1.74	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#91	UG/KG	2.3		0.354		1.26		2.26	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#92	UG/KG	5.8		0.586		2.7		2.88	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#97	UG/KG	3.88		0.487		1.38		2.41	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#99	UG/KG	13.7		1.36		6		7.92	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#128	UG/KG	4.97		0.354	U	1.91		1.08	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#129/#158	UG/KG	3.16		0.708	U	1.23		0.637	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#130/#164	UG/KG	2.76		0.708	U	1.4		1.26	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#131	UG/KG	0.376	U	0.354	U	0.355	U	0.378	U

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	CN2-Station A		CN2-Station B		CN2-Station B		CN2-Station C	
					Lab Sample Delivery Group	L2464306		L2425326		L2464306		L2425326	
					Field Sample Date	7/3/2024 0:00		5/7/2024 0:00		6/25/2024 0:00		5/7/2024 0:00	
					Field Sample ID	NBH24-SF-A-2		NBH24-SF-B-2		NBH24-SF-B-2		NBH24-SF-C-2	
					Media Type	Conch		Conch		Conch		Conch	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#132	UG/KG	2.14		0.444		0.879		2.02	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#134	UG/KG	1.14		0.354	U	0.554		0.472	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#135	UG/KG	1.44		0.299	J	0.744		1.37	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#136	UG/KG	0.426		0.354	U	0.185	J	0.822	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#137	UG/KG	1.02		0.354	U	0.485		0.479	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#138	UG/KG	19.8		0.619		7.2		2.94	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#141	UG/KG	0.924		0.354	U	0.437		0.538	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#144	UG/KG	0.364	J	0.354	U	0.355	U	0.378	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#146	UG/KG	9.33		0.59		3.76		2.16	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#147/#149	UG/KG	10.1		1.2		4.83		6.9	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#151	UG/KG	2.21		0.354	U	0.878		0.67	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#153	UG/KG	47.3		2.12		17.9		10	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#154	UG/KG	0.969		0.354	U	0.617		0.423	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#155	UG/KG	0.376	U	0.354	U	0.355	U	0.378	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#156	UG/KG	2.38		0.354	U	1.03		0.776	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#157	UG/KG	0.99		0.354	U	0.487		0.232	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#163/#160	UG/KG	10.8		0.666	J	4.52		3.32	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#167	UG/KG	1.39		0.354	U	0.624		0.408	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#168	UG/KG	0.376	U	0.354	U	0.355	U	0.378	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#169	UG/KG	0.376	U	0.354	U	0.355	U	0.378	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#170	UG/KG	2.23		0.354	U	0.997		0.452	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#171	UG/KG	0.859		0.354	U	0.436		0.378	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#172	UG/KG	0.668		0.354	U	0.313	J	0.378	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#173	UG/KG	0.376	U	0.354	U	0.355	U	0.378	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#174	UG/KG	0.669	J	0.354	U	0.297	J	0.514	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#176	UG/KG	0.376	U	0.354	U	0.355	U	0.378	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#177	UG/KG	1.24		0.222	J	0.669		0.69	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#178	UG/KG	1.01		0.354	U	0.482		0.273	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#180	UG/KG	5.33		0.324	J	2.38		1.32	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#182/#175	UG/KG	0.752	U	0.708	U	0.71	U	0.756	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#183	UG/KG	1.81		0.354	U	0.688		0.28	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#184	UG/KG	0.376	U	0.354	U	0.355	U	0.378	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#185	UG/KG	0.376	U	0.354	U	0.355	U	0.378	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#187	UG/KG	5.85		0.376		2.56		1.36	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#188	UG/KG	0.376	U	0.354	U	0.355	U	0.378	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#189	UG/KG	0.371	J	0.354	U	0.355	U	0.378	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#190	UG/KG	0.344	J	0.354	U	0.355	U	0.378	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#191	UG/KG	0.376	U	0.354	U	0.355	U	0.378	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#193	UG/KG	0.456		0.354	U	0.269	J	0.378	U

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	CN2-Station A		CN2-Station B		CN2-Station B		CN2-Station C	
					Lab Sample Delivery Group	L2464306		L2425326		L2464306		L2425326	
					Field Sample Date	7/3/2024 0:00		5/7/2024 0:00		6/25/2024 0:00		5/7/2024 0:00	
					Field Sample ID	NBH24-SF-A-2		NBH24-SF-B-2		NBH24-SF-B-2		NBH24-SF-C-2	
					Media Type	Conch		Conch		Conch		Conch	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#194	UG/KG	0.64		0.354	U	0.264	J	0.378	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#195	UG/KG	0.376	U	0.354	U	0.355	U	0.378	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#196	UG/KG	0.344	J	0.354	U	0.355	U	0.378	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#197	UG/KG	0.196	J	0.354	U	0.355	U	0.378	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#199	UG/KG	0.376	U	0.354	U	0.355	U	0.378	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#201	UG/KG	0.843		0.354	U	0.428		0.303	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#202	UG/KG	0.469		0.354	U	0.24	J	0.378	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#203	UG/KG	0.402		0.354	U	0.194	J	0.378	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#204/#200	UG/KG	0.752	U	0.708	U	0.71	U	0.756	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#205	UG/KG	0.376	U	0.354	U	0.355	U	0.378	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#206	UG/KG	0.37	J	0.354	U	0.355	U	0.378	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#207	UG/KG	0.376	U	0.354	U	0.355	U	0.378	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#208	UG/KG	0.248	J	0.354	U	0.355	U	0.378	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Decachlorobiphenyl	UG/KG	0.376	U	0.354	U	0.355	U	0.378	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Total PCBs	UG/KG	279		21.6		122		174	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#1	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#3	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#12	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#13	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#15	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#4/#10	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#5	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#6	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#7	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#8	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#16	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#17	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#18	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#19	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#21/#20	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#22	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#24	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#25	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#26	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#27	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#28	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#29	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#31	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#32	NG/L								

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

						CN2-Station A		CN2-Station B		CN2-Station B		CN2-Station C	
					Location								
					Lab Sample Delivery Group	L2464306		L2425326		L2464306		L2425326	
					Field Sample Date	7/3/2024 0:00		5/7/2024 0:00		6/25/2024 0:00		5/7/2024 0:00	
					Field Sample ID	NBH24-SF-A-2		NBH24-SF-B-2		NBH24-SF-B-2		NBH24-SF-C-2	
					Media Type	Conch		Conch		Conch		Conch	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#33	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#37	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#40	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#41	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#42	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#43	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#44	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#45	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#47	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#48	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#49	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#50	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#51	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#52	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#53	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#54	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#56	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#60	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#63	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#66	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#68/#64	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#70	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#71	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#73/#46	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#74	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#76	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#77	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#81	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#100	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#101/#90	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#104	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#105	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#107/#123	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#110	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#114	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#118	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#119	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#121/#95/#88	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#124	NG/L								

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	CN2-Station A		CN2-Station B		CN2-Station B		CN2-Station C	
					Lab Sample Delivery Group	L2464306		L2425326		L2464306		L2425326	
					Field Sample Date	7/3/2024 0:00		5/7/2024 0:00		6/25/2024 0:00		5/7/2024 0:00	
					Field Sample ID	NBH24-SF-A-2		NBH24-SF-B-2		NBH24-SF-B-2		NBH24-SF-C-2	
					Media Type	Conch		Conch		Conch		Conch	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#126	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#82	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#83/#125/#112	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#85	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#87/#111	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#89/#84	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#91	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#92	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#97	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#99	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#128	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#129/#158	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#130/#164	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#131	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#132	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#134	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#135	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#136	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#137	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#138	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#141	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#144	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#146	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#147/#149	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#151	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#153	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#154	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#155	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#156	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#157	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#163/#160	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#167	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#168	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#169	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#170	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#171	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#172	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#173	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#174	NG/L								

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

				Location	CN2-Station A		CN2-Station B		CN2-Station B		CN2-Station C	
				Lab Sample Delivery Group	L2464306		L2425326		L2464306		L2425326	
				Field Sample Date	7/3/2024 0:00		5/7/2024 0:00		6/25/2024 0:00		5/7/2024 0:00	
				Field Sample ID	NBH24-SF-A-2		NBH24-SF-B-2		NBH24-SF-B-2		NBH24-SF-C-2	
				Media Type	Conch		Conch		Conch		Conch	
				QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#176	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#177	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#178	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#180	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#182/#175	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#183	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#184	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#185	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#187	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#188	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#189	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#190	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#191	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#193	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#194	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#195	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#196	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#197	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#199	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#201	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#202	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#203	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#204/#200	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#205	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#206	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#207	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#208	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Decachlorobiphenyl	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Total PCBs	NG/L								

NOTES:
B = biological
L = liquid
ug/kg = microgram per kilogram
ng/L = nanograms per liter
U = not detected at the reported detection limit
UJ = estimated value at the reporting limit
J = estimated value
J- = estimated value biased low
FS = field sample

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	CN2-Station C		CN2-Station D		CN2-Station D		CN2-Station E	
					Lab Sample Delivery Group	L2464306		L2425326		L2464306		L2464306	
					Field Sample Date	10/28/2024 0:00		5/7/2024 0:00		10/23/2024 0:00		10/24/2024 0:00	
					Field Sample ID	NBH24-SF-C-2		NBH24-SF-D-2		NBH24-SF-D-2		NBH24-SF-E-2	
					Media Type	Conch		Conch		Conch		Conch	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	Lipids	LIPIDS	T	Lipids	PERCENT	0.607		0.391		0.612		0.688	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#1	UG/KG	0.38	U	0.376	U	0.364	U	0.344	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#3	UG/KG	0.38	U	0.376	U	0.364	U	0.344	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#12	UG/KG	0.38	U	0.376	U	0.364	U	0.344	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#13	UG/KG	0.759	U	0.752	U	0.728	U	0.688	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#15	UG/KG	0.234	J	0.376	U	0.186	J	0.269	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#4/#10	UG/KG	0.759	U	0.752	U	0.728	U	0.688	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#5	UG/KG	0.38	U	0.376	U	0.364	U	0.344	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#6	UG/KG	0.244	J	0.376	U	0.254	J	0.348	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#7	UG/KG	0.38	U	0.376	U	0.364	U	0.344	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#8	UG/KG	0.38	U	0.376	U	0.364	U	0.344	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#16	UG/KG	0.38	U	0.376	U	0.364	U	0.344	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#17	UG/KG	0.38	U	0.245	J	0.364	U	0.332	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#18	UG/KG	1.37		0.553		1.08		1.62	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#19	UG/KG	0.38	U	0.376	U	0.364	U	0.344	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#21/#20	UG/KG	0.759	U	0.752	U	0.728	U	0.45	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#22	UG/KG	0.392		0.371	J	0.357	J	0.542	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#24	UG/KG	0.38	U	0.376	U	0.364	U	0.344	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#25	UG/KG	0.38	U	0.376	U	0.364	U	0.344	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#26	UG/KG	2.51		1.15		2.38		3.84	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#27	UG/KG	0.204	J	0.376	U	0.192	J	0.296	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#28	UG/KG	1.16		1.56		1.01		2.23	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#29	UG/KG	0.38	U	0.376	U	0.364	U	0.344	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#31	UG/KG	3.57		1.73		3.19		6.18	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#32	UG/KG	0.28	J	0.193	J	0.244	J	0.352	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#33	UG/KG	0.38	U	0.376	U	0.364	U	0.344	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#37	UG/KG	0.38	U	0.376	U	0.278	J	0.272	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#40	UG/KG	0.447		0.376	U	0.331	J	0.436	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#41	UG/KG	0.38	U	0.376	U	0.364	U	0.344	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#42	UG/KG	0.801		0.459		0.792		1.11	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#43	UG/KG	0.38	U	0.376	U	0.364	U	0.344	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#44	UG/KG	3.74		1.19		3.96		5	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#45	UG/KG	0.38	U	0.376	U	0.364	U	0.344	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#47	UG/KG	1.16		1.3		1.13		1.81	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#48	UG/KG	0.38	U	0.376	U	0.364	U	0.344	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#49	UG/KG	9.14		3.24		9.65		14.9	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#50	UG/KG	0.38	U	0.376	U	0.364	U	0.344	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#51	UG/KG	0.38	U	0.376	U	0.364	U	0.344	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#52	UG/KG	12.6		4.8		12.6		17.9	

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	CN2-Station C		CN2-Station D		CN2-Station D		CN2-Station E	
					Lab Sample Delivery Group	L2464306		L2425326		L2464306		L2464306	
					Field Sample Date	10/28/2024 0:00		5/7/2024 0:00		10/23/2024 0:00		10/24/2024 0:00	
					Field Sample ID	NBH24-SF-C-2		NBH24-SF-D-2		NBH24-SF-D-2		NBH24-SF-E-2	
					Media Type	Conch		Conch		Conch		Conch	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#53	UG/KG	0.38	U	0.262	J	0.364	U	0.218	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#54	UG/KG	0.38	U	0.376	U	0.364	U	0.344	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#56	UG/KG	0.74		0.474		0.742		0.85	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#60	UG/KG	0.493		0.218	J	0.767		0.781	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#63	UG/KG	0.45		0.376	U	0.708		0.67	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#66	UG/KG	3.73		1.55		5.91		5.87	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#68/#64	UG/KG	2.57		0.836		2.85		3.65	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#70	UG/KG	3.04		1.16		3.02		4.59	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#71	UG/KG	0.653		0.567		0.616		0.788	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#73/#46	UG/KG	0.759	U	0.752	U	0.728	U	0.688	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#74	UG/KG	1.9		0.943		3		2.67	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#76	UG/KG	0.38	U	0.376	U	0.364	U	0.344	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#77	UG/KG	0.38	U	0.376	U	0.364	U	0.344	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#81	UG/KG	0.38	U	0.376	U	0.364	U	0.344	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#100	UG/KG	0.38	U	0.376	U	0.296	J	0.268	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#101/#90	UG/KG	15.7		4.47		19.7		23.5	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#104	UG/KG	0.38	U	0.376	U	0.364	U	0.344	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#105	UG/KG	1.95		0.553		3.48		2.87	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#107/#123	UG/KG	1.71		0.478	J	2.32		2.26	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#110	UG/KG	13		3.99		15.3		17.8	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#114	UG/KG	0.572		0.376	U	0.905		0.866	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#118	UG/KG	8.94		2.6		15		10.1	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#119	UG/KG	0.839		0.343	J	1.59		1.48	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#121/#95/#88	UG/KG	3.27		1.85		3.5		4.3	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#124	UG/KG	0.303	J	0.376	U	0.343	J	0.421	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#126	UG/KG	0.38	U	0.376	U	0.364	U	0.344	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#82	UG/KG	0.38	U	0.376	U	0.364	U	0.344	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#83/#125/#112	UG/KG	0.893	J	1.13	U	0.816	J	1.29	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#85	UG/KG	1.77		0.377		2.81		2.65	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#87/#111	UG/KG	1.64		0.677	J	1.92		2.14	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#89/#84	UG/KG	1.21		0.765		1.09		1.26	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#91	UG/KG	2.33		0.798		2.65		3.35	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#92	UG/KG	3.93		1.16		4.22		5.11	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#97	UG/KG	3.34		0.855		4.41		5.7	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#99	UG/KG	9.66		3.19		18		16.9	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#128	UG/KG	3.14		0.441		4.52		4.05	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#129/#158	UG/KG	1.82		0.752	U	3.28		2.77	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#130/#164	UG/KG	2.04		0.559	J	2.5		2.37	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#131	UG/KG	0.38	U	0.376	U	0.364	U	0.344	U

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	CN2-Station C		CN2-Station D		CN2-Station D		CN2-Station E	
					Lab Sample Delivery Group	L2464306		L2425326		L2464306		L2464306	
					Field Sample Date	10/28/2024 0:00		5/7/2024 0:00		10/23/2024 0:00		10/24/2024 0:00	
					Field Sample ID	NBH24-SF-C-2		NBH24-SF-D-2		NBH24-SF-D-2		NBH24-SF-E-2	
					Media Type	Conch		Conch		Conch		Conch	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#132	UG/KG	1.88		0.754		2.25		2.32	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#134	UG/KG	0.664		0.376	U	0.669		0.805	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#135	UG/KG	1.08		0.559		1.1		1.18	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#136	UG/KG	0.38		0.272	J	0.37		0.472	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#137	UG/KG	0.567		0.376	U	1.06		1.08	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#138	UG/KG	11.2		1.12		19.6		19	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#141	UG/KG	0.596		0.198	J	0.866		0.944	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#144	UG/KG	0.38	U	0.376	U	0.352	J	0.344	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#146	UG/KG	4.89		1.03		6.07		6.34	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#147/#149	UG/KG	8.5		2.53		10.7		12.5	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#151	UG/KG	1.26		0.227	J	1.48		1.6	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#153	UG/KG	25		3.92		41.2		43.3	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#154	UG/KG	0.574		0.376	U	1.17		1.06	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#155	UG/KG	0.38	U	0.376	U	0.364	U	0.344	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#156	UG/KG	1.18		0.296	J	2.06		1.66	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#157	UG/KG	0.47		0.376	U	0.822		0.724	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#163/#160	UG/KG	5.85		1.44		6.54		6.4	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#167	UG/KG	0.83		0.376	U	1.24		1.11	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#168	UG/KG	0.38	U	0.376	U	0.364	U	0.344	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#169	UG/KG	0.38	U	0.376	U	0.364	U	0.344	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#170	UG/KG	1.14		0.376	U	2.03		1.77	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#171	UG/KG	0.46		0.376	U	0.741		0.688	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#172	UG/KG	0.327	J	0.376	U	0.353	J	0.334	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#173	UG/KG	0.38	U	0.376	U	0.364	U	0.344	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#174	UG/KG	0.52		0.278	J	0.616		0.533	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#176	UG/KG	0.38	U	0.376	U	0.364	U	0.344	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#177	UG/KG	0.757		0.326	J	0.862		0.801	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#178	UG/KG	0.482		0.376	U	0.536		0.583	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#180	UG/KG	2.68		0.529		4.43		3.92	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#182/#175	UG/KG	0.759	U	0.752	U	0.728	U	0.688	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#183	UG/KG	0.94		0.376	U	1.66		1.72	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#184	UG/KG	0.38	U	0.376	U	0.364	U	0.344	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#185	UG/KG	0.38	U	0.376	U	0.364	U	0.344	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#187	UG/KG	3.14		0.603		3.74		4.18	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#188	UG/KG	0.38	U	0.376	U	0.364	U	0.344	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#189	UG/KG	0.38	U	0.376	U	0.364	U	0.344	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#190	UG/KG	0.38	U	0.376	U	0.24	J	0.344	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#191	UG/KG	0.38	U	0.376	U	0.364	U	0.344	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#193	UG/KG	0.193	J	0.376	U	0.275	J	0.275	J

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	CN2-Station C		CN2-Station D		CN2-Station D		CN2-Station E	
					Lab Sample Delivery Group	L2464306		L2425326		L2464306		L2464306	
					Field Sample Date	10/28/2024 0:00		5/7/2024 0:00		10/23/2024 0:00		10/24/2024 0:00	
					Field Sample ID	NBH24-SF-C-2		NBH24-SF-D-2		NBH24-SF-D-2		NBH24-SF-E-2	
					Media Type	Conch		Conch		Conch		Conch	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#194	UG/KG	0.285	J	0.376	U	0.484		0.399	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#195	UG/KG	0.38	U	0.376	U	0.364	U	0.344	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#196	UG/KG	0.38	U	0.376	U	0.28	J	0.242	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#197	UG/KG	0.38	U	0.376	U	0.364	U	0.344	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#199	UG/KG	0.38	U	0.376	U	0.364	U	0.344	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#201	UG/KG	0.389		0.376	U	0.494		0.502	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#202	UG/KG	0.25	J	0.376	U	0.266	J	0.344	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#203	UG/KG	0.38	U	0.376	U	0.273	J	0.282	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#204/#200	UG/KG	0.759	U	0.752	U	0.728	U	0.688	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#205	UG/KG	0.38	U	0.376	U	0.364	U	0.344	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#206	UG/KG	0.38	U	0.376	U	0.364	U	0.344	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#207	UG/KG	0.38	U	0.376	U	0.364	U	0.344	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#208	UG/KG	0.38	U	0.376	U	0.364	U	0.344	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Decachlorobiphenyl	UG/KG	0.38	U	0.376	U	0.364	U	0.344	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Total PCBs	UG/KG	206		60		279		307	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#1	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#3	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#12	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#13	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#15	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#4/#10	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#5	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#6	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#7	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#8	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#16	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#17	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#18	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#19	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#21/#20	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#22	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#24	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#25	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#26	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#27	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#28	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#29	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#31	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#32	NG/L								

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

						CN2-Station C		CN2-Station D		CN2-Station D		CN2-Station E	
				Location		CN2-Station C		CN2-Station D		CN2-Station D		CN2-Station E	
				Lab Sample Delivery Group		L2464306		L2425326		L2464306		L2464306	
				Field Sample Date		10/28/2024 0:00		5/7/2024 0:00		10/23/2024 0:00		10/24/2024 0:00	
				Field Sample ID		NBH24-SF-C-2		NBH24-SF-D-2		NBH24-SF-D-2		NBH24-SF-E-2	
				Media Type		Conch		Conch		Conch		Conch	
				QC Code		FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#33	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#37	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#40	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#41	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#42	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#43	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#44	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#45	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#47	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#48	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#49	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#50	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#51	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#52	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#53	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#54	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#56	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#60	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#63	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#66	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#68/#64	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#70	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#71	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#73/#46	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#74	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#76	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#77	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#81	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#100	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#101/#90	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#104	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#105	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#107/#123	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#110	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#114	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#118	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#119	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#121/#95/#88	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#124	NG/L								

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

						CN2-Station C		CN2-Station D		CN2-Station D		CN2-Station E	
				Location		CN2-Station C		CN2-Station D		CN2-Station D		CN2-Station E	
				Lab Sample Delivery Group		L2464306		L2425326		L2464306		L2464306	
				Field Sample Date		10/28/2024 0:00		5/7/2024 0:00		10/23/2024 0:00		10/24/2024 0:00	
				Field Sample ID		NBH24-SF-C-2		NBH24-SF-D-2		NBH24-SF-D-2		NBH24-SF-E-2	
				Media Type		Conch		Conch		Conch		Conch	
				QC Code		FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#126	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#82	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#83/#125/#112	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#85	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#87/#111	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#89/#84	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#91	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#92	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#97	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#99	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#128	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#129/#158	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#130/#164	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#131	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#132	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#134	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#135	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#136	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#137	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#138	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#141	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#144	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#146	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#147/#149	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#151	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#153	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#154	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#155	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#156	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#157	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#163/#160	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#167	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#168	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#169	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#170	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#171	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#172	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#173	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#174	NG/L								

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

				Location	CN2-Station C		CN2-Station D		CN2-Station D		CN2-Station E	
				Lab Sample Delivery Group	L2464306		L2425326		L2464306		L2464306	
				Field Sample Date	10/28/2024 0:00		5/7/2024 0:00		10/23/2024 0:00		10/24/2024 0:00	
				Field Sample ID	NBH24-SF-C-2		NBH24-SF-D-2		NBH24-SF-D-2		NBH24-SF-E-2	
				Media Type	Conch		Conch		Conch		Conch	
				QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#176	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#177	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#178	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#180	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#182/#175	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#183	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#184	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#185	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#187	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#188	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#189	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#190	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#191	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#193	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#194	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#195	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#196	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#197	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#199	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#201	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#202	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#203	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#204/#200	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#205	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#206	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#207	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#208	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Decachlorobiphenyl	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Total PCBs	NG/L								

NOTES:
B = biological
L = liquid
ug/kg = microgram per kilogram
ng/L = nanograms per liter
U = not detected at the reported detection limit
UJ = estimated value at the reporting limit
J = estimated value
J- = estimated value biased low
FS = field sample

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	CN3-Station A		CN3-Station B		CN3-Station B		CN3-Station C	
					Lab Sample Delivery Group	L2464306		L2425326		L2464306		L2464306	
					Field Sample Date	10/28/2024 0:00		5/24/2024 0:00		10/24/2024 0:00		10/21/2024 0:00	
					Field Sample ID	NBH24-SF-A-3		NBH24-SF-B-3		NBH24-SF-B-3		NBH24-SF-C-3	
					Media Type	Conch		Conch		Conch		Conch	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	Lipids	LIPIDS	T	Lipids	PERCENT	0.554		0.384		0.703		0.636	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#1	UG/KG	0.385	U	0.342	U	0.351	U	0.398	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#3	UG/KG	0.385	U	0.342	U	0.351	U	0.398	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#12	UG/KG	0.385	U	0.342	U	0.351	U	0.398	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#13	UG/KG	0.769	U	0.685	U	0.703	U	0.795	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#15	UG/KG	0.385	U	0.342	U	0.351	U	0.398	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#4/#10	UG/KG	0.769	U	0.685	U	0.703	U	0.795	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#5	UG/KG	0.385	U	0.342	U	0.351	U	0.398	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#6	UG/KG	0.385	U	0.342	U	0.351	U	0.398	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#7	UG/KG	0.385	U	0.342	U	0.351	U	0.398	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#8	UG/KG	0.385	U	0.342	U	0.351	U	0.398	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#16	UG/KG	0.385	U	0.342	U	0.351	U	0.398	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#17	UG/KG	0.385	U	0.342	U	0.351	U	0.398	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#18	UG/KG	0.385	U	0.248	J	0.351	U	0.398	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#19	UG/KG	0.385	U	0.342	U	0.351	U	0.398	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#21/#20	UG/KG	0.769	U	0.685	U	0.703	U	0.795	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#22	UG/KG	0.385	U	0.342	U	0.351	U	0.398	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#24	UG/KG	0.385	U	0.342	U	0.351	U	0.398	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#25	UG/KG	0.385	U	0.342	U	0.351	U	0.398	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#26	UG/KG	0.385	U	0.463		0.351	U	0.348	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#27	UG/KG	0.385	U	0.342	U	0.351	U	0.398	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#28	UG/KG	0.385	U	0.838		0.351	U	0.398	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#29	UG/KG	0.385	U	0.342	U	0.351	U	0.398	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#31	UG/KG	0.385	U	0.918		0.214	J	0.635	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#32	UG/KG	0.385	U	0.342	U	0.351	U	0.398	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#33	UG/KG	0.385	U	0.342	U	0.351	U	0.398	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#37	UG/KG	0.385	U	0.342	U	0.351	U	0.398	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#40	UG/KG	0.385	U	0.342	U	0.351	U	0.398	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#41	UG/KG	0.385	U	0.342	U	0.351	U	0.398	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#42	UG/KG	0.385	U	0.216	J	0.351	U	0.398	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#43	UG/KG	0.385	U	0.342	U	0.351	U	0.398	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#44	UG/KG	0.269	J	0.706		0.316	J	0.844	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#45	UG/KG	0.385	U	0.342	U	0.351	U	0.398	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#47	UG/KG	0.385	U	0.553		0.351	U	0.277	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#48	UG/KG	0.385	U	0.342	U	0.351	U	0.398	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#49	UG/KG	0.798		1.24		0.945		2.72	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#50	UG/KG	0.385	U	0.342	U	0.351	U	0.398	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#51	UG/KG	0.385	U	0.342	U	0.351	U	0.398	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#52	UG/KG	0.768		1.98		0.885		3.19	

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	CN3-Station A		CN3-Station B		CN3-Station B		CN3-Station C	
					Lab Sample Delivery Group	L2464306		L2425326		L2464306		L2464306	
					Field Sample Date	10/28/2024 0:00		5/24/2024 0:00		10/24/2024 0:00		10/21/2024 0:00	
					Field Sample ID	NBH24-SF-A-3		NBH24-SF-B-3		NBH24-SF-B-3		NBH24-SF-C-3	
					Media Type	Conch		Conch		Conch		Conch	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#53	UG/KG	0.385	U	0.212	J	0.351	U	0.398	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#54	UG/KG	0.385	U	0.342	U	0.351	U	0.398	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#56	UG/KG	0.385	U	0.232	J	0.351	U	0.249	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#60	UG/KG	0.385	U	0.342	U	0.351	U	0.398	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#63	UG/KG	0.385	U	0.342	U	0.351	U	0.398	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#66	UG/KG	0.558		0.915		0.534		1.6	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#68/#64	UG/KG	0.769	U	0.685	U	0.703	U	0.678	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#70	UG/KG	0.335	J	0.606		0.384		1.11	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#71	UG/KG	0.385	U	0.282	J	0.351	U	0.398	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#73/#46	UG/KG	0.769	U	0.685	U	0.703	U	0.795	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#74	UG/KG	0.385	U	0.44		0.233	J	0.496	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#76	UG/KG	0.385	U	0.342	U	0.351	U	0.398	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#77	UG/KG	0.385	U	0.342	U	0.351	U	0.398	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#81	UG/KG	0.385	U	0.342	U	0.351	U	0.398	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#100	UG/KG	0.385	U	0.342	U	0.351	U	0.398	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#101/#90	UG/KG	2.22		2.47		2.83		6.36	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#104	UG/KG	0.385	U	0.342	U	0.351	U	0.398	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#105	UG/KG	0.432		0.355		0.294	J	0.789	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#107/#123	UG/KG	0.558	J	0.685	U	0.479	J	1.01	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#110	UG/KG	1.19		2		1.4		4.24	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#114	UG/KG	0.385	U	0.342	U	0.199	J	0.32	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#118	UG/KG	1.23		1.72		1.39		3.85	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#119	UG/KG	0.201	J	0.179	J	0.204	J	0.468	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#121/#95/#88	UG/KG	1.15	U	0.981	J	1.05	U	1.03	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#124	UG/KG	0.385	U	0.342	U	0.351	U	0.398	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#126	UG/KG	0.385	U	0.342	U	0.351	U	0.398	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#82	UG/KG	0.385	U	0.342	U	0.351	U	0.398	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#83/#125/#112	UG/KG	1.15	U	1.03	U	1.05	U	1.19	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#85	UG/KG	0.412		0.305	J	0.422		0.775	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#87/#111	UG/KG	0.769	U	0.382	J	0.703	U	0.417	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#89/#84	UG/KG	0.769	U	0.549	J	0.703	U	0.795	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#91	UG/KG	0.317	J	0.399		0.297	J	0.823	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#92	UG/KG	0.501		0.679		0.635		1.66	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#97	UG/KG	0.431		0.621		0.372		1.05	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#99	UG/KG	2.01		1.74		2.1		5.17	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#128	UG/KG	0.878		0.399		0.874		1.59	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#129/#158	UG/KG	0.466	J	0.685	U	0.703	U	0.799	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#130/#164	UG/KG	0.398	J	0.473	J	0.471	J	0.829	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#131	UG/KG	0.385	U	0.342	U	0.351	U	0.398	U

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	CN3-Station A		CN3-Station B		CN3-Station B		CN3-Station C	
					Lab Sample Delivery Group	L2464306		L2425326		L2464306		L2464306	
					Field Sample Date	10/28/2024 0:00		5/24/2024 0:00		10/24/2024 0:00		10/21/2024 0:00	
					Field Sample ID	NBH24-SF-A-3		NBH24-SF-B-3		NBH24-SF-B-3		NBH24-SF-C-3	
					Media Type	Conch		Conch		Conch		Conch	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#132	UG/KG	0.298	J	0.487		0.233	J	0.748	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#134	UG/KG	0.385	U	0.342	U	0.351	U	0.328	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#135	UG/KG	0.385	U	0.371		0.351	U	0.427	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#136	UG/KG	0.385	U	0.18	J	0.351	U	0.398	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#137	UG/KG	0.253	J	0.342	U	0.351	U	0.269	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#138	UG/KG	3.51		1.01		3.46		6.17	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#141	UG/KG	0.385	U	0.342	U	0.351	U	0.216	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#144	UG/KG	0.385	U	0.342	U	0.351	U	0.398	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#146	UG/KG	1.58		0.668		1.58		2.71	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#147/#149	UG/KG	1.59		1.44		1.56		3.62	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#151	UG/KG	0.222	J	0.273	J	0.251	J	0.622	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#153	UG/KG	8.51		2.62		8.2		14.2	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#154	UG/KG	0.228	J	0.342	U	0.226	J	0.385	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#155	UG/KG	0.385	U	0.342	U	0.351	U	0.398	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#156	UG/KG	0.407		0.342	U	0.364		0.662	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#157	UG/KG	0.211	J	0.342	U	0.234	J	0.394	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#163/#160	UG/KG	1.41		0.939		1.53		3.45	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#167	UG/KG	0.305	J	0.342	U	0.196	J	0.454	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#168	UG/KG	0.385	U	0.342	U	0.351	U	0.398	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#169	UG/KG	0.385	U	0.342	U	0.351	U	0.398	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#170	UG/KG	0.42		0.342	U	0.583		0.825	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#171	UG/KG	0.385	U	0.342	U	0.351	U	0.312	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#172	UG/KG	0.385	U	0.342	U	0.351	U	0.225	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#173	UG/KG	0.385	U	0.342	U	0.351	U	0.398	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#174	UG/KG	0.385	U	0.342	U	0.351	U	0.398	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#176	UG/KG	0.385	U	0.342	U	0.351	U	0.398	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#177	UG/KG	0.218	J	0.242	J	0.264	J	0.501	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#178	UG/KG	0.228	J	0.342	U	0.288	J	0.32	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#180	UG/KG	0.942		0.379		1.11		1.5	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#182/#175	UG/KG	0.769	U	0.685	U	0.703	U	0.795	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#183	UG/KG	0.368	J	0.342	U	0.347	J	0.558	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#184	UG/KG	0.385	U	0.342	U	0.351	U	0.398	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#185	UG/KG	0.385	U	0.342	U	0.351	U	0.398	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#187	UG/KG	1.05		0.412		1.3		1.87	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#188	UG/KG	0.385	U	0.342	U	0.351	U	0.398	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#189	UG/KG	0.385	U	0.342	U	0.351	U	0.398	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#190	UG/KG	0.385	U	0.342	U	0.351	U	0.398	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#191	UG/KG	0.385	U	0.342	U	0.351	U	0.398	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#193	UG/KG	0.385	U	0.342	U	0.351	U	0.398	U

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	CN3-Station A		CN3-Station B		CN3-Station B		CN3-Station C	
					Lab Sample Delivery Group	L2464306		L2425326		L2464306		L2464306	
					Field Sample Date	10/28/2024 0:00		5/24/2024 0:00		10/24/2024 0:00		10/21/2024 0:00	
					Field Sample ID	NBH24-SF-A-3		NBH24-SF-B-3		NBH24-SF-B-3		NBH24-SF-C-3	
					Media Type	Conch		Conch		Conch		Conch	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#194	UG/KG	0.385	U	0.342	U	0.351	U	0.211	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#195	UG/KG	0.385	U	0.342	U	0.351	U	0.398	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#196	UG/KG	0.385	U	0.342	U	0.351	U	0.398	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#197	UG/KG	0.385	U	0.342	U	0.351	U	0.398	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#199	UG/KG	0.385	U	0.342	U	0.351	U	0.398	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#201	UG/KG	0.385	U	0.342	U	0.261	J	0.257	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#202	UG/KG	0.385	U	0.342	U	0.192	J	0.398	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#203	UG/KG	0.385	U	0.342	U	0.351	U	0.398	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#204/#200	UG/KG	0.769	U	0.685	U	0.703	U	0.795	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#205	UG/KG	0.385	U	0.342	U	0.351	U	0.398	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#206	UG/KG	0.385	U	0.342	U	0.351	U	0.398	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#207	UG/KG	0.385	U	0.342	U	0.351	U	0.398	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#208	UG/KG	0.385	U	0.342	U	0.351	U	0.398	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Decachlorobiphenyl	UG/KG	0.385	U	0.342	U	0.351	U	0.398	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Total PCBs	UG/KG	35.7		32.1		37.7		84.6	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#1	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#3	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#12	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#13	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#15	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#4/#10	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#5	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#6	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#7	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#8	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#16	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#17	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#18	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#19	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#21/#20	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#22	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#24	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#25	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#26	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#27	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#28	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#29	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#31	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#32	NG/L								

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	CN3-Station A		CN3-Station B		CN3-Station B		CN3-Station C	
					Lab Sample Delivery Group	L2464306		L2425326		L2464306		L2464306	
					Field Sample Date	10/28/2024 0:00		5/24/2024 0:00		10/24/2024 0:00		10/21/2024 0:00	
					Field Sample ID	NBH24-SF-A-3		NBH24-SF-B-3		NBH24-SF-B-3		NBH24-SF-C-3	
					Media Type	Conch		Conch		Conch		Conch	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#33	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#37	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#40	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#41	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#42	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#43	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#44	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#45	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#47	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#48	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#49	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#50	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#51	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#52	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#53	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#54	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#56	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#60	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#63	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#66	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#68/#64	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#70	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#71	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#73/#46	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#74	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#76	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#77	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#81	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#100	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#101/#90	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#104	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#105	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#107/#123	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#110	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#114	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#118	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#119	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#121/#95/#88	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#124	NG/L								

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	CN3-Station A		CN3-Station B		CN3-Station B		CN3-Station C	
					Lab Sample Delivery Group	L2464306		L2425326		L2464306		L2464306	
					Field Sample Date	10/28/2024 0:00		5/24/2024 0:00		10/24/2024 0:00		10/21/2024 0:00	
					Field Sample ID	NBH24-SF-A-3		NBH24-SF-B-3		NBH24-SF-B-3		NBH24-SF-C-3	
					Media Type	Conch		Conch		Conch		Conch	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#126	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#82	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#83/#125/#112	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#85	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#87/#111	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#89/#84	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#91	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#92	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#97	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#99	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#128	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#129/#158	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#130/#164	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#131	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#132	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#134	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#135	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#136	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#137	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#138	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#141	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#144	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#146	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#147/#149	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#151	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#153	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#154	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#155	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#156	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#157	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#163/#160	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#167	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#168	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#169	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#170	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#171	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#172	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#173	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#174	NG/L								

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

				Location	CN3-Station A		CN3-Station B		CN3-Station B		CN3-Station C	
				Lab Sample Delivery Group	L2464306		L2425326		L2464306		L2464306	
				Field Sample Date	10/28/2024 0:00		5/24/2024 0:00		10/24/2024 0:00		10/21/2024 0:00	
				Field Sample ID	NBH24-SF-A-3		NBH24-SF-B-3		NBH24-SF-B-3		NBH24-SF-C-3	
				Media Type	Conch		Conch		Conch		Conch	
				QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#176	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#177	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#178	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#180	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#182/#175	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#183	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#184	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#185	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#187	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#188	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#189	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#190	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#191	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#193	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#194	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#195	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#196	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#197	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#199	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#201	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#202	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#203	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#204/#200	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#205	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#206	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#207	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#208	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Decachlorobiphenyl	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Total PCBs	NG/L								

NOTES:
B = biological
L = liquid
ug/kg = microgram per kilogram
ng/L = nanograms per liter
U = not detected at the reported detection limit
UJ = estimated value at the reporting limit
J = estimated value
J- = estimated value biased low
FS = field sample

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

				Location	CN3-Station D		CN3-Station D		CN3-Station E		COGGESHALL BRIDGE	
				Lab Sample Delivery Group	L2425326		L2464306		L2464306		L2428797	
				Field Sample Date	5/9/2024 0:00		10/21/2024 0:00		10/23/2024 0:00		5/22/2024 10:30	
				Field Sample ID	NBH24-SF-D-3		NBH24-SF-D-3		NBH24-SF-E-3		OGGESHALL BRIDGE - DISSOLV	
				Media Type	Conch		Conch		Conch		SW	
				QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	Lipids	LIPIDS	T	Lipids	PERCENT	0.356		0.444		0.481			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#1	UG/KG	0.37 U		0.37 U		0.353 U			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#3	UG/KG	0.37 U		0.37 U		0.353 U			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#12	UG/KG	0.37 U		0.37 U		0.353 U			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#13	UG/KG	0.741 U		0.739 U		0.707 U			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#15	UG/KG	0.37 U		0.37 U		0.353 U			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#4/#10	UG/KG	0.741 U		0.739 U		0.707 U			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#5	UG/KG	0.37 U		0.37 U		0.353 U			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#6	UG/KG	0.37 U		0.37 U		0.353 U			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#7	UG/KG	0.37 U		0.37 U		0.353 U			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#8	UG/KG	0.37 U		0.37 U		0.353 U			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#16	UG/KG	0.37 U		0.37 U		0.353 U			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#17	UG/KG	0.37 U		0.37 U		0.353 U			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#18	UG/KG	0.37 U		0.37 U		0.353 U			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#19	UG/KG	0.37 U		0.37 U		0.353 U			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#21/#20	UG/KG	0.741 U		0.739 U		0.707 U			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#22	UG/KG	0.37 U		0.37 U		0.353 U			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#24	UG/KG	0.37 U		0.37 U		0.353 U			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#25	UG/KG	0.37 U		0.37 U		0.353 U			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#26	UG/KG	0.194 J		0.37 U		0.272 J			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#27	UG/KG	0.37 U		0.37 U		0.353 U			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#28	UG/KG	0.326 J		0.29 J		0.353 U			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#29	UG/KG	0.37 U		0.37 U		0.353 U			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#31	UG/KG	0.37 U		0.272 J		0.37			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#32	UG/KG	0.37 U		0.37 U		0.353 U			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#33	UG/KG	0.37 U		0.37 U		0.353 U			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#37	UG/KG	0.37 U		0.37 U		0.353 U			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#40	UG/KG	0.37 U		0.37 U		0.353 U			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#41	UG/KG	0.37 U		0.37 U		0.353 U			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#42	UG/KG	0.37 U		0.37 U		0.353 U			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#43	UG/KG	0.37 U		0.37 U		0.353 U			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#44	UG/KG	0.229 J		0.416		0.495			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#45	UG/KG	0.37 U		0.37 U		0.353 U			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#47	UG/KG	0.275 J		0.37 U		0.353 U			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#48	UG/KG	0.37 U		0.37 U		0.353 U			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#49	UG/KG	0.598		1.18		1.4			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#50	UG/KG	0.37 U		0.37 U		0.353 U			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#51	UG/KG	0.37 U		0.37 U		0.353 U			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#52	UG/KG	0.964		1.27		1.51			

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	CN3-Station D		CN3-Station D		CN3-Station E		COGGESHALL BRIDGE	
					Lab Sample Delivery Group	L2425326		L2464306		L2464306		L2428797	
					Field Sample Date	5/9/2024 0:00		10/21/2024 0:00		10/23/2024 0:00		5/22/2024 10:30	
					Field Sample ID	NBH24-SF-D-3		NBH24-SF-D-3		NBH24-SF-E-3		OGGESHALL BRIDGE - DISSOLV	
					Media Type	Conch		Conch		Conch		SW	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#53	UG/KG	0.37	U	0.37	U	0.353	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#54	UG/KG	0.37	U	0.37	U	0.353	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#56	UG/KG	0.37	U	0.37	U	0.353	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#60	UG/KG	0.37	U	0.37	U	0.353	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#63	UG/KG	0.37	U	0.37	U	0.353	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#66	UG/KG	0.334	J	0.587		0.686			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#68/#64	UG/KG	0.741	U	0.739	U	0.406	J		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#70	UG/KG	0.279	J	0.407		0.608			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#71	UG/KG	0.37	U	0.37	U	0.353	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#73/#46	UG/KG	0.741	U	0.739	U	0.707	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#74	UG/KG	0.37	U	0.275	J	0.258	J		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#76	UG/KG	0.37	U	0.37	U	0.353	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#77	UG/KG	0.37	U	0.37	U	0.353	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#81	UG/KG	0.37	U	0.37	U	0.353	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#100	UG/KG	0.37	U	0.37	U	0.353	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#101/#90	UG/KG	1.2		2.57		3.55			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#104	UG/KG	0.37	U	0.37	U	0.353	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#105	UG/KG	0.37	U	0.324	J	0.437			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#107/#123	UG/KG	0.741	U	0.448	J	0.647	J		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#110	UG/KG	0.89		1.91		2.36			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#114	UG/KG	0.37	U	0.205	J	0.199	J		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#118	UG/KG	0.818		1.05		2.05			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#119	UG/KG	0.37	U	0.189	J	0.203	J		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#121/#95/#88	UG/KG	1.11	U	1.11	U	1.06	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#124	UG/KG	0.37	U	0.37	U	0.353	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#126	UG/KG	0.37	U	0.37	U	0.353	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#82	UG/KG	0.37	U	0.37	U	0.353	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#83/#125/#112	UG/KG	1.11	U	1.11	U	1.06	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#85	UG/KG	0.37	U	0.348	J	0.43			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#87/#111	UG/KG	0.741	U	0.739	U	0.707	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#89/#84	UG/KG	0.741	U	0.739	U	0.707	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#91	UG/KG	0.283	J	0.342	J	0.518			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#92	UG/KG	0.296	J	0.5		0.785			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#97	UG/KG	0.233	J	0.52		0.517			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#99	UG/KG	0.846		2.17		2.38			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#128	UG/KG	0.37	U	0.818		1.06			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#129/#158	UG/KG	0.741	U	0.515	J	0.58	J		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#130/#164	UG/KG	0.741	U	0.448	J	0.647	J		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#131	UG/KG	0.37	U	0.37	U	0.353	U		

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	CN3-Station D		CN3-Station D		CN3-Station E		COGGESHALL BRIDGE	
					Lab Sample Delivery Group	L2425326		L2464306		L2464306		L2428797	
					Field Sample Date	5/9/2024 0:00		10/21/2024 0:00		10/23/2024 0:00		5/22/2024 10:30	
					Field Sample ID	NBH24-SF-D-3		NBH24-SF-D-3		NBH24-SF-E-3		OGGESHALL BRIDGE - DISSOLV	
					Media Type	Conch		Conch		Conch		SW	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#132	UG/KG	0.258	J	0.405		0.473			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#134	UG/KG	0.37	U	0.37	U	0.353	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#135	UG/KG	0.19	J	0.21	J	0.227	J		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#136	UG/KG	0.37	U	0.37	U	0.353	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#137	UG/KG	0.37	U	0.37	U	0.221	J		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#138	UG/KG	0.387		3.49		3.93			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#141	UG/KG	0.37	U	0.37	U	0.353	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#144	UG/KG	0.37	U	0.37	U	0.353	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#146	UG/KG	0.407		1.21		1.79			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#147/#149	UG/KG	0.834		1.69		2.35			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#151	UG/KG	0.37	U	0.196	J	0.278	J		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#153	UG/KG	1.48		7.59		8.92			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#154	UG/KG	0.37	U	0.231	J	0.234	J		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#155	UG/KG	0.37	U	0.37	U	0.353	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#156	UG/KG	0.37	U	0.283	J	0.329	J		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#157	UG/KG	0.37	U	0.37	U	0.19	J		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#163/#160	UG/KG	0.475	J	1.27		1.9			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#167	UG/KG	0.37	U	0.37	U	0.253	J		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#168	UG/KG	0.37	U	0.37	U	0.353	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#169	UG/KG	0.37	U	0.37	U	0.353	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#170	UG/KG	0.37	U	0.431		0.461			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#171	UG/KG	0.37	U	0.37	U	0.229	J		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#172	UG/KG	0.37	U	0.37	U	0.353	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#173	UG/KG	0.37	U	0.37	U	0.353	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#174	UG/KG	0.37	U	0.37	U	0.353	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#176	UG/KG	0.37	U	0.37	U	0.353	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#177	UG/KG	0.37	U	0.37	U	0.22	J		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#178	UG/KG	0.37	U	0.37	U	0.213	J		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#180	UG/KG	0.198	J	0.769		0.912			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#182/#175	UG/KG	0.741	U	0.739	U	0.707	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#183	UG/KG	0.37	U	0.42		0.404			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#184	UG/KG	0.37	U	0.37	U	0.353	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#185	UG/KG	0.37	U	0.37	U	0.353	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#187	UG/KG	0.227	J	0.853		1.13			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#188	UG/KG	0.37	U	0.37	U	0.353	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#189	UG/KG	0.37	U	0.37	U	0.353	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#190	UG/KG	0.37	U	0.37	U	0.353	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#191	UG/KG	0.37	U	0.37	U	0.353	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#193	UG/KG	0.37	U	0.37	U	0.353	U		

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	CN3-Station D		CN3-Station D		CN3-Station E		COGGESHALL BRIDGE	
					Lab Sample Delivery Group	L2425326		L2464306		L2464306		L2428797	
					Field Sample Date	5/9/2024 0:00		10/21/2024 0:00		10/23/2024 0:00		5/22/2024 10:30	
					Field Sample ID	NBH24-SF-D-3		NBH24-SF-D-3		NBH24-SF-E-3		OGGESHALL BRIDGE - DISSOLV	
					Media Type	Conch		Conch		Conch		SW	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#194	UG/KG	0.37	U	0.37	U	0.353	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#195	UG/KG	0.37	U	0.37	U	0.353	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#196	UG/KG	0.37	U	0.37	U	0.353	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#197	UG/KG	0.37	U	0.37	U	0.353	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#199	UG/KG	0.37	U	0.37	U	0.353	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#201	UG/KG	0.37	U	0.37	U	0.353	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#202	UG/KG	0.37	U	0.37	U	0.353	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#203	UG/KG	0.37	U	0.37	U	0.353	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#204/#200	UG/KG	0.741	U	0.739	U	0.707	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#205	UG/KG	0.37	U	0.37	U	0.353	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#206	UG/KG	0.37	U	0.37	U	0.353	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#207	UG/KG	0.37	U	0.37	U	0.353	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#208	UG/KG	0.37	U	0.37	U	0.353	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Decachlorobiphenyl	UG/KG	0.37	U	0.37	U	0.353	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Total PCBs	UG/KG	12.2		36.1		47			
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#1	NG/L							0.274	J
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#3	NG/L							0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#12	NG/L							0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#13	NG/L							0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#15	NG/L							0.357	J
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#4/#10	NG/L							1.22	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#5	NG/L							0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#6	NG/L							0.887	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#7	NG/L							0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#8	NG/L							0.825	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#16	NG/L							0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#17	NG/L							1.01	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#18	NG/L							2.26	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#19	NG/L							0.586	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#21/#20	NG/L							0.985	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#22	NG/L							0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#24	NG/L							0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#25	NG/L							1.98	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#26	NG/L							1.65	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#27	NG/L							0.596	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#28	NG/L							1.56	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#29	NG/L							0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#31	NG/L							1.56	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#32	NG/L							0.873	

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	CN3-Station D		CN3-Station D		CN3-Station E		COGGESHALL BRIDGE	
					Lab Sample Delivery Group	L2425326		L2464306		L2464306		L2428797	
					Field Sample Date	5/9/2024 0:00		10/21/2024 0:00		10/23/2024 0:00		5/22/2024 10:30	
					Field Sample ID	NBH24-SF-D-3		NBH24-SF-D-3		NBH24-SF-E-3		OGGESHALL BRIDGE - DISSOLV	
					Media Type	Conch		Conch		Conch		SW	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#33	NG/L							0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#37	NG/L							0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#40	NG/L							0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#41	NG/L							0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#42	NG/L							0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#43	NG/L							0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#44	NG/L							0.467	J
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#45	NG/L							0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#47	NG/L							0.378	J
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#48	NG/L							0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#49	NG/L							1.47	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#50	NG/L							0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#51	NG/L							0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#52	NG/L							2.17	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#53	NG/L							0.55	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#54	NG/L							0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#56	NG/L							0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#60	NG/L							0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#63	NG/L							0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#66	NG/L							0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#68/#64	NG/L							0.985	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#70	NG/L							0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#71	NG/L							0.33	J
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#73/#46	NG/L							0.985	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#74	NG/L							0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#76	NG/L							0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#77	NG/L							0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#81	NG/L							0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#100	NG/L							0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#101/#90	NG/L							0.985	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#104	NG/L							0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#105	NG/L							0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#107/#123	NG/L							0.985	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#110	NG/L							0.394	J
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#114	NG/L							0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#118	NG/L							0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#119	NG/L							0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#121/#95/#88	NG/L							1.48	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#124	NG/L							0.493	U

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	CN3-Station D		CN3-Station D		CN3-Station E		COGGESHALL BRIDGE	
					Lab Sample Delivery Group	L2425326		L2464306		L2464306		L2428797	
					Field Sample Date	5/9/2024 0:00		10/21/2024 0:00		10/23/2024 0:00		5/22/2024 10:30	
					Field Sample ID	NBH24-SF-D-3		NBH24-SF-D-3		NBH24-SF-E-3		OGGESHALL BRIDGE - DISSOLV	
					Media Type	Conch		Conch		Conch		SW	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#126	NG/L							0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#82	NG/L							0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#83/#125/#112	NG/L							1.48	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#85	NG/L							0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#87/#111	NG/L							0.985	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#89/#84	NG/L							0.985	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#91	NG/L							0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#92	NG/L							0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#97	NG/L							0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#99	NG/L							0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#128	NG/L							0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#129/#158	NG/L							0.985	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#130/#164	NG/L							0.985	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#131	NG/L							0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#132	NG/L							0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#134	NG/L							0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#135	NG/L							0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#136	NG/L							0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#137	NG/L							0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#138	NG/L							0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#141	NG/L							0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#144	NG/L							0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#146	NG/L							0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#147/#149	NG/L							0.985	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#151	NG/L							0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#153	NG/L							0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#154	NG/L							0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#155	NG/L							0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#156	NG/L							0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#157	NG/L							0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#163/#160	NG/L							0.985	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#167	NG/L							0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#168	NG/L							0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#169	NG/L							0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#170	NG/L							0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#171	NG/L							0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#172	NG/L							0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#173	NG/L							0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#174	NG/L							0.493	U

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

				Location	CN3-Station D		CN3-Station D		CN3-Station E		COGGESHALL BRIDGE	
				Lab Sample Delivery Group	L2425326		L2464306		L2464306		L2428797	
				Field Sample Date	5/9/2024 0:00		10/21/2024 0:00		10/23/2024 0:00		5/22/2024 10:30	
				Field Sample ID	NBH24-SF-D-3		NBH24-SF-D-3		NBH24-SF-E-3		OGGESHALL BRIDGE - DISSOLV	
				Media Type	Conch		Conch		Conch		SW	
				QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#176	NG/L							0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#177	NG/L							0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#178	NG/L							0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#180	NG/L							0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#182/#175	NG/L							0.985	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#183	NG/L							0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#184	NG/L							0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#185	NG/L							0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#187	NG/L							0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#188	NG/L							0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#189	NG/L							0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#190	NG/L							0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#191	NG/L							0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#193	NG/L							0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#194	NG/L							0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#195	NG/L							0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#196	NG/L							0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#197	NG/L							0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#199	NG/L							0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#201	NG/L							0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#202	NG/L							0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#203	NG/L							0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#204/#200	NG/L							0.985	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#205	NG/L							0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#206	NG/L							0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#207	NG/L							0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#208	NG/L							0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Decachlorobiphenyl	NG/L							0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Total PCBs	NG/L							21.4	

NOTES:
B = biological
L = liquid
ug/kg = microgram per kilogram
ng/L = nanograms per liter
U = not detected at the reported detection limit
UJ = estimated value at the reporting limit
J = estimated value
J- = estimated value biased low
FS = field sample

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	COGGESHALL BRIDGE		L2-Station A		L2-Station A		L2-Station B	
					Lab Sample Delivery Group	L2428797		L2464618		L2464618		L2464618	
					Field Sample Date	5/22/2024 10:30		6/17/2024 0:00		6/17/2024 0:00		6/17/2024 0:00	
					Field Sample ID	COGGESHALL BRIDGE - TOTAL		NBH24-L-A-2-M		NBH24-L-A-2-T		NBH24-L-B-2-M	
					Media Type	SW		Lobster Meat		Lobster Tomalley		Lobster Meat	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	Lipids	LIPIDS	T	Lipids	PERCENT			0.27		6.66		0.242	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#1	UG/KG			0.374	U	1.96	U	0.377	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#3	UG/KG			0.374	U	1.96	U	0.377	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#12	UG/KG			0.374	U	1.96	U	0.377	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#13	UG/KG			0.749	U	3.93	U	0.755	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#15	UG/KG			0.374	U	2.78		0.377	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#4/#10	UG/KG			0.749	U	3.93	U	0.755	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#5	UG/KG			0.374	U	1.96	U	0.377	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#6	UG/KG			0.374	U	1.26	J	0.377	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#7	UG/KG			0.374	U	1.96	U	0.377	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#8	UG/KG			0.374	U	4.04		0.377	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#16	UG/KG			0.374	U	1.96	U	0.377	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#17	UG/KG			0.374	U	1.34	J	0.377	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#18	UG/KG			0.374	U	1.32	J	0.377	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#19	UG/KG			0.374	U	1.96	U	0.377	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#21/#20	UG/KG			0.749	U	3.93	U	0.755	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#22	UG/KG			0.374	U	1.84	J	0.377	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#24	UG/KG			0.374	U	1.96	U	0.377	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#25	UG/KG			0.374	U	1.96	U	0.377	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#26	UG/KG			0.374	U	2.78		0.377	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#27	UG/KG			0.374	U	1.96	U	0.377	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#28	UG/KG			2.09		135		1.18	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#29	UG/KG			0.374	U	1.96	U	0.377	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#31	UG/KG			0.219	J	10.4		0.377	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#32	UG/KG			0.374	U	8.2		0.377	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#33	UG/KG			0.374	U	3.52		0.377	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#37	UG/KG			0.374	U	8.85		0.377	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#40	UG/KG			0.374	U	1.96	U	0.377	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#41	UG/KG			0.374	U	1.96	U	0.377	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#42	UG/KG			0.374	U	1.96	U	0.377	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#43	UG/KG			0.374	U	1.96	U	0.377	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#44	UG/KG			0.374	U	1.21	J	0.377	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#45	UG/KG			0.374	U	1.96	U	0.377	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#47	UG/KG			2.62		186		1.05	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#48	UG/KG			0.374	U	1.96	U	0.377	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#49	UG/KG			0.374	U	3.46		0.377	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#50	UG/KG			0.374	U	1.96	U	0.377	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#51	UG/KG			0.374	U	1.96	U	0.377	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#52	UG/KG			0.261	J	14.4		0.377	U

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	COGGESHALL BRIDGE		L2-Station A		L2-Station A		L2-Station B	
					Lab Sample Delivery Group	L2428797		L2464618		L2464618		L2464618	
					Field Sample Date	5/22/2024 10:30		6/17/2024 0:00		6/17/2024 0:00		6/17/2024 0:00	
					Field Sample ID	COGGESHALL BRIDGE - TOTAL		NBH24-L-A-2-M		NBH24-L-A-2-T		NBH24-L-B-2-M	
					Media Type	SW		Lobster Meat		Lobster Tomalley		Lobster Meat	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#53	UG/KG			0.374	U	1.96	U	0.377	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#54	UG/KG			0.374	U	1.96	U	0.377	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#56	UG/KG			0.374	U	2.95		0.377	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#60	UG/KG			0.294	J	22.6		0.377	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#63	UG/KG			0.198	J	12.7		0.377	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#66	UG/KG			3.65		255		1.61	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#68/#64	UG/KG			0.749	U	8.9		0.755	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#70	UG/KG			0.374	U	4.43		0.377	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#71	UG/KG			0.195	J	12.4		0.377	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#73/#46	UG/KG			0.749	U	3.93	U	0.755	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#74	UG/KG			2.34		146		1.09	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#76	UG/KG			0.374	U	1.96	U	0.377	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#77	UG/KG			0.222	J	14.4		0.377	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#81	UG/KG			0.374	U	1.96	U	0.377	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#100	UG/KG			0.374	U	5.63		0.377	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#101/#90	UG/KG			0.876		70		0.445	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#104	UG/KG			0.374	U	1.96	U	0.377	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#105	UG/KG			2.03		153		0.981	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#107/#123	UG/KG			0.73	J	67.2		0.405	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#110	UG/KG			0.231	J	16.7		0.229	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#114	UG/KG			0.333	J	34.7		0.198	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#118	UG/KG			12.2		1040		6.22	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#119	UG/KG			0.351	J	27.4		0.377	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#121/#95/#88	UG/KG			1.12	U	5.89	U	1.13	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#124	UG/KG			0.374	U	1.96	U	0.377	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#126	UG/KG			0.374	U	3.03		0.377	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#82	UG/KG			0.374	U	1.96	U	0.377	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#83/#125/#112	UG/KG			1.12	U	5.89	U	1.13	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#85	UG/KG			1.2		91.2		0.42	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#87/#111	UG/KG			0.749	U	3.22	J	0.755	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#89/#84	UG/KG			0.749	U	3.93	U	0.755	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#91	UG/KG			0.374	U	1.96	U	0.377	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#92	UG/KG			0.244	J	15.6		0.377	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#97	UG/KG			0.374	U	1.96	U	0.377	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#99	UG/KG			6.03		514		3.04	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#128	UG/KG			1.8		151		0.802	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#129/#158	UG/KG			0.79		55.3		0.482	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#130/#164	UG/KG			0.749	U	23.2		0.755	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#131	UG/KG			0.374	U	1.96	U	0.377	U

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	COGGESHALL BRIDGE		L2-Station A		L2-Station A		L2-Station B	
					Lab Sample Delivery Group	L2428797		L2464618		L2464618		L2464618	
					Field Sample Date	5/22/2024 10:30		6/17/2024 0:00		6/17/2024 0:00		6/17/2024 0:00	
					Field Sample ID	COGGESHALL BRIDGE - TOTAL		NBH24-L-A-2-M		NBH24-L-A-2-T		NBH24-L-B-2-M	
					Media Type	SW		Lobster Meat		Lobster Tomalley		Lobster Meat	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#132	UG/KG			0.374	U	1.96	U	0.377	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#134	UG/KG			0.374	U	1.96	U	0.377	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#135	UG/KG			0.374	U	3.26		0.377	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#136	UG/KG			0.374	U	1.96	U	0.377	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#137	UG/KG			0.418		34.3		0.377	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#138	UG/KG			5.92		592		2.89	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#141	UG/KG			0.374	U	1.96	U	0.377	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#144	UG/KG			0.374	U	1.96	U	0.377	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#146	UG/KG			2.3		245		1.1	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#147/#149	UG/KG			0.749	U	34.6		0.755	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#151	UG/KG			0.374	U	1.96	U	0.377	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#153	UG/KG			14.7		1680		7	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#154	UG/KG			0.374	U	3.65		0.377	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#155	UG/KG			0.374	U	1.96	U	0.377	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#156	UG/KG			0.919		78.1		0.369	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#157	UG/KG			0.33	J	33		0.377	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#163/#160	UG/KG			2.77		271		1.38	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#167	UG/KG			0.61		52		0.29	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#168	UG/KG			0.374	U	1.96	U	0.377	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#169	UG/KG			0.374	U	1.96	U	0.377	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#170	UG/KG			0.831		79.2		0.376	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#171	UG/KG			0.187	J	15.3		0.377	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#172	UG/KG			0.374	U	12.2		0.377	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#173	UG/KG			0.374	U	1.96	U	0.377	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#174	UG/KG			0.374	U	1.96	U	0.377	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#176	UG/KG			0.374	U	1.96	U	0.377	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#177	UG/KG			0.202	J	20.9		0.377	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#178	UG/KG			0.352	J	20.9		0.377	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#180	UG/KG			1.39		165		0.595	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#182/#175	UG/KG			0.749	U	4.15		0.755	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#183	UG/KG			0.249	J	25.4		0.377	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#184	UG/KG			0.374	U	1.96	U	0.377	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#185	UG/KG			0.374	U	1.96	U	0.377	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#187	UG/KG			1.38		141		0.739	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#188	UG/KG			0.374	U	1.14	J	0.377	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#189	UG/KG			0.374	U	6.03		0.377	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#190	UG/KG			0.374	U	10.8		0.377	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#191	UG/KG			0.374	U	3.02		0.377	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#193	UG/KG			0.374	U	11.4		0.377	U

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	COGGESHALL BRIDGE		L2-Station A		L2-Station A		L2-Station B	
					Lab Sample Delivery Group	L2428797		L2464618		L2464618		L2464618	
					Field Sample Date	5/22/2024 10:30		6/17/2024 0:00		6/17/2024 0:00		6/17/2024 0:00	
					Field Sample ID	COGGESHALL BRIDGE - TOTAL		NBH24-L-A-2-M		NBH24-L-A-2-T		NBH24-L-B-2-M	
					Media Type	SW		Lobster Meat		Lobster Tomalley		Lobster Meat	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#194	UG/KG			0.374	U	19.5		0.377	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#195	UG/KG			0.374	U	5		0.377	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#196	UG/KG			0.374	U	8.58		0.377	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#197	UG/KG			0.374	U	1.96	U	0.377	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#199	UG/KG			0.374	U	1.96	U	0.377	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#201	UG/KG			0.374	U	18.2		0.377	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#202	UG/KG			0.374	U	7.55		0.377	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#203	UG/KG			0.374	U	9.54		0.377	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#204/#200	UG/KG			0.749	U	3.52	J	0.755	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#205	UG/KG			0.374	U	1.96	U	0.377	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#206	UG/KG			0.374	U	6.84		0.377	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#207	UG/KG			0.374	U	1.96	U	0.377	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#208	UG/KG			0.374	U	3.31		0.377	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Decachlorobiphenyl	UG/KG			0.374	U	2.44		0.377	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Total PCBs	UG/KG			71.5		6760		32.9	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#1	NG/L	0.281	J						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#3	NG/L	0.493	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#12	NG/L	0.493	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#13	NG/L	0.598							
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#15	NG/L	0.698							
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#4/#10	NG/L	1.87							
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#5	NG/L	0.493	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#6	NG/L	1.55							
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#7	NG/L	0.493	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#8	NG/L	1.48							
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#16	NG/L	0.253	J						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#17	NG/L	2.05							
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#18	NG/L	4.55							
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#19	NG/L	1.07							
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#21/#20	NG/L	0.985	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#22	NG/L	0.409	J						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#24	NG/L	0.493	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#25	NG/L	3.92							
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#26	NG/L	3.82							
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#27	NG/L	1.2							
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#28	NG/L	3.78							
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#29	NG/L	0.493	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#31	NG/L	3.99							
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#32	NG/L	1.82							

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	COGGESHALL BRIDGE		L2-Station A		L2-Station A		L2-Station B	
					Lab Sample Delivery Group	L2428797		L2464618		L2464618		L2464618	
					Field Sample Date	5/22/2024 10:30		6/17/2024 0:00		6/17/2024 0:00		6/17/2024 0:00	
					Field Sample ID	COGGESHALL BRIDGE - TOTAL		NBH24-L-A-2-M		NBH24-L-A-2-T		NBH24-L-B-2-M	
					Media Type	SW		Lobster Meat		Lobster Tomalley		Lobster Meat	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#33	NG/L	0.493	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#37	NG/L	0.493	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#40	NG/L	0.264	J						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#41	NG/L	0.493	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#42	NG/L	0.518							
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#43	NG/L	0.493	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#44	NG/L	1.26							
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#45	NG/L	0.493	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#47	NG/L	1.32							
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#48	NG/L	0.493	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#49	NG/L	4.38							
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#50	NG/L	0.493	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#51	NG/L	0.591							
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#52	NG/L	6.35							
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#53	NG/L	1.34							
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#54	NG/L	0.493	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#56	NG/L	0.306	J						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#60	NG/L	0.493	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#63	NG/L	0.493	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#66	NG/L	0.822							
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#68/#64	NG/L	0.766	J						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#70	NG/L	0.546							
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#71	NG/L	0.981							
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#73/#46	NG/L	0.985	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#74	NG/L	0.493							
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#76	NG/L	0.493	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#77	NG/L	0.493	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#81	NG/L	0.493	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#100	NG/L	0.493	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#101/#90	NG/L	1.3							
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#104	NG/L	0.493	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#105	NG/L	0.272	J						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#107/#123	NG/L	0.985	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#110	NG/L	1.76							
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#114	NG/L	0.493	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#118	NG/L	1.12							
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#119	NG/L	0.493	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#121/#95/#88	NG/L	1.14	J						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#124	NG/L	0.493	U						

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	COGGESHALL BRIDGE		L2-Station A		L2-Station A		L2-Station B	
					Lab Sample Delivery Group	L2428797		L2464618		L2464618		L2464618	
					Field Sample Date	5/22/2024 10:30		6/17/2024 0:00		6/17/2024 0:00		6/17/2024 0:00	
					Field Sample ID	COGGESHALL BRIDGE - TOTAL		NBH24-L-A-2-M		NBH24-L-A-2-T		NBH24-L-B-2-M	
					Media Type	SW		Lobster Meat		Lobster Tomalley		Lobster Meat	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#126	NG/L	0.493	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#82	NG/L	0.493	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#83/#125/#112	NG/L	1.48	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#85	NG/L	0.493	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#87/#111	NG/L	0.985	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#89/#84	NG/L	0.68	J						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#91	NG/L	0.539							
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#92	NG/L	0.404	J						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#97	NG/L	0.522							
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#99	NG/L	1.03							
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#128	NG/L	0.493	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#129/#158	NG/L	0.985	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#130/#164	NG/L	0.985	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#131	NG/L	0.493	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#132	NG/L	0.254	J						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#134	NG/L	0.493	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#135	NG/L	0.493	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#136	NG/L	0.493	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#137	NG/L	0.493	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#138	NG/L	0.547							
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#141	NG/L	0.493	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#144	NG/L	0.493	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#146	NG/L	0.493	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#147/#149	NG/L	0.969	J						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#151	NG/L	0.493	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#153	NG/L	0.924							
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#154	NG/L	0.493	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#155	NG/L	0.493	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#156	NG/L	0.493	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#157	NG/L	0.493	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#163/#160	NG/L	0.985	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#167	NG/L	0.493	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#168	NG/L	0.493	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#169	NG/L	0.493	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#170	NG/L	0.493	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#171	NG/L	0.493	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#172	NG/L	0.493	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#173	NG/L	0.493	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#174	NG/L	0.493	U						

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	COGGESHALL BRIDGE		L2-Station A		L2-Station A		L2-Station B	
					Lab Sample Delivery Group	L2428797		L2464618		L2464618		L2464618	
					Field Sample Date	5/22/2024 10:30		6/17/2024 0:00		6/17/2024 0:00		6/17/2024 0:00	
					Field Sample ID	COGGESHALL BRIDGE - TOTAL		NBH24-L-A-2-M		NBH24-L-A-2-T		NBH24-L-B-2-M	
					Media Type	SW		Lobster Meat		Lobster Tomalley		Lobster Meat	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#176	NG/L	0.493	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#177	NG/L	0.493	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#178	NG/L	0.493	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#180	NG/L	0.493	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#182/#175	NG/L	0.985	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#183	NG/L	0.493	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#184	NG/L	0.493	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#185	NG/L	0.493	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#187	NG/L	0.493	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#188	NG/L	0.493	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#189	NG/L	0.493	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#190	NG/L	0.493	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#191	NG/L	0.493	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#193	NG/L	0.493	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#194	NG/L	0.493	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#195	NG/L	0.493	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#196	NG/L	0.493	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#197	NG/L	0.493	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#199	NG/L	0.493	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#201	NG/L	0.493	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#202	NG/L	0.493	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#203	NG/L	0.493	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#204/#200	NG/L	0.985	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#205	NG/L	0.493	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#206	NG/L	0.493	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#207	NG/L	0.493	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#208	NG/L	0.493	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Decachlorobiphenyl	NG/L	0.493	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Total PCBs	NG/L	64.7							

NOTES:
B = biological
L = liquid
ug/kg = microgram per kilogram
ng/L = nanograms per liter
U = not detected at the reported detection limit
UJ = estimated value at the reporting limit
J = estimated value
J- = estimated value biased low
FS = field sample

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	L2-Station B		L2-Station C		L2-Station C		L2-Station D	
					Lab Sample Delivery Group	L2464618		L2464618		L2464618		L2464618	
					Field Sample Date	6/17/2024 0:00		6/20/2024 0:00		6/20/2024 0:00		6/17/2024 0:00	
					Field Sample ID	NBH24-L-B-2-T		NBH24-L-C-2-M		NBH24-L-C-2-T		NBH24-L-D-2-M	
					Media Type	Lobster Tomalley		Lobster Meat		Lobster Tomalley		Lobster Meat	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	Lipids	LIPIDS	T	Lipids	PERCENT	12.5		0.212		11.9		0.261	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#1	UG/KG	1.99	U	0.379	U	1.97	U	0.362	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#3	UG/KG	1.99	U	0.379	U	1.97	U	0.362	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#12	UG/KG	1.99	U	0.379	U	1.97	U	0.362	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#13	UG/KG	3.98	U	0.758	U	3.94	U	0.725	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#15	UG/KG	4.04		0.379	U	3.09		0.362	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#4/#10	UG/KG	3.98	U	0.758	U	3.94	U	0.725	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#5	UG/KG	1.99	U	0.379	U	1.97	U	0.362	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#6	UG/KG	1.99	U	0.379	U	1.97	U	0.362	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#7	UG/KG	1.99	U	0.379	U	1.97	U	0.362	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#8	UG/KG	3.27		0.379	U	3.45		0.362	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#16	UG/KG	1.99	U	0.379	U	1.97	U	0.362	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#17	UG/KG	1.48	J	0.379	U	1.72	J	0.362	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#18	UG/KG	1.45	J	0.379	U	1.83	J	0.362	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#19	UG/KG	1.99	U	0.379	U	1.97	U	0.362	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#21/#20	UG/KG	3.98	U	0.758	U	3.94	U	0.725	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#22	UG/KG	2.1		0.379	U	1.97	U	0.362	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#24	UG/KG	1.99	U	0.379	U	1.97	U	0.362	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#25	UG/KG	1.99	U	0.379	U	1.97	U	0.362	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#26	UG/KG	2.81		0.379	U	2.83		0.244	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#27	UG/KG	1.99	U	0.379	U	1.97	U	0.362	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#28	UG/KG	141		0.747		120		1.8	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#29	UG/KG	1.99	U	0.379	U	1.97	U	0.362	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#31	UG/KG	12.9		0.379	U	9.94		0.485	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#32	UG/KG	8.92		0.379	U	14.1		0.362	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#33	UG/KG	4.12		0.379	U	1.97	U	0.362	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#37	UG/KG	10.9		0.379	U	10.7		0.362	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#40	UG/KG	1.99	U	0.379	U	1.97	U	0.362	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#41	UG/KG	1.99	U	0.379	U	1.97	U	0.362	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#42	UG/KG	1.99	U	0.379	U	1.97	U	0.362	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#43	UG/KG	1.27	J	0.379	U	1.19	J	0.362	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#44	UG/KG	1.99	U	0.379	U	1.28	J	0.362	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#45	UG/KG	1.99	U	0.379	U	1.97	U	0.362	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#47	UG/KG	143		0.958		178		2.32	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#48	UG/KG	1.99	U	0.379	U	1.62	J	0.362	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#49	UG/KG	2.99		0.379	U	5.68		0.849	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#50	UG/KG	1.99	U	0.379	U	1.97	U	0.362	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#51	UG/KG	1.99	U	0.379	U	1.97	U	0.362	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#52	UG/KG	11.7		0.379	U	14.4		0.875	

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	L2-Station B		L2-Station C		L2-Station C		L2-Station D	
					Lab Sample Delivery Group	L2464618		L2464618		L2464618		L2464618	
					Field Sample Date	6/17/2024 0:00		6/20/2024 0:00		6/20/2024 0:00		6/17/2024 0:00	
					Field Sample ID	NBH24-L-B-2-T		NBH24-L-C-2-M		NBH24-L-C-2-T		NBH24-L-D-2-M	
					Media Type	Lobster Tomalley		Lobster Meat		Lobster Tomalley		Lobster Meat	
					QC Code	FS		FS		FS		FS	
Matrix	Method Class	Analysis Method	Fraction	Parameter	Units	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#53	UG/KG	1.99	U	0.379	U	1.97	U	0.362	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#54	UG/KG	1.99	U	0.379	U	1.97	U	0.362	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#56	UG/KG	3.12		0.379	U	3.9		0.206	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#60	UG/KG	18.5		0.379	U	14.7		0.305	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#63	UG/KG	13.7		0.379	U	13.6		0.322	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#66	UG/KG	222		1.22		254		3.53	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#68/#64	UG/KG	12.7		0.758	U	16.4		0.617	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#70	UG/KG	4.44		0.379	U	5.3		0.436	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#71	UG/KG	12.8		0.379	U	21.2		0.396	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#73/#46	UG/KG	3.98	U	0.758	U	3.94	U	0.725	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#74	UG/KG	136		0.78		118		2.23	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#76	UG/KG	1.99	U	0.379	U	1.97	U	0.362	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#77	UG/KG	19.2		0.379	U	15.4		0.217	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#81	UG/KG	1.99	U	0.379	U	1.06	J	0.362	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#100	UG/KG	4.46		0.379	U	9.1		0.362	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#101/#90	UG/KG	74.9		0.436	J	101		4.3	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#104	UG/KG	1.99	U	0.379	U	1.97	U	0.362	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#105	UG/KG	118		0.608		106		2.03	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#107/#123	UG/KG	62.7		0.758	U	73.9		1.2	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#110	UG/KG	21.8		0.192	J	34.2		3.3	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#114	UG/KG	28		0.379	U	27		0.496	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#118	UG/KG	911		5.06		824		14.5	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#119	UG/KG	25.7		0.379	U	39.2		0.976	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#121/#95/#88	UG/KG	5.96	U	1.14	U	5.9	U	1.09	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#124	UG/KG	1.99	U	0.379	U	1.2	J	0.362	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#126	UG/KG	2.79		0.379	U	3.2		0.362	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#82	UG/KG	1.99	U	0.379	U	1.97	U	0.362	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#83/#125/#112	UG/KG	5.96	U	1.14	U	5.9	U	1.09	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#85	UG/KG	61.8		0.435		80.4		1.26	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#87/#111	UG/KG	2.86	J	0.758	U	2.78	J	0.367	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#89/#84	UG/KG	3.98	U	0.758	U	3.94	U	0.725	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#91	UG/KG	1.03	J	0.379	U	1.02	J	0.356	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#92	UG/KG	18.8		0.379	U	22.5		0.958	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#97	UG/KG	1.99	U	0.379	U	1.97	U	0.367	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#99	UG/KG	497		3.23		707		10.6	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#128	UG/KG	112		0.898		145		2.34	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#129/#158	UG/KG	51.3		0.758	U	54.5		1.17	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#130/#164	UG/KG	21.6		0.758	U	29.6		0.728	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#131	UG/KG	1.99	U	0.379	U	1.97	U	0.362	U

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	L2-Station B		L2-Station C		L2-Station C		L2-Station D	
					Lab Sample Delivery Group	L2464618		L2464618		L2464618		L2464618	
					Field Sample Date	6/17/2024 0:00		6/20/2024 0:00		6/20/2024 0:00		6/17/2024 0:00	
					Field Sample ID	NBH24-L-B-2-T		NBH24-L-C-2-M		NBH24-L-C-2-T		NBH24-L-D-2-M	
					Media Type	Lobster Tomalley		Lobster Meat		Lobster Tomalley		Lobster Meat	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#132	UG/KG	1.99	U	0.379	U	1.97	U	0.258	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#134	UG/KG	1.99	U	0.379	U	1.97	U	0.362	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#135	UG/KG	3.26		0.379	U	5.06		0.232	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#136	UG/KG	1.99	U	0.379	U	1.97	U	0.362	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#137	UG/KG	22.7		0.379	U	24.7		0.475	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#138	UG/KG	473		2.69		562		9.03	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#141	UG/KG	1.99	U	0.379	U	1.29	J	0.194	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#144	UG/KG	1.99	U	0.379	U	1.97	U	0.362	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#146	UG/KG	210		1.33		244		3.66	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#147/#149	UG/KG	29.2		0.758	U	45		2.5	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#151	UG/KG	1.47	J	0.379	U	2.78		0.639	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#153	UG/KG	1480		7.34		1580		21.1	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#154	UG/KG	5.8		0.379	U	11.6		0.524	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#155	UG/KG	1.99	U	0.379	U	1.97	U	0.362	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#156	UG/KG	57.8		0.324	J	61.2		1.02	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#157	UG/KG	24.9		0.379	U	27.4		0.42	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#163/#160	UG/KG	214		1.23		255		4.06	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#167	UG/KG	42.6		0.194	J	41.7		0.843	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#168	UG/KG	1.99	U	0.379	U	1.97	U	0.362	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#169	UG/KG	1.99	U	0.379	U	1.97	U	0.362	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#170	UG/KG	53.9		0.443		70.6		0.962	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#171	UG/KG	11.4		0.379	U	17		0.314	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#172	UG/KG	8.44		0.379	U	11.5		0.362	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#173	UG/KG	1.99	U	0.379	U	1.97	U	0.362	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#174	UG/KG	1.99	U	0.379	U	1.35	J	0.362	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#176	UG/KG	1.99	U	0.379	U	1.97	U	0.362	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#177	UG/KG	12.6		0.379	U	22.8		0.472	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#178	UG/KG	16.1		0.379	U	20.7		0.367	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#180	UG/KG	107		0.711		134		1.76	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#182/#175	UG/KG	3.76	J	0.758	U	4.78		0.725	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#183	UG/KG	26.9		0.208	J	36.6		0.578	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#184	UG/KG	1.99	U	0.379	U	1.97	U	0.362	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#185	UG/KG	1.99	U	0.379	U	1.97	U	0.362	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#187	UG/KG	123		0.773		143		2.17	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#188	UG/KG	1.99	U	0.379	U	1.14	J	0.362	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#189	UG/KG	4.12		0.379	U	5.67		0.362	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#190	UG/KG	6.65		0.379	U	8.56		0.362	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#191	UG/KG	2.9		0.379	U	3.52		0.362	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#193	UG/KG	8.33		0.379	U	10.2		0.362	U

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	L2-Station B		L2-Station C		L2-Station C		L2-Station D	
					Lab Sample Delivery Group	L2464618		L2464618		L2464618		L2464618	
					Field Sample Date	6/17/2024 0:00		6/20/2024 0:00		6/20/2024 0:00		6/17/2024 0:00	
					Field Sample ID	NBH24-L-B-2-T		NBH24-L-C-2-M		NBH24-L-C-2-T		NBH24-L-D-2-M	
					Media Type	Lobster Tomalley		Lobster Meat		Lobster Tomalley		Lobster Meat	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#194	UG/KG	13.2		0.379	U	19.4		0.362	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#195	UG/KG	3.15		0.379	U	4.49		0.362	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#196	UG/KG	7.72		0.379	U	10.2		0.362	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#197	UG/KG	1.99	U	0.379	U	1.14	J	0.362	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#199	UG/KG	1.99	U	0.379	U	1.97	U	0.362	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#201	UG/KG	14.8		0.379	U	21.6		0.319	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#202	UG/KG	6.87		0.379	U	7.66		0.362	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#203	UG/KG	6.69		0.379	U	8.32		0.362	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#204/#200	UG/KG	3.33	J	0.758	U	3.3	J	0.725	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#205	UG/KG	1.99	U	0.379	U	1.97	U	0.362	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#206	UG/KG	4.86		0.379	U	6.1		0.362	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#207	UG/KG	1.99	U	0.379	U	1.2	J	0.362	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#208	UG/KG	3.45		0.379	U	3.56		0.362	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Decachlorobiphenyl	UG/KG	2.19		0.379	U	2.11		0.362	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Total PCBs	UG/KG	5830		29.8		6540		112	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#1	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#3	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#12	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#13	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#15	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#4/#10	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#5	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#6	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#7	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#8	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#16	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#17	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#18	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#19	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#21/#20	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#22	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#24	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#25	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#26	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#27	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#28	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#29	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#31	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#32	NG/L								

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	L2-Station B		L2-Station C		L2-Station C		L2-Station D	
					Lab Sample Delivery Group	L2464618		L2464618		L2464618		L2464618	
					Field Sample Date	6/17/2024 0:00		6/20/2024 0:00		6/20/2024 0:00		6/17/2024 0:00	
					Field Sample ID	NBH24-L-B-2-T		NBH24-L-C-2-M		NBH24-L-C-2-T		NBH24-L-D-2-M	
					Media Type	Lobster Tomalley		Lobster Meat		Lobster Tomalley		Lobster Meat	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#33	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#37	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#40	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#41	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#42	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#43	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#44	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#45	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#47	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#48	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#49	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#50	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#51	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#52	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#53	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#54	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#56	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#60	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#63	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#66	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#68/#64	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#70	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#71	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#73/#46	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#74	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#76	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#77	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#81	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#100	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#101/#90	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#104	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#105	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#107/#123	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#110	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#114	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#118	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#119	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#121/#95/#88	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#124	NG/L								

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	L2-Station B		L2-Station C		L2-Station C		L2-Station D	
					Lab Sample Delivery Group	L2464618		L2464618		L2464618		L2464618	
					Field Sample Date	6/17/2024 0:00		6/20/2024 0:00		6/20/2024 0:00		6/17/2024 0:00	
					Field Sample ID	NBH24-L-B-2-T		NBH24-L-C-2-M		NBH24-L-C-2-T		NBH24-L-D-2-M	
					Media Type	Lobster Tomalley		Lobster Meat		Lobster Tomalley		Lobster Meat	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#126	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#82	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#83/#125/#112	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#85	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#87/#111	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#89/#84	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#91	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#92	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#97	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#99	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#128	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#129/#158	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#130/#164	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#131	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#132	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#134	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#135	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#136	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#137	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#138	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#141	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#144	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#146	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#147/#149	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#151	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#153	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#154	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#155	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#156	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#157	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#163/#160	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#167	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#168	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#169	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#170	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#171	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#172	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#173	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#174	NG/L								

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	L2-Station B		L2-Station C		L2-Station C		L2-Station D	
					Lab Sample Delivery Group	L2464618		L2464618		L2464618		L2464618	
					Field Sample Date	6/17/2024 0:00		6/20/2024 0:00		6/20/2024 0:00		6/17/2024 0:00	
					Field Sample ID	NBH24-L-B-2-T		NBH24-L-C-2-M		NBH24-L-C-2-T		NBH24-L-D-2-M	
					Media Type	Lobster Tomalley		Lobster Meat		Lobster Tomalley		Lobster Meat	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#176	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#177	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#178	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#180	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#182/#175	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#183	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#184	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#185	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#187	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#188	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#189	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#190	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#191	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#193	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#194	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#195	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#196	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#197	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#199	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#201	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#202	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#203	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#204/#200	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#205	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#206	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#207	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#208	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Decachlorobiphenyl	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Total PCBs	NG/L								

NOTES:
B = biological
FS = field sample
L = liquid
ug/kg = microgram per kilogram
ng/L = nanograms per liter
U = not detected at the reported detection limit
UJ = estimated value at the reporting limit
J = estimated value
J- = estimated value biased low

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

				Location	L2-Station D		L3-Station A		L3-Station A		L3-Station B	
				Lab Sample Delivery Group	L2464618		L2464618		L2464618		L2464618	
				Field Sample Date	6/17/2024 0:00		7/17/2024 0:00		7/17/2024 0:00		7/19/2024 0:00	
				Field Sample ID	NBH24-L-D-2-T		NBH24-L-A-3-M		NBH24-L-A-3-T		NBH24-L-B-3-M	
				Media Type	Lobster Tomalley		Lobster Meat		Lobster Tomalley		Lobster Meat	
				QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	Lipids	LIPIDS	T	Lipids	PERCENT	8.98		0.24		31.7		0.566	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#1	UG/KG	1.93	U	0.374	U	2.95	J	0.372	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#3	UG/KG	1.93	U	0.374	U	3.7	U	0.372	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#12	UG/KG	1.93	U	0.374	U	3.7	U	0.372	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#13	UG/KG	3.87	U	0.749	U	7.41	U	0.745	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#15	UG/KG	2.46		0.374	U	5.28		0.372	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#4/#10	UG/KG	3.87	U	0.749	U	7.41	U	0.745	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#5	UG/KG	1.93	U	0.374	U	3.7	U	0.372	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#6	UG/KG	1.52	J	0.374	U	3.09	J	0.372	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#7	UG/KG	1.93	U	0.374	U	3.7	U	0.372	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#8	UG/KG	2.8		0.374	U	10.4		0.372	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#16	UG/KG	1.93	U	0.374	U	3.7	U	0.372	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#17	UG/KG	3.97		0.374	U	6.19		0.372	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#18	UG/KG	3.86		0.374	U	5.49		0.372	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#19	UG/KG	1.93	U	0.374	U	3.7	U	0.372	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#21/#20	UG/KG	3.87	U	0.749	U	7.41	U	0.745	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#22	UG/KG	3.74		0.374	U	7.56		0.372	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#24	UG/KG	1.93	U	0.374	U	3.7	U	0.372	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#25	UG/KG	1.93	U	0.374	U	3.7	U	0.372	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#26	UG/KG	9.86		0.374	U	10.4		0.372	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#27	UG/KG	1.11	J	0.374	U	3.7	U	0.372	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#28	UG/KG	96.5		0.589		194		0.602	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#29	UG/KG	1.93	U	0.374	U	3.7	U	0.372	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#31	UG/KG	24.7		0.374	U	29.9		0.372	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#32	UG/KG	6.99		0.374	U	25.9		0.372	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#33	UG/KG	3.15		0.374	U	3.7	U	0.372	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#37	UG/KG	8.45		0.374	U	14.6		0.372	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#40	UG/KG	1.93	U	0.374	U	3.7	U	0.372	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#41	UG/KG	1.93	U	0.374	U	3.7	U	0.372	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#42	UG/KG	5.06		0.374	U	3.7	U	0.372	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#43	UG/KG	1.93	U	0.374	U	4.2		0.372	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#44	UG/KG	5.31		0.374	U	4.66		0.372	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#45	UG/KG	1.93	U	0.374	U	3.7	U	0.372	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#47	UG/KG	126		0.649		236		0.567	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#48	UG/KG	2.13		0.374	U	3.36	J	0.372	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#49	UG/KG	42.2		0.374	U	17.2		0.372	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#50	UG/KG	1.93	U	0.374	U	3.7	U	0.372	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#51	UG/KG	1.42	J	0.374	U	2.01	J	0.372	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#52	UG/KG	40.4		0.206	J	63.6		0.372	U

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	L2-Station D		L3-Station A		L3-Station A		L3-Station B	
					Lab Sample Delivery Group	L2464618		L2464618		L2464618		L2464618	
					Field Sample Date	6/17/2024 0:00		7/17/2024 0:00		7/17/2024 0:00		7/19/2024 0:00	
					Field Sample ID	NBH24-L-D-2-T		NBH24-L-A-3-M		NBH24-L-A-3-T		NBH24-L-B-3-M	
					Media Type	Lobster Tomalley		Lobster Meat		Lobster Tomalley		Lobster Meat	
					QC Code	FS		FS		FS		FS	
Matrix	Method Class	Analysis Method	Fraction	Parameter	Units	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#53	UG/KG	1.69	J	0.374	U	1.86	J	0.372	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#54	UG/KG	1.93	U	0.374	U	3.7	U	0.372	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#56	UG/KG	11		0.374	U	8.77		0.372	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#60	UG/KG	19.7		0.374	U	24.8		0.372	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#63	UG/KG	15.6		0.374	U	23.2		0.372	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#66	UG/KG	200		0.766		316		1.01	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#68/#64	UG/KG	36.2		0.749	U	33.8		0.745	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#70	UG/KG	20.8		0.374	U	17.6		0.372	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#71	UG/KG	18.9		0.374	U	37.5		0.372	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#73/#46	UG/KG	3.87	U	0.749	U	7.41	U	0.745	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#74	UG/KG	122		0.476		182		0.597	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#76	UG/KG	1.93	U	0.374	U	3.7	U	0.372	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#77	UG/KG	12.9		0.374	U	18		0.372	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#81	UG/KG	1.93	U	0.374	U	3.7	U	0.372	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#100	UG/KG	6.62		0.374	U	11.8		0.372	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#101/#90	UG/KG	274		0.536	J	216		0.472	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#104	UG/KG	1.93	U	0.374	U	3.7	U	0.372	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#105	UG/KG	136		0.442		150		0.594	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#107/#123	UG/KG	88.7		0.749	U	103		0.406	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#110	UG/KG	181		0.416		121		0.372	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#114	UG/KG	33		0.374	U	34.5		0.372	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#118	UG/KG	984		2.94		1140		5.34	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#119	UG/KG	52.9		0.374	U	49.6		0.372	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#121/#95/#88	UG/KG	13.3		1.12	U	8.23	J	1.12	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#124	UG/KG	5.69		0.374	U	3.42	J	0.372	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#126	UG/KG	2.96		0.374	U	6.13		0.372	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#82	UG/KG	1.93	U	0.374	U	3.7	U	0.372	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#83/#125/#112	UG/KG	6.74		1.12	U	11.1	U	1.12	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#85	UG/KG	77.2		0.345	J	123		0.304	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#87/#111	UG/KG	17.4		0.749	U	9.16		0.745	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#89/#84	UG/KG	2.13	J	0.749	U	7.41	U	0.745	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#91	UG/KG	20.5		0.374	U	3.93		0.372	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#92	UG/KG	48.4		0.237	J	74.1		0.372	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#97	UG/KG	14.4		0.374	U	3.7	U	0.372	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#99	UG/KG	676		1.83		804		2.24	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#128	UG/KG	149		0.503		186		0.819	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#129/#158	UG/KG	76.5		0.749	U	82.9		0.396	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#130/#164	UG/KG	52.7		0.749	U	59.1		0.745	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#131	UG/KG	1.93	U	0.374	U	3.7	U	0.372	U

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	L2-Station D		L3-Station A		L3-Station A		L3-Station B	
					Lab Sample Delivery Group	L2464618		L2464618		L2464618		L2464618	
					Field Sample Date	6/17/2024 0:00		7/17/2024 0:00		7/17/2024 0:00		7/19/2024 0:00	
					Field Sample ID	NBH24-L-D-2-T		NBH24-L-A-3-M		NBH24-L-A-3-T		NBH24-L-B-3-M	
					Media Type	Lobster Tomalley		Lobster Meat		Lobster Tomalley		Lobster Meat	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#132	UG/KG	16.8		0.374	U	3.86		0.372	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#134	UG/KG	6		0.374	U	3.7	U	0.372	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#135	UG/KG	12.3		0.374	U	19.4		0.372	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#136	UG/KG	1.94		0.374	U	3.7	U	0.372	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#137	UG/KG	30.4		0.374	U	35.9		0.372	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#138	UG/KG	723		1.6		749		2.61	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#141	UG/KG	13.6		0.374	U	6.05		0.372	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#144	UG/KG	3.15		0.374	U	3.7	U	0.372	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#146	UG/KG	285		0.7		345		1.42	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#147/#149	UG/KG	170		0.397	J	90.8		0.386	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#151	UG/KG	38.4		0.374	U	8.3		0.372	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#153	UG/KG	1800		3.83		1970		7.82	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#154	UG/KG	31.4		0.374	U	19.8		0.372	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#155	UG/KG	1.93	U	0.374	U	3.7	U	0.372	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#156	UG/KG	74.8		0.228	J	86.3		0.467	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#157	UG/KG	29.9		0.374	U	36.9		0.288	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#163/#160	UG/KG	312		0.882		375		1.51	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#167	UG/KG	50		0.374	U	60.8		0.372	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#168	UG/KG	1.93	U	0.374	U	3.7	U	0.372	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#169	UG/KG	1.93	U	0.374	U	3.7	U	0.372	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#170	UG/KG	71.1		0.258	J	90.4		0.458	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#171	UG/KG	21.5		0.374	U	21.5		0.372	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#172	UG/KG	13		0.374	U	18.4		0.372	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#173	UG/KG	1.93	U	0.374	U	3.7	U	0.372	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#174	UG/KG	5.79		0.374	U	5.52		0.372	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#176	UG/KG	1.93	U	0.374	U	3.7	U	0.372	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#177	UG/KG	29		0.374	U	43		0.372	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#178	UG/KG	23.8		0.374	U	33		0.223	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#180	UG/KG	151		0.375		192		0.854	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#182/#175	UG/KG	4.6		0.749	U	6.16	J	0.745	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#183	UG/KG	48.2		0.374	U	51.4		0.372	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#184	UG/KG	1.93	U	0.374	U	3.7	U	0.372	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#185	UG/KG	1.93	U	0.374	U	3.7	U	0.372	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#187	UG/KG	172		0.503		217		1.12	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#188	UG/KG	1.36	J	0.374	U	3.7	U	0.372	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#189	UG/KG	5.36		0.374	U	7.08		0.372	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#190	UG/KG	9.46		0.374	U	12.2		0.372	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#191	UG/KG	3.91		0.374	U	5.41		0.372	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#193	UG/KG	11.3		0.374	U	14.8		0.372	U

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

				Location	L2-Station D		L3-Station A		L3-Station A		L3-Station B	
				Lab Sample Delivery Group	L2464618		L2464618		L2464618		L2464618	
				Field Sample Date	6/17/2024 0:00		7/17/2024 0:00		7/17/2024 0:00		7/19/2024 0:00	
				Field Sample ID	NBH24-L-D-2-T		NBH24-L-A-3-M		NBH24-L-A-3-T		NBH24-L-B-3-M	
				Media Type	Lobster Tomalley		Lobster Meat		Lobster Tomalley		Lobster Meat	
				QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result Qualifier	Result Qualifier		Result Qualifier		Result Qualifier	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#194	UG/KG	18.3	0.374 U		27		0.372 U	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#195	UG/KG	3.58	0.374 U		6.6		0.372 U	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#196	UG/KG	8.88	0.374 U		14.6		0.372 U	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#197	UG/KG	1.42 J	0.374 U		3.7 U		0.372 U	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#199	UG/KG	1.93 U	0.374 U		3.7 U		0.372 U	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#201	UG/KG	21.5	0.374 U		32.1		0.372 U	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#202	UG/KG	9.38	0.374 U		14.2		0.372 U	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#203	UG/KG	9.71	0.374 U		12		0.372 U	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#204/#200	UG/KG	4.7	0.749 U		6.47 J		0.745 U	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#205	UG/KG	1.93 U	0.374 U		3.7 U		0.372 U	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#206	UG/KG	6.18	0.374 U		10.7		0.372 U	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#207	UG/KG	1.93 U	0.374 U		3.7 U		0.372 U	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#208	UG/KG	3.13	0.374 U		6.69		0.372 U	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Decachlorobiphenyl	UG/KG	2.74	0.374 U		5.29		0.372 U	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Total PCBs	UG/KG	8030	18.7		9160		30.5	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#1	NG/L							
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#3	NG/L							
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#12	NG/L							
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#13	NG/L							
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#15	NG/L							
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#4/#10	NG/L							
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#5	NG/L							
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#6	NG/L							
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#7	NG/L							
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#8	NG/L							
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#16	NG/L							
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#17	NG/L							
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#18	NG/L							
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#19	NG/L							
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#21/#20	NG/L							
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#22	NG/L							
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#24	NG/L							
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#25	NG/L							
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#26	NG/L							
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#27	NG/L							
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#28	NG/L							
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#29	NG/L							
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#31	NG/L							
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#32	NG/L							

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	L2-Station D		L3-Station A		L3-Station A		L3-Station B	
					Lab Sample Delivery Group	L2464618		L2464618		L2464618		L2464618	
					Field Sample Date	6/17/2024 0:00		7/17/2024 0:00		7/17/2024 0:00		7/19/2024 0:00	
					Field Sample ID	NBH24-L-D-2-T		NBH24-L-A-3-M		NBH24-L-A-3-T		NBH24-L-B-3-M	
					Media Type	Lobster Tomalley		Lobster Meat		Lobster Tomalley		Lobster Meat	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#33	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#37	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#40	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#41	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#42	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#43	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#44	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#45	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#47	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#48	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#49	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#50	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#51	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#52	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#53	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#54	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#56	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#60	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#63	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#66	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#68/#64	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#70	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#71	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#73/#46	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#74	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#76	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#77	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#81	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#100	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#101/#90	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#104	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#105	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#107/#123	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#110	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#114	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#118	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#119	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#121/#95/#88	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#124	NG/L								

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	L2-Station D		L3-Station A		L3-Station A		L3-Station B	
					Lab Sample Delivery Group	L2464618		L2464618		L2464618		L2464618	
					Field Sample Date	6/17/2024 0:00		7/17/2024 0:00		7/17/2024 0:00		7/19/2024 0:00	
					Field Sample ID	NBH24-L-D-2-T		NBH24-L-A-3-M		NBH24-L-A-3-T		NBH24-L-B-3-M	
					Media Type	Lobster Tomalley		Lobster Meat		Lobster Tomalley		Lobster Meat	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#126	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#82	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#83/#125/#112	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#85	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#87/#111	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#89/#84	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#91	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#92	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#97	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#99	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#128	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#129/#158	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#130/#164	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#131	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#132	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#134	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#135	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#136	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#137	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#138	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#141	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#144	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#146	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#147/#149	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#151	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#153	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#154	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#155	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#156	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#157	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#163/#160	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#167	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#168	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#169	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#170	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#171	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#172	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#173	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#174	NG/L								

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

				Location	L2-Station D		L3-Station A		L3-Station A		L3-Station B	
				Lab Sample Delivery Group	L2464618		L2464618		L2464618		L2464618	
				Field Sample Date	6/17/2024 0:00		7/17/2024 0:00		7/17/2024 0:00		7/19/2024 0:00	
				Field Sample ID	NBH24-L-D-2-T		NBH24-L-A-3-M		NBH24-L-A-3-T		NBH24-L-B-3-M	
				Media Type	Lobster Tomalley		Lobster Meat		Lobster Tomalley		Lobster Meat	
				QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#176	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#177	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#178	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#180	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#182/#175	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#183	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#184	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#185	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#187	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#188	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#189	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#190	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#191	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#193	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#194	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#195	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#196	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#197	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#199	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#201	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#202	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#203	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#204/#200	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#205	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#206	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#207	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#208	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Decachlorobiphenyl	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Total PCBs	NG/L								

NOTES:
B = biological
L = liquid
ug/kg = microgram per kilogram
ng/L = nanograms per liter
U = not detected at the reported detection limit
UJ = estimated value at the reporting limit
J = estimated value
J- = estimated value biased low
FS = field sample

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	L3-Station B		L3-Station D		L3-Station D		L3-Station E	
					Lab Sample Delivery Group	L2464618		L2464618		L2464618		L2464618	
					Field Sample Date	7/19/2024 0:00		6/25/2024 0:00		6/25/2024 0:00		7/29/2024 0:00	
					Field Sample ID	NBH24-L-B-3-T		NBH24-L-D-3-M		NBH24-L-D-3-T		NBH24-L-E-3-M	
					Media Type	Lobster Tomalley		Lobster Meat		Lobster Tomalley		Lobster Meat	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	Lipids	LIPIDS	T	Lipids	PERCENT	15.3		0.219		30.8		0.225	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#1	UG/KG	1.73	U	0.391	U	1.95	U	0.351	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#3	UG/KG	1.73	U	0.391	U	1.95	U	0.351	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#12	UG/KG	1.73	U	0.391	U	1.95	U	0.351	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#13	UG/KG	3.47	U	0.783	U	3.9	U	0.702	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#15	UG/KG	1.2	J	0.391	U	2.14		0.351	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#4/#10	UG/KG	3.47	U	0.783	U	3.9	U	0.702	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#5	UG/KG	1.73	U	0.391	U	1.95	U	0.351	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#6	UG/KG	1.73	U	0.391	U	0.982	J	0.351	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#7	UG/KG	1.73	U	0.391	U	1.95	U	0.351	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#8	UG/KG	1.05	J	0.391	U	3.26		0.351	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#16	UG/KG	1.73	U	0.391	U	1.95	U	0.351	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#17	UG/KG	1.73	U	0.391	U	2.04		0.351	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#18	UG/KG	1.73	U	0.391	U	1.68	J	0.351	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#19	UG/KG	1.73	U	0.391	U	1.95	U	0.351	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#21/#20	UG/KG	3.47	U	0.783	U	3.9	U	0.702	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#22	UG/KG	1.73	U	0.391	U	1.95	U	0.351	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#24	UG/KG	1.73	U	0.391	U	1.95	U	0.351	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#25	UG/KG	1.73	U	0.391	U	1.95	U	0.351	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#26	UG/KG	1.45	J	0.391	U	3.5		0.351	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#27	UG/KG	1.73	U	0.391	U	1.95	U	0.351	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#28	UG/KG	33.3		0.391	U	62		0.564	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#29	UG/KG	1.73	U	0.391	U	1.95	U	0.351	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#31	UG/KG	3.91		0.391	U	12.2		0.351	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#32	UG/KG	3.19		0.391	U	6.9		0.351	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#33	UG/KG	1.73	U	0.391	U	1.95	U	0.351	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#37	UG/KG	3.08	J	0.391	U	7.79		0.351	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#40	UG/KG	1.73	U	0.391	U	1.95	U	0.351	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#41	UG/KG	1.73	U	0.391	U	1.95	U	0.351	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#42	UG/KG	1.73	U	0.391	U	1.95	U	0.351	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#43	UG/KG	1.73	U	0.391	U	1.56	J	0.351	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#44	UG/KG	1.73	U	0.391	U	2.31		0.351	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#45	UG/KG	1.73	U	0.391	U	1.95	U	0.351	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#47	UG/KG	43.3		0.348	J	86.2		0.829	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#48	UG/KG	1.73	U	0.391	U	2.01		0.351	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#49	UG/KG	4.73		0.391	U	6.28		0.229	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#50	UG/KG	1.73	U	0.391	U	1.95	U	0.351	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#51	UG/KG	1.73	U	0.391	U	1.28	J	0.351	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#52	UG/KG	10.1		0.391	U	20.6		0.313	J

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	L3-Station B		L3-Station D		L3-Station D		L3-Station E	
					Lab Sample Delivery Group	L2464618		L2464618		L2464618		L2464618	
					Field Sample Date	7/19/2024 0:00		6/25/2024 0:00		6/25/2024 0:00		7/29/2024 0:00	
					Field Sample ID	NBH24-L-B-3-T		NBH24-L-D-3-M		NBH24-L-D-3-T		NBH24-L-E-3-M	
					Media Type	Lobster Tomalley		Lobster Meat		Lobster Tomalley		Lobster Meat	
					QC Code	FS		FS		FS		FS	
Matrix	Method Class	Analysis Method	Fraction	Parameter	Units	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#53	UG/KG	1.73	U	0.391	U	1.95	U	0.351	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#54	UG/KG	1.73	U	0.391	U	1.95	U	0.351	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#56	UG/KG	2.14		0.391	U	5.02		0.351	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#60	UG/KG	5.65		0.391	U	12.1		0.351	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#63	UG/KG	5.33		0.391	U	10.4		0.351	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#66	UG/KG	86		0.416		170		1.17	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#68/#64	UG/KG	5.05		0.783	U	14		0.702	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#70	UG/KG	2.93		0.391	U	8.79		0.351	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#71	UG/KG	4.41		0.391	U	11.6		0.19	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#73/#46	UG/KG	3.47	U	0.783	U	3.9	U	0.702	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#74	UG/KG	44.1		0.198	J	85.6		0.733	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#76	UG/KG	1.73	U	0.391	U	1.95	U	0.351	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#77	UG/KG	7.12		0.391	U	13.2		0.351	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#81	UG/KG	1.73	U	0.391	U	1.95	U	0.351	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#100	UG/KG	2.31		0.391	U	5.17		0.351	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#101/#90	UG/KG	50.1		0.783	U	126		0.985	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#104	UG/KG	1.73	U	0.391	U	1.95	U	0.351	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#105	UG/KG	52.5		0.222	J	98.2		0.676	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#107/#123	UG/KG	33.5		0.783	U	74.3		0.485	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#110	UG/KG	15.6		0.391	U	46.9		0.857	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#114	UG/KG	13.1		0.391	U	30.5		0.182	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#118	UG/KG	395		1.49		729		4.86	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#119	UG/KG	10.3		0.391	U	23.7		0.315	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#121/#95/#88	UG/KG	5.2	U	1.17	U	4.64	J	1.05	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#124	UG/KG	1.73	U	0.391	U	2		0.351	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#126	UG/KG	2.18		0.391	U	4.42		0.351	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#82	UG/KG	1.73	U	0.391	U	1.95	U	0.351	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#83/#125/#112	UG/KG	5.2	U	1.17	U	5.85	U	1.05	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#85	UG/KG	26		0.391	U	63		0.464	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#87/#111	UG/KG	2.5	J	0.783	U	6.26		0.702	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#89/#84	UG/KG	3.47	U	0.783	U	3.9	U	0.702	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#91	UG/KG	1.84		0.391	U	2.17		0.351	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#92	UG/KG	8.42		0.391	U	23.5		0.304	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#97	UG/KG	1.02	J	0.391	U	1.35	J	0.351	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#99	UG/KG	203		0.946		457		3.28	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#128	UG/KG	56.2		0.29	J	112		0.762	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#129/#158	UG/KG	26.3		0.783	U	46.7		0.472	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#130/#164	UG/KG	12.5		0.783	U	28		0.702	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#131	UG/KG	1.73	U	0.391	U	1.95	U	0.351	U

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	L3-Station B		L3-Station D		L3-Station D		L3-Station E	
					Lab Sample Delivery Group	L2464618		L2464618		L2464618		L2464618	
					Field Sample Date	7/19/2024 0:00		6/25/2024 0:00		6/25/2024 0:00		7/29/2024 0:00	
					Field Sample ID	NBH24-L-B-3-T		NBH24-L-D-3-M		NBH24-L-D-3-T		NBH24-L-E-3-M	
					Media Type	Lobster Tomalley		Lobster Meat		Lobster Tomalley		Lobster Meat	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#132	UG/KG	1.73	U	0.391	U	1.95	U	0.351	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#134	UG/KG	1.73	U	0.391	U	1.95	U	0.351	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#135	UG/KG	3.04		0.391	U	7.07		0.351	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#136	UG/KG	1.73	U	0.391	U	1.95	U	0.351	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#137	UG/KG	11.9		0.391	U	24.1		0.232	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#138	UG/KG	247		0.743		492		3.09	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#141	UG/KG	1.43	J	0.391	U	3.47		0.351	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#144	UG/KG	1.73	U	0.391	U	1.95	U	0.351	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#146	UG/KG	129		0.387	J	234		1.19	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#147/#149	UG/KG	24.4		0.783	U	43.8		0.578	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#151	UG/KG	1.76		0.391	U	4.09		0.351	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#153	UG/KG	785		2.27		1520		6.8	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#154	UG/KG	3.57		0.391	U	10.3		0.351	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#155	UG/KG	1.73	U	0.391	U	1.95	U	0.351	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#156	UG/KG	33.1		0.391	U	60.6		0.359	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#157	UG/KG	15.2		0.391	U	25.6		0.351	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#163/#160	UG/KG	131		0.783	U	242		1.38	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#167	UG/KG	24.8		0.391	U	48.5		0.292	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#168	UG/KG	1.73	U	0.391	U	1.95	U	0.351	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#169	UG/KG	1.73	U	0.391	U	1.95	U	0.351	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#170	UG/KG	34.1		0.391	U	65.2		0.401	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#171	UG/KG	6.84		0.391	U	16.1		0.183	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#172	UG/KG	6.87		0.391	U	11.5		0.351	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#173	UG/KG	1.73	U	0.391	U	1.95	U	0.351	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#174	UG/KG	1.23	J	0.391	U	2.45		0.351	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#176	UG/KG	1.73	U	0.391	U	1.95	U	0.351	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#177	UG/KG	12.1		0.391	U	24.4		0.237	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#178	UG/KG	13.4		0.391	U	22.4		0.184	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#180	UG/KG	75.9		0.263	J	125		0.802	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#182/#175	UG/KG	2.61	J	0.783	U	5.5		0.702	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#183	UG/KG	17.3		0.391	U	38.1		0.297	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#184	UG/KG	1.73	U	0.391	U	1.95	U	0.351	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#185	UG/KG	1.73	U	0.391	U	1.95	U	0.351	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#187	UG/KG	89.6		0.29	J	158		0.989	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#188	UG/KG	1.02	J	0.391	U	1.7	J	0.351	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#189	UG/KG	3.1		0.391	U	6.46		0.351	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#190	UG/KG	4.59		0.391	U	9.48		0.351	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#191	UG/KG	2.01		0.391	U	3.41		0.351	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#193	UG/KG	6.12		0.391	U	8.77		0.351	U

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

				Location	L3-Station B		L3-Station D		L3-Station D		L3-Station E	
				Lab Sample Delivery Group	L2464618		L2464618		L2464618		L2464618	
				Field Sample Date	7/19/2024 0:00		6/25/2024 0:00		6/25/2024 0:00		7/29/2024 0:00	
				Field Sample ID	NBH24-L-B-3-T		NBH24-L-D-3-M		NBH24-L-D-3-T		NBH24-L-E-3-M	
				Media Type	Lobster Tomalley		Lobster Meat		Lobster Tomalley		Lobster Meat	
				QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result Qualifier	Result Qualifier		Result Qualifier		Result Qualifier	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#194	UG/KG	12	0.391 U		22.9		0.351 U	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#195	UG/KG	2.67	0.391 U		5		0.351 U	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#196	UG/KG	6.42	0.391 U		11		0.351 U	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#197	UG/KG	1.73 U	0.391 U		1.92 J		0.351 U	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#199	UG/KG	1.73 U	0.391 U		1.95 U		0.351 U	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#201	UG/KG	14.8	0.391 U		21		0.245 J	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#202	UG/KG	9.28	0.391 U		12.3		0.351 U	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#203	UG/KG	5.45	0.391 U		10.4		0.351 U	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#204/#200	UG/KG	3.45 J	0.783 U		6.64		0.702 U	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#205	UG/KG	1.73 U	0.391 U		1.46 J		0.351 U	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#206	UG/KG	5.85	0.391 U		11		0.351 U	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#207	UG/KG	1.1 J	0.391 U		2.01		0.351 U	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#208	UG/KG	3.41	0.391 U		5.98		0.351 U	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Decachlorobiphenyl	UG/KG	2.45	0.391 U		5.16		0.351 U	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Total PCBs	UG/KG	2940	7.86		5770		34.9	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#1	NG/L							
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#3	NG/L							
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#12	NG/L							
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#13	NG/L							
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#15	NG/L							
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#4/#10	NG/L							
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#5	NG/L							
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#6	NG/L							
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#7	NG/L							
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#8	NG/L							
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#16	NG/L							
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#17	NG/L							
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#18	NG/L							
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#19	NG/L							
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#21/#20	NG/L							
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#22	NG/L							
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#24	NG/L							
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#25	NG/L							
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#26	NG/L							
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#27	NG/L							
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#28	NG/L							
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#29	NG/L							
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#31	NG/L							
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#32	NG/L							

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	L3-Station B		L3-Station D		L3-Station D		L3-Station E	
					Lab Sample Delivery Group	L2464618		L2464618		L2464618		L2464618	
					Field Sample Date	7/19/2024 0:00		6/25/2024 0:00		6/25/2024 0:00		7/29/2024 0:00	
					Field Sample ID	NBH24-L-B-3-T		NBH24-L-D-3-M		NBH24-L-D-3-T		NBH24-L-E-3-M	
					Media Type	Lobster Tomalley		Lobster Meat		Lobster Tomalley		Lobster Meat	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#33	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#37	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#40	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#41	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#42	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#43	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#44	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#45	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#47	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#48	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#49	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#50	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#51	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#52	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#53	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#54	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#56	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#60	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#63	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#66	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#68/#64	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#70	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#71	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#73/#46	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#74	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#76	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#77	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#81	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#100	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#101/#90	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#104	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#105	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#107/#123	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#110	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#114	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#118	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#119	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#121/#95/#88	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#124	NG/L								

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	L3-Station B		L3-Station D		L3-Station D		L3-Station E	
					Lab Sample Delivery Group	L2464618		L2464618		L2464618		L2464618	
					Field Sample Date	7/19/2024 0:00		6/25/2024 0:00		6/25/2024 0:00		7/29/2024 0:00	
					Field Sample ID	NBH24-L-B-3-T		NBH24-L-D-3-M		NBH24-L-D-3-T		NBH24-L-E-3-M	
					Media Type	Lobster Tomalley		Lobster Meat		Lobster Tomalley		Lobster Meat	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#126	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#82	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#83/#125/#112	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#85	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#87/#111	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#89/#84	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#91	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#92	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#97	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#99	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#128	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#129/#158	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#130/#164	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#131	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#132	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#134	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#135	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#136	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#137	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#138	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#141	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#144	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#146	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#147/#149	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#151	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#153	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#154	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#155	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#156	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#157	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#163/#160	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#167	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#168	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#169	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#170	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#171	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#172	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#173	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#174	NG/L								

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

				Location	L3-Station B		L3-Station D		L3-Station D		L3-Station E	
				Lab Sample Delivery Group	L2464618		L2464618		L2464618		L2464618	
				Field Sample Date	7/19/2024 0:00		6/25/2024 0:00		6/25/2024 0:00		7/29/2024 0:00	
				Field Sample ID	NBH24-L-B-3-T		NBH24-L-D-3-M		NBH24-L-D-3-T		NBH24-L-E-3-M	
				Media Type	Lobster Tomalley		Lobster Meat		Lobster Tomalley		Lobster Meat	
				QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result Qualifier		Result Qualifier		Result Qualifier		Result Qualifier
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#176	NG/L							
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#177	NG/L							
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#178	NG/L							
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#180	NG/L							
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#182/#175	NG/L							
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#183	NG/L							
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#184	NG/L							
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#185	NG/L							
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#187	NG/L							
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#188	NG/L							
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#189	NG/L							
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#190	NG/L							
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#191	NG/L							
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#193	NG/L							
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#194	NG/L							
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#195	NG/L							
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#196	NG/L							
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#197	NG/L							
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#199	NG/L							
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#201	NG/L							
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#202	NG/L							
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#203	NG/L							
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#204/#200	NG/L							
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#205	NG/L							
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#206	NG/L							
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#207	NG/L							
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#208	NG/L							
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Decachlorobiphenyl	NG/L							
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Total PCBs	NG/L							

NOTES:
B = biological
FS = field sample
L = liquid
ug/kg = microgram per kilogram
ng/L = nanograms per liter
U = not detected at the reported detection limit
UJ = estimated value at the reporting limit
J = estimated value
J- = estimated value biased low

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	L3-Station E		MID-WAY		MID-WAY		Q1-Station A	
					Lab Sample Delivery Group	L2464618		L2428797		L2428797		L2425326	
					Field Sample Date	7/29/2024 0:00		5/22/2024 9:15		5/22/2024 9:15		5/9/2024 0:00	
					Field Sample ID	NBH24-L-E-3-T		MID-WAY - TOTAL		MID-WAY- DISSOLVED		NBH24-SF-A-1	
					Media Type	Lobster Tomalley		SW		SW		Quahog	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	Lipids	LIPIDS	T	Lipids	PERCENT	15.7						0.308	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#1	UG/KG	0.975	J					0.385	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#3	UG/KG	1.54	U					0.385	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#12	UG/KG	1.54	U					0.385	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#13	UG/KG	3.08	U					0.769	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#15	UG/KG	1.8						0.378	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#4/#10	UG/KG	3.08	U					0.769	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#5	UG/KG	1.54	U					0.385	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#6	UG/KG	1.39	J					0.448	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#7	UG/KG	1.54	U					0.385	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#8	UG/KG	3.4						0.452	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#16	UG/KG	1.54	U					0.682	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#17	UG/KG	4.6						1.6	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#18	UG/KG	4.84						2.9	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#19	UG/KG	1.54	U					0.216	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#21/#20	UG/KG	3.08	U					0.645	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#22	UG/KG	3.76						1.19	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#24	UG/KG	1.54	U					0.385	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#25	UG/KG	1.54	U					0.385	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#26	UG/KG	7.24						5.21	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#27	UG/KG	1.04	J					0.498	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#28	UG/KG	71.4						6.1	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#29	UG/KG	1.54	U					0.385	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#31	UG/KG	17.5						6.22	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#32	UG/KG	9.55						1.16	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#33	UG/KG	1.54	U					0.632	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#37	UG/KG	8.12						0.692	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#40	UG/KG	1.54	U					0.656	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#41	UG/KG	1.54	U					0.226	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#42	UG/KG	2.54						1.93	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#43	UG/KG	1.34	J					0.385	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#44	UG/KG	3.36						4.94	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#45	UG/KG	1.54	U					0.579	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#47	UG/KG	114						4.06	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#48	UG/KG	1.97						0.642	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#49	UG/KG	21.8						11.9	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#50	UG/KG	1.54	U					0.385	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#51	UG/KG	1.78						0.456	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#52	UG/KG	32.1						16.5	

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	L3-Station E		MID-WAY		MID-WAY		Q1-Station A	
					Lab Sample Delivery Group	L2464618		L2428797		L2428797		L2425326	
					Field Sample Date	7/29/2024 0:00		5/22/2024 9:15		5/22/2024 9:15		5/9/2024 0:00	
					Field Sample ID	NBH24-L-E-3-T		MID-WAY - TOTAL		MID-WAY- DISSOLVED		NBH24-SF-A-1	
					Media Type	Lobster Tomalley		SW		SW		Quahog	
					QC Code	FS		FS		FS		FS	
Matrix	Method Class	Analysis Method	Fraction	Parameter	Units	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#53	UG/KG	2.52						1.18	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#54	UG/KG	1.54	U					0.385	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#56	UG/KG	7.26						1.93	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#60	UG/KG	13.6						1.02	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#63	UG/KG	11.7						0.508	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#66	UG/KG	164						4.86	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#68/#64	UG/KG	23.6						3.77	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#70	UG/KG	14.6						3.94	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#71	UG/KG	19.7						1.77	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#73/#46	UG/KG	3.08	U					0.769	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#74	UG/KG	94.9						3.66	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#76	UG/KG	1.54	U					0.385	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#77	UG/KG	9.58						0.364	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#81	UG/KG	1.54	U					0.385	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#100	UG/KG	8.72						0.37	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#101/#90	UG/KG	175						13.2	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#104	UG/KG	1.54	U					0.385	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#105	UG/KG	95.8						1.88	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#107/#123	UG/KG	62.7						1.14	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#110	UG/KG	99.4						14.2	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#114	UG/KG	21.7						0.342	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#118	UG/KG	682						9.17	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#119	UG/KG	37.9						0.846	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#121/#95/#88	UG/KG	7.59						6.4	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#124	UG/KG	3.6						0.353	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#126	UG/KG	2.7						0.385	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#82	UG/KG	1.54	U					0.742	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#83/#125/#112	UG/KG	3.73	J					0.592	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#85	UG/KG	77.2						1.3	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#87/#111	UG/KG	7.7						2.68	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#89/#84	UG/KG	3.08	U					2.27	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#91	UG/KG	7.7						2.81	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#92	UG/KG	44.7						3.38	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#97	UG/KG	3.88						3.25	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#99	UG/KG	528						8.76	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#128	UG/KG	122						1.31	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#129/#158	UG/KG	54.1						0.939	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#130/#164	UG/KG	36.3						1.41	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#131	UG/KG	1.54	U					0.385	U

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	L3-Station E		MID-WAY		MID-WAY		Q1-Station A	
					Lab Sample Delivery Group	L2464618		L2428797		L2428797		L2425326	
					Field Sample Date	7/29/2024 0:00		5/22/2024 9:15		5/22/2024 9:15		5/9/2024 0:00	
					Field Sample ID	NBH24-L-E-3-T		MID-WAY - TOTAL		MID-WAY- DISSOLVED		NBH24-SF-A-1	
					Media Type	Lobster Tomalley		SW		SW		Quahog	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#132	UG/KG	5.77						2.24	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#134	UG/KG	1.02	J					0.484	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#135	UG/KG	9.58						1.32	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#136	UG/KG	1.54	U					0.905	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#137	UG/KG	26.3						0.611	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#138	UG/KG	531						3.65	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#141	UG/KG	8.78						0.691	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#144	UG/KG	1.41	J					0.385	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#146	UG/KG	217						1.98	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#147/#149	UG/KG	89.4						7.35	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#151	UG/KG	17.8						0.826	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#153	UG/KG	1290						9.64	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#154	UG/KG	24.4						0.366	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#155	UG/KG	0.8	J					0.385	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#156	UG/KG	58.3						0.85	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#157	UG/KG	23.1						0.272	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#163/#160	UG/KG	232						3.42	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#167	UG/KG	40.8						0.396	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#168	UG/KG	1.54	U					0.385	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#169	UG/KG	1.54	U					0.385	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#170	UG/KG	63.3						0.578	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#171	UG/KG	18.4						0.385	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#172	UG/KG	13.8						0.385	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#173	UG/KG	1.11	J					0.385	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#174	UG/KG	4.75						0.569	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#176	UG/KG	1.54	U					0.385	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#177	UG/KG	28.1						0.611	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#178	UG/KG	23.8						0.385	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#180	UG/KG	144						1.19	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#182/#175	UG/KG	5.01						0.769	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#183	UG/KG	40.8						0.421	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#184	UG/KG	1.54	U					0.385	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#185	UG/KG	1.06	J					0.385	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#187	UG/KG	163						1.24	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#188	UG/KG	2.05						0.385	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#189	UG/KG	4.7						0.385	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#190	UG/KG	9.6						0.385	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#191	UG/KG	2.74						0.385	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#193	UG/KG	10.7						0.385	U

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	L3-Station E		MID-WAY		MID-WAY		Q1-Station A	
					Lab Sample Delivery Group	L2464618		L2428797		L2428797		L2425326	
					Field Sample Date	7/29/2024 0:00		5/22/2024 9:15		5/22/2024 9:15		5/9/2024 0:00	
					Field Sample ID	NBH24-L-E-3-T		MID-WAY - TOTAL		MID-WAY- DISSOLVED		NBH24-SF-A-1	
					Media Type	Lobster Tomalley		SW		SW		Quahog	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#194	UG/KG	24.8						0.385	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#195	UG/KG	7.09						0.385	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#196	UG/KG	12.8						0.385	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#197	UG/KG	1.78						0.385	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#199	UG/KG	1.54	U					0.385	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#201	UG/KG	32.1						0.385	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#202	UG/KG	15.4						0.385	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#203	UG/KG	14						0.385	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#204/#200	UG/KG	7.06						0.769	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#205	UG/KG	1.54	U					0.385	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#206	UG/KG	19.8						0.385	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#207	UG/KG	3.16						0.385	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#208	UG/KG	10.8						0.385	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Decachlorobiphenyl	UG/KG	11.9						0.385	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Total PCBs	UG/KG	6030						211	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#1	NG/L			0.291	J	0.306	J		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#3	NG/L			0.51	U	0.495	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#12	NG/L			0.51	U	0.495	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#13	NG/L			0.403	J	0.302	J		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#15	NG/L			0.619		0.474	J		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#4/#10	NG/L			1.68		1.63			
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#5	NG/L			0.51	U	0.495	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#6	NG/L			1.44		1.32			
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#7	NG/L			0.51	U	0.495	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#8	NG/L			1.29		1.15			
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#16	NG/L			0.51	U	0.495	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#17	NG/L			1.78		1.43			
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#18	NG/L			4.04		3.12			
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#19	NG/L			0.984		0.875			
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#21/#20	NG/L			1.02	U	0.99	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#22	NG/L			0.336	J	0.495	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#24	NG/L			0.51	U	0.495	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#25	NG/L			1.78		0.884			
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#26	NG/L			3.26		2.3			
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#27	NG/L			1.08		0.822			
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#28	NG/L			3.3		2.29			
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#29	NG/L			0.51	U	0.495	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#31	NG/L			3.85		2.86			
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#32	NG/L			1.6		1.21			

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	L3-Station E		MID-WAY		MID-WAY		Q1-Station A	
					Lab Sample Delivery Group	L2464618		L2428797		L2428797		L2425326	
					Field Sample Date	7/29/2024 0:00		5/22/2024 9:15		5/22/2024 9:15		5/9/2024 0:00	
					Field Sample ID	NBH24-L-E-3-T		MID-WAY - TOTAL		MID-WAY- DISSOLVED		NBH24-SF-A-1	
					Media Type	Lobster Tomalley		SW		SW		Quahog	
					QC Code	FS		FS		FS		FS	
Matrix	Method Class	Analysis Method	Fraction	Parameter	Units	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#33	NG/L			0.51	U	0.495	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#37	NG/L			0.51	U	0.495	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#40	NG/L			0.51	U	0.495	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#41	NG/L			0.51	U	0.495	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#42	NG/L			0.433	J	0.294	J		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#43	NG/L			0.51	U	0.495	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#44	NG/L			1.2		0.653			
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#45	NG/L			0.51	U	0.495	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#47	NG/L			1.06		0.567			
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#48	NG/L			0.51	U	0.495	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#49	NG/L			3.74		2.07			
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#50	NG/L			0.51	U	0.495	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#51	NG/L			0.406	J	0.281	J		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#52	NG/L			5.15		3.32			
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#53	NG/L			1.4		0.921			
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#54	NG/L			0.51	U	0.495	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#56	NG/L			0.51	U	0.495	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#60	NG/L			0.51	U	0.495	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#63	NG/L			0.51	U	0.495	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#66	NG/L			0.606		0.262	J		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#68/#64	NG/L			0.635	J	0.99	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#70	NG/L			0.414	J	0.495	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#71	NG/L			0.754		0.48	J		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#73/#46	NG/L			1.02	U	0.99	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#74	NG/L			0.336	J	0.495	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#76	NG/L			0.51	U	0.495	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#77	NG/L			0.51	U	0.495	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#81	NG/L			0.51	U	0.495	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#100	NG/L			0.51	U	0.495	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#101/#90	NG/L			1.06		0.99	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#104	NG/L			0.51	U	0.495	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#105	NG/L			0.51	U	0.495	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#107/#123	NG/L			1.02	U	0.99	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#110	NG/L			1.31		0.548			
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#114	NG/L			0.51	U	0.495	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#118	NG/L			0.672		0.256	J		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#119	NG/L			0.51	U	0.495	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#121/#95/#88	NG/L			0.839	J	1.48	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#124	NG/L			0.51	U	0.495	U		

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	L3-Station E		MID-WAY		MID-WAY		Q1-Station A	
					Lab Sample Delivery Group	L2464618		L2428797		L2428797		L2425326	
					Field Sample Date	7/29/2024 0:00		5/22/2024 9:15		5/22/2024 9:15		5/9/2024 0:00	
					Field Sample ID	NBH24-L-E-3-T		MID-WAY - TOTAL		MID-WAY- DISSOLVED		NBH24-SF-A-1	
					Media Type	Lobster Tomalley		SW		SW		Quahog	
					QC Code	FS		FS		FS		FS	
Matrix	Method Class	Analysis Method	Fraction	Parameter	Units	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#126	NG/L			0.51	U	0.495	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#82	NG/L			0.51	U	0.495	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#83/#125/#112	NG/L			1.53	U	1.48	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#85	NG/L			0.51	U	0.495	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#87/#111	NG/L			1.02	U	0.99	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#89/#84	NG/L			0.644	J	0.99	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#91	NG/L			0.417	J	0.495	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#92	NG/L			0.309	J	0.495	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#97	NG/L			0.414	J	0.495	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#99	NG/L			0.789		0.369	J		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#128	NG/L			0.51	U	0.495	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#129/#158	NG/L			1.02	U	0.99	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#130/#164	NG/L			1.02	U	0.99	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#131	NG/L			0.51	U	0.495	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#132	NG/L			0.51	U	0.495	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#134	NG/L			0.51	U	0.495	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#135	NG/L			0.51	U	0.495	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#136	NG/L			0.51	U	0.495	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#137	NG/L			0.51	U	0.495	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#138	NG/L			0.418	J	0.495	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#141	NG/L			0.51	U	0.495	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#144	NG/L			0.51	U	0.495	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#146	NG/L			0.51	U	0.495	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#147/#149	NG/L			0.644	J	0.99	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#151	NG/L			0.51	U	0.495	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#153	NG/L			0.678		0.495	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#154	NG/L			0.51	U	0.495	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#155	NG/L			0.51	U	0.495	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#156	NG/L			0.51	U	0.495	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#157	NG/L			0.51	U	0.495	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#163/#160	NG/L			1.02	U	0.99	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#167	NG/L			0.51	U	0.495	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#168	NG/L			0.51	U	0.495	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#169	NG/L			0.51	U	0.495	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#170	NG/L			0.51	U	0.495	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#171	NG/L			0.51	U	0.495	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#172	NG/L			0.51	U	0.495	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#173	NG/L			0.51	U	0.495	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#174	NG/L			0.51	U	0.495	U		

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	L3-Station E		MID-WAY		MID-WAY		Q1-Station A	
					Lab Sample Delivery Group	L2464618		L2428797		L2428797		L2425326	
					Field Sample Date	7/29/2024 0:00		5/22/2024 9:15		5/22/2024 9:15		5/9/2024 0:00	
					Field Sample ID	NBH24-L-E-3-T		MID-WAY - TOTAL		MID-WAY- DISSOLVED		NBH24-SF-A-1	
					Media Type	Lobster Tomalley		SW		SW		Quahog	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#176	NG/L			0.51	U	0.495	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#177	NG/L			0.51	U	0.495	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#178	NG/L			0.51	U	0.495	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#180	NG/L			0.51	U	0.495	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#182/#175	NG/L			1.02	U	0.99	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#183	NG/L			0.51	U	0.495	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#184	NG/L			0.51	U	0.495	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#185	NG/L			0.51	U	0.495	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#187	NG/L			0.51	U	0.495	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#188	NG/L			0.51	U	0.495	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#189	NG/L			0.51	U	0.495	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#190	NG/L			0.51	U	0.495	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#191	NG/L			0.51	U	0.495	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#193	NG/L			0.51	U	0.495	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#194	NG/L			0.51	U	0.495	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#195	NG/L			0.51	U	0.495	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#196	NG/L			0.51	U	0.495	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#197	NG/L			0.51	U	0.495	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#199	NG/L			0.51	U	0.495	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#201	NG/L			0.51	U	0.495	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#202	NG/L			0.51	U	0.495	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#203	NG/L			0.51	U	0.495	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#204/#200	NG/L			1.02	U	0.99	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#205	NG/L			0.51	U	0.495	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#206	NG/L			0.51	U	0.495	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#207	NG/L			0.51	U	0.495	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#208	NG/L			0.51	U	0.495	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Decachlorobiphenyl	NG/L			0.51	U	0.495	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Total PCBs	NG/L			52.1		31			

NOTES:
B = biological
L = liquid
ug/kg = microgram per kilogram
ng/L = nanograms per liter
U = not detected at the reported detection limit
UJ = estimated value at the reporting limit
J = estimated value
J- = estimated value biased low
FS = field sample

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

				Location	Q1-Station B		Q1-Station B		Q1-Station B		Q1-Station C	
				Lab Sample Delivery Group	L2425326		L2426113		L2426113		L2425326	
				Field Sample Date	5/9/2024 0:00		5/9/2024 11:50		5/9/2024 11:50		5/22/2024 0:00	
				Field Sample ID	NBH24-SF-B-1		NBH24-SF-B1 - DISSOLVED		NBH24-SF-B1 - TOTAL		NBH24-SF-C-1	
				Media Type	Quahog		SW co loc w/ Quahogs		SW co loc w/ Quahogs		Quahog	
				QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	Lipids	LIPIDS	T	Lipids	PERCENT	0.302						0.254	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#1	UG/KG	0.377	U					0.397	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#3	UG/KG	0.377	U					0.397	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#12	UG/KG	0.377	U					0.397	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#13	UG/KG	0.755	U					0.794	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#15	UG/KG	0.355	J					0.486	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#4/#10	UG/KG	0.755	U					0.794	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#5	UG/KG	0.377	U					0.397	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#6	UG/KG	0.439						0.463	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#7	UG/KG	0.377	U					0.397	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#8	UG/KG	0.457						0.431	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#16	UG/KG	0.48						0.762	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#17	UG/KG	1.5						2.02	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#18	UG/KG	2.87						4.28	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#19	UG/KG	0.299	J					0.357	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#21/#20	UG/KG	0.736	J					1.02	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#22	UG/KG	1.33						1.89	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#24	UG/KG	0.377	U					0.397	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#25	UG/KG	0.377	U					0.397	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#26	UG/KG	5.17						7.81	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#27	UG/KG	0.546						0.741	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#28	UG/KG	6.39						11.4	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#29	UG/KG	0.377	U					0.397	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#31	UG/KG	6.49						11.2	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#32	UG/KG	1.17						1.54	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#33	UG/KG	0.548						0.916	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#37	UG/KG	0.65						1.08	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#40	UG/KG	0.66						1.1	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#41	UG/KG	0.294	J					0.353	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#42	UG/KG	1.78						3.28	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#43	UG/KG	0.377	U					0.349	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#44	UG/KG	4.82						7.82	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#45	UG/KG	0.53						0.81	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#47	UG/KG	4.47						7.36	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#48	UG/KG	0.657						1.26	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#49	UG/KG	12						19.4	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#50	UG/KG	0.377	U					0.397	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#51	UG/KG	0.484						0.698	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#52	UG/KG	16.9						26.1	

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	Q1-Station B		Q1-Station B		Q1-Station B		Q1-Station C	
					Lab Sample Delivery Group	L2425326		L2426113		L2426113		L2425326	
					Field Sample Date	5/9/2024 0:00		5/9/2024 11:50		5/9/2024 11:50		5/22/2024 0:00	
					Field Sample ID	NBH24-SF-B-1		NBH24-SF-B1 - DISSOLVED		NBH24-SF-B1 - TOTAL		NBH24-SF-C-1	
					Media Type	Quahog		SW co loc w/ Quahogs		SW co loc w/ Quahogs		Quahog	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#53	UG/KG	1.18						1.69	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#54	UG/KG	0.377	U					0.397	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#56	UG/KG	1.86						3.77	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#60	UG/KG	0.832						1.86	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#63	UG/KG	0.458						0.841	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#66	UG/KG	4.96						9.77	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#68/#64	UG/KG	3.71						6.37	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#70	UG/KG	3.91						7.47	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#71	UG/KG	1.96						2.87	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#73/#46	UG/KG	0.755	U					0.794	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#74	UG/KG	3.72						7.38	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#76	UG/KG	0.377	U					0.397	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#77	UG/KG	0.386						0.782	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#81	UG/KG	0.377	U					0.397	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#100	UG/KG	0.332	J					0.436	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#101/#90	UG/KG	13.1						22.5	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#104	UG/KG	0.377	U					0.397	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#105	UG/KG	1.8						3.29	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#107/#123	UG/KG	1.22						2.01	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#110	UG/KG	13.6						22.9	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#114	UG/KG	0.435						0.552	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#118	UG/KG	9.13						17	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#119	UG/KG	0.92						1.45	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#121/#95/#88	UG/KG	6.34						9.22	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#124	UG/KG	0.367	J					0.505	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#126	UG/KG	0.377	U					0.397	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#82	UG/KG	0.73						1.07	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#83/#125/#112	UG/KG	0.687	J					0.897	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#85	UG/KG	1.25						2.14	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#87/#111	UG/KG	2.46						3.6	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#89/#84	UG/KG	2.11						3.22	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#91	UG/KG	2.82						4.3	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#92	UG/KG	3.19						4.8	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#97	UG/KG	3.18						5.57	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#99	UG/KG	8.88						15	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#128	UG/KG	1.12						1.78	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#129/#158	UG/KG	0.758						1.37	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#130/#164	UG/KG	1.37						2.22	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#131	UG/KG	0.377	U					0.397	U

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	Q1-Station B		Q1-Station B		Q1-Station B		Q1-Station C	
					Lab Sample Delivery Group	L2425326		L2426113		L2426113		L2425326	
					Field Sample Date	5/9/2024 0:00		5/9/2024 11:50		5/9/2024 11:50		5/22/2024 0:00	
					Field Sample ID	NBH24-SF-B-1		NBH24-SF-B1 - DISSOLVED		NBH24-SF-B1 - TOTAL		NBH24-SF-C-1	
					Media Type	Quahog		SW co loc w/ Quahogs		SW co loc w/ Quahogs		Quahog	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#132	UG/KG	2.12						3.39	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#134	UG/KG	0.42						0.667	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#135	UG/KG	1.35						1.86	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#136	UG/KG	0.854						1.29	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#137	UG/KG	0.546						0.902	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#138	UG/KG	3.28						5.73	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#141	UG/KG	0.673						1.12	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#144	UG/KG	0.207	J					0.3	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#146	UG/KG	2.04						3.11	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#147/#149	UG/KG	7.25						11.8	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#151	UG/KG	0.706						1.24	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#153	UG/KG	9.81						15.5	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#154	UG/KG	0.382						0.536	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#155	UG/KG	0.377	U					0.397	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#156	UG/KG	0.842						1.37	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#157	UG/KG	0.331	J					0.49	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#163/#160	UG/KG	3.34						4.97	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#167	UG/KG	0.401						0.621	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#168	UG/KG	0.377	U					0.397	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#169	UG/KG	0.377	U					0.397	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#170	UG/KG	0.471						0.777	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#171	UG/KG	0.377	U					0.397	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#172	UG/KG	0.377	U					0.232	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#173	UG/KG	0.377	U					0.397	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#174	UG/KG	0.518						0.778	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#176	UG/KG	0.377	U					0.397	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#177	UG/KG	0.637						0.816	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#178	UG/KG	0.297	J					0.278	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#180	UG/KG	1.31						2	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#182/#175	UG/KG	0.755	U					0.794	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#183	UG/KG	0.309	J					0.475	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#184	UG/KG	0.377	U					0.397	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#185	UG/KG	0.377	U					0.397	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#187	UG/KG	1.28						2.02	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#188	UG/KG	0.377	U					0.397	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#189	UG/KG	0.377	U					0.397	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#190	UG/KG	0.377	U					0.256	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#191	UG/KG	0.377	U					0.397	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#193	UG/KG	0.377	U					0.397	U

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	Q1-Station B		Q1-Station B		Q1-Station B		Q1-Station C	
					Lab Sample Delivery Group	L2425326		L2426113		L2426113		L2425326	
					Field Sample Date	5/9/2024 0:00		5/9/2024 11:50		5/9/2024 11:50		5/22/2024 0:00	
					Field Sample ID	NBH24-SF-B-1		NBH24-SF-B1 - DISSOLVED		NBH24-SF-B1 - TOTAL		NBH24-SF-C-1	
					Media Type	Quahog		SW co loc w/ Quahogs		SW co loc w/ Quahogs		Quahog	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#194	UG/KG	0.377	U					0.397	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#195	UG/KG	0.377	U					0.397	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#196	UG/KG	0.377	U					0.397	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#197	UG/KG	0.377	U					0.397	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#199	UG/KG	0.377	U					0.397	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#201	UG/KG	0.377	U					0.304	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#202	UG/KG	0.377	U					0.397	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#203	UG/KG	0.377	U					0.397	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#204/#200	UG/KG	0.755	U					0.794	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#205	UG/KG	0.377	U					0.397	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#206	UG/KG	0.377	U					0.397	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#207	UG/KG	0.377	U					0.397	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#208	UG/KG	0.377	U					0.397	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Decachlorobiphenyl	UG/KG	0.377	U					0.397	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Total PCBs	UG/KG	210						346	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#1	NG/L			0.463	UJ	0.463	UJ		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#3	NG/L			0.463	UJ	0.463	UJ		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#12	NG/L			0.463	UJ	0.463	UJ		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#13	NG/L			0.463	UJ	0.463	UJ		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#15	NG/L			0.268	J	0.283	J		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#4/#10	NG/L			0.598	J	0.806	J		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#5	NG/L			0.463	UJ	0.463	UJ		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#6	NG/L			0.463	UJ	0.463	UJ		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#7	NG/L			0.463	UJ	0.463	UJ		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#8	NG/L			0.463	UJ	0.257	J		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#16	NG/L			0.463	UJ	0.446	J		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#17	NG/L			0.694	J	0.974	J		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#18	NG/L			1.64	J	2.16	J		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#19	NG/L			0.321	J	0.405	J		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#21/#20	NG/L			0.926	UJ	0.926	UJ		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#22	NG/L			0.463	UJ	0.353	J		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#24	NG/L			0.463	UJ	0.463	UJ		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#25	NG/L			0.463	UJ	0.463	UJ		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#26	NG/L			1.21	J	1.95	J		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#27	NG/L			0.258	J	0.429	J		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#28	NG/L			0.838	J	1.58	J		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#29	NG/L			0.463	UJ	0.463	UJ		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#31	NG/L			1.22	J	1.94	J		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#32	NG/L			0.442	J	0.665	J		

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	Q1-Station B		Q1-Station B		Q1-Station B		Q1-Station C	
					Lab Sample Delivery Group	L2425326		L2426113		L2426113		L2425326	
					Field Sample Date	5/9/2024 0:00		5/9/2024 11:50		5/9/2024 11:50		5/22/2024 0:00	
					Field Sample ID	NBH24-SF-B-1		NBH24-SF-B1 - DISSOLVED		NBH24-SF-B1 - TOTAL		NBH24-SF-C-1	
					Media Type	Quahog		SW co loc w/ Quahogs		SW co loc w/ Quahogs		Quahog	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#33	NG/L			0.463	UJ	0.463	UJ		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#37	NG/L			0.463	UJ	0.463	UJ		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#40	NG/L			0.463	UJ	0.463	UJ		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#41	NG/L			0.463	UJ	0.463	UJ		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#42	NG/L			0.235	J	0.374	J		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#43	NG/L			0.463	UJ	0.463	UJ		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#44	NG/L			0.668	J	1.32	J		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#45	NG/L			0.463	UJ	0.463	UJ		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#47	NG/L			0.266	J	0.654	J		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#48	NG/L			0.463	UJ	0.463	UJ		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#49	NG/L			1.01	J	2.06	J		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#50	NG/L			0.463	UJ	0.463	UJ		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#51	NG/L			0.463	UJ	0.463	UJ		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#52	NG/L			1.8	J	3.24	J		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#53	NG/L			0.268	J	0.478	J		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#54	NG/L			0.463	UJ	0.463	UJ		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#56	NG/L			0.463	UJ	0.463	UJ		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#60	NG/L			0.463	UJ	0.463	UJ		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#63	NG/L			0.463	UJ	0.463	UJ		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#66	NG/L			0.463	UJ	0.484	J		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#68/#64	NG/L			0.926	UJ	0.656	J		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#70	NG/L			0.267	J	0.431	J		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#71	NG/L			0.463	UJ	0.386	J		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#73/#46	NG/L			0.926	UJ	0.926	UJ		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#74	NG/L			0.463	UJ	0.357	J		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#76	NG/L			0.463	UJ	0.463	UJ		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#77	NG/L			0.463	UJ	0.463	UJ		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#81	NG/L			0.463	UJ	0.463	UJ		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#100	NG/L			0.463	UJ	0.463	UJ		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#101/#90	NG/L			0.926	UJ	0.859	J		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#104	NG/L			0.463	UJ	0.463	UJ		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#105	NG/L			0.463	UJ	0.463	UJ		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#107/#123	NG/L			0.926	UJ	0.926	UJ		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#110	NG/L			0.364	J	1.32	J		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#114	NG/L			0.463	UJ	0.463	UJ		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#118	NG/L			0.463	UJ	0.712	J		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#119	NG/L			0.463	UJ	0.463	UJ		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#121/#95/#88	NG/L			1.39	UJ	0.798	J		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#124	NG/L			0.463	UJ	0.463	UJ		

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	Q1-Station B		Q1-Station B		Q1-Station B		Q1-Station C	
					Lab Sample Delivery Group	L2425326		L2426113		L2426113		L2425326	
					Field Sample Date	5/9/2024 0:00		5/9/2024 11:50		5/9/2024 11:50		5/22/2024 0:00	
					Field Sample ID	NBH24-SF-B-1		NBH24-SF-B1 - DISSOLVED		NBH24-SF-B1 - TOTAL		NBH24-SF-C-1	
					Media Type	Quahog		SW co loc w/ Quahogs		SW co loc w/ Quahogs		Quahog	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#126	NG/L			0.463	UJ	0.463	UJ		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#82	NG/L			0.463	UJ	0.463	UJ		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#83/#125/#112	NG/L			1.39	UJ	1.39	UJ		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#85	NG/L			0.463	UJ	0.463	UJ		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#87/#111	NG/L			0.926	UJ	0.926	UJ		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#89/#84	NG/L			0.926	UJ	0.63	J		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#91	NG/L			0.463	UJ	0.356	J		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#92	NG/L			0.463	UJ	0.447	J		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#97	NG/L			0.463	UJ	0.445	J		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#99	NG/L			0.463	UJ	0.547	J		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#128	NG/L			0.463	UJ	0.463	UJ		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#129/#158	NG/L			0.926	UJ	0.926	UJ		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#130/#164	NG/L			0.926	UJ	0.926	UJ		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#131	NG/L			0.463	UJ	0.463	UJ		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#132	NG/L			0.463	UJ	0.463	UJ		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#134	NG/L			0.463	UJ	0.463	UJ		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#135	NG/L			0.463	UJ	0.463	UJ		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#136	NG/L			0.463	UJ	0.463	UJ		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#137	NG/L			0.463	UJ	0.463	UJ		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#138	NG/L			0.463	UJ	0.5	J		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#141	NG/L			0.463	UJ	0.463	UJ		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#144	NG/L			0.463	UJ	0.463	UJ		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#146	NG/L			0.463	UJ	0.463	UJ		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#147/#149	NG/L			0.926	UJ	0.59	J		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#151	NG/L			0.463	UJ	0.463	UJ		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#153	NG/L			0.463	UJ	0.584	J		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#154	NG/L			0.463	UJ	0.463	UJ		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#155	NG/L			0.463	UJ	0.463	UJ		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#156	NG/L			0.463	UJ	0.463	UJ		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#157	NG/L			0.463	UJ	0.463	UJ		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#163/#160	NG/L			0.926	UJ	0.926	UJ		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#167	NG/L			0.463	UJ	0.463	UJ		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#168	NG/L			0.463	UJ	0.463	UJ		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#169	NG/L			0.463	UJ	0.463	UJ		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#170	NG/L			0.463	UJ	0.463	UJ		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#171	NG/L			0.463	UJ	0.463	UJ		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#172	NG/L			0.463	UJ	0.463	UJ		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#173	NG/L			0.463	UJ	0.463	UJ		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#174	NG/L			0.463	UJ	0.463	UJ		

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	Q1-Station B		Q1-Station B		Q1-Station B		Q1-Station C	
					Lab Sample Delivery Group	L2425326		L2426113		L2426113		L2425326	
					Field Sample Date	5/9/2024 0:00		5/9/2024 11:50		5/9/2024 11:50		5/22/2024 0:00	
					Field Sample ID	NBH24-SF-B-1		NBH24-SF-B1 - DISSOLVED		NBH24-SF-B1 - TOTAL		NBH24-SF-C-1	
					Media Type	Quahog		SW co loc w/ Quahogs		SW co loc w/ Quahogs		Quahog	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#176	NG/L			0.463	UJ	0.463	UJ		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#177	NG/L			0.463	UJ	0.463	UJ		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#178	NG/L			0.463	UJ	0.463	UJ		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#180	NG/L			0.463	UJ	0.463	UJ		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#182/#175	NG/L			0.926	UJ	0.926	UJ		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#183	NG/L			0.463	UJ	0.463	UJ		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#184	NG/L			0.463	UJ	0.463	UJ		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#185	NG/L			0.463	UJ	0.463	UJ		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#187	NG/L			0.463	UJ	0.463	UJ		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#188	NG/L			0.463	UJ	0.463	UJ		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#189	NG/L			0.463	UJ	0.463	UJ		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#190	NG/L			0.463	UJ	0.463	UJ		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#191	NG/L			0.463	UJ	0.463	UJ		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#193	NG/L			0.463	UJ	0.463	UJ		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#194	NG/L			0.463	UJ	0.463	UJ		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#195	NG/L			0.463	UJ	0.463	UJ		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#196	NG/L			0.463	UJ	0.463	UJ		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#197	NG/L			0.463	UJ	0.463	UJ		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#199	NG/L			0.463	UJ	0.463	UJ		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#201	NG/L			0.463	UJ	0.463	UJ		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#202	NG/L			0.463	UJ	0.463	UJ		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#203	NG/L			0.463	UJ	0.463	UJ		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#204/#200	NG/L			0.926	UJ	0.926	UJ		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#205	NG/L			0.463	UJ	0.463	UJ		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#206	NG/L			0.463	UJ	0.463	UJ		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#207	NG/L			0.463	UJ	0.463	UJ		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#208	NG/L			0.463	UJ	0.463	UJ		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Decachlorobiphenyl	NG/L			0.463	UJ	0.463	UJ		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Total PCBs	NG/L			12.4	J	30.5	J		

NOTES:
B = biological
L = liquid
ug/kg = microgram per kilogram
ng/L = nanograms per liter
U = not detected at the reported detection limit
UJ = estimated value at the reporting limit
J = estimated value
J- = estimated value biased low
FS = field sample

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	Q1-Station C		Q1-Station C		Q1-Station D		Q1-Station D	
					Lab Sample Delivery Group	L2428797		L2428797		L2425326		L2428797	
					Field Sample Date	5/22/2024 10:45		5/22/2024 10:45		5/22/2024 0:00		5/22/2024 10:20	
					Field Sample ID	NBH24-SF-C1 - DISSOLVED		NBH24-SF-C1 - TOTAL		NBH24-SF-D-1		NBH24-SF-D1 - DISSOLVED	
					Media Type	SW co loc w/ Quahogs		SW co loc w/ Quahogs		Quahog		SW co loc w/ Quahogs	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	Lipids	LIPIDS	T	Lipids	PERCENT					0.275			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#1	UG/KG					0.344	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#3	UG/KG					0.344	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#12	UG/KG					0.344	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#13	UG/KG					0.464	J		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#15	UG/KG					0.657			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#4/#10	UG/KG					0.688	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#5	UG/KG					0.344	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#6	UG/KG					0.454			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#7	UG/KG					0.344	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#8	UG/KG					0.46			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#16	UG/KG					0.844			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#17	UG/KG					2.69			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#18	UG/KG					5.12			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#19	UG/KG					0.441			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#21/#20	UG/KG					1.38			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#22	UG/KG					2.34			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#24	UG/KG					0.344	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#25	UG/KG					0.344	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#26	UG/KG					10.1			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#27	UG/KG					0.875			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#28	UG/KG					15.6			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#29	UG/KG					0.344	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#31	UG/KG					14.6			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#32	UG/KG					2.02			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#33	UG/KG					0.838			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#37	UG/KG					1.5			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#40	UG/KG					1.35			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#41	UG/KG					0.371			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#42	UG/KG					3.89			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#43	UG/KG					0.344	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#44	UG/KG					8.94			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#45	UG/KG					0.887			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#47	UG/KG					10			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#48	UG/KG					1.34			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#49	UG/KG					24.7			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#50	UG/KG					0.344	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#51	UG/KG					0.764			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#52	UG/KG					31.8			

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	Q1-Station C		Q1-Station C		Q1-Station D		Q1-Station D	
					Lab Sample Delivery Group	L2428797		L2428797		L2425326		L2428797	
					Field Sample Date	5/22/2024 10:45		5/22/2024 10:45		5/22/2024 0:00		5/22/2024 10:20	
					Field Sample ID	NBH24-SF-C1 - DISSOLVED		NBH24-SF-C1 - TOTAL		NBH24-SF-D-1		NBH24-SF-D1 - DISSOLVED	
					Media Type	SW co loc w/ Quahogs		SW co loc w/ Quahogs		Quahog		SW co loc w/ Quahogs	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#53	UG/KG					2.02			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#54	UG/KG					0.344	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#56	UG/KG					4.15			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#60	UG/KG					2.24			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#63	UG/KG					1.06			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#66	UG/KG					11.8			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#68/#64	UG/KG					7.89			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#70	UG/KG					8.51			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#71	UG/KG					3.49			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#73/#46	UG/KG					0.502	J		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#74	UG/KG					9.29			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#76	UG/KG					0.344	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#77	UG/KG					0.798			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#81	UG/KG					0.344	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#100	UG/KG					0.67			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#101/#90	UG/KG					24			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#104	UG/KG					0.344	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#105	UG/KG					3.68			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#107/#123	UG/KG					2.17			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#110	UG/KG					26.8			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#114	UG/KG					0.559			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#118	UG/KG					18.2			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#119	UG/KG					1.75			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#121/#95/#88	UG/KG					10.3			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#124	UG/KG					0.649			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#126	UG/KG					0.344	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#82	UG/KG					1.13			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#83/#125/#112	UG/KG					0.972	J		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#85	UG/KG					2.64			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#87/#111	UG/KG					3.86			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#89/#84	UG/KG					3.5			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#91	UG/KG					5.19			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#92	UG/KG					6.02			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#97	UG/KG					5.81			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#99	UG/KG					18			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#128	UG/KG					2.2			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#129/#158	UG/KG					1.55			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#130/#164	UG/KG					2.3			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#131	UG/KG					0.198	J		

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	Q1-Station C		Q1-Station C		Q1-Station D		Q1-Station D	
					Lab Sample Delivery Group	L2428797		L2428797		L2425326		L2428797	
					Field Sample Date	5/22/2024 10:45		5/22/2024 10:45		5/22/2024 0:00		5/22/2024 10:20	
					Field Sample ID	NBH24-SF-C1 - DISSOLVED		NBH24-SF-C1 - TOTAL		NBH24-SF-D-1		NBH24-SF-D1 - DISSOLVED	
					Media Type	SW co loc w/ Quahogs		SW co loc w/ Quahogs		Quahog		SW co loc w/ Quahogs	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#132	UG/KG					3.22			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#134	UG/KG					0.64			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#135	UG/KG					2.17			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#136	UG/KG					1.34			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#137	UG/KG					1.03			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#138	UG/KG					6.45			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#141	UG/KG					1.2			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#144	UG/KG					0.281	J		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#146	UG/KG					3.5			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#147/#149	UG/KG					12.6			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#151	UG/KG					1.44			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#153	UG/KG					15.8			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#154	UG/KG					0.631			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#155	UG/KG					0.344	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#156	UG/KG					1.48			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#157	UG/KG					0.527			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#163/#160	UG/KG					5.63			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#167	UG/KG					0.644			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#168	UG/KG					0.344	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#169	UG/KG					0.344	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#170	UG/KG					0.9			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#171	UG/KG					0.324	J		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#172	UG/KG					0.328	J		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#173	UG/KG					0.344	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#174	UG/KG					0.741			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#176	UG/KG					0.344	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#177	UG/KG					0.784			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#178	UG/KG					0.332	J		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#180	UG/KG					2.17			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#182/#175	UG/KG					0.688	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#183	UG/KG					0.495			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#184	UG/KG					0.344	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#185	UG/KG					0.344	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#187	UG/KG					2.05			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#188	UG/KG					0.344	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#189	UG/KG					0.344	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#190	UG/KG					0.235	J		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#191	UG/KG					0.344	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#193	UG/KG					0.21	J		

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	Q1-Station C		Q1-Station C		Q1-Station D		Q1-Station D	
					Lab Sample Delivery Group	L2428797		L2428797		L2425326		L2428797	
					Field Sample Date	5/22/2024 10:45		5/22/2024 10:45		5/22/2024 0:00		5/22/2024 10:20	
					Field Sample ID	NBH24-SF-C1 - DISSOLVED		NBH24-SF-C1 - TOTAL		NBH24-SF-D-1		NBH24-SF-D1 - DISSOLVED	
					Media Type	SW co loc w/ Quahogs		SW co loc w/ Quahogs		Quahog		SW co loc w/ Quahogs	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#194	UG/KG					0.312	J		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#195	UG/KG					0.344	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#196	UG/KG					0.344	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#197	UG/KG					0.344	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#199	UG/KG					0.344	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#201	UG/KG					0.314	J		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#202	UG/KG					0.344	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#203	UG/KG					0.174	J		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#204/#200	UG/KG					0.688	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#205	UG/KG					0.344	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#206	UG/KG					0.344	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#207	UG/KG					0.344	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#208	UG/KG					0.344	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Decachlorobiphenyl	UG/KG					0.344	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Total PCBs	UG/KG					406			
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#1	NG/L	0.51	U	0.521	U			0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#3	NG/L	0.51	U	0.521	U			0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#12	NG/L	0.51	U	0.521	U			0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#13	NG/L	0.51	U	0.521	U			0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#15	NG/L	0.51	U	0.305	J			0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#4/#10	NG/L	0.528	J	0.599	J			0.985	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#5	NG/L	0.51	U	0.521	U			0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#6	NG/L	0.51	U	0.521	U			0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#7	NG/L	0.51	U	0.521	U			0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#8	NG/L	0.51	U	0.521	U			0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#16	NG/L	0.346	J	0.403	J			0.28	J
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#17	NG/L	0.761		0.979				0.624	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#18	NG/L	1.68		2.19				1.32	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#19	NG/L	0.362	J	0.336	J			0.304	J
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#21/#20	NG/L	1.02	U	1.04	U			0.985	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#22	NG/L	0.264	J	0.402	J			0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#24	NG/L	0.51	U	0.521	U			0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#25	NG/L	1.3		1.54				0.888	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#26	NG/L	1.27		1.91				1.08	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#27	NG/L	0.319	J	0.385	J			0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#28	NG/L	1.01		1.6				1.08	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#29	NG/L	0.51	U	0.521	U			0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#31	NG/L	1.36		2.11				1.33	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#32	NG/L	0.498	J	0.675				0.43	J

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	Q1-Station C		Q1-Station C		Q1-Station D		Q1-Station D	
					Lab Sample Delivery Group	L2428797		L2428797		L2425326		L2428797	
					Field Sample Date	5/22/2024 10:45		5/22/2024 10:45		5/22/2024 0:00		5/22/2024 10:20	
					Field Sample ID	NBH24-SF-C1 - DISSOLVED		NBH24-SF-C1 - TOTAL		NBH24-SF-D-1		NBH24-SF-D1 - DISSOLVED	
					Media Type	SW co loc w/ Quahogs		SW co loc w/ Quahogs		Quahog		SW co loc w/ Quahogs	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#33	NG/L	0.51	U	0.521	U			0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#37	NG/L	0.51	U	0.272	J			0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#40	NG/L	0.51	U	0.521	U			0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#41	NG/L	0.51	U	0.521	U			0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#42	NG/L	0.307	J	0.496	J			0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#43	NG/L	0.51	U	0.521	U			0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#44	NG/L	0.658		1.34				0.607	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#45	NG/L	0.51	U	0.521	U			0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#47	NG/L	0.415	J	0.85				0.311	J
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#48	NG/L	0.51	U	0.521	U			0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#49	NG/L	1.28		2.6				1.13	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#50	NG/L	0.51	U	0.521	U			0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#51	NG/L	0.51	U	0.521	U			0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#52	NG/L	2.06		3.76				1.59	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#53	NG/L	0.284	J	0.483	J			0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#54	NG/L	0.51	U	0.521	U			0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#56	NG/L	0.51	U	0.391	J			0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#60	NG/L	0.51	U	0.521	U			0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#63	NG/L	0.51	U	0.521	U			0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#66	NG/L	0.346	J	0.982				0.257	J
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#68/#64	NG/L	1.02	U	0.767	J			0.985	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#70	NG/L	0.331	J	0.841				0.267	J
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#71	NG/L	0.262	J	0.457	J			0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#73/#46	NG/L	1.02	U	1.04	U			0.985	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#74	NG/L	0.281	J	0.743				0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#76	NG/L	0.51	U	0.521	U			0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#77	NG/L	0.51	U	0.521	U			0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#81	NG/L	0.51	U	0.521	U			0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#100	NG/L	0.51	U	0.521	U			0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#101/#90	NG/L	0.61	J	1.81				0.985	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#104	NG/L	0.51	U	0.521	U			0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#105	NG/L	0.51	U	0.305	J			0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#107/#123	NG/L	1.02	U	1.04	U			0.985	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#110	NG/L	0.608		2.06				0.509	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#114	NG/L	0.51	U	0.521	U			0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#118	NG/L	0.345	J	1.51				0.343	J
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#119	NG/L	0.51	U	0.521	U			0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#121/#95/#88	NG/L	1.53	U	1.14	J			1.48	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#124	NG/L	0.51	U	0.521	U			0.493	U

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	Q1-Station C		Q1-Station C		Q1-Station D		Q1-Station D	
					Lab Sample Delivery Group	L2428797		L2428797		L2425326		L2428797	
					Field Sample Date	5/22/2024 10:45		5/22/2024 10:45		5/22/2024 0:00		5/22/2024 10:20	
					Field Sample ID	NBH24-SF-C1 - DISSOLVED		NBH24-SF-C1 - TOTAL		NBH24-SF-D-1		NBH24-SF-D1 - DISSOLVED	
					Media Type	SW co loc w/ Quahogs		SW co loc w/ Quahogs		Quahog		SW co loc w/ Quahogs	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#126	NG/L	0.51	U	0.521	U			0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#82	NG/L	0.51	U	0.521	U			0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#83/#125/#112	NG/L	1.53	U	1.56	U			1.48	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#85	NG/L	0.51	U	0.521	U			0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#87/#111	NG/L	1.02	U	1.04	U			0.985	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#89/#84	NG/L	1.02	U	0.881	J			0.985	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#91	NG/L	0.51	U	0.544				0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#92	NG/L	0.51	U	0.538				0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#97	NG/L	0.51	U	0.581				0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#99	NG/L	0.323	J	1.11				0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#128	NG/L	0.51	U	0.521	U			0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#129/#158	NG/L	1.02	U	1.04	U			0.985	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#130/#164	NG/L	1.02	U	1.04	U			0.985	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#131	NG/L	0.51	U	0.521	U			0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#132	NG/L	0.51	U	0.417	J			0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#134	NG/L	0.51	U	0.521	U			0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#135	NG/L	0.51	U	0.521	U			0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#136	NG/L	0.51	U	0.521	U			0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#137	NG/L	0.51	U	0.521	U			0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#138	NG/L	0.51	U	0.866				0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#141	NG/L	0.51	U	0.521	U			0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#144	NG/L	0.51	U	0.521	U			0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#146	NG/L	0.51	U	0.521	U			0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#147/#149	NG/L	1.02	U	0.96	J			0.985	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#151	NG/L	0.51	U	0.521	U			0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#153	NG/L	0.274	J	1.2				0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#154	NG/L	0.51	U	0.521	U			0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#155	NG/L	0.51	U	0.521	U			0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#156	NG/L	0.51	U	0.521	U			0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#157	NG/L	0.51	U	0.521	U			0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#163/#160	NG/L	1.02	U	1.04	U			0.985	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#167	NG/L	0.51	U	0.521	U			0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#168	NG/L	0.51	U	0.521	U			0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#169	NG/L	0.51	U	0.521	U			0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#170	NG/L	0.51	U	0.521	U			0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#171	NG/L	0.51	U	0.521	U			0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#172	NG/L	0.51	U	0.521	U			0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#173	NG/L	0.51	U	0.521	U			0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#174	NG/L	0.51	U	0.521	U			0.493	U

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	Q1-Station C		Q1-Station C		Q1-Station D		Q1-Station D	
					Lab Sample Delivery Group	L2428797		L2428797		L2425326		L2428797	
					Field Sample Date	5/22/2024 10:45		5/22/2024 10:45		5/22/2024 0:00		5/22/2024 10:20	
					Field Sample ID	NBH24-SF-C1 - DISSOLVED		NBH24-SF-C1 - TOTAL		NBH24-SF-D-1		NBH24-SF-D1 - DISSOLVED	
					Media Type	SW co loc w/ Quahogs		SW co loc w/ Quahogs		Quahog		SW co loc w/ Quahogs	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#176	NG/L	0.51	U	0.521	U			0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#177	NG/L	0.51	U	0.521	U			0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#178	NG/L	0.51	U	0.521	U			0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#180	NG/L	0.51	U	0.521	U			0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#182/#175	NG/L	1.02	U	1.04	U			0.985	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#183	NG/L	0.51	U	0.521	U			0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#184	NG/L	0.51	U	0.521	U			0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#185	NG/L	0.51	U	0.521	U			0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#187	NG/L	0.51	U	0.521	U			0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#188	NG/L	0.51	U	0.521	U			0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#189	NG/L	0.51	U	0.521	U			0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#190	NG/L	0.51	U	0.521	U			0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#191	NG/L	0.51	U	0.521	U			0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#193	NG/L	0.51	U	0.521	U			0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#194	NG/L	0.51	U	0.521	U			0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#195	NG/L	0.51	U	0.521	U			0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#196	NG/L	0.51	U	0.521	U			0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#197	NG/L	0.51	U	0.521	U			0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#199	NG/L	0.51	U	0.521	U			0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#201	NG/L	0.51	U	0.521	U			0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#202	NG/L	0.51	U	0.521	U			0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#203	NG/L	0.51	U	0.521	U			0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#204/#200	NG/L	1.02	U	1.04	U			0.985	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#205	NG/L	0.51	U	0.521	U			0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#206	NG/L	0.51	U	0.521	U			0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#207	NG/L	0.51	U	0.521	U			0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#208	NG/L	0.51	U	0.521	U			0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Decachlorobiphenyl	NG/L	0.51	U	0.521	U			0.493	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Total PCBs	NG/L	18.1		41.3				12.4	

NOTES:
B = biological
L = liquid
ug/kg = microgram per kilogram
ng/L = nanograms per liter
U = not detected at the reported detection limit
UJ = estimated value at the reporting limit
J = estimated value
J- = estimated value biased low
FS = field sample

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

				Location	Q1-Station D		Q1-Station E		Q1-Station E		Q1-Station E	
				Lab Sample Delivery Group	L2428797		L2425326		L2428797		L2428797	
				Field Sample Date	5/22/2024 10:20		5/22/2024 0:00		5/22/2024 10:02		5/22/2024 10:02	
				Field Sample ID	NBH24-SF-D1 - TOTAL		NBH24-SF-E-1		NBH24-SF-E1 - DISSOLVED		NBH24-SF-E1 - TOTAL	
				Media Type	SW co loc w/ Quahogs		Quahog		SW co loc w/ Quahogs		SW co loc w/ Quahogs	
				QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result Qualifier	Result Qualifier		Result Qualifier		Result Qualifier	
B	Lipids	LIPIDS	T	Lipids	PERCENT		0.335					
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#1	UG/KG		0.38 U					
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#3	UG/KG		0.38 U					
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#12	UG/KG		0.38 U					
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#13	UG/KG		0.76 U					
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#15	UG/KG		0.674					
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#4/#10	UG/KG		0.76 U					
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#5	UG/KG		0.38 U					
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#6	UG/KG		0.539					
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#7	UG/KG		0.38 U					
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#8	UG/KG		0.538					
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#16	UG/KG		0.681					
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#17	UG/KG		2.78					
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#18	UG/KG		5.59					
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#19	UG/KG		0.471					
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#21/#20	UG/KG		0.905					
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#22	UG/KG		1.56					
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#24	UG/KG		0.38 U					
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#25	UG/KG		0.38 U					
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#26	UG/KG		9.9					
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#27	UG/KG		1.04					
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#28	UG/KG		12.8					
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#29	UG/KG		0.38 U					
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#31	UG/KG		12.6					
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#32	UG/KG		2.38					
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#33	UG/KG		0.566					
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#37	UG/KG		1.09					
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#40	UG/KG		1					
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#41	UG/KG		0.257 J					
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#42	UG/KG		3.37					
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#43	UG/KG		0.38 U					
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#44	UG/KG		7.23					
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#45	UG/KG		0.721					
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#47	UG/KG		9.35					
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#48	UG/KG		1.07					
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#49	UG/KG		23.4					
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#50	UG/KG		0.38 U					
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#51	UG/KG		1.04					
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#52	UG/KG		31.3					

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

				Location	Q1-Station D		Q1-Station E		Q1-Station E		Q1-Station E	
				Lab Sample Delivery Group	L2428797		L2425326		L2428797		L2428797	
				Field Sample Date	5/22/2024 10:20		5/22/2024 0:00		5/22/2024 10:02		5/22/2024 10:02	
				Field Sample ID	NBH24-SF-D1 - TOTAL		NBH24-SF-E-1		NBH24-SF-E1 - DISSOLVED		NBH24-SF-E1 - TOTAL	
				Media Type	SW co loc w/ Quahogs		Quahog		SW co loc w/ Quahogs		SW co loc w/ Quahogs	
				QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result Qualifier	Result Qualifier		Result Qualifier		Result Qualifier	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#53	UG/KG		2.66					
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#54	UG/KG		0.38 U					
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#56	UG/KG		2.94					
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#60	UG/KG		1.45					
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#63	UG/KG		0.781					
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#66	UG/KG		8.84					
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#68/#64	UG/KG		6.33					
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#70	UG/KG		5.91					
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#71	UG/KG		3.82					
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#73/#46	UG/KG		0.467 J					
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#74	UG/KG		6.17					
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#76	UG/KG		0.38 U					
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#77	UG/KG		0.637					
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#81	UG/KG		0.38 U					
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#100	UG/KG		0.648					
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#101/#90	UG/KG		19.8					
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#104	UG/KG		0.38 U					
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#105	UG/KG		2.58					
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#107/#123	UG/KG		1.84					
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#110	UG/KG		21.4					
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#114	UG/KG		0.517					
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#118	UG/KG		14.4					
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#119	UG/KG		1.85					
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#121/#95/#88	UG/KG		9.23					
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#124	UG/KG		0.554					
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#126	UG/KG		0.38 U					
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#82	UG/KG		0.794					
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#83/#125/#112	UG/KG		1.09 J					
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#85	UG/KG		1.72					
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#87/#111	UG/KG		2.6					
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#89/#84	UG/KG		2.97					
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#91	UG/KG		4.84					
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#92	UG/KG		4.99					
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#97	UG/KG		4.6					
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#99	UG/KG		15					
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#128	UG/KG		1.63					
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#129/#158	UG/KG		1.18					
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#130/#164	UG/KG		1.89					
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#131	UG/KG		0.38 U					

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	Q1-Station D		Q1-Station E		Q1-Station E		Q1-Station E	
					Lab Sample Delivery Group	L2428797		L2425326		L2428797		L2428797	
					Field Sample Date	5/22/2024 10:20		5/22/2024 0:00		5/22/2024 10:02		5/22/2024 10:02	
					Field Sample ID	NBH24-SF-D1 - TOTAL		NBH24-SF-E-1		NBH24-SF-E1 - DISSOLVED		NBH24-SF-E1 - TOTAL	
					Media Type	SW co loc w/ Quahogs		Quahog		SW co loc w/ Quahogs		SW co loc w/ Quahogs	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#132	UG/KG			2.57					
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#134	UG/KG			0.582					
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#135	UG/KG			1.95					
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#136	UG/KG			1.28					
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#137	UG/KG			0.756					
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#138	UG/KG			4.66					
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#141	UG/KG			0.837					
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#144	UG/KG			0.262	J				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#146	UG/KG			3.05					
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#147/#149	UG/KG			11.6					
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#151	UG/KG			1.3					
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#153	UG/KG			14.9					
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#154	UG/KG			0.782					
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#155	UG/KG			0.38	U				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#156	UG/KG			1.24					
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#157	UG/KG			0.36	J				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#163/#160	UG/KG			5.03					
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#167	UG/KG			0.623					
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#168	UG/KG			0.38	U				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#169	UG/KG			0.38	U				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#170	UG/KG			0.75					
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#171	UG/KG			0.38	U				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#172	UG/KG			0.38	U				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#173	UG/KG			0.38	U				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#174	UG/KG			0.616					
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#176	UG/KG			0.38	U				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#177	UG/KG			0.772					
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#178	UG/KG			0.325	J				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#180	UG/KG			1.73					
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#182/#175	UG/KG			0.76	U				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#183	UG/KG			0.37	J				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#184	UG/KG			0.38	U				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#185	UG/KG			0.38	U				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#187	UG/KG			2.01					
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#188	UG/KG			0.38	U				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#189	UG/KG			0.38	U				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#190	UG/KG			0.219	J				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#191	UG/KG			0.38	U				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#193	UG/KG			0.38	U				

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	Q1-Station D		Q1-Station E		Q1-Station E		Q1-Station E	
					Lab Sample Delivery Group	L2428797		L2425326		L2428797		L2428797	
					Field Sample Date	5/22/2024 10:20		5/22/2024 0:00		5/22/2024 10:02		5/22/2024 10:02	
					Field Sample ID	NBH24-SF-D1 - TOTAL		NBH24-SF-E-1		NBH24-SF-E1 - DISSOLVED		NBH24-SF-E1 - TOTAL	
					Media Type	SW co loc w/ Quahogs		Quahog		SW co loc w/ Quahogs		SW co loc w/ Quahogs	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#194	UG/KG			0.38	U				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#195	UG/KG			0.38	U				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#196	UG/KG			0.38	U				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#197	UG/KG			0.38	U				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#199	UG/KG			0.38	U				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#201	UG/KG			0.361	J				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#202	UG/KG			0.38	U				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#203	UG/KG			0.38	U				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#204/#200	UG/KG			0.76	U				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#205	UG/KG			0.38	U				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#206	UG/KG			0.38	U				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#207	UG/KG			0.38	U				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#208	UG/KG			0.38	U				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Decachlorobiphenyl	UG/KG			0.38	U				
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Total PCBs	UG/KG			348					
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#1	NG/L	0.5	U			0.493	U	0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#3	NG/L	0.5	U			0.493	U	0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#12	NG/L	0.5	U			0.493	U	0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#13	NG/L	0.5	U			0.493	U	0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#15	NG/L	0.316	J			0.358	J	0.42	J
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#4/#10	NG/L	0.612	J			1.05		1.02	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#5	NG/L	0.5	U			0.493	U	0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#6	NG/L	0.5	U			0.557		0.566	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#7	NG/L	0.5	U			0.493	U	0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#8	NG/L	0.5	U			0.459	J	0.516	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#16	NG/L	0.373	J			0.322	J	0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#17	NG/L	0.945				1.24		1.22	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#18	NG/L	2.11				2.73		2.72	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#19	NG/L	0.375	J			0.597		0.528	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#21/#20	NG/L	1	U			0.985	U	0.98	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#22	NG/L	0.378	J			0.336	J	0.339	J
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#24	NG/L	0.5	U			0.493	U	0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#25	NG/L	1.5				1.41		2.39	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#26	NG/L	1.86				2.31		2.38	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#27	NG/L	0.385	J			0.602		0.559	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#28	NG/L	1.97				1.95		2.35	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#29	NG/L	0.5	U			0.493	U	0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#31	NG/L	2.27				2.41		2.57	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#32	NG/L	0.734				0.994		0.934	

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	Q1-Station D		Q1-Station E		Q1-Station E		Q1-Station E	
					Lab Sample Delivery Group	L2428797		L2425326		L2428797		L2428797	
					Field Sample Date	5/22/2024 10:20		5/22/2024 0:00		5/22/2024 10:02		5/22/2024 10:02	
					Field Sample ID	NBH24-SF-D1 - TOTAL		NBH24-SF-E-1		NBH24-SF-E1 - DISSOLVED		NBH24-SF-E1 - TOTAL	
					Media Type	SW co loc w/ Quahogs		Quahog		SW co loc w/ Quahogs		SW co loc w/ Quahogs	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#33	NG/L	0.5	U			0.493	U	0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#37	NG/L	0.5	U			0.493	U	0.248	J
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#40	NG/L	0.5	U			0.493	U	0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#41	NG/L	0.5	U			0.493	U	0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#42	NG/L	0.437	J			0.296	J	0.516	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#43	NG/L	0.5	U			0.493	U	0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#44	NG/L	1.18				0.799		1.1	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#45	NG/L	0.5	U			0.493	U	0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#47	NG/L	0.828				2.29		0.874	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#48	NG/L	0.5	U			0.493	U	0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#49	NG/L	2.46				2.04		2.71	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#50	NG/L	0.5	U			0.493	U	0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#51	NG/L	0.5	U			0.479	J	0.284	J
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#52	NG/L	3.46				3.28		3.94	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#53	NG/L	0.475	J			0.593		0.67	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#54	NG/L	0.5	U			0.493	U	0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#56	NG/L	0.34	J			0.493	U	0.315	J
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#60	NG/L	0.5	U			0.493	U	0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#63	NG/L	0.5	U			0.493	U	0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#66	NG/L	0.787				0.409	J	0.706	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#68/#64	NG/L	0.702	J			1.07		0.679	J
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#70	NG/L	0.635				0.399	J	0.527	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#71	NG/L	0.388	J			0.366	J	0.583	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#73/#46	NG/L	1	U			0.985	U	0.98	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#74	NG/L	0.535				0.298	J	0.545	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#76	NG/L	0.5	U			0.493	U	0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#77	NG/L	0.5	U			0.493	U	0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#81	NG/L	0.5	U			0.493	U	0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#100	NG/L	0.5	U			0.493	U	0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#101/#90	NG/L	1.35				0.579	J	1.3	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#104	NG/L	0.5	U			0.493	U	0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#105	NG/L	0.284	J			0.493	U	0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#107/#123	NG/L	1	U			0.985	U	0.98	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#110	NG/L	1.54				0.777		1.48	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#114	NG/L	0.5	U			0.493	U	0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#118	NG/L	1.12				0.402	J	1.07	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#119	NG/L	0.5	U			0.493	U	0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#121/#95/#88	NG/L	0.923	J			1.48	U	0.892	J
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#124	NG/L	0.5	U			0.493	U	0.49	U

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	Q1-Station D		Q1-Station E		Q1-Station E		Q1-Station E	
					Lab Sample Delivery Group	L2428797		L2425326		L2428797		L2428797	
					Field Sample Date	5/22/2024 10:20		5/22/2024 0:00		5/22/2024 10:02		5/22/2024 10:02	
					Field Sample ID	NBH24-SF-D1 - TOTAL		NBH24-SF-E-1		NBH24-SF-E1 - DISSOLVED		NBH24-SF-E1 - TOTAL	
					Media Type	SW co loc w/ Quahogs		Quahog		SW co loc w/ Quahogs		SW co loc w/ Quahogs	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#126	NG/L	0.5	U			0.493	U	0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#82	NG/L	0.5	U			0.493	U	0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#83/#125/#112	NG/L	1.5	U			1.48	U	1.47	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#85	NG/L	0.5	U			0.493	U	0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#87/#111	NG/L	1	U			0.985	U	0.98	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#89/#84	NG/L	0.633	J			0.985	U	0.678	J
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#91	NG/L	0.435	J			0.279	J	0.476	J
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#92	NG/L	0.404	J			0.493	U	0.301	J
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#97	NG/L	0.506				0.493	U	0.479	J
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#99	NG/L	0.952				0.256	J	0.88	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#128	NG/L	0.5	U			0.493	U	0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#129/#158	NG/L	1	U			0.985	U	0.98	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#130/#164	NG/L	1	U			0.985	U	0.98	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#131	NG/L	0.5	U			0.493	U	0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#132	NG/L	0.272	J			0.493	U	0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#134	NG/L	0.5	U			0.493	U	0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#135	NG/L	0.5	U			0.493	U	0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#136	NG/L	0.5	U			0.493	U	0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#137	NG/L	0.5	U			0.493	U	0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#138	NG/L	0.537				0.493	U	0.512	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#141	NG/L	0.5	U			0.493	U	0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#144	NG/L	0.5	U			0.493	U	0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#146	NG/L	0.5	U			0.493	U	0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#147/#149	NG/L	0.718	J			0.985	U	0.781	J
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#151	NG/L	0.5	U			0.493	U	0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#153	NG/L	0.846				0.27	J	0.847	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#154	NG/L	0.5	U			0.493	U	0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#155	NG/L	0.5	U			0.493	U	0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#156	NG/L	0.5	U			0.493	U	0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#157	NG/L	0.5	U			0.493	U	0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#163/#160	NG/L	1	U			0.985	U	0.98	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#167	NG/L	0.5	U			0.493	U	0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#168	NG/L	0.5	U			0.493	U	0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#169	NG/L	0.5	U			0.493	U	0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#170	NG/L	0.5	U			0.493	U	0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#171	NG/L	0.5	U			0.493	U	0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#172	NG/L	0.5	U			0.493	U	0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#173	NG/L	0.5	U			0.493	U	0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#174	NG/L	0.5	U			0.493	U	0.49	U

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	Q1-Station D		Q1-Station E		Q1-Station E		Q1-Station E	
					Lab Sample Delivery Group	L2428797		L2425326		L2428797		L2428797	
					Field Sample Date	5/22/2024 10:20		5/22/2024 0:00		5/22/2024 10:02		5/22/2024 10:02	
					Field Sample ID	NBH24-SF-D1 - TOTAL		NBH24-SF-E-1		NBH24-SF-E1 - DISSOLVED		NBH24-SF-E1 - TOTAL	
					Media Type	SW co loc w/ Quahogs		Quahog		SW co loc w/ Quahogs		SW co loc w/ Quahogs	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#176	NG/L	0.5	U			0.493	U	0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#177	NG/L	0.5	U			0.493	U	0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#178	NG/L	0.5	U			0.493	U	0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#180	NG/L	0.5	U			0.493	U	0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#182/#175	NG/L	1	U			0.985	U	0.98	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#183	NG/L	0.5	U			0.493	U	0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#184	NG/L	0.5	U			0.493	U	0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#185	NG/L	0.5	U			0.493	U	0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#187	NG/L	0.5	U			0.493	U	0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#188	NG/L	0.5	U			0.493	U	0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#189	NG/L	0.5	U			0.493	U	0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#190	NG/L	0.5	U			0.493	U	0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#191	NG/L	0.5	U			0.493	U	0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#193	NG/L	0.5	U			0.493	U	0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#194	NG/L	0.5	U			0.493	U	0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#195	NG/L	0.5	U			0.493	U	0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#196	NG/L	0.5	U			0.493	U	0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#197	NG/L	0.5	U			0.493	U	0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#199	NG/L	0.5	U			0.493	U	0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#201	NG/L	0.5	U			0.493	U	0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#202	NG/L	0.5	U			0.493	U	0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#203	NG/L	0.5	U			0.493	U	0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#204/#200	NG/L	1	U			0.985	U	0.98	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#205	NG/L	0.5	U			0.493	U	0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#206	NG/L	0.5	U			0.493	U	0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#207	NG/L	0.5	U			0.493	U	0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#208	NG/L	0.5	U			0.493	U	0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Decachlorobiphenyl	NG/L	0.5	U			0.493	U	0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Total PCBs	NG/L	36.6				32.2		41.9	

NOTES:
B = biological
L = liquid
ug/kg = microgram per kilogram
ng/L = nanograms per liter
U = not detected at the reported detection limit
UJ = estimated value at the reporting limit
J = estimated value
J- = estimated value biased low
FS = field sample

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	Q2-Station B		Q2-Station B		Q2-Station C		Q2-Station C	
					Lab Sample Delivery Group	L2425313		L2425313		L2425313		L2425313	
					Field Sample Date	5/7/2024 13:28		5/7/2024 13:28		5/7/2024 12:45		5/7/2024 12:45	
					Field Sample ID	NBH24-SF-B2 - DISSOLVED		NBH24-SF-B2 - TOTAL		NBH24-SF-C2 - DISSOLVED		NBH24-SF-C2 - TOTAL	
					Media Type	SW co loc w/ Quahogs		SW co loc w/ Quahogs		SW co loc w/ Quahogs		SW co loc w/ Quahogs	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	Lipids	LIPIDS	T	Lipids	PERCENT								
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#1	UG/KG								
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#3	UG/KG								
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#12	UG/KG								
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#13	UG/KG								
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#15	UG/KG								
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#4/#10	UG/KG								
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#5	UG/KG								
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#6	UG/KG								
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#7	UG/KG								
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#8	UG/KG								
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#16	UG/KG								
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#17	UG/KG								
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#18	UG/KG								
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#19	UG/KG								
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#21/#20	UG/KG								
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#22	UG/KG								
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#24	UG/KG								
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#25	UG/KG								
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#26	UG/KG								
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#27	UG/KG								
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#28	UG/KG								
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#29	UG/KG								
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#31	UG/KG								
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#32	UG/KG								
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#33	UG/KG								
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#37	UG/KG								
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#40	UG/KG								
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#41	UG/KG								
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#42	UG/KG								
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#43	UG/KG								
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#44	UG/KG								
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#45	UG/KG								
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#47	UG/KG								
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#48	UG/KG								
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#49	UG/KG								
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#50	UG/KG								
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#51	UG/KG								
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#52	UG/KG								

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	Q2-Station B		Q2-Station B		Q2-Station C		Q2-Station C	
					Lab Sample Delivery Group	L2425313		L2425313		L2425313		L2425313	
					Field Sample Date	5/7/2024 13:28		5/7/2024 13:28		5/7/2024 12:45		5/7/2024 12:45	
					Field Sample ID	NBH24-SF-B2 - DISSOLVED		NBH24-SF-B2 - TOTAL		NBH24-SF-C2 - DISSOLVED		NBH24-SF-C2 - TOTAL	
					Media Type	SW co loc w/ Quahogs		SW co loc w/ Quahogs		SW co loc w/ Quahogs		SW co loc w/ Quahogs	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#53	UG/KG								
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#54	UG/KG								
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#56	UG/KG								
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#60	UG/KG								
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#63	UG/KG								
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#66	UG/KG								
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#68/#64	UG/KG								
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#70	UG/KG								
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#71	UG/KG								
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#73/#46	UG/KG								
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#74	UG/KG								
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#76	UG/KG								
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#77	UG/KG								
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#81	UG/KG								
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#100	UG/KG								
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#101/#90	UG/KG								
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#104	UG/KG								
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#105	UG/KG								
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#107/#123	UG/KG								
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#110	UG/KG								
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#114	UG/KG								
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#118	UG/KG								
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#119	UG/KG								
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#121/#95/#88	UG/KG								
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#124	UG/KG								
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#126	UG/KG								
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#82	UG/KG								
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#83/#125/#112	UG/KG								
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#85	UG/KG								
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#87/#111	UG/KG								
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#89/#84	UG/KG								
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#91	UG/KG								
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#92	UG/KG								
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#97	UG/KG								
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#99	UG/KG								
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#128	UG/KG								
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#129/#158	UG/KG								
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#130/#164	UG/KG								
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#131	UG/KG								

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	Q2-Station B		Q2-Station B		Q2-Station C		Q2-Station C	
					Lab Sample Delivery Group	L2425313		L2425313		L2425313		L2425313	
					Field Sample Date	5/7/2024 13:28		5/7/2024 13:28		5/7/2024 12:45		5/7/2024 12:45	
					Field Sample ID	NBH24-SF-B2 - DISSOLVED		NBH24-SF-B2 - TOTAL		NBH24-SF-C2 - DISSOLVED		NBH24-SF-C2 - TOTAL	
					Media Type	SW co loc w/ Quahogs		SW co loc w/ Quahogs		SW co loc w/ Quahogs		SW co loc w/ Quahogs	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#132	UG/KG								
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#134	UG/KG								
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#135	UG/KG								
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#136	UG/KG								
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#137	UG/KG								
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#138	UG/KG								
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#141	UG/KG								
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#144	UG/KG								
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#146	UG/KG								
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#147/#149	UG/KG								
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#151	UG/KG								
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#153	UG/KG								
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#154	UG/KG								
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#155	UG/KG								
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#156	UG/KG								
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#157	UG/KG								
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#163/#160	UG/KG								
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#167	UG/KG								
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#168	UG/KG								
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#169	UG/KG								
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#170	UG/KG								
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#171	UG/KG								
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#172	UG/KG								
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#173	UG/KG								
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#174	UG/KG								
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#176	UG/KG								
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#177	UG/KG								
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#178	UG/KG								
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#180	UG/KG								
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#182/#175	UG/KG								
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#183	UG/KG								
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#184	UG/KG								
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#185	UG/KG								
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#187	UG/KG								
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#188	UG/KG								
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#189	UG/KG								
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#190	UG/KG								
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#191	UG/KG								
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#193	UG/KG								

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	Q2-Station B		Q2-Station B		Q2-Station C		Q2-Station C	
					Lab Sample Delivery Group	L2425313		L2425313		L2425313		L2425313	
					Field Sample Date	5/7/2024 13:28		5/7/2024 13:28		5/7/2024 12:45		5/7/2024 12:45	
					Field Sample ID	NBH24-SF-B2 - DISSOLVED		NBH24-SF-B2 - TOTAL		NBH24-SF-C2 - DISSOLVED		NBH24-SF-C2 - TOTAL	
					Media Type	SW co loc w/ Quahogs		SW co loc w/ Quahogs		SW co loc w/ Quahogs		SW co loc w/ Quahogs	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#194	UG/KG								
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#195	UG/KG								
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#196	UG/KG								
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#197	UG/KG								
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#199	UG/KG								
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#201	UG/KG								
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#202	UG/KG								
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#203	UG/KG								
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#204/#200	UG/KG								
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#205	UG/KG								
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#206	UG/KG								
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#207	UG/KG								
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#208	UG/KG								
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Decachlorobiphenyl	UG/KG								
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Total PCBs	UG/KG								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#1	NG/L	0.488 U		0.49 U		0.488 U		0.488 U	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#3	NG/L	0.488 U		0.49 U		0.488 U		0.488 U	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#12	NG/L	0.488 U		0.49 U		0.488 U		0.488 U	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#13	NG/L	0.488 U		0.49 U		0.488 U		0.488 U	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#15	NG/L	0.488 U		0.49 U		0.488 U		0.488 U	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#4/#10	NG/L	0.976 U		0.98 U		0.976 U		0.976 U	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#5	NG/L	0.488 U		0.49 U		0.488 U		0.488 U	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#6	NG/L	0.488 U		0.49 U		0.488 U		0.488 U	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#7	NG/L	0.488 U		0.49 U		0.488 U		0.488 U	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#8	NG/L	0.488 U		0.49 U		0.488 U		0.488 U	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#16	NG/L	0.488 U		0.49 U		0.488 U		0.488 U	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#17	NG/L	0.488 U		0.49 U		0.331 J		0.324 J	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#18	NG/L	0.488 U		0.49 U		0.66		0.702	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#19	NG/L	0.488 U		0.49 U		0.488 U		0.488 U	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#21/#20	NG/L	0.976 U		0.98 U		0.976 U		0.976 U	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#22	NG/L	0.488 U		0.49 U		0.488 U		0.488 U	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#24	NG/L	0.488 U		0.49 U		0.488 U		0.488 U	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#25	NG/L	0.488 U		0.49 U		0.29 J		0.397 J	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#26	NG/L	0.488 U		0.49 U		0.53		0.615	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#27	NG/L	0.488 U		0.49 U		0.488 U		0.488 U	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#28	NG/L	0.488 U		0.49 U		0.416 J		0.54	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#29	NG/L	0.488 U		0.49 U		0.488 U		0.488 U	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#31	NG/L	0.488 U		0.49 U		0.661		0.778	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#32	NG/L	0.488 U		0.49 U		0.488 U		0.488 U	

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	Q2-Station B		Q2-Station B		Q2-Station C		Q2-Station C	
					Lab Sample Delivery Group	L2425313		L2425313		L2425313		L2425313	
					Field Sample Date	5/7/2024 13:28		5/7/2024 13:28		5/7/2024 12:45		5/7/2024 12:45	
					Field Sample ID	NBH24-SF-B2 - DISSOLVED		NBH24-SF-B2 - TOTAL		NBH24-SF-C2 - DISSOLVED		NBH24-SF-C2 - TOTAL	
					Media Type	SW co loc w/ Quahogs		SW co loc w/ Quahogs		SW co loc w/ Quahogs		SW co loc w/ Quahogs	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#33	NG/L	0.488	U	0.49	U	0.488	U	0.488	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#37	NG/L	0.488	U	0.49	U	0.488	U	0.488	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#40	NG/L	0.488	U	0.49	U	0.488	U	0.488	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#41	NG/L	0.488	U	0.49	U	0.488	U	0.488	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#42	NG/L	0.488	U	0.49	U	0.488	U	0.488	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#43	NG/L	0.488	U	0.49	U	0.488	U	0.488	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#44	NG/L	0.488	U	0.49	U	0.303	J	0.516	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#45	NG/L	0.488	U	0.49	U	0.488	U	0.488	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#47	NG/L	0.488	U	0.49	U	0.488	U	0.254	J
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#48	NG/L	0.488	U	0.49	U	0.488	U	0.488	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#49	NG/L	0.488	U	0.49	U	0.475	J	0.775	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#50	NG/L	0.488	U	0.49	U	0.488	U	0.488	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#51	NG/L	0.488	U	0.49	U	0.488	U	0.488	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#52	NG/L	0.488	U	0.36	J	0.749		1.11	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#53	NG/L	0.488	U	0.49	U	0.488	U	0.488	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#54	NG/L	0.488	U	0.49	U	0.488	U	0.488	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#56	NG/L	0.488	U	0.49	U	0.488	U	0.488	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#60	NG/L	0.488	U	0.49	U	0.488	U	0.488	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#63	NG/L	0.488	U	0.49	U	0.488	U	0.488	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#66	NG/L	0.488	U	0.49	U	0.488	U	0.264	J
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#68/#64	NG/L	0.976	U	0.98	U	0.976	U	0.976	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#70	NG/L	0.488	U	0.49	U	0.488	U	0.488	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#71	NG/L	0.488	U	0.49	U	0.488	U	0.488	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#73/#46	NG/L	0.976	U	0.98	U	0.976	U	0.976	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#74	NG/L	0.488	U	0.49	U	0.488	U	0.488	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#76	NG/L	0.488	U	0.49	U	0.488	U	0.488	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#77	NG/L	0.488	U	0.49	U	0.488	U	0.488	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#81	NG/L	0.488	U	0.49	U	0.488	U	0.488	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#100	NG/L	0.488	U	0.49	U	0.488	U	0.488	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#101/#90	NG/L	0.976	U	0.98	U	0.976	U	0.976	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#104	NG/L	0.488	U	0.49	U	0.488	U	0.488	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#105	NG/L	0.488	U	0.49	U	0.488	U	0.488	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#107/#123	NG/L	0.976	U	0.98	U	0.976	U	0.976	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#110	NG/L	0.488	U	0.304	J	0.488	U	0.545	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#114	NG/L	0.488	U	0.49	U	0.488	U	0.488	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#118	NG/L	0.488	U	0.49	U	0.488	U	0.351	J
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#119	NG/L	0.488	U	0.49	U	0.488	U	0.488	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#121/#95/#88	NG/L	1.46	U	1.47	U	1.46	U	1.46	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#124	NG/L	0.488	U	0.49	U	0.488	U	0.488	U

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	Q2-Station B		Q2-Station B		Q2-Station C		Q2-Station C	
					Lab Sample Delivery Group	L2425313		L2425313		L2425313		L2425313	
					Field Sample Date	5/7/2024 13:28		5/7/2024 13:28		5/7/2024 12:45		5/7/2024 12:45	
					Field Sample ID	NBH24-SF-B2 - DISSOLVED		NBH24-SF-B2 - TOTAL		NBH24-SF-C2 - DISSOLVED		NBH24-SF-C2 - TOTAL	
					Media Type	SW co loc w/ Quahogs		SW co loc w/ Quahogs		SW co loc w/ Quahogs		SW co loc w/ Quahogs	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#126	NG/L	0.488	U	0.49	U	0.488	U	0.488	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#82	NG/L	0.488	U	0.49	U	0.488	U	0.488	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#83/#125/#112	NG/L	1.46	U	1.47	U	1.46	U	1.46	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#85	NG/L	0.488	U	0.49	U	0.488	U	0.488	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#87/#111	NG/L	0.976	U	0.98	U	0.976	U	0.976	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#89/#84	NG/L	0.976	U	0.98	U	0.976	U	0.976	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#91	NG/L	0.488	U	0.49	U	0.488	U	0.488	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#92	NG/L	0.488	U	0.49	U	0.488	U	0.488	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#97	NG/L	0.488	U	0.49	U	0.488	U	0.488	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#99	NG/L	0.488	U	0.49	U	0.488	U	0.366	J
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#128	NG/L	0.488	U	0.49	U	0.488	U	0.488	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#129/#158	NG/L	0.976	U	0.98	U	0.976	U	0.976	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#130/#164	NG/L	0.976	U	0.98	U	0.976	U	0.976	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#131	NG/L	0.488	U	0.49	U	0.488	U	0.488	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#132	NG/L	0.488	U	0.49	U	0.488	U	0.488	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#134	NG/L	0.488	U	0.49	U	0.488	U	0.488	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#135	NG/L	0.488	U	0.49	U	0.488	U	0.488	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#136	NG/L	0.488	U	0.49	U	0.488	U	0.488	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#137	NG/L	0.488	U	0.49	U	0.488	U	0.488	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#138	NG/L	0.488	U	0.49	U	0.488	U	0.27	J
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#141	NG/L	0.488	U	0.49	U	0.488	U	0.488	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#144	NG/L	0.488	U	0.49	U	0.488	U	0.488	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#146	NG/L	0.488	U	0.49	U	0.488	U	0.488	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#147/#149	NG/L	0.976	U	0.98	U	0.976	U	0.976	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#151	NG/L	0.488	U	0.49	U	0.488	U	0.488	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#153	NG/L	0.488	U	0.261	J	0.488	U	0.413	J
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#154	NG/L	0.488	U	0.49	U	0.488	U	0.488	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#155	NG/L	0.488	U	0.49	U	0.488	U	0.488	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#156	NG/L	0.488	U	0.49	U	0.488	U	0.488	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#157	NG/L	0.488	U	0.49	U	0.488	U	0.488	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#163/#160	NG/L	0.976	U	0.98	U	0.976	U	0.976	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#167	NG/L	0.488	U	0.49	U	0.488	U	0.488	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#168	NG/L	0.488	U	0.49	U	0.488	U	0.488	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#169	NG/L	0.488	U	0.49	U	0.488	U	0.488	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#170	NG/L	0.488	U	0.49	U	0.488	U	0.488	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#171	NG/L	0.488	U	0.49	U	0.488	U	0.488	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#172	NG/L	0.488	U	0.49	U	0.488	U	0.488	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#173	NG/L	0.488	U	0.49	U	0.488	U	0.488	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#174	NG/L	0.488	U	0.49	U	0.488	U	0.488	U

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	Q2-Station B		Q2-Station B		Q2-Station C		Q2-Station C	
					Lab Sample Delivery Group	L2425313		L2425313		L2425313		L2425313	
					Field Sample Date	5/7/2024 13:28		5/7/2024 13:28		5/7/2024 12:45		5/7/2024 12:45	
					Field Sample ID	NBH24-SF-B2 - DISSOLVED		NBH24-SF-B2 - TOTAL		NBH24-SF-C2 - DISSOLVED		NBH24-SF-C2 - TOTAL	
					Media Type	SW co loc w/ Quahogs		SW co loc w/ Quahogs		SW co loc w/ Quahogs		SW co loc w/ Quahogs	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#176	NG/L	0.488	U	0.49	U	0.488	U	0.488	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#177	NG/L	0.488	U	0.49	U	0.488	U	0.488	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#178	NG/L	0.488	U	0.49	U	0.488	U	0.488	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#180	NG/L	0.488	U	0.49	U	0.488	U	0.488	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#182/#175	NG/L	0.976	U	0.98	U	0.976	U	0.976	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#183	NG/L	0.488	U	0.49	U	0.488	U	0.488	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#184	NG/L	0.488	U	0.49	U	0.488	U	0.488	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#185	NG/L	0.488	U	0.49	U	0.488	U	0.488	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#187	NG/L	0.488	U	0.49	U	0.488	U	0.488	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#188	NG/L	0.488	U	0.49	U	0.488	U	0.488	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#189	NG/L	0.488	U	0.49	U	0.488	U	0.488	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#190	NG/L	0.488	U	0.49	U	0.488	U	0.488	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#191	NG/L	0.488	U	0.49	U	0.488	U	0.488	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#193	NG/L	0.488	U	0.49	U	0.488	U	0.488	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#194	NG/L	0.488	U	0.49	U	0.488	U	0.488	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#195	NG/L	0.488	U	0.49	U	0.488	U	0.488	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#196	NG/L	0.488	U	0.49	U	0.488	U	0.488	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#197	NG/L	0.488	U	0.49	U	0.488	U	0.488	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#199	NG/L	0.488	U	0.49	U	0.488	U	0.488	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#201	NG/L	0.488	U	0.49	U	0.488	U	0.488	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#202	NG/L	0.488	U	0.49	U	0.488	U	0.488	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#203	NG/L	0.488	U	0.49	U	0.488	U	0.488	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#204/#200	NG/L	0.976	U	0.98	U	0.976	U	0.976	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#205	NG/L	0.488	U	0.49	U	0.488	U	0.488	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#206	NG/L	0.488	U	0.49	U	0.488	U	0.488	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#207	NG/L	0.488	U	0.49	U	0.488	U	0.488	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#208	NG/L	0.488	U	0.49	U	0.488	U	0.488	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Decachlorobiphenyl	NG/L	0.488	U	0.49	U	0.488	U	0.488	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Total PCBs	NG/L	0.488	U	0.925		4.42		8.22	

NOTES:
B = biological
L = liquid
ug/kg = microgram per kilogram
ng/L = nanograms per liter
U = not detected at the reported detection limit
UJ = estimated value at the reporting limit
J = estimated value
J- = estimated value biased low
FS = field sample

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	Q2-Station F		Q2-Station F		Q2-Station F		Q2-Station G	
					Lab Sample Delivery Group	L2425326		L2426113		L2426113		L2425326	
					Field Sample Date	5/9/2024 0:00		5/9/2024 10:40		5/9/2024 10:40		5/7/2024 0:00	
					Field Sample ID	NBH24-SF-F-2		NBH24-SF-F2 - DISSOLVED		NBH24-SF-F2 - TOTAL		NBH24-SF-G-2	
					Media Type	Quahog		SW co loc w/ Quahogs		SW co loc w/ Quahogs		Quahog	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	Lipids	LIPIDS	T	Lipids	PERCENT	0.194						0.322	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#1	UG/KG	0.346	U					0.366	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#3	UG/KG	0.346	U					0.366	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#12	UG/KG	0.346	U					0.366	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#13	UG/KG	0.692	U					0.731	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#15	UG/KG	0.346	U					0.366	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#4/#10	UG/KG	0.692	U					0.731	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#5	UG/KG	0.346	U					0.366	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#6	UG/KG	0.346	U					0.366	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#7	UG/KG	0.346	U					0.366	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#8	UG/KG	0.346	U					0.366	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#16	UG/KG	0.346	U					0.366	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#17	UG/KG	0.346	U					0.366	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#18	UG/KG	0.31	J					0.366	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#19	UG/KG	0.346	U					0.366	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#21/#20	UG/KG	0.692	U					0.731	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#22	UG/KG	0.346	U					0.366	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#24	UG/KG	0.346	U					0.366	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#25	UG/KG	0.346	U					0.366	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#26	UG/KG	0.642						0.341	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#27	UG/KG	0.346	U					0.366	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#28	UG/KG	1.04						0.494	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#29	UG/KG	0.346	U					0.366	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#31	UG/KG	1.05						0.486	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#32	UG/KG	0.346	U					0.366	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#33	UG/KG	0.346	U					0.366	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#37	UG/KG	0.346	U					0.366	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#40	UG/KG	0.346	U					0.366	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#41	UG/KG	0.346	U					0.366	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#42	UG/KG	0.322	J					0.24	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#43	UG/KG	0.346	U					0.366	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#44	UG/KG	0.652						0.481	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#45	UG/KG	0.346	U					0.366	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#47	UG/KG	0.828						0.57	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#48	UG/KG	0.346	U					0.366	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#49	UG/KG	1.82						1.18	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#50	UG/KG	0.346	U					0.366	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#51	UG/KG	0.346	U					0.366	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#52	UG/KG	2.75						1.7	

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	Q2-Station F		Q2-Station F		Q2-Station F		Q2-Station G	
					Lab Sample Delivery Group	L2425326		L2426113		L2426113		L2425326	
					Field Sample Date	5/9/2024 0:00		5/9/2024 10:40		5/9/2024 10:40		5/7/2024 0:00	
					Field Sample ID	NBH24-SF-F-2		NBH24-SF-F2 - DISSOLVED		NBH24-SF-F2 - TOTAL		NBH24-SF-G-2	
					Media Type	Quahog		SW co loc w/ Quahogs		SW co loc w/ Quahogs		Quahog	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#53	UG/KG	0.232	J					0.366	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#54	UG/KG	0.346	U					0.366	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#56	UG/KG	0.291	J					0.242	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#60	UG/KG	0.346	U					0.366	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#63	UG/KG	0.346	U					0.366	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#66	UG/KG	0.911						0.798	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#68/#64	UG/KG	0.56	J					0.731	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#70	UG/KG	0.648						0.518	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#71	UG/KG	0.325	J					0.237	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#73/#46	UG/KG	0.692	U					0.731	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#74	UG/KG	0.534						0.35	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#76	UG/KG	0.346	U					0.366	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#77	UG/KG	0.346	U					0.366	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#81	UG/KG	0.346	U					0.366	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#100	UG/KG	0.346	U					0.366	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#101/#90	UG/KG	2.31						2.4	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#104	UG/KG	0.346	U					0.366	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#105	UG/KG	0.309	J					0.332	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#107/#123	UG/KG	0.348	J					0.731	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#110	UG/KG	2.08						2	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#114	UG/KG	0.346	U					0.366	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#118	UG/KG	1.71						1.73	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#119	UG/KG	0.274	J					0.366	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#121/#95/#88	UG/KG	1.04						0.945	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#124	UG/KG	0.346	U					0.366	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#126	UG/KG	0.346	U					0.366	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#82	UG/KG	0.346	U					0.366	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#83/#125/#112	UG/KG	1.04	U					1.1	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#85	UG/KG	0.201	J					0.269	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#87/#111	UG/KG	0.692	U					0.398	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#89/#84	UG/KG	0.48	J					0.633	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#91	UG/KG	0.46						0.363	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#92	UG/KG	0.693						0.687	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#97	UG/KG	0.502						0.504	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#99	UG/KG	1.93						1.7	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#128	UG/KG	0.313	J					0.31	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#129/#158	UG/KG	0.692	U					0.731	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#130/#164	UG/KG	0.692	U					0.731	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#131	UG/KG	0.346	U					0.366	U

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	Q2-Station F		Q2-Station F		Q2-Station F		Q2-Station G	
					Lab Sample Delivery Group	L2425326		L2426113		L2426113		L2425326	
					Field Sample Date	5/9/2024 0:00		5/9/2024 10:40		5/9/2024 10:40		5/7/2024 0:00	
					Field Sample ID	NBH24-SF-F-2		NBH24-SF-F2 - DISSOLVED		NBH24-SF-F2 - TOTAL		NBH24-SF-G-2	
					Media Type	Quahog		SW co loc w/ Quahogs		SW co loc w/ Quahogs		Quahog	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#132	UG/KG	0.334	J					0.537	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#134	UG/KG	0.346	U					0.366	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#135	UG/KG	0.373						0.33	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#136	UG/KG	0.346	U					0.223	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#137	UG/KG	0.346	U					0.366	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#138	UG/KG	0.636						0.793	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#141	UG/KG	0.346	U					0.366	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#144	UG/KG	0.346	U					0.366	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#146	UG/KG	0.628						0.597	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#147/#149	UG/KG	1.35						1.42	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#151	UG/KG	0.346	U					0.366	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#153	UG/KG	2.41						2.42	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#154	UG/KG	0.346	U					0.366	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#155	UG/KG	0.346	U					0.366	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#156	UG/KG	0.346	U					0.216	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#157	UG/KG	0.346	U					0.366	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#163/#160	UG/KG	0.832						0.771	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#167	UG/KG	0.346	U					0.366	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#168	UG/KG	0.346	U					0.366	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#169	UG/KG	0.346	U					0.366	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#170	UG/KG	0.346	U					0.366	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#171	UG/KG	0.346	U					0.366	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#172	UG/KG	0.346	U					0.366	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#173	UG/KG	0.346	U					0.366	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#174	UG/KG	0.346	U					0.366	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#176	UG/KG	0.346	U					0.366	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#177	UG/KG	0.346	U					0.316	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#178	UG/KG	0.346	U					0.366	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#180	UG/KG	0.282	J					0.352	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#182/#175	UG/KG	0.692	U					0.731	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#183	UG/KG	0.346	U					0.366	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#184	UG/KG	0.346	U					0.366	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#185	UG/KG	0.346	U					0.366	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#187	UG/KG	0.349						0.396	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#188	UG/KG	0.346	U					0.366	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#189	UG/KG	0.346	U					0.366	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#190	UG/KG	0.346	U					0.366	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#191	UG/KG	0.346	U					0.366	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#193	UG/KG	0.346	U					0.366	U

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	Q2-Station F		Q2-Station F		Q2-Station F		Q2-Station G	
					Lab Sample Delivery Group	L2425326		L2426113		L2426113		L2425326	
					Field Sample Date	5/9/2024 0:00		5/9/2024 10:40		5/9/2024 10:40		5/7/2024 0:00	
					Field Sample ID	NBH24-SF-F-2		NBH24-SF-F2 - DISSOLVED		NBH24-SF-F2 - TOTAL		NBH24-SF-G-2	
					Media Type	Quahog		SW co loc w/ Quahogs		SW co loc w/ Quahogs		Quahog	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#194	UG/KG	0.346	U					0.366	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#195	UG/KG	0.346	U					0.366	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#196	UG/KG	0.346	U					0.366	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#197	UG/KG	0.346	U					0.366	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#199	UG/KG	0.346	U					0.366	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#201	UG/KG	0.346	U					0.366	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#202	UG/KG	0.346	U					0.366	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#203	UG/KG	0.346	U					0.366	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#204/#200	UG/KG	0.692	U					0.731	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#205	UG/KG	0.346	U					0.366	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#206	UG/KG	0.346	U					0.366	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#207	UG/KG	0.346	U					0.366	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#208	UG/KG	0.346	U					0.366	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Decachlorobiphenyl	UG/KG	0.346	U					0.366	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Total PCBs	UG/KG	32.8						28.3	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#1	NG/L			0.467	UJ	0.463	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#3	NG/L			0.467	UJ	0.463	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#12	NG/L			0.467	UJ	0.463	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#13	NG/L			0.467	UJ	0.463	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#15	NG/L			0.467	UJ	0.463	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#4/#10	NG/L			0.934	UJ	0.926	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#5	NG/L			0.467	UJ	0.463	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#6	NG/L			0.467	UJ	0.463	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#7	NG/L			0.467	UJ	0.463	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#8	NG/L			0.467	UJ	0.463	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#16	NG/L			0.467	UJ	0.463	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#17	NG/L			0.467	UJ	0.463	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#18	NG/L			0.467	UJ	0.463	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#19	NG/L			0.467	UJ	0.463	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#21/#20	NG/L			0.934	UJ	0.926	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#22	NG/L			0.467	UJ	0.463	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#24	NG/L			0.467	UJ	0.463	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#25	NG/L			0.467	UJ	0.463	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#26	NG/L			0.467	UJ	0.463	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#27	NG/L			0.467	UJ	0.463	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#28	NG/L			0.467	UJ	0.28	J		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#29	NG/L			0.467	UJ	0.463	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#31	NG/L			0.467	UJ	0.314	J		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#32	NG/L			0.467	UJ	0.463	U		

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	Q2-Station F		Q2-Station F		Q2-Station F		Q2-Station G	
					Lab Sample Delivery Group	L2425326		L2426113		L2426113		L2425326	
					Field Sample Date	5/9/2024 0:00		5/9/2024 10:40		5/9/2024 10:40		5/7/2024 0:00	
					Field Sample ID	NBH24-SF-F-2		NBH24-SF-F2 - DISSOLVED		NBH24-SF-F2 - TOTAL		NBH24-SF-G-2	
					Media Type	Quahog		SW co loc w/ Quahogs		SW co loc w/ Quahogs		Quahog	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#33	NG/L			0.467	UJ	0.463	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#37	NG/L			0.467	UJ	0.463	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#40	NG/L			0.467	UJ	0.463	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#41	NG/L			0.467	UJ	0.463	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#42	NG/L			0.467	UJ	0.463	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#43	NG/L			0.467	UJ	0.463	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#44	NG/L			0.467	UJ	0.463	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#45	NG/L			0.467	UJ	0.463	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#47	NG/L			0.467	UJ	0.463	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#48	NG/L			0.467	UJ	0.463	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#49	NG/L			0.467	UJ	0.278	J		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#50	NG/L			0.467	UJ	0.463	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#51	NG/L			0.467	UJ	0.463	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#52	NG/L			0.336	J	0.498			
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#53	NG/L			0.467	UJ	0.463	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#54	NG/L			0.467	UJ	0.463	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#56	NG/L			0.467	UJ	0.463	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#60	NG/L			0.467	UJ	0.463	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#63	NG/L			0.467	UJ	0.463	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#66	NG/L			0.467	UJ	0.463	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#68/#64	NG/L			0.934	UJ	0.926	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#70	NG/L			0.467	UJ	0.463	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#71	NG/L			0.467	UJ	0.463	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#73/#46	NG/L			0.934	UJ	0.926	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#74	NG/L			0.467	UJ	0.463	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#76	NG/L			0.467	UJ	0.463	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#77	NG/L			0.467	UJ	0.463	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#81	NG/L			0.467	UJ	0.463	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#100	NG/L			0.467	UJ	0.463	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#101/#90	NG/L			0.934	UJ	0.926	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#104	NG/L			0.467	UJ	0.463	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#105	NG/L			0.467	UJ	0.463	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#107/#123	NG/L			0.934	UJ	0.926	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#110	NG/L			0.467	UJ	0.242	J		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#114	NG/L			0.467	UJ	0.463	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#118	NG/L			0.467	UJ	0.463	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#119	NG/L			0.467	UJ	0.463	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#121/#95/#88	NG/L			1.4	UJ	1.39	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#124	NG/L			0.467	UJ	0.463	U		

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	Q2-Station F		Q2-Station F		Q2-Station F		Q2-Station G	
					Lab Sample Delivery Group	L2425326		L2426113		L2426113		L2425326	
					Field Sample Date	5/9/2024 0:00		5/9/2024 10:40		5/9/2024 10:40		5/7/2024 0:00	
					Field Sample ID	NBH24-SF-F-2		NBH24-SF-F2 - DISSOLVED		NBH24-SF-F2 - TOTAL		NBH24-SF-G-2	
					Media Type	Quahog		SW co loc w/ Quahogs		SW co loc w/ Quahogs		Quahog	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#126	NG/L			0.467	UJ	0.463	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#82	NG/L			0.467	UJ	0.463	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#83/#125/#112	NG/L			1.4	UJ	1.39	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#85	NG/L			0.467	UJ	0.463	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#87/#111	NG/L			0.934	UJ	0.926	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#89/#84	NG/L			0.934	UJ	0.926	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#91	NG/L			0.467	UJ	0.463	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#92	NG/L			0.467	UJ	0.463	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#97	NG/L			0.467	UJ	0.463	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#99	NG/L			0.467	UJ	0.463	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#128	NG/L			0.467	UJ	0.463	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#129/#158	NG/L			0.934	UJ	0.926	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#130/#164	NG/L			0.934	UJ	0.926	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#131	NG/L			0.467	UJ	0.463	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#132	NG/L			0.467	UJ	0.463	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#134	NG/L			0.467	UJ	0.463	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#135	NG/L			0.467	UJ	0.463	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#136	NG/L			0.467	UJ	0.463	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#137	NG/L			0.467	UJ	0.463	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#138	NG/L			0.467	UJ	0.463	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#141	NG/L			0.467	UJ	0.463	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#144	NG/L			0.467	UJ	0.463	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#146	NG/L			0.467	UJ	0.463	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#147/#149	NG/L			0.934	UJ	0.926	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#151	NG/L			0.467	UJ	0.463	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#153	NG/L			0.467	UJ	0.463	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#154	NG/L			0.467	UJ	0.463	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#155	NG/L			0.467	UJ	0.463	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#156	NG/L			0.467	UJ	0.463	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#157	NG/L			0.467	UJ	0.463	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#163/#160	NG/L			0.934	UJ	0.926	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#167	NG/L			0.467	UJ	0.463	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#168	NG/L			0.467	UJ	0.463	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#169	NG/L			0.467	UJ	0.463	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#170	NG/L			0.467	UJ	0.463	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#171	NG/L			0.467	UJ	0.463	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#172	NG/L			0.467	UJ	0.463	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#173	NG/L			0.467	UJ	0.463	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#174	NG/L			0.467	UJ	0.463	U		

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	Q2-Station F		Q2-Station F		Q2-Station F		Q2-Station G	
					Lab Sample Delivery Group	L2425326		L2426113		L2426113		L2425326	
					Field Sample Date	5/9/2024 0:00		5/9/2024 10:40		5/9/2024 10:40		5/7/2024 0:00	
					Field Sample ID	NBH24-SF-F-2		NBH24-SF-F2 - DISSOLVED		NBH24-SF-F2 - TOTAL		NBH24-SF-G-2	
					Media Type	Quahog		SW co loc w/ Quahogs		SW co loc w/ Quahogs		Quahog	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#176	NG/L			0.467	UJ	0.463	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#177	NG/L			0.467	UJ	0.463	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#178	NG/L			0.467	UJ	0.463	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#180	NG/L			0.467	UJ	0.463	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#182/#175	NG/L			0.934	UJ	0.926	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#183	NG/L			0.467	UJ	0.463	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#184	NG/L			0.467	UJ	0.463	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#185	NG/L			0.467	UJ	0.463	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#187	NG/L			0.467	UJ	0.463	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#188	NG/L			0.467	UJ	0.463	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#189	NG/L			0.467	UJ	0.463	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#190	NG/L			0.467	UJ	0.463	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#191	NG/L			0.467	UJ	0.463	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#193	NG/L			0.467	UJ	0.463	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#194	NG/L			0.467	UJ	0.463	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#195	NG/L			0.467	UJ	0.463	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#196	NG/L			0.467	UJ	0.463	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#197	NG/L			0.467	UJ	0.463	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#199	NG/L			0.467	UJ	0.463	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#201	NG/L			0.467	UJ	0.463	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#202	NG/L			0.467	UJ	0.463	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#203	NG/L			0.467	UJ	0.463	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#204/#200	NG/L			0.934	UJ	0.926	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#205	NG/L			0.467	UJ	0.463	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#206	NG/L			0.467	UJ	0.463	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#207	NG/L			0.467	UJ	0.463	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#208	NG/L			0.467	UJ	0.463	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Decachlorobiphenyl	NG/L			0.467	UJ	0.463	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Total PCBs	NG/L			0.336	J	1.61			

NOTES:
B = biological
L = liquid
ug/kg = microgram per kilogram
ng/L = nanograms per liter
U = not detected at the reported detection limit
UJ = estimated value at the reporting limit
J = estimated value
J- = estimated value biased low
FS = field sample

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	Q2-Station H		Q2-Station H		Q2-Station H		Q3-Station B	
					Lab Sample Delivery Group	L2425313		L2425313		L2425326		L2428797	
					Field Sample Date	5/7/2024 13:10		5/7/2024 13:10		5/7/2024 0:00		5/24/2024 9:30	
					Field Sample ID	NBH24-SF-H2 - DISSOLVED		NBH24-SF-H2 - TOTAL		NBH24-SF-H-2		NBH24-SF-B3 - DISSOLVED	
					Media Type	SW co loc w/ Quahogs		SW co loc w/ Quahogs		Quahog		SW co loc w/ Quahogs	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	Lipids	LIPIDS	T	Lipids	PERCENT					0.385			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#1	UG/KG					0.385	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#3	UG/KG					0.385	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#12	UG/KG					0.385	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#13	UG/KG					0.771	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#15	UG/KG					0.271	J		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#4/#10	UG/KG					0.771	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#5	UG/KG					0.385	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#6	UG/KG					0.385	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#7	UG/KG					0.385	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#8	UG/KG					0.193	J		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#16	UG/KG					0.385	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#17	UG/KG					0.616			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#18	UG/KG					1.29			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#19	UG/KG					0.385	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#21/#20	UG/KG					0.771	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#22	UG/KG					0.657			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#24	UG/KG					0.385	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#25	UG/KG					0.385	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#26	UG/KG					2.03			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#27	UG/KG					0.215	J		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#28	UG/KG					2.68			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#29	UG/KG					0.385	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#31	UG/KG					2.63			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#32	UG/KG					0.503			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#33	UG/KG					0.385	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#37	UG/KG					0.432			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#40	UG/KG					0.313	J		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#41	UG/KG					0.385	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#42	UG/KG					0.783			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#43	UG/KG					0.385	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#44	UG/KG					2.12			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#45	UG/KG					0.289	J		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#47	UG/KG					2.16			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#48	UG/KG					0.252	J		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#49	UG/KG					5.25			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#50	UG/KG					0.385	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#51	UG/KG					0.21	J		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#52	UG/KG					7.83			

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	Q2-Station H		Q2-Station H		Q2-Station H		Q3-Station B	
					Lab Sample Delivery Group	L2425313		L2425313		L2425326		L2428797	
					Field Sample Date	5/7/2024 13:10		5/7/2024 13:10		5/7/2024 0:00		5/24/2024 9:30	
					Field Sample ID	NBH24-SF-H2 - DISSOLVED		NBH24-SF-H2 - TOTAL		NBH24-SF-H-2		NBH24-SF-B3 - DISSOLVED	
					Media Type	SW co loc w/ Quahogs		SW co loc w/ Quahogs		Quahog		SW co loc w/ Quahogs	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#53	UG/KG					0.628			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#54	UG/KG					0.385	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#56	UG/KG					0.792			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#60	UG/KG					0.351	J		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#63	UG/KG					0.195	J		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#66	UG/KG					2.41			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#68/#64	UG/KG					1.46			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#70	UG/KG					1.78			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#71	UG/KG					0.905			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#73/#46	UG/KG					0.771	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#74	UG/KG					1.57			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#76	UG/KG					0.385	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#77	UG/KG					0.385	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#81	UG/KG					0.385	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#100	UG/KG					0.205	J		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#101/#90	UG/KG					6.4			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#104	UG/KG					0.385	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#105	UG/KG					0.808			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#107/#123	UG/KG					0.756	J		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#110	UG/KG					6.2			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#114	UG/KG					0.198	J		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#118	UG/KG					4.22			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#119	UG/KG					0.587			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#121/#95/#88	UG/KG					3.05			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#124	UG/KG					0.385	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#126	UG/KG					0.385	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#82	UG/KG					0.301	J		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#83/#125/#112	UG/KG					1.16	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#85	UG/KG					0.684			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#87/#111	UG/KG					0.972			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#89/#84	UG/KG					1.17			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#91	UG/KG					1.18			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#92	UG/KG					1.84			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#97	UG/KG					1.52			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#99	UG/KG					4.86			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#128	UG/KG					0.675			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#129/#158	UG/KG					0.518	J		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#130/#164	UG/KG					0.761	J		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#131	UG/KG					0.385	U		

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	Q2-Station H		Q2-Station H		Q2-Station H		Q3-Station B	
					Lab Sample Delivery Group	L2425313		L2425313		L2425326		L2428797	
					Field Sample Date	5/7/2024 13:10		5/7/2024 13:10		5/7/2024 0:00		5/24/2024 9:30	
					Field Sample ID	NBH24-SF-H2 - DISSOLVED		NBH24-SF-H2 - TOTAL		NBH24-SF-H-2		NBH24-SF-B3 - DISSOLVED	
					Media Type	SW co loc w/ Quahogs		SW co loc w/ Quahogs		Quahog		SW co loc w/ Quahogs	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#132	UG/KG					1.28			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#134	UG/KG					0.242	J		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#135	UG/KG					0.825			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#136	UG/KG					0.472			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#137	UG/KG					0.304	J		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#138	UG/KG					2.13			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#141	UG/KG					0.371	J		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#144	UG/KG					0.385	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#146	UG/KG					1.58			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#147/#149	UG/KG					3.96			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#151	UG/KG					0.488			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#153	UG/KG					6.23			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#154	UG/KG					0.264	J		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#155	UG/KG					0.385	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#156	UG/KG					0.43			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#157	UG/KG					0.201	J		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#163/#160	UG/KG					2.02			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#167	UG/KG					0.227	J		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#168	UG/KG					0.385	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#169	UG/KG					0.385	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#170	UG/KG					0.383	J		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#171	UG/KG					0.385	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#172	UG/KG					0.385	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#173	UG/KG					0.385	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#174	UG/KG					0.316	J		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#176	UG/KG					0.385	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#177	UG/KG					0.428			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#178	UG/KG					0.385	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#180	UG/KG					0.902			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#182/#175	UG/KG					0.771	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#183	UG/KG					0.385	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#184	UG/KG					0.385	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#185	UG/KG					0.385	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#187	UG/KG					0.939			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#188	UG/KG					0.385	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#189	UG/KG					0.385	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#190	UG/KG					0.385	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#191	UG/KG					0.385	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#193	UG/KG					0.385	U		

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	Q2-Station H		Q2-Station H		Q2-Station H		Q3-Station B	
					Lab Sample Delivery Group	L2425313		L2425313		L2425326		L2428797	
					Field Sample Date	5/7/2024 13:10		5/7/2024 13:10		5/7/2024 0:00		5/24/2024 9:30	
					Field Sample ID	NBH24-SF-H2 - DISSOLVED		NBH24-SF-H2 - TOTAL		NBH24-SF-H-2		NBH24-SF-B3 - DISSOLVED	
					Media Type	SW co loc w/ Quahogs		SW co loc w/ Quahogs		Quahog		SW co loc w/ Quahogs	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#194	UG/KG					0.385	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#195	UG/KG					0.385	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#196	UG/KG					0.385	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#197	UG/KG					0.385	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#199	UG/KG					0.385	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#201	UG/KG					0.216	J		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#202	UG/KG					0.385	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#203	UG/KG					0.385	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#204/#200	UG/KG					0.771	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#205	UG/KG					0.385	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#206	UG/KG					0.385	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#207	UG/KG					0.385	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#208	UG/KG					0.385	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Decachlorobiphenyl	UG/KG					0.385	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Total PCBs	UG/KG					102			
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#1	NG/L	0.49	U	0.488	U			0.488	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#3	NG/L	0.49	U	0.488	U			0.488	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#12	NG/L	0.49	U	0.488	U			0.488	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#13	NG/L	0.49	U	0.488	U			0.488	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#15	NG/L	0.49	U	0.488	U			0.488	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#4/#10	NG/L	0.98	U	0.976	U			0.976	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#5	NG/L	0.49	U	0.488	U			0.488	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#6	NG/L	0.49	U	0.488	U			0.488	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#7	NG/L	0.49	U	0.488	U			0.488	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#8	NG/L	0.49	U	0.488	U			0.488	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#16	NG/L	0.49	U	0.488	U			0.488	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#17	NG/L	0.49	U	0.324	J			0.488	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#18	NG/L	0.526		0.703				0.488	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#19	NG/L	0.49	U	0.488	U			0.488	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#21/#20	NG/L	0.98	U	0.976	U			0.976	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#22	NG/L	0.49	U	0.488	U			0.488	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#24	NG/L	0.49	U	0.488	U			0.488	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#25	NG/L	0.49	U	0.421	J			0.488	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#26	NG/L	0.422	J	0.613				0.488	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#27	NG/L	0.49	U	0.488	U			0.488	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#28	NG/L	0.446	J	0.543				0.488	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#29	NG/L	0.49	U	0.488	U			0.488	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#31	NG/L	0.509		0.79				0.488	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#32	NG/L	0.49	U	0.488	U			0.488	U

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	Q2-Station H		Q2-Station H		Q2-Station H		Q3-Station B	
					Lab Sample Delivery Group	L2425313		L2425313		L2425326		L2428797	
					Field Sample Date	5/7/2024 13:10		5/7/2024 13:10		5/7/2024 0:00		5/24/2024 9:30	
					Field Sample ID	NBH24-SF-H2 - DISSOLVED		NBH24-SF-H2 - TOTAL		NBH24-SF-H-2		NBH24-SF-B3 - DISSOLVED	
					Media Type	SW co loc w/ Quahogs		SW co loc w/ Quahogs		Quahog		SW co loc w/ Quahogs	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#33	NG/L	0.49	U	0.488	U			0.488	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#37	NG/L	0.49	U	0.488	U			0.488	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#40	NG/L	0.49	U	0.488	U			0.488	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#41	NG/L	0.49	U	0.488	U			0.488	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#42	NG/L	0.49	U	0.488	U			0.488	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#43	NG/L	0.49	U	0.488	U			0.488	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#44	NG/L	0.325	J	0.395	J			0.488	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#45	NG/L	0.49	U	0.488	U			0.488	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#47	NG/L	0.49	U	0.488	U			0.488	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#48	NG/L	0.49	U	0.488	U			0.488	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#49	NG/L	0.399	J	0.77				0.488	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#50	NG/L	0.49	U	0.488	U			0.488	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#51	NG/L	0.49	U	0.488	U			0.488	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#52	NG/L	0.62		1.09				0.488	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#53	NG/L	0.49	U	0.488	U			0.488	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#54	NG/L	0.49	U	0.488	U			0.488	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#56	NG/L	0.49	U	0.488	U			0.488	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#60	NG/L	0.49	U	0.488	U			0.488	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#63	NG/L	0.49	U	0.488	U			0.488	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#66	NG/L	0.49	U	0.488	U			0.488	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#68/#64	NG/L	0.98	U	0.976	U			0.976	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#70	NG/L	0.49	U	0.488	U			0.488	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#71	NG/L	0.49	U	0.488	U			0.488	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#73/#46	NG/L	0.98	U	0.976	U			0.976	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#74	NG/L	0.49	U	0.488	U			0.488	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#76	NG/L	0.49	U	0.488	U			0.488	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#77	NG/L	0.49	U	0.488	U			0.488	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#81	NG/L	0.49	U	0.488	U			0.488	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#100	NG/L	0.49	U	0.488	U			0.488	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#101/#90	NG/L	0.98	U	0.976	U			0.976	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#104	NG/L	0.49	U	0.488	U			0.488	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#105	NG/L	0.49	U	0.488	U			0.488	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#107/#123	NG/L	0.98	U	0.976	U			0.976	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#110	NG/L	0.49	U	0.454	J			0.488	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#114	NG/L	0.49	U	0.488	U			0.488	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#118	NG/L	0.49	U	0.301	J			0.488	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#119	NG/L	0.49	U	0.488	U			0.488	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#121/#95/#88	NG/L	1.47	U	1.46	U			1.46	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#124	NG/L	0.49	U	0.488	U			0.488	U

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	Q2-Station H		Q2-Station H		Q2-Station H		Q3-Station B	
					Lab Sample Delivery Group	L2425313		L2425313		L2425326		L2428797	
					Field Sample Date	5/7/2024 13:10		5/7/2024 13:10		5/7/2024 0:00		5/24/2024 9:30	
					Field Sample ID	NBH24-SF-H2 - DISSOLVED		NBH24-SF-H2 - TOTAL		NBH24-SF-H-2		NBH24-SF-B3 - DISSOLVED	
					Media Type	SW co loc w/ Quahogs		SW co loc w/ Quahogs		Quahog		SW co loc w/ Quahogs	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#126	NG/L	0.49 U		0.488 U				0.488 U	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#82	NG/L	0.49 U		0.488 U				0.488 U	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#83/#125/#112	NG/L	1.47 U		1.46 U				1.46 U	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#85	NG/L	0.49 U		0.488 U				0.488 U	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#87/#111	NG/L	0.98 U		0.976 U				0.976 U	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#89/#84	NG/L	0.98 U		0.976 U				0.976 U	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#91	NG/L	0.49 U		0.488 U				0.488 U	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#92	NG/L	0.49 U		0.488 U				0.488 U	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#97	NG/L	0.49 U		0.488 U				0.488 U	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#99	NG/L	0.49 U		0.27 J				0.488 U	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#128	NG/L	0.49 U		0.488 U				0.488 U	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#129/#158	NG/L	0.98 U		0.976 U				0.976 U	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#130/#164	NG/L	0.98 U		0.976 U				0.976 U	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#131	NG/L	0.49 U		0.488 U				0.488 U	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#132	NG/L	0.49 U		0.488 U				0.488 U	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#134	NG/L	0.49 U		0.488 U				0.488 U	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#135	NG/L	0.49 U		0.488 U				0.488 U	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#136	NG/L	0.49 U		0.488 U				0.488 U	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#137	NG/L	0.49 U		0.488 U				0.488 U	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#138	NG/L	0.49 U		0.488 U				0.488 U	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#141	NG/L	0.49 U		0.488 U				0.488 U	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#144	NG/L	0.49 U		0.488 U				0.488 U	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#146	NG/L	0.49 U		0.488 U				0.488 U	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#147/#149	NG/L	0.98 U		0.976 U				0.976 U	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#151	NG/L	0.49 U		0.488 U				0.488 U	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#153	NG/L	0.49 U		0.321 J				0.488 U	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#154	NG/L	0.49 U		0.488 U				0.488 U	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#155	NG/L	0.49 U		0.488 U				0.488 U	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#156	NG/L	0.49 U		0.488 U				0.488 U	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#157	NG/L	0.49 U		0.488 U				0.488 U	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#163/#160	NG/L	0.98 U		0.976 U				0.976 U	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#167	NG/L	0.49 U		0.488 U				0.488 U	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#168	NG/L	0.49 U		0.488 U				0.488 U	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#169	NG/L	0.49 U		0.488 U				0.488 U	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#170	NG/L	0.49 U		0.488 U				0.488 U	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#171	NG/L	0.49 U		0.488 U				0.488 U	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#172	NG/L	0.49 U		0.488 U				0.488 U	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#173	NG/L	0.49 U		0.488 U				0.488 U	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#174	NG/L	0.49 U		0.488 U				0.488 U	

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	Q2-Station H		Q2-Station H		Q2-Station H		Q3-Station B	
					Lab Sample Delivery Group	L2425313		L2425313		L2425326		L2428797	
					Field Sample Date	5/7/2024 13:10		5/7/2024 13:10		5/7/2024 0:00		5/24/2024 9:30	
					Field Sample ID	NBH24-SF-H2 - DISSOLVED		NBH24-SF-H2 - TOTAL		NBH24-SF-H-2		NBH24-SF-B3 - DISSOLVED	
					Media Type	SW co loc w/ Quahogs		SW co loc w/ Quahogs		Quahog		SW co loc w/ Quahogs	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#176	NG/L	0.49 U		0.488 U				0.488 U	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#177	NG/L	0.49 U		0.488 U				0.488 U	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#178	NG/L	0.49 U		0.488 U				0.488 U	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#180	NG/L	0.49 U		0.488 U				0.488 U	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#182/#175	NG/L	0.98 U		0.976 U				0.976 U	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#183	NG/L	0.49 U		0.488 U				0.488 U	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#184	NG/L	0.49 U		0.488 U				0.488 U	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#185	NG/L	0.49 U		0.488 U				0.488 U	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#187	NG/L	0.49 U		0.488 U				0.488 U	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#188	NG/L	0.49 U		0.488 U				0.488 U	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#189	NG/L	0.49 U		0.488 U				0.488 U	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#190	NG/L	0.49 U		0.488 U				0.488 U	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#191	NG/L	0.49 U		0.488 U				0.488 U	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#193	NG/L	0.49 U		0.488 U				0.488 U	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#194	NG/L	0.49 U		0.488 U				0.488 U	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#195	NG/L	0.49 U		0.488 U				0.488 U	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#196	NG/L	0.49 U		0.488 U				0.488 U	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#197	NG/L	0.49 U		0.488 U				0.488 U	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#199	NG/L	0.49 U		0.488 U				0.488 U	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#201	NG/L	0.49 U		0.488 U				0.488 U	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#202	NG/L	0.49 U		0.488 U				0.488 U	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#203	NG/L	0.49 U		0.488 U				0.488 U	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#204/#200	NG/L	0.98 U		0.976 U				0.976 U	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#205	NG/L	0.49 U		0.488 U				0.488 U	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#206	NG/L	0.49 U		0.488 U				0.488 U	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#207	NG/L	0.49 U		0.488 U				0.488 U	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#208	NG/L	0.49 U		0.488 U				0.488 U	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Decachlorobiphenyl	NG/L	0.49 U		0.488 U				0.488 U	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Total PCBs	NG/L	3.25		7				0.488 U	

NOTES:
B = biological
L = liquid
ug/kg = microgram per kilogram
ng/L = nanograms per liter
U = not detected at the reported detection limit
UJ = estimated value at the reporting limit
J = estimated value
J- = estimated value biased low
FS = field sample

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	Q3-Station B		Q3-Station D		Q3-Station D		Q3-Station I	
					Lab Sample Delivery Group	L2428797		L2426113		L2426113		L2425326	
					Field Sample Date	5/24/2024 9:30		5/9/2024 9:55		5/9/2024 9:55		5/23/2024 0:00	
					Field Sample ID	NBH24-SF-B3 - TOTAL		NBH24-SF-D3 - DISSOLVED		NBH24-SF-D3 - TOTAL		NBH24-SF-I-3	
					Media Type	SW co loc w/ Quahogs		SW co loc w/ Quahogs		SW co loc w/ Quahogs		Quahog	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	Lipids	LIPIDS	T	Lipids	PERCENT							0.165	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#1	UG/KG							0.344	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#3	UG/KG							0.344	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#12	UG/KG							0.344	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#13	UG/KG							0.688	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#15	UG/KG							0.344	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#4/#10	UG/KG							0.688	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#5	UG/KG							0.344	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#6	UG/KG							0.344	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#7	UG/KG							0.344	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#8	UG/KG							0.344	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#16	UG/KG							0.344	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#17	UG/KG							0.344	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#18	UG/KG							0.344	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#19	UG/KG							0.344	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#21/#20	UG/KG							0.688	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#22	UG/KG							0.344	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#24	UG/KG							0.344	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#25	UG/KG							0.344	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#26	UG/KG							0.177	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#27	UG/KG							0.344	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#28	UG/KG							0.302	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#29	UG/KG							0.344	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#31	UG/KG							0.306	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#32	UG/KG							0.344	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#33	UG/KG							0.344	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#37	UG/KG							0.344	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#40	UG/KG							0.344	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#41	UG/KG							0.344	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#42	UG/KG							0.344	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#43	UG/KG							0.344	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#44	UG/KG							0.306	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#45	UG/KG							0.344	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#47	UG/KG							0.234	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#48	UG/KG							0.344	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#49	UG/KG							0.663	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#50	UG/KG							0.344	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#51	UG/KG							0.344	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#52	UG/KG							0.96	

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	Q3-Station B		Q3-Station D		Q3-Station D		Q3-Station I	
					Lab Sample Delivery Group	L2428797		L2426113		L2426113		L2425326	
					Field Sample Date	5/24/2024 9:30		5/9/2024 9:55		5/9/2024 9:55		5/23/2024 0:00	
					Field Sample ID	NBH24-SF-B3 - TOTAL		NBH24-SF-D3 - DISSOLVED		NBH24-SF-D3 - TOTAL		NBH24-SF-I-3	
					Media Type	SW co loc w/ Quahogs		SW co loc w/ Quahogs		SW co loc w/ Quahogs		Quahog	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#53	UG/KG							0.344	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#54	UG/KG							0.344	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#56	UG/KG							0.344	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#60	UG/KG							0.344	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#63	UG/KG							0.344	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#66	UG/KG							0.286	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#68/#64	UG/KG							0.688	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#70	UG/KG							0.235	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#71	UG/KG							0.344	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#73/#46	UG/KG							0.688	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#74	UG/KG							0.174	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#76	UG/KG							0.344	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#77	UG/KG							0.344	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#81	UG/KG							0.344	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#100	UG/KG							0.344	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#101/#90	UG/KG							1.08	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#104	UG/KG							0.344	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#105	UG/KG							0.344	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#107/#123	UG/KG							0.688	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#110	UG/KG							0.94	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#114	UG/KG							0.344	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#118	UG/KG							0.674	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#119	UG/KG							0.344	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#121/#95/#88	UG/KG							1.03	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#124	UG/KG							0.344	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#126	UG/KG							0.344	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#82	UG/KG							0.344	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#83/#125/#112	UG/KG							1.03	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#85	UG/KG							0.344	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#87/#111	UG/KG							0.688	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#89/#84	UG/KG							0.688	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#91	UG/KG							0.189	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#92	UG/KG							0.304	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#97	UG/KG							0.26	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#99	UG/KG							0.798	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#128	UG/KG							0.344	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#129/#158	UG/KG							0.688	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#130/#164	UG/KG							0.688	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#131	UG/KG							0.344	U

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	Q3-Station B		Q3-Station D		Q3-Station D		Q3-Station I	
					Lab Sample Delivery Group	L2428797		L2426113		L2426113		L2425326	
					Field Sample Date	5/24/2024 9:30		5/9/2024 9:55		5/9/2024 9:55		5/23/2024 0:00	
					Field Sample ID	NBH24-SF-B3 - TOTAL		NBH24-SF-D3 - DISSOLVED		NBH24-SF-D3 - TOTAL		NBH24-SF-I-3	
					Media Type	SW co loc w/ Quahogs		SW co loc w/ Quahogs		SW co loc w/ Quahogs		Quahog	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#132	UG/KG							0.332	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#134	UG/KG							0.344	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#135	UG/KG							0.208	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#136	UG/KG							0.344	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#137	UG/KG							0.344	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#138	UG/KG							0.346	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#141	UG/KG							0.344	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#144	UG/KG							0.344	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#146	UG/KG							0.341	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#147/#149	UG/KG							0.717	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#151	UG/KG							0.344	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#153	UG/KG							1.21	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#154	UG/KG							0.344	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#155	UG/KG							0.344	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#156	UG/KG							0.344	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#157	UG/KG							0.344	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#163/#160	UG/KG							0.541	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#167	UG/KG							0.344	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#168	UG/KG							0.344	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#169	UG/KG							0.344	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#170	UG/KG							0.344	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#171	UG/KG							0.344	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#172	UG/KG							0.344	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#173	UG/KG							0.344	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#174	UG/KG							0.344	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#176	UG/KG							0.344	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#177	UG/KG							0.344	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#178	UG/KG							0.344	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#180	UG/KG							0.344	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#182/#175	UG/KG							0.688	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#183	UG/KG							0.344	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#184	UG/KG							0.344	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#185	UG/KG							0.344	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#187	UG/KG							0.236	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#188	UG/KG							0.344	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#189	UG/KG							0.344	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#190	UG/KG							0.344	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#191	UG/KG							0.344	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#193	UG/KG							0.344	U

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	Q3-Station B		Q3-Station D		Q3-Station D		Q3-Station I	
					Lab Sample Delivery Group	L2428797		L2426113		L2426113		L2425326	
					Field Sample Date	5/24/2024 9:30		5/9/2024 9:55		5/9/2024 9:55		5/23/2024 0:00	
					Field Sample ID	NBH24-SF-B3 - TOTAL		NBH24-SF-D3 - DISSOLVED		NBH24-SF-D3 - TOTAL		NBH24-SF-I-3	
					Media Type	SW co loc w/ Quahogs		SW co loc w/ Quahogs		SW co loc w/ Quahogs		Quahog	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#194	UG/KG							0.344	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#195	UG/KG							0.344	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#196	UG/KG							0.344	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#197	UG/KG							0.344	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#199	UG/KG							0.344	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#201	UG/KG							0.344	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#202	UG/KG							0.344	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#203	UG/KG							0.344	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#204/#200	UG/KG							0.688	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#205	UG/KG							0.344	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#206	UG/KG							0.344	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#207	UG/KG							0.344	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#208	UG/KG							0.344	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Decachlorobiphenyl	UG/KG							0.344	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Total PCBs	UG/KG							11.8	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#1	NG/L	0.488	U	0.472	UJ	0.49	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#3	NG/L	0.488	U	0.472	UJ	0.49	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#12	NG/L	0.488	U	0.472	UJ	0.49	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#13	NG/L	0.488	U	0.472	UJ	0.49	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#15	NG/L	0.488	U	0.472	UJ	0.49	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#4/#10	NG/L	0.976	U	0.943	UJ	0.98	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#5	NG/L	0.488	U	0.472	UJ	0.49	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#6	NG/L	0.488	U	0.472	UJ	0.49	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#7	NG/L	0.488	U	0.472	UJ	0.49	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#8	NG/L	0.488	U	0.472	UJ	0.49	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#16	NG/L	0.488	U	0.472	UJ	0.49	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#17	NG/L	0.488	U	0.472	UJ	0.49	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#18	NG/L	0.488	U	0.472	UJ	0.49	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#19	NG/L	0.488	U	0.472	UJ	0.49	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#21/#20	NG/L	0.976	U	0.943	UJ	0.98	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#22	NG/L	0.488	U	0.472	UJ	0.49	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#24	NG/L	0.488	U	0.472	UJ	0.49	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#25	NG/L	0.488	U	0.472	UJ	0.49	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#26	NG/L	0.488	U	0.472	UJ	0.49	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#27	NG/L	0.488	U	0.472	UJ	0.49	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#28	NG/L	0.488	U	0.472	UJ	0.49	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#29	NG/L	0.488	U	0.472	UJ	0.49	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#31	NG/L	0.488	U	0.472	UJ	0.49	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#32	NG/L	0.488	U	0.472	UJ	0.49	U		

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	Q3-Station B		Q3-Station D		Q3-Station D		Q3-Station I	
					Lab Sample Delivery Group	L2428797		L2426113		L2426113		L2425326	
					Field Sample Date	5/24/2024 9:30		5/9/2024 9:55		5/9/2024 9:55		5/23/2024 0:00	
					Field Sample ID	NBH24-SF-B3 - TOTAL		NBH24-SF-D3 - DISSOLVED		NBH24-SF-D3 - TOTAL		NBH24-SF-I-3	
					Media Type	SW co loc w/ Quahogs		SW co loc w/ Quahogs		SW co loc w/ Quahogs		Quahog	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#33	NG/L	0.488	U	0.472	UJ	0.49	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#37	NG/L	0.488	U	0.472	UJ	0.49	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#40	NG/L	0.488	U	0.472	UJ	0.49	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#41	NG/L	0.488	U	0.472	UJ	0.49	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#42	NG/L	0.488	U	0.472	UJ	0.49	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#43	NG/L	0.488	U	0.472	UJ	0.49	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#44	NG/L	0.488	U	0.472	UJ	0.49	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#45	NG/L	0.488	U	0.472	UJ	0.49	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#47	NG/L	0.488	U	0.472	UJ	0.49	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#48	NG/L	0.488	U	0.472	UJ	0.49	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#49	NG/L	0.488	U	0.472	UJ	0.49	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#50	NG/L	0.488	U	0.472	UJ	0.49	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#51	NG/L	0.488	U	0.472	UJ	0.49	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#52	NG/L	0.488	U	0.472	UJ	0.284	J		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#53	NG/L	0.488	U	0.472	UJ	0.49	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#54	NG/L	0.488	U	0.472	UJ	0.49	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#56	NG/L	0.488	U	0.472	UJ	0.49	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#60	NG/L	0.488	U	0.472	UJ	0.49	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#63	NG/L	0.488	U	0.472	UJ	0.49	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#66	NG/L	0.488	U	0.472	UJ	0.49	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#68/#64	NG/L	0.976	U	0.943	UJ	0.98	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#70	NG/L	0.488	U	0.472	UJ	0.49	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#71	NG/L	0.488	U	0.472	UJ	0.49	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#73/#46	NG/L	0.976	U	0.943	UJ	0.98	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#74	NG/L	0.488	U	0.472	UJ	0.49	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#76	NG/L	0.488	U	0.472	UJ	0.49	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#77	NG/L	0.488	U	0.472	UJ	0.49	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#81	NG/L	0.488	U	0.472	UJ	0.49	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#100	NG/L	0.488	U	0.472	UJ	0.49	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#101/#90	NG/L	0.976	U	0.943	UJ	0.98	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#104	NG/L	0.488	U	0.472	UJ	0.49	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#105	NG/L	0.488	U	0.472	UJ	0.49	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#107/#123	NG/L	0.976	U	0.943	UJ	0.98	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#110	NG/L	0.488	U	0.472	UJ	0.49	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#114	NG/L	0.488	U	0.472	UJ	0.49	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#118	NG/L	0.488	U	0.472	UJ	0.49	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#119	NG/L	0.488	U	0.472	UJ	0.49	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#121/#95/#88	NG/L	1.46	U	1.42	UJ	1.47	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#124	NG/L	0.488	U	0.472	UJ	0.49	U		

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	Q3-Station B		Q3-Station D		Q3-Station D		Q3-Station I	
					Lab Sample Delivery Group	L2428797		L2426113		L2426113		L2425326	
					Field Sample Date	5/24/2024 9:30		5/9/2024 9:55		5/9/2024 9:55		5/23/2024 0:00	
					Field Sample ID	NBH24-SF-B3 - TOTAL		NBH24-SF-D3 - DISSOLVED		NBH24-SF-D3 - TOTAL		NBH24-SF-I-3	
					Media Type	SW co loc w/ Quahogs		SW co loc w/ Quahogs		SW co loc w/ Quahogs		Quahog	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#126	NG/L	0.488	U	0.472	UJ	0.49	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#82	NG/L	0.488	U	0.472	UJ	0.49	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#83/#125/#112	NG/L	1.46	U	1.42	UJ	1.47	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#85	NG/L	0.488	U	0.472	UJ	0.49	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#87/#111	NG/L	0.976	U	0.943	UJ	0.98	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#89/#84	NG/L	0.976	U	0.943	UJ	0.98	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#91	NG/L	0.488	U	0.472	UJ	0.49	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#92	NG/L	0.488	U	0.472	UJ	0.49	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#97	NG/L	0.488	U	0.472	UJ	0.49	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#99	NG/L	0.488	U	0.472	UJ	0.49	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#128	NG/L	0.488	U	0.472	UJ	0.49	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#129/#158	NG/L	0.976	U	0.943	UJ	0.98	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#130/#164	NG/L	0.976	U	0.943	UJ	0.98	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#131	NG/L	0.488	U	0.472	UJ	0.49	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#132	NG/L	0.488	U	0.472	UJ	0.49	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#134	NG/L	0.488	U	0.472	UJ	0.49	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#135	NG/L	0.488	U	0.472	UJ	0.49	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#136	NG/L	0.488	U	0.472	UJ	0.49	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#137	NG/L	0.488	U	0.472	UJ	0.49	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#138	NG/L	0.488	U	0.472	UJ	0.49	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#141	NG/L	0.488	U	0.472	UJ	0.49	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#144	NG/L	0.488	U	0.472	UJ	0.49	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#146	NG/L	0.488	U	0.472	UJ	0.49	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#147/#149	NG/L	0.976	U	0.943	UJ	0.98	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#151	NG/L	0.488	U	0.472	UJ	0.49	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#153	NG/L	0.488	U	0.472	UJ	0.49	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#154	NG/L	0.488	U	0.472	UJ	0.49	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#155	NG/L	0.488	U	0.472	UJ	0.49	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#156	NG/L	0.488	U	0.472	UJ	0.49	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#157	NG/L	0.488	U	0.472	UJ	0.49	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#163/#160	NG/L	0.976	U	0.943	UJ	0.98	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#167	NG/L	0.488	U	0.472	UJ	0.49	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#168	NG/L	0.488	U	0.472	UJ	0.49	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#169	NG/L	0.488	U	0.472	UJ	0.49	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#170	NG/L	0.488	U	0.472	UJ	0.49	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#171	NG/L	0.488	U	0.472	UJ	0.49	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#172	NG/L	0.488	U	0.472	UJ	0.49	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#173	NG/L	0.488	U	0.472	UJ	0.49	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#174	NG/L	0.488	U	0.472	UJ	0.49	U		

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	Q3-Station B		Q3-Station D		Q3-Station D		Q3-Station I	
					Lab Sample Delivery Group	L2428797		L2426113		L2426113		L2425326	
					Field Sample Date	5/24/2024 9:30		5/9/2024 9:55		5/9/2024 9:55		5/23/2024 0:00	
					Field Sample ID	NBH24-SF-B3 - TOTAL		NBH24-SF-D3 - DISSOLVED		NBH24-SF-D3 - TOTAL		NBH24-SF-I-3	
					Media Type	SW co loc w/ Quahogs		SW co loc w/ Quahogs		SW co loc w/ Quahogs		Quahog	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#176	NG/L	0.488	U	0.472	UJ	0.49	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#177	NG/L	0.488	U	0.472	UJ	0.49	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#178	NG/L	0.488	U	0.472	UJ	0.49	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#180	NG/L	0.488	U	0.472	UJ	0.49	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#182/#175	NG/L	0.976	U	0.943	UJ	0.98	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#183	NG/L	0.488	U	0.472	UJ	0.49	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#184	NG/L	0.488	U	0.472	UJ	0.49	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#185	NG/L	0.488	U	0.472	UJ	0.49	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#187	NG/L	0.488	U	0.472	UJ	0.49	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#188	NG/L	0.488	U	0.472	UJ	0.49	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#189	NG/L	0.488	U	0.472	UJ	0.49	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#190	NG/L	0.488	U	0.472	UJ	0.49	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#191	NG/L	0.488	U	0.472	UJ	0.49	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#193	NG/L	0.488	U	0.472	UJ	0.49	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#194	NG/L	0.488	U	0.472	UJ	0.49	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#195	NG/L	0.488	U	0.472	UJ	0.49	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#196	NG/L	0.488	U	0.472	UJ	0.49	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#197	NG/L	0.488	U	0.472	UJ	0.49	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#199	NG/L	0.488	U	0.472	UJ	0.49	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#201	NG/L	0.488	U	0.472	UJ	0.49	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#202	NG/L	0.488	U	0.472	UJ	0.49	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#203	NG/L	0.488	U	0.472	UJ	0.49	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#204/#200	NG/L	0.976	U	0.943	UJ	0.98	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#205	NG/L	0.488	U	0.472	UJ	0.49	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#206	NG/L	0.488	U	0.472	UJ	0.49	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#207	NG/L	0.488	U	0.472	UJ	0.49	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#208	NG/L	0.488	U	0.472	UJ	0.49	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Decachlorobiphenyl	NG/L	0.488	U	0.472	UJ	0.49	U		
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Total PCBs	NG/L	0.488	U	0.472	UJ	0.284	J		

NOTES:
B = biological
L = liquid
ug/kg = microgram per kilogram
ng/L = nanograms per liter
U = not detected at the reported detection limit
UJ = estimated value at the reporting limit
J = estimated value
J- = estimated value biased low
FS = field sample

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	Q3-Station I		Q3-Station I		Q3-Station J		Q3-Station J	
					Lab Sample Delivery Group	L2428797		L2428797		L2425326		L2428797	
					Field Sample Date	5/23/2024 10:40		5/23/2024 10:40		5/23/2024 0:00		5/23/2024 9:46	
					Field Sample ID	NBH24-SF-I3 - DISSOLVED		NBH24-SF-I3 - TOTAL		NBH24-SF-J-3		NBH24-SF-J3 - DISSOLVED	
					Media Type	SW co loc w/ Quahogs		SW co loc w/ Quahogs		Quahog		SW co loc w/ Quahogs	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	Lipids	LIPIDS	T	Lipids	PERCENT					0.271			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#1	UG/KG					0.376	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#3	UG/KG					0.376	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#12	UG/KG					0.376	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#13	UG/KG					0.752	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#15	UG/KG					0.376	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#4/#10	UG/KG					0.752	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#5	UG/KG					0.376	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#6	UG/KG					0.376	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#7	UG/KG					0.376	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#8	UG/KG					0.376	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#16	UG/KG					0.376	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#17	UG/KG					0.376	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#18	UG/KG					0.376	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#19	UG/KG					0.376	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#21/#20	UG/KG					0.752	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#22	UG/KG					0.376	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#24	UG/KG					0.376	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#25	UG/KG					0.376	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#26	UG/KG					0.376	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#27	UG/KG					0.376	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#28	UG/KG					0.376	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#29	UG/KG					0.376	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#31	UG/KG					0.376	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#32	UG/KG					0.376	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#33	UG/KG					0.376	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#37	UG/KG					0.376	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#40	UG/KG					0.376	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#41	UG/KG					0.376	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#42	UG/KG					0.376	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#43	UG/KG					0.376	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#44	UG/KG					0.376	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#45	UG/KG					0.376	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#47	UG/KG					0.376	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#48	UG/KG					0.376	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#49	UG/KG					0.278	J		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#50	UG/KG					0.376	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#51	UG/KG					0.376	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#52	UG/KG					0.462			

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

				Location	Q3-Station I		Q3-Station I		Q3-Station J		Q3-Station J	
				Lab Sample Delivery Group	L2428797		L2428797		L2425326		L2428797	
				Field Sample Date	5/23/2024 10:40		5/23/2024 10:40		5/23/2024 0:00		5/23/2024 9:46	
				Field Sample ID	NBH24-SF-I3 - DISSOLVED		NBH24-SF-I3 - TOTAL		NBH24-SF-J-3		NBH24-SF-J3 - DISSOLVED	
				Media Type	SW co loc w/ Quahogs		SW co loc w/ Quahogs		Quahog		SW co loc w/ Quahogs	
				QC Code	FS		FS		FS		FS	
Matrix	Method Class	Analysis Method	Fraction	Parameter	Units	Result Qualifier		Result Qualifier		Result Qualifier		Result Qualifier
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#53	UG/KG					0.376 U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#54	UG/KG					0.376 U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#56	UG/KG					0.376 U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#60	UG/KG					0.376 U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#63	UG/KG					0.376 U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#66	UG/KG					0.376 U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#68/#64	UG/KG					0.752 U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#70	UG/KG					0.376 U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#71	UG/KG					0.376 U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#73/#46	UG/KG					0.752 U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#74	UG/KG					0.376 U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#76	UG/KG					0.376 U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#77	UG/KG					0.376 U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#81	UG/KG					0.376 U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#100	UG/KG					0.376 U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#101/#90	UG/KG					0.544 J		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#104	UG/KG					0.376 U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#105	UG/KG					0.376 U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#107/#123	UG/KG					0.752 U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#110	UG/KG					0.438		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#114	UG/KG					0.376 U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#118	UG/KG					0.389		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#119	UG/KG					0.376 U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#121/#95/#88	UG/KG					1.13 U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#124	UG/KG					0.376 U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#126	UG/KG					0.376 U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#82	UG/KG					0.376 U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#83/#125/#112	UG/KG					1.13 U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#85	UG/KG					0.376 U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#87/#111	UG/KG					0.752 U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#89/#84	UG/KG					0.752 U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#91	UG/KG					0.376 U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#92	UG/KG					0.376 U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#97	UG/KG					0.376 U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#99	UG/KG					0.377		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#128	UG/KG					0.376 U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#129/#158	UG/KG					0.752 U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#130/#164	UG/KG					0.752 U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#131	UG/KG					0.376 U		

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	Q3-Station I		Q3-Station I		Q3-Station J		Q3-Station J	
					Lab Sample Delivery Group	L2428797		L2428797		L2425326		L2428797	
					Field Sample Date	5/23/2024 10:40		5/23/2024 10:40		5/23/2024 0:00		5/23/2024 9:46	
					Field Sample ID	NBH24-SF-I3 - DISSOLVED		NBH24-SF-I3 - TOTAL		NBH24-SF-J-3		NBH24-SF-J3 - DISSOLVED	
					Media Type	SW co loc w/ Quahogs		SW co loc w/ Quahogs		Quahog		SW co loc w/ Quahogs	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#132	UG/KG					0.376	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#134	UG/KG					0.376	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#135	UG/KG					0.376	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#136	UG/KG					0.376	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#137	UG/KG					0.376	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#138	UG/KG					0.208	J		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#141	UG/KG					0.376	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#144	UG/KG					0.376	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#146	UG/KG					0.22	J		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#147/#149	UG/KG					0.752	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#151	UG/KG					0.376	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#153	UG/KG					0.708			
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#154	UG/KG					0.376	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#155	UG/KG					0.376	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#156	UG/KG					0.376	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#157	UG/KG					0.376	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#163/#160	UG/KG					0.752	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#167	UG/KG					0.376	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#168	UG/KG					0.376	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#169	UG/KG					0.376	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#170	UG/KG					0.376	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#171	UG/KG					0.376	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#172	UG/KG					0.376	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#173	UG/KG					0.376	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#174	UG/KG					0.376	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#176	UG/KG					0.376	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#177	UG/KG					0.376	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#178	UG/KG					0.376	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#180	UG/KG					0.376	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#182/#175	UG/KG					0.752	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#183	UG/KG					0.376	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#184	UG/KG					0.376	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#185	UG/KG					0.376	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#187	UG/KG					0.376	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#188	UG/KG					0.376	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#189	UG/KG					0.376	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#190	UG/KG					0.376	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#191	UG/KG					0.376	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#193	UG/KG					0.376	U		

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	Q3-Station I		Q3-Station I		Q3-Station J		Q3-Station J	
					Lab Sample Delivery Group	L2428797		L2428797		L2425326		L2428797	
					Field Sample Date	5/23/2024 10:40		5/23/2024 10:40		5/23/2024 0:00		5/23/2024 9:46	
					Field Sample ID	NBH24-SF-I3 - DISSOLVED		NBH24-SF-I3 - TOTAL		NBH24-SF-J-3		NBH24-SF-J3 - DISSOLVED	
					Media Type	SW co loc w/ Quahogs		SW co loc w/ Quahogs		Quahog		SW co loc w/ Quahogs	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#194	UG/KG					0.376	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#195	UG/KG					0.376	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#196	UG/KG					0.376	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#197	UG/KG					0.376	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#199	UG/KG					0.376	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#201	UG/KG					0.376	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#202	UG/KG					0.376	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#203	UG/KG					0.376	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#204/#200	UG/KG					0.752	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#205	UG/KG					0.376	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#206	UG/KG					0.376	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#207	UG/KG					0.376	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#208	UG/KG					0.376	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Decachlorobiphenyl	UG/KG					0.376	U		
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Total PCBs	UG/KG					3.62			
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#1	NG/L	0.49	U	0.483	U			0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#3	NG/L	0.49	U	0.483	U			0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#12	NG/L	0.49	U	0.483	U			0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#13	NG/L	0.49	U	0.483	U			0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#15	NG/L	0.49	U	0.483	U			0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#4/#10	NG/L	0.98	U	0.966	U			0.98	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#5	NG/L	0.49	U	0.483	U			0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#6	NG/L	0.49	U	0.483	U			0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#7	NG/L	0.49	U	0.483	U			0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#8	NG/L	0.49	U	0.483	U			0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#16	NG/L	0.49	U	0.483	U			0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#17	NG/L	0.49	U	0.483	U			0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#18	NG/L	0.49	U	0.483	U			0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#19	NG/L	0.49	U	0.483	U			0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#21/#20	NG/L	0.98	U	0.966	U			0.98	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#22	NG/L	0.49	U	0.483	U			0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#24	NG/L	0.49	U	0.483	U			0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#25	NG/L	0.49	U	0.483	U			0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#26	NG/L	0.49	U	0.483	U			0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#27	NG/L	0.49	U	0.483	U			0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#28	NG/L	0.49	U	0.483	U			0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#29	NG/L	0.49	U	0.483	U			0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#31	NG/L	0.49	U	0.483	U			0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#32	NG/L	0.49	U	0.483	U			0.49	U

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	Q3-Station I		Q3-Station I		Q3-Station J		Q3-Station J	
					Lab Sample Delivery Group	L2428797		L2428797		L2425326		L2428797	
					Field Sample Date	5/23/2024 10:40		5/23/2024 10:40		5/23/2024 0:00		5/23/2024 9:46	
					Field Sample ID	NBH24-SF-I3 - DISSOLVED		NBH24-SF-I3 - TOTAL		NBH24-SF-J-3		NBH24-SF-J3 - DISSOLVED	
					Media Type	SW co loc w/ Quahogs		SW co loc w/ Quahogs		Quahog		SW co loc w/ Quahogs	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#33	NG/L	0.49	U	0.483	U			0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#37	NG/L	0.49	U	0.483	U			0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#40	NG/L	0.49	U	0.483	U			0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#41	NG/L	0.49	U	0.483	U			0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#42	NG/L	0.49	U	0.483	U			0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#43	NG/L	0.49	U	0.483	U			0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#44	NG/L	0.49	U	0.483	U			0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#45	NG/L	0.49	U	0.483	U			0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#47	NG/L	0.49	U	0.483	U			0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#48	NG/L	0.49	U	0.483	U			0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#49	NG/L	0.49	U	0.483	U			0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#50	NG/L	0.49	U	0.483	U			0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#51	NG/L	0.49	U	0.483	U			0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#52	NG/L	0.49	U	0.483	U			0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#53	NG/L	0.49	U	0.483	U			0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#54	NG/L	0.49	U	0.483	U			0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#56	NG/L	0.49	U	0.483	U			0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#60	NG/L	0.49	U	0.483	U			0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#63	NG/L	0.49	U	0.483	U			0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#66	NG/L	0.49	U	0.483	U			0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#68/#64	NG/L	0.98	U	0.966	U			0.98	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#70	NG/L	0.49	U	0.483	U			0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#71	NG/L	0.49	U	0.483	U			0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#73/#46	NG/L	0.98	U	0.966	U			0.98	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#74	NG/L	0.49	U	0.483	U			0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#76	NG/L	0.49	U	0.483	U			0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#77	NG/L	0.49	U	0.483	U			0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#81	NG/L	0.49	U	0.483	U			0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#100	NG/L	0.49	U	0.483	U			0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#101/#90	NG/L	0.98	U	0.966	U			0.98	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#104	NG/L	0.49	U	0.483	U			0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#105	NG/L	0.49	U	0.483	U			0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#107/#123	NG/L	0.98	U	0.966	U			0.98	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#110	NG/L	0.49	U	0.483	U			0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#114	NG/L	0.49	U	0.483	U			0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#118	NG/L	0.49	U	0.483	U			0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#119	NG/L	0.49	U	0.483	U			0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#121/#95/#88	NG/L	1.47	U	1.45	U			1.47	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#124	NG/L	0.49	U	0.483	U			0.49	U

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	Q3-Station I		Q3-Station I		Q3-Station J		Q3-Station J	
					Lab Sample Delivery Group	L2428797		L2428797		L2425326		L2428797	
					Field Sample Date	5/23/2024 10:40		5/23/2024 10:40		5/23/2024 0:00		5/23/2024 9:46	
					Field Sample ID	NBH24-SF-I3 - DISSOLVED		NBH24-SF-I3 - TOTAL		NBH24-SF-J-3		NBH24-SF-J3 - DISSOLVED	
					Media Type	SW co loc w/ Quahogs		SW co loc w/ Quahogs		Quahog		SW co loc w/ Quahogs	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#126	NG/L	0.49	U	0.483	U			0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#82	NG/L	0.49	U	0.483	U			0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#83/#125/#112	NG/L	1.47	U	1.45	U			1.47	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#85	NG/L	0.49	U	0.483	U			0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#87/#111	NG/L	0.98	U	0.966	U			0.98	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#89/#84	NG/L	0.98	U	0.966	U			0.98	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#91	NG/L	0.49	U	0.483	U			0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#92	NG/L	0.49	U	0.483	U			0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#97	NG/L	0.49	U	0.483	U			0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#99	NG/L	0.49	U	0.483	U			0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#128	NG/L	0.49	U	0.483	U			0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#129/#158	NG/L	0.98	U	0.966	U			0.98	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#130/#164	NG/L	0.98	U	0.966	U			0.98	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#131	NG/L	0.49	U	0.483	U			0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#132	NG/L	0.49	U	0.483	U			0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#134	NG/L	0.49	U	0.483	U			0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#135	NG/L	0.49	U	0.483	U			0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#136	NG/L	0.49	U	0.483	U			0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#137	NG/L	0.49	U	0.483	U			0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#138	NG/L	0.49	U	0.483	U			0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#141	NG/L	0.49	U	0.483	U			0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#144	NG/L	0.49	U	0.483	U			0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#146	NG/L	0.49	U	0.483	U			0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#147/#149	NG/L	0.98	U	0.966	U			0.98	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#151	NG/L	0.49	U	0.483	U			0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#153	NG/L	0.49	U	0.483	U			0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#154	NG/L	0.49	U	0.483	U			0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#155	NG/L	0.49	U	0.483	U			0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#156	NG/L	0.49	U	0.483	U			0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#157	NG/L	0.49	U	0.483	U			0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#163/#160	NG/L	0.98	U	0.966	U			0.98	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#167	NG/L	0.49	U	0.483	U			0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#168	NG/L	0.49	U	0.483	U			0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#169	NG/L	0.49	U	0.483	U			0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#170	NG/L	0.49	U	0.483	U			0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#171	NG/L	0.49	U	0.483	U			0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#172	NG/L	0.49	U	0.483	U			0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#173	NG/L	0.49	U	0.483	U			0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#174	NG/L	0.49	U	0.483	U			0.49	U

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	Q3-Station I		Q3-Station I		Q3-Station J		Q3-Station J	
					Lab Sample Delivery Group	L2428797		L2428797		L2425326		L2428797	
					Field Sample Date	5/23/2024 10:40		5/23/2024 10:40		5/23/2024 0:00		5/23/2024 9:46	
					Field Sample ID	NBH24-SF-I3 - DISSOLVED		NBH24-SF-I3 - TOTAL		NBH24-SF-J-3		NBH24-SF-J3 - DISSOLVED	
					Media Type	SW co loc w/ Quahogs		SW co loc w/ Quahogs		Quahog		SW co loc w/ Quahogs	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#176	NG/L	0.49	U	0.483	U			0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#177	NG/L	0.49	U	0.483	U			0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#178	NG/L	0.49	U	0.483	U			0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#180	NG/L	0.49	U	0.483	U			0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#182/#175	NG/L	0.98	U	0.966	U			0.98	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#183	NG/L	0.49	U	0.483	U			0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#184	NG/L	0.49	U	0.483	U			0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#185	NG/L	0.49	U	0.483	U			0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#187	NG/L	0.49	U	0.483	U			0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#188	NG/L	0.49	U	0.483	U			0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#189	NG/L	0.49	U	0.483	U			0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#190	NG/L	0.49	U	0.483	U			0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#191	NG/L	0.49	U	0.483	U			0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#193	NG/L	0.49	U	0.483	U			0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#194	NG/L	0.49	U	0.483	U			0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#195	NG/L	0.49	U	0.483	U			0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#196	NG/L	0.49	U	0.483	U			0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#197	NG/L	0.49	U	0.483	U			0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#199	NG/L	0.49	U	0.483	U			0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#201	NG/L	0.49	U	0.483	U			0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#202	NG/L	0.49	U	0.483	U			0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#203	NG/L	0.49	U	0.483	U			0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#204/#200	NG/L	0.98	U	0.966	U			0.98	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#205	NG/L	0.49	U	0.483	U			0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#206	NG/L	0.49	U	0.483	U			0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#207	NG/L	0.49	U	0.483	U			0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#208	NG/L	0.49	U	0.483	U			0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Decachlorobiphenyl	NG/L	0.49	U	0.483	U			0.49	U
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Total PCBs	NG/L	0.49	U	0.483	U			0.49	U

NOTES:
B = biological
L = liquid
ug/kg = microgram per kilogram
ng/L = nanograms per liter
U = not detected at the reported detection limit
UJ = estimated value at the reporting limit
J = estimated value
J- = estimated value biased low
FS = field sample

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	Q3-Station J		S2-Station A		S2-Station A		S2-Station A	
					Lab Sample Delivery Group	L2428797		L2464620		L2464620		L2464621	
					Field Sample Date	5/23/2024 9:46		6/4/2024 0:00		6/4/2024 0:00		5/21/2024 0:00	
					Field Sample ID	NBH24-SF-J3 - TOTAL		NBH24-FF-A-2-S-OFF		NBH24-FF-A-2-S-ON		NBH24-FF-A-2-S-OFF	
					Media Type	SW co loc w/ Quahogs		Scup		Scup		Scup	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	Lipids	LIPIDS	T	Lipids	PERCENT			1.32		2.4		1.2	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#1	UG/KG			0.394	U	0.389	U	0.374	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#3	UG/KG			0.394	U	0.389	U	0.374	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#12	UG/KG			0.394	U	0.389	U	0.374	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#13	UG/KG			0.789	U	0.778	U	0.749	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#15	UG/KG			0.394	U	0.389	U	0.374	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#4/#10	UG/KG			0.789	U	0.778	U	0.749	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#5	UG/KG			0.394	U	0.389	U	0.374	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#6	UG/KG			0.394	U	0.389	U	0.374	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#7	UG/KG			0.394	U	0.389	U	0.374	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#8	UG/KG			0.394	U	0.389	U	0.374	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#16	UG/KG			0.394	U	0.389	U	0.374	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#17	UG/KG			0.286	J	0.431		0.374	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#18	UG/KG			0.453		0.755		0.374	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#19	UG/KG			0.394	U	0.389	U	0.374	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#21/#20	UG/KG			0.789	U	0.778	U	0.749	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#22	UG/KG			0.394	U	0.389	U	0.374	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#24	UG/KG			0.394	U	0.389	U	0.374	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#25	UG/KG			0.394	U	0.389	U	0.374	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#26	UG/KG			0.726		1.38		0.874	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#27	UG/KG			0.394	U	0.389	U	0.374	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#28	UG/KG			1.92		3.16		2.04	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#29	UG/KG			0.394	U	0.389	U	0.374	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#31	UG/KG			0.473		0.819		0.639	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#32	UG/KG			0.394	U	0.389	U	0.204	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#33	UG/KG			0.394	U	0.389	U	0.374	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#37	UG/KG			0.394	U	0.375	J	0.374	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#40	UG/KG			0.394	U	0.389	U	0.374	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#41	UG/KG			0.394	U	0.389	U	0.374	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#42	UG/KG			0.642		1.27		0.374	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#43	UG/KG			0.394	U	0.389	U	0.374	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#44	UG/KG			0.742		1.02		0.321	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#45	UG/KG			0.394	U	0.389	U	0.374	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#47	UG/KG			4.47		9.2		0.235	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#48	UG/KG			0.394	U	0.389	U	0.374	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#49	UG/KG			5.9		12.2		1.26	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#50	UG/KG			0.394	U	0.389	U	0.374	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#51	UG/KG			0.394	U	0.389	U	0.374	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#52	UG/KG			5.31		10.8		3.81	

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

				Location	Q3-Station J		S2-Station A		S2-Station A		S2-Station A	
				Lab Sample Delivery Group	L2428797		L2464620		L2464620		L2464621	
				Field Sample Date	5/23/2024 9:46		6/4/2024 0:00		6/4/2024 0:00		5/21/2024 0:00	
				Field Sample ID	NBH24-SF-J3 - TOTAL		NBH24-FF-A-2-S-OFF		NBH24-FF-A-2-S-ON		NBH24-FF-A-2-S-OFF	
				Media Type	SW co loc w/ Quahogs		Scup		Scup		Scup	
				QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result Qualifier	Result Qualifier		Result Qualifier		Result Qualifier	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#53	UG/KG		0.394 U		0.389 U		0.374 U	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#54	UG/KG		0.394 U		0.389 U		0.374 U	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#56	UG/KG		0.663		1.21		0.272 J	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#60	UG/KG		0.463		0.946		0.455	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#63	UG/KG		0.492		0.961		0.465	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#66	UG/KG		5.7		11.4		0.797	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#68/#64	UG/KG		1.26		2.45		0.81	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#70	UG/KG		0.306 J		0.522		0.773	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#71	UG/KG		0.394 U		0.238 J		0.374 U	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#73/#46	UG/KG		0.789 U		0.778 U		0.749 U	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#74	UG/KG		2.86		5.81		2.58	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#76	UG/KG		0.394 U		0.389 U		0.374 U	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#77	UG/KG		0.394 U		0.389 U		0.199 J	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#81	UG/KG		0.394 U		0.389 U		0.374 U	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#100	UG/KG		0.479		1.06		0.374 U	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#101/#90	UG/KG		18.8		37.5		10.1	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#104	UG/KG		0.394 U		0.389 U		0.374 U	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#105	UG/KG		3.53		7.76		2.01	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#107/#123	UG/KG		2.27		4.98		2.34	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#110	UG/KG		3.61		7		2.08	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#114	UG/KG		1.18		2.39		0.727	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#118	UG/KG		25.8		58.5		6.73	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#119	UG/KG		1.55		2.94		0.374 U	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#121/#95/#88	UG/KG		1.25		2.16		0.64 J	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#124	UG/KG		0.394 U		0.389 U		0.374 U	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#126	UG/KG		0.394 U		0.389 U		0.374 U	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#82	UG/KG		0.394 U		0.389 U		0.374 U	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#83/#125/#112	UG/KG		1.18 U		1.17 U		1.12 U	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#85	UG/KG		2.9		5.75		0.239 J	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#87/#111	UG/KG		0.82		1.75		0.598 J	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#89/#84	UG/KG		0.789 U		0.778 U		0.749 U	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#91	UG/KG		1.01		1.91		0.578	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#92	UG/KG		0.465		0.796		1.25	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#97	UG/KG		3.52		6.51		0.374 U	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#99	UG/KG		24.3		50.3		0.359 J	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#128	UG/KG		6		13.2		1.66	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#129/#158	UG/KG		2.86		6.15		0.434 J	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#130/#164	UG/KG		0.455 J		0.992		0.656 J	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#131	UG/KG		0.394 U		0.389 U		0.374 U	

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

				Location	Q3-Station J		S2-Station A		S2-Station A		S2-Station A	
				Lab Sample Delivery Group	L2428797		L2464620		L2464620		L2464621	
				Field Sample Date	5/23/2024 9:46		6/4/2024 0:00		6/4/2024 0:00		5/21/2024 0:00	
				Field Sample ID	NBH24-SF-J3 - TOTAL		NBH24-FF-A-2-S-OFF		NBH24-FF-A-2-S-ON		NBH24-FF-A-2-S-OFF	
				Media Type	SW co loc w/ Quahogs		Scup		Scup		Scup	
				QC Code	FS		FS		FS		FS	
Matrix	Method Class	Analysis Method	Fraction	Parameter	Units	Result Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#132	UG/KG		0.394	U	0.455		0.497	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#134	UG/KG		0.394	U	0.389	U	0.374	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#135	UG/KG		0.394	U	0.389	U	0.212	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#136	UG/KG		0.218	J	0.346	J	0.374	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#137	UG/KG		1.15		2.34		0.327	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#138	UG/KG		27.7		62.7		0.691	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#141	UG/KG		0.368	J	0.622		0.19	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#144	UG/KG		0.303	J	0.594		0.374	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#146	UG/KG		7.76		17.3		6.09	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#147/#149	UG/KG		4.27		8.29		2.62	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#151	UG/KG		0.394		0.716		0.491	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#153	UG/KG		60.3		138		28.8	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#154	UG/KG		1.56		2.99		0.374	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#155	UG/KG		0.394	U	0.389	U	0.374	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#156	UG/KG		2.33		5.4		2.35	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#157	UG/KG		0.996		2.22		0.87	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#163/#160	UG/KG		2.91		6.32		5.21	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#167	UG/KG		1.6		3.47		1.36	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#168	UG/KG		0.394	U	0.389	U	0.374	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#169	UG/KG		0.394	U	0.389	U	0.374	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#170	UG/KG		3.61		8.2		2.09	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#171	UG/KG		1.25		2.6		0.426	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#172	UG/KG		0.278	J	0.542		0.198	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#173	UG/KG		0.394	U	0.389	U	0.374	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#174	UG/KG		0.394	U	0.389	U	0.374	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#176	UG/KG		0.394	U	0.389	U	0.374	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#177	UG/KG		0.394	U	0.37	J	0.44	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#178	UG/KG		0.394	U	0.259	J	0.322	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#180	UG/KG		7.34		16.8		4.19	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#182/#175	UG/KG		0.789	U	0.474	J	0.749	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#183	UG/KG		2.65		5.61		0.599	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#184	UG/KG		0.394	U	0.389	U	0.374	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#185	UG/KG		0.394	U	0.389	U	0.374	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#187	UG/KG		4.49		8.88		4.09	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#188	UG/KG		0.394	U	0.208	J	0.374	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#189	UG/KG		0.394	U	0.529		0.234	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#190	UG/KG		0.56		1.14		0.342	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#191	UG/KG		0.394	U	0.394		0.374	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#193	UG/KG		0.26	J	0.636		0.249	J

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	Q3-Station J		S2-Station A		S2-Station A		S2-Station A	
					Lab Sample Delivery Group	L2428797		L2464620		L2464620		L2464621	
					Field Sample Date	5/23/2024 9:46		6/4/2024 0:00		6/4/2024 0:00		5/21/2024 0:00	
					Field Sample ID	NBH24-SF-J3 - TOTAL		NBH24-FF-A-2-S-OFF		NBH24-FF-A-2-S-ON		NBH24-FF-A-2-S-OFF	
					Media Type	SW co loc w/ Quahogs		Scup		Scup		Scup	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#194	UG/KG			1.52		2.98		0.73	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#195	UG/KG			0.394	U	0.715		0.251	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#196	UG/KG			0.681		1.68		0.282	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#197	UG/KG			0.394	U	0.282	J	0.374	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#199	UG/KG			0.394	U	0.389	U	0.374	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#201	UG/KG			0.432		0.689		0.396	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#202	UG/KG			0.394	U	0.284	J	0.374	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#203	UG/KG			0.843		1.57		0.324	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#204/#200	UG/KG			0.426	J	0.621	J	0.749	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#205	UG/KG			0.394	U	0.389	U	0.374	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#206	UG/KG			0.857		1.57		0.217	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#207	UG/KG			0.394	U	0.327	J	0.374	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#208	UG/KG			0.234	J	0.328	J	0.374	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Decachlorobiphenyl	UG/KG			0.39	J	0.746		0.374	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Total PCBs	UG/KG			271		587		111	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#1	NG/L	0.488	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#3	NG/L	0.488	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#12	NG/L	0.488	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#13	NG/L	0.488	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#15	NG/L	0.488	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#4/#10	NG/L	0.976	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#5	NG/L	0.488	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#6	NG/L	0.488	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#7	NG/L	0.488	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#8	NG/L	0.488	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#16	NG/L	0.488	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#17	NG/L	0.488	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#18	NG/L	0.488	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#19	NG/L	0.488	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#21/#20	NG/L	0.976	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#22	NG/L	0.488	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#24	NG/L	0.488	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#25	NG/L	0.488	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#26	NG/L	0.488	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#27	NG/L	0.488	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#28	NG/L	0.488	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#29	NG/L	0.488	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#31	NG/L	0.488	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#32	NG/L	0.488	U						

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	Q3-Station J		S2-Station A		S2-Station A		S2-Station A	
					Lab Sample Delivery Group	L2428797		L2464620		L2464620		L2464621	
					Field Sample Date	5/23/2024 9:46		6/4/2024 0:00		6/4/2024 0:00		5/21/2024 0:00	
					Field Sample ID	NBH24-SF-J3 - TOTAL		NBH24-FF-A-2-S-OFF		NBH24-FF-A-2-S-ON		NBH24-FF-A-2-S-OFF	
					Media Type	SW co loc w/ Quahogs		Scup		Scup		Scup	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#33	NG/L	0.488	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#37	NG/L	0.488	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#40	NG/L	0.488	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#41	NG/L	0.488	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#42	NG/L	0.488	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#43	NG/L	0.488	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#44	NG/L	0.488	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#45	NG/L	0.488	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#47	NG/L	0.488	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#48	NG/L	0.488	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#49	NG/L	0.488	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#50	NG/L	0.488	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#51	NG/L	0.488	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#52	NG/L	0.488	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#53	NG/L	0.488	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#54	NG/L	0.488	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#56	NG/L	0.488	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#60	NG/L	0.488	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#63	NG/L	0.488	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#66	NG/L	0.488	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#68/#64	NG/L	0.976	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#70	NG/L	0.488	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#71	NG/L	0.488	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#73/#46	NG/L	0.976	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#74	NG/L	0.488	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#76	NG/L	0.488	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#77	NG/L	0.488	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#81	NG/L	0.488	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#100	NG/L	0.488	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#101/#90	NG/L	0.976	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#104	NG/L	0.488	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#105	NG/L	0.488	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#107/#123	NG/L	0.976	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#110	NG/L	0.488	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#114	NG/L	0.488	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#118	NG/L	0.488	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#119	NG/L	0.488	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#121/#95/#88	NG/L	1.46	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#124	NG/L	0.488	U						

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	Q3-Station J		S2-Station A		S2-Station A		S2-Station A	
					Lab Sample Delivery Group	L2428797		L2464620		L2464620		L2464621	
					Field Sample Date	5/23/2024 9:46		6/4/2024 0:00		6/4/2024 0:00		5/21/2024 0:00	
					Field Sample ID	NBH24-SF-J3 - TOTAL		NBH24-FF-A-2-S-OFF		NBH24-FF-A-2-S-ON		NBH24-FF-A-2-S-OFF	
					Media Type	SW co loc w/ Quahogs		Scup		Scup		Scup	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#126	NG/L	0.488	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#82	NG/L	0.488	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#83/#125/#112	NG/L	1.46	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#85	NG/L	0.488	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#87/#111	NG/L	0.976	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#89/#84	NG/L	0.976	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#91	NG/L	0.488	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#92	NG/L	0.488	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#97	NG/L	0.488	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#99	NG/L	0.488	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#128	NG/L	0.488	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#129/#158	NG/L	0.976	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#130/#164	NG/L	0.976	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#131	NG/L	0.488	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#132	NG/L	0.488	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#134	NG/L	0.488	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#135	NG/L	0.488	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#136	NG/L	0.488	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#137	NG/L	0.488	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#138	NG/L	0.488	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#141	NG/L	0.488	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#144	NG/L	0.488	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#146	NG/L	0.488	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#147/#149	NG/L	0.976	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#151	NG/L	0.488	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#153	NG/L	0.488	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#154	NG/L	0.488	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#155	NG/L	0.488	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#156	NG/L	0.488	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#157	NG/L	0.488	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#163/#160	NG/L	0.976	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#167	NG/L	0.488	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#168	NG/L	0.488	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#169	NG/L	0.488	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#170	NG/L	0.488	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#171	NG/L	0.488	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#172	NG/L	0.488	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#173	NG/L	0.488	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#174	NG/L	0.488	U						

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	Q3-Station J		S2-Station A		S2-Station A		S2-Station A	
					Lab Sample Delivery Group	L2428797		L2464620		L2464620		L2464621	
					Field Sample Date	5/23/2024 9:46		6/4/2024 0:00		6/4/2024 0:00		5/21/2024 0:00	
					Field Sample ID	NBH24-SF-J3 - TOTAL		NBH24-FF-A-2-S-OFF		NBH24-FF-A-2-S-ON		NBH24-FF-A-2-S-OFF	
					Media Type	SW co loc w/ Quahogs		Scup		Scup		Scup	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#176	NG/L	0.488	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#177	NG/L	0.488	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#178	NG/L	0.488	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#180	NG/L	0.488	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#182/#175	NG/L	0.976	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#183	NG/L	0.488	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#184	NG/L	0.488	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#185	NG/L	0.488	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#187	NG/L	0.488	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#188	NG/L	0.488	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#189	NG/L	0.488	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#190	NG/L	0.488	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#191	NG/L	0.488	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#193	NG/L	0.488	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#194	NG/L	0.488	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#195	NG/L	0.488	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#196	NG/L	0.488	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#197	NG/L	0.488	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#199	NG/L	0.488	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#201	NG/L	0.488	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#202	NG/L	0.488	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#203	NG/L	0.488	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#204/#200	NG/L	0.976	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#205	NG/L	0.488	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#206	NG/L	0.488	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#207	NG/L	0.488	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#208	NG/L	0.488	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Decachlorobiphenyl	NG/L	0.488	U						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Total PCBs	NG/L	0.488	U						

NOTES:
B = biological
L = liquid
ug/kg = microgram per kilogram
ng/L = nanograms per liter
U = not detected at the reported detection limit
UJ = estimated value at the reporting limit
J = estimated value
J- = estimated value biased low
FS = field sample

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	S2-Station A		S2-Station B		S2-Station B		S2-Station B	
					Lab Sample Delivery Group	L2464621		L2464617		L2464620		L2464621	
					Field Sample Date	5/21/2024 0:00		7/1/2024 0:00		8/2/2024 0:00		7/8/2024 0:00	
					Field Sample ID	NBH24-FF-A-2-S-ON		NBH24-FF-B-3		NBH24-FF-B-3		NBH24-FF-B-3	
					Media Type	Scup		Scup		Scup		Scup	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	Lipids	LIPIDS	T	Lipids	PERCENT	1.23		0.345		0.714		1.38	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#1	UG/KG	0.384	U	0.36	U	0.372	U	0.384	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#3	UG/KG	0.384	U	0.36	U	0.372	U	0.384	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#12	UG/KG	0.384	U	0.36	U	0.372	U	0.384	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#13	UG/KG	0.768	U	0.719	U	0.743	U	0.768	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#15	UG/KG	0.384	U	0.36	U	0.372	U	0.384	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#4/#10	UG/KG	0.768	U	0.719	U	0.743	U	0.768	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#5	UG/KG	0.384	U	0.36	U	0.372	U	0.384	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#6	UG/KG	0.384	U	0.36	U	0.372	U	0.384	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#7	UG/KG	0.384	U	0.36	U	0.372	U	0.384	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#8	UG/KG	0.384	U	0.36	U	0.372	U	0.384	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#16	UG/KG	0.384	U	0.36	U	0.372	U	0.384	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#17	UG/KG	0.384	U	0.36	U	0.372	U	0.384	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#18	UG/KG	0.384	U	0.36	U	0.372	U	0.384	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#19	UG/KG	0.384	U	0.36	U	0.372	U	0.384	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#21/#20	UG/KG	0.768	U	0.719	U	0.743	U	0.768	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#22	UG/KG	0.384	U	0.36	U	0.372	U	0.384	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#24	UG/KG	0.384	U	0.36	U	0.372	U	0.384	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#25	UG/KG	0.384	U	0.36	U	0.372	U	0.384	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#26	UG/KG	1.18		0.36	U	0.372	U	0.384	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#27	UG/KG	0.384	U	0.36	U	0.372	U	0.384	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#28	UG/KG	3.21		0.223	J	0.666		0.259	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#29	UG/KG	0.384	U	0.36	U	0.372	U	0.384	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#31	UG/KG	0.78		0.36	U	0.372	U	0.384	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#32	UG/KG	0.256	J	0.36	U	0.372	U	0.384	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#33	UG/KG	0.384	U	0.36	U	0.372	U	0.384	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#37	UG/KG	0.384	U	0.36	U	0.372	U	0.384	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#40	UG/KG	0.384	U	0.36	U	0.372	U	0.384	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#41	UG/KG	0.384	U	0.36	U	0.372	U	0.384	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#42	UG/KG	0.384	U	0.36	U	0.372	U	0.384	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#43	UG/KG	0.384	U	0.36	U	0.372	U	0.384	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#44	UG/KG	0.432		0.294	J	0.372	U	0.384	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#45	UG/KG	0.384	U	0.36	U	0.372	U	0.384	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#47	UG/KG	0.34	J	0.342	J	0.893		0.384	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#48	UG/KG	0.384	U	0.36	U	0.372	U	0.384	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#49	UG/KG	1.78		0.583		1.39		0.384	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#50	UG/KG	0.384	U	0.36	U	0.372	U	0.384	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#51	UG/KG	0.384	U	0.36	U	0.372	U	0.384	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#52	UG/KG	4.98		1.89		1.19		0.378	J

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	S2-Station A		S2-Station B		S2-Station B		S2-Station B	
					Lab Sample Delivery Group	L2464621		L2464617		L2464620		L2464621	
					Field Sample Date	5/21/2024 0:00		7/1/2024 0:00		8/2/2024 0:00		7/8/2024 0:00	
					Field Sample ID	NBH24-FF-A-2-S-ON		NBH24-FF-B-3		NBH24-FF-B-3		NBH24-FF-B-3	
					Media Type	Scup		Scup		Scup		Scup	
					QC Code	FS		FS		FS		FS	
Matrix	Method Class	Analysis Method	Fraction	Parameter	Units	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#53	UG/KG	0.384	U	0.36	U	0.372	U	0.384	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#54	UG/KG	0.384	U	0.36	U	0.372	U	0.384	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#56	UG/KG	0.34	J	0.198	J	0.226	J	0.384	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#60	UG/KG	0.669		0.36	U	0.372	U	0.384	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#63	UG/KG	0.61		0.36	U	0.372	U	0.384	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#66	UG/KG	1.12		0.762		1.6		0.384	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#68/#64	UG/KG	1.1		0.719	U	0.743	U	0.768	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#70	UG/KG	1.1		0.36	U	0.372	U	0.384	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#71	UG/KG	0.384	U	0.36	U	0.372	U	0.384	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#73/#46	UG/KG	0.768	U	0.719	U	0.743	U	0.768	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#74	UG/KG	3.38		0.716		0.698		0.262	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#76	UG/KG	0.384	U	0.36	U	0.372	U	0.384	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#77	UG/KG	0.309	J	0.36	U	0.372	U	0.384	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#81	UG/KG	0.384	U	0.36	U	0.372	U	0.384	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#100	UG/KG	0.384	U	0.36	U	0.372	U	0.384	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#101/#90	UG/KG	12.9		6.42		5.35		1.31	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#104	UG/KG	0.384	U	0.36	U	0.372	U	0.384	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#105	UG/KG	2.84		1.28		1.09		0.26	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#107/#123	UG/KG	3.12		1.06		0.95		0.493	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#110	UG/KG	2.58		1.38		1.12		0.384	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#114	UG/KG	1.03		0.44		0.413		0.384	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#118	UG/KG	9.39		8.97		7.82		1.19	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#119	UG/KG	0.384	U	0.222	J	0.372		0.384	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#121/#95/#88	UG/KG	0.862	J	1.08		1.12	U	1.15	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#124	UG/KG	0.384	U	0.36	U	0.372	U	0.384	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#126	UG/KG	0.384	U	0.36	U	0.372	U	0.384	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#82	UG/KG	0.384	U	0.36	U	0.372	U	0.384	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#83/#125/#112	UG/KG	1.15	U	1.08	U	1.12	U	1.15	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#85	UG/KG	0.213	J	0.278	J	0.81		0.384	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#87/#111	UG/KG	0.758	J	0.509	J	0.743	U	0.768	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#89/#84	UG/KG	0.768	U	0.719	U	0.743	U	0.768	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#91	UG/KG	0.695		0.419		0.357	J	0.384	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#92	UG/KG	1.34		1.65		0.254	J	0.384	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#97	UG/KG	0.384	U	0.238	J	0.949		0.384	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#99	UG/KG	0.572		0.714		7.02		0.524	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#128	UG/KG	2.22		1.73		1.84		0.302	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#129/#158	UG/KG	0.53	J	0.732		0.628	J	0.768	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#130/#164	UG/KG	0.714	J	0.68	J	0.743	U	0.768	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#131	UG/KG	0.384	U	0.36	U	0.372	U	0.384	U

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	S2-Station A		S2-Station B		S2-Station B		S2-Station B	
					Lab Sample Delivery Group	L2464621		L2464617		L2464620		L2464621	
					Field Sample Date	5/21/2024 0:00		7/1/2024 0:00		8/2/2024 0:00		7/8/2024 0:00	
					Field Sample ID	NBH24-FF-A-2-S-ON		NBH24-FF-B-3		NBH24-FF-B-3		NBH24-FF-B-3	
					Media Type	Scup		Scup		Scup		Scup	
					QC Code	FS		FS		FS		FS	
Matrix	Method Class	Analysis Method	Fraction	Parameter	Units	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#132	UG/KG	0.593		0.452		0.372	U	0.384	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#134	UG/KG	0.384	U	0.196	J	0.372	U	0.384	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#135	UG/KG	0.243	J	0.546		0.372	U	0.384	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#136	UG/KG	0.384	U	0.36	U	0.372	U	0.384	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#137	UG/KG	0.418		0.36	U	0.274	J	0.384	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#138	UG/KG	1.06		6.43		8.46		0.49	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#141	UG/KG	0.276	J	0.477		0.372	U	0.384	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#144	UG/KG	0.384	U	0.36	U	0.372	U	0.384	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#146	UG/KG	8.37		3.8		3.11		1.25	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#147/#149	UG/KG	3.14		3.55		1.65		0.768	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#151	UG/KG	0.587		0.875		0.192	J	0.384	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#153	UG/KG	39.8		22.4		19		4.57	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#154	UG/KG	0.384	U	0.36	U	0.642		0.384	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#155	UG/KG	0.384	U	0.36	U	0.372	U	0.384	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#156	UG/KG	3.21		0.761		0.759		0.545	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#157	UG/KG	1.21		0.442		0.324	J	0.263	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#163/#160	UG/KG	6.65		4.23		1.8		1.08	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#167	UG/KG	1.81		0.501		0.483		0.259	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#168	UG/KG	0.384	U	0.36	U	0.372	U	0.384	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#169	UG/KG	0.384	U	0.36	U	0.372	U	0.384	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#170	UG/KG	2.74		1.19		1.05		0.481	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#171	UG/KG	0.548		0.268	J	0.423		0.384	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#172	UG/KG	0.281	J	0.208	J	0.372	U	0.384	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#173	UG/KG	0.384	U	0.36	U	0.372	U	0.384	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#174	UG/KG	0.384	U	0.255	J	0.372	U	0.384	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#176	UG/KG	0.384	U	0.36	U	0.372	U	0.384	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#177	UG/KG	0.487		0.734		0.372	U	0.384	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#178	UG/KG	0.45		0.518		0.372	U	0.384	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#180	UG/KG	6.15		2.28		2.27		1.03	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#182/#175	UG/KG	0.768	U	0.719	U	0.743	U	0.768	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#183	UG/KG	0.817		0.814		0.866		0.384	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#184	UG/KG	0.384	U	0.36	U	0.372	U	0.384	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#185	UG/KG	0.384	U	0.36	U	0.372	U	0.384	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#187	UG/KG	5.42		3.02		2.31		1.01	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#188	UG/KG	0.384	U	0.36	U	0.372	U	0.384	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#189	UG/KG	0.237	J	0.36	U	0.372	U	0.384	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#190	UG/KG	0.471		0.36	U	0.372	U	0.384	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#191	UG/KG	0.384	U	0.36	U	0.372	U	0.384	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#193	UG/KG	0.277	J	0.204	J	0.372	U	0.384	U

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	S2-Station A		S2-Station B		S2-Station B		S2-Station B	
					Lab Sample Delivery Group	L2464621		L2464617		L2464620		L2464621	
					Field Sample Date	5/21/2024 0:00		7/1/2024 0:00		8/2/2024 0:00		7/8/2024 0:00	
					Field Sample ID	NBH24-FF-A-2-S-ON		NBH24-FF-B-3		NBH24-FF-B-3		NBH24-FF-B-3	
					Media Type	Scup		Scup		Scup		Scup	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#194	UG/KG	1.12		0.362		0.51		0.266	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#195	UG/KG	0.199	J	0.36	U	0.372	U	0.384	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#196	UG/KG	0.386		0.239	J	0.334	J	0.384	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#197	UG/KG	0.384	U	0.36	U	0.372	U	0.384	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#199	UG/KG	0.384	U	0.36	U	0.372	U	0.384	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#201	UG/KG	0.573		0.64		0.372	U	0.384	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#202	UG/KG	0.384	U	0.324	J	0.372	U	0.384	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#203	UG/KG	0.498		0.364		0.273	J	0.384	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#204/#200	UG/KG	0.768	U	0.719	U	0.743	U	0.768	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#205	UG/KG	0.384	U	0.36	U	0.372	U	0.384	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#206	UG/KG	0.421		0.275	J	0.315	J	0.384	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#207	UG/KG	0.384	U	0.36	U	0.372	U	0.384	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#208	UG/KG	0.384	U	0.36	U	0.372	U	0.384	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Decachlorobiphenyl	UG/KG	0.384	U	0.36	U	0.203	J	0.384	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Total PCBs	UG/KG	150		89.2		80.9		16.2	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#1	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#3	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#12	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#13	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#15	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#4/#10	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#5	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#6	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#7	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#8	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#16	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#17	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#18	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#19	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#21/#20	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#22	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#24	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#25	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#26	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#27	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#28	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#29	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#31	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#32	NG/L								

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	S2-Station A		S2-Station B		S2-Station B		S2-Station B	
					Lab Sample Delivery Group	L2464621		L2464617		L2464620		L2464621	
					Field Sample Date	5/21/2024 0:00		7/1/2024 0:00		8/2/2024 0:00		7/8/2024 0:00	
					Field Sample ID	NBH24-FF-A-2-S-ON		NBH24-FF-B-3		NBH24-FF-B-3		NBH24-FF-B-3	
					Media Type	Scup		Scup		Scup		Scup	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#33	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#37	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#40	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#41	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#42	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#43	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#44	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#45	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#47	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#48	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#49	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#50	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#51	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#52	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#53	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#54	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#56	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#60	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#63	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#66	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#68/#64	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#70	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#71	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#73/#46	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#74	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#76	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#77	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#81	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#100	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#101/#90	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#104	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#105	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#107/#123	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#110	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#114	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#118	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#119	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#121/#95/#88	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#124	NG/L								

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	S2-Station A		S2-Station B		S2-Station B		S2-Station B	
					Lab Sample Delivery Group	L2464621		L2464617		L2464620		L2464621	
					Field Sample Date	5/21/2024 0:00		7/1/2024 0:00		8/2/2024 0:00		7/8/2024 0:00	
					Field Sample ID	NBH24-FF-A-2-S-ON		NBH24-FF-B-3		NBH24-FF-B-3		NBH24-FF-B-3	
					Media Type	Scup		Scup		Scup		Scup	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#126	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#82	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#83/#125/#112	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#85	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#87/#111	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#89/#84	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#91	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#92	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#97	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#99	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#128	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#129/#158	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#130/#164	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#131	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#132	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#134	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#135	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#136	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#137	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#138	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#141	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#144	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#146	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#147/#149	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#151	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#153	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#154	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#155	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#156	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#157	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#163/#160	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#167	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#168	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#169	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#170	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#171	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#172	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#173	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#174	NG/L								

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

				Location	S2-Station A		S2-Station B		S2-Station B		S2-Station B	
				Lab Sample Delivery Group	L2464621		L2464617		L2464620		L2464621	
				Field Sample Date	5/21/2024 0:00		7/1/2024 0:00		8/2/2024 0:00		7/8/2024 0:00	
				Field Sample ID	NBH24-FF-A-2-S-ON		NBH24-FF-B-3		NBH24-FF-B-3		NBH24-FF-B-3	
				Media Type	Scup		Scup		Scup		Scup	
				QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#176	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#177	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#178	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#180	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#182/#175	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#183	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#184	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#185	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#187	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#188	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#189	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#190	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#191	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#193	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#194	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#195	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#196	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#197	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#199	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#201	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#202	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#203	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#204/#200	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#205	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#206	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#207	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#208	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Decachlorobiphenyl	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Total PCBs	NG/L								

NOTES:
B = biological
L = liquid
ug/kg = microgram per kilogram
ng/L = nanograms per liter
U = not detected at the reported detection limit
UJ = estimated value at the reporting limit
J = estimated value
J- = estimated value biased low
FS = field sample

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	S2-Station D		S2-Station D		S2-Station D		S2-Station E	
					Lab Sample Delivery Group	L2464617		L2464620		L2464621		L2464620	
					Field Sample Date	6/9/2024 0:00		7/14/2024 0:00		6/17/2024 0:00		8/2/2024 0:00	
					Field Sample ID	NBH24-FF-D-3		NBH24-FF-D-3		NBH24-FF-D-3		NBH24-FF-E-3	
					Media Type	Scup		Scup		Scup		Scup	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	Lipids	LIPIDS	T	Lipids	PERCENT	0.818		0.984		0.983		1.2	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#1	UG/KG	0.353	U	0.362	U	0.372	U	0.384	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#3	UG/KG	0.353	U	0.362	U	0.372	U	0.384	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#12	UG/KG	0.353	U	0.362	U	0.372	U	0.384	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#13	UG/KG	0.705	U	0.723	U	0.745	U	0.768	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#15	UG/KG	0.353	U	0.362	U	0.372	U	0.384	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#4/#10	UG/KG	0.705	U	0.723	U	0.745	U	0.768	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#5	UG/KG	0.353	U	0.362	U	0.372	U	0.384	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#6	UG/KG	0.353	U	0.362	U	0.372	U	0.206	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#7	UG/KG	0.353	U	0.362	U	0.372	U	0.384	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#8	UG/KG	0.353	U	0.362	U	0.372	U	0.235	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#16	UG/KG	0.353	U	0.362	U	0.372	U	0.384	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#17	UG/KG	0.353	U	0.251	J	0.372	U	0.713	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#18	UG/KG	0.353	U	0.315	J	0.372	U	1.33	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#19	UG/KG	0.353	U	0.362	U	0.372	U	0.384	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#21/#20	UG/KG	0.705	U	0.723	U	0.745	U	0.768	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#22	UG/KG	0.353	U	0.362	U	0.372	U	0.438	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#24	UG/KG	0.353	U	0.362	U	0.372	U	0.384	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#25	UG/KG	0.353	U	0.362	U	0.372	U	0.384	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#26	UG/KG	0.353	U	0.47		0.515		2.13	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#27	UG/KG	0.353	U	0.362	U	0.372	U	0.384	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#28	UG/KG	0.259	J	1.02		1.16		2.94	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#29	UG/KG	0.353	U	0.362	U	0.372	U	0.384	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#31	UG/KG	0.353	U	0.362	U	0.33	J	0.384	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#32	UG/KG	0.353	U	0.362	U	0.372	U	0.451	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#33	UG/KG	0.353	U	0.362	U	0.372	U	0.384	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#37	UG/KG	0.353	U	0.362	U	0.372	U	0.384	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#40	UG/KG	0.353	U	0.362	U	0.372	U	0.384	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#41	UG/KG	0.353	U	0.362	U	0.372	U	0.384	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#42	UG/KG	0.353	U	0.404		0.372	U	0.967	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#43	UG/KG	0.353	U	0.362	U	0.372	U	0.384	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#44	UG/KG	0.191	J	0.7		0.278	J	2.99	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#45	UG/KG	0.353	U	0.362	U	0.372	U	0.323	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#47	UG/KG	0.295	J	2.27		0.454		5.08	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#48	UG/KG	0.353	U	0.362	U	0.372	U	0.384	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#49	UG/KG	0.363		3.38		0.922		10.4	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#50	UG/KG	0.353	U	0.362	U	0.372	U	0.384	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#51	UG/KG	0.353	U	0.362	U	0.372	U	0.23	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#52	UG/KG	0.793		3.66		2.59		14	

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

				Location	S2-Station D		S2-Station D		S2-Station D		S2-Station E	
				Lab Sample Delivery Group	L2464617		L2464620		L2464621		L2464620	
				Field Sample Date	6/9/2024 0:00		7/14/2024 0:00		6/17/2024 0:00		8/2/2024 0:00	
				Field Sample ID	NBH24-FF-D-3		NBH24-FF-D-3		NBH24-FF-D-3		NBH24-FF-E-3	
				Media Type	Scup		Scup		Scup		Scup	
				QC Code	FS		FS		FS		FS	
Matrix	Method Class	Analysis Method	Fraction	Parameter	Units	Result Qualifier	Result Qualifier		Result Qualifier		Result Qualifier	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#53	UG/KG	0.353 U	0.362 U		0.372 U		0.295 J	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#54	UG/KG	0.353 U	0.362 U		0.372 U		0.384 U	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#56	UG/KG	0.353 U	0.416		0.235 J		1.16	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#60	UG/KG	0.353 U	0.205 J		0.407		0.588	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#63	UG/KG	0.353 U	0.293 J		0.318 J		0.606	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#66	UG/KG	0.454	2.95		1.27		6.32	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#68/#64	UG/KG	0.705 U	0.678 J		0.541 J		2.6	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#70	UG/KG	0.353 U	0.198 J		0.413		0.696	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#71	UG/KG	0.353 U	0.274 J		0.372 U		0.649	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#73/#46	UG/KG	0.705 U	0.723 U		0.745 U		0.768 U	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#74	UG/KG	0.266 J	1.4		1.94		3.36	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#76	UG/KG	0.353 U	0.362 U		0.372 U		0.384 U	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#77	UG/KG	0.353 U	0.362 U		0.372 U		0.384 U	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#81	UG/KG	0.353 U	0.362 U		0.372 U		0.384 U	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#100	UG/KG	0.353 U	0.291 J		0.372 U		0.586	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#101/#90	UG/KG	1.98	10.6		8.41		24.8	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#104	UG/KG	0.353 U	0.362 U		0.372 U		0.384 U	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#105	UG/KG	0.563	2.04		1.65		3.14	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#107/#123	UG/KG	0.378 J	1.58		1.56		2.2	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#110	UG/KG	1.06	3.45		1.12		15.3	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#114	UG/KG	0.246 J	0.701		0.541		0.77	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#118	UG/KG	3.35	14.9		6.05		21	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#119	UG/KG	0.353 U	0.72		0.372 U		1.44	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#121/#95/#88	UG/KG	0.53 J	1.37		1.12 U		4.96	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#124	UG/KG	0.353 U	0.362 U		0.372 U		0.384 U	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#126	UG/KG	0.353 U	0.362 U		0.372 U		0.384 U	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#82	UG/KG	0.353 U	0.362 U		0.372 U		0.355 J	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#83/#125/#112	UG/KG	1.06 U	1.08 U		1.12 U		1.15 U	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#85	UG/KG	0.236 J	1.44		0.37 J		3.45	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#87/#111	UG/KG	0.705 U	0.808		0.475 J		3.01	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#89/#84	UG/KG	0.705 U	0.723 U		0.745 U		0.625 J	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#91	UG/KG	0.223 J	0.972		0.498		3.01	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#92	UG/KG	0.615	0.654		0.705		2.47	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#97	UG/KG	0.353 U	2.03		0.372 U		5.87	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#99	UG/KG	0.42	12.7		0.591		22.2	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#128	UG/KG	0.83	3.82		1.68		4.52	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#129/#158	UG/KG	0.515 J	1.65		0.513 J		2.61	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#130/#164	UG/KG	0.705 U	0.707 J		0.391 J		1.62	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#131	UG/KG	0.353 U	0.362 U		0.372 U		0.384 U	

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	S2-Station D		S2-Station D		S2-Station D		S2-Station E	
					Lab Sample Delivery Group	L2464617		L2464620		L2464621		L2464620	
					Field Sample Date	6/9/2024 0:00		7/14/2024 0:00		6/17/2024 0:00		8/2/2024 0:00	
					Field Sample ID	NBH24-FF-D-3		NBH24-FF-D-3		NBH24-FF-D-3		NBH24-FF-E-3	
					Media Type	Scup		Scup		Scup		Scup	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#132	UG/KG	0.236	J	0.702		0.254	J	1.78	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#134	UG/KG	0.204	J	0.362	U	0.372	U	0.338	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#135	UG/KG	0.289	J	0.233	J	0.372	U	0.547	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#136	UG/KG	0.353	U	0.33	J	0.372	U	1.08	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#137	UG/KG	0.353	U	0.578		0.346	J	0.881	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#138	UG/KG	2.58		17.4		2.67		20	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#141	UG/KG	0.353	U	0.55		0.191	J	0.798	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#144	UG/KG	0.353	U	0.362	U	0.372	U	0.451	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#146	UG/KG	1.48		5.23		3.79		6.05	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#147/#149	UG/KG	1.65		5.09		2.1		11.7	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#151	UG/KG	0.311	J	0.597		0.328	J	1.48	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#153	UG/KG	8.3		37.9		21		39.4	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#154	UG/KG	0.353	U	0.924		0.372	U	1.29	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#155	UG/KG	0.353	U	0.362	U	0.372	U	0.384	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#156	UG/KG	0.313	J	1.3		1.44		1.69	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#157	UG/KG	0.206	J	0.636		0.509		0.666	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#163/#160	UG/KG	1.67		2.68		3.73		5.42	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#167	UG/KG	0.207	J	1.06		0.781		1.03	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#168	UG/KG	0.353	U	0.362	U	0.372	U	0.384	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#169	UG/KG	0.353	U	0.362	U	0.372	U	0.384	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#170	UG/KG	0.427		2.39		1.41		2.16	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#171	UG/KG	0.353	U	0.836		0.377		0.675	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#172	UG/KG	0.353	U	0.205	J	0.372	U	0.256	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#173	UG/KG	0.353	U	0.362	U	0.372	U	0.384	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#174	UG/KG	0.353	U	0.255	J	0.372	U	0.398	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#176	UG/KG	0.353	U	0.362	U	0.372	U	0.384	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#177	UG/KG	0.356		0.246	J	0.294	J	0.578	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#178	UG/KG	0.327	J	0.202	J	0.248	J	0.384	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#180	UG/KG	0.855		5.04		2.58		4.16	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#182/#175	UG/KG	0.705	U	0.723	U	0.745	U	0.768	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#183	UG/KG	0.38		1.72		0.646		1.38	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#184	UG/KG	0.353	U	0.362	U	0.372	U	0.384	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#185	UG/KG	0.353	U	0.362	U	0.372	U	0.384	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#187	UG/KG	1.27		3.93		2.7		3.78	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#188	UG/KG	0.353	U	0.362	U	0.372	U	0.384	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#189	UG/KG	0.353	U	0.362	U	0.372	U	0.384	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#190	UG/KG	0.353	U	0.278	J	0.252	J	0.385	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#191	UG/KG	0.353	U	0.362	U	0.372	U	0.384	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#193	UG/KG	0.353	U	0.192	J	0.372	U	0.231	J

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	S2-Station D		S2-Station D		S2-Station D		S2-Station E	
					Lab Sample Delivery Group	L2464617		L2464620		L2464621		L2464620	
					Field Sample Date	6/9/2024 0:00		7/14/2024 0:00		6/17/2024 0:00		8/2/2024 0:00	
					Field Sample ID	NBH24-FF-D-3		NBH24-FF-D-3		NBH24-FF-D-3		NBH24-FF-E-3	
					Media Type	Scup		Scup		Scup		Scup	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#194	UG/KG	0.353	U	1.25		0.439		0.689	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#195	UG/KG	0.353	U	0.362	U	0.372	U	0.384	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#196	UG/KG	0.353	U	0.676		0.268	J	0.33	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#197	UG/KG	0.353	U	0.362	U	0.372	U	0.384	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#199	UG/KG	0.353	U	0.362	U	0.372	U	0.384	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#201	UG/KG	0.284	J	0.63		0.333	J	0.542	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#202	UG/KG	0.195	J	0.235	J	0.372	U	0.384	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#203	UG/KG	0.353	U	0.638		0.24	J	0.503	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#204/#200	UG/KG	0.705	U	0.723	U	0.745	U	0.768	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#205	UG/KG	0.353	U	0.362	U	0.372	U	0.384	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#206	UG/KG	0.353	U	0.998		0.372	U	0.42	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#207	UG/KG	0.353	U	0.362	U	0.372	U	0.384	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#208	UG/KG	0.353	U	0.221	J	0.372	U	0.384	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Decachlorobiphenyl	UG/KG	0.353	U	0.698		0.372	U	0.384	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Total PCBs	UG/KG	35.1		175		82.9		294	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#1	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#3	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#12	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#13	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#15	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#4/#10	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#5	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#6	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#7	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#8	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#16	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#17	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#18	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#19	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#21/#20	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#22	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#24	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#25	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#26	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#27	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#28	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#29	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#31	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#32	NG/L								

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	S2-Station D		S2-Station D		S2-Station D		S2-Station E	
					Lab Sample Delivery Group	L2464617		L2464620		L2464621		L2464620	
					Field Sample Date	6/9/2024 0:00		7/14/2024 0:00		6/17/2024 0:00		8/2/2024 0:00	
					Field Sample ID	NBH24-FF-D-3		NBH24-FF-D-3		NBH24-FF-D-3		NBH24-FF-E-3	
					Media Type	Scup		Scup		Scup		Scup	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#33	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#37	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#40	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#41	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#42	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#43	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#44	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#45	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#47	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#48	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#49	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#50	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#51	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#52	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#53	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#54	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#56	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#60	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#63	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#66	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#68/#64	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#70	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#71	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#73/#46	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#74	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#76	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#77	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#81	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#100	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#101/#90	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#104	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#105	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#107/#123	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#110	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#114	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#118	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#119	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#121/#95/#88	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#124	NG/L								

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	S2-Station D		S2-Station D		S2-Station D		S2-Station E	
					Lab Sample Delivery Group	L2464617		L2464620		L2464621		L2464620	
					Field Sample Date	6/9/2024 0:00		7/14/2024 0:00		6/17/2024 0:00		8/2/2024 0:00	
					Field Sample ID	NBH24-FF-D-3		NBH24-FF-D-3		NBH24-FF-D-3		NBH24-FF-E-3	
					Media Type	Scup		Scup		Scup		Scup	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#126	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#82	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#83/#125/#112	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#85	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#87/#111	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#89/#84	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#91	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#92	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#97	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#99	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#128	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#129/#158	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#130/#164	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#131	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#132	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#134	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#135	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#136	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#137	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#138	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#141	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#144	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#146	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#147/#149	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#151	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#153	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#154	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#155	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#156	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#157	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#163/#160	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#167	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#168	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#169	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#170	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#171	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#172	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#173	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#174	NG/L								

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	S2-Station D		S2-Station D		S2-Station D		S2-Station E	
					Lab Sample Delivery Group	L2464617		L2464620		L2464621		L2464620	
					Field Sample Date	6/9/2024 0:00		7/14/2024 0:00		6/17/2024 0:00		8/2/2024 0:00	
					Field Sample ID	NBH24-FF-D-3		NBH24-FF-D-3		NBH24-FF-D-3		NBH24-FF-E-3	
					Media Type	Scup		Scup		Scup		Scup	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#176	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#177	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#178	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#180	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#182/#175	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#183	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#184	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#185	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#187	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#188	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#189	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#190	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#191	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#193	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#194	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#195	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#196	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#197	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#199	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#201	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#202	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#203	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#204/#200	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#205	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#206	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#207	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#208	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Decachlorobiphenyl	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Total PCBs	NG/L								

NOTES:
B = biological
L = liquid
ug/kg = microgram per kilogram
ng/L = nanograms per liter
U = not detected at the reported detection limit
UJ = estimated value at the reporting limit
J = estimated value
J- = estimated value biased low
FS = field sample

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	SB2-Station A		SB2-Station C		SB2-Station C		SB2-Station C	
					Lab Sample Delivery Group	L2464617		L2464617		L2464620		L2464621	
					Field Sample Date	6/20/2024 0:00		7/1/2024 0:00		6/7/2024 0:00		5/10/2024 0:00	
					Field Sample ID	NBH24-FF-A-2		NBH24-FF-C-2		NBH24-FF-C-2		NBH24-FF-C-2	
					Media Type	Black Sea Bass		Black Sea Bass		Black Sea Bass		Black Sea Bass	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	Lipids	LIPIDS	T	Lipids	PERCENT	0.543		0.689		0.85		1.35	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#1	UG/KG	0.399	U	0.374	U	0.366	U	0.382	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#3	UG/KG	0.399	U	0.374	U	0.366	U	0.382	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#12	UG/KG	0.399	U	0.374	U	0.366	U	0.382	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#13	UG/KG	0.798	U	0.749	U	0.733	U	0.765	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#15	UG/KG	0.399	U	0.374	U	0.366	U	0.382	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#4/#10	UG/KG	0.798	U	0.749	U	0.733	U	0.765	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#5	UG/KG	0.399	U	0.374	U	0.366	U	0.382	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#6	UG/KG	0.399	U	0.374	U	0.366	U	0.296	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#7	UG/KG	0.399	U	0.374	U	0.366	U	0.382	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#8	UG/KG	0.399	U	0.374	U	0.366	U	0.382	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#16	UG/KG	0.399	U	0.374	U	0.366	U	0.237	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#17	UG/KG	0.399	U	0.219	J	0.871		0.694	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#18	UG/KG	0.283	J	0.303	J	1.59		1.42	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#19	UG/KG	0.399	U	0.374	U	0.366	U	0.382	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#21/#20	UG/KG	0.798	U	0.749	U	0.426	J	0.412	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#22	UG/KG	0.399	U	0.374	U	0.395		1.12	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#24	UG/KG	0.399	U	0.374	U	0.366	U	0.382	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#25	UG/KG	0.399	U	0.374	U	0.366	U	0.382	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#26	UG/KG	0.396	J	0.428		2.41		7.51	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#27	UG/KG	0.399	U	0.374	U	0.366	U	0.347	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#28	UG/KG	0.754		1.41		5.05		18.5	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#29	UG/KG	0.399	U	0.374	U	0.366	U	0.382	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#31	UG/KG	0.409		0.374	U	0.795		3.78	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#32	UG/KG	0.207	J	0.374	U	0.295	J	1.6	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#33	UG/KG	0.399	U	0.374	U	0.366	U	0.382	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#37	UG/KG	0.399	U	0.374	U	0.68		0.382	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#40	UG/KG	0.399	U	0.374	U	0.366	U	0.36	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#41	UG/KG	0.399	U	0.374	U	0.366	U	0.382	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#42	UG/KG	0.424		0.203	J	1.9		0.696	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#43	UG/KG	0.399	U	0.374	U	0.366	U	0.382	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#44	UG/KG	1.13		0.685		2.49		2.87	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#45	UG/KG	0.399	U	0.374	U	0.366	U	0.398	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#47	UG/KG	1.5		1.01		27		3.86	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#48	UG/KG	0.399	U	0.374	U	0.536		0.382	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#49	UG/KG	2.31		1.32		33.4		17.3	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#50	UG/KG	0.399	U	0.374	U	0.366	U	0.382	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#51	UG/KG	0.399	U	0.374	U	0.234	J	0.396	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#52	UG/KG	4.8		2.33		21.1		32.6	

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	SB2-Station A		SB2-Station C		SB2-Station C		SB2-Station C	
					Lab Sample Delivery Group	L2464617		L2464617		L2464620		L2464621	
					Field Sample Date	6/20/2024 0:00		7/1/2024 0:00		6/7/2024 0:00		5/10/2024 0:00	
					Field Sample ID	NBH24-FF-A-2		NBH24-FF-C-2		NBH24-FF-C-2		NBH24-FF-C-2	
					Media Type	Black Sea Bass		Black Sea Bass		Black Sea Bass		Black Sea Bass	
					QC Code	FS		FS		FS		FS	
Matrix	Method Class	Analysis Method	Fraction	Parameter	Units	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#53	UG/KG	0.399	U	0.374	U	0.243	J	0.489	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#54	UG/KG	0.399	U	0.374	U	0.366	U	0.382	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#56	UG/KG	0.213	J	0.374	U	2.36		1.89	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#60	UG/KG	0.399	U	0.374	U	4.53		3.44	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#63	UG/KG	0.399	U	0.374	U	2.59		2.42	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#66	UG/KG	1.76		1		28.7		9.67	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#68/#64	UG/KG	0.526	J	0.38	J	7.1		7.1	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#70	UG/KG	0.399	U	0.374	U	0.444		3.23	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#71	UG/KG	0.399	U	0.374	U	0.458		0.934	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#73/#46	UG/KG	0.798	U	0.749	U	0.733	U	0.765	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#74	UG/KG	1.03		0.737		21.5		16.9	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#76	UG/KG	0.399	U	0.374	U	0.366	U	0.382	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#77	UG/KG	0.399	U	0.374	U	0.366	U	0.513	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#81	UG/KG	0.399	U	0.374	U	0.366	U	0.382	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#100	UG/KG	0.399	U	0.374	U	1.93		0.382	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#101/#90	UG/KG	6.96		1.9		84.9		58.6	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#104	UG/KG	0.399	U	0.374	U	0.366	U	0.382	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#105	UG/KG	1.26		0.483		16.3		13	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#107/#123	UG/KG	0.954		0.749	U	6.91		7.96	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#110	UG/KG	4.12		1.11		15.4		19.9	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#114	UG/KG	0.392	J	0.374	U	2.95		2.86	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#118	UG/KG	9.18		3.31		90.5		50.5	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#119	UG/KG	0.564		0.263	J	5.66		0.268	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#121/#95/#88	UG/KG	1.83		0.793	J	4.1		1.15	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#124	UG/KG	0.399	U	0.374	U	0.366	U	0.335	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#126	UG/KG	0.399	U	0.374	U	0.366	U	0.319	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#82	UG/KG	0.2	J	0.374	U	0.379		0.418	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#83/#125/#112	UG/KG	1.2	U	1.12	U	1.1	U	1.15	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#85	UG/KG	0.864		0.274	J	11.8		2.69	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#87/#111	UG/KG	0.606	J	0.749	U	3.08		4.84	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#89/#84	UG/KG	0.512	J	0.387	J	0.733	U	1.68	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#91	UG/KG	0.826		0.275	J	3.32		4.49	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#92	UG/KG	1.81		0.512		1.88		5.24	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#97	UG/KG	0.813		0.375		15.9		1.12	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#99	UG/KG	2.21		1.97		83.1		6.64	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#128	UG/KG	1.97		0.524		15.9		10.7	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#129/#158	UG/KG	0.958		0.401	J	10.4		4.06	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#130/#164	UG/KG	0.835		0.749	U	1.46		2.92	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#131	UG/KG	0.399	U	0.374	U	0.305	J	0.425	

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	SB2-Station A		SB2-Station C		SB2-Station C		SB2-Station C	
					Lab Sample Delivery Group	L2464617		L2464617		L2464620		L2464621	
					Field Sample Date	6/20/2024 0:00		7/1/2024 0:00		6/7/2024 0:00		5/10/2024 0:00	
					Field Sample ID	NBH24-FF-A-2		NBH24-FF-C-2		NBH24-FF-C-2		NBH24-FF-C-2	
					Media Type	Black Sea Bass		Black Sea Bass		Black Sea Bass		Black Sea Bass	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#132	UG/KG	0.948		0.237	J	1.37		2.29	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#134	UG/KG	0.387	J	0.374	U	0.366	U	0.543	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#135	UG/KG	0.827		0.374	U	0.384		0.836	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#136	UG/KG	0.22	J	0.374	U	0.5		0.64	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#137	UG/KG	0.276	J	0.374	U	3.99		2.62	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#138	UG/KG	6.02		2.04		70.2		10.8	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#141	UG/KG	0.359	J	0.374	U	1.34		1.21	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#144	UG/KG	0.399	U	0.374	U	1.21		0.714	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#146	UG/KG	3.5		0.909		17.7		20.4	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#147/#149	UG/KG	5.07		1.04		15.4		16.1	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#151	UG/KG	0.808		0.259	J	1		2.21	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#153	UG/KG	19.9		5.93		132		124	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#154	UG/KG	0.399	U	0.374	U	4.01		0.382	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#155	UG/KG	0.399	U	0.374	U	0.366	U	0.382	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#156	UG/KG	0.724		0.252	J	6.76		8.24	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#157	UG/KG	0.379	J	0.374	U	2.18		2.76	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#163/#160	UG/KG	3.61		1.06		8.67		19.3	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#167	UG/KG	0.544		0.374	U	3.58		4.4	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#168	UG/KG	0.399	U	0.374	U	0.366	U	0.382	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#169	UG/KG	0.399	U	0.374	U	0.366	U	0.382	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#170	UG/KG	0.96		0.261	J	7.31		8.34	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#171	UG/KG	0.399	U	0.374	U	2.52		1.9	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#172	UG/KG	0.217	J	0.374	U	0.644		0.837	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#173	UG/KG	0.399	U	0.374	U	0.366	U	0.382	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#174	UG/KG	0.304	J	0.374	U	0.32	J	0.337	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#176	UG/KG	0.399	U	0.374	U	0.366	U	0.195	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#177	UG/KG	0.51		0.228	J	0.383		1.3	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#178	UG/KG	0.445		0.255	J	0.366	U	1.12	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#180	UG/KG	1.95		0.698		15.9		15.2	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#182/#175	UG/KG	0.798	U	0.749	U	0.415	J	0.505	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#183	UG/KG	0.798		0.312	J	5.43		3.27	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#184	UG/KG	0.399	U	0.374	U	0.366	U	0.382	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#185	UG/KG	0.399	U	0.374	U	0.366	U	0.382	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#187	UG/KG	2.5		0.987		9.73		13.8	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#188	UG/KG	0.399	U	0.374	U	0.23	J	0.382	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#189	UG/KG	0.399	U	0.374	U	0.363	J	0.642	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#190	UG/KG	0.399	U	0.374	U	1.38		1.44	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#191	UG/KG	0.399	U	0.374	U	0.431		0.404	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#193	UG/KG	0.399	U	0.374	U	0.586		0.802	

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	SB2-Station A		SB2-Station C		SB2-Station C		SB2-Station C	
					Lab Sample Delivery Group	L2464617		L2464617		L2464620		L2464621	
					Field Sample Date	6/20/2024 0:00		7/1/2024 0:00		6/7/2024 0:00		5/10/2024 0:00	
					Field Sample ID	NBH24-FF-A-2		NBH24-FF-C-2		NBH24-FF-C-2		NBH24-FF-C-2	
					Media Type	Black Sea Bass		Black Sea Bass		Black Sea Bass		Black Sea Bass	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#194	UG/KG	0.383	J	0.374	U	2.24		2.19	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#195	UG/KG	0.399	U	0.374	U	0.744		0.715	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#196	UG/KG	0.263	J	0.374	U	1.34		1.47	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#197	UG/KG	0.399	U	0.374	U	0.188	J	0.382	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#199	UG/KG	0.399	U	0.374	U	0.366	U	0.382	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#201	UG/KG	0.456		0.249	J	0.616		1.55	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#202	UG/KG	0.269	J	0.374	U	0.366	U	0.582	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#203	UG/KG	0.24	J	0.374	U	1.5		1.18	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#204/#200	UG/KG	0.798	U	0.749	U	0.471	J	0.524	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#205	UG/KG	0.399	U	0.374	U	0.366	U	0.382	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#206	UG/KG	0.399	U	0.374	U	1.29		0.889	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#207	UG/KG	0.399	U	0.374	U	0.221	J	0.193	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#208	UG/KG	0.399	U	0.374	U	0.305	J	0.285	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Decachlorobiphenyl	UG/KG	0.399	U	0.374	U	0.545		0.236	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Total PCBs	UG/KG	105		37.3		869		617	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#1	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#3	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#12	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#13	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#15	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#4/#10	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#5	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#6	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#7	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#8	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#16	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#17	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#18	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#19	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#21/#20	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#22	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#24	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#25	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#26	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#27	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#28	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#29	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#31	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#32	NG/L								

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

						SB2-Station A		SB2-Station C		SB2-Station C		SB2-Station C	
				Location									
				Lab Sample Delivery Group		L2464617		L2464617		L2464620		L2464621	
				Field Sample Date		6/20/2024 0:00		7/1/2024 0:00		6/7/2024 0:00		5/10/2024 0:00	
				Field Sample ID		NBH24-FF-A-2		NBH24-FF-C-2		NBH24-FF-C-2		NBH24-FF-C-2	
				Media Type		Black Sea Bass		Black Sea Bass		Black Sea Bass		Black Sea Bass	
				QC Code		FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#33	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#37	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#40	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#41	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#42	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#43	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#44	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#45	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#47	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#48	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#49	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#50	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#51	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#52	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#53	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#54	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#56	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#60	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#63	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#66	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#68/#64	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#70	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#71	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#73/#46	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#74	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#76	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#77	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#81	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#100	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#101/#90	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#104	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#105	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#107/#123	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#110	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#114	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#118	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#119	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#121/#95/#88	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#124	NG/L								

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	SB2-Station A		SB2-Station C		SB2-Station C		SB2-Station C	
					Lab Sample Delivery Group	L2464617		L2464617		L2464620		L2464621	
					Field Sample Date	6/20/2024 0:00		7/1/2024 0:00		6/7/2024 0:00		5/10/2024 0:00	
					Field Sample ID	NBH24-FF-A-2		NBH24-FF-C-2		NBH24-FF-C-2		NBH24-FF-C-2	
					Media Type	Black Sea Bass		Black Sea Bass		Black Sea Bass		Black Sea Bass	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#126	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#82	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#83/#125/#112	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#85	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#87/#111	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#89/#84	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#91	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#92	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#97	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#99	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#128	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#129/#158	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#130/#164	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#131	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#132	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#134	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#135	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#136	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#137	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#138	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#141	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#144	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#146	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#147/#149	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#151	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#153	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#154	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#155	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#156	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#157	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#163/#160	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#167	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#168	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#169	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#170	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#171	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#172	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#173	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#174	NG/L								

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	SB2-Station A		SB2-Station C		SB2-Station C		SB2-Station C	
					Lab Sample Delivery Group	L2464617		L2464617		L2464620		L2464621	
					Field Sample Date	6/20/2024 0:00		7/1/2024 0:00		6/7/2024 0:00		5/10/2024 0:00	
					Field Sample ID	NBH24-FF-A-2		NBH24-FF-C-2		NBH24-FF-C-2		NBH24-FF-C-2	
					Media Type	Black Sea Bass		Black Sea Bass		Black Sea Bass		Black Sea Bass	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#176	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#177	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#178	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#180	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#182/#175	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#183	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#184	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#185	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#187	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#188	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#189	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#190	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#191	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#193	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#194	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#195	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#196	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#197	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#199	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#201	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#202	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#203	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#204/#200	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#205	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#206	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#207	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#208	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Decachlorobiphenyl	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Total PCBs	NG/L								

NOTES:
B = biological
L = liquid
ug/kg = microgram per kilogram
ng/L = nanograms per liter
U = not detected at the reported detection limit
UJ = estimated value at the reporting limit
J = estimated value
J- = estimated value biased low
FS = field sample

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	SB2-Station D		SB2-Station D		SB2-Station D		StB1-Station A	
					Lab Sample Delivery Group	L2464617		L2464620		L2464621		L2432818	
					Field Sample Date	6/17/2024 0:00		6/9/2024 0:00		5/7/2024 0:00		6/10/2024 12:00	
					Field Sample ID	NBH24-FF-D-2		NBH24-FF-D-2		NBH24-FF-D-2		AI-A-SB-FF	
					Media Type	Black Sea Bass		Black Sea Bass		Black Sea Bass		29 inch	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	Lipids	LIPIDS	T	Lipids	PERCENT	0.302		0.986		1.68		2.5	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#1	UG/KG	0.344	U	0.398	U	0.368	U	0.38	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#3	UG/KG	0.344	U	0.398	U	0.368	U	0.38	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#12	UG/KG	0.344	U	0.398	U	0.368	U	0.38	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#13	UG/KG	0.687	U	0.795	U	0.735	U	0.759	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#15	UG/KG	0.344	U	0.398	U	0.368	U	0.267	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#4/#10	UG/KG	0.687	U	0.795	U	0.735	U	1.46	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#5	UG/KG	0.344	U	0.398	U	0.368	U	0.38	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#6	UG/KG	0.344	U	0.398	U	0.368	U	1.25	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#7	UG/KG	0.344	U	0.398	U	0.368	U	0.38	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#8	UG/KG	0.344	U	0.398	U	0.368	U	1.27	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#16	UG/KG	0.344	U	0.398	U	0.368	U	1.18	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#17	UG/KG	0.344	U	1.17		0.368	U	3.55	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#18	UG/KG	0.344	U	1.64		0.21	J	7.25	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#19	UG/KG	0.344	U	0.398	U	0.368	U	1.01	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#21/#20	UG/KG	0.687	U	0.795	U	0.735	U	0.759	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#22	UG/KG	0.344	U	0.472		0.368	U	1.43	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#24	UG/KG	0.344	U	0.398	U	0.368	U	0.38	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#25	UG/KG	0.344	U	0.398	U	0.368	U	0.38	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#26	UG/KG	0.474		2.26		2.4		9.98	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#27	UG/KG	0.344	U	0.398	U	0.368	U	1.51	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#28	UG/KG	1.05		7.35		4.61		12.3	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#29	UG/KG	0.344	U	0.398	U	0.368	U	0.38	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#31	UG/KG	0.21	J	0.7		1.38		9.36	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#32	UG/KG	0.344	U	0.547		0.501		2.96	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#33	UG/KG	0.344	U	0.398	U	0.368	U	0.38	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#37	UG/KG	0.344	U	0.398	U	0.368	U	0.637	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#40	UG/KG	0.19	J	0.398	U	0.368	U	0.879	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#41	UG/KG	0.344	U	0.398	U	0.368	U	0.253	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#42	UG/KG	0.603		2.16		0.368	U	2.95	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#43	UG/KG	0.344	U	0.398	U	0.368	U	0.285	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#44	UG/KG	1.88		2.42		0.539		6.98	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#45	UG/KG	0.344	U	0.201	J	0.368	U	0.685	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#47	UG/KG	2.93		17.8		0.532		8.1	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#48	UG/KG	0.344	U	0.563		0.368	U	0.922	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#49	UG/KG	4.01		21.4		2.52		21.6	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#50	UG/KG	0.344	U	0.398	U	0.368	U	0.38	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#51	UG/KG	0.344	U	0.308	J	0.368	U	1.43	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#52	UG/KG	9.39		22.2		7.88		29.3	

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	SB2-Station D		SB2-Station D		SB2-Station D		StB1-Station A	
					Lab Sample Delivery Group	L2464617		L2464620		L2464621		L2432818	
					Field Sample Date	6/17/2024 0:00		6/9/2024 0:00		5/7/2024 0:00		6/10/2024 12:00	
					Field Sample ID	NBH24-FF-D-2		NBH24-FF-D-2		NBH24-FF-D-2		AI-A-SB-FF	
					Media Type	Black Sea Bass		Black Sea Bass		Black Sea Bass		29 inch	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#53	UG/KG	0.344	U	0.327	J	0.368	U	2.8	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#54	UG/KG	0.344	U	0.398	U	0.368	U	0.38	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#56	UG/KG	0.456		1.57		0.431		1.95	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#60	UG/KG	0.399		2.43		0.765		0.941	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#63	UG/KG	0.357		1.86		0.699		0.662	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#66	UG/KG	3.35		20.4		1.38		7.16	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#68/#64	UG/KG	1.29		5.84		1.53		4.39	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#70	UG/KG	0.232	J	0.484		1.32		3.98	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#71	UG/KG	0.344	U	0.836		0.368	U	3.72	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#73/#46	UG/KG	0.687	U	0.795	U	0.735	U	0.509	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#74	UG/KG	2.51		13.8		3.63		5	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#76	UG/KG	0.344	U	0.398	U	0.368	U	0.38	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#77	UG/KG	0.344	U	0.398	U	0.226	J	0.305	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#81	UG/KG	0.344	U	0.398	U	0.368	U	0.38	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#100	UG/KG	0.344	U	1.31		0.368	U	0.568	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#101/#90	UG/KG	17.2		50.7		16.1		26.1	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#104	UG/KG	0.344	U	0.398	U	0.368	U	0.38	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#105	UG/KG	3.23		11.8		2.86		3.31	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#107/#123	UG/KG	1.91		5.78		2.78		2.87	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#110	UG/KG	13.9		15.8		2.93		16	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#114	UG/KG	0.848		2.63		0.858		1.02	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#118	UG/KG	20.5		71.8		10.2		23.5	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#119	UG/KG	1.5		4.06		0.368	U	1.58	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#121/#95/#88	UG/KG	4.14		4.41		1.25		8.21	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#124	UG/KG	0.344	U	0.398	U	0.19	J	0.389	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#126	UG/KG	0.344	U	0.398	U	0.368	U	0.38	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#82	UG/KG	0.408		0.359	J	0.368	U	0.737	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#83/#125/#112	UG/KG	0.711	J	1.19	U	1.1	U	0.859	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#85	UG/KG	1.84		7.26		0.314	J	2.45	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#87/#111	UG/KG	1.46		2.85		1.35		3.12	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#89/#84	UG/KG	0.912		0.795	U	0.735	U	2.55	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#91	UG/KG	1.72		3.23		0.938		4.02	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#92	UG/KG	4.59		2		1.26		5.32	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#97	UG/KG	1.68		10.2		0.368	U	5.81	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#99	UG/KG	3.56		58.4		0.708		19.3	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#128	UG/KG	4.67		13.4		2.13		4.31	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#129/#158	UG/KG	2.91		7.58		0.615	J	2.3	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#130/#164	UG/KG	2.34		1.72		0.756		2.48	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#131	UG/KG	0.344	U	0.304	J	0.368	U	0.38	U

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	SB2-Station D		SB2-Station D		SB2-Station D		StB1-Station A	
					Lab Sample Delivery Group	L2464617		L2464620		L2464621		L2432818	
					Field Sample Date	6/17/2024 0:00		6/9/2024 0:00		5/7/2024 0:00		6/10/2024 12:00	
					Field Sample ID	NBH24-FF-D-2		NBH24-FF-D-2		NBH24-FF-D-2		AI-A-SB-FF	
					Media Type	Black Sea Bass		Black Sea Bass		Black Sea Bass		29 inch	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#132	UG/KG	2.64		1.38		0.56		2.75	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#134	UG/KG	1.07		0.398	U	0.368	U	0.651	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#135	UG/KG	2.07		0.454		0.197	J	1.51	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#136	UG/KG	0.65		0.81		0.196	J	1.38	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#137	UG/KG	0.807		3.08		0.465		0.814	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#138	UG/KG	15.9		58.1		1.42		20.1	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#141	UG/KG	1.2		1.1		0.305	J	1.34	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#144	UG/KG	0.22	J	0.669		0.204	J	0.488	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#146	UG/KG	6.68		17.7		6.7		7.8	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#147/#149	UG/KG	14.4		15.3		3.88		14	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#151	UG/KG	2.25		1.35		0.565		3.31	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#153	UG/KG	41.1		136		34.2		44.8	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#154	UG/KG	0.344	U	2.8		0.368	U	1.37	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#155	UG/KG	0.344	U	0.398	U	0.368	U	0.38	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#156	UG/KG	1.81		6.05		2.32		1.91	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#157	UG/KG	0.71		2.15		0.807		0.727	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#163/#160	UG/KG	8.39		9.5		6.43		8.28	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#167	UG/KG	1.02		3.56		1.4		1.41	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#168	UG/KG	0.344	U	0.398	U	0.368	U	0.38	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#169	UG/KG	0.344	U	0.398	U	0.368	U	0.38	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#170	UG/KG	2.4		7.03		2.15		2.61	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#171	UG/KG	0.542		2.42		0.529		0.839	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#172	UG/KG	0.479		0.619		0.238	J	0.582	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#173	UG/KG	0.344	U	0.398	U	0.368	U	0.38	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#174	UG/KG	0.896		0.403		0.368	U	0.972	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#176	UG/KG	0.344	U	0.223	J	0.368	U	0.276	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#177	UG/KG	1.24		0.596		0.383		1.78	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#178	UG/KG	0.903		0.357	J	0.367	J	1.23	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#180	UG/KG	4.82		15.4		4.45		6.02	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#182/#175	UG/KG	0.687	U	0.452	J	0.735	U	0.759	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#183	UG/KG	1.68		5.48		0.875		2.29	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#184	UG/KG	0.344	U	0.398	U	0.368	U	0.38	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#185	UG/KG	0.344	U	0.398	U	0.368	U	0.38	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#187	UG/KG	4.79		9.88		4.73		7.55	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#188	UG/KG	0.344	U	0.398	U	0.368	U	0.38	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#189	UG/KG	0.178	J	0.476		0.207	J	0.38	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#190	UG/KG	0.449		1.22		0.464		0.484	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#191	UG/KG	0.192	J	0.393	J	0.368	U	0.38	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#193	UG/KG	0.315	J	0.671		0.228	J	0.464	

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

				Location	SB2-Station D		SB2-Station D		SB2-Station D		StB1-Station A	
				Lab Sample Delivery Group	L2464617		L2464620		L2464621		L2432818	
				Field Sample Date	6/17/2024 0:00		6/9/2024 0:00		5/7/2024 0:00		6/10/2024 12:00	
				Field Sample ID	NBH24-FF-D-2		NBH24-FF-D-2		NBH24-FF-D-2		AI-A-SB-FF	
				Media Type	Black Sea Bass		Black Sea Bass		Black Sea Bass		29 inch	
				QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#194	UG/KG	0.73		2.31		0.741		1.29	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#195	UG/KG	0.184	J	0.695		0.257	J	0.393	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#196	UG/KG	0.421		1.41		0.368		0.866	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#197	UG/KG	0.344	U	0.398	U	0.368	U	0.38	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#199	UG/KG	0.344	U	0.398	U	0.368	U	0.38	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#201	UG/KG	1		0.924		0.478		2.22	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#202	UG/KG	0.504		0.357	J	0.227	J	1.04	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#203	UG/KG	0.493		1.4		0.448		0.995	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#204/#200	UG/KG	0.687	U	0.454	J	0.735	U	0.448	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#205	UG/KG	0.344	U	0.398	U	0.368	U	0.38	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#206	UG/KG	0.464		1.52		0.242	J	1.54	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#207	UG/KG	0.344	U	0.398	U	0.368	U	0.267	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#208	UG/KG	0.239	J	0.385	J	0.368	U	0.82	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Decachlorobiphenyl	UG/KG	0.344	U	0.769		0.368	U	1.15	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Total PCBs	UG/KG	243		720		153		446	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#1	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#3	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#12	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#13	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#15	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#4/#10	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#5	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#6	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#7	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#8	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#16	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#17	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#18	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#19	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#21/#20	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#22	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#24	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#25	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#26	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#27	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#28	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#29	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#31	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#32	NG/L								

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

						SB2-Station D		SB2-Station D		SB2-Station D		StB1-Station A	
					Location								
					Lab Sample Delivery Group	L2464617		L2464620		L2464621		L2432818	
					Field Sample Date	6/17/2024 0:00		6/9/2024 0:00		5/7/2024 0:00		6/10/2024 12:00	
					Field Sample ID	NBH24-FF-D-2		NBH24-FF-D-2		NBH24-FF-D-2		AI-A-SB-FF	
					Media Type	Black Sea Bass		Black Sea Bass		Black Sea Bass		29 inch	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#33	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#37	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#40	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#41	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#42	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#43	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#44	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#45	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#47	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#48	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#49	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#50	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#51	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#52	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#53	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#54	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#56	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#60	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#63	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#66	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#68/#64	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#70	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#71	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#73/#46	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#74	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#76	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#77	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#81	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#100	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#101/#90	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#104	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#105	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#107/#123	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#110	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#114	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#118	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#119	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#121/#95/#88	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#124	NG/L								

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	SB2-Station D		SB2-Station D		SB2-Station D		StB1-Station A	
					Lab Sample Delivery Group	L2464617		L2464620		L2464621		L2432818	
					Field Sample Date	6/17/2024 0:00		6/9/2024 0:00		5/7/2024 0:00		6/10/2024 12:00	
					Field Sample ID	NBH24-FF-D-2		NBH24-FF-D-2		NBH24-FF-D-2		AI-A-SB-FF	
					Media Type	Black Sea Bass		Black Sea Bass		Black Sea Bass		29 inch	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#126	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#82	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#83/#125/#112	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#85	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#87/#111	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#89/#84	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#91	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#92	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#97	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#99	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#128	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#129/#158	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#130/#164	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#131	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#132	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#134	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#135	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#136	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#137	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#138	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#141	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#144	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#146	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#147/#149	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#151	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#153	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#154	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#155	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#156	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#157	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#163/#160	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#167	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#168	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#169	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#170	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#171	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#172	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#173	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#174	NG/L								

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	SB2-Station D		SB2-Station D		SB2-Station D		StB1-Station A	
					Lab Sample Delivery Group	L2464617		L2464620		L2464621		L2432818	
					Field Sample Date	6/17/2024 0:00		6/9/2024 0:00		5/7/2024 0:00		6/10/2024 12:00	
					Field Sample ID	NBH24-FF-D-2		NBH24-FF-D-2		NBH24-FF-D-2		AI-A-SB-FF	
					Media Type	Black Sea Bass		Black Sea Bass		Black Sea Bass		29 inch	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#176	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#177	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#178	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#180	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#182/#175	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#183	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#184	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#185	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#187	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#188	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#189	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#190	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#191	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#193	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#194	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#195	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#196	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#197	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#199	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#201	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#202	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#203	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#204/#200	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#205	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#206	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#207	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#208	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Decachlorobiphenyl	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Total PCBs	NG/L								

NOTES:
B = biological
L = liquid
ug/kg = microgram per kilogram
ng/L = nanograms per liter
U = not detected at the reported detection limit
UJ = estimated value at the reporting limit
J = estimated value
J- = estimated value biased low
FS = field sample

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

				Location	StB1-Station A		StB1-Station B		StB1-Station B		StB1-Station C	
				Lab Sample Delivery Group	L2432818		L2432818		L2432818		L2432818	
				Field Sample Date	6/10/2024 12:00		6/10/2024 12:10		6/10/2024 12:10		6/10/2024 12:20	
				Field Sample ID	AI-A-SB-SC		AI-B-SB-FF		AI-B-SB-SC		AI-C-SB-FF	
				Media Type	29 inch		29.25 inch		29.25 inch		31 inch	
				QC Code	FS		FS		FS		FS	
Matrix	Method Class	Analysis Method	Fraction	Parameter	Units	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	Lipids	LIPIDS	T	Lipids	PERCENT	0.755		1.45		0.868		2.05	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#1	UG/KG	0.343	U	0.362	U	0.347	U	0.394	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#3	UG/KG	0.343	U	0.362	U	0.347	U	0.394	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#12	UG/KG	0.343	U	0.362	U	0.347	U	0.394	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#13	UG/KG	0.686	U	0.723	U	0.694	U	0.789	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#15	UG/KG	0.343	U	0.294	J	0.347	U	0.96	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#4/#10	UG/KG	0.686	U	1.13		0.694	U	2.73	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#5	UG/KG	0.343	U	0.362	U	0.347	U	0.394	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#6	UG/KG	0.221	J	1.05		0.23	J	3.12	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#7	UG/KG	0.343	U	0.362	U	0.347	U	0.394	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#8	UG/KG	0.234	J	1.1		0.278	J	3.23	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#16	UG/KG	0.343	U	0.715		0.347	U	0.394	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#17	UG/KG	0.582		3.73		0.799		8.61	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#18	UG/KG	1.09		7.22		1.48		18.1	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#19	UG/KG	0.343	U	0.872		0.347	U	2.3	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#21/#20	UG/KG	0.686	U	0.723	U	0.694	U	0.789	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#22	UG/KG	0.343	U	1.6		0.347	U	3.52	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#24	UG/KG	0.343	U	0.362	U	0.347	U	0.394	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#25	UG/KG	0.343	U	0.362	U	0.347	U	0.394	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#26	UG/KG	1.44		11.2		2.3		23.3	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#27	UG/KG	0.276	J	1.47		0.35		3.69	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#28	UG/KG	1.83		13.3		3.02		27.4	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#29	UG/KG	0.343	U	0.362	U	0.347	U	0.394	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#31	UG/KG	0.989		9.88		2.38		24.7	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#32	UG/KG	0.49		3.14		0.825		8.32	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#33	UG/KG	0.343	U	0.362	U	0.347	U	0.394	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#37	UG/KG	0.343	U	0.526		0.347	U	0.929	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#40	UG/KG	0.343	U	0.771		0.347	U	1.36	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#41	UG/KG	0.343	U	0.182	J	0.347	U	0.6	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#42	UG/KG	0.469		2.9		0.69		5.07	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#43	UG/KG	0.343	U	0.226	J	0.347	U	0.422	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#44	UG/KG	1.03		6.89		1.44		11.8	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#45	UG/KG	0.343	U	0.657		0.347	U	1.23	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#47	UG/KG	1.13		8.54		1.82		12.9	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#48	UG/KG	0.343	U	0.848		0.199	J	1.6	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#49	UG/KG	2.9		24.9		4.98		37.4	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#50	UG/KG	0.343	U	0.362	U	0.347	U	0.394	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#51	UG/KG	0.22	J	1.62		0.36		2.9	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#52	UG/KG	4.04		31.9		6.26		51	

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	StB1-Station A		StB1-Station B		StB1-Station B		StB1-Station C	
					Lab Sample Delivery Group	L2432818		L2432818		L2432818		L2432818	
					Field Sample Date	6/10/2024 12:00		6/10/2024 12:10		6/10/2024 12:10		6/10/2024 12:20	
					Field Sample ID	AI-A-SB-SC		AI-B-SB-FF		AI-B-SB-SC		AI-C-SB-FF	
					Media Type	29 inch		29.25 inch		29.25 inch		31 inch	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#53	UG/KG	0.418		3.14		0.606		6.04	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#54	UG/KG	0.343	U	0.362	U	0.347	U	0.394	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#56	UG/KG	0.274	J	1.61		0.387		2.87	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#60	UG/KG	0.343	U	0.979		0.208	J	1.47	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#63	UG/KG	0.343	U	0.576		0.228	J	1.04	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#66	UG/KG	1.09		6.55		1.35		10.2	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#68/#64	UG/KG	0.682	J	4.5		0.976		7.54	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#70	UG/KG	0.666		3.54		0.795		6.32	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#71	UG/KG	0.567		3.96		0.775		6.29	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#73/#46	UG/KG	0.686	U	0.483	J	0.694	U	0.966	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#74	UG/KG	0.801		4.76		1.02		7.44	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#76	UG/KG	0.343	U	0.362	U	0.347	U	0.394	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#77	UG/KG	0.343	U	0.267	J	0.347	U	0.631	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#81	UG/KG	0.343	U	0.362	U	0.347	U	0.394	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#100	UG/KG	0.343	U	0.541		0.347	U	0.935	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#101/#90	UG/KG	3.58		17.5		3.34		30	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#104	UG/KG	0.343	U	0.362	U	0.347	U	0.394	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#105	UG/KG	0.528		2		0.406		4.04	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#107/#123	UG/KG	0.476	J	1.39		0.694	U	2.86	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#110	UG/KG	2.55		13.4		2.72		21.9	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#114	UG/KG	0.206	J	0.468		0.347	U	0.917	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#118	UG/KG	3.54		12.9		2.6		26.9	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#119	UG/KG	0.235	J	1.25		0.313	J	2.28	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#121/#95/#88	UG/KG	1.49		6.84		1.56		11.4	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#124	UG/KG	0.343	U	0.271	J	0.347	U	0.578	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#126	UG/KG	0.343	U	0.362	U	0.347	U	0.394	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#82	UG/KG	0.343	U	0.706		0.347	U	1.15	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#83/#125/#112	UG/KG	1.03	U	0.597	J	1.04	U	0.994	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#85	UG/KG	0.386		1.68		0.383		2.88	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#87/#111	UG/KG	0.58	J	2.47		0.555	J	3.92	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#89/#84	UG/KG	0.547	J	2.12		0.658	J	3.85	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#91	UG/KG	0.711		3.77		0.812		5.83	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#92	UG/KG	0.918		3.58		0.797		6.08	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#97	UG/KG	0.943		4.67		1.05		7.36	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#99	UG/KG	2.79		12.8		2.55		23.8	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#128	UG/KG	0.622		2.01		0.338	J	4.45	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#129/#158	UG/KG	0.41	J	1.34		0.694	U	2.84	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#130/#164	UG/KG	0.427	J	1.19		0.694	U	2.43	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#131	UG/KG	0.343	U	0.362	U	0.347	U	0.313	J

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	StB1-Station A		StB1-Station B		StB1-Station B		StB1-Station C	
					Lab Sample Delivery Group	L2432818		L2432818		L2432818		L2432818	
					Field Sample Date	6/10/2024 12:00		6/10/2024 12:10		6/10/2024 12:10		6/10/2024 12:20	
					Field Sample ID	AI-A-SB-SC		AI-B-SB-FF		AI-B-SB-SC		AI-C-SB-FF	
					Media Type	29 inch		29.25 inch		29.25 inch		31 inch	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#132	UG/KG	0.484		1.75		0.332	J	2.79	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#134	UG/KG	0.343	U	0.404		0.347	U	0.755	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#135	UG/KG	0.259	J	0.888		0.206	J	1.47	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#136	UG/KG	0.237	J	0.942		0.18	J	1.48	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#137	UG/KG	0.343	U	0.511		0.347	U	1.13	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#138	UG/KG	2.97		7.58		1.57		18.1	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#141	UG/KG	0.244	J	0.83		0.347	U	1.53	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#144	UG/KG	0.343	U	0.244	J	0.347	U	0.614	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#146	UG/KG	1.12		2.98		0.687		6.65	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#147/#149	UG/KG	2.24		8.38		1.71		15.5	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#151	UG/KG	0.528		1.65		0.338	J	3	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#153	UG/KG	6.34		17.1		3.26		40.2	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#154	UG/KG	0.211	J	0.693		0.222	J	1.5	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#155	UG/KG	0.343	U	0.362	U	0.347	U	0.394	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#156	UG/KG	0.34	J	0.823		0.217	J	1.98	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#157	UG/KG	0.343	U	0.375		0.347	U	0.651	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#163/#160	UG/KG	1.27		3.78		0.756		7.6	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#167	UG/KG	0.358		0.507		0.347	U	1.33	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#168	UG/KG	0.343	U	0.362	U	0.347	U	0.394	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#169	UG/KG	0.343	U	0.362	U	0.347	U	0.394	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#170	UG/KG	0.368		1		0.191	J	2.25	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#171	UG/KG	0.175	J	0.432		0.347	U	0.921	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#172	UG/KG	0.343	U	0.251	J	0.347	U	0.57	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#173	UG/KG	0.343	U	0.362	U	0.347	U	0.394	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#174	UG/KG	0.343	U	0.463		0.347	U	0.834	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#176	UG/KG	0.343	U	0.362	U	0.347	U	0.217	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#177	UG/KG	0.316	J	0.764		0.347	U	1.32	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#178	UG/KG	0.2	J	0.548		0.347	U	0.882	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#180	UG/KG	0.781		2.24		0.394		4.73	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#182/#175	UG/KG	0.686	U	0.723	U	0.694	U	0.789	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#183	UG/KG	0.387		0.957		0.211	J	1.9	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#184	UG/KG	0.343	U	0.362	U	0.347	U	0.394	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#185	UG/KG	0.343	U	0.362	U	0.347	U	0.394	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#187	UG/KG	1.07		2.89		0.583		5.47	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#188	UG/KG	0.343	U	0.362	U	0.347	U	0.394	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#189	UG/KG	0.343	U	0.362	U	0.347	U	0.394	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#190	UG/KG	0.343	U	0.301	J	0.347	U	0.48	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#191	UG/KG	0.343	U	0.362	U	0.347	U	0.394	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#193	UG/KG	0.343	U	0.189	J	0.347	U	0.329	J

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	StB1-Station A		StB1-Station B		StB1-Station B		StB1-Station C	
					Lab Sample Delivery Group	L2432818		L2432818		L2432818		L2432818	
					Field Sample Date	6/10/2024 12:00		6/10/2024 12:10		6/10/2024 12:10		6/10/2024 12:20	
					Field Sample ID	AI-A-SB-SC		AI-B-SB-FF		AI-B-SB-SC		AI-C-SB-FF	
					Media Type	29 inch		29.25 inch		29.25 inch		31 inch	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#194	UG/KG	0.343	U	0.551		0.347	U	0.889	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#195	UG/KG	0.343	U	0.362	U	0.347	U	0.394	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#196	UG/KG	0.343	U	0.277	J	0.347	U	0.518	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#197	UG/KG	0.343	U	0.362	U	0.347	U	0.394	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#199	UG/KG	0.343	U	0.362	U	0.347	U	0.394	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#201	UG/KG	0.314	J	0.842		0.347	U	1.37	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#202	UG/KG	0.343	U	0.461		0.347	U	0.668	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#203	UG/KG	0.343	U	0.378		0.347	U	0.604	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#204/#200	UG/KG	0.686	U	0.723	U	0.694	U	0.789	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#205	UG/KG	0.343	U	0.362	U	0.347	U	0.394	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#206	UG/KG	0.207	J	0.561		0.347	U	0.818	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#207	UG/KG	0.343	U	0.362	U	0.347	U	0.394	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#208	UG/KG	0.343	U	0.361	J	0.347	U	0.464	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Decachlorobiphenyl	UG/KG	0.195	J	0.558		0.347	U	0.469	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Total PCBs	UG/KG	63		324		62.7		608	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#1	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#3	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#12	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#13	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#15	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#4/#10	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#5	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#6	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#7	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#8	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#16	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#17	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#18	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#19	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#21/#20	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#22	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#24	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#25	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#26	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#27	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#28	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#29	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#31	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#32	NG/L								

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	StB1-Station A		StB1-Station B		StB1-Station B		StB1-Station C	
					Lab Sample Delivery Group	L2432818		L2432818		L2432818		L2432818	
					Field Sample Date	6/10/2024 12:00		6/10/2024 12:10		6/10/2024 12:10		6/10/2024 12:20	
					Field Sample ID	AI-A-SB-SC		AI-B-SB-FF		AI-B-SB-SC		AI-C-SB-FF	
					Media Type	29 inch		29.25 inch		29.25 inch		31 inch	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#33	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#37	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#40	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#41	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#42	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#43	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#44	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#45	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#47	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#48	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#49	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#50	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#51	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#52	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#53	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#54	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#56	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#60	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#63	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#66	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#68/#64	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#70	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#71	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#73/#46	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#74	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#76	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#77	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#81	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#100	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#101/#90	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#104	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#105	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#107/#123	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#110	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#114	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#118	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#119	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#121/#95/#88	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#124	NG/L								

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	StB1-Station A		StB1-Station B		StB1-Station B		StB1-Station C	
					Lab Sample Delivery Group	L2432818		L2432818		L2432818		L2432818	
					Field Sample Date	6/10/2024 12:00		6/10/2024 12:10		6/10/2024 12:10		6/10/2024 12:20	
					Field Sample ID	AI-A-SB-SC		AI-B-SB-FF		AI-B-SB-SC		AI-C-SB-FF	
					Media Type	29 inch		29.25 inch		29.25 inch		31 inch	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#126	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#82	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#83/#125/#112	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#85	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#87/#111	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#89/#84	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#91	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#92	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#97	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#99	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#128	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#129/#158	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#130/#164	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#131	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#132	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#134	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#135	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#136	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#137	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#138	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#141	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#144	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#146	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#147/#149	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#151	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#153	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#154	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#155	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#156	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#157	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#163/#160	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#167	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#168	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#169	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#170	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#171	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#172	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#173	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#174	NG/L								

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	StB1-Station A		StB1-Station B		StB1-Station B		StB1-Station C	
					Lab Sample Delivery Group	L2432818		L2432818		L2432818		L2432818	
					Field Sample Date	6/10/2024 12:00		6/10/2024 12:10		6/10/2024 12:10		6/10/2024 12:20	
					Field Sample ID	AI-A-SB-SC		AI-B-SB-FF		AI-B-SB-SC		AI-C-SB-FF	
					Media Type	29 inch		29.25 inch		29.25 inch		31 inch	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#176	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#177	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#178	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#180	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#182/#175	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#183	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#184	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#185	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#187	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#188	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#189	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#190	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#191	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#193	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#194	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#195	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#196	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#197	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#199	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#201	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#202	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#203	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#204/#200	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#205	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#206	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#207	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#208	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Decachlorobiphenyl	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Total PCBs	NG/L								

NOTES:
B = biological
L = liquid
ug/kg = microgram per kilogram
ng/L = nanograms per liter
U = not detected at the reported detection limit
UJ = estimated value at the reporting limit
J = estimated value
J- = estimated value biased low
FS = field sample

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

				Location	StB1-Station C		StB1-Station D		StB1-Station D		StB2-Station A	
				Lab Sample Delivery Group	L2432818		L2432818		L2432818		L2432818	
				Field Sample Date	6/10/2024 12:20		6/10/2024 14:20		6/10/2024 14:20		6/12/2024 10:15	
				Field Sample ID	AI-C-SB-SC		AI-D-SB-FF		AI-D-SB-SC		AII-A-SB-FF	
				Media Type	31 inch		31 inch		31 inch		28.5 inch	
				QC Code	FS		FS		FS		FS	
Matrix	Method Class	Analysis Method	Fraction	Parameter	Units	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	Lipids	LIPIDS	T	Lipids	PERCENT	0.966		2.92		0.904		0.99	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#1	UG/KG	0.358	U	0.39	U	0.362	U	0.396	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#3	UG/KG	0.358	U	0.39	U	0.362	U	0.396	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#12	UG/KG	0.358	U	0.39	U	0.362	U	0.396	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#13	UG/KG	0.716	U	0.78	U	0.723	U	0.792	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#15	UG/KG	0.358	U	0.518		0.362	U	0.396	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#4/#10	UG/KG	0.368	J	2.11		0.723	U	0.547	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#5	UG/KG	0.358	U	0.39	U	0.362	U	0.396	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#6	UG/KG	0.411		2.16		0.308	J	0.757	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#7	UG/KG	0.358	U	0.39	U	0.362	U	0.396	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#8	UG/KG	0.444		2.22		0.318	J	0.735	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#16	UG/KG	0.358	U	0.39	U	0.362	U	0.458	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#17	UG/KG	1.07		5.3		0.665		1.57	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#18	UG/KG	2.12		10.9		1.33		3.3	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#19	UG/KG	0.335	J	1.46		0.245	J	0.48	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#21/#20	UG/KG	0.716	U	0.78	U	0.723	U	0.792	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#22	UG/KG	0.461		2.32		0.362	U	0.516	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#24	UG/KG	0.358	U	0.39	U	0.362	U	0.396	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#25	UG/KG	0.358	U	0.39	U	0.362	U	0.396	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#26	UG/KG	2.6		14.8		1.71		3.72	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#27	UG/KG	0.492		2.17		0.265	J	0.731	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#28	UG/KG	3.27		20.2		2.92		4.71	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#29	UG/KG	0.358	U	0.39	U	0.362	U	0.396	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#31	UG/KG	2.72		13.6		1.71		4.74	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#32	UG/KG	0.887		4.78		0.6		1.28	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#33	UG/KG	0.358	U	0.39	U	0.362	U	0.396	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#37	UG/KG	0.358	U	0.816		0.362	U	0.246	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#40	UG/KG	0.187	J	1.26		0.362	U	0.36	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#41	UG/KG	0.358	U	0.331	J	0.362	U	0.396	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#42	UG/KG	0.573		5.34		0.622		0.786	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#43	UG/KG	0.358	U	0.367	J	0.362	U	0.396	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#44	UG/KG	1.49		11		1.29		2.04	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#45	UG/KG	0.223	J	0.939		0.362	U	0.234	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#47	UG/KG	1.48		16.8		1.85		2.34	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#48	UG/KG	0.2	J	1.84		0.252	J	0.21	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#49	UG/KG	4.17		42.3		4.68		6.13	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#50	UG/KG	0.358	U	0.39	U	0.362	U	0.396	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#51	UG/KG	0.401		2.06		0.25	J	0.483	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#52	UG/KG	5.94		50.2		5.55		9.39	

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	StB1-Station C		StB1-Station D		StB1-Station D		StB2-Station A	
					Lab Sample Delivery Group	L2432818		L2432818		L2432818		L2432818	
					Field Sample Date	6/10/2024 12:20		6/10/2024 14:20		6/10/2024 14:20		6/12/2024 10:15	
					Field Sample ID	AI-C-SB-SC		AI-D-SB-FF		AI-D-SB-SC		AII-A-SB-FF	
					Media Type	31 inch		31 inch		31 inch		28.5 inch	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#53	UG/KG	0.703		4		0.522		1.1	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#54	UG/KG	0.358	U	0.39	U	0.362	U	0.396	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#56	UG/KG	0.35	J	3.46		0.413		0.599	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#60	UG/KG	0.202	J	2.09		0.246	J	0.293	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#63	UG/KG	0.358	U	1.36		0.185	J	0.28	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#66	UG/KG	1.17		15.5		1.72		2.14	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#68/#64	UG/KG	0.919		8.39		0.998		1.24	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#70	UG/KG	0.768		6.76		0.706		1.19	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#71	UG/KG	0.791		5.69		0.718		0.927	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#73/#46	UG/KG	0.716	U	0.634	J	0.723	U	0.792	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#74	UG/KG	0.916		11.2		1.25		1.69	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#76	UG/KG	0.358	U	0.39	U	0.362	U	0.396	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#77	UG/KG	0.358	U	0.512		0.362	U	0.396	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#81	UG/KG	0.358	U	0.39	U	0.362	U	0.396	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#100	UG/KG	0.358	U	1.25		0.21	J	0.336	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#101/#90	UG/KG	3.6		48		5.18		10.3	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#104	UG/KG	0.358	U	0.39	U	0.362	U	0.396	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#105	UG/KG	0.457		5.92		0.678		1.5	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#107/#123	UG/KG	0.461	J	4.17		0.485	J	1.45	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#110	UG/KG	2.82		33.7		3.83		4.75	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#114	UG/KG	0.358	U	1.15		0.182	J	0.725	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#118	UG/KG	3.2		38.3		4.2		12.3	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#119	UG/KG	0.285	J	3.42		0.393		0.852	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#121/#95/#88	UG/KG	1.43		13.7		1.61		2.7	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#124	UG/KG	0.358	U	0.872		0.362	U	0.396	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#126	UG/KG	0.358	U	0.39	U	0.362	U	0.396	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#82	UG/KG	0.358	U	1.5		0.202	J	0.266	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#83/#125/#112	UG/KG	1.07	U	1.39		1.08	U	1.19	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#85	UG/KG	0.349	J	4.64		0.52		0.964	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#87/#111	UG/KG	0.602	J	6.17		0.746		1.26	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#89/#84	UG/KG	0.726		3.71		0.699	J	0.973	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#91	UG/KG	0.779		8.94		1.1		1.36	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#92	UG/KG	0.751		9.44		1.13		2.16	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#97	UG/KG	0.971		12.1		1.42		1.88	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#99	UG/KG	2.86		36.7		4.04		9.3	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#128	UG/KG	0.552		6.02		0.699		2.46	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#129/#158	UG/KG	0.378	J	4.03		0.478	J	1.76	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#130/#164	UG/KG	0.373	J	3.53		0.435	J	1.18	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#131	UG/KG	0.358	U	0.373	J	0.362	U	0.396	U

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	StB1-Station C		StB1-Station D		StB1-Station D		StB2-Station A	
					Lab Sample Delivery Group	L2432818		L2432818		L2432818		L2432818	
					Field Sample Date	6/10/2024 12:20		6/10/2024 14:20		6/10/2024 14:20		6/12/2024 10:15	
					Field Sample ID	AI-C-SB-SC		AI-D-SB-FF		AI-D-SB-SC		AII-A-SB-FF	
					Media Type	31 inch		31 inch		31 inch		28.5 inch	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#132	UG/KG	0.451		4.51		0.502		1.18	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#134	UG/KG	0.358	U	0.999		0.362	U	0.324	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#135	UG/KG	0.242	J	2.03		0.257	J	0.626	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#136	UG/KG	0.22	J	2.26		0.302	J	0.552	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#137	UG/KG	0.358	U	1.41		0.207	J	0.749	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#138	UG/KG	2.11		23.1		2.49		11.7	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#141	UG/KG	0.19	J	2.16		0.256	J	0.7	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#144	UG/KG	0.358	U	0.723		0.362	U	0.257	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#146	UG/KG	0.83		8.28		0.943		5.38	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#147/#149	UG/KG	2.12		23.8		2.58		5.85	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#151	UG/KG	0.374		4.67		0.597		1.64	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#153	UG/KG	4.76		49.4		5.3		32.5	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#154	UG/KG	0.358	U	1.99		0.276	J	0.936	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#155	UG/KG	0.358	U	0.39	U	0.362	U	0.396	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#156	UG/KG	0.199	J	2.48		0.351	J	1.32	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#157	UG/KG	0.358	U	0.832		0.362	U	0.388	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#163/#160	UG/KG	0.971		10.8		1.16		5.92	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#167	UG/KG	0.2	J	1.57		0.196	J	1.12	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#168	UG/KG	0.358	U	0.39	U	0.362	U	0.396	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#169	UG/KG	0.358	U	0.39	U	0.362	U	0.396	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#170	UG/KG	0.382		2.69		0.323	J	1.85	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#171	UG/KG	0.358	U	1.02		0.362	U	0.705	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#172	UG/KG	0.358	U	0.648		0.362	U	0.433	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#173	UG/KG	0.358	U	0.39	U	0.362	U	0.396	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#174	UG/KG	0.358	U	1.17		0.192	J	0.36	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#176	UG/KG	0.358	U	0.329	J	0.362	U	0.396	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#177	UG/KG	0.358	U	1.74		0.248	J	0.89	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#178	UG/KG	0.358	U	1.14		0.362	U	0.631	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#180	UG/KG	0.505		5.73		0.695		4.32	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#182/#175	UG/KG	0.716	U	0.78	U	0.723	U	0.792	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#183	UG/KG	0.238	J	2.29		0.262	J	1.53	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#184	UG/KG	0.358	U	0.39	U	0.362	U	0.396	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#185	UG/KG	0.358	U	0.39	U	0.362	U	0.396	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#187	UG/KG	0.698		6.93		0.853		5.07	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#188	UG/KG	0.358	U	0.39	U	0.362	U	0.396	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#189	UG/KG	0.358	U	0.39	U	0.362	U	0.396	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#190	UG/KG	0.358	U	0.534		0.362	U	0.436	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#191	UG/KG	0.358	U	0.39	U	0.362	U	0.396	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#193	UG/KG	0.358	U	0.377	J	0.362	U	0.337	J

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	StB1-Station C		StB1-Station D		StB1-Station D		StB2-Station A	
					Lab Sample Delivery Group	L2432818		L2432818		L2432818		L2432818	
					Field Sample Date	6/10/2024 12:20		6/10/2024 14:20		6/10/2024 14:20		6/12/2024 10:15	
					Field Sample ID	AI-C-SB-SC		AI-D-SB-FF		AI-D-SB-SC		AII-A-SB-FF	
					Media Type	31 inch		31 inch		31 inch		28.5 inch	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#194	UG/KG	0.358	U	1.09		0.362	U	0.902	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#195	UG/KG	0.358	U	0.37	J	0.362	U	0.258	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#196	UG/KG	0.358	U	0.635		0.362	U	0.512	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#197	UG/KG	0.358	U	0.39	U	0.362	U	0.396	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#199	UG/KG	0.358	U	0.39	U	0.362	U	0.396	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#201	UG/KG	0.358	U	1.8		0.182	J	1.45	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#202	UG/KG	0.358	U	0.798		0.362	U	0.684	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#203	UG/KG	0.358	U	0.825		0.362	U	0.665	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#204/#200	UG/KG	0.716	U	0.78	U	0.723	U	0.792	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#205	UG/KG	0.358	U	0.39	U	0.362	U	0.396	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#206	UG/KG	0.358	U	1.1		0.362	U	0.977	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#207	UG/KG	0.358	U	0.39	U	0.362	U	0.222	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#208	UG/KG	0.358	U	0.703		0.362	U	0.642	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Decachlorobiphenyl	UG/KG	0.358	U	0.891		0.362	U	0.839	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Total PCBs	UG/KG	70.7		698		77.7		209	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#1	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#3	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#12	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#13	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#15	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#4/#10	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#5	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#6	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#7	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#8	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#16	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#17	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#18	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#19	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#21/#20	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#22	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#24	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#25	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#26	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#27	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#28	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#29	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#31	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#32	NG/L								

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	StB1-Station C		StB1-Station D		StB1-Station D		StB2-Station A	
					Lab Sample Delivery Group	L2432818		L2432818		L2432818		L2432818	
					Field Sample Date	6/10/2024 12:20		6/10/2024 14:20		6/10/2024 14:20		6/12/2024 10:15	
					Field Sample ID	AI-C-SB-SC		AI-D-SB-FF		AI-D-SB-SC		AII-A-SB-FF	
					Media Type	31 inch		31 inch		31 inch		28.5 inch	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#33	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#37	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#40	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#41	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#42	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#43	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#44	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#45	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#47	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#48	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#49	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#50	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#51	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#52	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#53	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#54	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#56	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#60	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#63	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#66	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#68/#64	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#70	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#71	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#73/#46	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#74	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#76	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#77	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#81	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#100	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#101/#90	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#104	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#105	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#107/#123	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#110	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#114	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#118	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#119	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#121/#95/#88	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#124	NG/L								

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	StB1-Station C		StB1-Station D		StB1-Station D		StB2-Station A	
					Lab Sample Delivery Group	L2432818		L2432818		L2432818		L2432818	
					Field Sample Date	6/10/2024 12:20		6/10/2024 14:20		6/10/2024 14:20		6/12/2024 10:15	
					Field Sample ID	AI-C-SB-SC		AI-D-SB-FF		AI-D-SB-SC		AII-A-SB-FF	
					Media Type	31 inch		31 inch		31 inch		28.5 inch	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#126	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#82	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#83/#125/#112	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#85	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#87/#111	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#89/#84	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#91	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#92	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#97	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#99	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#128	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#129/#158	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#130/#164	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#131	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#132	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#134	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#135	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#136	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#137	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#138	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#141	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#144	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#146	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#147/#149	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#151	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#153	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#154	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#155	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#156	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#157	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#163/#160	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#167	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#168	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#169	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#170	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#171	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#172	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#173	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#174	NG/L								

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	StB1-Station C		StB1-Station D		StB1-Station D		StB2-Station A	
					Lab Sample Delivery Group	L2432818		L2432818		L2432818		L2432818	
					Field Sample Date	6/10/2024 12:20		6/10/2024 14:20		6/10/2024 14:20		6/12/2024 10:15	
					Field Sample ID	AI-C-SB-SC		AI-D-SB-FF		AI-D-SB-SC		AII-A-SB-FF	
					Media Type	31 inch		31 inch		31 inch		28.5 inch	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#176	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#177	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#178	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#180	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#182/#175	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#183	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#184	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#185	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#187	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#188	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#189	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#190	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#191	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#193	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#194	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#195	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#196	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#197	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#199	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#201	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#202	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#203	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#204/#200	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#205	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#206	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#207	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#208	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Decachlorobiphenyl	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Total PCBs	NG/L								

NOTES:
B = biological
L = liquid
ug/kg = microgram per kilogram
ng/L = nanograms per liter
U = not detected at the reported detection limit
UJ = estimated value at the reporting limit
J = estimated value
J- = estimated value biased low
FS = field sample

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	StB2-Station A		StB2-Station B		StB2-Station B		StB3-Station A	
					Lab Sample Delivery Group	L2432818		L2436859		L2436859		L2432818	
					Field Sample Date	6/12/2024 10:15		6/26/2024 15:00		6/26/2024 15:00		6/11/2024 9:30	
					Field Sample ID	AII-A-SB-SC		AII-B-SB-FF		AII-B-SB-SC		AIII-A-SB-FF	
					Media Type	28.5 inch		31 inch		31 inch		30.5 inch	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	Lipids	LIPIDS	T	Lipids	PERCENT	1.15		1.15		1.56		1.86	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#1	UG/KG	0.606	U	0.376	U	1.56	U	0.337	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#3	UG/KG	0.606	U	0.376	U	1.56	U	0.337	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#12	UG/KG	0.606	U	0.376	U	1.56	U	0.337	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#13	UG/KG	1.21	U	0.752	U	3.12	U	0.674	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#15	UG/KG	0.606	U	0.376	U	1.56	U	0.671	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#4/#10	UG/KG	1.21	U	0.58	J	3.12	U	2.39	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#5	UG/KG	0.606	U	0.376	U	1.56	U	0.337	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#6	UG/KG	0.538	J	0.818		1.56	U	2.38	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#7	UG/KG	0.606	U	0.376	U	1.56	U	0.337	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#8	UG/KG	0.762		0.836		0.881	J	2.4	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#16	UG/KG	0.606	U	0.376	U	1.56	U	0.547	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#17	UG/KG	1.24		1.98		1.66		3.42	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#18	UG/KG	2.73		3.69		2.7		7.61	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#19	UG/KG	0.441	J	0.522		1.56	U	1.41	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#21/#20	UG/KG	1.21	U	0.752	U	3.12	U	0.674	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#22	UG/KG	1.25		0.884		1.37	J	0.898	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#24	UG/KG	0.606	U	0.376	U	1.56	U	0.337	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#25	UG/KG	0.606	U	0.376	U	1.56	U	0.337	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#26	UG/KG	4.18		6.36		4.19		7.2	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#27	UG/KG	0.617		0.835		1.56	U	1.69	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#28	UG/KG	5.04		8.73		5.66		8.11	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#29	UG/KG	0.606	U	0.376	U	1.56	U	0.337	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#31	UG/KG	4.3		6.54		3.63		7.39	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#32	UG/KG	1.33		1.84		1.35	J	3	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#33	UG/KG	0.606	U	0.376	U	1.56	U	0.337	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#37	UG/KG	0.606	U	0.376	U	1.56	U	0.337	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#40	UG/KG	0.522	J	0.489		1.56	U	0.453	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#41	UG/KG	0.606	U	0.376	U	1.56	U	0.337	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#42	UG/KG	1.3		3.17		1.99		2.37	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#43	UG/KG	0.606	U	0.202	J	1.56	U	0.337	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#44	UG/KG	3.04		5.72		3.7		4.32	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#45	UG/KG	0.606	U	0.389		1.56	U	0.38	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#47	UG/KG	3.77		13.3		7.68		10.5	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#48	UG/KG	0.606	U	0.795		1.56	U	0.625	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#49	UG/KG	5.53		31.4		17.4		24.5	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#50	UG/KG	0.606	U	0.376	U	1.56	U	0.337	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#51	UG/KG	0.502	J	1.32		0.9	J	1.18	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#52	UG/KG	15.4		33.2		18.4		25.8	

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	StB2-Station A		StB2-Station B		StB2-Station B		StB3-Station A	
					Lab Sample Delivery Group	L2432818		L2436859		L2436859		L2432818	
					Field Sample Date	6/12/2024 10:15		6/26/2024 15:00		6/26/2024 15:00		6/11/2024 9:30	
					Field Sample ID	AII-A-SB-SC		AII-B-SB-FF		AII-B-SB-SC		AIII-A-SB-FF	
					Media Type	28.5 inch		31 inch		31 inch		30.5 inch	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#53	UG/KG	0.988		2.15		1.23	J	1.99	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#54	UG/KG	0.606	U	0.376	U	1.56	U	0.337	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#56	UG/KG	1.13		2.46		1.63		2.22	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#60	UG/KG	0.886		1.2		1.56	U	0.96	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#63	UG/KG	0.427	J	0.996		1.56	U	0.882	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#66	UG/KG	4.39		10.7		5.98		9.52	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#68/#64	UG/KG	2.86		5.18		2.97	J	4.06	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#70	UG/KG	2.42		5.23		2.89		3.35	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#71	UG/KG	1.62		3.89		2.63		3.14	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#73/#46	UG/KG	1.21	U	0.752	U	3.12	U	0.366	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#74	UG/KG	3.72		8.01		4.76		6.58	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#76	UG/KG	0.606	U	0.376	U	1.56	U	0.337	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#77	UG/KG	0.606	U	0.376	U	1.56	U	0.188	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#81	UG/KG	0.606	U	0.376	U	1.56	U	0.337	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#100	UG/KG	0.482	J	1.58		1.56	U	1.75	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#101/#90	UG/KG	17.6		47.3		23.7		50.3	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#104	UG/KG	0.606	U	0.376	U	1.56	U	0.337	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#105	UG/KG	3.28		4.97		2.92		5.55	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#107/#123	UG/KG	1.91		3.7		1.89	J	4.76	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#110	UG/KG	17.2		28.1		15.3		26.9	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#114	UG/KG	0.835		1.4		0.872	J	1.69	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#118	UG/KG	18.6		38.2		18.7		45.6	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#119	UG/KG	1.19		4.36		2.65		4.62	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#121/#95/#88	UG/KG	6.35		10		5.47		8.35	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#124	UG/KG	0.31	J	0.721		1.56	U	0.723	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#126	UG/KG	0.606	U	0.376	U	1.56	U	0.202	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#82	UG/KG	0.503	J	0.999		1.56	U	0.826	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#83/#125/#112	UG/KG	0.978	J	1.23		4.69	U	0.841	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#85	UG/KG	1.85		4.5		2.33		4.91	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#87/#111	UG/KG	1.7		4.97		2.63	J	4.98	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#89/#84	UG/KG	2		2.11		2.15	J	1.36	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#91	UG/KG	3.09		7.49		4.28		6.21	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#92	UG/KG	4.87		9.23		5.06		9.71	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#97	UG/KG	4.7		11.1		6.43		10.8	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#99	UG/KG	15.5		41.1		20.9		46.4	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#128	UG/KG	3.59		6.17		3.68		8.02	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#129/#158	UG/KG	2.44		4.96		2.76	J	5.21	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#130/#164	UG/KG	2.44		3.65		2.29	J	3.74	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#131	UG/KG	0.606	U	0.425		1.56	U	0.346	

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	StB2-Station A		StB2-Station B		StB2-Station B		StB3-Station A	
					Lab Sample Delivery Group	L2432818		L2436859		L2436859		L2432818	
					Field Sample Date	6/12/2024 10:15		6/26/2024 15:00		6/26/2024 15:00		6/11/2024 9:30	
					Field Sample ID	AII-A-SB-SC		AII-B-SB-FF		AII-B-SB-SC		AIII-A-SB-FF	
					Media Type	28.5 inch		31 inch		31 inch		30.5 inch	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#132	UG/KG	3.14		3.56		2.1		3.06	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#134	UG/KG	0.774		1.1		1.56	U	0.66	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#135	UG/KG	2.1		1.64		0.912	J	1.34	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#136	UG/KG	1.1		2.38		1.27	J	1.41	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#137	UG/KG	0.902		1.73		1.14	J	1.87	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#138	UG/KG	13.9		28.4		14.1		33.6	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#141	UG/KG	1.22		2.34		1.36	J	2.38	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#144	UG/KG	0.337	J	0.857		1.56	U	0.781	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#146	UG/KG	5.42		10.4		5.11		12.3	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#147/#149	UG/KG	15.1		23.9		11.8		20.3	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#151	UG/KG	2.28		5.08		2.85		5.24	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#153	UG/KG	32.8		64		28.7		76.7	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#154	UG/KG	0.995		2.94		1.68		3.36	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#155	UG/KG	0.606	U	0.376	U	1.56	U	0.337	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#156	UG/KG	1.61		3.04		1.41	J	3.94	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#157	UG/KG	0.709		0.871		1.56	U	1.14	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#163/#160	UG/KG	6.65		13.1		6.04		14.2	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#167	UG/KG	1.07		2.13		1.26	J	2.39	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#168	UG/KG	0.606	U	0.376	U	1.56	U	0.337	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#169	UG/KG	0.606	U	0.376	U	1.56	U	0.337	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#170	UG/KG	1.99		3.61		2.2		4.35	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#171	UG/KG	0.747		1.4		0.95	J	1.41	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#172	UG/KG	0.419	J	0.84		1.56	U	0.9	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#173	UG/KG	0.606	U	0.376	U	1.56	U	0.337	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#174	UG/KG	0.894		0.956		0.938	J	0.906	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#176	UG/KG	0.606	U	0.302	J	1.56	U	0.337	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#177	UG/KG	1		1.86		1.22	J	1.4	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#178	UG/KG	0.606		1.17		1.56	U	1.21	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#180	UG/KG	3.2		8.39		3.52		8.94	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#182/#175	UG/KG	1.21	U	0.752	U	3.12	U	0.674	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#183	UG/KG	1.51		2.88		1.25	J	3.21	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#184	UG/KG	0.606	U	0.376	U	1.56	U	0.337	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#185	UG/KG	0.606	U	0.218	J	1.56	U	0.183	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#187	UG/KG	4.21		8.72		4.51		9.2	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#188	UG/KG	0.606	U	0.376	U	1.56	U	0.173	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#189	UG/KG	0.606	U	0.357	J	1.56	U	0.269	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#190	UG/KG	0.364	J	0.795		1.56	U	0.805	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#191	UG/KG	0.606	U	0.226	J	1.56	U	0.204	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#193	UG/KG	0.606	U	0.551		1.56	U	0.693	

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	StB2-Station A		StB2-Station B		StB2-Station B		StB3-Station A	
					Lab Sample Delivery Group	L2432818		L2436859		L2436859		L2432818	
					Field Sample Date	6/12/2024 10:15		6/26/2024 15:00		6/26/2024 15:00		6/11/2024 9:30	
					Field Sample ID	AII-A-SB-SC		AII-B-SB-FF		AII-B-SB-SC		AIII-A-SB-FF	
					Media Type	28.5 inch		31 inch		31 inch		30.5 inch	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#194	UG/KG	0.606	U	1.6		1.56	U	1.76	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#195	UG/KG	0.606	U	0.474		1.56	U	0.492	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#196	UG/KG	0.407	J	0.833		1.56	U	0.948	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#197	UG/KG	0.606	U	0.376	U	1.56	U	0.337	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#199	UG/KG	0.606	U	0.376	U	1.56	U	0.337	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#201	UG/KG	0.944		1.99		1	J	2.07	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#202	UG/KG	0.427	J	0.795		1.56	U	0.801	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#203	UG/KG	0.41	J	1.14		1.56	U	1.12	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#204/#200	UG/KG	1.21	U	0.423	J	3.12	U	0.486	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#205	UG/KG	0.606	U	0.376	U	1.56	U	0.337	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#206	UG/KG	0.396	J	1.42		1.56	U	1.47	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#207	UG/KG	0.606	U	0.256	J	1.56	U	0.25	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#208	UG/KG	0.368	J	0.761		1.56	U	0.658	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Decachlorobiphenyl	UG/KG	0.488	J	1.02		1.56	U	0.987	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Total PCBs	UG/KG	291		612		313		636	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#1	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#3	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#12	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#13	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#15	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#4/#10	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#5	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#6	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#7	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#8	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#16	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#17	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#18	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#19	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#21/#20	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#22	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#24	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#25	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#26	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#27	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#28	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#29	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#31	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#32	NG/L								

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	StB2-Station A		StB2-Station B		StB2-Station B		StB3-Station A	
					Lab Sample Delivery Group	L2432818		L2436859		L2436859		L2432818	
					Field Sample Date	6/12/2024 10:15		6/26/2024 15:00		6/26/2024 15:00		6/11/2024 9:30	
					Field Sample ID	AII-A-SB-SC		AII-B-SB-FF		AII-B-SB-SC		AIII-A-SB-FF	
					Media Type	28.5 inch		31 inch		31 inch		30.5 inch	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#33	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#37	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#40	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#41	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#42	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#43	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#44	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#45	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#47	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#48	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#49	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#50	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#51	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#52	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#53	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#54	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#56	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#60	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#63	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#66	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#68/#64	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#70	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#71	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#73/#46	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#74	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#76	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#77	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#81	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#100	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#101/#90	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#104	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#105	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#107/#123	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#110	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#114	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#118	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#119	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#121/#95/#88	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#124	NG/L								

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	StB2-Station A		StB2-Station B		StB2-Station B		StB3-Station A	
					Lab Sample Delivery Group	L2432818		L2436859		L2436859		L2432818	
					Field Sample Date	6/12/2024 10:15		6/26/2024 15:00		6/26/2024 15:00		6/11/2024 9:30	
					Field Sample ID	AII-A-SB-SC		AII-B-SB-FF		AII-B-SB-SC		AIII-A-SB-FF	
					Media Type	28.5 inch		31 inch		31 inch		30.5 inch	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#126	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#82	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#83/#125/#112	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#85	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#87/#111	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#89/#84	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#91	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#92	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#97	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#99	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#128	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#129/#158	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#130/#164	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#131	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#132	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#134	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#135	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#136	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#137	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#138	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#141	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#144	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#146	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#147/#149	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#151	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#153	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#154	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#155	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#156	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#157	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#163/#160	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#167	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#168	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#169	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#170	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#171	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#172	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#173	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#174	NG/L								

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	StB2-Station A		StB2-Station B		StB2-Station B		StB3-Station A	
					Lab Sample Delivery Group	L2432818		L2436859		L2436859		L2432818	
					Field Sample Date	6/12/2024 10:15		6/26/2024 15:00		6/26/2024 15:00		6/11/2024 9:30	
					Field Sample ID	AII-A-SB-SC		AII-B-SB-FF		AII-B-SB-SC		AIII-A-SB-FF	
					Media Type	28.5 inch		31 inch		31 inch		30.5 inch	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#176	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#177	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#178	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#180	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#182/#175	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#183	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#184	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#185	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#187	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#188	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#189	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#190	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#191	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#193	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#194	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#195	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#196	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#197	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#199	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#201	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#202	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#203	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#204/#200	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#205	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#206	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#207	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#208	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Decachlorobiphenyl	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Total PCBs	NG/L								

NOTES:
B = biological
L = liquid
ug/kg = microgram per kilogram
ng/L = nanograms per liter
U = not detected at the reported detection limit
UJ = estimated value at the reporting limit
J = estimated value
J- = estimated value biased low
FS = field sample

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	StB3-Station A		StB3-Station B		StB3-Station B		StB3-Station C	
					Lab Sample Delivery Group	L2432818		L2432818		L2432818		L2432818	
					Field Sample Date	6/11/2024 9:30		6/11/2024 10:30		6/11/2024 10:30		6/11/2024 11:40	
					Field Sample ID	AIII-A-SB-SC		AIII-B-SB-FF		AIII-B-SB-SC		AIII-C-SB-FF	
					Media Type	30.5 inch		31 inch		31 inch		31 inch	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	Lipids	LIPIDS	T	Lipids	PERCENT	2.77		1.52		1.47		1.6	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#1	UG/KG	0.385	U	0.354	U	0.378	U	0.389	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#3	UG/KG	0.385	U	0.354	U	0.378	U	0.389	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#12	UG/KG	0.385	U	0.354	U	0.378	U	0.389	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#13	UG/KG	0.769	U	0.708	U	0.756	U	0.778	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#15	UG/KG	0.435		0.354	U	0.378	U	0.389	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#4/#10	UG/KG	1.56		0.708	U	0.756	U	0.778	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#5	UG/KG	0.385	U	0.354	U	0.378	U	0.389	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#6	UG/KG	1.57		0.354	U	0.378	U	0.389	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#7	UG/KG	0.385	U	0.354	U	0.378	U	0.389	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#8	UG/KG	2.31		0.354	U	0.378	U	0.389	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#16	UG/KG	0.298	J	0.354	U	0.378	U	0.389	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#17	UG/KG	2.24		0.373		0.378	U	0.455	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#18	UG/KG	4.67		0.698		0.225	J	0.703	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#19	UG/KG	0.987		0.354	U	0.378	U	0.389	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#21/#20	UG/KG	0.769	U	0.708	U	0.756	U	0.778	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#22	UG/KG	1.49		0.354	U	0.378	U	0.389	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#24	UG/KG	0.385	U	0.354	U	0.378	U	0.389	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#25	UG/KG	0.385	U	0.354	U	0.378	U	0.389	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#26	UG/KG	4.4		0.34	J	0.194	J	1.65	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#27	UG/KG	1.1		0.354	U	0.378	U	0.389	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#28	UG/KG	5.4		0.733		0.42		2.28	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#29	UG/KG	0.385	U	0.354	U	0.378	U	0.389	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#31	UG/KG	4.85		0.379		0.378	U	1.37	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#32	UG/KG	1.87		0.354	U	0.378	U	0.423	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#33	UG/KG	0.385	U	0.354	U	0.378	U	0.389	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#37	UG/KG	0.385	U	0.354	U	0.378	U	0.389	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#40	UG/KG	0.249	J	0.354	U	0.378	U	0.273	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#41	UG/KG	0.385	U	0.354	U	0.378	U	0.389	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#42	UG/KG	1.42		0.317	J	0.378	U	0.785	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#43	UG/KG	0.385	U	0.354	U	0.378	U	0.389	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#44	UG/KG	2.56		0.642		0.389		1.29	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#45	UG/KG	0.372	J	0.354	U	0.378	U	0.389	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#47	UG/KG	5.55		0.731		0.46		2.23	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#48	UG/KG	0.432		0.354	U	0.378	U	0.354	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#49	UG/KG	12.9		1.34		0.675		5.6	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#50	UG/KG	0.385	U	0.354	U	0.378	U	0.389	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#51	UG/KG	0.694		0.354	U	0.378	U	0.414	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#52	UG/KG	13.6		1.73		0.863		6.69	

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	StB3-Station A		StB3-Station B		StB3-Station B		StB3-Station C	
					Lab Sample Delivery Group	L2432818		L2432818		L2432818		L2432818	
					Field Sample Date	6/11/2024 9:30		6/11/2024 10:30		6/11/2024 10:30		6/11/2024 11:40	
					Field Sample ID	AIII-A-SB-SC		AIII-B-SB-FF		AIII-B-SB-SC		AIII-C-SB-FF	
					Media Type	30.5 inch		31 inch		31 inch		31 inch	
					QC Code	FS		FS		FS		FS	
Matrix	Method Class	Analysis Method	Fraction	Parameter	Units	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#53	UG/KG	1.35		0.21	J	0.378	U	0.567	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#54	UG/KG	0.385	U	0.354	U	0.378	U	0.389	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#56	UG/KG	1.21		0.345	J	0.234	J	0.686	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#60	UG/KG	0.782		0.354	U	0.378	U	0.23	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#63	UG/KG	0.521		0.18	J	0.378	U	0.21	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#66	UG/KG	5.58		1.33		0.729		2.14	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#68/#64	UG/KG	2.35		0.462	J	0.756	U	0.986	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#70	UG/KG	1.97		0.607		0.275	J	1.06	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#71	UG/KG	2.03		0.388		0.378	U	1.06	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#73/#46	UG/KG	0.769	U	0.708	U	0.756	U	0.778	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#74	UG/KG	3.62		0.843		0.455		1.33	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#76	UG/KG	0.385	U	0.354	U	0.378	U	0.389	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#77	UG/KG	0.385	U	0.354	U	0.378	U	0.389	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#81	UG/KG	0.385	U	0.354	U	0.378	U	0.389	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#100	UG/KG	0.703		0.196	J	0.378	U	0.231	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#101/#90	UG/KG	21.1		6.08		3.18		9.16	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#104	UG/KG	0.385	U	0.354	U	0.378	U	0.389	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#105	UG/KG	2.91		1.08		0.579		1.28	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#107/#123	UG/KG	2.12		0.85		0.482	J	1.3	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#110	UG/KG	13.1		2.75		1.52		4.38	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#114	UG/KG	0.742		0.357		0.212	J	0.444	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#118	UG/KG	20.1		7.3		3.62		8.74	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#119	UG/KG	2.02		0.484		0.247	J	0.566	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#121/#95/#88	UG/KG	4.36		1.22		0.652	J	1.97	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#124	UG/KG	0.369	J	0.189	J	0.378	U	0.389	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#126	UG/KG	0.385	U	0.354	U	0.378	U	0.389	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#82	UG/KG	0.581		0.217	J	0.378	U	0.305	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#83/#125/#112	UG/KG	0.623	J	1.06	U	1.13	U	1.17	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#85	UG/KG	2.2		0.836		0.536		1.05	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#87/#111	UG/KG	2.41		0.934		0.528	J	1.23	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#89/#84	UG/KG	1.19		0.505	J	0.435	J	0.675	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#91	UG/KG	3		0.651		0.352	J	1.32	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#92	UG/KG	4.29		1.14		0.646		1.71	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#97	UG/KG	5.22		1.43		0.824		2.09	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#99	UG/KG	18.8		5.97		2.94		7.45	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#128	UG/KG	3.28		1.71		0.994		2.01	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#129/#158	UG/KG	1.95		1		0.495	J	0.987	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#130/#164	UG/KG	1.51		0.885		0.399	J	1.02	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#131	UG/KG	0.385	U	0.354	U	0.378	U	0.389	U

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	StB3-Station A		StB3-Station B		StB3-Station B		StB3-Station C	
					Lab Sample Delivery Group	L2432818		L2432818		L2432818		L2432818	
					Field Sample Date	6/11/2024 9:30		6/11/2024 10:30		6/11/2024 10:30		6/11/2024 11:40	
					Field Sample ID	AIII-A-SB-SC		AIII-B-SB-FF		AIII-B-SB-SC		AIII-C-SB-FF	
					Media Type	30.5 inch		31 inch		31 inch		31 inch	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#132	UG/KG	1.35		0.966		0.389		1.14	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#134	UG/KG	0.352	J	0.268	J	0.378	U	0.291	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#135	UG/KG	0.742		0.518		0.378	U	0.47	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#136	UG/KG	0.621		0.371		0.378	U	0.493	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#137	UG/KG	0.595		0.442		0.215	J	0.351	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#138	UG/KG	12.3		7.98		4.02		8.61	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#141	UG/KG	0.792		0.648		0.358	J	0.605	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#144	UG/KG	0.317	J	0.232	J	0.378	U	0.195	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#146	UG/KG	4.16		3.08		1.59		3.96	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#147/#149	UG/KG	8		4.16		2.02		5.31	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#151	UG/KG	2.02		1.24		0.582		1.56	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#153	UG/KG	24.5		17.8		8.59		20.7	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#154	UG/KG	0.96		0.656		0.365	J	0.761	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#155	UG/KG	0.385	U	0.354	U	0.378	U	0.389	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#156	UG/KG	0.385	U	0.688		0.366	J	0.85	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#157	UG/KG	0.665		0.31	J	0.28	J	0.368	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#163/#160	UG/KG	5.53		2.66		1.27		3.84	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#167	UG/KG	0.768		0.692		0.236	J	0.602	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#168	UG/KG	0.385	U	0.354	U	0.378	U	0.389	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#169	UG/KG	0.385	U	0.354	U	0.378	U	0.389	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#170	UG/KG	1.2		1.48		0.69		1.43	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#171	UG/KG	0.485		0.584		0.327	J	0.63	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#172	UG/KG	0.252	J	0.412		0.378	U	0.358	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#173	UG/KG	0.385	U	0.354	U	0.378	U	0.389	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#174	UG/KG	0.422		0.574		0.271	J	0.496	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#176	UG/KG	0.385	U	0.188	J	0.378	U	0.389	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#177	UG/KG	0.52		0.958		0.383		0.957	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#178	UG/KG	0.456		0.789		0.309	J	0.812	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#180	UG/KG	2.09		3.87		1.73		3.19	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#182/#175	UG/KG	0.769	U	0.708	U	0.756	U	0.778	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#183	UG/KG	0.897		1.48		0.823		1.41	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#184	UG/KG	0.385	U	0.354	U	0.378	U	0.389	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#185	UG/KG	0.385	U	0.354	U	0.378	U	0.389	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#187	UG/KG	2.49		4.48		2.23		4.62	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#188	UG/KG	0.385	U	0.354	U	0.378	U	0.389	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#189	UG/KG	0.385	U	0.354	U	0.378	U	0.389	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#190	UG/KG	0.295	J	0.314	J	0.378	U	0.286	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#191	UG/KG	0.385	U	0.354	U	0.378	U	0.389	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#193	UG/KG	0.385	U	0.236	J	0.378	U	0.282	J

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	StB3-Station A		StB3-Station B		StB3-Station B		StB3-Station C	
					Lab Sample Delivery Group	L2432818		L2432818		L2432818		L2432818	
					Field Sample Date	6/11/2024 9:30		6/11/2024 10:30		6/11/2024 10:30		6/11/2024 11:40	
					Field Sample ID	AIII-A-SB-SC		AIII-B-SB-FF		AIII-B-SB-SC		AIII-C-SB-FF	
					Media Type	30.5 inch		31 inch		31 inch		31 inch	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#194	UG/KG	0.385	U	1.02		0.558		0.841	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#195	UG/KG	0.385	U	0.33	J	0.378	U	0.205	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#196	UG/KG	0.237	J	0.631		0.285	J	0.514	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#197	UG/KG	0.385	U	0.354	U	0.378	U	0.389	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#199	UG/KG	0.385	U	0.354	U	0.378	U	0.389	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#201	UG/KG	0.408		1.88		0.643		1.55	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#202	UG/KG	0.274	J	1.05		0.435		0.76	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#203	UG/KG	0.217	J	1		0.433		0.668	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#204/#200	UG/KG	0.769	U	0.527	J	0.756	U	0.778	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#205	UG/KG	0.385	U	0.354	U	0.378	U	0.389	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#206	UG/KG	0.26	J	1.63		0.738		1.22	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#207	UG/KG	0.385	U	0.266	J	0.378	U	0.389	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#208	UG/KG	0.385	U	0.881		0.324	J	0.675	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Decachlorobiphenyl	UG/KG	0.385	U	1.35		0.629		0.89	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Total PCBs	UG/KG	277		116		54.6		153	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#1	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#3	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#12	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#13	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#15	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#4/#10	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#5	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#6	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#7	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#8	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#16	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#17	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#18	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#19	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#21/#20	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#22	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#24	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#25	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#26	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#27	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#28	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#29	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#31	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#32	NG/L								

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	StB3-Station A		StB3-Station B		StB3-Station B		StB3-Station C	
					Lab Sample Delivery Group	L2432818		L2432818		L2432818		L2432818	
					Field Sample Date	6/11/2024 9:30		6/11/2024 10:30		6/11/2024 10:30		6/11/2024 11:40	
					Field Sample ID	AIII-A-SB-SC		AIII-B-SB-FF		AIII-B-SB-SC		AIII-C-SB-FF	
					Media Type	30.5 inch		31 inch		31 inch		31 inch	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#33	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#37	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#40	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#41	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#42	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#43	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#44	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#45	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#47	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#48	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#49	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#50	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#51	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#52	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#53	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#54	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#56	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#60	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#63	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#66	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#68/#64	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#70	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#71	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#73/#46	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#74	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#76	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#77	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#81	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#100	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#101/#90	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#104	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#105	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#107/#123	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#110	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#114	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#118	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#119	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#121/#95/#88	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#124	NG/L								

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	StB3-Station A		StB3-Station B		StB3-Station B		StB3-Station C	
					Lab Sample Delivery Group	L2432818		L2432818		L2432818		L2432818	
					Field Sample Date	6/11/2024 9:30		6/11/2024 10:30		6/11/2024 10:30		6/11/2024 11:40	
					Field Sample ID	AIII-A-SB-SC		AIII-B-SB-FF		AIII-B-SB-SC		AIII-C-SB-FF	
					Media Type	30.5 inch		31 inch		31 inch		31 inch	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#126	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#82	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#83/#125/#112	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#85	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#87/#111	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#89/#84	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#91	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#92	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#97	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#99	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#128	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#129/#158	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#130/#164	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#131	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#132	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#134	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#135	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#136	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#137	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#138	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#141	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#144	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#146	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#147/#149	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#151	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#153	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#154	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#155	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#156	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#157	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#163/#160	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#167	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#168	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#169	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#170	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#171	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#172	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#173	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#174	NG/L								

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	StB3-Station A		StB3-Station B		StB3-Station B		StB3-Station C	
					Lab Sample Delivery Group	L2432818		L2432818		L2432818		L2432818	
					Field Sample Date	6/11/2024 9:30		6/11/2024 10:30		6/11/2024 10:30		6/11/2024 11:40	
					Field Sample ID	AIII-A-SB-SC		AIII-B-SB-FF		AIII-B-SB-SC		AIII-C-SB-FF	
					Media Type	30.5 inch		31 inch		31 inch		31 inch	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#176	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#177	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#178	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#180	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#182/#175	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#183	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#184	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#185	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#187	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#188	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#189	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#190	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#191	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#193	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#194	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#195	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#196	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#197	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#199	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#201	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#202	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#203	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#204/#200	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#205	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#206	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#207	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#208	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Decachlorobiphenyl	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Total PCBs	NG/L								

NOTES:
B = biological
L = liquid
ug/kg = microgram per kilogram
ng/L = nanograms per liter
U = not detected at the reported detection limit
UJ = estimated value at the reporting limit
J = estimated value
J- = estimated value biased low
FS = field sample

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	StB3-Station C		StB3-Station D		StB3-Station D		StB3-Station E	
					Lab Sample Delivery Group	L2432818		L2432818		L2432818		L2436859	
					Field Sample Date	6/11/2024 11:40		6/11/2024 11:20		6/11/2024 11:20		6/27/2024 9:10	
					Field Sample ID	AIII-C-SB-SC		AIII-D-SB-FF		AIII-D-SB-SC		AIII-E-SB-FF	
					Media Type	31 inch		28 inch		28 inch		31 inch	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	Lipids	LIPIDS	T	Lipids	PERCENT	1.24		0.794		2.66		0.815	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#1	UG/KG	0.387	U	0.361	U	0.391	U	0.374	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#3	UG/KG	0.387	U	0.361	U	0.391	U	0.374	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#12	UG/KG	0.387	U	0.361	U	0.391	U	0.374	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#13	UG/KG	0.774	U	0.722	U	0.781	U	0.748	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#15	UG/KG	0.387	U	0.361	U	0.391	U	0.374	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#4/#10	UG/KG	0.774	U	0.722	U	0.781	U	0.526	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#5	UG/KG	0.387	U	0.361	U	0.391	U	0.374	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#6	UG/KG	0.387	U	0.361	U	0.391	U	0.73	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#7	UG/KG	0.387	U	0.361	U	0.391	U	0.374	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#8	UG/KG	0.387	U	0.361	U	0.391	U	0.733	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#16	UG/KG	0.387	U	0.361	U	0.391	U	0.374	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#17	UG/KG	0.387	U	0.361	U	0.222	J	2.72	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#18	UG/KG	0.387	U	0.213	J	0.33	J	5.33	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#19	UG/KG	0.387	U	0.361	U	0.391	U	0.656	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#21/#20	UG/KG	0.774	U	0.722	U	0.781	U	0.748	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#22	UG/KG	0.233	J	0.361	U	0.391	U	0.733	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#24	UG/KG	0.387	U	0.361	U	0.391	U	0.374	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#25	UG/KG	0.387	U	0.361	U	0.391	U	0.374	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#26	UG/KG	0.4		0.344	J	0.606		7.34	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#27	UG/KG	0.387	U	0.361	U	0.391	U	1.25	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#28	UG/KG	0.606		0.574		1.11		7.91	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#29	UG/KG	0.387	U	0.361	U	0.391	U	0.374	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#31	UG/KG	0.387	U	0.361	U	0.458		7.48	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#32	UG/KG	0.387	U	0.361	U	0.253	J	2.51	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#33	UG/KG	0.387	U	0.361	U	0.391	U	0.374	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#37	UG/KG	0.387	U	0.361	U	0.391	U	0.374	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#40	UG/KG	0.387	U	0.361	U	0.391	U	0.408	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#41	UG/KG	0.387	U	0.361	U	0.391	U	0.374	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#42	UG/KG	0.22	J	0.507		0.729		1.62	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#43	UG/KG	0.387	U	0.361	U	0.391	U	0.374	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#44	UG/KG	0.291	J	0.943		1.36		3.47	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#45	UG/KG	0.387	U	0.361	U	0.391	U	0.397	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#47	UG/KG	0.466		1.78		2.78		4.52	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#48	UG/KG	0.387	U	0.361	U	0.222	J	0.544	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#49	UG/KG	1.11		3.44		5.24		12.6	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#50	UG/KG	0.387	U	0.361	U	0.391	U	0.374	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#51	UG/KG	0.387	U	0.361	U	0.391	U	1.12	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#52	UG/KG	1.31		4.12		6.07		16.4	

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	StB3-Station C		StB3-Station D		StB3-Station D		StB3-Station E	
					Lab Sample Delivery Group	L2432818		L2432818		L2432818		L2436859	
					Field Sample Date	6/11/2024 11:40		6/11/2024 11:20		6/11/2024 11:20		6/27/2024 9:10	
					Field Sample ID	AIII-C-SB-SC		AIII-D-SB-FF		AIII-D-SB-SC		AIII-E-SB-FF	
					Media Type	31 inch		28 inch		28 inch		31 inch	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#53	UG/KG	0.387	U	0.272	J	0.272	J	2.42	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#54	UG/KG	0.387	U	0.361	U	0.391	U	0.374	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#56	UG/KG	0.387	U	0.544		0.691		0.827	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#60	UG/KG	0.387	U	0.281	J	0.402		0.415	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#63	UG/KG	0.387	U	0.33	J	0.378	J	0.286	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#66	UG/KG	0.447		2.45		3.92		3.05	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#68/#64	UG/KG	0.774	U	0.884		1.16		2.23	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#70	UG/KG	0.22	J	0.896		1.41		1.77	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#71	UG/KG	0.253	J	0.541		0.749		2.37	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#73/#46	UG/KG	0.774	U	0.722	U	0.781	U	0.748	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#74	UG/KG	0.259	J	1.48		2.23		2	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#76	UG/KG	0.387	U	0.361	U	0.391	U	0.374	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#77	UG/KG	0.387	U	0.361	U	0.391	U	0.374	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#81	UG/KG	0.387	U	0.361	U	0.391	U	0.374	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#100	UG/KG	0.387	U	0.336	J	0.338	J	0.267	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#101/#90	UG/KG	1.68		11.9		14.9		8.73	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#104	UG/KG	0.387	U	0.361	U	0.391	U	0.374	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#105	UG/KG	0.387	U	1.79		2.35		1	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#107/#123	UG/KG	0.774	U	1.61		1.86		0.847	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#110	UG/KG	0.857		6.74		9.49		5.83	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#114	UG/KG	0.387	U	0.45		0.511		0.248	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#118	UG/KG	1.58		12.6		14.5		6.4	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#119	UG/KG	0.387	U	0.808		1.04		0.579	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#121/#95/#88	UG/KG	1.16	U	2.43		3.3		3.32	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#124	UG/KG	0.387	U	0.23	J	0.218	J	0.374	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#126	UG/KG	0.387	U	0.361	U	0.391	U	0.374	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#82	UG/KG	0.387	U	0.368		0.446		0.374	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#83/#125/#112	UG/KG	1.16	U	1.08	U	1.17	U	1.12	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#85	UG/KG	0.221	J	1.41		1.92		0.957	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#87/#111	UG/KG	0.774	U	1.39		1.76		1.09	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#89/#84	UG/KG	0.774	U	0.62	J	0.868		1.16	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#91	UG/KG	0.25	J	1.6		2.07		1.69	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#92	UG/KG	0.371	J	2.51		3.2		1.72	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#97	UG/KG	0.545		2.55		3.63		2.25	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#99	UG/KG	1.35		10.5		13.1		6.86	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#128	UG/KG	0.415		2.75		2.95		1.37	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#129/#158	UG/KG	0.774	U	1.49		1.26		0.752	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#130/#164	UG/KG	0.774	U	1.36		1.36		0.688	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#131	UG/KG	0.387	U	0.361	U	0.391	U	0.374	U

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	StB3-Station C		StB3-Station D		StB3-Station D		StB3-Station E	
					Lab Sample Delivery Group	L2432818		L2432818		L2432818		L2436859	
					Field Sample Date	6/11/2024 11:40		6/11/2024 11:20		6/11/2024 11:20		6/27/2024 9:10	
					Field Sample ID	AIII-C-SB-SC		AIII-D-SB-FF		AIII-D-SB-SC		AIII-E-SB-FF	
					Media Type	31 inch		28 inch		28 inch		31 inch	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#132	UG/KG	0.277	J	1.55		1.65		0.828	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#134	UG/KG	0.387	U	0.361		0.442		0.26	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#135	UG/KG	0.387	U	0.716		0.897		0.434	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#136	UG/KG	0.387	U	0.606		0.673		0.487	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#137	UG/KG	0.387	U	0.579		0.462		0.273	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#138	UG/KG	1.53		10.2		10.7		6.33	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#141	UG/KG	0.387	U	0.736		0.556		0.541	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#144	UG/KG	0.387	U	0.24	J	0.315	J	0.374	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#146	UG/KG	0.779		3.94		3.61		2.39	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#147/#149	UG/KG	0.997		7.46		7.68		4.43	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#151	UG/KG	0.392		1.56		1.61		1.03	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#153	UG/KG	3.38		22.9		20.5		12.6	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#154	UG/KG	0.387	U	0.687		0.647		0.57	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#155	UG/KG	0.387	U	0.361	U	0.391	U	0.374	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#156	UG/KG	0.387	U	1.08		0.8		0.487	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#157	UG/KG	0.387	U	0.43		0.508		0.261	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#163/#160	UG/KG	0.722	J	4.7		4.45		2.03	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#167	UG/KG	0.387	U	0.713		0.526		0.404	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#168	UG/KG	0.387	U	0.361	U	0.391	U	0.374	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#169	UG/KG	0.387	U	0.361	U	0.391	U	0.374	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#170	UG/KG	0.289	J	1.2		1.02		0.897	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#171	UG/KG	0.387	U	0.43		0.356	J	0.379	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#172	UG/KG	0.387	U	0.338	J	0.391	U	0.307	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#173	UG/KG	0.387	U	0.361	U	0.391	U	0.374	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#174	UG/KG	0.387	U	0.429		0.33	J	0.431	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#176	UG/KG	0.387	U	0.361	U	0.391	U	0.374	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#177	UG/KG	0.207	J	0.772		0.589		0.666	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#178	UG/KG	0.202	J	0.554		0.425		0.518	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#180	UG/KG	0.548		2.23		1.56		2.19	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#182/#175	UG/KG	0.774	U	0.722	U	0.781	U	0.748	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#183	UG/KG	0.273	J	0.936		0.717		0.893	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#184	UG/KG	0.387	U	0.361	U	0.391	U	0.374	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#185	UG/KG	0.387	U	0.361	U	0.391	U	0.374	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#187	UG/KG	0.76		2.68		2.15		3.16	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#188	UG/KG	0.387	U	0.361	U	0.391	U	0.374	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#189	UG/KG	0.387	U	0.361	U	0.391	U	0.374	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#190	UG/KG	0.387	U	0.191	J	0.391	U	0.374	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#191	UG/KG	0.387	U	0.361	U	0.391	U	0.374	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#193	UG/KG	0.387	U	0.228	J	0.391	U	0.374	U

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	StB3-Station C		StB3-Station D		StB3-Station D		StB3-Station E	
					Lab Sample Delivery Group	L2432818		L2432818		L2432818		L2436859	
					Field Sample Date	6/11/2024 11:40		6/11/2024 11:20		6/11/2024 11:20		6/27/2024 9:10	
					Field Sample ID	AIII-C-SB-SC		AIII-D-SB-FF		AIII-D-SB-SC		AIII-E-SB-FF	
					Media Type	31 inch		28 inch		28 inch		31 inch	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#194	UG/KG	0.387	U	0.351	J	0.391	U	0.672	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#195	UG/KG	0.387	U	0.361	U	0.391	U	0.374	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#196	UG/KG	0.387	U	0.196	J	0.391	U	0.443	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#197	UG/KG	0.387	U	0.361	U	0.391	U	0.374	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#199	UG/KG	0.387	U	0.361	U	0.391	U	0.374	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#201	UG/KG	0.23	J	0.551		0.346	J	0.884	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#202	UG/KG	0.387	U	0.235	J	0.391	U	0.527	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#203	UG/KG	0.387	U	0.239	J	0.391	U	0.434	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#204/#200	UG/KG	0.774	U	0.722	U	0.781	U	0.748	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#205	UG/KG	0.387	U	0.361	U	0.391	U	0.374	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#206	UG/KG	0.387	U	0.3	J	0.391	U	0.967	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#207	UG/KG	0.387	U	0.361	U	0.391	U	0.374	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#208	UG/KG	0.387	U	0.361	U	0.391	U	0.509	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Decachlorobiphenyl	UG/KG	0.387	U	0.361	U	0.391	U	0.704	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Total PCBs	UG/KG	23.7		155		175		188	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#1	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#3	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#12	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#13	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#15	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#4/#10	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#5	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#6	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#7	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#8	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#16	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#17	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#18	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#19	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#21/#20	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#22	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#24	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#25	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#26	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#27	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#28	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#29	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#31	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#32	NG/L								

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

						StB3-Station C		StB3-Station D		StB3-Station D		StB3-Station E	
				Location		StB3-Station C		StB3-Station D		StB3-Station D		StB3-Station E	
				Lab Sample Delivery Group		L2432818		L2432818		L2432818		L2436859	
				Field Sample Date		6/11/2024 11:40		6/11/2024 11:20		6/11/2024 11:20		6/27/2024 9:10	
				Field Sample ID		AIII-C-SB-SC		AIII-D-SB-FF		AIII-D-SB-SC		AIII-E-SB-FF	
				Media Type		31 inch		28 inch		28 inch		31 inch	
				QC Code		FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#33	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#37	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#40	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#41	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#42	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#43	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#44	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#45	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#47	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#48	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#49	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#50	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#51	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#52	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#53	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#54	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#56	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#60	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#63	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#66	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#68/#64	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#70	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#71	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#73/#46	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#74	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#76	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#77	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#81	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#100	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#101/#90	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#104	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#105	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#107/#123	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#110	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#114	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#118	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#119	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#121/#95/#88	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#124	NG/L								

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	StB3-Station C		StB3-Station D		StB3-Station D		StB3-Station E	
					Lab Sample Delivery Group	L2432818		L2432818		L2432818		L2436859	
					Field Sample Date	6/11/2024 11:40		6/11/2024 11:20		6/11/2024 11:20		6/27/2024 9:10	
					Field Sample ID	AIII-C-SB-SC		AIII-D-SB-FF		AIII-D-SB-SC		AIII-E-SB-FF	
					Media Type	31 inch		28 inch		28 inch		31 inch	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#126	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#82	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#83/#125/#112	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#85	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#87/#111	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#89/#84	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#91	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#92	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#97	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#99	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#128	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#129/#158	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#130/#164	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#131	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#132	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#134	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#135	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#136	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#137	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#138	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#141	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#144	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#146	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#147/#149	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#151	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#153	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#154	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#155	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#156	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#157	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#163/#160	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#167	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#168	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#169	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#170	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#171	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#172	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#173	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#174	NG/L								

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	StB3-Station C		StB3-Station D		StB3-Station D		StB3-Station E	
					Lab Sample Delivery Group	L2432818		L2432818		L2432818		L2436859	
					Field Sample Date	6/11/2024 11:40		6/11/2024 11:20		6/11/2024 11:20		6/27/2024 9:10	
					Field Sample ID	AIII-C-SB-SC		AIII-D-SB-FF		AIII-D-SB-SC		AIII-E-SB-FF	
					Media Type	31 inch		28 inch		28 inch		31 inch	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#176	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#177	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#178	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#180	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#182/#175	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#183	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#184	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#185	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#187	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#188	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#189	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#190	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#191	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#193	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#194	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#195	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#196	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#197	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#199	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#201	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#202	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#203	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#204/#200	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#205	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#206	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#207	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#208	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Decachlorobiphenyl	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Total PCBs	NG/L								

NOTES:
B = biological
L = liquid
ug/kg = microgram per kilogram
ng/L = nanograms per liter
U = not detected at the reported detection limit
UJ = estimated value at the reporting limit
J = estimated value
J- = estimated value biased low
FS = field sample

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

				Location	StB3-Station E		Tau3-Station A		Tau3-Station A		Tau3-Station A	
				Lab Sample Delivery Group	L2436859		L2464617		L2464620		L2464621	
				Field Sample Date	6/27/2024 9:10		6/25/2024 0:00		6/20/2024 0:00		6/25/2024 0:00	
				Field Sample ID	AIII-E-SB-SC		NBH24-FF-A-3		NBH24-FF-A-3		NBH24-FF-A-3	
				Media Type	31 inch		Tautog		Tautog		Tautog	
				QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	Lipids	LIPIDS	T	Lipids	PERCENT	0.83		0.449		0.968		1.37	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#1	UG/KG	0.4	U	0.374	U	0.356	UJ	0.342	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#3	UG/KG	0.4	U	0.374	U	0.356	UJ	0.342	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#12	UG/KG	0.4	U	0.374	U	0.356	UJ	0.342	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#13	UG/KG	0.8	U	0.748	U	0.712	UJ	0.685	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#15	UG/KG	0.4	U	0.374	U	0.356	UJ	0.342	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#4/#10	UG/KG	0.8	U	0.748	U	0.712	UJ	0.685	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#5	UG/KG	0.4	U	0.374	U	0.356	UJ	0.342	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#6	UG/KG	0.371	J	0.374	U	0.356	UJ	0.342	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#7	UG/KG	0.4	U	0.374	U	0.356	UJ	0.342	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#8	UG/KG	0.582		0.374	U	0.356	UJ	0.342	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#16	UG/KG	0.282	J	0.374	U	0.356	UJ	0.342	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#17	UG/KG	1.53		0.374	U	0.356	UJ	0.342	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#18	UG/KG	2.43		0.374	U	0.356	UJ	0.342	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#19	UG/KG	0.313	J	0.374	U	0.356	UJ	0.342	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#21/#20	UG/KG	0.8	U	0.748	U	0.712	UJ	0.685	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#22	UG/KG	0.818		0.374	U	0.356	UJ	0.342	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#24	UG/KG	0.4	U	0.374	U	0.356	UJ	0.342	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#25	UG/KG	0.4	U	0.374	U	0.356	UJ	0.342	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#26	UG/KG	2.99		0.374	U	0.356	UJ	0.342	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#27	UG/KG	0.646		0.374	U	0.356	UJ	0.342	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#28	UG/KG	5.69		0.359	J	0.356	UJ	0.332	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#29	UG/KG	0.4	U	0.374	U	0.356	UJ	0.342	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#31	UG/KG	2.94		0.374	U	0.356	UJ	0.342	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#32	UG/KG	1.76		0.374	U	0.356	UJ	0.342	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#33	UG/KG	0.216	J	0.374	U	0.356	UJ	0.342	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#37	UG/KG	0.444		0.374	U	0.356	UJ	0.342	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#40	UG/KG	0.458		0.374	U	0.356	UJ	0.342	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#41	UG/KG	0.4	U	0.374	U	0.356	UJ	0.342	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#42	UG/KG	1.23		0.374	U	0.356	UJ	0.342	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#43	UG/KG	0.4	U	0.374	U	0.356	UJ	0.342	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#44	UG/KG	2.68		0.332	J	0.356	UJ	0.342	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#45	UG/KG	0.344	J	0.374	U	0.356	UJ	0.342	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#47	UG/KG	6.28		0.464		0.426	J-	0.342	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#48	UG/KG	0.301	J	0.374	U	0.356	UJ	0.342	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#49	UG/KG	7.76		0.555		0.458	J-	0.241	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#50	UG/KG	0.4	U	0.374	U	0.356	UJ	0.342	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#51	UG/KG	0.726		0.374	U	0.356	UJ	0.342	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#52	UG/KG	9.63		1.21		0.45	J-	0.499	

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	StB3-Station E		Tau3-Station A		Tau3-Station A		Tau3-Station A	
					Lab Sample Delivery Group	L2436859		L2464617		L2464620		L2464621	
					Field Sample Date	6/27/2024 9:10		6/25/2024 0:00		6/20/2024 0:00		6/25/2024 0:00	
					Field Sample ID	AIII-E-SB-SC		NBH24-FF-A-3		NBH24-FF-A-3		NBH24-FF-A-3	
					Media Type	31 inch		Tautog		Tautog		Tautog	
					QC Code	FS		FS		FS		FS	
Matrix	Method Class	Analysis Method	Fraction	Parameter	Units	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#53	UG/KG	1.17		0.374	U	0.356	UJ	0.342	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#54	UG/KG	0.4	U	0.374	U	0.356	UJ	0.342	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#56	UG/KG	0.815		0.374	U	0.356	UJ	0.342	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#60	UG/KG	0.655		0.374	U	0.356	UJ	0.342	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#63	UG/KG	0.618		0.374	U	0.356	UJ	0.342	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#66	UG/KG	7.36		0.659		0.702	J-	0.342	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#68/#64	UG/KG	2.9		0.748	U	0.712	UJ	0.685	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#70	UG/KG	1.88		0.374	U	0.356	UJ	0.342	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#71	UG/KG	2.01		0.374	U	0.356	UJ	0.342	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#73/#46	UG/KG	0.8	U	0.748	U	0.712	UJ	0.685	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#74	UG/KG	3.33		0.385		0.323	J-	0.44	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#76	UG/KG	0.4	U	0.374	U	0.356	UJ	0.342	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#77	UG/KG	0.339	J	0.374	U	0.356	UJ	0.342	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#81	UG/KG	0.4	U	0.374	U	0.356	UJ	0.342	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#100	UG/KG	0.71		0.374	U	0.356	UJ	0.342	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#101/#90	UG/KG	8.8		2.57		2.38	J-	2.06	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#104	UG/KG	0.4	U	0.374	U	0.356	UJ	0.342	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#105	UG/KG	4.22		0.685		0.538	J-	0.6	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#107/#123	UG/KG	3.57		0.519	J	0.433	J-	0.644	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#110	UG/KG	8.67		1.43		0.448	J-	0.265	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#114	UG/KG	0.996		0.206	J	0.264	J-	0.274	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#118	UG/KG	29.5		4.85		3.64	J-	1.36	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#119	UG/KG	2.5		0.208	J	0.356	UJ	0.342	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#121/#95/#88	UG/KG	3.04		0.603	J	1.07	UJ	1.03	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#124	UG/KG	0.4	U	0.374	U	0.356	UJ	0.342	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#126	UG/KG	0.4	U	0.374	U	0.356	UJ	0.342	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#82	UG/KG	0.4	U	0.374	U	0.356	UJ	0.342	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#83/#125/#112	UG/KG	0.982	J	1.12	U	1.07	UJ	1.03	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#85	UG/KG	5.42		0.353	J	0.308	J-	0.342	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#87/#111	UG/KG	1.18		0.748	U	0.712	UJ	0.685	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#89/#84	UG/KG	1.16		0.748	U	0.712	UJ	0.685	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#91	UG/KG	2.23		0.239	J	0.356	UJ	0.342	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#92	UG/KG	5.22		0.683		0.356	UJ	0.342	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#97	UG/KG	0.979		0.482		0.384	J-	0.342	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#99	UG/KG	30.6		1.05		3	J-	0.342	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#128	UG/KG	7.95		0.917		1.08	J-	0.404	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#129/#158	UG/KG	3.28		0.518	J	0.712	UJ	0.685	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#130/#164	UG/KG	2.51		0.38	J	0.712	UJ	0.685	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#131	UG/KG	0.4	U	0.374	U	0.356	UJ	0.342	U

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	StB3-Station E		Tau3-Station A		Tau3-Station A		Tau3-Station A	
					Lab Sample Delivery Group	L2436859		L2464617		L2464620		L2464621	
					Field Sample Date	6/27/2024 9:10		6/25/2024 0:00		6/20/2024 0:00		6/25/2024 0:00	
					Field Sample ID	AIII-E-SB-SC		NBH24-FF-A-3		NBH24-FF-A-3		NBH24-FF-A-3	
					Media Type	31 inch		Tautog		Tautog		Tautog	
					QC Code	FS		FS		FS		FS	
Matrix	Method Class	Analysis Method	Fraction	Parameter	Units	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#132	UG/KG	1.34		0.396		0.356	UJ	0.342	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#134	UG/KG	1.14		0.374	U	0.356	UJ	0.342	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#135	UG/KG	1.6		0.327	J	0.356	UJ	0.342	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#136	UG/KG	1.26		0.374	U	0.356	UJ	0.342	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#137	UG/KG	1.35		0.374	U	0.356	UJ	0.342	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#138	UG/KG	34		3.88		4.45	J-	0.342	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#141	UG/KG	0.4	U	0.216	J	0.356	UJ	0.342	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#144	UG/KG	0.4	U	0.374	U	0.356	UJ	0.342	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#146	UG/KG	9.15		1.9		1.66	J-	1.59	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#147/#149	UG/KG	5.46		2.1		1.05	J-	0.501	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#151	UG/KG	3.15		0.344	J	0.189	J-	0.342	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#153	UG/KG	59.3		11.5		10.3	J-	6.71	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#154	UG/KG	1.81		0.374	U	0.325	J-	0.342	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#155	UG/KG	0.4	U	0.374	U	0.356	UJ	0.342	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#156	UG/KG	2.52		0.433		0.325	J-	0.576	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#157	UG/KG	1.15		0.217	J	0.258	J-	0.227	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#163/#160	UG/KG	11.9		1.99		0.7	J-	1.36	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#167	UG/KG	1.57		0.296	J	0.282	J-	0.309	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#168	UG/KG	0.4	U	0.374	U	0.356	UJ	0.342	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#169	UG/KG	0.4	U	0.374	U	0.356	UJ	0.342	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#170	UG/KG	3.27		0.598		0.644	J-	0.582	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#171	UG/KG	1.26		0.187	J	0.256	J-	0.342	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#172	UG/KG	0.611		0.374	U	0.356	UJ	0.342	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#173	UG/KG	0.4	U	0.374	U	0.356	UJ	0.342	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#174	UG/KG	0.339	J	0.203	J	0.356	UJ	0.342	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#176	UG/KG	0.4	U	0.374	U	0.356	UJ	0.342	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#177	UG/KG	2.28		0.36	J	0.356	UJ	0.342	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#178	UG/KG	1.13		0.362	J	0.356	UJ	0.342	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#180	UG/KG	6.08		1.12		1.39	J-	1.13	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#182/#175	UG/KG	0.8	U	0.748	U	0.712	UJ	0.685	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#183	UG/KG	2.22		0.472		0.518	J-	0.179	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#184	UG/KG	0.4	U	0.374	U	0.356	UJ	0.342	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#185	UG/KG	0.4	U	0.374	U	0.356	UJ	0.342	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#187	UG/KG	5.97		1.61		1.41	J-	1.14	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#188	UG/KG	0.4	U	0.374	U	0.356	UJ	0.342	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#189	UG/KG	0.309	J	0.374	U	0.356	UJ	0.342	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#190	UG/KG	0.416		0.374	U	0.356	UJ	0.342	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#191	UG/KG	0.4	U	0.374	U	0.356	UJ	0.342	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#193	UG/KG	0.406		0.374	U	0.356	UJ	0.342	U

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	StB3-Station E		Tau3-Station A		Tau3-Station A		Tau3-Station A	
					Lab Sample Delivery Group	L2436859		L2464617		L2464620		L2464621	
					Field Sample Date	6/27/2024 9:10		6/25/2024 0:00		6/20/2024 0:00		6/25/2024 0:00	
					Field Sample ID	AIII-E-SB-SC		NBH24-FF-A-3		NBH24-FF-A-3		NBH24-FF-A-3	
					Media Type	31 inch		Tautog		Tautog		Tautog	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#194	UG/KG	1.12	J	0.242	J	0.356	UJ	0.342	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#195	UG/KG	0.4	U	0.374	U	0.356	UJ	0.342	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#196	UG/KG	0.601		0.374	U	0.27	J-	0.342	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#197	UG/KG	0.4	U	0.374	U	0.356	UJ	0.342	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#199	UG/KG	0.4	U	0.374	U	0.356	UJ	0.342	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#201	UG/KG	1.11		0.419		0.356	UJ	0.342	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#202	UG/KG	0.519		0.374	U	0.356	UJ	0.342	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#203	UG/KG	0.438		0.374	U	0.268	J-	0.342	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#204/#200	UG/KG	0.8	U	0.748	U	0.712	UJ	0.685	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#205	UG/KG	0.4	U	0.374	U	0.356	UJ	0.342	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#206	UG/KG	0.45		0.374	U	0.243	J-	0.228	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#207	UG/KG	0.4	U	0.374	U	0.356	UJ	0.342	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#208	UG/KG	0.355	J	0.374	U	0.356	UJ	0.342	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Decachlorobiphenyl	UG/KG	0.476		0.374	U	0.356	UJ	0.342	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Total PCBs	UG/KG	361		48.8		39.4	J-	21.7	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#1	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#3	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#12	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#13	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#15	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#4/#10	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#5	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#6	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#7	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#8	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#16	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#17	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#18	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#19	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#21/#20	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#22	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#24	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#25	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#26	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#27	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#28	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#29	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#31	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#32	NG/L								

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	StB3-Station E		Tau3-Station A		Tau3-Station A		Tau3-Station A	
					Lab Sample Delivery Group	L2436859		L2464617		L2464620		L2464621	
					Field Sample Date	6/27/2024 9:10		6/25/2024 0:00		6/20/2024 0:00		6/25/2024 0:00	
					Field Sample ID	AIII-E-SB-SC		NBH24-FF-A-3		NBH24-FF-A-3		NBH24-FF-A-3	
					Media Type	31 inch		Tautog		Tautog		Tautog	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#33	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#37	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#40	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#41	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#42	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#43	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#44	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#45	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#47	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#48	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#49	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#50	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#51	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#52	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#53	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#54	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#56	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#60	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#63	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#66	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#68/#64	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#70	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#71	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#73/#46	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#74	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#76	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#77	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#81	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#100	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#101/#90	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#104	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#105	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#107/#123	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#110	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#114	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#118	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#119	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#121/#95/#88	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#124	NG/L								

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	StB3-Station E		Tau3-Station A		Tau3-Station A		Tau3-Station A	
					Lab Sample Delivery Group	L2436859		L2464617		L2464620		L2464621	
					Field Sample Date	6/27/2024 9:10		6/25/2024 0:00		6/20/2024 0:00		6/25/2024 0:00	
					Field Sample ID	AIII-E-SB-SC		NBH24-FF-A-3		NBH24-FF-A-3		NBH24-FF-A-3	
					Media Type	31 inch		Tautog		Tautog		Tautog	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#126	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#82	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#83/#125/#112	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#85	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#87/#111	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#89/#84	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#91	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#92	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#97	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#99	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#128	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#129/#158	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#130/#164	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#131	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#132	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#134	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#135	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#136	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#137	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#138	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#141	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#144	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#146	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#147/#149	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#151	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#153	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#154	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#155	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#156	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#157	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#163/#160	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#167	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#168	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#169	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#170	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#171	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#172	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#173	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#174	NG/L								

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

				Location		StB3-Station E		Tau3-Station A		Tau3-Station A		Tau3-Station A	
				Lab Sample Delivery Group		L2436859		L2464617		L2464620		L2464621	
				Field Sample Date		6/27/2024 9:10		6/25/2024 0:00		6/20/2024 0:00		6/25/2024 0:00	
				Field Sample ID		AIII-E-SB-SC		NBH24-FF-A-3		NBH24-FF-A-3		NBH24-FF-A-3	
				Media Type		31 inch		Tautog		Tautog		Tautog	
				QC Code		FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#176	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#177	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#178	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#180	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#182/#175	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#183	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#184	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#185	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#187	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#188	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#189	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#190	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#191	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#193	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#194	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#195	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#196	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#197	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#199	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#201	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#202	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#203	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#204/#200	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#205	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#206	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#207	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#208	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Decachlorobiphenyl	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Total PCBs	NG/L								

NOTES:
B = biological
L = liquid
ug/kg = microgram per kilogram
ng/L = nanograms per liter
U = not detected at the reported detection limit
UJ = estimated value at the reporting limit
J = estimated value
J- = estimated value biased low
FS = field sample

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

				Location	Tau3-Station B		Tau3-Station B		Tau3-Station C		Tau3-Station C	
				Lab Sample Delivery Group	L2464620		L2464621		L2464617		L2464620	
				Field Sample Date	5/21/2024 0:00		5/21/2024 0:00		6/7/2024 0:00		6/7/2024 0:00	
				Field Sample ID	NBH24-FF-B-2		NBH24-FF-B-2		NBH24-FF-C-3		NBH24-FF-C-3	
				Media Type	Tautog		Tautog		Tautog		Tautog	
				QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	Lipids	LIPIDS	T	Lipids	PERCENT	1.75		1.14		1.5		2.04	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#1	UG/KG	0.397	U	0.385	U	0.382	U	0.393	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#3	UG/KG	0.397	U	0.385	U	0.382	U	0.393	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#12	UG/KG	0.397	U	0.385	U	0.382	U	0.393	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#13	UG/KG	0.794	U	0.769	U	0.765	U	0.786	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#15	UG/KG	0.397	U	0.385	U	0.382	U	0.393	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#4/#10	UG/KG	0.794	U	0.769	U	0.765	U	0.786	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#5	UG/KG	0.397	U	0.385	U	0.382	U	0.393	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#6	UG/KG	0.397	U	0.385	U	0.382	U	0.393	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#7	UG/KG	0.397	U	0.385	U	0.382	U	0.393	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#8	UG/KG	0.397	U	0.385	U	0.382	U	0.393	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#16	UG/KG	0.397	U	0.385	U	0.382	U	0.393	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#17	UG/KG	0.494		0.296	J	0.382	U	0.393	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#18	UG/KG	0.525		0.573		0.285	J	0.291	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#19	UG/KG	0.397	U	0.385	U	0.382	U	0.393	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#21/#20	UG/KG	0.794	U	0.769	U	0.765	U	0.786	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#22	UG/KG	0.238	J	0.348	J	0.382	U	0.393	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#24	UG/KG	0.397	U	0.385	U	0.382	U	0.393	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#25	UG/KG	0.397	U	0.385	U	0.382	U	0.393	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#26	UG/KG	1.57		1.26		0.382	U	0.434	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#27	UG/KG	0.397	U	0.385	U	0.382	U	0.393	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#28	UG/KG	3.47		2.73		0.262	J	1.12	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#29	UG/KG	0.397	U	0.385	U	0.382	U	0.393	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#31	UG/KG	0.397	U	0.901		0.382	U	0.393	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#32	UG/KG	0.397	U	0.304	J	0.382	U	0.393	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#33	UG/KG	0.397	U	0.385	U	0.382	U	0.393	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#37	UG/KG	0.444		0.385	U	0.382	U	0.393	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#40	UG/KG	0.397	U	0.385	U	0.382	U	0.393	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#41	UG/KG	0.397	U	0.385	U	0.382	U	0.393	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#42	UG/KG	1.44		0.438		0.382	U	0.243	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#43	UG/KG	0.397	U	0.385	U	0.382	U	0.393	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#44	UG/KG	1.75	J	0.621		0.309	J	0.485	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#45	UG/KG	0.397	U	0.385	U	0.382	U	0.393	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#47	UG/KG	11.7		2.17		0.396		2.59	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#48	UG/KG	0.273	J	0.385	U	0.382	U	0.393	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#49	UG/KG	16.2		3.52		0.565		3.58	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#50	UG/KG	0.397	U	0.385	U	0.382	U	0.393	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#51	UG/KG	0.397	U	0.385	U	0.382	U	0.393	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#52	UG/KG	16.5		4.97		1.01		4.55	

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	Tau3-Station B		Tau3-Station B		Tau3-Station C		Tau3-Station C	
					Lab Sample Delivery Group	L2464620		L2464621		L2464617		L2464620	
					Field Sample Date	5/21/2024 0:00		5/21/2024 0:00		6/7/2024 0:00		6/7/2024 0:00	
					Field Sample ID	NBH24-FF-B-2		NBH24-FF-B-2		NBH24-FF-C-3		NBH24-FF-C-3	
					Media Type	Tautog		Tautog		Tautog		Tautog	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#53	UG/KG	0.397	U	0.243	J	0.382	U	0.393	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#54	UG/KG	0.397	U	0.385	U	0.382	U	0.393	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#56	UG/KG	1.8		0.406		0.382	U	0.468	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#60	UG/KG	1.21		0.545		0.382	U	0.27	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#63	UG/KG	1.38		0.383	J	0.382	U	0.334	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#66	UG/KG	15		4.07		0.56		3.99	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#68/#64	UG/KG	3.83		1.21		0.765	U	0.79	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#70	UG/KG	0.478		0.888		0.382	U	0.248	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#71	UG/KG	0.313	J	0.255	J	0.382	U	0.393	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#73/#46	UG/KG	0.794	U	0.769	U	0.765	U	0.786	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#74	UG/KG	8.28		2.95		0.304	J	2.11	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#76	UG/KG	0.397	U	0.385	U	0.382	U	0.393	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#77	UG/KG	0.397	U	0.214	J	0.382	U	0.393	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#81	UG/KG	0.397	U	0.385	U	0.382	U	0.393	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#100	UG/KG	1.41		0.192	J	0.382	U	0.266	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#101/#90	UG/KG	58.8	J-	9.67		2.03		14.3	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#104	UG/KG	0.397	U	0.385	U	0.382	U	0.393	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#105	UG/KG	9.56		3.07		0.476		2.59	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#107/#123	UG/KG	5.82		1.87		0.765	U	1.78	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#110	UG/KG	13.9		3.03		1.06		3.11	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#114	UG/KG	2.73		0.871		0.198	J	0.825	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#118	UG/KG	69	J-	14.9		3.26		17.7	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#119	UG/KG	3.91		0.748		0.382	U	0.838	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#121/#95/#88	UG/KG	4.36		1.28		1.15	U	1.26	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#124	UG/KG	0.397	U	0.385	U	0.382	U	0.393	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#126	UG/KG	0.397	U	0.385	U	0.382	U	0.393	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#82	UG/KG	0.321	J	0.385	U	0.382	U	0.393	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#83/#125/#112	UG/KG	1.19	U	1.15	U	1.15	U	1.18	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#85	UG/KG	8.48		1.47		0.353	J	1.61	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#87/#111	UG/KG	3.14		0.864		0.765	U	0.743	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#89/#84	UG/KG	0.794	U	0.769	U	0.765	U	0.786	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#91	UG/KG	3.45		1.1		0.319	J	0.898	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#92	UG/KG	1.55		1.14		0.593		0.722	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#97	UG/KG	10.4		0.917		0.343	J	1.99	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#99	UG/KG	66.4	J-	8.74		0.709		14.9	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#128	UG/KG	17.6		3.29		0.856		3.62	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#129/#158	UG/KG	9.74		1.31		0.403	J	1.53	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#130/#164	UG/KG	1.68		0.558	J	0.765	U	0.684	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#131	UG/KG	0.298	J	0.385	U	0.382	U	0.393	U

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	Tau3-Station B		Tau3-Station B		Tau3-Station C		Tau3-Station C	
					Lab Sample Delivery Group	L2464620		L2464621		L2464617		L2464620	
					Field Sample Date	5/21/2024 0:00		5/21/2024 0:00		6/7/2024 0:00		6/7/2024 0:00	
					Field Sample ID	NBH24-FF-B-2		NBH24-FF-B-2		NBH24-FF-C-3		NBH24-FF-C-3	
					Media Type	Tautog		Tautog		Tautog		Tautog	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#132	UG/KG	0.892		0.54		0.281	J	0.371	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#134	UG/KG	0.397	U	0.385	U	0.382	U	0.393	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#135	UG/KG	0.248	J	0.244	J	0.295	J	0.393	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#136	UG/KG	0.763		0.385	U	0.382	U	0.226	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#137	UG/KG	3.54		0.825		0.382	U	0.72	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#138	UG/KG	84.4	J-	8.56		2.83		16.4	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#141	UG/KG	1.14		0.206	J	0.382	U	0.339	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#144	UG/KG	0.848		0.385	U	0.382	U	0.212	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#146	UG/KG	20.3		5.06		1.45		6.63	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#147/#149	UG/KG	14.8		3.18		1.64		4.93	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#151	UG/KG	1.36		0.506		0.326	J	0.538	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#153	UG/KG	159		36.4		8.07		42.6	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#154	UG/KG	3.75		0.4		0.382	U	0.928	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#155	UG/KG	0.397	U	0.385	U	0.382	U	0.393	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#156	UG/KG	6.89		1.9		0.336	J	1.57	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#157	UG/KG	2.34		0.698		0.22	J	0.63	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#163/#160	UG/KG	8.58		3.65		1.44		4.08	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#167	UG/KG	4.39		1.15		0.268	J	1.09	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#168	UG/KG	0.397	U	0.385	U	0.382	U	0.393	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#169	UG/KG	0.397	U	0.385	U	0.382	U	0.393	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#170	UG/KG	10.5		2.03		0.491		2.04	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#171	UG/KG	3.34		0.541		0.382	U	0.729	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#172	UG/KG	0.662		0.385	U	0.382	U	0.318	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#173	UG/KG	0.397	U	0.385	U	0.382	U	0.393	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#174	UG/KG	0.336	J	0.385	U	0.382	U	0.393	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#176	UG/KG	0.211	J	0.385	U	0.382	U	0.393	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#177	UG/KG	0.52		0.304	J	0.34	J	0.494	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#178	UG/KG	0.224	J	0.239	J	0.26	J	0.298	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#180	UG/KG	20.2		3.86		0.999		4.51	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#182/#175	UG/KG	0.459	J	0.769	U	0.765	U	0.786	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#183	UG/KG	6.83		1.04		0.35	J	1.81	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#184	UG/KG	0.397	U	0.385	U	0.382	U	0.393	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#185	UG/KG	0.397	U	0.385	U	0.382	U	0.393	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#187	UG/KG	9.94		3.26		1.4		5.16	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#188	UG/KG	0.397	U	0.385	U	0.382	U	0.393	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#189	UG/KG	0.501		0.385	U	0.382	U	0.393	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#190	UG/KG	1.5		0.349	J	0.382	U	0.313	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#191	UG/KG	0.515		0.385	U	0.382	U	0.393	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#193	UG/KG	0.499		0.385	U	0.382	U	0.295	J

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

				Location	Tau3-Station B		Tau3-Station B		Tau3-Station C		Tau3-Station C	
				Lab Sample Delivery Group	L2464620		L2464621		L2464617		L2464620	
				Field Sample Date	5/21/2024 0:00		5/21/2024 0:00		6/7/2024 0:00		6/7/2024 0:00	
				Field Sample ID	NBH24-FF-B-2		NBH24-FF-B-2		NBH24-FF-C-3		NBH24-FF-C-3	
				Media Type	Tautog		Tautog		Tautog		Tautog	
				QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#194	UG/KG	2.66		0.598		0.382	U	0.831	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#195	UG/KG	0.931		0.385	U	0.382	U	0.393	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#196	UG/KG	1.45		0.295	J	0.382	U	0.475	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#197	UG/KG	0.212	J	0.385	U	0.382	U	0.393	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#199	UG/KG	0.397	U	0.385	U	0.382	U	0.393	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#201	UG/KG	0.72		0.291	J	0.3	J	0.534	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#202	UG/KG	0.241	J	0.385	U	0.276	J	0.518	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#203	UG/KG	1.66		0.305	J	0.382	U	0.482	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#204/#200	UG/KG	0.451	J	0.769	U	0.765	U	0.395	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#205	UG/KG	0.397	U	0.385	U	0.382	U	0.393	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#206	UG/KG	1.21		0.322	J	0.382	U	0.575	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#207	UG/KG	0.397	U	0.385	U	0.382	U	0.393	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#208	UG/KG	0.25	J	0.385	U	0.382	U	0.393	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Decachlorobiphenyl	UG/KG	0.574		0.385	U	0.382	U	0.393	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Total PCBs	UG/KG	759		161		35.9		192	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#1	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#3	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#12	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#13	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#15	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#4/#10	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#5	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#6	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#7	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#8	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#16	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#17	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#18	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#19	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#21/#20	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#22	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#24	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#25	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#26	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#27	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#28	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#29	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#31	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#32	NG/L								

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

						Tau3-Station B		Tau3-Station B		Tau3-Station C		Tau3-Station C	
					Location								
					Lab Sample Delivery Group	L2464620		L2464621		L2464617		L2464620	
					Field Sample Date	5/21/2024 0:00		5/21/2024 0:00		6/7/2024 0:00		6/7/2024 0:00	
					Field Sample ID	NBH24-FF-B-2		NBH24-FF-B-2		NBH24-FF-C-3		NBH24-FF-C-3	
					Media Type	Tautog		Tautog		Tautog		Tautog	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#33	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#37	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#40	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#41	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#42	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#43	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#44	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#45	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#47	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#48	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#49	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#50	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#51	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#52	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#53	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#54	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#56	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#60	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#63	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#66	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#68/#64	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#70	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#71	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#73/#46	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#74	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#76	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#77	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#81	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#100	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#101/#90	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#104	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#105	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#107/#123	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#110	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#114	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#118	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#119	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#121/#95/#88	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#124	NG/L								

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

						Tau3-Station B		Tau3-Station B		Tau3-Station C		Tau3-Station C	
					Location								
					Lab Sample Delivery Group	L2464620		L2464621		L2464617		L2464620	
					Field Sample Date	5/21/2024 0:00		5/21/2024 0:00		6/7/2024 0:00		6/7/2024 0:00	
					Field Sample ID	NBH24-FF-B-2		NBH24-FF-B-2		NBH24-FF-C-3		NBH24-FF-C-3	
					Media Type	Tautog		Tautog		Tautog		Tautog	
					QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#126	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#82	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#83/#125/#112	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#85	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#87/#111	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#89/#84	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#91	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#92	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#97	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#99	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#128	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#129/#158	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#130/#164	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#131	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#132	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#134	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#135	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#136	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#137	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#138	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#141	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#144	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#146	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#147/#149	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#151	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#153	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#154	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#155	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#156	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#157	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#163/#160	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#167	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#168	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#169	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#170	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#171	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#172	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#173	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#174	NG/L								

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

				Location	Tau3-Station B		Tau3-Station B		Tau3-Station C		Tau3-Station C	
				Lab Sample Delivery Group	L2464620		L2464621		L2464617		L2464620	
				Field Sample Date	5/21/2024 0:00		5/21/2024 0:00		6/7/2024 0:00		6/7/2024 0:00	
				Field Sample ID	NBH24-FF-B-2		NBH24-FF-B-2		NBH24-FF-C-3		NBH24-FF-C-3	
				Media Type	Tautog		Tautog		Tautog		Tautog	
				QC Code	FS		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier	Result	Qualifier
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#176	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#177	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#178	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#180	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#182/#175	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#183	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#184	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#185	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#187	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#188	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#189	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#190	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#191	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#193	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#194	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#195	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#196	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#197	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#199	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#201	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#202	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#203	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#204/#200	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#205	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#206	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#207	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#208	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Decachlorobiphenyl	NG/L								
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Total PCBs	NG/L								

NOTES:
B = biological
L = liquid
ug/kg = microgram per kilogram
ng/L = nanograms per liter
U = not detected at the reported detection limit
UJ = estimated value at the reporting limit
J = estimated value
J- = estimated value biased low
FS = field sample

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	Tau3-Station C		Tau3-Station E		Tau3-Station E	
					Lab Sample Delivery Group	L2464621		L2464620		L2464621	
					Field Sample Date	6/7/2024 0:00		5/7/2024 0:00		5/7/2024 0:00	
					Field Sample ID	NBH24-FF-C-3		NBH24-FF-E-2		NBH24-FF-E-2	
					Media Type	Tautog		Tautog		Tautog	
					QC Code	FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	Lipids	LIPIDS	T	Lipids	PERCENT	1.45		2.02		1.37	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#1	UG/KG	0.385	U	0.389	U	0.381	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#3	UG/KG	0.385	U	0.389	U	0.381	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#12	UG/KG	0.385	U	0.389	U	0.381	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#13	UG/KG	0.769	U	0.778	U	0.762	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#15	UG/KG	0.385	U	0.389	U	0.381	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#4/#10	UG/KG	0.769	U	0.778	U	0.762	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#5	UG/KG	0.385	U	0.389	U	0.381	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#6	UG/KG	0.385	U	0.389	U	0.381	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#7	UG/KG	0.385	U	0.389	U	0.381	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#8	UG/KG	0.385	U	0.389	U	0.381	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#16	UG/KG	0.385	U	0.389	U	0.381	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#17	UG/KG	0.385	U	0.389	U	0.381	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#18	UG/KG	0.385	U	0.203	J	0.226	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#19	UG/KG	0.385	U	0.389	U	0.381	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#21/#20	UG/KG	0.769	U	0.778	U	0.762	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#22	UG/KG	0.385	U	0.389	U	0.381	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#24	UG/KG	0.385	U	0.389	U	0.381	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#25	UG/KG	0.385	U	0.389	U	0.381	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#26	UG/KG	0.442		0.222	J	2.97	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#27	UG/KG	0.385	U	0.389	U	0.381	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#28	UG/KG	1.07		0.538		6.6	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#29	UG/KG	0.385	U	0.389	U	0.381	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#31	UG/KG	0.352	J	0.389	U	2.45	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#32	UG/KG	0.385	U	0.389	U	0.436	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#33	UG/KG	0.385	U	0.389	U	0.381	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#37	UG/KG	0.385	U	0.389	U	0.381	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#40	UG/KG	0.385	U	0.389	U	0.381	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#41	UG/KG	0.385	U	0.389	U	0.381	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#42	UG/KG	0.385	U	0.389	U	0.381	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#43	UG/KG	0.385	U	0.389	U	0.381	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#44	UG/KG	0.234	J	0.28	J	0.723	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#45	UG/KG	0.385	U	0.389	U	0.381	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#47	UG/KG	0.385	U	0.532		0.67	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#48	UG/KG	0.385	U	0.389	U	0.381	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#49	UG/KG	0.794		0.886		1.56	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#50	UG/KG	0.385	U	0.389	U	0.381	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#51	UG/KG	0.385	U	0.389	U	0.381	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#52	UG/KG	3.13		1.08		11.1	

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	Tau3-Station C		Tau3-Station E		Tau3-Station E	
					Lab Sample Delivery Group	L2464621		L2464620		L2464621	
					Field Sample Date	6/7/2024 0:00		5/7/2024 0:00		5/7/2024 0:00	
					Field Sample ID	NBH24-FF-C-3		NBH24-FF-E-2		NBH24-FF-E-2	
					Media Type	Tautog		Tautog		Tautog	
					QC Code	FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#53	UG/KG	0.385	U	0.389	U	0.198	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#54	UG/KG	0.385	U	0.389	U	0.381	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#56	UG/KG	0.248	J	0.389	U	0.585	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#60	UG/KG	0.258	J	0.389	U	1.38	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#63	UG/KG	0.359	J	0.389	U	1.08	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#66	UG/KG	0.675		0.891		1.52	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#68/#64	UG/KG	0.688	J	0.778	U	1.94	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#70	UG/KG	0.493		0.207	J	1.94	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#71	UG/KG	0.385	U	0.389	U	0.237	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#73/#46	UG/KG	0.769	U	0.778	U	0.762	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#74	UG/KG	1.81		0.441		6.73	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#76	UG/KG	0.385	U	0.389	U	0.381	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#77	UG/KG	0.385	U	0.389	U	0.408	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#81	UG/KG	0.385	U	0.389	U	0.381	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#100	UG/KG	0.385	U	0.389	U	0.381	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#101/#90	UG/KG	9.98		2.88		24.7	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#104	UG/KG	0.385	U	0.389	U	0.381	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#105	UG/KG	1.62		0.552		4.44	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#107/#123	UG/KG	2.18		0.507	J	4.59	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#110	UG/KG	1.56		1.08		4.26	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#114	UG/KG	0.567		0.389	U	1.54	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#118	UG/KG	6.34		3.55		13.2	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#119	UG/KG	0.385	U	0.236	J	0.381	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#121/#95/#88	UG/KG	1.15	U	1.17	U	1.43	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#124	UG/KG	0.385	U	0.389	U	0.271	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#126	UG/KG	0.385	U	0.389	U	0.205	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#82	UG/KG	0.385	U	0.389	U	0.381	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#83/#125/#112	UG/KG	1.15	U	1.17	U	1.14	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#85	UG/KG	0.385	U	0.433		0.443	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#87/#111	UG/KG	0.615	J	0.778	U	1.38	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#89/#84	UG/KG	0.769	U	0.778	U	0.762	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#91	UG/KG	0.465		0.251	J	1.26	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#92	UG/KG	1.4		0.235	J	2.55	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#97	UG/KG	0.385	U	0.661		0.397	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#99	UG/KG	0.422		3.02		0.96	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#128	UG/KG	1.75		0.822		2.63	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#129/#158	UG/KG	0.39	J	0.778	U	0.669	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#130/#164	UG/KG	0.728	J	0.778	U	1.28	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#131	UG/KG	0.385	U	0.389	U	0.381	U

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	Tau3-Station C		Tau3-Station E		Tau3-Station E	
					Lab Sample Delivery Group	L2464621		L2464620		L2464621	
					Field Sample Date	6/7/2024 0:00		5/7/2024 0:00		5/7/2024 0:00	
					Field Sample ID	NBH24-FF-C-3		NBH24-FF-E-2		NBH24-FF-E-2	
					Media Type	Tautog		Tautog		Tautog	
					QC Code	FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#132	UG/KG	0.464		0.389	U	1	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#134	UG/KG	0.385	U	0.389	U	0.286	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#135	UG/KG	0.385	U	0.389	U	0.45	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#136	UG/KG	0.385	U	0.389	U	0.223	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#137	UG/KG	0.338	J	0.389	U	0.803	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#138	UG/KG	0.7		3.88		2.12	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#141	UG/KG	0.332	J	0.389	U	0.542	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#144	UG/KG	0.385	U	0.389	U	0.348	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#146	UG/KG	4.85		1.77		13.1	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#147/#149	UG/KG	2.96		1.61		6.12	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#151	UG/KG	0.512		0.237	J	0.994	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#153	UG/KG	23.5		9.32		63.5	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#154	UG/KG	0.385	U	0.346	J	0.381	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#155	UG/KG	0.385	U	0.389	U	0.381	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#156	UG/KG	1.7		0.31	J	5.41	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#157	UG/KG	0.622		0.389	U	1.81	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#163/#160	UG/KG	5.84		1.08		11.3	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#167	UG/KG	0.94		0.217	J	2.86	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#168	UG/KG	0.385	U	0.389	U	0.381	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#169	UG/KG	0.385	U	0.389	U	0.381	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#170	UG/KG	1.81		0.589		4.67	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#171	UG/KG	0.396		0.324	J	0.899	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#172	UG/KG	0.259	J	0.389	U	0.431	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#173	UG/KG	0.385	U	0.389	U	0.381	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#174	UG/KG	0.385	U	0.389	U	0.24	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#176	UG/KG	0.385	U	0.389	U	0.381	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#177	UG/KG	0.564		0.389	U	0.642	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#178	UG/KG	0.394		0.389	U	0.6	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#180	UG/KG	3.03		1.61		9.43	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#182/#175	UG/KG	0.769	U	0.778	U	0.762	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#183	UG/KG	0.57		0.845		1.45	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#184	UG/KG	0.385	U	0.389	U	0.381	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#185	UG/KG	0.385	U	0.389	U	0.381	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#187	UG/KG	3.3		2.53		8.43	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#188	UG/KG	0.385	U	0.389	U	0.381	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#189	UG/KG	0.385	U	0.389	U	0.376	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#190	UG/KG	0.289	J	0.389	U	0.874	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#191	UG/KG	0.385	U	0.389	U	0.381	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#193	UG/KG	0.265	J	0.389	U	0.445	

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	Tau3-Station C		Tau3-Station E		Tau3-Station E	
					Lab Sample Delivery Group	L2464621		L2464620		L2464621	
					Field Sample Date	6/7/2024 0:00		5/7/2024 0:00		5/7/2024 0:00	
					Field Sample ID	NBH24-FF-C-3		NBH24-FF-E-2		NBH24-FF-E-2	
					Media Type	Tautog		Tautog		Tautog	
					QC Code	FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#194	UG/KG	0.554		0.389	U	1.52	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#195	UG/KG	0.385	U	0.389	U	0.431	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#196	UG/KG	0.238	J	0.464		0.559	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#197	UG/KG	0.385	U	0.389	U	0.381	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#199	UG/KG	0.385	U	0.389	U	0.381	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#201	UG/KG	0.421		0.507		0.788	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#202	UG/KG	0.385	U	0.383	J	0.367	J
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#203	UG/KG	0.297	J	0.297	J	0.739	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#204/#200	UG/KG	0.769	U	0.778	U	0.762	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#205	UG/KG	0.385	U	0.389	U	0.381	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#206	UG/KG	0.218	J	0.56		0.539	
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#207	UG/KG	0.385	U	0.389	U	0.381	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#208	UG/KG	0.385	U	0.324	J	0.381	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Decachlorobiphenyl	UG/KG	0.385	U	0.535		0.381	U
B	PCB_w_Congenrs	8270E-SIM/680(M)	N	Total PCBs	UG/KG	93.9		47.2		253	
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#1	NG/L						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl1-BZ#3	NG/L						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#12	NG/L						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#13	NG/L						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#15	NG/L						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#4/#10	NG/L						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#5	NG/L						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#6	NG/L						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#7	NG/L						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl2-BZ#8	NG/L						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#16	NG/L						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#17	NG/L						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#18	NG/L						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#19	NG/L						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#21/#20	NG/L						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#22	NG/L						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#24	NG/L						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#25	NG/L						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#26	NG/L						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#27	NG/L						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#28	NG/L						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#29	NG/L						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#31	NG/L						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#32	NG/L						

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

						Tau3-Station C		Tau3-Station E		Tau3-Station E	
				Location		Tau3-Station C		Tau3-Station E		Tau3-Station E	
				Lab Sample Delivery Group		L2464621		L2464620		L2464621	
				Field Sample Date		6/7/2024 0:00		5/7/2024 0:00		5/7/2024 0:00	
				Field Sample ID		NBH24-FF-C-3		NBH24-FF-E-2		NBH24-FF-E-2	
				Media Type		Tautog		Tautog		Tautog	
				QC Code		FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#33	NG/L						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl3-BZ#37	NG/L						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#40	NG/L						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#41	NG/L						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#42	NG/L						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#43	NG/L						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#44	NG/L						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#45	NG/L						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#47	NG/L						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#48	NG/L						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#49	NG/L						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#50	NG/L						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#51	NG/L						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#52	NG/L						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#53	NG/L						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#54	NG/L						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#56	NG/L						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#60	NG/L						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#63	NG/L						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#66	NG/L						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#68/#64	NG/L						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#70	NG/L						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#71	NG/L						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#73/#46	NG/L						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#74	NG/L						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#76	NG/L						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#77	NG/L						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl4-BZ#81	NG/L						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#100	NG/L						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#101/#90	NG/L						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#104	NG/L						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#105	NG/L						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#107/#123	NG/L						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#110	NG/L						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#114	NG/L						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#118	NG/L						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#119	NG/L						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#121/#95/#88	NG/L						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#124	NG/L						

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	Tau3-Station C		Tau3-Station E		Tau3-Station E	
					Lab Sample Delivery Group	L2464621		L2464620		L2464621	
					Field Sample Date	6/7/2024 0:00		5/7/2024 0:00		5/7/2024 0:00	
					Field Sample ID	NBH24-FF-C-3		NBH24-FF-E-2		NBH24-FF-E-2	
					Media Type	Tautog		Tautog		Tautog	
					QC Code	FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#126	NG/L						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#82	NG/L						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#83/#125/#112	NG/L						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#85	NG/L						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#87/#111	NG/L						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#89/#84	NG/L						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#91	NG/L						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#92	NG/L						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#97	NG/L						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl5-BZ#99	NG/L						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#128	NG/L						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#129/#158	NG/L						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#130/#164	NG/L						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#131	NG/L						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#132	NG/L						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#134	NG/L						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#135	NG/L						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#136	NG/L						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#137	NG/L						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#138	NG/L						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#141	NG/L						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#144	NG/L						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#146	NG/L						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#147/#149	NG/L						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#151	NG/L						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#153	NG/L						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#154	NG/L						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#155	NG/L						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#156	NG/L						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#157	NG/L						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#163/#160	NG/L						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#167	NG/L						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#168	NG/L						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl6-BZ#169	NG/L						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#170	NG/L						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#171	NG/L						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#172	NG/L						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#173	NG/L						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#174	NG/L						

Table 2 - Summary of Analytical Results
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

					Location	Tau3-Station C		Tau3-Station E		Tau3-Station E	
					Lab Sample Delivery Group	L2464621		L2464620		L2464621	
					Field Sample Date	6/7/2024 0:00		5/7/2024 0:00		5/7/2024 0:00	
					Field Sample ID	NBH24-FF-C-3		NBH24-FF-E-2		NBH24-FF-E-2	
					Media Type	Tautog		Tautog		Tautog	
					QC Code	FS		FS		FS	
Matrix	**Method Class**	**Analysis Method**	**Fraction**	**Parameter**	**Units**	Result	Qualifier	Result	Qualifier	Result	Qualifier
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#176	NG/L						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#177	NG/L						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#178	NG/L						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#180	NG/L						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#182/#175	NG/L						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#183	NG/L						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#184	NG/L						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#185	NG/L						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#187	NG/L						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#188	NG/L						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#189	NG/L						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#190	NG/L						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#191	NG/L						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl7-BZ#193	NG/L						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#194	NG/L						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#195	NG/L						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#196	NG/L						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#197	NG/L						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#199	NG/L						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#201	NG/L						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#202	NG/L						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#203	NG/L						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#204/#200	NG/L						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl8-BZ#205	NG/L						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#206	NG/L						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#207	NG/L						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Cl9-BZ#208	NG/L						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Decachlorobiphenyl	NG/L						
L	PCB_w_Congenrs	8270E-SIM/680(M)	N	Total PCBs	NG/L						

NOTES:
B = biological
L = liquid
ug/kg = microgram per kilogram
ng/L = nanograms per liter
U = not detected at the reported detection limit
UJ = estimated value at the reporting limit
J = estimated value
J- = estimated value biased low
FS = field sample

Table 3 - Summary of Qualification Actions
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

SDG	Lab Sample ID	Field Sample ID	Analysis Method	Fraction	Parameter Name	Lab Result	Lab Qualifier	Final Result	Final Qualifier	Val Reason Code	Units
L2425317	L2425317-01	NBH24-FF-C-1-FILLET	8270E-SIM/680(M)	N	Cl3-BZ#22	1.04		1.04	J	LD	UG/KG
L2425317	L2425317-01	NBH24-FF-C-1-FILLET	8270E-SIM/680(M)	N	Cl3-BZ#28	5.12		5.12	J	LD	UG/KG
L2425317	L2425317-02	NBH24-FF-C-1-ROE	8270E-SIM/680(M)	N	Cl5-BZ#97	0.569		0.569	J	LD	UG/KG
L2425317	L2425317-02	NBH24-FF-C-1-ROE	8270E-SIM/680(M)	N	Cl4-BZ#70	0.554		0.554	J	LD	UG/KG
L2425317	L2425317-02	NBH24-FF-C-1-ROE	8270E-SIM/680(M)	N	Cl3-BZ#16	0.651		0.651	J	LD	UG/KG
L2426113	L2426113-02	NBH24-SF-D3 - DISSOLVED	8270E-SIM/680(M)	N	Cl3-BZ#25	0.472	U	0.472	UJ	HT	NG/L
L2426113	L2426113-02	NBH24-SF-D3 - DISSOLVED	8270E-SIM/680(M)	N	Cl5-BZ#104	0.472	U	0.472	UJ	HT	NG/L
L2426113	L2426113-02	NBH24-SF-D3 - DISSOLVED	8270E-SIM/680(M)	N	Cl3-BZ#24	0.472	U	0.472	UJ	HT	NG/L
L2426113	L2426113-02	NBH24-SF-D3 - DISSOLVED	8270E-SIM/680(M)	N	Cl6-BZ#131	0.472	U	0.472	UJ	HT	NG/L
L2426113	L2426113-02	NBH24-SF-D3 - DISSOLVED	8270E-SIM/680(M)	N	Cl5-BZ#126	0.472	U	0.472	UJ	HT	NG/L
L2426113	L2426113-02	NBH24-SF-D3 - DISSOLVED	8270E-SIM/680(M)	N	Cl6-BZ#168	0.472	U	0.472	UJ	HT	NG/L
L2426113	L2426113-02	NBH24-SF-D3 - DISSOLVED	8270E-SIM/680(M)	N	Cl6-BZ#154	0.472	U	0.472	UJ	HT	NG/L
L2426113	L2426113-02	NBH24-SF-D3 - DISSOLVED	8270E-SIM/680(M)	N	Cl4-BZ#50	0.472	U	0.472	UJ	HT	NG/L
L2426113	L2426113-02	NBH24-SF-D3 - DISSOLVED	8270E-SIM/680(M)	N	Cl5-BZ#85	0.472	U	0.472	UJ	HT	NG/L
L2426113	L2426113-02	NBH24-SF-D3 - DISSOLVED	8270E-SIM/680(M)	N	Cl4-BZ#51	0.472	U	0.472	UJ	HT	NG/L
L2426113	L2426113-02	NBH24-SF-D3 - DISSOLVED	8270E-SIM/680(M)	N	Cl5-BZ#119	0.472	U	0.472	UJ	HT	NG/L
L2426113	L2426113-02	NBH24-SF-D3 - DISSOLVED	8270E-SIM/680(M)	N	Cl5-BZ#91	0.472	U	0.472	UJ	HT	NG/L
L2426113	L2426113-02	NBH24-SF-D3 - DISSOLVED	8270E-SIM/680(M)	N	Cl6-BZ#135	0.472	U	0.472	UJ	HT	NG/L
L2426113	L2426113-02	NBH24-SF-D3 - DISSOLVED	8270E-SIM/680(M)	N	Cl6-BZ#141	0.472	U	0.472	UJ	HT	NG/L
L2426113	L2426113-02	NBH24-SF-D3 - DISSOLVED	8270E-SIM/680(M)	N	Cl7-BZ#176	0.472	U	0.472	UJ	HT	NG/L
L2426113	L2426113-02	NBH24-SF-D3 - DISSOLVED	8270E-SIM/680(M)	N	Cl7-BZ#178	0.472	U	0.472	UJ	HT	NG/L
L2426113	L2426113-02	NBH24-SF-D3 - DISSOLVED	8270E-SIM/680(M)	N	Cl7-BZ#187	0.472	U	0.472	UJ	HT	NG/L
L2426113	L2426113-02	NBH24-SF-D3 - DISSOLVED	8270E-SIM/680(M)	N	Cl7-BZ#183	0.472	U	0.472	UJ	HT	NG/L
L2426113	L2426113-02	NBH24-SF-D3 - DISSOLVED	8270E-SIM/680(M)	N	Cl7-BZ#177	0.472	U	0.472	UJ	HT	NG/L
L2426113	L2426113-02	NBH24-SF-D3 - DISSOLVED	8270E-SIM/680(M)	N	Cl7-BZ#171	0.472	U	0.472	UJ	HT	NG/L
L2426113	L2426113-02	NBH24-SF-D3 - DISSOLVED	8270E-SIM/680(M)	N	Cl7-BZ#185	0.472	U	0.472	UJ	HT	NG/L
L2426113	L2426113-02	NBH24-SF-D3 - DISSOLVED	8270E-SIM/680(M)	N	Cl6-BZ#167	0.472	U	0.472	UJ	HT	NG/L
L2426113	L2426113-02	NBH24-SF-D3 - DISSOLVED	8270E-SIM/680(M)	N	Cl8-BZ#199	0.472	U	0.472	UJ	HT	NG/L
L2426113	L2426113-02	NBH24-SF-D3 - DISSOLVED	8270E-SIM/680(M)	N	Cl8-BZ#203	0.472	U	0.472	UJ	HT	NG/L
L2426113	L2426113-02	NBH24-SF-D3 - DISSOLVED	8270E-SIM/680(M)	N	Cl9-BZ#208	0.472	U	0.472	UJ	HT	NG/L
L2426113	L2426113-02	NBH24-SF-D3 - DISSOLVED	8270E-SIM/680(M)	N	Cl8-BZ#195	0.472	U	0.472	UJ	HT	NG/L
L2426113	L2426113-02	NBH24-SF-D3 - DISSOLVED	8270E-SIM/680(M)	N	Cl9-BZ#207	0.472	U	0.472	UJ	HT	NG/L
L2426113	L2426113-02	NBH24-SF-D3 - DISSOLVED	8270E-SIM/680(M)	N	Cl6-BZ#134	0.472	U	0.472	UJ	HT	NG/L
L2426113	L2426113-02	NBH24-SF-D3 - DISSOLVED	8270E-SIM/680(M)	N	Cl7-BZ#172	0.472	U	0.472	UJ	HT	NG/L
L2426113	L2426113-02	NBH24-SF-D3 - DISSOLVED	8270E-SIM/680(M)	N	Cl6-BZ#144	0.472	U	0.472	UJ	HT	NG/L
L2426113	L2426113-02	NBH24-SF-D3 - DISSOLVED	8270E-SIM/680(M)	N	Cl7-BZ#193	0.472	U	0.472	UJ	HT	NG/L
L2426113	L2426113-02	NBH24-SF-D3 - DISSOLVED	8270E-SIM/680(M)	N	Cl6-BZ#157	0.472	U	0.472	UJ	HT	NG/L
L2426113	L2426113-02	NBH24-SF-D3 - DISSOLVED	8270E-SIM/680(M)	N	Cl4-BZ#68/#64	0.943	U	0.943	UJ	HT	NG/L
L2426113	L2426113-02	NBH24-SF-D3 - DISSOLVED	8270E-SIM/680(M)	N	Cl4-BZ#73/#46	0.943	U	0.943	UJ	HT	NG/L

Table 3 - Summary of Qualification Actions
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

SDG	Lab Sample ID	Field Sample ID	Analysis Method	Fraction	Parameter Name	Lab Result	Lab Qualifier	Final Result	Final Qualifier	Val Reason Code	Units
L2426113	L2426113-02	NBH24-SF-D3 - DISSOLVED	8270E-SIM/680(M)	N	Cl5-BZ#101/#90	0.943	U	0.943	UJ	HT	NG/L
L2426113	L2426113-02	NBH24-SF-D3 - DISSOLVED	8270E-SIM/680(M)	N	Cl5-BZ#107/#123	0.943	U	0.943	UJ	HT	NG/L
L2426113	L2426113-02	NBH24-SF-D3 - DISSOLVED	8270E-SIM/680(M)	N	Cl5-BZ#121/#95/#88	1.42	U	1.42	UJ	HT	NG/L
L2426113	L2426113-02	NBH24-SF-D3 - DISSOLVED	8270E-SIM/680(M)	N	Cl3-BZ#21/#20	0.943	U	0.943	UJ	HT	NG/L
L2426113	L2426113-02	NBH24-SF-D3 - DISSOLVED	8270E-SIM/680(M)	N	Cl5-BZ#83/#125/#112	1.42	U	1.42	UJ	HT	NG/L
L2426113	L2426113-02	NBH24-SF-D3 - DISSOLVED	8270E-SIM/680(M)	N	Cl8-BZ#204/#200	0.943	U	0.943	UJ	HT	NG/L
L2426113	L2426113-02	NBH24-SF-D3 - DISSOLVED	8270E-SIM/680(M)	N	Cl7-BZ#182/#175	0.943	U	0.943	UJ	HT	NG/L
L2426113	L2426113-02	NBH24-SF-D3 - DISSOLVED	8270E-SIM/680(M)	N	Cl6-BZ#163/#160	0.943	U	0.943	UJ	HT	NG/L
L2426113	L2426113-02	NBH24-SF-D3 - DISSOLVED	8270E-SIM/680(M)	N	Cl6-BZ#147/#149	0.943	U	0.943	UJ	HT	NG/L
L2426113	L2426113-02	NBH24-SF-D3 - DISSOLVED	8270E-SIM/680(M)	N	Cl6-BZ#130/#164	0.943	U	0.943	UJ	HT	NG/L
L2426113	L2426113-02	NBH24-SF-D3 - DISSOLVED	8270E-SIM/680(M)	N	Cl5-BZ#87/#111	0.943	U	0.943	UJ	HT	NG/L
L2426113	L2426113-02	NBH24-SF-D3 - DISSOLVED	8270E-SIM/680(M)	N	Cl7-BZ#173	0.472	U	0.472	UJ	HT	NG/L
L2426113	L2426113-02	NBH24-SF-D3 - DISSOLVED	8270E-SIM/680(M)	N	Cl2-BZ#4/#10	0.943	U	0.943	UJ	HT	NG/L
L2426113	L2426113-02	NBH24-SF-D3 - DISSOLVED	8270E-SIM/680(M)	N	Cl8-BZ#205	0.472	U	0.472	UJ	HT	NG/L
L2426113	L2426113-02	NBH24-SF-D3 - DISSOLVED	8270E-SIM/680(M)	N	Cl6-BZ#151	0.472	U	0.472	UJ	HT	NG/L
L2426113	L2426113-02	NBH24-SF-D3 - DISSOLVED	8270E-SIM/680(M)	N	Cl3-BZ#28	0.472	U	0.472	UJ	HT	NG/L
L2426113	L2426113-02	NBH24-SF-D3 - DISSOLVED	8270E-SIM/680(M)	N	Cl4-BZ#45	0.472	U	0.472	UJ	HT	NG/L
L2426113	L2426113-02	NBH24-SF-D3 - DISSOLVED	8270E-SIM/680(M)	N	Cl4-BZ#43	0.472	U	0.472	UJ	HT	NG/L
L2426113	L2426113-02	NBH24-SF-D3 - DISSOLVED	8270E-SIM/680(M)	N	Cl4-BZ#48	0.472	U	0.472	UJ	HT	NG/L
L2426113	L2426113-02	NBH24-SF-D3 - DISSOLVED	8270E-SIM/680(M)	N	Cl7-BZ#188	0.472	U	0.472	UJ	HT	NG/L
L2426113	L2426113-02	NBH24-SF-D3 - DISSOLVED	8270E-SIM/680(M)	N	Cl4-BZ#76	0.472	U	0.472	UJ	HT	NG/L
L2426113	L2426113-02	NBH24-SF-D3 - DISSOLVED	8270E-SIM/680(M)	N	Cl5-BZ#124	0.472	U	0.472	UJ	HT	NG/L
L2426113	L2426113-02	NBH24-SF-D3 - DISSOLVED	8270E-SIM/680(M)	N	Cl4-BZ#63	0.472	U	0.472	UJ	HT	NG/L
L2426113	L2426113-02	NBH24-SF-D3 - DISSOLVED	8270E-SIM/680(M)	N	Cl5-BZ#114	0.472	U	0.472	UJ	HT	NG/L
L2426113	L2426113-02	NBH24-SF-D3 - DISSOLVED	8270E-SIM/680(M)	N	Cl7-BZ#184	0.472	U	0.472	UJ	HT	NG/L
L2426113	L2426113-02	NBH24-SF-D3 - DISSOLVED	8270E-SIM/680(M)	N	Cl7-BZ#191	0.472	U	0.472	UJ	HT	NG/L
L2426113	L2426113-02	NBH24-SF-D3 - DISSOLVED	8270E-SIM/680(M)	N	Cl4-BZ#81	0.472	U	0.472	UJ	HT	NG/L
L2426113	L2426113-02	NBH24-SF-D3 - DISSOLVED	8270E-SIM/680(M)	N	Cl6-BZ#129/#158	0.943	U	0.943	UJ	HT	NG/L
L2426113	L2426113-02	NBH24-SF-D3 - DISSOLVED	8270E-SIM/680(M)	N	Cl5-BZ#82	0.472	U	0.472	UJ	HT	NG/L
L2426113	L2426113-02	NBH24-SF-D3 - DISSOLVED	8270E-SIM/680(M)	N	Cl4-BZ#41	0.472	U	0.472	UJ	HT	NG/L
L2426113	L2426113-02	NBH24-SF-D3 - DISSOLVED	8270E-SIM/680(M)	N	Cl5-BZ#105	0.472	U	0.472	UJ	HT	NG/L
L2426113	L2426113-02	NBH24-SF-D3 - DISSOLVED	8270E-SIM/680(M)	N	Cl4-BZ#74	0.472	U	0.472	UJ	HT	NG/L
L2426113	L2426113-02	NBH24-SF-D3 - DISSOLVED	8270E-SIM/680(M)	N	Cl6-BZ#169	0.472	U	0.472	UJ	HT	NG/L
L2426113	L2426113-02	NBH24-SF-D3 - DISSOLVED	8270E-SIM/680(M)	N	Cl4-BZ#60	0.472	U	0.472	UJ	HT	NG/L
L2426113	L2426113-02	NBH24-SF-D3 - DISSOLVED	8270E-SIM/680(M)	N	Cl8-BZ#197	0.472	U	0.472	UJ	HT	NG/L
L2426113	L2426113-02	NBH24-SF-D3 - DISSOLVED	8270E-SIM/680(M)	N	Cl2-BZ#7	0.472	U	0.472	UJ	HT	NG/L
L2426113	L2426113-02	NBH24-SF-D3 - DISSOLVED	8270E-SIM/680(M)	N	Cl6-BZ#155	0.472	U	0.472	UJ	HT	NG/L
L2426113	L2426113-02	NBH24-SF-D3 - DISSOLVED	8270E-SIM/680(M)	N	Cl2-BZ#8	0.472	U	0.472	UJ	HT	NG/L
L2426113	L2426113-02	NBH24-SF-D3 - DISSOLVED	8270E-SIM/680(M)	N	Cl6-BZ#153	0.472	U	0.472	UJ	HT	NG/L

Table 3 - Summary of Qualification Actions
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

SDG	Lab Sample ID	Field Sample ID	Analysis Method	Fraction	Parameter Name	Lab Result	Lab Qualifier	Final Result	Final Qualifier	Val Reason Code	Units
L2426113	L2426113-02	NBH24-SF-D3 - DISSOLVED	8270E-SIM/680(M)	N	Cl6-BZ#138	0.472	U	0.472	UJ	HT	NG/L
L2426113	L2426113-02	NBH24-SF-D3 - DISSOLVED	8270E-SIM/680(M)	N	Cl7-BZ#180	0.472	U	0.472	UJ	HT	NG/L
L2426113	L2426113-02	NBH24-SF-D3 - DISSOLVED	8270E-SIM/680(M)	N	Cl7-BZ#170	0.472	U	0.472	UJ	HT	NG/L
L2426113	L2426113-02	NBH24-SF-D3 - DISSOLVED	8270E-SIM/680(M)	N	Cl4-BZ#52	0.472	U	0.472	UJ	HT	NG/L
L2426113	L2426113-02	NBH24-SF-D3 - DISSOLVED	8270E-SIM/680(M)	N	Cl4-BZ#77	0.472	U	0.472	UJ	HT	NG/L
L2426113	L2426113-02	NBH24-SF-D3 - DISSOLVED	8270E-SIM/680(M)	N	Cl4-BZ#70	0.472	U	0.472	UJ	HT	NG/L
L2426113	L2426113-02	NBH24-SF-D3 - DISSOLVED	8270E-SIM/680(M)	N	Cl4-BZ#66	0.472	U	0.472	UJ	HT	NG/L
L2426113	L2426113-02	NBH24-SF-D3 - DISSOLVED	8270E-SIM/680(M)	N	Cl5-BZ#118	0.472	U	0.472	UJ	HT	NG/L
L2426113	L2426113-02	NBH24-SF-D3 - DISSOLVED	8270E-SIM/680(M)	N	Total PCBs	0.472	U	0.472	UJ	HT	NG/L
L2426113	L2426113-02	NBH24-SF-D3 - DISSOLVED	8270E-SIM/680(M)	N	Cl3-BZ#29	0.472	U	0.472	UJ	HT	NG/L
L2426113	L2426113-02	NBH24-SF-D3 - DISSOLVED	8270E-SIM/680(M)	N	Cl4-BZ#54	0.472	U	0.472	UJ	HT	NG/L
L2426113	L2426113-02	NBH24-SF-D3 - DISSOLVED	8270E-SIM/680(M)	N	Cl2-BZ#5	0.472	U	0.472	UJ	HT	NG/L
L2426113	L2426113-02	NBH24-SF-D3 - DISSOLVED	8270E-SIM/680(M)	N	Cl3-BZ#31	0.472	U	0.472	UJ	HT	NG/L
L2426113	L2426113-02	NBH24-SF-D3 - DISSOLVED	8270E-SIM/680(M)	N	Cl2-BZ#15	0.472	U	0.472	UJ	HT	NG/L
L2426113	L2426113-02	NBH24-SF-D3 - DISSOLVED	8270E-SIM/680(M)	N	Cl6-BZ#137	0.472	U	0.472	UJ	HT	NG/L
L2426113	L2426113-02	NBH24-SF-D3 - DISSOLVED	8270E-SIM/680(M)	N	Decachlorobiphenyl	0.472	U	0.472	UJ	HT	NG/L
L2426113	L2426113-02	NBH24-SF-D3 - DISSOLVED	8270E-SIM/680(M)	N	Cl1-BZ#3	0.472	U	0.472	UJ	HT	NG/L
L2426113	L2426113-02	NBH24-SF-D3 - DISSOLVED	8270E-SIM/680(M)	N	Cl8-BZ#202	0.472	U	0.472	UJ	HT	NG/L
L2426113	L2426113-02	NBH24-SF-D3 - DISSOLVED	8270E-SIM/680(M)	N	Cl4-BZ#47	0.472	U	0.472	UJ	HT	NG/L
L2426113	L2426113-02	NBH24-SF-D3 - DISSOLVED	8270E-SIM/680(M)	N	Cl2-BZ#6	0.472	U	0.472	UJ	HT	NG/L
L2426113	L2426113-02	NBH24-SF-D3 - DISSOLVED	8270E-SIM/680(M)	N	Cl2-BZ#13	0.472	U	0.472	UJ	HT	NG/L
L2426113	L2426113-02	NBH24-SF-D3 - DISSOLVED	8270E-SIM/680(M)	N	Cl2-BZ#12	0.472	U	0.472	UJ	HT	NG/L
L2426113	L2426113-02	NBH24-SF-D3 - DISSOLVED	8270E-SIM/680(M)	N	Cl1-BZ#1	0.472	U	0.472	UJ	HT	NG/L
L2426113	L2426113-02	NBH24-SF-D3 - DISSOLVED	8270E-SIM/680(M)	N	Cl5-BZ#92	0.472	U	0.472	UJ	HT	NG/L
L2426113	L2426113-02	NBH24-SF-D3 - DISSOLVED	8270E-SIM/680(M)	N	Cl8-BZ#194	0.472	U	0.472	UJ	HT	NG/L
L2426113	L2426113-02	NBH24-SF-D3 - DISSOLVED	8270E-SIM/680(M)	N	Cl3-BZ#18	0.472	U	0.472	UJ	HT	NG/L
L2426113	L2426113-02	NBH24-SF-D3 - DISSOLVED	8270E-SIM/680(M)	N	Cl5-BZ#100	0.472	U	0.472	UJ	HT	NG/L
L2426113	L2426113-02	NBH24-SF-D3 - DISSOLVED	8270E-SIM/680(M)	N	Cl7-BZ#189	0.472	U	0.472	UJ	HT	NG/L
L2426113	L2426113-02	NBH24-SF-D3 - DISSOLVED	8270E-SIM/680(M)	N	Cl8-BZ#201	0.472	U	0.472	UJ	HT	NG/L
L2426113	L2426113-02	NBH24-SF-D3 - DISSOLVED	8270E-SIM/680(M)	N	Cl9-BZ#206	0.472	U	0.472	UJ	HT	NG/L
L2426113	L2426113-02	NBH24-SF-D3 - DISSOLVED	8270E-SIM/680(M)	N	Cl7-BZ#190	0.472	U	0.472	UJ	HT	NG/L
L2426113	L2426113-02	NBH24-SF-D3 - DISSOLVED	8270E-SIM/680(M)	N	Cl4-BZ#44	0.472	U	0.472	UJ	HT	NG/L
L2426113	L2426113-02	NBH24-SF-D3 - DISSOLVED	8270E-SIM/680(M)	N	Cl4-BZ#49	0.472	U	0.472	UJ	HT	NG/L
L2426113	L2426113-02	NBH24-SF-D3 - DISSOLVED	8270E-SIM/680(M)	N	Cl4-BZ#53	0.472	U	0.472	UJ	HT	NG/L
L2426113	L2426113-02	NBH24-SF-D3 - DISSOLVED	8270E-SIM/680(M)	N	Cl4-BZ#56	0.472	U	0.472	UJ	HT	NG/L
L2426113	L2426113-02	NBH24-SF-D3 - DISSOLVED	8270E-SIM/680(M)	N	Cl4-BZ#71	0.472	U	0.472	UJ	HT	NG/L
L2426113	L2426113-02	NBH24-SF-D3 - DISSOLVED	8270E-SIM/680(M)	N	Cl5-BZ#97	0.472	U	0.472	UJ	HT	NG/L
L2426113	L2426113-02	NBH24-SF-D3 - DISSOLVED	8270E-SIM/680(M)	N	Cl8-BZ#196	0.472	U	0.472	UJ	HT	NG/L
L2426113	L2426113-02	NBH24-SF-D3 - DISSOLVED	8270E-SIM/680(M)	N	Cl6-BZ#146	0.472	U	0.472	UJ	HT	NG/L

Table 3 - Summary of Qualification Actions
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

SDG	Lab Sample ID	Field Sample ID	Analysis Method	Fraction	Parameter Name	Lab Result	Lab Qualifier	Final Result	Final Qualifier	Val Reason Code	Units
L2426113	L2426113-02	NBH24-SF-D3 - DISSOLVED	8270E-SIM/680(M)	N	Cl4-BZ#40	0.472	U	0.472	UJ	HT	NG/L
L2426113	L2426113-02	NBH24-SF-D3 - DISSOLVED	8270E-SIM/680(M)	N	Cl3-BZ#37	0.472	U	0.472	UJ	HT	NG/L
L2426113	L2426113-02	NBH24-SF-D3 - DISSOLVED	8270E-SIM/680(M)	N	Cl3-BZ#33	0.472	U	0.472	UJ	HT	NG/L
L2426113	L2426113-02	NBH24-SF-D3 - DISSOLVED	8270E-SIM/680(M)	N	Cl3-BZ#22	0.472	U	0.472	UJ	HT	NG/L
L2426113	L2426113-02	NBH24-SF-D3 - DISSOLVED	8270E-SIM/680(M)	N	Cl3-BZ#17	0.472	U	0.472	UJ	HT	NG/L
L2426113	L2426113-02	NBH24-SF-D3 - DISSOLVED	8270E-SIM/680(M)	N	Cl5-BZ#99	0.472	U	0.472	UJ	HT	NG/L
L2426113	L2426113-02	NBH24-SF-D3 - DISSOLVED	8270E-SIM/680(M)	N	Cl5-BZ#110	0.472	U	0.472	UJ	HT	NG/L
L2426113	L2426113-02	NBH24-SF-D3 - DISSOLVED	8270E-SIM/680(M)	N	Cl6-BZ#132	0.472	U	0.472	UJ	HT	NG/L
L2426113	L2426113-02	NBH24-SF-D3 - DISSOLVED	8270E-SIM/680(M)	N	Cl6-BZ#128	0.472	U	0.472	UJ	HT	NG/L
L2426113	L2426113-02	NBH24-SF-D3 - DISSOLVED	8270E-SIM/680(M)	N	Cl4-BZ#42	0.472	U	0.472	UJ	HT	NG/L
L2426113	L2426113-02	NBH24-SF-D3 - DISSOLVED	8270E-SIM/680(M)	N	Cl6-BZ#156	0.472	U	0.472	UJ	HT	NG/L
L2426113	L2426113-02	NBH24-SF-D3 - DISSOLVED	8270E-SIM/680(M)	N	Cl7-BZ#174	0.472	U	0.472	UJ	HT	NG/L
L2426113	L2426113-02	NBH24-SF-D3 - DISSOLVED	8270E-SIM/680(M)	N	Cl3-BZ#19	0.472	U	0.472	UJ	HT	NG/L
L2426113	L2426113-02	NBH24-SF-D3 - DISSOLVED	8270E-SIM/680(M)	N	Cl3-BZ#27	0.472	U	0.472	UJ	HT	NG/L
L2426113	L2426113-02	NBH24-SF-D3 - DISSOLVED	8270E-SIM/680(M)	N	Cl3-BZ#32	0.472	U	0.472	UJ	HT	NG/L
L2426113	L2426113-02	NBH24-SF-D3 - DISSOLVED	8270E-SIM/680(M)	N	Cl3-BZ#16	0.472	U	0.472	UJ	HT	NG/L
L2426113	L2426113-02	NBH24-SF-D3 - DISSOLVED	8270E-SIM/680(M)	N	Cl3-BZ#26	0.472	U	0.472	UJ	HT	NG/L
L2426113	L2426113-02	NBH24-SF-D3 - DISSOLVED	8270E-SIM/680(M)	N	Cl6-BZ#136	0.472	U	0.472	UJ	HT	NG/L
L2426113	L2426113-02	NBH24-SF-D3 - DISSOLVED	8270E-SIM/680(M)	N	Cl5-BZ#89/#84	0.943	U	0.943	UJ	HT	NG/L
L2426113	L2426113-04	NBH24-SF-F2 - DISSOLVED	8270E-SIM/680(M)	N	Cl7-BZ#182/#175	0.934	U	0.934	UJ	HT	NG/L
L2426113	L2426113-04	NBH24-SF-F2 - DISSOLVED	8270E-SIM/680(M)	N	Cl8-BZ#204/#200	0.934	U	0.934	UJ	HT	NG/L
L2426113	L2426113-04	NBH24-SF-F2 - DISSOLVED	8270E-SIM/680(M)	N	Cl3-BZ#29	0.467	U	0.467	UJ	HT	NG/L
L2426113	L2426113-04	NBH24-SF-F2 - DISSOLVED	8270E-SIM/680(M)	N	Cl7-BZ#185	0.467	U	0.467	UJ	HT	NG/L
L2426113	L2426113-04	NBH24-SF-F2 - DISSOLVED	8270E-SIM/680(M)	N	Cl6-BZ#135	0.467	U	0.467	UJ	HT	NG/L
L2426113	L2426113-04	NBH24-SF-F2 - DISSOLVED	8270E-SIM/680(M)	N	Cl3-BZ#24	0.467	U	0.467	UJ	HT	NG/L
L2426113	L2426113-04	NBH24-SF-F2 - DISSOLVED	8270E-SIM/680(M)	N	Cl3-BZ#25	0.467	U	0.467	UJ	HT	NG/L
L2426113	L2426113-04	NBH24-SF-F2 - DISSOLVED	8270E-SIM/680(M)	N	Cl5-BZ#104	0.467	U	0.467	UJ	HT	NG/L
L2426113	L2426113-04	NBH24-SF-F2 - DISSOLVED	8270E-SIM/680(M)	N	Cl6-BZ#141	0.467	U	0.467	UJ	HT	NG/L
L2426113	L2426113-04	NBH24-SF-F2 - DISSOLVED	8270E-SIM/680(M)	N	Cl5-BZ#119	0.467	U	0.467	UJ	HT	NG/L
L2426113	L2426113-04	NBH24-SF-F2 - DISSOLVED	8270E-SIM/680(M)	N	Cl6-BZ#168	0.467	U	0.467	UJ	HT	NG/L
L2426113	L2426113-04	NBH24-SF-F2 - DISSOLVED	8270E-SIM/680(M)	N	Cl6-BZ#154	0.467	U	0.467	UJ	HT	NG/L
L2426113	L2426113-04	NBH24-SF-F2 - DISSOLVED	8270E-SIM/680(M)	N	Cl6-BZ#131	0.467	U	0.467	UJ	HT	NG/L
L2426113	L2426113-04	NBH24-SF-F2 - DISSOLVED	8270E-SIM/680(M)	N	Cl4-BZ#50	0.467	U	0.467	UJ	HT	NG/L
L2426113	L2426113-04	NBH24-SF-F2 - DISSOLVED	8270E-SIM/680(M)	N	Cl5-BZ#85	0.467	U	0.467	UJ	HT	NG/L
L2426113	L2426113-04	NBH24-SF-F2 - DISSOLVED	8270E-SIM/680(M)	N	Cl5-BZ#126	0.467	U	0.467	UJ	HT	NG/L
L2426113	L2426113-04	NBH24-SF-F2 - DISSOLVED	8270E-SIM/680(M)	N	Cl4-BZ#51	0.467	U	0.467	UJ	HT	NG/L
L2426113	L2426113-04	NBH24-SF-F2 - DISSOLVED	8270E-SIM/680(M)	N	Cl6-BZ#134	0.467	U	0.467	UJ	HT	NG/L
L2426113	L2426113-04	NBH24-SF-F2 - DISSOLVED	8270E-SIM/680(M)	N	Cl8-BZ#195	0.467	U	0.467	UJ	HT	NG/L
L2426113	L2426113-04	NBH24-SF-F2 - DISSOLVED	8270E-SIM/680(M)	N	Cl6-BZ#151	0.467	U	0.467	UJ	HT	NG/L

Table 3 - Summary of Qualification Actions
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

SDG	Lab Sample ID	Field Sample ID	Analysis Method	Fraction	Parameter Name	Lab Result	Lab Qualifier	Final Result	Final Qualifier	Val Reason Code	Units
L2426113	L2426113-04	NBH24-SF-F2 - DISSOLVED	8270E-SIM/680(M)	N	Cl7-BZ#176	0.467	U	0.467	UJ	HT	NG/L
L2426113	L2426113-04	NBH24-SF-F2 - DISSOLVED	8270E-SIM/680(M)	N	Cl7-BZ#178	0.467	U	0.467	UJ	HT	NG/L
L2426113	L2426113-04	NBH24-SF-F2 - DISSOLVED	8270E-SIM/680(M)	N	Cl7-BZ#187	0.467	U	0.467	UJ	HT	NG/L
L2426113	L2426113-04	NBH24-SF-F2 - DISSOLVED	8270E-SIM/680(M)	N	Cl7-BZ#183	0.467	U	0.467	UJ	HT	NG/L
L2426113	L2426113-04	NBH24-SF-F2 - DISSOLVED	8270E-SIM/680(M)	N	Cl9-BZ#207	0.467	U	0.467	UJ	HT	NG/L
L2426113	L2426113-04	NBH24-SF-F2 - DISSOLVED	8270E-SIM/680(M)	N	Cl7-BZ#177	0.467	U	0.467	UJ	HT	NG/L
L2426113	L2426113-04	NBH24-SF-F2 - DISSOLVED	8270E-SIM/680(M)	N	Cl6-BZ#167	0.467	U	0.467	UJ	HT	NG/L
L2426113	L2426113-04	NBH24-SF-F2 - DISSOLVED	8270E-SIM/680(M)	N	Cl7-BZ#172	0.467	U	0.467	UJ	HT	NG/L
L2426113	L2426113-04	NBH24-SF-F2 - DISSOLVED	8270E-SIM/680(M)	N	Cl8-BZ#199	0.467	U	0.467	UJ	HT	NG/L
L2426113	L2426113-04	NBH24-SF-F2 - DISSOLVED	8270E-SIM/680(M)	N	Cl8-BZ#203	0.467	U	0.467	UJ	HT	NG/L
L2426113	L2426113-04	NBH24-SF-F2 - DISSOLVED	8270E-SIM/680(M)	N	Cl9-BZ#208	0.467	U	0.467	UJ	HT	NG/L
L2426113	L2426113-04	NBH24-SF-F2 - DISSOLVED	8270E-SIM/680(M)	N	Cl7-BZ#171	0.467	U	0.467	UJ	HT	NG/L
L2426113	L2426113-04	NBH24-SF-F2 - DISSOLVED	8270E-SIM/680(M)	N	Cl5-BZ#91	0.467	U	0.467	UJ	HT	NG/L
L2426113	L2426113-04	NBH24-SF-F2 - DISSOLVED	8270E-SIM/680(M)	N	Cl6-BZ#144	0.467	U	0.467	UJ	HT	NG/L
L2426113	L2426113-04	NBH24-SF-F2 - DISSOLVED	8270E-SIM/680(M)	N	Cl7-BZ#173	0.467	U	0.467	UJ	HT	NG/L
L2426113	L2426113-04	NBH24-SF-F2 - DISSOLVED	8270E-SIM/680(M)	N	Cl4-BZ#68/#64	0.934	U	0.934	UJ	HT	NG/L
L2426113	L2426113-04	NBH24-SF-F2 - DISSOLVED	8270E-SIM/680(M)	N	Cl4-BZ#73/#46	0.934	U	0.934	UJ	HT	NG/L
L2426113	L2426113-04	NBH24-SF-F2 - DISSOLVED	8270E-SIM/680(M)	N	Cl5-BZ#101/#90	0.934	U	0.934	UJ	HT	NG/L
L2426113	L2426113-04	NBH24-SF-F2 - DISSOLVED	8270E-SIM/680(M)	N	Cl5-BZ#107/#123	0.934	U	0.934	UJ	HT	NG/L
L2426113	L2426113-04	NBH24-SF-F2 - DISSOLVED	8270E-SIM/680(M)	N	Cl5-BZ#121/#95/#88	1.4	U	1.4	UJ	HT	NG/L
L2426113	L2426113-04	NBH24-SF-F2 - DISSOLVED	8270E-SIM/680(M)	N	Cl3-BZ#21/#20	0.934	U	0.934	UJ	HT	NG/L
L2426113	L2426113-04	NBH24-SF-F2 - DISSOLVED	8270E-SIM/680(M)	N	Cl5-BZ#83/#125/#112	1.4	U	1.4	UJ	HT	NG/L
L2426113	L2426113-04	NBH24-SF-F2 - DISSOLVED	8270E-SIM/680(M)	N	Cl5-BZ#89/#84	0.934	U	0.934	UJ	HT	NG/L
L2426113	L2426113-04	NBH24-SF-F2 - DISSOLVED	8270E-SIM/680(M)	N	Cl6-BZ#129/#158	0.934	U	0.934	UJ	HT	NG/L
L2426113	L2426113-04	NBH24-SF-F2 - DISSOLVED	8270E-SIM/680(M)	N	Cl6-BZ#130/#164	0.934	U	0.934	UJ	HT	NG/L
L2426113	L2426113-04	NBH24-SF-F2 - DISSOLVED	8270E-SIM/680(M)	N	Cl6-BZ#147/#149	0.934	U	0.934	UJ	HT	NG/L
L2426113	L2426113-04	NBH24-SF-F2 - DISSOLVED	8270E-SIM/680(M)	N	Cl6-BZ#163/#160	0.934	U	0.934	UJ	HT	NG/L
L2426113	L2426113-04	NBH24-SF-F2 - DISSOLVED	8270E-SIM/680(M)	N	Cl5-BZ#87/#111	0.934	U	0.934	UJ	HT	NG/L
L2426113	L2426113-04	NBH24-SF-F2 - DISSOLVED	8270E-SIM/680(M)	N	Cl2-BZ#4/#10	0.934	U	0.934	UJ	HT	NG/L
L2426113	L2426113-04	NBH24-SF-F2 - DISSOLVED	8270E-SIM/680(M)	N	Cl7-BZ#188	0.467	U	0.467	UJ	HT	NG/L
L2426113	L2426113-04	NBH24-SF-F2 - DISSOLVED	8270E-SIM/680(M)	N	Cl8-BZ#205	0.467	U	0.467	UJ	HT	NG/L
L2426113	L2426113-04	NBH24-SF-F2 - DISSOLVED	8270E-SIM/680(M)	N	Cl6-BZ#157	0.467	U	0.467	UJ	HT	NG/L
L2426113	L2426113-04	NBH24-SF-F2 - DISSOLVED	8270E-SIM/680(M)	N	Cl7-BZ#193	0.467	U	0.467	UJ	HT	NG/L
L2426113	L2426113-04	NBH24-SF-F2 - DISSOLVED	8270E-SIM/680(M)	N	Cl3-BZ#28	0.467	U	0.467	UJ	HT	NG/L
L2426113	L2426113-04	NBH24-SF-F2 - DISSOLVED	8270E-SIM/680(M)	N	Cl4-BZ#45	0.467	U	0.467	UJ	HT	NG/L
L2426113	L2426113-04	NBH24-SF-F2 - DISSOLVED	8270E-SIM/680(M)	N	Total PCBs	0.336	J	0.336	J	HT	NG/L
L2426113	L2426113-04	NBH24-SF-F2 - DISSOLVED	8270E-SIM/680(M)	N	Cl4-BZ#48	0.467	U	0.467	UJ	HT	NG/L
L2426113	L2426113-04	NBH24-SF-F2 - DISSOLVED	8270E-SIM/680(M)	N	Cl4-BZ#76	0.467	U	0.467	UJ	HT	NG/L
L2426113	L2426113-04	NBH24-SF-F2 - DISSOLVED	8270E-SIM/680(M)	N	Cl4-BZ#81	0.467	U	0.467	UJ	HT	NG/L

Table 3 - Summary of Qualification Actions
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

SDG	Lab Sample ID	Field Sample ID	Analysis Method	Fraction	Parameter Name	Lab Result	Lab Qualifier	Final Result	Final Qualifier	Val Reason Code	Units
L2426113	L2426113-04	NBH24-SF-F2 - DISSOLVED	8270E-SIM/680(M)	N	Cl5-BZ#124	0.467	U	0.467	UJ	HT	NG/L
L2426113	L2426113-04	NBH24-SF-F2 - DISSOLVED	8270E-SIM/680(M)	N	Cl4-BZ#63	0.467	U	0.467	UJ	HT	NG/L
L2426113	L2426113-04	NBH24-SF-F2 - DISSOLVED	8270E-SIM/680(M)	N	Cl5-BZ#114	0.467	U	0.467	UJ	HT	NG/L
L2426113	L2426113-04	NBH24-SF-F2 - DISSOLVED	8270E-SIM/680(M)	N	Cl7-BZ#184	0.467	U	0.467	UJ	HT	NG/L
L2426113	L2426113-04	NBH24-SF-F2 - DISSOLVED	8270E-SIM/680(M)	N	Cl7-BZ#191	0.467	U	0.467	UJ	HT	NG/L
L2426113	L2426113-04	NBH24-SF-F2 - DISSOLVED	8270E-SIM/680(M)	N	Cl5-BZ#82	0.467	U	0.467	UJ	HT	NG/L
L2426113	L2426113-04	NBH24-SF-F2 - DISSOLVED	8270E-SIM/680(M)	N	Cl5-BZ#92	0.467	U	0.467	UJ	HT	NG/L
L2426113	L2426113-04	NBH24-SF-F2 - DISSOLVED	8270E-SIM/680(M)	N	Cl4-BZ#43	0.467	U	0.467	UJ	HT	NG/L
L2426113	L2426113-04	NBH24-SF-F2 - DISSOLVED	8270E-SIM/680(M)	N	Cl6-BZ#146	0.467	U	0.467	UJ	HT	NG/L
L2426113	L2426113-04	NBH24-SF-F2 - DISSOLVED	8270E-SIM/680(M)	N	Cl4-BZ#74	0.467	U	0.467	UJ	HT	NG/L
L2426113	L2426113-04	NBH24-SF-F2 - DISSOLVED	8270E-SIM/680(M)	N	Cl6-BZ#169	0.467	U	0.467	UJ	HT	NG/L
L2426113	L2426113-04	NBH24-SF-F2 - DISSOLVED	8270E-SIM/680(M)	N	Cl4-BZ#60	0.467	U	0.467	UJ	HT	NG/L
L2426113	L2426113-04	NBH24-SF-F2 - DISSOLVED	8270E-SIM/680(M)	N	Cl8-BZ#197	0.467	U	0.467	UJ	HT	NG/L
L2426113	L2426113-04	NBH24-SF-F2 - DISSOLVED	8270E-SIM/680(M)	N	Cl2-BZ#7	0.467	U	0.467	UJ	HT	NG/L
L2426113	L2426113-04	NBH24-SF-F2 - DISSOLVED	8270E-SIM/680(M)	N	Cl5-BZ#105	0.467	U	0.467	UJ	HT	NG/L
L2426113	L2426113-04	NBH24-SF-F2 - DISSOLVED	8270E-SIM/680(M)	N	Cl6-BZ#155	0.467	U	0.467	UJ	HT	NG/L
L2426113	L2426113-04	NBH24-SF-F2 - DISSOLVED	8270E-SIM/680(M)	N	Cl6-BZ#153	0.467	U	0.467	UJ	HT	NG/L
L2426113	L2426113-04	NBH24-SF-F2 - DISSOLVED	8270E-SIM/680(M)	N	Cl6-BZ#138	0.467	U	0.467	UJ	HT	NG/L
L2426113	L2426113-04	NBH24-SF-F2 - DISSOLVED	8270E-SIM/680(M)	N	Cl7-BZ#180	0.467	U	0.467	UJ	HT	NG/L
L2426113	L2426113-04	NBH24-SF-F2 - DISSOLVED	8270E-SIM/680(M)	N	Cl7-BZ#170	0.467	U	0.467	UJ	HT	NG/L
L2426113	L2426113-04	NBH24-SF-F2 - DISSOLVED	8270E-SIM/680(M)	N	Cl4-BZ#52	0.336	J	0.336	J	HT	NG/L
L2426113	L2426113-04	NBH24-SF-F2 - DISSOLVED	8270E-SIM/680(M)	N	Cl2-BZ#8	0.467	U	0.467	UJ	HT	NG/L
L2426113	L2426113-04	NBH24-SF-F2 - DISSOLVED	8270E-SIM/680(M)	N	Cl4-BZ#77	0.467	U	0.467	UJ	HT	NG/L
L2426113	L2426113-04	NBH24-SF-F2 - DISSOLVED	8270E-SIM/680(M)	N	Cl4-BZ#70	0.467	U	0.467	UJ	HT	NG/L
L2426113	L2426113-04	NBH24-SF-F2 - DISSOLVED	8270E-SIM/680(M)	N	Cl4-BZ#66	0.467	U	0.467	UJ	HT	NG/L
L2426113	L2426113-04	NBH24-SF-F2 - DISSOLVED	8270E-SIM/680(M)	N	Cl4-BZ#41	0.467	U	0.467	UJ	HT	NG/L
L2426113	L2426113-04	NBH24-SF-F2 - DISSOLVED	8270E-SIM/680(M)	N	Cl4-BZ#54	0.467	U	0.467	UJ	HT	NG/L
L2426113	L2426113-04	NBH24-SF-F2 - DISSOLVED	8270E-SIM/680(M)	N	Cl2-BZ#5	0.467	U	0.467	UJ	HT	NG/L
L2426113	L2426113-04	NBH24-SF-F2 - DISSOLVED	8270E-SIM/680(M)	N	Cl3-BZ#31	0.467	U	0.467	UJ	HT	NG/L
L2426113	L2426113-04	NBH24-SF-F2 - DISSOLVED	8270E-SIM/680(M)	N	Cl2-BZ#15	0.467	U	0.467	UJ	HT	NG/L
L2426113	L2426113-04	NBH24-SF-F2 - DISSOLVED	8270E-SIM/680(M)	N	Decachlorobiphenyl	0.467	U	0.467	UJ	HT	NG/L
L2426113	L2426113-04	NBH24-SF-F2 - DISSOLVED	8270E-SIM/680(M)	N	Cl1-BZ#1	0.467	U	0.467	UJ	HT	NG/L
L2426113	L2426113-04	NBH24-SF-F2 - DISSOLVED	8270E-SIM/680(M)	N	Cl1-BZ#3	0.467	U	0.467	UJ	HT	NG/L
L2426113	L2426113-04	NBH24-SF-F2 - DISSOLVED	8270E-SIM/680(M)	N	Cl8-BZ#202	0.467	U	0.467	UJ	HT	NG/L
L2426113	L2426113-04	NBH24-SF-F2 - DISSOLVED	8270E-SIM/680(M)	N	Cl4-BZ#47	0.467	U	0.467	UJ	HT	NG/L
L2426113	L2426113-04	NBH24-SF-F2 - DISSOLVED	8270E-SIM/680(M)	N	Cl2-BZ#6	0.467	U	0.467	UJ	HT	NG/L
L2426113	L2426113-04	NBH24-SF-F2 - DISSOLVED	8270E-SIM/680(M)	N	Cl2-BZ#13	0.467	U	0.467	UJ	HT	NG/L
L2426113	L2426113-04	NBH24-SF-F2 - DISSOLVED	8270E-SIM/680(M)	N	Cl2-BZ#12	0.467	U	0.467	UJ	HT	NG/L
L2426113	L2426113-04	NBH24-SF-F2 - DISSOLVED	8270E-SIM/680(M)	N	Cl6-BZ#137	0.467	U	0.467	UJ	HT	NG/L

Table 3 - Summary of Qualification Actions
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

SDG	Lab Sample ID	Field Sample ID	Analysis Method	Fraction	Parameter Name	Lab Result	Lab Qualifier	Final Result	Final Qualifier	Val Reason Code	Units
L2426113	L2426113-04	NBH24-SF-F2 - DISSOLVED	8270E-SIM/680(M)	N	Cl8-BZ#194	0.467	U	0.467	UJ	HT	NG/L
L2426113	L2426113-04	NBH24-SF-F2 - DISSOLVED	8270E-SIM/680(M)	N	Cl5-BZ#118	0.467	U	0.467	UJ	HT	NG/L
L2426113	L2426113-04	NBH24-SF-F2 - DISSOLVED	8270E-SIM/680(M)	N	Cl3-BZ#18	0.467	U	0.467	UJ	HT	NG/L
L2426113	L2426113-04	NBH24-SF-F2 - DISSOLVED	8270E-SIM/680(M)	N	Cl5-BZ#100	0.467	U	0.467	UJ	HT	NG/L
L2426113	L2426113-04	NBH24-SF-F2 - DISSOLVED	8270E-SIM/680(M)	N	Cl7-BZ#189	0.467	U	0.467	UJ	HT	NG/L
L2426113	L2426113-04	NBH24-SF-F2 - DISSOLVED	8270E-SIM/680(M)	N	Cl8-BZ#201	0.467	U	0.467	UJ	HT	NG/L
L2426113	L2426113-04	NBH24-SF-F2 - DISSOLVED	8270E-SIM/680(M)	N	Cl9-BZ#206	0.467	U	0.467	UJ	HT	NG/L
L2426113	L2426113-04	NBH24-SF-F2 - DISSOLVED	8270E-SIM/680(M)	N	Cl7-BZ#190	0.467	U	0.467	UJ	HT	NG/L
L2426113	L2426113-04	NBH24-SF-F2 - DISSOLVED	8270E-SIM/680(M)	N	Cl4-BZ#40	0.467	U	0.467	UJ	HT	NG/L
L2426113	L2426113-04	NBH24-SF-F2 - DISSOLVED	8270E-SIM/680(M)	N	Cl4-BZ#49	0.467	U	0.467	UJ	HT	NG/L
L2426113	L2426113-04	NBH24-SF-F2 - DISSOLVED	8270E-SIM/680(M)	N	Cl4-BZ#56	0.467	U	0.467	UJ	HT	NG/L
L2426113	L2426113-04	NBH24-SF-F2 - DISSOLVED	8270E-SIM/680(M)	N	Cl4-BZ#71	0.467	U	0.467	UJ	HT	NG/L
L2426113	L2426113-04	NBH24-SF-F2 - DISSOLVED	8270E-SIM/680(M)	N	Cl5-BZ#97	0.467	U	0.467	UJ	HT	NG/L
L2426113	L2426113-04	NBH24-SF-F2 - DISSOLVED	8270E-SIM/680(M)	N	Cl4-BZ#42	0.467	U	0.467	UJ	HT	NG/L
L2426113	L2426113-04	NBH24-SF-F2 - DISSOLVED	8270E-SIM/680(M)	N	Cl8-BZ#196	0.467	U	0.467	UJ	HT	NG/L
L2426113	L2426113-04	NBH24-SF-F2 - DISSOLVED	8270E-SIM/680(M)	N	Cl4-BZ#53	0.467	U	0.467	UJ	HT	NG/L
L2426113	L2426113-04	NBH24-SF-F2 - DISSOLVED	8270E-SIM/680(M)	N	Cl3-BZ#37	0.467	U	0.467	UJ	HT	NG/L
L2426113	L2426113-04	NBH24-SF-F2 - DISSOLVED	8270E-SIM/680(M)	N	Cl4-BZ#44	0.467	U	0.467	UJ	HT	NG/L
L2426113	L2426113-04	NBH24-SF-F2 - DISSOLVED	8270E-SIM/680(M)	N	Cl3-BZ#22	0.467	U	0.467	UJ	HT	NG/L
L2426113	L2426113-04	NBH24-SF-F2 - DISSOLVED	8270E-SIM/680(M)	N	Cl5-BZ#99	0.467	U	0.467	UJ	HT	NG/L
L2426113	L2426113-04	NBH24-SF-F2 - DISSOLVED	8270E-SIM/680(M)	N	Cl3-BZ#33	0.467	U	0.467	UJ	HT	NG/L
L2426113	L2426113-04	NBH24-SF-F2 - DISSOLVED	8270E-SIM/680(M)	N	Cl5-BZ#110	0.467	U	0.467	UJ	HT	NG/L
L2426113	L2426113-04	NBH24-SF-F2 - DISSOLVED	8270E-SIM/680(M)	N	Cl6-BZ#132	0.467	U	0.467	UJ	HT	NG/L
L2426113	L2426113-04	NBH24-SF-F2 - DISSOLVED	8270E-SIM/680(M)	N	Cl3-BZ#17	0.467	U	0.467	UJ	HT	NG/L
L2426113	L2426113-04	NBH24-SF-F2 - DISSOLVED	8270E-SIM/680(M)	N	Cl6-BZ#156	0.467	U	0.467	UJ	HT	NG/L
L2426113	L2426113-04	NBH24-SF-F2 - DISSOLVED	8270E-SIM/680(M)	N	Cl6-BZ#136	0.467	U	0.467	UJ	HT	NG/L
L2426113	L2426113-04	NBH24-SF-F2 - DISSOLVED	8270E-SIM/680(M)	N	Cl6-BZ#128	0.467	U	0.467	UJ	HT	NG/L
L2426113	L2426113-04	NBH24-SF-F2 - DISSOLVED	8270E-SIM/680(M)	N	Cl7-BZ#174	0.467	U	0.467	UJ	HT	NG/L
L2426113	L2426113-04	NBH24-SF-F2 - DISSOLVED	8270E-SIM/680(M)	N	Cl3-BZ#19	0.467	U	0.467	UJ	HT	NG/L
L2426113	L2426113-04	NBH24-SF-F2 - DISSOLVED	8270E-SIM/680(M)	N	Cl3-BZ#27	0.467	U	0.467	UJ	HT	NG/L
L2426113	L2426113-04	NBH24-SF-F2 - DISSOLVED	8270E-SIM/680(M)	N	Cl3-BZ#32	0.467	U	0.467	UJ	HT	NG/L
L2426113	L2426113-04	NBH24-SF-F2 - DISSOLVED	8270E-SIM/680(M)	N	Cl3-BZ#16	0.467	U	0.467	UJ	HT	NG/L
L2426113	L2426113-04	NBH24-SF-F2 - DISSOLVED	8270E-SIM/680(M)	N	Cl3-BZ#26	0.467	U	0.467	UJ	HT	NG/L
L2426113	L2426113-05	NBH24-SF-B1 - TOTAL	8270E-SIM/680(M)	N	Cl8-BZ#195	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-05	NBH24-SF-B1 - TOTAL	8270E-SIM/680(M)	N	Cl9-BZ#208	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-05	NBH24-SF-B1 - TOTAL	8270E-SIM/680(M)	N	Cl7-BZ#171	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-05	NBH24-SF-B1 - TOTAL	8270E-SIM/680(M)	N	Cl8-BZ#199	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-05	NBH24-SF-B1 - TOTAL	8270E-SIM/680(M)	N	Cl6-BZ#167	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-05	NBH24-SF-B1 - TOTAL	8270E-SIM/680(M)	N	Cl7-BZ#172	0.463	U	0.463	UJ	HT	NG/L

Table 3 - Summary of Qualification Actions
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

SDG	Lab Sample ID	Field Sample ID	Analysis Method	Fraction	Parameter Name	Lab Result	Lab Qualifier	Final Result	Final Qualifier	Val Reason Code	Units
L2426113	L2426113-05	NBH24-SF-B1 - TOTAL	8270E-SIM/680(M)	N	Cl8-BZ#203	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-05	NBH24-SF-B1 - TOTAL	8270E-SIM/680(M)	N	Cl9-BZ#207	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-05	NBH24-SF-B1 - TOTAL	8270E-SIM/680(M)	N	Cl3-BZ#24	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-05	NBH24-SF-B1 - TOTAL	8270E-SIM/680(M)	N	Cl6-BZ#141	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-05	NBH24-SF-B1 - TOTAL	8270E-SIM/680(M)	N	Cl7-BZ#185	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-05	NBH24-SF-B1 - TOTAL	8270E-SIM/680(M)	N	Cl6-BZ#135	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-05	NBH24-SF-B1 - TOTAL	8270E-SIM/680(M)	N	Cl3-BZ#25	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-05	NBH24-SF-B1 - TOTAL	8270E-SIM/680(M)	N	Cl5-BZ#104	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-05	NBH24-SF-B1 - TOTAL	8270E-SIM/680(M)	N	Cl7-BZ#177	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-05	NBH24-SF-B1 - TOTAL	8270E-SIM/680(M)	N	Cl5-BZ#119	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-05	NBH24-SF-B1 - TOTAL	8270E-SIM/680(M)	N	Cl6-BZ#134	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-05	NBH24-SF-B1 - TOTAL	8270E-SIM/680(M)	N	Cl7-BZ#183	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-05	NBH24-SF-B1 - TOTAL	8270E-SIM/680(M)	N	Cl4-BZ#49	2.06		2.06	J	HT	NG/L
L2426113	L2426113-05	NBH24-SF-B1 - TOTAL	8270E-SIM/680(M)	N	Cl7-BZ#178	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-05	NBH24-SF-B1 - TOTAL	8270E-SIM/680(M)	N	Cl5-BZ#126	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-05	NBH24-SF-B1 - TOTAL	8270E-SIM/680(M)	N	Cl8-BZ#201	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-05	NBH24-SF-B1 - TOTAL	8270E-SIM/680(M)	N	Cl9-BZ#206	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-05	NBH24-SF-B1 - TOTAL	8270E-SIM/680(M)	N	Cl7-BZ#190	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-05	NBH24-SF-B1 - TOTAL	8270E-SIM/680(M)	N	Cl4-BZ#44	1.32		1.32	J	HT	NG/L
L2426113	L2426113-05	NBH24-SF-B1 - TOTAL	8270E-SIM/680(M)	N	Cl4-BZ#53	0.478		0.478	J	HT	NG/L
L2426113	L2426113-05	NBH24-SF-B1 - TOTAL	8270E-SIM/680(M)	N	Cl4-BZ#56	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-05	NBH24-SF-B1 - TOTAL	8270E-SIM/680(M)	N	Cl7-BZ#187	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-05	NBH24-SF-B1 - TOTAL	8270E-SIM/680(M)	N	Cl4-BZ#71	0.386	J	0.386	J	HT	NG/L
L2426113	L2426113-05	NBH24-SF-B1 - TOTAL	8270E-SIM/680(M)	N	Cl8-BZ#196	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-05	NBH24-SF-B1 - TOTAL	8270E-SIM/680(M)	N	Cl6-BZ#146	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-05	NBH24-SF-B1 - TOTAL	8270E-SIM/680(M)	N	Cl4-BZ#41	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-05	NBH24-SF-B1 - TOTAL	8270E-SIM/680(M)	N	Cl5-BZ#92	0.447	J	0.447	J	HT	NG/L
L2426113	L2426113-05	NBH24-SF-B1 - TOTAL	8270E-SIM/680(M)	N	Cl5-BZ#82	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-05	NBH24-SF-B1 - TOTAL	8270E-SIM/680(M)	N	Cl6-BZ#151	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-05	NBH24-SF-B1 - TOTAL	8270E-SIM/680(M)	N	Cl7-BZ#176	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-05	NBH24-SF-B1 - TOTAL	8270E-SIM/680(M)	N	Cl5-BZ#97	0.445	J	0.445	J	HT	NG/L
L2426113	L2426113-05	NBH24-SF-B1 - TOTAL	8270E-SIM/680(M)	N	Cl6-BZ#168	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-05	NBH24-SF-B1 - TOTAL	8270E-SIM/680(M)	N	Cl5-BZ#87/#111	0.926	U	0.926	UJ	HT	NG/L
L2426113	L2426113-05	NBH24-SF-B1 - TOTAL	8270E-SIM/680(M)	N	Cl6-BZ#131	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-05	NBH24-SF-B1 - TOTAL	8270E-SIM/680(M)	N	Cl7-BZ#188	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-05	NBH24-SF-B1 - TOTAL	8270E-SIM/680(M)	N	Cl2-BZ#4/#10	0.806	J	0.806	J	HT	NG/L
L2426113	L2426113-05	NBH24-SF-B1 - TOTAL	8270E-SIM/680(M)	N	Cl3-BZ#21/#20	0.926	U	0.926	UJ	HT	NG/L
L2426113	L2426113-05	NBH24-SF-B1 - TOTAL	8270E-SIM/680(M)	N	Cl4-BZ#68/#64	0.656	J	0.656	J	HT	NG/L
L2426113	L2426113-05	NBH24-SF-B1 - TOTAL	8270E-SIM/680(M)	N	Cl4-BZ#73/#46	0.926	U	0.926	UJ	HT	NG/L

Table 3 - Summary of Qualification Actions
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

SDG	Lab Sample ID	Field Sample ID	Analysis Method	Fraction	Parameter Name	Lab Result	Lab Qualifier	Final Result	Final Qualifier	Val Reason Code	Units
L2426113	L2426113-05	NBH24-SF-B1 - TOTAL	8270E-SIM/680(M)	N	Cl5-BZ#101/#90	0.859	J	0.859	J	HT	NG/L
L2426113	L2426113-05	NBH24-SF-B1 - TOTAL	8270E-SIM/680(M)	N	Cl5-BZ#107/#123	0.926	U	0.926	UJ	HT	NG/L
L2426113	L2426113-05	NBH24-SF-B1 - TOTAL	8270E-SIM/680(M)	N	Cl8-BZ#205	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-05	NBH24-SF-B1 - TOTAL	8270E-SIM/680(M)	N	Cl5-BZ#121/#95/#88	0.798	J	0.798	J	HT	NG/L
L2426113	L2426113-05	NBH24-SF-B1 - TOTAL	8270E-SIM/680(M)	N	Cl5-BZ#89/#84	0.63	J	0.63	J	HT	NG/L
L2426113	L2426113-05	NBH24-SF-B1 - TOTAL	8270E-SIM/680(M)	N	Cl6-BZ#129/#158	0.926	U	0.926	UJ	HT	NG/L
L2426113	L2426113-05	NBH24-SF-B1 - TOTAL	8270E-SIM/680(M)	N	Cl6-BZ#130/#164	0.926	U	0.926	UJ	HT	NG/L
L2426113	L2426113-05	NBH24-SF-B1 - TOTAL	8270E-SIM/680(M)	N	Cl6-BZ#147/#149	0.59	J	0.59	J	HT	NG/L
L2426113	L2426113-05	NBH24-SF-B1 - TOTAL	8270E-SIM/680(M)	N	Cl6-BZ#163/#160	0.926	U	0.926	UJ	HT	NG/L
L2426113	L2426113-05	NBH24-SF-B1 - TOTAL	8270E-SIM/680(M)	N	Cl7-BZ#182/#175	0.926	U	0.926	UJ	HT	NG/L
L2426113	L2426113-05	NBH24-SF-B1 - TOTAL	8270E-SIM/680(M)	N	Cl8-BZ#204/#200	0.926	U	0.926	UJ	HT	NG/L
L2426113	L2426113-05	NBH24-SF-B1 - TOTAL	8270E-SIM/680(M)	N	Cl5-BZ#83/#125/#112	1.39	U	1.39	UJ	HT	NG/L
L2426113	L2426113-05	NBH24-SF-B1 - TOTAL	8270E-SIM/680(M)	N	Cl6-BZ#154	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-05	NBH24-SF-B1 - TOTAL	8270E-SIM/680(M)	N	Cl7-BZ#191	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-05	NBH24-SF-B1 - TOTAL	8270E-SIM/680(M)	N	Cl5-BZ#114	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-05	NBH24-SF-B1 - TOTAL	8270E-SIM/680(M)	N	Cl4-BZ#50	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-05	NBH24-SF-B1 - TOTAL	8270E-SIM/680(M)	N	Cl5-BZ#85	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-05	NBH24-SF-B1 - TOTAL	8270E-SIM/680(M)	N	Cl4-BZ#51	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-05	NBH24-SF-B1 - TOTAL	8270E-SIM/680(M)	N	Cl5-BZ#91	0.356	J	0.356	J	HT	NG/L
L2426113	L2426113-05	NBH24-SF-B1 - TOTAL	8270E-SIM/680(M)	N	Cl6-BZ#144	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-05	NBH24-SF-B1 - TOTAL	8270E-SIM/680(M)	N	Cl7-BZ#173	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-05	NBH24-SF-B1 - TOTAL	8270E-SIM/680(M)	N	Cl6-BZ#157	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-05	NBH24-SF-B1 - TOTAL	8270E-SIM/680(M)	N	Cl7-BZ#184	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-05	NBH24-SF-B1 - TOTAL	8270E-SIM/680(M)	N	Cl7-BZ#193	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-05	NBH24-SF-B1 - TOTAL	8270E-SIM/680(M)	N	Cl4-BZ#45	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-05	NBH24-SF-B1 - TOTAL	8270E-SIM/680(M)	N	Cl4-BZ#43	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-05	NBH24-SF-B1 - TOTAL	8270E-SIM/680(M)	N	Cl4-BZ#48	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-05	NBH24-SF-B1 - TOTAL	8270E-SIM/680(M)	N	Cl4-BZ#76	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-05	NBH24-SF-B1 - TOTAL	8270E-SIM/680(M)	N	Cl4-BZ#81	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-05	NBH24-SF-B1 - TOTAL	8270E-SIM/680(M)	N	Cl5-BZ#124	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-05	NBH24-SF-B1 - TOTAL	8270E-SIM/680(M)	N	Cl4-BZ#63	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-05	NBH24-SF-B1 - TOTAL	8270E-SIM/680(M)	N	Cl3-BZ#28	1.58		1.58	J	HT	NG/L
L2426113	L2426113-05	NBH24-SF-B1 - TOTAL	8270E-SIM/680(M)	N	Cl7-BZ#189	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-05	NBH24-SF-B1 - TOTAL	8270E-SIM/680(M)	N	Cl4-BZ#40	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-05	NBH24-SF-B1 - TOTAL	8270E-SIM/680(M)	N	Cl3-BZ#37	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-05	NBH24-SF-B1 - TOTAL	8270E-SIM/680(M)	N	Cl5-BZ#118	0.712		0.712	J	HT	NG/L
L2426113	L2426113-05	NBH24-SF-B1 - TOTAL	8270E-SIM/680(M)	N	Cl4-BZ#66	0.484		0.484	J	HT	NG/L
L2426113	L2426113-05	NBH24-SF-B1 - TOTAL	8270E-SIM/680(M)	N	Cl4-BZ#70	0.431	J	0.431	J	HT	NG/L
L2426113	L2426113-05	NBH24-SF-B1 - TOTAL	8270E-SIM/680(M)	N	Cl4-BZ#77	0.463	U	0.463	UJ	HT	NG/L

Table 3 - Summary of Qualification Actions
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

SDG	Lab Sample ID	Field Sample ID	Analysis Method	Fraction	Parameter Name	Lab Result	Lab Qualifier	Final Result	Final Qualifier	Val Reason Code	Units
L2426113	L2426113-05	NBH24-SF-B1 - TOTAL	8270E-SIM/680(M)	N	Cl5-BZ#105	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-05	NBH24-SF-B1 - TOTAL	8270E-SIM/680(M)	N	Cl4-BZ#74	0.357	J	0.357	J	HT	NG/L
L2426113	L2426113-05	NBH24-SF-B1 - TOTAL	8270E-SIM/680(M)	N	Cl6-BZ#169	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-05	NBH24-SF-B1 - TOTAL	8270E-SIM/680(M)	N	Cl4-BZ#60	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-05	NBH24-SF-B1 - TOTAL	8270E-SIM/680(M)	N	Cl8-BZ#197	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-05	NBH24-SF-B1 - TOTAL	8270E-SIM/680(M)	N	Cl2-BZ#12	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-05	NBH24-SF-B1 - TOTAL	8270E-SIM/680(M)	N	Cl2-BZ#13	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-05	NBH24-SF-B1 - TOTAL	8270E-SIM/680(M)	N	Cl2-BZ#6	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-05	NBH24-SF-B1 - TOTAL	8270E-SIM/680(M)	N	Cl4-BZ#47	0.654		0.654	J	HT	NG/L
L2426113	L2426113-05	NBH24-SF-B1 - TOTAL	8270E-SIM/680(M)	N	Cl5-BZ#100	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-05	NBH24-SF-B1 - TOTAL	8270E-SIM/680(M)	N	Total PCBs	30.5		30.5	J	HT	NG/L
L2426113	L2426113-05	NBH24-SF-B1 - TOTAL	8270E-SIM/680(M)	N	Cl3-BZ#29	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-05	NBH24-SF-B1 - TOTAL	8270E-SIM/680(M)	N	Cl4-BZ#54	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-05	NBH24-SF-B1 - TOTAL	8270E-SIM/680(M)	N	Cl2-BZ#7	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-05	NBH24-SF-B1 - TOTAL	8270E-SIM/680(M)	N	Cl2-BZ#5	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-05	NBH24-SF-B1 - TOTAL	8270E-SIM/680(M)	N	Cl2-BZ#15	0.283	J	0.283	J	HT	NG/L
L2426113	L2426113-05	NBH24-SF-B1 - TOTAL	8270E-SIM/680(M)	N	Decachlorobiphenyl	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-05	NBH24-SF-B1 - TOTAL	8270E-SIM/680(M)	N	Cl1-BZ#1	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-05	NBH24-SF-B1 - TOTAL	8270E-SIM/680(M)	N	Cl1-BZ#3	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-05	NBH24-SF-B1 - TOTAL	8270E-SIM/680(M)	N	Cl3-BZ#31	1.94		1.94	J	HT	NG/L
L2426113	L2426113-05	NBH24-SF-B1 - TOTAL	8270E-SIM/680(M)	N	Cl6-BZ#155	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-05	NBH24-SF-B1 - TOTAL	8270E-SIM/680(M)	N	Cl8-BZ#202	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-05	NBH24-SF-B1 - TOTAL	8270E-SIM/680(M)	N	Cl6-BZ#153	0.584		0.584	J	HT	NG/L
L2426113	L2426113-05	NBH24-SF-B1 - TOTAL	8270E-SIM/680(M)	N	Cl6-BZ#136	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-05	NBH24-SF-B1 - TOTAL	8270E-SIM/680(M)	N	Cl7-BZ#174	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-05	NBH24-SF-B1 - TOTAL	8270E-SIM/680(M)	N	Cl3-BZ#19	0.405	J	0.405	J	HT	NG/L
L2426113	L2426113-05	NBH24-SF-B1 - TOTAL	8270E-SIM/680(M)	N	Cl3-BZ#33	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-05	NBH24-SF-B1 - TOTAL	8270E-SIM/680(M)	N	Cl3-BZ#32	0.665		0.665	J	HT	NG/L
L2426113	L2426113-05	NBH24-SF-B1 - TOTAL	8270E-SIM/680(M)	N	Cl3-BZ#16	0.446	J	0.446	J	HT	NG/L
L2426113	L2426113-05	NBH24-SF-B1 - TOTAL	8270E-SIM/680(M)	N	Cl3-BZ#26	1.95		1.95	J	HT	NG/L
L2426113	L2426113-05	NBH24-SF-B1 - TOTAL	8270E-SIM/680(M)	N	Cl3-BZ#22	0.353	J	0.353	J	HT	NG/L
L2426113	L2426113-05	NBH24-SF-B1 - TOTAL	8270E-SIM/680(M)	N	Cl2-BZ#8	0.257	J	0.257	J	HT	NG/L
L2426113	L2426113-05	NBH24-SF-B1 - TOTAL	8270E-SIM/680(M)	N	Cl6-BZ#156	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-05	NBH24-SF-B1 - TOTAL	8270E-SIM/680(M)	N	Cl6-BZ#128	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-05	NBH24-SF-B1 - TOTAL	8270E-SIM/680(M)	N	Cl3-BZ#27	0.429	J	0.429	J	HT	NG/L
L2426113	L2426113-05	NBH24-SF-B1 - TOTAL	8270E-SIM/680(M)	N	Cl5-BZ#110	1.32		1.32	J	HT	NG/L
L2426113	L2426113-05	NBH24-SF-B1 - TOTAL	8270E-SIM/680(M)	N	Cl6-BZ#138	0.5		0.5	J	HT	NG/L
L2426113	L2426113-05	NBH24-SF-B1 - TOTAL	8270E-SIM/680(M)	N	Cl6-BZ#132	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-05	NBH24-SF-B1 - TOTAL	8270E-SIM/680(M)	N	Cl7-BZ#180	0.463	U	0.463	UJ	HT	NG/L

Table 3 - Summary of Qualification Actions
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

SDG	Lab Sample ID	Field Sample ID	Analysis Method	Fraction	Parameter Name	Lab Result	Lab Qualifier	Final Result	Final Qualifier	Val Reason Code	Units
L2426113	L2426113-05	NBH24-SF-B1 - TOTAL	8270E-SIM/680(M)	N	Cl7-BZ#170	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-05	NBH24-SF-B1 - TOTAL	8270E-SIM/680(M)	N	Cl6-BZ#137	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-05	NBH24-SF-B1 - TOTAL	8270E-SIM/680(M)	N	Cl4-BZ#52	3.24		3.24	J	HT	NG/L
L2426113	L2426113-05	NBH24-SF-B1 - TOTAL	8270E-SIM/680(M)	N	Cl4-BZ#42	0.374	J	0.374	J	HT	NG/L
L2426113	L2426113-05	NBH24-SF-B1 - TOTAL	8270E-SIM/680(M)	N	Cl8-BZ#194	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-05	NBH24-SF-B1 - TOTAL	8270E-SIM/680(M)	N	Cl3-BZ#17	0.974		0.974	J	HT	NG/L
L2426113	L2426113-05	NBH24-SF-B1 - TOTAL	8270E-SIM/680(M)	N	Cl5-BZ#99	0.547		0.547	J	HT	NG/L
L2426113	L2426113-05	NBH24-SF-B1 - TOTAL	8270E-SIM/680(M)	N	Cl3-BZ#18	2.16		2.16	J	HT	NG/L
L2426113	L2426113-06	NBH24-SF-B1 - DISSOLVED	8270E-SIM/680(M)	N	Cl3-BZ#16	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-06	NBH24-SF-B1 - DISSOLVED	8270E-SIM/680(M)	N	Cl3-BZ#19	0.321	J	0.321	J	HT	NG/L
L2426113	L2426113-06	NBH24-SF-B1 - DISSOLVED	8270E-SIM/680(M)	N	Cl3-BZ#32	0.442	J	0.442	J	HT	NG/L
L2426113	L2426113-06	NBH24-SF-B1 - DISSOLVED	8270E-SIM/680(M)	N	Cl3-BZ#26	1.21		1.21	J	HT	NG/L
L2426113	L2426113-06	NBH24-SF-B1 - DISSOLVED	8270E-SIM/680(M)	N	Cl3-BZ#27	0.258	J	0.258	J	HT	NG/L
L2426113	L2426113-06	NBH24-SF-B1 - DISSOLVED	8270E-SIM/680(M)	N	Cl7-BZ#174	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-06	NBH24-SF-B1 - DISSOLVED	8270E-SIM/680(M)	N	Cl5-BZ#110	0.364	J	0.364	J	HT	NG/L
L2426113	L2426113-06	NBH24-SF-B1 - DISSOLVED	8270E-SIM/680(M)	N	Cl6-BZ#156	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-06	NBH24-SF-B1 - DISSOLVED	8270E-SIM/680(M)	N	Cl6-BZ#128	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-06	NBH24-SF-B1 - DISSOLVED	8270E-SIM/680(M)	N	Cl6-BZ#132	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-06	NBH24-SF-B1 - DISSOLVED	8270E-SIM/680(M)	N	Cl5-BZ#99	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-06	NBH24-SF-B1 - DISSOLVED	8270E-SIM/680(M)	N	Cl3-BZ#17	0.694		0.694	J	HT	NG/L
L2426113	L2426113-06	NBH24-SF-B1 - DISSOLVED	8270E-SIM/680(M)	N	Cl6-BZ#136	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-06	NBH24-SF-B1 - DISSOLVED	8270E-SIM/680(M)	N	Cl3-BZ#22	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-06	NBH24-SF-B1 - DISSOLVED	8270E-SIM/680(M)	N	Cl4-BZ#56	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-06	NBH24-SF-B1 - DISSOLVED	8270E-SIM/680(M)	N	Cl3-BZ#37	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-06	NBH24-SF-B1 - DISSOLVED	8270E-SIM/680(M)	N	Cl3-BZ#18	1.64		1.64	J	HT	NG/L
L2426113	L2426113-06	NBH24-SF-B1 - DISSOLVED	8270E-SIM/680(M)	N	Cl8-BZ#196	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-06	NBH24-SF-B1 - DISSOLVED	8270E-SIM/680(M)	N	Cl5-BZ#97	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-06	NBH24-SF-B1 - DISSOLVED	8270E-SIM/680(M)	N	Cl4-BZ#71	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-06	NBH24-SF-B1 - DISSOLVED	8270E-SIM/680(M)	N	Cl4-BZ#53	0.268	J	0.268	J	HT	NG/L
L2426113	L2426113-06	NBH24-SF-B1 - DISSOLVED	8270E-SIM/680(M)	N	Cl4-BZ#49	1.01		1.01	J	HT	NG/L
L2426113	L2426113-06	NBH24-SF-B1 - DISSOLVED	8270E-SIM/680(M)	N	Cl4-BZ#44	0.668		0.668	J	HT	NG/L
L2426113	L2426113-06	NBH24-SF-B1 - DISSOLVED	8270E-SIM/680(M)	N	Cl7-BZ#190	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-06	NBH24-SF-B1 - DISSOLVED	8270E-SIM/680(M)	N	Cl9-BZ#206	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-06	NBH24-SF-B1 - DISSOLVED	8270E-SIM/680(M)	N	Cl8-BZ#201	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-06	NBH24-SF-B1 - DISSOLVED	8270E-SIM/680(M)	N	Cl7-BZ#189	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-06	NBH24-SF-B1 - DISSOLVED	8270E-SIM/680(M)	N	Cl5-BZ#100	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-06	NBH24-SF-B1 - DISSOLVED	8270E-SIM/680(M)	N	Cl4-BZ#40	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-06	NBH24-SF-B1 - DISSOLVED	8270E-SIM/680(M)	N	Cl3-BZ#33	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-06	NBH24-SF-B1 - DISSOLVED	8270E-SIM/680(M)	N	Cl4-BZ#42	0.235	J	0.235	J	HT	NG/L

Table 3 - Summary of Qualification Actions
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

SDG	Lab Sample ID	Field Sample ID	Analysis Method	Fraction	Parameter Name	Lab Result	Lab Qualifier	Final Result	Final Qualifier	Val Reason Code	Units
L2426113	L2426113-06	NBH24-SF-B1 - DISSOLVED	8270E-SIM/680(M)	N	Cl1-BZ#1	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-06	NBH24-SF-B1 - DISSOLVED	8270E-SIM/680(M)	N	Cl6-BZ#137	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-06	NBH24-SF-B1 - DISSOLVED	8270E-SIM/680(M)	N	Cl2-BZ#13	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-06	NBH24-SF-B1 - DISSOLVED	8270E-SIM/680(M)	N	Cl2-BZ#6	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-06	NBH24-SF-B1 - DISSOLVED	8270E-SIM/680(M)	N	Cl4-BZ#47	0.266	J	0.266	J	HT	NG/L
L2426113	L2426113-06	NBH24-SF-B1 - DISSOLVED	8270E-SIM/680(M)	N	Cl8-BZ#202	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-06	NBH24-SF-B1 - DISSOLVED	8270E-SIM/680(M)	N	Cl1-BZ#3	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-06	NBH24-SF-B1 - DISSOLVED	8270E-SIM/680(M)	N	Cl6-BZ#146	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-06	NBH24-SF-B1 - DISSOLVED	8270E-SIM/680(M)	N	Decachlorobiphenyl	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-06	NBH24-SF-B1 - DISSOLVED	8270E-SIM/680(M)	N	Cl2-BZ#15	0.268	J	0.268	J	HT	NG/L
L2426113	L2426113-06	NBH24-SF-B1 - DISSOLVED	8270E-SIM/680(M)	N	Cl3-BZ#31	1.22		1.22	J	HT	NG/L
L2426113	L2426113-06	NBH24-SF-B1 - DISSOLVED	8270E-SIM/680(M)	N	Cl2-BZ#5	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-06	NBH24-SF-B1 - DISSOLVED	8270E-SIM/680(M)	N	Cl4-BZ#54	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-06	NBH24-SF-B1 - DISSOLVED	8270E-SIM/680(M)	N	Cl3-BZ#29	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-06	NBH24-SF-B1 - DISSOLVED	8270E-SIM/680(M)	N	Total PCBs	12.4		12.4	J	HT	NG/L
L2426113	L2426113-06	NBH24-SF-B1 - DISSOLVED	8270E-SIM/680(M)	N	Cl5-BZ#118	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-06	NBH24-SF-B1 - DISSOLVED	8270E-SIM/680(M)	N	Cl8-BZ#194	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-06	NBH24-SF-B1 - DISSOLVED	8270E-SIM/680(M)	N	Cl4-BZ#66	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-06	NBH24-SF-B1 - DISSOLVED	8270E-SIM/680(M)	N	Cl4-BZ#77	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-06	NBH24-SF-B1 - DISSOLVED	8270E-SIM/680(M)	N	Cl4-BZ#52	1.8		1.8	J	HT	NG/L
L2426113	L2426113-06	NBH24-SF-B1 - DISSOLVED	8270E-SIM/680(M)	N	Cl7-BZ#170	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-06	NBH24-SF-B1 - DISSOLVED	8270E-SIM/680(M)	N	Cl7-BZ#180	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-06	NBH24-SF-B1 - DISSOLVED	8270E-SIM/680(M)	N	Cl6-BZ#138	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-06	NBH24-SF-B1 - DISSOLVED	8270E-SIM/680(M)	N	Cl6-BZ#153	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-06	NBH24-SF-B1 - DISSOLVED	8270E-SIM/680(M)	N	Cl2-BZ#8	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-06	NBH24-SF-B1 - DISSOLVED	8270E-SIM/680(M)	N	Cl6-BZ#155	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-06	NBH24-SF-B1 - DISSOLVED	8270E-SIM/680(M)	N	Cl2-BZ#7	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-06	NBH24-SF-B1 - DISSOLVED	8270E-SIM/680(M)	N	Cl8-BZ#197	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-06	NBH24-SF-B1 - DISSOLVED	8270E-SIM/680(M)	N	Cl4-BZ#60	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-06	NBH24-SF-B1 - DISSOLVED	8270E-SIM/680(M)	N	Cl6-BZ#169	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-06	NBH24-SF-B1 - DISSOLVED	8270E-SIM/680(M)	N	Cl4-BZ#74	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-06	NBH24-SF-B1 - DISSOLVED	8270E-SIM/680(M)	N	Cl5-BZ#105	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-06	NBH24-SF-B1 - DISSOLVED	8270E-SIM/680(M)	N	Cl4-BZ#70	0.267	J	0.267	J	HT	NG/L
L2426113	L2426113-06	NBH24-SF-B1 - DISSOLVED	8270E-SIM/680(M)	N	Cl4-BZ#41	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-06	NBH24-SF-B1 - DISSOLVED	8270E-SIM/680(M)	N	Cl2-BZ#12	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-06	NBH24-SF-B1 - DISSOLVED	8270E-SIM/680(M)	N	Cl5-BZ#82	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-06	NBH24-SF-B1 - DISSOLVED	8270E-SIM/680(M)	N	Cl8-BZ#205	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-06	NBH24-SF-B1 - DISSOLVED	8270E-SIM/680(M)	N	Cl7-BZ#191	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-06	NBH24-SF-B1 - DISSOLVED	8270E-SIM/680(M)	N	Cl7-BZ#184	0.463	U	0.463	UJ	HT	NG/L

Table 3 - Summary of Qualification Actions
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

SDG	Lab Sample ID	Field Sample ID	Analysis Method	Fraction	Parameter Name	Lab Result	Lab Qualifier	Final Result	Final Qualifier	Val Reason Code	Units
L2426113	L2426113-06	NBH24-SF-B1 - DISSOLVED	8270E-SIM/680(M)	N	Cl5-BZ#114	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-06	NBH24-SF-B1 - DISSOLVED	8270E-SIM/680(M)	N	Cl4-BZ#63	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-06	NBH24-SF-B1 - DISSOLVED	8270E-SIM/680(M)	N	Cl7-BZ#188	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-06	NBH24-SF-B1 - DISSOLVED	8270E-SIM/680(M)	N	Cl5-BZ#124	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-06	NBH24-SF-B1 - DISSOLVED	8270E-SIM/680(M)	N	Cl4-BZ#76	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-06	NBH24-SF-B1 - DISSOLVED	8270E-SIM/680(M)	N	Cl4-BZ#48	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-06	NBH24-SF-B1 - DISSOLVED	8270E-SIM/680(M)	N	Cl4-BZ#43	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-06	NBH24-SF-B1 - DISSOLVED	8270E-SIM/680(M)	N	Cl4-BZ#45	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-06	NBH24-SF-B1 - DISSOLVED	8270E-SIM/680(M)	N	Cl3-BZ#28	0.838		0.838	J	HT	NG/L
L2426113	L2426113-06	NBH24-SF-B1 - DISSOLVED	8270E-SIM/680(M)	N	Cl4-BZ#81	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-06	NBH24-SF-B1 - DISSOLVED	8270E-SIM/680(M)	N	Cl2-BZ#4/#10	0.598	J	0.598	J	HT	NG/L
L2426113	L2426113-06	NBH24-SF-B1 - DISSOLVED	8270E-SIM/680(M)	N	Cl3-BZ#21/#20	0.926	U	0.926	UJ	HT	NG/L
L2426113	L2426113-06	NBH24-SF-B1 - DISSOLVED	8270E-SIM/680(M)	N	Cl4-BZ#68/#64	0.926	U	0.926	UJ	HT	NG/L
L2426113	L2426113-06	NBH24-SF-B1 - DISSOLVED	8270E-SIM/680(M)	N	Cl8-BZ#204/#200	0.926	U	0.926	UJ	HT	NG/L
L2426113	L2426113-06	NBH24-SF-B1 - DISSOLVED	8270E-SIM/680(M)	N	Cl7-BZ#182/#175	0.926	U	0.926	UJ	HT	NG/L
L2426113	L2426113-06	NBH24-SF-B1 - DISSOLVED	8270E-SIM/680(M)	N	Cl6-BZ#163/#160	0.926	U	0.926	UJ	HT	NG/L
L2426113	L2426113-06	NBH24-SF-B1 - DISSOLVED	8270E-SIM/680(M)	N	Cl6-BZ#147/#149	0.926	U	0.926	UJ	HT	NG/L
L2426113	L2426113-06	NBH24-SF-B1 - DISSOLVED	8270E-SIM/680(M)	N	Cl6-BZ#130/#164	0.926	U	0.926	UJ	HT	NG/L
L2426113	L2426113-06	NBH24-SF-B1 - DISSOLVED	8270E-SIM/680(M)	N	Cl6-BZ#129/#158	0.926	U	0.926	UJ	HT	NG/L
L2426113	L2426113-06	NBH24-SF-B1 - DISSOLVED	8270E-SIM/680(M)	N	Cl5-BZ#89/#84	0.926	U	0.926	UJ	HT	NG/L
L2426113	L2426113-06	NBH24-SF-B1 - DISSOLVED	8270E-SIM/680(M)	N	Cl5-BZ#87/#111	0.926	U	0.926	UJ	HT	NG/L
L2426113	L2426113-06	NBH24-SF-B1 - DISSOLVED	8270E-SIM/680(M)	N	Cl5-BZ#83/#125/#112	1.39	U	1.39	UJ	HT	NG/L
L2426113	L2426113-06	NBH24-SF-B1 - DISSOLVED	8270E-SIM/680(M)	N	Cl5-BZ#121/#95/#88	1.39	U	1.39	UJ	HT	NG/L
L2426113	L2426113-06	NBH24-SF-B1 - DISSOLVED	8270E-SIM/680(M)	N	Cl5-BZ#107/#123	0.926	U	0.926	UJ	HT	NG/L
L2426113	L2426113-06	NBH24-SF-B1 - DISSOLVED	8270E-SIM/680(M)	N	Cl5-BZ#101/#90	0.926	U	0.926	UJ	HT	NG/L
L2426113	L2426113-06	NBH24-SF-B1 - DISSOLVED	8270E-SIM/680(M)	N	Cl4-BZ#73/#46	0.926	U	0.926	UJ	HT	NG/L
L2426113	L2426113-06	NBH24-SF-B1 - DISSOLVED	8270E-SIM/680(M)	N	Cl7-BZ#193	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-06	NBH24-SF-B1 - DISSOLVED	8270E-SIM/680(M)	N	Cl7-BZ#173	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-06	NBH24-SF-B1 - DISSOLVED	8270E-SIM/680(M)	N	Cl6-BZ#157	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-06	NBH24-SF-B1 - DISSOLVED	8270E-SIM/680(M)	N	Cl6-BZ#141	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-06	NBH24-SF-B1 - DISSOLVED	8270E-SIM/680(M)	N	Cl9-BZ#207	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-06	NBH24-SF-B1 - DISSOLVED	8270E-SIM/680(M)	N	Cl8-BZ#195	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-06	NBH24-SF-B1 - DISSOLVED	8270E-SIM/680(M)	N	Cl9-BZ#208	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-06	NBH24-SF-B1 - DISSOLVED	8270E-SIM/680(M)	N	Cl8-BZ#203	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-06	NBH24-SF-B1 - DISSOLVED	8270E-SIM/680(M)	N	Cl8-BZ#199	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-06	NBH24-SF-B1 - DISSOLVED	8270E-SIM/680(M)	N	Cl7-BZ#172	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-06	NBH24-SF-B1 - DISSOLVED	8270E-SIM/680(M)	N	Cl6-BZ#134	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-06	NBH24-SF-B1 - DISSOLVED	8270E-SIM/680(M)	N	Cl6-BZ#167	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-06	NBH24-SF-B1 - DISSOLVED	8270E-SIM/680(M)	N	Cl7-BZ#177	0.463	U	0.463	UJ	HT	NG/L

Table 3 - Summary of Qualification Actions
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

SDG	Lab Sample ID	Field Sample ID	Analysis Method	Fraction	Parameter Name	Lab Result	Lab Qualifier	Final Result	Final Qualifier	Val Reason Code	Units
L2426113	L2426113-06	NBH24-SF-B1 - DISSOLVED	8270E-SIM/680(M)	N	Cl7-BZ#183	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-06	NBH24-SF-B1 - DISSOLVED	8270E-SIM/680(M)	N	Cl7-BZ#187	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-06	NBH24-SF-B1 - DISSOLVED	8270E-SIM/680(M)	N	Cl7-BZ#178	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-06	NBH24-SF-B1 - DISSOLVED	8270E-SIM/680(M)	N	Cl7-BZ#176	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-06	NBH24-SF-B1 - DISSOLVED	8270E-SIM/680(M)	N	Cl6-BZ#151	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-06	NBH24-SF-B1 - DISSOLVED	8270E-SIM/680(M)	N	Cl7-BZ#171	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-06	NBH24-SF-B1 - DISSOLVED	8270E-SIM/680(M)	N	Cl6-BZ#144	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-06	NBH24-SF-B1 - DISSOLVED	8270E-SIM/680(M)	N	Cl5-BZ#92	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-06	NBH24-SF-B1 - DISSOLVED	8270E-SIM/680(M)	N	Cl6-BZ#135	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-06	NBH24-SF-B1 - DISSOLVED	8270E-SIM/680(M)	N	Cl5-BZ#91	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-06	NBH24-SF-B1 - DISSOLVED	8270E-SIM/680(M)	N	Cl4-BZ#51	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-06	NBH24-SF-B1 - DISSOLVED	8270E-SIM/680(M)	N	Cl5-BZ#85	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-06	NBH24-SF-B1 - DISSOLVED	8270E-SIM/680(M)	N	Cl4-BZ#50	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-06	NBH24-SF-B1 - DISSOLVED	8270E-SIM/680(M)	N	Cl7-BZ#185	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-06	NBH24-SF-B1 - DISSOLVED	8270E-SIM/680(M)	N	Cl6-BZ#154	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-06	NBH24-SF-B1 - DISSOLVED	8270E-SIM/680(M)	N	Cl6-BZ#131	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-06	NBH24-SF-B1 - DISSOLVED	8270E-SIM/680(M)	N	Cl5-BZ#126	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-06	NBH24-SF-B1 - DISSOLVED	8270E-SIM/680(M)	N	Cl5-BZ#119	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-06	NBH24-SF-B1 - DISSOLVED	8270E-SIM/680(M)	N	Cl5-BZ#104	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-06	NBH24-SF-B1 - DISSOLVED	8270E-SIM/680(M)	N	Cl3-BZ#25	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-06	NBH24-SF-B1 - DISSOLVED	8270E-SIM/680(M)	N	Cl3-BZ#24	0.463	U	0.463	UJ	HT	NG/L
L2426113	L2426113-06	NBH24-SF-B1 - DISSOLVED	8270E-SIM/680(M)	N	Cl6-BZ#168	0.463	U	0.463	UJ	HT	NG/L
L2436859	L2436859-04	AIII-E-SB-SC	8270E-SIM/680(M)	N	Cl8-BZ#194	1.12		1.12	J	LD	UG/KG
L2449588	L2449588-04	COMP AI-123BC	8270E-SIM/680(M)	N	Cl6-BZ#141	0.416		0.416	J	LD	UG/KG
L2449594	L2449594-01	AI-A-BF-SKIN ON	8270E-SIM/680(M)	N	Cl6-BZ#157	7.84		7.84	J	CCV%D	UG/KG
L2449594	L2449594-01	AI-A-BF-SKIN ON	8270E-SIM/680(M)	N	Cl6-BZ#135	38.3		38.3	J	CCV%D	UG/KG
L2449594	L2449594-05	AI-D-BF	8270E-SIM/680(M)	N	Cl6-BZ#157	13.1		13.1	J	CCV%D	UG/KG
L2449594	L2449594-05	AI-D-BF	8270E-SIM/680(M)	N	Cl6-BZ#135	69.7		69.7	J	CCV%D	UG/KG
L2449594	L2449594-06	AI-E-BF	8270E-SIM/680(M)	N	Cl5-BZ#114	29.2		29.2	J	CCV%D	UG/KG
L2449594	L2449594-06	AI-E-BF	8270E-SIM/680(M)	N	Cl6-BZ#157	17.7		17.7	J	CCV%D	UG/KG
L2449594	L2449594-06	AI-E-BF	8270E-SIM/680(M)	N	Cl6-BZ#153	1170		1,170	J	CCV%D	UG/KG
L2449594	L2449594-06	AI-E-BF	8270E-SIM/680(M)	N	Cl5-BZ#105	152		152	J	CCV%D	UG/KG
L2449594	L2449594-15	AII-D-BF	8270E-SIM/680(M)	N	Cl6-BZ#157	4.71		4.71	J	CCV%D	UG/KG
L2449594	L2449594-15	AII-D-BF	8270E-SIM/680(M)	N	Cl6-BZ#135	20.8		20.8	J	CCV%D	UG/KG
L2449594	L2449594-15	AII-D-BF	8270E-SIM/680(M)	N	Cl5-BZ#114	6.71		6.71	J	CCV%D	UG/KG
L2449594	L2449594-16	AII-E-BF	8270E-SIM/680(M)	N	Cl6-BZ#157	11.4		11.4	J	CCV%D	UG/KG
L2449594	L2449594-16	AII-E-BF	8270E-SIM/680(M)	N	Cl5-BZ#114	16.2		16.2	J	CCV%D	UG/KG
L2449594	L2449594-16	AII-E-BF	8270E-SIM/680(M)	N	Cl6-BZ#135	52.4		52.4	J	CCV%D	UG/KG
L2464306	L2464306-01	NBH24-SF-A-2	8270E-SIM/680(M)	N	Cl7-BZ#174	0.669		0.669	J	LD	UG/KG

Table 3 - Summary of Qualification Actions
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

SDG	Lab Sample ID	Field Sample ID	Analysis Method	Fraction	Parameter Name	Lab Result	Lab Qualifier	Final Result	Final Qualifier	Val Reason Code	Units
L2464306	L2464306-03	NBH24-SF-C-2	8270E-SIM/680(M)	N	Cl2-BZ#15	0.234	J	0.234	J	LCSRPD	UG/KG
L2464306	L2464306-04	NBH24-SF-D-2	8270E-SIM/680(M)	N	Cl2-BZ#15	0.186	J	0.186	J	LCSRPD	UG/KG
L2464306	L2464306-05	NBH24-SF-E-2	8270E-SIM/680(M)	N	Cl2-BZ#15	0.269	J	0.269	J	LCSRPD	UG/KG
L2464618	L2464618-11	NBH24-L-B-3-M	8270E-SIM/680(M)	N	Cl3-BZ#28	0.602		0.602	J	LD	UG/KG
L2464618	L2464618-11	NBH24-L-B-3-M	8270E-SIM/680(M)	N	Cl6-BZ#128	0.819		0.819	J	LD	UG/KG
L2464618	L2464618-12	NBH24-L-B-3-T	8270E-SIM/680(M)	N	Cl3-BZ#37	3.08		3.08	J	LD	UG/KG
L2464620	L2464620-03	NBH24-FF-B-2	8270E-SIM/680(M)	N	Cl5-BZ#118	69		69	J-	MSL	UG/KG
L2464620	L2464620-03	NBH24-FF-B-2	8270E-SIM/680(M)	N	Cl6-BZ#138	84.4		84.4	J-	MSL	UG/KG
L2464620	L2464620-03	NBH24-FF-B-2	8270E-SIM/680(M)	N	Cl5-BZ#99	66.4		66.4	J-	MSL	UG/KG
L2464620	L2464620-03	NBH24-FF-B-2	8270E-SIM/680(M)	N	Cl4-BZ#44	1.75		1.75	J	LD	UG/KG
L2464620	L2464620-03	NBH24-FF-B-2	8270E-SIM/680(M)	N	Cl5-BZ#101/#90	58.8		58.8	J-	MSL	UG/KG
L2464620	L2464620-07	NBH24-FF-A-3	8270E-SIM/680(M)	N	Cl6-BZ#128	1.08		1.08	J-	SSL	UG/KG
L2464620	L2464620-07	NBH24-FF-A-3	8270E-SIM/680(M)	N	Cl6-BZ#132	0.356	U	0.356	UJ	SSL	UG/KG
L2464620	L2464620-07	NBH24-FF-A-3	8270E-SIM/680(M)	N	Cl5-BZ#110	0.448		0.448	J-	SSL	UG/KG
L2464620	L2464620-07	NBH24-FF-A-3	8270E-SIM/680(M)	N	Cl5-BZ#99	3		3	J-	SSL	UG/KG
L2464620	L2464620-07	NBH24-FF-A-3	8270E-SIM/680(M)	N	Cl4-BZ#42	0.356	U	0.356	UJ	SSL	UG/KG
L2464620	L2464620-07	NBH24-FF-A-3	8270E-SIM/680(M)	N	Cl3-BZ#18	0.356	U	0.356	UJ	SSL	UG/KG
L2464620	L2464620-07	NBH24-FF-A-3	8270E-SIM/680(M)	N	Cl6-BZ#156	0.325	J	0.325	J-	SSL	UG/KG
L2464620	L2464620-07	NBH24-FF-A-3	8270E-SIM/680(M)	N	Cl8-BZ#194	0.356	U	0.356	UJ	SSL	UG/KG
L2464620	L2464620-07	NBH24-FF-A-3	8270E-SIM/680(M)	N	Cl6-BZ#137	0.356	U	0.356	UJ	SSL	UG/KG
L2464620	L2464620-07	NBH24-FF-A-3	8270E-SIM/680(M)	N	Cl4-BZ#52	0.45		0.45	J-	SSL	UG/KG
L2464620	L2464620-07	NBH24-FF-A-3	8270E-SIM/680(M)	N	Cl3-BZ#17	0.356	U	0.356	UJ	SSL	UG/KG
L2464620	L2464620-07	NBH24-FF-A-3	8270E-SIM/680(M)	N	Cl6-BZ#136	0.356	U	0.356	UJ	SSL	UG/KG
L2464620	L2464620-07	NBH24-FF-A-3	8270E-SIM/680(M)	N	Cl5-BZ#100	0.356	U	0.356	UJ	SSL	UG/KG
L2464620	L2464620-07	NBH24-FF-A-3	8270E-SIM/680(M)	N	Cl3-BZ#19	0.356	U	0.356	UJ	SSL	UG/KG
L2464620	L2464620-07	NBH24-FF-A-3	8270E-SIM/680(M)	N	Cl8-BZ#201	0.356	U	0.356	UJ	SSL	UG/KG
L2464620	L2464620-07	NBH24-FF-A-3	8270E-SIM/680(M)	N	Cl7-BZ#189	0.356	U	0.356	UJ	SSL	UG/KG
L2464620	L2464620-07	NBH24-FF-A-3	8270E-SIM/680(M)	N	Cl7-BZ#170	0.644		0.644	J-	SSL	UG/KG
L2464620	L2464620-07	NBH24-FF-A-3	8270E-SIM/680(M)	N	Cl4-BZ#40	0.356	U	0.356	UJ	SSL	UG/KG
L2464620	L2464620-07	NBH24-FF-A-3	8270E-SIM/680(M)	N	Cl3-BZ#37	0.356	U	0.356	UJ	SSL	UG/KG
L2464620	L2464620-07	NBH24-FF-A-3	8270E-SIM/680(M)	N	Cl3-BZ#33	0.356	U	0.356	UJ	SSL	UG/KG
L2464620	L2464620-07	NBH24-FF-A-3	8270E-SIM/680(M)	N	Cl3-BZ#22	0.356	U	0.356	UJ	SSL	UG/KG
L2464620	L2464620-07	NBH24-FF-A-3	8270E-SIM/680(M)	N	Cl3-BZ#26	0.356	U	0.356	UJ	SSL	UG/KG
L2464620	L2464620-07	NBH24-FF-A-3	8270E-SIM/680(M)	N	Cl3-BZ#16	0.356	U	0.356	UJ	SSL	UG/KG
L2464620	L2464620-07	NBH24-FF-A-3	8270E-SIM/680(M)	N	Cl3-BZ#32	0.356	U	0.356	UJ	SSL	UG/KG
L2464620	L2464620-07	NBH24-FF-A-3	8270E-SIM/680(M)	N	Cl3-BZ#27	0.356	U	0.356	UJ	SSL	UG/KG
L2464620	L2464620-07	NBH24-FF-A-3	8270E-SIM/680(M)	N	Cl7-BZ#174	0.356	U	0.356	UJ	SSL	UG/KG
L2464620	L2464620-07	NBH24-FF-A-3	8270E-SIM/680(M)	N	Cl7-BZ#180	1.39		1.39	J-	SSL	UG/KG
L2464620	L2464620-07	NBH24-FF-A-3	8270E-SIM/680(M)	N	Cl5-BZ#105	0.538		0.538	J-	SSL	UG/KG

Table 3 - Summary of Qualification Actions
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

SDG	Lab Sample ID	Field Sample ID	Analysis Method	Fraction	Parameter Name	Lab Result	Lab Qualifier	Final Result	Final Qualifier	Val Reason Code	Units
L2464620	L2464620-07	NBH24-FF-A-3	8270E-SIM/680(M)	N	Cl6-BZ#153	10.3		10.3	J-	SSL	UG/KG
L2464620	L2464620-07	NBH24-FF-A-3	8270E-SIM/680(M)	N	Cl4-BZ#47	0.426		0.426	J-	SSL	UG/KG
L2464620	L2464620-07	NBH24-FF-A-3	8270E-SIM/680(M)	N	Cl8-BZ#202	0.356	U	0.356	UJ	SSL	UG/KG
L2464620	L2464620-07	NBH24-FF-A-3	8270E-SIM/680(M)	N	Cl1-BZ#3	0.356	U	0.356	UJ	SSL	UG/KG
L2464620	L2464620-07	NBH24-FF-A-3	8270E-SIM/680(M)	N	Cl1-BZ#1	0.356	U	0.356	UJ	SSL	UG/KG
L2464620	L2464620-07	NBH24-FF-A-3	8270E-SIM/680(M)	N	Decachlorobiphenyl	0.356	U	0.356	UJ	SSL	UG/KG
L2464620	L2464620-07	NBH24-FF-A-3	8270E-SIM/680(M)	N	Cl2-BZ#15	0.356	U	0.356	UJ	SSL	UG/KG
L2464620	L2464620-07	NBH24-FF-A-3	8270E-SIM/680(M)	N	Cl3-BZ#31	0.356	U	0.356	UJ	SSL	UG/KG
L2464620	L2464620-07	NBH24-FF-A-3	8270E-SIM/680(M)	N	Cl2-BZ#5	0.356	U	0.356	UJ	SSL	UG/KG
L2464620	L2464620-07	NBH24-FF-A-3	8270E-SIM/680(M)	N	Cl4-BZ#54	0.356	U	0.356	UJ	SSL	UG/KG
L2464620	L2464620-07	NBH24-FF-A-3	8270E-SIM/680(M)	N	Cl3-BZ#29	0.356	U	0.356	UJ	SSL	UG/KG
L2464620	L2464620-07	NBH24-FF-A-3	8270E-SIM/680(M)	N	Total PCBs	39.4		39.4	J-	SSL	UG/KG
L2464620	L2464620-07	NBH24-FF-A-3	8270E-SIM/680(M)	N	Cl2-BZ#6	0.356	U	0.356	UJ	SSL	UG/KG
L2464620	L2464620-07	NBH24-FF-A-3	8270E-SIM/680(M)	N	Cl6-BZ#138	4.45		4.45	J-	SSL	UG/KG
L2464620	L2464620-07	NBH24-FF-A-3	8270E-SIM/680(M)	N	Cl2-BZ#13	0.712	U	0.712	UJ	SSL	UG/KG
L2464620	L2464620-07	NBH24-FF-A-3	8270E-SIM/680(M)	N	Cl5-BZ#118	3.64		3.64	J-	SSL	UG/KG
L2464620	L2464620-07	NBH24-FF-A-3	8270E-SIM/680(M)	N	Cl2-BZ#8	0.356	U	0.356	UJ	SSL	UG/KG
L2464620	L2464620-07	NBH24-FF-A-3	8270E-SIM/680(M)	N	Cl6-BZ#155	0.356	U	0.356	UJ	SSL	UG/KG
L2464620	L2464620-07	NBH24-FF-A-3	8270E-SIM/680(M)	N	Cl2-BZ#7	0.356	U	0.356	UJ	SSL	UG/KG
L2464620	L2464620-07	NBH24-FF-A-3	8270E-SIM/680(M)	N	Cl8-BZ#197	0.356	U	0.356	UJ	SSL	UG/KG
L2464620	L2464620-07	NBH24-FF-A-3	8270E-SIM/680(M)	N	Cl4-BZ#60	0.356	U	0.356	UJ	SSL	UG/KG
L2464620	L2464620-07	NBH24-FF-A-3	8270E-SIM/680(M)	N	Cl6-BZ#169	0.356	U	0.356	UJ	SSL	UG/KG
L2464620	L2464620-07	NBH24-FF-A-3	8270E-SIM/680(M)	N	Cl4-BZ#74	0.323	J	0.323	J-	SSL	UG/KG
L2464620	L2464620-07	NBH24-FF-A-3	8270E-SIM/680(M)	N	Cl9-BZ#206	0.243	J	0.243	J-	SSL	UG/KG
L2464620	L2464620-07	NBH24-FF-A-3	8270E-SIM/680(M)	N	Cl4-BZ#77	0.356	U	0.356	UJ	SSL	UG/KG
L2464620	L2464620-07	NBH24-FF-A-3	8270E-SIM/680(M)	N	Cl4-BZ#70	0.356	U	0.356	UJ	SSL	UG/KG
L2464620	L2464620-07	NBH24-FF-A-3	8270E-SIM/680(M)	N	Cl4-BZ#66	0.702		0.702	J-	SSL	UG/KG
L2464620	L2464620-07	NBH24-FF-A-3	8270E-SIM/680(M)	N	Cl2-BZ#12	0.356	U	0.356	UJ	SSL	UG/KG
L2464620	L2464620-07	NBH24-FF-A-3	8270E-SIM/680(M)	N	Cl7-BZ#190	0.356	U	0.356	UJ	SSL	UG/KG
L2464620	L2464620-07	NBH24-FF-A-3	8270E-SIM/680(M)	N	Cl4-BZ#56	0.356	U	0.356	UJ	SSL	UG/KG
L2464620	L2464620-07	NBH24-FF-A-3	8270E-SIM/680(M)	N	Cl4-BZ#49	0.458		0.458	J-	SSL	UG/KG
L2464620	L2464620-07	NBH24-FF-A-3	8270E-SIM/680(M)	N	Cl7-BZ#184	0.356	U	0.356	UJ	SSL	UG/KG
L2464620	L2464620-07	NBH24-FF-A-3	8270E-SIM/680(M)	N	Cl5-BZ#114	0.264	J	0.264	J-	SSL	UG/KG
L2464620	L2464620-07	NBH24-FF-A-3	8270E-SIM/680(M)	N	Cl4-BZ#63	0.356	U	0.356	UJ	SSL	UG/KG
L2464620	L2464620-07	NBH24-FF-A-3	8270E-SIM/680(M)	N	Cl5-BZ#124	0.356	U	0.356	UJ	SSL	UG/KG
L2464620	L2464620-07	NBH24-FF-A-3	8270E-SIM/680(M)	N	Cl4-BZ#81	0.356	U	0.356	UJ	SSL	UG/KG
L2464620	L2464620-07	NBH24-FF-A-3	8270E-SIM/680(M)	N	Cl4-BZ#76	0.356	U	0.356	UJ	SSL	UG/KG
L2464620	L2464620-07	NBH24-FF-A-3	8270E-SIM/680(M)	N	Cl7-BZ#191	0.356	U	0.356	UJ	SSL	UG/KG
L2464620	L2464620-07	NBH24-FF-A-3	8270E-SIM/680(M)	N	Cl4-BZ#48	0.356	U	0.356	UJ	SSL	UG/KG

Table 3 - Summary of Qualification Actions
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

SDG	Lab Sample ID	Field Sample ID	Analysis Method	Fraction	Parameter Name	Lab Result	Lab Qualifier	Final Result	Final Qualifier	Val Reason Code	Units
L2464620	L2464620-07	NBH24-FF-A-3	8270E-SIM/680(M)	N	Cl4-BZ#45	0.356	U	0.356	UJ	SSL	UG/KG
L2464620	L2464620-07	NBH24-FF-A-3	8270E-SIM/680(M)	N	Cl3-BZ#28	0.356	U	0.356	UJ	SSL	UG/KG
L2464620	L2464620-07	NBH24-FF-A-3	8270E-SIM/680(M)	N	Cl7-BZ#193	0.356	U	0.356	UJ	SSL	UG/KG
L2464620	L2464620-07	NBH24-FF-A-3	8270E-SIM/680(M)	N	Cl6-BZ#157	0.258	J	0.258	J-	SSL	UG/KG
L2464620	L2464620-07	NBH24-FF-A-3	8270E-SIM/680(M)	N	Cl7-BZ#173	0.356	U	0.356	UJ	SSL	UG/KG
L2464620	L2464620-07	NBH24-FF-A-3	8270E-SIM/680(M)	N	Cl6-BZ#144	0.356	U	0.356	UJ	SSL	UG/KG
L2464620	L2464620-07	NBH24-FF-A-3	8270E-SIM/680(M)	N	Cl4-BZ#43	0.356	U	0.356	UJ	SSL	UG/KG
L2464620	L2464620-07	NBH24-FF-A-3	8270E-SIM/680(M)	N	Cl8-BZ#205	0.356	U	0.356	UJ	SSL	UG/KG
L2464620	L2464620-07	NBH24-FF-A-3	8270E-SIM/680(M)	N	Cl7-BZ#188	0.356	U	0.356	UJ	SSL	UG/KG
L2464620	L2464620-07	NBH24-FF-A-3	8270E-SIM/680(M)	N	Cl2-BZ#4/#10	0.712	U	0.712	UJ	SSL	UG/KG
L2464620	L2464620-07	NBH24-FF-A-3	8270E-SIM/680(M)	N	Cl8-BZ#204/#200	0.712	U	0.712	UJ	SSL	UG/KG
L2464620	L2464620-07	NBH24-FF-A-3	8270E-SIM/680(M)	N	Cl7-BZ#182/#175	0.712	U	0.712	UJ	SSL	UG/KG
L2464620	L2464620-07	NBH24-FF-A-3	8270E-SIM/680(M)	N	Cl6-BZ#163/#160	0.7	J	0.7	J-	SSL	UG/KG
L2464620	L2464620-07	NBH24-FF-A-3	8270E-SIM/680(M)	N	Cl6-BZ#147/#149	1.05		1.05	J-	SSL	UG/KG
L2464620	L2464620-07	NBH24-FF-A-3	8270E-SIM/680(M)	N	Cl6-BZ#130/#164	0.712	U	0.712	UJ	SSL	UG/KG
L2464620	L2464620-07	NBH24-FF-A-3	8270E-SIM/680(M)	N	Cl6-BZ#129/#158	0.712	U	0.712	UJ	SSL	UG/KG
L2464620	L2464620-07	NBH24-FF-A-3	8270E-SIM/680(M)	N	Cl5-BZ#89/#84	0.712	U	0.712	UJ	SSL	UG/KG
L2464620	L2464620-07	NBH24-FF-A-3	8270E-SIM/680(M)	N	Cl5-BZ#87/#111	0.712	U	0.712	UJ	SSL	UG/KG
L2464620	L2464620-07	NBH24-FF-A-3	8270E-SIM/680(M)	N	Cl5-BZ#83/#125/#112	1.07	U	1.07	UJ	SSL	UG/KG
L2464620	L2464620-07	NBH24-FF-A-3	8270E-SIM/680(M)	N	Cl5-BZ#121/#95/#88	1.07	U	1.07	UJ	SSL	UG/KG
L2464620	L2464620-07	NBH24-FF-A-3	8270E-SIM/680(M)	N	Cl5-BZ#107/#123	0.433	J	0.433	J-	SSL	UG/KG
L2464620	L2464620-07	NBH24-FF-A-3	8270E-SIM/680(M)	N	Cl5-BZ#101/#90	2.38		2.38	J-	SSL	UG/KG
L2464620	L2464620-07	NBH24-FF-A-3	8270E-SIM/680(M)	N	Cl4-BZ#73/#46	0.712	U	0.712	UJ	SSL	UG/KG
L2464620	L2464620-07	NBH24-FF-A-3	8270E-SIM/680(M)	N	Cl4-BZ#68/#64	0.712	U	0.712	UJ	SSL	UG/KG
L2464620	L2464620-07	NBH24-FF-A-3	8270E-SIM/680(M)	N	Cl3-BZ#21/#20	0.712	U	0.712	UJ	SSL	UG/KG
L2464620	L2464620-07	NBH24-FF-A-3	8270E-SIM/680(M)	N	Cl5-BZ#91	0.356	U	0.356	UJ	SSL	UG/KG
L2464620	L2464620-07	NBH24-FF-A-3	8270E-SIM/680(M)	N	Cl4-BZ#44	0.356	U	0.356	UJ	SSL	UG/KG
L2464620	L2464620-07	NBH24-FF-A-3	8270E-SIM/680(M)	N	Cl4-BZ#51	0.356	U	0.356	UJ	SSL	UG/KG
L2464620	L2464620-07	NBH24-FF-A-3	8270E-SIM/680(M)	N	Cl6-BZ#131	0.356	U	0.356	UJ	SSL	UG/KG
L2464620	L2464620-07	NBH24-FF-A-3	8270E-SIM/680(M)	N	Cl7-BZ#177	0.356	U	0.356	UJ	SSL	UG/KG
L2464620	L2464620-07	NBH24-FF-A-3	8270E-SIM/680(M)	N	Cl7-BZ#183	0.518		0.518	J-	SSL	UG/KG
L2464620	L2464620-07	NBH24-FF-A-3	8270E-SIM/680(M)	N	Cl7-BZ#187	1.41		1.41	J-	SSL	UG/KG
L2464620	L2464620-07	NBH24-FF-A-3	8270E-SIM/680(M)	N	Cl7-BZ#178	0.356	U	0.356	UJ	SSL	UG/KG
L2464620	L2464620-07	NBH24-FF-A-3	8270E-SIM/680(M)	N	Cl7-BZ#176	0.356	U	0.356	UJ	SSL	UG/KG
L2464620	L2464620-07	NBH24-FF-A-3	8270E-SIM/680(M)	N	Cl6-BZ#151	0.189	J	0.189	J-	SSL	UG/KG
L2464620	L2464620-07	NBH24-FF-A-3	8270E-SIM/680(M)	N	Cl7-BZ#171	0.256	J	0.256	J-	SSL	UG/KG
L2464620	L2464620-07	NBH24-FF-A-3	8270E-SIM/680(M)	N	Cl5-BZ#82	0.356	U	0.356	UJ	SSL	UG/KG
L2464620	L2464620-07	NBH24-FF-A-3	8270E-SIM/680(M)	N	Cl4-BZ#41	0.356	U	0.356	UJ	SSL	UG/KG
L2464620	L2464620-07	NBH24-FF-A-3	8270E-SIM/680(M)	N	Cl6-BZ#146	1.66		1.66	J-	SSL	UG/KG

Table 3 - Summary of Qualification Actions
Data Validation Summary
Massachusetts Department of Environmental Protection
New Bedford Harbor Superfund Site
Seafood Contaminant Survey Monitoring 2024 Sampling
New Bedford, Massachusetts

SDG	Lab Sample ID	Field Sample ID	Analysis Method	Fraction	Parameter Name	Lab Result	Lab Qualifier	Final Result	Final Qualifier	Val Reason Code	Units
L2464620	L2464620-07	NBH24-FF-A-3	8270E-SIM/680(M)	N	Cl8-BZ#196	0.27	J	0.27	J-	SSL	UG/KG
L2464620	L2464620-07	NBH24-FF-A-3	8270E-SIM/680(M)	N	Cl5-BZ#97	0.384		0.384	J-	SSL	UG/KG
L2464620	L2464620-07	NBH24-FF-A-3	8270E-SIM/680(M)	N	Cl4-BZ#71	0.356	U	0.356	UJ	SSL	UG/KG
L2464620	L2464620-07	NBH24-FF-A-3	8270E-SIM/680(M)	N	Cl4-BZ#53	0.356	U	0.356	UJ	SSL	UG/KG
L2464620	L2464620-07	NBH24-FF-A-3	8270E-SIM/680(M)	N	Cl5-BZ#92	0.356	U	0.356	UJ	SSL	UG/KG
L2464620	L2464620-07	NBH24-FF-A-3	8270E-SIM/680(M)	N	Cl6-BZ#167	0.282	J	0.282	J-	SSL	UG/KG
L2464620	L2464620-07	NBH24-FF-A-3	8270E-SIM/680(M)	N	Cl7-BZ#172	0.356	U	0.356	UJ	SSL	UG/KG
L2464620	L2464620-07	NBH24-FF-A-3	8270E-SIM/680(M)	N	Cl8-BZ#199	0.356	U	0.356	UJ	SSL	UG/KG
L2464620	L2464620-07	NBH24-FF-A-3	8270E-SIM/680(M)	N	Cl6-BZ#154	0.325	J	0.325	J-	SSL	UG/KG
L2464620	L2464620-07	NBH24-FF-A-3	8270E-SIM/680(M)	N	Cl6-BZ#168	0.356	U	0.356	UJ	SSL	UG/KG
L2464620	L2464620-07	NBH24-FF-A-3	8270E-SIM/680(M)	N	Cl5-BZ#126	0.356	U	0.356	UJ	SSL	UG/KG
L2464620	L2464620-07	NBH24-FF-A-3	8270E-SIM/680(M)	N	Cl5-BZ#119	0.356	U	0.356	UJ	SSL	UG/KG
L2464620	L2464620-07	NBH24-FF-A-3	8270E-SIM/680(M)	N	Cl5-BZ#104	0.356	U	0.356	UJ	SSL	UG/KG
L2464620	L2464620-07	NBH24-FF-A-3	8270E-SIM/680(M)	N	Cl3-BZ#25	0.356	U	0.356	UJ	SSL	UG/KG
L2464620	L2464620-07	NBH24-FF-A-3	8270E-SIM/680(M)	N	Cl3-BZ#24	0.356	U	0.356	UJ	SSL	UG/KG
L2464620	L2464620-07	NBH24-FF-A-3	8270E-SIM/680(M)	N	Cl6-BZ#135	0.356	U	0.356	UJ	SSL	UG/KG
L2464620	L2464620-07	NBH24-FF-A-3	8270E-SIM/680(M)	N	Cl7-BZ#185	0.356	U	0.356	UJ	SSL	UG/KG
L2464620	L2464620-07	NBH24-FF-A-3	8270E-SIM/680(M)	N	Cl6-BZ#141	0.356	U	0.356	UJ	SSL	UG/KG
L2464620	L2464620-07	NBH24-FF-A-3	8270E-SIM/680(M)	N	Cl6-BZ#134	0.356	U	0.356	UJ	SSL	UG/KG
L2464620	L2464620-07	NBH24-FF-A-3	8270E-SIM/680(M)	N	Cl9-BZ#207	0.356	U	0.356	UJ	SSL	UG/KG
L2464620	L2464620-07	NBH24-FF-A-3	8270E-SIM/680(M)	N	Cl8-BZ#195	0.356	U	0.356	UJ	SSL	UG/KG
L2464620	L2464620-07	NBH24-FF-A-3	8270E-SIM/680(M)	N	Cl9-BZ#208	0.356	U	0.356	UJ	SSL	UG/KG
L2464620	L2464620-07	NBH24-FF-A-3	8270E-SIM/680(M)	N	Cl8-BZ#203	0.268	J	0.268	J-	SSL	UG/KG
L2464620	L2464620-07	NBH24-FF-A-3	8270E-SIM/680(M)	N	Cl4-BZ#50	0.356	U	0.356	UJ	SSL	UG/KG
L2464620	L2464620-07	NBH24-FF-A-3	8270E-SIM/680(M)	N	Cl5-BZ#85	0.308	J	0.308	J-	SSL	UG/KG

NOTES:
ug/kg = microgram per kilogram
ng/l = nanogram per liter
U = not detected at the reported detection limit
UJ = estimated value at the reporting limit
J = estimated value
J- = estimated value biased low
CCV%D = continuing calibration percent difference exceeds project limit
LD = laboratory duplicate precision goal not met
HT = Sample analyzed or extracted outside of method hold time
LCSRPD = laboratory control sample/duplicate precision goal not met
MSL = matrix spike/matrix spike duplicate recovery low
SSL = surrogate recovery low

Created by: AP 3/27/2025
Checked by: TSS 3/28/2025

Appendix C

Seafood Monitoring - Field Sampling Activities
for
the New Bedford Harbor Superfund Site
2024 Annual Report
January 9, 2025

The Commonwealth of Massachusetts
Division of Marine Fisheries
p: (617) 626-1520
www.mass.gov/marinefisheries

MAURA T. HEALEY, Governor
KIMBERLEY DRISCOLL, Lt. Governor
REBECCA L. TEPPER, Secretary
THOMAS K. O'SHEA, Commissioner
DANIEL J. MCKIERNAN, Director

Seafood Monitoring - Field Sampling Activities for the New Bedford Harbor Superfund Site 2024 Annual Report

Vin Malkoski, Senior Marine Fisheries Biologist
Massachusetts Division of Marine Fisheries
January 9, 2025

The Massachusetts Division of Marine Fisheries (MDMF) under an agreement with the Massachusetts Department of Environmental Protection (MassDEP) collects legal-size fish and shellfish from the three New Bedford Harbor fish closure areas. At the end of the collection period, these frozen samples are delivered to the Alpha Woods Hole Laboratories in Mansfield, Massachusetts for analysis. MassDEP provides the results of the analyses to EPA to monitor and support the site remediation project. This report describes MDMF's field activities in 2024 in accordance with the Seafood Monitoring and Field Sampling Work Plan and makes recommendations for the upcoming 2025 field season based on results obtained during the previous field season.

Sample Sites

The three Fish Closure Areas are identified in Attachment 1 - Figure 1 from the EPA Record of Decision for the Upper and Lower Operable Unit, New Bedford Harbor Superfund Site, New Bedford, Massachusetts, dated September 25, 1998. These three Fish Closure Areas were designated by the Massachusetts Department of Public Health in 1979. Area 1 includes the waters of the Acushnet River and the New Bedford/Fairhaven Inner Harbor north of the Hurricane Barrier. Area 2 comprises the waters of the Outer Harbor and Clarks Cove south of the Hurricane Barrier and north of a line drawn from Wilbur Point in Fairhaven to Ricketsons Point in Dartmouth. Area 3 is that portion of Buzzards Bay south of the line drawn from Wilbur Point in Fairhaven to Ricketsons Point in Dartmouth and north of a line drawn from Rocky Point on West Island in Fairhaven to the Negro Ledge C3 buoy then to Mishaum Point in Dartmouth.

There are five original sample stations in each of the three fish closure areas in the waters of the City of New Bedford and the Towns of Dartmouth and Fairhaven. Station locations within each area vary for different species as what may be suitable habitat for one species may not be suitable for another (Attachment 1 – Figures 1 to 9).

2024 Field Collections

Attachment 2 – Collection Sheets 1 - 7 contain data on the harvest dates, collection identification information, species, station identification information, location by latitude and longitude, and collection method.

Alewife (*Alosa pseudoharengus*)
Five alewives were collected at the New Bedford Reservoir at Station C-1 during April using a dip net (Figure 2 and Collection Form 1).

American lobster (*Homarus americanus*)
Lobsters were harvested by pots during the months of June through July, although sampling efforts continued into October. The goal is to collect five legal-sized lobsters per stations; however, this has become increasingly difficult. Ambient water temperatures have increased such that lobster no longer enter Buzzards Bay in great numbers. As a result, collections ranged from 1- 5 lobster and included sub-legal animals. The Inner Harbor (Station E-1) is no longer viable lobster habitat, and none were collected. We were also unable to catch lobster at Stations E-2 (Fort Phoenix) and C-3 (SP Rock C"1" buoy) (Figure 3 and Collection Form 2).

Black sea bass (*Centropristis striata*)
Black sea bass sampling with fish pots began in June and continued into October. Most stations produced at least a partial sample, but we were unable to collect fish at three stations (B-2, E-2, and E-3). (Figure 4 and Collection Form 3).

Channeled whelk (*Busycon canaliculatum)* and knobbed whelk *(Busycon carica)*
We collected channeled and knobbed whelk (conch) from all ten stations in Areas 2 and 3 from June through October using baited conch pots (Figure 5 and Collection Form 1).

Quahog (*Mercenaria mercenaria*)
Marine Fisheries collected pre-spawn quahog samples from all stations in Areas 1, 2, and 3 by rake and diver (Figure 6 and Collection Form 2). As requested, we also collected bottom water samples from twelve stations (Collection Form 2). Additional water samples were collected in the following three locations – 1) Just north of the Coggeshall St. Bridge; 2) Approximately half-way between the Coggeshall St bridge and the Wood St bridge; and 3) Near the former AVX facility. Exact lat/long coordinates could not be obtained during sampling.

Scup (*Stenotomus chrysops)*
Sampling for scup took place from May through August using fish pots in Areas 2 and 3. Fish were collected from all stations, although only 2 could be obtained at Station B-3. (Figure 7 and Collection Form 6).

Tautog (*Tautoga onita*)
Sampling for tautog was conducted from May through September using fish pots in Areas 2 and 3. No tautog could be collected from Station E-3. (Figure 8 and Collection Form 7).

Planning for 2025 Field Collections

As per the Study Plan, pre-spawn quahogs will be collected from Areas 1, 2, and 3, and whelk will be collected from Areas 2 and 3 in 2025.

ATTACHMENT 1
DMF HARVEST SITE MAPS

Figure 1 - PCB Sample Areas I, II, & III
Figure 2 - Alewife, Area I
Figure 3 - American lobster, Areas II & III
Figure 4 - Black sea bass, Areas II & III
Figure 5 - Channeled and knobbed whelk, Areas II & III
Figure 6 – Quahogs and Water, Areas I, II & III
Figure 7 - Scup, Areas II & III
Figure 8 - Tautog, Areas II & III



Figure 1. PCB Sample Areas I, II, & III



Figure 2. Alewife, Area I



Figure 3. American lobster, Areas II & III



Figure 4. Black sea bass, Areas II & III



Figure 5. Whelk (Conch), Areas II & III



Figure 6. Pre-spawn Quahogs and Water, Areas I, II, & III



Figure 7. Scup, Areas II & III



Figure 8. Tautog, Areas II & III

ATTACHMENT 2
DMF FIELD COLLECTION SHEETS

Field Collection Form 1 - Alewife
Field Collection Form 2 - American lobster
Field Collection Form 3 - Black sea bass
Field Collection Form 4 - Channeled and knobbed whelk
Field Collection Form 5 – Quahogs and Water
Field Collection Form 6 - Scup
Field Collection Form 7 - Tautog

Field Data Form 1 – Length and weight data by species

FIELD COLLECTION FORM 1: DIVISION MARINE FISHERIES, NEW BEDFORD OFFICE, 836 S. RODNEY FRENCH BLVD, NEW BEDFORD, MA 02744

PROJECT #: NBH24 REQUESTED BY/AGENCY: Paul Craffey / Dept. Environmental Protection ANALYSIS REQUESTED:

COLLECTOR: MDMF Vin Malkoski SHIPPER: MDMF Vin Malkoski SAMPLE CONDITION: FRESH ___ FROZEN X

COLLECTION DATE DDMMYY	COLLECTION/TAG #	SPECIES & # IN SAMPLE	STATION I.D.	LOCATION	LAT/LONG DEG. MIN.	COLLECTION METHOD	RESERVED FOR OFFICE USE
4/17/2024	NBH24-FF-C-1	5 Alewife	NBR	NBH Area 1	041° 43.724′ 070° 53.915′	Net	

FIELD COLLECTION FORM 2: DIVISION MARINE FISHERIES, NEW BEDFORD OFFICE 836 S. RODNEY FRENCH BLVD, NEW BEDFORD, MA 02744
PROJECT #: NBH24 REQUESTED BY/AGENCY: Paul Craffey / Dept. Environmental Protection ANALYSIS REQUESTED:

COLLECTOR: MDMF Vin Malkoski SHIPPER: MDMF Vin Malkoski SAMPLE CONDITION: FRESH ____ FROZEN X

COLLECTION DATE DDMMYY	COLLECTION/TAG #	SPECIES & # IN SAMPLE	STATION I.D.	LOCATION	LAT/LONG DEG. MIN.	COLLECTION METHOD	RESERVED FOR OFFICE USE
6/17/2024	NBH24-L-A-2	1 American lobster	SMAST Pier	NBH Area 2	041° 35.556′ 070° 54.669′	Lobster Pots	
6/17/2024	NBH24-L-B-2	1 American lobster	Sconticut Neck	NBH Area 2	041° 35.938′ 070° 52.043′	Lobster Pots	
6/20/2024	NBH24-L-C-2	1 American lobster	Ricketsons Point	NBH Area 2	041° 34.785′ 070° 55.936′	Lobster Pots	
6/17/2024	NBH24-L-D-2	1 American lobster	E Fort Rodman	NBH Area 2	041° 35.767′ 070° 53.922′	Lobster Pots	
7/1/2024; 7/17/2024	NBH24-L-A-3	3 American lobster	Angelica Rock	NBH Area 3	041° 34.600′ 070° 51.566′	Lobster Pots	
7/8/2024; 7/19/2024	NBH24-L-B-3	5 American lobster	Great Ledge	NBH Area 3	041° 31.591′ 070° 56.110′	Lobster Pots	
6/5/2024	NBH24-L-D-3	2 American lobster	Sand Spit R″4″	NBH Area 3	041° 31.861′ 070° 54.799′	Lobster Pots	
7/29/2024	NBH24-L-E-3	4 American lobster	Lone Rock	NBH Area 3	041° 33.635′ 070° 54.926′	Lobster Pots	

FIELD COLLECTION FORM 3: DIVISION MARINE FISHERIES, NEW BEDFORD OFFICE, 836 S. RODNEY FRENCH BLVD, NEW BEDFORD, MA 02744
PROJECT #: NBH24 REQUESTED BY/AGENCY: Paul Craffey / Dept. Environmental Protection ANALYSIS REQUESTED:

COLLECTOR: MDMF Vin Malkoski SHIPPER: MDMF Vin Malkoski SAMPLE CONDITION: FRESH ___ FROZEN X

COLLECTION DATE DDMMYY	COLLECTION/TAG #	SPECIES & # IN SAMPLE	STATION I.D.	LOCATION	LAT/LONG DEG. MIN.	COLLECTION METHOD	RESERVED FOR OFFICE USE
6/20/2024	NBH24-FF-A-2	4 Black sea bass	SMAST Pier	NBH Area 2	041° 35.556′ 070° 54.669′	Fish Pots	
6/20/2024; 7/1/2024	NBH24-FF-C-2	2 Black sea bass	W of Opening	NBH Area 2	041° 37.380′ 070° 54.430′	Fish Pots	
6/17/2024	NBH24-FF-D-2	4 Black sea bass	Lighthouse	NBH Area 2	041° 36.242′ 070° 53.683′	Fish Pots	
6/25/2024	NBH24-FF-A-3	4 Black sea bass	Great Ledge	NBH Area 3	041° 31.591′ 070° 56.110′′	Fish Pots	
7/1/2024	NBH24-FF-B-3	4 Black sea bass	Negro Ledge	NBH Area 3	041° 32.922′ 070° 52.023′	Fish Pots	
6/7/2024	NBH24-FF-C-3	5 Black sea bass	North Ledge	NBH Area 3	041° 34.341′ 070° 53.234′	Fish Pots	
6/9/2024	NBH24-FF-D-3	5 Black sea bass	Radome	NBH Area 3	041° 32.281′ 070° 55.292′	Fish Pots	

FIELD COLLECTION FORM 4: DIVISION MARINE FISHERIES, NEW BEDFORD OFFICE, 836 SOUTH RODNEY FRENCH BLVD, NEW BEDFORD, MA 02744

PROJECT #: NBH24 REQUESTED BY/AGENCY: Paul Craffey / Dept. Environmental Protection ANALYSIS REQUESTED:

COLLECTOR: MDMF Vin Malkoski SHIPPER: MDMF Vin Malkoski SAMPLE CONDITION: FRESH____ FROZEN__X__

COLLECTION DATE DDMMYY	COLLECTION #	SPECIES & # IN SAMPLE	STATION I.D.	LOCATION	LAT/LONG DEG. MIN.	COLLECTION METHOD	RESERVED FOR OFFICE USE
7/1/2024; 7/3/2024	NBH24-SF-A-2	12 Whelk	SMAST Pier	NBH Area 2	041° 35.556′ 070° 54.669′	Pots	
6/20/2024; 6/25/2024	NBH24-SF-B-2	12 Whelk	E of Fort Rodman	NBH Area 2	041° 35.596′ 070° 53.922′	Pots	
10/28/2024	NBH24 SF-C-2	13 Whelk	W of Opening	NBH Area 2	041° 37.380′ 070° 54.430′	Pots	
10/23/2024	NBH24-SF-D-2	12 Whelk	Lighthouse	NBH Area 2	041° 36.242′ 070° 53.683′	Pots	
6/25/2024; 10/24/2024	NBH24-SF-E-2	12 Whelk	Egg Island	NBH Area 2	041° 36.523′ 070° 53.258′	Pots	
7/14/2024; 10/28/2024	NBH24-SF-A-3	12 Whelk	Great Ledge	NBH Area 3	041° 31.591′ 070° 56.110′	Pots	
7/8/2024; 10/24/2024	NBH24-SF-B-3	12 Whelk	Negro Ledge	NBH Area 3	041° 32.922′ 070° 52.023′	Pots	
10/24/2024	NBH24-SF-C-3	12 Whelk	North Ledge	NBH Area 3	041° 34.341′ 070° 53.234′	Pots	
10/24/2024	NBH24-SF-D-3	12 Whelk	Radome	NBH Area 3	041° 32.281′ 070° 55.292′	Pots	
7/19/2024; 10/23/2024	NBH24-SF-E-3	12 Whelk	Angelica Rock	NBH Area 3	041° 34.711′ 070° 51.498′	Pots	

FIELD COLLECTION FORM 5: DIVISION MARINE FISHERIES, NEW BEDFORD OFFICE, 836 SOUTH RODNEY FRENCH BLVD, NEW BEDFORD, MA 02744

PROJECT #: NBH24 REQUESTED BY/AGENCY: Paul Craffey / Dept. Environmental Protection ANALYSIS REQUESTED:

COLLECTOR: MDMF Vin Malkoski SHIPPER: MDMF Vin Malkoski SAMPLE CONDITION: FRESH____ FROZEN__X__

COLLECTION DATE DDMMYY	COLLECTION #	SPECIES & # IN SAMPLE	STATION I.D.	LOCATION	LAT/LONG DEG. MIN.	COLLECTION METHOD	RESERVED FOR OFFICE USE
5/9/2024	NBH24-SF-A-1	13 Quahogs (Prespawn)	West of Barrier Opening	NBH Area 1	041° 37.275′ 070° 54.754′	Rake	
5/9/2024	NBH24-SF-B-1	13 Quahogs (Prespawn) & Water sample	Palmer Island	NBH Area 1	041° 37.505′ 070° 54.690′	Rake	
5/22/2024	NBH24-SF-C-1	13 Quahogs (Prespawn) & Water sample	Crow Island	NBH Area 1	041° 38.251′ 070° 54.710′	Rake	
5/22/2024	NBH24-SF-D-1	13 Quahogs (Prespawn) & Water sample	North of Gifford's Marina	NBH Area 1	041° 38.783′ 070° 54.773′	Rake	
5/22/2024	NBH24-SF-E-1	13 Quahogs (Prespawn) & Water sample	Tin Can Island	NBH Area 1	041° 39.092′ 070° 55.122′	Rake	
5/22/2024	NBH24-W-1	Water samples	North of Coggeshall St Bridge	NBH Area 1		Hand	
5/22/2024	NBH24-W-2	Water samples	Between Coggeshall and Wood Street Bridges	NBH Area 1		Hand	
5/22/2024	NBH23-W-3	Water samples	Vicinity of AVX facility	NBH Area 1		Hand	
5/7/2024	NBH24-SF-B-2	13 Quahogs (Prespawn) & Water sample	Rogers Street	NBH Area 2	041° 36.500′ 070° 55.820′	Dive	
5/7/2024	NBH24-SF-C-2	13 Quahogs (Prespawn) & Water sample	S of Fredrick St Ramp	NBH Area 2	041° 36.650′ 070° 54.345′	Dive	
5/7/2024	NBH24-SF-D-2	12 Quahogs (Prespawn)	Egg Island	NBH Area 2	041° 36.422′ 070° 53.290′	Dive	
5/9/2024	NBH24-SF-F-2	12 Quahogs (Prespawn) & Water sample	Priest's Cove	NBH Area 2	041° 37.700′ 070° 52.740′	Dive	
5/7/2024	NBH24-SF-G-2	12 Quahogs (Prespawn)	W Rodney Family Area	NBH Area 2	041° 36.205′ 070° 54.842′	Dive	
5/7/2024	NBH24-SF-H-2	13 Quahogs (Prespawn) & Water sample	E Rodney Family Area	NBH Area 2	041° 35.790′ 070° 54.108′	Dive	
5/24/2024	NBH24-SF-B-3	13 Quahogs (Prespawn) & Water sample	Star of the Sea	NBH Area 3	041° 35.410′ 070° 57.524′	Rake	
5/9/2024	NBH24-SF-D-3	13 Quahogs (Prespawn) & Water sample	Nakata Beach	NBH Area 3	041° 35.102′ 070° 51.192′	Dive	

5/23/2024	NBH24-SF-I-3	13 Quahogs (Prespawn) & Water sample	Nonquit	NBH Area 3	041° 33.415′ 070° 56.128′	Dive	
5/23/2024	NBH24-SF-J-3	13 Quahogs (Prespawn) & Water sample	Salters Point	NBH Area 3	041° 32.09′ 070 56.56′	Dive	

FIELD COLLECTION FORM 6: DIVISION MARINE FISHERIES, NEW BEDFORD OFFICE, 836 S. RODNEY FRENCH BLVD, NEW BEDFORD, MA 02744
PROJECT #: NBH24 REQUESTED BY/AGENCY: Paul Craffey / Dept. Environmental Protection ANALYSIS REQUESTED:

COLLECTOR: MDMF Vin Malkoski SHIPPER: MDMF Vin Malkoski SAMPLE CONDITION: FRESH___ FROZEN X

COLLECTION DATE DDMMYY	COLLECTION/TAG #	SPECIES & # IN SAMPLE	STATION I.D.	LOCATION	LAT/LONG DEG. MIN.	COLLECTION METHOD	RESERVED FOR OFFICE USE
5/21/2024; 6/4/2024	NBH24-FF-A-2	5 Scup	SMAST Pier	NBH Area 2	041° 35.556′ 070° 54.669′	Fish Pots	
5/21/2024	NBH24-FF-B-2	6 Scup	E of Fort Rodman	NBH Area 2	041° 35.596′ 070° 53.922′	Fish Pots	
6/7/2024	NBH24-FF-C-2	4 Scup	West of Opening	NBH Area 2	041° 35.380′ 070° 54.430′	Fish Pots	
6/7/2024; 6/9/2024	NBH24-FF-D-2	5 Scup	Lighthouse	NBH Area 2	041° 36.242′ 070° 53.683′	Fish Pots	
5/7/2024	NBH24-FF-E-2	5 Scup	Egg Island	NBH Area 2	041° 36.523′ 070° 53.258 ′	Fish Pots	
6/20/2010	NBH24-FF-A-3	5 Scup	Great Ledge	NBH Area 3	041° 31.591′ 070° 56.110′	Fish Pots	
8/2/2024	NBH24-FF-B-3	2 Scup	Negro Ledge	NBH Area 3	041° 32.922′ 070° 52.023′	Fish Pots	
6/7/2024	NBH24-FF-C-3	5 Scup	North Ledge	NBH Area 3	041° 34.341′ 070° 53.234′	Fish Pots	
6/9/2024; 7/14/2024	NBH24-FF-D-3	6 Scup	Radome	NBH Area 3	041° 32.281′ 070° 55.292′	Fish Pots	
7/19/2024; 8/2/2024	NBH24-FF-E-3	6 Scup	Packet Rock	NBH Area 3	041° 34.711′ 070° 51.498′	Fish Pots	

FIELD COLLECTION FORM 7: DIVISION MARINE FISHERIES, NEW BEDFORD OFFICE, 836 S. RODNEY FRENCH BLVD, NEW BEDFORD, MA 02744
PROJECT #: NBH24 REQUESTED BY/AGENCY: Paul Craffey / Dept. Environmental Protection ANALYSIS REQUESTED:

COLLECTOR: MDMF Vin Malkoski SHIPPER: MDMF Vin Malkoski SAMPLE CONDITION: FRESH___ FROZEN X

COLLECTION DATE DDMMYY	COLLECTION/TAG #	SPECIES & # IN SAMPLE	STATION I.D.	LOCATION	LAT/LONG DEG. MIN.	COLLECTION METHOD	RESERVED FOR OFFICE USE
5/21/2024	NBH24-FF-A-2	5 Tautog	SMAST Pier	NBH Area 2	041° 35.556′ 070° 54.669′	Fish Pots	
5/21/2024	NBH24-FF-B-2	5 Tautog	E of Fort Rodman	NBH Area 2	041° 35.596′ 070° 53.922′	Fish Pots	
5/10/2024	NBH24-FF-C-2	5 Tautog	W of Opening	NBH Area 2	041° 37.380′ 070° 54.430′	Fish Pots	
8/1/2024; 5/7/2024	NBH24-FF-D-2	5 Tautog	Lighthouse	NBH Area 2	041° 36.242′ 070° 53.683′	Fish Pots	
5/1/2024; 5/7/2024	NBH24-FF-E-2	6 Tautog	Egg Island Rocks	NBH Area 2	041° 36.523′ 070° 53.258′	Fish Pots	
6/25/2024	NBH24-FF-A-3	5 Tautog	Great Ledge	NBH Area 3	041° 31.591′ 070° 56.110′′	Fish Pots	
7/1/2024; 7/8/2024	NBH24-FF-B-3	5 Tautog	Negro Ledge	NBH Area 3	041° 32.922′ 070° 52.023′	Fish Pots	
6/7/2024	NBH24-FF-C-3	4 Tautog	North Ledge	NBH Area 3	041° 34.341′ 070° 53.234′	Fish Pots	
6/9/2024; 6/17/2024	NBH24-FF-D-3	4 Tautog	Radome	NBH Area 3	041° 32.281′ 070° 55.292′	Fish Pots	

Field Data Form 1 – Fish Length & Weight Data by Species

New Bedford Harbor PCB Sampling Stations			
	DEP Sample Number	**DEP Sample Location**	**Comments**
Alewife			
Area 1			
Station C	NBH24-FF-C-1	New Bedford Reservoir	Frozen before measurements could be taken
Black Sea Bass			
Area 2			
Station A	NBH24-FF-A-2	SMAST Pier	Missing
Station C	NBH24-FF-C-2	West of Opening	missing; 359 mm, 0.6 kg;
Station D	NBH24-FF-D-2	Lighthouse	Missing
Area 3			
Station A	NBH24-FF-A-3	Great Ledge	380 mm, 0.6 kg; 335 mm, 0.6 kg; 375 mm, 0.7 kg; 379 mm, 0.7 kg
Station B	NBH24-FF-B-3	Negro Ledge	400 mm, 0.8 kg; 373 mm, 0.6 kg; 315 mm, 0.4 kg; 354 mm, 0.6 kg
Station C	NBH24-FF-C-3	North Ledge	415 mm, 0.9 kg; 390 mm, 0.8 kg; 415 mm, 1.0 kg; 401 mm, 1.0 kg; 380 mm, 0.8 kg
Station D	NBH24-FF-D-3	Radome	375 mm, 0.6 kg; 395 mm, 0.8 kg; 435 mm, 1.2 kg; 359 mm, 0.6 kg; 371 mm, 0.4 kg
Scup			
Area 2			
Station A	NBH24-FF-A-2	SMAST Pier	250 mm, 0.4 kg; 254 mm, 0.4 kg; 258 mm, 0.4 kg; 235 mm, 0.3 kg; 310 mm, 0.6 kg
Station B	NBH24-FF-B-2	East of Fort Rodman (Old Bart)	241 mm, 0.4 kg; 251 mm, 0.4 kg; 248 mm, 0.4 kg; 251 mm, 0.4 kg; 235 mm, 0.4 kg; 231 mm, 0.4 kg
Station C	NBH24-FF-C-2	West of Opening	217 mm, 03 kg; 210 mm, 03 kg; 225 mm, 0.3 kg; 190 mm, 0.2 kg
Station D	NBH24-FF-D-2	Butler Flat Lighthouse	252 mm, 04 kg; 250 mm, 03 kg; 193 mm, 0.2 kg; 229 mm, 0.3 kg; 285 mm, 0.5 kg
Station E	NBH24-FF-E-2	Egg Island	291 mm, 0.5 kg; 215 mm, 0.2 kg; 241 mm, 0.3 kg; 237 mm, 0.3 kg; 245 mm, 0.3 kg
Area 3			
Station A	NBH24-FF-A-3	Great Ledge	missing
Station B	NBH24-FF-B-3	Negro Ledge	252 mm, 0.3 kg; 161 mm, 0.2 kg
Station C	NBH24-FF-C-3	North Ledge	211 mm, 0.6 kg; 322 mm, 0.7 kg; 273 mm, 0.5 kg; 272 mm, 0.5 kg; 262 mm, 0.5 kg
Station D	NBH24-FF-D-3	Radome	259 mm, 0.4 kg; 221 mm, 0.3 kg; 254 mm, 0.4 kg; 221 mm, 0.3 kg; 225 mm, 0.3 kg; 199 mm, 0.2 kg
Station E	NBH24-FF-E-3	Packet Rock	219 mm, 0.3 kg; 171 mm, 0.2 kg; 161 mm, 0.2 kg; 185 mm, 0.2 kg; 192 mm, 0.2 kg; 196 mm, 0.2kg
Tautog			
Area 2			
Station A	NBH24-FF-A-2	SMAST Pier	395 mm, 1.2 kg; 450 mm, .7 kg; 448 mm, 1.5 kg; 378 mm, 1.0 kg; 401 mm, 1.1 kg
Station B	NBH24-FF-B-2	East of Fort Rodman (Old Bart)	362 mm, 0.9 kg; 430 mm, 1.3 kg; 440 mm, 1.3 kg; 325 mm, 0.6 kg; 350 mm, 0.8 kg
Station C	NBH24-FF-C-2	West of Opening	364 mm, 09 kg; 395 mm, 1.3 kg; 365, 1.0 kg; 353 mm, 08. kg; 377, 1.1 lg
Station D	NBH24-FF-D-2	Butler Flat Lighthouse	434 mm, 1.5 kg; 472 mm, 2 kg; 314 mm, 0.7 kg; 395 mm, 1.1 kg; 338 mm, 0.9 kg
Station E	NBH24-FF-E-2	Egg Island	431 mm, 1.5 kg; 420 mm, 1.6 kg; 441 mm, 1.8 kg; 336 mm, 0.8 kg; 282 mm, 0.4 kg; 310 mm, 0.5 kg
Area 3			
Station A	NBH24-FF-A-3	Great Ledge	328 mm, 0.8 kg; 329 mm. 0.8 kg; 304 mm, 0.7 kg; 351 mm, 0.8 kg; 345 mm, 0.8 kg
Station B	NBH24-FF-B-3	Negro Ledge	299 mm, 0.6 kg; 285 m, 0.5 kg; 425 mm, 1.4 kg; 328 mm, 0.6 kg; 329 mm, 0.7 kg
Station C	NBH24-FF-C-3	North Ledge	375 mm, 1.0 kg; 352 mm, 1.0 kg; 362 mm, 1.0 kg; 315 mm, 0.6 kg
Station D	NBH24-FF-D-3	Radome	425 mm, 1.4 kg; missing

Appendix D

2024 Field Sample Report New Bedford Harbor Superfund Site
February 21, 2025

Massachusetts Department of Environmental Protection

2024 FIELD SAMPLE REPORT

NEW BEDFORD HARBOR SUPERFUND SITE

March 2025

2024 FIELD SAMPLE REPORT

NEW BEDFORD HARBOR SUPERFUND SITE

MASSACHUSETTS DEPARTMENT OF ENVIRONMENT PROTECTION

FIELD REPORT

PROJECT NO.: US-EI-3616236242
DATE: FEBRUARY 21, 2025

WSP USA ASSOCIATES MASSACHUSETTS, INC.
271 MILL ROAD, 3RD FLOOR
CHELMSFORD, MASSACHUSETTS

WSP.COM

TABLE OF CONTENTS

1.0 INTRODUCTION **1**

2.0 SAMPLING METHODOLOGY **1**

2.1 SAMPLE COLLECTION AND PROCESSING 1

2.1.1 STRIPED BASS *1*

2.1.2 BLUEFISH *1*

2.1.3 BLUE CRAB 2.1

2.2 SAMPLING STATIONS 1

2.3 DEVIATIONS 2

3.0 SAMPLING EFFORT **1**

4.0 CONCLUSIONS **1**

LIST OF FIGURES

Figure 1 Areas I, II, and III Sampling Locations

LIST OF TABLES

Table 1 MassDEP Seafood Sampling 2024
Table 2 Target Areas and Actual Sample Location Coordinates

APPENDICES

Appendix A Field Data Forms
Appendix B Sample Photographs
Appendix C Chain of Custody

LIST OF ACRONYMS AND ABBREVIATIONS

MassDEP	Massachusetts Department of Environmental Protection
PCB	polychlorinated biphenyl
Wood	Wood Massachusetts, Inc.
WSP	WSP USA Associates Massachusetts, Inc.

1.0 INTRODUCTION

WSP USA Associates Massachusetts, Inc., (WSP), formerly Wood Massachusetts, Inc., (Wood) under contract with the Massachusetts Department of Environmental Protection (MassDEP) conducted 2024 striped bass, bluefish, and blue crab sampling as a part of the monitoring program at the New Bedford Harbor Superfund Site. The purpose of the fish sampling is to track spatial and temporal changes in the tissue polychlorinated biphenyl (PCB) levels and evaluate the effectiveness of the harbor cleanup over the long term. Proposed sampling locations included Fish Closure Area I, Area II, and Area III.

The objective of the 2024 field sampling was to collect legally harvestable striped bass, bluefish, and blue crab in support of the tissue PCB monitoring effort. Target species for the 2024 sampling event were striped bass (*Morone saxatalis*), bluefish (*Promatomus saltatrix*) and blue crab (*Callinectes sapidus*). Five individual striped bass samples and five composite bluefish samples (up to five fish per location) were proposed from each Fishing Closure Areas I, II, and III. Four composite blue crab samples (up to three crabs per location) were proposed from four different locations within Fishing Closure Area I. Target sampling locations, sample collection methods, and laboratory analyses are summarized in **Table 1**.

This report describing field sampling activities conducted during June and August 2024:

- Description of sampling methodology (**Section 2**);
- Chronology of sampling efforts (**Section 3**); and
- Conclusions and recommendations (**Section 4**)

2.0 SAMPLING METHODOLOGY

Field collections were performed by Mr. Michael Ladny of WSP. The vessel-based sampling was done aboard the fishing vessel *Islander* with Captain Mike Massa and crew. The Islander is a 35' Duffy & Duffy Downeast sport fishing boat used for fin fish charters, commercial lobstering, and scientific sampling.

The following section describes the methods used to collect fish samples, sample handling procedures, and any deviations from the original work plan. The target species for this sampling event included striped bass, bluefish, and blue crab.

2.1 SAMPLE COLLECTION AND PROCESSING

2.1.1 STRIPED BASS

The methods employed to collect striped bass included trolling with a variety of lures, some baited with sand worms, and by chumming with menhaden chunks while fishing with live menhaden as bait. When using baited lures there were no instances where the bait was consumed by the caught fish. Fish greater than or equal to 28 inches and smaller than 35 inches were retained. The work plan stated that if enough fish were collected between 28 inches and 31 inches in length, that extras greater than 31 inches in length would be returned to the water if viable; however, no extra fish were collected. When striped bass were caught, the samples were labeled, measured, photographed, and placed in a cooler on ice. Weights were provided by Pace Laboratory (formerly Alpha Analytical). Samples were kept on ice and transported to the laboratory within 24 hours of collection. Due to the poor accuracy of the scale on the boat, the samples were weighed again the laboratory.

2.1.2 BLUEFISH

The methods employed to collect blue fish included casting artificial lures, trolling with a variety of lures, some baited with sand worms, and by chumming with menhaden chunks while fishing with live menhaden as bait. Most of the bluefish was caught using artificial lures. There is no size limit on bluefish. Hooked bluefish were brought on board, labeled, measured, photographed, and placed in a cooler on ice. Weights were provided by Pace Laboratory (formerly Alpha Analytical). As with the striped bass none of the bait used to catch bluefish was consumed by the caught fish. Samples were kept on ice and transported to the laboratory within 24 hours of collection.

2.1.3 BLUE CRAB

The method employed to collect blue crab were deploying crab pots. Four crab pots were placed in four general areas within Closure Area I (A1, B1, C1 and D1). Frozen chicken was used as bait for the blue crab pots. Blue crabs that were caught in the pots were brought on board, labeled, measured, photographed, and placed in a cooler on ice. Weights were provided by Pace Analytical Laboratory (formerly Alpha Analytical). Samples were kept on ice and transported to the laboratory within 24 hours of collection.

2.2 SAMPLING STATIONS

Target sampling areas were selected by the MassDEP. As shown in **Table 1**, striped bass and bluefish were targeted in Fishing Closure Areas I, II, and III. Blue crabs were targeted in four locations in Fishing Closure Area I only. These areas were fished with varied success. Actual sample location coordinates are shown in **Table 2** and sample locations are shown on **Figure 1**.

2.3 DEVIATIONS

There were no deviations from the work plan regarding sample collection techniques or handling. Samples were transferred to the laboratory on ice within 24 hours of sample collection.

3.0 SAMPLING EFFORT

Striped bass and bluefish were caught during this sampling event on hook and line using lures, chunk bait, and live bait. Blue Crab were caught with crab pots. The eight-day sampling level of effort was conducted in three events. Fishing was conducted on June 10th, 11th and 12th; June 26th and 27th; and August 27th, 28th, and 29th. This was done to increase the likelihood of catching the proposed number of samples and species. Lures that were trolled included, umbrella rigs, parachute jigs and plastic "tubes" baited with live sand worms. Other methods employed included casting surface and swimming lures and using chunk and live bait, which required anchoring the boat and chumming with chunks of menhaden and setting out lines with baited hooks. The casting of surface and swimming plugs was done in conjunction with bait fishing.

Four individual striped bass were collected in Area I, two striped bass were collected in Area II, and five striped bass were collected in Area III for a total of 11 stiped bass. Five individual bluefish were caught in each of Areas I, II, and III for a total of 15 bluefish. Due to the large amount of bait fish in the three closure areas, finding and hooking larger blue fish was challenging. Only smaller bluefish were able to be caught for the sampling. In addition, attempts were made to collect multiple blue fish per location, but were not successful; therefore, blue fish samples were individual fish per location and not composite.

Three blue crabs were caught at each of the four locations in Area 1, for a total of 12 crabs and four composite samples.

Striped bass, bluefish, and blue crab sampling dates, identifications, locations, sizes, and weights are included in **Table 2**.

4.0 CONCLUSIONS

No logistical or technical problems occurred during the sampling events. A total of five days were spent fishing in Area I, Area II, and Area III in June. An additional three days of fishing was conducted in August to collect bluefish and blue crab, as none were caught during the five days of prior sampling. Four striped bass were collected from Areas I, two from Area II, and five from Area III. Five bluefish were collected from each of Areas I, II and III during the last 3-day trip in August, for a total of 15 bluefish. During the initial five days of sampling bluefish appeared to be more dispersed, due to the amount of bait fish in the areas. As in 2023, all four striped bass from Area I were collected in a matter of minutes from one location. Bunker that was getting fed upon by a school of large striped bass were caught by snagging using a weighted treble hook and then used as bait to catch the striped bass.

FIGURES



Sampling location coordinate is longitude, latitude with units of degrees, minutes, seconds.
NOAA Raster Navigational Chart # 13232 for New Bedford Harbor and Approaches obtained from Office of Coast Survey at: http://www.nauticalcharts.noaa.gov/mcd/Raster

0 3,500 7,000 Feet

N

Prepared/Date: REB 2/12/25
Checked/Date: CHL 12/22/23

Mass DEP
New Bedford Harbor Monitoring
New Bedford, Massachusetts

Arae I, Area II and Area III
Sampling Locations
Project 3626236242 Figure 1

Document: \\corp.pbwan.net\GLB-E&I\US\SPW\M100-PLD2\Project\Projects\New Bedford Harbor Superfund Site\SARSS VG\GIS\MapDocuments\2024_Locations_8x11P
PDF: \\corp.pbwan.net\GLB-E&I\US\SPW\M100-PLD2\Project\Projects\New Bedford Harbor Superfund Site\SARSS VG\GIS\Figures\Figure 1- 2024.pdf 2/12/2025 2:30 PM rory.barnett

TABLES

Table 1: MassDEP Seafood Sampling 2024: Target Species, Sampling Locations and Number of Samples

Species	Collection Month	Collection Area	Collection Method	Sample Limits	Total Number of Samples Proposed	Total Number of Samples Obtained	Analysis	Media
Striped Bass	June	NBH Areas I, II, III	Hook and Line	28 inches to 35 inches in length. Fish larger than 31 inches will be returned to the water if viable.	15	11	PCB Congeners, Aroclors, Lipids	Fillet skin off and stomach content (separate analyses)
Bluefish	August	NBH Areas I, II, III	Hook and Line	No size limit	15	15	PCB Congeners, Aroclors, Lipids	Fillet skin on (one split with skin off). No composites
Blue Crab	August	NBH Areas I	Crab Pot	Carapace width larger than 5-inches	4	4	PCB Congeners, Aroclors, Lipids	3 crab combosited at each location

Prepared By: MAL 9/21/2024

Checked By: CRS 9/26/2024

Table 2: Target Areas and Actual Sample Location Coordinates

Species	Target Area	Sample IDs	Collection Date	Collection Time	Sample Locations		Length	Weight
					Latitude	Longitude	(inches)	(pounds)
Striped Bass	NBH Area I	AI-A-SB	6/10/2024	12:00	41° 37' 37"	-70° 54' 53"	29	8
	NBH Area I	AI-B-SB	6/10/2024	12:10	41° 37' 37"	-70° 54' 53"	29.25	9
	NBH Area I	AI-C-SB	6/10/2024	12:20	41° 37' 37"	-70° 54' 53"	31	9
	NBH Area I	AI-D-SB	6/10/2024	14:20	41° 37' 37"	-70° 54' 53"	31	9.5
	NBH Area I	AI-E-SB	NC	NC	NC	NC	NC	NC
Striped Bass	NBH Area II	AII-A-SB	6/12/2024	10:15	41° 36' 18"	-70° 54' 04"	28.5	7
	NBH Area II	AII-B-SB	6/26/2024	15:00	41° 34' 17"	-70° 55' 24"	31	11
	NBH Area II	AII-C-SB	NC	NC	NC	NC	NC	NC
	NBH Area II	AII-D-SB	NC	NC	NC	NC	NC	NC
	NBH Area II	AII-E-SB	NC	NC	NC	NC	NC	NC
Striped Bass	NBH Area III	AIII-A-SB	6/11/2024	9:30	41° 32' 32"	-70° 54' 23"	30.5	8.5
	NBH Area III	AIII-B-SB	6/11/2024	10:30	41° 35' 27"	-70° 55' 12"	31	10
	NBH Area III	AIII-C-SB	6/11/2024	11:40	41° 32' 34"	-70° 55' 33"	31	9.5
	NBH Area III	AIII-D-SB	6/11/2024	11:20	41° 32' 31"	-70° 55' 13"	28	6
	NBH Area III	AIII-E-SB	6/27/2024	9:10	41° 32' 30"	-70° 55' 09"	31	10
Blue Fish	NBH Area I	AI-A-BF	8/27/2024	16:10	41° 39' 07"	-70° 55' 07"	9	0.30
	NBH Area I	AI-B-BF	8/28/2024	8:10	41° 39' 02"	-70° 55' 05"	8	0.20
	NBH Area I	AI-C-BF	8/28/2024	8:15	41° 39' 02"	-70° 55' 05"	8.75	0.26
	NBH Area I	AI-D-BF	8/28/2024	8:20	41° 39' 02"	-70° 55' 05"	8.5	0.25
	NBH Area I	AI-E-BF	8/28/2024	8:30	41° 39' 02"	-70° 55' 05"	8.125	0.26
Blue Fish	NBH Area II	AII-A-BF	8/28/2024	14:45	41° 36' 50"	-70° 54' 16"	8.5	0.19
	NBH Area II	AII-B-BF	8/28/2024	14:55	41° 36' 50"	-70° 54' 16"	8.125	0.18
	NBH Area II	AII-C-BF	8/28/2024	15:00	41° 36' 50"	-70° 54' 16"	8.75	0.25
	NBH Area II	AII-D-BF	8/29/2024	9:40	41° 36' 44"	-70° 54' 01"	9.25	0.29
	NBH Area II	AII-E-BF	8/29/2024	10:00	41° 36' 44"	-70° 54' 01"	10	0.35
Blue Fish	NBH Area III	AIII-A-BF	8/28/2024	14:00	41° 35' 07"	-70° 56' 51"	8.5	0.22
	NBH Area III	AIII-B-BF	8/28/2024	14:15	41° 35' 07"	-70° 56' 51"	9.5	0.30
	NBH Area III	AIII-C-BF	8/28/2024	14:25	41° 35' 07"	-70° 56' 51"	9	0.24
	NBH Area III	AIII-D-BF	8/28/2024	14:30	41° 35' 07"	-70° 56' 51"	8.75	0.26
	NBH Area III	AIII-E-BF	8/28/2024	14:35	41° 35' 07"	-70° 56' 51"	8.75	0.25
Blue Crab	NBH Area I	A1-1-BC	8/27/2024	10:00	41° 39' 41"	-70° 55' 11"	6	0.50
	NBH Area I	A1-2-BC	8/27/2024	10:05	41° 39' 41"	-70° 55' 11"	5.75	0.39
	NBH Area I	A1-3-BC	8/27/2024	10:10	41° 39' 41"	-70° 55' 11"	6	0.42
	NBH Area I	B1-1-BC	8/27/2024	9:00	41° 39' 12"	-70° 54' 55"	6	0.30
	NBH Area I	B1-2-BC	8/29/2024	8:30	41° 39' 12"	-70° 54' 55"	5.5	0.44
	NBH Area I	B1-3-BC	8/29/2024	9:10	41° 39' 12"	-70° 54' 55"	5.5	0.37
	NBH Area I	C1-1-BC	8/27/2024	14:30	41° 38' 32"	-70° 54' 51"	5.25	0.36
	NBH Area I	C1-2-BC	8/28/2024	9:13	41° 38' 32"	-70° 54' 51"	5.5	0.40
	NBH Area I	C1-3-BC	8/28/2024	9:15	41° 38' 32"	-70° 54' 51"	6	0.41
	NBH Area I	D1-1-BC	8/27/2024	8:00	41° 38' 19"	-70° 55' 03"	5.25	0.30
	NBH Area I	D1-2-BC	8/27/2024	8:10	41° 38' 19"	-70° 55' 03"	5.5	0.24
	NBH Area I	D1-3-BC	8/28/2024	10:24	41° 38' 19"	-70° 55' 03"	6	0.57

Notes:
Data collected by sampler Michael Ladny, WSP
All weights for blue fish and blue crab came form Alpha Laboratory
NC = not caught

Prepared By: MAL 2/14/2024
Checked By: CRS 2/19/2024

APPENDIX A

FIELD DATA FORMS

FISH SAMPLE COLLECTION AND SAMPLE PREPARATION FORM
SEAFOOD MONITORING PROGRAM

NEW BEDFORD HARBOR
NEW BEDFORD, MASSACHUSETTS

Date: 6/10/2024 Time: 12:00

Climate: Partly Cloudy 72°

Field Personnel: Michael Lacky

Collection Method: (Hook/line) Other Species: (Striped bass)

Sample Area: (I) / II / III (circle one)

Latitude: 41° 37, 526 Longitude: 70° 54, 864 (deg/min/seconds)

Sample ID Number: A1 - A - SB

Photo ID Number(s): _____

SAMPLE SPECIMEN SUMMARY

Specimen Number	Species	*Fork length (in)	Whole mass (lbs)	Physical Observations/Anomalies
1	SB	29"	8 lbs	Some sea lice observed

SB = Striped Bass

Comments:

FISH SAMPLE COLLECTION AND SAMPLE PREPARATION FORM
SEAFOOD MONITORING PROGRAM

NEW BEDFORD HARBOR
NEW BEDFORD, MASSACHUSETTS

Date: 6/10/2024 Time: 12:10

Climate: Partly Cloudy 72°

Field Personnel: Michael Lucky

Collection Method: (Hook/line) Other Species: (Striped bass)

Sample Area: I / (II) / III (circle one)

Latitude: 41° 37. 526 Longitude: 70° 54.864 (deg/min/seconds)

Sample ID Number: A1 - B - SB

Photo ID Number(s): _____

SAMPLE SPECIMEN SUMMARY

Specimen Number	Species	*Fork length (in)	Whole mass (lbs)	Physical Observations/Anomalies
2	SB	29 1/4"	9 lbs	some sea lice observed

SB = Striped Bass

Comments:

FISH SAMPLE COLLECTION AND SAMPLE PREPARATION FORM
SEAFOOD MONITORING PROGRAM

NEW BEDFORD HARBOR
NEW BEDFORD, MASSACHUSETTS

Date: 6/10/2024 Time: 12:20

Climate: Partly Cloudy 72°

Field Personnel: Michael Ladny

Collection Method: (Hook/line) Other Species: (Striped bass)

Sample Area (I) / II / III (circle one)

Latitude: 41° 37.526 Longitude: 70° 54.864 (deg/min/seconds)

Sample ID Number: A1 - C - SB

Photo ID Number(s): _____

SAMPLE SPECIMEN SUMMARY

Specimen Number	Species	*Fork length (in)	Whole mass (lbs)	Physical Observations/Anomalies
3	SB	31"	9lbs	Some sea lice observed

SB = Striped Bass

Comments:

FISH SAMPLE COLLECTION AND SAMPLE PREPARATION FORM
SEAFOOD MONITORING PROGRAM

NEW BEDFORD HARBOR
NEW BEDFORD, MASSACHUSETTS

Date: 6/10/2024 Time: 14:20

Climate: Partly Cloudy

Field Personnel: _____

Collection Method: (Hook/line) Other Species: (Striped bass)

Sample Area: (I) / II / III (circle one)

Latitude: 41° 37. 526 Longitude: 70° 54, 864 (deg/min/seconds)

Sample ID Number: A1 - D - SB

Photo ID Number(s): _____

SAMPLE SPECIMEN SUMMARY

Specimen Number	Species	*Fork length (in)	Whole mass (lbs)	Physical Observations/Anomalies
4	SB	31"	9.5 lbs	some sea lice observed

SB = Striped Bass

Comments:

FISH SAMPLE COLLECTION AND SAMPLE PREPARATION FORM
SEAFOOD MONITORING PROGRAM

NEW BEDFORD HARBOR
NEW BEDFORD, MASSACHUSETTS

Date: 6/12/2024 Time: 10:15

Climate: Partly sunny 66°

Field Personnel: Michael Lachy

Collection Method: Hook/line Other Species: Striped bass

Sample Area: I / II / III (circle one)

Latitude: 41° 36. 188 Longitude: 70° 53. 646 (deg/min/seconds)

Sample ID Number: AII - A - S13

Photo ID Number(s): _____

SAMPLE SPECIMEN SUMMARY

Specimen Number	Species	*Fork length (in)	Whole mass (lbs)	Physical Observations/Anomalies
1	SB	28 ½"	7 lbs	lessions observed

SB = Striped Bass

Comments:

FISH SAMPLE COLLECTION AND SAMPLE PREPARATION FORM
SEAFOOD MONITORING PROGRAM

NEW BEDFORD HARBOR
NEW BEDFORD, MASSACHUSETTS

Date: 6/26/24 Time: 15:00

Climate: mostly cloudy, windy 80°

Field Personnel: M. Cuchy

Collection Method: Hook/line Other Species: Striped bass

Sample Area: I / II / III (circle one)

Latitude: 41° 34.175 Longitude: 70° 55.243 (deg/min/seconds)

Sample ID Number: A11-B.SB

Photo ID Number(s): _____

SAMPLE SPECIMEN SUMMARY

Specimen Number	Species	*Fork length (in)	Whole mass (lbs)	Physical Observations/Anomalies
2	SB	31	11	Sealice + lesion observed

SB = Striped Bass

Comments:

FISH SAMPLE COLLECTION AND SAMPLE PREPARATION FORM
SEAFOOD MONITORING PROGRAM

NEW BEDFORD HARBOR
NEW BEDFORD, MASSACHUSETTS

Date: 6/11/24 Time: 9:30

Climate: Sunny 62°

Field Personnel: Michael Lacky

Collection Method: Hook/line Other Species: Striped bass

Sample Area: I / II / III (circle one)

Latitude: 41° 32.320 Longitude: 70° 53.833 (deg/min/seconds)

Sample ID Number: A111 - A - SB

Photo ID Number(s): _____

SAMPLE SPECIMEN SUMMARY

Specimen Number	Species	*Fork length (in)	Whole mass (lbs)	Physical Observations/Anomalies
1	SB	30 1/2"	8.51 lbs	Sea lice / lesions observed

SB = Striped Bass

Comments:

FISH SAMPLE COLLECTION AND SAMPLE PREPARATION FORM
SEAFOOD MONITORING PROGRAM

NEW BEDFORD HARBOR
NEW BEDFORD, MASSACHUSETTS

Date: 6/11/24 Time: 10:30

Climate: Sunny 65°

Field Personnel: Michael Lucky

Collection Method: Hook/line Other Species: Striped bass

Sample Area: I / II / III (circle one)

Latitude: 41° 31.874 Longitude: 70° 54.722 (deg/min/seconds)

Sample ID Number: A111 · B-SB

Photo ID Number(s): _____

SAMPLE SPECIMEN SUMMARY

Specimen Number	Species	*Fork length (in)	Whole mass (lbs)	Physical Observations/Anomalies
2	SB	31"	10	lesions observed

SB = Striped Bass

Comments:

FISH SAMPLE COLLECTION AND SAMPLE PREPARATION FORM
SEAFOOD MONITORING PROGRAM

NEW BEDFORD HARBOR
NEW BEDFORD, MASSACHUSETTS

Date: 6/11/2024 Time: 11:40

Climate: Sunny 68°

Field Personnel: Michael Lucky

Collection Method: (Hook/line) Other Species: (Striped bass)

Sample Area: I / II / (III) (circle one)

Latitude: 41° 31.941 Longitude: 70° 54.937 (deg/min/seconds)

Sample ID Number: A111 - C - SB

Photo ID Number(s): _____

SAMPLE SPECIMEN SUMMARY

Specimen Number	Species	*Fork length (in)	Whole mass (lbs)	Physical Observations/Anomalies
3	SB	31"	9.5	lessions + Sea lice

SB = Striped Bass

Comments:

FISH SAMPLE COLLECTION AND SAMPLE PREPARATION FORM
SEAFOOD MONITORING PROGRAM

NEW BEDFORD HARBOR
NEW BEDFORD, MASSACHUSETTS

Date: 6/11/2024 Time: 11:20

Climate: Sunny 63°

Field Personnel: Michael Lacky

Collection Method: (Hook/line) Other Species: (Striped bass)

Sample Area: I / II / III (circle one)

Latitude: 41° 31. 914 Longitude: 70° 54. 731 (deg/min/seconds)

Sample ID Number: A111. D. SB

Photo ID Number(s): _____

SAMPLE SPECIMEN SUMMARY

Specimen Number	Species	*Fork length (in)	Whole mass (lbs)	Physical Observations/Anomalies
4	SB	28"	6	lesions observed

SB = Striped Bass

Comments:

FISH SAMPLE COLLECTION AND SAMPLE PREPARATION FORM
SEAFOOD MONITORING PROGRAM

NEW BEDFORD HARBOR
NEW BEDFORD, MASSACHUSETTS

Date: 6/27/24 Time: 9:10

Climate: mostly cloudy 80°

Field Personnel: M. Lackey

Collection Method: Hook/line Other Species: Striped bass

Sample Area: I / II / III (circle one)

Latitude: 41° 31.905 Longitude: 70° 54.691 (deg/min/seconds)

Sample ID Number: AIII - E - SB

Photo ID Number(s): _____

SAMPLE SPECIMEN SUMMARY

Specimen Number	Species	*Fork length (in)	Whole mass (lbs)	Physical Observations/Anomalies
5	SB	31	10 lbs	lesion + Sea lice observed

SB = Striped Bass

Comments:

FISH SAMPLE COLLECTION AND SAMPLE PREPARATION FORM
SEAFOOD MONITORING PROGRAM

NEW BEDFORD HARBOR
NEW BEDFORD, MASSACHUSETTS

Date: 8/27/24 Time: 16:10

Climate: Sunny 82

Field Personnel: Michael Lachy

Collection Method: (Hook/line) Other Species: (Bluefish)

Sample Area: (I) / II / III (circle one)

Latitude: 41° 39' 100" Longitude: 70° 55' 131" (deg/min/seconds)

Sample ID Number: AI - A - BF

Photo ID Number(s): _____

SAMPLE SPECIMEN SUMMARY

Specimen Number	Species	Fork length (in)	Whole mass (lbs)	Physical Observations/Anomalies
1	BF	9"	0.30	clean

BF = Bluefish

Comments:

No size limit on bluefish

FISH SAMPLE COLLECTION AND SAMPLE PREPARATION FORM
SEAFOOD MONITORING PROGRAM

NEW BEDFORD HARBOR
NEW BEDFORD, MASSACHUSETTS

Date: 8/28/24 Time: 8:10

Climate: Mostly Cloudy 75°

Field Personnel: Michael Lachy

Collection Method: (Hook/line) Other Species: (Bluefish)

Sample Area: (I) / II / III (circle one)

Latitude: 41° 39' 13" Longitude: 70° 55' 29" (deg/min/seconds)

Sample ID Number: AI-B-BF

Photo ID Number(s): _____

SAMPLE SPECIMEN SUMMARY

Specimen Number	Species	Fork length (in)	Whole mass (lbs)	Physical Observations/Anomalies
2	BF	8"	0.20	clean

BF = Bluefish

Comments:

No size limit on bluefish

FISH SAMPLE COLLECTION AND SAMPLE PREPARATION FORM
SEAFOOD MONITORING PROGRAM

NEW BEDFORD HARBOR
NEW BEDFORD, MASSACHUSETTS

Date: 8/28/24 Time: 8:15

Climate: Mostly Cloudy 75°

Field Personnel: Michael Lacky

Collection Method: (Hook/line) Other Species: (Bluefish)

Sample Area: (I) / II / III (circle one)

Latitude: 41° 39 131 Longitude: 70° 55 293 (deg/min/seconds)

Sample ID Number: AI - C - BF

Photo ID Number(s): _____

SAMPLE SPECIMEN SUMMARY

Specimen Number	Species	Fork length (in)	Whole mass (lbs)	Physical Observations/Anomalies
3	BF	8 3/4"	0.26	clean

BF = Bluefish

Comments:

No size limit on bluefish

FISH SAMPLE COLLECTION AND SAMPLE PREPARATION FORM
SEAFOOD MONITORING PROGRAM

NEW BEDFORD HARBOR
NEW BEDFORD, MASSACHUSETTS

Date: 8/28/24 Time: 8:20

Climate: Mostly Cloudy 75°

Field Personnel: Michael Ladny

Collection Method: ~~Hook/line~~ Other Species: ~~Bluefish~~

Sample Area: I / II / III (circle one)

Latitude: 41° 39 131 Longitude: 70° 55' 293" (deg/min/seconds)

Sample ID Number: AI-D-BF

Photo ID Number(s): _____

SAMPLE SPECIMEN SUMMARY

Specimen Number	Species	Fork length (in)	Whole mass (lbs)	Physical Observations/Anomalies
4	BF	8½"	0.25	clean

BF = Bluefish

Comments:

No size limit on bluefish

FISH SAMPLE COLLECTION AND SAMPLE PREPARATION FORM
SEAFOOD MONITORING PROGRAM

NEW BEDFORD HARBOR
NEW BEDFORD, MASSACHUSETTS

Date: 8/28/24 Time: 8:30

Climate: Mostly Cloudy 75°

Field Personnel: Michael Lachy

Collection Method: Hook/Line Other Species: Bluefish

Sample Area: I / II / III (circle one)

Latitude: 41° 39' 13" Longitude: 70° 55' 29" (deg/min/seconds)

Sample ID Number: AI - E - BF

Photo ID Number(s):

SAMPLE SPECIMEN SUMMARY

Specimen Number	Species	Fork length (in)	Whole mass (lbs)	Physical Observations/Anomalies
5	BF	8 1/8"	0.26	clean

BF = Bluefish

Comments:

No size limit on bluefish

FISH SAMPLE COLLECTION AND SAMPLE PREPARATION FORM
SEAFOOD MONITORING PROGRAM

NEW BEDFORD HARBOR
NEW BEDFORD, MASSACHUSETTS

Date: 8/28/24 Time: 14:45

Climate: Sunny 88°

Field Personnel: Michael Ladny

Collection Method: Hook/line Other Species: Bluefish

Sample Area: I / II / III (circle one)

Latitude: 41° 36 373 Longitude: 70° 53 891 (deg/min/seconds)

Sample ID Number: AII-A-BF

Photo ID Number(s): _____

SAMPLE SPECIMEN SUMMARY

Specimen Number	Species	Fork length (in)	Whole mass (lbs)	Physical Observations/Anomalies
1	BF	8½"	0.19	clean

BF = Bluefish

Comments:

No size limit on bluefish

FISH SAMPLE COLLECTION AND SAMPLE PREPARATION FORM
SEAFOOD MONITORING PROGRAM

NEW BEDFORD HARBOR
NEW BEDFORD, MASSACHUSETTS

Date: 8/28/24 Time: 14:55

Climate: Sunny 88°

Field Personnel: Michael Ludny

Collection Method: Hook/line Other Species: Bluefish

Sample Area: I II III (circle one)

Latitude: 41° 36' 37.3" Longitude: 70° 53' 89.1" (deg/min/seconds)

Sample ID Number: AII - B - BF

Photo ID Number(s): _____

SAMPLE SPECIMEN SUMMARY

Specimen Number	Species	Fork length (in)	Whole mass (lbs)	Physical Observations/Anomalies
2	BF	8 1/8"	0.18	clean

BF = Bluefish

Comments:

No size limit on bluefish

FISH SAMPLE COLLECTION AND SAMPLE PREPARATION FORM
SEAFOOD MONITORING PROGRAM

NEW BEDFORD HARBOR
NEW BEDFORD, MASSACHUSETTS

Date: 8/28/24 Time: 15:00

Climate: Sunny 88°

Field Personnel: Michael Ladny

Collection Method: Hook/line Other Species: Bluefish

Sample Area: I / II / III (circle one)

Latitude: 41° 36' 373" Longitude: 70° 53' 891" (deg/min/seconds)

Sample ID Number: AII - C - BF

Photo ID Number(s): _____

SAMPLE SPECIMEN SUMMARY

Specimen Number	Species	Fork length (in)	Whole mass (lbs)	Physical Observations/Anomalies
3	BF	8 3/4"	0.25	clean

BF = Bluefish

Comments:

No size limit on bluefish

FISH SAMPLE COLLECTION AND SAMPLE PREPARATION FORM
SEAFOOD MONITORING PROGRAM

NEW BEDFORD HARBOR
NEW BEDFORD, MASSACHUSETTS

Date: 8/29/24 Time: 9:40

Climate: mostly cloudy 70°

Field Personnel: Michael Ludwig

Collection Method: Hook/line Other Species: Bluefish

Sample Area: I / II / III (circle one)

Latitude: 41° 36 448 Longitude: 70° 54 012 (deg/min/seconds)

Sample ID Number: Att-D-BF

Photo ID Number(s): _____

SAMPLE SPECIMEN SUMMARY

Specimen Number	Species	Fork length (in)	Whole mass (lbs)	Physical Observations/Anomalies
4	BF	9 1/4"	0.29	clean

BF = Bluefish

Comments:

No size limit on bluefish

FISH SAMPLE COLLECTION AND SAMPLE PREPARATION FORM
SEAFOOD MONITORING PROGRAM

NEW BEDFORD HARBOR
NEW BEDFORD, MASSACHUSETTS

Date: 8/29/24 Time: 10:00

Climate: Mostly cloudy

Field Personnel: Michael Lachy

Collection Method: Hook/line Other Species: Bluefish

Sample Area: I (II) III (circle one)

Latitude: 41° 36 44X Longitude: 70° 54 012 (deg/min/seconds)

Sample ID Number: AII-E-BF

Photo ID Number(s): _____

SAMPLE SPECIMEN SUMMARY

Specimen Number	Species	Fork length (in)	Whole mass (lbs)	Physical Observations/Anomalies
5	BF	10"	0.35	clean

BF = Bluefish

Comments:

No size limit on bluefish

FISH SAMPLE COLLECTION AND SAMPLE PREPARATION FORM
SEAFOOD MONITORING PROGRAM

NEW BEDFORD HARBOR
NEW BEDFORD, MASSACHUSETTS

Date: 8/28/24 Time: 14:00

Climate: Sunny 88°

Field Personnel: Michael Ludny

Collection Method: (Hook/line) Other Species: (Bluefish)

Sample Area: I / II / (III) (circle one)

Latitude: 41° 35' 050" Longitude: 70° 56 751" (deg/min/seconds)

Sample ID Number: AIII-A-BF

Photo ID Number(s): _____

SAMPLE SPECIMEN SUMMARY

Specimen Number	Species	Fork length (in)	Whole mass (lbs)	Physical Observations/Anomalies
1	BF	8 1/2"	0.22	clean

BF = Bluefish

Comments:

No size limit on bluefish

FISH SAMPLE COLLECTION AND SAMPLE PREPARATION FORM
SEAFOOD MONITORING PROGRAM

NEW BEDFORD HARBOR
NEW BEDFORD, MASSACHUSETTS

Date: 8/28/24 Time: 14:15

Climate: Sunny 88°

Field Personnel: Michael Ludny

Collection Method: (Hook/line) Other Species: (Bluefish)

Sample Area: I / II / (III) (circle one)

Latitude: 41° 35' 050" Longitude: 70° 56' 751" (deg/min/seconds)

Sample ID Number: AIII-B-BF

Photo ID Number(s):

SAMPLE SPECIMEN SUMMARY

Specimen Number	Species	Fork length (in)	Whole mass (lbs)	Physical Observations/Anomalies
2	BF	9 ½"	0.30	clean

BF = Bluefish

Comments:

No size limit on bluefish

FISH SAMPLE COLLECTION AND SAMPLE PREPARATION FORM
SEAFOOD MONITORING PROGRAM

NEW BEDFORD HARBOR
NEW BEDFORD, MASSACHUSETTS

Date: 8/28/24 Time: 14:25

Climate: Sunny 88°

Field Personnel: Michael Ladny

Collection Method: (Hook/line) / Other Species: (Bluefish)

Sample Area: I / II / (III) (circle one)

Latitude: 41° 35' 050" Longitude: 70° 56' 751" (deg/min/seconds)

Sample ID Number: AIII - C - BF

Photo ID Number(s): _____

SAMPLE SPECIMEN SUMMARY

Specimen Number	Species	Fork length (in)	Whole mass (lbs)	Physical Observations/Anomalies
3	BF	9"	0.24	clean

BF = Bluefish

Comments:

No size limit on bluefish

FISH SAMPLE COLLECTION AND SAMPLE PREPARATION FORM
SEAFOOD MONITORING PROGRAM

NEW BEDFORD HARBOR
NEW BEDFORD, MASSACHUSETTS

Date: 8/28/24 Time: 14:30

Climate: Sunny 87°

Field Personnel: Michael Ludny

Collection Method: (Hook/line) Other Species: (Bluefish)

Sample Area: I / II / (III) (circle one)

Latitude: 41° 35' 050" Longitude: 70° 56' 751" (deg/min/seconds)

Sample ID Number: AIII - D - BF

Photo ID Number(s): _____

SAMPLE SPECIMEN SUMMARY

Specimen Number	Species	Fork length (in)	Whole mass (lbs)	Physical Observations/Anomalies
4	BF	8 3/4"	0.26	clean

BF = Bluefish

Comments:

No size limit on bluefish

FISH SAMPLE COLLECTION AND SAMPLE PREPARATION FORM
SEAFOOD MONITORING PROGRAM

NEW BEDFORD HARBOR
NEW BEDFORD, MASSACHUSETTS

Date: 8/28/24 Time: 14:35

Climate: Sunny 88°

Field Personnel: Michael Lacky

Collection Method: Hook/line / Other Species: Bluefish

Sample Area: I / II / III (circle one)

Latitude: 41° 35' 050" Longitude: 70° 56' 751" (deg/min/seconds)

Sample ID Number: AIII - E - BF

Photo ID Number(s): _____

SAMPLE SPECIMEN SUMMARY

Specimen Number	Species	Fork length (in)	Whole mass (lbs)	Physical Observations/Anomalies
5	BF	8 3/4"	0.25	clean

BF = Bluefish

Comments:

No size limit on bluefish

FISH SAMPLE COLLECTION AND SAMPLE PREPARATION FORM
SEAFOOD MONITORING PROGRAM

NEW BEDFORD HARBOR
NEW BEDFORD, MASSACHUSETTS

Date: 8/27/24 Time: 10:00 am

Climate: Sunny 83°

Field Personnel: Michael Lucky

Collection Method: Hook/line (Other) POTS Species: (Blue Crab)

Sample Area (I) A1

Latitude: 41° 39' 414" Longitude: 70° 55' 117" (deg/min/seconds)

Sample ID Number: A1-1-BC/A1-2-BC/ A1-3-BC

Photo ID Number(s): _____

SAMPLE SPECIMEN SUMMARY

Specimen Number	Species	*Carapace width (in)	Whole mass (lbs)	Physical Observations/Anomalies
1	BC	6"	.50	clean
2	BC	5 3/4"	.39	clean . missing one leg
3	BC	6"	.42	clean
	BC			
	BC			

BC = Blue Crab

Comments:

*Carapace width 5 inches or greater

FISH SAMPLE COLLECTION AND SAMPLE PREPARATION FORM
SEAFOOD MONITORING PROGRAM

NEW BEDFORD HARBOR
NEW BEDFORD, MASSACHUSETTS

Date: 8/27/24 + 8/29/24 Time: 9:00 am

Climate: Sunny 84°

Field Personnel: Michael Lachy

Collection Method: Hook/line Other POTS Species: Blue Crab

Sample Area: I B1

Latitude: 41° 39' 226" Longitude: 70° 54' 916" (deg/min/seconds)

Sample ID Number: B1-1-BC/B1-2-BC/B1-3-BC

Photo ID Number(s): _____

SAMPLE SPECIMEN SUMMARY

Specimen Number	Species	*Carapace width (in)	Whole mass (lbs)	Physical Observations/Anomalies
1	BC	6"	.30	clean
2	BC	5 ½"	.44	clean - missing one leg
3	BC	5 ½"	.37	clean
	BC			
	BC			

BC = Blue Crab

Comments:

*Carapace width 5 inches or greater

FISH SAMPLE COLLECTION AND SAMPLE PREPARATION FORM
SEAFOOD MONITORING PROGRAM

NEW BEDFORD HARBOR
NEW BEDFORD, MASSACHUSETTS

Date: 8/27/24 + 8/28/24 Time: 9:13 a.m

Climate: Partly Sunny 75°

Field Personnel: Michael Lachy

Collection Method: Hook/line (Other) POTS Species: (Blue Crab)

Sample Area (I) C-1

Latitude: 41° 36' 714" Longitude: 70° 54' 638" (deg/min/seconds)

Sample ID Number: C1-1-BC/C1-2-BC/C1-3-BC

Photo ID Number(s): _____

SAMPLE SPECIMEN SUMMARY

Specimen Number	Species	*Carapace width (in)	Whole mass (lbs)	Physical Observations/Anomalies
1	BC	5 1/4"	.36	clean - missing one leg
2	BC	5 1/2"	.40	clean
3	BC	6"	.41	clean - missing one claw
	BC			
	BC			

BC = Blue Crab

Comments:

*Carapace width 5 inches or greater

FISH SAMPLE COLLECTION AND SAMPLE PREPARATION FORM
SEAFOOD MONITORING PROGRAM

NEW BEDFORD HARBOR
NEW BEDFORD, MASSACHUSETTS

Date: 8/27/24 - 8/28/24 Time: 10:24

Climate: Sunny 80°

Field Personnel: Michael Lucky

Collection Method: Hook/line (Other) POTS Species: (Blue Crab)

Sample Area: (I) D1

Latitude: 41° 38' 325" Longitude: 70° 54' 765" (deg/min/seconds)

Sample ID Number: D1-1-BC/ D1-2-BC/ D1-3-BC

Photo ID Number(s): _____

SAMPLE SPECIMEN SUMMARY

Specimen Number	Species	*Carapace width (in)	Whole mass (lbs)	Physical Observations/Anomalies
1	BC	5 ¼"	.30	clean - missing one claw
2	BC	5 ½"	.24	clean - missing one claw
3	BC	6"	.57	clean
	BC			
	BC			

BC = Blue Crab

Comments:

*Carapace width 5 inches or greater

APPENDIX B

SAMPLE PHOTOGRAPHS

2024 Fish Sample Photographs

Client: Department of Environmental Protection ***Project Number:*** **3616236242.04**

Site Name: New Bedford Harbor Superfund Site ***Site Location:*** New Bedford, MA.

Photographer:
Michael Ladny

Date:
06/10/2024

Photograph: 1

Description:
Striped Bass Area I,
Fish A

Photographer:
Michael Ladny

Date:
06/10/2024

Photograph: 2

Description:
Striped Bass Area I,
Fish B

2024 Fish Sample Photographs

Client: Department of Environmental Protection ***Project Number:*** **3616236242.04**

Site Name: New Bedford Harbor Superfund Site ***Site Location:*** New Bedford, MA.

Photographer:
Michael Ladny

Date:
06/10/2024

Photograph: 3

Description:
Striped Bass Area I,
Fish C

Photographer:
Michael Ladny

Date:
06/10/2024

Photograph: 4

Description:
Striped Bass Area I,
Fish D

2024 Fish Sample Photographs

Client: Department of Environmental Protection ***Project Number:*** **3616236242.04**

Site Name: New Bedford Harbor Superfund Site ***Site Location:*** New Bedford, MA.

Photographer:
Michael Ladny

Date:
06/12/2024

Photograph: 5

Description:
Striped Bass Area II,
Fish A

Photographer:
Michael Ladny

Date:
06/26/2024

Photograph: 6

Description:
Striped Bass Area II,
Fish B



2024 Fish Sample Photographs

Client: Department of Environmental Protection ***Project Number:*** **3616236242.04**

Site Name: New Bedford Harbor Superfund Site ***Site Location:*** New Bedford, MA.

Photographer:
Michael Ladny

Date:
06/11/2024

Photograph: 7

Description:
Striped Bass Area III, Fish A

Photographer:
Michael Ladny

Date:
06/26/2024

Photograph: 8

Description:
Striped Bass Area III, Fish B

2024 Fish Sample Photographs

Client: Department of Environmental Protection ***Project Number:*** **3616236242.04**

Site Name: New Bedford Harbor Superfund Site ***Site Location:*** New Bedford, MA.

Photographer:
Michael Ladny

Date:
06/11/2024

Photograph: 9

Description:
Striped Bass Area III, Fish C

Photographer:
Michael Ladny

Date:
06/11/2024

Photograph: 10

Description:
Striped Bass Area III, Fish D

2024 Fish Sample Photographs

Client: Department of Environmental Protection ***Project Number:*** **3616236242.04**

Site Name: New Bedford Harbor Superfund Site ***Site Location:*** New Bedford, MA.

Photographer:

Michael Ladny

Date:

06/27/2024

Photograph: 11

Description:

Striped Bass Area III,
Fish E



2024 Fish Sample Photographs

Client: Department of Environmental Protection ***Project Number:*** **3616236242.04**

Site Name: New Bedford Harbor Superfund Site ***Site Location:*** New Bedford, MA.

Photographer:
Michael Ladny

Date:
08/27/2024

Photograph: 12

Description:
Blue Fish Area I,
Fish A

Photographer:
Michael Ladny

Date:
08/28/2024

Photograph: 13

Description:
Blue Fish Area I,
Fish B

2024 Fish Sample Photographs

Client: Department of Environmental Protection ***Project Number:*** **3616236242.04**

Site Name: New Bedford Harbor Superfund Site ***Site Location:*** New Bedford, MA.

Photographer:
Michael Ladny

Date:
08/28/2024

Photograph: 14

Description:
Blue Fish Area I,
Fish C



Photographer:
Michael Ladny

Date:
08/28/2024

Photograph: 15

Description:
Blue Fish Area I,
Fish D



2024 Fish Sample Photographs

Client: Department of Environmental Protection ***Project Number:*** **3616236242.04**

Site Name: New Bedford Harbor Superfund Site ***Site Location:*** New Bedford, MA.

Photographer:

Michael Ladny

Date:

08/28/2024

Photograph: 16

Description:

Blue Fish Area I,
Fish E



2024 Fish Sample Photographs

Client: Department of Environmental Protection ***Project Number:*** **3616236242.04**

Site Name: New Bedford Harbor Superfund Site ***Site Location:*** New Bedford, MA.

Photographer:
Michael Ladny

Date:
08/28/2024

Photograph: 17

Description:
Blue Fish Area II,
Fish A

Photographer:
Michael Ladny

Date:
08/28/2024

Photograph: 18

Description:
Blue Fish Area II,
Fish B



2024 Fish Sample Photographs

Client: Department of Environmental Protection ***Project Number:*** **3616236242.04**

Site Name: New Bedford Harbor Superfund Site ***Site Location:*** New Bedford, MA.

Photographer:
Michael Ladny

Date:
08/28/2024

Photograph: 19

Description:
Blue Fish Area II,
Fish C



Photographer:
Michael Ladny

Date:
08/29/2024

Photograph: 20

Description:
Blue Fish Area II,
Fish D

2024 Fish Sample Photographs

Client: Department of Environmental Protection ***Project Number:*** **3616236242.04**

Site Name: New Bedford Harbor Superfund Site ***Site Location:*** New Bedford, MA.

Photographer:

Michael Ladny

Date:

08/29/2024

Photograph: 21

Description:

Blue Fish Area II, Fish E

2024 Fish Sample Photographs

Client: Department of Environmental Protection ***Project Number:*** **3616236242.04**

Site Name: New Bedford Harbor Superfund Site ***Site Location:*** New Bedford, MA.

Photographer:
Michael Ladny

Date:
08/28/2024

Photograph: 22

Description:
Blue Fish Area III, Fish A



Photographer:
Michael Ladny

Date:
08/28/2024

Photograph: 23

Description:
Blue Fish Area III, Fish B



2024 Fish Sample Photographs

Client: Department of Environmental Protection ***Project Number:*** **3616236242.04**

Site Name: New Bedford Harbor Superfund Site ***Site Location:*** New Bedford, MA.

Photographer:
Michael Ladny

Date:
08/28/2024

Photograph: 24

Description:
Blue Fish Area III,
Fish C



Photographer:
Michael Ladny

Date:
08/28/2024

Photograph: 25

Description:
Blue Fish Area III,
Fish D



2024 Fish Sample Photographs

Client: Department of Environmental Protection ***Project Number:*** **3616236242.04**

Site Name: New Bedford Harbor Superfund Site ***Site Location:*** New Bedford, MA.

Photographer:

Michael Ladny

Date:

08/28/2024

Photograph: 26

Description:

Blue Fish Area III,
Fish E

2024 Fish Sample Photographs

Client: Department of Environmental Protection ***Project Number:*** **3616236242.04**

Site Name: New Bedford Harbor Superfund Site ***Site Location:*** New Bedford, MA.

Photographer:
Michael Ladny

Date:
08/27/2024

Photograph: 27

Description:
Blue Crab Area I,
A1-1-BC

Photographer:
Michael Ladny

Date:
08/27/2024

Photograph: 28

Description:
Blue Crab Area I,
A1-2-BC.



2024 Fish Sample Photographs

Client: Department of Environmental Protection ***Project Number:*** **3616236242.04**

Site Name: New Bedford Harbor Superfund Site ***Site Location:*** New Bedford, MA.

Photographer:
Michael Ladny

Date:
08/27/2024

Photograph: 29

Description:
Blue Crab Area I,
A1-3-BC

Photographer:
Michael Ladny

Date:
08/27/2024

Photograph: 30

Description:
Blue Crab Area I,
B1-1-BC.

2024 Fish Sample Photographs

Client: Department of Environmental Protection ***Project Number:*** **3616236242.04**

Site Name: New Bedford Harbor Superfund Site ***Site Location:*** New Bedford, MA.

Photographer:
Michael Ladny

Date:
08/29/2024

Photograph: 31

Description:
Blue Crab Area I,
B1-2-BC

Photographer:
Michael Ladny

Date:
08/29/2024

Photograph: 32

Description:
Blue Crab Area I,
B1-3-BC.

2024 Fish Sample Photographs

Client: Department of Environmental Protection ***Project Number:*** **3616236242.04**

Site Name: New Bedford Harbor Superfund Site ***Site Location:*** New Bedford, MA.

Photographer:
Michael Ladny

Date:
08/27/2024

Photograph: 33

Description:
Blue Crab Area I,
C1-1-BC



Photographer:
Michael Ladny

Date:
08/28/2024

Photograph: 34

Description:
Blue Crab Area I,
C1-2-BC.



2024 Fish Sample Photographs

Client: Department of Environmental Protection ***Project Number:*** **3616236242.04**

Site Name: New Bedford Harbor Superfund Site ***Site Location:*** New Bedford, MA.

Photographer:
Michael Ladny

Date:
08/28/2024

Photograph: 35

Description:
Blue Crab Area I,
C1-3-BC

Photographer:
Michael Ladny

Date:
08/27/2024

Photograph: 36

Description:
Blue Crab Area I,
D1-1-BC.



2024 Fish Sample Photographs

Client: Department of Environmental Protection ***Project Number:*** **3616236242.04**

Site Name: New Bedford Harbor Superfund Site ***Site Location:*** New Bedford, MA.

Photographer:
Michael Ladny

Date:
08/27/2024

Photograph: 37

Description:
Blue Crab Area I,
D1-2-BC



Photographer:
Michael Ladny

Date:
08/28/2024

Photograph: 38

Description:
Blue Crab Area I,
D1-3-BC.

APPENDIX C

CHAIN OF CUSTODY

CHAIN OF CUSTODY

PAGE 1 OF

Date Rec'd in Lab:

ALPHA Job #:

Report Information — Data Deliverables

- [ ] FAX
- [x] EMAIL
- [ ] ADEx
- [ ] Add'l Deliverables

Billing Information

- [ ] Same as Client info
- PO #:

Regulatory Requirements/Report Limits

State/Fed Program | Criteria

MCP PRESUMPTIVE CERTAINTY-CT REASONABLE CONFIDENCE PROTOCOLS

- [ ] Yes [ ] No Are MCP Analytical Methods Required?
- [ ] Yes [ ] No Are CT RCP (Reasonable Confidence Protocols) Required?

Westborough, MA TEL: 508-898-9220 FAX: 508-898-9193

Mansfield, MA TEL: 508-822-9300 FAX: 508-822-3288

Client Information

Client: WSP

Address: 2 Monument Square Suite 320 Portland, Maine

Phone: 1-207-910-1122

Fax: —

Email: charles.staples@wsp.com

- [ ] These samples have been Previously analyzed by Alpha

Project Information

Project Name: New Bedford Harbor

Project Location: New Bedford, MA

Project #:

Project Manager: Chuck Staples

ALPHA Quote #: WSP IEIUSC012507926

Turn-Around Time

- [ ] Standard
- [ ] Rush (ONLY IF PRE-APPROVED)

Due Date: Time:

Other Project Specific Requirements/Comments/Detection Limits:

ANALYSIS

PCB's (Sec quote 177855)

SAMPLE HANDLING

Filtration

- [ ] Done
- [ ] Not Needed
- [ ] Lab to do

Preservation

- [ ] Lab to do

(Please specify below)

Sample Specific Comments

TOTAL # BOTTLES

ALPHA Lab ID (Lab Use Only)	Sample ID	Collection Date	Collection Time	Sample Matrix	Sampler's Initials	
	A1 - A - SB	6/10/24	12:00	Fish	M	X
	A1 - B - SB	6/10/24	12:10	Fish	M	X
	A1 - C - SB	6/10/24	12:20	Fish	M	X
	A1 - D - SB	6/10/24	14:20	Fish	M	X
	AIII - A - SB	6/11/24	9:30	Fish	M	X
	AIII - B - SB	6/11/24	10:30	Fish	M	X
	AIII - C - SB	6/11/24	11:40	Fish	M	X
	AIII - D - SB	6/11/24	11:20	Fish	M	X

PLEASE ANSWER QUESTIONS ABOVE!

Container Type

IS YOUR PROJECT MA MCP *or* CT RCP?

FORM NO: 01-01(i)
(rev. 6-JAN-12)

Preservative	-	-	-	-	-	-	-	-	-	-	-	-

Relinquished By:	Date/Time	Received By:	Date/Time
	6/11/24 16:20	Alicia Horford	6/11/24 16:20

Please print clearly, legibly and completely. Samples can not be logged in and turnaround time clock will not start until any ambiguities are resolved. All samples submitted are subject to Alpha's Payment Terms.

CHAIN OF CUSTODY

PAGE 1 OF 1

ALPHA ANALYTICAL

WESTBORO, MA
TEL: 508-898-9220
FAX: 508-898-9193

MANSFIELD, MA
TEL: 508-822-9300
FAX: 508-822-3288

Date Rec'd in Lab:

ALPHA Job #:

Client Information

Client: WSP

Address: 2 Monument Square suite 200
Portland Maine

Phone: 1 207 - 910 - 1122

Fax:

Email: charles.staples@wsp.com

☐ These samples have been previously analyzed by Alpha

Project Information

Project Name: New Bedford Harbor

Project Location: New Bedford MA

Project #:

Project Manager: Charles Staples

ALPHA Quote #: WSP # EIWSC012507926

Turn-Around Time

☐ Standard ☐ RUSH (only confirmed if pre-approved!)

Date Due: Time:

Report Information - Data Deliverables

☐ FAX ☑ EMAIL

☐ ADEx ☐ Add'l Deliverables

Billing Information

☐ Same as Client info PO #:

Regulatory Requirements/Report Limits

State /Fed Program | Criteria

Other Project Specific Requirements/Comments/Detection Limits:

ANALYSIS: PCB's (see quote 177545)

SAMPLE HANDLING

Filtration
☐ Done
☐ Not needed
☐ Lab to do
Preservation
☐ Lab to do
(Please specify below)

ALPHA Lab ID (Lab Use Only)	Sample ID	Collection Date	Collection Time	Sample Matrix	Sampler's Initials	Sample Specific Comments	TOTAL # BOTTLES
	A11-A SB	6/12/24	10:15	Fish	M	X	

Container Type

Preservative

Relinquished By:	Date/Time	Received By	Date/Time
	6/12/24 1506		6/12/24 1506

Please print clearly, legibly and completely. Samples can not be logged in and turnaround time clock will not start until any ambiguities are resolved. All samples submitted are subject to Alpha's Terms and Conditions. See reverse side.

FORM NO: 01-01 (rev 14-OCT-07)

CHAIN OF CUSTODY

PAGE 1 OF ____

ALPHA ANALYTICAL

WESTBORO, MA
TEL: 508-898-9220
FAX: 508-898-9193

MANSFIELD, MA
TEL: 508-822-9300
FAX: 508-822-3288

Date Rec'd in Lab:

ALPHA Job #:

Client Information

Client: WSP USA

Address: 2 Monument Square Suite 200
Portland, Maine

Phone: 1-207-910-1122

Fax:

Email: charles.staples@wsp.com

☐ These samples have been previously analyzed by Alpha

Project Information

Project Name: New Bedford Harbor

Project Location: New Bedford

Project #:

Project Manager: Chuck Staples

ALPHA Quote #:

Turn-Around Time

☐ Standard ☐ RUSH (only confirmed if pre-approved!)

Date Due: Time:

Report Information - Data Deliverables

☐ FAX ☑ EMAIL

☐ ADEx ☐ Add'l Deliverables

Billing Information

☐ Same as Client info PO #:

Regulatory Requirements/Report Limits

State /Fed Program	Criteria

Other Project Specific Requirements/Comments/Detection Limits:

ANALYSIS: PCB's (see quote 17785)

SAMPLE HANDLING

Filtration
☐ Done
☐ Not needed
☐ Lab to do
Preservation
☐ Lab to do
(Please specify below)

ALPHA Lab ID (Lab Use Only)	Sample ID	Collection Date	Collection Time	Sample Matrix	Sampler's Initials	PCB's	Sample Specific Comments	TOTAL # BOTTLES
	A11-B-SB	6/26/24	15:00	Fish	ML	X		
	A11-E-SB	6/27/24	9:10	Fish	ML	X		

Container Type	
Preservative	

Relinquished By:	Date/Time	Received By:	Date/Time
	6/27/24 16:27	[illegible]	6/27/24 16:22

Please print clearly, legibly and completely. Samples can not be logged in and turnaround time clock will not start until any ambiguities are resolved. All samples submitted are subject to Alpha's Terms and Conditions. See reverse side.

CHAIN OF CUSTODY

PAGE 1 OF 3

ALPHA ANALYTICAL

WESTBORO, MA
TEL 508-898-9220
FAX 508-898-9193

MANSFIELD, MA
TEL: 508-822-9300
FAX: 508-822-3288

Date Rec'd in Lab:

ALPHA Job #:

Client Information

Client: WSP USA

Address: 2 Monument Square
Portland Maine

Phone: 1 207-910-1122

Fax:

Email: charles.staples@wsp.com

☐ These samples have been previously analyzed by Alpha

Project Information

Project Name: New Bedford Harbor

Project Location: New Bedford MA

Project #:

Project Manager: Chuck staples

ALPHA Quote #: WSP PO# E1US012079

Turn-Around Time

☑ Standard ☐ RUSH (only confirmed if pre-approved!)

Date Due: Time:

Report Information - Data Deliverables

☐ FAX ☑ EMAIL

☐ ADEx ☐ Add'l Deliverables

Billing Information

☐ Same as Client info PO #:

Regulatory Requirements/Report Limits

State /Fed Program | Criteria

Other Project Specific Requirements/Comments/Detection Limits:

ANALYSIS: PCB's (see quote 12785)

SAMPLE HANDLING

Filtration
☐ Done
☐ Not needed
☐ Lab to do
Preservation
☐ Lab to do
(Please specify below)

ALPHA Lab ID (Lab Use Only)	Sample ID	Collection Date	Collection Time	Sample Matrix	Sampler's Initials	PCB's	Sample Specific Comments	TOTAL # BOTTLES
	A1 - 1BC	8/27/24	10:00	Blue Crab	ML	X	please sample all of A1 as one sample	
	A1 - 2BC	8/27/24	10:05	Blue Crab	ML	X		
	A1 - 3BC	8/27/24	10:10	Blue Crab	ML	X		
	B1 - 1BC	8/27/24	9:00	Blue Crab	ML	X	* please hold for more sample in B1 area	
	C1 - 1BC	8/27/24	14:30	Blue Crab	ML	X	please sample all of C1 as one sample	
	C1 - 2BC	8/28/24	9:13	Blue Crab	ML	X		
	C1 - 3BC	8/28/24	9:15	Blue Crab	ML	X		
	D1 - 1BC	8/27/24	8:20	Blue Crab	ML	X	please sample all of D1 as one sample	
	D1 - 2BC	8/27/24	8:10	Blue Crab	ML	X		
	D1 - 3BC	8/28/24	10:24	Blue Crab	ML	X		

Container Type

Preservative

* please weight all * individual Blue crab (male)

Relinquished By:	Date/Time	Received By:	Date/Time
	8/28/24 17:25	Alyssa Beaulieu ALPHA	8/28/24 17:25

Please print clearly, legibly and completely. Samples can not be logged in and turnaround time clock will not start until any ambiguities are resolved. All samples submitted are subject to Alpha's Terms and Conditions. See reverse side.

CHAIN OF CUSTODY

PAGE 1 OF 1

ALPHA ANALYTICAL

WESTBORO, MA
TEL: 508-898-9220
FAX: 508-898-9193

MANSFIELD, MA
TEL: 508-822-9300
FAX: 508-822-3288

Date Rec'd in Lab:

ALPHA Job #:

Client Information

Client: WSP USA

Address: 2 Monument Square
Portland, Maine

Phone: 1-207-910-1178

Fax:

Email: charles.staples@wsp.com

☐ These samples have been previously analyzed by Alpha

Project Information

Project Name: New Bedford Harbor

Project Location: New Bedford, MA

Project #:

Project Manager: Charlie Staples

ALPHA Quote #: WSP PO# WSP5120120-0

Turn-Around Time

☑ Standard ☐ RUSH (only confirmed if pre-approved!)

Date Due: Time:

Report Information - Data Deliverables

☐ FAX ☑ EMAIL

☐ ADEx ☐ Add'l Deliverables

Billing Information

☐ Same as Client info PO #:

Regulatory Requirements/Report Limits

State /Fed Program	Criteria

Other Project Specific Requirements/Comments/Detection Limits:

* please weigh all Blue fish and Blue Crabs *
whole

ANALYSIS: PCB's 2 ways grade LIPIDS

SAMPLE HANDLING

Filtration
☐ Done
☐ Not needed
☐ Lab to do
Preservation
☐ Lab to do
(Please specify below)

ALPHA Lab ID (Lab Use Only)	Sample ID	Collection Date	Collection Time	Sample Matrix	Sampler's Initials	Sample Specific Comments
	B1-2BC	4/24/24	8:30	Blue Crab	MC	please sample all of B1 as one sample + B1 117C
	B1-3BC	4/24/24	9:10	Blue Crab	MC	
	ATT-D-BF	4/24/24	11:40	Fish	MC	
	ATT-E-BF	4/24/24	10:00	Fish	MC	

TOTAL # BOTTLES

Container Type	
Preservative	

Relinquished By:	Date/Time	Received By:	Date/Time
	4/24/24 11:32		8/15/24 11:32

Please print clearly, legibly and completely. Samples can not be logged in and turnaround time clock will not start until any ambiguities are resolved. All samples submitted are subject to Alpha's Terms and Conditions. See reverse side.

FORM NO: 01-01 (rev. 14-OCT-07)

CHAIN OF CUSTODY

PAGE 2 OF 3

ALPHA ANALYTICAL

WESTBORO, MA TEL: 508-898-9220 FAX: 508-898-9193

MANSFIELD, MA TEL: 508-822-9300 FAX: 508-822-3288

Date Rec'd in Lab:

ALPHA Job #:

Client Information

Client: WSP USA

Address: 2 Monument Square Portland ME

Phone: 1 207 910 1122

Fax:

Email: charles.staples@wsp.com

☐ These samples have been previously analyzed by Alpha

Project Information

Project Name: New Bedford Harbor

Project Location: New Bedford MA

Project #:

Project Manager: Charles Staples

ALPHA Quote #: WSP II EIU 5012507426

Turn-Around Time

☑ Standard ☐ RUSH (only confirmed if pre-approved!)

Date Due: Time:

Report Information - Data Deliverables

☐ FAX ☑ EMAIL

☐ ADEx ☐ Add'l Deliverables

Billing Information

☐ Same as Client info PO #:

Regulatory Requirements/Report Limits

State /Fed Program	Criteria

Other Project Specific Requirements/Comments/Detection Limits:

ANALYSIS: PCB - 1 per quote 17335

SAMPLE HANDLING

Filtration
☐ Done
☐ Not needed
☐ Lab to do

Preservation
☐ Lab to do

(Please specify below)

ALPHA Lab ID (Lab Use Only)	Sample ID	Collection Date	Collection Time	Sample Matrix	Sampler's Initials	PCB	Sample Specific Comments	TOTAL # BOTTLES
	AI A BF	8/27/24	16:10	Fish	ML	X	*please run sample with 4cm jar and skin on*	
	AI - B - BF	8/28/24	8:10	Fish	ML	X		
	AI - C - BF	8/28/24	8:15	Fish	ML	X		
	AI - D BF	8/28/24	8:20	Fish	ML	X		
	AI - E BF	8/28/24	8:30	Fish	ML	X		
	AII - A - BF	8/24/24	14:45	Fish	ML	X		
	AII - B - BF	8/28/24	14:55	Fish	ML	X		
	AII - C - BF	8/24/24	15:00	Fish	ML	X		
	AIII - A - BF	8/28/24	14:00	Fish	ML	X		
	AIII - B - BF	8/28/24	14:15	Fish	ML	X		

Container Type								
Preservative								

* please weigh all blue Fish whole *

Relinquished By:	Date/Time	Received By:	Date/Time
	8/28/24 17:25	Dylan Beaudin AAL	8/29/24 17:35

Please print clearly, legibly and completely. Samples can not be logged in and turnaround time clock will not start until any ambiguities are resolved. All samples submitted are subject to Alpha's Terms and Conditions. See reverse side.

CHAIN OF CUSTODY

PAGE 3 OF 3

ALPHA ANALYTICAL

WESTBORO, MA
TEL: 508-898-9220
FAX: 508-898-9193

MANSFIELD, MA
TEL: 508-822-9300
FAX: 508-822-3288

Date Rec'd in Lab:

ALPHA Job #:

Client Information

Client: WSP USA

Address: 2 Monument Square
Portland ME

Phone: 1 207. 910 . 1172

Fax:

Email: Charles.staples@wsp.com

☐ These samples have been previously analyzed by Alpha

Project Information

Project Name: New Bedford Harbor

Project Location: New Bedford MA

Project #:

Project Manager: Charles Staples

ALPHA Quote #: WSP # EIU5CU 2507926

Turn-Around Time

☑ Standard ☐ RUSH (only confirmed if pre-approved!)

Date Due: Time:

Report Information - Data Deliverables

☐ FAX ☑ EMAIL

☐ ADEx ☐ Add'l Deliverables

Billing Information

☐ Same as Client info PO #:

Regulatory Requirements/Report Limits

State /Fed Program	Criteria

Other Project Specific Requirements/Comments/Detection Limits:

ANALYSIS: PCB's (see quote 11755)

SAMPLE HANDLING

Filtration
☐ Done
☐ Not needed
☐ Lab to do
Preservation
☐ Lab to do
(Please specify below)

TOTAL # BOTTLES

ALPHA Lab ID (Lab Use Only)	Sample ID	Collection Date	Collection Time	Sample Matrix	Sampler's Initials	PCB's	Sample Specific Comments
	AIII - C - BF	8/28/24	14:35	Fish	M	X	
	AIII - D BF	8/28/24	14:30	Fish	M	X	
	AIII - E BF	8/28/24	14:35	Fish	M	X	

* please weigh all Blue fish whole *

Container Type	
Preservative	

Relinquished By:	Date/Time	Received By:	Date/Time
	8/28/24 17:35	Ryan Beaulieu AAL	8/29/24 17:25

Please print clearly, legibly and completely. Samples can not be logged in and turnaround time clock will not start until any ambiguities are resolved. All samples submitted are subject to Alpha's Terms and Conditions. See reverse side.

FORM NO: 01-01 (rev. 14-OCT-07)

Appendix E

PCB Congener Calculations 136 vs 148 for 2017 Memo
May 30, 2018

Commonwealth of Massachusetts
Executive Office of Energy & Environmental Affairs

Department of Environmental Protection
One Winter Street Boston, MA 02108 • 617-292-5500

Charles D. Baker
Governor

Karyn E. Polito
Lieutenant Governor

Matthew A. Beaton
Secretary

Martin Suuberg
Commissioner

Memorandum

From: Paul Craffey, MassDEP Project Manager
To: File
Date: May 30, 2018
Subject: PCB Congener Calculations 136 vs 148 for 2017

Introduction

Since 2003, the same 136 PCB congeners were analyzed for each location. The reason to keep the number and the specific congeners the same each year is so a comparison could be made to determine a trend of the PCB concentrations over the years of sampling. For the 2017 analysis, there were 148 PCB congeners that were analyzed in each sample. The new PCB congeners added in 2017 were BZ#20, #68, #73, #88, #90, #111, #112, #121, #125, #160, #164, and #204. These additional PCB congeners represent an 8.1% increase (12/148) in the number of PCB congeners vs. the previous sampling. The purpose of this memo is to determine if the 2017 concentrations represent a potential high bias due to the additional 12 congeners and may need a reduction correction when compared to the previous years.

Congener Result Analysis

Because the additional new PCB congeners co-eluted with other previous congeners, it is not possible to separate the peaks, add up the new 2017 PCB congeners, and subtract the total to obtain adjusted PCB congener totals that could be compared the previous years. The summary tables below represent each of the sample locations that were sampled in 2011 through 2017 and include only the PCB congeners affected by the new 2017 PCB congener list. The subset of affected PCB congeners was totaled and then compared to the total PCB concentration for each individual sample. The percentages of the subset vs. the total are shown on the last gray line of each sample location. The 2017 values including the additional 12 PCB congeners can be compared to the previous years (2011 to 2016) that do not include the additional congeners.

Results

The percentages of the subset PCB congeners for all Conch locations are between 12 to 22%

This information is available in alternate format. Contact Michelle Waters-Ekanem, Director of Diversity/Civil Rights at 617-292-5751.
TTY# MassRelay Service 1-800-439-2370
MassDEP Website: www.mass.gov/dep
Printed on Recycled Paper

(averaging 17%) of the total PCB congeners. The percentages of the subset PCB congeners for the 2017 Conch locations are between 12 to 22% (averaging 18.9%) of the total PCB congeners. The total increase in the 2017 PCB congeners compared to the previous years (2011 to 2016) is less than 2% (18.9% – 17% = 1.9%).

The percentages of the subset PCB congeners for all Quahog locations are between 0 to 16% (averaging 12.4%) of the total PCB congeners. The percentages of the subset PCB congeners for the 2017 Quahog locations are between 2.3 to 15% (averaging 11.7%) of the total PCB congeners. The total decrease in the 2017 PCB congeners compared to the previous years (2011 to 2016) is less than 1% (12.4% –11.7% = 0.7%).

Even though the total number of new PCB congeners in 2017 increased the total number of PCB congeners analyzed by 8.1%, the additional new PCB congeners do not seem to represent a significant change to the total PCB congener results. Based on this evaluation an adjustment to the 2017 results is not required when compared to the previous years' results.