



NEW BEDFORD/ FAIRHAVEN HARBOR



Maritime Industries

Over 4,000 Jobs

Commercial Fishing

- \$1 Billion Industry
- 65.5 Million pounds of fish valued at over \$280 million; 500 Vessels
- 35 Seafood Processing Plants and 25 Whole Sale Companies

Cruise

- Brings ~1,500 People through the Port; 21 Ports of Call in 2008
- 5 Year contract with American Cruise Lines with a minimum of 20 ports of call

Ferry

- New England Fast Ferry and Cuttyhunk Ferry bring 120,000 people through the port annually
- Both operations are now moving freight

Freight

- Maritime Terminal: 6 freighters of Moroccan citrus in 2008
- State Pier: Goods & food to Portugal, Africa, Haiti, & Cape Verde
- Sprague Terminal: Home Heating Fuel

Recreation / Excursion

- 8 Marina's in the New Bedford / Fairhaven Harbor; Moorings
- 2007: 1 Sailing Tour; 2008: 3 Sailing Tours; Booking now for 2009
- 3 Charter Fishing Operations

Barge Operations

- 4 Operate out of the Port carrying aggregate to the Islands as well as steel and other project cargo

Shipyards

- 25% Growth Projections
- Steamship Authority Project = 40 jobs

Supporting Services

- Over 75 supporting businesses
- Ice; Fuel; Vessel Painting; Welding; Electric; Legal; Insurance; Settlement Houses; Salvage

Three parts to tonight's presentation:


1. Superfund cleanup: background/progress to date
2. Navigational dredging progress to date
3. Update on EPA's analyses of potential alternatives



hurricane barrier

Rt 195

Aerovox facility



Cornell-Dubilier

Second capacitor facility
in outer harbor

Aerovox

Electronic
capacitor facility
released an estimated 275
tons of PCBs from the
1940s to the 1970s

another view, looking south

the upper harbor, looking north


Aerovox




11/10/2003



Aerovox



The 1979 state fishing ban - due to PCBs (covers 18,000 acres)



Do NOT eat any fish
 No coma pescado
 Não coma peixe



Do NOT eat any lobster
 No coma langosta
 Não coma lagosta



Do NOT eat bottom feeding fish
 No coma pescado de fundo:
 Não coma peixe de fundo:


- flounder
- tautog
- linguado
- tautoga
- solha
- bodião da ostra
- scup
- eel
- sargo
- anguila
- sargo
- anguila




Do NOT eat any shellfish
 No coma mariscos
 Não coma mariscos

1998 Superfund Cleanup Plan:
Sediments in red require
cleanup.

- 880,000 cubic yards
- 270 acres



QUICK look at progress to date



Acushnet shoreline cleanup – 1999-2000



NSTAR Power Cable Relocation – 2001


Dewatering facility bulkhead - 2002/03




Dewatering facility and rail spur - 2002-04



Landside view of rail spur
and dewatering building






Combined sewer overflow (CSO) pipe relocations
to make room for the dewatering facility - 2002-04

Demolition and removal of derelict vessels to allow shoreline business relocation - 2002



With derelict vessels and PCB sediments removed,
construction of the relocated business' pier - 2004





North of Wood Street cleanup – 2002/03

The restored river and stream banks (2008)






Aerovox shoreline cleanup - spring/summer 2008

Superfund Full Scale Dredging Process

- performed annually since 2004



Cornell-Dubilier

1. Dredging in upper harbor



2. Desanding



Superfund dredging and disposal operations

3. Dewatering




4. Loading to rail for offsite disposal



Areas dredged to date shown here in yellow

This year's dredging was in this area (app. 20,000 cy)



app. one mile

Air Monitoring Locations for 2008

2008 dredging area

Desanding facility

Aerovox



Rt. 195

rail yard

Dewatering facility

Hurricane barrier

Cornell-Dubilier



The background of the slide is a photograph of a harbor. In the foreground, there is a calm body of water reflecting the sky. Two boats are visible on the water. In the background, there are buildings and trees along the shore. The overall scene is a typical harbor view.

Overview of the New Bedford Harbor PCB Air Management Program

Ronald J. Marnicio, Ph.D., P.E.

TetraTechEC, Inc.

133 Federal Street, 6th Floor

Boston, MA 02110

Key Points of the PCB Air Management Program

- **Developed from a site specific conceptual site model of potential public inhalation exposures**
- **Based on widely accepted technical and risk assessment principles**
- **Ensures proactive and conservative public protection**
- **Key Components:**
 - ➔ Health-based cumulative exposure budgets
 - ➔ Complementary long-term and short-term sampling for verification
 - ➔ Public Exposure Tracking System (PETS) to facilitate data evaluation and site management

Important Background Information

- For inhalation of PCBs, the primary public health concern is **LONG-TERM (*chronic*)** exposure rather than short-term (acute) exposure.
- Health-based airborne PCB threshold levels can be calculated to be protective of the **MOST SENSITIVE POPULATIONS**, considering both emissions from the clean-up activities and background levels.
- Occasional short-term exposure above these threshold levels is less of a public health concern provided the long-term average exposure is maintained below them.

The Basic Questions for NBH


- 1. What threshold levels of exposure are sufficiently conservative and protective of the most sensitive members of the public?**
- 2. Where should air monitoring stations be located and how often should they be sampled to best verify actual conditions and resulting exposures?**
- 3. How should public exposures be tracked using this information to proactively manage and minimize exposures to the public?**

The Answers


- 1. What threshold levels of exposure are sufficiently conservative and protective of the most sensitive members of the public?**
 - ✓ **Health-Based Cumulative Exposure Budget**
- 2. Where should air monitoring stations be located and how often should they be sampled to best verify actual conditions and possible exposures?**
 - ✓ **Complementary set of long- and short-term monitoring stations placed in relation to the ongoing clean-up activities**
- 3. How should public exposures be tracked using this information to proactively manage and minimize exposures to the public?**
 - ✓ **Public Exposure Tracking System (PETS)**

Health-Based Cumulative Exposure Budget

A target ambient air concentration trend over time established for a specific monitoring station that:

- Maintains long-term average exposure point concentrations at levels protective of the most susceptible receptors**
- Accounts for PCBs in the ambient air from remediation and background (non-remediation) sources**
- Uses the actual monitoring data to predict conditions at the most sensitive receptor location using atmospheric dispersion modeling**
-  **Provides a basis for exposure tracking, diagnostic analysis, and proactive emissions and exposure management**

“PETS” chart for Coffin Avenue air monitoring location
Actual airborne PCB levels (green line) are well below acceptable risk-based levels (red line)





PART 2: NAVIGATIONAL DREDGING IN NEW BEDFORD/FAIRHAVEN HARBOR



WHAT IS NAVIGATIONAL DREDGING?

Why Is It Important?

- #1 Value Fishing Port in Nation
- Economic Growth
- Sustains Existing Maritime Industry
- Trade Expected To Double
- Recent Dredging is first in 50-years
- Siltation has Shallowed the Channels & Slips
- Larger Vessels Are Using The Harbor
- Modern Piloting Rules Dictate Deepening




HOW ARE DECISIONS REGARDING NAVIGATIONAL DREDGING IN NEW BEDFORD/FAIRHAVEN HARBOR MADE?

New Bedford/Fairhaven Harbor Plan



- Harbor Plan Created in 2000 and Currently in the Process of being Updated
- Committee of City and Town Officials, and State and Federal Regulators Meets on a Monthly Basis



RECENT AND CURRENT NAVIGATIONAL DREDGING IN NEW BEDFORD/ FAIRHAVEN HARBOR (Phases I through III)



NEW BEDFORD HARBOR DREDGE - PHASE III AND CAD #2, NEW BEDFORD, AND FAIRHAVEN DREDGE AREAS

CAD CELLS LEGEND

- CAD CELL #1 - BUILT DURING PHASE I
- EXISTING NARROW PIT
- CAD CELL #2

NEW BEDFORD / FAIRHAVEN PHASE II DREDGE SITES


1. ACUSHNET RIVER ROWING FACILITY AREA
2. PACKER MARINE TERMINAL
3. TONNESON PARK SLIP
4. NEW BEDFORD SOUTH TERMINAL
5. GIFFORD STREET BOAT RAMP
6. A.G.M. MARINE
7. ACUSHNET RIVER SAFE BOATING CLUB
8. I. NEMEC MARINE
9. OLDE NORTH WHARF FISHERIES
10. WARREN ALEXANDER PROPERTIES (NORTH AND SOUTH)
11. D.M. KELLEY AND SONS SHIPYARD
12. UNION WHARF
13. STEAMSHIP AUTHORITY (HATHAWAY / BRALEY PROPERTY)
14. MAY-LEE SEAFOOD
15. NEMEC MARINE

DREDGE AREAS LEGEND


- PHASE II DREDGE SITES
- COMPLETED PHASE II NAVIGATIONAL DREDGE PROJECTS



NEW BEDFORD HARBOR
 NEW BEDFORD HARBOR DREDGE - PHASE II
 NEW BEDFORD / FAIRHAVEN DREDGE SITES AND
 CAD 2 CONSTRUCTION AREA
 New Bedford Harbor, Massachusetts
 Apex Companies, LLC



PHASE III NAVIGATIONAL DREDGING IS UNDER WAY




Successes to Date:





- To date: 200,000 cubic yards contaminated sediment removed from the Harbor floor.
- Another 57,500 cubic yards planned for later this year.
- By next spring 257,500 cubic yards will have been removed.
- Of that: 125,500 cubic yards have been placed in CAD Cells.
- Including the construction of the CAD Cells, over 460,000 cubic yards of dredging has occurred under the Navigational Dredging Project since 2001.





FUTURE NAVIGATIONAL DREDGING IN NEW BEDFORD/ FAIRHAVEN HARBOR




Disposal of the Dredged Sediments



- How are the contaminated sediments handled?
- Selection of a Disposal Method.



WHY CAD CELLS IN NEW BEDFORD HARBOR?




Disposal Problem for
Navigational Dredging:
*Sediments Throughout
Harbor Contain Some Level
of Contamination*

DEP and CZM Study = DMMP
*Study found CAD Cells to be
the best solution for
Navigational Dredging*






1. Harbor bottom as is




2. Excavation of silts




3. Excavation of sand and gravel

WHAT IS A CAD CELL?

- Confined Aquatic Disposal Cell



4. Placement of dredged sediments into the CAD cell





5. Placement of clean cap (after consolidation)



CAD CELLS ARE A PROVEN TECHNOLOGY

US Army Corps
CAD Cells:
Boston Harbor
and
Providence River



PUBLISHED REPORTS OF CAD CELL USAGE




“Environmental and human health risk assessment of the CAD cell alternative has shown that it can provide one of the lowest risk options compared with other alternatives (Kane-Driscoll et al, 2002).”

*From Paper Presented at
2005 3rd International
Conference on Remediation
of Contaminated Sediment,
by Thomas J. Fredette,
US Army Corps of Engineers
– New England District*




CONSTRUCTION OF CAD CELLS IN NEW BEDFORD/FAIRHAVEN HARBOR




STATUS OF CAD CELLS IN NEW BEDFORD/FAIRHAVEN HARBOR




RECENTLY COMPLETED CAD CELL #2




Rt 195




Rt 6



QUESTIONS?






Section 3

Update on EPA's Evaluation of Potential Alternatives


Cost and Schedule Estimate for Current Approach

3.5% annual inflation assumed


<u>Annual funding level</u>	<u>Years to complete</u>	<u>Costs to complete</u>
\$80 million	4 to 5	\$341 million
\$30 million	18	\$540 million
\$15 million*	38	\$1,056 million



1. Harbor bottom as is




2. Excavation of silts




3. Excavation of sand and gravel

One
Alternative:
Use CAD
Cells




4. Placement of dredged sediments into the CAD cell




5. Placement of clean cap (after consolidation)

Existing and Planned CAD Sites in New England




Boston Harbor CAD Cells

Figure 2: Boston Harbor Navigation Improvement Project, Mystic River and Inner Confluence Disposal Cells



Providence In-Channel CAD Locations




New Bedford's CAD cell "#1" being excavated in 2005
(for navigational dredging)



A view of the clean sand and gravel removed from New Bedford's CAD cell #1



07/10/2005 09:33:01



On-going CAD cell evaluation: draft results to date

- Significant savings in time to complete
- Significant savings in cost to complete
- Other urban harbors have successfully used CAD cells to dispose contaminated sediments
- Computer modeling will be performed to further estimate potential impacts and protectiveness

Anticipated schedule for public comment and decision documents for any changes to the harbor cleanup

- Fall 2009 for potential LOWER HARBOR CAD cell
- Fall 2010 for potential UPPER HARBOR CAD cell

Again, still in the evaluation phase!

Questions?

