

Immunoassay Results

STATION_ID	SAMPLE_ID	CONC (mg/kg)
2014-IA-1	S-15A-IA-1-00-10 LR	1.2
2014-IA-1	S-15A-IA-1-10-20	0.3
2014-IA-2	S-15A-IA-2-00-10	2.1
2014-IA-2	S-15A-IA-2-10-20	0.2
2014-IA-3	S-15A-IA-3-00-10 LR	2.5
2014-IA-3	S-15A-IA-3-10-20	0.3
2014-IA-4	S-15A-IA-4-00-10	1.3
2014-IA-4	S-15A-IA-4-10-20	0.7
2014-IA-5	S-15A-IA-5-00-10	0.4
2014-IA-5	S-15A-IA-5-10-20	0.2
2014-IA-6	S-15A-IA-6-00-10	2.1
2014-IA-6	S-15A-IA-6-10-20	0.5
2014-IA-7	S-15A-IA-7-00-10	1.1
2014-IA-7	S-15A-IA-7-10-20	0.3
2014-IA-8	S-15A-IA-8-00-10	0.6
2014-IA-8	S-15A-IA-8-10-20	0.3
2014-25-1	S-14D-2014-25-1-00-10	486.3
2014-25-1	S-14D-2014-25-1-10-20	2.6
2014-25-1	S-14D-2014-25-1-20-30	1.4
2014-25-1	S-14D-2014-25-1-30-40	0.7
2014-25-1	S-14D-2014-25-1-40-50	0.6
2014-25-2	S-15A-2014-25-2-00-10	54.6
2014-25-2	S-15A-2014-25-2-10-20	1.1
2014-25-2	S-15A-2014-25-2-20-30	0.6
2014-25-3	S-15A-2014-25-3-00-10	483.6
2014-25-3	S-15A-2014-25-3-10-20	0.7
2014-25-4	S-15A-2014-25-4-00-10	756.4
2014-25-4	S-15A-2014-25-4-10-20	1.4
2014-25-5	S-15A-2014-25-5-00-10	704.2
2014-25-5	S-15A-2014-25-5-10-20	800.2
2014-25-5	S-15A-2014-25-5-20-30	1.8
2014-25-6	S-15A-2014-25-6-00-10	726.0
2014-25-6	S-15A-2014-25-6-10-20	1.8
2014-25-7	S-15A-2014-25-7-00-10	4.8
2014-25-7	S-15A-2014-25-7-10-20	0.5
2014-25-8	S-15A-2014-25-8-00-10	4.0
2014-25-8	S-15A-2014-25-8-10-20	0.8
2014-25-9	S-15A-2014-25-9-00-10	2.8
2014-25-9	S-15A-2014-25-9-10-20	1.6
2014-26-1	S-14D-2014-26-1-00-10	3.3
2014-26-1	S-14D-2014-26-1-10-20	0.9
2014-26-1	S-14D-2014-26-1-20-30	0.6
2014-26-1	S-14D-2014-26-1-30-40	0.6
2014-26-1	S-14D-2014-26-1-40-50	0.5
2014-26-2	S-15M-2014-26-2-00-10	6.3
2014-26-2	S-15M-2014-26-2-10-20	0.5

Immunoassay Results

STATION_ID	SAMPLE_ID	CONC (mg/kg)
2014-26-2	S-15M-2014-26-2-00-10-REP	61.6
2014-26-2	S-15M-2014-26-2-10-20-REP	0.5
2014-26-3	S-15M-2014-26-3-00-10	66.8
2014-26-3	S-15M-2014-26-3-10-20	0.5
2014-26-4	S-15M-2014-26-4-00-10	250.7
2014-26-4	S-15M-2014-26-4-10-20	0.6
2014-26-5	S-15A-2014-26-5-00-10	0.6
2014-26-5	S-15A-2014-26-5-10-20	0.5
2014-26-5	S-15A-2014-26-5-00-10-REP	3.5
2014-26-5	S-15A-2014-26-5-10-20-REP	1.9
2014-26-6	S-15A-2014-26-6-00-10	0.5
2014-26-6	S-15A-2014-26-6-10-20	1.3
2014-26-7	S-15A-2014-26-7-00-10	1.0
2014-26-7	S-15A-2014-26-7-10-20	0.6
2014-26-8	S-15A-2014-26-8-00-10	1.3
2014-26-8	S-15A-2014-26-8-10-20	0.5
2014-26-9	S-15A-2014-26-9-00-10	0.6
2014-26-9	S-15A-2014-26-9-10-20	0.5
2014-26-10	S-15M-2014-26-10-00-10	4.1
2014-26-10	S-15M-2014-26-10-10-20	0.5
2014-26-11	S-15A-2014-26-11-00-10	4.5
2014-26-11	S-15A-2014-26-11-10-20	0.5
2014-26-12	S-15M-2014-26-12-00-10	237.2
2014-26-12	S-15M-2014-26-12-10-20	0.6
2014-26-12	S-15A-2014-26-12-00-10	118.7
2014-26-12	S-15A-2014-26-12-10-20	1.0
2014-26-12	S-15A-2014-26-12-20-30	0.9
2014-27-1	S-15M-2014-27-1-00-10	3.5
2014-27-1	S-15M-2014-27-1-10-20	0.5
2014-27-2	S-15M-2014-27-2-00-10	1.6
2014-27-2	S-15M-2014-27-2-10-20	0.5
2014-27-3	S-15M-2014-27-3-00-10	68.3
2014-27-3	S-15M-2014-27-3-10-20	0.5
2014-27-4	S-15M-2014-27-4-00-10	3.7
2014-27-4	S-15M-2014-27-4-10-20	0.5
2014-27-5	S-15M-2014-27-5-00-10	2.8
2014-27-5	S-15M-2014-27-5-10-20	0.5
2014-28-1	S-15A-2014-28-1-00-10	9.6
2014-28-1	S-15A-2014-28-1-10-20	2.0
2014-28-1	S-15A-2014-28-1-20-30	0.5
2014-28-1	S-15A-2014-28-1-30-40	0.6
2014-28-1	S-15A-2014-28-1-40-50	0.5
2014-28-1	S-15A-2014-28-1-50-60	0.6
2014-28-2	S-15M-2014-28-2-00-10	2.6
2014-28-2	S-15M-2014-28-2-10-20	0.5
2014-28-3	S-15M-2014-28-3-00-10	1.7

Immunoassay Results

STATION_ID	SAMPLE_ID	CONC (mg/kg)
2014-28-3	S-15M-2014-28-3-10-20	0.7
2014-28-4	S-15A-2014-28-4-00-10	4.5
2014-28-4	S-15A-2014-28-4-10-20	0.8
2014-28-5	S-15A-2014-28-5-00-10	4.6
2014-28-5	S-15A-2014-28-5-10-20	0.7
2014-28-6	S-15A-2014-28-6-00-10	2.7
2014-28-6	S-15A-2014-28-6-10-20	0.5
2014-28-7	S-15A-2014-28-7-00-10	3.1
2014-28-7	S-15A-2014-28-7-10-20	0.5
2014-28-8	S-15A-2014-28-8-00-10	2.8
2014-28-8	S-15A-2014-28-8-10-20	1.9
2014-28-8	S-15A-2014-28-8-20-30	1.9
2014-28-8	S-15A-2014-28-8-30-40	1.4
2014-28-8a	S-15M-2014-28-8-00-10	1.6
2014-28-8a	S-15M-2014-28-8-10-20	0.9
2014-28-9	S-15M-2014-28-9-00-10	6.6
2014-28-9	S-15M-2014-28-9-10-20	0.5
2014-28-10	S-15M-2014-28-10-00-10	53.0
2014-28-10	S-15M-2014-28-10-10-20	0.6
2014-29-1	S-15A-2014-29-1-00-10	41.5
2014-29-1	S-15A-2014-29-1-10-20	0.5
2014-29-2	S-15M-2014-29-2-00-10	9.9
2014-29-2	S-15M-2014-29-2-10-20	0.5
2014-29-2	S-15M-2014-29-2-00-10-REP	9.6
2014-29-2	S-15M-2014-29-2-10-20	0.5
2014-29-3	S-15M-2014-29-3-00-10	8.5
2014-29-3	S-15M-2014-29-3-10-20	0.5
2014-29-4	S-15M-2014-29-4-00-10	75.4
2014-29-4	S-15M-2014-29-4-10-20	0.5
2014-29-5	S-15M-2014-29-5-00-10	8.3
2014-29-5	S-15M-2014-29-5-10-20	2.4
2014-29-6	S-15M-2014-29-6-00-10	58.6
2014-29-6	S-15M-2014-29-6-10-20	0.5
2014-30-1	S-14D-2014-30-1-00-10	0.5
2014-30-1	S-14D-2014-30-1-10-20	0.5
2014-30-2	S-14D-2014-30-2-00-10	67.9
2014-30-2	S-14D-2014-30-2-10-20	79.0
2014-30-2	S-14D-2014-30-2-80-90	782.7
2014-30-2	S-14D-2014-30-2-110-120	0.5
2014-30-2	S-14D-2014-30-2-125-135	1.7
2014-30-3	S-15A-2014-30-3-00-10	47.4
2014-30-3	S-15A-2014-30-3-10-20	278.5
2014-30-3	S-15A-2014-30-3-20-30	151.2
2014-30-3	S-15A-2014-30-3-60-70	955.0
2014-30-3	S-15A-2014-30-3-70-78	5.5
2014-30-3	S-15A-2014-30-3-30-40	959.2

Immunoassay Results

STATION_ID	SAMPLE_ID	CONC (mg/kg)
2014-30-3	S-15A-2014-30-3-40-50	726.6
2014-30-3	S-15A-2014-30-3-50-60	574.3
2014-30-4	S-14D-2014-30-4-00-10	288.2
2014-30-4	S-14D-2014-30-4-10-20	1.6
2014-30-5	S-14D-2014-30-5-00-10	67.5
2014-30-5	S-14D-2014-30-5-10-20	66.3
2014-30-5	S-14D-2014-30-5-30-40	0.5
2014-30-6	S-14D-2014-30-6-00-10	7.6
2014-30-6	S-14D-2014-30-6-10-20	1.0
2014-30-7	S-14D-2014-30-7-00-10	66.8
2014-30-7	S-14D-2014-30-7-10-20	1.4
2014-30-8	S-14D-2014-30-8-10-20	0.5
2014-30-8	S-14D-2014-30-8-00-10	1.7
2014-30-9	S-15A-2014-30-9-00-10	7.8
2014-30-9	S-15A-2014-30-9-10-20	0.5
2014-30-10	S-15M-2014-30-10-00-10	3.3
2014-30-10	S-15M-2014-30-10-10-20	0.5
2014-30-11	S-15M-2014-30-11-10-20	0.5
2014-30-11	S-15M-2014-30-11-00-10	7.4
2014-31-1	S-14D-2014-31-1-00-10	0.9
2014-31-1	S-14D-2014-31-1-10-20	0.8
2014-31-2	S-14Y-2014-31-2-00-10	66.9
2014-31-2	S-14Y-2014-31-2-10-20	278.2
2014-31-2	S-14Y-2014-31-2-20-30	226.8
2014-31-2	S-14Y-2014-31-2-30-40	346.8
2014-31-2	S-14Y-2014-31-2-40-50	843.7
2014-31-2	S-14Y-2014-31-2-50-60	3.5
2014-31-3	S-14D-2014-31-3-00-10	1.9
2014-31-3	S-14D-2014-31-3-10-20	1.0
2014-31-4	S-14D-2014-31-4-00-10	287.1
2014-31-4	S-14D-2014-31-4-10-20	886.5
2014-31-4	S-14D-2014-31-4-20-30	30.9
2014-31-4	S-14D-2014-31-4-30-40	0.5
2014-31-5	S-14D-2014-31-5-10-20	1.6
2014-31-5	S-14D-2014-31-5-00-10	307.1
2014-31-6	S-14D-2014-31-6-00-10	6.1
2014-31-6	S-14D-2014-31-6-10-20	0.6
2014-31-7A	S-14D-2014-31-7A-00-10	7.6
2014-31-7A	S-14D-2014-31-7A-10-20	0.7
2014-31-7B	S-14D-2014-31-7B-00-10	2.6
2014-31-7B	S-14D-2014-31-7B-10-20	0.5
2014-31-8	S-14D-2014-31-8-00-10	80.3
2014-31-8	S-14D-2014-31-8-10-20	276.0
2014-31-8	S-14D-2014-31-8-20-30	304.9
2014-31-8	S-14D-2014-31-8-30-37	1578.6

Immunoassay Results

STATION_ID	SAMPLE_ID	CONC (mg/kg)
2014-31-8	S-14D-2014-31-8-40-50	0.5
2014-31-8-DUP	S-14D-2014-31-8-00-10	213.4
2014-31-8-DUP	S-14D-2014-31-8-10-20	241.7
2014-31-8-DUP	S-14D-2014-31-8-20-30	327.3
2014-31-8-DUP	S-14D-2014-31-8-30-38	384.0
2014-31-9	S-15A-2014-31-9-00-10	3.6
2014-31-9	S-15A-2014-31-9-10-20	0.5
2014-31-10	S-15A-2014-31-10-00-10	1.2
2014-31-10	S-15A-2014-31-10-10-20	0.5
2014-32-1	S-15A-2014-32-1-00-10	0.5
2014-32-1	S-15A-2014-32-1-10-20	214.0
2014-32-1	S-15A-2014-32-1-20-30	0.5
2014-32-1	S-15A-2014-32-1-30-40	0.5
2014-32-2	S-15A-2014-32-2-00-10	334.7
2014-32-2	S-15A-2014-32-2-10-20	25.3
2014-32-2	S-15A-2014-32-2-20-30	0.5
2014-32-3	S-15A-2014-32-3-00-10	14.5
2014-32-3	S-15A-2014-32-3-10-20	0.5
2014-32-4	S-15A-2014-32-4-00-10-REP	324.5
2014-32-4	S-15A-2014-32-4-10-20-REP	1.0
2014-32-5	S-15A-2014-32-5-00-10	0.8
2014-32-5	S-15A-2014-32-5-10-20	0.5
2014-32-6	S-15A-2014-32-6-00-10	1.7
2014-32-6	S-15A-2014-32-6-10-20	6.6
2014-32-6	S-15A-2014-32-6-20-30	0.8
2014-32-7	S-15A-2014-32-7-00-10	269.4
2014-32-7	S-15A-2014-32-7-10-20	65.6
2014-32-7	S-15A-2014-32-7-20-30	0.7
2014-32-7	S-15A-2014-32-7-30-40	0.8
2014-32-8	S-15A-2014-32-8-00-10	2.0
2014-32-8	S-15A-2014-32-8-10-20	0.5
2014-32-9	S-15A-2014-32-9-00-10	6.0
2014-32-9	S-15A-2014-32-9-10-20	0.5
2014-32-10	S-15A-2014-32-10-00-10	18.8
2014-32-10	S-15A-2014-32-10-10-20	0.5
2014-32-11	S-15A-2014-32-11-00-10	9.1
2014-32-11	S-15A-2014-32-11-10-20	0.5
2014-32-12	S-15A-2014-32-12-00-10	348.5
2014-32-12	S-15A-2014-32-12-10-20	2.6
2014-32-13	S-15A-2014-32-13-00-10	96.6
2014-32-13	S-15A-2014-32-13-10-20	1.2
2014-32-14	S-15A-2014-32-14-00-10	60.3
2014-32-14	S-15A-2014-32-14-10-20	252.6
2014-32-14	S-15A-2014-32-14-20-30	214.1
2014-32-14	S-15A-2014-32-14-30-40	74.0
2014-32-14	S-15A-2014-32-14-40-50	1.8

Immunoassay Results

STATION_ID	SAMPLE_ID	CONC (mg/kg)
2014-32-14	S-15A-2014-32-14-50-60	1.2
2014-32-14	S-15A-2014-32-14-60-70	1.9
2014-32-14	S-15A-2014-32-14-70-80	27.3
2014-32-14	S-15A-2014-32-14-80-90	10.0
2014-32-14	S-15A-2014-32-14-90-100	0.5
2014-32-14	S-15A-2014-32-14-100-108	0.6
2014-32-15	S-15A-2014-32-15-00-10	3.7
2014-32-15	S-15A-2014-32-15-10-20	1.4
2014-32-16	S-15A-2014-32-16-00-10	1.6
2014-32-16	S-15A-2014-32-16-10-20	1.3
2014-32-17	S-15A-2014-32-17-00-10	191.9
2014-32-17	S-15A-2014-32-17-10-20	45.7
2014-32-17	S-15A-2014-32-17-20-30	7.1
2014-32-17	S-15A-2014-32-17-30-40	11.2
2014-32-17	S-15A-2014-32-17-40-50	0.5
2014-32-17	S-15A-2014-32-17-50-60	0.5
2014-32-17	S-15A-2014-32-17-60-70	0.5
2014-32-17	S-15A-2014-32-17-70-80	0.5
2014-32-17	S-15A-2014-32-17-80-90	0.5
2014-32-17	S-15A-2014-32-17-90-100	0.5
2014-32-17	S-15A-2014-32-17-100-110	0.5
2014-32-17	S-15A-2014-32-17-110-118	0.5
2014-32-18	S-15A-2014-32-18-00-10	48.7
2014-32-18	S-15A-2014-32-18-10-20	0.7
2014-32-19	S-15A-2014-32-19-00-10	2.8
2014-32-19	S-15A-2014-32-19-10-20	0.5
2014-32-20	S-15A-2014-32-20-00-10	77.8
2014-32-20	S-15A-2014-32-20-10-20	1.5
2014-33-1	S-14A-331-00-06	14.9
2014-33-1	S-14A-331-06-16LR	5.3
2014-33-1	S-14A-331-16-26	4.7
2014-33-1	S-14A-331-26-33	5.8
2014-33-2	S-14A-332-00-08	21.9
2014-33-2	S-14A-332-08-16	20.2
2014-33-2	S-14A-332-16-26Rep	2.0
2014-33-3	S-14A-333-00-13	4.8
2014-33-3	S-14A-333-13-23	2.7
2014-33-4	S-14Y-334-00-07	41.7
2014-33-4	S-14Y-334-07-17	4.9
2014-33-4	S-14Y-334-17-27	3.0
2014-33-5	S-14Y-335-00-10	41.9
2014-33-5	S-14Y-335-10-20	4.2
2014-33-5	S-14Y-335-20-30	3.9
2014-33-6	S-14A-336-00-10	4.6
2014-33-6	S-14A-336-10-20	2.4
2014-33-6	S-14A-336Rep-00-10	1.9

Immunoassay Results

STATION_ID	SAMPLE_ID	CONC (mg/kg)
2014-33-6	S-14A-336Rep-10-20	2.4
2014-33-7	S-14Y-337-00-11	34.5
2014-33-7	S-14Y-337-11-21	3.0
2014-33-7	S-14Y-337-21-31	2.0
2014-33-8	S-14Y-338-00-05	6.2
2014-33-8	S-14Y-338-05-18	2.3
2014-33-9	S-14A-339-00-09	4.1
2014-33-9	S-14A-339-09-19	3.9
2014-33-9	S-14A-339-19-29	3.5
2014-33-10	S-14A-3310-00-17	14.5
2014-33-10	S-14A-3310-17-27	2.3
2014-33-11	S-14A-3311-00-09	11.8
2014-33-11	S-14A-3311-09-19	0.0
2014-33-11	S-14A-3311-19-26	0.0
2014-33-11	S-14Y-3311-00-10	42.0
2014-33-11	S-14Y-3311-10-20Rep	2.1
2014-33-12	S-14A-3312-00-10	6.9
2014-33-12	S-14A-3312-10-20	2.0
2014-33-13	S-14Y-3313-00-11	9.0
2014-33-13	S-14Y-3313-11-21	4.0
2014-33-14	S-14Y-3314-00-05	17.0
2014-33-14	S-14Y-3314-05-15	2.8
2014-33-15	S-14Y-3315-00-10	2.9
2014-33-15	S-14Y-3315-10-20	3.9
2014-33-15	S-14Y-3315-20-28	4.4
2014-33-16	S-14Y-3316-00-07	12.6
2014-33-16	S-14Y-3316-07-19	3.0
2014-33-17	S-14Y-3317-00-10	24.0
2014-33-17	S-14Y-3317-10-20	40.4
2014-33-17	S-14Y-3317-20-30	4.0
2014-33-18	S-14A-3318-00-10	19.2
2014-33-18	S-14A-3318-10-20	14.3
2014-33-18	S-14A-3318-20-30	1.9
2014-33-19	S-14A-3319-00-08	18.3
2014-33-19	S-14A-3319-08-18	45.0
2014-33-19	S-14A-3319-18-28	21.1
2014-33-19	S-14A-3319-28-38	8.7
2014-33-19	S-14A-3319-38-48	6.2
2014-33-20	S-14A-3320-00-10	5.2
2014-33-20	S-14A-3320-10-20	1.4
2014-33-21	S-14Y-3321-00-10	17.3
2014-33-21	S-14Y-3321-10-20	1.1
2014-33-21	S-14Y-3321-20-30	1.5
2014-33-21	S-14Y-3321-30-40	1.3
2014-33-22	S-14A-3322-00-10	1.2
2014-33-22	S-14A-3322-10-20	0.9

Immunoassay Results

STATION_ID	SAMPLE_ID	CONC (mg/kg)
2014-33-23	S-14A-3323-00-08	29.0
2014-33-23	S-14A-3323-08-18	1.9
2014-33-23	S-14A-3323-18-28	2.3
2014-33-24	S-14A-3324-00-05	9.2
2014-33-24	S-14A-3324-05-15	3.6
2014-33-25	S-14A-3325-00-07	20.6
2014-33-25	S-14A-3325-07-17	29.7
2014-33-25	S-14A-3325-17-27	22.1
2014-33-25	S-14A-3325-27-37	26.9
2014-33-25	S-14A-3325-37-47Rep	14.2
2014-33-25	S-14A-3325-47-53Rep	2.5
2014-33-26	S-14A-3326-00-13	18.2
2014-33-26	S-14A-3326-13-23	21.9
2014-33-26	S-14A-3326-23-33	46.5
2014-33-26	S-14A-3326-33-43	5.5
2014-33-27	S-14A-3327-00-07	45.3
2014-33-27	S-14A-3327-07-17	66.8
2014-33-27	S-14A-3327-17-27	2.9
2014-33-28	S-14A-3-28-00-12	0.0
2014-33-28	S-14A-3328-12-22	0.0
2014-33-29	S-14A-3329-00-13	22.1
2014-33-29	S-14A-3329-13-23	17.0
2014-33-29	S-14A-3329-23-33	34.4
2014-33-29	S-14A-3329-33-43	0.7
2014-33-30	S-14A-3330-00-08	2.9
2014-33-30	S-14A-3330-08-16	0.0
2014-33-30	S-14A-3330-16-26	0.0
2014-33-30	S-14A-3330-26-39	3.0
2014-33-31	S-14A-3331-00-10	86.5
2014-33-31	S-14A-3331-10-20	21.7
2014-33-31	S-14A-3331-20-30	2.6
2014-33-31	S-14A-3331-30-40	2.9
2014-33-31	S-14A-3331-40-49	4.0
2014-33-32	S-14Y-3332-00-14	23.3
2014-33-32	S-14Y-3332-14-24	2.4
2014-33-32	S-14Y-3332-24-34	3.2
2014-33-33	S-14A-3333-00-145	20.0
2014-33-33	S-14A-3333-145-245	17.1
2014-33-33	S-14A-3333-245-345	5.8
2014-33-33	S-14A-3333-345-445	2.2
2014-33-34	S-14A-3334-00-13	0.0
2014-33-34	S-14A-3334-13-23	0.0
2014-33-34	S-14A-3334-23-33	0.0
2014-33-35	S-14A-3335-00-14	3.0
2014-33-35	S-14A-3335-14-24	2.3
2014-33-35	S-14A-3335-24-34	2.3

Immunoassay Results

STATION_ID	SAMPLE_ID	CONC (mg/kg)
2014-33-36	S-14A-3336-00-07	16.1
2014-33-36	S-14A-3336-07-17	4.3
2014-33-36	S-14A-3336-17-23	0.5
2014-33-37	S-14A-3337-00-06	9.5
2014-33-37	S-14A-3337-06-16	6.5
2014-33-38	S-14G-33-38-00-10	4.2
2014-33-38	S-14G-33-38-10-20	0.4
2014-33-39	S-14G-33-39-00-10	0.6
2014-33-39	S-14G-33-39-10-20	0.9
2014-33-40	S-14D-33-40-00-10	0.3
2014-33-40	S-14D-33-40-10-20	0.4
2014-33-41	S-14D-33-41-00-10	195.4
2014-33-41	S-14D-33-41-10-20	0.7
2014-33-42	S-14D-33-42-00-10	174.7
2014-33-42	S-14D-33-42-10-20	0.6
2014-33-43	S-14D-33-43-00-10 LR	12.9
2014-33-43	S-14D-33-43-10-20	0.3
2014-33-44	S-14D-33-44-00-10	11.4
2014-33-44	S-14D-33-44-10-20	0.2
2014-33-36-1	S-14A-33-36-1-00-08	20.5
2014-33-36-1	S-14A-33-36-1-08-18	5.7
2014-33-36-1	S-14A-33-36-1-18-28	4.6
2014-33-36-2	S-14A-33-36-2-00-13	19.9
2014-33-36-2	S-14A-33-36-2-13-23	19.3
2014-33-36-2	S-14A-33-36-2-23-33	6.3
2014-33-36-3	S-14A-33-36-3-00-12	0.0
2014-33-36-3	S-14A-33-36-3-12-22	0.0
2014-34-1	S-14L-34-1-00-10	50.8
2014-34-1	S-14L-34-1-10-22	7.5
2014-34-2	S-14L-34-2-00-10	11.7
2014-34-2	S-14L-34-2-10-20	1.8
2014-34-3	S-14L-34-3-00-10	43.8
2014-34-3	S-14L-34-3-10-20	2.4
2014-34-4	S-14L-34-4-00-10	14.3
2014-34-4	S-14L-34-4-10-20	4.2
2014-34-5	S-14L-34-5-00-13	91.3
2014-34-5	S-14L-34-5-13-22	8.7
2014-34-6	S-14L-34-6-00-12	67.3
2014-34-6	S-14L-34-6-12-20	6.9
2014-34-7	S-14L-34-7-00-11LR	59.3
2014-34-7	S-14L-34-7-11-21	4.3
2014-34-8	S-14L-34-8-00-10	2.8
2014-34-8	S-14L-34-8-10-19	0.1
2014-34-9	S-14G-34-9-00-10	37.9
2014-34-9	S-14G-34-9-10-20	3.0
2014-34-10	S-14G-34-10-00-10	37.2

Immunoassay Results

STATION_ID	SAMPLE_ID	CONC (mg/kg)
2014-34-10	S-14G-34-10-10-18	37.8
2014-34-10	S-14L-34-10-18-30	89.4
2014-34-11	S-14L-34-11-00-17	30.5
2014-34-11	S-14L-34-11-17-24	0.7
2014-34-12	S-14L-34-12-00-11	35.9
2014-34-12	S-14L-34-12-11-20	8.1
2014-34-13	S-14L-34-13-00-10	37.0
2014-34-13	S-14L-34-13-10-17	41.9
2014-34-13	S-14L-34-13-17-30	100.8
2014-34-14	S-14L-34-14-00-13	81.5
2014-34-14	S-14L-34-14-13-20	5.2
2014-34-15	S-14L-34-15-00-12	59.9
2014-34-15	S-14L-34-15-12-20	15.3
2014-34-16	S-14L-34-16-00-10	27.4
2014-34-16	S-14L-34-16-10-20	5.8
2014-34-17	S-14L-34-17-00-11	18.1
2014-34-17	S-14L-34-17-11-19	20.7
2014-34-18	S-14L-34-18-00-10	18.0
2014-34-18	S-14L-34-18-10-20	58.2
2014-34-18	S-14L-34-18-20-28	1.1
2014-34-19	S-14L-34-19-00-10	6.8
2014-34-19	S-14L-34-19-10-20	5.1
2014-34-20	S-14L-34-20-00-10	14.7
2014-34-20	S-14L-34-20-10-20	8.0
2014-34-21	S-14L-34-21-00-10	11.0
2014-34-21	S-14L-34-21-10-22	2.5
2014-34-22	S-14G-34-22-20-30	148.5
2014-34-22	S-14G-34-22-30-40	54.7
2014-34-22	S-14G-34-22-40-50	4.5
2014-34-24	S-14L-34-24-00-14	29.7
2014-34-24	S-14L-34-24-14-20	68.9
2014-34-24	S-14L-34-24-20-30	96.9
2014-34-25	S-14L-34-25-00-10	25.0
2014-34-25	S-14L-34-25-10-15	5.2
2014-34-26	S-14L-34-26-00-10	9.4
2014-34-26	S-14L-34-26-10-20	15.9
2014-34-27	S-14L-34-27-00-10	28.6
2014-34-27	S-14L-34-27-10-19	40.0
2014-34-27	S-14L-34-27-19-30	69.9
2014-34-28	S-14L-34-28-00-10	21.8
2014-34-28	S-14L-34-28-1.6-3.0	228.4
2014-34-28	S-14L-34-28-10-16	28.3
2014-34-28	S-14L-34-28-30-40	50.2
2014-34-28	S-14L-34-28-40-45	1.1
2014-34-29	S-14L-34-29-00-10	19.5
2014-34-29	S-14L-34-29-10-20	56.6

Immunoassay Results

STATION_ID	SAMPLE_ID	CONC (mg/kg)
2014-34-29	S-14L-34-29-20-30	65.3
2014-34-30	S-14L-34-30-30-40	5.0
2014-34-30	S-14L-34-30-40-50	5.3
2014-34-31	S-14L-34-31-20-30	4.1
2014-34-31	S-14L-34-31-30-40	4.1
2014-34-32	S-14L-34-32-20-30	6.3
2014-34-32	S-14L-34-32-30-40	5.8
2014-34-33	S-14L-34-33-00-09	20.2
2014-34-33	S-14L-34-33-09-20	0.4
2014-34-34	S-14L-34-34-40-50	83.5
2014-34-34	S-14L-34-34-50-60	11.1
2014-34-35	S-14G-34-35-40-50	31.7
2014-34-35	S-14G-34-35-50-60	67.1
2014-34-35	S-14G-34-35-60-70	3.3
2014-34-36	S-14L-34-36-40-50	92.1
2014-34-36	S-14L-34-36-50-60	11.7
2014-34-37	S-14G-34-37-15-22	4.1
2014-34-37	S-14G-34-37-22-35	32.8
2014-34-37	S-14G-34-37-35-47	329.1
2014-34-38	S-14G-34-38-00-10	16.1
2014-34-38	S-14G-34-38-10-20	30.9
2014-34-38	S-14G-34-38-30-40	414.3
2014-34-38	S-14G-34-38-40-49	3.4
2014-34-39	S-14L-34-39-00-10	23.4
2014-34-39	S-14L-34-39-10-20	62.2
2014-34-39	S-14L-34-39-20-30	2.8
2014-34-40	S-14G-34-40-00-10-DUP	48.4
2014-34-40	S-14G-34-40-20-30-DUP	0.8
2014-34-40	S-14L-34-40-10-21	83.4
2014-34-40	S-14L-34-40-21-30	2.4
2014-34-41	S-14D-34-41-00-10	196.6
2014-34-41	S-14D-34-41-10-20	42.0
2014-34-41	S-14D-34-41-20-30	7.1
2014-34-41	S-14D-34-41-30-40 LR	0.3
2014-34-42	S-14D-34-42-00-10	76.7
2014-34-42	S-14D-34-42-10-20	69.3
2014-34-42	S-14D-34-42-20-30	0.4
2014-34-43	S-14D-34-43-00-10 LR	21.2
2014-34-43	S-14D-34-43-10-20	0.1
2014-34-44	S-14D-34-44-00-10	43.0
2014-34-44	S-14D-34-44-10-20	76.2
2014-34-44	S-14D-34-44-20-30	0.3
2014-34-45	S-14D-34-45-00-10	31.5
2014-34-45	S-14D-34-45-10-20	0.4
2014-34-46	S-14D-34-46-00-10	7.5
2014-34-46	S-14D-34-46-10-20 LR	0.6

Immunoassay Results

STATION_ID	SAMPLE_ID	CONC (mg/kg)
2014-34-47	S-14D-34-47-00-10	9.2
2014-34-47	S-14D-34-47-10-20	0.4
2014-34-48	S-14D-34-48-00-10	7.7
2014-34-48	S-14D-34-48-10-20	0.5
2014-35-1	S-14L-35-1-00-10	33.4
2014-35-1	S-14L-35-1-10-20	5.0
2014-35-2	S-14L-35-2-00-10	11.2
2014-35-2	S-14L-35-2-10-20	4.0
2014-35-3	S-14L-35-3-00-13	73.2
2014-35-3	S-14L-35-3-13-22	0.3
2014-35-4	S-14L-35-4-11-20	4.4
2014-35-4	S-14L-35-4-20-30	5.2
2014-35-5	S-14L-35-5-00-13	17.0
2014-35-5	S-14L-35-5-13-20	28.4
2014-35-5	S-14L-35-5-20-30	32.7
2014-35-6	S-14L-35-6-00-10	34.0
2014-35-6	S-14L-35-6-10-20	34.3
2014-35-6	S-14L-35-6-20-30	0.3
2014-35-7	S-14D-35-7-00-10	55.3
2014-35-7	S-14G-35-7-10-20-DUP	45.1
2014-35-7	S-14G-35-7-20-30-DUP	42.0
2014-35-8	S-14L-35-8-00-12	25.6
2014-35-8	S-14L-35-8-12-24	58.5
2014-35-8	S-14L-35-8-24-30	1.5
2014-35-9	S-14L-35-9-00-10	27.2
2014-35-9	S-14L-35-9-10-20	32.8
2014-35-9	S-14L-35-9-2.0-3.0	322.9
2014-35-9	S-14L-35-9-30-40	8.0
2014-35-10	S-14G-35-10-00-10	1.9
2014-35-10	S-14G-35-10-10-20	1.2
2014-35-11	S-14L-35-11-00-10	14.1
2014-35-11	S-14L-35-11-10-20	3.2
2014-35-12	S-14L-35-12-00-10	7.7
2014-35-12	S-14L-35-12-10-20LR	6.9
2014-35-13	S-14L-35-13-00-10	8.7
2014-35-13	S-14L-35-13-10-20	0.1
2014-35-14	S-14L-35-14-00-10	54.9
2014-35-14	S-14L-35-14-10-20	0.4
2014-35-15	S-14L-35-15-00-13	11.1
2014-35-15	S-14L-35-15-13-20	0.8
2014-35-16	S-14L-35-16-00-10	0.6
2014-35-16	S-14L-35-16-10-20	0.0
2014-35-17	S-14L-35-17-00-09	43.7
2014-35-17	S-14L-35-17-09-20	0.5
2014-35-18	S-14G-35-18-00-10	3.7
2014-35-18	S-14G-35-18-10-20	0.5

Immunoassay Results

STATION_ID	SAMPLE_ID	CONC (mg/kg)
2014-35-19	S-14L-35-19-00-10	37.0
2014-35-19	S-14L-35-19-10-23	32.5
2014-35-19	S-14L-35-19-2.3-3.0	286.1
2014-35-19	S-14L-35-19-30-40	55.5
2014-35-19	S-14L-35-19-40-48	0.9
2014-35-20	S-14G-35-20-00-10	3.4
2014-35-20	S-14G-35-20-10-20	1.8
2014-35-21	S-14G-35-21-00-10-DUP	25.1
2014-35-21	S-14G-35-21-10-20	80.7
2014-35-21	S-14G-35-21-20-30-DUP	28.0
2014-35-22	S-14L-35-22-00-09	48.7
2014-35-22	S-14L-35-22-09-20	5.3
2014-35-23	S-14L-35-23-00-09	27.3
2014-35-23	S-14L-35-23-09-20	0.3
2014-35-24	S-14L-35-24-00-10	27.3
2014-35-24	S-14L-35-24-10-20	0.0
2014-35-25	S-14L-35-25-00-09	42.1
2014-35-25	S-14L-35-25-09-20	1.3
2014-35-26	S-14L-35-26-00-07	8.4
2014-35-26	S-14L-35-26-07-20	18.3
2014-35-27	S-14L-35-27-00-13-DUP	31.7
2014-35-27	S-14L-35-27-13-20-DUP	0.9
2014-35-28	S-14L-35-28-00-12	36.6
2014-35-28	S-14L-35-28-12-20	1.7
2014-35-29	S-14L-35-29-00-10	0.4
2014-35-29	S-14L-35-29-10-20	0.0
2014-35-30	S-14L-35-30-00-10	5.3
2014-35-30	S-14L-35-30-10-20	0.0
2014-35-30	S-14L-35-30-20-30	0.1
2014-35-31	S-14L-35-31-00-10	30.2
2014-35-31	S-14L-35-31-10-20	0.5
2014-35-32	S-14L-35-32-00-09	27.1
2014-35-32	S-14L-35-32-09-20	0.5
2014-35-33	S-14L-35-33-00-12	2.2
2014-35-33	S-14L-35-33-12-25	14.6
2014-35-34	S-14L-35-34-00-10	0.8
2014-35-34	S-14L-35-34-10-20	0.9
2014-35-35	S-14G-35-35-00-10	26.0
2014-35-35	S-14G-35-35-10-20	69.6
2014-35-35	S-14G-35-35-20-30	63.6
2014-35-36	S-14G-35-36-00-10	31.3
2014-35-36	S-14G-35-36-10-20	54.6
2014-35-36	S-14G-35-36-20-30	62.7
2014-35-37	S-14L-35-37-00-10	27.9
2014-35-37	S-14L-35-37-10-20	2.6
2014-35-38	S-14L-35-38-00-10	0.2

Immunoassay Results

STATION_ID	SAMPLE_ID	CONC (mg/kg)
2014-35-38	S-14L-35-38-10-20	0.1
2014-35-39	S-14L-35-39-00-8.5	1.3
2014-35-39	S-14L-35-39-8.5-20	0.7
2014-35-40	S-14L-35-40-00-08	4.9
2014-35-40	S-14L-35-40-08-20	0.7
2014-35-41	S-14L-35-41-00-10	0.3
2014-35-41	S-14L-35-41-10-20	1.3
2014-35-42	S-14G-35-42-00-10-DUP	0.6
2014-35-42	S-14G-35-42-10-20	0.4
2014-35-43	S-14G-35-43-00-10	0.0
2014-35-43	S-14G-35-43-10-20	0.3
2014-35-44	S-14G-35-44-00-10	0.0
2014-35-44	S-14G-35-44-10-20	0.0
2014-35-45	S-14G-35-45-00-11	7.0
2014-35-45	S-14G-35-45-11-19	1.8
2014-35-46	S-14G-35-46-00-10	9.5
2014-35-46	S-14G-35-46-10-20	15.3
2014-35-47	S-14G-35-47-00-10	2.2
2014-35-47	S-14G-35-47-10-20	4.9
2014-35-48	S-14G-35-48-00-10	2.6
2014-35-48	S-14G-35-48-10-20	10.0
2014-35-49	S-14G-35-49-00-10	3.6
2014-35-49	S-14G-35-49-10-20	1.0
2014-35-50	S-14G-35-50-00-09	1.2
2014-35-50	S-14G-35-50-09-19	0.0
2014-35-51	S-14G-35-51-00-10	3.6
2014-35-51	S-14G-35-51-10-20	0.9
2014-35-52	S-14G-35-52-00-10	9.7
2014-35-52	S-14G-35-52-10-20	33.5
2014-35-52	S-14G-35-52-20-30	85.9
2014-35-52a	S-15A-35-52-10-20	40.6
2014-35-53	S-14G-35-53-10-20	2.8
2014-35-53	S-14G-35-53-20-30	0.6
2014-35-54	S-14G-35-54-00-10	2.6
2014-35-54	S-14G-35-54-10-20	0.9
2014-35-55	S-14G-35-55-00-12	90.5
2014-35-55	S-14G-35-55-12-20	0.0
2014-35-56	S-14G-35-56-20-30	2.1
2014-35-56	S-14G-35-56-30-40	2.9
2014-35-57	S-14G-35-57-00-10-DUP	30.4
2014-35-57	S-14G-35-57-09-18	10.1
2014-35-58	S-14G-35-58-20-30LR	2.3
2014-35-58	S-14G-35-58-33-40-DUP	0.6
2014-35-59	S-14L-35-59-25-35LR	6.4
2014-35-59	S-14L-35-59-35-45	1.3
2014-35-60	S-14L-35-60-25-35	2.0

Immunoassay Results

STATION_ID	SAMPLE_ID	CONC (mg/kg)
2014-35-60	S-14L-35-60-35-45	2.2
2014-35-61	S-14L-35-61-25-35	19.3
2014-35-61	S-14L-35-61-35-45	10.1
2014-35-62	S-14L-35-62-30-40	10.7
2014-35-62	S-14L-35-62-40-50	14.4
2014-35-63	S-14G-35-63-20-30	36.8
2014-35-63	S-14G-35-63-30-40	98.4
2014-35-63	S-14G-35-63-40-53LR	17.1
2014-35-64	S-14G-35-64-00-10	21.6
2014-35-64	S-14G-35-64-10-20	53.4
2014-35-64	S-14G-35-64-20-30	12.3
2014-35-65	S-14G-35-65-00-15	0.6
2014-35-65	S-14G-35-65-15-27	0.4
2014-35-66	S-14G-35-66-00-15	1.0
2014-35-66	S-14G-35-66-15-23	0.5
2014-35-67	S-14G-35-67-00-10	3.1
2014-35-67	S-14G-35-67-10-20	1.3
2014-35-68	S-14D-35-68-00-10-REP	7.3
2014-35-68	S-14D-35-68-10-20	0.4
2014-35-68	S-14D-35-68-20-30	0.4
2014-35-69	S-14D-35-69-00-10	0.6
2014-35-69	S-14D-35-69-10-20	0.6
2014-35-70	S-14D-35-70-00-10	34.0
2014-35-70	S-14D-35-70-10-20	61.0
2014-35-70	S-14D-35-70-20-30	20.5
2014-35-70	S-14D-35-70-30-40	0.3
2014-35-71	S-14D-35-71-00-10	5.9
2014-35-71	S-14D-35-71-10-20	1.0
2014-35-72	S-14D-35-72-00-10	9.1
2014-35-72	S-14D-35-72-10-20	1.5
2014-35-73	S-14D-35-73-00-10	3.9
2014-35-73	S-14D-35-73-10-20	0.9
2014-35-74	S-14D-35-74-00-10	37.0
2014-35-74	S-14D-35-74-10-20	66.8
2014-35-74	S-14D-35-74-20-30 LR	8.1
2014-35-75	S-14D-35-75-00-10	51.2
2014-35-75	S-14D-35-75-10-20	41.4
2014-35-75	S-14D-35-75-20-30	2.5
2014-35-76	S-14D-35-76-00-10	41.4
2014-35-76	S-14D-35-76-10-20	59.4
2014-35-76	S-14D-35-76-20-30	34.1
2014-35-76	S-14D-35-76-30-35	5.3
2014-35-77	S-14D-35-77-00-10	50.7
2014-35-77	S-14D-35-77-10-20	1.5
2014-35-77	S-14D-35-77-20-30	42.5
2014-35-77	S-14D-35-77-30-33	0.3

Immunoassay Results

STATION_ID	SAMPLE_ID	CONC (mg/kg)
2014-35-78	S-14D-35-78-00-10	9.8
2014-35-78	S-14D-35-78-10-20	1.2
2014-35-79	S-14D-35-79-00-10	36.9
2014-35-79	S-14D-35-79-10-20	0.6
2014-35-79	S-14D-35-79-20-30	0.3
2014-35-80	S-14D-35-80-00-10	55.3
2014-35-80	S-14D-35-80-10-20	60.7
2014-35-80	S-14D-35-80-20-30	0.9
2014-35-81	S-14D-35-81-00-10	7.4
2014-35-81	S-14D-35-81-10-20	1.8
2014-35-81	S-14D-35-81-20-30	0.4
2014-36-1	S-14A-36-1-05-15	27.0
2014-36-1	S-14A-36-1-15-25	3.3
2014-36-2	S-14A-36-2-00-11	3.5
2014-36-2	S-14A-36-2-11-21	0.0
2014-36-3	S-14A-36-3-00-05	20.9
2014-36-3	S-14A-36-3-05-15	13.7
2014-36-3	S-14A-36-3-15-25	0.0
2014-36-4	S-14A-36-4-00-08	8.6
2014-36-4	S-14A-36-4-08-18	5.5
2014-36-5	S-14A-36-5-00-05	3.3
2014-36-5	S-14A-36-5-05-15	2.8
2014-36-5	S-14A-36-5-15-26	1.5
2014-36-6	S-14A-36-6-00-06	6.6
2014-36-6	S-14A-36-6-06-14	6.4
2014-36-7	S-14A-36-7-00-07	5.5
2014-36-7	S-14A-36-7-07-17	4.3
2014-36-7	S-14A-36-7-17-27	4.0
2014-36-8	S-14A-36-8-00-12	11.9
2014-36-8	S-14A-36-8-12-22	6.2
2014-36-8	S-14A-36-8-22-32	4.9
2014-36-9	S-14A-36-9-00-05	0.5
2014-36-9	S-14A-36-9-05-15	0.0
2014-36-9	S-14A-36-9-15-25	1.1
2014-36-10	S-14A-36-10-00-06	73.5
2014-36-10	S-14A-36-10-06-16	2.1
2014-36-10	S-14A-36-10-16-26	0.0
2014-36-11	S-14A-36-11-00-06	7.0
2014-36-11	S-14A-36-11-06-16	0.0
2014-36-12	S-14G-36-12-00-12	55.1
2014-36-12	S-14G-36-12-12-20	0.0
2014-36-13	S-14G-36-13-00-10	42.3
2014-36-13	S-14G-36-13-10-20	112.3
2014-36-13	S-14G-36-13-20-30	4.2
2014-36-14	S-14G-36-14-00-07	12.5
2014-36-14	S-14G-36-14-07-20	0.5

Immunoassay Results

STATION_ID	SAMPLE_ID	CONC (mg/kg)
2014-36-15	S-14G-36-15-00-06LR	55.3
2014-36-15	S-14G-36-15-06-20	1.1
2014-36-16	S-14G-36-16-00-10	9.9
2014-36-16	S-14G-36-16-10-20	0.5
2014-36-17	S-14G-36-17-00-08	43.4
2014-36-17	S-14G-36-17-08-15	0.9
2014-36-18	S-14G-36-18-00-09	35.0
2014-36-18	S-14G-36-18-09-20	10.9
2014-36-19	S-14G-36-19-00-10	31.0
2014-36-19	S-14G-36-19-10-20	1.6
2014-36-20	S-14G-36-20-00-12	12.8
2014-36-20	S-14G-36-20-12-20	0.0
2014-36-21	S-14G-36-21-00-09	31.0
2014-36-21	S-14G-36-21-09-20	0.1
2014-36-22	S-14G-36-22-00-08	83.1
2014-36-22	S-14G-36-22-08-20	1.0
2014-36-23	S-14G-36-23-00-07	32.9
2014-36-23	S-14G-36-23-07-20	0.0
2014-36-24	S-14G-36-24-00-10	36.0
2014-36-24	S-14G-36-24-10-20	0.7
2014-36-25	S-14G-36-25-00-11	25.4
2014-36-25	S-14G-36-25-11-20	1.4
2014-36-26	S-14G-36-26-00-07-DUP	40.2
2014-36-26	S-14G-36-26-07-20-DUP	0.7
2014-36-26	S-14G-36-26-11-20	0.3
2014-36-27	S-14G-36-27-00-10	21.2
2014-36-27	S-14G-36-27-10-20LR	0.7
2014-36-28	S-14G-36-28-00-10	29.3
2014-36-28	S-14G-36-28-10-20	1.7
2014-36-29	S-14G-36-29-00-05	84.9
2014-36-29	S-14G-36-29-05-20	0.7
2014-36-30	S-14G-36-30-00-08	15.2
2014-36-30	S-14G-36-30-08-20	1.5
2014-36-31	S-14G-36-31-00-08	10.8
2014-36-31	S-14G-36-31-08-22	0.3
2014-36-32	S-14G-36-32-00-06	43.4
2014-36-32	S-14G-36-32-06-20	1.2
2014-36-33	S-14G-36-33-00-11	17.5
2014-36-33	S-14G-36-33-11-20	1.4
2014-36-34	S-14G-36-34-00-09LR	56.5
2014-36-34	S-14G-36-34-09-18	2.2
2014-36-35	S-14L-36-35-00-11	0.9
2014-36-35	S-14L-36-35-11-21	0.0
2014-36-36	S-14G-36-36-00-10	14.5
2014-36-36	S-14G-36-36-10-20	2.7
2014-36-37	S-14G-36-37-00-10	69.7

Immunoassay Results

STATION_ID	SAMPLE_ID	CONC (mg/kg)
2014-36-37	S-14G-36-37-10-19	0.8
2014-36-38	S-14G-36-38-00-13	32.4
2014-36-38	S-14G-36-38-13-22	1.8
2014-36-39	S-14G-36-39-00-10	8.0
2014-36-39	S-14G-36-39-10-20	47.7
2014-36-39	S-14G-36-39-20-30	2.1
2014-36-40	S-14G-36-40-00-12	64.2
2014-36-40	S-14G-36-40-12-20	10.5
2014-36-41	S-14L-36-41-00-09	0.7
2014-36-41	S-14L-36-41-09-20	0.3
2014-36-44	S-14G-36-44-00-12	25.8
2014-36-44	S-14G-36-44-12-18	3.8
2014-36-45	S-14G-36-45-00-07	5.8
2014-36-45	S-14G-36-45-07-16	1.7
2014-36-46	S-14G-36-46-10-19	0.0
2014-36-46	S-14G-36-46-19-30	0.0
2014-36-47	S-14G-36-47-00-09	29.3
2014-36-47	S-14G-36-47-09-20	0.0
2014-36-48	S-14G-36-48-10-20	0.0
2014-36-48	S-14G-36-48-20-31	0.0
2014-36-49	S-14G-36-49-10-20	4.8
2014-36-49	S-14G-36-49-20-30	0.5
2014-36-50	S-14L-36-50-00-09	5.2
2014-36-50	S-14L-36-50-09-20	1.4
2014-36-51	S-14G-36-51-00-10	1.4
2014-36-51	S-14G-36-51-10-20	0.5
2014-36-52	S-14G-36-52-00-07	36.1
2014-36-52	S-14G-36-52-07-20	0.5
2014-36-53	S-14G-36-53-00-08LR	14.3
2014-36-53	S-14G-36-53-08-20	15.0
2014-36-54	S-14G-36-54-00-14	21.6
2014-36-54	S-14G-36-54-14-20	3.5
2014-36-55	S-14D-36-55-00-10	0.5
2014-36-55	S-14D-36-55-10-20	0.2
2014-36-56	S-14D-36-56-00-10	10.3
2014-36-56	S-14D-36-56-10-20	0.5
2014-36-57	S-14D-36-57-00-10	78.4
2014-36-57	S-14D-36-57-10-20 LR	82.8
2014-36-57	S-14D-36-57-20-30	0.1
2014-36-58	S-14D-36-58-00-10	0.8
2014-36-58	S-14D-36-58-10-20	0.4
2014-36-59	S-14D-36-59-00-10	2.0
2014-36-59	S-14D-36-59-10-20	0.3
2014-36-60	S-14D-36-60-00-10	56.7
2014-36-60	S-14D-36-60-10-20	0.5
2014-36-61	S-14D-36-61-00-10	0.4

Immunoassay Results

STATION_ID	SAMPLE_ID	CONC (mg/kg)
2014-36-61	S-14D-36-61-10-20	58.4
2014-36-61	S-14D-36-61-20-30	0.8
2014-36-62	S-14D-36-62-00-10	60.8
2014-36-62	S-14D-36-62-10-20	34.7
2014-36-62	S-14D-36-62-20-30	0.5
2014-36-63	S-14D-36-63-00-10	17.4
2014-36-63	S-14D-36-63-10-20	0.3
2014-36-63	S-14D-36-63-20-30	0.2
2014-36-64	S-14D-36-64-00-10	3.3
2014-36-64	S-14D-36-64-10-20	0.4
2014-36-65	S-14D-36-65-00-10	83.6
2014-36-65	S-14D-36-65-10-20	0.4
2014-36-66	S-14D-36-66-00-10	2.0
2014-36-66	S-14D-36-66-10-20 LR	0.3
2014-36-67	S-14D-36-67-00-10	1.6
2014-36-67	S-14D-36-67-10-20	0.3
2014-36-68	S-14D-36-68-00-10	49.0
2014-36-68	S-14D-36-68-10-20	0.4
2014-36-69	S-14D-36-69-00-10	48.7
2014-36-69	S-14D-36-69-10-20	0.4
2014-36-70	S-14D-36-70-00-10	46.2
2014-36-70	S-14D-36-70-10-20	0.7
2014-36-71	S-14D-36-71-00-10	1.5
2014-36-71	S-14D-36-71-10-20	0.0
2014-36-72	S-14D-36-72-00-10	38.4
2014-36-72	S-14D-36-72-10-20	0.1
2014-36-73	S-14D-36-73-00-10	71.8
2014-36-73	S-14D-36-73-10-20	0.3
2014-36-74	S-14D-36-74-00-10	51.4
2014-36-74	S-14D-36-74-10-20	0.1
2014-36-75	S-14D-36-75-00-10	17.0
2014-36-75	S-14D-36-75-10-20	0.0
2014-36-76	S-14D-36-76-00-10	91.6
2014-36-76	S-14D-36-76-10-20	0.1
2014-36-77	S-14D-36-77-00-10	35.7
2014-36-77	S-14D-36-77-10-20	7.7
2014-36-78	S-14D-36-78-00-10	36.6
2014-36-78	S-14D-36-78-10-20	0.3
2014-36-79	S-14D-36-79-00-10	0.7
2014-36-79	S-14D-36-79-10-20	0.2
2014-36-80	S-14D-36-80-00-10	0.4
2014-36-80	S-14D-36-80-10-20	0.2
2014-36-81	S-14D-36-81-00-10	9.7
2014-36-81	S-14D-36-81-10-20	0.3
2014-36-82	S-14D-36-82-00-10	0.8
2014-36-82	S-14D-36-82-10-20	0.2

Immunoassay Results

STATION_ID	SAMPLE_ID	CONC (mg/kg)
2014-36-84	S-14D-36-84-00-10	49.0
2014-36-84	S-14D-36-84-10-20	0.2
2014-36-85	S-14D-36-85-00-10-REP	9.6
2014-36-85	S-14D-36-85-10-20	0.3
2014-36-86	S-14D-36-86-00-10	6.6
2014-36-86	S-14D-36-86-10-20	0.2
2014-36-87	S-14D-36-87-00-10	40.7
2014-36-87	S-14D-36-87-10-20 LR	0.3
2014-36-88	S-14D-36-88-00-10	71.0
2014-36-88	S-14D-36-88-10-20	0.2
2014-36-89	S-14D-36-89-00-10	9.2
2014-36-89	S-14D-36-89-10-20	0.3
2014-36-90	S-14D-36-90-00-10	45.5
2014-36-90	S-14D-36-90-10-20 LR	0.9
2014-36-91	S-15A-36-91-00-10	4.8
2014-36-91	S-15A-36-91-10-20	0.4
2014-36-92	S-15A-36-92-00-10	0.5
2014-36-92	S-15A-36-92-10-20	0.2
2014-36-93	S-15O-2014-36-93-00-10	13.2
2014-36-93	S-15O-2014-36-93-10-20	20.9
2014-36-94	S-15O-2014-36-94-00-10	35.3
2014-36-94	S-15O-2014-36-94-10-20	1.1
2014-36-95	S-15O-2014-36-95-00-10	33.4
2014-36-95	S-15O-2014-36-95-10-20	51.1
2014-36-96	S-15O-2014-36-96-00-10	33.2
2014-36-96	S-15O-2014-36-96-10-20	33.9
2014-37-1	S-14G-37-1-00-10	5.8
2014-37-1	S-14G-37-1-10-20	13.2
2014-37-2	S-14G-37-2-00-10	31.4
2014-37-2	S-14G-37-2-10-22	4.6
2014-37-3	S-14G-37-3-00-09	14.6
2014-37-3	S-14G-37-3-09-18	5.3
2014-37-4	S-14G-37-4-00-10	5.2
2014-37-4	S-14G-37-4-10-20	7.1
2014-37-5	S-14G-37-5-00-10	6.8
2014-37-5	S-14G-37-5-10-20	21.4
2014-37-6	S-14G-37-6-00-10	8.6
2014-37-6	S-14G-37-6-10-20	12.0
2014-37-7	S-14G-37-7-00-10	5.0
2014-37-7	S-14G-37-7-10-20	7.1
2014-37-8	S-14G-37-8-00-10	8.5
2014-37-8	S-14G-37-8-10-20	12.6
2014-37-9	S-14G-37-9-00-10	13.6
2014-37-9	S-14G-37-9-10-20	12.9
2014-37-10	S-14G-37-10-00-10	2.5
2014-37-10	S-14G-37-10-10-20	3.6

Immunoassay Results

STATION_ID	SAMPLE_ID	CONC (mg/kg)
2014-37-11	S-14G-37-11-00-10	3.0
2014-37-11	S-14G-37-11-10-20	1.3
2014-37-12	S-14G-37-12-00-10	2.6
2014-37-12	S-14G-37-12-00-12	3.8
2014-37-12	S-14G-37-12-10-20	2.3
2014-37-12	S-14G-37-12-12-20	0.2
2014-37-13	S-14G-37-13-00-10	10.5
2014-37-13	S-14G-37-13-10-20	11.7
2014-37-14	S-14G-37-14-30-40	58.5
2014-37-14	S-14G-37-14-40-55	32.3
2014-37-14	S-14G-37-14-55-60	0.4
2014-37-15	S-14G-37-15-00-10	10.8
2014-37-15	S-14G-37-15-10-20	16.3
2014-37-16	S-14G-37-16-00-10LR	13.2
2014-37-16	S-14G-37-16-10-20	11.0
2014-37-17	S-14G-37-17-00-10	5.3
2014-37-17	S-14G-37-17-10-15	0.3
2014-37-18	S-14G-37-18-00-10	16.0
2014-37-18	S-14G-37-18-10-20	1.0
2014-37-19	S-14G-37-19-00-12	4.8
2014-37-19	S-14G-37-19-12-23	1.2
2014-37-20	S-14G-37-20-00-10	32.3
2014-37-20	S-14G-37-20-10-22	35.4
2014-37-20	S-14G-37-20-22-30	0.9
2014-37-21	S-14G-37-21-00-10	6.3
2014-37-21	S-14G-37-21-10-18	0.6
2014-37-22	S-14G-37-22-00-10	25.6
2014-37-22	S-14G-37-22-10-20	25.8
2014-37-23	S-14G-37-23-00-10	17.8
2014-37-23	S-14G-37-23-10-17	3.5
2014-37-24	S-14G-37-24-00-14	20.4
2014-37-24	S-14G-37-24-14-20	0.1
2014-37-25	S-14G-37-25-00-10	4.6
2014-37-25	S-14G-37-25-10-20	0.8
2014-37-26	S-14G-37-26-00-10	0.8
2014-37-26	S-14G-37-26-10-21	0.0
2014-37-27	S-14G-37-27-00-10	1.0
2014-37-27	S-14G-37-27-10-20	1.7
2014-37-28	S-14G-37-28-00-10	7.9
2014-37-28	S-14G-37-28-10-20	3.6
2014-37-28	S-14G-37-28-20-30	3.4
2014-37-29	S-14G-37-29-00-10	2.3
2014-37-29	S-14G-37-29-10-21	2.2
2014-37-30	S-14G-37-30-00-10	1.6
2014-37-30	S-14G-37-30-10-20	1.5
2014-37-31	S-14G-37-31-00-10	1.2

Immunoassay Results

STATION_ID	SAMPLE_ID	CONC (mg/kg)
2014-37-31	S-14G-37-31-10-20	3.2
2014-37-32	S-14G-37-32-20-30	22.7
2014-37-32	S-14G-37-32-30-38	1.7
2014-37-33	S-14D-37-33-10-20	60.7
2014-37-33	S-14D-37-33-20-30	0.7
2014-37-33	S-14D-37-33-30-36	0.3
2014-37-33	S-14D-37-33-10-20	60.7
2014-37-33	S-14D-37-33-20-30	0.7
2014-37-33	S-14D-37-33-30-36	0.3
2014-37-34	S-14D-37-34-00-10	71.6
2014-37-34	S-14D-37-34-10-20	0.7
2014-37-34	S-14D-37-34-00-10	71.6
2014-37-34	S-14D-37-37-10-20	0.7
2014-37-35	S-14D-37-35-00-10	55.6
2014-37-35	S-14D-37-35-10-20	1.5
2014-37-35	S-14D-37-35-00-10	55.6
2014-37-35	S-14D-37-35-10-20	1.5
2014-37-36	S-14D-37-36-00-10	7.3
2014-37-36	S-14D-37-36-10-20	0.2
2014-37-36	S-14D-37-36-00-10	7.3
2014-37-36	S-14D-37-36-10-20	0.2
2014-37-37	S-14D-37-37-00-10	17.1
2014-37-37	S-14D-37-37-10-20	26.1
2014-37-37	S-14D-37-37-20-30	36.5
2014-37-37	S-14D-37-37-30-40	72.1
2014-37-37	S-14D-37-37-40-50	1.3
2014-37-37	S-14D-37-37-50-60	0.4
2014-37-37	S-14D-37-37-00-10	17.1
2014-37-37	S-14D-37-37-10-20	26.1
2014-37-37	S-14D-37-37-20-30	36.5
2014-37-37	S-14D-37-37-30-40	72.1
2014-37-37	S-14D-37-37-40-50	1.3
2014-37-37	S-14D-37-37-50-60	0.4

Congener Results

STATION_ID	SAMPLE_ID	CONC (mg/kg)
2014-25-1	S-14D-2014-25-1-00-10	480.0
2014-25-1	S-14D-2014-25-1-10-20	1.2
2014-25-2	S-15A-2014-25-2-00-10	21.0
2014-25-3	S-15A-2014-25-3-00-10	140.0
2014-25-4	S-15A-2014-25-4-00-10	260.0
2014-25-5	S-15A-2014-25-5-00-10	240.0
2014-25-5	S-15A-2014-25-5-10-20	280.0
2014-25-6	S-15A-2014-25-6-00-10	240.0
2014-25-7	S-15A-2014-25-7-00-10	10.0
2014-26-1	S-14D-2014-26-1-00-10	2.7
2014-26-4	S-15M-2014-26-4-00-10	110.0
2014-26-12	S-15M-2014-26-12-00-10	44.0
2014-28-9	S-15M-2014-28-9-00-10	11.0
2014-29-2	S-15M-2014-29-2-00-10	45.0
2014-29-2	S-15M-2014-29-2-00-10-REP	42.0
2014-29-3	S-15M-2014-29-3-00-10	32.0
2014-30-3	S-15A-2014-30-3-70-78	10.0
2014-30-6	S-14D-2014-30-6-00-10	9.1
2014-30-9	S-15A-2014-30-9-00-10	11.0
2014-30-11	S-15M-2014-30-11-00-10	15.0
2014-31-1	S-14D-2014-31-1-10-20	0.065
2014-31-4	S-14D-2014-31-4-20-30	39.0
2014-31-6	S-14D-2014-31-6-00-10	10.0
2014-31-7A	S-14D-2014-31-7A-00-10	36.0
2014-31-7B	S-14D-2014-31-7B-00-10	3.0
2014-31-8	S-14D-2014-31-8-00-10	98.0
2014-32-1	S-15A-2014-32-1-10-20	0.1
2014-32-2	S-15A-2014-32-2-00-10	170.0
2014-32-2	S-15A-2014-32-2-10-20	11.3
2014-32-4	S-15A-2014-32-4-00-10-REP	120.0
2014-32-7	S-15A-2014-32-7-00-10	160.0
2014-32-7	S-15A-2014-32-7-10-20	29.8
2014-32-12	S-15A-2014-32-12-00-10	270.0
2014-32-13	S-15A-2014-32-13-00-10	42.5
2014-32-14	S-15A-2014-32-14-00-10	40.0
2014-32-14	S-15A-2014-32-14-10-20	180.0
2014-32-14	S-15A-2014-32-14-30-40	99.0
2014-32-14	S-15A-2014-32-14-70-80	20.9
2014-32-17	S-15A-2014-32-17-00-10	120.0
2014-32-18	S-15A-2014-32-18-00-10	24.8
2014-33-1	S-14A-33-1-00-06	19.2
2014-33-3	S-14A-33-3-13-23	0.0
2014-33-4	S-14Y-33-4-00-07	54.0
2014-33-4	S-14Y-33-4-07-17	2.3
2014-33-5	S-14Y-33-5-00-10	59.0
2014-33-5	S-14Y-33-5-10-20	1.9

Congener Results

STATION_ID	SAMPLE_ID	CONC (mg/kg)
2014-33-7	S-14Y-33-7-00-11	59.0
2014-33-7	S-14Y-33-7-11-21	0.6
2014-33-11	S-14A-33-11-00-09	49.0
2014-33-11	S-14Y-33-11-10-20Rep	0.4
2014-33-12	S-14A-33-12-00-10	21.3
2014-33-13	S-14Y-33-13-00-11	6.7
2014-33-13	S-14Y-33-13-11-21	0.0
2014-33-15	S-14Y-33-15-20-28	0.0
2014-33-17	S-14Y-33-17-10-20	97.0
2014-33-17	S-14Y-33-17-20-30	0.2
2014-33-19	S-14A-33-19-08-18	67.8
2014-33-19	S-14A-33-19-18-28	40.4
2014-33-23	S-14A-33-23-00-08	28.5
2014-33-23	S-14A-33-23-08-18	0.3
2014-33-25	S-14A-33-25-07-17	62.0
2014-33-25	S-14A-33-25-17-27	86.0
2014-33-25	S-14A-33-25-37-47	20.8
2014-33-26	S-14A-33-26-23-33	190.0
2014-33-26	S-14A-33-26-33-43	0.9
2014-33-27	S-14A-33-27-00-07	53.0
2014-33-27	S-14A-33-27-07-17	90.0
2014-33-27	S-14A-33-27-17-27	0.0
2014-33-29	S-14A-33-29-23-33	130.0
2014-33-29	S-14A-33-29-33-43	0.1
2014-33-31	S-14A-33-31-00-10	70.0
2014-33-31	S-14A-33-31-10-20	45.9
2014-33-43	S-14D-33-43-00-10	7.2
2014-34-1	S-14L-34-1-00-10	57.0
2014-34-6	S-14L-34-6-00-12	130.0
2014-34-11	S-14L-34-11-00-17	44.7
2014-34-16	S-14L-34-16-00-10	21.5
2014-34-16	S-14L-34-16-10-20	0.1
2014-34-17	S-14L-34-17-00-11	13.6
2014-34-24	S-14L-34-24-30-43	11.0
2014-34-25	S-14L-34-25-00-10	15.3
2014-34-25	S-14L-34-25-10-15	2.5
2014-34-29	S-14L-34-29-20-30	70.0
2014-34-29	S-14L-34-29-30-34	0.9
2014-34-37	S-14G-34-37-35-47	250.0
2014-34-39	S-14L-34-39-10-20	61.3
2014-34-41	S-14D-34-41-10-20	21.0
2014-34-41	S-14D-34-41-20-30	0.2
2014-35-1	S-14L-35-1-00-10	21.0
2014-35-1	S-14L-35-1-10-20	0.0
2014-35-5	S-14L-35-5-20-30	26.0
2014-35-6	S-14L-35-6-00-10	49.0

Congener Results

STATION_ID	SAMPLE_ID	CONC (mg/kg)
2014-35-7	S-14G-35-7-00-10-DUP	38.0
2014-35-7	S-14G-35-7-10-20-DUP	60.0
2014-35-8	S-14L-35-8-00-12	38.0
2014-35-8	S-14L-35-8-12-24	73.0
2014-35-9	S-14L-35-9-00-10	35.0
2014-35-9	S-14L-35-9-10-20	66.0
2014-35-11	S-14L-35-11-10-20	2.6
2014-35-17	S-14L-35-17-00-09	59.0
2014-35-21	S-14G-35-21-00-10	30.0
2014-35-21	S-14G-35-21-10-20	130.0
2014-35-25	S-14L-35-25-00-09	29.0
2014-35-35	S-14G-35-35-20-30	49.3
2014-35-36	S-14G-35-36-10-20	61.0
2014-35-52	S-14G-35-52-00-10	16.0
2014-35-52	S-14G-35-52-10-20	61.0
2014-35-52a	S-15A-35-52-10-20	25.0
2014-35-61	S-14L-35-61-25-35	29.5
2014-35-63	S-14G-35-63-20-30	68.0
2014-35-63	S-14G-35-63-40-53	13.5
2014-35-68	S-14D-35-68-00-10-REP	9.5
2014-35-70	S-14D-35-70-20-30	32.0
2014-35-74	S-14D-35-74-00-10	16.0
2014-35-76	S-14D-35-76-00-10	16.0
2014-35-77	S-14D-35-77-20-30	1.5
2014-35-79	S-14D-35-79-10-20	0.1
2014-36-1	S-14A-36-1-05-15	98.0
2014-36-2	S-14A-36-2-00-11	18.0
2014-36-4	S-14A-36-4-08-18	0.0
2014-36-5	S-14A-36-5-15-26	0.0
2014-36-10	S-14A-36-10-00-06	120.0
2014-36-10	S-14A-36-10-06-16	8.1
2014-36-12	S-14G-36-12-00-12	140.0
2014-36-13	S-14G-36-13-10-20	300.0
2014-36-15	S-14G-36-15-00-06	49.0
2014-36-16	S-14G-36-16-00-10	8.3
2014-36-17	S-14G-36-17-00-08	48.0
2014-36-19	S-14G-36-19-00-10	27.5
2014-36-26	S-14G-36-26-00-07-DUP	36.9
2014-36-29	S-14G-36-29-00-05	63.0
2014-36-32	S-14G-36-32-00-06	38.9
2014-36-37	S-14G-36-37-00-10	78.0
2014-36-38	S-14G-36-38-00-13	30.2
2014-36-39	S-14G-36-39-00-10	5.7
2014-36-39	S-14G-36-39-10-20	54.0
2014-36-39	S-14G-36-39-20-30	0.0
2014-36-40	S-14G-36-40-12-20	12.0

Congener Results

STATION_ID	SAMPLE_ID	CONC (mg/kg)
2014-36-44	S-14G-36-44-00-12	24.4
2014-36-52	S-14G-36-52-00-07	35.0
2014-36-57	S-14D-36-57-10-20	98.0
2014-36-63	S-14D-36-63-00-10	54.0
2014-36-69	S-14D-36-69-00-10	27.0
2014-36-72	S-14D-36-72-00-10	19.0
2014-36-75	S-14D-36-75-00-10	11.0
2014-36-76	S-14D-36-76-00-10	76.0
2014-36-78	S-14D-36-78-00-10	22.0
2014-36-90	S-14D-36-90-00-10	27.0
2014-36-91	S-15A-36-91-00-10	4.7
2014-37-2	S-14G-37-2-00-10	40.7
2014-37-6	S-14G-37-6-10-20	18.2
2014-37-14	S-14G-37-14-30-40	94.0
2014-37-14	S-14G-37-14-40-55	40.6
2014-37-16	S-14G-37-16-10-20	12.8
2014-37-22	S-14G-37-22-00-10	31.7
2014-37-22	S-14G-37-22-10-20	19.0
2014-37-33	S-14D-37-33-10-20	37.0
2014-37-37	S-14D-37-37-10-20	19.0
2014-37-37	S-14D-37-37-30-40	74.0

Historical Results

STATION_ID	SAMPLE_ID	CONC (mg/kg)
S-142	S-0142-2AVG	0.2
S-142	S-0142-3	0.0
S-142	S-0142-4	0.0
S-3571	S-3571-1.7-2.2	57.2
S-3571	S-3571-2.2-2.7	1.4
S-3572	S-3572-2.2-2.7	13.0
S-3572	S-3572-2.7-3.2	5.3
S-3573	S-3573-.7-1.2	17.7
S-3573	S-3573-1.2-1.7	2.6
S-3579	S-3579-1.9-2.4	156.0
S-3579	S-3579-2.4-2.9	36.4
S-3579	S-3579-2.9-3.4	0.8
S-3580	S-3580-1.3-2.6	180.0
S-3580	S-3580-2.6-3.1	7.1
S-3581	S-3581-1.4-1.9	400.0
S-3581	S-3581-1.9-2.4	300.0
S-3581	S-3581-2.9-3.4	4.9
S-3581	S-3581-2.4-2.9	3.9
S-3582	S-3582-1.0-1.5	24.1
S-3582	S-3582-1.5-2.0	0.3
S-3593	S-3593-1.6-2.1	241.8
S-3593	S-3593-2.1-2.6	1.3
S-3594	S-3594-.5-1.0	44.0
S-3594	S-3594-0.0-.5	0.8
S-3594	S-3594-1.0-1.5	0.1
S-3594	S-3594-1.5-2.0	0.0
S-I - 28	S-I - 28 - 1	180.0
S-I - 28	S-I - 28 - 2	0.0
S-I - 28	S-I - 28 - 3	0.0
S-168	S-0168-1	19.0
S-168	S-0168-2	0.0
S-168	S-0168-3	0.0
S-168	S-0168-4	0.0
S-205116	S-205116	60.0
S-3604	S-3604-1.4-1.9	39.0
S-3604	S-3604-1.9-2.4	0.9
S-3605	S-3605-1.0-1.5	0.0
S-3605	S-3605-5.2-5.7	0.0
S-3605	S-3605-5.7-6.2	0.0
S-3606	S-3606-1.0-1.5	0.8
S-3606	S-3606-5.5-6.0	0.5
S-3607	S-3607-1.1-1.6	1.8
S-3607	S-3607-1.6-2.1	0.2
S-3610	S-3610-3.0-3.5AVG	0.9
S-3610	S-3610-5.8-6.3	0.2
S-3611	S-3611-.7-1.2	9.2

Historical Results

STATION_ID	SAMPLE_ID	CONC (mg/kg)
S-3611	S-3611-1.2-1.7	0.5
S-3826	S-3826-1.0-2.0	0.5
S-3826	S-3826-2.0-3.0	0.5
S-3826	S-3826-0.0-1.0	0.1
S-3827	S-3827-1.5-2.0	5.0
S-3827	S-3827-2.0-2.5	0.1
S-3827	S-3827-2.0-2.5	0.0
S-3828	S-3828-0.0-.6	10.0
S-3828	S-3828-1.1-1.6	2.6
S-3828	S-3828-.6-1.1	2.1
S-3829	S-3829-.7-1.2	176.8
S-3829	S-3829-.2-.7	5.0
S-3829	S-3829-1.2-1.7	0.8
S-932	S-0932-1	15.0
S-932	S-0932-2	0.4
S-ac326	S-ac326 - 1	540.0
S-ac326	S-ac326 - 3	470.0
S-G - 29	S-G - 29 - 1	23.0
S-G - 29	S-G - 29 - 2	1.0
S-143	S-0143-1	13.0
S-143	S-0143-2	8.5
S-143	S-0143-3	0.1
S-143	S-0143-4	0.0
S-163	S-0163-2	1.3
S-163	S-0163-3	2.1
S-205916	S-205916	51.0
S-3595	S-3595-1.3-1.8	34.0
S-3595	S-3595-1.9-2.3	0.5
S-3587	S-3587-1.0-1.5	22.6
S-3587	S-3587-1.5-2.0	0.8
S-3589	S-3589-1.4-1.9	34.0
S-3589	S-3589-1.9-2.4	3.9
S-3589	S-3589-2.4-2.9	0.5
S-3608	S-3608-.7-1.2	13.0
S-3608	S-3608-1.2-1.7REP	1.7
S-3651	S-3651-2.0-3.0	1.4
S-3651	S-3651-1.0-2.0	1.0
S-3651	S-3651-0.0-1.0	0.1
S-3797	S-3797-1.6-2.1	95.0
S-3797	S-3797-2.1-2.6	0.5
S-933	S-0933-1	12.0
S-933	S-0933-2	1.3
S-934	S-0934-1	59.0
S-934	S-0934-2	0.6
S-K - 28	S-K - 28 - 1	17.0
S-K - 28	S-K - 28 - 2	0.0

Historical Results

STATION_ID	SAMPLE_ID	CONC (mg/kg)
S-L - 29	S-L - 29 - 1	29.0
S-L - 29	S-L - 29 - 3	0.0
S-173	S-0173-1DUP	17.9
S-173	S-0173-2	0.0
S-173	S-0173-3	0.0
S-205316	S-205316	83.0
S-3613	S-3613-2.1-2.6	370.0
S-3613	S-3613-2.6-3.1	4.3
S-3830	S-3830-3.3-3.8	0.4
S-3830	S-3830-2.8-3.3	0.0
S-3830	S-3830-2.8-3.3	0.1
S-3831	S-3831-1.0-1.5	10.0
S-3831	S-3831-0.0-1.0	8.0
S-3831	S-3831-1.5-2.0	3.4
S-3831	S-3831-2.0-3.0	0.5
S-3831	S-3831-2.0-3.0	0.2
S-3831	S-3831-0.0-1.0	3.2
S-3832	S-3832-1.6-2.1	14.0
S-3832	S-3832-.6-1.1	10.0
S-3832	S-3832-2.1-2.6	1.8
S-3833	S-3833-3.0-3.5	45.0
S-3833	S-3833-2.5-3.0	18.5
S-3833	S-3833-0.0-1.0	10.0
S-3833	S-3833-1.0-2.0	10.0
S-3833	S-3833-2.0-2.5	10.0
S-3833	S-3833-3.0-3.5	18.0
S-937	S-0937-1	12.0
S-937	S-0937-2	0.0
S-I - 31	S-I - 31 - 1	22.0
S-I - 31	S-I - 31 - 2	0.0
S-167	S-0167-1	33.8
S-167	S-0167-2	12.2
S-169	S-0169-2	14.0
S-169	S-0169-1	3.8
S-169	S-0169-4	0.4
S-169	S-0169-3	0.2
S-170	S-0170-1	117.0
S-170	S-0170-2	7.3
S-170	S-0170-3	0.5
S-171	S-0171-1	5.0
S-171	S-0171-2	1.6
S-171	S-0171-3	0.3
S-171	S-0171-2	0.7
S-171	S-0171-1	2.1
S-172	S-0172-1	100.0
S-172	S-0172-2	88.0

Historical Results

STATION_ID	SAMPLE_ID	CONC (mg/kg)
S-205216	S-205216	32.0
S-206016	S-206016	170.0
S-3612	S-3612-.3-.8	43.0
S-3612	S-3612-.8-1.3	7.6
S-3614	S-3614-.1-.6	32.0
S-3614	S-3614-.6-1.1	2.3
S-3615	S-3615-1.5-2.0	83.0
S-3615	S-3615-2.0-2.5	8.8
S-3616	S-3616-0.0-1.0	10.0
S-3616	S-3616-2.0-2.5	7.2
S-3616	S-3616-1.0-2.0	1.9
S-3616	S-3616-2.5-3.0	0.5
S-3649	S-3649-.9-1.4	86.0
S-3649	S-3649-1.4-1.9	20.0
S-3649	S-3649-1.9-2.4	0.6
S-3649	S-3649-2.4-2.9	0.2
S-3651	S-3651-1.0-2.0	0.4
S-3651	S-3651-0.0-1.0	0.0
S-3798	S-3798-0.0-.5	52.0
S-3798	S-3798-0.5-1.0REP	3.9
S-3799	S-3799-1.7-2.2	10.0
S-3799	S-3799-2.2-2.7	0.1
S-3800	S-3800-0.0-1.0	0.5
S-3800	S-3800-1.0-2.0	0.5
S-3800	S-3800-2.0-3.0	0.5
S-3801	S-3801-1.5-2.0	10.0
S-3801	S-3801-2.0-2.5	0.1
S-822	S-0822-1	0.4
S-822	S-0822-2	0.1
S-822	S-0822-1	0.2
S-823	S-0823-2	0.1
S-823	S-0823-1	0.1
S-854	S-0854-2	0.1
S-854	S-0854-1	0.0
S-936	S-0936-1	46.0
S-936	S-0936-2	11.0
S-940	S-0940-1	87.0
S-940	S-0940-2	2.8
BH3	S-07D-OBH3-00-10-REP	39.0
BH3	S-07D-OBH3-10-20-REP	0.2
BH3	S-07D-OBH3-20-30	0.0
BH4	S-07D-OBH4-20-30	1.6
BH4	S-07D-OBH4-10-20	2.5
BH4	S-07D-OBH4-00-10	12.2
BH5	S-07D-OBH5-00-10	28.6
BH5	S-07D-OBH5-10-20	0.4

Historical Results

STATION_ID	SAMPLE_ID	CONC (mg/kg)
BH5	S-07D-0BH5-20-30	0.0
BH6	S-07D-0BH6-00-10	244.4
BH6	S-07D-0BH6-10-20	119.6
BH6	S-07D-0BH6-20-30	0.5
BH7	S-07D-0BH7-00-10	18.7
BH7	S-07D-0BH7-10-20	0.3
BH7	S-07D-0BH7-20-30	0.0
BH8	S-07D-0BH8-20-30	0.2
BH8	S-07D-0BH8-10-20	0.4
BH8	S-07D-0BH8-00-10	2.8
BH9	S-07D-0BH9-00-10	192.4
BH9	S-07D-0BH9-10-20	6.0
BH9	S-07D-0BH9-20-30	0.1
BH10	S-07D-BH10-00-10	31.2
BH10	S-07D-BH10-10-20	0.8
BH10	S-07D-BH10-20-28	0.0
S-177	S-0177-2	0.2
S-177	S-0177-1	0.7
S-3616	S-3616-2.0-2.5	2.9
S-3619	S-3619-0.0-1.0	34.0
S-3619	S-3619-1.0-2.0	34.0
S-3655	S-3655-1.9-2.4	4.2
S-3655	S-3655-2.4-2.9	0.2
S-3834	S-3834-1.5-2.0	5.0
S-3834	S-3834-2.0-2.5	1.1
S-3834	S-3834-2.0-2.5	0.4
S-3835	S-3835-0.0-1.0	17.0
S-3835	S-3835-1.0-2.0	13.9
S-3835	S-3835-2.0-3.0	7.9
S-3836	S-3836-1.3-1.8	70.2
S-3836	S-3836-1.8-2.3	15.4
S-3836	S-3836-2.3-2.8	0.1
S-848	S-0848-1	1.2
S-848	S-0848-2	0.6
S-849	S-0849-2	0.2
S-849	S-0849-1	0.1
S-850	S-0850-1	77.0
S-850	S-0850-2	24.0
S-943	S-0943-1	89.0
S-943	S-0943-2	84.0
S-H - 33	S-H - 33 - 1	2.0
S-H - 33	S-H - 33 - 3	0.0
S-179	S-0179-1	14.0
S-179	S-0179-2	2.5
S-3802	S-3802-0.0-.5	10.0
S-3802	S-3802-.5-1.0	8.6

Historical Results

STATION_ID	SAMPLE_ID	CONC (mg/kg)
S-3802	S-3802-1.0-1.5	0.2
S-3802	S-3802-1.0-1.5	0.1
S-3802	S-3802-.5-1.0	12.7
S-3803	S-3803-1.5-2.0	10.0
S-3803	S-3803-2.0-2.5	1.3
S-3803	S-3803-2.0-2.5	0.5
S-3804	S-3804-1.5-2.0	10.0
S-3804	S-3804-2.0-2.5	10.0
S-3804	S-3804-2.5-3.0	0.0
S-3805	S-3805-2.7-3.2	10.0
S-3805	S-3805-3.2-3.7AVG	6.2
S-3805	S-3805-3.7-4.2	3.4
S-3805	S-3805-3.7-4.2	1.3
S-3805	S-3805-3.2-3.7	2.5
S-3807	S-3807-.9-1.4	10.0
S-3807	S-3807-1.4-1.9	1.0
S-503	S-0503-1	1.9
S-503	S-0503-2	0.0
S-503	S-0503-3	0.0
S-944	S-0944-1AVG	155.0
S-944	S-0944-2	0.5
PMC6	S-04A-PMC6-1-1.5	158.2
PMC6	S-04A-PMC6-0-0.5	69.1
PMC6	S-04A-PMC6-0.5-1	15.4
PMC9	S-04A-PMC9-2.34-2.84	0.2
PMC9	S-04A-PMC9-1.83-2.34	0.6
PMC9	S-04A-PMC9-1.33-1.83	16.0
PMC9	S-04A-PMC9-0.83-1.33	0.4
S-141	S-0141-2	21.4
S-141	S-0141-1	19.4
S-146	S-0146-3	0.2
S-146	S-0146-2	0.0
S-146	S-0146-1	1.9
S-172	S-0172-2	36.9
S-172	S-0172-1	43.1
S-174	S-0174-1	2.1
S-174	S-0174-2	0.2
S-175	S-0175-1	1.8
S-175	S-0175-2	0.2
S-175	S-0175-2	0.1
S-175	S-0175-1	0.9
S-176	S-0176-1	1.2
S-176	S-0176-2	1.0
S-176	S-0176-2	0.4
S-176	S-0176-1	0.5
S-177	S-0177-1	1.4

Historical Results

STATION_ID	SAMPLE_ID	CONC (mg/kg)
S-177	S-0177-2	0.1
S-205416	S-205416	13.0
S-3585	S-3585-0.7-1.2	0.2
S-3602	S-3602-3.0-4.0	0.1
S-3602	S-3602-2.0-3.0	32.7
S-3602	S-3602-1.0-2.0	25.1
S-3777	S-3777-1.0-2.0	0.6
S-3777	S-3777-0.0-1.0	4.8
S-3787	S-3787-1.8-2.3	1.2
S-803	S-0803-1	2.2
S-803	S-0803-2	0.0
S-814	S-0814-2	0.4
S-814	S-0814-1	0.3
S-818	S-0818-1	0.0
S-821	S-0821-1	0.2
S-821	S-0821-2	0.0
S-836	S-0836-2	109.3
S-836	S-0836-1	1.8
S-837	S-0837-2	4.8
S-837	S-0837-1	0.2
S-839	S-0839-2	0.2
S-839	S-0839-1	0.1
S-935	S-0935-1	2.3
S-935	S-0935-2	0.7
S-938	S-0938-1	5.0
S-938	S-0938-2	0.7
S-939	S-0939-1	0.9
S-939	S-0939-2	0.0
S-941	S-0941-1	0.5
S-941	S-0941-2	0.0
S-942	S-0942-1	2.6
S-942	S-0942-2	0.5
S-ad921	S-ad921 - 1	5.0
S-ad921	S-ad921 - 3	5.0
S-ad921	S-ad921 - 2	4.0
S-ad927	S-ad927 - 1	5.0
S-ad927	S-ad927 - 2	2.0
S-ad927	S-ad927 - 3	0.0
S-K - 32	S-K - 32 - 1	3.0
S-K - 32	S-K - 32 - 2	0.0
M-201	M-201-1	16
M-201	M-201-2	22
M-201	M-201-3	1
M-202	M-202-1	32
M-202	M-202-2	4
M-203	M-203-1	11

Historical Results

STATION_ID	SAMPLE_ID	CONC (mg/kg)
M-203	M-203-2	36
M-203	M-203-3	19
M-203	M-203-4	0
M-203	M-203-5	0
M-204	M-204-1	14
M-204	M-204-2	30
M-204	M-204-3	0
M-205	M-205-1	14
M-205	M-205-2	16
M-205	M-205-3	28
M-205	M-205-4	15
M-206	M-206-1	19
M-206	M-206-2	9
M-206	M-206-3	0
M-206	M-206-4	0
M-206	M-206-5	0
M-206	M-206-6	0
M-207	M-207-1	6
M-207	M-207-2	16
M-207	M-207-3	21
M-207	M-207-4	0
M-207	M-207-5	0
M-207	M-207-6	0
M-208	M-208-1	8
M-208	M-208-2	12
M-208	M-208-3	19
M-208	M-208-4	2
M-208	M-208-5	0
M-209	M-209-1	0
M-209	M-209-2	18
M-209	M-209-3	17
M-209	M-209-4	2
M-209	M-209-5	0
M-210	M-210-1	7
M-210	M-210-2	15
M-210	M-210-3	28
M-210	M-210-4	17
M-211	M-211-1	19
M-211	M-211-2	19
M-211	M-211-3	0
M-211	M-211-4	0
M-211	M-211-5	0
M-211	M-211-6	0
M-211	M-211-7	0
M-212	M-212-1	11
M-212	M-212-2	31

Historical Results

STATION_ID	SAMPLE_ID	CONC (mg/kg)
M-212	M-212-3	10
M-212	M-212-4	0
M-212	M-212-5	0
M-212	M-212-6	0
M-212	M-212-7	0
M-212	M-212-8	0
M-213	M-213-1	7
M-213	M-213-2	14
M-213	M-213-4	5
M-213	M-213-5	0
M-213	M-213-6	0
M-214	M-214-1	3
M-216	M-216-1	18
M-216	M-216-2	19
M-216	M-216-3	0
M-216	M-216-4	0
M-217	M-217-1	9
M-217	M-217-2	22
M-217	M-217-3	0
M-217	M-217-4	0
M-217	M-217-5	0
M-218	M-218-1	3
M-218	M-218-2	0
M-219	M-219-1	14
M-219	M-219-2	0
M-219	M-219-3	1
M-220	M-220-1	6
M-221	M-221-1	12
M-221	M-221-2	7
M-222	M-222-1	11
M-222	M-222-2	16
M-222	M-222-3	5
M-222	M-222-4	0
M-223	M-223-1	14
M-223	M-223-2	30
M-223	M-223-3	54
M-223	M-223-4	12
M-223	M-223-5	0
M-224	M-224-1	0
M-401	M-401-1	4
M-401	M-401-2	8
M-402	M-402-1	4
M-402	M-402-2	9
M-402	M-402-3	1
M-403	M-403-1	5
M-403	M-403-2	8

Historical Results

STATION_ID	SAMPLE_ID	CONC (mg/kg)
M-404	M-404-1	4
M-404	M-404-2	3
M-404	M-404-3	6
M-404	M-404-4	0
M-405	M-405-1	4
M-406	M-406-1	4
M-406	M-406-2	2
M-407	M-407-1	4
M-407	M-407-2	4
M-407	M-407-3	6
M-408	M-408-1	3
M-408	M-408-2	6
M-408	M-408-3	6
M-409	M-409-1	4
M-409	M-409-2	6
M-410	M-410-1	4
M-410	M-410-2	7
M-410	M-410-3	5
M-411	M-411-1	9
M-411	M-411-2	0
M-412	M-412-1	6
M-412	M-412-2	0
M-413	M-413-1	5
M-413	M-413-2	7
M-414	M-414-1	4
M-414	M-414-2	4
M-414	M-414-3	0
M-415	M-415-1	6
M-416	M-416-1	6
M-417	M-417-1	5
S-181	S-0181-1	0
S-181	S-0181-2	0
S-181	S-0181-3	0
S-182	S-0182-1	70
S-182	S-0182-2	1
S-182	S-0182-3	0
S-183	S-0183-1	140
S-183	S-0183-2	110
S-183	S-0183-3	0
S-184	S-0184-1	72
S-184	S-0184-2	0
S-184	S-0184-3	0
S-185	S-0185-1	42
S-185	S-0185-2	75
S-185	S-0185-3	0
S-186	S-0186-1	0

Historical Results

STATION_ID	SAMPLE_ID	CONC (mg/kg)
S-186	S-0186-2	0
S-186	S-0186-3	0
S-187	S-0187-1	23
S-187	S-0187-2AVG	0
S-187	S-0187-3	0
S-188	S-0188-1	3
S-188	S-0188-2	0
S-188	S-0188-3	0
S-189	S-0189-1	28
S-189	S-0189-2	0
S-189	S-0189-3	0
S-190	S-0190-1	2
S-190	S-0190-2	0
S-190	S-0190-3	0
S-191	S-0191-1	42
S-191	S-0191-2	6
S-191	S-0191-3	0
S-192	S-0192-1	7
S-192	S-0192-2	0
S-192	S-0192-3	0
S-193	S-0193-1	40
S-193	S-0193-2	8
S-193	S-0193-3	0
S-194	S-0194-1AVG	73
S-194	S-0194-2	0
S-194	S-0194-3	0
S-195	S-0195-1	4
S-195	S-0195-2	0
S-195	S-0195-3	0
S-196	S-0196-1	78
S-196	S-0196-2	0
S-196	S-0196-3	0
S-197	S-0197-1	95
S-197	S-0197-2	75
S-197	S-0197-3	0
S-198	S-0198-1	38
S-198	S-0198-2	0
S-198	S-0198-3	0
S-199	S-0199-1	110
S-199	S-0199-2	130
S-199	S-0199-3	30
S-200	S-0200-1	19
S-200	S-0200-2	38
S-200	S-0200-3AVG	48
S-201	S-0201-1	30
S-201	S-0201-2	28

Historical Results

STATION_ID	SAMPLE_ID	CONC (mg/kg)
S-201	S-0201-3	28
S-202	S-0202-1	20
S-202	S-0202-2	30
S-202	S-0202-3	1
S-216	S-0216-1	0
S-216	S-0216-2	0
S-216	S-0216-3	0
S-217	S-0217-1AVG	20
S-217	S-0217-2	50
S-217	S-0217-3	72
S-218	S-0218-1	15
S-218	S-0218-2	23
S-218	S-0218-3	58
S-219	S-0219-1	75
S-219	S-0219-2	1
S-219	S-0219-3	0
S-220	S-0220-1	25
S-220	S-0220-2	0
S-220	S-0220-3	0
S-303	S-0303-1	3
S-303	S-0303-2AVG	0
S-304	S-0304-1	1
S-304	S-0304-2	18
S-305	S-0305-1	2
S-305	S-0305-2	65
S-306	S-0306-1	2
S-306	S-0306-2	0
S-307	S-0307-1	0
S-307	S-0307-2	0
S-308	S-0308-1	60
S-308	S-0308-2	1
S-309	S-0309-1	2
S-309	S-0309-2	0
S-310	S-0310-1	130
S-310	S-0310-2	0
S-311	S-0311-1	0
S-311	S-0311-2	0
S-312	S-0312-1	0
S-312	S-0312-2	0
S-313	S-0313-1	0
S-313	S-0313-2AVG	0
S-314	S-0314-1	0
S-314	S-0314-2	0
S-315	S-0315-1	2
S-315	S-0315-2	0
S-316	S-0316-1	5

Historical Results

STATION_ID	SAMPLE_ID	CONC (mg/kg)
S-316	S-0316-2	0
S-317	S-0317-1	1
S-317	S-0317-2	0
S-318	S-0318-1	16
S-318	S-0318-2	0
S-319	S-0319-1	0
S-319	S-0319-2	0
S-320	S-0320-1	0
S-320	S-0320-2	0
S-321	S-0321-1	0
S-321	S-0321-2	0
S-322	S-0322-1	0
S-322	S-0322-2	0
S-323	S-0323-1	1
S-323	S-0323-2	0
S-324	S-0324-1	0
S-324	S-0324-2	0
S-325	S-0325-1	0
S-325	S-0325-2	1
S-326	S-0326-1	0
S-326	S-0326-2	0
S-327	S-0327-1	4
S-327	S-0327-2	6
S-402	S-0402-1	52
S-402	S-0402-2AVG	43
S-507	S-0507-1	28
S-507	S-0507-2	0
S-509	S-0509-1	3
S-509	S-0509-2	0
S-510	S-0510-1	0
S-510	S-0510-2	0
S-511	S-0511-1	0
S-511	S-0511-2	0
S-558	S-0558-1	15
S-558	S-0558-2AVG	0
S-621	S-0621-1	0
S-621	S-0621-2	0
S-622	S-0622-1	1
S-622	S-0622-2AVG	0
S-623	S-0623-1	0
S-623	S-0623-2	0
S-624	S-0624-1	2
S-624	S-0624-2	0
S-625	S-0625-1	0
S-625	S-0625-2	0
S-626	S-0626-1	4

Historical Results

STATION_ID	SAMPLE_ID	CONC (mg/kg)
S-626	S-0626-2	0
S-627	S-0627-1	1
S-627	S-0627-2	0
S-628	S-0628-1	2
S-628	S-0628-2	1
S-629	S-0629-1	4
S-629	S-0629-2	1
S-630	S-0630-1	3
S-630	S-0630-2	0
S-631	S-0631-1AVG	1
S-631	S-0631-2AVG	0
S-632	S-0632-1AVG	3
S-632	S-0632-2	1
S-633	S-0633-1	2
S-633	S-0633-2	0
S-634	S-0634-1	1
S-634	S-0634-2	0
S-635	S-0635-1	0
S-635	S-0635-2	0
S-636	S-0636-1	0
S-636	S-0636-2	0
S-637	S-0637-1	0
S-637	S-0637-2	0
S-638	S-0638-1AVG	0
S-638	S-0638-2	0
S-639	S-0639-1	0
S-639	S-0639-2	1
S-808	S-0808-1	26
S-808	S-0808-2	0
S-808	S-0808-3	0
S-813	S-0813-1	33
S-813	S-0813-2	45
S-862	S-0862-1	12
S-862	S-0862-2	0
S-863	S-0863-1	17
S-863	S-0863-2	2
S-864	S-0864-1AVG	0
S-864	S-0864-2	0
S-865	S-0865-1	0
S-865	S-0865-2	0
S-866	S-0866-1	0
S-866	S-0866-2	0
S-867	S-0867-1	0
S-867	S-0867-2	0
S-868	S-0868-1	29
S-868	S-0868-2	0

Historical Results

STATION_ID	SAMPLE_ID	CONC (mg/kg)
S-868	S-0868-3	1
S-869	S-0869-1	1
S-869	S-0869-2	1
S-869	S-0869-3	0
S-870	S-0870-1	0
S-870	S-0870-2	0
S-870	S-0870-3	0
S-871	S-0871-1	9
S-871	S-0871-2	0
S-871	S-0871-3	0
S-872	S-0872-1	2
S-872	S-0872-2	0
S-872	S-0872-3	0
S-873	S-0873-1	15
S-873	S-0873-2	7
S-873	S-0873-3	0
S-881	S-0881-1	19
S-881	S-0881-2	7
S-881	S-0881-3	2
S-882	S-0882-1	44
S-882	S-0882-2	45
S-882	S-0882-3	2
S-884	S-0884-1	0
S-884	S-0884-2	0
S-885	S-0885-1	1
S-885	S-0885-2	1
S-886	S-0886-1	4
S-886	S-0886-2	3
S-887	S-0887-1	5
S-887	S-0887-2	2
S-888	S-0888-1	5
S-889	S-0889-1	0
S-890	S-0890-1	0
S-891	S-0891-1	2
S-892	S-0892-1	1
S-893	S-0893-1	1
S-894	S-0894-1	5
S-894	S-0894-2	22
S-894	S-0894-3	52
S-945	S-0945-1	1
S-945	S-0945-2	0
S-946	S-0946-1	33
S-946	S-0946-2	300
S-947	S-0947-1	6
S-947	S-0947-2	0
S-204916	S-204916	14

Historical Results

STATION_ID	SAMPLE_ID	CONC (mg/kg)
S-206316	S-206316	8
S-206416	S-206416	14
S-206616	S-206616	13
S-206716	S-206716	6
S-206816	S-206816	21
S-206916	S-206916	17
S-207016	S-207016	26
S-207116	S-207116	27
S-207216	S-207216	15
S-207316	S-207316	29
S-207516	S-207516	14
S-207616	S-207616	12
S-207816	S-207816	28
S-208016	S-208016	6
S-208116	S-208116	70
S-208416	S-208416	2
S-3047	S-3047-.5-1.1	7
S-3047	S-3047-0.0-.5	9
S-3047	S-3047-1.1-1.6	1
S-3047	S-3047-1.6-2.1	0
S-3052	S-3052-0.0-1.0	9
S-3052	S-3052-1.0-2.0	11
S-3052	S-3052-2.0-3.0	51
S-3052	S-3052-3.0-4.0	110
S-3052	S-3052-4.0-5.0	190
S-3053	S-3053-0.0-1.0	32
S-3053	S-3053-0.0-2.0	26
S-3053	S-3053-3.3-6.3	5
S-3054	S-3054-0.0-1.0	33
S-3054	S-3054-1.0-2.0	2
S-3055	S-3055-0.0-1.0	39
S-3055	S-3055-1.0-2.0	5
S-3056	S-3056-0.0-1.0	36
S-3056	S-3056-1.0-2.0	0
S-3057	S-3057-0.0-1.0	55
S-3057	S-3057-1.0-2.0	90
S-3057	S-3057-2.0-3.0	1
S-3058	S-3058-0.0-1.0	68
S-3058	S-3058-1.0-2.0	8
S-3059	S-3059-0.0-1.0	58
S-3059	S-3059-1.0-2.0	1
S-3060	S-3060-0.0-1.0	41
S-3060	S-3060-1.0-2.0AVG	19
S-3061	S-3061-0.0-1.0	21
S-3061	S-3061-1.0-2.0	26
S-3062	S-3062-0.0-1.2	18

Historical Results

STATION_ID	SAMPLE_ID	CONC (mg/kg)
S-3062	S-3062-1.2-2.2	0
S-3063	S-3063-0.0-1.0	30
S-3063	S-3063-1.0-2.0	34
S-3064	S-3064-0.0-1.0	5
S-3064	S-3064-1.0-2.0	2
S-3065	S-3065-0.0-1.0	16
S-3065	S-3065-1.0-2.0	12
S-3066	S-3066-0.0-1.0	26
S-3066	S-3066-1.0-2.0	30
S-3067	S-3067-.5-1.5	0
S-3067	S-3067-0.0-.5	31
S-3067	S-3067-1.5-2.0	0
S-3068	S-3068-0.0-1.0	35
S-3068	S-3068-1.0-2.0	14
S-3069	S-3069-0.0-1.0	47
S-3069	S-3069-1.0-2.0	6
S-3070	S-3070-0.0-1.0	44
S-3070	S-3070-1.0-2.0	55
S-3070	S-3070-2.0-3.0	0
S-3071	S-3071-0.0-1.0	9
S-3071	S-3071-1.0-1.8	10
S-3071	S-3071-1.8-3.0	0
S-3072	S-3072-0.0-1.0	1
S-3072	S-3072-1.0-2.0	0
S-3072	S-3072-2.0-3.0	0
S-3082	S-3082-0.0-1.0	30
S-3082	S-3082-1.0-1.7	58
S-3082	S-3082-1.7-2.7	0
S-3083	S-3083-0.0-1.0	40
S-3083	S-3083-1.0-2.0	24
S-3083	S-3083-2.0-2.8	15
S-3084	S-3084-0.0-1.5	8
S-3084	S-3084-1.5-2.0	1
S-3084	S-3084-2.0-3.0	0
S-3085	S-3085-0.0-1.0	18
S-3085	S-3085-1.0-2.0	15
S-3085	S-3085-2.0-3.0	27
S-3085	S-3085-3.0-4.0	36
S-3085	S-3085-4.0-5.0	84
S-3086	S-3086-.4-1.0	0
S-3086	S-3086-1.0-2.0	0
S-3086	S-3086-2.0-3.0	0
S-3086	S-3086-3.0-4.0	0
S-3086	S-3086-4.0-5.0	0
S-3088	S-3088-0.0-1.0	0
S-3088	S-3088-0.0-2.0	0

Historical Results

STATION_ID	SAMPLE_ID	CONC (mg/kg)
S-3088	S-3088-1.0-2.0	0
S-3088	S-3088-3.0-4.0	0
S-3089	S-3089-0.0-1.0	15
S-3089	S-3089-0.0-2.4	2
S-3089	S-3089-1.0-2.4	8
S-3089	S-3089-2.4-4.4	0
S-3090	S-3090-0.0-1.0	2
S-3090	S-3090-1.0-2.0	57
S-3090	S-3090-2.0-2.8	4
S-3091	S-3091-1.0-2.0	26
S-3092	S-3092-0.0-1.0	31
S-3092	S-3092-1.0-2.0	4
S-3093	S-3093-0.0-1.0	19
S-3093	S-3093-1.0-2.0	59
S-3093	S-3093-2.0-3.0	1
S-3093	S-3093-3.0-4.0	4
S-3094	S-3094-0.0-1.0	26
S-3094	S-3094-1.0-2.0	13
S-3094	S-3094-2.0-3.0	0
S-3095	S-3095-0.0-1.0	20
S-3095	S-3095-1.0-2.0	0
S-3096	S-3096-1.0-2.0	0
S-3097	S-3097-0.0-0.8	12
S-3097	S-3097-1.0-2.0AVG	0
S-3098	S-3098-0.0-1.0	45
S-3098	S-3098-1.0-2.0	55
S-3098	S-3098-2.0-2.6	44
S-3098	S-3098-2.6-3.1	0
S-3099	S-3099-0.0-1.0	17
S-3099	S-3099-1.0-2.0	24
S-3099	S-3099-2.0-3.0	0
S-3100	S-3100-0.0-1.0	37
S-3100	S-3100-1.0-2.0	120
S-3100	S-3100-2.0-3.0	2
S-3101	S-3101-0.0-1.0	24
S-3101	S-3101-1.0-2.0	73
S-3101	S-3101-2.0-3.0	57
S-3102	S-3102-1.0-2.0	18
S-3102	S-3102-2.0-3.0	46
S-3103	S-3103-0.0-1.0	8
S-3103	S-3103-1.0-2.0	42
S-3103	S-3103-2.0-3.0	19
S-3104	S-3104-.0-1.0	57
S-3104	S-3104-1.0-2.0	49
S-3104	S-3104-2.0-3.0	55
S-3105	S-3105-0.0-1.0	3

Historical Results

STATION_ID	SAMPLE_ID	CONC (mg/kg)
S-3105	S-3105-1.0-2.0	0
S-3106	S-3106-0.0-1.0	0
S-3106	S-3106-1.0-2.0	0
S-3107	S-3107-0.0-1.0AVG	49
S-3107	S-3107-1.0-2.0	14
S-3108	S-3108-0.0-1.0	77
S-3108	S-3108-1.0-2.0	86
S-3108	S-3108-2.0-3.0	8
S-3109	S-3109-0.0-1.0	73
S-3109	S-3109-1.0-2.0	3
S-3110	S-3110-1.0-2.0	0
S-3111	S-3111-0.0-1.0	89
S-3111	S-3111-1.0-2.0	0
S-3112	S-3112-0.0-1.0	20
S-3112	S-3112-1.0-2.0	0
S-3113	S-3113-0.0-1.0	48
S-3113	S-3113-1.0-2.0	21
S-3113	S-3113-2.0-3.0	0
S-3114	S-3114-0.0-1.0	39
S-3114	S-3114-1.0-2.0AVG	20
S-3114	S-3114-2.0-3.0	0
S-3115	S-3115-0.0-1.0	33
S-3115	S-3115-1.0-2.0	47
S-3115	S-3115-2.0-3.0	55
S-3116	S-3116-0.0-1.1	16
S-3116	S-3116-1.1-2.0	0
S-3117	S-3117-0.0-1.0	80
S-3117	S-3117-1.0-2.0	0
S-3118	S-3118-0.0-1.0	16
S-3118	S-3118-1.0-2.0	39
S-3119	S-3119-0.0-1.0	0
S-3119	S-3119-1.0-2.0	26
S-3120	S-3120-0.0-1.0	24
S-3120	S-3120-1.0-2.0	71
S-3120	S-3120-2.0-3.0	2
S-3121	S-3121-0.0-1.0	19
S-3121	S-3121-1.0-2.0AVG	17
S-3121	S-3121-2.0-2.9	0
S-3122	S-3122-0.0-1.0	13
S-3122	S-3122-1.0-2.0	34
S-3122	S-3122-2.0-3.0	15
S-3123	S-3123-0.0-1.0	31
S-3123	S-3123-1.0-2.0	19
S-3123	S-3123-2.0-2.8	3
S-3124	S-3124-0.0-1.0	72
S-3124	S-3124-1.0-2.0	59

Historical Results

STATION_ID	SAMPLE_ID	CONC (mg/kg)
S-3124	S-3124-2.0-3.0	0
S-3125	S-3125-1.0-2.0	33
S-3125	S-3125-2.0-3.0	44
S-3127	S-3127-0.0-1.0	38
S-3127	S-3127-1.0-2.0	60
S-3127	S-3127-2.0-3.0	0
S-3127	S-3127-3.0-4.0	0
S-3128	S-3128-0.0-1.0	17
S-3128	S-3128-1.0-2.0	18
S-3129	S-3129-2.0-3.0AVG	11
S-3129	S-3129-3.0-3.5	20
S-3129	S-3129-3.5-4.0	0
S-3129	S-3129-4.0-5.0	0
S-3130	S-3130-0.0-1.0	26
S-3130	S-3130-1.0-2.0	15
S-3131	S-3131-0.0-1.0	36
S-3131	S-3131-1.0-2.0	18
S-3132	S-3132-0.0-1.0	97
S-3132	S-3132-1.0-2.0	46
S-3133	S-3133-0.0-1.0	150
S-3133	S-3133-1.0-2.0	1
S-3134	S-3134-0.0-1.0	230
S-3134	S-3134-1.0-2.4	140
S-3134	S-3134-2.4-3.4	2
S-3135	S-3135-0.0-1.0	19
S-3135	S-3135-1.0-2.0	110
S-3135	S-3135-2.0-3.0	2
S-3136	S-3136-0.0-1.0	15
S-3136	S-3136-1.0-2.0	65
S-3136	S-3136-2.0-2.8	55
S-3136	S-3136-2.8-3.8	1
S-3137	S-3137-1.0-2.0	4
S-3137	S-3137-2.0-3.0AVG	2
S-3138	S-3138-0.0-1.0	6
S-3138	S-3138-1.0-2.0	0
S-3138	S-3138-2.0-3.0	0
S-3139	S-3139-0.0-1.0	13
S-3139	S-3139-1.0-2.0	72
S-3139	S-3139-2.0-2.5	5
S-3140	S-3140-0.0-1.0	41
S-3140	S-3140-1.0-2.0	220
S-3140	S-3140-2.0-3.0	13
S-3141	S-3141-0.0-1.0	19
S-3141	S-3141-1.0-2.0	1
S-3141	S-3141-2.0-3.0	0
S-3142	S-3142-0.0-1.0	27

Historical Results

STATION_ID	SAMPLE_ID	CONC (mg/kg)
S-3142	S-3142-1.0-2.0	140
S-3142	S-3142-2.0-3.0	55
S-3143	S-3143-0.0-1.0	14
S-3143	S-3143-1.0-2.0	19
S-3143	S-3143-2.0-2.5	0
S-3144	S-3144-0.0-1.0	3
S-3144	S-3144-1.0-1.5	1
S-3144	S-3144-1.5-2.0AVG	0
S-3144	S-3144-2.0-3.0	0
S-3145	S-3145-0.0-1.0	3
S-3145	S-3145-1.0-2.0	0
S-3145	S-3145-2.0-3.0	0
S-3146	S-3146-0.0-1.0	14
S-3146	S-3146-1.0-2.0	15
S-3146	S-3146-2.0-2.8	13
S-3147	S-3147-0.0-1.0	16
S-3147	S-3147-1.0-2.0	0
S-3148	S-3148-0.0-1.0	25
S-3148	S-3148-1.0-2.0	1600
S-3148	S-3148-2.0-3.0	55
S-3148	S-3148-3.0-4.0	34
S-3151	S-3151-0.0-1.0	55
S-3151	S-3151-1.0-1.5	1
S-3151	S-3151-1.5-2.1	46
S-3151	S-3151-2.1-2.6	0
S-3151	S-3151-2.6-3.0	2
S-3151	S-3151-3.0-4.0	0
S-3153	S-3153-0.0-1.0	37
S-3153	S-3153-1.0-2.0	71
S-3153	S-3153-2.0-3.0	55
S-3154	S-3154-0.0-1.0	31
S-3154	S-3154-1.0-2.0	72
S-3154	S-3154-2.0-3.0	55
S-3155	S-3155-0.0-1.0	30
S-3155	S-3155-1.0-2.0	86
S-3155	S-3155-2.0-3.0	55
S-3156	S-3156-0.0-1.0	73
S-3156	S-3156-1.0-2.0AVG	55
S-3156	S-3156-2.0-3.0	0
S-3156	S-3156-3.0-4.0	0
S-3157	S-3157-1.0-2.0	23
S-3157	S-3157-2.0-3.0	16
S-3158	S-3158-0.0-1.0	25
S-3158	S-3158-1.0-2.0	45
S-3158	S-3158-2.0-2.6	41
S-3159	S-3159-0.0-1.0	34

Historical Results

STATION_ID	SAMPLE_ID	CONC (mg/kg)
S-3159	S-3159-1.0-1.8	72
S-3159	S-3159-2.0-3.0	0
S-3160	S-3160-0.0-1.0	20
S-3160	S-3160-1.0-2.3	79
S-3160	S-3160-2.3-3.3	0
S-3161	S-3161-.6-1.6	1
S-3161	S-3161-0.0-.6	19
S-3161	S-3161-1.6-2.6	0
S-3162	S-3162-0.0-1.0AVG	0
S-3162	S-3162-1.0-2.0	0
S-3162	S-3162-2.0-3.0	0
S-3163	S-3163-1.0-2.0	1
S-3163	S-3163-2.0-3.0	0
S-3169	S-3169-0.0-1.0	40
S-3169	S-3169-1.0-1.6	55
S-3169	S-3169-1.6-2.0	1
S-3169	S-3169-2.0-3.0	0
S-3169	S-3169-3.0-4.0	0
S-3194	S-3194-0.0-1.0	6
S-3194	S-3194-1.0-2.0	13
S-3194	S-3194-2.0-3.0AVG	47
S-3194	S-3194-3.0-3.3	12
S-3194	S-3194-3.3-4.0	4
S-3195	S-3195-0.0-1.0	9
S-3195	S-3195-1.0-2.0	9
S-3195	S-3195-2.0-3.0	8
S-3195	S-3195-3.0-4.0	22
S-3200	S-3200-0.0-1.0	21
S-3200	S-3200-1.0-2.0	12
S-3200	S-3200-2.0-2.6	12
S-3200	S-3200-2.6-3.2	20
S-3200	S-3200-3.2-4.0	3
S-3201	S-3201-0.0-1.0	18
S-3201	S-3201-1.0-2.0	18
S-3201	S-3201-2.0-3.0	47
S-3201	S-3201-3.0-4.0	46
S-3207	S-3207-0.0-1.0	12
S-3207	S-3207-1.0-2.0AVG	14
S-3207	S-3207-2.0-3.0	8
S-3207	S-3207-3.0-4.0	28
S-3208	S-3208-0.0-1.0	12
S-3208	S-3208-1.0-2.0	12
S-3208	S-3208-2.0-3.0	10
S-3208	S-3208-3.0-4.0	17
S-3209	S-3209-0.0-1.0	7
S-3209	S-3209-1.0-2.0	20

Historical Results

STATION_ID	SAMPLE_ID	CONC (mg/kg)
S-3209	S-3209-2.0-3.0	22
S-3209	S-3209-3.0-3.5	2
S-3209	S-3209-3.5-4.0	0
S-3210	S-3210-0.0-1.0	15
S-3210	S-3210-1.0-2.0	14
S-3210	S-3210-2.0-2.5	0
S-3211	S-3211-0.0-1.0	10
S-3211	S-3211-1.0-2.0	8
S-3211	S-3211-2.0-3.0	0
S-3211	S-3211-3.0-4.0	0
S-3212	S-3212-0.0-1.0	12
S-3212	S-3212-1.0-2.0	15
S-3212	S-3212-2.0-3.0	39
S-3212	S-3212-3.0-3.5AVG	26
S-3212	S-3212-3.5-4.5	0
S-3213	S-3213-0.0-1.0	15
S-3213	S-3213-1.0-2.0	12
S-3214	S-3214-0.0-1.0	17
S-3214	S-3214-1.0-2.0	13
S-3215	S-3215-0.0-1.0	13
S-3215	S-3215-1.0-2.0	9
S-3215	S-3215-2.0-3.0	14
S-3215	S-3215-3.0-4.0	22
S-3216	S-3216-0.0-1.0	1
S-3216	S-3216-1.0-2.0	0
S-3216	S-3216-2.0-3.0	0
S-3217	S-3217-1.0-2.0	10
S-3217	S-3217-2.0-3.0	9
S-3217	S-3217-3.0-4.0	18
S-3218	S-3218-0.0-1.0	10
S-3218	S-3218-1.0-2.0	10
S-3218	S-3218-2.0-3.0	12
S-3218	S-3218-3.0-3.6AVG	14
S-3218	S-3218-3.6-4.1	6
S-3219	S-3219-0.0-1.0	4
S-3219	S-3219-1.0-1.3	10
S-3219	S-3219-1.3-2.3	3
S-3219	S-3219-2.3-3.0	0
S-3219	S-3219-3.0-4.0	0
S-3221	S-3221-0.0-1.0	17
S-3221	S-3221-1.0-2.0	16
S-3221	S-3221-2.0-3.0	33
S-3221	S-3221-3.0-4.0AVG	55
S-3221	S-3221-4.0-5.0	19
S-3223	S-3223-0.0-1.0	32
S-3223	S-3223-1.2-2.2	36

Historical Results

STATION_ID	SAMPLE_ID	CONC (mg/kg)
S-3223	S-3223-3.2-4.2	6
S-3223	S-3223-4.2-5.2	0
S-3224	S-3224-0.0-0.1	14
S-3224	S-3224-1.0-2.0	12
S-3224	S-3224-2.0-3.0	14
S-3224	S-3224-3.4-4.0	0
S-3225	S-3225-0.0-1.0	18
S-3225	S-3225-1.0-2.0	29
S-3225	S-3225-2.0-3.0	24
S-3225	S-3225-3.0-3.6	3
S-3225	S-3225-3.6-4.2	0
S-3226	S-3226-0.0-1.0	14
S-3226	S-3226-1.0-2.0	11
S-3226	S-3226-2.0-2.6	24
S-3226	S-3226-2.6-3.6	2
S-3226	S-3226-3.6-4.6	4
S-3226	S-3226-5.1-6.0	2
S-3227	S-3227-0.0-1.0	15
S-3227	S-3227-1.0-2.2	2
S-3227	S-3227-2.2-3.0	0
S-3227	S-3227-3.4-4.4	0
S-3228	S-3228-0.0-1.0AVG	51
S-3228	S-3228-1.0-2.0	56
S-3228	S-3228-2.0-3.0	300
S-3228	S-3228-3.0-4.0	24
S-3228	S-3228-4.0-5.0	0
S-3228	S-3228-5.5-6.0	0
S-3620	S-3620-1.0-1.5	47
S-3620	S-3620-1.5-2.0	1
S-3622	S-3622-3.1-3.7	0
S-3622	S-3622-3.7-4.3	0
S-3623	S-3623-0.4-1.0	22
S-3623	S-3623-1.0-1.6	0
S-3624	S-3624-1.6-2.2	26
S-3624	S-3624-2.2-2.8	1
S-3625	S-3625-1.9-2.5	35
S-3625	S-3625-2.5-3.1	1
S-3626	S-3626-1.5-2.1	17
S-3626	S-3626-2.1-2.7	0
S-3652	S-3652-3.1-3.7	260
S-3652	S-3652-3.7-4.2	98
S-3652	S-3652-4.2-4.8	2
S-3653	S-3653-1.4-2.0	34
S-3653	S-3653-2.0-2.6	0
S-3654	S-3654-0.0-1.0	0
S-3654	S-3654-1.0-2.0	0

Historical Results

STATION_ID	SAMPLE_ID	CONC (mg/kg)
S-3850	S-3850-2.3-2.8	55
S-3850	S-3850-2.8-3.3	55
S-3850	S-3850-3.3-3.8	0
S-3851	S-3851-1.3-1.8	53
S-3851	S-3851-2.8-3.3	55
S-3851	S-3851-3.3-3.8	9
S-3851	S-3851-3.8-4.3	2
S-3852	S-3852-2.8-3.3	3
S-3852	S-3852-3.3-3.8	0
S-3853	S-3853-2.4-2.9	55
S-3853	S-3853-2.9-3.4	5
S-3854	S-3854-3.3-3.8	52
S-3854	S-3854-3.8-4.2	0
S-3854	S-3854-4.2-4.3	0
S-3855	S-3855-2.0-2.5	5
S-3855	S-3855-2.5-3.0	0
S-3856	S-3856-.5-1.0	1
S-3856	S-3856-1.0-1.5	0
S-3907	S-3907-.4-.9	0
S-3907	S-3907-.9-1.4	25
S-3908	S-3908-1.3-1.8	30
S-3908	S-3908-1.8-2.3	1
S-3909	S-3909-1.4-1.9	1
S-3909	S-3909-1.9-2.4	0
S-3910	S-3910-1.1-1.6AVG	16
S-3910	S-3910-1.6-2.1	4
S-3911	S-3911-1.0-1.5	17
S-3911	S-3911-1.5-2.0	1
S-3912	S-3912-1.5-2.0	44
S-3912	S-3912-2.0-2.5	14
S-3914	S-3914-2.7-3.2	90
S-3914	S-3914-3.2-3.7	0
S-3918	S-3918-2.2-4.2	0
S-3918	S-3918-4.2-6.2	0
S-3919	S-3919-3.9-5.9	0
S-3919	S-3919-5.9-6.5	0
S-3920	S-3920-3.0-5.0	0
S-3920	S-3920-5.0-7.0	0
S-3922	S-3922-3.0-5.0	0
S-3922	S-3922-5.0-7.0	0
S-3924	S-3924-6.2-8.2	0
S-3924	S-3924-8.2-10.2	0
S-3925	S-3925-3.0-5.0	0
S-3925	S-3925-5.0-7.0	0
S-3927	S-3927-5.0-7.0	0
S-3927	S-3927-7.0-9.0	0

Historical Results

STATION_ID	SAMPLE_ID	CONC (mg/kg)
S-3928	S-3928-1.3-3.3	0
S-3928	S-3928-3.3-5.3	0
S-3931	S-3931-3.0-5.0	0
S-3931	S-3931-5.0-7.0	0
S-3932	S-3932-3.1-5.1	0
S-3932	S-3932-5.1-7.1	0
S-3933	S-3933-2.9-4.9	0
S-3933	S-3933-4.9-6.9	0
S-3936	S-3936-0.0-1.0	46
S-3936	S-3936-1.0-2.0	77
S-3936	S-3936-2.0-3.0	41
S-3937	S-3937-0.0-1.0AVG	58
S-3937	S-3937-1.0-2.0	110
S-3937	S-3937-2.0-3.0	150
S-3938	S-3938-0.0-1.0	21
S-3939	S-3939-0.0-1.0	32
S-3940	S-3940-0.0-1.0	49
S-3940	S-3940-1.0-2.0	26
S-3940	S-3940-2.0-3.0	100
S-3941	S-3941-0.0-1.0	16
S-3941	S-3941-1.0-2.0	8
S-3942	S-3942-0.0-1.0	20
S-3942	S-3942-1.0-2.0	18
S-3942	S-3942-2.0-3.0	19
S-3943	S-3943-0.0-1.0	14
S-3943	S-3943-1.0-2.0AVG	22
S-3943	S-3943-2.0-3.0	5
S-3944	S-3944-0.0-1.0	15
S-3944	S-3944-1.0-2.0	0
S-3944	S-3944-2.0-3.0	0
S-3945	S-3945-0.0-1.0	15
S-3945	S-3945-1.0-2.0	5
S-3945	S-3945-2.0-3.0	0
S-3946	S-3946-0.0-1.0	14
S-3946	S-3946-1.0-2.0	18
S-3946	S-3946-2.0-3.0AVG	0
S-3947	S-3947-0.0-1.0	32
S-3947	S-3947-1.0-2.0	22
S-3947	S-3947-2.0-3.0	31
S-4000	S-4000-0.0-1.0	3
S-4000	S-4000-1.0-2.0	4
S-4000	S-4000-2.0-3.0	0
S-4001	S-4001-1.0-2.0	170
S-4001	S-4001-2.0-3.0	130
S-4001	S-4001-3.0-4.0	2
S-4001	S-4001-4.0-5.0	21

Historical Results

STATION_ID	SAMPLE_ID	CONC (mg/kg)
S-4002	S-4002-0.0-1.0	14
S-4002	S-4002-1.0-2.0	11
S-4002	S-4002-2.0-3.0	2
S-4003	S-4003-0.0-1.0	7
S-4003	S-4003-1.0-2.0	2
S-4003	S-4003-2.0-3.0AVG	5
S-4004	S-4004-0.0-1.0	15
S-4004	S-4004-1.0-2.0AVG	29
S-4004	S-4004-2.0-3.1AVG	31
S-4004	S-4004-3.1-4.0	5
S-4004	S-4004-4.0-5.0	6
S-4005	S-4005-0.0-1.0	2
S-4005	S-4005-1.0-2.0	7
S-4005	S-4005-2.0-3.0	5
S-4006	S-4006-0.0-1.0	13
S-4006	S-4006-1.0-1.7	6
S-4006	S-4006-1.7-3.0	6
S-4007	S-4007-1.0-1.6	4
S-4007	S-4007-1.6-3.0	5
S-4008	S-4008-1.0-2.5	14
S-4008	S-4008-2.5-3.0	20
S-4008	S-4008-3.0-4.0	90
S-4008	S-4008-4.0-5.0	7
S-4008	S-4008-5.0-6.0	2
S-4009	S-4009-0.0-1.0	79
S-4009	S-4009-1.0-1.7	6
S-4009	S-4009-1.7-3.0	6
S-4010	S-4010-0.0-1.0	15
S-4010	S-4010-1.0-2.0	32
S-4010	S-4010-2.0-3.0	12
S-4011	S-4011-0.0-1.0	11
S-4011	S-4011-1.0-2.0	8
S-4011	S-4011-2.0-3.0AVG	0
S-4012	S-4012-0.0-1.0	26
S-4012	S-4012-1.0-2.0	11
S-4012	S-4012-2.0-2.8	8
S-4013	S-4013-1.0-2.0	12
S-4013	S-4013-2.0-3.0	5
S-4014	S-4014-0.0-1.0	9
S-4014	S-4014-1.0-2.0	9
S-4014	S-4014-2.0-3.0	5
S-4015	S-4015-0.0-1.0	21
S-4015	S-4015-1.0-2.0	21
S-4015	S-4015-2.0-3.0	13
S-4016	S-4016-1.0-2.0	23
S-4016	S-4016-2.0-2.5	4

Historical Results

STATION_ID	SAMPLE_ID	CONC (mg/kg)
S-4016	S-4016-2.5-4.0	4
S-4018	S-4018-0.0-1.0	20
S-4018	S-4018-1.0-2.0	20
S-4018	S-4018-2.0-3.3	24
S-4019	S-4019-1.0-2.0	22
S-4019	S-4019-2.0-3.0	27
S-4019	S-4019-3.0-4.0	250
S-4019	S-4019-4.0-5.0	111
S-4020	S-4020-0.0-1.0	5
S-4020	S-4020-1.0-2.0	3
S-4020	S-4020-2.0-2.6	5
S-4021	S-4021-0.0-1.0	15
S-4021	S-4021-1.0-2.0	23
S-4021	S-4021-2.0-3.0	29
S-4021	S-4021-3.0-3.6	37
S-4021	S-4021-3.6-5.0	5
S-4022	S-4022-1.0-2.0	28
S-4022	S-4022-2.0-3.0	29
S-4022	S-4022-3.0-4.0	280
S-4022	S-4022-4.0-5.0	111
S-4023	S-4023-0.0-1.0	5
S-4023	S-4023-1.0-2.0	56
S-4023	S-4023-2.0-3.0	4
S-4024	S-4024-0.0-1.0	21
S-4024	S-4024-1.5-2.3	32
S-4024	S-4024-2.3-3.0	47
S-4024	S-4024-3.0-4.0	21
S-4024	S-4024-4.0-5.0	44
S-4024	S-4024-5.0-6.0	33
S-4025	S-4025-1.0-2.0	13
S-4025	S-4025-2.0-3.0	29
S-4025	S-4025-3.0-4.0	58
S-4025	S-4025-4.0-5.0	39
S-4026	S-4026-0.0-1.0	18
S-4026	S-4026-1.0-2.0	12
S-4026	S-4026-2.0-3.0	19
S-4027	S-4027-0.0-1.0	27
S-4027	S-4027-1.0-2.0	10
S-4027	S-4027-2.0-3.1	3
S-4028	S-4028-1.0-2.3	17
S-4028	S-4028-2.3-3.0AVG	0
S-4029	S-4029-0.0-1.0	19
S-4029	S-4029-1.0-2.0	6
S-4029	S-4029-2.0-3.0	6
S-4030	S-4030-1.0-1.5	17
S-4030	S-4030-1.5-2.0	5

Historical Results

STATION_ID	SAMPLE_ID	CONC (mg/kg)
S-4030	S-4030-2.0-3.0	5
S-4031	S-4031-1.0-2.0	6
S-4031	S-4031-2.0-3.0	2
S-4032	S-4032-0.0-1.0	23
S-4032	S-4032-1.0-2.0	15
S-4032	S-4032-2.0-2.7AVG	23
S-4033	S-4033-0.0-1.0	24
S-4033	S-4033-1.0-2.0	24
S-4033	S-4033-2.0-3.0	6
S-4053	S-4053-0.0-1.0AVG	83
S-4053	S-4053-1.0-2.0	8
S-4053	S-4053-2.0-2.8	0
S-4053	S-4053-2.8-4.0	0
S-4054	S-4054-0.0-1.0	0
S-4054	S-4054-1.0-2.0	0
S-4054	S-4054-2.0-3.0	0
S-4054	S-4054-3.0-4.0	0
S-4055	S-4055-0.0-1.0	1
S-4055	S-4055-1.0-2.0	0
S-4055	S-4055-2.0-3.0AVG	0
S-4055	S-4055-3.0-4.0	0
S-4056	S-4056-0.0-1.0AVG	9
S-4056	S-4056-1.0-2.0	29
S-4056	S-4056-2.0-3.0AVG	39
S-4056	S-4056-3.0-4.0	48
S-4056	S-4056-4.0-5.0	0
S-4056	S-4056-5.0-5.8	0
S-4057	S-4057-0.0-1.0	9
S-4057	S-4057-1.0-1.8	33
S-4057	S-4057-1.8-3.0	130
S-4057	S-4057-3.0-4.0AVG	66
S-4057	S-4057-4.0-5.0	0
S-4057	S-4057-5.0-5.5	0
S-4058	S-4058-0.0-1.0AVG	99
S-4058	S-4058-1.0-1.9	11
S-4058	S-4058-1.9-3.0	0
S-4058	S-4058-3.0-4.0	0
S-4059	S-4059-2.2-3.2	0
S-4059	S-4059-3.2-4.2	0
S-4059	S-4059-4.2-5.2	0
S-4060	S-4060-.7-2.0	0
S-4060	S-4060-0.0-.7	6
S-4060	S-4060-2.0-3.0	0
S-4060	S-4060-3.0-4.0AVG	0
S-4061	S-4061-0.0-1.0	4
S-4061	S-4061-1.0-2.0AVG	0

Historical Results

STATION_ID	SAMPLE_ID	CONC (mg/kg)
S-4061	S-4061-2.0-3.3	0
S-4061	S-4061-3.3-4.0	0
S-4062	S-4062-1.3-2.3	0
S-4062	S-4062-2.3-3.3	0
S-4062	S-4062-3.3-4.3	0
S-4063	S-4063-0.0-1.0AVG	0
S-4063	S-4063-1.0-2.0	0
S-4063	S-4063-2.0-3.0	0
S-4063	S-4063-3.0-4.0	0
S-4064	S-4064-0.0-1.0	21
S-4064	S-4064-1.0-2.0	79
S-4064	S-4064-2.0-2.7	73
S-4065	S-4065-0.0-1.0	34
S-4065	S-4065-1.0-2.0	41
S-4065	S-4065-2.0-2.5	57
S-4066	S-4066-0.0-1.0	25
S-4066	S-4066-1.0-2.0	31
S-4066	S-4066-2.0-3.0	44
S-4066	S-4066-3.0-4.0	61
S-4066	S-4066-4.0-5.0	58
S-4066	S-4066-5.0-6.0	130
S-4066	S-4066-6.0-7.0	77
S-4066	S-4066-7.0-8.0	1
S-4067	S-4067-0.0-1.0	15
S-4067	S-4067-1.0-2.0	18
S-4067	S-4067-2.0-3.0	19
S-4067	S-4067-3.0-4.0	27
S-4067	S-4067-4.0-5.0AVG	29
S-4067	S-4067-5.0-6.0	200
S-4067	S-4067-6.0-7.0	87
S-4067	S-4067-7.0-8.0	16
S-4068	S-4068-0.0-1.0	13
S-4068	S-4068-1.0-2.0	15
S-4068	S-4068-2.0-3.0	22
S-4068	S-4068-3.0-4.0	39
S-4068	S-4068-4.0-5.0	72
S-4068	S-4068-5.0-6.0	49
S-4068	S-4068-6.0-7.0	12
S-4068	S-4068-7.0-8.0	0
S-4069	S-4069-0.0-1.0	16
S-4069	S-4069-1.0-2.0	11
S-4069	S-4069-2.0-3.0	14
S-4069	S-4069-3.0-4.0	16
S-4069	S-4069-4.0-5.0	20
S-4069	S-4069-5.0-6.0	18
S-4070	S-4070-0.0-1.0	29

Historical Results

STATION_ID	SAMPLE_ID	CONC (mg/kg)
S-4070	S-4070-1.0-2.0	19
S-4070	S-4070-2.0-3.0	16
S-4070	S-4070-3.0-4.0	17
S-4070	S-4070-4.0-5.0	22
S-4070	S-4070-5.0-6.0	95
S-4070	S-4070-6.0-7.0	350
S-4070	S-4070-7.0-8.0	24
S-4071	S-4071-0.0-1.0	26
S-4071	S-4071-1.0-2.0	20
S-4071	S-4071-2.0-3.0	39
S-4071	S-4071-3.0-4.0	26
S-4071	S-4071-4.0-5.0	33
S-4071	S-4071-5.0-6.0	220
S-4071	S-4071-6.0-7.0	240
S-4071	S-4071-7.0-8.0	25
S-4072	S-4072-0.0-1.0AVG	14
S-4072	S-4072-1.0-2.0	16
S-4072	S-4072-2.0-3.0	40
S-4072	S-4072-3.0-4.0	26
S-4072	S-4072-4.0-5.0	150
S-4072	S-4072-5.0-6.0	260
S-4072	S-4072-6.0-7.0	200
S-4072	S-4072-7.0-8.0	22
S-4073	S-4073-0.0-1.0	23
S-4073	S-4073-1.0-2.0	52
S-4073	S-4073-2.0-3.0	0
S-4073	S-4073-3.0-4.0	0
S-4074	S-4074-0.0-1.1	31
S-4074	S-4074-1.1-2.0	0
S-4074	S-4074-2.0-3.0	0
S-4074	S-4074-3.0-4.0	0
S-4075	S-4075-0.0-1.0	67
S-4075	S-4075-1.0-2.0	0
S-4075	S-4075-2.0-3.0	0
S-4075	S-4075-3.0-4.0	0
S-4076	S-4076-0.0-1.0	28
S-4076	S-4076-1.0-2.0	46
S-4076	S-4076-2.0-3.0	130
S-4076	S-4076-3.0-4.0	24
S-4077	S-4077-0.0-1.3	4
S-4077	S-4077-1.3-2.0	0
S-4077	S-4077-2.0-3.0AVG	0
S-4077	S-4077-3.0-4.0	0
S-4078	S-4078-0.0-1.3	44
S-4078	S-4078-1.3-2.0	0
S-4078	S-4078-2.0-3.0	0

Historical Results

STATION_ID	SAMPLE_ID	CONC (mg/kg)
S-4078	S-4078-3.0-4.0	0
S-4079	S-4079-0.0-1.0	36
S-4079	S-4079-1.0-2.6	110
S-4079	S-4079-2.6-3.7	0
S-4079	S-4079-3.7-4.8	0
S-4080	S-4080-0.0-1.3	46
S-4080	S-4080-1.3-2.0	0
S-4080	S-4080-2.0-3.0	0
S-4080	S-4080-3.0-4.0	0
S-4081	S-4081-0.0-1.0	20
S-4081	S-4081-1.0-2.0	77
S-4081	S-4081-2.0-3.0	13
S-4081	S-4081-3.0-4.0	2
S-4082	S-4082-0.0-1.5AVG	56
S-4082	S-4082-1.5-2.0	5
S-4082	S-4082-2.0-3.0	0
S-4082	S-4082-3.0-4.0	0
S-4083	S-4083-0.0-1.3	54
S-4083	S-4083-1.3-2.0	5
S-4083	S-4083-2.0-3.5	0
S-4083	S-4083-3.5-4.0	0
S-4084	S-4084-3.0-4.0	32
S-4084	S-4084-4.0-5.0	210
S-4084	S-4084-5.0-6.0	210
S-4084	S-4084-6.0-7.0	3
S-4084	S-4084-7.0-8.0	7
S-4085	S-4085-3.0-4.0	96
S-4085	S-4085-4.0-5.0AVG	210
S-4085	S-4085-5.0-6.0	110
S-4085	S-4085-6.0-7.0	9
S-4085	S-4085-7.0-8.0	0
S-4086	S-4086-2.0-3.0	0
S-4086	S-4086-3.0-4.0	0
S-4086	S-4086-4.0-5.0AVG	0
S-4087	S-4087-2.0-3.0	0
S-4087	S-4087-3.0-4.0	0
S-4087	S-4087-4.0-5.0	0
S-4088	S-4088-0.0-1.0	29
S-4088	S-4088-1.0-2.0AVG	0
S-4088	S-4088-2.0-3.2	0
S-4089	S-4089-0.0-1.0	17
S-4089	S-4089-1.0-2.3	37
S-4089	S-4089-2.3-3.0	0
S-4090	S-4090-.8-2.0	0
S-4090	S-4090-0.0-.8	28
S-4090	S-4090-2.0-3.0	0

Historical Results

STATION_ID	SAMPLE_ID	CONC (mg/kg)
S-4091	S-4091-0.0-1.0	26
S-4091	S-4091-1.0-2.2	23
S-4091	S-4091-2.2-3.0	0
S-4092	S-4092-0.0-1.0	19
S-4092	S-4092-1.0-2.0	33
S-4092	S-4092-2.0-3.0AVG	0
S-4093	S-4093-0.0-1.0	9
S-4093	S-4093-1.0-2.0	26
S-4093	S-4093-2.0-2.5	4
S-4093	S-4093-2.5-3.1	0
S-4094	S-4094-0.0-1.0	19
S-4094	S-4094-1.0-2.0	29
S-4094	S-4094-2.0-3.0	29
S-4095	S-4095-0.0-1.0	0
S-4095	S-4095-1.0-2.0	2
S-4095	S-4095-2.0-3.0	0
S-4096	S-4096-0.0-1.1	17
S-4096	S-4096-1.1-2.0	0
S-4096	S-4096-2.0-3.0	0
S-4097	S-4097-.8-2.0	0
S-4097	S-4097-0.0-.8	17
S-4097	S-4097-2.0-3.0	0
S-4098	S-4098-.0-1.0	14
S-4098	S-4098-1.0-2.0	27
S-4098	S-4098-2.0-3.0	30
S-4099	S-4099-0.0-1.0	4
S-4099	S-4099-1.0-2.0	2
S-4099	S-4099-2.0-3.0	0
S-4100	S-4100-0.0-1.0	21
S-4100	S-4100-1.0-2.0AVG	5
S-4100	S-4100-2.0-3.0	0
S-4101	S-4101-0.0-1.1	17
S-4101	S-4101-1.1-2.0	0
S-4101	S-4101-2.0-3.0	0
S-4102	S-4102-0.0-1.0	23
S-4102	S-4102-1.0-2.0	0
S-4102	S-4102-2.0-3.0	0
S-4103	S-4103-0.0-1.0	13
S-4103	S-4103-1.0-2.0	32
S-4103	S-4103-2.0-3.0	0
S-4104	S-4104-0.0-1.0	23
S-4104	S-4104-1.0-1.6	4
S-4104	S-4104-1.6-2.0	0
S-4104	S-4104-2.0-3.0	0
S-4105	S-4105-0.0-1.0AVG	9
S-4105	S-4105-1.0-2.2	23

Historical Results

STATION_ID	SAMPLE_ID	CONC (mg/kg)
S-4105	S-4105-2.2-3.0	0
S-4106	S-4106-0.0-1.0	26
S-4106	S-4106-1.0-2.0	0
S-4106	S-4106-2.0-3.0	0
S-4107	S-4107-0.0-1.1	26
S-4107	S-4107-1.1-2.0	0
S-4107	S-4107-2.0-3.0	0
S-4108	S-4108-0.0-1.0	22
S-4108	S-4108-1.0-1.7	10
S-4108	S-4108-1.7-3.0	0
S-4109	S-4109-0.0-1.1	13
S-4109	S-4109-1.1-2.0	0
S-4109	S-4109-2.0-3.0AVG	0
S-4110	S-4110-.8-1.5	28
S-4110	S-4110-0.0-.8	13
S-4110	S-4110-1.5-2.0	0
S-4110	S-4110-2.0-3.0	0
S-4111	S-4111-.0-1.0	13
S-4111	S-4111-1.0-1.9	15
S-4111	S-4111-1.9-3.0	0
S-4112	S-4112-0.0-1.0	12
S-4112	S-4112-1.0-1.5	10
S-4112	S-4112-1.5-2.0	0
S-4112	S-4112-2.0-3.0	0
S-4113	S-4113-0.0-1.0	8
S-4113	S-4113-1.0-2.0	11
S-4113	S-4113-2.0-3.0	30
S-4114	S-4114-0.0-1.0	11
S-4114	S-4114-1.0-2.0	29
S-4114	S-4114-2.0-3.0	60
S-4114	S-4114-3.0-4.0	55
S-4115	S-4115-0.0-1.0	19
S-4115	S-4115-1.0-1.8AVG	13
S-4115	S-4115-1.8-3.0	0
S-4116	S-4116-0.0-1.0	10
S-4116	S-4116-1.0-2.0	19
S-4116	S-4116-2.0-3.0	2
S-4117	S-4117-0.0-1.0	13
S-4117	S-4117-1.0-2.0	0
S-4117	S-4117-2.0-3.0	0
S-4118	S-4118-0.0-1.0	9
S-4118	S-4118-1.0-2.0AVG	12
S-4118	S-4118-2.0-3.1	24
S-4119	S-4119-0.0-1.0	7
S-4119	S-4119-1.0-1.5	33
S-4119	S-4119-1.5-2.0	0

Historical Results

STATION_ID	SAMPLE_ID	CONC (mg/kg)
S-4119	S-4119-2.0-3.0	0
S-4120	S-4120-0.0-1.2	12
S-4120	S-4120-1.2-2.0	0
S-4120	S-4120-2.0-3.0	0
S-4121	S-4121-0.0-1.0	15
S-4121	S-4121-1.0-2.0	4
S-4121	S-4121-2.0-3.0	0
S-4122	S-4122-0.0-1.0AVG	17
S-4122	S-4122-1.0-1.5	29
S-4122	S-4122-1.5-2.0	0
S-4122	S-4122-2.0-3.0	0
S-4123	S-4123-0.0-1.0	16
S-4123	S-4123-1.0-1.5	45
S-4123	S-4123-1.5-2.0	0
S-4123	S-4123-2.0-3.0	0
S-4124	S-4124-0.0-1.0	17
S-4124	S-4124-0.0-1.0	17
S-4124	S-4124-0.0-1.0	8
S-4124	S-4124-0.0-1.0	8
S-4124	S-4124-1.0-1.6	34
S-4124	S-4124-1.6-3.0	0
S-4125	S-4125-0.0-1.0	4
S-4125	S-4125-1.0-2.0	6
S-4125	S-4125-2.0-3.0	0
S-4126	S-4126-0.0-1.1	14
S-4126	S-4126-1.1-2.0	0
S-4126	S-4126-2.0-3.0	0
S-4127	S-4127-0.0-1.0	26
S-4127	S-4127-1.0-2.3	0
S-4127	S-4127-2.3-3.0AVG	0
S-4128	S-4128-0.0-1.0	11
S-4128	S-4128-1.0-2.0	8
S-4128	S-4128-2.0-3.0	24
S-4129	S-4129-0.0-1.2	12
S-4129	S-4129-1.2-2.0	0
S-4129	S-4129-2.0-3.2	0
S-4130	S-4130-0.0-1.0	13
S-4130	S-4130-1.0-1.9	18
S-4130	S-4130-1.9-2.9	0
S-4131	S-4131-0.0-1.0	10
S-4131	S-4131-1.0-1.6AVG	28
S-4131	S-4131-1.6-3.0	0
S-4132	S-4132-0.0-1.0	6
S-4132	S-4132-1.0-1.7	23
S-4132	S-4132-1.7-3.0	2
S-4133	S-4133-0-1.0	14

Historical Results

STATION_ID	SAMPLE_ID	CONC (mg/kg)
S-4133	S-4133-1.0-1.5	12
S-4133	S-4133-1.5-2.0	0
S-4133	S-4133-2.0-3.0	0
S-4134	S-4134-.0-1.0	12
S-4134	S-4134-1.0-2.0	30
S-4134	S-4134-2.0-3.0	0
S-4135	S-4135-0.0-1.0	10
S-4135	S-4135-1.0-2.0	12
S-4135	S-4135-2.0-3.0	17
S-4136	S-4136-0.0-1.0	1
S-4136	S-4136-1.0-1.6	1
S-4137	S-4137-.8-2.0	0
S-4137	S-4137-2.0-3.0	0
S-4138	S-4138-0.0-1.0	12
S-4138	S-4138-1.0-2.0	17
S-4138	S-4138-2.0-3.0	23
S-4139	S-4139-0.0-1.0	14
S-4139	S-4139-1.0-2.0	19
S-4139	S-4139-2.0-3.0	21
S-4140	S-4140-0.0-1.0	10
S-4140	S-4140-1.0-2.2	16
S-4140	S-4140-2.2-3.0	2
S-4141	S-4141-.0-1.0	14
S-4141	S-4141-1.0-2.0	15
S-4141	S-4141-2.0-3.0	18
S-4142	S-4142-0.0-1.0AVG	1
S-4142	S-4142-1.0-2.0	0
S-4142	S-4142-2.0-3.0	0
S-4143	S-4143-0.0-1.0	2
S-4143	S-4143-1.0-2.0	0
S-4143	S-4143-2.0-2.7	1
S-4143	S-4143-2.7-3.0	0
S-4144	S-4144-0.0-1.0	4
S-4144	S-4144-1.0-1.7	2
S-4144	S-4144-1.7-3.0	2
S-4145	S-4145-0.0-1.0	0
S-4145	S-4145-1.0-2.0	0
S-4145	S-4145-2.0-3.0	0
S-4146	S-4146-0.0-1.0	9
S-4146	S-4146-1.0-2.0	0
S-4146	S-4146-2.0-3.0	0
S-4147	S-4147-.0-1.0	50
S-4147	S-4147-1.0-2.0	4
S-4147	S-4147-2.0-2.6	0
S-4147	S-4147-2.6-3.0	0
S-4148	S-4148-0.0-1.0AVG	13

Historical Results

STATION_ID	SAMPLE_ID	CONC (mg/kg)
S-4148	S-4148-1.0-2.3	6
S-4148	S-4148-2.3-3.0	0
S-4149	S-4149-0.0-1.0	12
S-4149	S-4149-1.0-2.1	13
S-4149	S-4149-2.1-3.0	0
S-4150	S-4150-0.0-1.0	5
S-4150	S-4150-1.0-2.0	5
S-4150	S-4150-2.0-3.0	1
S-4151	S-4151-.8-2.0AVG	0
S-4151	S-4151-0.0-.8	2
S-4151	S-4151-2.0-3.0	0
S-4152	S-4152-.0-1.3	20
S-4152	S-4152-1.3-2.0	0
S-4152	S-4152-2.0-3.0	0
S-4153	S-4153-.0-1.0	12
S-4153	S-4153-1.0-1.5	0
S-4153	S-4153-1.5-2.0	0
S-4153	S-4153-2.0-3.0	0
S-4154	S-4154-0.0-1.0	12
S-4154	S-4154-1.0-1.4	32
S-4154	S-4154-1.4-2.0	1
S-4154	S-4154-2.0-3.0	0
S-4155	S-4155-0.0-1.0	4
S-4155	S-4155-1.0-2.0AVG	0
S-4155	S-4155-2.0-3.0	0
S-4156	S-4156-.8-2.0	0
S-4156	S-4156-0.0-.8	13
S-4156	S-4156-2.0-3.0	0
S-4157	S-4157-0.0-1.0	8
S-4157	S-4157-1.0-2.0	10
S-4157	S-4157-2.0-2.7	0
S-4158	S-4158-0.0-1.2	35
S-4158	S-4158-0.0-1.2	35
S-4158	S-4158-0.0-1.2	16
S-4158	S-4158-0.0-1.2	16
S-4158	S-4158-1.2-2.0	0
S-4158	S-4158-2.0-3.0	0
S-4159	S-4159-0.0-1.0	32
S-4159	S-4159-1.0-1.7	19
S-4159	S-4159-1.0-1.7	19
S-4159	S-4159-1.0-1.7	7
S-4159	S-4159-1.0-1.7	7
S-4159	S-4159-1.7-3.0	0
S-ac308	S-ac308 - 1	4
S-ac308	S-ac308 - 2	1
S-ac312	S-ac312	1

Historical Results

STATION_ID	SAMPLE_ID	CONC (mg/kg)
S-ac313	S-ac313	0
S-ac316	S-ac316	6
S-ac317	S-ac317 - 1	0
S-ac317	S-ac317 - 2	0
S-ac317	S-ac317 - 3	0
S-ac332	S-ac332	3
S-ac336	S-ac336 - 1	74
S-ac336	S-ac336 - 2	1
S-ac338	S-ac338 - 1	210
S-ac338	S-ac338 - 2	20
S-ac338	S-ac338 - 3	19
S-ae216	S-ae216	1
S-ae819	S-ae819	10
S-ae852	S-ae852	1
S-ae853	S-ae853	5
S-ae854	S-ae854	7
S-ae855	S-ae855	2
S-ae858	S-ae858	5
S-ae864	S-ae864 - 1	17
S-ae864	S-ae864 - 3	2
S-ae869	S-ae869	4
S-af110	S-af110	1
S-af111	S-af111	4
S-af112	S-af112	1
S-af113	S-af113	4
S-af114	S-af114	2
S-af115	S-af115	5
S-af117	S-af117	9
S-af118	S-af118	0
S-af119	S-af119	3
S-af155	S-af155 - 1	4
S-af155	S-af155 - 2	1
S-af170	S-af170	5
S-af171	S-af171	8
S-af201	S-af201	1
S-af203	S-af203	2
S-af204	S-af204	5
S-af205	S-af205	4
S-af206	S-af206	4
S-af207	S-af207	1
S-af208	S-af208	2
S-af209	S-af209	1
S-af228	S-af228 - 1	6
S-af228	S-af228 - 2	12
S-af235	S-af235 - 1	12
S-af235	S-af235 - 3	3

Historical Results

STATION_ID	SAMPLE_ID	CONC (mg/kg)
S-af238	S-af238	58
S-af239	S-af239	81
S-af240	S-af240	1
S-af241	S-af241 - 1	8
S-af241	S-af241 - 2	0
S-af242	S-af242	98
S-af243	S-af243 - 1	6
S-af243	S-af243 - 3	37
S-af245	S-af245	8
S-af247	S-af247	66
S-af248	S-af248 - 1	5
S-af248	S-af248 - 2	0
S-af251	S-af251	35
S-af264	S-af264	16
S-af265	S-af265	11
S-af266	S-af266	1
S-af284	S-af284	67
S-af286	S-af286	29
S-af287	S-af287	40
S-af288	S-af288	97
S-af289	S-af289	1
S-af290	S-af290 - 1	45
S-af290	S-af290 - 2	1
S-af290	S-af290 - 3	0
S-af294	S-af294	48
S-af295	S-af295 - 1	25
S-af295	S-af295 - 3	0
S-af298	S-af298	54
S-af299	S-af299	15
S-af300	S-af300	29
S-af301	S-af301	7
S-af305	S-af305 - 1	29
S-af305	S-af305 - 2	1
S-af308	S-af308	7
S-af309	S-af309	11
S-af311	S-af311	3
S-af314	S-af314	2
S-af315	S-af315	3
S-af393	S-af393	1
S-af394	S-af394	1
S-af395	S-af395	0
S-af396	S-af396	2
S-af397	S-af397	45
S-af398	S-af398	6
S-af543	S-af543 - 1	40
S-af543	S-af543 - 2	5

Historical Results

STATION_ID	SAMPLE_ID	CONC (mg/kg)
S-af543	S-af543 - 3	0
S-af801	S-af801 - 1	6
S-af801	S-af801 - 2	1
S-af801	S-af801 - 3	1
S-af804	S-af804	120
S-af806	S-af806	59
S-af811	S-af811 - 1	26
S-af811	S-af811 - 2	12
S-af811	S-af811 - 3	1
S-af812	S-af812 - 1	20
S-af812	S-af812 - 2	7
S-af813	S-af813	4
S-af815	S-af815 - 1	11
S-af815	S-af815 - 2	6
S-af815	S-af815 - 3	1
S-af816	S-af816 - 1	4
S-af816	S-af816 - 2	1
S-af816	S-af816 - 3	0