



110441

Bunyon, Brenda

From: Mitchell.Tanya@epamail.epa.gov
Sent: Thursday, April 20, 2006 11:14 AM
To: Finn, Steve
Subject: Re: Lightman Drum Analytical
Attachments: Revised Work Plan Addendum.pdf

Hi Steve,

Thank you for your re-submittal of the Addendum work Plan. The analyte list is acceptable below and as described in the Work plan Addendum. EPA does not wish the use of a particular laboratory. However, EPA has approved the use of the analytical laboratories identified in the Addendum Work Plan. In addition, EPA will forward a letter to NJDEP confirming this position with a copy to you.

Should you have any additional questions please forward them to my attention.

Thanks,

Tanya

-----"Finn, Steve" <steve_finn@golder.com> wrote: -----

To: Tanya Mitchell/R2/USEPA/US@EPA
From: "Finn, Steve" <steve_finn@golder.com>
Date: 04/18/2006 01:44PM
cc: "Lin, Heather" <heather_lin@golder.com>, "Illes, Robert" <robert_illes@golder.com>
Subject: Lightman Drum Analytical

Tanya

As you know, we are preparing to undertake the soil sampling aspects of the Work Plan Addendum starting next week. We would like to confirm two items in relation to this sampling:

1. Analyte Lists

The Work Plan Addendum specified that soil samples will be analyzed for TCL VOCs and 1, 4 dioxane. In addition, the most impacted sample from each boring (based on field screening) will also be analyzed for TAL metals. 1,4 dioxane will be analyzed by SW846 Method 8270 (SIM). Additional samples will also be collected from below the water table for analysis of Iron to potentially evaluate the fate of nano-iron particles introduced during the pilot testing.

2. Analytical Laboratory

EPA wishes us to continue to use Compuchem Laboratories and has clarified with NJDEP management that this will be acceptable to the Department (notwithstanding recent correspondence from the NJDEP Case Manager to EPA that expressed a contrary view). We understand that EPA has documented this agreement in writing to NJDEP and request that we be provided with a copy of EPA's letter, and some acknowledgement from NJDEP, prior to commencement of fieldwork next week.

I have also attached a copy of the revised Work Plan Addendum (which, as you know, we had deferred submitting pending resolution of the laboratory issue).

I would appreciate if you could confirm the above items by return e-mail so that we can order sampling supplies (today if at all possible) so that we can stay on track for sampling next week.

Thanks

Steve

P. Stephen Finn

4/24/2006

300455