

# LEGGETTE, BRASHEARS & GRAHAM, INC.

## PROFESSIONAL GROUND-WATER AND ENVIRONMENTAL ENGINEERING SERVICES

126 MONROE TURNPIKE  
TRUMBULL, CT 06611  
203-452-3100  
FAX 203-452-3111

January 17, 2001

Mr. Jeffrey Trad  
New York State Department of Environmental Conservation  
Division of Environmental Remediation  
Bureau of Construction Services, Rm 267  
50 Wolf Road  
Albany, NY 12233-7010

RE: Rowe Industries Site  
Focused Pump & Treat Operation Summary  
Sag Harbor, New York

Dear Mr. Trad:

The following is an operation summary of the former drum storage area (FDSA) focused ground-water remediation at the Rowe Industries site. The summary is provided as discussed to fulfill reporting requirements associated with the Effluent Limitations and Monitoring Requirements for Site No. 1-52-106 (see Attachment I). The system was installed and has been operating according to the work plan entitled, "Work Plan for Conducting Focused Remediation of the Former Drum Storage Area" submitted to the USEPA dated October 21, 1999.

Initial testing was completed and full-scale operation of the focused remediation system began in November 1999. Operation of the focused remediation system was discontinued on December 23, 1999 due to freezing of the associated water recovery tubing and equipment. During this operational period, approximately 6,500 gallons of recovered ground water was pumped through the remediation system.

The Effluent Limitations and Monitoring Requirements permit was re-issued in May 2000 and the system was restarted on May 24, 2000. Operation of the focused remediation system coincided with the installation of the large-scale pump and treat recovery wells and treatment of development and step test water. Due to the intermittent presence of LBG field personnel at the site from May through July, the remediation system was not operated on a full-time basis. Full-time operation of the system began on August 2, 2000. A summary of daily operation from May 24 through October 20 is presented on Table 1. During the period of operation, approximately 3,400 gallons of ground water was recovered and pumped through the remediation system.

549639



RAMSEY, NEW JERSEY

ST. PAUL, MINNESOTA

TAMPA, FLORIDA

SIoux FALLS, SOUTH DAKOTA

WEST CHESTER, PENNSYLVANIA

CHELMSFORD, MASSACHUSETTS

WHITE PLAINS, NEW YORK

AUSTIN, TEXAS

MADISON, WISCONSIN

HOUSTON, TEXAS

Samples collected at pre-, mid- and post-carbon sample ports were analyzed by American Analytical Laboratories for VOCs by EPA Method 8021B. PCE concentrations in recovered ground water have varied throughout the operation period from 2,700 ug/l (August 3 sample) to 88 ug/l (August 11 sample). A summary of PCE and total VOC concentrations detected in the pre-carbon samples are presented on Table 2. Complete laboratory analytical reports results are presented in Attachment II.

Laboratory reports for samples collected on June 1 and 7, 2000 indicate the presence of VOCs above discharge limits in the post-carbon samples. Based on the fact that analysis of samples collected the following day show similar concentrations of VOCs in the pre-carbon sample as the post-carbon samples collected on June 1 and 7, LBG believes an error occurred in labeling sample bottles during collection. At no time during operation of the remediation system did the discharge exceed the criteria in the Effluent Limitations and Monitoring Requirements.

Post-carbon samples were collected for field pH measurements during each sample event. Results of field measurements are presented on Table 3.

To date, the remediation system has removed approximately 0.063 pound of VOCs from the FDSA.

The system was shut down on October 20 to facilitate the installation of four recovery wells (FRW-1 through FRW-4) and below-grade piping according to the EPA approved "Workplan for Conducting Recovery Well Installation in the Former Drum Storage Area", dated July 2000. The remediation system was not restarted and decommissioned on December 28, 2000 to prepare for the larger pump and treat system. The items that remain and will be removed during installation of the larger system include the pneumatic pump and associated tubing. Samples will be collected from each of the carbon units for waste profiling and prior to offsite disposal.

The larger scale FDSA focused pump and treat system outlined in the "Draft - Workplan for Conducting Focused Remediation of the Former Drum Storage Area", dated November 2000, is planned for start-up in February 2001.

LBG has included additional copies of this letter report to forward to the Chief-Operation Maintenance and Support Section and the Region 1-Water Engineer as required in the Effluent Limitations and Monitoring Requirements for the site.

Mr. Jeffery Trad

-3-

January 17, 2001

Please do not hesitate to contact Alfred Kovalik or me should you require additional information.

Very truly yours,

LEGGETTE, BRASHEARS & GRAHAM, INC.



Paul Jobmann  
Senior Environmental Engineer

PJ:mg

Attachments

cc: Pam Tames  
Terry Gerrish  
Chuck Bennett  
Daniel Riesel, Esq.  
Ilene P. Karpf, Esq.  
Phil McAndrew  
Thomas M. Giller  
Mary Scheerer  
C. MacNeil Mitchell, Esq.

H:\NABIS\2001\PTREPT1.WPD

**TABLES**

**TABLE 1****FDSA FOCUSED REMEDIATION  
ROWE INDUSTRIES SITE  
SAG HARBOR, NEW YORK****Operation Summary**

<b>DATE</b>	<b>STARTUP TIME</b>	<b>SHUTDOWN TIME</b>	<b>GALLONS PUMPED</b>	<b>SAMPLES COLLECTED</b>
5/24/00	10:42	11:29	32.8	Y
6/1/00	8:19	18:42	79.9	Y
6/5/00	10:38	17:08	93.2	N
6/7/00	9:19	17:10	74.8	Y
6/8/00	9:19	13:30	119.3	Y
7/21/00	7:51	17:07	177.2	Y
7/24/00	11:10	19:02	79.8	N
7/27/00	8:30	17:21	93.9	N
8/2/00	8:25	14:45	40.2	Y
8/3/00	8:45	15:10	80.5	Y
8/7/00	8:20	15:03	80.1	Y
8/8/00	8:06	14:30	81.8	N
8/9/00	8:25	14:10	56.4	N
8/10/00	8:15	14:15	63.1	Y
8/15/00	9:20	14:25	62.5	Y
8/16/00	8:03	14:20	73.3	N
8/17/00	8:02	15:13	79.6	Y
9/11/00	8:10	14:15	69.2	Y
9/12/00	8:12	14:12	76.5	N
9/13/00	8:20	14:20	74	N
9/14/00	8:07	14:17	40.6	Y
9/18/00	7:08	14:22	76.4	Y

**TABLE 1 (cont.)**

**FDSA FOCUSED REMEDIATION  
 ROWE INDUSTRIES SITE  
 SAG HARBOR, NEW YORK**

**Operation Summary (cont.)**

<b>DATE</b>	<b>STARTUP TIME</b>	<b>SHUTDOWN TIME</b>	<b>GALLONS PUMPED</b>	<b>SAMPLES COLLECTED</b>
9/19/00	7:06	14:15	92.5	N
9/20/00	7:05	14:15	90.3	N
9/21/00	7:02	14:22	105.1	Y
9/25/00	6:50	14:20	80.1	Y
9/26/00	6:55	14:20	46.1	N
9/27/00	7:00	14:15	72	N
9/28/00	7:00	14:25	78.8	Y
10/2/00	6:55	15:22	86.1	Y
10/3/00	7:00	15:00	98.5	N
10/4/00	6:57	15:00	89.4	N
10/5/00	7:00	14:30	97.9	Y
10/9/00	7:30	14:57	75.9	Y
10/10/00	6:58	14:21	86.2	N
10/11/00	6:55	17:30	155.3	N
10/12/00	7:13	15:29	23.3	N
10/13/00	7:20	9:50	45	Y
10/16/00	7:10	16:37	72	N
10/17/00	7:25	16:04	124.9	Y
10/18/00	7:21	16:30	124.5	N
10/19/00	7:20	15:20	74	Y
<b>TOTAL</b>			<b>3,423</b>	

H:\NABIS\2000\PTREPRT1.WPD

**TABLE 2**

**FDSA FOCUSED REMEDIATION  
 ROWE INDUSTRIES SITE  
 SAG HARBOR, NEW YORK**

**Summary of Precarbon Analytical Results**

<b>DATE</b>	<b>PCE CONCENTRATION (ug/l)</b>	<b>TOTAL VOC CONCENTRATION (ug/l)</b>
5/24/00	1,300	1,386
6/1/00	370	404
6/7/00	470	521
6/8/00	320	344
7/21/00	430	446
8/2/00	420	428
8/3/00	88	88
8/7/00	2,700	2,933
8/10/00	1,400	1,474
8/15/00	2,100	2,302
8/17/00	800	831
9/11/00	1,300	1,339
9/14/00	1,700	1,765
9/18/00	1,200	1,214
9/21/00	2,300	2,348
9/25/00	410	432
9/28/00	470	494
10/2/00	650	682
10/5/00	960	998
10/9/00	710	754
10/13/00	1,200	1,272
10/17/00	1,400	1,537
10/19/00	1,000	1,108

H:\NABIS\2000\PTREPRT1.WPD

**TABLE 3**

**FDSA FOCUSED REMEDIATION  
ROWE INDUSTRIES SITE  
SAG HARBOR, NEW YORK**

**Real Time pH Monitoring Results**

<b>DATE</b>	<b>POST-CARBON pH</b>
5/24/00	6.50
6/1/00	6.99
6/7/00	6.50
6/8/00	6.50
7/21/00	6.60
8/2/00	6.50
8/3/00	6.80
8/7/00	6.50
8/10/00	6.80
8/15/00	6.50
8/17/00	6.50
9/11/00	6.50
9/14/00	6.50
9/18/00	6.50
9/21/00	6.50
9/25/00	6.50
9/28/00	6.50
10/2/00	6.80
10/5/00	6.50
10/9/00	6.50
10/13/00	6.50
10/17/00	6.50
10/19/00	6.50

**ATTACHMENT I**

**EFFLUENT LIMITATIONS AND MONITORING REQUIREMENTS**

**New York State Department of Environmental Conservation**  
**Division of Environmental Remediation**  
**Bureau of Construction Services, Room 267**  
50 Wolf Road, Albany, New York 12233-7010  
Phone: (518) 457-9280 • FAX: (518) 457-7743  
Website: www.dec.state.ny.us



RECEIVED  
MAY 16 2000  
MAY 11 2000  
Leggette, Brashears & Graham, Inc.

Mr. Paul M. Jobmann  
Leggette, Brashears & Graham, Inc.  
126 Monroe Turnpike  
Trumbull, Connecticut 06611

Dear Mr. Jobmann:

Re: Site No. 1-52-106  
Rowe Industries Site  
Focused Pump and Treat SPDES Permit

Please find enclosed the Focused Pump and Treat SPDES Permit for the Rowe Industries Site, No. 1-52-106. Please note all additional conditions and submit all monitoring data, engineering submissions and modification requests to Division of Environmental Remediation contact person, Mr. Jeffrey E. Trad.

If you have any questions regarding this permit, please call Mr. Jeffrey E. Trad, P.E., at (518) 457-9285.

Sincerely,

A handwritten signature in black ink, appearing to read 'Robert C. Knizek', written over the typed name.

Robert C. Knizek  
Chief, Eastern Field Services Section  
Bureau of Construction Services  
Division of Environmental Remediation

Enclosure

cc: P. Tames - USEPA



**EFFLUENT LIMITATIONS AND MONITORING REQUIREMENTS**

During the period beginning May 2000 and lasting until February , 2001

the discharges from the treatment facility to groundwater, Class GA shall be limited and monitored by the operator as specified below:

Outfall Number and Parameter	Discharge Limitations		Units	Minimum Monitoring Requirements	
	Daily Avg.	Daily Max		Measurement Frequency	Sample Type
<b>Outfall 001 - Treated Groundwater Remediation Discharge:</b>					
Flow		Monitor	GPD	Daily	Estimate based on pumping time
pH (range)	6.5 to 8.5		SU	2/Week	Grab
1,2 Dichloroethane		0.6	µg/l	2/Week	Grab
cis 1,2 Dichloroethene		5	µg/l	2/Week	Grab
trans 1,2 Dichloroethene		5	µg/l	2/Week	Grab
Isopropylbenzene		5	µg/l	2/Week	Grab
Naphthalene		10	µg/l	2/Week	Grab
n-Propylbenzene		5	µg/l	2/Week	Grab
Tetrachloroethylene		5	µg/l	2/Week	Grab
Trichloroethanes		5	µg/l	2/Week	Grab
Trichloroethylene		5	µg/l	2/Week	Grab
1,2,4 Trimethylbenzene		5	µg/l	2/Week	Grab
1,3,5 Trimethylbenzene		5	µg/l	2/Week	Grab
m and p-Xylenes		10	µg/l	2/Week	Grab
o-Xylene		5	µg/l	2/Week	Grab

**Additional Conditions:**

- (1) The discharge rate may not exceed the effective or design treatment system capacity. All monitoring data, engineering submissions and modification requests must be submitted to:  
 Chief - Operation Maintenance and Support Section  
 Bureau of Hazardous Site Control  
 Division of Environmental Remediation  
 NYSDEC  
 50 Wolf Road  
 Albany, N.Y. 12233-7010

With a copy sent to:  
 Regional Water Engineer - Region 1  
 NYSDEC - Building 40 @ Stony Brook  
 Stony Brook, New York 11790-2356

- (2) Only site generated wastewater is authorized for treatment and discharge.
- (3) Authorization to discharge is valid only for the period noted above but may be renewed if appropriate. A request for renewal must be received 6 months prior to the expiration date to allow for a review of 91-20-2a monitoring data and reassessment of monitoring requirements.
- (4) Both concentration (mg/l or µg/l) and mass loadings (lbs/day) must be reported to the Department for all parameters except flow and pH.
- (5) Any use of corrosion/scale inhibitors or biocidal-type compounds used in the treatment process must be approved by the department prior to use.
- (6) This discharge and administration of this discharge must comply with the attached General Conditions.

**ATTACHMENT II**  
**LABORATORY ANALYTICAL RESULTS**

Client: LBG Engineers	Client ID: Rowe Industries (Pre 52400)
Date received: 05/24/00	Laboratory ID: 0012488
Date extracted: NA	Matrix: Liquid
Date analyzed: 05/24/00-05/28/00	Contractor: 11418

## EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
BENZENE	71-43-2	<1
BROMOBENZENE	108-86-1	<1
BROMOCHLOROMETHANE	74-97-5	<1
BROMODICHLOROMETHANE	75-27-4	<1
BROMOFORM	75-25-4	<1
BROMOMETHANE	74-83-9	<1
n-BUTYLBENZENE	104-51-8	<1
sec-BUTYLBENZENE	135-98-8	<1
tert-BUTYLBENZENE	98-06-6	<1
CARBON TETRACHLORIDE	56-23-5	<1
CHLOROBENZENE	108-90-7	<1
CHLORODIBROMOMETHANE	124-48-1	<1
CHLOROETHANE	75-00-3	<1
CHLOROFORM	67-66-3	<1
CHLOROMETHANE	74-87-3	<1
2-CHLOROTOLUENE	95-49-8	<1
4-CHLOROTOLUENE	106-43-4	<1
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<1
DIBROMOCHLOROMETHANE	124-48-1	<1
1,2-DIBROMOETHANE	106-93-4	<1
DIBROMOMETHANE	74-95-3	<1
1,2-DICHLOROBENZENE	95-50-1	<1
1,3-DICHLOROBENZENE	541-73-1	<1
1,4-DICHLOROBENZENE	106-46-7	<1
DICHLORODIFLUOROMETHANE	75-71-8	<1
1,1-DICHLOROETHANE	75-34-3	<1
1,2-DICHLOROETHANE	107-06-2	<1
1,1-DICHLOROETHENE	75-35-4	<1
cis-1,2-DICHLOROETHENE	156-59-2	<1
trans-1,2-DICHLOROETHENE	156-60-5	<1

*John Beyer*  
Laboratory Director

Client: LBG Engineers	Client ID: Rowe Industries (Pre 52400)
Date received: 05/24/00	Laboratory ID: 0012488
Date extracted: NA	Matrix: Liquid
Date analyzed: 05/24/00-05/26/00	Contractor: 11418

## EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
1,2-DICHLOROPROPANE	78-87-5	<1
1,3-DICHLOROPROPANE	142-28-9	<1
2,2-DICHLOROPROPANE	594-20-7	<1
1,1-DICHLOROPROPENE	563-58-6	<1
cis-1,3-DICHLOROPROPENE	10061-01-5	<1
trans-1,3-DICHLOROPROPENE	10061-02-6	<1
ETHYLBENZENE	100-41-4	<1
HEXACHLOROBUTADIENE	87-68-3	<1
ISOPROPYLBENZENE	98-82-8	6
p-ISOPROPYLTOLUENE	99-87-6	<1
METHYLENE CHLORIDE	75-09-2	<1
NAPHTHALENE	91-20-3	<1
n-PROPYLBENZENE	103-65-1	1
STYRENE	100-42-5	<1
1,1,1,2-TETRACHLOROETHANE	630-20-6	<1
1,1,1,2-TETRACHLOROETHANE	79-34-5	<1
TETRACHLOROETHENE	127-18-4	1,300
TOLUENE	108-88-3	<1
1,2,3-TRICHLOROBENZENE	87-61-6	<1
1,2,4-TRICHLOROBENZENE	120-82-1	<1
1,1,1-TRICHLOROETHANE	71-55-6	47
1,1,2-TRICHLOROETHANE	79-00-5	<1
TRICHLOROETHENE	79-01-6	6
TRICHLOROFLUOROMETHANE	75-69-4	<1
1,2,3-TRICHLOROPROPANE	96-18-4	<1
1,2,4-TRIMETHYLBENZENE	95-63-6	2
1,3,5-TRIMETHYLBENZENE	108-67-8	5
VINYL CHLORIDE	75-01-4	<1
M+P XYLENES	108-38-3/95-47-6	7
O-XYLENE	106-42-3	12

*John Bayer*  
Laboratory Director

Client: LBG Engineers	Client ID: Rowe Industries (Mid 52400)
Date received: 05/24/00	Laboratory ID: 0012489
Date extracted: NA	Matrix: Liquid
Date analyzed: 05/24/00	Contractor: 11418

## EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
BENZENE	71-43-2	<1
BROMOBENZENE	108-86-1	<1
BROMOCHLOROMETHANE	74-97-5	<1
BROMODICHLOROMETHANE	75-27-4	<1
BROMOFORM	75-25-4	<1
BROMOMETHANE	74-83-9	<1
n-BUTYLBENZENE	104-51-8	<1
sec-BUTYLBENZENE	135-98-8	<1
tert-BUTYLBENZENE	98-06-6	<1
CARBON TETRACHLORIDE	56-23-5	<1
CHLOROBENZENE	108-90-7	<1
CHLORODIBROMOMETHANE	124-48-1	<1
CHLOROETHANE	75-00-3	<1
CHLOROFORM	67-66-3	<1
CHLOROMETHANE	74-87-3	<1
2-CHLOROTOLUENE	95-49-8	<1
4-CHLOROTOLUENE	106-43-4	<1
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<1
DIBROMOCHLOROMETHANE	124-48-1	<1
1,2-DIBROMOETHANE	106-93-4	<1
DIBROMOMETHANE	74-95-3	<1
1,2-DICHLOROBENZENE	95-50-1	<1
1,3-DICHLOROBENZENE	541-73-1	<1
1,4-DICHLOROBENZENE	106-46-7	<1
DICHLORODIFLUOROMETHANE	75-71-8	<1
1,1-DICHLOROETHANE	75-34-3	<1
1,2-DICHLOROETHANE	107-06-2	<1
1,1-DICHLOROETHENE	75-35-4	<1
cis-1,2-DICHLOROETHENE	156-59-2	<1
trans-1,2-DICHLOROETHENE	156-60-5	<1

*Roni Bayer*  
Laboratory Director

Client: LBG Engineers	Client ID: Rowe Industries (Mid 52400)
Date received: 05/24/00	Laboratory ID: 0012489
Date extracted: NA	Matrix: Liquid
Date analyzed: 05/24/00	Contractor: 11418

## EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
1,2-DICHLOROPROPANE	78-87-5	<1
1,3-DICHLOROPROPANE	142-28-9	<1
2,2-DICHLOROPROPANE	594-20-7	<1
1,1-DICHLOROPROPENE	563-58-6	<1
cis-1,3-DICHLOROPROPENE	10061-01-5	<1
trans-1,3-DICHLOROPROPENE	10061-02-6	<1
ETHYLBENZENE	100-41-4	<1
HEXACHLOROBUTADIENE	87-68-3	<1
ISOPROPYLBENZENE	98-82-8	<1
p-ISOPROPYLTOLUENE	99-87-6	<1
METHYLENE CHLORIDE	75-09-2	<1
NAPHTHALENE	91-20-3	<1
n-PROPYLBENZENE	103-65-1	<1
STYRENE	100-42-5	<1
1,1,1,2-TETRACHLOROETHANE	630-20-8	<1
1,1,2,2-TETRACHLOROETHANE	79-34-5	<1
TETRACHLOROETHENE	127-18-4	<1
TOLUENE	108-88-3	<1
1,2,3-TRICHLOROBENZENE	87-61-6	<1
1,2,4-TRICHLOROBENZENE	120-82-1	<1
1,1,1-TRICHLOROETHANE	71-55-6	<1
1,1,2-TRICHLOROETHANE	79-00-5	<1
TRICHLOROETHENE	79-01-6	<1
TRICHLOROFLUOROMETHANE	75-69-4	<1
1,2,3-TRICHLOROPROPANE	96-18-4	<1
1,2,4-TRIMETHYLBENZENE	95-63-6	<1
1,3,5-TRIMETHYLBENZENE	108-67-8	<1
VINYL CHLORIDE	75-01-4	<1
M+P XYLENES	108-38-3/95-47-6	<1
O-XYLENE	106-42-3	<1

*John Bayer*  
Laboratory Director

Client: LBG Engineers	Client ID: Rowe Industries (Post 52400)
Date received: 05/24/00	Laboratory ID: 0012490
Date extracted: NA	Matrix: Liquid
Date analyzed: 05/24/00	Contractor: 11418

## EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
BENZENE	71-43-2	<1
BROMOBENZENE	108-86-1	<1
BROMOCHLOROMETHANE	74-97-5	<1
BROMODICHLOROMETHANE	75-27-4	<1
BROMOFORM	75-25-4	<1
BROMOMETHANE	74-83-9	<1
n-BUTYLBENZENE	104-51-8	<1
sec-BUTYLBENZENE	135-98-8	<1
tert-BUTYLBENZENE	98-06-6	<1
CARBON TETRACHLORIDE	56-23-5	<1
CHLOROBENZENE	108-90-7	<1
CHLORODIBROMOMETHANE	124-48-1	<1
CHLOROETHANE	75-00-3	<1
CHLOROFORM	67-66-3	<1
CHLOROMETHANE	74-87-3	<1
2-CHLOROTOLUENE	95-49-8	<1
4-CHLOROTOLUENE	106-43-4	<1
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<1
DIBROMOCHLOROMETHANE	124-48-1	<1
1,2-DIBROMOETHANE	106-93-4	<1
DIBROMOMETHANE	74-95-3	<1
1,2-DICHLOROBENZENE	95-50-1	<1
1,3-DICHLOROBENZENE	541-73-1	<1
1,4-DICHLOROBENZENE	106-46-7	<1
DICHLORODIFLUOROMETHANE	75-71-8	<1
1,1-DICHLOROETHANE	75-34-3	<1
1,2-DICHLOROETHANE	107-06-2	<1
1,1-DICHLOROETHENE	75-35-4	<1
cis-1,2-DICHLOROETHENE	156-59-2	<1
trans-1,2-DICHLOROETHENE	156-60-5	<1

*John Beyer*  
Laboratory Director

Client: LBG Engineers	Client ID: Rowe Industries (Post 52400)
Date received: 05/24/00	Laboratory ID: 0012490
Date extracted: NA	Matrix: Liquid
Date analyzed: 05/24/00	Contractor: 11418

## EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
1,2-DICHLOROPROPANE	78-87-5	<1
1,3-DICHLOROPROPANE	142-28-9	<1
2,2-DICHLOROPROPANE	594-20-7	<1
1,1-DICHLOROPROPENE	563-58-6	<1
cis-1,3-DICHLOROPROPENE	10061-01-5	<1
trans-1,3-DICHLOROPROPENE	10061-02-6	<1
ETHYLBENZENE	100-41-4	<1
HEXACHLOROBUTADIENE	87-68-3	<1
ISOPROPYLBENZENE	98-82-8	<1
p-ISOPROPYLTOLUENE	99-87-6	<1
METHYLENE CHLORIDE	75-09-2	<1
NAPHTHALENE	91-20-3	<1
n-PROPYLBENZENE	103-65-1	<1
STYRENE	100-42-5	<1
1,1,1,2-TETRACHLOROETHANE	630-20-6	<1
1,1,1,2-TETRACHLOROETHANE	79-34-5	<1
TETRACHLOROETHENE	127-18-4	<1
TOLUENE	108-88-3	<1
1,2,3-TRICHLOROBENZENE	87-61-6	<1
1,2,4-TRICHLOROBENZENE	120-82-1	<1
1,1,1-TRICHLOROETHANE	71-55-6	<1
1,1,2-TRICHLOROETHANE	79-00-5	<1
TRICHLOROETHENE	79-01-6	<1
TRICHLOROFLUOROMETHANE	75-69-4	<1
1,2,3-TRICHLOROPROPANE	96-18-4	<1
1,2,4-TRIMETHYLBENZENE	95-63-6	<1
1,3,5-TRIMETHYLBENZENE	108-67-8	<1
VINYL CHLORIDE	75-01-4	<1
M+P XYLENES	108-38-3/95-47-6	<1
O-XYLENE	106-42-3	<1

*John Bayer*  
Laboratory Director



NYSDOH  
AIHA  
CTDOH

ELAP  
PAT, LPAT  
PH-0205

11418  
102391

June 07, 2000

Paul Jobmann  
LBG Engineers  
126 Monroe Turnpike  
Trumbull, CT 06611

**Re: Rowe Industries**

Dear Mr. Jobmann;

Enclosed please find the Laboratory Analysis Report(s) for sample(s) received on June 02, 2000. American Analytical Laboratories analyzed the samples through June 06, 2000 for the following;

This report consists of 6 pages of analytical results.

<b>CLIENT ID</b>	<b>ANALYSIS</b>
Pre 60100	EPA 8021
Mid 60100	EPA 8021
Post 60100	EPA 8021

If you have any questions or require further information, please call at your convenience. American Analytical Laboratories would like to thank you for the opportunity to be of service to you.


Best Regards,

*American Analytical Laboratories, Inc.*

Client: LBG Engineers	Client ID: Rowe Industries (Pre 60100)
Date received: 06/02/00	Laboratory ID: 0012572
Date extracted: NA	Matrix: Liquid
Date analyzed: 06/02/00-06/06/00	Contractor: 11418

### EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
BENZENE	71-43-2	<1
BROMOBENZENE	108-86-1	<1
BROMOCHLOROMETHANE	74-97-5	<1
BROMODICHLOROMETHANE	75-27-4	<1
BROMOFORM	75-25-4	<1
BROMOMETHANE	74-83-9	<1
n-BUTYLBENZENE	104-51-8	<1
sec-BUTYLBENZENE	135-98-8	<1
tert-BUTYLBENZENE	98-06-6	<1
CARBON TETRACHLORIDE	56-23-5	<1
CHLOROBENZENE	108-90-7	<1
CHLORODIBROMOMETHANE	124-48-1	<1
CHLOROETHANE	75-00-3	<1
CHLOROFORM	67-66-3	<1
CHLOROMETHANE	74-87-3	<1
2-CHLOROTOLUENE	95-49-8	<1
4-CHLOROTOLUENE	106-43-4	<1
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<1
DIBROMOCHLOROMETHANE	124-48-1	<1
1,2-DIBROMOETHANE	106-93-4	<1
DIBROMOMETHANE	74-95-3	<1
1,2-DICHLOROBENZENE	95-50-1	<1
1,3-DICHLOROBENZENE	541-73-1	<1
1,4-DICHLOROBENZENE	106-46-7	<1
DICHLORODIFLUOROMETHANE	75-71-8	<1
1,1-DICHLOROETHANE	75-34-3	<1
1,2-DICHLOROETHANE	107-06-2	<1
1,1-DICHLOROETHENE	75-35-4	<1
cis-1,2-DICHLOROETHENE	156-59-2	<1
trans-1,2-DICHLOROETHENE	156-60-5	<1

  
Laboratory Director

000001

Client: LBG Engineers	Client ID: Rowe Industries (Pre 60100)
Date received: 06/02/00	Laboratory ID: 0012572
Date extracted: NA	Matrix: Liquid
Date analyzed: 06/02/00-06/06/00	Contractor: 11418

### EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
1,2-DICHLOROPROPANE	78-87-5	<1
1,3-DICHLOROPROPANE	142-28-9	<1
2,2-DICHLOROPROPANE	594-20-7	<1
1,1-DICHLOROPROPENE	563-58-6	<1
cis-1,3-DICHLOROPROPENE	10061-01-5	<1
trans-1,3-DICHLOROPROPENE	10061-02-6	<1
ETHYLBENZENE	100-41-4	<1
HEXACHLOROBUTADIENE	87-68-3	<1
ISOPROPYLBENZENE	98-82-8	<1
p-ISOPROPYLTOLUENE	99-87-6	<1
METHYLENE CHLORIDE	75-09-2	<1
NAPHTHALENE	91-20-3	<1
n-PROPYLBENZENE	103-65-1	<1
STYRENE	100-42-5	<1
1,1,1,2-TETRACHLOROETHANE	630-20-6	<1
1,1,2,2-TETRACHLOROETHANE	79-34-5	<1
TETRACHLOROETHENE	127-18-4	370
TOLUENE	108-88-3	<1
1,2,3-TRICHLOROBENZENE	87-61-6	<1
1,2,4-TRICHLOROBENZENE	120-82-1	<1
1,1,1-TRICHLOROETHANE	71-55-6	30
1,1,2-TRICHLOROETHANE	79-00-5	<1
TRICHLOROETHENE	79-01-6	4
TRICHLOROFLUOROMETHANE	75-69-4	<1
1,2,3-TRICHLOROPROPANE	96-18-4	<1
1,2,4-TRIMETHYLBENZENE	95-63-6	<1
1,3,5-TRIMETHYLBENZENE	108-67-8	<1
VINYL CHLORIDE	75-01-4	<1
M+P XYLENES	108-38-3/95-47-6	<1
O-XYLENE	106-42-3	<1

  
 Laboratory Director

Client: LBG Engineers	Client ID: Rowe Industries (Mid 60100)
Date received: 06/02/00	Laboratory ID: 0012573
Date extracted: NA	Matrix: Liquid
Date analyzed: 06/02/00	Contractor: 11418

### EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
BENZENE	71-43-2	<1
BROMOBENZENE	108-86-1	<1
BROMOCHLOROMETHANE	74-97-5	<1
BROMODICHLOROMETHANE	75-27-4	<1
BROMOFORM	75-25-4	<1
BROMOMETHANE	74-83-9	<1
n-BUTYLBENZENE	104-51-8	<1
sec-BUTYLBENZENE	135-98-8	<1
tert-BUTYLBENZENE	98-06-6	<1
CARBON TETRACHLORIDE	56-23-5	<1
CHLOROBENZENE	108-90-7	<1
CHLORODIBROMOMETHANE	124-48-1	<1
CHLOROETHANE	75-00-3	<1
CHLOROFORM	67-66-3	<1
CHLOROMETHANE	74-87-3	<1
2-CHLOROTOLUENE	95-49-8	<1
4-CHLOROTOLUENE	106-43-4	<1
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<1
DIBROMOCHLOROMETHANE	124-48-1	<1
1,2-DIBROMOETHANE	106-93-4	<1
DIBROMOMETHANE	74-95-3	<1
1,2-DICHLOROBENZENE	95-50-1	<1
1,3-DICHLOROBENZENE	541-73-1	<1
1,4-DICHLOROBENZENE	106-46-7	<1
DICHLORODIFLUOROMETHANE	75-71-8	<1
1,1-DICHLOROETHANE	75-34-3	<1
1,2-DICHLOROETHANE	107-06-2	<1
1,1-DICHLOROETHENE	75-35-4	<1
cis-1,2-DICHLOROETHENE	156-59-2	<1
trans-1,2-DICHLOROETHENE	156-60-5	<1


  
Laboratory Director

000003

Client: LBG Engineers	Client ID: Rowe Industries (Mid 60100)
Date received: 06/02/00	Laboratory ID: 0012573
Date extracted: NA	Matrix: Liquid
Date analyzed: 06/02/00	Contractor: 11418

### EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
1,2-DICHLOROPROPANE	78-87-5	<1
1,3-DICHLOROPROPANE	142-28-9	<1
2,2-DICHLOROPROPANE	594-20-7	<1
1,1-DICHLOROPROPENE	563-58-6	<1
cis-1,3-DICHLOROPROPENE	10061-01-5	<1
trans-1,3-DICHLOROPROPENE	10061-02-6	<1
ETHYLBENZENE	100-41-4	<1
HEXACHLOROBUTADIENE	87-68-3	<1
ISOPROPYLBENZENE	98-82-8	<1
p-ISOPROPYLTOLUENE	99-87-6	<1
METHYLENE CHLORIDE	75-09-2	<1
NAPHTHALENE	91-20-3	<1
n-PROPYLBENZENE	103-65-1	<1
STYRENE	100-42-5	<1
1,1,1,2-TETRACHLOROETHANE	630-20-6	<1
1,1,2,2-TETRACHLOROETHANE	79-34-5	<1
TETRACHLOROETHENE	127-18-4	<1
TOLUENE	108-88-3	<1
1,2,3-TRICHLOROBENZENE	87-61-6	<1
1,2,4-TRICHLOROBENZENE	120-82-1	<1
1,1,1-TRICHLOROETHANE	71-55-6	<1
1,1,2-TRICHLOROETHANE	79-00-5	<1
TRICHLOROETHENE	79-01-6	<1
TRICHLOROFLUOROMETHANE	75-69-4	<1
1,2,3-TRICHLOROPROPANE	96-18-4	<1
1,2,4-TRIMETHYLBENZENE	95-63-6	<1
1,3,5-TRIMETHYLBENZENE	108-67-8	<1
VINYL CHLORIDE	75-01-4	<1
M+P XYLENES	108-38-3/95-47-6	<1
O-XYLENE	106-42-3	<1

  
Laboratory Director

000004

Client: LBG Engineers	Client ID: Rowe Industries (Post 60100)
Date received: 06/02/00	Laboratory ID: 0012574
Date extracted: NA	Matrix: Liquid
Date analyzed: 06/02/00	Contractor: 11418

### EPA METHOD 8021


PARAMETER	CAS No.	RESULTS ug/L
BENZENE	71-43-2	<1
BROMOBENZENE	108-86-1	<1
BROMOCHLOROMETHANE	74-97-5	<1
BROMODICHLOROMETHANE	75-27-4	<1
BROMOFORM	75-25-4	<1
BROMOMETHANE	74-83-9	<1
n-BUTYLBENZENE	104-51-8	<1
sec-BUTYLBENZENE	135-98-8	<1
tert-BUTYLBENZENE	98-06-6	<1
CARBON TETRACHLORIDE	56-23-5	<1
CHLOROBENZENE	108-90-7	<1
CHLORODIBROMOMETHANE	124-48-1	<1
CHLOROETHANE	75-00-3	<1
CHLOROFORM	67-66-3	<1
CHLOROMETHANE	74-87-3	<1
2-CHLOROTOLUENE	95-49-8	<1
4-CHLOROTOLUENE	106-43-4	<1
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<1
DIBROMOCHLOROMETHANE	124-48-1	<1
1,2-DIBROMOETHANE	106-93-4	<1
DIBROMOMETHANE	74-95-3	<1
1,2-DICHLOROBENZENE	95-50-1	<1
1,3-DICHLOROBENZENE	541-73-1	<1
1,4-DICHLOROBENZENE	106-46-7	<1
DICHLORODIFLUOROMETHANE	75-71-8	<1
1,1-DICHLOROETHANE	75-34-3	<1
1,2-DICHLOROETHANE	107-06-2	<1
1,1-DICHLOROETHENE	75-35-4	<1
cis-1,2-DICHLOROETHENE	156-59-2	<1
trans-1,2-DICHLOROETHENE	156-60-5	<1

  
 Laboratory Director

Client: LBG Engineers	Client ID: Rowe Industries (Post 60100)
Date received: 06/02/00	Laboratory ID: 0012574
Date extracted: NA	Matrix: Liquid
Date analyzed: 06/02/00	Contractor: 11418

### EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
1,2-DICHLOROPROPANE	78-87-5	<1
1,3-DICHLOROPROPANE	142-28-9	<1
2,2-DICHLOROPROPANE	594-20-7	<1
1,1-DICHLOROPROPENE	563-58-6	<1
cis-1,3-DICHLOROPROPENE	10061-01-5	<1
trans-1,3-DICHLOROPROPENE	10061-02-6	<1
ETHYLBENZENE	100-41-4	<1
HEXACHLOROBUTADIENE	87-68-3	<1
ISOPROPYLBENZENE	98-82-8	<1
p-ISOPROPYLTOLUENE	99-87-6	<1
METHYLENE CHLORIDE	75-09-2	<1
NAPHTHALENE	91-20-3	5
n-PROPYLBENZENE	103-65-1	<1
STYRENE	100-42-5	<1
1,1,1,2-TETRACHLOROETHANE	630-20-6	<1
1,1,2,2-TETRACHLOROETHANE	79-34-5	<1
TETRACHLOROETHENE	127-18-4	<1
TOLUENE	108-88-3	<1
1,2,3-TRICHLOROBENZENE	87-61-6	<1
1,2,4-TRICHLOROBENZENE	120-82-1	<1
1,1,1-TRICHLOROETHANE	71-55-6	<1
1,1,2-TRICHLOROETHANE	79-00-5	<1
TRICHLOROETHENE	79-01-6	<1
TRICHLOROFLUOROMETHANE	75-69-4	<1
1,2,3-TRICHLOROPROPANE	96-18-4	<1
1,2,4-TRIMETHYLBENZENE	95-63-6	22
1,3,5-TRIMETHYLBENZENE	108-67-8	11
VINYL CHLORIDE	75-01-4	<1
M+P XYLENES	108-38-3/95-47-6	<1
O-XYLENE	106-42-3	<1



Laboratory Director





NYSDOH  
AIHA  
CTDOH

ELAP  
PAT, LPAT  
PH-0205

11418  
102391

June 12, 2000

Paul Jobmann  
LBG Engineers  
126 Monroe Turnpike  
Trumbull, CT 06611

**Re: Rowe Industries**

Dear Mr. Jobmann;

Enclosed please find the Laboratory Analysis Report(s) for sample(s) received on June 08, 2000. American Analytical Laboratories analyzed the samples through June 09, 2000 for the following;

CLIENT ID	ANALYSIS
Pre 6700	EPA 8021
Mid 6700	EPA 8021
Post 6700	EPA 8021
Pre 6800	EPA 8021
Mid 6800	EPA 8021
Post 6800	EPA 8021

This report consists of 12 pages of analytical results.

If you have any questions or require further information, please call at your convenience. American Analytical Laboratories would like to thank you for the opportunity to be of service to you.

Best Regards,

*American Analytical Laboratories, Inc.*

Client: LBG Engineers	Client ID: Rowe Industries (Pre 6700)
Date received: 06/08/00	Laboratory ID: 0012685
Date extracted: NA	Matrix: Liquid
Date analyzed: 06/09/00	Contractor: 11418

### EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
BENZENE	71-43-2	<1
BROMOBENZENE	108-86-1	<1
BROMOCHLOROMETHANE	74-97-5	<1
BROMODICHLOROMETHANE	75-27-4	<1
BROMOFORM	75-25-4	<1
BROMOMETHANE	74-83-9	<1
n-BUTYLBENZENE	104-51-8	<1
sec-BUTYLBENZENE	135-98-8	<1
tert-BUTYLBENZENE	98-06-6	<1
CARBON TETRACHLORIDE	56-23-5	<1
CHLOROBENZENE	108-90-7	<1
CHLORODIBROMOMETHANE	124-48-1	<1
CHLOROETHANE	75-00-3	<1
CHLOROFORM	67-66-3	<1
CHLOROMETHANE	74-87-3	27
2-CHLOROTOLUENE	95-49-8	<1
4-CHLOROTOLUENE	106-43-4	<1
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<1
DIBROMOCHLOROMETHANE	124-48-1	<1
1,2-DIBROMOETHANE	106-93-4	<1
DIBROMOMETHANE	74-95-3	<1
1,2-DICHLOROBENZENE	95-50-1	<1
1,3-DICHLOROBENZENE	541-73-1	<1
1,4-DICHLOROBENZENE	106-46-7	<1
DICHLORODIFLUOROMETHANE	75-71-8	<1
1,1-DICHLOROETHANE	75-34-3	<1
1,2-DICHLOROETHANE	107-06-2	<1
1,1-DICHLOROETHENE	75-35-4	<1
cis-1,2-DICHLOROETHENE	156-59-2	<1
trans-1,2-DICHLOROETHENE	156-60-5	<1

  
Laboratory Director

Client: LBG Engineers	Client ID: Rowe Industries (Pre 6700)
Date received: 06/08/00	Laboratory ID: 0012685
Date extracted: NA	Matrix: Liquid
Date analyzed: 06/09/00	Contractor: 11418

### EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
1,2-DICHLOROPROPANE	78-87-5	<1
1,3-DICHLOROPROPANE	142-28-9	<1
2,2-DICHLOROPROPANE	594-20-7	<1
1,1-DICHLOROPROPENE	563-58-6	<1
cis-1,3-DICHLOROPROPENE	10061-01-5	<1
trans-1,3-DICHLOROPROPENE	10061-02-6	<1
ETHYLBENZENE	100-41-4	<1
HEXACHLOROBUTADIENE	87-68-3	<1
ISOPROPYLBENZENE	98-82-8	<1
p-ISOPROPYLTOLUENE	99-87-6	<1
METHYLENE CHLORIDE	75-09-2	<1
NAPHTHALENE	91-20-3	<1
n-PROPYLBENZENE	103-65-1	<1
STYRENE	100-42-5	<1
1,1,1,2-TETRACHLOROETHANE	630-20-6	<1
1,1,2,2-TETRACHLOROETHANE	79-34-5	<1
TETRACHLOROETHENE	127-18-4	<1
TOLUENE	108-88-3	<1
1,2,3-TRICHLOROBENZENE	87-61-6	<1
1,2,4-TRICHLOROBENZENE	120-82-1	<1
1,1,1-TRICHLOROETHANE	71-55-6	<1
1,1,2-TRICHLOROETHANE	79-00-5	<1
TRICHLOROETHENE	79-01-6	<1
TRICHLOROFLUOROMETHANE	75-69-4	<1
1,2,3-TRICHLOROPROPANE	96-18-4	<1
1,2,4-TRIMETHYLBENZENE	95-63-6	<1
1,3,5-TRIMETHYLBENZENE	108-67-8	<1
VINYL CHLORIDE	75-01-4	<1
M+P XYLENES	108-38-3/95-47-6	<1
O-XYLENE	106-42-3	<1

  
Laboratory Director

Client: LBG Engineers	Client ID: Rowe Industries (Mid 6700)
Date received: 06/08/00	Laboratory ID: 0012686
Date extracted: NA	Matrix: Liquid
Date analyzed: 06/09/00	Contractor: 11418

### EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
BENZENE	71-43-2	<1
BROMOBENZENE	108-86-1	<1
BROMOCHLOROMETHANE	74-97-5	<1
BROMODICHLOROMETHANE	75-27-4	<1
BROMOFORM	75-25-4	<1
BROMOMETHANE	74-83-9	<1
n-BUTYLBENZENE	104-51-8	<1
sec-BUTYLBENZENE	135-98-8	<1
tert-BUTYLBENZENE	98-06-6	<1
CARBON TETRACHLORIDE	56-23-5	<1
CHLOROBENZENE	108-90-7	<1
CHLORODIBROMOMETHANE	124-48-1	<1
CHLOROETHANE	75-00-3	<1
CHLOROFORM	67-66-3	<1
CHLOROMETHANE	74-87-3	<1
2-CHLOROTOLUENE	95-49-8	<1
4-CHLOROTOLUENE	106-43-4	<1
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<1
DIBROMOCHLOROMETHANE	124-48-1	<1
1,2-DIBROMOETHANE	106-93-4	<1
DIBROMOMETHANE	74-95-3	<1
1,2-DICHLOROBENZENE	95-50-1	<1
1,3-DICHLOROBENZENE	541-73-1	<1
1,4-DICHLOROBENZENE	106-46-7	<1
DICHLORODIFLUOROMETHANE	75-71-8	<1
1,1-DICHLOROETHANE	75-34-3	<1
1,2-DICHLOROETHANE	107-06-2	<1
1,1-DICHLOROETHENE	75-35-4	<1
cis-1,2-DICHLOROETHENE	156-59-2	<1
trans-1,2-DICHLOROETHENE	156-60-5	<1

  
Laboratory Director

Client: LBG Engineers	Client ID: Rowe Industries (Mid 6700)
Date received: 06/08/00	Laboratory ID: 0012686
Date extracted: NA	Matrix: Liquid
Date analyzed: 06/09/00	Contractor: 11418

### EPA METHOD 8021


PARAMETER	CAS No.	RESULTS ug/L
1,2-DICHLOROPROPANE	78-87-5	<1
1,3-DICHLOROPROPANE	142-28-9	<1
2,2-DICHLOROPROPANE	594-20-7	<1
1,1-DICHLOROPROPENE	563-58-6	<1
cis-1,3-DICHLOROPROPENE	10061-01-5	<1
trans-1,3-DICHLOROPROPENE	10061-02-6	<1
ETHYLBENZENE	100-41-4	<1
HEXACHLOROBUTADIENE	87-68-3	<1
ISOPROPYLBENZENE	98-82-8	<1
p-ISOPROPYLTOLUENE	99-87-6	<1
METHYLENE CHLORIDE	75-09-2	<1
NAPHTHALENE	91-20-3	<1
n-PROPYLBENZENE	103-65-1	<1
STYRENE	100-42-5	<1
1,1,1,2-TETRACHLOROETHANE	630-20-6	<1
1,1,2,2-TETRACHLOROETHANE	79-34-5	<1
TETRACHLOROETHENE	127-18-4	<1
TOLUENE	108-88-3	<1
1,2,3-TRICHLOROBENZENE	87-61-6	<1
1,2,4-TRICHLOROBENZENE	120-82-1	<1
1,1,1-TRICHLOROETHANE	71-55-6	<1
1,1,2-TRICHLOROETHANE	79-00-5	<1
TRICHLOROETHENE	79-01-6	<1
TRICHLOROFLUOROMETHANE	75-69-4	<1
1,2,3-TRICHLOROPROPANE	96-18-4	<1
1,2,4-TRIMETHYLBENZENE	95-63-6	<1
1,3,5-TRIMETHYLBENZENE	108-67-8	<1
VINYL CHLORIDE	75-01-4	<1
M+P XYLENES	108-38-3/95-47-6	<1
O-XYLENE	106-42-3	<1

  
Laboratory Director

Client: LBG Engineers	Client ID: Rowe Industries (Post 6700)
Date received: 06/08/00	Laboratory ID: 0012687
Date extracted: NA	Matrix: Liquid
Date analyzed: 06/09/00	Contractor: 11418

### EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
BENZENE	71-43-2	<1
BROMOBENZENE	108-86-1	<1
BROMOCHLOROMETHANE	74-97-5	<1
BROMODICHLOROMETHANE	75-27-4	<1
BROMOFORM	75-25-4	<1
BROMOMETHANE	74-83-9	<1
n-BUTYLBENZENE	104-51-8	<1
sec-BUTYLBENZENE	135-98-8	<1
tert-BUTYLBENZENE	98-06-6	<1
CARBON TETRACHLORIDE	56-23-5	<1
CHLOROBENZENE	108-90-7	<1
CHLORODIBROMOMETHANE	124-48-1	<1
CHLOROETHANE	75-00-3	<1
CHLOROFORM	67-66-3	<1
CHLOROMETHANE	74-87-3	10
2-CHLOROTOLUENE	95-49-8	<1
4-CHLOROTOLUENE	106-43-4	<1
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<1
DIBROMOCHLOROMETHANE	124-48-1	<1
1,2-DIBROMOETHANE	106-93-4	<1
DIBROMOMETHANE	74-95-3	<1
1,2-DICHLOROBENZENE	95-50-1	<1
1,3-DICHLOROBENZENE	541-73-1	<1
1,4-DICHLOROBENZENE	106-46-7	<1
DICHLORODIFLUOROMETHANE	75-71-8	<1
1,1-DICHLOROETHANE	75-34-3	<1
1,2-DICHLOROETHANE	107-06-2	<1
1,1-DICHLOROETHENE	75-35-4	<1
cis-1,2-DICHLOROETHENE	156-59-2	<1
trans-1,2-DICHLOROETHENE	156-60-5	<1

  
Laboratory Director

Client: LBG Engineers	Client ID: Rowe Industries (Post 6700)
Date received: 06/08/00	Laboratory ID: 0012687
Date extracted: NA	Matrix: Liquid
Date analyzed: 06/09/00	Contractor: 11418

### EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
1,2-DICHLOROPROPANE	78-87-5	<1
1,3-DICHLOROPROPANE	142-28-9	<1
2,2-DICHLOROPROPANE	594-20-7	<1
1,1-DICHLOROPROPENE	563-58-6	<1
cis-1,3-DICHLOROPROPENE	10061-01-5	<1
trans-1,3-DICHLOROPROPENE	10061-02-6	<1
ETHYLBENZENE	100-41-4	<1
HEXACHLOROBUTADIENE	87-68-3	<1
ISOPROPYLBENZENE	98-82-8	1
p-ISOPROPYLTOLUENE	99-87-6	<1
METHYLENE CHLORIDE	75-09-2	<1
NAPHTHALENE	91-20-3	<1
n-PROPYLBENZENE	103-65-1	<1
STYRENE	100-42-5	<1
1,1,1,2-TETRACHLOROETHANE	630-20-6	<1
1,1,2,2-TETRACHLOROETHANE	79-34-5	<1
TETRACHLOROETHENE	127-18-4	470
TOLUENE	108-88-3	<1
1,2,3-TRICHLOROBENZENE	87-61-6	<1
1,2,4-TRICHLOROBENZENE	120-82-1	<1
1,1,1-TRICHLOROETHANE	71-55-6	27
1,1,2-TRICHLOROETHANE	79-00-5	<1
TRICHLOROETHENE	79-01-6	4
TRICHLOROFLUOROMETHANE	75-69-4	<1
1,2,3-TRICHLOROPROPANE	96-18-4	<1
1,2,4-TRIMETHYLBENZENE	95-63-6	<1
1,3,5-TRIMETHYLBENZENE	108-67-8	2
VINYL CHLORIDE	75-01-4	<1
M+P XYLENES	108-38-3/95-47-6	2
O-XYLENE	106-42-3	5

  
Laboratory Director

Client: LBG Engineers	Client ID: Rowe Industries (Pre 6800)
Date received: 06/08/00	Laboratory ID: 0012688
Date extracted: NA	Matrix: Liquid
Date analyzed: 06/09/00	Contractor: 11418

### EPA METHOD 8021


PARAMETER	CAS No.	RESULTS ug/L
BENZENE	71-43-2	<1
BROMOBENZENE	108-86-1	<1
BROMOCHLOROMETHANE	74-97-5	<1
BROMODICHLOROMETHANE	75-27-4	<1
BROMOFORM	75-25-4	<1
BROMOMETHANE	74-83-9	<1
n-BUTYLBENZENE	104-51-8	<1
sec-BUTYLBENZENE	135-98-8	<1
tert-BUTYLBENZENE	98-06-6	<1
CARBON TETRACHLORIDE	56-23-5	<1
CHLOROBENZENE	108-90-7	<1
CHLORODIBROMOMETHANE	124-48-1	<1
CHLOROETHANE	75-00-3	<1
CHLOROFORM	67-66-3	<1
CHLOROMETHANE	74-87-3	<1
2-CHLOROTOLUENE	95-49-8	<1
4-CHLOROTOLUENE	106-43-4	<1
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<1
DIBROMOCHLOROMETHANE	124-48-1	<1
1,2-DIBROMOETHANE	106-93-4	<1
DIBROMOMETHANE	74-95-3	<1
1,2-DICHLOROBENZENE	95-50-1	<1
1,3-DICHLOROBENZENE	541-73-1	<1
1,4-DICHLOROBENZENE	106-46-7	<1
DICHLORODIFLUOROMETHANE	75-71-8	<1
1,1-DICHLOROETHANE	75-34-3	<1
1,2-DICHLOROETHANE	107-06-2	<1
1,1-DICHLOROETHENE	75-35-4	<1
cis-1,2-DICHLOROETHENE	156-59-2	<1
trans-1,2-DICHLOROETHENE	156-60-5	<1

  
Laboratory Director

Client: LBG Engineers	Client ID: Rowe Industries (Pre 6800)
Date received: 06/08/00	Laboratory ID: 0012688
Date extracted: NA	Matrix: Liquid
Date analyzed: 06/09/00	Contractor: 11418

### EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
1,2-DICHLOROPROPANE	78-87-5	<1
1,3-DICHLOROPROPANE	142-28-9	<1
2,2-DICHLOROPROPANE	594-20-7	<1
1,1-DICHLOROPROPENE	563-58-6	<1
cis-1,3-DICHLOROPROPENE	10061-01-5	<1
trans-1,3-DICHLOROPROPENE	10061-02-6	<1
ETHYLBENZENE	100-41-4	<1
HEXACHLOROBUTADIENE	87-68-3	<1
ISOPROPYLBENZENE	98-82-8	<1
p-ISOPROPYLTOLUENE	99-87-6	<1
METHYLENE CHLORIDE	75-09-2	<1
NAPHTHALENE	91-20-3	<1
n-PROPYLBENZENE	103-65-1	<1
STYRENE	100-42-5	<1
1,1,1,2-TETRACHLOROETHANE	630-20-6	<1
1,1,2,2-TETRACHLOROETHANE	79-34-5	<1
TETRACHLOROETHENE	127-18-4	320
TOLUENE	108-88-3	<1
1,2,3-TRICHLOROBENZENE	87-61-6	<1
1,2,4-TRICHLOROBENZENE	120-82-1	<1
1,1,1-TRICHLOROETHANE	71-55-6	12
1,1,2-TRICHLOROETHANE	79-00-5	<1
TRICHLOROETHENE	79-01-6	2
TRICHLOROFLUOROMETHANE	75-69-4	<1
1,2,3-TRICHLOROPROPANE	96-18-4	<1
1,2,4-TRIMETHYLBENZENE	95-63-6	<1
1,3,5-TRIMETHYLBENZENE	108-67-8	2
VINYL CHLORIDE	75-01-4	<1
M+P XYLENES	108-38-3/95-47-6	2
O-XYLENE	106-42-3	6

  
Laboratory Director

Client: LBG Engineers	Client ID: Rowe Industries (Mid 6800)
Date received: 06/08/00	Laboratory ID: 0012689
Date extracted: NA	Matrix: Liquid
Date analyzed: 06/09/00	Contractor: 11418

### EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
BENZENE	71-43-2	<1
BROMOBENZENE	108-86-1	<1
BROMOCHLOROMETHANE	74-97-5	<1
BROMODICHLOROMETHANE	75-27-4	<1
BROMOFORM	75-25-4	<1
BROMOMETHANE	74-83-9	<1
n-BUTYLBENZENE	104-51-8	<1
sec-BUTYLBENZENE	135-98-8	<1
tert-BUTYLBENZENE	98-06-6	<1
CARBON TETRACHLORIDE	56-23-5	<1
CHLOROBENZENE	108-90-7	<1
CHLORODIBROMOMETHANE	124-48-1	<1
CHLOROETHANE	75-00-3	<1
CHLOROFORM	67-66-3	<1
CHLOROMETHANE	74-87-3	<1
2-CHLOROTOLUENE	95-49-8	<1
4-CHLOROTOLUENE	106-43-4	<1
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<1
DIBROMOCHLOROMETHANE	124-48-1	<1
1,2-DIBROMOETHANE	106-93-4	<1
DIBROMOMETHANE	74-95-3	<1
1,2-DICHLOROBENZENE	95-50-1	<1
1,3-DICHLOROBENZENE	541-73-1	<1
1,4-DICHLOROBENZENE	106-46-7	<1
DICHLORODIFLUOROMETHANE	75-71-8	<1
1,1-DICHLOROETHANE	75-34-3	<1
1,2-DICHLOROETHANE	107-06-2	<1
1,1-DICHLOROETHENE	75-35-4	<1
cis-1,2-DICHLOROETHENE	156-59-2	<1
trans-1,2-DICHLOROETHENE	156-60-5	<1

  
Laboratory Director

Client: LBG Engineers	Client ID: Rowe Industries (Mid 6800)
Date received: 06/08/00	Laboratory ID: 0012689
Date extracted: NA	Matrix: Liquid
Date analyzed: 06/09/00	Contractor: 11418

### EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
1,2-DICHLOROPROPANE	78-87-5	<1
1,3-DICHLOROPROPANE	142-28-9	<1
2,2-DICHLOROPROPANE	594-20-7	<1
1,1-DICHLOROPROPENE	563-58-6	<1
cis-1,3-DICHLOROPROPENE	10061-01-5	<1
trans-1,3-DICHLOROPROPENE	10061-02-6	<1
ETHYLBENZENE	100-41-4	<1
HEXACHLOROBUTADIENE	87-68-3	<1
ISOPROPYLBENZENE	98-82-8	<1
p-ISOPROPYLTOLUENE	99-87-6	<1
METHYLENE CHLORIDE	75-09-2	<1
NAPHTHALENE	91-20-3	<1
n-PROPYLBENZENE	103-65-1	<1
STYRENE	100-42-5	<1
1,1,1,2-TETRACHLOROETHANE	630-20-6	<1
1,1,2,2-TETRACHLOROETHANE	79-34-5	<1
TETRACHLOROETHENE	127-18-4	<1
TOLUENE	108-88-3	<1
1,2,3-TRICHLOROBENZENE	87-61-6	<1
1,2,4-TRICHLOROBENZENE	120-82-1	<1
1,1,1-TRICHLOROETHANE	71-55-6	<1
1,1,2-TRICHLOROETHANE	79-00-5	<1
TRICHLOROETHENE	79-01-6	<1
TRICHLOROFLUOROMETHANE	75-69-4	<1
1,2,3-TRICHLOROPROPANE	96-18-4	<1
1,2,4-TRIMETHYLBENZENE	95-63-6	<1
1,3,5-TRIMETHYLBENZENE	108-67-8	<1
VINYL CHLORIDE	75-01-4	<1
M+P XYLENES	108-38-3/95-47-6	<1
O-XYLENE	106-42-3	<1

  
Laboratory Director

Client: LBG Engineers	Client ID: Rowe Industries (Post 6800)
Date received: 06/08/00	Laboratory ID: 0012690
Date extracted: NA	Matrix: Liquid
Date analyzed: 06/09/00	Contractor: 11418

### EPA METHOD 8021


PARAMETER	CAS No.	RESULTS ug/L
BENZENE	71-43-2	<1
BROMOBENZENE	108-86-1	<1
BROMOCHLOROMETHANE	74-97-5	<1
BROMODICHLOROMETHANE	75-27-4	<1
BROMOFORM	75-25-4	<1
BROMOMETHANE	74-83-9	<1
n-BUTYLBENZENE	104-51-8	<1
sec-BUTYLBENZENE	135-98-8	<1
tert-BUTYLBENZENE	98-06-6	<1
CARBON TETRACHLORIDE	56-23-5	<1
CHLOROBENZENE	108-90-7	<1
CHLORODIBROMOMETHANE	124-48-1	<1
CHLOROETHANE	75-00-3	<1
CHLOROFORM	67-66-3	<1
CHLOROMETHANE	74-87-3	<1
2-CHLOROTOLUENE	95-49-8	<1
4-CHLOROTOLUENE	106-43-4	<1
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<1
DIBROMOCHLOROMETHANE	124-48-1	<1
1,2-DIBROMOETHANE	106-93-4	<1
DIBROMOMETHANE	74-95-3	<1
1,2-DICHLOROBENZENE	95-50-1	<1
1,3-DICHLOROBENZENE	541-73-1	<1
1,4-DICHLOROBENZENE	106-46-7	<1
DICHLORODIFLUOROMETHANE	75-71-8	<1
1,1-DICHLOROETHANE	75-34-3	<1
1,2-DICHLOROETHANE	107-06-2	<1
1,1-DICHLOROETHENE	75-35-4	<1
cis-1,2-DICHLOROETHENE	156-59-2	<1
trans-1,2-DICHLOROETHENE	156-60-5	<1

  
Laboratory Director

Client: LBG Engineers	Client ID: Rowe Industries (Post 6800)
Date received: 06/08/00	Laboratory ID: 0012690
Date extracted: NA	Matrix: Liquid
Date analyzed: 06/09/00	Contractor: 11418

### EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
1,2-DICHLOROPROPANE	78-87-5	<1
1,3-DICHLOROPROPANE	142-28-9	<1
2,2-DICHLOROPROPANE	594-20-7	<1
1,1-DICHLOROPROPENE	563-58-6	<1
cis-1,3-DICHLOROPROPENE	10061-01-5	<1
trans-1,3-DICHLOROPROPENE	10061-02-6	<1
ETHYLBENZENE	100-41-4	<1
HEXACHLOROBUTADIENE	87-68-3	<1
ISOPROPYLBENZENE	98-82-8	<1
p-ISOPROPYLTOLUENE	99-87-6	<1
METHYLENE CHLORIDE	75-09-2	<1
NAPHTHALENE	91-20-3	<1
n-PROPYLBENZENE	103-65-1	<1
STYRENE	100-42-5	<1
1,1,1,2-TETRACHLOROETHANE	630-20-6	<1
1,1,2,2-TETRACHLOROETHANE	79-34-5	<1
TETRACHLOROETHENE	127-18-4	<1
TOLUENE	108-88-3	<1
1,2,3-TRICHLOROBENZENE	87-61-6	<1
1,2,4-TRICHLOROBENZENE	120-82-1	<1
1,1,1-TRICHLOROETHANE	71-55-6	<1
1,1,2-TRICHLOROETHANE	79-00-5	<1
TRICHLOROETHENE	79-01-6	<1
TRICHLOROFLUOROMETHANE	75-69-4	<1
1,2,3-TRICHLOROPROPANE	96-18-4	<1
1,2,4-TRIMETHYLBENZENE	95-63-6	<1
1,3,5-TRIMETHYLBENZENE	108-67-8	<1
VINYL CHLORIDE	75-01-4	<1
M+P XYLENES	108-38-3/95-47-6	<1
O-XYLENE	106-42-3	<1

  
Laboratory Director





NYSDOH  
AIHA  
CTDOH

ELAP  
PAT, LPAT  
PH-0205

11418  
102391

July 28, 2000

Paul Jobmann  
LBG Engineers  
126 Monroe Turnpike  
Trumbull, CT 06611

**Re: Rowe Industries, Sag Harbor**

Dear Mr. Jobmann;

Enclosed please find the Laboratory Analysis Report(s) for sample(s) received on July 21, 2000. American Analytical Laboratories analyzed the samples through July 27, 2000 for the following;

CLIENT ID	ANALYSIS
Pre [2]	EPA 8021
Mid [2]	EPA 8021

This report consists of 4 pages of analytical results.

If you have any questions or require further information, please call at your convenience. American Analytical Laboratories would like to thank you for the opportunity to be of service to you.


Best Regards,

*American Analytical Laboratories, Inc.*

Client: LBG Engineers	Client ID: Rowe Industries, Sag Harbor (Pre [2])
Date received: 07/21/00	Laboratory ID: 0013262
Date extracted: NA	Matrix: Liquid
Date analyzed: 07/21/00-07/27/00	Contractor: 11418

### EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
BENZENE	71-43-2	<1
BROMOBENZENE	108-86-1	<1
BROMOCHLOROMETHANE	74-97-5	<1
BROMODICHLOROMETHANE	75-27-4	<1
BROMOFORM	75-25-4	<1
BROMOMETHANE	74-83-9	<1
n-BUTYLBENZENE	104-51-8	<1
sec-BUTYLBENZENE	135-98-8	<1
tert-BUTYLBENZENE	98-06-6	<1
CARBON TETRACHLORIDE	56-23-5	<1
CHLOROBENZENE	108-90-7	<1
CHLORODIBROMOMETHANE	124-48-1	<1
CHLOROETHANE	75-00-3	<1
CHLOROFORM	67-66-3	<1
CHLOROMETHANE	74-87-3	<1
2-CHLOROTOLUENE	95-49-8	<1
4-CHLOROTOLUENE	106-43-4	<1
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<1
DIBROMOCHLOROMETHANE	124-48-1	<1
1,2-DIBROMOETHANE	106-93-4	<1
DIBROMOMETHANE	74-95-3	<1
1,2-DICHLOROBENZENE	95-50-1	<1
1,3-DICHLOROBENZENE	541-73-1	<1
1,4-DICHLOROBENZENE	106-46-7	<1
DICHLORODIFLUOROMETHANE	75-71-8	<1
1,1-DICHLOROETHANE	75-34-3	<1
1,2-DICHLOROETHANE	107-06-2	<1
1,1-DICHLOROETHENE	75-35-4	<1
cis-1,2-DICHLOROETHENE	156-59-2	<1
trans-1,2-DICHLOROETHENE	156-60-5	<1

  
 Laboratory Director

000001

Client: LBG Engineers	Client ID: Rowe Industries, Sag Harbor (Pre [2])
Date received: 07/21/00	Laboratory ID: 0013262
Date extracted: NA	Matrix: Liquid
Date analyzed: 07/21/00-07/27/00	Contractor: 11418

### EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
1,2-DICHLOROPROPANE	78-87-5	<1
1,3-DICHLOROPROPANE	142-28-9	<1
2,2-DICHLOROPROPANE	594-20-7	<1
1,1-DICHLOROPROPENE	563-58-6	<1
cis-1,3-DICHLOROPROPENE	10061-01-5	<1
trans-1,3-DICHLOROPROPENE	10061-02-6	<1
ETHYLBENZENE	100-41-4	<1
HEXACHLOROBUTADIENE	87-68-3	<1
ISOPROPYLBENZENE	98-82-8	<1
p-ISOPROPYLTOLUENE	99-87-6	<1
METHYLENE CHLORIDE	75-09-2	<1
NAPHTHALENE	91-20-3	<1
n-PROPYLBENZENE	103-65-1	<1
STYRENE	100-42-5	<1
1,1,1,2-TETRACHLOROETHANE	630-20-6	<1
1,1,2,2-TETRACHLOROETHANE	79-34-5	<1
TETRACHLOROETHENE	127-18-4	430
TOLUENE	108-88-3	<1
1,2,3-TRICHLOROBENZENE	87-61-6	<1
1,2,4-TRICHLOROBENZENE	120-82-1	<1
1,1,1-TRICHLOROETHANE	71-55-6	8
1,1,2-TRICHLOROETHANE	79-00-5	<1
TRICHLOROETHENE	79-01-6	<1
TRICHLOROFLUOROMETHANE	75-69-4	<1
1,2,3-TRICHLOROPROPANE	96-18-4	<1
1,2,4-TRIMETHYLBENZENE	95-63-6	<1
1,3,5-TRIMETHYLBENZENE	108-67-8	<1
VINYL CHLORIDE	75-01-4	<1
M+P XYLENES	108-38-3/95-47-6	<1
O-XYLENE	106-42-3	8

*La Ber*


Laboratory Director

000002

Client: LBG Engineers	Client ID: Rowe Industries, Sag Harbor (Mid [2])
Date received: 07/21/00	Laboratory ID: 0013263
Date extracted: NA	Matrix: Liquid
Date analyzed: 07/27/00	Contractor: 11418

### EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
BENZENE	71-43-2	<1
BROMOBENZENE	108-86-1	<1
BROMOCHLOROMETHANE	74-97-5	<1
BROMODICHLOROMETHANE	75-27-4	<1
BROMOFORM	75-25-4	<1
BROMOMETHANE	74-83-9	<1
n-BUTYLBENZENE	104-51-8	<1
sec-BUTYLBENZENE	135-98-8	<1
tert-BUTYLBENZENE	98-06-6	<1
CARBON TETRACHLORIDE	56-23-5	<1
CHLOROBENZENE	108-90-7	<1
CHLORODIBROMOMETHANE	124-48-1	<1
CHLOROETHANE	75-00-3	<1
CHLOROFORM	67-66-3	<1
CHLOROMETHANE	74-87-3	<1
2-CHLOROTOLUENE	95-49-8	<1
4-CHLOROTOLUENE	106-43-4	<1
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<1
DIBROMOCHLOROMETHANE	124-48-1	<1
1,2-DIBROMOETHANE	106-93-4	<1
DIBROMOMETHANE	74-95-3	<1
1,2-DICHLOROBENZENE	95-50-1	<1
1,3-DICHLOROBENZENE	541-73-1	<1
1,4-DICHLOROBENZENE	106-46-7	<1
DICHLORODIFLUOROMETHANE	75-71-8	<1
1,1-DICHLOROETHANE	75-34-3	<1
1,2-DICHLOROETHANE	107-06-2	<1
1,1-DICHLOROETHENE	75-35-4	<1
cis-1,2-DICHLOROETHENE	156-59-2	<1
trans-1,2-DICHLOROETHENE	156-60-5	<1

  
Laboratory Director

000003

Client: LBG Engineers	Client ID: Rowe Industries, Sag Harbor (Mid [2])
Date received: 07/21/00	Laboratory ID: 0013263
Date extracted: NA	Matrix: Liquid
Date analyzed: 07/27/00	Contractor: 11418

### EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
1,2-DICHLOROPROPANE	78-87-5	<1
1,3-DICHLOROPROPANE	142-28-9	<1
2,2-DICHLOROPROPANE	594-20-7	<1
1,1-DICHLOROPROPENE	563-58-6	<1
cis-1,3-DICHLOROPROPENE	10061-01-5	<1
trans-1,3-DICHLOROPROPENE	10061-02-6	<1
ETHYLBENZENE	100-41-4	<1
HEXACHLOROBUTADIENE	87-68-3	<1
ISOPROPYLBENZENE	98-82-8	<1
p-ISOPROPYLTOLUENE	99-87-6	<1
METHYLENE CHLORIDE	75-09-2	<1
NAPHTHALENE	91-20-3	<1
n-PROPYLBENZENE	103-65-1	<1
STYRENE	100-42-5	<1
1,1,1,2-TETRACHLOROETHANE	630-20-6	<1
1,1,2,2-TETRACHLOROETHANE	79-34-5	<1
TETRACHLOROETHENE	127-18-4	<1
TOLUENE	108-88-3	<1
1,2,3-TRICHLOROBENZENE	87-61-6	<1
1,2,4-TRICHLOROBENZENE	120-82-1	<1
1,1,1-TRICHLOROETHANE	71-55-6	<1
1,1,2-TRICHLOROETHANE	79-00-5	<1
TRICHLOROETHENE	79-01-6	<1
TRICHLOROFLUOROMETHANE	75-69-4	<1
1,2,3-TRICHLOROPROPANE	96-18-4	<1
1,2,4-TRIMETHYLBENZENE	95-63-6	<1
1,3,5-TRIMETHYLBENZENE	108-67-8	<1
VINYL CHLORIDE	75-01-4	<1
M+P XYLENES	108-38-3/95-47-6	<1
O-XYLENE	106-42-3	<1

*Lois Ber*

Laboratory Director

000004





NYSDOH  
AIHA  
CTDOH

ELAP  
PAT, LPAT  
PH-0205

11418  
102391

August 07, 2000

Paul Jobmann  
LBG Engineers  
126 Monroe Turnpike  
Trumbull, CT 06611

**Re: Rowe Industries**

Dear Mr. Jobmann;

Enclosed please find the Laboratory Analysis Report(s) for sample(s) received on August 06, 2000. American Analytical Laboratories analyzed the samples through August 07, 2000 for the following;

CLIENT ID	ANALYSIS
Pre 80200	EPA 8021
Mid 80200	EPA 8021
Pre 80300	EPA 8021
Mid 80300	EPA 8021
Post 80300	EPA 8021

This report consists of 10 pages of analytical results.

If you have any questions or require further information, please call at your convenience. American Analytical Laboratories would like to thank you for the opportunity to be of service to you.

Best Regards,

*American Analytical Laboratories, Inc.*

Client: LBG Engineers	Client ID: Rowe Industries (Pre 80200)
Date received: 08/04/00	Laboratory ID: 0013556
Date extracted: NA	Matrix: Liquid
Date analyzed: 08/07/00	Contractor: 11418

### EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
BENZENE	71-43-2	<1
BROMOBENZENE	108-86-1	<1
BROMOCHLOROMETHANE	74-97-5	<1
BROMODICHLOROMETHANE	75-27-4	<1
BROMOFORM	75-25-4	<1
BROMOMETHANE	74-83-9	<1
n-BUTYLBENZENE	104-51-8	<1
sec-BUTYLBENZENE	135-98-8	<1
tert-BUTYLBENZENE	98-06-6	<1
CARBON TETRACHLORIDE	56-23-5	<1
CHLOROBENZENE	108-90-7	<1
CHLORODIBROMOMETHANE	124-48-1	<1
CHLOROETHANE	75-00-3	<1
CHLOROFORM	67-66-3	<1
CHLOROMETHANE	74-87-3	<1
2-CHLOROTOLUENE	95-49-8	<1
4-CHLOROTOLUENE	106-43-4	<1
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<1
DIBROMOCHLOROMETHANE	124-48-1	<1
1,2-DIBROMOETHANE	106-93-4	<1
DIBROMOMETHANE	74-95-3	<1
1,2-DICHLOROBENZENE	95-50-1	<1
1,3-DICHLOROBENZENE	541-73-1	<1
1,4-DICHLOROBENZENE	106-46-7	<1
DICHLORODIFLUOROMETHANE	75-71-8	<1
1,1-DICHLOROETHANE	75-34-3	<1
1,2-DICHLOROETHANE	107-06-2	<1
1,1-DICHLOROETHENE	75-35-4	<1
cis-1,2-DICHLOROETHENE	156-59-2	<1
trans-1,2-DICHLOROETHENE	156-60-5	<1


*[Signature]*  
Laboratory Director

000001

Client: LBG Engineers	Client ID: Rowe Industries (Pre 80200)
Date received: 08/04/00	Laboratory ID: 0013556
Date extracted: NA	Matrix: Liquid
Date analyzed: 08/07/00	Contractor: 11418

### EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
1,2-DICHLOROPROPANE	78-87-5	<1
1,3-DICHLOROPROPANE	142-28-9	<1
2,2-DICHLOROPROPANE	594-20-7	<1
1,1-DICHLOROPROPENE	563-58-6	<1
cis-1,3-DICHLOROPROPENE	10061-01-5	<1
trans-1,3-DICHLOROPROPENE	10061-02-6	<1
ETHYLBENZENE	100-41-4	<1
HEXACHLOROBUTADIENE	87-68-3	<1
ISOPROPYLBENZENE	98-82-8	<1
p-ISOPROPYLTOLUENE	99-87-6	<1
METHYLENE CHLORIDE	75-09-2	<1
NAPHTHALENE	91-20-3	<1
n-PROPYLBENZENE	103-65-1	<1
STYRENE	100-42-5	<1
1,1,1,2-TETRACHLOROETHANE	630-20-6	<1
1,1,2,2-TETRACHLOROETHANE	79-34-5	<1
TETRACHLOROETHENE	127-18-4	420
TOLUENE	108-88-3	<1
1,2,3-TRICHLOROBENZENE	87-61-6	<1
1,2,4-TRICHLOROBENZENE	120-82-1	<1
1,1,1-TRICHLOROETHANE	71-55-6	5
1,1,2-TRICHLOROETHANE	79-00-5	<1
TRICHLOROETHENE	79-01-6	<1
TRICHLOROFLUOROMETHANE	75-69-4	<1
1,2,3-TRICHLOROPROPANE	96-18-4	<1
1,2,4-TRIMETHYLBENZENE	95-63-6	<1
1,3,5-TRIMETHYLBENZENE	108-67-8	<1
VINYL CHLORIDE	75-01-4	<1
M+P XYLENES	108-38-3/95-47-6	<2
O-XYLENE	106-42-3	3


  
 Laboratory Director

000002

Client: LBG Engineers	Client ID: Rowe Industries (Mid 80200)
Date received: 08/04/00	Laboratory ID: 0013557
Date extracted: NA	Matrix: Liquid
Date analyzed: 08/07/00	Contractor: 11418

### EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
BENZENE	71-43-2	<1
BROMOBENZENE	108-86-1	<1
BROMOCHLOROMETHANE	74-97-5	<1
BROMODICHLOROMETHANE	75-27-4	<1
BROMOFORM	75-25-4	<1
BROMOMETHANE	74-83-9	<1
n-BUTYLBENZENE	104-51-8	<1
sec-BUTYLBENZENE	135-98-8	<1
tert-BUTYLBENZENE	98-06-6	<1
CARBON TETRACHLORIDE	56-23-5	<1
CHLOROBENZENE	108-90-7	<1
CHLORODIBROMOMETHANE	124-48-1	<1
CHLOROETHANE	75-00-3	<1
CHLOROFORM	67-66-3	<1
CHLOROMETHANE	74-87-3	<1
2-CHLOROTOLUENE	95-49-8	<1
4-CHLOROTOLUENE	106-43-4	<1
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<1
DIBROMOCHLOROMETHANE	124-48-1	<1
1,2-DIBROMOETHANE	106-93-4	<1
DIBROMOMETHANE	74-95-3	<1
1,2-DICHLOROENZENE	95-50-1	<1
1,3-DICHLOROENZENE	541-73-1	<1
1,4-DICHLOROENZENE	106-46-7	<1
DICHLORODIFLUOROMETHANE	75-71-8	<1
1,1-DICHLOROETHANE	75-34-3	<1
1,2-DICHLOROETHANE	107-06-2	<1
1,1-DICHLOROETHENE	75-35-4	<1
cis-1,2-DICHLOROETHENE	156-59-2	<1
trans-1,2-DICHLOROETHENE	156-60-5	<1


  
Laboratory Director

000003

Client: LBG Engineers	Client ID: Rowe Industries (Mid 80200)
Date received: 08/04/00	Laboratory ID: 0013557
Date extracted: NA	Matrix: Liquid
Date analyzed: 08/07/00	Contractor: 11418

### EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
1,2-DICHLOROPROPANE	78-87-5	<1
1,3-DICHLOROPROPANE	142-28-9	<1
2,2-DICHLOROPROPANE	594-20-7	<1
1,1-DICHLOROPROPENE	563-58-6	<1
cis-1,3-DICHLOROPROPENE	10061-01-5	<1
trans-1,3-DICHLOROPROPENE	10061-02-6	<1
ETHYLBENZENE	100-41-4	<1
HEXACHLOROBUTADIENE	87-68-3	<1
ISOPROPYLBENZENE	98-82-8	<1
p-ISOPROPYLTOLUENE	99-87-6	<1
METHYLENE CHLORIDE	75-09-2	<1
NAPHTHALENE	91-20-3	<1
n-PROPYLBENZENE	103-65-1	<1
STYRENE	100-42-5	<1
1,1,1,2-TETRACHLOROETHANE	630-20-6	<1
1,1,2,2-TETRACHLOROETHANE	79-34-5	<1
TETRACHLOROETHENE	127-18-4	<1
TOLUENE	108-88-3	<1
1,2,3-TRICHLOROBENZENE	87-61-6	<1
1,2,4-TRICHLOROBENZENE	120-82-1	<1
1,1,1-TRICHLOROETHANE	71-55-6	<1
1,1,2-TRICHLOROETHANE	79-00-5	<1
TRICHLOROETHENE	79-01-6	<1
TRICHLOROFLUOROMETHANE	75-69-4	<1
1,2,3-TRICHLOROPROPANE	96-18-4	<1
1,2,4-TRIMETHYLBENZENE	95-63-6	<1
1,3,5-TRIMETHYLBENZENE	108-67-8	<1
VINYL CHLORIDE	75-01-4	<1
M+P XYLENES	108-38-3/95-47-6	<2
O-XYLENE	106-42-3	<1


  
Laboratory Director

000004

Client: LBG Engineers	Client ID: Rowe Industries (Pre 80300)
Date received: 08/04/00	Laboratory ID: 0013559
Date extracted: NA	Matrix: Liquid
Date analyzed: 08/07/00	Contractor: 11418

### EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
BENZENE	71-43-2	<1
BROMOBENZENE	108-86-1	<1
BROMOCHLOROMETHANE	74-97-5	<1
BROMODICHLOROMETHANE	75-27-4	<1
BROMOFORM	75-25-4	<1
BROMOMETHANE	74-83-9	<1
n-BUTYLBENZENE	104-51-8	<1
sec-BUTYLBENZENE	135-98-8	<1
tert-BUTYLBENZENE	98-06-6	<1
CARBON TETRACHLORIDE	56-23-5	<1
CHLOROBENZENE	108-90-7	<1
CHLORODIBROMOMETHANE	124-48-1	<1
CHLOROETHANE	75-00-3	<1
CHLOROFORM	67-66-3	<1
CHLOROMETHANE	74-87-3	<1
2-CHLOROTOLUENE	95-49-8	<1
4-CHLOROTOLUENE	106-43-4	<1
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<1
DIBROMOCHLOROMETHANE	124-48-1	<1
1,2-DIBROMOETHANE	106-93-4	<1
DIBROMOMETHANE	74-95-3	<1
1,2-DICHLOROBENZENE	95-50-1	<1
1,3-DICHLOROBENZENE	541-73-1	<1
1,4-DICHLOROBENZENE	106-46-7	<1
DICHLORODIFLUOROMETHANE	75-71-8	<1
1,1-DICHLOROETHANE	75-34-3	<1
1,2-DICHLOROETHANE	107-06-2	<1
1,1-DICHLOROETHENE	75-35-4	<1
cis-1,2-DICHLOROETHENE	156-59-2	<1
trans-1,2-DICHLOROETHENE	156-60-5	<1


  
Laboratory Director

000005

Client: LBG Engineers	Client ID: Rowe Industries (Pre 80300)
Date received: 08/04/00	Laboratory ID: 0013559
Date extracted: NA	Matrix: Liquid
Date analyzed: 08/07/00	Contractor: 11418

### EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
1,2-DICHLOROPROPANE	78-87-5	<1
1,3-DICHLOROPROPANE	142-28-9	<1
2,2-DICHLOROPROPANE	594-20-7	<1
1,1-DICHLOROPROPENE	563-58-6	<1
cis-1,3-DICHLOROPROPENE	10061-01-5	<1
trans-1,3-DICHLOROPROPENE	10061-02-6	<1
ETHYLBENZENE	100-41-4	<1
HEXACHLOROBUTADIENE	87-68-3	<1
ISOPROPYLBENZENE	98-82-8	<1
p-ISOPROPYLTOLUENE	99-87-6	<1
METHYLENE CHLORIDE	75-09-2	<1
NAPHTHALENE	91-20-3	<1
n-PROPYLBENZENE	103-65-1	<1
STYRENE	100-42-5	<1
1,1,1,2-TETRACHLOROETHANE	630-20-6	<1
1,1,2,2-TETRACHLOROETHANE	79-34-5	<1
TETRACHLOROETHENE	127-18-4	88
TOLUENE	108-88-3	<1
1,2,3-TRICHLOROBENZENE	87-61-6	<1
1,2,4-TRICHLOROBENZENE	120-82-1	<1
1,1,1-TRICHLOROETHANE	71-55-6	<1
1,1,2-TRICHLOROETHANE	79-00-5	<1
TRICHLOROETHENE	79-01-6	<1
TRICHLOROFLUOROMETHANE	75-69-4	<1
1,2,3-TRICHLOROPROPANE	96-18-4	<1
1,2,4-TRIMETHYLBENZENE	95-63-6	<1
1,3,5-TRIMETHYLBENZENE	108-67-8	<1
VINYL CHLORIDE	75-01-4	<1
M+P XYLENES	108-38-3/95-47-6	<2
O-XYLENE	106-42-3	<1


  
Laboratory Director

000006

Client: LBG Engineers	Client ID: Rowe Industries (Mid 80300)
Date received: 08/04/00	Laboratory ID: 0013560
Date extracted: NA	Matrix: Liquid
Date analyzed: 08/07/00	Contractor: 11418

### EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
BENZENE	71-43-2	<1
BROMOBENZENE	108-86-1	<1
BROMOCHLOROMETHANE	74-97-5	<1
BROMODICHLOROMETHANE	75-27-4	<1
BROMOFORM	75-25-4	<1
BROMOMETHANE	74-83-9	<1
n-BUTYLBENZENE	104-51-8	<1
sec-BUTYLBENZENE	135-98-8	<1
tert-BUTYLBENZENE	98-06-6	<1
CARBON TETRACHLORIDE	56-23-5	<1
CHLOROBENZENE	108-90-7	<1
CHLORODIBROMOMETHANE	124-48-1	<1
CHLOROETHANE	75-00-3	<1
CHLOROFORM	67-66-3	<1
CHLOROMETHANE	74-87-3	<1
2-CHLOROTOLUENE	95-49-8	<1
4-CHLOROTOLUENE	106-43-4	<1
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<1
DIBROMOCHLOROMETHANE	124-48-1	<1
1,2-DIBROMOETHANE	106-93-4	<1
DIBROMOMETHANE	74-95-3	<1
1,2-DICHLOROBENZENE	95-50-1	<1
1,3-DICHLOROBENZENE	541-73-1	<1
1,4-DICHLOROBENZENE	106-46-7	<1
DICHLORODIFLUOROMETHANE	75-71-8	<1
1,1-DICHLOROETHANE	75-34-3	<1
1,2-DICHLOROETHANE	107-06-2	<1
1,1-DICHLOROETHENE	75-35-4	<1
cis-1,2-DICHLOROETHENE	156-59-2	<1
trans-1,2-DICHLOROETHENE	156-60-5	<1


  
Laboratory Director

000007

Client: LBG Engineers	Client ID: Rowe Industries (Mid 80300)
Date received: 08/04/00	Laboratory ID: 0013560
Date extracted: NA	Matrix: Liquid
Date analyzed: 08/07/00	Contractor: 11418

### EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
1,2-DICHLOROPROPANE	78-87-5	<1
1,3-DICHLOROPROPANE	142-28-9	<1
2,2-DICHLOROPROPANE	594-20-7	<1
1,1-DICHLOROPROPENE	563-58-6	<1
cis-1,3-DICHLOROPROPENE	10061-01-5	<1
trans-1,3-DICHLOROPROPENE	10061-02-6	<1
ETHYLBENZENE	100-41-4	<1
HEXACHLOROBUTADIENE	87-68-3	<1
ISOPROPYLBENZENE	98-82-8	<1
p-ISOPROPYLTOLUENE	99-87-6	<1
METHYLENE CHLORIDE	75-09-2	<1
NAPHTHALENE	91-20-3	<1
n-PROPYLBENZENE	103-65-1	<1
STYRENE	100-42-5	<1
1,1,1,2-TETRACHLOROETHANE	630-20-6	<1
1,1,2,2-TETRACHLOROETHANE	79-34-5	<1
TETRACHLOROETHENE	127-18-4	<1
TOLUENE	108-88-3	<1
1,2,3-TRICHLOROBENZENE	87-61-6	<1
1,2,4-TRICHLOROBENZENE	120-82-1	<1
1,1,1-TRICHLOROETHANE	71-55-6	<1
1,1,2-TRICHLOROETHANE	79-00-5	<1
TRICHLOROETHENE	79-01-6	<1
TRICHLOROFLUOROMETHANE	75-69-4	<1
1,2,3-TRICHLOROPROPANE	96-18-4	<1
1,2,4-TRIMETHYLBENZENE	95-63-6	<1
1,3,5-TRIMETHYLBENZENE	108-67-8	<1
VINYL CHLORIDE	75-01-4	<1
M+P XYLENES	108-38-3/95-47-6	<2
O-XYLENE	106-42-3	<1


  
Laboratory Director

000008

Client: LBG Engineers	Client ID: Rowe Industries (Post 80300)
Date received: 08/04/00	Laboratory ID: 0013561
Date extracted: NA	Matrix: Liquid
Date analyzed: 08/07/00	Contractor: 11418

### EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
BENZENE	71-43-2	<1
BROMOBENZENE	108-86-1	<1
BROMOCHLOROMETHANE	74-97-5	<1
BROMODICHLOROMETHANE	75-27-4	<1
BROMOFORM	75-25-4	<1
BROMOMETHANE	74-83-9	<1
n-BUTYLBENZENE	104-51-8	<1
sec-BUTYLBENZENE	135-98-8	<1
tert-BUTYLBENZENE	98-06-6	<1
CARBON TETRACHLORIDE	56-23-5	<1
CHLOROBENZENE	108-90-7	<1
CHLORODIBROMOMETHANE	124-48-1	<1
CHLOROETHANE	75-00-3	<1
CHLOROFORM	67-66-3	<1
CHLOROMETHANE	74-87-3	<1
2-CHLOROTOLUENE	95-49-8	<1
4-CHLOROTOLUENE	106-43-4	<1
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<1
DIBROMOCHLOROMETHANE	124-48-1	<1
1,2-DIBROMOETHANE	106-93-4	<1
DIBROMOMETHANE	74-95-3	<1
1,2-DICHLOROBENZENE	95-50-1	<1
1,3-DICHLOROBENZENE	541-73-1	<1
1,4-DICHLOROBENZENE	106-46-7	<1
DICHLORODIFLUOROMETHANE	75-71-8	<1
1,1-DICHLOROETHANE	75-34-3	<1
1,2-DICHLOROETHANE	107-06-2	<1
1,1-DICHLOROETHENE	75-35-4	<1
cis-1,2-DICHLOROETHENE	156-59-2	<1
trans-1,2-DICHLOROETHENE	156-60-5	<1


  
Laboratory Director

000009

Client: LBG Engineers	Client ID: Rowe Industries (Post 80300)
Date received: 08/04/00	Laboratory ID: 0013561
Date extracted: NA	Matrix: Liquid
Date analyzed: 08/07/00	Contractor: 11418

### EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
1,2-DICHLOROPROPANE	78-87-5	<1
1,3-DICHLOROPROPANE	142-28-9	<1
2,2-DICHLOROPROPANE	594-20-7	<1
1,1-DICHLOROPROPENE	563-58-6	<1
cis-1,3-DICHLOROPROPENE	10061-01-5	<1
trans-1,3-DICHLOROPROPENE	10061-02-6	<1
ETHYLBENZENE	100-41-4	<1
HEXACHLOROBUTADIENE	87-68-3	<1
ISOPROPYLBENZENE	98-82-8	<1
p-ISOPROPYLTOLUENE	99-87-6	<1
METHYLENE CHLORIDE	75-09-2	<1
NAPHTHALENE	91-20-3	<1
n-PROPYLBENZENE	103-65-1	<1
STYRENE	100-42-5	<1
1,1,1,2-TETRACHLOROETHANE	630-20-6	<1
1,1,2,2-TETRACHLOROETHANE	79-34-5	<1
TETRACHLOROETHENE	127-18-4	<1
TOLUENE	108-88-3	<1
1,2,3-TRICHLOROBENZENE	87-61-6	<1
1,2,4-TRICHLOROBENZENE	120-82-1	<1
1,1,1-TRICHLOROETHANE	71-55-6	<1
1,1,2-TRICHLOROETHANE	79-00-5	<1
TRICHLOROETHENE	79-01-6	<1
TRICHLOROFLUOROMETHANE	75-69-4	<1
1,2,3-TRICHLOROPROPANE	96-18-4	<1
1,2,4-TRIMETHYLBENZENE	95-63-6	<1
1,3,5-TRIMETHYLBENZENE	108-67-8	<1
VINYL CHLORIDE	75-01-4	<1
M+P XYLENES	108-38-3/95-47-6	<2
O-XYLENE	106-42-3	<1

  
Laboratory Director

000010

## CHAIN OF CUSTODY / REQUEST FOR ANALYSIS DOCUMENT

CLIENT NAME/ADDRESS <b>LBO 126 MONROE TURNPIKE TRUMBULL, CT, 06611</b>				CONTACT: <b>PAUL JOB MANAGER</b>		SAMPLER (SIGNATURE) <i>James M Forrester</i>		DATE <b>8/2/00</b>		TIME <b>8:33 AM</b>		SAMPLE(S) SEALED YES / NO		
						SAMPLER NAME (PRINT) <b>JAMIE FORRESTER</b>						CORRECT CONTAINER(S) YES / NO		
PROJECT LOCATION: <b>Rowe Industries</b>						ANALYSIS REQUIRED <b>8021B</b>								
LABORATORY ID #	MATRIX	TYPE	PRES.	SAMPLE # - LOCATION										P.O.#
0013556	L	G	HCL	Pre 80300		X								
557	L	G	HCL	MID 80300		X								
558	<del>L</del>	<del>G</del>	<del>HCL</del>	<del>POST 80300</del>		<del>X</del>								
559	L	G	HCL	Pre 80300		X								
560	L	G	HCL	MID 80300		X								
561	L	G	HCL	POST 80300		X								
<b>MATRIX</b> S=SOIL; L=LIQUID; SL=SLUDGE; A=AIR; W=WIPE; P=PAINT CHIPS; B=BULK MATERIAL <b>TYPE</b> G=GRAB; C=COMPOSITE, SS=SPLIT SPOON						TURNAROUND REQUIRED: <b>24 Hour</b> NORMAL <input type="checkbox"/> STAT <input type="checkbox"/> BY <b>1/1</b>		COMMENTS / INSTRUCTIONS						
RELINQUISHED BY (SIGNATURE)		DATE <b>8/2/00</b>		PRINTED NAME <b>JAMIE FORRESTER</b>		RECEIVED BY LAB (SIGNATURE)		DATE <b>8/2/00</b>		PRINTED NAME				
<i>James M. Forrester</i>		<b>1:45</b>												
RELINQUISHED BY (SIGNATURE)		DATE		PRINTED NAME		RECEIVED BY LAB (SIGNATURE)		DATE		PRINTED NAME				
						<i>[Signature]</i>		<b>8/2/00</b>		<b>C. [Signature]</b>				



NYSDOH  
AIHA  
CTDOH

ELAP  
PAT, LPAT  
PH-0205

11418  
102391

August 16, 2000

Paul Jobmann  
LBG Engineers  
126 Monroe Turnpike  
Trumbull, CT 06611

**Re: Rowe Industries**

Dear Mr. Jobmann;

Enclosed please find the Laboratory Analysis Report(s) for sample(s) received on August 11, 2000. American Analytical Laboratories analyzed the samples through August 16, 2000 for the following;

CLIENT ID	ANALYSIS
Pre 80700	EPA 8021
Mid 80700	EPA 8021
Post 80700	EPA 8021
Disposal PAD [55 gal. Drum]	EPA 8021
Pre 81000	EPA 8021
Mid 81000	EPA 8021
Post 81000	EPA 8021

This report consists of 14 pages of analytical results.

If you have any questions or require further information, please call at your convenience. American Analytical Laboratories would like to thank you for the opportunity to be of service to you.

Best Regards,

*American Analytical Laboratories, Inc.*

Client: LBG Engineers	Client ID: Rowe Industries (Pre 80700)
Date received: 08/11/00	Laboratory ID: 0013731
Date extracted: NA	Matrix: Liquid
Date analyzed: 08/15/00-08/16/00	Contractor: 11418

### EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
BENZENE	71-43-2	<1
BROMOBENZENE	108-86-1	<1
BROMOCHLOROMETHANE	74-97-5	<1
BROMODICHLOROMETHANE	75-27-4	<1
BROMOFORM	75-25-4	<1
BROMOMETHANE	74-83-9	<1
n-BUTYLBENZENE	104-51-8	<1
sec-BUTYLBENZENE	135-98-8	<1
tert-BUTYLBENZENE	98-06-6	<1
CARBON TETRACHLORIDE	56-23-5	<1
CHLOROBENZENE	108-90-7	<1
CHLORODIBROMOMETHANE	124-48-1	<1
CHLOROETHANE	75-00-3	<1
CHLOROFORM	67-66-3	<1
CHLOROMETHANE	74-87-3	<1
2-CHLOROTOLUENE	95-49-8	<1
4-CHLOROTOLUENE	106-43-4	<1
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<1
DIBROMOCHLOROMETHANE	124-48-1	<1
1,2-DIBROMOETHANE	106-93-4	<1
DIBROMOMETHANE	74-95-3	<1
1,2-DICHLOROENZENE	95-50-1	<1
1,3-DICHLOROENZENE	541-73-1	<1
1,4-DICHLOROENZENE	106-46-7	<1
DICHLORODIFLUOROMETHANE	75-71-8	<1
1,1-DICHLOROETHANE	75-34-3	<1
1,2-DICHLOROETHANE	107-06-2	<1
1,1-DICHLOROETHENE	75-35-4	<1
cis-1,2-DICHLOROETHENE	156-59-2	<1
trans-1,2-DICHLOROETHENE	156-60-5	<1

*Lori Beyer*  
Laboratory Director

000001

Client: LBG Engineers	Client ID: Rowe Industries (Pre 80700)
Date received: 08/11/00	Laboratory ID: 0013731
Date extracted: NA	Matrix: Liquid
Date analyzed: 08/15/00-08/16/00	Contractor: 11418

### EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
1,2-DICHLOROPROPANE	78-87-5	<1
1,3-DICHLOROPROPANE	142-28-9	<1
2,2-DICHLOROPROPANE	594-20-7	<1
1,1-DICHLOROPROPENE	563-58-6	<1
cis-1,3-DICHLOROPROPENE	10061-01-5	<1
trans-1,3-DICHLOROPROPENE	10061-02-6	<1
ETHYLBENZENE	100-41-4	6
HEXACHLOROBUTADIENE	87-68-3	<1
ISOPROPYLBENZENE	98-82-8	22
p-ISOPROPYLTOLUENE	99-87-6	<1
METHYLENE CHLORIDE	75-09-2	<1
NAPHTHALENE	91-20-3	<1
n-PROPYLBENZENE	103-65-1	6
STYRENE	100-42-5	<1
1,1,1,2-TETRACHLOROETHANE	630-20-6	<1
1,1,2,2-TETRACHLOROETHANE	79-34-5	<1
TETRACHLOROETHENE	127-18-4	2,700
TOLUENE	108-88-3	<1
1,2,3-TRICHLOROBENZENE	87-61-6	<1
1,2,4-TRICHLOROBENZENE	120-82-1	<1
1,1,1-TRICHLOROETHANE	71-55-6	66
1,1,2-TRICHLOROETHANE	79-00-5	<1
TRICHLOROETHENE	79-01-6	9
TRICHLOROFLUOROMETHANE	75-69-4	<1
1,2,3-TRICHLOROPROPANE	96-18-4	<1
1,2,4-TRIMETHYLBENZENE	95-63-6	8
1,3,5-TRIMETHYLBENZENE	108-67-8	26
VINYL CHLORIDE	75-01-4	<1
M+P XYLENES	108-38-3/95-47-6	24
O-XYLENE	106-42-3	66

*Jon Bayer*  
Laboratory Director

000002

Client: LBG Engineers	Client ID: Rowe Industries (Mid 80700)
Date received: 08/11/00	Laboratory ID: 0013732
Date extracted: NA	Matrix: Liquid
Date analyzed: 08/15/00	Contractor: 11418

### EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
BENZENE	71-43-2	<1
BROMOBENZENE	108-86-1	<1
BROMOCHLOROMETHANE	74-97-5	<1
BROMODICHLOROMETHANE	75-27-4	<1
BROMOFORM	75-25-4	<1
BROMOMETHANE	74-83-9	<1
n-BUTYLBENZENE	104-51-8	<1
sec-BUTYLBENZENE	135-98-8	<1
tert-BUTYLBENZENE	98-06-6	<1
CARBON TETRACHLORIDE	56-23-5	<1
CHLOROBENZENE	108-90-7	<1
CHLORODIBROMOMETHANE	124-48-1	<1
CHLOROETHANE	75-00-3	<1
CHLOROFORM	67-66-3	<1
CHLOROMETHANE	74-87-3	<1
2-CHLOROTOLUENE	95-49-8	<1
4-CHLOROTOLUENE	106-43-4	<1
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<1
DIBROMOCHLOROMETHANE	124-48-1	<1
1,2-DIBROMOETHANE	106-93-4	<1
DIBROMOMETHANE	74-95-3	<1
1,2-DICHLOROBENZENE	95-50-1	<1
1,3-DICHLOROBENZENE	541-73-1	<1
1,4-DICHLOROBENZENE	106-46-7	<1
DICHLORODIFLUOROMETHANE	75-71-8	<1
1,1-DICHLOROETHANE	75-34-3	<1
1,2-DICHLOROETHANE	107-06-2	<1
1,1-DICHLOROETHENE	75-35-4	<1
cis-1,2-DICHLOROETHENE	156-59-2	<1
trans-1,2-DICHLOROETHENE	156-60-5	<1

*Sou Beyer*  
Laboratory Director

000003

Client: LBG Engineers	Client ID: Rowe Industries (Mid 80700)
Date received: 08/11/00	Laboratory ID: 0013732
Date extracted: NA	Matrix: Liquid
Date analyzed: 08/15/00	Contractor: 11418

### EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
1,2-DICHLOROPROPANE	78-87-5	<1
1,3-DICHLOROPROPANE	142-28-9	<1
2,2-DICHLOROPROPANE	594-20-7	<1
1,1-DICHLOROPROPENE	563-58-6	<1
cis-1,3-DICHLOROPROPENE	10061-01-5	<1
trans-1,3-DICHLOROPROPENE	10061-02-6	<1
ETHYLBENZENE	100-41-4	<1
HEXACHLOROBUTADIENE	87-68-3	<1
ISOPROPYLBENZENE	98-82-8	<1
p-ISOPROPYLTOLUENE	99-87-6	<1
METHYLENE CHLORIDE	75-09-2	<1
NAPHTHALENE	91-20-3	<1
n-PROPYLBENZENE	103-65-1	<1
STYRENE	100-42-5	<1
1,1,1,2-TETRACHLOROETHANE	630-20-6	<1
1,1,2,2-TETRACHLOROETHANE	79-34-5	<1
TETRACHLOROETHENE	127-18-4	<1
TOLUENE	108-88-3	<1
1,2,3-TRICHLOROBENZENE	87-61-6	<1
1,2,4-TRICHLOROBENZENE	120-82-1	<1
1,1,1-TRICHLOROETHANE	71-55-6	<1
1,1,2-TRICHLOROETHANE	79-00-5	<1
TRICHLOROETHENE	79-01-6	<1
TRICHLOROFLUOROMETHANE	75-69-4	<1
1,2,3-TRICHLOROPROPANE	96-18-4	<1
1,2,4-TRIMETHYLBENZENE	95-63-6	<1
1,3,5-TRIMETHYLBENZENE	108-67-8	<1
VINYL CHLORIDE	75-01-4	<1
M+P XYLENES	108-38-3/95-47-6	<2
O-XYLENE	106-42-3	<1

*John Bayer*  
Laboratory Director

000004

Client: LBG Engineers	Client ID: Rowe Industries (Post 80700)
Date received: 08/11/00	Laboratory ID: 0013733
Date extracted: NA	Matrix: Liquid
Date analyzed: 08/15/00	Contractor: 11418

### EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
BENZENE	71-43-2	<1
BROMOBENZENE	108-86-1	<1
BROMOCHLOROMETHANE	74-97-5	<1
BROMODICHLOROMETHANE	75-27-4	<1
BROMOFORM	75-25-4	<1
BROMOMETHANE	74-83-9	<1
n-BUTYLBENZENE	104-51-8	<1
sec-BUTYLBENZENE	135-98-8	<1
tert-BUTYLBENZENE	98-06-6	<1
CARBON TETRACHLORIDE	56-23-5	<1
CHLOROBENZENE	108-90-7	<1
CHLORODIBROMOMETHANE	124-48-1	<1
CHLOROETHANE	75-00-3	<1
CHLOROFORM	67-66-3	<1
CHLOROMETHANE	74-87-3	<1
2-CHLOROTOLUENE	95-49-8	<1
4-CHLOROTOLUENE	106-43-4	<1
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<1
DIBROMOCHLOROMETHANE	124-48-1	<1
1,2-DIBROMOETHANE	106-93-4	<1
DIBROMOMETHANE	74-95-3	<1
1,2-DICHLOROBENZENE	95-50-1	<1
1,3-DICHLOROBENZENE	541-73-1	<1
1,4-DICHLOROBENZENE	106-46-7	<1
DICHLORODIFLUOROMETHANE	75-71-8	<1
1,1-DICHLOROETHANE	75-34-3	<1
1,2-DICHLOROETHANE	107-06-2	<1
1,1-DICHLOROETHENE	75-35-4	<1
cis-1,2-DICHLOROETHENE	156-59-2	<1
trans-1,2-DICHLOROETHENE	156-60-5	<1

*Lori Beyer*  
Laboratory Director

000005

Client: LBG Engineers	Client ID: Rowe Industries (Post 80700)
Date received: 08/11/00	Laboratory ID: 0013733
Date extracted: NA	Matrix: Liquid
Date analyzed: 08/15/00	Contractor: 11418

### EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
1,2-DICHLOROPROPANE	78-87-5	<1
1,3-DICHLOROPROPANE	142-28-9	<1
2,2-DICHLOROPROPANE	594-20-7	<1
1,1-DICHLOROPROPENE	563-58-6	<1
cis-1,3-DICHLOROPROPENE	10061-01-5	<1
trans-1,3-DICHLOROPROPENE	10061-02-6	<1
ETHYLBENZENE	100-41-4	<1
HEXACHLOROBUTADIENE	87-68-3	<1
ISOPROPYLBENZENE	98-82-8	<1
p-ISOPROPYLTOLUENE	99-87-6	<1
METHYLENE CHLORIDE	75-09-2	<1
NAPHTHALENE	91-20-3	<1
n-PROPYLBENZENE	103-65-1	<1
STYRENE	100-42-5	<1
1,1,1,2-TETRACHLOROETHANE	630-20-6	<1
1,1,2,2-TETRACHLOROETHANE	79-34-5	<1
TETRACHLOROETHENE	127-18-4	<1
TOLUENE	108-88-3	<1
1,2,3-TRICHLOROBENZENE	87-61-6	<1
1,2,4-TRICHLOROBENZENE	120-82-1	<1
1,1,1-TRICHLOROETHANE	71-55-6	<1
1,1,2-TRICHLOROETHANE	79-00-5	<1
TRICHLOROETHENE	79-01-6	<1
TRICHLOROFLUOROMETHANE	75-69-4	<1
1,2,3-TRICHLOROPROPANE	96-18-4	<1
1,2,4-TRIMETHYLBENZENE	95-63-6	<1
1,3,5-TRIMETHYLBENZENE	108-67-8	<1
VINYL CHLORIDE	75-01-4	<1
M+P XYLENES	108-38-3/95-47-6	<2
O-XYLENE	106-42-3	<1

*Roni Bayer*  
Laboratory Director

000006

Client: LBG Engineers	Client ID: Rowe Industries (Pre 81000)
Date received: 08/11/00	Laboratory ID: 0013735
Date extracted: NA	Matrix: Liquid
Date analyzed: 08/15/00-08/16/00	Contractor: 11418

### EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
BENZENE	71-43-2	<1
BROMOBENZENE	108-86-1	<1
BROMOCHLOROMETHANE	74-97-5	<1
BROMODICHLOROMETHANE	75-27-4	<1
BROMOFORM	75-25-4	<1
BROMOMETHANE	74-83-9	<1
n-BUTYLBENZENE	104-51-8	<1
sec-BUTYLBENZENE	135-98-8	<1
tert-BUTYLBENZENE	98-06-6	<1
CARBON TETRACHLORIDE	56-23-5	<1
CHLOROBENZENE	108-90-7	<1
CHLORODIBROMOMETHANE	124-48-1	<1
CHLOROETHANE	75-00-3	<1
CHLOROFORM	67-66-3	<1
CHLOROMETHANE	74-87-3	<1
2-CHLOROTOLUENE	95-49-8	<1
4-CHLOROTOLUENE	106-43-4	<1
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<1
DIBROMOCHLOROMETHANE	124-48-1	<1
1,2-DIBROMOETHANE	106-93-4	<1
DIBROMOMETHANE	74-95-3	<1
1,2-DICHLOROENZENE	95-50-1	<1
1,3-DICHLOROENZENE	541-73-1	<1
1,4-DICHLOROENZENE	106-46-7	<1
DICHLORODIFLUOROMETHANE	75-71-8	<1
1,1-DICHLOROETHANE	75-34-3	<1
1,2-DICHLOROETHANE	107-06-2	<1
1,1-DICHLOROETHENE	75-35-4	<1
cis-1,2-DICHLOROETHENE	156-59-2	<1
trans-1,2-DICHLOROETHENE	156-60-5	<1

  
Laboratory Director

000009

Client: LBG Engineers	Client ID: Rowe Industries (Pre 81000)
Date received: 08/11/00	Laboratory ID: 0013735
Date extracted: NA	Matrix: Liquid
Date analyzed: 08/15/00-08/16/00	Contractor: 11418

### EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
1,2-DICHLOROPROPANE	78-87-5	<1
1,3-DICHLOROPROPANE	142-28-9	<1
2,2-DICHLOROPROPANE	594-20-7	<1
1,1-DICHLOROPROPENE	563-58-6	<1
cis-1,3-DICHLOROPROPENE	10061-01-5	<1
trans-1,3-DICHLOROPROPENE	10061-02-6	<1
ETHYLBENZENE	100-41-4	1
HEXACHLOROBUTADIENE	87-68-3	<1
ISOPROPYLBENZENE	98-82-8	5
p-ISOPROPYLTOLUENE	99-87-6	<1
METHYLENE CHLORIDE	75-09-2	<1
NAPHTHALENE	91-20-3	<1
n-PROPYLBENZENE	103-65-1	<1
STYRENE	100-42-5	<1
1,1,1,2-TETRACHLOROETHANE	630-20-6	<1
1,1,2,2-TETRACHLOROETHANE	79-34-5	<1
TETRACHLOROETHENE	127-18-4	1,400
TOLUENE	108-88-3	<1
1,2,3-TRICHLOROBENZENE	87-61-6	<1
1,2,4-TRICHLOROBENZENE	120-82-1	<1
1,1,1-TRICHLOROETHANE	71-55-6	18
1,1,2-TRICHLOROETHANE	79-00-5	<1
TRICHLOROETHENE	79-01-6	3
TRICHLOROFLUOROMETHANE	75-69-4	<1
1,2,3-TRICHLOROPROPANE	96-18-4	<1
1,2,4-TRIMETHYLBENZENE	95-63-6	2
1,3,5-TRIMETHYLBENZENE	108-67-8	9
VINYL CHLORIDE	75-01-4	<1
M+P XYLENES	108-38-3/95-47-6	6
O-XYLENE	106-42-3	30

*John Bayer*  
Laboratory Director

000010

Client: LBG Engineers	Client ID: Rowe Industries (Mid 81000)
Date received: 08/11/00	Laboratory ID: 0013736
Date extracted: NA	Matrix: Liquid
Date analyzed: 08/15/00	Contractor: 11418

### EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
BENZENE	71-43-2	<1
BROMOBENZENE	108-86-1	<1
BROMOCHLOROMETHANE	74-97-5	<1
BROMODICHLOROMETHANE	75-27-4	<1
BROMOFORM	75-25-4	<1
BROMOMETHANE	74-83-9	<1
n-BUTYLBENZENE	104-51-8	<1
sec-BUTYLBENZENE	135-98-8	<1
tert-BUTYLBENZENE	98-06-6	<1
CARBON TETRACHLORIDE	56-23-5	<1
CHLOROBENZENE	108-90-7	<1
CHLORODIBROMOMETHANE	124-48-1	<1
CHLOROETHANE	75-00-3	<1
CHLOROFORM	67-66-3	<1
CHLOROMETHANE	74-87-3	<1
2-CHLOROTOLUENE	95-49-8	<1
4-CHLOROTOLUENE	106-43-4	<1
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<1
DIBROMOCHLOROMETHANE	124-48-1	<1
1,2-DIBROMOETHANE	106-93-4	<1
DIBROMOMETHANE	74-95-3	<1
1,2-DICHLOROBENZENE	95-50-1	<1
1,3-DICHLOROBENZENE	541-73-1	<1
1,4-DICHLOROBENZENE	106-46-7	<1
DICHLORODIFLUOROMETHANE	75-71-8	<1
1,1-DICHLOROETHANE	75-34-3	<1
1,2-DICHLOROETHANE	107-06-2	<1
1,1-DICHLOROETHENE	75-35-4	<1
cis-1,2-DICHLOROETHENE	156-59-2	<1
trans-1,2-DICHLOROETHENE	156-60-5	<1

*Sou Beyer*  
Laboratory Director

000011

Client: LBG Engineers	Client ID: Rowe Industries (Mid 81000)
Date received: 08/11/00	Laboratory ID: 0013736
Date extracted: NA	Matrix: Liquid
Date analyzed: 08/15/00	Contractor: 11418

### EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
1,2-DICHLOROPROPANE	78-87-5	<1
1,3-DICHLOROPROPANE	142-28-9	<1
2,2-DICHLOROPROPANE	594-20-7	<1
1,1-DICHLOROPROPENE	563-58-6	<1
cis-1,3-DICHLOROPROPENE	10061-01-5	<1
trans-1,3-DICHLOROPROPENE	10061-02-6	<1
ETHYLBENZENE	100-41-4	<1
HEXACHLOROBUTADIENE	87-68-3	<1
ISOPROPYLBENZENE	98-82-8	<1
p-ISOPROPYLTOLUENE	99-87-6	<1
METHYLENE CHLORIDE	75-09-2	<1
NAPHTHALENE	91-20-3	<1
n-PROPYLBENZENE	103-65-1	<1
STYRENE	100-42-5	<1
1,1,1,2-TETRACHLOROETHANE	630-20-6	<1
1,1,2,2-TETRACHLOROETHANE	79-34-5	<1
TETRACHLOROETHENE	127-18-4	<1
TOLUENE	108-88-3	<1
1,2,3-TRICHLOROBENZENE	87-61-6	<1
1,2,4-TRICHLOROBENZENE	120-82-1	<1
1,1,1-TRICHLOROETHANE	71-55-6	<1
1,1,2-TRICHLOROETHANE	79-00-5	<1
TRICHLOROETHENE	79-01-6	<1
TRICHLOROFLUOROMETHANE	75-69-4	<1
1,2,3-TRICHLOROPROPANE	96-18-4	<1
1,2,4-TRIMETHYLBENZENE	95-63-6	<1
1,3,5-TRIMETHYLBENZENE	108-67-8	<1
VINYL CHLORIDE	75-01-4	<1
M+P XYLENES	108-38-3/95-47-6	<2
O-XYLENE	106-42-3	<1

*Joni Beyer*  
Laboratory Director

000012

Client: LBG Engineers	Client ID: Rowe Industries (Post 81000)
Date received: 08/11/00	Laboratory ID: 0013737
Date extracted: NA	Matrix: Liquid
Date analyzed: 08/15/00	Contractor: 11418

### EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
BENZENE	71-43-2	<1
BROMOBENZENE	108-86-1	<1
BROMOCHLOROMETHANE	74-97-5	<1
BROMODICHLOROMETHANE	75-27-4	<1
BROMOFORM	75-25-4	<1
BROMOMETHANE	74-83-9	<1
n-BUTYLBENZENE	104-51-8	<1
sec-BUTYLBENZENE	135-98-8	<1
tert-BUTYLBENZENE	98-06-6	<1
CARBON TETRACHLORIDE	56-23-5	<1
CHLOROBENZENE	108-90-7	<1
CHLORODIBROMOMETHANE	124-48-1	<1
CHLOROETHANE	75-00-3	<1
CHLOROFORM	67-66-3	<1
CHLOROMETHANE	74-87-3	<1
2-CHLOROTOLUENE	95-49-8	<1
4-CHLOROTOLUENE	106-43-4	<1
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<1
DIBROMOCHLOROMETHANE	124-48-1	<1
1,2-DIBROMOETHANE	106-93-4	<1
DIBROMOMETHANE	74-95-3	<1
1,2-DICHLOROENZENE	95-50-1	<1
1,3-DICHLOROENZENE	541-73-1	<1
1,4-DICHLOROENZENE	106-46-7	<1
DICHLORODIFLUOROMETHANE	75-71-8	<1
1,1-DICHLOROETHANE	75-34-3	<1
1,2-DICHLOROETHANE	107-06-2	<1
1,1-DICHLOROETHENE	75-35-4	<1
cis-1,2-DICHLOROETHENE	156-59-2	<1
trans-1,2-DICHLOROETHENE	156-60-5	<1

*Kou Beyer*  
Laboratory Director

000013

Client: LBG Engineers	Client ID: Rowe Industries (Post 81000)
Date received: 08/11/00	Laboratory ID: 0013737
Date extracted: NA	Matrix: Liquid
Date analyzed: 08/15/00	Contractor: 11418

### EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
1,2-DICHLOROPROPANE	78-87-5	<1
1,3-DICHLOROPROPANE	142-28-9	<1
2,2-DICHLOROPROPANE	594-20-7	<1
1,1-DICHLOROPROPENE	563-58-6	<1
cis-1,3-DICHLOROPROPENE	10061-01-5	<1
trans-1,3-DICHLOROPROPENE	10061-02-6	<1
ETHYLBENZENE	100-41-4	<1
HEXACHLOROBUTADIENE	87-68-3	<1
ISOPROPYLBENZENE	98-82-8	<1
p-ISOPROPYLTOLUENE	99-87-6	<1
METHYLENE CHLORIDE	75-09-2	<1
NAPHTHALENE	91-20-3	<1
n-PROPYLBENZENE	103-65-1	<1
STYRENE	100-42-5	<1
1,1,1,2-TETRACHLOROETHANE	630-20-6	<1
1,1,2,2-TETRACHLOROETHANE	79-34-5	<1
TETRACHLOROETHENE	127-18-4	<1
TOLUENE	108-88-3	<1
1,2,3-TRICHLOROBENZENE	87-61-6	<1
1,2,4-TRICHLOROBENZENE	120-82-1	<1
1,1,1-TRICHLOROETHANE	71-55-6	<1
1,1,2-TRICHLOROETHANE	79-00-5	<1
TRICHLOROETHENE	79-01-6	<1
TRICHLOROFLUOROMETHANE	75-69-4	<1
1,2,3-TRICHLOROPROPANE	96-18-4	<1
1,2,4-TRIMETHYLBENZENE	95-63-6	<1
1,3,5-TRIMETHYLBENZENE	108-67-8	<1
VINYL CHLORIDE	75-01-4	<1
M+P XYLENES	108-38-3/95-47-6	<2
O-XYLENE	106-42-3	<1

*Lou Bayer*  
Laboratory Director

000014

## CHAIN OF CUSTODY / REQUEST FOR ANALYSIS DOCUMENT

CLIENT NAME/ADDRESS <b>LBG 126 MONROE TURNPIKE TRUMBULL, CT. 06611</b>				CONTACT: <b>PAUL JOBMAN</b>		SAMPLER (SIGNATURE) <b>James M. Forrester 8/7/00 9:47</b>			DATE <b>8/7/00</b>		TIME <b>9:47</b>		SAMPLE(S) SEALED YES / NO	
						SAMPLER NAME (PRINT) <b>JAMIE FORRESTER</b>							CORRECT CONTAINER(S) YES / NO	
PROJECT LOCATION: <b>Rowe Industries</b>						ANALYSIS REQUIRED <b>SOILS</b>								
LABORATORY ID #	MATRIX	TYPE	PRES.	SAMPLE # - LOCATION								P.O.#		
	8/7/00	L	G	HEL	pre 80700		X							
		L	G	HEL	mid 80700		X							
		L	G	HEL	post 80700		X							
	8/8/00	L	G	HEL	Disposal PAD SSHL DRAIN		X			(14:00)				
	8/10/00	L	G	HEL	pre 81000		X							
		L	G	HEL	mid 81000		X							
		L	G	HEL	post 81000		X							
<b>MATRIX</b> S=SOIL; L=LIQUID; SL=SLUDGE; A=AIR; W=WIPE; P=PAINT CHIPS; B=BULK MATERIAL						<b>TURNAROUND REQUIRED</b> <input checked="" type="checkbox"/> NORMAL <input type="checkbox"/> STAT <input type="checkbox"/>		<b>COMMENTS / INSTRUCTIONS</b>						
<b>TYPE</b> G=GRAB; C=COMPOSITE, SS=SPLIT SPOON														
RELINQUISHED BY (SIGNATURE) <b>James M. Forrester</b>		DATE <b>8/7/00 13:25</b>		PRINTED NAME <b>JAMES FORRESTER</b>		RECEIVED BY LAB (SIGNATURE) <b>[Signature]</b>		DATE <b>8/11/00</b>		PRINTED NAME <b>J. [Signature]</b>				
RELINQUISHED BY (SIGNATURE)		DATE TIME		PRINTED NAME		RECEIVED BY LAB (SIGNATURE) <b>[Signature]</b>		DATE TIME <b>1:00</b>		PRINTED NAME				



NYSDOH  
AIHA  
CTDOH

ELAP  
PAT, LPAT  
PH-0205

11418  
102391

August 24, 2000

Paul Jobmann  
LBG Engineers  
126 Monroe Turnpike  
Trumbull, CT 06611

**Re: Rowe Industries**

Dear Mr. Jobmann;

Enclosed please find the Laboratory Analysis Report(s) for sample(s) received on August 18, 2000. American Analytical Laboratories analyzed the samples through August 21, 2000 for the following;

<b>CLIENT ID</b>	<b>ANALYSIS</b>
Pre 81500	EPA 8021
Mid 81500	EPA 8021
Post 81500	EPA 8021
Pre 81700	EPA 8021
Mid 81700	EPA 8021

This report consists of 10 pages of analytical results.

If you have any questions or require further information, please call at your convenience. American Analytical Laboratories would like to thank you for the opportunity to be of service to you.

Best Regards,

*American Analytical Laboratories, Inc.*

Client: LBG Engineers	Client ID: Rowe Industries (Pre 81500)
Date received: 08/18/00	Laboratory ID: 0013899
Date extracted: NA	Matrix: Liquid
Date analyzed: 08/18/00-08/21/00	Contractor: 11418

### EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
BENZENE	71-43-2	<1
BROMOBENZENE	108-86-1	<1
BROMOCHLOROMETHANE	74-97-5	<1
BROMODICHLOROMETHANE	75-27-4	<1
BROMOFORM	75-25-4	<1
BROMOMETHANE	74-83-9	<1
n-BUTYLBENZENE	104-51-8	<1
sec-BUTYLBENZENE	135-98-8	<1
tert-BUTYLBENZENE	98-06-6	<1
CARBON TETRACHLORIDE	56-23-5	<1
CHLOROBENZENE	108-90-7	<1
CHLORODIBROMOMETHANE	124-48-1	<1
CHLOROETHANE	75-00-3	<1
CHLOROFORM	67-66-3	<1
CHLOROMETHANE	74-87-3	<1
2-CHLOROTOLUENE	95-49-8	<1
4-CHLOROTOLUENE	106-43-4	<1
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<1
DIBROMOCHLOROMETHANE	124-48-1	<1
1,2-DIBROMOETHANE	106-93-4	<1
DIBROMOMETHANE	74-95-3	<1
1,2-DICHLOROBENZENE	95-50-1	<1
1,3-DICHLOROBENZENE	541-73-1	<1
1,4-DICHLOROBENZENE	106-46-7	<1
DICHLORODIFLUOROMETHANE	75-71-8	<1
1,1-DICHLOROETHANE	75-34-3	<1
1,2-DICHLOROETHANE	107-06-2	<1
1,1-DICHLOROETHENE	75-35-4	<1
cis-1,2-DICHLOROETHENE	156-59-2	<1
trans-1,2-DICHLOROETHENE	156-60-5	<1

  
 Laboratory Director

000001

Client: LBG Engineers	Client ID: Rowe Industries (Pre 81500)
Date received: 08/18/00	Laboratory ID: 0013899
Date extracted: NA	Matrix: Liquid
Date analyzed: 08/18/00-08/21/00	Contractor: 11418

### EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
1,2-DICHLOROPROPANE	78-87-5	<1
1,3-DICHLOROPROPANE	142-28-9	<1
2,2-DICHLOROPROPANE	594-20-7	<1
1,1-DICHLOROPROPENE	563-58-6	<1
cis-1,3-DICHLOROPROPENE	10061-01-5	<1
trans-1,3-DICHLOROPROPENE	10061-02-6	<1
ETHYLBENZENE	100-41-4	4
HEXACHLOROBUTADIENE	87-68-3	<1
ISOPROPYLBENZENE	98-82-8	15
p-ISOPROPYLTOLUENE	99-87-6	<1
METHYLENE CHLORIDE	75-09-2	<1
NAPHTHALENE	91-20-3	<1
n-PROPYLBENZENE	103-65-1	4
STYRENE	100-42-5	<1
1,1,1,2-TETRACHLOROETHANE	630-20-6	<1
1,1,2,2-TETRACHLOROETHANE	79-34-5	<1
TETRACHLOROETHENE	127-18-4	2,100
TOLUENE	108-88-3	<1
1,2,3-TRICHLOROBENZENE	87-61-6	<1
1,2,4-TRICHLOROBENZENE	120-82-1	<1
1,1,1-TRICHLOROETHANE	71-55-6	65
1,1,2-TRICHLOROETHANE	79-00-5	<1
TRICHLOROETHENE	79-01-6	11
TRICHLOROFLUOROMETHANE	75-69-4	<1
1,2,3-TRICHLOROPROPANE	96-18-4	<1
1,2,4-TRIMETHYLBENZENE	95-63-6	6
1,3,5-TRIMETHYLBENZENE	108-67-8	19
VINYL CHLORIDE	75-01-4	<1
M+P XYLENES	108-38-3/95-47-6	17
O-XYLENE	106-42-3	61

*Lori Bayn*

Laboratory Director

000002

Client: LBG Engineers	Client ID: Rowe Industries (Mid 81500)
Date received: 08/18/00	Laboratory ID: 0013900
Date extracted: NA	Matrix: Liquid
Date analyzed: 08/18/00	Contractor: 11418

### EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
BENZENE	71-43-2	<1
BROMOBENZENE	108-86-1	<1
BROMOCHLOROMETHANE	74-97-5	<1
BROMODICHLOROMETHANE	75-27-4	<1
BROMOFORM	75-25-4	<1
BROMOMETHANE	74-83-9	<1
n-BUTYLBENZENE	104-51-8	<1
sec-BUTYLBENZENE	135-98-8	<1
tert-BUTYLBENZENE	98-06-6	<1
CARBON TETRACHLORIDE	56-23-5	<1
CHLOROBENZENE	108-90-7	<1
CHLORODIBROMOMETHANE	124-48-1	<1
CHLOROETHANE	75-00-3	<1
CHLOROFORM	67-66-3	<1
CHLOROMETHANE	74-87-3	<1
2-CHLOROTOLUENE	95-49-8	<1
4-CHLOROTOLUENE	106-43-4	<1
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<1
DIBROMOCHLOROMETHANE	124-48-1	<1
1,2-DIBROMOETHANE	106-93-4	<1
DIBROMOMETHANE	74-95-3	<1
1,2-DICHLOROBENZENE	95-50-1	<1
1,3-DICHLOROBENZENE	541-73-1	<1
1,4-DICHLOROBENZENE	106-46-7	<1
DICHLORODIFLUOROMETHANE	75-71-8	<1
1,1-DICHLOROETHANE	75-34-3	<1
1,2-DICHLOROETHANE	107-06-2	<1
1,1-DICHLOROETHENE	75-35-4	<1
cis-1,2-DICHLOROETHENE	156-59-2	<1
trans-1,2-DICHLOROETHENE	156-60-5	<1

*Lou Bayer*  
Laboratory Director

000003

Client: LBG Engineers	Client ID: Rowe Industries (Mid 81500)
Date received: 08/18/00	Laboratory ID: 0013900
Date extracted: NA	Matrix: Liquid
Date analyzed: 08/18/00	Contractor: 11418

### EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
1,2-DICHLOROPROPANE	78-87-5	<1
1,3-DICHLOROPROPANE	142-28-9	<1
2,2-DICHLOROPROPANE	594-20-7	<1
1,1-DICHLOROPROPENE	563-58-6	<1
cis-1,3-DICHLOROPROPENE	10061-01-5	<1
trans-1,3-DICHLOROPROPENE	10061-02-6	<1
ETHYLBENZENE	100-41-4	<1
HEXACHLOROBTADIENE	87-68-3	<1
ISOPROPYLBENZENE	98-82-8	<1
p-ISOPROPYLTOLUENE	99-87-6	<1
METHYLENE CHLORIDE	75-09-2	<1
NAPHTHALENE	91-20-3	<1
n-PROPYLBENZENE	103-65-1	<1
STYRENE	100-42-5	<1
1,1,1,2-TETRACHLOROETHANE	630-20-6	<1
1,1,2,2-TETRACHLOROETHANE	79-34-5	<1
TETRACHLOROETHENE	127-18-4	<1
TOLUENE	108-88-3	<1
1,2,3-TRICHLOROBENZENE	87-61-6	<1
1,2,4-TRICHLOROBENZENE	120-82-1	<1
1,1,1-TRICHLOROETHANE	71-55-6	<1
1,1,2-TRICHLOROETHANE	79-00-5	<1
TRICHLOROETHENE	79-01-6	<1
TRICHLOROFLUOROMETHANE	75-69-4	<1
1,2,3-TRICHLOROPROPANE	96-18-4	<1
1,2,4-TRIMETHYLBENZENE	95-63-6	<1
1,3,5-TRIMETHYLBENZENE	108-67-8	<1
VINYL CHLORIDE	75-01-4	<1
M+P XYLENES	108-38-3/95-47-6	<2
O-XYLENE	106-42-3	<1

*Rui Bayen*

Laboratory Director

000004

Client: LBG Engineers	Client ID: Rowe Industries (Post 81500)
Date received: 08/18/00	Laboratory ID: 0013901
Date extracted: NA	Matrix: Liquid
Date analyzed: 08/18/00	Contractor: 11418

### EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
BENZENE	71-43-2	<1
BROMOBENZENE	108-86-1	<1
BROMOCHLOROMETHANE	74-97-5	<1
BROMODICHLOROMETHANE	75-27-4	<1
BROMOFORM	75-25-4	<1
BROMOMETHANE	74-83-9	<1
n-BUTYLBENZENE	104-51-8	<1
sec-BUTYLBENZENE	135-98-8	<1
tert-BUTYLBENZENE	98-06-6	<1
CARBON TETRACHLORIDE	56-23-5	<1
CHLOROBENZENE	108-90-7	<1
CHLORODIBROMOMETHANE	124-48-1	<1
CHLOROETHANE	75-00-3	<1
CHLOROFORM	67-66-3	<1
CHLOROMETHANE	74-87-3	<1
2-CHLOROTOLUENE	95-49-8	<1
4-CHLOROTOLUENE	106-43-4	<1
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<1
DIBROMOCHLOROMETHANE	124-48-1	<1
1,2-DIBROMOETHANE	106-93-4	<1
DIBROMOMETHANE	74-95-3	<1
1,2-DICHLOROENZENE	95-50-1	<1
1,3-DICHLOROENZENE	541-73-1	<1
1,4-DICHLOROENZENE	106-46-7	<1
DICHLORODIFLUOROMETHANE	75-71-8	<1
1,1-DICHLOROETHANE	75-34-3	<1
1,2-DICHLOROETHANE	107-06-2	<1
1,1-DICHLOROETHENE	75-35-4	<1
cis-1,2-DICHLOROETHENE	156-59-2	<1
trans-1,2-DICHLOROETHENE	156-60-5	<1

*John Bayer*  
Laboratory Director

000005

Client: LBG Engineers	Client ID: Rowe Industries (Post 81500)
Date received: 08/18/00	Laboratory ID: 0013901
Date extracted: NA	Matrix: Liquid
Date analyzed: 08/18/00	Contractor: 11418

### EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
1,2-DICHLOROPROPANE	78-87-5	<1
1,3-DICHLOROPROPANE	142-28-9	<1
2,2-DICHLOROPROPANE	594-20-7	<1
1,1-DICHLOROPROPENE	563-58-6	<1
cis-1,3-DICHLOROPROPENE	10061-01-5	<1
trans-1,3-DICHLOROPROPENE	10061-02-6	<1
ETHYLBENZENE	100-41-4	<1
HEXACHLOROBUTADIENE	87-68-3	<1
ISOPROPYLBENZENE	98-82-8	<1
p-ISOPROPYLTOLUENE	99-87-6	<1
METHYLENE CHLORIDE	75-09-2	<1
NAPHTHALENE	91-20-3	<1
n-PROPYLBENZENE	103-65-1	<1
STYRENE	100-42-5	<1
1,1,1,2-TETRACHLOROETHANE	630-20-6	<1
1,1,2,2-TETRACHLOROETHANE	79-34-5	<1
TETRACHLOROETHENE	127-18-4	<1
TOLUENE	108-88-3	<1
1,2,3-TRICHLOROBENZENE	87-61-6	<1
1,2,4-TRICHLOROBENZENE	120-82-1	<1
1,1,1-TRICHLOROETHANE	71-55-6	<1
1,1,2-TRICHLOROETHANE	79-00-5	<1
TRICHLOROETHENE	79-01-6	<1
TRICHLOROFLUOROMETHANE	75-69-4	<1
1,2,3-TRICHLOROPROPANE	96-18-4	<1
1,2,4-TRIMETHYLBENZENE	95-63-6	<1
1,3,5-TRIMETHYLBENZENE	108-67-8	<1
VINYL CHLORIDE	75-01-4	<1
M+P XYLENES	108-38-3/95-47-6	<2
O-XYLENE	106-42-3	<1

*Don Bayer*

Laboratory Director

000006

Client: LBG Engineers	Client ID: Rowe Industries (Pre 81700)
Date received: 08/18/00	Laboratory ID: 0013902
Date extracted: NA	Matrix: Liquid
Date analyzed: 08/18/00-08/21/00	Contractor: 11418

### EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
BENZENE	71-43-2	<1
BROMOBENZENE	108-86-1	<1
BROMOCHLOROMETHANE	74-97-5	<1
BROMODICHLOROMETHANE	75-27-4	<1
BROMOFORM	75-25-4	<1
BROMOMETHANE	74-83-9	<1
n-BUTYLBENZENE	104-51-8	<1
sec-BUTYLBENZENE	135-98-8	<1
tert-BUTYLBENZENE	98-06-6	<1
CARBON TETRACHLORIDE	56-23-5	<1
CHLOROBENZENE	108-90-7	<1
CHLORODIBROMOMETHANE	124-48-1	<1
CHLOROETHANE	75-00-3	<1
CHLOROFORM	67-66-3	<1
CHLOROMETHANE	74-87-3	<1
2-CHLOROTOLUENE	95-49-8	<1
4-CHLOROTOLUENE	106-43-4	<1
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<1
DIBROMOCHLOROMETHANE	124-48-1	<1
1,2-DIBROMOETHANE	106-93-4	<1
DIBROMOMETHANE	74-95-3	<1
1,2-DICHLOROBENZENE	95-50-1	<1
1,3-DICHLOROBENZENE	541-73-1	<1
1,4-DICHLOROBENZENE	106-46-7	<1
DICHLORODIFLUOROMETHANE	75-71-8	<1
1,1-DICHLOROETHANE	75-34-3	<1
1,2-DICHLOROETHANE	107-06-2	<1
1,1-DICHLOROETHENE	75-35-4	<1
cis-1,2-DICHLOROETHENE	156-59-2	<1
trans-1,2-DICHLOROETHENE	156-60-5	<1

*Ra Bayer*  
Laboratory Director

000007

Client: LBG Engineers	Client ID: Rowe Industries (Pre 81700)
Date received: 08/18/00	Laboratory ID: 0013902
Date extracted: NA	Matrix: Liquid
Date analyzed: 08/18/00-08/21/00	Contractor: 11418

### EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
1,2-DICHLOROPROPANE	78-87-5	<1
1,3-DICHLOROPROPANE	142-28-9	<1
2,2-DICHLOROPROPANE	594-20-7	<1
1,1-DICHLOROPROPENE	563-58-6	<1
cis-1,3-DICHLOROPROPENE	10061-01-5	<1
trans-1,3-DICHLOROPROPENE	10061-02-6	<1
ETHYLBENZENE	100-41-4	<1
HEXACHLOROBUTADIENE	87-68-3	<1
ISOPROPYLBENZENE	98-82-8	<1
p-ISOPROPYLTOLUENE	99-87-6	<1
METHYLENE CHLORIDE	75-09-2	<1
NAPHTHALENE	91-20-3	<1
n-PROPYLBENZENE	103-65-1	<1
STYRENE	100-42-5	<1
1,1,1,2-TETRACHLOROETHANE	630-20-6	<1
1,1,2,2-TETRACHLOROETHANE	79-34-5	<1
TETRACHLOROETHENE	127-18-4	800
TOLUENE	108-88-3	<1
1,2,3-TRICHLOROBENZENE	87-61-6	<1
1,2,4-TRICHLOROBENZENE	120-82-1	<1
1,1,1-TRICHLOROETHANE	71-55-6	11
1,1,2-TRICHLOROETHANE	79-00-5	<1
TRICHLOROETHENE	79-01-6	2
TRICHLOROFLUOROMETHANE	75-69-4	<1
1,2,3-TRICHLOROPROPANE	96-18-4	<1
1,2,4-TRIMETHYLBENZENE	95-63-6	<1
1,3,5-TRIMETHYLBENZENE	108-67-8	4
VINYL CHLORIDE	75-01-4	<1
M+P XYLENES	108-38-3/95-47-6	<2
O-XYLENE	106-42-3	14

  
Laboratory Director

000008

Client: LBG Engineers	Client ID: Rowe Industries (Mid 81700)
Date received: 08/18/00	Laboratory ID: 0013903
Date extracted: NA	Matrix: Liquid
Date analyzed: 08/18/00	Contractor: 11418

### EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
BENZENE	71-43-2	<1
BROMOBENZENE	108-86-1	<1
BROMOCHLOROMETHANE	74-97-5	<1
BROMODICHLOROMETHANE	75-27-4	<1
BROMOFORM	75-25-4	<1
BROMOMETHANE	74-83-9	<1
n-BUTYLBENZENE	104-51-8	<1
sec-BUTYLBENZENE	135-98-8	<1
tert-BUTYLBENZENE	98-06-6	<1
CARBON TETRACHLORIDE	56-23-5	<1
CHLOROBENZENE	108-90-7	<1
CHLORODIBROMOMETHANE	124-48-1	<1
CHLOROETHANE	75-00-3	<1
CHLOROFORM	67-66-3	<1
CHLOROMETHANE	74-87-3	<1
2-CHLOROTOLUENE	95-49-8	<1
4-CHLOROTOLUENE	106-43-4	<1
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<1
DIBROMOCHLOROMETHANE	124-48-1	<1
1,2-DIBROMOETHANE	106-93-4	<1
DIBROMOMETHANE	74-95-3	<1
1,2-DICHLOROBENZENE	95-50-1	<1
1,3-DICHLOROBENZENE	541-73-1	<1
1,4-DICHLOROBENZENE	106-46-7	<1
DICHLORODIFLUOROMETHANE	75-71-8	<1
1,1-DICHLOROETHANE	75-34-3	<1
1,2-DICHLOROETHANE	107-06-2	<1
1,1-DICHLOROETHENE	75-35-4	<1
cis-1,2-DICHLOROETHENE	156-59-2	<1
trans-1,2-DICHLOROETHENE	156-60-5	<1

*La Bay*


Laboratory Director

000009

Client: LBG Engineers	Client ID: Rowe Industries (Mid 81700)
Date received: 08/18/00	Laboratory ID: 0013903
Date extracted: NA	Matrix: Liquid
Date analyzed: 08/18/00	Contractor: 11418

### EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
1,2-DICHLOROPROPANE	78-87-5	<1
1,3-DICHLOROPROPANE	142-28-9	<1
2,2-DICHLOROPROPANE	594-20-7	<1
1,1-DICHLOROPROPENE	563-58-6	<1
cis-1,3-DICHLOROPROPENE	10061-01-5	<1
trans-1,3-DICHLOROPROPENE	10061-02-6	<1
ETHYLBENZENE	100-41-4	<1
HEXACHLOROBUTADIENE	87-68-3	<1
ISOPROPYLBENZENE	98-82-8	<1
p-ISOPROPYLTOLUENE	99-87-6	<1
METHYLENE CHLORIDE	75-09-2	<1
NAPHTHALENE	91-20-3	<1
n-PROPYLBENZENE	103-65-1	<1
STYRENE	100-42-5	<1
1,1,1,2-TETRACHLOROETHANE	630-20-6	<1
1,1,2,2-TETRACHLOROETHANE	79-34-5	<1
TETRACHLOROETHENE	127-18-4	<1
TOLUENE	108-88-3	<1
1,2,3-TRICHLOROBENZENE	87-61-6	<1
1,2,4-TRICHLOROBENZENE	120-82-1	<1
1,1,1-TRICHLOROETHANE	71-55-6	<1
1,1,2-TRICHLOROETHANE	79-00-5	<1
TRICHLOROETHENE	79-01-6	<1
TRICHLOROFLUOROMETHANE	75-69-4	<1
1,2,3-TRICHLOROPROPANE	96-18-4	<1
1,2,4-TRIMETHYLBENZENE	95-63-6	<1
1,3,5-TRIMETHYLBENZENE	108-67-8	<1
VINYL CHLORIDE	75-01-4	<1
M+P XYLENES	108-38-3/95-47-6	<2
O-XYLENE	106-42-3	<1

  
Laboratory Director

000010





NYSDOH  
AIHA  
CTDOH

ELAP  
PAT, LPAT  
PH-0205

11418  
102391

September 19, 2000

Paul Jobmann  
LBG Engineers  
126 Monroe Turnpike  
Trumbull, CT 06611

**Re: Rowe Industries**

Dear Mr. Jobmann;

Enclosed please find the Laboratory Analysis Report(s) for sample(s) received on September 15, 2000. American Analytical Laboratories analyzed the samples through September 18, 2000 for the following;

CLIENT ID	ANALYSIS
Pre 91100	EPA 8021
Mid 91100	EPA 8021
Pre 91400	EPA 8021
Mid 91400	EPA 8021
Post 91400	EPA 8021

This report consists of 10 pages of analytical results.

If you have any questions or require further information, please call at your convenience. American Analytical Laboratories would like to thank you for the opportunity to be of service to you.

Best Regards,

*American Analytical Laboratories, Inc.*

Client: LBG Engineers	Client ID: Rowe Industries (Pre 91100)
Date received: 09/15/00	Laboratory ID: 0014317
Date extracted: NA	Matrix: Liquid
Date analyzed: 09/15/00-09/18/00	Contractor: 11418

### EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
BENZENE	71-43-2	<1
BROMOBENZENE	108-86-1	<1
BROMOCHLOROMETHANE	74-97-5	<1
BROMODICHLOROMETHANE	75-27-4	<1
BROMOFORM	75-25-4	<1
BROMOMETHANE	74-83-9	<1
n-BUTYLBENZENE	104-51-8	<1
sec-BUTYLBENZENE	135-98-8	<1
tert-BUTYLBENZENE	98-06-6	<1
CARBON TETRACHLORIDE	56-23-5	<1
CHLOROBENZENE	108-90-7	<1
CHLORODIBROMOMETHANE	124-48-1	<1
CHLOROETHANE	75-00-3	<1
CHLOROFORM	67-66-3	<1
CHLOROMETHANE	74-87-3	<1
2-CHLOROTOLUENE	95-49-8	<1
4-CHLOROTOLUENE	106-43-4	<1
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<1
DIBROMOCHLOROMETHANE	124-48-1	<1
1,2-DIBROMOETHANE	106-93-4	<1
DIBROMOMETHANE	74-95-3	<1
1,2-DICHLOROBENZENE	95-50-1	<1
1,3-DICHLOROBENZENE	541-73-1	<1
1,4-DICHLOROBENZENE	106-46-7	<1
DICHLORODIFLUOROMETHANE	75-71-8	<1
1,1-DICHLOROETHANE	75-34-3	<1
1,2-DICHLOROETHANE	107-06-2	<1
1,1-DICHLOROETHENE	75-35-4	<1
cis-1,2-DICHLOROETHENE	156-59-2	<1
trans-1,2-DICHLOROETHENE	156-60-5	<1

*Ron Beyer*  
Laboratory Director

000001

Client: LBG Engineers	Client ID: Rowe Industries (Pre 91100)
Date received: 09/15/00	Laboratory ID: 0014317
Date extracted: NA	Matrix: Liquid
Date analyzed: 09/15/00-08/18/00	Contractor: 11418

### EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
1,2-DICHLOROPROPANE	78-87-5	<1
1,3-DICHLOROPROPANE	142-28-9	<1
2,2-DICHLOROPROPANE	594-20-7	<1
1,1-DICHLOROPROPENE	563-58-6	<1
cis-1,3-DICHLOROPROPENE	10061-01-5	<1
trans-1,3-DICHLOROPROPENE	10061-02-6	<1
ETHYLBENZENE	100-41-4	<1
HEXACHLOROBUTADIENE	87-68-3	<1
ISOPROPYLBENZENE	98-82-8	5
p-ISOPROPYLTOLUENE	99-87-6	<1
METHYLENE CHLORIDE	75-09-2	<1
NAPHTHALENE	91-20-3	<1
n-PROPYLBENZENE	103-65-1	<1
STYRENE	100-42-5	<1
1,1,1,2-TETRACHLOROETHANE	630-20-6	<1
1,1,2,2-TETRACHLOROETHANE	79-34-5	<1
TETRACHLOROETHENE	127-18-4	1,300
TOLUENE	108-88-3	<1
1,2,3-TRICHLOROBENZENE	87-61-6	<1
1,2,4-TRICHLOROBENZENE	120-82-1	<1
1,1,1-TRICHLOROETHANE	71-55-6	7
1,1,2-TRICHLOROETHANE	79-00-5	<1
TRICHLOROETHENE	79-01-6	3
TRICHLOROFLUOROMETHANE	75-69-4	<1
1,2,3-TRICHLOROPROPANE	96-18-4	<1
1,2,4-TRIMETHYLBENZENE	95-63-6	1
1,3,5-TRIMETHYLBENZENE	108-67-8	2
VINYL CHLORIDE	75-01-4	<1
M+P XYLENES	108-38-3/95-47-6	4
O-XYLENE	106-42-3	17

*Kari Beyer*  
Laboratory Director

000002

Client: LBG Engineers	Client ID: Rowe Industries (Mid 91100)
Date received: 09/15/00	Laboratory ID: 0014318
Date extracted: NA	Matrix: Liquid
Date analyzed: 09/15/00	Contractor: 11418

### EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
BENZENE	71-43-2	<1
BROMOBENZENE	108-86-1	<1
BROMOCHLOROMETHANE	74-97-5	<1
BROMODICHLOROMETHANE	75-27-4	<1
BROMOFORM	75-25-4	<1
BROMOMETHANE	74-83-9	<1
n-BUTYLBENZENE	104-51-8	<1
sec-BUTYLBENZENE	135-98-8	<1
tert-BUTYLBENZENE	98-06-6	<1
CARBON TETRACHLORIDE	56-23-5	<1
CHLOROBENZENE	108-90-7	<1
CHLORODIBROMOMETHANE	124-48-1	<1
CHLOROETHANE	75-00-3	<1
CHLOROFORM	67-66-3	<1
CHLOROMETHANE	74-87-3	<1
2-CHLOROTOLUENE	95-49-8	<1
4-CHLOROTOLUENE	106-43-4	<1
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<1
DIBROMOCHLOROMETHANE	124-48-1	<1
1,2-DIBROMOETHANE	106-93-4	<1
DIBROMOMETHANE	74-95-3	<1
1,2-DICHLOROBENZENE	95-50-1	<1
1,3-DICHLOROBENZENE	541-73-1	<1
1,4-DICHLOROBENZENE	106-46-7	<1
DICHLORODIFLUOROMETHANE	75-71-8	<1
1,1-DICHLOROETHANE	75-34-3	<1
1,2-DICHLOROETHANE	107-06-2	<1
1,1-DICHLOROETHENE	75-35-4	<1
cis-1,2-DICHLOROETHENE	156-59-2	<1
trans-1,2-DICHLOROETHENE	156-60-5	<1

*Ken Bayer*  
Laboratory Director

000003

Client: LBG Engineers	Client ID: Rowe Industries (Mid 91100)
Date received: 09/15/00	Laboratory ID: 0014318
Date extracted: NA	Matrix: Liquid
Date analyzed: 09/15/00	Contractor: 11418

### EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
1,2-DICHLOROPROPANE	78-87-5	<1
1,3-DICHLOROPROPANE	142-28-9	<1
2,2-DICHLOROPROPANE	594-20-7	<1
1,1-DICHLOROPROPENE	563-58-6	<1
cis-1,3-DICHLOROPROPENE	10061-01-5	<1
trans-1,3-DICHLOROPROPENE	10061-02-6	<1
ETHYLBENZENE	100-41-4	<1
HEXACHLOROBUTADIENE	87-68-3	<1
ISOPROPYLBENZENE	98-82-8	<1
p-ISOPROPYLTOLUENE	99-87-6	<1
METHYLENE CHLORIDE	75-09-2	<1
NAPHTHALENE	91-20-3	<1
n-PROPYLBENZENE	103-65-1	<1
STYRENE	100-42-5	<1
1,1,1,2-TETRACHLOROETHANE	630-20-6	<1
1,1,2,2-TETRACHLOROETHANE	79-34-5	<1
TETRACHLOROETHENE	127-18-4	<1
TOLUENE	108-88-3	<1
1,2,3-TRICHLOROBENZENE	87-61-6	<1
1,2,4-TRICHLOROBENZENE	120-82-1	<1
1,1,1-TRICHLOROETHANE	71-55-6	<1
1,1,2-TRICHLOROETHANE	79-00-5	<1
TRICHLOROETHENE	79-01-6	<1
TRICHLOROFLUOROMETHANE	75-69-4	<1
1,2,3-TRICHLOROPROPANE	96-18-4	<1
1,2,4-TRIMETHYLBENZENE	95-63-6	<1
1,3,5-TRIMETHYLBENZENE	108-67-8	<1
VINYL CHLORIDE	75-01-4	<1
M+P XYLENES	108-38-3/95-47-6	<2
O-XYLENE	106-42-3	<1

*Louie Beyer*  
Laboratory Director

000004

Client: LBG Engineers	Client ID: Rowe Industries (Pre 91400)
Date received: 09/15/00	Laboratory ID: 0014319
Date extracted: NA	Matrix: Liquid
Date analyzed: 09/16/00-08/18/00	Contractor: 11418

### EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
BENZENE	71-43-2	<1
BROMOBENZENE	108-86-1	<1
BROMOCHLOROMETHANE	74-97-5	<1
BROMODICHLOROMETHANE	75-27-4	<1
BROMOFORM	75-25-4	<1
BROMOMETHANE	74-83-9	<1
n-BUTYLBENZENE	104-51-8	<1
sec-BUTYLBENZENE	135-98-8	<1
tert-BUTYLBENZENE	98-06-6	<1
CARBON TETRACHLORIDE	56-23-5	<1
CHLOROBENZENE	108-90-7	<1
CHLORODIBROMOMETHANE	124-48-1	<1
CHLOROETHANE	75-00-3	<1
CHLOROFORM	67-66-3	<1
CHLOROMETHANE	74-87-3	<1
2-CHLOROTOLUENE	95-49-8	<1
4-CHLOROTOLUENE	106-43-4	<1
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<1
DIBROMOCHLOROMETHANE	124-48-1	<1
1,2-DIBROMOETHANE	106-93-4	<1
DIBROMOMETHANE	74-95-3	<1
1,2-DICHLOROBENZENE	95-50-1	<1
1,3-DICHLOROBENZENE	541-73-1	<1
1,4-DICHLOROBENZENE	106-46-7	<1
DICHLORODIFLUOROMETHANE	75-71-8	<1
1,1-DICHLOROETHANE	75-34-3	<1
1,2-DICHLOROETHANE	107-06-2	<1
1,1-DICHLOROETHENE	75-35-4	<1
cis-1,2-DICHLOROETHENE	156-59-2	<1
trans-1,2-DICHLOROETHENE	156-60-5	<1

*Louie Beyer*  
Laboratory Director

000005

Client: LBG Engineers	Client ID: Rowe Industries (Pre 91400)
Date received: 09/15/00	Laboratory ID: 0014319
Date extracted: NA	Matrix: Liquid
Date analyzed: 09/16/00-08/18/00	Contractor: 11418

### EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
1,2-DICHLOROPROPANE	78-87-5	<1
1,3-DICHLOROPROPANE	142-28-9	<1
2,2-DICHLOROPROPANE	594-20-7	<1
1,1-DICHLOROPROPENE	563-58-6	<1
cis-1,3-DICHLOROPROPENE	10061-01-5	<1
trans-1,3-DICHLOROPROPENE	10061-02-6	<1
ETHYLBENZENE	100-41-4	<1
HEXACHLOROBUTADIENE	87-68-3	<1
ISOPROPYLBENZENE	98-82-8	7
p-ISOPROPYLTOLUENE	99-87-6	<1
METHYLENE CHLORIDE	75-09-2	<1
NAPHTHALENE	91-20-3	<1
n-PROPYLBENZENE	103-65-1	2
STYRENE	100-42-5	<1
1,1,1,2-TETRACHLOROETHANE	630-20-6	<1
1,1,2,2-TETRACHLOROETHANE	79-34-5	<1
TETRACHLOROETHENE	127-18-4	1,700
TOLUENE	108-88-3	<1
1,2,3-TRICHLOROBENZENE	87-61-6	<1
1,2,4-TRICHLOROBENZENE	120-82-1	<1
1,1,1-TRICHLOROETHANE	71-55-6	12
1,1,2-TRICHLOROETHANE	79-00-5	<1
TRICHLOROETHENE	79-01-6	4
TRICHLOROFLUOROMETHANE	75-69-4	<1
1,2,3-TRICHLOROPROPANE	96-18-4	<1
1,2,4-TRIMETHYLBENZENE	95-63-6	2
1,3,5-TRIMETHYLBENZENE	108-67-8	8
VINYL CHLORIDE	75-01-4	<1
M+P XYLENES	108-38-3/95-47-6	5
O-XYLENE	106-42-3	25

*Joni Bay*  
Laboratory Director

000006

Client: LBG Engineers	Client ID: Rowe Industries (Mid 91400)
Date received: 09/15/00	Laboratory ID: 0014320
Date extracted: NA	Matrix: Liquid
Date analyzed: 09/16/00	Contractor: 11418

### EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
BENZENE	71-43-2	<1
BROMOBENZENE	108-86-1	<1
BROMOCHLOROMETHANE	74-97-5	<1
BROMODICHLOROMETHANE	75-27-4	<1
BROMOFORM	75-25-4	<1
BROMOMETHANE	74-83-9	<1
n-BUTYLBENZENE	104-51-8	<1
sec-BUTYLBENZENE	135-98-8	<1
tert-BUTYLBENZENE	98-06-6	<1
CARBON TETRACHLORIDE	56-23-5	<1
CHLOROBENZENE	108-90-7	<1
CHLORODIBROMOMETHANE	124-48-1	<1
CHLOROETHANE	75-00-3	<1
CHLOROFORM	67-66-3	<1
CHLOROMETHANE	74-87-3	<1
2-CHLOROTOLUENE	95-49-8	<1
4-CHLOROTOLUENE	106-43-4	<1
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<1
DIBROMOCHLOROMETHANE	124-48-1	<1
1,2-DIBROMOETHANE	106-93-4	<1
DIBROMOMETHANE	74-95-3	<1
1,2-DICHLOROBENZENE	95-50-1	<1
1,3-DICHLOROBENZENE	541-73-1	<1
1,4-DICHLOROBENZENE	106-46-7	<1
DICHLORODIFLUOROMETHANE	75-71-8	<1
1,1-DICHLOROETHANE	75-34-3	<1
1,2-DICHLOROETHANE	107-06-2	<1
1,1-DICHLOROETHENE	75-35-4	<1
cis-1,2-DICHLOROETHENE	156-59-2	<1
trans-1,2-DICHLOROETHENE	156-60-5	<1

*Keri Beyer*  
Laboratory Director

000007

Client: LBG Engineers	Client ID: Rowe Industries (Mid 91400)
Date received: 09/15/00	Laboratory ID: 0014320
Date extracted: NA	Matrix: Liquid
Date analyzed: 09/16/00	Contractor: 11418

### EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
1,2-DICHLOROPROPANE	78-87-5	<1
1,3-DICHLOROPROPANE	142-28-9	<1
2,2-DICHLOROPROPANE	594-20-7	<1
1,1-DICHLOROPROPENE	563-58-6	<1
cis-1,3-DICHLOROPROPENE	10061-01-5	<1
trans-1,3-DICHLOROPROPENE	10061-02-6	<1
ETHYLBENZENE	100-41-4	<1
HEXACHLOROBUTADIENE	87-68-3	<1
ISOPROPYLBENZENE	98-82-8	<1
p-ISOPROPYLTOLUENE	99-87-6	<1
METHYLENE CHLORIDE	75-09-2	<1
NAPHTHALENE	91-20-3	<1
n-PROPYLBENZENE	103-65-1	<1
STYRENE	100-42-5	<1
1,1,1,2-TETRACHLOROETHANE	630-20-6	<1
1,1,2,2-TETRACHLOROETHANE	79-34-5	<1
TETRACHLOROETHENE	127-18-4	<1
TOLUENE	108-88-3	<1
1,2,3-TRICHLOROBENZENE	87-61-6	<1
1,2,4-TRICHLOROBENZENE	120-82-1	<1
1,1,1-TRICHLOROETHANE	71-55-6	<1
1,1,2-TRICHLOROETHANE	79-00-5	<1
TRICHLOROETHENE	79-01-6	<1
TRICHLOROFLUOROMETHANE	75-69-4	<1
1,2,3-TRICHLOROPROPANE	96-18-4	<1
1,2,4-TRIMETHYLBENZENE	95-63-6	<1
1,3,5-TRIMETHYLBENZENE	108-67-8	<1
VINYL CHLORIDE	75-01-4	<1
M+P XYLENES	108-38-3/95-47-6	<2
O-XYLENE	106-42-3	<1

  
Laboratory Director

000008

Client: LBG Engineers	Client ID: Rowe Industries (Post 91400)
Date received: 09/15/00	Laboratory ID: 0014321
Date extracted: NA	Matrix: Liquid
Date analyzed: 09/16/00	Contractor: 11418

### EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
BENZENE	71-43-2	<1
BROMOBENZENE	108-86-1	<1
BROMOCHLOROMETHANE	74-97-5	<1
BROMODICHLOROMETHANE	75-27-4	<1
BROMOFORM	75-25-4	<1
BROMOMETHANE	74-83-9	<1
n-BUTYLBENZENE	104-51-8	<1
sec-BUTYLBENZENE	135-98-8	<1
tert-BUTYLBENZENE	98-06-6	<1
CARBON TETRACHLORIDE	56-23-5	<1
CHLOROBENZENE	108-90-7	<1
CHLORODIBROMOMETHANE	124-48-1	<1
CHLOROETHANE	75-00-3	<1
CHLOROFORM	67-66-3	<1
CHLOROMETHANE	74-87-3	<1
2-CHLOROTOLUENE	95-49-8	<1
4-CHLOROTOLUENE	106-43-4	<1
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<1
DIBROMOCHLOROMETHANE	124-48-1	<1
1,2-DIBROMOETHANE	106-93-4	<1
DIBROMOMETHANE	74-95-3	<1
1,2-DICHLOROBENZENE	95-50-1	<1
1,3-DICHLOROBENZENE	541-73-1	<1
1,4-DICHLOROBENZENE	106-46-7	<1
DICHLORODIFLUOROMETHANE	75-71-8	<1
1,1-DICHLOROETHANE	75-34-3	<1
1,2-DICHLOROETHANE	107-06-2	<1
1,1-DICHLOROETHENE	75-35-4	<1
cis-1,2-DICHLOROETHENE	156-59-2	<1
trans-1,2-DICHLOROETHENE	156-60-5	<1

  
 Laboratory Director

000009

Client: LBG Engineers	Client ID: Rowe Industries (Post 91400)
Date received: 09/15/00	Laboratory ID: 0014321
Date extracted: NA	Matrix: Liquid
Date analyzed: 09/16/00	Contractor: 11418

### EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
1,2-DICHLOROPROPANE	78-87-5	<1
1,3-DICHLOROPROPANE	142-28-9	<1
2,2-DICHLOROPROPANE	594-20-7	<1
1,1-DICHLOROPROPENE	563-58-6	<1
cis-1,3-DICHLOROPROPENE	10061-01-5	<1
trans-1,3-DICHLOROPROPENE	10061-02-6	<1
ETHYLBENZENE	100-41-4	<1
HEXACHLOROBUTADIENE	87-68-3	<1
ISOPROPYLBENZENE	98-82-8	<1
p-ISOPROPYLTOLUENE	99-87-6	<1
METHYLENE CHLORIDE	75-09-2	<1
NAPHTHALENE	91-20-3	<1
n-PROPYLBENZENE	103-65-1	<1
STYRENE	100-42-5	<1
1,1,1,2-TETRACHLOROETHANE	630-20-6	<1
1,1,2,2-TETRACHLOROETHANE	79-34-5	<1
TETRACHLOROETHENE	127-18-4	<1
TOLUENE	108-88-3	<1
1,2,3-TRICHLOROBENZENE	87-61-6	<1
1,2,4-TRICHLOROBENZENE	120-82-1	<1
1,1,1-TRICHLOROETHANE	71-55-6	<1
1,1,2-TRICHLOROETHANE	79-00-5	<1
TRICHLOROETHENE	79-01-6	<1
TRICHLOROFLUOROMETHANE	75-69-4	<1
1,2,3-TRICHLOROPROPANE	96-18-4	<1
1,2,4-TRIMETHYLBENZENE	95-63-6	<1
1,3,5-TRIMETHYLBENZENE	108-67-8	<1
VINYL CHLORIDE	75-01-4	<1
M+P XYLENES	108-38-3/95-47-6	<2
O-XYLENE	106-42-3	<1

  
Laboratory Director

000010

## CHAIN OF CUSTODY / REQUEST FOR ANALYSIS DOCUMENT

CLIENT NAME/ADDRESS <b>LBG</b> <b>126 Monroe Turnpike</b> <b>Trumbull Ct. 06611</b>				CONTACT: <b>PAUL</b> <b>JOBMANN</b>		SAMPLER (SIGNATURE) 		DATE <b>9/14/00</b> TIME <b>14:00</b>		SAMPLE(S) SEALED YES / NO	
PROJECT LOCATION: <b>ROWE INDUSTRIES</b>				SAMPLER NAME (PRINT) <b>JAMES Forrester</b>		CORRECT CONTAINER(S) YES / NO					
ANALYSIS REQUIRED <b>SO21B</b>											
LABORATORY ID #	MATRIX	TYPE	PRES.	SAMPLE # - LOCATION					P.O.#		
<b>9/11/00</b> <b>(14:06)</b>	L	G	HEL	PRE 91100	X						
				MID 91100	X				0014317 ↓ 318		
				<del>POST 91100</del>	<del>X</del>				NO SAMPLE		
<b>9/14/00</b> <b>(12:23)</b>	L	G	HEL	PRE 91400	X						
				MID 91400	X				0014319 ↓ 320		
				POST 91400	X				↓ 321		
MATRIX S=SOIL; L=LIQUID; SL=SLUDGE; A=AIR; W=WIPE; P=PAINT CHIPS; B=BULK MATERIAL TYPE G=GRAB; C=COMPOSITE, SS=SPLIT SPOON					TURNAROUND REQUIRED: NORMAL <input checked="" type="checkbox"/> STAT <input type="checkbox"/> BY <b>1 1</b>			COMMENTS / INSTRUCTIONS			
RELINQUISHED BY (SIGNATURE) 		DATE <b>9/14/00</b> TIME <b>14:00</b>	PRINTED NAME <b>James Forrester</b>		RECEIVED BY LAB (SIGNATURE) 		DATE TIME	PRINTED NAME			
RELINQUISHED BY (SIGNATURE)		DATE TIME	PRINTED NAME		RECEIVED BY LAB (SIGNATURE)		DATE <b>9/15/00</b> TIME <b>10:25</b>	PRINTED NAME <b>J. PERSAUD</b>			



NYSDOH  
AIHA  
CTDOH

ELAP  
PAT, LPAT  
PH-0205

11418  
102391

**Updated September 27, 2000**

September 27, 2000

Paul Jobmann  
LBG Engineers  
126 Monroe Turnpike  
Trumbull, CT 06611

**Re: Rowe Industries**

Dear Mr. Jobmann;

Enclosed please find the Laboratory Analysis Report(s) for sample(s) received on September 22, 2000. American Analytical Laboratories analyzed the samples through September 26, 2000 for the following;

CLIENT ID	ANALYSIS
Pre 091800	EPA 8021
Mid 091800	EPA 8021
Pre 092100	EPA 8021
Mid 092100	EPA 8021

This report consists of 8 pages of analytical results.

If you have any questions or require further information, please call at your convenience. American Analytical Laboratories would like to thank you for the opportunity to be of service to you.

Best Regards,

*American Analytical Laboratories, Inc.*

Client: LBG Engineers	Client ID: Rowe Industries (Pre 091800)
Date received: 09/22/00	Laboratory ID: 0014410
Date extracted: NA	Matrix: Liquid
Date analyzed: 09/26/00	Contractor: 11418

### EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
BENZENE	71-43-2	<1
BROMOBENZENE	108-86-1	<1
BROMOCHLOROMETHANE	74-97-5	<1
BROMODICHLOROMETHANE	75-27-4	<1
BROMOFORM	75-25-4	<1
BROMOMETHANE	74-83-9	<1
n-BUTYLBENZENE	104-51-8	<1
sec-BUTYLBENZENE	135-98-8	<1
tert-BUTYLBENZENE	98-06-6	<1
CARBON TETRACHLORIDE	56-23-5	<1
CHLOROBENZENE	108-90-7	<1
CHLORODIBROMOMETHANE	124-48-1	<1
CHLOROETHANE	75-00-3	<1
CHLOROFORM	67-66-3	<1
CHLOROMETHANE	74-87-3	<1
2-CHLOROTOLUENE	95-49-8	<1
4-CHLOROTOLUENE	106-43-4	<1
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<1
DIBROMOCHLOROMETHANE	124-48-1	<1
1,2-DIBROMOETHANE	106-93-4	<1
DIBROMOMETHANE	74-95-3	<1
1,2-DICHLOROBENZENE	95-50-1	<1
1,3-DICHLOROBENZENE	541-73-1	<1
1,4-DICHLOROBENZENE	106-46-7	<1
DICHLORODIFLUOROMETHANE	75-71-8	<1
1,1-DICHLOROETHANE	75-34-3	<1
1,2-DICHLOROETHANE	107-06-2	<1
1,1-DICHLOROETHENE	75-35-4	<1
cis-1,2-DICHLOROETHENE	156-59-2	<1
trans-1,2-DICHLOROETHENE	156-60-5	<1

  
Laboratory Director

000001

Client: LBG Engineers	Client ID: Rowe Industries (Pre 091800)
Date received: 09/22/00	Laboratory ID: 0014410
Date extracted: NA	Matrix: Liquid
Date analyzed: 09/26/00	Contractor: 11418

### EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
1,2-DICHLOROPROPANE	78-87-5	<1
1,3-DICHLOROPROPANE	142-28-9	<1
2,2-DICHLOROPROPANE	594-20-7	<1
1,1-DICHLOROPROPENE	563-58-6	<1
cis-1,3-DICHLOROPROPENE	10061-01-5	<1
trans-1,3-DICHLOROPROPENE	10061-02-6	<1
ETHYLBENZENE	100-41-4	<1
HEXACHLOROBUTADIENE	87-68-3	<1
ISOPROPYLBENZENE	98-82-8	1
p-ISOPROPYLTOLUENE	99-87-6	<1
METHYLENE CHLORIDE	75-09-2	<1
NAPHTHALENE	91-20-3	<1
n-PROPYLBENZENE	103-65-1	<1
STYRENE	100-42-5	<1
1,1,1,2-TETRACHLOROETHANE	630-20-6	<1
1,1,2,2-TETRACHLOROETHANE	79-34-5	<1
TETRACHLOROETHENE	127-18-4	1,200
TOLUENE	108-88-3	<1
1,2,3-TRICHLOROBENZENE	87-61-6	<1
1,2,4-TRICHLOROBENZENE	120-82-1	<1
1,1,1-TRICHLOROETHANE	71-55-6	3
1,1,2-TRICHLOROETHANE	79-00-5	<1
TRICHLOROETHENE	79-01-6	2
TRICHLOROFLUOROMETHANE	75-69-4	<1
1,2,3-TRICHLOROPROPANE	96-18-4	<1
1,2,4-TRIMETHYLBENZENE	95-63-6	<1
1,3,5-TRIMETHYLBENZENE	108-67-8	2
VINYL CHLORIDE	75-01-4	<1
M+P XYLENES	108-38-3/95-47-6	<2
O-XYLENE	106-42-3	6

  
Laboratory Director

000002

Client: LBG Engineers	Client ID: Rowe Industries (Mid 091800)
Date received: 09/22/00	Laboratory ID: 0014411
Date extracted: NA	Matrix: Liquid
Date analyzed: 09/26/00	Contractor: 11418

### EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
BENZENE	71-43-2	<1
BROMOBENZENE	108-86-1	<1
BROMOCHLOROMETHANE	74-97-5	<1
BROMODICHLOROMETHANE	75-27-4	<1
BROMOFORM	75-25-4	<1
BROMOMETHANE	74-83-9	<1
n-BUTYLBENZENE	104-51-8	<1
sec-BUTYLBENZENE	135-98-8	<1
tert-BUTYLBENZENE	98-06-6	<1
CARBON TETRACHLORIDE	56-23-5	<1
CHLOROBENZENE	108-90-7	<1
CHLORODIBROMOMETHANE	124-48-1	<1
CHLOROETHANE	75-00-3	<1
CHLOROFORM	67-66-3	<1
CHLOROMETHANE	74-87-3	<1
2-CHLOROTOLUENE	95-49-8	<1
4-CHLOROTOLUENE	106-43-4	<1
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<1
DIBROMOCHLOROMETHANE	124-48-1	<1
1,2-DIBROMOETHANE	106-93-4	<1
DIBROMOMETHANE	74-95-3	<1
1,2-DICHLOROBENZENE	95-50-1	<1
1,3-DICHLOROBENZENE	541-73-1	<1
1,4-DICHLOROBENZENE	106-46-7	<1
DICHLORODIFLUOROMETHANE	75-71-8	<1
1,1-DICHLOROETHANE	75-34-3	<1
1,2-DICHLOROETHANE	107-06-2	<1
1,1-DICHLOROETHENE	75-35-4	<1
cis-1,2-DICHLOROETHENE	156-59-2	<1
trans-1,2-DICHLOROETHENE	156-60-5	<1

  
Laboratory Director

000003

Client: LBG Engineers	Client ID: Rowe Industries (Mid 091800)
Date received: 09/22/00	Laboratory ID: 0014411
Date extracted: NA	Matrix: Liquid
Date analyzed: 09/26/00	Contractor: 11418

### EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
1,2-DICHLOROPROPANE	78-87-5	<1
1,3-DICHLOROPROPANE	142-28-9	<1
2,2-DICHLOROPROPANE	594-20-7	<1
1,1-DICHLOROPROPENE	563-58-6	<1
cis-1,3-DICHLOROPROPENE	10061-01-5	<1
trans-1,3-DICHLOROPROPENE	10061-02-6	<1
ETHYLBENZENE	100-41-4	<1
HEXACHLOROBUTADIENE	87-68-3	<1
ISOPROPYLBENZENE	98-82-8	<1
p-ISOPROPYLTOLUENE	99-87-6	<1
METHYLENE CHLORIDE	75-09-2	<1
NAPHTHALENE	91-20-3	<1
n-PROPYLBENZENE	103-65-1	<1
STYRENE	100-42-5	<1
1,1,1,2-TETRACHLOROETHANE	630-20-6	<1
1,1,2,2-TETRACHLOROETHANE	79-34-5	<1
TETRACHLOROETHENE	127-18-4	<1
TOLUENE	108-88-3	<1
1,2,3-TRICHLOROBENZENE	87-61-6	<1
1,2,4-TRICHLOROBENZENE	120-82-1	<1
1,1,1-TRICHLOROETHANE	71-55-6	<1
1,1,2-TRICHLOROETHANE	79-00-5	<1
TRICHLOROETHENE	79-01-6	<1
TRICHLOROFLUOROMETHANE	75-69-4	<1
1,2,3-TRICHLOROPROPANE	96-18-4	<1
1,2,4-TRIMETHYLBENZENE	95-63-6	<1
1,3,5-TRIMETHYLBENZENE	108-67-8	<1
VINYL CHLORIDE	75-01-4	<1
M+P XYLENES	108-38-3/95-47-6	<2
O-XYLENE	106-42-3	<1

  
 Laboratory Director

000004

Client: LBG Engineers	Client ID: Rowe Industries (Pre 092100)
Date received: 09/22/00	Laboratory ID: 0014412
Date extracted: NA	Matrix: Liquid
Date analyzed: 09/26/00	Contractor: 11418

### EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
BENZENE	71-43-2	<1
BROMOBENZENE	108-86-1	<1
BROMOCHLOROMETHANE	74-97-5	<1
BROMODICHLOROMETHANE	75-27-4	<1
BROMOFORM	75-25-4	<1
BROMOMETHANE	74-83-9	<1
n-BUTYLBENZENE	104-51-8	<1
sec-BUTYLBENZENE	135-98-8	<1
tert-BUTYLBENZENE	98-06-6	<1
CARBON TETRACHLORIDE	56-23-5	<1
CHLOROBENZENE	108-90-7	<1
CHLORODIBROMOMETHANE	124-48-1	<1
CHLOROETHANE	75-00-3	<1
CHLOROFORM	67-66-3	<1
CHLOROMETHANE	74-87-3	<1
2-CHLOROTOLUENE	95-49-8	<1
4-CHLOROTOLUENE	106-43-4	<1
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<1
DIBROMOCHLOROMETHANE	124-48-1	<1
1,2-DIBROMOETHANE	106-93-4	<1
DIBROMOMETHANE	74-95-3	<1
1,2-DICHLOROBENZENE	95-50-1	<1
1,3-DICHLOROBENZENE	541-73-1	<1
1,4-DICHLOROBENZENE	106-46-7	<1
DICHLORODIFLUOROMETHANE	75-71-8	<1
1,1-DICHLOROETHANE	75-34-3	<1
1,2-DICHLOROETHANE	107-06-2	<1
1,1-DICHLOROETHENE	75-35-4	<1
cis-1,2-DICHLOROETHENE	156-59-2	<1
trans-1,2-DICHLOROETHENE	156-60-5	<1

  
 Laboratory Director

000005

Client: LBG Engineers	Client ID: Rowe Industries (Pre 092100)
Date received: 09/22/00	Laboratory ID: 0014412
Date extracted: NA	Matrix: Liquid
Date analyzed: 09/26/00	Contractor: 11418

### EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
1,2-DICHLOROPROPANE	78-87-5	<1
1,3-DICHLOROPROPANE	142-28-9	<1
2,2-DICHLOROPROPANE	594-20-7	<1
1,1-DICHLOROPROPENE	563-58-6	<1
cis-1,3-DICHLOROPROPENE	10061-01-5	<1
trans-1,3-DICHLOROPROPENE	10061-02-6	<1
ETHYLBENZENE	100-41-4	7
HEXACHLOROBUTADIENE	87-68-3	<1
ISOPROPYLBENZENE	98-82-8	<1
p-ISOPROPYLTOLUENE	99-87-6	<1
METHYLENE CHLORIDE	75-09-2	<1
NAPHTHALENE	91-20-3	<1
n-PROPYLBENZENE	103-65-1	<1
STYRENE	100-42-5	<1
1,1,1,2-TETRACHLOROETHANE	630-20-6	<1
1,1,2,2-TETRACHLOROETHANE	79-34-5	<1
TETRACHLOROETHENE	127-18-4	2,300
TOLUENE	108-88-3	<1
1,2,3-TRICHLOROBENZENE	87-61-6	<1
1,2,4-TRICHLOROBENZENE	120-82-1	<1
1,1,1-TRICHLOROETHANE	71-55-6	17
1,1,2-TRICHLOROETHANE	79-00-5	<1
TRICHLOROETHENE	79-01-6	4
TRICHLOROFLUOROMETHANE	75-69-4	<1
1,2,3-TRICHLOROPROPANE	96-18-4	<1
1,2,4-TRIMETHYLBENZENE	95-63-6	8
1,3,5-TRIMETHYLBENZENE	108-67-8	12
VINYL CHLORIDE	75-01-4	<1
M+P XYLENES	108-38-3/95-47-6	<2
O-XYLENE	106-42-3	<1

  
Laboratory Director

000006

Client: LBG Engineers	Client ID: Rowe Industries (Mid 092100)
Date received: 09/22/00	Laboratory ID: 0014413
Date extracted: NA	Matrix: Liquid
Date analyzed: 09/26/00	Contractor: 11418

### EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
BENZENE	71-43-2	<1
BROMOBENZENE	108-86-1	<1
BROMOCHLOROMETHANE	74-97-5	<1
BROMODICHLOROMETHANE	75-27-4	<1
BROMOFORM	75-25-4	<1
BROMOMETHANE	74-83-9	<1
n-BUTYLBENZENE	104-51-8	<1
sec-BUTYLBENZENE	135-98-8	<1
tert-BUTYLBENZENE	98-06-6	<1
CARBON TETRACHLORIDE	56-23-5	<1
CHLOROBENZENE	108-90-7	<1
CHLORODIBROMOMETHANE	124-48-1	<1
CHLOROETHANE	75-00-3	<1
CHLOROFORM	67-66-3	<1
CHLOROMETHANE	74-87-3	<1
2-CHLOROTOLUENE	95-49-8	<1
4-CHLOROTOLUENE	106-43-4	<1
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<1
DIBROMOCHLOROMETHANE	124-48-1	<1
1,2-DIBROMOETHANE	106-93-4	<1
DIBROMOMETHANE	74-95-3	<1
1,2-DICHLOROBENZENE	95-50-1	<1
1,3-DICHLOROBENZENE	541-73-1	<1
1,4-DICHLOROBENZENE	106-46-7	<1
DICHLORODIFLUOROMETHANE	75-71-8	<1
1,1-DICHLOROETHANE	75-34-3	<1
1,2-DICHLOROETHANE	107-06-2	<1
1,1-DICHLOROETHENE	75-35-4	<1
cis-1,2-DICHLOROETHENE	156-59-2	<1
trans-1,2-DICHLOROETHENE	156-60-5	<1

  
Laboratory Director

000007

Client: LBG Engineers	Client ID: Rowe Industries (Mid 092100)
Date received: 09/22/00	Laboratory ID: 0014413
Date extracted: NA	Matrix: Liquid
Date analyzed: 09/26/00	Contractor: 11418

## EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
1,2-DICHLOROPROPANE	78-87-5	<1
1,3-DICHLOROPROPANE	142-28-9	<1
2,2-DICHLOROPROPANE	594-20-7	<1
1,1-DICHLOROPROPENE	563-58-6	<1
cis-1,3-DICHLOROPROPENE	10061-01-5	<1
trans-1,3-DICHLOROPROPENE	10061-02-6	<1
ETHYLBENZENE	100-41-4	<1
HEXACHLOROBUTADIENE	87-68-3	<1
ISOPROPYLBENZENE	98-82-8	<1
p-ISOPROPYLTOLUENE	99-87-6	<1
METHYLENE CHLORIDE	75-09-2	<1
NAPHTHALENE	91-20-3	<1
n-PROPYLBENZENE	103-65-1	<1
STYRENE	100-42-5	<1
1,1,1,2-TETRACHLOROETHANE	630-20-6	<1
1,1,2,2-TETRACHLOROETHANE	79-34-5	<1
TETRACHLOROETHENE	127-18-4	<1
TOLUENE	108-88-3	<1
1,2,3-TRICHLOROBENZENE	87-61-6	<1
1,2,4-TRICHLOROBENZENE	120-82-1	<1
1,1,1-TRICHLOROETHANE	71-55-6	<1
1,1,2-TRICHLOROETHANE	79-00-5	<1
TRICHLOROETHENE	79-01-6	<1
TRICHLOROFLUOROMETHANE	75-69-4	<1
1,2,3-TRICHLOROPROPANE	96-18-4	<1
1,2,4-TRIMETHYLBENZENE	95-63-6	<1
1,3,5-TRIMETHYLBENZENE	108-67-8	<1
VINYL CHLORIDE	75-01-4	<1
M+P XYLENES	108-38-3/95-47-6	<2
O-XYLENE	106-42-3	<1

  
 Laboratory Director

000008

## CHAIN OF CUSTODY / REQUEST FOR ANALYSIS DOCUMENT

CLIENT NAME/ADDRESS <b>L B G</b> 126 Monroe Turnpike Trumbull Ct. 06611				CONTACT: <b>PAUL JOBMAN</b>		SAMPLER (SIGNATURE) <i>James M. Forrester</i>		DATE 9/21/00		TIME 12:45		SAMPLE(S) SEALED YES / NO							
PROJECT LOCATION: <b>Rowe Industries</b>				SAMPLER NAME (PRINT) <b>James Forrester</b>		CORRECT CONTAINER(S) YES / NO		ANALYSIS REQUIRED <b>SOILS</b>											
LABORATORY ID #				MATRIX		TYPE							PRES.		SAMPLE # - LOCATION		P.O.#		
9/1/00				L		G		HCL		pre 91800		X 0014410							
				L		G		HCL		mid 91900		X 0014411							
9/2/00				L		G		HCL		pre 92100		X 0014412 (1 bottle broken)							
				L		G		HCL		mid 92100		X 0014413							
				L		G		HCL		post 92100		X 0014414							
*only run post 92100 if mid 92100 contains detectable concentrations.																			
MATRIX S=SOIL; L=LIQUID; SL=SLUDGE; A=AIR; W=WIPE; P=PAINT CHIPS; B=BULK MATERIAL						TURNAROUND REQUIRED:						COMMENTS / INSTRUCTIONS							
TYPE G=GRAB; C=COMPOSITE, SS=SPLIT SPOON						NORMAL <input checked="" type="checkbox"/> STAT <input type="checkbox"/> BY 1 1													
RELINQUISHED BY (SIGNATURE) <i>James M. Forrester</i>				DATE 9/21/00 TIME 12:45		PRINTED NAME <b>J. Forrester</b>				RECEIVED BY LAB (SIGNATURE) <i>Karen Kelly</i>				DATE 9/21/00 TIME 10:00		PRINTED NAME <b>KAREN KELLY</b>			
RELINQUISHED BY (SIGNATURE)				DATE TIME		PRINTED NAME				RECEIVED BY LAB (SIGNATURE)				DATE TIME		PRINTED NAME			



NYSDOH  
AIHA  
CTDOH

ELAP  
PAT, LPAT  
PH-0205

11418  
102391

October 03, 2000

Paul Jobmann  
LBG Engineers  
126 Monroe Turnpike  
Trumbull, CT 06611

**Re: Rowe Industries**

Dear Mr. Jobmann;

Enclosed please find the Laboratory Analysis Report(s) for sample(s) received on September 29, 2000. American Analytical Laboratories analyzed the samples through September 30, 2000 for the following;

CLIENT ID	ANALYSIS
Pre 92500	EPA 8021
Mid 92500	EPA 8021
Pre 92800	EPA 8021
Mid 92800	EPA 8021

This report consists of 8 pages of analytical results.

If you have any questions or require further information, please call at your convenience. American Analytical Laboratories would like to thank you for the opportunity to be of service to you.

Best Regards,

*American Analytical Laboratories, Inc.*

Client: LBG Engineers	Client ID: Rowe Industries (Pre 92500)
Date received: 09/29/00	Laboratory ID: 0014533
Date extracted: NA	Matrix: Liquid
Date analyzed: 09/30/00	Contractor: 11418

### EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
BENZENE	71-43-2	<1
BROMOBENZENE	108-86-1	<1
BROMOCHLOROMETHANE	74-97-5	<1
BROMODICHLOROMETHANE	75-27-4	<1
BROMOFORM	75-25-4	<1
BROMOMETHANE	74-83-9	<1
n-BUTYLBENZENE	104-51-8	<1
sec-BUTYLBENZENE	135-98-8	<1
tert-BUTYLBENZENE	98-06-6	<1
CARBON TETRACHLORIDE	56-23-5	<1
CHLOROBENZENE	108-90-7	<1
CHLORODIBROMOMETHANE	124-48-1	<1
CHLOROETHANE	75-00-3	<1
CHLOROFORM	67-66-3	<1
CHLOROMETHANE	74-87-3	<1
2-CHLOROTOLUENE	95-49-8	<1
4-CHLOROTOLUENE	106-43-4	<1
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<1
DIBROMOCHLOROMETHANE	124-48-1	<1
1,2-DIBROMOETHANE	106-93-4	<1
DIBROMOMETHANE	74-95-3	<1
1,2-DICHLOROBENZENE	95-50-1	<1
1,3-DICHLOROBENZENE	541-73-1	<1
1,4-DICHLOROBENZENE	106-46-7	<1
DICHLORODIFLUOROMETHANE	75-71-8	<1
1,1-DICHLOROETHANE	75-34-3	<1
1,2-DICHLOROETHANE	107-06-2	<1
1,1-DICHLOROETHENE	75-35-4	<1
cis-1,2-DICHLOROETHENE	156-59-2	<1
trans-1,2-DICHLOROETHENE	156-60-5	<1

*John Berry*

Laboratory Director

000001

Client: LBG Engineers	Client ID: Rowe Industries (Pre 92500)
Date received: 09/29/00	Laboratory ID: 0014533
Date extracted: NA	Matrix: Liquid
Date analyzed: 09/30/00	Contractor: 11418

### EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
1,2-DICHLOROPROPANE	78-87-5	<1
1,3-DICHLOROPROPANE	142-28-9	<1
2,2-DICHLOROPROPANE	594-20-7	<1
1,1-DICHLOROPROPENE	563-58-6	<1
cis-1,3-DICHLOROPROPENE	10061-01-5	<1
trans-1,3-DICHLOROPROPENE	10061-02-6	<1
ETHYLBENZENE	100-41-4	<1
HEXACHLOROBUTADIENE	87-68-3	<1
ISOPROPYLBENZENE	98-82-8	2
p-ISOPROPYLTOLUENE	99-87-6	<1
METHYLENE CHLORIDE	75-09-2	<1
NAPHTHALENE	91-20-3	<1
n-PROPYLBENZENE	103-65-1	<1
STYRENE	100-42-5	<1
1,1,1,2-TETRACHLOROETHANE	630-20-6	<1
1,1,2,2-TETRACHLOROETHANE	79-34-5	<1
TETRACHLOROETHENE	127-18-4	410
TOLUENE	108-88-3	<1
1,2,3-TRICHLOROBENZENE	87-61-6	<1
1,2,4-TRICHLOROBENZENE	120-82-1	<1
1,1,1-TRICHLOROETHANE	71-55-6	<1
1,1,2-TRICHLOROETHANE	79-00-5	<1
TRICHLOROETHENE	79-01-6	2
TRICHLOROFLUOROMETHANE	75-69-4	<1
1,2,3-TRICHLOROPROPANE	96-18-4	<1
1,2,4-TRIMETHYLBENZENE	95-63-6	1
1,3,5-TRIMETHYLBENZENE	108-67-8	3
VINYL CHLORIDE	75-01-4	<1
M+P XYLENES	108-38-3/95-47-6	2
O-XYLENE	106-42-3	12

*John Bear*

Laboratory Director

000002

Client: LBG Engineers	Client ID: Rowe Industries (Mid 92500)
Date received: 09/29/00	Laboratory ID: 0014534
Date extracted: NA	Matrix: Liquid
Date analyzed: 09/30/00	Contractor: 11418

### EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
BENZENE	71-43-2	<1
BROMOBENZENE	108-86-1	<1
BROMOCHLOROMETHANE	74-97-5	<1
BROMODICHLOROMETHANE	75-27-4	<1
BROMOFORM	75-25-4	<1
BROMOMETHANE	74-83-9	<1
n-BUTYLBENZENE	104-51-8	<1
sec-BUTYLBENZENE	135-98-8	<1
tert-BUTYLBENZENE	98-06-6	<1
CARBON TETRACHLORIDE	56-23-5	<1
CHLOROBENZENE	108-90-7	<1
CHLORODIBROMOMETHANE	124-48-1	<1
CHLOROETHANE	75-00-3	<1
CHLOROFORM	67-66-3	<1
CHLOROMETHANE	74-87-3	<1
2-CHLOROTOLUENE	95-49-8	<1
4-CHLOROTOLUENE	106-43-4	<1
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<1
DIBROMOCHLOROMETHANE	124-48-1	<1
1,2-DIBROMOETHANE	106-93-4	<1
DIBROMOMETHANE	74-95-3	<1
1,2-DICHLOROBENZENE	95-50-1	<1
1,3-DICHLOROBENZENE	541-73-1	<1
1,4-DICHLOROBENZENE	106-46-7	<1
DICHLORODIFLUOROMETHANE	75-71-8	<1
1,1-DICHLOROETHANE	75-34-3	<1
1,2-DICHLOROETHANE	107-06-2	<1
1,1-DICHLOROETHENE	75-35-4	<1
cis-1,2-DICHLOROETHENE	156-59-2	<1
trans-1,2-DICHLOROETHENE	156-60-5	<1

*John Bay*

Laboratory Director

000003

Client: LBG Engineers	Client ID: Rowe Industries (Mid 92500)
Date received: 09/29/00	Laboratory ID: 0014534
Date extracted: NA	Matrix: Liquid
Date analyzed: 09/30/00	Contractor: 11418

### EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
1,2-DICHLOROPROPANE	78-87-5	<1
1,3-DICHLOROPROPANE	142-28-9	<1
2,2-DICHLOROPROPANE	594-20-7	<1
1,1-DICHLOROPROPENE	563-58-6	<1
cis-1,3-DICHLOROPROPENE	10061-01-5	<1
trans-1,3-DICHLOROPROPENE	10061-02-6	<1
ETHYLBENZENE	100-41-4	<1
HEXACHLOROBUTADIENE	87-68-3	<1
ISOPROPYLBENZENE	98-82-8	<1
p-ISOPROPYLTOLUENE	99-87-6	<1
METHYLENE CHLORIDE	75-09-2	<1
NAPHTHALENE	91-20-3	<1
n-PROPYLBENZENE	103-65-1	<1
STYRENE	100-42-5	<1
1,1,1,2-TETRACHLOROETHANE	630-20-6	<1
1,1,2,2-TETRACHLOROETHANE	79-34-5	<1
TETRACHLOROETHENE	127-18-4	<1
TOLUENE	108-88-3	<1
1,2,3-TRICHLOROBENZENE	87-61-6	<1
1,2,4-TRICHLOROBENZENE	120-82-1	<1
1,1,1-TRICHLOROETHANE	71-55-6	<1
1,1,2-TRICHLOROETHANE	79-00-5	<1
TRICHLOROETHENE	79-01-6	<1
TRICHLOROFLUOROMETHANE	75-69-4	<1
1,2,3-TRICHLOROPROPANE	96-18-4	<1
1,2,4-TRIMETHYLBENZENE	95-63-6	<1
1,3,5-TRIMETHYLBENZENE	108-67-8	<1
VINYL CHLORIDE	75-01-4	<1
M+P XYLENES	108-38-3/95-47-6	<2
O-XYLENE	106-42-3	<1

  
Laboratory Director

000004

Client: LBG Engineers	Client ID: Rowe Industries (Pre 92800)
Date received: 09/29/00	Laboratory ID: 0014535
Date extracted: NA	Matrix: Liquid
Date analyzed: 09/30/00	Contractor: 11418

### EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
BENZENE	71-43-2	<1
BROMOBENZENE	108-86-1	<1
BROMOCHLOROMETHANE	74-97-5	<1
BROMODICHLOROMETHANE	75-27-4	<1
BROMOFORM	75-25-4	<1
BROMOMETHANE	74-83-9	<1
n-BUTYLBENZENE	104-51-8	<1
sec-BUTYLBENZENE	135-98-8	<1
tert-BUTYLBENZENE	98-06-6	<1
CARBON TETRACHLORIDE	56-23-5	<1
CHLOROBENZENE	108-90-7	<1
CHLORODIBROMOMETHANE	124-48-1	<1
CHLOROETHANE	75-00-3	<1
CHLOROFORM	67-66-3	<1
CHLOROMETHANE	74-87-3	<1
2-CHLOROTOLUENE	95-49-8	<1
4-CHLOROTOLUENE	106-43-4	<1
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<1
DIBROMOCHLOROMETHANE	124-48-1	<1
1,2-DIBROMOETHANE	106-93-4	<1
DIBROMOMETHANE	74-95-3	<1
1,2-DICHLOROBENZENE	95-50-1	<1
1,3-DICHLOROBENZENE	541-73-1	<1
1,4-DICHLOROBENZENE	106-46-7	<1
DICHLORODIFLUOROMETHANE	75-71-8	<1
1,1-DICHLOROETHANE	75-34-3	<1
1,2-DICHLOROETHANE	107-06-2	<1
1,1-DICHLOROETHENE	75-35-4	<1
cis-1,2-DICHLOROETHENE	156-59-2	<1
trans-1,2-DICHLOROETHENE	156-60-5	<1

  
 Laboratory Director

000005

Client: LBG Engineers	Client ID: Rowe Industries (Pre 92800)
Date received: 09/29/00	Laboratory ID: 0014535
Date extracted: NA	Matrix: Liquid
Date analyzed: 09/30/00	Contractor: 11418

### EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
1,2-DICHLOROPROPANE	78-87-5	<1
1,3-DICHLOROPROPANE	142-28-9	<1
2,2-DICHLOROPROPANE	594-20-7	<1
1,1-DICHLOROPROPENE	563-58-6	<1
cis-1,3-DICHLOROPROPENE	10061-01-5	<1
trans-1,3-DICHLOROPROPENE	10061-02-6	<1
ETHYLBENZENE	100-41-4	<1
HEXACHLOROBUTADIENE	87-68-3	<1
ISOPROPYLBENZENE	98-82-8	2
p-ISOPROPYLTOLUENE	99-87-6	<1
METHYLENE CHLORIDE	75-09-2	<1
NAPHTHALENE	91-20-3	<1
n-PROPYLBENZENE	103-65-1	<1
STYRENE	100-42-5	<1
1,1,1,2-TETRACHLOROETHANE	630-20-6	<1
1,1,2,2-TETRACHLOROETHANE	79-34-5	<1
TETRACHLOROETHENE	127-18-4	470
TOLUENE	108-88-3	<1
1,2,3-TRICHLOROBENZENE	87-61-6	<1
1,2,4-TRICHLOROBENZENE	120-82-1	<1
1,1,1-TRICHLOROETHANE	71-55-6	<1
1,1,2-TRICHLOROETHANE	79-00-5	<1
TRICHLOROETHENE	79-01-6	1
TRICHLOROFLUOROMETHANE	75-69-4	<1
1,2,3-TRICHLOROPROPANE	96-18-4	<1
1,2,4-TRIMETHYLBENZENE	95-63-6	2
1,3,5-TRIMETHYLBENZENE	108-67-8	3
VINYL CHLORIDE	75-01-4	<1
M+P XYLENES	108-38-3/95-47-6	2
O-XYLENE	106-42-3	14

*La Ber*

Laboratory Director

000006

Client: LBG Engineers	Client ID: Rowe Industries (Mid 92800)
Date received: 09/29/00	Laboratory ID: 0014536
Date extracted: NA	Matrix: Liquid
Date analyzed: 09/30/00	Contractor: 11418

### EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
BENZENE	71-43-2	<1
BROMOBENZENE	108-86-1	<1
BROMOCHLOROMETHANE	74-97-5	<1
BROMODICHLOROMETHANE	75-27-4	<1
BROMOFORM	75-25-4	<1
BROMOMETHANE	74-83-9	<1
n-BUTYLBENZENE	104-51-8	<1
sec-BUTYLBENZENE	135-98-8	<1
tert-BUTYLBENZENE	98-06-6	<1
CARBON TETRACHLORIDE	56-23-5	<1
CHLOROBENZENE	108-90-7	<1
CHLORODIBROMOMETHANE	124-48-1	<1
CHLOROETHANE	75-00-3	<1
CHLOROFORM	67-66-3	<1
CHLOROMETHANE	74-87-3	<1
2-CHLOROTOLUENE	95-49-8	<1
4-CHLOROTOLUENE	106-43-4	<1
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<1
DIBROMOCHLOROMETHANE	124-48-1	<1
1,2-DIBROMOETHANE	106-93-4	<1
DIBROMOMETHANE	74-95-3	<1
1,2-DICHLOROBENZENE	95-50-1	<1
1,3-DICHLOROBENZENE	541-73-1	<1
1,4-DICHLOROBENZENE	106-46-7	<1
DICHLORODIFLUOROMETHANE	75-71-8	<1
1,1-DICHLOROETHANE	75-34-3	<1
1,2-DICHLOROETHANE	107-06-2	<1
1,1-DICHLOROETHENE	75-35-4	<1
cis-1,2-DICHLOROETHENE	156-59-2	<1
trans-1,2-DICHLOROETHENE	156-60-5	<1

*La Ber*

Laboratory Director

000007

Client: LBG Engineers	Client ID: Rowe Industries (Mid 92800)
Date received: 09/29/00	Laboratory ID: 0014536
Date extracted: NA	Matrix: Liquid
Date analyzed: 09/30/00	Contractor: 11418

### EPA METHOD 8021


PARAMETER	CAS No.	RESULTS ug/L
1,2-DICHLOROPROPANE	78-87-5	<1
1,3-DICHLOROPROPANE	142-28-9	<1
2,2-DICHLOROPROPANE	594-20-7	<1
1,1-DICHLOROPROPENE	563-58-6	<1
cis-1,3-DICHLOROPROPENE	10061-01-5	<1
trans-1,3-DICHLOROPROPENE	10061-02-6	<1
ETHYLBENZENE	100-41-4	<1
HEXACHLOROBUTADIENE	87-68-3	<1
ISOPROPYLBENZENE	98-82-8	<1
p-ISOPROPYLTOLUENE	99-87-6	<1
METHYLENE CHLORIDE	75-09-2	<1
NAPHTHALENE	91-20-3	<1
n-PROPYLBENZENE	103-65-1	<1
STYRENE	100-42-5	<1
1,1,1,2-TETRACHLOROETHANE	630-20-6	<1
1,1,2,2-TETRACHLOROETHANE	79-34-5	<1
TETRACHLOROETHENE	127-18-4	<1
TOLUENE	108-88-3	<1
1,2,3-TRICHLOROBENZENE	87-61-6	<1
1,2,4-TRICHLOROBENZENE	120-82-1	<1
1,1,1-TRICHLOROETHANE	71-55-6	<1
1,1,2-TRICHLOROETHANE	79-00-5	<1
TRICHLOROETHENE	79-01-6	<1
TRICHLOROFLUOROMETHANE	75-69-4	<1
1,2,3-TRICHLOROPROPANE	96-18-4	<1
1,2,4-TRIMETHYLBENZENE	95-63-6	<1
1,3,5-TRIMETHYLBENZENE	108-67-8	<1
VINYL CHLORIDE	75-01-4	<1
M+P XYLENES	108-38-3/95-47-6	<2
O-XYLENE	106-42-3	<1

*John Bels*

Laboratory Director

000008

## CHAIN OF CUSTODY / REQUEST FOR ANALYSIS DOCUMENT



CLIENT NAME/ADDRESS <b>LBG</b> <b>126 Monroe Turnpike</b> <b>Trumbull, Ct. 06611</b>	CONTACT: <b>Paul Jobman</b>	SAMPLER (SIGNATURE) 	DATE	TIME	SAMPLE(S) SEALED YES / NO
			SAMPLER NAME (PRINT) <b>J. Forrester</b>	CORRECT CONTAINER(S) YES / NO	

PROJECT LOCATION:  
**Rowe Industries**

ANALYSIS REQUIRED	<div style="border: 1px solid black; padding: 5px; transform: rotate(-45deg); display: inline-block;">                         8021B                     </div>
-------------------	---

LABORATORY ID #	MATRIX	TYPE	PRES.	SAMPLE # - LOCATION						P.O.#
9/25/00	L G	HL	HL	Pre 92500	X					0014523
				Mid 92500	X					534
9/28/00	L G	HL	HL	Pre 92800	X					0014535
				Mid 92800	X					536
				<del>Post 92800</del>	<del>X</del>					(couldn't obtain sample.)
* only run post 92800 if mid 92800 contains detectable concentration.										

<b>MATRIX</b> S=SOIL; L=LIQUID; SL=SLUDGE; A=AIR; W=WIPE; P=PAINT CHIPS; B=BULK MATERIAL <b>TYPE</b> G=GRAB; C=COMPOSITE, SS=SPLIT SPOON	<b>TURNAROUND REQUIRED:</b> NORMAL <input checked="" type="checkbox"/> STAT <input type="checkbox"/> BY 1/1	<b>COMMENTS / INSTRUCTIONS</b>
---	--	--------------------------------

RELINQUISHED BY (SIGNATURE)	DATE	PRINTED NAME	RECEIVED BY LAB (SIGNATURE)	DATE	PRINTED NAME
	9/28/00	J. Forrester			
RELINQUISHED BY (SIGNATURE)	DATE	PRINTED NAME	RECEIVED BY LAB (SIGNATURE)	DATE	PRINTED NAME
				9/29/00	J. Forrester



NYSDOH  
AIHA  
CTDOH

ELAP  
PAT, LPAT  
PH-0205

11418  
102391

October 10, 2000

Paul Jobmann  
LBG Engineers  
126 Monroe Turnpike  
Trumbull, CT 06611

**Re: Rowe Industries**

Dear Mr. Jobmann;

Enclosed please find the Laboratory Analysis Report(s) for sample(s) received on October 06, 2000. American Analytical Laboratories analyzed the samples through October 06, 2000 for the following;

CLIENT ID	ANALYSIS
Pre 100200	EPA 8021
Mid 100200	EPA 8021
Pre 100500	EPA 8021
Mid 100500	EPA 8021

This report consists of 8 pages of analytical results.

If you have any questions or require further information, please call at your convenience. American Analytical Laboratories would like to thank you for the opportunity to be of service to you.

Best Regards,

*American Analytical Laboratories, Inc.*

Client: LBG Engineers	Client ID: Rowe Industries (Pre 100200)
Date received: 10/06/00	Laboratory ID: 0014600
Date extracted: NA	Matrix: Liquid
Date analyzed: 10/06/00	Contractor: 11418

### EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
BENZENE	71-43-2	<1
BROMOBENZENE	108-86-1	<1
BROMOCHLOROMETHANE	74-97-5	<1
BROMODICHLOROMETHANE	75-27-4	<1
BROMOFORM	75-25-4	<1
BROMOMETHANE	74-83-9	<1
n-BUTYLBENZENE	104-51-8	<1
sec-BUTYLBENZENE	135-98-8	<1
tert-BUTYLBENZENE	98-06-6	<1
CARBON TETRACHLORIDE	56-23-5	<1
CHLOROBENZENE	108-90-7	<1
CHLORODIBROMOMETHANE	124-48-1	<1
CHLOROETHANE	75-00-3	<1
CHLOROFORM	67-66-3	<1
CHLOROMETHANE	74-87-3	<1
2-CHLOROTOLUENE	95-49-8	<1
4-CHLOROTOLUENE	106-43-4	<1
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<1
DIBROMOCHLOROMETHANE	124-48-1	<1
1,2-DIBROMOETHANE	106-93-4	<1
DIBROMOMETHANE	74-95-3	<1
1,2-DICHLOROBENZENE	95-50-1	<1
1,3-DICHLOROBENZENE	541-73-1	<1
1,4-DICHLOROBENZENE	106-46-7	<1
DICHLORODIFLUOROMETHANE	75-71-8	<1
1,1-DICHLOROETHANE	75-34-3	<1
1,2-DICHLOROETHANE	107-06-2	<1
1,1-DICHLOROETHENE	75-35-4	<1
cis-1,2-DICHLOROETHENE	156-59-2	<1
trans-1,2-DICHLOROETHENE	156-60-5	<1

  
Laboratory Director

000001

Client: LBG Engineers	Client ID: Rowe Industries (Pre 100200)
Date received: 10/06/00	Laboratory ID: 0014600
Date extracted: NA	Matrix: Liquid
Date analyzed: 10/06/00	Contractor: 11418

### EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
1,2-DICHLOROPROPANE	78-87-5	<1
1,3-DICHLOROPROPANE	142-28-9	<1
2,2-DICHLOROPROPANE	594-20-7	<1
1,1-DICHLOROPROPENE	563-58-6	<1
cis-1,3-DICHLOROPROPENE	10061-01-5	<1
trans-1,3-DICHLOROPROPENE	10061-02-6	<1
ETHYLBENZENE	100-41-4	1
HEXACHLOROBUTADIENE	87-68-3	<1
ISOPROPYLBENZENE	98-82-8	4
p-ISOPROPYLTOLUENE	99-87-6	<1
METHYLENE CHLORIDE	75-09-2	<1
NAPHTHALENE	91-20-3	<1
n-PROPYLBENZENE	103-65-1	<1
STYRENE	100-42-5	<1
1,1,1,2-TETRACHLOROETHANE	630-20-6	<1
1,1,2,2-TETRACHLOROETHANE	79-34-5	<1
TETRACHLOROETHENE	127-18-4	650
TOLUENE	108-88-3	<1
1,2,3-TRICHLOROBENZENE	87-61-6	<1
1,2,4-TRICHLOROBENZENE	120-82-1	<1
1,1,1-TRICHLOROETHANE	71-55-6	<1
1,1,2-TRICHLOROETHANE	79-00-5	<1
TRICHLOROETHENE	79-01-6	<1
TRICHLOROFLUOROMETHANE	75-69-4	<1
1,2,3-TRICHLOROPROPANE	96-18-4	<1
1,2,4-TRIMETHYLBENZENE	95-63-6	2
1,3,5-TRIMETHYLBENZENE	108-67-8	5
VINYL CHLORIDE	75-01-4	<1
M+P XYLENES	108-38-3/95-47-6	4
O-XYLENE	106-42-3	16

*J. Beyer*  
Laboratory Director

000002

Client: LBG Engineers	Client ID: Rowe Industries (Mid 100200)
Date received: 10/06/00	Laboratory ID: 0014601
Date extracted: NA	Matrix: Liquid
Date analyzed: 10/06/00	Contractor: 11418

### EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
BENZENE	71-43-2	<1
BROMOBENZENE	108-86-1	<1
BROMOCHLOROMETHANE	74-97-5	<1
BROMODICHLOROMETHANE	75-27-4	<1
BROMOFORM	75-25-4	<1
BROMOMETHANE	74-83-9	<1
n-BUTYLBENZENE	104-51-8	<1
sec-BUTYLBENZENE	135-98-8	<1
tert-BUTYLBENZENE	98-06-6	<1
CARBON TETRACHLORIDE	56-23-5	<1
CHLOROBENZENE	108-90-7	<1
CHLORODIBROMOMETHANE	124-48-1	<1
CHLOROETHANE	75-00-3	<1
CHLOROFORM	67-66-3	<1
CHLOROMETHANE	74-87-3	<1
2-CHLOROTOLUENE	95-49-8	<1
4-CHLOROTOLUENE	106-43-4	<1
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<1
DIBROMOCHLOROMETHANE	124-48-1	<1
1,2-DIBROMOETHANE	106-93-4	<1
DIBROMOMETHANE	74-95-3	<1
1,2-DICHLOROBENZENE	95-50-1	<1
1,3-DICHLOROBENZENE	541-73-1	<1
1,4-DICHLOROBENZENE	106-46-7	<1
DICHLORODIFLUOROMETHANE	75-71-8	<1
1,1-DICHLOROETHANE	75-34-3	<1
1,2-DICHLOROETHANE	107-06-2	<1
1,1-DICHLOROETHENE	75-35-4	<1
cis-1,2-DICHLOROETHENE	156-59-2	<1
trans-1,2-DICHLOROETHENE	156-60-5	<1

  
 Laboratory Director

000003

Client: LBG Engineers	Client ID: Rowe Industries (Mid 100200)
Date received: 10/06/00	Laboratory ID: 0014601
Date extracted: NA	Matrix: Liquid
Date analyzed: 10/06/00	Contractor: 11418

### EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
1,2-DICHLOROPROPANE	78-87-5	<1
1,3-DICHLOROPROPANE	142-28-9	<1
2,2-DICHLOROPROPANE	594-20-7	<1
1,1-DICHLOROPROPENE	563-58-6	<1
cis-1,3-DICHLOROPROPENE	10061-01-5	<1
trans-1,3-DICHLOROPROPENE	10061-02-6	<1
ETHYLBENZENE	100-41-4	<1
HEXACHLOROBUTADIENE	87-68-3	<1
ISOPROPYLBENZENE	98-82-8	<1
p-ISOPROPYLTOLUENE	99-87-6	<1
METHYLENE CHLORIDE	75-09-2	<1
NAPHTHALENE	91-20-3	<1
n-PROPYLBENZENE	103-65-1	<1
STYRENE	100-42-5	<1
1,1,1,2-TETRACHLOROETHANE	630-20-6	<1
1,1,2,2-TETRACHLOROETHANE	79-34-5	<1
TETRACHLOROETHENE	127-18-4	<1
TOLUENE	108-88-3	<1
1,2,3-TRICHLOROBENZENE	87-61-6	<1
1,2,4-TRICHLOROBENZENE	120-82-1	<1
1,1,1-TRICHLOROETHANE	71-55-6	<1
1,1,2-TRICHLOROETHANE	79-00-5	<1
TRICHLOROETHENE	79-01-6	<1
TRICHLOROFLUOROMETHANE	75-69-4	<1
1,2,3-TRICHLOROPROPANE	96-18-4	<1
1,2,4-TRIMETHYLBENZENE	95-63-6	<1
1,3,5-TRIMETHYLBENZENE	108-67-8	<1
VINYL CHLORIDE	75-01-4	<1
M+P XYLENES	108-38-3/95-47-6	<2
O-XYLENE	106-42-3	<1

  
 Laboratory Director

000004

Client: LBG Engineers	Client ID: Rowe Industries (Pre 100500)
Date received: 10/06/00	Laboratory ID: 0014602
Date extracted: NA	Matrix: Liquid
Date analyzed: 10/06/00	Contractor: 11418

### EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
BENZENE	71-43-2	<1
BROMOBENZENE	108-86-1	<1
BROMOCHLOROMETHANE	74-97-5	<1
BROMODICHLOROMETHANE	75-27-4	<1
BROMOFORM	75-25-4	<1
BROMOMETHANE	74-83-9	<1
n-BUTYLBENZENE	104-51-8	<1
sec-BUTYLBENZENE	135-98-8	<1
tert-BUTYLBENZENE	98-06-6	<1
CARBON TETRACHLORIDE	56-23-5	<1
CHLOROBENZENE	108-90-7	<1
CHLORODIBROMOMETHANE	124-48-1	<1
CHLOROETHANE	75-00-3	<1
CHLOROFORM	67-66-3	<1
CHLOROMETHANE	74-87-3	<1
2-CHLOROTOLUENE	95-49-8	<1
4-CHLOROTOLUENE	106-43-4	<1
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<1
DIBROMOCHLOROMETHANE	124-48-1	<1
1,2-DIBROMOETHANE	106-93-4	<1
DIBROMOMETHANE	74-95-3	<1
1,2-DICHLOROBENZENE	95-50-1	<1
1,3-DICHLOROBENZENE	541-73-1	<1
1,4-DICHLOROBENZENE	106-46-7	<1
DICHLORODIFLUOROMETHANE	75-71-8	<1
1,1-DICHLOROETHANE	75-34-3	<1
1,2-DICHLOROETHANE	107-06-2	<1
1,1-DICHLOROETHENE	75-35-4	<1
cis-1,2-DICHLOROETHENE	156-59-2	<1
trans-1,2-DICHLOROETHENE	156-60-5	<1

*Jon Beyer*  
Laboratory Director

000005

Client: LBG Engineers	Client ID: Rowe Industries (Pre 100500)
Date received: 10/06/00	Laboratory ID: 0014602
Date extracted: NA	Matrix: Liquid
Date analyzed: 10/06/00	Contractor: 11418

### EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
1,2-DICHLOROPROPANE	78-87-5	<1
1,3-DICHLOROPROPANE	142-28-9	<1
2,2-DICHLOROPROPANE	594-20-7	<1
1,1-DICHLOROPROPENE	563-58-6	<1
cis-1,3-DICHLOROPROPENE	10061-01-5	<1
trans-1,3-DICHLOROPROPENE	10061-02-6	<1
ETHYLBENZENE	100-41-4	2
HEXACHLOROBUTADIENE	87-68-3	<1
ISOPROPYLBENZENE	98-82-8	6
p-ISOPROPYLTOLUENE	99-87-6	<1
METHYLENE CHLORIDE	75-09-2	<1
NAPHTHALENE	91-20-3	<1
n-PROPYLBENZENE	103-65-1	1
STYRENE	100-42-5	<1
1,1,1,2-TETRACHLOROETHANE	630-20-6	<1
1,1,2,2-TETRACHLOROETHANE	79-34-5	<1
TETRACHLOROETHENE	127-18-4	960
TOLUENE	108-88-3	<1
1,2,3-TRICHLOROBENZENE	87-61-6	<1
1,2,4-TRICHLOROBENZENE	120-82-1	<1
1,1,1-TRICHLOROETHANE	71-55-6	<1
1,1,2-TRICHLOROETHANE	79-00-5	<1
TRICHLOROETHENE	79-01-6	<1
TRICHLOROFLUOROMETHANE	75-69-4	<1
1,2,3-TRICHLOROPROPANE	96-18-4	<1
1,2,4-TRIMETHYLBENZENE	95-63-6	<1
1,3,5-TRIMETHYLBENZENE	108-67-8	<1
VINYL CHLORIDE	75-01-4	<1
M+P XYLENES	108-38-3/95-47-6	6
O-XYLENE	106-42-3	23

  
 Laboratory Director

000006

Client: LBG Engineers	Client ID: Rowe Industries (Mid 100500)
Date received: 10/06/00	Laboratory ID: 0014603
Date extracted: NA	Matrix: Liquid
Date analyzed: 10/06/00	Contractor: 11418

### EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
BENZENE	71-43-2	<1
BROMOBENZENE	108-86-1	<1
BROMOCHLOROMETHANE	74-97-5	<1
BROMODICHLOROMETHANE	75-27-4	<1
BROMOFORM	75-25-4	<1
BROMOMETHANE	74-83-9	<1
n-BUTYLBENZENE	104-51-8	<1
sec-BUTYLBENZENE	135-98-8	<1
tert-BUTYLBENZENE	98-06-6	<1
CARBON TETRACHLORIDE	56-23-5	<1
CHLOROBENZENE	108-90-7	<1
CHLORODIBROMOMETHANE	124-48-1	<1
CHLOROETHANE	75-00-3	<1
CHLOROFORM	67-66-3	<1
CHLOROMETHANE	74-87-3	<1
2-CHLOROTOLUENE	95-49-8	<1
4-CHLOROTOLUENE	106-43-4	<1
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<1
DIBROMOCHLOROMETHANE	124-48-1	<1
1,2-DIBROMOETHANE	106-93-4	<1
DIBROMOMETHANE	74-95-3	<1
1,2-DICHLOROBENZENE	95-50-1	<1
1,3-DICHLOROBENZENE	541-73-1	<1
1,4-DICHLOROBENZENE	106-46-7	<1
DICHLORODIFLUOROMETHANE	75-71-8	<1
1,1-DICHLOROETHANE	75-34-3	<1
1,2-DICHLOROETHANE	107-06-2	<1
1,1-DICHLOROETHENE	75-35-4	<1
cis-1,2-DICHLOROETHENE	156-59-2	<1
trans-1,2-DICHLOROETHENE	156-60-5	<1

  
 Laboratory Director

000007

Client: LBG Engineers	Client ID: Rowe Industries (Mid 100500)
Date received: 10/06/00	Laboratory ID: 0014603
Date extracted: NA	Matrix: Liquid
Date analyzed: 10/06/00	Contractor: 11418

### EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
1,2-DICHLOROPROPANE	78-87-5	<1
1,3-DICHLOROPROPANE	142-28-9	<1
2,2-DICHLOROPROPANE	594-20-7	<1
1,1-DICHLOROPROPENE	563-58-6	<1
cis-1,3-DICHLOROPROPENE	10061-01-5	<1
trans-1,3-DICHLOROPROPENE	10061-02-6	<1
ETHYLBENZENE	100-41-4	<1
HEXACHLOROBUTADIENE	87-68-3	<1
ISOPROPYLBENZENE	98-82-8	<1
p-ISOPROPYLTOLUENE	99-87-6	<1
METHYLENE CHLORIDE	75-09-2	<1
NAPHTHALENE	91-20-3	<1
n-PROPYLBENZENE	103-65-1	<1
STYRENE	100-42-5	<1
1,1,1,2-TETRACHLOROETHANE	630-20-6	<1
1,1,2,2-TETRACHLOROETHANE	79-34-5	<1
TETRACHLOROETHENE	127-18-4	<1
TOLUENE	108-88-3	<1
1,2,3-TRICHLOROBENZENE	87-61-6	<1
1,2,4-TRICHLOROBENZENE	120-82-1	<1
1,1,1-TRICHLOROETHANE	71-55-6	<1
1,1,2-TRICHLOROETHANE	79-00-5	<1
TRICHLOROETHENE	79-01-6	<1
TRICHLOROFLUOROMETHANE	75-69-4	<1
1,2,3-TRICHLOROPROPANE	96-18-4	<1
1,2,4-TRIMETHYLBENZENE	95-63-6	<1
1,3,5-TRIMETHYLBENZENE	108-67-8	<1
VINYL CHLORIDE	75-01-4	<1
M+P XYLENES	108-38-3/95-47-6	<2
O-XYLENE	106-42-3	<1

*John Bay*  
Laboratory Director

000008

## CHAIN OF CUSTODY / REQUEST FOR ANALYSIS DOCUMENT

CLIENT NAME/ADDRESS <b>LBG 126 Monroe Turnpike Trumbull, CT. 06611</b>				CONTACT: <b>PAUL JOBMAN W</b>		SAMPLER (SIGNATURE) <i>James M. Forrester</i>		DATE <b>10/10/00</b>		SAMPLE(S) SEALED YES / NO	
PROJECT LOCATION: <b>Rowe Industries</b>				SAMPLER NAME (PRINT) <b>J. Forrester</b>				CORRECT CONTAINER(S) YES / NO			
ANALYSIS REQUIRED <b>5021B</b>											
LABORATORY ID #	MATRIX	TYPE	PRES.	SAMPLE # - LOCATION						P.O.#	
<b>10/400</b>	<b>L</b>	<b>G</b>	<b>HCL</b>	<b>Pre 100100</b>	<input checked="" type="checkbox"/>			<b>0014600</b>			
	<b>L</b>	<b>G</b>	<b>HCL</b>	<b>MID 100200</b>	<input checked="" type="checkbox"/>			<b>0014601</b>			
	<del><b>L</b></del>	<del><b>G</b></del>	<del><b>HCL</b></del>	<del><b>POST 100300</b></del>	<del><input checked="" type="checkbox"/></del>						
<b>10/5/00</b>	<b>L</b>	<b>G</b>	<b>HCL</b>	<b>Pre 100500</b>	<input checked="" type="checkbox"/>			<b>0014602</b>			
	<b>L</b>	<b>G</b>	<b>HCL</b>	<b>MID 100500</b>	<input checked="" type="checkbox"/>			<b>0014603</b>			
	<del><b>L</b></del>	<del><b>G</b></del>	<del><b>HCL</b></del>	<del><b>POST 100500</b></del>	<del><input checked="" type="checkbox"/></del>						
<b>* Only run post 100500 if mid carbon contains detectable concentrations</b>											
<b>MATRIX</b> S=SOIL; L=LIQUID; SL=SLUDGE; A=AIR; W=WIPE; P=PAINT CHIPS; B=BULK MATERIAL <b>TYPE</b> G=GRAB; C=COMPOSITE, SS=SPLIT SPOON					<b>TURNAROUND REQUIRED:</b> NORMAL <input checked="" type="checkbox"/> STAT <input type="checkbox"/> BY <b>10/11/00</b>			<b>COMMENTS / INSTRUCTIONS</b>			
RELINQUISHED BY (SIGNATURE) <i>James M. Forrester</i>		DATE <b>10/5/00</b> TIME <b>12:30</b>	PRINTED NAME <b>J. Forrester</b>		RECEIVED BY LAB (SIGNATURE) <i>Joe Bell</i>		DATE <b>10/6/00</b> TIME <b>10:30</b>	PRINTED NAME <b>Lori Buyer</b>			
RELINQUISHED BY (SIGNATURE)		DATE TIME	PRINTED NAME		RECEIVED BY LAB (SIGNATURE)		DATE TIME	PRINTED NAME			



NYSDOH  
AIHA  
CTDOH

ELAP  
PAT, LPAT  
PH-0205

11418  
102391

October 17, 2000

Paul Jobmann  
LBG Engineers  
126 Monroe Turnpike  
Trumbull, CT 06611

**Re: Rowe Industries**

Dear Mr. Jobmann;

Enclosed please find the Laboratory Analysis Report(s) for sample(s) received on October 13, 2000. American Analytical Laboratories analyzed the samples through October 16, 2000 for the following;

CLIENT ID	ANALYSIS
Pre 100900	EPA 8021
Mid 100900	EPA 8021
Pre 101300	EPA 8021
Post 101300	EPA 8021

This report consists of 8 pages of analytical results.

If you have any questions or require further information, please call at your convenience. American Analytical Laboratories would like to thank you for the opportunity to be of service to you.

Best Regards,

*American Analytical Laboratories, Inc.*

Client: LBG Engineers	Client ID: Rowe Industries (Pre 100900)
Date received: 10/13/00	Laboratory ID: 0014675
Date extracted: NA	Matrix: Liquid
Date analyzed: 10/16/00	Contractor: 11418

### EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
BENZENE	71-43-2	<1
BROMOBENZENE	108-86-1	<1
BROMOCHLOROMETHANE	74-97-5	<1
BROMODICHLOROMETHANE	75-27-4	<1
BROMOFORM	75-25-4	<1
BROMOMETHANE	74-83-9	<1
n-BUTYLBENZENE	104-51-8	<1
sec-BUTYLBENZENE	135-98-8	<1
tert-BUTYLBENZENE	98-06-6	<1
CARBON TETRACHLORIDE	56-23-5	<1
CHLOROBENZENE	108-90-7	<1
CHLORODIBROMOMETHANE	124-48-1	<1
CHLOROETHANE	75-00-3	<1
CHLOROFORM	67-66-3	<1
CHLOROMETHANE	74-87-3	<1
2-CHLOROTOLUENE	95-49-8	<1
4-CHLOROTOLUENE	106-43-4	<1
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<1
DIBROMOCHLOROMETHANE	124-48-1	<1
1,2-DIBROMOETHANE	106-93-4	<1
DIBROMOMETHANE	74-95-3	<1
1,2-DICHLOROBENZENE	95-50-1	<1
1,3-DICHLOROBENZENE	541-73-1	<1
1,4-DICHLOROBENZENE	106-46-7	<1
DICHLORODIFLUOROMETHANE	75-71-8	<1
1,1-DICHLOROETHANE	75-34-3	<1
1,2-DICHLOROETHANE	107-06-2	<1
1,1-DICHLOROETHENE	75-35-4	<1
cis-1,2-DICHLOROETHENE	156-59-2	<1
trans-1,2-DICHLOROETHENE	156-60-5	<1

*Loe Beyer*  
Laboratory Director

000001

Client: LBG Engineers	Client ID: Rowe Industries (Pre 100900)
Date received: 10/13/00	Laboratory ID: 0014675
Date extracted: NA	Matrix: Liquid
Date analyzed: 10/16/00	Contractor: 11418

### EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
1,2-DICHLOROPROPANE	78-87-5	<1
1,3-DICHLOROPROPANE	142-28-9	<1
2,2-DICHLOROPROPANE	594-20-7	<1
1,1-DICHLOROPROPENE	563-58-6	<1
cis-1,3-DICHLOROPROPENE	10061-01-5	<1
trans-1,3-DICHLOROPROPENE	10061-02-6	<1
ETHYLBENZENE	100-41-4	2
HEXACHLOROBUTADIENE	87-68-3	<1
ISOPROPYLBENZENE	98-82-8	5
p-ISOPROPYLTOLUENE	99-87-6	<1
METHYLENE CHLORIDE	75-09-2	<1
NAPHTHALENE	91-20-3	<1
n-PROPYLBENZENE	103-65-1	1
STYRENE	100-42-5	<1
1,1,1,2-TETRACHLOROETHANE	630-20-6	<1
1,1,1,2-TETRACHLOROETHANE	79-34-5	<1
TETRACHLOROETHENE	127-18-4	710
TOLUENE	108-88-3	<1
1,2,3-TRICHLOROBENZENE	87-61-6	<1
1,2,4-TRICHLOROBENZENE	120-82-1	<1
1,1,1-TRICHLOROETHANE	71-55-6	2
1,1,2-TRICHLOROETHANE	79-00-5	<1
TRICHLOROETHENE	79-01-6	<1
TRICHLOROFLUOROMETHANE	75-69-4	<1
1,2,3-TRICHLOROPROPANE	96-18-4	<1
1,2,4-TRIMETHYLBENZENE	95-63-6	3
1,3,5-TRIMETHYLBENZENE	108-67-8	6
VINYL CHLORIDE	75-01-4	<1
M+P XYLENES	108-38-3/95-47-6	4
O-XYLENE	106-42-3	21

*Joe Bey*  
Laboratory Director

000002

Client: LBG Engineers	Client ID: Rowe Industries (Mid 100900)
Date received: 10/13/00	Laboratory ID: 0014676
Date extracted: NA	Matrix: Liquid
Date analyzed: 10/16/00	Contractor: 11418

### EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
BENZENE	71-43-2	<1
BROMOBENZENE	108-86-1	<1
BROMOCHLOROMETHANE	74-97-5	<1
BROMODICHLOROMETHANE	75-27-4	<1
BROMOFORM	75-25-4	<1
BROMOMETHANE	74-83-9	<1
n-BUTYLBENZENE	104-51-8	<1
sec-BUTYLBENZENE	135-98-8	<1
tert-BUTYLBENZENE	98-06-6	<1
CARBON TETRACHLORIDE	56-23-5	<1
CHLOROBENZENE	108-90-7	<1
CHLORODIBROMOMETHANE	124-48-1	<1
CHLOROETHANE	75-00-3	<1
CHLOROFORM	67-66-3	<1
CHLOROMETHANE	74-87-3	<1
2-CHLOROTOLUENE	95-49-8	<1
4-CHLOROTOLUENE	106-43-4	<1
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<1
DIBROMOCHLOROMETHANE	124-48-1	<1
1,2-DIBROMOETHANE	106-93-4	<1
DIBROMOMETHANE	74-95-3	<1
1,2-DICHLOROBENZENE	95-50-1	<1
1,3-DICHLOROBENZENE	541-73-1	<1
1,4-DICHLOROBENZENE	106-46-7	<1
DICHLORODIFLUOROMETHANE	75-71-8	<1
1,1-DICHLOROETHANE	75-34-3	<1
1,2-DICHLOROETHANE	107-06-2	<1
1,1-DICHLOROETHENE	75-35-4	<1
cis-1,2-DICHLOROETHENE	156-59-2	<1
trans-1,2-DICHLOROETHENE	156-60-5	<1

*John Bay*

Laboratory Director

000003

Client: LBG Engineers	Client ID: Rowe Industries (Mid 100900)
Date received: 10/13/00	Laboratory ID: 0014676
Date extracted: NA	Matrix: Liquid
Date analyzed: 10/16/00	Contractor: 11418

### EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
1,2-DICHLOROPROPANE	78-87-5	<1
1,3-DICHLOROPROPANE	142-28-9	<1
2,2-DICHLOROPROPANE	594-20-7	<1
1,1-DICHLOROPROPENE	563-58-6	<1
cis-1,3-DICHLOROPROPENE	10061-01-5	<1
trans-1,3-DICHLOROPROPENE	10061-02-6	<1
ETHYLBENZENE	100-41-4	<1
HEXACHLOROBUTADIENE	87-68-3	<1
ISOPROPYLBENZENE	98-82-8	<1
p-ISOPROPYLTOLUENE	99-87-6	<1
METHYLENE CHLORIDE	75-09-2	<1
NAPHTHALENE	91-20-3	<1
n-PROPYLBENZENE	103-65-1	<1
STYRENE	100-42-5	<1
1,1,1,2-TETRACHLOROETHANE	630-20-6	<1
1,1,1,2-TETRACHLOROETHANE	79-34-5	<1
TETRACHLOROETHENE	127-18-4	<1
TOLUENE	108-88-3	<1
1,2,3-TRICHLOROBENZENE	87-61-6	<1
1,2,4-TRICHLOROBENZENE	120-82-1	<1
1,1,1-TRICHLOROETHANE	71-55-6	<1
1,1,2-TRICHLOROETHANE	79-00-5	<1
TRICHLOROETHENE	79-01-6	<1
TRICHLOROFLUOROMETHANE	75-69-4	<1
1,2,3-TRICHLOROPROPANE	96-18-4	<1
1,2,4-TRIMETHYLBENZENE	95-63-6	<1
1,3,5-TRIMETHYLBENZENE	108-67-8	<1
VINYL CHLORIDE	75-01-4	<1
M+P XYLENES	108-38-3/95-47-6	<2
O-XYLENE	106-42-3	<1

*Loa Beizer*  
Laboratory Director

000004

Client: LBG Engineers	Client ID: Rowe Industries (Pre 101300)
Date received: 10/13/00	Laboratory ID: 0014677
Date extracted: NA	Matrix: Liquid
Date analyzed: 10/16/00	Contractor: 11418

### EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
BENZENE	71-43-2	<1
BROMOBENZENE	108-86-1	<1
BROMOCHLOROMETHANE	74-97-5	<1
BROMODICHLOROMETHANE	75-27-4	<1
BROMOFORM	75-25-4	<1
BROMOMETHANE	74-83-9	<1
n-BUTYLBENZENE	104-51-8	<1
sec-BUTYLBENZENE	135-98-8	<1
tert-BUTYLBENZENE	98-06-6	<1
CARBON TETRACHLORIDE	56-23-5	<1
CHLOROBENZENE	108-90-7	<1
CHLORODIBROMOMETHANE	124-48-1	<1
CHLOROETHANE	75-00-3	<1
CHLOROFORM	67-66-3	<1
CHLOROMETHANE	74-87-3	<1
2-CHLOROTOLUENE	95-49-8	<1
4-CHLOROTOLUENE	106-43-4	<1
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<1
DIBROMOCHLOROMETHANE	124-48-1	<1
1,2-DIBROMOETHANE	106-93-4	<1
DIBROMOMETHANE	74-95-3	<1
1,2-DICHLOROBENZENE	95-50-1	<1
1,3-DICHLOROBENZENE	541-73-1	<1
1,4-DICHLOROBENZENE	106-46-7	<1
DICHLORODIFLUOROMETHANE	75-71-8	<1
1,1-DICHLOROETHANE	75-34-3	<1
1,2-DICHLOROETHANE	107-06-2	<1
1,1-DICHLOROETHENE	75-35-4	<1
cis-1,2-DICHLOROETHENE	156-59-2	<1
trans-1,2-DICHLOROETHENE	156-60-5	<1

  
Laboratory Director

000005

Client: LBG Engineers	Client ID: Rowe Industries (Pre 101300)
Date received: 10/13/00	Laboratory ID: 0014677
Date extracted: NA	Matrix: Liquid
Date analyzed: 10/16/00	Contractor: 11418

### EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
1,2-DICHLOROPROPANE	78-87-5	<1
1,3-DICHLOROPROPANE	142-28-9	<1
2,2-DICHLOROPROPANE	594-20-7	<1
1,1-DICHLOROPROPENE	563-58-6	<1
cis-1,3-DICHLOROPROPENE	10061-01-5	<1
trans-1,3-DICHLOROPROPENE	10061-02-6	<1
ETHYLBENZENE	100-41-4	3
HEXACHLOROBUTADIENE	87-68-3	<1
ISOPROPYLBENZENE	98-82-8	10
p-ISOPROPYLTOLUENE	99-87-6	<1
METHYLENE CHLORIDE	75-09-2	<1
NAPHTHALENE	91-20-3	<1
n-PROPYLBENZENE	103-65-1	2
STYRENE	100-42-5	<1
1,1,1,2-TETRACHLOROETHANE	630-20-6	<1
1,1,2,2-TETRACHLOROETHANE	79-34-5	<1
TETRACHLOROETHENE	127-18-4	1,200
TOLUENE	108-88-3	<1
1,2,3-TRICHLOROBENZENE	87-61-6	<1
1,2,4-TRICHLOROBENZENE	120-82-1	<1
1,1,1-TRICHLOROETHANE	71-55-6	3
1,1,2-TRICHLOROETHANE	79-00-5	<1
TRICHLOROETHENE	79-01-6	2
TRICHLOROFLUOROMETHANE	75-69-4	<1
1,2,3-TRICHLOROPROPANE	96-18-4	<1
1,2,4-TRIMETHYLBENZENE	95-63-6	4
1,3,5-TRIMETHYLBENZENE	108-67-8	10
VINYL CHLORIDE	75-01-4	<1
M+P XYLENES	108-38-3/95-47-6	7
O-XYLENE	106-42-3	31

  
Laboratory Director

000006

Client: LBG Engineers	Client ID: Rowe Industries (Mid 101300)
Date received: 10/13/00	Laboratory ID: 0014678
Date extracted: NA	Matrix: Liquid
Date analyzed: 10/16/00	Contractor: 11418

### EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
BENZENE	71-43-2	<1
BROMOBENZENE	108-86-1	<1
BROMOCHLOROMETHANE	74-97-5	<1
BROMODICHLOROMETHANE	75-27-4	<1
BROMOFORM	75-25-4	<1
BROMOMETHANE	74-83-9	<1
n-BUTYLBENZENE	104-51-8	<1
sec-BUTYLBENZENE	135-98-8	<1
tert-BUTYLBENZENE	98-06-6	<1
CARBON TETRACHLORIDE	56-23-5	<1
CHLOROBENZENE	108-90-7	<1
CHLORODIBROMOMETHANE	124-48-1	<1
CHLOROETHANE	75-00-3	<1
CHLOROFORM	67-66-3	<1
CHLOROMETHANE	74-87-3	<1
2-CHLOROTOLUENE	95-49-8	<1
4-CHLOROTOLUENE	106-43-4	<1
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<1
DIBROMOCHLOROMETHANE	124-48-1	<1
1,2-DIBROMOETHANE	106-93-4	<1
DIBROMOMETHANE	74-95-3	<1
1,2-DICHLOROBENZENE	95-50-1	<1
1,3-DICHLOROBENZENE	541-73-1	<1
1,4-DICHLOROBENZENE	106-46-7	<1
DICHLORODIFLUOROMETHANE	75-71-8	<1
1,1-DICHLOROETHANE	75-34-3	<1
1,2-DICHLOROETHANE	107-06-2	<1
1,1-DICHLOROETHENE	75-35-4	<1
cis-1,2-DICHLOROETHENE	156-59-2	<1
trans-1,2-DICHLOROETHENE	156-60-5	<1

  
Laboratory Director

000007

Client: LBG Engineers	Client ID: Rowe Industries (Mid 101300)
Date received: 10/13/00	Laboratory ID: 0014678
Date extracted: NA	Matrix: Liquid
Date analyzed: 10/16/00	Contractor: 11418

### EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
1,2-DICHLOROPROPANE	78-87-5	<1
1,3-DICHLOROPROPANE	142-28-9	<1
2,2-DICHLOROPROPANE	594-20-7	<1
1,1-DICHLOROPROPENE	563-58-6	<1
cis-1,3-DICHLOROPROPENE	10061-01-5	<1
trans-1,3-DICHLOROPROPENE	10061-02-6	<1
ETHYLBENZENE	100-41-4	<1
HEXACHLOROBUTADIENE	87-68-3	<1
ISOPROPYLBENZENE	98-82-8	<1
p-ISOPROPYLTOLUENE	99-87-6	<1
METHYLENE CHLORIDE	75-09-2	<1
NAPHTHALENE	91-20-3	<1
n-PROPYLBENZENE	103-65-1	<1
STYRENE	100-42-5	<1
1,1,1,2-TETRACHLOROETHANE	630-20-6	<1
1,1,2,2-TETRACHLOROETHANE	79-34-5	<1
TETRACHLOROETHENE	127-18-4	<1
TOLUENE	108-88-3	<1
1,2,3-TRICHLOROBENZENE	87-61-6	<1
1,2,4-TRICHLOROBENZENE	120-82-1	<1
1,1,1-TRICHLOROETHANE	71-55-6	<1
1,1,2-TRICHLOROETHANE	79-00-5	<1
TRICHLOROETHENE	79-01-6	<1
TRICHLOROFLUOROMETHANE	75-69-4	<1
1,2,3-TRICHLOROPROPANE	96-18-4	<1
1,2,4-TRIMETHYLBENZENE	95-63-6	<1
1,3,5-TRIMETHYLBENZENE	108-67-8	<1
VINYL CHLORIDE	75-01-4	<1
M+P XYLENES	108-38-3/95-47-6	<2
O-XYLENE	106-42-3	<1

  
Laboratory Director

000008





NYSDOH  
AIHA  
CTDOH

ELAP  
PAT, LPAT  
PH-0205

11418  
102391

October 24, 2000

Paul Jobmann  
LBG Engineers  
126 Monroe Turnpike  
Trumbull, CT 06611

**Re: Rowe Industries**

Dear Mr. Jobmann;

Enclosed please find the Laboratory Analysis Report(s) for sample(s) received on October 20, 2000. American Analytical Laboratories analyzed the samples through October 24, 2000 for the following;

CLIENT ID	ANALYSIS
Pre 101700	EPA 8021
Mid 101700	EPA 8021
Pre 101900	EPA 8021
Mid 101900	EPA 8021

This report consists of 8 pages of analytical results.

If you have any questions or require further information, please call at your convenience. American Analytical Laboratories would like to thank you for the opportunity to be of service to you.


Best Regards,

*American Analytical Laboratories, Inc.*

Client: LBG Engineers	Client ID: Rowe Industries (Pre 101700)
Date received: 10/20/00	Laboratory ID: 0014814
Date extracted: NA	Matrix: Liquid
Date analyzed: 10/24/00	Contractor: 11418

### EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
BENZENE	71-43-2	<1
BROMOBENZENE	108-86-1	<1
BROMOCHLOROMETHANE	74-97-5	<1
BROMODICHLOROMETHANE	75-27-4	<1
BROMOFORM	75-25-4	<1
BROMOMETHANE	74-83-9	<1
n-BUTYLBENZENE	104-51-8	<1
sec-BUTYLBENZENE	135-98-8	<1
tert-BUTYLBENZENE	98-06-6	<1
CARBON TETRACHLORIDE	56-23-5	<1
CHLOROBENZENE	108-90-7	<1
CHLORODIBROMOMETHANE	124-48-1	<1
CHLOROETHANE	75-00-3	<1
CHLOROFORM	67-66-3	<1
CHLOROMETHANE	74-87-3	<1
2-CHLOROTOLUENE	95-49-8	<1
4-CHLOROTOLUENE	106-43-4	<1
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<1
DIBROMOCHLOROMETHANE	124-48-1	<1
1,2-DIBROMOETHANE	106-93-4	<1
DIBROMOMETHANE	74-95-3	<1
1,2-DICHLOROENZENE	95-50-1	<1
1,3-DICHLOROENZENE	541-73-1	<1
1,4-DICHLOROENZENE	106-46-7	<1
DICHLORODIFLUOROMETHANE	75-71-8	<1
1,1-DICHLOROETHANE	75-34-3	<1
1,2-DICHLOROETHANE	107-06-2	<1
1,1-DICHLOROETHENE	75-35-4	<1
cis-1,2-DICHLOROETHENE	156-59-2	<1
trans-1,2-DICHLOROETHENE	156-60-5	<1


  
Laboratory Director

000001

Client: LBG Engineers	Client ID: Rowe Industries (Pre 101700)
Date received: 10/20/00	Laboratory ID: 0014814
Date extracted: NA	Matrix: Liquid
Date analyzed: 10/24/00	Contractor: 11418

### EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
1,2-DICHLOROPROPANE	78-87-5	<1
1,3-DICHLOROPROPANE	142-28-9	<1
2,2-DICHLOROPROPANE	594-20-7	<1
1,1-DICHLOROPROPENE	563-58-6	<1
cis-1,3-DICHLOROPROPENE	10061-01-5	<1
trans-1,3-DICHLOROPROPENE	10061-02-6	<1
ETHYLBENZENE	100-41-4	7
HEXACHLOROBUTADIENE	87-68-3	<1
ISOPROPYLBENZENE	98-82-8	25
p-ISOPROPYLTOLUENE	99-87-6	<1
METHYLENE CHLORIDE	75-09-2	<1
NAPHTHALENE	91-20-3	<1
n-PROPYLBENZENE	103-65-1	8
STYRENE	100-42-5	<1
1,1,1,2-TETRACHLOROETHANE	630-20-6	<1
1,1,2,2-TETRACHLOROETHANE	79-34-5	<1
TETRACHLOROETHENE	127-18-4	1,400
TOLUENE	108-88-3	<1
1,2,3-TRICHLOROBENZENE	87-61-6	<1
1,2,4-TRICHLOROBENZENE	120-82-1	<1
1,1,1-TRICHLOROETHANE	71-55-6	5
1,1,2-TRICHLOROETHANE	79-00-5	<1
TRICHLOROETHENE	79-01-6	2
TRICHLOROFLUOROMETHANE	75-69-4	<1
1,2,3-TRICHLOROPROPANE	96-18-4	<1
1,2,4-TRIMETHYLBENZENE	95-63-6	7
1,3,5-TRIMETHYLBENZENE	108-67-8	21
VINYL CHLORIDE	75-01-4	<1
M+P XYLENES	108-38-3/95-47-6	15
O-XYLENE	106-42-3	47


  
Laboratory Director

000002

Client: LBG Engineers	Client ID: Rowe Industries (Mid 101700)
Date received: 10/20/00	Laboratory ID: 0014815
Date extracted: NA	Matrix: Liquid
Date analyzed: 10/24/00	Contractor: 11418

### EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
BENZENE	71-43-2	<1
BROMOBENZENE	108-86-1	<1
BROMOCHLOROMETHANE	74-97-5	<1
BROMODICHLOROMETHANE	75-27-4	<1
BROMOFORM	75-25-4	<1
BROMOMETHANE	74-83-9	<1
n-BUTYLBENZENE	104-51-8	<1
sec-BUTYLBENZENE	135-98-8	<1
tert-BUTYLBENZENE	98-06-6	<1
CARBON TETRACHLORIDE	56-23-5	<1
CHLOROBENZENE	108-90-7	<1
CHLORODIBROMOMETHANE	124-48-1	<1
CHLOROETHANE	75-00-3	<1
CHLOROFORM	67-66-3	<1
CHLOROMETHANE	74-87-3	<1
2-CHLOROTOLUENE	95-49-8	<1
4-CHLOROTOLUENE	106-43-4	<1
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<1
DIBROMOCHLOROMETHANE	124-48-1	<1
1,2-DIBROMOETHANE	106-93-4	<1
DIBROMOMETHANE	74-95-3	<1
1,2-DICHLOROBENZENE	95-50-1	<1
1,3-DICHLOROBENZENE	541-73-1	<1
1,4-DICHLOROBENZENE	106-46-7	<1
DICHLORODIFLUOROMETHANE	75-71-8	<1
1,1-DICHLOROETHANE	75-34-3	<1
1,2-DICHLOROETHANE	107-06-2	<1
1,1-DICHLOROETHENE	75-35-4	<1
cis-1,2-DICHLOROETHENE	156-59-2	<1
trans-1,2-DICHLOROETHENE	156-60-5	<1


  
Laboratory Director

000003

Client: LBG Engineers	Client ID: Rowe Industries (Mid 101700)
Date received: 10/20/00	Laboratory ID: 0014815
Date extracted: NA	Matrix: Liquid
Date analyzed: 10/24/00	Contractor: 11418

### EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
1,2-DICHLOROPROPANE	78-87-5	<1
1,3-DICHLOROPROPANE	142-28-9	<1
2,2-DICHLOROPROPANE	594-20-7	<1
1,1-DICHLOROPROPENE	563-58-6	<1
cis-1,3-DICHLOROPROPENE	10061-01-5	<1
trans-1,3-DICHLOROPROPENE	10061-02-6	<1
ETHYLBENZENE	100-41-4	<1
HEXACHLOROBUTADIENE	87-68-3	<1
ISOPROPYLBENZENE	98-82-8	<1
p-ISOPROPYLTOLUENE	99-87-6	<1
METHYLENE CHLORIDE	75-09-2	<1
NAPHTHALENE	91-20-3	<1
n-PROPYLBENZENE	103-65-1	<1
STYRENE	100-42-5	<1
1,1,1,2-TETRACHLOROETHANE	630-20-6	<1
1,1,2,2-TETRACHLOROETHANE	79-34-5	<1
TETRACHLOROETHENE	127-18-4	<1
TOLUENE	108-88-3	<1
1,2,3-TRICHLOROBENZENE	87-61-6	<1
1,2,4-TRICHLOROBENZENE	120-82-1	<1
1,1,1-TRICHLOROETHANE	71-55-6	<1
1,1,2-TRICHLOROETHANE	79-00-5	<1
TRICHLOROETHENE	79-01-6	<1
TRICHLOROFLUOROMETHANE	75-69-4	<1
1,2,3-TRICHLOROPROPANE	96-18-4	<1
1,2,4-TRIMETHYLBENZENE	95-63-6	<1
1,3,5-TRIMETHYLBENZENE	108-67-8	<1
VINYL CHLORIDE	75-01-4	<1
M+P XYLENES	108-38-3/95-47-6	<2
O-XYLENE	106-42-3	<1


  
Laboratory Director

000004

Client: LBG Engineers	Client ID: Rowe Industries (Pre 101900)
Date received: 10/20/00	Laboratory ID: 0014816
Date extracted: NA	Matrix: Liquid
Date analyzed: 10/24/00	Contractor: 11418

### EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
BENZENE	71-43-2	<1
BROMOBENZENE	108-86-1	<1
BROMOCHLOROMETHANE	74-97-5	<1
BROMODICHLOROMETHANE	75-27-4	<1
BROMOFORM	75-25-4	<1
BROMOMETHANE	74-83-9	<1
n-BUTYLBENZENE	104-51-8	<1
sec-BUTYLBENZENE	135-98-8	<1
tert-BUTYLBENZENE	98-06-6	<1
CARBON TETRACHLORIDE	56-23-5	<1
CHLOROBENZENE	108-90-7	<1
CHLORODIBROMOMETHANE	124-48-1	<1
CHLOROETHANE	75-00-3	<1
CHLOROFORM	67-66-3	<1
CHLOROMETHANE	74-87-3	<1
2-CHLOROTOLUENE	95-49-8	<1
4-CHLOROTOLUENE	106-43-4	<1
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<1
DIBROMOCHLOROMETHANE	124-48-1	<1
1,2-DIBROMOETHANE	106-93-4	<1
DIBROMOMETHANE	74-95-3	<1
1,2-DICHLOROBENZENE	95-50-1	<1
1,3-DICHLOROBENZENE	541-73-1	<1
1,4-DICHLOROBENZENE	106-46-7	<1
DICHLORODIFLUOROMETHANE	75-71-8	<1
1,1-DICHLOROETHANE	75-34-3	<1
1,2-DICHLOROETHANE	107-06-2	<1
1,1-DICHLOROETHENE	75-35-4	<1
cis-1,2-DICHLOROETHENE	156-59-2	<1
trans-1,2-DICHLOROETHENE	156-60-5	<1


  
Laboratory Director

000005

Client: LBG Engineers	Client ID: Rowe Industries (Pre 101900)
Date received: 10/20/00	Laboratory ID: 0014816
Date extracted: NA	Matrix: Liquid
Date analyzed: 10/24/00	Contractor: 11418

### EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
1,2-DICHLOROPROPANE	78-87-5	<1
1,3-DICHLOROPROPANE	142-28-9	<1
2,2-DICHLOROPROPANE	594-20-7	<1
1,1-DICHLOROPROPENE	563-58-6	<1
cis-1,3-DICHLOROPROPENE	10061-01-5	<1
trans-1,3-DICHLOROPROPENE	10061-02-6	<1
ETHYLBENZENE	100-41-4	4
HEXACHLOROBUTADIENE	87-68-3	<1
ISOPROPYLBENZENE	98-82-8	16
p-ISOPROPYLTOLUENE	99-87-6	<1
METHYLENE CHLORIDE	75-09-2	<1
NAPHTHALENE	91-20-3	<1
n-PROPYLBENZENE	103-65-1	4
STYRENE	100-42-5	<1
1,1,1,2-TETRACHLOROETHANE	630-20-6	<1
1,1,2,2-TETRACHLOROETHANE	79-34-5	<1
TETRACHLOROETHENE	127-18-4	1,000
TOLUENE	108-88-3	<1
1,2,3-TRICHLOROBENZENE	87-61-6	<1
1,2,4-TRICHLOROBENZENE	120-82-1	<1
1,1,1-TRICHLOROETHANE	71-55-6	8
1,1,2-TRICHLOROETHANE	79-00-5	<1
TRICHLOROETHENE	79-01-6	3
TRICHLOROFLUOROMETHANE	75-69-4	<1
1,2,3-TRICHLOROPROPANE	96-18-4	<1
1,2,4-TRIMETHYLBENZENE	95-63-6	6
1,3,5-TRIMETHYLBENZENE	108-67-8	16
VINYL CHLORIDE	75-01-4	<1
M+P XYLENES	108-38-3/95-47-6	12
O-XYLENE	106-42-3	39


  
Laboratory Director

000006

Client: LBG Engineers	Client ID: Rowe Industries (Mid 101900)
Date received: 10/20/00	Laboratory ID: 0014817
Date extracted: NA	Matrix: Liquid
Date analyzed: 10/24/00	Contractor: 11418

### EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
BENZENE	71-43-2	<1
BROMOBENZENE	108-86-1	<1
BROMOCHLOROMETHANE	74-97-5	<1
BROMODICHLOROMETHANE	75-27-4	<1
BROMOFORM	75-25-4	<1
BROMOMETHANE	74-83-9	<1
n-BUTYLBENZENE	104-51-8	<1
sec-BUTYLBENZENE	135-98-8	<1
tert-BUTYLBENZENE	98-06-6	<1
CARBON TETRACHLORIDE	56-23-5	<1
CHLOROBENZENE	108-90-7	<1
CHLORODIBROMOMETHANE	124-48-1	<1
CHLOROETHANE	75-00-3	<1
CHLOROFORM	67-66-3	<1
CHLOROMETHANE	74-87-3	<1
2-CHLOROTOLUENE	95-49-8	<1
4-CHLOROTOLUENE	106-43-4	<1
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<1
DIBROMOCHLOROMETHANE	124-48-1	<1
1,2-DIBROMOETHANE	106-93-4	<1
DIBROMOMETHANE	74-95-3	<1
1,2-DICHLOROBENZENE	95-50-1	<1
1,3-DICHLOROBENZENE	541-73-1	<1
1,4-DICHLOROBENZENE	106-46-7	<1
DICHLORODIFLUOROMETHANE	75-71-8	<1
1,1-DICHLOROETHANE	75-34-3	<1
1,2-DICHLOROETHANE	107-06-2	<1
1,1-DICHLOROETHENE	75-35-4	<1
cis-1,2-DICHLOROETHENE	156-59-2	<1
trans-1,2-DICHLOROETHENE	156-60-5	<1


  
Laboratory Director

000007


Client: LBG Engineers	Client ID: Rowe Industries (Mid 101900)
Date received: 10/20/00	Laboratory ID: 0014817
Date extracted: NA	Matrix: Liquid
Date analyzed: 10/24/00	Contractor: 11418

### EPA METHOD 8021

PARAMETER	CAS No.	RESULTS ug/L
1,2-DICHLOROPROPANE	78-87-5	<1
1,3-DICHLOROPROPANE	142-28-9	<1
2,2-DICHLOROPROPANE	594-20-7	<1
1,1-DICHLOROPROPENE	563-58-6	<1
cis-1,3-DICHLOROPROPENE	10061-01-5	<1
trans-1,3-DICHLOROPROPENE	10061-02-6	<1
ETHYLBENZENE	100-41-4	<1
HEXACHLOROBUTADIENE	87-68-3	<1
ISOPROPYLBENZENE	98-82-8	<1
p-ISOPROPYLTOLUENE	99-87-6	<1
METHYLENE CHLORIDE	75-09-2	<1
NAPHTHALENE	91-20-3	<1
n-PROPYLBENZENE	103-65-1	<1
STYRENE	100-42-5	<1
1,1,1,2-TETRACHLOROETHANE	630-20-6	<1
1,1,2,2-TETRACHLOROETHANE	79-34-5	<1
TETRACHLOROETHENE	127-18-4	<1
TOLUENE	108-88-3	<1
1,2,3-TRICHLOROBENZENE	87-61-6	<1
1,2,4-TRICHLOROBENZENE	120-82-1	<1
1,1,1-TRICHLOROETHANE	71-55-6	<1
1,1,2-TRICHLOROETHANE	79-00-5	<1
TRICHLOROETHENE	79-01-6	<1
TRICHLOROFLUOROMETHANE	75-69-4	<1
1,2,3-TRICHLOROPROPANE	96-18-4	<1
1,2,4-TRIMETHYLBENZENE	95-63-6	<1
1,3,5-TRIMETHYLBENZENE	108-67-8	<1
VINYL CHLORIDE	75-01-4	<1
M+P XYLENES	108-38-3/95-47-6	<2
O-XYLENE	106-42-3	<1

  
Laboratory Director

000008



56 TOLEDO STREET • FARMINGDALE, NY 11735 • (516) 454-8100 • FAX (516) 454-8027

NYSDOH ELAP 11418  
 AIHA PAT, LPAT 1586B  
 CTDOH PH-0205

# CHAIN OF CUSTODY / REQUEST FOR ANALYSIS DOCUMENT

CLIENT NAME/ADDRESS: **LOB**  
**126 Monroe Turnpike**  
**Tombull CT 06611**

CONTACT: **Paul Johnson**

SAMPLER (SIGNATURE): *[Signature]* DATE: **10/20/00** TIME: \_\_\_\_\_

SAMPLER NAME (PRINT): **Paul Johnson**

SAMPLER(S) SEALED: YES/NO **YES**

CORRECT CONTAINER(S): YES/NO **YES**

PROJECT LOCATION: **Rowe Industries**

LABORATORY ID #	MATRIX	TYPE	PRES.	SAMPLE # - LOCATION	ANALYSIS REQUIRED	P.O.#
0014814	G	G	HLI	Pre 101700	X	
0014815				Mid 101700	X	
0014816				Pre 102000 101900	X	
0014817				Mid 102000 101900	X	
0014818	G			Post 102000 101900		

Run of Mid 102000 contains detected compounds

MATRIX: S-SOL; L-LIQUID; SL-SLUDGE; A-AIR; W-WIFE; P-PAINT CHIPS; B-BULK MATERIAL

TYPE: G-GRAB; C-COMPOSITE; SS-SPLIT SPOON

TURNS REQUIRED: \_\_\_\_\_

NOISE: \_\_\_\_\_ STATO BY: **10/27/00**

RELINQUISHED BY (SIGNATURE): *[Signature]* DATE/TIME: \_\_\_\_\_ PRINTED NAME: \_\_\_\_\_

RECEIVED BY LAB (SIGNATURE): *[Signature]* DATE/TIME: \_\_\_\_\_ PRINTED NAME: \_\_\_\_\_

RELINQUISHED BY (SIGNATURE): *[Signature]* DATE/TIME: **10/19/00 18:30** PRINTED NAME: **Paul Johnson**

RECEIVED BY LAB (SIGNATURE): *[Signature]* DATE/TIME: **10/20/00 10:15** PRINTED NAME: **Lori Beych**

TOTAL P.02

USE OFFICE / CANARY LAB / PINK SAMPLE OR STODIAN / GOLDEN ROD CLIENT

01-26-1992 03:14PM FROM AMERICAN TO 912034523116977 P.02

