

200 North Cedar Road - New Lenox, Illinois 60451-1751 - (800) 383-0468 or (815) 485-6161 - FAX (815) 485-4433 - Email sahci@sahci.com - Home Page www.sahci.com

September 19, 2016

Mike Lanenga SET Environmental 450 Sumac Road Wheeling, Illinois 60090

RE: 330 E. Lower Wacker Drive Thorium Monitoring – City of Chicago Department of Water Management

Dear Mr. Lanenga:

Stan A. Huber Consultants, Inc (SAHCI) was hired by your firm to provide radiation monitoring during the excavation and repair of a storm sewer catch basin at 330 E. Lower Wacker Drive in Chicago, Illinois. The monitoring was performed by Steven Kowalczyk, SAHCI Health Physics Technician, on September 14, 2016. All activities were conducted under the guidance of document *SET General Procedure for Thorium Monitoring*.

Instrumentation

Surface gamma scans were performed using a Ludlum Model 2221 Scaled / Ratemeter (serial no. 126497) with attached 2"x2" Nal probe (6" lead shielded). The instrument was calibrated on October 15, 2015. The USEPA action level of 7.1 picocuries per gram (pCi/g) total thorium for this instrument is 6,018 counts per minute (cpm).

The average background count rate for this location was found to average 1,098 cpm.

Soil Gamma Scans

Gamma surface scans were performed using the Ludlum Model 2221 Scaler / Ratemeter described above. Survey data was collected by entering the excavation after each 18 inch lift and recording the highest count rate for the floors and walls to an excavation depth of 4 feet. All soil was loaded directly into a truck for disposal.

The maximum gamma count rate for each lift was recorded on the attached Radiation Survey Form. The count rates in the excavation ranged from 1,280 cpm to 1,543 cpm. No count rates were found at any time that exceeded the threshold limit of 6,018 cpm.

Additional Monitoring

Since no count rates were identified above the 7.1 pCi/gram threshold limit, no additional soil sampling, air monitoring, or personnel monitoring were performed.

I will be providing a copy of this report to both the City of Chicago Department of Public Health and US Environmental Protection Agency, as required.

Thank you for your assistance with this project. If you have any questions or need additional information, please call me at (815) 485-6161.

Sincerely, Stan A. Huber Consultants, Inc.

Celle

Glenn Huber, CHP President

Page _/ of _/_	
Stan A. Huber Counsultants, Inc. Radiation Survey Form	
Location/ Project ID: 330 E Lower Wacker ROW - SET / City of Chicus Dyte of the	ter 13-
Date: <u>9/14/16</u> Technician: <u>Steven Kowalczyk</u>	
Inst Model: <u>Ludlum 2221</u> Serial No. : <u>126497</u>	
Probe Type: 1"x1" Nal / 2"x2" Nal Lift Elevation: 0'-4' Shielded / Not Shielded	
Background <u>1098</u> cpm Action Level: <u>6,018</u> cpm	52
Write grid designations in circles. Record highest counts for grid in cpm. Record 30 second counts	
at grid intersections (if required). Shade areas of elevated counts and record max cpm.	
$\bigcirc \qquad \bigcirc \qquad$	
Con 11.	
Side walk 2'- 1318	
3'-1543 4'-1336	
~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	
- Lower Wacker Dr>	

<