

200 North Cedar Road - New Lenox, Illinois 60451-1751 - (800) 383-0468 or (815) 485-6161 - FAX (815) 485-4433 - Email sahci@sahci.com - Home Page www.sahci.com

March 13, 2017

Mike Lanenga SET Environmental 450 Sumac Road Wheeling, Illinois 60090

RE: 36 W. Illinois St. Thorium Monitoring – City of Chicago Department of Water Management CDOT Permit: 766907

Dear Mr. Lanenga:

Stan A. Huber Consultants, Inc (SAHCI) was hired by your firm to provide radiation monitoring during the excavation repair of a catch basin at 36 W. Illinois St. in Chicago, Illinois. The monitoring was performed by Brian Schmidt, SAHCI Health Physics Technician, on March 7, 2017. All activities were conducted under the guidance of document *SET General Procedure for Thorium Monitoring.*

Instrumentation

Surface gamma scans were performed using a Ludlum Model 2221 Scaled / Ratemeter (serial no. 126496) with attached 2"x2" Nal probe (6" lead shielded). The instrument was calibrated on October 14, 2016. The USEPA action level of 7.1 picocuries per gram (pCi/g) total thorium for this instrument is 7,029 counts per minute (cpm).

The average background count rate for this location was found to average 1,924 cpm.

Soil Gamma Scans

Gamma surface scans were performed using the Ludlum Model 2221 Scaler / Ratemeter described above. Survey data was collected by entering the excavation after each 18-inch lift and recording the highest count rate for the floors and walls to an excavation depth of 30 inches. All soil was loaded directly into a truck for disposal.

The maximum gamma count rate for each lift was recorded on the attached Radiation Survey Form. The count rates in the excavation ranged from 1,800 cpm to 2,400 cpm. No count rates were found at any time that exceeded the threshold limit of 7,029 cpm.

Additional Monitoring

Since no count rates were identified above the 7.1 pCi/gram threshold limit, no additional soil sampling, air monitoring, or personnel monitoring were performed.

I will be providing a copy of this report to both the City of Chicago Department of Public Health and US Environmental Protection Agency, as required.

Thank you for your assistance with this project. If you have any questions or need additional information, please call me at (815) 485-6161.

Sincerely, Stan A. Huber Consultants, Inc.

20 He

Glenn Huber, CHP President

sohci	Page of
Sian A. Buber Consultants, Inc. Radiatio	n Survey Form
Location/ Project ID: 36 W. Julious S	T GUICABO, IL - DWM - CATCH BASIN REPAIR
Date: 3/7/2017	Technician: BRIAN SCHMIDT
Inst Model: LUOLUM - 2221	Serial No. : 126496
Probe Type: 1"x1" Nal / 2"x2" Nal Shielded / Not Shielded	Lift Elevation: <u>0-30"</u>
Background 1924 , cpm	Action Level:cpm
Write grid designations in circles. Record highest co at grid intersections (if required). Shade areas of elev	unts for grid in cpm. Record 30 second counts vated counts and record max cpm.
φ φ	
	CURB CURB
Themas St.	
D DEPTH CPM 0-12" 1800 (conche 12-30" 1900	TE) BACKGROVND / MIN COUNT)
12-30" 1900 30-48° 2400	