



08-Sep-2017

John Prusiecki
U.S. Steel - Gary Works
1 North Broadway
Mail Station 70
Gary, IN 46402

Re: **(USS-GARY) CAMU SPRAY 9.6.17**

Work Order: **1709242**

Dear John,

ALS Environmental received 4 samples on 06-Sep-2017 for the analyses presented in the following report.

The analytical data provided relates directly to the samples received by ALS Environmental and for only the analyses requested.

Sample results are compliant with industry accepted practices and Quality Control results achieved laboratory specifications. Any exceptions are noted in the Case Narrative, or noted with qualifiers in the report or QC batch information. Should this laboratory report need to be reproduced, it should be reproduced in full unless written approval has been obtained from ALS Environmental. Samples will be disposed in 30 days unless storage arrangements are made.

The total number of pages in this report is 13.

If you have any questions regarding this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Amanda Grzybowski".

Electronically approved by: Amanda Grzybowski

Amanda Grzybowski
Project Manager

Certificate No: MN 998501

Report of Laboratory Analysis

ADDRESS 3352 128th Ave Holland, Michigan 49424 | PHONE (616) 399-6070 | FAX (616) 399-6185

ALS GROUP USA, CORP Part of the ALS Laboratory Group A Campbell Brothers Limited Company

Environmental 

www.alsglobal.com

RIGHT SOLUTIONS RIGHT PARTNER

Client: U.S. Steel - Gary Works
Project: (USS-GARY) CAMU SPRAY 9.6.17
Work Order: 1709242

Work Order Sample Summary

<u>Lab Samp ID</u>	<u>Client Sample ID</u>	<u>Matrix</u>	<u>Tag Number</u>	<u>Collection Date</u>	<u>Date Received</u>	<u>Hold</u>
1709242-01	CAMU Spray Influent - Grab	Aqueous		9/6/2017 13:00	9/7/2017 09:30	<input type="checkbox"/>
1709242-01	CAMU Spray Influent - Grab	Aqueous		9/6/2017 13:00	9/7/2017 10:00	<input type="checkbox"/>
1709242-02	CAMU Spray Middle - Grab	Aqueous		9/6/2017 13:10	9/7/2017 09:30	<input type="checkbox"/>
1709242-02	CAMU Spray Middle - Grab	Aqueous		9/6/2017 13:10	9/7/2017 10:00	<input type="checkbox"/>
1709242-03	CAMU Spray Effluent - Grab	Aqueous		9/6/2017 13:20	9/7/2017 09:30	<input type="checkbox"/>
1709242-03	CAMU Spray Effluent - Grab	Aqueous		9/6/2017 13:20	9/7/2017 10:00	<input type="checkbox"/>
1709242-04	CAMU Spray Trip Blank	Aqueous		9/6/2017 12:30	9/7/2017 09:30	<input type="checkbox"/>

ALS Group, USA

Date: 08-Sep-17

Client: U.S. Steel - Gary Works
Project: (USS-GARY) CAMU SPRAY 9.6.17
Work Order: 1709242

Case Narrative

ALS Environmental
2400 Cumberland Drive
Valparaiso, IN 46383
(219) 299-8127

The following parameters were received and analyzed at the ALS Valparaiso facility under Florida NELAP certification ID# E871119:

Ammonia by EPA 350.1 / SM4500-NH3 G

ALS Group, USA

Date: 08-Sep-17

Client: U.S. Steel - Gary Works
Project: (USS-GARY) CAMU SPRAY 9.6.17
Sample ID: CAMU Spray Influent - Grab
Collection Date: 9/6/2017 01:00 PM

Work Order: 1709242
Lab ID: 1709242-01
Matrix: AQUEOUS

Analyses	Result	Qual	MDL	Report Limit	Units	Dilution Factor	Date Analyzed
AMMONIA AS NITROGEN							
			Method: E350.1 R2.0				Analyst: CD
Ammonia as Nitrogen	8.86		0.0980	0.320	mg NH3-N/L	10	9/7/2017 11:49
VOLATILE ORGANIC COMPOUNDS							
			Method: SW8260B				Analyst: WH
Benzene	1,600		30	100	µg/L	100	9/7/2017 16:07
Ethylbenzene	25		4.0	10	µg/L	10	9/7/2017 20:04
m,p-Xylene	43		9.8	20	µg/L	10	9/7/2017 20:04
Naphthalene	2,600		18	500	µg/L	100	9/7/2017 16:07
o-Xylene	18		3.5	10	µg/L	10	9/7/2017 20:04
Toluene	26		3.7	10	µg/L	10	9/7/2017 20:04
Xylenes, Total	60		13	30	µg/L	10	9/7/2017 20:04
Surr: 1,2-Dichloroethane-d4	101			75-120	%REC	100	9/7/2017 16:07
Surr: 1,2-Dichloroethane-d4	97.8			75-120	%REC	10	9/7/2017 20:04
Surr: 4-Bromofluorobenzene	94.4			80-110	%REC	100	9/7/2017 16:07
Surr: 4-Bromofluorobenzene	97.4			80-110	%REC	10	9/7/2017 20:04
Surr: Dibromofluoromethane	98.6			85-115	%REC	100	9/7/2017 16:07
Surr: Dibromofluoromethane	94.8			85-115	%REC	10	9/7/2017 20:04
Surr: Toluene-d8	101			85-110	%REC	100	9/7/2017 16:07
Surr: Toluene-d8	96.6			85-110	%REC	10	9/7/2017 20:04

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group, USA

Date: 08-Sep-17

Client: U.S. Steel - Gary Works
Project: (USS-GARY) CAMU SPRAY 9.6.17
Sample ID: CAMU Spray Middle - Grab
Collection Date: 9/6/2017 01:10 PM

Work Order: 1709242
Lab ID: 1709242-02
Matrix: AQUEOUS

Analyses	Result	Qual	MDL	Report Limit	Units	Dilution Factor	Date Analyzed
AMMONIA AS NITROGEN							
			Method: E350.1 R2.0				Analyst: CD
Ammonia as Nitrogen	8.52		0.0980	0.320	mg NH3-N/L	10	9/7/2017 11:50
VOLATILE ORGANIC COMPOUNDS							
			Method: SW8260B				Analyst: WH
Benzene	280		3.0	10	µg/L	10	9/7/2017 17:15
Ethylbenzene	1.2		0.40	1.0	µg/L	1	9/7/2017 15:46
m,p-Xylene	1.2	J	0.98	2.0	µg/L	1	9/7/2017 15:46
Naphthalene	27		0.18	5.0	µg/L	1	9/7/2017 15:46
o-Xylene	0.81	J	0.35	1.0	µg/L	1	9/7/2017 15:46
Toluene	2.0		0.37	1.0	µg/L	1	9/7/2017 15:46
Xylenes, Total	2.0	J	1.3	3.0	µg/L	1	9/7/2017 15:46
Surr: 1,2-Dichloroethane-d4	100			75-120	%REC	1	9/7/2017 15:46
Surr: 1,2-Dichloroethane-d4	102			75-120	%REC	10	9/7/2017 17:15
Surr: 4-Bromofluorobenzene	95.8			80-110	%REC	1	9/7/2017 15:46
Surr: 4-Bromofluorobenzene	93.7			80-110	%REC	10	9/7/2017 17:15
Surr: Dibromofluoromethane	98.7			85-115	%REC	1	9/7/2017 15:46
Surr: Dibromofluoromethane	96.2			85-115	%REC	10	9/7/2017 17:15
Surr: Toluene-d8	99.6			85-110	%REC	1	9/7/2017 15:46
Surr: Toluene-d8	97.1			85-110	%REC	10	9/7/2017 17:15

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group, USA

Date: 08-Sep-17

Client: U.S. Steel - Gary Works
Project: (USS-GARY) CAMU SPRAY 9.6.17
Sample ID: CAMU Spray Effluent - Grab
Collection Date: 9/6/2017 01:20 PM

Work Order: 1709242
Lab ID: 1709242-03
Matrix: AQUEOUS

Analyses	Result	Qual	MDL	Report Limit	Units	Dilution Factor	Date Analyzed
AMMONIA AS NITROGEN							
			Method: E350.1 R2.0				Analyst: CD
Ammonia as Nitrogen	8.55		0.0980	0.320	mg NH3-N/L	10	9/7/2017 11:51
VOLATILE ORGANIC COMPOUNDS							
			Method: SW8260B				Analyst: WH
Benzene	< 1.0		0.30	1.0	µg/L	1	9/7/2017 15:24
Ethylbenzene	< 1.0		0.40	1.0	µg/L	1	9/7/2017 15:24
m,p-Xylene	< 2.0		0.98	2.0	µg/L	1	9/7/2017 15:24
Naphthalene	< 5.0		0.18	5.0	µg/L	1	9/7/2017 15:24
o-Xylene	< 1.0		0.35	1.0	µg/L	1	9/7/2017 15:24
Toluene	< 1.0		0.37	1.0	µg/L	1	9/7/2017 15:24
Xylenes, Total	< 3.0		1.3	3.0	µg/L	1	9/7/2017 15:24
Surr: 1,2-Dichloroethane-d4	101			75-120	%REC	1	9/7/2017 15:24
Surr: 4-Bromofluorobenzene	97.3			80-110	%REC	1	9/7/2017 15:24
Surr: Dibromofluoromethane	98.4			85-115	%REC	1	9/7/2017 15:24
Surr: Toluene-d8	98.4			85-110	%REC	1	9/7/2017 15:24

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group, USA

Date: 08-Sep-17

Client: U.S. Steel - Gary Works
Project: (USS-GARY) CAMU SPRAY 9.6.17
Sample ID: CAMU Spray Trip Blank
Collection Date: 9/6/2017 12:30 PM

Work Order: 1709242
Lab ID: 1709242-04
Matrix: AQUEOUS

Analyses	Result	Qual	MDL	Report Limit	Units	Dilution Factor	Date Analyzed
VOLATILE ORGANIC COMPOUNDS			Method: SW8260B			Analyst: WH	
Benzene	< 1.0		0.30	1.0	µg/L	1	9/7/2017 15:03
Ethylbenzene	< 1.0		0.40	1.0	µg/L	1	9/7/2017 15:03
m,p-Xylene	< 2.0		0.98	2.0	µg/L	1	9/7/2017 15:03
Naphthalene	< 5.0		0.18	5.0	µg/L	1	9/7/2017 15:03
o-Xylene	< 1.0		0.35	1.0	µg/L	1	9/7/2017 15:03
Toluene	< 1.0		0.37	1.0	µg/L	1	9/7/2017 15:03
Xylenes, Total	< 3.0		1.3	3.0	µg/L	1	9/7/2017 15:03
Surr: 1,2-Dichloroethane-d4	100			75-120	%REC	1	9/7/2017 15:03
Surr: 4-Bromofluorobenzene	94.2			80-110	%REC	1	9/7/2017 15:03
Surr: Dibromofluoromethane	95.8			85-115	%REC	1	9/7/2017 15:03
Surr: Toluene-d8	98.4			85-110	%REC	1	9/7/2017 15:03

Note: See Qualifiers page for a list of qualifiers and their definitions.

Client: U.S. Steel - Gary Works
Project: (USS-GARY) CAMU SPRAY 9.6.17
WorkOrder: 1709242

QUALIFIERS, ACRONYMS, UNITS

<u>Qualifier</u>	<u>Description</u>
*	Value exceeds Regulatory Limit
**	Estimated Value
a	Analyte is non-accredited
B	Analyte detected in the associated Method Blank above the Reporting Limit
E	Value above quantitation range
H	Analyzed outside of Holding Time
J	Analyte is present at an estimated concentration between the MDL and Report Limit
ND	Not Detected at the Reporting Limit
O	Sample amount is > 4 times amount spiked
P	Dual Column results percent difference > 40%
R	RPD above laboratory control limit
S	Spike Recovery outside laboratory control limits
U	Analyzed but not detected above the MDL
X	Analyte was detected in the Method Blank between the MDL and Reporting Limit, sample results may exhibit background or reagent contamination at the observed level.

<u>Acronym</u>	<u>Description</u>
DUP	Method Duplicate
LCS	Laboratory Control Sample
LCSD	Laboratory Control Sample Duplicate
LOD	Limit of Detection (see MDL)
LOQ	Limit of Quantitation (see PQL)
MBLK	Method Blank
MDL	Method Detection Limit
MS	Matrix Spike
MSD	Matrix Spike Duplicate
PQL	Practical Quantitation Limit
RPD	Relative Percent Difference
TDL	Target Detection Limit
TNTC	Too Numerous To Count
A	APHA Standard Methods
D	ASTM
E	EPA
SW	SW-846 Update III

<u>Units Reported</u>	<u>Description</u>
µg/L	Micrograms per Liter
mg NH3-N/L	Milligrams Ammonia-Nitrogen per Liter

Client: U.S. Steel - Gary Works
Work Order: 1709242
Project: (USS-GARY) CAMU SPRAY 9.6.17

QC BATCH REPORT

Batch ID: **R219494** Instrument ID **VAL-LACHAT** Method: **E350.1 R2.0**

MBLK		Sample ID: MBLK-R219494				Units: mg NH3-N/L		Analysis Date: 9/7/2017 11:46 AM		
Client ID:		Run ID: VAL-LACHAT_170907A				SeqNo: 4627142		Prep Date:		DF: 1
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual

Ammonia as Nitrogen U 0.032

LCS		Sample ID: LCS-R219494				Units: mg NH3-N/L		Analysis Date: 9/7/2017 11:48 AM		
Client ID:		Run ID: VAL-LACHAT_170907A				SeqNo: 4627143		Prep Date:		DF: 1
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual

Ammonia as Nitrogen 0.1977 0.032 0.2 0 98.8 90-110 0

MS		Sample ID: 1709184-09B MS				Units: mg NH3-N/L		Analysis Date: 9/7/2017 11:54 AM		
Client ID:		Run ID: VAL-LACHAT_170907A				SeqNo: 4627148		Prep Date:		DF: 1
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual

Ammonia as Nitrogen 0.2139 0.032 0.2 0.025 94.4 90-110 0

MSD		Sample ID: 1709184-09B MSD				Units: mg NH3-N/L		Analysis Date: 9/7/2017 11:55 AM		
Client ID:		Run ID: VAL-LACHAT_170907A				SeqNo: 4627149		Prep Date:		DF: 1
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual

Ammonia as Nitrogen 0.2063 0.032 0.2 0.025 90.6 90-110 0.2139 3.62 20

The following samples were analyzed in this batch:

1709242-01B	1709242-02B	1709242-03B
-------------	-------------	-------------

Client: U.S. Steel - Gary Works
 Work Order: 1709242
 Project: (USS-GARY) CAMU SPRAY 9.6.17

QC BATCH REPORT

Batch ID: **R219486** Instrument ID **VMS7** Method: **SW8260B**

MBLK		Sample ID: VLKW1-170907-R219486				Units: µg/L		Analysis Date: 9/7/2017 12:36 PM		
Client ID:		Run ID: VMS7_170907A				SeqNo: 4628597		Prep Date:		DF: 1
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Benzene	U	1.0								
Ethylbenzene	U	1.0								
m,p-Xylene	U	2.0								
Naphthalene	U	5.0								
o-Xylene	U	1.0								
Toluene	U	1.0								
Xylenes, Total	U	3.0								
Surr: 1,2-Dichloroethane-d4	19.57	0	20	0	97.8	75-120	0			
Surr: 4-Bromofluorobenzene	19.01	0	20	0	95	80-110	0			
Surr: Dibromofluoromethane	18.92	0	20	0	94.6	85-115	0			
Surr: Toluene-d8	19.97	0	20	0	99.8	85-110	0			

LCS		Sample ID: VLCSW1-170907-R219486				Units: µg/L		Analysis Date: 9/7/2017 11:33 AM		
Client ID:		Run ID: VMS7_170907A				SeqNo: 4628596		Prep Date:		DF: 1
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Benzene	20.36	1.0	20	0	102	85-125	0			
Ethylbenzene	19.24	1.0	20	0	96.2	85-125	0			
m,p-Xylene	38.72	2.0	40	0	96.8	75-130	0			
Naphthalene	18.33	5.0	20	0	91.6	55-160	0			
o-Xylene	19.2	1.0	20	0	96	80-125	0			
Toluene	19.36	1.0	20	0	96.8	85-125	0			
Xylenes, Total	57.92	3.0	60	0	96.5	80-126	0			
Surr: 1,2-Dichloroethane-d4	19.59	0	20	0	98	75-120	0			
Surr: 4-Bromofluorobenzene	20.47	0	20	0	102	80-110	0			
Surr: Dibromofluoromethane	20.86	0	20	0	104	85-115	0			
Surr: Toluene-d8	19.49	0	20	0	97.4	85-110	0			

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client: U.S. Steel - Gary Works
 Work Order: 1709242
 Project: (USS-GARY) CAMU SPRAY 9.6.17

QC BATCH REPORT

Batch ID: **R219486** Instrument ID **VMS7** Method: **SW8260B**

MS				Sample ID: 17081824-02A MS			Units: µg/L		Analysis Date: 9/7/2017 08:25 PM		
Client ID:		Run ID: VMS7_170907A			SeqNo: 4628620		Prep Date:		DF: 5		
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual	
Benzene	100.5	5.0	100	0	100	85-125	0				
Ethylbenzene	97.35	5.0	100	0	97.4	85-125	0				
m,p-Xylene	197.4	10	200	0	98.7	75-130	0				
Naphthalene	126	25	100	0	126	55-160	0				
o-Xylene	98.75	5.0	100	0	98.8	80-125	0				
Toluene	98.3	5.0	100	0	98.3	85-125	0				
Xylenes, Total	296.1	15	300	0	98.7	80-126	0				
Surr: 1,2-Dichloroethane-d4	97.6	0	100	0	97.6	75-120	0				
Surr: 4-Bromofluorobenzene	102.2	0	100	0	102	80-110	0				
Surr: Dibromofluoromethane	102.2	0	100	0	102	85-115	0				
Surr: Toluene-d8	99.35	0	100	0	99.4	85-110	0				

MSD				Sample ID: 17081824-02A MSD				Units: µg/L			Analysis Date: 9/7/2017 08:46 PM		
Client ID:			Run ID: VMS7_170907A			SeqNo: 4628622			Prep Date:		DF: 5		
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual			
Benzene	104.6	5.0	100	0	105	85-125	100.5	4.05	30				
Ethylbenzene	100.6	5.0	100	0	101	85-125	97.35	3.28	30				
m,p-Xylene	199.9	10	200	0	100	75-130	197.4	1.28	30				
Naphthalene	106.2	25	100	0	106	55-160	126	17.1	30				
o-Xylene	100.1	5.0	100	0	100	80-125	98.75	1.36	30				
Toluene	99.8	5.0	100	0	99.8	85-125	98.3	1.51	30				
Xylenes, Total	300	15	300	0	100	80-126	296.1	1.31	30				
Surr: 1,2-Dichloroethane-d4	98.95	0	100	0	99	75-120	97.6	1.37	30				
Surr: 4-Bromofluorobenzene	101.6	0	100	0	102	80-110	102.2	0.638	30				
Surr: Dibromofluoromethane	101.8	0	100	0	102	85-115	102.2	0.392	30				
Surr: Toluene-d8	100.5	0	100	0	100	85-110	99.35	1.15	30				

The following samples were analyzed in this batch:

1709242-01A	1709242-02A	1709242-03A
1709242-04A		

Note: See Qualifiers Page for a list of Qualifiers and their explanation.



ALS Environmental
3352 128th Avenue
Holland, Michigan 49424
(Tel) 616.399.6070
(Fax) 616.399.6185

Page 1 of 1

Customer Information				Project Information				ALS Project Manager: Amanda Grzybowski				ALS Work Order #: 1709242					
Purchase Order				Project Name: CAMU Sprays				Parameter/Method Request for Analysis									
Work Order				Project Number				A BTEX 8260B, Naphthalene 8260B									
Company Name: USS				Bill To Company: USS				B Ammonia 350.1									
Send Report To: John Prusiecki				Invoice Attn:				C									
Address				Address				D									
City/State/Zip				City/State/Zip				E									
Phone				Phone				F									
Fax				Fax				G									
e-Mail Address								H									
								I									
								J									
No.	Sample Description	Date	Time	Matrix	Pres. Key Numbers	# Bottles	A	B	C	D	E	F	G	H	I	J	Hold
1	CAMU Spray Influent [Grab]	9/6/17	1300	AQ	1	3	X										
2	CAMU Spray Influent [Grab]	9/6/17	1300	AQ	3	1		X									
3																	
4	CAMU Spray Middle [Grab]	9/6/17	1310	AQ	1	25	X										
5	CAMU Spray Middle [Grab]	9/6/17	1310	AQ	3	1		X									
6																	
7	CAMU Spray Effluent [Grab]	9/6/17	1320	AQ	1	3	X										
8	CAMU Spray Effluent [Grab]	9/6/17	1320	AQ	3	1		X									
9																	
10	CAMU Spray Trip Blank	9/6/17	1230	AQ	1	1	X										
11																	
12																	
13																	
14																	
15																	

Sampler(s): Please Print & Sign				Shipment Method:				Required Turnaround Time: (Check Box)				Results Due Date:			
Relinquished by: Fred Kinsey				Received by: 2400				10 WK Days <input type="checkbox"/> 3 WK Days <input type="checkbox"/> 2 WK Days <input type="checkbox"/> 24 Hour <input checked="" type="checkbox"/>							
Date: 9/6/17				Date: 9/17/17				Time: 1000							
Relinquished by: [Signature]				Received by: [Signature]				Time: 9/17/17				Time: 1000			
Logged by (Laboratory):				Checked by (Laboratory):				ALS Cooler ID: HN				Cooler Temp: 2.3			
								Level II: Standard QC <input checked="" type="checkbox"/>				Level III: Raw Data <input type="checkbox"/>			
								Level IV: SW846 Methods/CLP file <input type="checkbox"/>				Other: <input type="checkbox"/>			

Preservative Key: 1-HCl	2-HNO ₃	3-H ₂ SO ₄	4-NaOH	5-Na ₂ S ₂ O ₃	6-NaHSO ₄	7-Other	8-4°C
-------------------------	--------------------	----------------------------------	--------	---	----------------------	---------	-------

Note: Any changes must be made in writing once samples and COC

Note: Any changes must be made in writing once samples and COC Form have been submitted to ALS Laboratory Group.

Sample Receipt Checklist

Client Name: USS-GARY

Date/Time Received: 06-Sep-17 00:00

Work Order: 1709242

Received by: JH

Checklist completed by Amanda Przybowski 07-Sep-17
eSignature Date

Reviewed by: Amanda Przybowski 07-Sep-17
eSignature Date

Matrices: Aqueous

Carrier name: ALSHN

Shipping container/cooler in good condition?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	Not Present <input type="checkbox"/>
Custody seals intact on shipping container/cooler?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	Not Present <input checked="" type="checkbox"/>
Custody seals intact on sample bottles?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	Not Present <input checked="" type="checkbox"/>
Chain of custody present?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Chain of custody signed when relinquished and received?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Chain of custody agrees with sample labels?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Samples in proper container/bottle?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Sample containers intact?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Sufficient sample volume for indicated test?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
All samples received within holding time?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Container/Temp Blank temperature in compliance?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Sample(s) received on ice?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Temperature(s)/Thermometer(s):	<u>2.3</u>		
Cooler(s)/Kit(s):			
Date/Time sample(s) sent to storage:	<u>9/7/17 10:00</u>		
Water - VOA vials have zero headspace?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	No VOA vials submitted <input type="checkbox"/>
Water - pH acceptable upon receipt?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>
pH adjusted?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>
pH adjusted by:			

Login Notes: Holland - 2.6/2.6 c SR2

Client Contacted:

Date Contacted:

Person Contacted:

Contacted By:

Regarding:

Comments:

CorrectiveAction: