

U. S. Steel Gary Works - Laboratory Report Data Review					
Laboratory Report ID:		1706752			
Laboratory Name:	ALS Environmental (Holland, MI)	Report Package Date:	6/23/2017		
Project Name:	CAMU Monthly Leachate - June 2017	Review Date:	8/11/2017		
Project Number:	4262-303-01-01 Phase 03				
Reviewer Name:	Suzanne Bonola	No. of Environ. Samples?*	2		
Parameters:	PCBs, VOCs*, SVOCs*, ammonia as N, total dissolved solids, total suspended solids, total metals (As, Ba, Cd, Cr, Pb, Li, Hg, Se, Ag); hexavalent chromium (*list of compounds is in accordance with the CAMU Monitoring Program)	No. of QC Samples?*	1		
Method IDs:	SW8082; SW8260B; SW8270D; SW8270D SIM (PAHs); EPA 350.1 R2.0; A2540 C-97; A2540 D-97; SW 6020A; SW7470A; SW7196A	Rejected Results?	No		
Matrix:	Aqueous + QC (TB)				
*Attach copy of lab report showing sample IDs and corresponding lab IDs.		Yes	No	N/A	Comment
Report Completeness & Sample Log-In Condition					
1 Was a signature page with appropriate authority signature provided?		X			
2 Was there a case narrative noting all known problems or anomalies?		X			
3 Were all samples received under chain-of-custody (seals used) and within appropriate temperature?			X		(1)
4 Were all departures from standard conditions narrated (i.e., preservation acceptable, no headspace)?				X	No Departures
5 Are all field sample ID numbers cross-referenced to the laboratory ID numbers?		X			(1)
6 Are all laboratory ID numbers cross-referenced to the corresponding QC data (batch IDs provided)?		X			(1)
7 Were reference methods provided and cited appropriately?		X			
8 Were samples prepared and analyzed within holding times?		X			
Date Collected:	6/13/2017	Date Received:	6/13/2017		
9 Were all soil results reported on a dry-weight basis?				X	
10 Was a percent moisture result reported for all soil and sediment samples?				X	
11 If required for the project, was supporting documentation (CLP-like) provided?				X	
12 If required for the project, were TICs reported?				X	
13 Were all MDLs and/or RLs in accordance with project DQOs & reported in the test report?			X		
14 Was justification provided for elevated RLs (e.g., non-target interferences, etc.)?		X			
15 Is there a QAPP or SAP available as a reference for the project performed?		X			(1)
16 Are non-detects identified as ND at RL with a "U", or other (less than "<")?		X			
17 Are laboratory flags defined?		X			
Laboratory Method Blanks and Field Blanks					
1 Were appropriate types of laboratory method blanks analyzed?		X			
2 Were the laboratory method blanks analyzed at the appropriate frequency?		X			
3 Was the method blank free of contamination (i.e., less than the MDL or RL)?			X		
4 Did the method blank contamination affect the final results? If so, note on page 2.			X		(2)
5 Was a trip blank required and submitted with the samples?		X			
6 Was the trip blank free of contamination (i.e., less than the MDL or RL)?			X		
7 Did the trip blank contamination affect the final results? If so, note on page 2.			X		(3)
8 Was an equipment blank required and submitted with the samples?			X		
9 Was the equipment blank free of contamination (i.e., less than the MDL or RL)?				X	
10 Did the equipment blank contamination affect the final results? If so, note on page 2.				X	
11 Was a source water blank required and submitted with the samples?				X	
12 Was the source water blank free of contamination (i.e., less than the MDL or RL)?				X	
13 Did the source water blank contamination affect the final results? If so, note on page 2.				X	
Surrogates					
1 Were surrogates added prior to extraction for all appropriate methods?		X			
2 Were surrogate percent recoveries within laboratory control limits?			X		
3 Did the surrogate percent recoveries affect the final results? If so, note on page 2.			X		(4)
Laboratory Control Samples					
1 Were LCS performed for all appropriate methods?		X			
2 Were LCSs spiked with appropriate list of target compounds?		X			
3 Were LCS percent recoveries within laboratory control limits?			X		
4 Did the LCS percent recoveries affect the final results? If so, note on page 2.			X		(5)
5 If performed, were LCS Duplicate data provided?				X	
6 Were the LCS/LCSD RPD values within laboratory control limits?				X	
Matrix Spikes					
1 Were MS/MSDs required to be performed on a project sample?			X		
Sample used/methods:					
2 Were MS/MSDs performed on a project sample selected by the laboratory?		X			
Sample used/methods:		LCS-01 (-01H MS/-01H MSD): Hexavalent chromium LCS-02 (-02D MS/-02D MSD): Ammonia as N			
3 Were MS/MSDs spiked with appropriate list of target compounds?		X			
4 Were MS/MSD percent recoveries within laboratory control limits?		X			
5 Did the MS/MSD percent recoveries affect the final results? If yes, narrate.			X		
6 Were the MS/MSD RPD values within laboratory control limits?		X			

U. S. Steel Gary Works - Laboratory Report Data Review				
Laboratory Report ID:			1706752	
Laboratory Name:	ALS Environmental (Holland, MI)		Report Package Date:	6/23/2017
Project Name:	CAMU Monthly Leachate - June 2017		Review Date:	8/11/2017
Project Number:	4262-303-01-01 Phase 03			
Reviewer Name:	Suzanne Bonola		No. of Environ. Samples?*	2
Parameters:	PCBs, VOCs*, SVOCs*, ammonia as N, total dissolved solids, total suspended solids, total metals (As, Ba, Cd, Cr, Pb, Li, Hg, Se, Ag); hexavalent chromium (*list of compounds is in accordance with the CAMU Monitoring Program)		No. of QC Samples?*	1
Method IDs:	SW8082; SW8260B; SW8270D; SW8270D SIM (PAHs); EPA 350.1 R2.0; A2540 C-97; A2540 D-97; SW 6020A; SW7470A; SW7196A		Rejected Results?	No
Matrix:	Aqueous + QC (TB)			
*Attach copy of lab report showing sample IDs and corresponding lab IDs.			Yes	No
			N/A	Comment
7 Did the MS/MSD RPDs affect the final results? If so, note on page 2.				X
Field and Laboratory Duplicates				
1 Was a field duplicate submitted with this SDG?				X
Field Duplicate ID:				
2 Was the RPD values less than review criteria?				X
3 Did the field duplicate RPD results affect the final results? If so, narrate.				X
4 Was a laboratory method duplicate (MD) performed?			X	
MD ID:			LCS-02: PCBs	
5 Were the RPD values less than review criteria?			X	
6 Did the MD results affect the final results? If so, note on page 2.				X
Other Laboratory QC Data				
1 Were internal standard data reported? (organics and inorganics by 6020)			X	(6)
2 Were IS area counts and retention times within method required limits?				X
3 Were data associated with manual integration flagged on the test reports?				X
4 Did dual-column confirmation results (PCBs) meet method-required QC limits of <25% difference?			X	
5 Was an interference check sample analyzed and were percent recoveries within QC limits?				X
6 If serial dilutions were analyzed using a project sample, were the percent differences within QC limits?				X
7 Was a CRDL check sample analyzed and were the percent recoveries within QC limits?				X
8 If post-digestion spikes (PDS) were performed for metals, were percent recoveries within QC limits?				X
9 If ICV/CCV was reported in the case narrative, did the ICV/CCV affect the project samples?				X
10 Were the total results greater than the dissolved results (e.g., metals)?				X
Electronic Data Deliverable				
1 Was an EDD provided with the deliverable?			X	
2 Was the electronic data the same as the hardcopy data?				X
(8)				
Comment No. Description (data usability; note any estimated and/or rejected data):				
1	Sampling: The samples were collected by ALS staff. Login: A custody seal was not used on the cooler; because the cooler was not shipped by a commercial courier, this was not mandatory protocol. Dilutions: Dilutions were needed for the following chemicals due to elevated concentrations: VOCs (-01, -02); SVOCs (-01); PAHs (-01, -02); ammonia as N (-01, -02) QAPP: Uniform Federal Policy - Quality Assurance Project Plan, U. S. Steel Corporation, Gary Works, Gary, Indiana, April 2016.			
2	Method Blank: Total metals: total Li: MBLK-103253-103253 @ 0.0003708 J x 5 = 0.001854 mg/L (>5xMB for -01C NQR). Ammonia as N: MBLK-R213972 @ 0.0107 J x 5 = 0.0535 mg/L (>5xMB for -01D and -02D; NQR).			
3	Trip Blank: Chloroform detected in trip blank sample (sample -03) @0.98 J ug/L x 5 = 4.9 ug/L(>5xTB for -01A, NQR; ND for -02A, NQR).			
4	Surrogate Recoveries: Samples -01A and -02A: dibromofluoromethane %Rec<LCL, but >10% (target analytes 1,1,1,2-tetrachloroethane, 1,1,1-trichloroethane,1,1,1,2-tetrachloroethane,1,1,2-trichloroethane, 1,1-dichloroethane, 1,2,3-trichloropropane, 1,2-dibromo-3-chloropropane, 1,2-dibromomethane, 1,2-dichloroethane, 1,2-dichloropropane, bromodichloromethane, bromomethane, chloroethane, chloromethane, dibromochloromethane, dibromomethane, dichlorodifluoromethane, idomethane, trichlorofluoromethane ND, revise to "UJ").			
5	LCS: Total metals: total Ag (LCS-103253-103253) %R>UCL (ND for -01A, NQR)			
6	Internal Standards: Included in L4 lab report; no review required for general QC data evaluation. Did not receive a copy of the L4 lab report.			
7	The lab did not perform PDS or SD analysis for this batch report.			
8	Reporting: The laboratory provided an EDD to the database management contractor.			
Signature of Validator: <i>Suzanne Bonola</i> 8/11/2017				
Signature of Senior Review: <i>Allyssa Bonola</i> 9/27/2017				

Attachment 1: Cross-reference of field IDs with laboratory IDs.

Acronyms:

CCV: Continuing Calibration Verification

CLP-Like: Level 4 Report

CL: Control Limit

DQOs: Data Quality Objectives

EDD: Electronic Deliverable Data

FD: Field Duplicate

GC/MS: Gas Chromatography/ Mass Spectrometry

ICV: Initial Calibration Verification

IS: Internal Standard

LCL: Lower Control Limit

LCS/LCSD: Laboratory Control Sample/Duplicate

MB: Method Blank

MD: Method Duplicate

MDL: Method Detection Limit

MS/MSD: Matrix Spike/Duplicate

ND: Non Detected

NFQR: No Further Qualification Required

NQR: No Qualification Required

PDS: Post Digestion Spike

%R: Percent Recovery

RL: Reporting Limit

RPD: Relative Percent Difference

SAP: Sampling Analysis Plan

SDG: Sampling Delivery Group

SVOC: Semi-Volatile Organic Compounds

TIC: Tentatively Identified Compound

QA/QC: Quality Assurance/Quality Control

QAPP: Quality Assurance Project Plan

UCL: Upper Control limit

VOC: Volatile organic compounds

Client: U.S. Steel - Gary Works
Project: (USS- Gary) CAMU Monthly Leachate 6.2017
Work Order: 1706752

Work Order Sample Summary

<u>Lab Samp ID</u>	<u>Client Sample ID</u>	<u>Matrix</u>	<u>Tag Number</u>	<u>Collection Date</u>	<u>Date Received</u>	<u>Hold</u>
1706752-01	LCS-01	Aqueous	LCS-01	6/13/2017 11:05	6/13/2017 17:15	<input type="checkbox"/>
1706752-02	LCS-02	Aqueous	LCS-02	6/13/2017 10:50	6/13/2017 17:15	<input type="checkbox"/>
1706752-03	Trip Blank	Aqueous	Trip Blank	6/13/2017 10:00	6/13/2017 17:15	<input type="checkbox"/>