


Wind Rose




AMMONIA REPORTING VALUES

Sampling Event	<u>Week 1 2017</u>	
Sampling Program	Ammonia Sampling	
Sampling Period	7 - Day	
Begin Sample Date/Time	6/13/2017	6:50
End Sample Date/Time	6/20/2017	7:43
Exceedance	No	
Verbal Notification Date	N/A	
Written Notification Date	N/A	
Predominant wind direction	South, West	
Sprinkler System in Operation	<u>7 Days</u>	

7 - Day Samples

	Screening Level μ/cu.m.	East Stand		North Stand		South Stand	
		ppb	μ/cu.m.	ppb	μ/cu.m.	ppb	μ/cu.m.
Ammonia (NH ₃)	100	10.30	7.42	11.60	8.35	10.30	7.42
Duration							
Date Time		Start	End	Start	End	Start	End
		6/13/2017 7:05	6/20/2017 7:43	6/13/2017 6:50	6/20/2017 7:27	6/13/2017 7:00	6/20/2017 7:40

Wind Rose




AMMONIA REPORTING VALUES

Sampling Event	Week 2 2017
Sampling Program	Ammonia Sampling
Sampling Period	7 - Day
Begin Sample Date/Time	6/20/2017 7:27
End Sample Date/Time	6/27/2017 7:56
Exceedance	No
Verbal Notification Date	N/A
Written Notification Date	N/A
Predominant wind direction	West
Sprinkler System in Operation	<u>7 Days</u>

7 - Day Samples

	Screening Level μ/cu.m.	East Stand		North Stand		South Stand	
		ppb	μ/cu.m.	ppb	μ/cu.m.	ppb	μ/cu.m.
Ammonia (NH ₃)	100	6.70	4.82	7.50	5.40	10.70	7.70
Duration							
Date Time		Start	End	Start	End	Start	End
		6/20/2017 7:43	6/27/2017 7:56	6/20/2017 7:27	6/27/2017 7:44	6/20/2017 7:40	6/27/2017 7:53

Wind Rose




AMMONIA REPORTING VALUES

Sampling Event	Week 3 2017
Sampling Program	Ammonia Sampling
Sampling Period	7 - Day
Begin Sample Date/Time	6/27/2017 7:44
End Sample Date/Time	7/4/2017 8:02
Exceedance	No
Verbal Notification Date	N/A
Written Notification Date	N/A
Predominant wind direction	South
Sprinkler System in Operation	7 Days

7 - Day Samples

	Screening Level μ/cu.m.	East Stand		North Stand		South Stand	
		ppb	μ/cu.m.	ppb	μ/cu.m.	ppb	μ/cu.m.
Ammonia (NH ₃)	100	10.90	7.85	10.50	7.56	9.30	6.70
Duration							
Date Time		Start	End	Start	End	Start	End
		6/27/2017 7:56	7/4/2017 8:02	6/27/2017 7:44	7/4/2017 7:54	6/27/2017 7:53	7/4/2017 7:59

Wind Rose




AMMONIA REPORTING VALUES

Sampling Event	<u>Week 4 2017</u>	
Sampling Program	Ammonia Sampling	
Sampling Period	7 - Day	
Begin Sample Date/Time	7/4/2017	7:54
End Sample Date/Time	7/11/2017	8:07
Exceedance	No	
Verbal Notification Date	N/A	
Written Notification Date	N/A	
Predominant wind direction	North	
Sprinkler System in Operation	<u>7 Days</u>	

7 - Day Samples

	Screening Level μ/cu.m.	East Stand		North Stand		South Stand	
		ppb	μ/cu.m.	ppb	μ/cu.m.	ppb	μ/cu.m.
Ammonia (NH ₃)	100	9.90	7.13	11.00	7.92	12.40	8.93
Duration							
Date Time		Start	End	Start	End	Start	End
		7/4/2017 8:02	7/11/2017 8:07	7/4/2017 7:54	7/11/2017 7:53	7/4/2017 7:59	7/11/2017 8:03

Wind Rose




AMMONIA REPORTING VALUES

Sampling Event	<u>June 13 - July 11 2017</u>	
Sampling Program	Ammonia Sampling	
Sampling Period	28- Day	
Begin Sample Date/Time	6/13/2017	6:50
End Sample Date/Time	7/11/2017	8:07
Exceedance	No	
Verbal Notification Date	N/A	
Written Notification Date	N/A	
Predominant wind direction	West	
Sprinkler System in Operation	28 Days	

28 - Day Samples

	Screening Level μ/cu.m.	East Stand		North Stand		South Stand	
		ppb	μ/cu.m.	ppb	μ/cu.m.	ppb	μ/cu.m.
Ammonia (NH ₃)	100	5.70	4.10	6.00	4.32	6.00	4.32
Duration							
Date Time		Start	End	Start	End	Start	End
		6/13/2017 7:05	7/11/2017 8:07	6/13/2017 6:50	7/11/2017 7:53	6/13/2017 7:00	7/11/2017 8:03

Wind Rose




AMMONIA REPORTING VALUES

Sampling Event	<u>Week 5 2017</u>	
Sampling Program	Ammonia Sampling	
Sampling Period	7 - Day	
Begin Sample Date/Time	7/11/2017	7:53
End Sample Date/Time	7/18/2017	8:02
Exceedance	No	
Verbal Notification Date	N/A	
Written Notification Date	N/A	
Predominant wind direction	North	
Sprinkler System in Operation	<u>7 Days</u>	

7 - Day Samples

	Screening Level μ/cu.m.	East Stand		North Stand		South Stand	
		ppb	μ/cu.m.	ppb	μ/cu.m.	ppb	μ/cu.m.
Ammonia (NH ₃)	100	5.90	4.25	6.10	4.39	5.60	4.03
Duration							
Date Time		Start	End	Start	End	Start	End
		7/11/2017 8:07	7/18/2017 8:02	7/11/2017 7:53	7/18/2017 7:51	7/11/2017 8:03	7/18/2017 7:59

Wind Rose




AMMONIA REPORTING VALUES

Sampling Event	Week 6 2017	
Sampling Program	Ammonia Sampling	
Sampling Period	7 - Day	
Begin Sample Date/Time	7/18/2017	7:51
End Sample Date/Time	7/25/2017	8:02
Exceedance	No	
Verbal Notification Date	N/A	
Written Notification Date	N/A	
Predominant wind direction	ENE	
Sprinkler System in Operation	7 Days	

7 - Day Samples

	Screening Level μ/cu.m.	East Stand		North Stand		South Stand	
		ppb	μ/cu.m.	ppb	μ/cu.m.	ppb	μ/cu.m.
Ammonia (NH ₃)	100	1.40	1.01	3.40	2.45	0.00	0.00
Duration							
Date Time		Start	End	Start	End	Start	End
		7/18/2017 8:02	7/25/2017 8:02	7/18/2017 7:51	7/25/2017 7:48	7/18/2017 7:59	7/25/2017 7:58

Wind Rose




AMMONIA REPORTING VALUES

Sampling Event	<u>Week 7 2017</u>	
Sampling Program	Ammonia Sampling	
Sampling Period	7 - Day	
Begin Sample Date/Time	7/25/2017	7:48
End Sample Date/Time	8/1/2017	8:00
Exceedance	No	
Verbal Notification Date	N/A	
Written Notification Date	N/A	
Predominant wind direction	North	
Sprinkler System in Operation	<u>7 Days</u>	

7 - Day Samples

	Screening Level μ/cu.m.	East Stand		North Stand		South Stand	
		ppb	μ/cu.m.	ppb	μ/cu.m.	ppb	μ/cu.m.
Ammonia (NH ₃)	100	2.20	1.58	0.20	0.14	0.00	0.00
Duration							
Date Time		Start	End	Start	End	Start	End
		7/25/2017 8:02	8/1/2017 8:00	7/25/2017 7:48	8/1/2017 7:48	7/25/2017 7:58	8/1/2017 7:57

Wind Rose




AMMONIA REPORTING VALUES

Sampling Event	Week 8 2017
Sampling Program	Ammonia Sampling
Sampling Period	7 - Day
Begin Sample Date/Time	8/1/2017 7:48
End Sample Date/Time	8/8/2017 8:04
Exceedance	No
Verbal Notification Date	N/A
Written Notification Date	N/A
Predominant wind direction	WSW
Sprinkler System in Operation	7 Days

7 - Day Samples

	Screening Level μ/cu.m.	East Stand		North Stand		South Stand	
		ppb	μ/cu.m.	ppb	μ/cu.m.	ppb	μ/cu.m.
Ammonia (NH ₃)	100	13.70	9.86	47.00	33.84	11.30	8.14
Duration							
Date Time		Start	End	Start	End	Start	End
		8/1/2017 8:00	8/8/2017 8:04	8/1/2017 7:48	8/8/2017 7:49	8/1/2017 7:57	8/8/2017 8:00

Wind Rose




AMMONIA REPORTING VALUES

Sampling Event	<u>July 11 - August 8 2017</u>	
Sampling Program	Ammonia Sampling	
Sampling Period	28- Day	
Begin Sample Date/Time	7/11/2017	7:53
End Sample Date/Time	8/8/2017	8:04
Exceedance	No	
Verbal Notification Date	N/A	
Written Notification Date	N/A	
Predominant wind direction	North	
Sprinkler System in Operation	28 Days	

28 - Day Samples

	Screening Level μ/cu.m.	East Stand		North Stand		South Stand	
		ppb	μ/cu.m.	ppb	μ/cu.m.	ppb	μ/cu.m.
Ammonia (NH ₃)	100	4.50	3.24	4.00	2.88	4.50	3.24
Duration							
Date Time		Start	End	Start	End	Start	End
		7/11/2017 8:07	8/8/2017 8:04	7/11/2017 7:53	8/8/2017 7:49	7/11/2017 8:03	8/8/2017 8:00

Wind Rose




AMMONIA REPORTING VALUES

Sampling Event	Week 9 2017
Sampling Program	Ammonia Sampling
Sampling Period	7 - Day
Begin Sample Date/Time	8/8/2017 7:49
End Sample Date/Time	8/15/2017 8:08
Exceedance	No
Verbal Notification Date	N/A
Written Notification Date	N/A
Predominant wind direction	North
Sprinkler System in Operation	<u>7 Days</u>

7 - Day Samples

	Screening Level μ/cu.m.	East Stand		North Stand		South Stand	
		ppb	μ/cu.m.	ppb	μ/cu.m.	ppb	μ/cu.m.
Ammonia (NH ₃)	100	7.10	5.11	6.60	4.75	7.00	5.04
Duration							
Date Time		Start	End	Start	End	Start	End
		8/8/2017 8:04	8/15/2017 8:08	8/8/2017 7:49	8/15/2017 7:56	8/8/2017 8:00	8/15/2017 8:05

Wind Rose




AMMONIA REPORTING VALUES

Sampling Event	<u>Week 10 2017</u>	
Sampling Program	Ammonia Sampling	
Sampling Period	7 - Day	
Begin Sample Date/Time	8/15/2017	7:56
End Sample Date/Time	8/22/2017	7:37
Exceedance	No	
Verbal Notification Date	N/A	
Written Notification Date	N/A	
Predominant wind direction	West, South	
Sprinkler System in Operation	<u>7 Days</u>	

7 - Day Samples

	Screening Level μ/cu.m.	East Stand		North Stand		South Stand	
		ppb	μ/cu.m.	ppb	μ/cu.m.	ppb	μ/cu.m.
Ammonia (NH ₃)	100	6.50	4.68	8.10	5.83	8.50	6.12
Duration							
Date Time		Start	End	Start	End	Start	End
		8/15/2017 8:08	8/22/2017 7:37	8/15/2017 7:56	8/22/2017 7:22	8/15/2017 8:05	8/22/2017 7:35

Wind Rose




AMMONIA REPORTING VALUES

Sampling Event	Week 11 2017
Sampling Program	Ammonia Sampling
Sampling Period	7 - Day
Begin Sample Date/Time	8/22/2017 7:22
End Sample Date/Time	8/29/2017 8:08
Exceedance	No
Verbal Notification Date	N/A
Written Notification Date	N/A
Predominant wind direction	SE
Sprinkler System in Operation	7 Days

7 - Day Samples

	Screening Level μ/cu.m.	East Stand		North Stand		South Stand	
		ppb	μ/cu.m.	ppb	μ/cu.m.	ppb	μ/cu.m.
Ammonia (NH ₃)	100	6.40	4.61	6.30	4.54	7.40	5.33
Duration							
Date Time		Start	End	Start	End	Start	End
		8/22/2017 7:37	8/29/2017 8:08	8/22/2017 7:22	8/29/2017 7:52	8/22/2017 7:35	8/29/2017 8:12

Wind Rose




AMMONIA REPORTING VALUES

Sampling Event	<u>Week 12 2017</u>	
Sampling Program	Ammonia Sampling	
Sampling Period	7 - Day	
Begin Sample Date/Time	8/29/2017	7:52
End Sample Date/Time	9/5/2017	8:07
Exceedance	No	
Verbal Notification Date	N/A	
Written Notification Date	N/A	
Predominant wind direction	NNE	
Sprinkler System in Operation	<u>7 Days</u>	

7 - Day Samples

	Screening Level μ/cu.m.	East Stand		North Stand		South Stand	
		ppb	μ/cu.m.	ppb	μ/cu.m.	ppb	μ/cu.m.
Ammonia (NH ₃)	100	18.10	13.03	4.00	2.88	6.50	4.68
Duration							
Date Time		Start	End	Start	End	Start	End
		8/29/2017 8:08	9/5/2017 8:07	8/29/2017 7:52	9/5/2017 7:54	8/29/2017 8:12	9/5/2017 8:03

Wind Rose




AMMONIA REPORTING VALUES

Sampling Event	<u>August 8 - September 5, 20</u>	
Sampling Program	Ammonia Sampling	
Sampling Period	28- Day	
Begin Sample Date/Time	8/8/2017	7:49
End Sample Date/Time	9/5/2017	8:07
Exceedance	No	
Verbal Notification Date	N/A	
Written Notification Date	N/A	
Predominant wind direction	West, South	
Sprinkler System in Operation	28 Days	

28 - Day Samples

	Screening Level μ /cu.m.	East Stand		North Stand		South Stand	
		ppb	μ /cu.m.	ppb	μ /cu.m.	ppb	μ /cu.m.
Ammonia (NH ₃)	100	1.30	0.94	4.10	2.95	4.20	3.02
Duration							
Date Time		Start	End	Start	End	Start	End
		8/8/2017 8:04	9/5/2017 8:07	8/8/2017 7:49	9/5/2017 7:54	8/8/2017 8:00	9/5/2017 8:03

Wind Rose




AMMONIA REPORTING VALUES

Sampling Event	Week 13 2017	
Sampling Program	Ammonia Sampling	
Sampling Period	7 - Day	
Begin Sample Date/Time	9/5/2017	7:54
End Sample Date/Time	9/12/2017	8:06
Exceedance	No	
Verbal Notification Date	N/A	
Written Notification Date	N/A	
Predominant wind direction	West	
Sprinkler System in Operation	7 Days	

7 - Day Samples

	Screening Level μ/cu.m.	East Stand		North Stand		South Stand	
		ppb	μ/cu.m.	ppb	μ/cu.m.	ppb	μ/cu.m.
Ammonia (NH ₃)	100	16.10	11.59	31.40	22.61	13.50	9.72
Duration							
Date Time		Start	End	Start	End	Start	End
		9/5/2017 8:07	9/12/2017 8:06	9/5/2017 7:54	9/12/2017 7:53	9/5/2017 8:03	9/12/2017 8:02

Wind Rose




AMMONIA REPORTING VALUES

Sampling Event	Week 14 2017
Sampling Program	Ammonia Sampling
Sampling Period	7 - Day
Begin Sample Date/Time	9/12/2017 7:53
End Sample Date/Time	9/19/2017 7:33
Exceedance	No
Verbal Notification Date	N/A
Written Notification Date	N/A
Predominant wind direction	SSE
Sprinkler System in Operation	7 Days

7 - Day Samples

	Screening Level μ/cu.m.	East Stand		North Stand		South Stand	
		ppb	μ/cu.m.	ppb	μ/cu.m.	ppb	μ/cu.m.
Ammonia (NH ₃)	100	5.90	4.25	5.00	3.60	5.90	4.25
Duration							
Date Time		Start	End	Start	End	Start	End
		9/12/2017 8:06	9/19/2017 7:33	9/12/2017 7:53	9/19/2017 7:20	9/12/2017 8:02	9/19/2017 7:30

Wind Rose



AMMONIA REPORTING VALUES

Sampling Event	<u>September 5 - 19, 2017</u>	
Sampling Program	Ammonia Sampling	
Sampling Period	14- Day	
Begin Sample Date/Time	9/5/2017	7:54
End Sample Date/Time	9/19/2017	7:33
Exceedance	No	
Verbal Notification Date	N/A	
Written Notification Date	N/A	
Predominant wind direction	West, SSE	
Sprinkler System in Operation	14 Days	

14 - Day Samples

	Screening Level $\mu\text{cu.m.}$	East Stand		North Stand		South Stand	
		ppb	$\mu\text{cu.m.}$	ppb	$\mu\text{cu.m.}$	ppb	$\mu\text{cu.m.}$
Ammonia (NH_3)	100	40.10	28.87	24.10	17.35	17.20	12.38
Duration							
Date Time		Start	End	Start	End	Start	End
		9/5/2017 8:07	9/19/2017 7:33	9/5/2017 7:54	9/19/2017 7:20	9/5/2017 8:03	9/19/2017 7:30