

Stan A. Huber Consultants, Inc.

Health Physics and Radiation Safety Services

200 North Cedar Road - New Lenox, Illinois 60451-1751 - (800) 383-0468 or (815) 485-6161 - FAX (815) 485-4433 - Email sahci@sahci.com - Home Page www.sahci.com

September 26, 2022

978042

Angel Camacho SET Environmental 450 Sumac Road Wheeling, Illinois 60090

RE: Thorium Monitoring – City of Chicago Department of Water Management

CDOT Permit: 1729779 350 E. Erie St.

Dear Mr. Camacho:

Stan A. Huber Consultants, Inc (SAHCI) was hired by your firm to provide radiation monitoring during the excavation for a Chicago Department of Water Management manhole repair at 350 E. Erie St. in Chicago, Illinois. The monitoring was performed by Brian Schmidt, SAHCI Health Physics Technician, on September 13, 2022. All activities were conducted under the guidance of document *SET General Procedure for Thorium Monitoring*.

<u>Instrumentation</u>

Surface gamma scans were performed using a Ludlum Model 2221 Scaler / Ratemeter (serial no. 126497) with attached Ludlum Model 44-10 2"x2" Nal Detector (w/ 6" collimated lead shield). The instrument was calibrated on May 3, 2022. The US Environmental Protection Agency (USEPA) action level of 7.1 picocuries per gram (pCi/g) total thorium for this instrument is 7,208 counts per minute (cpm).

The average background count rate for this location was measured at 1,887 cpm.

Soil Gamma Scans

Gamma surface scans were performed using the Ludlum Model 2221 Scaler / Ratemeter described above. Survey data was collected by entering the excavation around the existing manhole and recording the highest count rate for the floor and walls to a depth of 30 inches below ground surface. All asphalt, concrete, and soil were loaded directly into a truck for disposal.

The maximum gamma count rate for each 18-inch lift was recorded on the attached Radiation Survey Form. The count rates in the excavation ranged from 1,900 cpm to 3,300 cpm. No count rates were found at any time that exceeded the threshold limit of 7,208 cpm.

Additional Monitoring

Since no count rates were identified above the 7.1 pCi/gram threshold limit, no additional soil sampling, air monitoring, or personnel monitoring were performed.

I will be providing a copy of this report to both the City of Chicago Department of Public Health and US Environmental Protection Agency, as required.

Thank you for your assistance with this project. If you have any questions or need additional information, please call me at (815) 485-6161.

Sincerely,

Stan A. Huber Consultants, Inc.

Clesse

Glenn Huber, CHP

President

Dage	1	of	4
Page		ot _	<u> 1</u>



Radiation Survey Form Location/ Project ID: 350 E. EME St DWM - MANHOLE REPAIR								
Locati	ion/ Project ID: '	350 E.EME	St DWM - M	ANHOLE REPAI	K.			
Date:	9/13/22	<u> </u>		MIAN SCYMIOT				
Inst M	odel: עטטעא	- 2221	Serial No.:	26497				
Probe		/ 1"x2" Nal / Not Shielded	Lift Elevation:	1-30 ¹				
Backgro	ound <u>1887</u>	cpm	Action Level: 72	<i>0 </i>				
			ints for grid in cpm. Recated counts and record m		† N			
\subseteq		EALE ST		scale				
		6' 0+	95'	1				
	-	<u> </u>	1		•			
			ST. GURB	→				
1	E . a a a a i to	DEDTU CO.		ر در				
	D	DEPTY CPA 0-12" 1900 12-30" 2500 30-48" 3300		M. Gunto	—			
		30-48" 3300	2	ž				
_					—			
		9	<u> </u>					
\dashv					$-\bigcirc$			