

CHAPTER 15

References

- Abu-Zeid, M., A. Baghdady, and H. El-Etr. 2001. Textural attributes, mineralogy and provenance of sand dune fields in the greater Al Ain area, United Arab Emirates. *J. Arid. Environ.* 48(4):475-499.
- ACCLPP (Advisory Committee on Childhood Lead Poisoning Prevention). 2007. Interpreting and managing blood lead levels <10 µg/dL in children and reducing childhood exposures to lead: Recommendations of CDC's Advisory Committee on Childhood Lead Poisoning Prevention. *MMWR* 56(RR-8):1-16. Available online at: <https://www.cdc.gov/mmwr/pdf/rr/rr5608.pdf>.
- Aelion, C.M. and H.T. Davis. 2019. Blood lead levels in children in urban and rural areas: Using multilevel modeling to investigate impacts of gender, race, poverty, and the environment. *Sci. Total Environ.* 694:133783.
- Aoki, Y. and D.J. Brody. 2018. WIC participation and blood lead levels among children 1-5 years: 2007-2014. *Environ. Health Perspect.* 126(6): 067011.
- Arribas, J., S. Critelli, E. Le Pera, and A. Tortosa. 2000. Composition of modern stream sand derived from a mixture of sedimentary and metamorphic source rocks (Henares River, Central Spain). *Sediment Geol.* 133:27-48.
- ATSDR (Agency for Toxic Substances and Disease Registry). 2002. Final Report: Jasper County, Missouri Superfund Site Childhood 2000 Lead Exposure Study. Missouri Department of Health. Available online at: <https://health.mo.gov/living/environment/hazsubstancesites/pdf/FinalReportAndTOC.pdf>.
- ATSDR (Agency for Toxic Substances and Disease Registry). 2008a. Health Consultation. Review and Preferred Cleanup Alternatives 2R and 3R. East Helena Superfund Site. East Helena, Lewis and Clark County, Montana. U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control and Prevention. Atlanta, GA. <https://www.atsdr.cdc.gov/HAC/pha/EastHelenaSuperfundSite/EastHelenaSuperfundSite061608.pdf>.
- ATSDR (Agency for Toxic Substances and Disease Registry). 2008b. Health Consultation: East Helena Superfund Site, East Helena, Lewis and Clark County, Montana. U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control and Prevention. Atlanta, GA. Available online at: <http://www.atsdr.cdc.gov/HAC/pha/EastHelenaSuperfundSite/EastHelenaSuperfundSite061608.pdf>.
- ATSDR (Agency for Toxic Substances and Disease Registry). 2020. Toxicological Profile for Lead. Centers for Disease Control and Prevention. Atlanta, GA. Available online at: <https://www.atsdr.cdc.gov/toxprofiles/tp13.pdf>.
- ATSDR (Agency for Toxic Substances and Disease Registry). 2022. Public Health Assessment Guidance Manual (PHAGM). Centers for Disease Control and Prevention. Atlanta, GA. Available online at: <https://www.atsdr.cdc.gov/pha-guidance/index.html>.
- Bi, X., X. Feng, Y. Yang, X. Li, G.P. Shin, F. Li, and Z. Fu. 2009. Allocation and source attribution of lead and cadmium in maize (*Zea mays* L.) impacted by smelting emissions. *Environ. Pollut.* 157:834-839.
- Bird, G. 2011. Provenancing anthropogenic Pb within the fluvial environment: Developments and challenges in the use of Pb isotopes. *Environ. Int.* 37:802-819.

- Breen, BN. 2024. Updated Soil Lead Guidance for CERCLA Sites and RCRA Corrective Action Facilities. Memorandum dated January 17, 2024.
https://www.epa.gov/system/files/documents/2024-01/olem-residential-lead-soil-guidance-2024_signed_508.pdf.
- Brewer, R., J. Peard, and M. Heskett. 2016a. A critical review of discrete soil sample data reliability: Part 1 – Field study results. *Soil Sediment Contam.* 26:1-22.
- Brewer, R., J. Peard, and M. Heskett. 2016b. A critical review of discrete soil sample data reliability: Part 2 – Implications. *Soil Sediment Contam.* 26:23-44.
- Brown, S.L., Clausen, I., Chappell, M.A., Scheckel, K.G., Newville, M., and G.M. Hettiarachchi. 2015. High-iron biosolids compost-induced changes in lead and arsenic speciation and bioaccessibility in co-contaminated soils. *J. Environ. Qual.* 41(5):1612-1622.
- Brown, J.S., S.M. Spalinger, S.G. Weppner, K.J. Witters Hicks, M. Thorhaug, W.C. Thayer, M.H. Follansbee, and G.L. Diamond. 2023. Evaluation of the integrated exposure uptake biokinetic (IEUBK) model for lead in children. *J. Expo. Sci. Environ. Epidemiol.* 33(2):187-197.
- Brugam, R.B., M. Ketterer, L. Maines, Z.Q. Lin, and W.A. Retzlaff. 2012. Application of a simple binary mixing model to the reconstruction of lead pollution sources in two Mississippi River floodplain lakes. *J. Paleolimnol.* 47: 101-112.
- Buseck, P.R. and M. Posfai. 1999. Airborne minerals and related aerosol particles: Effects on climate and the environment. *Proceedings of the National Academy of Sciences of the United States of America* 96(7):3372-3379.
- Cao, X., L.Q. Ma, and A. Shiralipour. 2003. Effects of compost and phosphate amendments on arsenic mobility in soils and arsenic uptake by the hyperaccumulator, *Pteris vittate L.* *Environ. Pollut.* 126:157-167.
- Cardona, J.P.M., J.M.G. Mas, A.S. Bellon, S. Dominguez-Bella, and J.M. Lopez. 2005. Surface textures of heavy mineral grains: A new contribution to provenance studies. *Sediment Geol.* 174(3-4):223-235.
- CDC (U.S. Centers for Disease Control and Prevention). 2005. Preventing Lead Poisoning in Young Children. August 2005. U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control. Available online at:
<https://www.cdc.gov/nceh/lead/publications/prevleadpoisoning.pdf>.
- CDC (U.S. Centers for Disease Control and Prevention). 2012. Low Level Lead Exposure Harms Children: A Renewed Call For Primary Prevention. Report of the Advisory Committee on Childhood Lead Poisoning Prevention. Atlanta, GA. U.S. Department of Health and Human Services, Centers for Disease Control and Prevention. Available online at:
https://www.cdc.gov/nceh/lead/docs/final_document_030712.pdf.
- CERCLA (Comprehensive Environmental Response, Compensation and Liability Act). 1980. Comprehensive Environmental Response, Compensation and Liability Act (CERCLA) of 1980, Pub. L. No. 96-510, 94 Stat. 2767 (1980).
- Chamberlain, A. C., M. Heard, P. Little, D. Newton, A.C. Wells, and R.D. Wiffen. 1978. Investigations into lead from motor vehicles. Report of work at Environmental and Medical Sciences Division, Transport Research Laboratory. AERE-R9198 Monograph, Harwell. HL78/4122 (C.10). Available online at: <https://trid.trb.org/view/142819>.
- Chaney, R.L., S.B. Sterrett, and H.W. Mielke. 1984. The potential for heavy metal exposure from urban gardens and soils. In: J.R. Preer, ed. Proceedings of the symposium on heavy metals in urban gardens. Agricultural Experiment Station, University of the District of Columbia, Washington, 37-84.

- Cheng, H. and Y. Hu. 2010. Lead (Pb) isotopic fingerprinting and its applications in lead pollution studies in China: A review. *Environ. Poll.* 158:1134-1146.
- Clark, H.F., D.J. Brabander, and R.M. Erdil. 2006. Sources, sinks, and exposure pathways of lead in urban garden soil. *J. Environ. Qual.* 35:2066-2074.
- Covello, V. and F. Allen. 1988. Seven cardinal rules of risk communication. U.S. Environmental Protection Agency, Office of Policy Analysis, Washington, DC.
- D'Amore, J.J., S.R. Al-Abed, K.G. Scheckel, and J.A. Ryan. 2005. Methods for speciation of metals in soils: A review. *J. Environ. Qual.* 34(5): 1707-1745.
- David, O., H. Wintrob, C. Arcoletto. 1982. Blood lead stability. *Arch Environ Health* 37(3):147-150. <https://doi.org/10.1080/00039896.1982.10667554>.
- de Boer, D.H. and G. Crosby. 1995. Evaluating the potential of SEM/EDS analysis for fingerprinting suspended sediment derived from 2 contrasting topsoils. *Catena* 24(4):243-258.
- DOD/EPA (U.S. Department of Defense/U.S. Environmental Protection Agency). 1999. Memorandum, Subject: Management of Lead-Based Paint in Residential and non-Residential Areas at Base Realignment and Closure (BRAC) Properties. March 17.
- Eckel, W.P., M.B. Rabinowitz, and G.D. Foster. 2002. Investigation of unrecognized former secondary lead smelting sites: Confirmation by historical sources and elemental ratios in soil. *Environ. Pollut.* 117(2):273-279.
- Egan, K.B., C.R. Cornwell, J.G. Courtney, and A.S. Ettinger. 2021. Blood lead levels in U.S. children ages 1-11 years, 1976-2016. *Environ. Health Perspect.* 129(3):37003. <https://www.ncbi.nlm.nih.gov/pubmed/33730866>.
- Ellam, R.M. 2010. The graphical presentation of lead isotope data for environmental source apportionment. *Sci. Total Environ.* 408:3490-3492.
- Englund, E.J. and N. Heravi. 1994. Phased sampling for soil remediation. *Environ. Ecol. Stat.* 1:247-263. <https://doi.org/10.1007/BF00571399>.
- Estrade, N., J. Carignan, and O.F.X. Donard. 2010. Isotope tracing of atmospheric mercury sources in an urban area of northeastern France. *Environ. Sci. Technol.* 44:6062-6067.
- Flatman, G.T. and A.A. Yfantis. 1984. Geostatistical strategy for soil sampling: The survey and the census. *Environ. Monit. Assess.* 4(4):335-349. <https://doi.org/10.1007/bf00394172>.
- Gilbert, R.O. and J.C. Simpson. 1983. Kriging for estimating spatial pattern of contaminants: Potential and problems. *Environ. Monit. Assess.* 4:113-135. <https://doi.org/10.1007/bf00395842>.
- Gonzalez, R.O., S. Strelak, F. Amato, X. Querol, C. Reche, and D. Weiss. 2016. New insights from zinc and copper isotopic compositions into the sources of atmospheric particulate matter from two major European cities. *Environ. Sci. Technol.* 50: 9816-9824.
- Goovaerts, P. 1997. *Geostatistics for natural resources evaluation*. Oxford University Press.
- Graney, J.R., A.N. Halliday, G.J. Keeler, J.O. Nriagu, J.A. Robbins, and S.A. Norton. 1995. Isotopic record of lead pollution in lake sediments from the northeastern United States. *Geochim. Cosmochim. Acta* 59:1715-1728.
- Graney, J.R. and M.S. Landis. 2013. Coupling meteorology, metal concentrations, and Pb isotopes for source attribution in archived precipitation samples. *Sci. Total Environ.* 448:141-150.
- Gulson, B.L., K.G. Tiller, K.J. Mizon, and R.H. Merry. 1981. Use of lead isotopes in soils to identify the source of lead contamination near Adelaide, South Australia. *Environ. Sci. Technol.* 15:691-696.

- Gulson, B., G.D. Kamenov, W. Manton, and M. Rabinowitz. 2018. Concerns about quadrupole ICP-MS isotopic data and interpretations in the environment and health fields. *Int. J. Environ. Res. and Public Health* 15:723-743.
- Gy P. 1992. *Sampling of heterogeneous and dynamic material systems: Theories of heterogeneity, sampling, and homogenizing*. New York: Elsevier.
- Harrington, J., C. Nelson, F. Weber, K. Bradham, and J. Rice. 2014. Evaluation of methods for analysis of lead in air particulates: an intra-laboratory and inter-laboratory comparison. *Environmental Science: Processes & Impacts*. RSC Publishing, Cambridge, UK, 16(2):256-261.
- Hathaway J.E., G.B. Schaalje, R.O. Gilbert, B.A. Pulsipher, and B.D. Matzke. 2008. Determining the optimum number of increments in composite sampling. *Environ. Ecol. Stat.* 15:313-327. <https://doi.org/10.1007/s10651-007-0089-x>.
- Hayes, S.M., S.A. White, T.L. Thompson, R.M. Maier, and J. Chorover. 2009. Changes in lead and zinc lability during weathering-induced acidification of desert mine tailings: Coupling chemical and micro-scale analyses. *Appl. Geochem.* 42(12):2234-2245.
- Hayes, S.M., S.M. Webb, J.R. Bargar, P.A. O'Day, R.M. Maier, and J. Chorover. 2012. Geochemical weathering increases lead bioaccessibility in semi-arid mine tailings. *Environ. Sci. Technol.* 46(11):5834-5841.
- HDOH (Hawaii Department of Health). 2023. *Technical Guidance Manual (TGM) for the Implementation of the Hawai'i State Contingency Plan. Section 4: Site Investigation Design and Implementation: Appendices*. Hawai'i Department of Health: Honolulu, HI. Available online at: <https://health.hawaii.gov/heer/tgm/section-04/>.
- Hopper, J.F., W.T. Sturges, and L.A. Barrie. 1991. Regional source discrimination of atmospheric aerosols in Europe using the isotopic composition of lead. *Tellus* 43B:45-60.
- HUD (U.S. Department of Housing and Urban Development). 2004. HUD Lead Safe Housing Rule. Part 35-Lead-Based Paint Poisoning Prevention in Certain Residential Structures. *Fed. Regist.* 24 CFR 35.
- HUD (U.S. Department of Housing and Urban Development). 2012. *Guidelines for the Evaluation and Control of Lead-Based Pain Hazards in Housing (2012 Edition)*. Available online at: https://www.hud.gov/program_offices/healthy_homes/lbp/hudguidelines.
- IDHW (Idaho Department of Health and Welfare). 2000. *C'oeur d'Alene River Basin Environmental Health Assessment*. Agency for Toxic Substances and Disease Registry, Division of Health Assessment and Consultation Atlanta, GA.
- ITRC (Interstate Technology and Regulatory Council). 2012. *Technical and regulatory Guidance: Incremental Sampling Methodology*. Interstate Technology and Regulatory Council: Washington, DC. Available online at: https://itrcweb.org/GuidanceDocuments/ISM-1_2012_with_Clarifications.pdf.
- ITRC (Interstate Technology and Regulatory Council). 2020. *Technical and Regulatory Guidance: Incremental Sampling Methodology (ISM): Update*. Interstate Technology and Regulatory Council: Washington, DC. Available online at: <https://ism-2.itrcweb.org/>.
- Jordan, C.M., B.L. Yust, L.L. Robison, P. Hannan, and A.S. Deinard. 2003. A randomized trial of education to prevent lead burden in children at high risk for lead exposure: Efficacy as measured by blood monitoring. *Environ. Health Perspect.* 111(16):1947-1951. Available online at: <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC1241771/pdf/ehp0111-001947.pdf>.
- Journel, A.G. 1984. *Indicator Approach to Toxic Chemical Sites; Report of Project No. CR-811235-02-0*. U.S. Environmental Protection Agency, Las Vegas, NV.

- Kastury, F., L. Hongbo, R. Karna, A. Betts, K.G. Scheckel, L.Q. Ma, T.D. Sowers, K.D. Bradham, G.M. Hettiarachchi, and A.L. Juhasz. 2023. Opportunities and challenges associated with bioavailability-based remediation strategies for lead-contaminated soil with arsenic as a co-contaminant - A critical review. *Current Pollution Reports* 9:213-225.
- Kelepertzis, E., A. Argyraki, V. Chrastný, F. Botsou, K. Skordas, M. Komárek, and A. Fouskas. 2020. Metal (loid) and isotopic tracing of Pb in soils, road and house dusts from the industrial area of Volos (central Greece). *Sci. Total Environ.* 725:138300.
- Klemick, H., H. Mason, and K. Sullivan. 2020. Superfund cleanups and children's lead exposure. *J. Environ. Econ. Manag.* 100:102289. <https://doi.org/10.1016/j.jeem.2019.102289>.
- Komárek, M., V. Ettler, V. Chrastný, and M. Mihaljevič. 2008. Lead isotopes in environmental sciences: a review. *Environ. Int.* 34:562–577.
- Krauskopf, K.B. and D.K. Bird. 1995. *Introduction to Geochemistry*. 3rd ed. New York, NY: McGraw-Hill, Inc. 647.
- Laidlaw, M.A.S, G.M. Filippelli. 2008. Resuspension of urban soils as a persistent source of lead poisoning in children: A review and new directions. *Appl Geochem* 23(8):2021-2039. <https://doi.org/10.1016/j.apgeochem.2008.05.009>.
- Laidlaw, M.A.S., S. Zahran, H.W. Mielke, M.P. Taylor, and G.M. Filippelli. 2012. Re-suspension of lead contaminated urban soil as a dominant source of atmospheric lead in Birmingham, Chicago, Detroit and Pittsburgh, USA. *Atmos. Environ.* 49:302-310. <https://doi.org/10.1016/j.atmosenv.2011.11.030>.
- Laidlaw, M.A.S., S. Zahran, N. Pingitore, J. Clague, G. Devlin, and M.P. Taylor. 2014. Identification of lead sources in residential environments: Sydney, Australia. *Environ. Pollut.* 184:238-246.
- Laidlaw, M.A.S., H.S. Mielke, and G.M. Filippelli. 2023. Assessing unequal airborne exposure to lead associated with race in the USA. *GeoHealth* 7:e2023GH000829.
- Lanphear, B.P., T.D. Matte, J. Rogers, R.P. Clickner, R.L. Bornschein, P. Succop, K.R. Mahaffey, S. Dixon, W. Galke, M. Rabinowitz, C. Rohde, J. Schwartz, P. Ashley, and D.E. Jacobs. 1998. The contribution of lead-contaminated house dust and residential soil to children's blood lead levels: A pooled analysis of 12 epidemiologic studies. *Environ. Res.* 79(1):51-68.
- Linton, R.W., D.F.S. Natusch, R.L. Solomon, and C.A. Evans. 1980. Physicochemical characterization of lead in urban dusts. A microanalytical approach to lead tracing. *Environ. Sci. Technol.* 14(2):159-164.
- Lorenzana, R.M., R. Troast, J.M. Klotzbach, M.H. Follansbee, and G.L. Diamond. 2005. Issues related to time averaging of exposure in modeling risks associated with intermittent exposures to lead. *Risk Anal.* 25(1):169-178.
- Ma, L., J. Konter, E. Herndon, L. Jin, G. Steinhoefel, D. Sanchez, and S. Brantley. 2014. Quantifying an early signature of the industrial revolution from lead concentrations and isotopes in soils of Pennsylvania, USA. *Anthropocene* 7:16-29.
- MacKinnon, G., A.B. MacKenzie, G.T. Cook, I.D. Pulford, H.J. Duncan, and E.M. Scott. 2011. Spatial and temporal variations in Pb concentrations and isotopic composition in road dust, farmland soil and vegetation in proximity to roads since cessation of use of leaded petrol in the UK. *Sci. Total Environ.* 409:5010-5019.
- Maxim, A., D.J. Bain, and J. Burgess. 2022. Urban soils in a historically industrial city: patterns of trace metals in Pittsburgh, Pennsylvania. *Environmental Research Communications* 4:075004.

- Mielke, H.W., C.R. Gonzales, E.T. Powell, M.A.S. Laidlaw, K.J. Berry, P.W. Mielke, Jr., and S.P. Egendorf. 2019. The concurrent decline of soil lead and children's blood lead in New Orleans. *Proc. Natl. Acad. Sci. USA* 116(44):22058-22064.
- Miller, J.R., P.J. Lechler, G. Mackin, D. Germanoski, and L.F. Villarroel. 2007. Evaluation of particle dispersal from mining and milling operations using lead isotopic fingerprinting techniques, Rio Pilcomayo Basin, Bolivia. *Sci. Total Environ.* 384:355-373.
- NAS (National Academies of Sciences, Engineering, and Medicine). 2017. *Investigative Strategies for Lead-Source Attribution at Superfund Sites Associated with Mining Activities*. Washington, DC: The National Academies Press. <https://doi.org/10.17226/24898>.
- Nazarpour, A., M.J. Watts, A. Madhini, and S. Elahi. 2019. Source, spatial distribution and pollution assessment of Pb, Zn, Cu and Pb isotopes in urban soils of Ahvaz City, a semi-arid metropolis in southwest Iran. *Scientific Reports* 9(1):5349.
- NEPC (National Environmental Protection Council). 1998. *National Environment Protection (Ambient Air Quality) Measure – Revised Impact Statement*. National Environment Protection Council Service Corporation, Adelaide, Australia [online]. Available online at: <https://www.nepc.gov.au/sites/default/files/2022-09/aaq-impstat-aaq-nepm-revised-impact-statement-final-199806.pdf>.
- Noerpel, M. M. Pribil, D. Rutherford, P. Law, K. Bradham, C. Nelson, R. Weber, G. Gunn, and K. Scheckel. 2020. Lead speciation, bioaccessibility and source attribution in Missouri's Big River watershed. *Appl. Geochem.* 123:104757.
- NRC (National Research Council). 2005. *Superfund and Mining Megasites: Lessons Learned from the Coeur d'Alene River Basin*. National Research Council. Available online at: <https://nap.nationalacademies.org/read/11359/chapter/3>.
- NTP (National Toxicology Program). 2012. *NTP Monograph on Health Effects of Low-Level Lead*. Available online at: <https://pubmed.ncbi.nlm.nih.gov/23964424/>.
- Nussbaumer-Streit, B., V. Mayr, A. I. Dobrescu, G. Wagner, A. Chapman, L. M. Pfadenhauer, S. Lohner, S. K. Lhachimi, L. K. Busert, and G. Gartlehner. 2020. Household interventions for secondary prevention of domestic lead exposure in children. *Cochrane Database Syst. Rev.* 10(10):Cd006047.
- OMB (Office of Management and Budget). 2006. *Guidance on Agency Survey and Statistical Information Collections*. Office of Management and Budget: Washington, DC. Available online at: https://www.whitehouse.gov/wp-content/uploads/legacy_drupal_files/omb/assets/OMB/inforeg/pmc_survey_guidance_2006.pdf.
- Ostergren, J.D., G.E. Brown, G.A. Parks, and T.N. Tingle. 1999. Quantitative speciation of lead in selected mine tailings from Leadville, CO. *Environ. Sci. Technol.* 33(10):1627-1636.
- Patterson, C, J. Ericson, M. Manea-Krichten, and H. Shirahata. 1991. Natural skeletal levels of lead in *Homo sapiens* uncontaminated by technological lead. *Sci. Total Environ.* 107:205–236.
- Prapaipong, P., C.W. Enssle, J.D. Morris, E.L. Shock, and R.E. Lindvall. 2008. Rapid transport of anthropogenic lead through soils in southeast Missouri. *Appl. Geochem.* 23:2156-2170.
- Pribil, M.J., M.A. Maddaloni, K. Staiger, E. Wilson, N. Magriples, M. Ali, and D. Santella. 2014. Investigation of off-site airborne transport of lead from a superfund removal action site using lead isotope ratios and concentrations. *Appl. Geochem.* 41:89-94.
- Pye, K. 2004. Forensic examination of rocks, sediments, soils, and dust using scanning electron microscopy and x-ray chemical microanalysis. Pp. 103-122 in *Forensic Geosciences*:

- Principles, Techniques, and Applications, K. Pye, and D.J. Croft, eds. Special Publication 232. London: Geological Society.
- Rabinowitz, M.B. and G.W. Wetherill. 1972. Identifying sources of lead contamination by stable isotope techniques. *Environ. Sci. Technol.* 6:705-709.
- Rabinowitz, M.B., G.W. Wetherill, and J.D. Koppel. 1974. Studies of human lead metabolism by use of stable isotope tracers. *Environ. Health Perspect.* 7:145-153.
- Rabinowitz, M.B., J.D. Koppel, and G.W. Wetherill. 1976. Kinetic analysis of lead metabolism in healthy humans. *J. Clin. Invest.* 58:260-270.
- SARA (Superfund Amendments and Reauthorization Act). 1986. Superfund Amendments and Reauthorization Act (SARA) of 1986, Pub. L. No. 99-499, 100 Stat. 1613-1782 (1986).
- Scheckel, K.G., J.A. Ryan, D. Allen, and N.V. Lescano. 2005. Determining speciation of Pb in phosphate-amended soils: method limitations. *Sci. Total Environ.* 350(1-3):261-272.
- Schleicher, N.J., S. Dong, H. Packman, S.H. Little, R.O. Gonzalez, J. Najorka, Y. Sun, and D.J. Weiss. 2020. A global assessment of copper, zinc, and lead isotopes in mineral dust sources and aerosols. *Front. Earth Sci.* 8:167.
- Schlenker, T.L., R. Baxmann, P. McAvoy, J. Bartkowski, and A. Murphy. 2001. Primary prevention of childhood lead poisoning through community outreach. *Wisconsin Med. J.* 100(8):48-54.
- Shacklette, H.T. and J.G. Boerngen. 1984. Element concentrations in soils and other surficial materials of the conterminous United States. U.S. Geological Survey Professional Paper 1270. Available online at: https://pubs.usgs.gov/pp/1270/pdf/PP1270_508.pdf
- Sheldrake, S., M. Stifelman. 2003. A case study of lead contamination cleanup effectiveness at Bunker Hill. *Sci Total Environ* 303(1-2):105-123. [https://doi.org/10.1016/S0048-9697\(02\)00354-6](https://doi.org/10.1016/S0048-9697(02)00354-6).
- Small, M.J., A.B. Nunn, B.L. Forslund, and D.A. Daily. 1995. Source attribution of elevated residential soil lead near a battery recycling site. *Environ. Sci. Technol.* 29(4):883-895.
- Sobanska, S., N. Ricq, A. Laboudigue, R. Guillermo, C. Bremard, J. Laureyans, J.C. Merlin, and J.P. Wignacourt. 1999. Microchemical investigations of dust emitted by a lead smelter. *Environ. Sci. Technol.* 33(9):1334-1339.
- Sowers, T.D., S.E. Bone, M.R. Noerpel, B.D. Blackmon, R.R. Karna, K.G. Scheckel, A.L. Juhasz, G.L. Diamond, D.J. Thomas, and K.D. Bradham. 2021. Plumbojarosite remediation of soil affects lead speciation and elemental interactions in soil and in mice tissues. *Environ. Sci. Technol.* 55(23):15950-15960.
- Sowers, T.D., M.D. Blackmon, S.E. Bone, A.M. Kirby, M.L. Jerden, M.R. Noerpel, R. Matthew, K.G. Scheckel, and K.D. Bradham. 2022. Successful conversion of Pb-contaminated soils to low-bioaccessibility plumbojarosite using potassium-jarosite at ambient temperature. *Environ. Sci. Technol.* 56(22):15718-15727.
- Steinnes, E., T.E. Sjøbakk, CT. Donisa, and M. Brännvall. 2005. Quantification of pollutant lead in forest soils. *Soil Sci. Soc. Am. J.* 69:1399-1404.
- Sterling, D.A., D.L. Johnson, A.M. Murgueytio, and R.G. Evans. 1998. Source contribution of lead in house dust from a lead mining waste Superfund site. *J. Expo. Anal. Environ. Epidemiol.* 8(3):359-373.
- Sterling, D.A., P.G. Evans, B.N. Shadel. and F. Serrano. 2004. Effectiveness of cleaning and health education in reducing childhood lead poisoning among children residing near Superfund sites in Missouri. *Arch. Environ. Health* 59(3):121-131.

- Succop, P., R. Bornschein, K. Brown, and C.Y. Tseng. 1998. An empirical comparison of lead exposure pathway models. *Environ. Health Perspect.* 106(Suppl 6):1577-1583.
- Taylor, K.G. and D.J. Robertson, 2009. Electron microbeam analysis of urban road-deposited sediment, Manchester, UK: Improved source discrimination and metal speciation assessment. *Appl. Geochem.* 24(7):1261-1269.
- Taylor, M.P., A.K. Mackay, K.A. Hudson-Edwards, and E. Holz. 2010. Soil Cd, Cu, Pb and Zn contaminants around Mount Isa city, Queensland, Australia: Potential sources and risks to human health. *Appl. Geochem.* 25(6):841-855.
- Technical Support Center for Monitoring and Site Characterization. 2022. ProUCL Users Guide and Technical Guide. Las Vegas, NV, U.S. EPA Office of Research and Development National Exposure Research Laboratory Environmental Sciences. <https://www.epa.gov/land-research/proucl-software>.
- TerraGraphics. 1997a. PanHandle Health District Institutional Controls Program Sampling Plan for Soil Piles and Excavations. November.
- TerraGraphics. 1997b. PanHandle Health District Institutional Controls Program Sampling Plan for Gravel Sources. November.
- TerraGraphics. 2000. Final 1999 five year review report - Bunker Hill Superfund Site. April.
- Tessier, A., P.G.C. Campbell, and M. Bisson. 1979. Sequential extraction procedure for the speciation of particulate trace metals. *Anal. Chem.* 51(7):844-851.
- Tuccillo, M.E., J. Blue, J. Koplos, J. Kelly, and R.T. Wilkin. 2023. Complexities in attributing lead contamination to specific sources in an industrial area of Philadelphia, PA. *Heliyon* 9:e15666.
- Ure, A.M., P. Quevauviller, H. Muntau, and B. Griepink. 1993. Speciation of heavy metals in soils and sediments. An account of the improvement and harmonization of extraction techniques undertaken under the auspices of the BCR of the Commission of the European Communities. *Int. J. Environ. Anal. Chem.* 51(1-4):135-151.
- U.S. EPA (U.S. Environmental Protection Agency). 1986. Air Quality Criteria for Lead Volume I-IV. Environmental Criteria and Assessment Office, Office of Research and Development. EPA600/883028. PB87145378. Available online at: <https://ntrl.ntis.gov/NTRL/dashboard/searchResults/titleDetail/PB87142378.xhtml>.
- U.S. EPA (U.S. Environmental Protection Agency). 1988a. CERCLA Compliance with Other Laws Manual: Interim Final. Office Of Emergency and Remedial Response, Washington, DC. EPA540G89006. Available online at: <https://nepis.epa.gov/Exe/ZyPURL.cgi?Dockey=10001VMG.txt>.
- U.S. EPA (U.S. Environmental Protection Agency). 1988b. Seven Cardinal Rules Of Risk Communication. Washington, DC. EPA230R88100. Available online at https://archive.epa.gov/care/web/pdf/7_cardinal_rules.pdf.
- U.S. EPA (U.S. Environmental Protection Agency). 1988c. Guidance for Conducting Remedial Investigations and Feasibility Studies under CERCLA: Interim Final. Office of Emergency and Remedial Response Washington, DC. EPA540G89004. Available online at: <https://semspub.epa.gov/work/HQ/100001529.pdf>.
- U.S. EPA (U.S. Environmental Protection Agency). 1989a. CERCLA Compliance with Other Laws Manual: Part II. Clean Air Act and Other Environmental Statutes and State Requirements. Interim Final. Office of Solid Waste and Emergency Response, Washington, DC. EPA540G89009. Available online at: <https://nepis.epa.gov/Exe/ZyPURL.cgi?Dockey=10001VTM.txt>.

- U.S. EPA (U.S. Environmental Protection Agency). 1989b. Risk Assessment Guidance for Superfund, Volume I, Human Health Evaluation Manual, Part A, Interim Final. Office of Emergency and Remedial Response, Washington, DC. EPA540189002. Available online at: <http://www.epa.gov/risk/risk-assessment-guidance-superfund-rags-part>.
- U.S. EPA (U.S. Environmental Protection Agency). 1990a. Report of the Clean Air Act Scientific Advisory Committee (CASAC): Review of the OAQPS lead Staff Paper and the ECAO Air Quality Criteria Document Supplement. EPA-SAB-CASAC-90-002. Available online at: <https://nepis.epa.gov/Exe/ZyPURL.cgi?Dockey=P100KA56.txt>.
- U.S. EPA (U.S. Environmental Protection Agency). 1990b. National Oil and Hazardous Substances Pollution Contingency Plan. Final rule. 40 CFR 300. Fed. Regist. 55:8666-8865
- U.S. EPA (U.S. Environmental Protection Agency). 1990c. Policy on Management of Post-Removal Site Control. OSWER Directive 9360.2.02. Available online at: <https://nepis.epa.gov/Exe/ZyPURL.cgi?Dockey=9100UHNE.TXT>.
- U.S. EPA (U.S. Environmental Protection Agency). 1990d. OSWER Directive 9833.0-1a: Guidance on CERCLA Section 106(a) Unilateral Administrative Orders for Remedial Designs and Remedial Actions. Available online at: <https://www.epa.gov/sites/default/files/documents/cerc106-uao-rpt.pdf>.
- U.S. EPA (U.S. Environmental Protection Agency). 1991. Risk Assessment Guidance for Superfund: Volume I – Human Health Evaluation Manual (Part B, Development of Risk-Based Preliminary Remediation Goals). Interim. Available online at: <https://www.epa.gov/risk/risk-assessment-guidance-superfund-rags-part-b>.
- U.S. EPA (U.S. Environmental Protection Agency). 1992. Statistical Methods for Evaluating the Attainment of Cleanup Standards: Volume 3: Reference-Based Standards for Soils and solid Media. EPA230R94004. Available online at: <https://nepis.epa.gov/Exe/ZyPURL.cgi?Dockey=200082GP.txt>.
- U.S. EPA (U.S. Environmental Protection Agency). 1993. Response Actions at sites with Contamination Inside Buildings. Office of Solid Waste and Emergency Response. Washington, DC. OSWER Directive 9360.3-12. Available online at: <https://nepis.epa.gov/Exe/ZyPURL.cgi?Dockey=910165Y9.txt>.
- U.S. EPA (U.S. Environmental Protection Agency). 1994a. OSWER Directive: Revised Interim Soil Lead (Pb) Guidance for CERCLA Sites and RCRA Corrective Action Facilities. Office of Solid Waste and Emergency Response, Washington, DC. EPA540F94043. PB94963282. OSWER Directive #9355.4-12. Available online at: <https://semspub.epa.gov/work/HQ/175347.pdf>.
- U.S. EPA (U.S. Environmental Protection Agency). 1994b. Guidance Manual for the Integrated Exposure Uptake Biokinetic Model for Lead in Children. Office of Solid Waste and Emergency Response, Washington, DC. Publication Number 9285.7-15-1. EPA540R93081. Available online at: <https://nepis.epa.gov/Exe/ZyPURL.cgi?Dockey=2000WN4R.txt>.
- U.S. EPA (U.S. Environmental Protection Agency). 1994c. Technical Support Document: Parameters and Equations Used in the Integrated Exposure Uptake Biokinetic Model for Lead in Children (v0.99d). Office of Solid Waste and Emergency Response. EPA540R94040, PB94963505, OSWER #9285.7-22. Available online at: <https://nepis.epa.gov/Exe/ZyPURL.cgi?Dockey=P100FKYJ.txt>.
- U.S. EPA (U.S. Environmental Protection Agency). 1995a. Land Use in the CERCLA remedy Selection Process. OSWER 9355.7-04. Available online at: <https://semspub.epa.gov/work/11/176106.pdf>.

- U.S. EPA (U.S. Environmental Protection Agency). 1995b. Guidance for Community Advisory Groups at Superfund Sites. OSWER directive 9230.0-28. PB94963293. EPA540K96001. Available online at: <https://nepis.epa.gov/Exe/ZyPURL.cgi?Dockey=10001XJB.txt>.
- U.S. EPA (U.S. Environmental Protection Agency). 1995c. Superfund Program Representative Sampling Guidance, Volume 4: Waste. OSWER Directive 9360.4-14. Available online at: <https://www.epa.gov/sites/default/files/2016-03/documents/superfund-samp.pdf>.
- U.S. EPA (U.S. Environmental Protection Agency). 1995d. EPA Observational Economy Series. Volume 1: Composite Sampling. EPA230R95005. Available online at: <https://nepis.epa.gov/Exe/ZyPURL.cgi?Dockey=P1007PL8.txt>.
- U.S. EPA (U.S. Environmental Protection Agency). 1996a. Record of Decision. Bunker Hill Mining and Metallurgical Complex. Shoshone County, Idaho. Office of Emergency and Remedial Response. Washington, DC.
- U.S. EPA (U.S. Environmental Protection Agency). 1996b. Soil screening Guidance: User's Guide. Office of Solid Waste and Emergency Response. Publication 9355.4-23. Available online at: <https://semspub.epa.gov/work/HQ/175238.pdf>.
- U.S. EPA (U.S. Environmental Protection Agency). 1997a. Superfund Record of Decision Tar Creek (Ottawa County). EPA ID: OKD980629844. Office of Emergency and Remedial Response. Washington, DC. Available online at: <https://nepis.epa.gov/Exe/ZyPURL.cgi?Dockey=P1002MMU.txt>.
- U.S. EPA (U.S. Environmental Protection Agency). 1997b. Rules of Thumb for Superfund remedy Selection. EPA540R97013. OSWER 9285.6-07, PB97963301. Available online at: <https://nepis.epa.gov/Exe/ZyPURL.cgi?Dockey=2000FHZZ.txt>.
- U.S. EPA (U.S. Environmental Protection Agency). 1997c. Best Management Practices (BMPs) for Soil Treatment Technologies: Suggested Operational Guidelines to Prevent Cross-Media Transfer of Contaminants During Clean-Up Activities. Office of Solid Waste and Emergency Response. EPA530R97007. Available online at: <https://nepis.epa.gov/Exe/ZyPURL.cgi?Dockey=1000101D.txt>.
- U.S. EPA (U.S. Environmental Protection Agency). 1998. Memorandum: OSWER Directive: Clarification to the 1994 revised interim soil lead (Pb) guidance for CERCLA sites and RCRA corrective action facilities. EPA540F98030. OSWER 9200.4-27P. PB98963244. Available online at: <https://nepis.epa.gov/Exe/ZyPURL.cgi?Dockey=10001V34.txt>.
- U.S. EPA (U.S. Environmental Protection Agency). 1999a. Risk Assessment Guidance for Superfund: Volume 1- Human Health Evaluation Manual Supplement to Part A: Community Involvement in Superfund Risk Assessments. OSWER Directive 9285.7-01E-P. Available online at: <https://www.epa.gov/risk/supplement-rags-part-community-involvement-superfund-risk-assessments-1999>.
- U.S. EPA (U.S. Environmental Protection Agency). 1999b. Interim Policy on the Use of Permanent Relocations as Part of Superfund Remedial Actions. EPA540F98033. PB98963305. OSWER #9355.0-71P. Available online at: <https://nepis.epa.gov/Exe/ZyPURL.cgi?Dockey=10001V3M.txt>.
- U.S. EPA (U.S. Environmental Protection Agency). 2000a. Comprehensive Environmental Response, Compensation, and Liability. 42USC103. Section 9621(c). Washington, DC.
- U.S. EPA (U.S. Environmental Protection Agency). 2000b. Guidance for Assessing Chemical Contaminant Data for Use in Fish Advisories Vol. 2. Office of Water. EPA823B00008. Available online at: <https://nepis.epa.gov/Exe/ZyPURL.cgi?Dockey=20003P11.txt>.

- U.S. EPA (U.S. Environmental Protection Agency). 2000c. Short sheet: TRW Recommendations for Sampling and Analysis of Soil at Lead (Pb) Sites. Office of Solid Waste and Emergency Response: Washington, DC. EPA540F00010. OSWER 9285.7-38. Available online at: <https://nepis.epa.gov/Exe/ZyPURL.cgi?Dockey=901X0H00.txt>.
- U.S. EPA (U.S. Environmental Protection Agency). 2000d. Memorandum: Subject: Use of Non-Time Critical Removal Authority in Superfund Response Actions. Office of Solid Waste and Emergency Response, Washington, DC. OSWER 9360.0-40P. Available online at: <https://semspub.epa.gov/work/HQ/174826.pdf>.
- U.S. EPA (U.S. Environmental Protection Agency). 2000e. Institutional Controls and Transfer of Real Property Under CERCLA Section 120(h)3(A), (B), or (C). Available online at: <https://www.epa.gov/fedfac/institutional-controls-and-transfer-real-property-under-cercla-section-120h3a-b-or-c>.
- U.S. EPA (U.S. Environmental Protection Agency). 2001a. Integrating Dynamic Field Activities into the Superfund Response Process: A Guide for Project Managers. Draft final. December.
- U.S. EPA (U.S. Environmental Protection Agency). 2001b. Site Assessment Guidance CD. Available online at: [https://www.epa.gov/superfund/superfund-site-assessment-activities#:~:text=The%20preliminary%20assessment%20\(PA\)%20involves,whether%20further%20investigation%20is%20needed](https://www.epa.gov/superfund/superfund-site-assessment-activities#:~:text=The%20preliminary%20assessment%20(PA)%20involves,whether%20further%20investigation%20is%20needed).
- U.S. EPA (U.S. Environmental Protection Agency). 2001c. Site Assessment Website. Available online at <https://www.epa.gov/superfund/superfund-site-assessment-home>.
- U.S. EPA (U.S. Environmental Protection Agency). 2001d. Comprehensive Five-Year Review Guidance. Office of Solid Waste and Emergency Response, Office of Emergency and Remedial Response, Washington, DC. EPA540R01007. OSWER 9355.7-03B-P. Available online at: <https://semspub.epa.gov/work/HQ/128607.pdf>.
- U.S. EPA (U.S. Environmental Protection Agency). 2002a. Role of Background in the CERCLA Cleanup Program. OSWER 9285.6-07P. Available online at: http://rais.ornl.gov/documents/bkgpol_jan01.pdf.
- U.S. EPA (U.S. Environmental Protection Agency). 2002b. Guidance for Comparing Background and Chemical Concentrations in Soil for CERCLA Sites. EPA540R01003. OSWER 9285.7-41. Available online at: <https://nepis.epa.gov/Exe/ZyPURL.cgi?Dockey=9101ALZR.txt>.
- U.S. EPA (U.S. Environmental Protection Agency). 2002c. Guidance for Quality Assurance Project Plans. Office of Environmental Information. Washington, DC. EPA240R02009. Available online at: <https://nepis.epa.gov/Exe/ZyPURL.cgi?Dockey=20011HPE.txt>.
- U.S. EPA (U.S. Environmental Protection Agency). 2003a. Superfund Lead-Contaminated Residential Sites Handbook. Office of Solid Waste and Emergency Response: Washington, DC. OSWER 9285.7-50. Available online at: <https://nepis.epa.gov/Exe/ZyPURL.cgi?Dockey=P100K3UN.txt>.
- U.S. EPA (U.S. Environmental Protection Agency). 2003b. Recommendations of the Technical Review Workgroup for Lead for an Approach for Assessing Risks Associated with adult Exposures to Lead in Soil. EPA540R03001. Available online at: <http://www.epa.gov/superfund/lead-superfund-sites>.
- U.S. EPA (U.S. Environmental Protection Agency). 2003c. Assessing Intermittent or Variable Exposures at Lead Sites. EPA540R03008. OSWER# 9285.7-76. Available online at: <https://semspub.epa.gov/work/HQ/176288.pdf>.

- U.S. EPA (U.S. Environmental Protection Agency). 2003d. Technical Assistance Grant (TAG) Program: Fact Sheet. EPA540F03002. Available online at: <https://semspub.epa.gov/work/HQ/174964.pdf>.
- U.S. EPA (U.S. Environmental Protection Agency). 2003e. TRW Recommendations for Performing Human Health Risk Analysis on Small Arms Shooting Ranges. Washington, DC. OSWER 9285.7-37. Available online at: <https://semspub.epa.gov/work/HQ/174578.pdf>.
- U.S. EPA (U.S. Environmental Protection Agency). 2005a. Sample Holding Time Reevaluation. Office of Research and Development. Washington, DC. EPA600R05124. Available online at: <https://nepis.epa.gov/Exe/ZyPURL.cgi?Dockey=P10096LN.txt>.
- U.S. EPA (U.S. Environmental Protection Agency). 2005b. Guidance on Surface Soil Cleanup at Hazardous Waste Sites: Implementing Cleanup Levels. Peer Review Draft. Office of Emergency and Remedial Response. Available online at: <https://www.epa.gov/sites/default/files/documents/guidance-cleanup-April-05.pdf>.
- U.S. EPA (U.S. Environmental Protection Agency). 2006. Guidance on Systematic Planning Using the Data Quality Objectives Process. Office of Environmental Information: Washington, DC. EPA240B06001. Available online at: <https://www.epa.gov/sites/default/files/2015-06/documents/g4-final.pdf>.
- U.S. EPA (U.S. Environmental Protection Agency). 2007a. Short Sheet: Estimating the Soil Lead Concentration Term for the Integrated Exposure Uptake Biokinetic (IEUBK) Model. Office of Solid Waste and Emergency Response. OSWER 9200.1-78. Available online at: <https://semspub.epa.gov/work/HQ/175344.pdf>.
- U.S. EPA (U.S. Environmental Protection Agency). 2007b. SW-846 Method 6200: Field Portable X-Ray Fluorescence Spectrometry for the Determination of Elemental Concentrations in Soil and Sediment. Available online at: <https://www.epa.gov/hw-sw846/sw-846-test-method-6200-field-portable-x-ray-fluorescence-spectrometry-determination>.
- U.S. EPA (U.S. Environmental Protection Agency). 2007c. Estimation of Relative Bioavailability of Lead in Soil and Soil-Like Materials Using *In Vivo* and *In Vitro* Methods. Office of Solid Waste and Emergency Response: Washington, DC. OSWER 9285.7-77. Available online at: <https://nepis.epa.gov/Exe/ZyPURL.cgi?Dockey=93001C2U.txt>.
- U.S. EPA (U.S. Environmental Protection Agency). 2008. Guidance for the Sampling and Analysis of Lead in Indoor Residential Dust for Use in the Integrated Exposure Uptake Biokinetic (IEUBK) Model. Technical Review Workgroup for Metals and Asbestos (TRW). Office of Superfund Remediation and Technology Innovation (OSWER) 9285.7-81. Available online at: <https://nepis.epa.gov/Exe/ZyPURL.cgi?Dockey=P1003UTY.txt>.
- U.S. EPA (U.S. Environmental Protection Agency). 2009. Checking Up on Superfund Sites: the Five-Year Review. Office of Emergency and Remedial Response, Washington, DC. EPA540F01011. OSWER 9355.7-26. Available online at: <https://semspub.epa.gov/work/HQ/175190.pdf>.
- U.S. EPA (U.S. Environmental Protection Agency). 2011. Environmental Cleanup Best Management Practices: Effective Use of the Project Life Cycle Conceptual Site Model. OSRTI Quick Reference Fact Sheet. EPA542F11011. July. Available online at: <https://clu-in.org/download/remed/csm-life-cycle-fact-sheet-final.pdf>.
- U.S. EPA (U.S. Environmental Protection Agency). 2012a. Institutional Controls: A Guide to Planning, Implementing, Maintaining, and Enforcing Institutional Controls at Contaminated Sites. OSWER 9355.0-89. EPA540R09001. Available online at:

- https://www.epa.gov/sites/default/files/documents/final_pime_guidance_december_2012.pdf.
- U.S. EPA (U.S. Environmental Protection Agency). 2012b. Standard Operating Procedure for an *In Vitro* Bioaccessibility Assay for Lead in Soil. EPA 9200.2-86. Available online at: <https://nepis.epa.gov/Exe/ZyPURL.cgi?Dockey=P100GESL.txt>.
- U.S. EPA (U.S. Environmental Protection Agency). 2013. Technical Review Workgroup: Recommendations Regarding Gardening and Reducing Exposure to Lead-Contaminated Soils. Office of Solid Waste and Emergency Response: Washington, DC. OSWER 9200.2-142. December. Available online at <http://www.epa.gov/superfund/lead-superfund-sites>.
- U.S. EPA (U.S. Environmental Protection Agency). 2014a. Technical Review Workgroup Recommendations Regarding Gardening and Reducing Exposure to Lead-Contaminated Soils. OSWER 9200.2-142. Available online at: <https://www.epa.gov/superfund/lead-superfund-sites-guidance#gardening>.
- U.S. EPA (U.S. Environmental Protection Agency). 2014b. Framework for Human Health Risk Assessment to Inform Decision Making. Available online at: <https://www.epa.gov/sites/production/files/2014-12/documents/hhra-framework-final-2014.pdf>
- U.S. EPA (U.S. Environmental Protection Agency). 2015a. Preamble to the Integrated Science Assessments. Available online at: <https://cfpub.epa.gov/ncea/isa/recordisplay.cfm?deid=310244>.
- U.S. EPA (U.S. Environmental Protection Agency). 2015b. Phosphate Amendment Fact Sheet. Available online at: <https://19january2021snapshot.epa.gov/sites/static/files/2016-04/documents/20150721fs.pdf>.
- U.S. EPA (U.S. Environmental Protection Agency). 2016. Recommendations for Sieving Soil and Dust Samples at Lead Sites for Assessment of Incidental Ingestion, OLEM Directive 9200.1-128. Available online at: <https://semspub.epa.gov/work/HQ/100000133.pdf>.
- U.S. EPA (U.S. Environmental Protection Agency). 2017a. Best Practice Process for Identifying and Determining State Applicable or Relevant and Appropriate Requirements Status Pilot. OLEM Directive 9200.2-187. Available online at: <https://semspub.epa.gov/work/HQ/197017.pdf>.
- U.S. EPA (U.S. Environmental Protection Agency). 2017b. Superfund X-Ray Fluorescence Field Operations Guide. U.S. EPA, Region 4 – Superfund Division. Available online at: https://www.epa.gov/sites/default/files/2018-04/documents/superfund-field-operations-guide-001-r0_xrf_fog_reg4.pdf.
- U.S. EPA (U.S. Environmental Protection Agency). 2017c. Strategic Plan for Targeted Outreach to Populations Affected by LEAD. Water Infrastructure Improvements for the Nation (WIIN) Act. Safe Drinking Water Act 1414(c)(5). Office of Water. EPA816B17007. Available online at: https://www.epa.gov/sites/default/files/2017-07/documents/wiin_strategic_plan_july_18_finalv5.pdf.
- U.S. EPA (U.S. Environmental Protection Agency). 2017d. Standard Operating Procedure for an *In Vitro* Bioaccessibility Assay for Lead and Arsenic in Soil. OLEM Directive 9200.2-164. Available online at: <https://semspub.epa.gov/src/document/HQ/100000153>.
- U.S. EPA (U.S. Environmental Protection Agency). 2017e. Guidance for the Management of Superfund Remedies in Post Construction. OLEM Directive 9200.3-105. Available online at: <https://semspub.epa.gov/work/HQ/196829.pdf>.

- U.S. EPA (U.S. Environmental Protection Agency). 2018a. Technical Guides to Streamline Site Cleanups: Smart Scoping, Strategic Sampling and Data Management Best Practices. OLEM Directive 9200.1-164. Available online at: <https://semspub.epa.gov/work/HQ/100001809.pdf>.
- U.S. EPA (U.S. Environmental Protection Agency). 2018b. Frequently Asked Questions About the Development and Use of Background Concentrations at Superfund Sites: Part One, General Concepts. OLEM Directive 9200.2-141 A. Available online at: <https://semspub.epa.gov/work/HQ/100001657.pdf>.
- U.S. EPA (U.S. Environmental Protection Agency). 2018c. Headquarters Review and Consultation of Federal Facility Five-Year Reviews. OLEM Directive 9200.2-197.
- U.S. EPA (U.S. Environmental Protection Agency). 2020a. Superfund Community Involvement Handbook. Office of Land and Emergency Management: Washington, DC. OLEM 9230.0-51. March. Available online at: <https://semspub.epa.gov/work/HQ/100002505.pdf>.
- U.S. EPA (U.S. Environmental Protection Agency). 2020b. Best Practices to Prevent Releases from Impoundments at Abandoned Mine Sites While Conducting CERCLA Response Actions. Available online at: <https://semspub.epa.gov/work/HQ/100002586.pdf>.
- U.S. EPA (U.S. Environmental Protection Agency). 2020c. Guidance for Sample Collection for In Vitro Bioaccessibility Assay for Arsenic and Lead in Soil and Applications of Relative Bioavailability Data in Human Health Risk Assessment. Available online at: <https://semspub.epa.gov/work/HQ/100002712.pdf>.
- U.S. EPA (U.S. Environmental Protection Agency). 2020d. Estimation of Lead Bioavailability in Soil and Dust: Evaluation of the Default Value for the Integrated Exposure Uptake Biokinetic Model for Lead in U.S. Children. Available online at: <https://semspub.epa.gov/work/HQ/400701.pdf>.
- U.S. EPA (U.S. Environmental Protection Agency). 2020e. Memorandum from John Vandenberg, Director Health and Environmental Effects Assessment Division OSRTI, OLEM To Brigit Lowery, Director Assessment and Remediation Division, OSRTI, OLEM. Subject: Evaluation of IEUBK Version 2.0 Model Performance. September 23.
- U.S. EPA (U.S. Environmental Protection Agency). 2020f. System Requirements and Design for the Integrated Exposure Uptake Biokinetic Model for Lead in Children (IEUBK) Version 2.0. Office of Land and Emergency Management. Washington, DC. Available online at: <https://semspub.epa.gov/work/HQ/400709.pdf>.
- U.S. EPA (U.S. Environmental Protection Agency). 2020g. Smart Scoping for Environmental Investigations Technical Guide. EPA542G18004. Available online at: <https://semspub.epa.gov/work/HQ/100001799.pdf>.
- U.S. EPA (U.S. Environmental Protection Agency). 2021a. Estimation of Lead Bioavailability in Soil and Dust: Evaluation of the Default Value for the Integrated Exposure Uptake Biokinetic Model for Lead in U.S. Children. Available online at: <https://semspub.epa.gov/work/HQ/400701.pdf>.
- U.S. EPA (U.S. Environmental Protection Agency). 2021b. User's Guide for the Integrated Exposure Uptake Biokinetic Model for Lead in Children (IEUBK) Version 2.0. Technical Review Workgroup (TRW) Lead Committee. Available online at: <https://semspub.epa.gov/work/HQ/400700.pdf>.
- U.S. EPA (U.S. Environmental Protection Agency). 2021c. Fact Sheet: Relative Bioavailability and In Vitro Bioaccessibility of Lead in Soil. Available online at: <https://semspub.epa.gov/src/document/HQ/100002717>.

- U.S. EPA (U.S. Environmental Protection Agency). 2021d. Advancing Pb Exposure and Biokinetic Modeling for U.S. EPA Regulatory Decisions and Site Assessments Using Bunker Hill Mining and Metallurgical Complex Superfund Site Data. Office of Research and Development. Washington, DC. EPA600R21017F. Available online at: <https://cfpub.epa.gov/ncea/risk/recordisplay.cfm?deid=351563>.
- U.S. EPA (U.S. Environmental Protection Agency). 2022a. EPA Strategy to Reduce Lead Exposures and Disparities in U.S. Communities. Available online at: https://www.epa.gov/system/files/documents/2022-11/Lead%20Strategy_1.pdf.
- U.S. EPA (U.S. Environmental Protection Agency). 2022b. ProUCL Version 5.2.0. Technical Guide. Statistical Software for Environmental Applications for Data Sets With and Without Nondetect Observations. Available online at: <https://www.epa.gov/land-research/proucl-software#documentation>.
- U.S. EPA (U.S. Environmental Protection Agency). 2022c. On-Scene Coordinator (OSC) Readiness Workgroup. Available online at: <https://www.epa.gov/emergency-response/epas-scene-coordinators-oscs>.
- U.S. EPA (U.S. Environmental Protection Agency). 2023a. Documenting Applicable, or Relevant and Appropriate Requirements in Comprehensive Environmental Response, Compensation, and Liability Act Response Action Decisions. OLEM Directive 9234.0-07. Available online at: <https://semspub.epa.gov/work/HQ/100003232.pdf>.
- U.S. EPA (U.S. Environmental Protection Agency). 2023b. Tribal Lead Curriculum: Lead Awareness in Indian Country: Keeping Our Children Healthy! Available online at: <https://www.epa.gov/lead/tribal-lead-curriculum>.
- U.S. EPA (U.S. Environmental Protection Agency). 2023c. Quality Assurance Project Plan Standard. IT/IM Directive No. CIO 2105-S-02.0. Available online at: https://www.epa.gov/system/files/documents/2023-07/quality_assurance_project_plan_standard.pdf.
- U.S. EPA (U.S. Environmental Protection Agency). 2023d. Superfund Cleanup Process. Available online at: <https://www.epa.gov/superfund/superfund-cleanup-process>.
- U.S. EPA (U.S. Environmental Protection Agency). 2024. Integrated Science Assessment (ISA) for Lead (Final Report). Available online at: <https://assessments.epa.gov/isa/document/&deid=359536>.
- von Lindern, I., S. Spalinger, V. Petroysan, and M. von Braun. 2003. Assessing remedial effectiveness through the blood lead:soil/dust lead relationship at the Bunker Hill Superfund Site in the Silver Valley of Idaho. *Sci. Total Environ.* 303(1-2):139-170.
- von Lindern, I., S. Spalinger, M. Stifelman, K.L. Stanek, and C. Bartrem. 2016. Estimating children's soil/dust ingestion rates through retrospective analyses of blood lead biomonitoring from the Bunker Hill Superfund Site in Idaho. *Environ. Health Perspect.* 124(9):1462-1470.
- Wade, A.M., D.D. Richter, C.B. Craft, N.Y. Bao, P.R. Heine, M.C. Osteen, and K.G. Tan. 2021. Urban-soil pedogenesis drives contrasting legacies of lead from paint and gasoline in city soil. *Environ. Sci. Technol.* 55(12):7981-7989.
- Wang, X., W. Pu, X. Zhang, Y. Ren, and J. Huang. 2015. Water-soluble ions and trace elements in surface snow and their potential source regions across northeastern China. *Atmospheric Environment* 114:57-65.
- Wang, Z., A.M. Wade, D.D. Richter, H.D. Stapleton, J.M. Kaste, and A. Vengosh. 2022. Legacy of anthropogenic lead in urban soils: Co-occurrence with metal(loids) and fallout

- radionuclides, isotopic fingerprinting, and in vitro bioaccessibility. *Sci. Total Environ.* 806:151276.
- Wasserman, L. 2002. The effects of a family-based educational intervention on the prevention of lead poisoning in children. Florida International University. Available online at: <https://digitalcommons.fiu.edu/sferc/2002/2002/18/>.
- Wengrovitz, A.M. and M.J. Brown. 2009. Recommendations for blood lead screening of Medicaid-eligible children aged 1-5 years: an updated approach to targeting a group at high risk. *MMWR* 58(RR09);1-11.
- White, P.D., P. Van Leeuwen, and B.D. Davis, M. Maddaloni, K.A. Hogan, A.H. Marcus, and R.W. Elias. 1998. The conceptual structure of the integrated exposure uptake biokinetic model for lead in children. *Environ. Health Perspect.* 106(Suppl 6):1513-1530. <https://doi.org/10.1289%2Fehp.98106s61513>.
- WHO (World Health Organization). 2011. Brief Guide to Analytical Methods for Measuring Lead in Blood. World Health Organization: Geneva, Switzerland. Available online at: <https://wedocs.unep.org/handle/20.500.11822/31248>.
- Ye, D., J.S. Brown, D.M. Umbach, J. Adams, W. Thayer, M.H. Follansbee, and E.F. Kirrane. 2022. Estimating the effects of soil remediation on children's blood lead near a former lead smelter in Omaha, Nebraska, USA. *Environ. Health Perspect.* 130(3):37008. <https://pubmed.ncbi.nlm.nih.gov/35319254/>.
- Yeoh, B., S. Woolfenden, D. Wheeler, G. Alperstein, and B. Lanphear. 2008. Household interventions for prevention of domestic lead exposure in children. *Cochrane Database Syst. Rev.* (2):CD006047. <http://www.ncbi.nlm.nih.gov/pubmed/18425934>.
- Yeoh, B., S. Woolfenden, B. Lanphear, G.F. Ridley, and N. Livingstone. 2012. Household interventions for preventing domestic lead exposure in children. *Cochrane Database Syst. Rev.* 10(10):CD006047. <https://doi.org/10.1002/14651858.cd006047.pub5>.
- Yuan, H., W. Yuan, C. Cheng, P. Liang, X. Liu, M. Dai, Z. Bao, C. Zong, K. Chen, and S. Lai. 2016. Evaluation of lead isotope compositions of NIST NBS 981 measured by thermal ionization mass spectrometer and multiple-collector inductively coupled plasma mass spectrometer. *Solid Earth Sci.* 1: 74-78.
- Zahran, S., H.W. Mielke, S. Weiler, and C.R. Gonzales. 2011. Nonlinear associations between blood lead in children, age of child, and quantity of soil lead in metropolitan New Orleans. *Sci. Total Environ.* 409(7):1211-1218.
- Zahran, S., M. Laidlaw, S.P. McElmurry, G.M. Filippelli, and M.P. Taylor. 2013a. Linking source and effect: Resuspended soil lead, air lead, and children's blood lead levels in Detroit, Michigan. *Environ. Sci. Technol.* 47(6):2839-2845.
- Zahran, S., H.W. Mielke, S.P. McElmurry, G.M. Filippelli, M.A. Laidlaw, and M.P. Taylor. 2013b. Determining the relative importance of soil sample locations to predict risk of child lead exposure. *Environ. Int.* 60:7-14. <https://doi.org/10.1016/j.envint.2013.07.004>.
- Zhang, X., Y. Yan, S.A. Wadood, Q. Sun, and B. Guo. 2020. Source apportionment of cadmium pollution in agricultural soil based on cadmium isotope ratio analysis. *Appl. Geochem.* 123:104776.