

**Baseline Risk Assessment at
the Linemaster Switch Site,
Woodstock, CT**

Data Tables Volume 2

**Submitted to
U.S. Environmental
Protection Agency
Region I**

May 26, 1992

Arthur D. Little, Inc.
Acorn Park
Cambridge, Massachusetts
02140-2390

ARCS 68-W8-0120
W.A. 15-1P87

ADL Reference 62366

*Linemaster
3.4*

SDMS DocID

476935



Data Tables
Residential North Ground Water
Volatile Organic Compounds

Sample Location	GW04	GW05	GW07	GW10	GW12A	GW12B
Sample Date	06/24/86	06/24/86	06/24/86	06/24/86	06/24/86	06/24/86
Concentration Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
1,1,1-Trichloroethane	-	-	-	-	-	-
1,1,1-Trichloroethane/1,2-Dichloroethane	0.025 ND	0.025 ND	0.025 ND	5 ND	5 ND	2.5 ND
1,1,2,2-Tetrachloroethane	-	-	-	-	-	-
1,1,2-Trichloroethane	-	-	-	-	-	-
1,1-Dichloroethane	-	-	-	-	-	-
1,1-Dichloroethene	-	-	-	-	-	-
1,2-Dichloroethane	-	-	-	-	-	-
1,2-Dichloroethene	-	-	-	-	-	-
1,2-Dichloropropane	-	-	-	-	-	-
2-Hexanone	-	-	-	-	-	-
Acetone	-	-	-	-	-	-
Benzene	0.0005 ND	0.0005 ND	0.0005 ND	0.1 ND	0.1 ND	0.05 ND
Bromodichloromethane	-	-	-	-	-	-
Bromoform	-	-	-	-	-	-
Carbon disulfide	-	-	-	-	-	-
Carbon tetrachloride	-	-	-	-	-	-
Chlorobenzene	0.001 ND	0.001 ND	0.001 ND	0.2 ND	0.2 ND	0.1 ND
Chloroform	-	-	-	-	-	-
Chloromethane	-	-	-	-	-	-
Dibromochloromethane	-	-	-	-	-	-
Dichlorodifluoromethane	-	-	-	-	-	-
Dichloromethane	-	-	-	-	-	-
Ethylbenzene	0.001 ND	0.001 ND	0.001 ND	0.2 ND	0.2 ND	0.1 ND
Isopropylacetone	-	-	-	-	-	-
Methyl ethyl ketone	-	-	-	-	-	-
Tetrachloroethene	0.0005 ND	0.0005 ND	0.0005 ND	0.1 ND	0.1 ND	0.05 ND
Toluene	0.0005 ND	0.0005 ND	0.0005 ND	1.7	0.1 ND	0.05 ND
Trichloroethene	0.0005 ND	0.0005 ND	0.0005 ND	14	4.5	3.9
Vinyl acetate	-	-	-	-	-	-
Vinyl chloride	-	-	-	-	-	-
Xylenes	-	-	-	-	-	-
cis-1,2-Dichloroethene	0.0005 ND	0.0005 ND	0.0005 ND	0.1 ND	0.1 ND	0.05 ND
trans-1,2-Dichloroethene	-	-	-	-	-	-
trans-1,2-Dichloroethene/1,1 Dichloroethane	0.0005 ND	0.0005 ND	0.0005 ND	0.1 ND	0.1 ND	0.05 ND

"-" = Not analyzed

ND = Non-detect; Values represent one-half of the detection limit

Data Tables
Residential North Ground Water
Volatile Organic Compounds

Sample Location	GW04	GW05	GW07	GW10	GW12A	GW12B
Sample Date	06/25/86	06/25/86	06/25/86	06/25/86	06/25/86	06/25/86
Concentration Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
1,1,1-Trichloroethane	0.0005 ND	0.0005 ND	0.0005 ND	0.0086	0.0044	0.0071
1,1,1-Trichloroethane/1,2-Dichloroethane	-	-	-	-	-	-
1,1,2,2-Tetrachloroethane	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
1,1,2-Trichloroethane	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
1,1-Dichloroethane	0.0005 ND	0.0005 ND	0.0005 ND	0.0493	0.0005 ND	0.0046
1,1-Dichloroethene	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
1,2-Dichloroethane	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
1,2-Dichloroethene	-	-	-	-	-	-
1,2-Dichloropropane	0.0005 ND	0.0005 ND	0.0005 ND	0.0021	0.0036	0.0047
2-Hexanone	-	-	-	-	-	-
Acetone	-	-	-	-	-	-
Benzene	-	-	-	-	-	-
Bromodichloromethane	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Bromoform	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Carbon disulfide	-	-	-	-	-	-
Carbon tetrachloride	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Chlorobenzene	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Chloroform	0.0005 ND	0.0005 ND	0.0005 ND	0.0307	0.0005 ND	0.0005 ND
Chloromethane	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Dibromochloromethane	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Dichlorodifluoromethane	-	-	-	-	-	-
Dichloromethane	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Ethylbenzene	-	-	-	-	-	-
Isopropylacetone	-	-	-	-	-	-
Methyl ethyl ketone	-	-	-	-	-	-
Tetrachloroethene	0.0005 ND	0.0005 ND	0.0005 ND	0.0493	0.0074	0.008
Toluene	-	-	-	-	-	-
Trichloroethene	0.0005 ND	0.0005 ND	0.0005 ND	10	3.724	3.405
Vinyl acetate	-	-	-	-	-	-
Vinyl chloride	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Xylenes	-	-	-	-	-	-
cis-1,2-Dichloroethene	-	-	-	-	-	-
trans-1,2-Dichloroethene	0.0005 ND	0.0005 ND	0.0005 ND	3.875	0.768	0.679
trans-1,2-Dichloroethene/1,1 Dichloroethane	-	-	-	-	-	-

"-" = Not analyzed

ND = Non-detect; Values represent one-half of the
detection limit

Data Tables
Residential North Ground Water
Volatile Organic Compounds

Sample Location	GW10	GW10	GW04	GW05	GW07	GW10
Sample Date	07/09/86	07/10/86	07/29/86	07/29/86	07/29/86	07/29/86
Concentration Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
1,1,1-Trichloroethane	0.1665 ND	0.014	0.0005 ND	0.0005 ND	0.0005 ND	0.015
1,1,1-Trichloroethane/1,2-Dichloroethane	-	-	0.025 ND	0.025 ND	0.025 ND	62.5 ND
1,1,2,2-Tetrachloroethane	0.1665 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
1,1,2-Trichloroethane	0.1665 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
1,1-Dichloroethane	0.1665 ND	0.063	0.0005 ND	0.0005 ND	0.0005 ND	0.048
1,1-Dichloroethene	0.1665 ND	0.061	0.0005 ND	0.0005 ND	0.0005 ND	0.004
1,2-Dichloroethane	0.8325 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
1,2-Dichloroethene	5.9	-	-	-	-	-
1,2-Dichloropropane	0.1665 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
2-Hexanone	0.4995 ND	-	-	-	-	-
Acetone	2.4975 ND	-	-	-	-	-
Benzene	0.333 ND	-	0.0005 ND	0.0005 ND	0.0005 ND	1.25 ND
Bromodichloromethane	0.1665 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Bromoform	0.1665 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Carbon disulfide	0.1665 ND	-	-	-	-	-
Carbon tetrachloride	0.1665 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Chlorobenzene	0.1665 ND	0.008	0.001 ND	0.001 ND	0.001 ND	2.5 ND
Chloroform	0.1665 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Chloromethane	0.999 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Dibromochloromethane	0.1665 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Dichlorodifluoromethane	-	-	-	-	-	-
Dichloromethane	0.1665 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.002
Ethylbenzene	0.1665 ND	-	0.001 ND	0.001 ND	0.001 ND	2.5 ND
Isopropylacetone	0.1665 ND	-	-	-	-	-
Methyl ethyl ketone	2.4975 ND	-	-	-	-	-
Tetrachloroethene	0.1665 ND	0.048	0.0005 ND	0.0005 ND	0.0005 ND	1.25 ND
Toluene	1.9	-	0.0005 ND	0.0005 ND	0.0005 ND	1.25 ND
Trichloroethene	59	42.31	0.0005 ND	0.0005 ND	0.0005 ND	22
Vinyl acetate	0.4995 ND	-	-	-	-	-
Vinyl chloride	0.666 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Xylenes	0.333 ND	-	-	-	-	-
cis-1,2-Dichloroethene	-	-	0.0005 ND	0.0005 ND	0.0005 ND	1.25 ND
trans-1,2-Dichloroethene	-	10.177	0.0005 ND	0.0005 ND	0.0005 ND	3.163
trans-1,2-Dichloroethene/1,1 Dichloroethane	-	-	0.0005 ND	0.0005 ND	0.0005 ND	1.25 ND

"-" = Not analyzed

ND = Non-detect; Values represent one-half of the detection limit

Data Tables
Residential North Ground Water
Volatile Organic Compounds

Sample Location	GW04	GW05	GW07	GW10	GW12B	GW04
Sample Date	09/11/86	09/11/86	09/11/86	09/11/86	09/11/86	09/22/86
Concentration Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
1,1,1-Trichloroethane	0.001	0.0005 ND	0.001	0.0005 ND	0.0005 ND	-
1,1,1-Trichloroethane/1,2-Dichloroethane	-	-	-	-	-	0.025 ND
1,1,2,2-Tetrachloroethane	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	-
1,1,2-Trichloroethane	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	-
1,1-Dichloroethane	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	-
1,1-Dichloroethene	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	-
1,2-Dichloroethane	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	-
1,2-Dichloroethene	-	-	-	-	-	-
1,2-Dichloropropane	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	-
2-Hexanone	-	-	-	-	-	-
Acetone	-	-	-	-	-	-
Benzene	-	-	-	-	-	0.0005 ND
Bromodichloromethane	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	-
Bromoform	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	-
Carbon disulfide	-	-	-	-	-	-
Carbon tetrachloride	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	-
Chlorobenzene	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.001 ND
Chloroform	0.0005 ND	0.0005 ND	0.001	0.0005 ND	0.0005 ND	-
Chloromethane	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	-
Dibromochloromethane	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	-
Dichlorodifluoromethane	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	-
Dichloromethane	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	-
Ethylbenzene	-	-	-	-	-	0.001 ND
Isopropylacetone	-	-	-	-	-	-
Methyl ethyl ketone	-	-	-	-	-	-
Tetrachloroethene	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Toluene	-	-	-	-	-	0.0005 ND
Trichloroethene	0.0005 ND	0.0005 ND	0.0005 ND	14.7	0.0628	0.0005 ND
Vinyl acetate	-	-	-	-	-	-
Vinyl chloride	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	-
Xylenes	-	-	-	-	-	-
cis-1,2-Dichloroethene	-	-	-	-	-	0.0005 ND
trans-1,2-Dichloroethene	0.0005 ND	0.0005 ND	0.0005 ND	3.02	0.0229	-
trans-1,2-Dichloroethene/1,1 Dichloroethane	-	-	-	-	-	0.0005 ND

"-" = Not analyzed

ND = Non-detect; Values represent one-half of the detection limit

Data Tables
Residential North Ground Water
Volatile Organic Compounds

Sample Location	GW05	GW07	GW10	GW12B	GW12	GW04
Sample Date	09/22/86	09/22/86	09/22/86	09/22/86	09/24/86	10/17/86
Concentration Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
1,1,1-Trichloroethane	-	-	-	-	0.0065	0.0005 ND
1,1,1-Trichloroethane/1,2-Dichloroethane	0.025 ND	0.025 ND	125 ND	0.025 ND	-	0.025 ND
1,1,2,2-Tetrachloroethane	-	-	-	-	-	0.0005 ND
1,1,2-Trichloroethane	-	-	-	-	-	0.0005 ND
1,1-Dichloroethane	-	-	-	-	0.0073	0.0005 ND
1,1-Dichloroethene	-	-	-	-	0.0051	0.0005 ND
1,2-Dichloroethane	-	-	-	-	-	0.0005 ND
1,2-Dichloroethene	-	-	-	-	-	-
1,2-Dichloropropane	-	-	-	-	0.0014	0.0005 ND
2-Hexanone	-	-	-	-	-	-
Acetone	-	-	-	-	-	-
Benzene	0.0005 ND	0.0005 ND	2.5 ND	0.0005 ND	-	0.0005 ND
Bromodichloromethane	-	-	-	-	-	0.0005 ND
Bromoform	-	-	-	-	-	0.0005 ND
Carbon disulfide	-	-	-	-	-	-
Carbon tetrachloride	-	-	-	-	-	0.0005 ND
Chlorobenzene	0.001 ND	0.001 ND	5 ND	0.001 ND	-	0.001 ND
Chloroform	-	-	-	-	-	0.0005 ND
Chloromethane	-	-	-	-	-	0.0005 ND
Dibromochloromethane	-	-	-	-	-	0.0005 ND
Dichlorodifluoromethane	-	-	-	-	-	0.0005 ND
Dichloromethane	-	-	-	-	-	0.0005 ND
Ethylbenzene	0.001 ND	0.001 ND	5 ND	0.001 ND	-	0.001 ND
Isopropylacetone	-	-	-	-	-	-
Methyl ethyl ketone	-	-	-	-	-	-
Tetrachloroethene	0.0005 ND	0.0005 ND	2.5 ND	0.0005 ND	0.0067	0.0005 ND
Toluene	0.0005 ND	0.0005 ND	2.5 ND	0.0005 ND	-	0.0005 ND
Trichloroethene	0.0005 ND	0.0005 ND	48	0.043	5.543	0.0005 ND
Vinyl acetate	-	-	-	-	-	-
Vinyl chloride	-	-	-	-	-	0.0005 ND
Xylenes	-	-	-	-	-	-
cis-1,2-Dichloroethene	0.0005 ND	0.0005 ND	2.5 ND	0.0005 ND	-	0.0005 ND
trans-1,2-Dichloroethene	-	-	-	-	0.691	0.0005 ND
trans-1,2-Dichloroethene/1,1 Dichloroethane	0.0005 ND	0.0005 ND	2.5 ND	0.0005 ND	-	0.0005 ND

"-" = Not analyzed

ND = Non-detect; Values represent one-half of the detection limit

Data Tables
Residential North Ground Water
Volatile Organic Compounds

Sample Location	GW05	GW07	GW10	GW12B	GW05	GW07
Sample Date	10/17/86	10/17/86	10/17/86	10/17/86	12/18/86	12/18/86
Concentration Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
1,1,1-Trichloroethane	0.0005 ND	0.0005 ND	0.0092	0.005 ND	-	-
1,1,1-Trichloroethane/1,2-Dichloroethane	0.025 ND	0.025 ND	62.5 ND	-	0.025 ND	0.025 ND
1,1,2,2-Tetrachloroethane	0.0005 ND	0.0005 ND	0.0005 ND	0.005 ND	-	-
1,1,2-Trichloroethane	0.0005 ND	0.0005 ND	0.0005 ND	0.005 ND	-	-
1,1-Dichloroethane	0.0005 ND	0.0005 ND	0.0329	0.005 ND	-	-
1,1-Dichloroethene	0.0005 ND	0.0005 ND	0.0021	0.01 ND	-	-
1,2-Dichloroethane	0.0005 ND	0.0005 ND	0.0005 ND	0.005 ND	-	-
1,2-Dichloroethene	-	-	-	0.43	-	-
1,2-Dichloropropane	0.0005 ND	0.0005 ND	0.0005 ND	0.005 ND	-	-
2-Hexanone	-	-	-	0.025 ND	-	-
Acetone	-	-	-	0.215 ND	-	-
Benzene	0.0005 ND	0.0005 ND	1.25 ND	0.005 ND	0.0005 ND	0.0005 ND
Bromodichloromethane	0.0005 ND	0.0005 ND	0.0005 ND	0.01 ND	-	-
Bromoform	0.0005 ND	0.0005 ND	0.0005 ND	0.005 ND	-	-
Carbon disulfide	-	-	-	0.02 ND	-	-
Carbon tetrachloride	0.0005 ND	0.0005 ND	0.0005 ND	0.005 ND	-	-
Chlorobenzene	0.001 ND	0.001 ND	2.5 ND	0.005 ND	0.001 ND	0.001 ND
Chloroform	0.0005 ND	0.0005 ND	0.0005 ND	0.005 ND	-	-
Chloromethane	0.0005 ND	0.0005 ND	0.0005 ND	0.065 ND	-	-
Dibromochloromethane	0.0005 ND	0.0005 ND	0.0005 ND	0.005 ND	-	-
Dichlorodifluoromethane	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	-	-
Dichloromethane	0.0005 ND	0.0005 ND	0.0005 ND	0.005 ND	-	-
Ethylbenzene	0.001 ND	0.001 ND	2.5 ND	0.005 ND	0.001 ND	0.001 ND
Isopropylacetone	-	-	-	0.015 ND	-	-
Methyl ethyl ketone	-	-	-	0.12 ND	-	-
Tetrachloroethene	0.0005 ND	0.0005 ND	1.25 ND	0.005 ND	0.0005 ND	0.0005 ND
Toluene	0.0005 ND	0.0005 ND	1.25 ND	0.005 ND	0.0005 ND	0.0005 ND
Trichloroethene	0.0005 ND	0.0005 ND	140	0.09	0.0005 ND	0.0005 ND
Vinyl acetate	-	-	-	0.045 ND	-	-
Vinyl chloride	0.0005 ND	0.0005 ND	0.0005 ND	0.02 ND	-	-
Xylenes	-	-	-	0.01 ND	-	-
cis-1,2-Dichloroethene	0.0005 ND	0.0005 ND	1.25 ND	-	0.0005 ND	0.0005 ND
trans-1,2-Dichloroethene	0.0005 ND	0.0005 ND	2.325	0.413	-	-
trans-1,2-Dichloroethene/1,1 Dichloroethane	0.0005 ND	0.0005 ND	1.25 ND	-	0.0005 ND	0.0005 ND

"-" = Not analyzed

ND = Non-detect; Values represent one-half of the detection limit

Data Tables
Residential North Ground Water
Volatile Organic Compounds

Sample Location	GW10	GW12B	GW05	GW07	GW10	GW12
Sample Date	12/18/86	12/18/86	12/19/86	12/19/86	12/19/86	12/19/86
Concentration Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
1,1,1-Trichloroethane	-	-	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
1,1,1-Trichloroethane/1,2-Dichloroethane	5 ND	0.025 ND	-	-	-	-
1,1,2,2-Tetrachloroethane	-	-	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
1,1,2-Trichloroethane	-	-	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
1,1-Dichloroethane	-	-	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
1,1-Dichloroethene	-	-	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
1,2-Dichloroethane	-	-	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
1,2-Dichloroethene	-	-	-	-	-	-
1,2-Dichloropropane	-	-	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
2-Hexanone	-	-	-	-	-	-
Acetone	-	-	-	-	-	-
Benzene	0.1 ND	0.0005 ND	-	-	-	-
Bromodichloromethane	-	-	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Bromoform	-	-	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Carbon disulfide	-	-	-	-	-	-
Carbon tetrachloride	-	-	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Chlorobenzene	0.2 ND	0.001 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Chloroform	-	-	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Chloromethane	-	-	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Dibromochloromethane	-	-	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Dichlorodifluoromethane	-	-	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Dichloromethane	-	-	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Ethylbenzene	0.2 ND	0.001 ND	-	-	-	-
Isopropylacetone	-	-	-	-	-	-
Methyl ethyl ketone	-	-	-	-	-	-
Tetrachloroethene	0.1 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0659	0.0005 ND
Toluene	0.1 ND	0.0005 ND	-	-	-	-
Trichloroethene	42	0.048	0.0005 ND	0.0005 ND	6.89	0.0125
Vinyl acetate	-	-	-	-	-	-
Vinyl chloride	-	-	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Xylenes	-	-	-	-	-	-
cis-1,2-Dichloroethene	0.1 ND	0.0005 ND	-	-	-	-
trans-1,2-Dichloroethene	-	-	0.0005 ND	0.0005 ND	3.251	0.2891
trans-1,2-Dichloroethene/1,1 Dichloroethane	0.1 ND	0.025	-	-	-	-

"-" = Not analyzed

ND = Non-detect; Values represent one-half of the detection limit

Data Tables
Residential North Ground Water
Volatile Organic Compounds

Sample Location	GW10	GW12B	GW12	GW04	GW05	GW07
Sample Date	01/21/87	01/21/87	04/08/87	04/22/87	04/22/87	04/22/87
Concentration Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
1,1,1-Trichloroethane	0.0005 ND	0.0005 ND	0.03	0.0005 ND	0.0005 ND	0.0005 ND
1,1,1-Trichloroethane/1,2-Dichloroethane	125 ND	0.025 ND	-	0.025 ND	0.025 ND	0.025 ND
1,1,2,2-Tetrachloroethane	0.0005 ND	0.0005 ND	-	0.0005 ND	0.0005 ND	0.0005 ND
1,1,2-Trichloroethane	0.0005 ND	0.0005 ND	-	0.0005 ND	0.0005 ND	0.0005 ND
1,1-Dichloroethane	0.017	0.0005 ND	0.01	0.0005 ND	0.0005 ND	0.0005 ND
1,1-Dichloroethene	0.0005 ND	0.0005 ND	0.029	0.0005 ND	0.0005 ND	0.0005 ND
1,2-Dichloroethane	0.0005 ND	0.0005 ND	-	0.0005 ND	0.0005 ND	0.0005 ND
1,2-Dichloroethene	-	-	-	-	-	-
1,2-Dichloropropane	0.0005 ND	0.0005 ND	0.014	0.0005 ND	0.0005 ND	0.0005 ND
2-Hexanone	-	-	-	-	-	-
Acetone	-	-	-	-	-	-
Benzene	2.5 ND	0.0005 ND	-	0.0005 ND	0.0005 ND	0.0005 ND
Bromodichloromethane	0.0005 ND	0.0005 ND	-	0.0005 ND	0.0005 ND	0.0005 ND
Bromoform	0.0005 ND	0.0005 ND	0.889	0.0005 ND	0.0005 ND	0.0005 ND
Carbon disulfide	-	-	-	-	-	-
Carbon tetrachloride	0.0005 ND	0.0005 ND	-	0.0005 ND	0.0005 ND	0.0005 ND
Chlorobenzene	5 ND	0.001 ND	-	0.001 ND	0.001 ND	0.001 ND
Chloroform	0.0005 ND	0.0005 ND	-	0.0005 ND	0.0005 ND	0.0005 ND
Chloromethane	0.0005 ND	0.0005 ND	-	0.0005 ND	0.0005 ND	0.0005 ND
Dibromochloromethane	0.0005 ND	0.0005 ND	-	0.0005 ND	0.0005 ND	0.0005 ND
Dichlorodifluoromethane	0.0005 ND	0.0005 ND	-	0.0005 ND	0.0005 ND	0.0005 ND
Dichloromethane	0.0005 ND	0.0005 ND	-	0.0005 ND	0.0005 ND	0.0005 ND
Ethylbenzene	5 ND	0.001 ND	-	0.001 ND	0.001 ND	0.001 ND
Isopropylacetone	-	-	-	-	-	-
Methyl ethyl ketone	-	-	-	-	-	-
Tetrachloroethene	2.5 ND	0.0005 ND	0.43	0.0005 ND	0.0005 ND	0.0005 ND
Toluene	2.5 ND	0.0005 ND	-	0.0005 ND	0.0005 ND	0.0005 ND
Trichloroethene	42	0.978	10.327	0.0005 ND	0.0005 ND	0.0005 ND
Vinyl acetate	-	-	-	-	-	-
Vinyl chloride	0.0005 ND	0.0005 ND	-	0.0005 ND	0.0005 ND	0.0005 ND
Xylenes	-	-	-	-	-	-
cis-1,2-Dichloroethene	2.5 ND	0.7	-	0.0005 ND	0.0005 ND	0.0005 ND
trans-1,2-Dichloroethene	3.275	1.08	3.558	0.0005 ND	0.0005 ND	0.0005 ND
trans-1,2-Dichloroethene/1,1 Dichloroethane	2.5 ND	0.0005 ND	-	0.0005 ND	0.0005 ND	0.0005 ND

"-" = Not analyzed

ND = Non-detect; Values represent one-half of the detection limit

Data Tables

Residential North Ground Water Volatile Organic Compounds

Sample Location	GW10	GW12	GW12B	GW04	GW05	GW07
Sample Date	04/22/87	04/22/87	04/22/87	06/25/87	06/25/87	06/25/87
Concentration Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
1,1,1-Trichloroethane	0.0005 ND	0.0005 ND	-	0.0005 ND	0.0005 ND	0.0005 ND
1,1,1-Trichloroethane/1,2-Dichloroethane	10 ND	-	2.5 ND	-	-	-
1,1,2,2-Tetrachloroethane	0.0005 ND	0.0005 ND	-	0.0005 ND	0.0005 ND	0.0005 ND
1,1,2-Trichloroethane	0.0005 ND	0.0005 ND	-	0.0005 ND	0.0005 ND	0.0005 ND
1,1-Dichloroethane	0.0091	0.0005 ND	-	0.0005 ND	0.0005 ND	0.0005 ND
1,1-Dichloroethene	0.0005 ND	0.0005 ND	-	0.0005 ND	0.0005 ND	0.0005 ND
1,2-Dichloroethane	0.0005 ND	0.0005 ND	-	0.0005 ND	0.0005 ND	0.0005 ND
1,2-Dichloroethene	-	-	-	-	-	-
1,2-Dichloropropane	0.0005 ND	0.0005 ND	-	0.0005 ND	0.0005 ND	0.0005 ND
2-Hexanone	-	-	-	-	-	-
Acetone	-	-	-	-	-	-
Benzene	0.2 ND	-	0.05 ND	-	-	-
Bromodichloromethane	0.0026	0.0005 ND	-	0.0005 ND	0.0005 ND	0.0005 ND
Bromoform	0.0005 ND	0.0005 ND	-	0.0005 ND	0.0005 ND	0.0005 ND
Carbon disulfide	-	-	-	-	-	-
Carbon tetrachloride	0.0035	0.0005 ND	-	0.0005 ND	0.0005 ND	0.0005 ND
Chlorobenzene	0.4 ND	0.0005 ND	0.1 ND	0.0005 ND	0.0005 ND	0.0005 ND
Chloroform	0.0005 ND	0.0005 ND	-	0.0005 ND	0.0005 ND	0.0005 ND
Chloromethane	0.0005 ND	0.0005 ND	-	0.0005 ND	0.0005 ND	0.0005 ND
Dibromochloromethane	0.0005 ND	0.0005 ND	-	0.0005 ND	0.0005 ND	0.0005 ND
Dichlorodifluoromethane	0.0005 ND	0.0005 ND	-	0.0005 ND	0.0005 ND	0.0005 ND
Dichloromethane	0.0005 ND	0.0005 ND	-	0.0005 ND	0.0005 ND	0.0005 ND
Ethylbenzene	0.4 ND	-	0.1 ND	-	-	-
Isopropylacetone	-	-	-	-	-	-
Methyl ethyl ketone	-	-	-	-	-	-
Tetrachloroethene	0.2 ND	0.0005 ND	0.05 ND	0.0005 ND	0.0005 ND	0.0005 ND
Toluene	2.4	-	0.05 ND	-	-	-
Trichloroethene	30	0.379	1.4	0.0005 ND	0.0005 ND	0.0005 ND
Vinyl acetate	-	-	-	-	-	-
Vinyl chloride	0.0005 ND	0.0005 ND	-	0.0005 ND	0.0005 ND	0.0005 ND
Xylenes	-	-	-	-	-	-
cis-1,2-Dichloroethene	4	-	0.14	-	-	-
trans-1,2-Dichloroethene	3.57	0.0784	-	0.0005 ND	0.0005 ND	0.0005 ND
trans-1,2-Dichloroethene/1,1 Dichloroethane	0.2 ND	-	0.05 ND	-	-	-

"-" = Not analyzed

ND = Non-detect; Values represent one-half of the detection limit

Data Tables
Residential North Ground Water
Volatile Organic Compounds

Sample Location	GW12	GW12	GW12	GW04	GW05	GW07
Sample Date	06/25/87	06/29/87	07/15/87	08/24/87	08/24/87	08/24/87
Concentration Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
1,1,1-Trichloroethane	0.0005 ND	0.0019	-	0.0005 ND	0.0005 ND	0.0005 ND
1,1,1-Trichloroethane/1,2-Dichloroethane	-	-	-	-	-	-
1,1,2,2-Tetrachloroethane	0.0005 ND	-	-	0.0005 ND	0.0005 ND	0.0005 ND
1,1,2-Trichloroethane	0.0005 ND	-	-	0.0005 ND	0.0005 ND	0.0005 ND
1,1-Dichloroethane	0.0005 ND	0.0043	-	0.0005 ND	0.0005 ND	0.0005 ND
1,1-Dichloroethene	0.0005 ND	0.0036	-	0.0005 ND	0.0005 ND	0.0005 ND
1,2-Dichloroethane	0.0005 ND	-	-	0.0005 ND	0.0005 ND	0.0005 ND
1,2-Dichloroethene	-	-	-	-	-	-
1,2-Dichloropropane	0.0005 ND	-	-	0.0005 ND	0.0005 ND	0.0005 ND
2-Hexanone	-	-	-	-	-	-
Acetone	-	-	-	-	-	-
Benzene	-	-	-	-	-	-
Bromodichloromethane	0.0005 ND	-	-	0.0005 ND	0.0005 ND	0.0005 ND
Bromoform	0.0005 ND	-	-	0.0005 ND	0.0005 ND	0.0005 ND
Carbon disulfide	-	-	-	-	-	-
Carbon tetrachloride	0.0005 ND	-	-	0.0005 ND	0.0005 ND	0.0005 ND
Chlorobenzene	0.0005 ND	-	-	0.0005 ND	0.0005 ND	0.0005 ND
Chloroform	0.0005 ND	-	-	0.0005 ND	0.0005 ND	0.0005 ND
Chloromethane	0.0005 ND	-	-	0.0005 ND	0.0005 ND	0.0005 ND
Dibromochloromethane	0.0005 ND	-	-	0.0005 ND	0.0005 ND	0.0005 ND
Dichlorodifluoromethane	0.0005 ND	-	-	0.0005 ND	0.0005 ND	0.0005 ND
Dichloromethane	0.0005 ND	-	-	0.0005 ND	0.0005 ND	0.0005 ND
Ethylbenzene	-	-	-	-	-	-
Isopropylacetone	-	-	-	-	-	-
Methyl ethyl ketone	-	-	-	-	-	-
Tetrachloroethene	0.0005 ND	-	-	0.0005 ND	0.0005 ND	0.0005 ND
Toluene	-	-	-	-	-	-
Trichloroethene	2.82	6.436	7.178	0.0005 ND	0.0005 ND	0.0005 ND
Vinyl acetate	-	-	-	-	-	-
Vinyl chloride	0.0005 ND	-	-	0.0005 ND	0.0005 ND	0.0005 ND
Xylenes	-	-	-	-	-	-
cis-1,2-Dichloroethene	-	-	-	-	-	-
trans-1,2-Dichloroethene	0.0887	1.23	0.502	0.0005 ND	0.0005 ND	0.0005 ND
trans-1,2-Dichloroethene/1,1 Dichloroethane	-	-	-	-	-	-

"-" = Not analyzed

ND = Non-detect; Values represent one-half of the detection limit

Data Tables
Residential North Ground Water
Volatile Organic Compounds

Sample Location	GW12	GW12	GW12	GW12	GW04	GW05
Sample Date	08/24/87	09/16/87	10/19/87	12/22/87	02/18/88	02/18/88
Concentration Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
1,1,1-Trichloroethane	0.0005 ND	0.0077	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
1,1,1-Trichloroethane/1,2-Dichloroethane	-	-	-	-	-	-
1,1,2,2-Tetrachloroethane	0.0005 ND	0.0001 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
1,1,2-Trichloroethane	0.0005 ND	0.0001 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
1,1-Dichloroethane	0.0005 ND	0.0044	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
1,1-Dichloroethene	0.0005 ND	0.0056	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
1,2-Dichloroethane	0.0005 ND	0.0001 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
1,2-Dichloroethene	-	-	-	-	-	-
1,2-Dichloropropane	0.0005 ND	0.0001 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
2-Hexanone	-	-	-	-	-	-
Acetone	-	-	-	-	-	-
Benzene	-	-	-	-	-	-
Bromodichloromethane	0.0005 ND	0.00025 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Bromoform	0.0005 ND	0.00025 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Carbon disulfide	-	-	-	-	-	-
Carbon tetrachloride	0.0005 ND	0.0001 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Chlorobenzene	0.0005 ND	0.00025 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Chloroform	0.0005 ND	0.0001 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Chloromethane	0.0005 ND	0.00025 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Dibromochloromethane	0.0005 ND	0.00025 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Dichlorodifluoromethane	0.0005 ND	0.00025 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Dichloromethane	0.0005 ND	0.0001 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Ethylbenzene	-	-	-	-	-	-
Isopropylacetone	-	-	-	-	-	-
Methyl ethyl ketone	-	-	-	-	-	-
Tetrachloroethene	0.0005 ND	0.0093	0.0005 ND	0.0005 ND	0.0038	0.0005 ND
Toluene	-	-	-	-	-	-
Trichloroethene	1.11	5.932	5.59	6.56	0.0005 ND	0.0005 ND
Vinyl acetate	-	-	-	-	-	-
Vinyl chloride	0.0005 ND	0.00025 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Xylenes	-	-	-	-	-	-
cis-1,2-Dichloroethene	-	-	-	-	-	-
trans-1,2-Dichloroethene	0.0005 ND	0.812	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
trans-1,2-Dichloroethene/1,1 Dichloroethane	-	-	-	-	-	-

"-" = Not analyzed

ND = Non-detect; Values represent one-half of the detection limit

Data Tables
Residential North Ground Water
Volatile Organic Compounds

Sample Location	GW07	GW12	GW12	GW12	GW10	GW04
Sample Date	02/18/88	02/18/88	04/26/88	07/11/88	08/02/88	08/15/88
Concentration Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
1,1,1-Trichloroethane	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0025 ND	0.0001 ND
1,1,1-Trichloroethane/1,2-Dichloroethane	-	-	-	-	-	-
1,1,2,2-Tetrachloroethane	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	-	0.0001 ND
1,1,2-Trichloroethane	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	-	0.0001 ND
1,1-Dichloroethane	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.055	0.00025 ND
1,1-Dichloroethene	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.048	0.0001 ND
1,2-Dichloroethane	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0025 ND	0.00025 ND
1,2-Dichloroethene	-	-	-	-	-	-
1,2-Dichloropropane	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	-	0.0001 ND
2-Hexanone	-	-	-	-	-	-
Acetone	-	-	-	-	-	-
Benzene	-	-	-	-	-	-
Bromodichloromethane	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0025 ND	0.0001 ND
Bromoform	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0025 ND	0.00025 ND
Carbon disulfide	-	-	-	-	-	-
Carbon tetrachloride	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0025 ND	0.0001 ND
Chlorobenzene	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	-	0.00025 ND
Chloroform	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0025 ND	0.0001 ND
Chloromethane	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	-	0.00025 ND
Dibromochloromethane	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0025 ND	0.00025 ND
Dichlorodifluoromethane	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	-	0.0001 ND
Dichloromethane	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0025 ND	0.0001 ND
Ethylbenzene	-	-	-	-	-	-
Isopropylacetone	-	-	-	-	-	-
Methyl ethyl ketone	-	-	-	-	-	-
Tetrachloroethene	0.0005 ND	0.0005 ND	0.0075	0.0005 ND	0.1	0.0001 ND
Toluene	-	-	-	-	-	-
Trichloroethene	0.0005 ND	6.42	4.05	5.37	58	0.0001 ND
Vinyl acetate	-	-	-	-	-	-
Vinyl chloride	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	-	0.00025 ND
Xylenes	-	-	-	-	-	-
cis-1,2-Dichloroethene	-	-	-	-	-	-
trans-1,2-Dichloroethene	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	4.7	0.0001 ND
trans-1,2-Dichloroethene/1,1 Dichloroethane	-	-	-	-	-	-

"-" = Not analyzed

ND = Non-detect; Values represent one-half of the detection limit

Data Tables
Residential North Ground Water
Volatile Organic Compounds

Sample Location	GW05	GW07	GW12	GW12	GW04	GW05
Sample Date	08/15/88	08/15/88	08/15/88	10/12/88	12/16/88	12/16/88
Concentration Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
1,1,1-Trichloroethane	0.0001 ND	0.0001 ND	0.0024	0.0044	0.0001 ND	0.0001 ND
1,1,1-Trichloroethane/1,2-Dichloroethane	-	-	-	-	-	-
1,1,2,2-Tetrachloroethane	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND
1,1,2-Trichloroethane	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND
1,1-Dichloroethane	0.00025 ND	0.00025 ND	0.0061	0.014	0.00025 ND	0.00025 ND
1,1-Dichloroethene	0.0001 ND	0.0001 ND	0.0034	0.0087	0.0001 ND	0.0001 ND
1,2-Dichloroethane	0.00025 ND	0.00025 ND	0.00025 ND	0.0001 ND	0.00025 ND	0.00025 ND
1,2-Dichloroethene	-	-	-	-	-	-
1,2-Dichloropropane	0.0001 ND	0.0001 ND	0.002	0.0014	0.0001 ND	0.0001 ND
2-Hexanone	-	-	-	-	-	-
Acetone	-	-	-	-	-	-
Benzene	-	-	-	-	-	-
Bromodichloromethane	0.0001 ND	0.0001 ND	0.0001 ND	0.00025 ND	0.0001 ND	0.0001 ND
Bromoform	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Carbon disulfide	-	-	-	-	-	-
Carbon tetrachloride	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND
Chlorobenzene	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Chloroform	0.0001 ND	0.0039	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND
Chloromethane	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Dibromochloromethane	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Dichlorodifluoromethane	0.0001 ND	0.0001 ND	0.0001 ND	0.00025 ND	0.0001 ND	0.0001 ND
Dichloromethane	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND
Ethylbenzene	-	-	-	-	-	-
Isopropylacetone	-	-	-	-	-	-
Methyl ethyl ketone	-	-	-	-	-	-
Tetrachloroethene	0.0001 ND	0.0001 ND	0.007	0.018	0.0001 ND	0.0001 ND
Toluene	-	-	-	-	-	-
Trichloroethene	0.0001 ND	0.0001 ND	6.572	6.897	0.0001 ND	0.0001 ND
Vinyl acetate	-	-	-	-	-	-
Vinyl chloride	0.00025 ND	0.00025 ND	0.00025 ND	0.00089	0.00025 ND	0.00025 ND
Xylenes	-	-	-	-	-	-
cis-1,2-Dichloroethene	-	-	-	-	-	-
trans-1,2-Dichloroethene	0.0001 ND	0.0001 ND	0.747	1.739	0.0001 ND	0.0001 ND
trans-1,2-Dichloroethene/1,1 Dichloroethane	-	-	-	-	-	-

"-" = Not analyzed

ND = Non-detect; Values represent one-half of the detection limit

Data Tables
Residential North Ground Water
Volatile Organic Compounds

Sample Location	GW07	GW12	GW12	GW12	GW12	GW04
Sample Date	12/16/88	12/16/88	02/22/89	04/03/89	06/06/89	08/24/89
Concentration Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
1,1,1-Trichloroethane	0.0001 ND	0.0094	0.0023	0.0056	0.0067	0.0001 ND
1,1,1-Trichloroethane/1,2-Dichloroethane	-	-	-	-	-	-
1,1,2,2-Tetrachloroethane	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND
1,1,2-Trichloroethane	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND
1,1-Dichloroethane	0.00025 ND	0.0051	0.001	0.0022	0.0087	0.00025 ND
1,1-Dichloroethene	0.0001 ND	0.0039	0.0033	0.0001 ND	0.006	0.0001 ND
1,2-Dichloroethane	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
1,2-Dichloroethene	-	-	-	-	-	-
1,2-Dichloropropane	0.0001 ND	0.0021	0.0001 ND	0.00079	0.0001 ND	0.0001 ND
2-Hexanone	-	-	-	-	-	-
Acetone	-	-	-	-	-	-
Benzene	-	-	-	-	-	-
Bromodichloromethane	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND
Bromoform	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Carbon disulfide	-	-	-	-	-	-
Carbon tetrachloride	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND
Chlorobenzene	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Chloroform	0.0026	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND
Chloromethane	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Dibromochloromethane	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Dichlorodifluoromethane	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND
Dichloromethane	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND
Ethylbenzene	-	-	-	-	-	-
Isopropylacetone	-	-	-	-	-	-
Methyl ethyl ketone	-	-	-	-	-	-
Tetrachloroethene	0.0001 ND	0.01	0.0074	0.0082	0.018	0.0001 ND
Toluene	-	-	-	-	-	-
Trichloroethene	0.0001 ND	5.488	6.864	6.086	4.16	0.0001 ND
Vinyl acetate	-	-	-	-	-	-
Vinyl chloride	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Xylenes	-	-	-	-	-	-
cis-1,2-Dichloroethene	-	-	-	-	-	-
trans-1,2-Dichloroethene	0.0001 ND	0.975	0.824	0.979	0.0091	0.0001 ND
trans-1,2-Dichloroethene/1,1 Dichloroethane	-	-	-	-	-	-

"-" = Not analyzed

ND = Non-detect; Values represent one-half of the detection limit

Data Tables
Residential North Ground Water
Volatile Organic Compounds

Sample Location	GW07	GW04	GW05	GW10DB1	GW10DB2	GW10DB3
Sample Date	08/24/89	02/15/90	02/15/90	07/13/90	07/13/90	07/13/90
Concentration Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
1,1,1-Trichloroethane	0.0001 ND	0.0001 ND	0.0001 ND	0.0005 ND	0.022	0.0025 ND
1,1,1-Trichloroethane/1,2-Dichloroethane	-	-	-	-	-	-
1,1,2,2-Tetrachloroethane	0.0001 ND	0.0001 ND	0.0001 ND	0.0005 ND	0.0025 ND	0.0025 ND
1,1,2-Trichloroethane	0.0001 ND	0.0001 ND	0.0001 ND	0.0033	0.00375 ND	0.00375 ND
1,1-Dichloroethane	0.00025 ND	0.00025 ND	0.00025 ND	0.072	0.059	0.067
1,1-Dichloroethene	0.0001 ND	0.0001 ND	0.0001 ND	0.044	0.021	0.06
1,2-Dichloroethane	0.00025 ND	0.00025 ND	0.00025 ND	0.0028	0.00375 ND	0.00375 ND
1,2-Dichloroethene	-	-	-	-	-	-
1,2-Dichloropropane	0.0001 ND	0.0001 ND	0.0001 ND	0.00175 ND	0.00875 ND	0.00875 ND
2-Hexanone	-	-	-	0.005 ND	0.025 ND	0.025 ND
Acetone	-	-	-	0.21	0.025 ND	0.025 ND
Benzene	-	-	-	0.0035	0.0025 ND	0.0025 ND
Bromodichloromethane	0.0001 ND	0.0001 ND	0.0001 ND	0.0005 ND	0.0025 ND	0.0025 ND
Bromoform	0.00025 ND	0.00025 ND	0.00025 ND	0.0005 ND	0.0025 ND	0.0025 ND
Carbon disulfide	-	-	-	0.005 ND	0.012	0.025 ND
Carbon tetrachloride	0.0001 ND	0.0001 ND	0.0001 ND	0.0005 ND	0.0025 ND	0.0025 ND
Chlorobenzene	0.00025 ND	0.00025 ND	0.00025 ND	0.00175 ND	0.00875 ND	0.00875 ND
Chloroform	0.0001 ND	0.0001 ND	0.0001 ND	0.00075 ND	0.00375 ND	0.00375 ND
Chloromethane	0.00025 ND	0.00025 ND	0.00025 ND	0.005 ND	0.025 ND	0.025 ND
Dibromochloromethane	0.00025 ND	0.00025 ND	0.00025 ND	0.0005 ND	0.0025 ND	0.0025 ND
Dichlorodifluoromethane	0.0001 ND	0.0001 ND	0.0001 ND	0.005 ND	0.025 ND	0.025 ND
Dichloromethane	0.0001 ND	0.0001 ND	0.0001 ND	0.0025 ND	0.0125 ND	0.0125 ND
Ethylbenzene	-	-	-	0.098	0.096	0.12
Isopropylacetone	-	-	-	0.15	0.139	0.092
Methyl ethyl ketone	-	-	-	0.00225 ND	0.01125 ND	0.01125 ND
Tetrachloroethene	0.0001 ND	0.0001 ND	0.0001 ND	0.051	0.057	0.00375 ND
Toluene	-	-	-	2.1	1.9	1.8
Trichloroethene	0.0001 ND	0.0001 ND	0.0001 ND	5.1	10.8	12.5
Vinyl acetate	-	-	-	0.264	0.025 ND	0.025 ND
Vinyl chloride	0.00025 ND	0.00025 ND	0.00025 ND	0.01	0.00875 ND	0.00875 ND
Xylenes	-	-	-	0.27	0.27	0.76
cis-1,2-Dichloroethene	-	-	-	3.7	4.7	15
trans-1,2-Dichloroethene	0.0001 ND	0.0001 ND	0.0001 ND	0.0092	0.00375 ND	0.037
trans-1,2-Dichloroethene/1,1 Dichloroethane	-	-	-	-	-	-

"-" = Not analyzed

ND = Non-detect; Values represent one-half of the detection limit

Data Tables
Residential North Ground Water
Volatile Organic Compounds

Sample Location	GW05	GW07	GW04	GW04	GW04	GW10DB1
Sample Date	08/22/90	08/22/90	09/13/90	10/12/90	12/12/90	12/21/90
Concentration Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
1,1,1-Trichloroethane	0.00025 ND	0.00025 ND	0.0013	0.00025 ND	0.00025 ND	0.05 ND
1,1,1-Trichloroethane/1,2-Dichloroethane	-	-	-	-	-	-
1,1,2,2-Tetrachloroethane	0.00035 ND	0.00035 ND	0.00035 ND	0.00035 ND	0.00035 ND	0.05 ND
1,1,2-Trichloroethane	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.075 ND
1,1-Dichloroethane	0.00065 ND	0.00065 ND	0.00065 ND	0.00065 ND	0.00065 ND	0.075 ND
1,1-Dichloroethene	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.075 ND
1,2-Dichloroethane	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.075 ND
1,2-Dichloroethene	-	-	-	-	-	3.2
1,2-Dichloropropane	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.175 ND
2-Hexanone	-	-	-	-	0.0025 ND	0.5 ND
Acetone	-	-	-	-	0.0025 ND	0.5 ND
Benzene	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.05 ND
Bromodichloromethane	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.05 ND
Bromoform	0.00035 ND	0.00035 ND	0.00035 ND	0.00035 ND	0.00035 ND	0.05 ND
Carbon disulfide	-	-	-	-	0.0025 ND	0.5 ND
Carbon tetrachloride	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.05 ND
Chlorobenzene	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.175 ND
Chloroform	0.00025 ND	0.0014	0.00025 ND	0.00025 ND	0.00025 ND	0.075 ND
Chloromethane	0.0011 ND	0.0011 ND	0.0011 ND	0.0011 ND	0.0011 ND	0.5 ND
Dibromochloromethane	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.05 ND
Dichlorodifluoromethane	0.00085 ND	0.00085 ND	0.00085 ND	0.00085 ND	0.00085 ND	0.5 ND
Dichloromethane	0.00045 ND	0.00045 ND	0.00045 ND	0.00045 ND	0.00045 ND	0.25 ND
Ethylbenzene	0.00065 ND	0.00065 ND	0.00065 ND	0.00065 ND	0.00065 ND	0.05 ND
Isopropylacetone	-	-	-	0.0025 ND	0.0025 ND	0.5 ND
Methyl ethyl ketone	-	-	-	-	0.001 ND	0.225 ND
Tetrachloroethene	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.075 ND
Toluene	0.00045 ND	0.00045 ND	0.00045 ND	0.00045 ND	0.00045 ND	1.7
Trichloroethene	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	33
Vinyl acetate	-	-	-	-	0.0025 ND	0.5 ND
Vinyl chloride	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.175 ND
Xylenes	0.00165 ND	0.00165 ND	0.00165 ND	0.00165 ND	0.00165 ND	0.345
cis-1,2-Dichloroethene	0.0004 ND	0.0004 ND	0.0004 ND	0.0004 ND	0.00025 ND	-
trans-1,2-Dichloroethene	0.0004 ND	0.0004 ND	0.0004 ND	0.0004 ND	0.00025 ND	-
trans-1,2-Dichloroethene/1,1 Dichloroethane	-	-	-	-	-	-

"-" = Not analyzed

ND = Non-detect; Values represent one-half of the detection limit

Data Tables
Residential North Ground Water
Volatile Organic Compounds

Sample Location	GW10DB2	GW10DB3	GW04	GW10DBPT	GW10DBPT	GW05
Sample Date	12/21/90	12/21/90	02/05/91	04/01/91	04/03/91	06/07/91
Concentration Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
1,1,1-Trichloroethane	0.05 ND	0.0025 ND	0.00025 ND	0.05 ND	0.1 ND	0.00025 ND
1,1,1-Trichloroethane/1,2-Dichloroethane	-	-	-	-	-	-
1,1,2,2-Tetrachloroethane	0.05 ND	0.0025 ND	0.00035 ND	0.05 ND	0.1 ND	0.00035 ND
1,1,2-Trichloroethane	0.075 ND	0.00375 ND	0.00025 ND	0.075 ND	0.15 ND	0.00025 ND
1,1-Dichloroethane	0.075 ND	0.049	0.00065 ND	0.075 ND	0.15 ND	0.00065 ND
1,1-Dichloroethene	0.075 ND	0.043	0.00025 ND	0.075 ND	0.15 ND	0.00025 ND
1,2-Dichloroethane	0.075 ND	0.00375 ND	0.00025 ND	0.075 ND	0.15 ND	0.00025 ND
1,2-Dichloroethene	4	6.8	-	5.9	6.5	-
1,2-Dichloropropane	0.175 ND	0.00875 ND	0.00025 ND	0.175 ND	0.35 ND	0.00025 ND
2-Hexanone	0.5 ND	0.07	0.0025 ND	0.5 ND	1 ND	0.0025 ND
Acetone	0.5 ND	0.025 ND	0.0025 ND	0.5 ND	1 ND	0.0025 ND
Benzene	0.05 ND	0.0025 ND	0.00025 ND	0.05 ND	0.1 ND	0.00025 ND
Bromodichloromethane	0.05 ND	0.0025 ND	0.00025 ND	0.05 ND	0.1 ND	0.00025 ND
Bromoform	0.05 ND	0.0025 ND	0.00035 ND	0.05 ND	0.1 ND	0.00035 ND
Carbon disulfide	0.5 ND	0.025 ND	0.0025 ND	0.5 ND	1 ND	0.0025 ND
Carbon tetrachloride	0.05 ND	0.0025 ND	0.00025 ND	0.05 ND	0.1 ND	0.00025 ND
Chlorobenzene	0.175 ND	0.00875 ND	0.0005 ND	0.175 ND	0.35 ND	0.0005 ND
Chloroform	0.075 ND	0.00375 ND	0.00025 ND	0.075 ND	0.15 ND	0.00025 ND
Chloromethane	0.5 ND	0.025 ND	0.0011 ND	0.5 ND	1 ND	0.0011 ND
Dibromochloromethane	0.05 ND	0.0025 ND	0.00025 ND	0.05 ND	0.1 ND	0.00025 ND
Dichlorodifluoromethane	0.5 ND	0.025 ND	0.00085 ND	0.5 ND	1 ND	0.00085 ND
Dichloromethane	0.25 ND	0.0125 ND	0.00045 ND	0.25 ND	0.5 ND	0.00045 ND
Ethylbenzene	0.05 ND	0.11	0.00065 ND	0.05 ND	0.1 ND	0.00065 ND
Isopropylacetone	0.5 ND	0.025 ND	0.0025 ND	0.5 ND	1 ND	0.0025 ND
Methyl ethyl ketone	0.225 ND	0.01125 ND	0.001 ND	0.225 ND	0.45 ND	0.001 ND
Tetrachloroethene	0.075 ND	0.065	0.00025 ND	0.075 ND	0.15 ND	0.00025 ND
Toluene	1.8	1.5	0.00045 ND	1.4	1.7	0.00045 ND
Trichloroethene	34	43	0.00025 ND	34	44	0.00025 ND
Vinyl acetate	0.5 ND	0.025 ND	0.0025 ND	0.5 ND	1 ND	0.0025 ND
Vinyl chloride	0.175 ND	0.00875 ND	0.00025 ND	0.175 ND	0.35 ND	0.00025 ND
Xylenes	0.31	0.5	0.00165 ND	0.33	0.31	0.00165 ND
cis-1,2-Dichloroethene	-	-	0.00025 ND	-	-	0.00025 ND
trans-1,2-Dichloroethene	-	-	0.00025 ND	-	-	0.00025 ND
trans-1,2-Dichloroethene/1,1 Dichloroethane	-	-	-	-	-	-

"-" = Not analyzed

ND = Non-detect; Values represent one-half of the detection limit

Data Tables
Residential North Ground Water
Volatile Organic Compounds

Sample Location	GW04	GW05	GW07
Sample Date	08/22/91	08/22/91	08/22/91
Concentration Units	mg/l	mg/l	mg/l
1,1,1-Trichloroethane	0.00025 ND	0.00025 ND	0.00025 ND
1,1,1-Trichloroethane/1,2-Dichloroethane	-	-	-
1,1,1,2,2-Tetrachloroethane	0.00035 ND	0.00035 ND	0.00035 ND
1,1,2-Trichloroethane	0.00025 ND	0.00025 ND	0.00025 ND
1,1-Dichloroethane	0.00065 ND	0.00065 ND	0.00065 ND
1,1-Dichloroethene	0.00025 ND	0.00025 ND	0.00025 ND
1,2-Dichloroethane	0.00025 ND	0.00025 ND	0.00025 ND
1,2-Dichloroethene	-	-	-
1,2-Dichloropropane	0.00025 ND	0.00025 ND	0.00025 ND
2-Hexanone	0.0025 ND	0.0025 ND	0.0025 ND
Acetone	0.0025 ND	0.0025 ND	0.0025 ND
Benzene	0.00025 ND	0.00025 ND	0.00025 ND
Bromodichloromethane	0.00025 ND	0.00025 ND	0.00025 ND
Bromoform	0.00035 ND	0.00035 ND	0.00035 ND
Carbon disulfide	0.0025 ND	0.0025 ND	0.0025 ND
Carbon tetrachloride	0.00025 ND	0.00025 ND	0.00025 ND
Chlorobenzene	0.0005 ND	0.0005 ND	0.0005 ND
Chloroform	0.00025 ND	0.00025 ND	0.00025 ND
Chloromethane	0.0011 ND	0.0011 ND	0.0011 ND
Dibromochloromethane	0.00025 ND	0.00025 ND	0.00025 ND
Dichlorodifluoromethane	0.00085 ND	0.00085 ND	0.00085 ND
Dichloromethane	0.00045 ND	0.00045 ND	0.00045 ND
Ethylbenzene	0.00065 ND	0.00065 ND	0.00065 ND
Isopropylacetone	0.0025 ND	0.0025 ND	0.0025 ND
Methyl ethyl ketone	0.001 ND	0.001 ND	0.001 ND
Tetrachloroethene	0.00025 ND	0.00025 ND	0.00025 ND
Toluene	0.00045 ND	0.00045 ND	0.00045 ND
Trichloroethene	0.00025 ND	0.00025 ND	0.00025 ND
Vinyl acetate	0.0025 ND	0.0025 ND	0.0025 ND
Vinyl chloride	0.00025 ND	0.00025 ND	0.00025 ND
Xylenes	0.00165 ND	0.00165 ND	0.00165 ND
cis-1,2-Dichloroethene	0.00025 ND	0.00025 ND	0.00025 ND
trans-1,2-Dichloroethene	0.00025 ND	0.00025 ND	0.00025 ND
trans-1,2-Dichloroethene/1,1 Dichloroethane	-	-	-

"-" = Not analyzed

ND = Non-detect; Values represent one-half of the detection limit

Data Tables
Residential South Ground Water
Volatile Organic Compounds

Sample Location	GW16	GW17	GW18	GW16	GW17	GW18
Sample Date	06/24/86	06/24/86	06/24/86	06/25/86	06/25/86	06/25/86
Concentration Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
1,1,1-Trichloroethane	-	-	-	0.0005 ND	0.0005 ND	0.0005 ND
1,1,1-Trichloroethane/1,2-Dichloroethane	0.025 ND	0.025 ND	0.025 ND	-	-	-
1,1,2,2-Tetrachloroethane	-	-	-	0.0005 ND	0.0005 ND	0.0005 ND
1,1,2-Trichloroethane	-	-	-	0.0005 ND	0.0005 ND	0.0005 ND
1,1-Dichloroethane	-	-	-	0.0005 ND	0.0005 ND	0.0005 ND
1,1-Dichloroethene	-	-	-	0.0005 ND	0.0005 ND	0.0005 ND
1,2-Dichloroethane	-	-	-	0.0005 ND	0.0005 ND	0.0005 ND
1,2-Dichloroethene	-	-	-	-	-	-
1,2-Dichloropropane	-	-	-	0.0005 ND	0.0005 ND	0.0005 ND
2-Hexanone	-	-	-	-	-	-
Acetone	-	-	-	-	-	-
Benzene	0.0005 ND	0.0005 ND	0.0005 ND	-	-	-
Bromodichloromethane	-	-	-	0.0005 ND	0.0005 ND	0.0005 ND
Bromoform	-	-	-	0.0005 ND	0.0005 ND	0.0005 ND
Carbon disulfide	-	-	-	-	-	-
Carbon tetrachloride	-	-	-	0.0005 ND	0.0005 ND	0.0005 ND
Chlorobenzene	0.001 ND	0.001 ND	0.001 ND	0.0005 ND	0.0005 ND	0.0005 ND
Chloroform	-	-	-	0.0005 ND	0.0005 ND	0.0005 ND
Chloromethane	-	-	-	0.0005 ND	0.0005 ND	0.0005 ND
Dibromochloromethane	-	-	-	0.0005 ND	0.0005 ND	0.0005 ND
Dichlorodifluoromethane	-	-	-	-	-	-
Dichloromethane	-	-	-	0.0005 ND	0.0005 ND	0.0005 ND
Ethylbenzene	0.001 ND	0.001 ND	0.001 ND	-	-	-
Isopropylacetone	-	-	-	-	-	-
Methyl ethyl ketone	-	-	-	-	-	-
Tetrachloroethene	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Toluene	0.0005 ND	0.0005 ND	0.0005 ND	-	-	-
Trichloroethene	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Vinyl acetate	-	-	-	-	-	-
Vinyl chloride	-	-	-	0.0005 ND	0.0005 ND	0.0005 ND
Xylenes	-	-	-	-	-	-
cis-1,2-Dichloroethene	0.0005 ND	0.0005 ND	0.0005 ND	-	-	-
trans-1,2-Dichloroethene	-	-	-	0.0005 ND	0.0005 ND	0.0005 ND
trans-1,2-Dichloroethene/1,1 Dichloroethane	0.0005 ND	0.0005 ND	0.0005 ND	-	-	-

"-" = Not analyzed

ND = Non-detect; Values represent one-half of the detection limit

Data Tables
Residential South Ground Water
Volatile Organic Compounds

Sample Location	GW16	GW17	GW18	GW16	GW17	GW18
Sample Date	07/29/86	07/29/86	07/29/86	09/11/86	09/11/86	09/11/86
Concentration Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
1,1,1-Trichloroethane	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
1,1,1-Trichloroethane/1,2-Dichloroethane	0.025 ND	0.025 ND	0.025 ND	-	-	-
1,1,2,2-Tetrachloroethane	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
1,1,2-Trichloroethane	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
1,1-Dichloroethane	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
1,1-Dichloroethene	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
1,2-Dichloroethane	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
1,2-Dichloroethene	-	-	-	-	-	-
1,2-Dichloropropane	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
2-Hexanone	-	-	-	-	-	-
Acetone	-	-	-	-	-	-
Benzene	0.0005 ND	0.0005 ND	0.0005 ND	-	-	-
Bromodichloromethane	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Bromoform	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Carbon disulfide	-	-	-	-	-	-
Carbon tetrachloride	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Chlorobenzene	0.001 ND	0.001 ND	0.001 ND	0.0005 ND	0.0005 ND	0.0005 ND
Chloroform	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Chloromethane	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Dibromochloromethane	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Dichlorodifluoromethane	-	-	-	0.0005 ND	0.0005 ND	0.0005 ND
Dichloromethane	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Ethylbenzene	0.001 ND	0.001 ND	0.001 ND	-	-	-
Isopropylacetone	-	-	-	-	-	-
Methyl ethyl ketone	-	-	-	-	-	-
Tetrachloroethene	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Toluene	0.0005 ND	0.0005 ND	0.0005 ND	-	-	-
Trichloroethene	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Vinyl acetate	-	-	-	-	-	-
Vinyl chloride	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Xylenes	-	-	-	-	-	-
cis-1,2-Dichloroethene	0.0005 ND	0.0005 ND	0.0005 ND	-	-	-
trans-1,2-Dichloroethene	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
trans-1,2-Dichloroethene/1,1 Dichloroethane	0.0005 ND	0.0005 ND	0.0005 ND	-	-	-

"-" = Not analyzed

ND = Non-detect; Values represent one-half of the detection limit

Data Tables
Residential South Ground Water
Volatile Organic Compounds

Sample Location	GW16	GW17	GW18	GW12T	GW16	GW17
Sample Date	09/22/86	09/22/86	09/22/86	09/24/86	10/17/86	10/17/86
Concentration Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
1,1,1-Trichloroethane	-	-	-	-	0.0005 ND	0.0005 ND
1,1,1-Trichloroethane/1,2-Dichloroethane	0.025 ND	0.025 ND	0.025 ND	-	-	0.025 ND
1,1,2,2-Tetrachloroethane	-	-	-	-	0.0005 ND	0.0005 ND
1,1,2-Trichloroethane	-	-	-	-	0.0005 ND	0.0005 ND
1,1-Dichloroethane	-	-	-	0.0016	0.0005 ND	0.0005 ND
1,1-Dichloroethene	-	-	-	0.00023	0.001 ND	0.0005 ND
1,2-Dichloroethane	-	-	-	-	0.0005 ND	0.0005 ND
1,2-Dichloroethene	-	-	-	-	0.001 ND	-
1,2-Dichloropropane	-	-	-	-	0.0005 ND	0.0005 ND
2-Hexanone	-	-	-	-	0.0025 ND	-
Acetone	-	-	-	-	0.0215 ND	-
Benzene	0.0005 ND	0.0005 ND	0.0005 ND	-	0.0005 ND	0.0005 ND
Bromodichloromethane	-	-	-	-	0.001 ND	0.0005 ND
Bromoform	-	-	-	-	0.0005 ND	0.0005 ND
Carbon disulfide	-	-	-	-	0.002 ND	-
Carbon tetrachloride	-	-	-	-	0.0005 ND	0.0005 ND
Chlorobenzene	0.001 ND	0.001 ND	0.001 ND	-	0.0005 ND	0.001 ND
Chloroform	-	-	-	-	0.0005 ND	0.0005 ND
Chloromethane	-	-	-	-	0.0065 ND	0.0005 ND
Dibromochloromethane	-	-	-	-	0.0005 ND	0.0005 ND
Dichlorodifluoromethane	-	-	-	-	0.0005 ND	0.0005 ND
Dichloromethane	-	-	-	-	0.0005 ND	0.0005 ND
Ethylbenzene	0.001 ND	0.001 ND	0.001 ND	-	0.0005 ND	0.001 ND
Isopropylacetone	-	-	-	-	0.0015 ND	-
Methyl ethyl ketone	-	-	-	-	0.012 ND	-
Tetrachloroethene	0.0005 ND	0.0005 ND	0.0005 ND	-	0.0005 ND	0.0005 ND
Toluene	0.0005 ND	0.0005 ND	0.0005 ND	-	0.0005 ND	0.0005 ND
Trichloroethene	0.0005 ND	0.0005 ND	0.0005 ND	0.0023	0.0005 ND	0.0005 ND
Vinyl acetate	-	-	-	-	0.0045 ND	-
Vinyl chloride	-	-	-	-	0.002 ND	0.0005 ND
Xylenes	-	-	-	-	0.001 ND	-
cis-1,2-Dichloroethene	0.0005 ND	0.0005 ND	0.0005 ND	-	-	0.0005 ND
trans-1,2-Dichloroethene	-	-	-	0.067	0.0005 ND	0.0005 ND
trans-1,2-Dichloroethene/1,1 Dichloroethane	0.0005 ND	0.0005 ND	0.0005 ND	-	-	0.0005 ND

"-" = Not analyzed

ND = Non-detect; Values represent one-half of the detection limit

Data Tables
Residential South Ground Water
Volatile Organic Compounds

Sample Location	GW18	GW16	GW18	GW18	GW16	GW18
Sample Date	10/17/86	12/18/86	12/18/86	12/19/86	01/21/87	01/21/87
Concentration Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
1,1,1-Trichloroethane	0.0005 ND	-	-	0.0005 ND	0.0005 ND	0.0005 ND
1,1,1-Trichloroethane/1,2-Dichloroethane	0.025 ND	0.025 ND	0.025 ND	-	-	0.025 ND
1,1,2,2-Tetrachloroethane	0.0005 ND	-	-	0.0005 ND	0.0005 ND	0.0005 ND
1,1,2-Trichloroethane	0.0005 ND	-	-	0.0005 ND	0.0005 ND	0.0005 ND
1,1-Dichloroethane	0.0005 ND	-	-	0.0005 ND	0.0005 ND	0.0005 ND
1,1-Dichloroethene	0.0005 ND	-	-	0.0005 ND	0.001 ND	0.0005 ND
1,2-Dichloroethane	0.0005 ND	-	-	0.0005 ND	0.0005 ND	0.0005 ND
1,2-Dichloroethene	-	-	-	-	0.001 ND	-
1,2-Dichloropropane	0.0005 ND	-	-	0.0005 ND	0.0005 ND	0.0005 ND
2-Hexanone	-	-	-	-	0.0025 ND	-
Acetone	-	-	-	-	0.0215 ND	-
Benzene	0.0005 ND	0.0005 ND	0.0005 ND	-	0.0005 ND	0.0005 ND
Bromodichloromethane	0.0005 ND	-	-	0.0005 ND	0.001 ND	0.0005 ND
Bromoform	0.0005 ND	-	-	0.0005 ND	0.0005 ND	0.0005 ND
Carbon disulfide	-	-	-	-	0.002 ND	-
Carbon tetrachloride	0.0005 ND	-	-	0.0005 ND	0.0005 ND	0.0005 ND
Chlorobenzene	0.001 ND	0.001 ND	0.001 ND	0.0005 ND	0.0005 ND	0.001 ND
Chloroform	0.0005 ND	-	-	0.0005 ND	0.0005 ND	0.0005 ND
Chloromethane	0.0005 ND	-	-	0.0005 ND	0.0065 ND	0.0005 ND
Dibromochloromethane	0.0005 ND	-	-	0.0005 ND	0.0005 ND	0.0005 ND
Dichlorodifluoromethane	0.0005 ND	-	-	0.0005 ND	0.0005 ND	0.0005 ND
Dichloromethane	0.0005 ND	-	-	0.0005 ND	0.0005 ND	0.0005 ND
Ethylbenzene	0.001 ND	0.001 ND	0.001 ND	-	0.0005 ND	0.001 ND
Isopropylacetone	-	-	-	-	0.0015 ND	-
Methyl ethyl ketone	-	-	-	-	0.012 ND	-
Tetrachloroethene	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Toluene	0.0005 ND	0.0005 ND	0.0005 ND	-	0.0005 ND	0.0005 ND
Trichloroethene	0.0005 ND	0.002	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Vinyl acetate	-	-	-	-	0.0045 ND	-
Vinyl chloride	0.0005 ND	-	-	0.0005 ND	0.002 ND	0.0005 ND
Xylenes	-	-	-	-	0.001 ND	-
cis-1,2-Dichloroethene	0.0005 ND	0.0005 ND	0.0005 ND	-	-	0.0005 ND
trans-1,2-Dichloroethene	0.0005 ND	-	-	0.0005 ND	0.0005 ND	0.0005 ND
trans-1,2-Dichloroethene/1,1 Dichloroethane	0.0005 ND	0.0005 ND	0.0005 ND	-	-	0.0005 ND

"-" = Not analyzed

ND = Non-detect; Values represent one-half of the detection limit

Data Tables
Residential South Ground Water
Volatile Organic Compounds

Sample Location	GW16	GW16	GW17	GW18	GW17	GW18
Sample Date	04/16/87	04/22/87	04/22/87	04/22/87	06/25/87	06/25/87
Concentration Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
1,1,1-Trichloroethane	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
1,1,1-Trichloroethane/1,2-Dichloroethane	-	-	0.025 ND	0.025 ND	-	-
1,1,2,2-Tetrachloroethane	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
1,1,2-Trichloroethane	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
1,1-Dichloroethane	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
1,1-Dichloroethene	0.001 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
1,2-Dichloroethane	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
1,2-Dichloroethene	0.001 ND	-	-	-	-	-
1,2-Dichloropropane	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
2-Hexanone	0.0025 ND	-	-	-	-	-
Acetone	0.0215 ND	-	-	-	-	-
Benzene	0.0005 ND	-	0.0005 ND	0.0005 ND	-	-
Bromodichloromethane	0.001 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Bromoform	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Carbon disulfide	0.002 ND	-	-	-	-	-
Carbon tetrachloride	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Chlorobenzene	0.0005 ND	0.0005 ND	0.001 ND	0.001 ND	0.0005 ND	0.0005 ND
Chloroform	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Chloromethane	0.0065 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Dibromochloromethane	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Dichlorodifluoromethane	-	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Dichloromethane	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Ethylbenzene	0.0005 ND	-	0.001 ND	0.001 ND	-	-
Isopropylacetone	0.0015 ND	-	-	-	-	-
Methyl ethyl ketone	0.012 ND	-	-	-	-	-
Tetrachloroethene	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Toluene	0.0005 ND	-	0.0005 ND	0.0005 ND	-	-
Trichloroethene	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Vinyl acetate	0.0045 ND	-	-	-	-	-
Vinyl chloride	0.002 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Xylenes	0.001 ND	-	-	-	-	-
cis-1,2-Dichloroethene	-	-	0.0005 ND	0.0005 ND	-	-
trans-1,2-Dichloroethene	-	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
trans-1,2-Dichloroethene/1,1 Dichloroethane	-	-	0.0005 ND	0.0005 ND	-	-

"-" = Not analyzed

ND = Non-detect; Values represent one-half of the detection limit

Data Tables
Residential South Ground Water
Volatile Organic Compounds

Sample Location	GW12T	GW12T	GW17	GW18	GW12T	GW18
Sample Date	08/29/87	08/24/87	08/24/87	08/24/87	10/19/87	10/19/87
Concentration Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
1,1,1-Trichloroethane	-	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
1,1,1-Trichloroethane/1,2-Dichloroethane	-	-	-	-	-	-
1,1,2,2-Tetrachloroethane	-	0.5 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
1,1,2-Trichloroethane	-	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
1,1-Dichloroethane	-	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
1,1-Dichloroethene	-	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
1,2-Dichloroethane	-	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
1,2-Dichloroethene	-	-	-	-	-	-
1,2-Dichloropropane	-	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
2-Hexanone	-	-	-	-	-	-
Acetone	-	-	-	-	-	-
Benzene	-	-	-	-	-	-
Bromodichloromethane	-	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Bromoform	-	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Carbon disulfide	-	-	-	-	-	-
Carbon tetrachloride	-	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Chlorobenzene	-	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Chloroform	-	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Chloromethane	-	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Dibromochloromethane	-	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Dichlorodifluoromethane	-	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Dichloromethane	-	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Ethylbenzene	-	-	-	-	-	-
Isopropylacetone	-	-	-	-	-	-
Methyl ethyl ketone	-	-	-	-	-	-
Tetrachloroethene	-	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Toluene	-	-	-	-	-	-
Trichloroethene	0.0018	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Vinyl acetate	-	-	-	-	-	-
Vinyl chloride	-	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Xylenes	-	-	-	-	-	-
cis-1,2-Dichloroethene	-	-	-	-	-	-
trans-1,2-Dichloroethene	-	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
trans-1,2-Dichloroethene/1,1 Dichloroethane	-	-	-	-	-	-

"-" = Not analyzed

ND = Non-detect; Values represent one-half of the detection limit

Data Tables
Residential South Ground Water
Volatile Organic Compounds

Sample Location	GW16	GW12T	GW18	GW12T	GW12T	GW16
Sample Date	12/19/87	12/22/87	12/22/87	02/11/88	02/18/88	02/18/88
Concentration Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
1,1,1-Trichloroethane	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
1,1,1-Trichloroethane/1,2-Dichloroethane	-	-	-	-	-	-
1,1,2,2-Tetrachloroethane	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.5 ND
1,1,2-Trichloroethane	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
1,1-Dichloroethane	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
1,1-Dichloroethene	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
1,2-Dichloroethane	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
1,2-Dichloroethene	-	-	-	-	-	-
1,2-Dichloropropane	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
2-Hexanone	-	-	-	-	-	-
Acetone	-	-	-	-	-	-
Benzene	-	-	-	-	-	-
Bromodichloromethane	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Bromoform	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Carbon disulfide	-	-	-	-	-	-
Carbon tetrachloride	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Chlorobenzene	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Chloroform	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Chloromethane	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Dibromochloromethane	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Dichlorodifluoromethane	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Dichloromethane	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Ethylbenzene	-	-	-	-	-	-
Isopropylacetone	-	-	-	-	-	-
Methyl ethyl ketone	-	-	-	-	-	-
Tetrachloroethene	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Toluene	-	-	-	-	-	-
Trichloroethene	0.0005 ND	0.0005 ND	0.0005 ND	3.97	0.0005 ND	0.0005 ND
Vinyl acetate	-	-	-	-	-	-
Vinyl chloride	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Xylenes	-	-	-	-	-	-
cis-1,2-Dichloroethene	-	-	-	-	-	-
trans-1,2-Dichloroethene	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
trans-1,2-Dichloroethene/1,1 Dichloroethane	-	-	-	-	-	-

"-" = Not analyzed

ND = Non-detect; Values represent one-half of the detection limit

Data Tables
Residential South Ground Water
Volatile Organic Compounds

Sample Location	GW17	GW18	GW16	GW12T	GW16	GW18
Sample Date	02/18/88	02/18/88	03/25/88	04/26/88	04/26/88	04/26/88
Concentration Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
1,1,1-Trichloroethane	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
1,1,1-Trichloroethane/1,2-Dichloroethane	-	-	-	-	-	-
1,1,2,2-Tetrachloroethane	0.0005 ND	0.0005 ND	0.0005 ND	0.5 ND	0.0005 ND	0.0005 ND
1,1,2-Trichloroethane	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
1,1-Dichloroethane	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
1,1-Dichloroethene	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
1,2-Dichloroethane	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
1,2-Dichloroethene	-	-	-	-	-	-
1,2-Dichloropropane	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
2-Hexanone	-	-	-	-	-	-
Acetone	-	-	-	-	-	-
Benzene	-	-	-	-	-	-
Bromodichloromethane	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Bromoform	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Carbon disulfide	-	-	-	-	-	-
Carbon tetrachloride	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Chlorobenzene	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Chloroform	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Chloromethane	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Dibromochloromethane	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Dichlorodifluoromethane	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Dichloromethane	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Ethylbenzene	-	-	-	-	-	-
Isopropylacetone	-	-	-	-	-	-
Methyl ethyl ketone	-	-	-	-	-	-
Tetrachloroethene	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Toluene	-	-	-	-	-	-
Trichloroethene	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Vinyl acetate	-	-	-	-	-	-
Vinyl chloride	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Xylenes	-	-	-	-	-	-
cis-1,2-Dichloroethene	-	-	-	-	-	-
trans-1,2-Dichloroethene	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
trans-1,2-Dichloroethene/1,1 Dichloroethane	-	-	-	-	-	-

"-" = Not analyzed

ND = Non-detect, Values represent one-half of the detection limit

Data Tables
Residential South Ground Water
Volatile Organic Compounds

Sample Location	GW12T	GW16	GW18	GW12T	GW12T	GW16
Sample Date	07/11/88	07/11/88	07/11/88	07/27/88	08/15/86	08/15/88
Concentration Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
1,1,1-Trichloroethane	0.0005 ND	0.0005 ND	0.0005 ND	0.0001 ND	0.0001 ND	0.0001 ND
1,1,1-Trichloroethane/1,2-Dichloroethane	-	-	-	-	-	-
1,1,2,2-Tetrachloroethane	0.0005 ND	0.0005 ND	0.0005 ND	0.0001 ND	0.0001 ND	0.0001 ND
1,1,2-Trichloroethane	0.0005 ND	0.0005 ND	0.0005 ND	0.0001 ND	0.0001 ND	0.0001 ND
1,1-Dichloroethane	0.0005 ND	0.0005 ND	0.0005 ND	0.0001 ND	0.00025 ND	0.00025 ND
1,1-Dichloroethene	0.0005 ND	0.0005 ND	0.0005 ND	0.0001 ND	0.0001 ND	0.0001 ND
1,2-Dichloroethane	0.0005 ND	0.0005 ND	0.0005 ND	0.0001 ND	0.00025 ND	0.00025 ND
1,2-Dichloroethene	-	-	-	-	-	-
1,2-Dichloropropane	0.0005 ND	0.0005 ND	0.0005 ND	0.0001 ND	0.0001 ND	0.0001 ND
2-Hexanone	-	-	-	-	-	-
Acetone	-	-	-	-	-	-
Benzene	-	-	-	-	-	-
Bromodichloromethane	0.0005 ND	0.0005 ND	0.0005 ND	0.00025 ND	0.0001 ND	0.0001 ND
Bromoform	0.0005 ND	0.0005 ND	0.0005 ND	0.00025 ND	0.00025 ND	0.00025 ND
Carbon disulfide	-	-	-	-	-	-
Carbon tetrachloride	0.0005 ND	0.0005 ND	0.0005 ND	0.0001 ND	0.0001 ND	0.0001 ND
Chlorobenzene	0.0005 ND	0.0005 ND	0.0005 ND	0.00025 ND	0.00025 ND	0.00025 ND
Chloroform	0.0005 ND	0.0005 ND	0.0005 ND	0.0001 ND	0.0001 ND	0.0001 ND
Chloromethane	0.0005 ND	0.0005 ND	0.0005 ND	0.00025 ND	0.00025 ND	0.00025 ND
Dibromochloromethane	0.0005 ND	0.0005 ND	0.0005 ND	0.00025 ND	0.00025 ND	0.00025 ND
Dichlorodifluoromethane	0.0005 ND	0.0005 ND	0.0005 ND	0.00025 ND	0.0001 ND	0.0001 ND
Dichloromethane	0.0005 ND	0.0005 ND	0.0005 ND	0.0001 ND	0.0001 ND	0.0001 ND
Ethylbenzene	-	-	-	-	-	-
Isopropylacetone	-	-	-	-	-	-
Methyl ethyl ketone	-	-	-	-	-	-
Tetrachloroethene	0.0005 ND	0.0005 ND	0.0005 ND	0.0001 ND	0.0001 ND	0.0001 ND
Toluene	-	-	-	-	-	-
Trichloroethene	0.0005 ND	0.0005 ND	0.0005 ND	0.0001 ND	0.0001 ND	0.0001 ND
Vinyl acetate	-	-	-	-	-	-
Vinyl chloride	0.0005 ND	0.0005 ND	0.0005 ND	0.00025 ND	0.00025 ND	0.00025 ND
Xylenes	-	-	-	-	-	-
cis-1,2-Dichloroethene	-	-	-	-	-	-
trans-1,2-Dichloroethene	0.0005 ND	0.0005 ND	0.0005 ND	0.008	0.0001 ND	0.0001 ND
trans-1,2-Dichloroethene/1,1 Dichloroethane	-	-	-	-	-	-

"-" = Not analyzed

ND = Non-detect; Values represent one-half of the detection limit

Data Tables
Residential South Ground Water
Volatile Organic Compounds

Sample Location	GW17	GW18	GW12T	GW16	GW18	GW12T
Sample Date	08/15/88	08/15/88	10/12/88	10/12/88	10/12/88	12/16/88
Concentration Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
1,1,1-Trichloroethane	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND
1,1,1-Trichloroethane/1,2-Dichloroethane	-	-	-	-	-	-
1,1,2,2-Tetrachloroethane	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND
1,1,2-Trichloroethane	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND
1,1-Dichloroethane	0.00025 ND	0.00025 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.00025 ND
1,1-Dichloroethene	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND
1,2-Dichloroethane	0.00025 ND	0.00025 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.00025 ND
1,2-Dichloroethene	-	-	-	-	-	-
1,2-Dichloropropane	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND
2-Hexanone	-	-	-	-	-	-
Acetone	-	-	-	-	-	-
Benzene	-	-	-	-	-	-
Bromodichloromethane	0.0001 ND	0.0001 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.0001 ND
Bromoform	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Carbon disulfide	-	-	-	-	-	-
Carbon tetrachloride	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND
Chlorobenzene	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Chloroform	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND
Chloromethane	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Dibromochloromethane	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Dichlorodifluoromethane	0.0001 ND	0.0001 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.0001 ND
Dichloromethane	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND
Ethylbenzene	-	-	-	-	-	-
Isopropylacetone	-	-	-	-	-	-
Methyl ethyl ketone	-	-	-	-	-	-
Tetrachloroethene	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND
Toluene	-	-	-	-	-	-
Trichloroethene	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND
Vinyl acetate	-	-	-	-	-	-
Vinyl chloride	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Xylenes	-	-	-	-	-	-
cis-1,2-Dichloroethene	-	-	-	-	-	-
trans-1,2-Dichloroethene	0.0001 ND	0.0001 ND	0.00053	0.0001 ND	0.0001 ND	0.0001 ND
trans-1,2-Dichloroethene/1,1 Dichloroethane	-	-	-	-	-	-

"-" = Not analyzed

ND = Non-detect; Values represent one-half of the detection limit

Data Tables
Residential South Ground Water
Volatile Organic Compounds

Sample Location	GW16	GW17	GW18	GW12T	GW16	GW12T
Sample Date	12/16/88	12/16/88	12/16/88	02/22/89	02/22/89	04/03/89
Concentration Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
1,1,1-Trichloroethane	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND
1,1,1-Trichloroethane/1,2-Dichloroethane	-	-	-	-	-	-
1,1,2,2-Tetrachloroethane	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND
1,1,2-Trichloroethane	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND
1,1-Dichloroethane	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
1,1-Dichloroethene	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND
1,2-Dichloroethane	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
1,2-Dichloroethene	-	-	-	-	-	-
1,2-Dichloropropane	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND
2-Hexanone	-	-	-	-	-	-
Acetone	-	-	-	-	-	-
Benzene	-	-	-	-	-	-
Bromodichloromethane	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND
Bromoform	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Carbon disulfide	-	-	-	-	-	-
Carbon tetrachloride	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND
Chlorobenzene	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Chloroform	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND
Chloromethane	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Dibromochloromethane	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Dichlorodifluoromethane	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND
Dichloromethane	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND
Ethylbenzene	-	-	-	-	-	-
Isopropylacetone	-	-	-	-	-	-
Methyl ethyl ketone	-	-	-	-	-	-
Tetrachloroethene	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND
Toluene	-	-	-	-	-	-
Trichloroethene	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND
Vinyl acetate	-	-	-	-	-	-
Vinyl chloride	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Xylenes	-	-	-	-	-	-
cis-1,2-Dichloroethene	-	-	-	-	-	-
trans-1,2-Dichloroethene	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND
trans-1,2-Dichloroethene/1,1 Dichloroethane	-	-	-	-	-	-

"-" = Not analyzed

ND = Non-detect; Values represent one-half of the detection limit

Data Tables
Residential South Ground Water
Volatile Organic Compounds

Sample Location	GW16	GW18	GW12T	GW16	GW18	GW12T
Sample Date	04/03/89	04/03/89	06/06/89	06/06/89	06/06/89	08/24/89
Concentration Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
1,1,1-Trichloroethane	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND
1,1,1-Trichloroethane/1,2-Dichloroethane	-	-	-	-	-	-
1,1,1,2,2-Tetrachloroethane	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND
1,1,2-Trichloroethane	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND
1,1-Dichloroethane	0.00025 ND	0.00025 ND	0.00078	0.00025 ND	0.00025 ND	0.00025 ND
1,1-Dichloroethene	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND
1,2-Dichloroethane	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
1,2-Dichloroethene	-	-	-	-	-	-
1,2-Dichloropropane	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND
2-Hexanone	-	-	-	-	-	-
Acetone	-	-	-	-	-	-
Benzene	-	-	-	-	-	-
Bromodichloromethane	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND
Bromoform	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Carbon disulfide	-	-	-	-	-	-
Carbon tetrachloride	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND
Chlorobenzene	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Chloroform	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND
Chloromethane	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Dibromochloromethane	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Dichlorodifluoromethane	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND
Dichloromethane	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND
Ethylbenzene	-	-	-	-	-	-
Isopropylacetone	-	-	-	-	-	-
Methyl ethyl ketone	-	-	-	-	-	-
Tetrachloroethene	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND
Toluene	-	-	-	-	-	-
Trichloroethene	0.0001 ND	0.0001 ND	0.0099	0.00079	0.0018	0.0001 ND
Vinyl acetate	-	-	-	-	-	-
Vinyl chloride	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Xylenes	-	-	-	-	-	-
cis-1,2-Dichloroethene	-	-	-	-	-	-
trans-1,2-Dichloroethene	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND
trans-1,2-Dichloroethene/1,1 Dichloroethane	-	-	-	-	-	-

"-" = Not analyzed

ND = Non-detect; Values represent one-half of the detection limit

Data Tables
Residential South Ground Water
Volatile Organic Compounds

Sample Location	GW16	GW16	GW18	GW17	GW16	GW18
Sample Date	09/11/89	12/05/89	12/05/89	02/15/90	03/05/90	03/05/90
Concentration Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
1,1,1-Trichloroethane	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND
1,1,1-Trichloroethane/1,2-Dichloroethane	-	-	-	-	-	-
1,1,2,2-Tetrachloroethane	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND
1,1,2-Trichloroethane	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND
1,1-Dichloroethane	0.00025 ND	0.0001 ND	0.0001 ND	0.00025 ND	0.00025 ND	0.00025 ND
1,1-Dichloroethene	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND
1,2-Dichloroethane	0.00025 ND	0.0001 ND	0.0001 ND	0.00025 ND	0.00025 ND	0.00025 ND
1,2-Dichloroethene	-	-	-	-	-	-
1,2-Dichloropropane	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND
2-Hexanone	-	-	-	-	-	-
Acetone	-	-	-	-	-	-
Benzene	-	-	-	-	-	-
Bromodichloromethane	0.0001 ND	0.00025 ND	0.00025 ND	0.0001 ND	0.0001 ND	0.0001 ND
Bromoform	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Carbon disulfide	-	-	-	-	-	-
Carbon tetrachloride	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND
Chlorobenzene	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Chloroform	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND
Chloromethane	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Dibromochloromethane	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Dichlorodifluoromethane	0.0001 ND	0.00025 ND	0.00025 ND	0.0001 ND	0.0001 ND	0.0001 ND
Dichloromethane	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND
Ethylbenzene	-	-	-	-	-	-
Isopropylacetone	-	-	-	-	-	-
Methyl ethyl ketone	-	-	-	-	-	-
Tetrachloroethene	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND
Toluene	-	-	-	-	-	-
Trichloroethene	0.00048	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND
Vinyl acetate	-	-	-	-	-	-
Vinyl chloride	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Xylenes	-	-	-	-	-	-
cis-1,2-Dichloroethene	-	-	-	-	-	-
trans-1,2-Dichloroethene	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND
trans-1,2-Dichloroethene/1,1 Dichloroethane	-	-	-	-	-	-

"-" = Not analyzed

ND = Non-detect; Values represent one-half of the detection limit

Data Tables
Residential South Ground Water
Volatile Organic Compounds

Sample Location	GW16	GW18	GW12DB1	GW12DB1D	GW17	GW18
Sample Date	06/21/90	06/21/90	07/16/90	07/16/90	08/22/90	09/12/90
Concentration Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
1,1,1-Trichloroethane	0.00025 ND	0.00025 ND	0.0005 ND	0.0005 ND	0.00025 ND	0.00025 ND
1,1,1-Trichloroethane/1,2-Dichloroethane	-	-	-	-	-	-
1,1,2,2-Tetrachloroethane	0.00035 ND	0.00035 ND	0.0005 ND	0.0005 ND	0.00035 ND	0.00035 ND
1,1,2-Trichloroethane	0.00025 ND	0.00025 ND	0.00075 ND	0.00075 ND	0.00025 ND	0.00025 ND
1,1-Dichloroethane	0.00065 ND	0.00065 ND	0.0082	0.0068	0.00065 ND	0.00065 ND
1,1-Dichloroethene	0.00025 ND	0.00025 ND	0.0032	0.0032	0.00025 ND	0.00025 ND
1,2-Dichloroethane	0.00025 ND	0.00025 ND	0.00075 ND	0.00075 ND	0.00025 ND	0.00025 ND
1,2-Dichloroethene	-	-	-	-	-	-
1,2-Dichloropropane	0.00025 ND	0.00025 ND	0.00175 ND	0.00175 ND	0.00025 ND	0.00025 ND
2-Hexanone	-	0.0025 ND	0.005 ND	0.005 ND	-	-
Acetone	-	0.0025 ND	0.068	0.051	-	-
Benzene	0.00025 ND	0.00025 ND	0.0005 ND	0.0005 ND	0.00025 ND	0.00025 ND
Bromodichloromethane	0.00025 ND	0.00025 ND	0.0005 ND	0.0005 ND	0.00025 ND	0.00025 ND
Bromoform	0.00035 ND	0.00035 ND	0.0005 ND	0.0005 ND	0.00035 ND	0.00035 ND
Carbon disulfide	-	0.0025 ND	0.005 ND	0.005 ND	-	-
Carbon tetrachloride	0.00025 ND	0.00025 ND	0.0005 ND	0.0005 ND	0.00025 ND	0.00025 ND
Chlorobenzene	0.0005 ND	0.0005 ND	0.00175 ND	0.00175 ND	0.0005 ND	0.0005 ND
Chloroform	0.00025 ND	0.00025 ND	0.00075 ND	0.00075 ND	0.00025 ND	0.00025 ND
Chloromethane	0.0011 ND	0.0011 ND	0.005 ND	0.005 ND	0.0011 ND	0.0011 ND
Dibromochloromethane	0.00025 ND	0.00025 ND	0.0005 ND	0.0005 ND	0.00025 ND	0.00025 ND
Dichlorodifluoromethane	0.00085 ND	0.00085 ND	0.005 ND	0.005 ND	0.00085 ND	0.00085 ND
Dichloromethane	0.00045 ND	0.00045 ND	0.0025 ND	0.0025 ND	0.00045 ND	0.00045 ND
Ethylbenzene	0.00065 ND	0.00065 ND	0.0005 ND	0.0005 ND	0.00065 ND	0.00065 ND
Isopropylacetone	-	0.0025 ND	0.005 ND	0.005 ND	-	-
Methyl ethyl ketone	-	0.001 ND	0.00225 ND	0.00225 ND	-	-
Tetrachloroethene	0.00025 ND	0.00025 ND	0.0054	0.0052	0.00025 ND	0.00025 ND
Toluene	0.00045 ND	0.00045 ND	0.0038	0.0037	0.00045 ND	0.00045 ND
Trichloroethene	0.00025 ND	0.00025 ND	1.4	1.4	0.00025 ND	0.00025 ND
Vinyl acetate	-	0.0025 ND	0.005 ND	0.005 ND	-	-
Vinyl chloride	0.00025 ND	0.00025 ND	0.00175 ND	0.00175 ND	0.00025 ND	0.00025 ND
Xylenes	0.00165 ND	0.00165 ND	0.0028	0.0026	0.00165 ND	0.00165 ND
cis-1,2-Dichloroethene	0.0004 ND	0.00025 ND	0.67	0.66	0.0004 ND	0.0004 ND
trans-1,2-Dichloroethene	0.0004 ND	0.00025 ND	0.011	0.01	0.0004 ND	0.0004 ND
trans-1,2-Dichloroethene/1,1 Dichloroethane	-	-	-	-	-	-

"-" = Not analyzed

ND = Non-detect; Values represent one-half of the detection limit

Data Tables
Residential South Ground Water
Volatile Organic Compounds

Sample Location	GW16	GW16DUP	GW16	GW17	GW16	GW18
Sample Date	09/13/90	09/13/90	10/12/90	10/12/90	12/11/90	12/12/90
Concentration Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
1,1,1-Trichloroethane	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
1,1,1-Trichloroethane/1,2-Dichloroethane	-	-	-	-	-	-
1,1,2,2-Tetrachloroethane	0.00035 ND	0.00035 ND	0.00035 ND	0.00035 ND	0.00035 ND	0.00035 ND
1,1,2-Trichloroethane	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
1,1-Dichloroethane	0.00065 ND	0.00065 ND	0.00065 ND	0.00065 ND	0.00065 ND	0.00065 ND
1,1-Dichloroethene	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
1,2-Dichloroethane	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
1,2-Dichloroethene	-	-	-	-	-	-
1,2-Dichloropropane	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
2-Hexanone	-	-	-	-	0.0025 ND	0.0025 ND
Acetone	-	-	-	-	0.0025 ND	0.0025 ND
Benzene	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.0026	0.00025 ND
Bromodichloromethane	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Bromoform	0.00035 ND	0.00035 ND	0.00035 ND	0.00035 ND	0.00035 ND	0.00035 ND
Carbon disulfide	-	-	-	-	0.0025 ND	0.0025 ND
Carbon tetrachloride	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Chlorobenzene	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Chloroform	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Chloromethane	0.0011 ND	0.0011 ND	0.0011 ND	0.0011 ND	0.0011 ND	0.0011 ND
Dibromochloromethane	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Dichlorodifluoromethane	0.00085 ND	0.00085 ND	0.00085 ND	0.00085 ND	0.00085 ND	0.00085 ND
Dichloromethane	0.00045 ND	0.00045 ND	0.00045 ND	0.00045 ND	0.00045 ND	0.00045 ND
Ethylbenzene	0.00065 ND	0.00065 ND	0.00065 ND	0.00065 ND	0.00065 ND	0.00065 ND
Isopropylacetone	-	-	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND
Methyl ethyl ketone	-	-	-	-	0.001 ND	0.001 ND
Tetrachloroethene	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Toluene	0.00045 ND	0.00045 ND	0.00045 ND	0.00045 ND	0.00045 ND	0.00045 ND
Trichloroethene	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Vinyl acetate	-	-	-	-	0.0025 ND	0.0025 ND
Vinyl chloride	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Xylenes	0.00165 ND	0.00165 ND	0.00165 ND	0.00165 ND	0.00165 ND	0.00165 ND
cis-1,2-Dichloroethene	0.0004 ND	0.0004 ND	0.0004 ND	0.0004 ND	0.00025 ND	0.00025 ND
trans-1,2-Dichloroethene	0.0004 ND	0.0004 ND	0.0004 ND	0.0004 ND	0.00025 ND	0.00025 ND
trans-1,2-Dichloroethene/1,1 Dichloroethane	-	-	-	-	-	-

"-" = Not analyzed

ND = Non-detect; Values represent one-half of the detection limit

Data Tables
Residential South Ground Water
Volatile Organic Compounds

Sample Location	GW12DB1	GW17	GW16	GW16DUP	GW16	GW16DUP
Sample Date	12/20/90	01/11/91	01/29/91	01/29/91	02/05/91	02/05/91
Concentration Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
1,1,1-Trichloroethane	0.0005 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
1,1,1-Trichloroethane/1,2-Dichloroethane	-	-	-	-	-	-
1,1,2,2-Tetrachloroethane	0.0005 ND	0.00035 ND	0.00035 ND	0.00035 ND	0.00035 ND	0.00035 ND
1,1,2-Trichloroethane	0.00075 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
1,1-Dichloroethane	0.0064	0.00065 ND	0.00065 ND	0.00065 ND	0.00065 ND	0.00065 ND
1,1-Dichloroethene	0.0029	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
1,2-Dichloroethane	0.00075 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
1,2-Dichloroethene	0.54	-	-	-	-	-
1,2-Dichloropropane	0.00175 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
2-Hexanone	0.005 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND
Acetone	0.005 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND
Benzene	0.0005 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Bromodichloromethane	0.0005 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Bromoform	0.0005 ND	0.00035 ND	0.00035 ND	0.00035 ND	0.00035 ND	0.00035 ND
Carbon disulfide	0.005 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND
Carbon tetrachloride	0.0005 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Chlorobenzene	0.00175 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Chloroform	0.00075 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Chloromethane	0.005 ND	0.0011 ND	0.0011 ND	0.0011 ND	0.0011 ND	0.0011 ND
Dibromochloromethane	0.0005 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Dichlorodifluoromethane	0.005 ND	0.00085 ND	0.00085 ND	0.00085 ND	0.00085 ND	0.00085 ND
Dichloromethane	0.0025 ND	0.00045 ND	0.00045 ND	0.00045 ND	0.00045 ND	0.00045 ND
Ethylbenzene	0.0016	0.00065 ND	0.00065 ND	0.00065 ND	0.00065 ND	0.00065 ND
Isopropylacetone	0.005 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND
Methyl ethyl ketone	0.00225 ND	0.001 ND	0.001 ND	0.001 ND	0.001 ND	0.001 ND
Tetrachloroethene	0.008	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Toluene	0.013	0.00045 ND	0.00045 ND	0.00045 ND	0.00045 ND	0.00045 ND
Trichloroethene	5.5	0.0006	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Vinyl acetate	0.005 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND
Vinyl chloride	0.00175 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Xylenes	0.0077	0.00165 ND	0.00165 ND	0.00165 ND	0.00165 ND	0.00165 ND
cis-1,2-Dichloroethene	-	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
trans-1,2-Dichloroethene	-	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
trans-1,2-Dichloroethene/1,1 Dichloroethane	-	-	-	-	-	-

"-" = Not analyzed

ND = Non-detect; Values represent one-half of the detection limit

Data Tables
Residential South Ground Water
Volatile Organic Compounds

Sample Location	GW17	GW16	GW18	GW12DBPT	GW16	GW17
Sample Date	02/05/91	03/06/91	03/06/91	04/02/91	04/04/91	04/04/91
Concentration Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
1,1,1-Trichloroethane	0.00025 ND	0.00025 ND	0.00025 ND	0.01 ND	0.00025 ND	0.00025 ND
1,1,1-Trichloroethane/1,2-Dichloroethane	-	-	-	-	-	-
1,1,2,2-Tetrachloroethane	0.00035 ND	0.00035 ND	0.00035 ND	0.01 ND	0.00035 ND	0.00035 ND
1,1,2-Trichloroethane	0.00025 ND	0.00025 ND	0.00025 ND	0.015 ND	0.00025 ND	0.00025 ND
1,1-Dichloroethane	0.00065 ND	0.00065 ND	0.00065 ND	0.015 ND	0.00065 ND	0.00065 ND
1,1-Dichloroethene	0.00025 ND	0.00025 ND	0.00025 ND	0.015 ND	0.00025 ND	0.00025 ND
1,2-Dichloroethane	0.00025 ND	0.00025 ND	0.00025 ND	0.015 ND	0.00025 ND	0.00025 ND
1,2-Dichloroethene	-	-	-	0.55	-	-
1,2-Dichloropropane	0.00025 ND	0.00025 ND	0.00025 ND	0.035 ND	0.00025 ND	0.00025 ND
2-Hexanone	0.0025 ND	0.0025 ND	0.0025 ND	0.1 ND	0.0025 ND	0.0025 ND
Acetone	0.0025 ND	0.0025 ND	0.0025 ND	0.1 ND	0.0025 ND	0.0025 ND
Benzene	0.00025 ND	0.0005	0.00025 ND	0.01 ND	0.00025 ND	0.00025 ND
Bromodichloromethane	0.00025 ND	0.00025 ND	0.00025 ND	0.01 ND	0.00025 ND	0.00025 ND
Bromoform	0.00035 ND	0.00035 ND	0.00035 ND	0.01 ND	0.00035 ND	0.00035 ND
Carbon disulfide	0.0025 ND	0.0025 ND	0.0025 ND	0.1 ND	0.0025 ND	0.0025 ND
Carbon tetrachloride	0.00025 ND	0.00025 ND	0.00025 ND	0.01 ND	0.00025 ND	0.00025 ND
Chlorobenzene	0.0005 ND	0.0005 ND	0.0005 ND	0.035 ND	0.0005 ND	0.0005 ND
Chloroform	0.00025 ND	0.00025 ND	0.00025 ND	0.015 ND	0.00025 ND	0.00025 ND
Chloromethane	0.0011 ND	0.0011 ND	0.0011 ND	0.1 ND	0.0011 ND	0.0011 ND
Dibromochloromethane	0.00025 ND	0.00025 ND	0.00025 ND	0.01 ND	0.00025 ND	0.00025 ND
Dichlorodifluoromethane	0.00085 ND	0.00085 ND	0.00085 ND	0.1 ND	0.00085 ND	0.00085 ND
Dichloromethane	0.00045 ND	0.00045 ND	0.00045 ND	0.05 ND	0.00045 ND	0.00045 ND
Ethylbenzene	0.00065 ND	0.00065 ND	0.00065 ND	0.01 ND	0.00065 ND	0.00065 ND
Isopropylacetone	0.0025 ND	0.0025 ND	0.0025 ND	0.1 ND	0.0025 ND	0.0025 ND
Methyl ethyl ketone	0.001 ND	0.001 ND	0.001 ND	0.045 ND	0.001 ND	0.001 ND
Tetrachloroethene	0.00025 ND	0.00025 ND	0.00025 ND	0.015 ND	0.00025 ND	0.00025 ND
Toluene	0.00045 ND	0.00045 ND	0.00045 ND	0.015 ND	0.00045 ND	0.00045 ND
Trichloroethene	0.00025 ND	0.00025 ND	0.00025 ND	5.5	0.00025 ND	0.0024
Vinyl acetate	0.0025 ND	0.0025 ND	0.0025 ND	0.1 ND	0.0025 ND	0.0025 ND
Vinyl chloride	0.00025 ND	0.00025 ND	0.00025 ND	0.035 ND	0.00025 ND	0.00025 ND
Xylenes	0.00165 ND	0.00165 ND	0.00165 ND	0.01 ND	0.00165 ND	0.00165 ND
cis-1,2-Dichloroethene	0.00025 ND	0.00025 ND	0.00025 ND	-	0.00025 ND	0.00025 ND
trans-1,2-Dichloroethene	0.00025 ND	0.00025 ND	0.00025 ND	-	0.00025 ND	0.00025 ND
trans-1,2-Dichloroethene/1,1 Dichloroethane	-	-	-	-	-	-

"-" = Not analyzed

ND = Non-detect; Values represent one-half of the detection limit

Data Tables
Residential South Ground Water
Volatile Organic Compounds

Sample Location	GW17DB	GW18	GW16	GW16DUP	GW17	GW17DUP
Sample Date	05/15/91	06/06/91	06/07/91	06/07/91	06/07/91	06/07/91
Concentration Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
1,1,1-Trichloroethane	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
1,1,1-Trichloroethane/1,2-Dichloroethane	-	-	-	-	-	-
1,1,2,2-Tetrachloroethane	0.00035 ND	0.00035 ND	0.00035 ND	0.00035 ND	0.00035 ND	0.00035 ND
1,1,2-Trichloroethane	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
1,1-Dichloroethane	0.00065 ND	0.00065 ND	0.00065 ND	0.00065 ND	0.00065 ND	0.00065 ND
1,1-Dichloroethene	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
1,2-Dichloroethane	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
1,2-Dichloroethene	-	-	-	-	-	-
1,2-Dichloropropane	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
2-Hexanone	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND
Acetone	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND
Benzene	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Bromodichloromethane	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Bromoform	0.00035 ND	0.00035 ND	0.00035 ND	0.00035 ND	0.00035 ND	0.00035 ND
Carbon disulfide	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND
Carbon tetrachloride	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Chlorobenzene	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Chloroform	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Chloromethane	0.0011 ND	0.0011 ND	0.0011 ND	0.0011 ND	0.0011 ND	0.0011 ND
Dibromochloromethane	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Dichlorodifluoromethane	0.00085 ND	0.00085 ND	0.00085 ND	0.00085 ND	0.00085 ND	0.00085 ND
Dichloromethane	0.00045 ND	0.00045 ND	0.00045 ND	0.00045 ND	0.00045 ND	0.00045 ND
Ethylbenzene	0.00065 ND	0.00065 ND	0.00065 ND	0.00065 ND	0.00065 ND	0.00065 ND
Isopropylacetone	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND
Methyl ethyl ketone	0.001 ND	0.001 ND	0.001 ND	0.001 ND	0.001 ND	0.001 ND
Tetrachloroethene	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Toluene	0.00045 ND	0.00045 ND	0.00045 ND	0.00045 ND	0.00045 ND	0.00045 ND
Trichloroethene	0.0014	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Vinyl acetate	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND
Vinyl chloride	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Xylenes	0.00165 ND	0.00165 ND	0.00165 ND	0.00165 ND	0.00165 ND	0.00165 ND
cis-1,2-Dichloroethene	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
trans-1,2-Dichloroethene	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
trans-1,2-Dichloroethene/1,1 Dichloroethane	-	-	-	-	-	-

"-" = Not analyzed

ND = Non-detect; Values represent one-half of the detection limit

Data Tables
Residential South Ground Water
Volatile Organic Compounds

Sample Location	GW16	GW18
Sample Date	09/03/91	09/03/91
Concentration Units	mg/l	mg/l
1,1,1-Trichloroethane	0.00025 ND	0.00025 ND
1,1,1-Trichloroethane/1,2-Dichloroethane	-	-
1,1,2,2-Tetrachloroethane	0.00035 ND	0.00035 ND
1,1,2-Trichloroethane	0.00025 ND	0.00025 ND
1,1-Dichloroethane	0.00065 ND	0.00065 ND
1,1-Dichloroethene	0.00025 ND	0.00025 ND
1,2-Dichloroethane	0.00025 ND	0.00025 ND
1,2-Dichloroethene	-	-
1,2-Dichloropropane	0.00025 ND	0.00025 ND
2-Hexanone	0.0025 ND	0.0025 ND
Acetone	0.0025 ND	0.0025 ND
Benzene	0.00025 ND	0.00025 ND
Bromodichloromethane	0.00025 ND	0.00025 ND
Bromoform	0.00035 ND	0.00035 ND
Carbon disulfide	0.0025 ND	0.0025 ND
Carbon tetrachloride	0.00025 ND	0.00025 ND
Chlorobenzene	0.0005 ND	0.0005 ND
Chloroform	0.00025 ND	0.00025 ND
Chloromethane	0.0011 ND	0.0011 ND
Dibromochloromethane	0.00025 ND	0.00025 ND
Dichlorodifluoromethane	0.00085 ND	0.00085 ND
Dichloromethane	0.00045 ND	0.00045 ND
Ethylbenzene	0.00065 ND	0.00065 ND
Isopropylacetone	0.0025 ND	0.0025 ND
Methyl ethyl ketone	0.001 ND	0.001 ND
Tetrachloroethene	0.00025 ND	0.00025 ND
Toluene	0.00045 ND	0.00045 ND
Trichloroethene	0.00025 ND	0.00025 ND
Vinyl acetate	0.0025 ND	0.0025 ND
Vinyl chloride	0.00025 ND	0.00025 ND
Xylenes	0.00165 ND	0.00165 ND
cis-1,2-Dichloroethene	0.00025 ND	0.00025 ND
trans-1,2-Dichloroethene	0.00025 ND	-
trans-1,2-Dichloroethene/1,1 Dichloroethane	-	-

"-" = Not analyzed

ND = Non-detect; Values represent one-half of the detection limit

Data Tables
Residential North Ground Water
Volatile Organic Compounds

Sample Location	GW47	GW20	GW27	GW27	GW20	GW27
Sample Date	08/23/09	07/02/86	07/09/86	07/10/86	07/29/86	07/29/86
Concentration Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
1,1,1-Trichloroethane	0.00025 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
1,1,1-Trichloroethane/1,2-Dichloroethane	-	-	-	-	0.025 ND	0.025 ND
1,1,2,2-Tetrachloroethane	0.00035 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
1,1,2-Trichloroethane	0.00025 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
1,1-Dichloroethane	0.00065 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
1,1-Dichloroethene	0.00025 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
1,2-Dichloroethane	0.00025 ND	0.0025 ND	0.0025 ND	0.0005 ND	0.0005 ND	0.0005 ND
1,2-Dichloroethene	-	0.0005 ND	0.0005 ND	-	-	-
1,2-Dichloropropane	0.00025 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
2-Hexanone	0.0025 ND	0.0015 ND	0.0015 ND	-	-	-
Acetone	0.0025 ND	0.0075 ND	0.0075 ND	-	-	-
Benzene	0.012	0.001 ND	0.001 ND	-	0.0005 ND	0.0005 ND
Bromodichloromethane	0.00025 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Bromoform	0.00035 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Carbon disulfide	0.0025 ND	0.0005 ND	0.0005 ND	-	-	-
Carbon tetrachloride	0.00025 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Chlorobenzene	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.001 ND	0.001 ND
Chloroform	0.00025 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Chloromethane	0.0011 ND	0.003 ND	0.003 ND	0.0005 ND	0.0005 ND	0.0005 ND
Dibromochloromethane	0.00025 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Dichlorodifluoromethane	0.00085 ND	-	-	-	-	-
Dichloromethane	0.00045 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Ethylbenzene	0.00065 ND	0.0005 ND	0.0005 ND	-	0.001 ND	0.001 ND
Isopropylacetone	0.0025 ND	0.0005 ND	0.0005 ND	-	-	-
Methyl ethyl ketone	0.001 ND	0.0075 ND	0.0075 ND	-	-	-
Tetrachloroethene	0.00025 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Toluene	0.00045 ND	0.0005 ND	0.0005 ND	-	0.0005 ND	0.0005 ND
Trichloroethene	0.00025 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Vinyl acetate	0.0025 ND	0.0015 ND	0.0015 ND	-	-	-
Vinyl chloride	0.00025 ND	0.002 ND	0.002 ND	0.0005 ND	0.0005 ND	0.0005 ND
Xylenes	0.00165 ND	0.001 ND	0.001 ND	-	-	-
cis-1,2-Dichloroethene	0.00025 ND	-	-	-	0.0005 ND	0.0005 ND
trans-1,2-Dichloroethene	0.00025 ND	0.0005 ND	-	0.0005 ND	0.0005 ND	0.0005 ND
trans-1,2-Dichloroethene/1,1 Dichloroethane	-	-	-	-	0.0005 ND	0.0005 ND

"-" = Not analyzed

ND = Non-detect; Values represent one-half of the detection limit

Data Tables
Residential North Ground Water
Volatile Organic Compounds

Sample Location	GW28	GW20	GW27	GW28	GW30	GW20
Sample Date	07/29/86	09/11/86	09/11/86	09/11/86	09/11/86	09/22/86
Concentration Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
1,1,1-Trichloroethane	0.001	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	-
1,1,1-Trichloroethane/1,2-Dichloroethane	0.025 ND	-	-	-	-	0.025 ND
1,1,2,2-Tetrachloroethane	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	-
1,1,2-Trichloroethane	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	-
1,1-Dichloroethane	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	-
1,1-Dichloroethene	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	-
1,2-Dichloroethane	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	-
1,2-Dichloroethene	-	-	-	-	-	-
1,2-Dichloropropane	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	-
2-Hexanone	-	-	-	-	-	-
Acetone	-	-	-	-	-	-
Benzene	0.0005 ND	-	-	-	-	0.0005 ND
Bromodichloromethane	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	-
Bromoform	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	-
Carbon disulfide	-	-	-	-	-	-
Carbon tetrachloride	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	-
Chlorobenzene	0.001 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.001 ND
Chloroform	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	-
Chloromethane	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	-
Dibromochloromethane	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	-
Dichlorodifluoromethane	-	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	-
Dichloromethane	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	-
Ethylbenzene	0.001 ND	-	-	-	-	0.001 ND
Isopropylacetone	-	-	-	-	-	-
Methyl ethyl ketone	-	-	-	-	-	-
Tetrachloroethene	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Toluene	0.0005 ND	-	-	-	-	0.0005 ND
Trichloroethene	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	1.22	0.0005 ND
Vinyl acetate	-	-	-	-	-	-
Vinyl chloride	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	-
Xylenes	-	-	-	-	-	-
cis-1,2-Dichloroethene	0.0005 ND	-	-	-	-	0.0005 ND
trans-1,2-Dichloroethene	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0287	-
trans-1,2-Dichloroethene/1,1 Dichloroethane	0.0005 ND	-	-	-	-	0.0005 ND

"-" = Not analyzed

ND = Non-detect; Values represent one-half of the detection limit

Data Tables
Residential North Ground Water
Volatile Organic Compounds

Sample Location	GW27	GW28	GW30	GW20	GW27	GW31
Sample Date	09/22/86	09/22/86	09/22/86	10/17/86	10/17/86	10/17/86
Concentration Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
1,1,1-Trichloroethane	-	-	-	0.0005 ND	0.0005 ND	0.0005 ND
1,1,1-Trichloroethane/1,2-Dichloroethane	0.025 ND	0.025 ND	2.5 ND	0.025 ND	0.025 ND	0.025 ND
1,1,2,2-Tetrachloroethane	-	-	-	0.0005 ND	0.0005 ND	0.0005 ND
1,1,2-Trichloroethane	-	-	-	0.0005 ND	0.0005 ND	0.0005 ND
1,1-Dichloroethane	-	-	-	0.0005 ND	0.0005 ND	0.0005 ND
1,1-Dichloroethene	-	-	-	0.0005 ND	0.0005 ND	0.0005 ND
1,2-Dichloroethane	-	-	-	0.0005 ND	0.0005 ND	0.0005 ND
1,2-Dichloroethene	-	-	-	-	-	-
1,2-Dichloropropane	-	-	-	0.0005 ND	0.0005 ND	0.0005 ND
2-Hexanone	-	-	-	-	-	-
Acetone	-	-	-	-	-	-
Benzene	0.0005 ND	0.0005 ND	0.05 ND	0.0005 ND	0.0005 ND	0.0005 ND
Bromodichloromethane	-	-	-	0.0005 ND	0.0005 ND	0.0005 ND
Bromoform	-	-	-	0.0005 ND	0.0005 ND	0.0005 ND
Carbon disulfide	-	-	-	-	-	-
Carbon tetrachloride	-	-	-	0.0005 ND	0.0005 ND	0.0005 ND
Chlorobenzene	0.001 ND	0.001 ND	0.1 ND	0.001 ND	0.001 ND	0.001 ND
Chloroform	-	-	-	0.0005 ND	0.0005 ND	0.0005 ND
Chloromethane	-	-	-	0.0005 ND	0.0005 ND	0.0005 ND
Dibromochloromethane	-	-	-	0.0005 ND	0.0005 ND	0.0005 ND
Dichlorodifluoromethane	-	-	-	0.0005 ND	0.0005 ND	0.0005 ND
Dichloromethane	-	-	-	0.0005 ND	0.0005 ND	0.0005 ND
Ethylbenzene	0.001 ND	0.001 ND	0.1 ND	0.001 ND	0.001 ND	0.001 ND
Isopropylacetone	-	-	-	-	-	-
Methyl ethyl ketone	-	-	-	-	-	-
Tetrachloroethene	0.0005 ND	0.0005 ND	0.05 ND	0.0005 ND	0.0005 ND	0.0005 ND
Toluene	0.0005 ND	0.0005 ND	0.05 ND	0.0005 ND	0.0005 ND	0.0005 ND
Trichloroethene	0.0005 ND	0.001	0.83	0.0005 ND	0.0005 ND	0.006
Vinyl acetate	-	-	-	-	-	-
Vinyl chloride	-	-	-	0.0005 ND	0.0005 ND	0.0005 ND
Xylenes	-	-	-	-	-	-
cis-1,2-Dichloroethene	0.0005 ND	0.0005 ND	0.05 ND	0.0005 ND	0.0005 ND	0.0005 ND
trans-1,2-Dichloroethene	-	-	-	0.0005 ND	0.0005 ND	0.0005 ND
trans-1,2-Dichloroethene/1,1 Dichloroethane	0.0005 ND	0.0005 ND	0.05 ND	0.0005 ND	0.0005 ND	0.0005 ND

"-" = Not analyzed

ND = Non-detect; Values represent one-half of the detection limit

Data Tables
Residential North Ground Water
Volatile Organic Compounds

Sample Location	GW32	GW20	GW27	GW31	GW32	GW20
Sample Date	10/17/86	12/18/86	12/18/86	12/18/86	12/18/86	12/19/86
Concentration Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
1,1,1-Trichloroethane	0.0005 ND	-	-	-	-	0.0005 ND
1,1,1-Trichloroethane/1,2-Dichloroethane	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND	-
1,1,2,2-Tetrachloroethane	0.0005 ND	-	-	-	-	0.0005 ND
1,1,2-Trichloroethane	0.0005 ND	-	-	-	-	0.0005 ND
1,1-Dichloroethane	0.0005 ND	-	-	-	-	0.0005 ND
1,1-Dichloroethene	0.0005 ND	-	-	-	-	0.0005 ND
1,2-Dichloroethane	0.0005 ND	-	-	-	-	0.0005 ND
1,2-Dichloroethene	-	-	-	-	-	-
1,2-Dichloropropane	0.0005 ND	-	-	-	-	0.0005 ND
2-Hexanone	-	-	-	-	-	-
Acetone	-	-	-	-	-	-
Benzene	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	-
Bromodichloromethane	0.0005 ND	-	-	-	-	0.0005 ND
Bromoform	0.0005 ND	-	-	-	-	0.0005 ND
Carbon disulfide	-	-	-	-	-	-
Carbon tetrachloride	0.0005 ND	-	-	-	-	0.0005 ND
Chlorobenzene	0.001 ND	0.001 ND	0.001 ND	0.001 ND	0.001 ND	0.0005 ND
Chloroform	0.0005 ND	-	-	-	-	0.0005 ND
Chloromethane	0.0005 ND	-	-	-	-	0.0005 ND
Dibromochloromethane	0.0005 ND	-	-	-	-	0.0005 ND
Dichlorodifluoromethane	0.0005 ND	-	-	-	-	0.0005 ND
Dichloromethane	0.0005 ND	-	-	-	-	0.0005 ND
Ethylbenzene	0.001 ND	0.001 ND	0.001 ND	0.001 ND	0.001 ND	-
Isopropylacetone	-	-	-	-	-	-
Methyl ethyl ketone	-	-	-	-	-	-
Tetrachloroethene	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Toluene	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	-
Trichloroethene	0.002	0.0005 ND	0.0005 ND	0.002	0.034	0.0005 ND
Vinyl acetate	-	-	-	-	-	-
Vinyl chloride	0.0005 ND	-	-	-	-	0.0005 ND
Xylenes	-	-	-	-	-	-
cis-1,2-Dichloroethene	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	-
trans-1,2-Dichloroethene	0.0005 ND	-	-	-	-	0.0005 ND
trans-1,2-Dichloroethene/1,1 Dichloroethane	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	-

"-" = Not analyzed

ND = Non-detect; Values represent one-half of the detection limit

Data Tables
Residential North Ground Water
Volatile Organic Compounds

Sample Location	GW27	GW31	GW32	GW27	GW20	GW27
Sample Date	12/19/86	12/19/86	12/19/86	01/21/87	04/22/87	04/22/87
Concentration Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
1,1,1-Trichloroethane	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
1,1,1-Trichloroethane/1,2-Dichloroethane	-	-	-	0.025 ND	0.025 ND	0.025 ND
1,1,2,2-Tetrachloroethane	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
1,1,2-Trichloroethane	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
1,1-Dichloroethane	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
1,1-Dichloroethene	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
1,2-Dichloroethane	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
1,2-Dichloroethene	-	-	-	-	-	-
1,2-Dichloropropane	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
2-Hexanone	-	-	-	-	-	-
Acetone	-	-	-	-	-	-
Benzene	-	-	-	0.0005 ND	0.0005 ND	0.0005 ND
Bromodichloromethane	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Bromoform	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Carbon disulfide	-	-	-	-	-	-
Carbon tetrachloride	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Chlorobenzene	0.0005 ND	0.0005 ND	0.0005 ND	0.001 ND	0.001 ND	0.001 ND
Chloroform	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Chloromethane	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Dibromochloromethane	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Dichlorodifluoromethane	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Dichloromethane	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Ethylbenzene	-	-	-	0.001 ND	0.001 ND	0.001 ND
Isopropylacetone	-	-	-	-	-	-
Methyl ethyl ketone	-	-	-	-	-	-
Tetrachloroethene	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Toluene	-	-	-	0.0005 ND	0.0005 ND	0.0005 ND
Trichloroethene	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Vinyl acetate	-	-	-	-	-	-
Vinyl chloride	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Xylenes	-	-	-	-	-	-
cis-1,2-Dichloroethene	-	-	-	0.0005 ND	0.0005 ND	0.0005 ND
trans-1,2-Dichloroethene	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
trans-1,2-Dichloroethene/1,1 Dichloroethane	-	-	-	0.0005 ND	0.0005 ND	0.0005 ND

"-" = Not analyzed

ND = Non-detect; Values represent one-half of the detection limit

Data Tables
Residential North Ground Water
Volatile Organic Compounds

Sample Location	GW30	GW20	GW27	GW20	GW27	GW34
Sample Date	04/22/87	06/25/87	06/25/87	08/24/87	08/24/87	08/24/87
Concentration Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
1,1,1-Trichloroethane	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
1,1,1-Trichloroethane/1,2-Dichloroethane	-	-	-	-	-	-
1,1,1,2-Tetrachloroethane	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
1,1,2-Trichloroethane	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
1,1-Dichloroethane	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
1,1-Dichloroethene	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
1,2-Dichloroethane	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
1,2-Dichloroethene	-	-	-	-	-	-
1,2-Dichloropropane	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
2-Hexanone	-	-	-	-	-	-
Acetone	-	-	-	-	-	-
Benzene	-	-	-	-	-	-
Bromodichloromethane	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Bromoform	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Carbon disulfide	-	-	-	-	-	-
Carbon tetrachloride	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Chlorobenzene	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Chloroform	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Chloromethane	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Dibromochloromethane	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Dichlorodifluoromethane	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Dichloromethane	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Ethylbenzene	-	-	-	-	-	-
Isopropylacetone	-	-	-	-	-	-
Methyl ethyl ketone	-	-	-	-	-	-
Tetrachloroethene	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Toluene	-	-	-	-	-	-
Trichloroethene	0.365	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Vinyl acetate	-	-	-	-	-	-
Vinyl chloride	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Xylenes	-	-	-	-	-	-
cis-1,2-Dichloroethene	-	-	-	-	-	-
trans-1,2-Dichloroethene	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
trans-1,2-Dichloroethene/1,1 Dichloroethane	-	-	-	-	-	-

"-" = Not analyzed

ND = Non-detect; Values represent one-half of the detection limit

Data Tables
Residential North Ground Water
Volatile Organic Compounds

Sample Location	GW20	GW27	GW34	GW20	GW27	GW34
Sample Date	10/19/87	10/19/87	10/19/87	12/22/87	12/22/87	12/22/87
Concentration Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
1,1,1-Trichloroethane	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
1,1,1-Trichloroethane/1,2-Dichloroethane	-	-	-	-	-	-
1,1,2,2-Tetrachloroethane	0.5 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
1,1,2-Trichloroethane	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
1,1-Dichloroethane	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
1,1-Dichloroethene	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
1,2-Dichloroethane	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
1,2-Dichloroethene	-	-	-	-	-	-
1,2-Dichloropropane	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
2-Hexanone	-	-	-	-	-	-
Acetone	-	-	-	-	-	-
Benzene	-	-	-	-	-	-
Bromodichloromethane	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Bromoform	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Carbon disulfide	-	-	-	-	-	-
Carbon tetrachloride	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Chlorobenzene	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Chloroform	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Chloromethane	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Dibromochloromethane	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Dichlorodifluoromethane	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Dichloromethane	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Ethylbenzene	-	-	-	-	-	-
Isopropylacetone	-	-	-	-	-	-
Methyl ethyl ketone	-	-	-	-	-	-
Tetrachloroethene	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Toluene	-	-	-	-	-	-
Trichloroethene	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Vinyl acetate	-	-	-	-	-	-
Vinyl chloride	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Xylenes	-	-	-	-	-	-
cis-1,2-Dichloroethene	-	-	-	-	-	-
trans-1,2-Dichloroethene	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
trans-1,2-Dichloroethene/1,1 Dichloroethane	-	-	-	-	-	-

"-" = Not analyzed

ND = Non-detect; Values represent one-half of the detection limit

Data Tables
Residential North Ground Water
Volatile Organic Compounds

Sample Location	GW27	GW34	GW20	GW28	GW28	GW20
Sample Date	02/18/88	02/18/88	02/22/88	02/22/88	03/25/88	04/26/88
Concentration Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
1,1,1-Trichloroethane	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
1,1,1-Trichloroethane/1,2-Dichloroethane	-	-	-	-	-	-
1,1,2,2-Tetrachloroethane	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0021	0.0005 ND
1,1,2-Trichloroethane	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
1,1-Dichloroethane	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
1,1-Dichloroethene	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
1,2-Dichloroethane	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
1,2-Dichloroethene	-	-	-	-	-	-
1,2-Dichloropropane	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
2-Hexanone	-	-	-	-	-	-
Acetone	-	-	-	-	-	-
Benzene	-	-	-	-	-	-
Bromodichloromethane	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Bromoform	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Carbon disulfide	-	-	-	-	-	-
Carbon tetrachloride	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Chlorobenzene	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Chloroform	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0012	0.0005 ND
Chloromethane	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Dibromochloromethane	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Dichlorodifluoromethane	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Dichloromethane	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Ethylbenzene	-	-	-	-	-	-
Isopropylacetone	-	-	-	-	-	-
Methyl ethyl ketone	-	-	-	-	-	-
Tetrachloroethene	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0078	0.0005 ND
Toluene	-	-	-	-	-	-
Trichloroethene	0.0005 ND	0.0005 ND	0.0005 ND	0.106	0.0566	0.0005 ND
Vinyl acetate	-	-	-	-	-	-
Vinyl chloride	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Xylenes	-	-	-	-	-	-
cis-1,2-Dichloroethene	-	-	-	-	0.0019	-
trans-1,2-Dichloroethene	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
trans-1,2-Dichloroethene/1,1 Dichloroethane	-	-	-	-	-	-

"-" = Not analyzed

ND = Non-detect; Values represent one-half of the detection limit

Data Tables
Residential North Ground Water
Volatile Organic Compounds

Sample Location	GW27	GW28	GW34	GW20	GW27	GW28
Sample Date	04/26/88	04/26/88	04/26/88	07/11/88	07/11/88	07/11/88
Concentration Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
1,1,1-Trichloroethane	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
1,1,1-Trichloroethane/1,2-Dichloroethane	-	-	-	-	-	-
1,1,2,2-Tetrachloroethane	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
1,1,2-Trichloroethane	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
1,1-Dichloroethane	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
1,1-Dichloroethene	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
1,2-Dichloroethane	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
1,2-Dichloroethene	-	-	-	-	-	-
1,2-Dichloropropane	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
2-Hexanone	-	-	-	-	-	-
Acetone	-	-	-	-	-	-
Benzene	-	-	-	-	-	-
Bromodichloromethane	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Bromoform	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Carbon disulfide	-	-	-	-	-	-
Carbon tetrachloride	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Chlorobenzene	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Chloroform	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Chloromethane	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Dibromochloromethane	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Dichlorodifluoromethane	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Dichloromethane	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Ethylbenzene	-	-	-	-	-	-
Isopropylacetone	-	-	-	-	-	-
Methyl ethyl ketone	-	-	-	-	-	-
Tetrachloroethene	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Toluene	-	-	-	-	-	-
Trichloroethene	0.0005 ND	0.0494	0.0005 ND	0.0005 ND	0.0005 ND	0.0112
Vinyl acetate	-	-	-	-	-	-
Vinyl chloride	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Xylenes	-	-	-	-	-	-
cis-1,2-Dichloroethene	-	-	-	-	-	-
trans-1,2-Dichloroethene	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
trans-1,2-Dichloroethene/1,1 Dichloroethane	-	-	-	-	-	-

"-" = Not analyzed

ND = Non-detect; Values represent one-half of the detection limit

Data Tables
Residential North Ground Water
Volatile Organic Compounds

Sample Location	GW34	GW20	GW27	GW28	GW34	GW20
Sample Date	07/11/88	08/15/88	08/15/88	08/15/88	08/15/88	10/12/88
Concentration Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
1,1,1-Trichloroethane	0.0005 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND
1,1,1-Trichloroethane/1,2-Dichloroethane	-	-	-	-	-	-
1,1,2,2-Tetrachloroethane	0.0005 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND
1,1,2-Trichloroethane	0.0005 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND
1,1-Dichloroethane	0.0005 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.0001 ND
1,1-Dichloroethene	0.0005 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND
1,2-Dichloroethane	0.0005 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.0001 ND
1,2-Dichloroethene	-	-	-	-	-	-
1,2-Dichloropropane	0.0005 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND
2-Hexanone	-	-	-	-	-	-
Acetone	-	-	-	-	-	-
Benzene	-	-	-	-	-	-
Bromodichloromethane	0.0005 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.00025 ND
Bromoform	0.0005 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Carbon disulfide	-	-	-	-	-	-
Carbon tetrachloride	0.0005 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND
Chlorobenzene	0.0005 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Chloroform	0.0005 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND
Chloromethane	0.0005 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Dibromochloromethane	0.0005 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Dichlorodifluoromethane	0.0005 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.00025 ND
Dichloromethane	0.0005 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND
Ethylbenzene	-	-	-	-	-	-
Isopropylacetone	-	-	-	-	-	-
Methyl ethyl ketone	-	-	-	-	-	-
Tetrachloroethene	0.0005 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND
Toluene	-	-	-	-	-	-
Trichloroethene	0.0005 ND	0.0001 ND	0.0001 ND	0.0047	0.0001 ND	0.0001 ND
Vinyl acetate	-	-	-	-	-	-
Vinyl chloride	0.0005 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Xylenes	-	-	-	-	-	-
cis-1,2-Dichloroethene	-	-	-	-	-	-
trans-1,2-Dichloroethene	0.0005 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND
trans-1,2-Dichloroethene/1,1 Dichloroethane	-	-	-	-	-	-

"-" = Not analyzed

ND = Non-detect; Values represent one-half of the detection limit

Data Tables
Residential North Ground Water
Volatile Organic Compounds

Sample Location	GW27	GW28	GW34	GW20	GW27	GW28
Sample Date	10/12/88	10/12/88	10/12/88	12/16/88	12/16/88	12/16/88
Concentration Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
1,1,1-Trichloroethane	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND
1,1,1-Trichloroethane/1,2-Dichloroethane	-	-	-	-	-	-
1,1,2,2-Tetrachloroethane	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND
1,1,2-Trichloroethane	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND
1,1-Dichloroethane	0.0001 ND	0.0001 ND	0.0001 ND	0.00025 ND	0.00025 ND	0.00025 ND
1,1-Dichloroethene	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND
1,2-Dichloroethane	0.0001 ND	0.0001 ND	0.0001 ND	0.00025 ND	0.00025 ND	0.00025 ND
1,2-Dichloroethene	-	-	-	-	-	-
1,2-Dichloropropane	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND
2-Hexanone	-	-	-	-	-	-
Acetone	-	-	-	-	-	-
Benzene	-	-	-	-	-	-
Bromodichloromethane	0.00025 ND	0.00025 ND	0.00025 ND	0.0001 ND	0.0001 ND	0.0001 ND
Bromoform	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Carbon disulfide	-	-	-	-	-	-
Carbon tetrachloride	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND
Chlorobenzene	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Chloroform	0.0001 ND	0.00082	0.0001 ND	0.0001 ND	0.0001 ND	0.00069
Chloromethane	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Dibromochloromethane	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Dichlorodifluoromethane	0.00025 ND	0.00025 ND	0.00025 ND	0.0001 ND	0.0001 ND	0.0001 ND
Dichloromethane	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND
Ethylbenzene	-	-	-	-	-	-
Isopropylacetone	-	-	-	-	-	-
Methyl ethyl ketone	-	-	-	-	-	-
Tetrachloroethene	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND
Toluene	-	-	-	-	-	-
Trichloroethene	0.0001 ND	0.005	0.0001 ND	0.0001 ND	0.0001 ND	0.0041
Vinyl acetate	-	-	-	-	-	-
Vinyl chloride	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Xylenes	-	-	-	-	-	-
cis-1,2-Dichloroethene	-	-	-	-	-	-
trans-1,2-Dichloroethene	0.0001 ND	0.0011	0.0001 ND	0.0001 ND	0.0001 ND	0.0015
trans-1,2-Dichloroethene/1,1 Dichloroethane	-	-	-	-	-	-

"-" = Not analyzed

ND = Non-detect; Values represent one-half of the detection limit

Data Tables

Residential North Ground Water Volatile Organic Compounds

Sample Location	GW34	GW20	GW27	GW28	GW34	GW20
Sample Date	12/16/88	02/22/89	02/22/89	02/22/89	02/22/89	04/03/89
Concentration Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
1,1,1-Trichloroethane	0.0001 ND	0.0001 ND	0.0001 ND	0.002	0.0001 ND	0.0001 ND
1,1,1-Trichloroethane/1,2-Dichloroethane	-	-	-	-	-	-
1,1,1,2-Tetrachloroethane	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND
1,1,2-Trichloroethane	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND
1,1-Dichloroethane	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
1,1-Dichloroethene	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND
1,2-Dichloroethane	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
1,2-Dichloroethene	-	-	-	-	-	-
1,2-Dichloropropane	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND
2-Hexanone	-	-	-	-	-	-
Acetone	-	-	-	-	-	-
Benzene	-	-	-	-	-	-
Bromodichloromethane	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND
Bromoform	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Carbon disulfide	-	-	-	-	-	-
Carbon tetrachloride	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND
Chlorobenzene	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Chloroform	0.0001 ND	0.0001 ND	0.0001 ND	0.00098	0.0001 ND	0.0001 ND
Chloromethane	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Dibromochloromethane	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Dichlorodifluoromethane	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND
Dichloromethane	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND
Ethylbenzene	-	-	-	-	-	-
Isopropylacetone	-	-	-	-	-	-
Methyl ethyl ketone	-	-	-	-	-	-
Tetrachloroethene	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND
Toluene	-	-	-	-	-	-
Trichloroethene	0.0001 ND	0.0001 ND	0.0001 ND	0.0038	0.0001 ND	0.0001 ND
Vinyl acetate	-	-	-	-	-	-
Vinyl chloride	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Xylenes	-	-	-	-	-	-
cis-1,2-Dichloroethene	-	-	-	-	-	-
trans-1,2-Dichloroethene	0.0001 ND	0.0001 ND	0.0001 ND	0.002	0.0001 ND	0.0001 ND
trans-1,2-Dichloroethene/1,1 Dichloroethane	-	-	-	-	-	-

"-" = Not analyzed

ND = Non-detect; Values represent one-half of the
detection limit

Data Tables
Residential North Ground Water
Volatile Organic Compounds

Sample Location	GW27	GW28	GW34	GW20	GW27	GW28
Sample Date	04/03/89	04/03/89	04/03/89	06/06/89	06/06/89	06/06/89
Concentration Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
1,1,1-Trichloroethane	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND
1,1,1-Trichloroethane/1,2-Dichloroethane	-	-	-	-	-	-
1,1,2,2-Tetrachloroethane	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND
1,1,2-Trichloroethane	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND
1,1-Dichloroethane	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
1,1-Dichloroethene	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND
1,2-Dichloroethane	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
1,2-Dichloroethene	-	-	-	-	-	-
1,2-Dichloropropane	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND
2-Hexanone	-	-	-	-	-	-
Acetone	-	-	-	-	-	-
Benzene	-	-	-	-	-	-
Bromodichloromethane	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND
Bromoform	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Carbon disulfide	-	-	-	-	-	-
Carbon tetrachloride	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND
Chlorobenzene	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Chloroform	0.0001 ND	0.00048	0.0001 ND	0.0001 ND	0.0001 ND	0.0013
Chloromethane	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Dibromochloromethane	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Dichlorodifluoromethane	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND
Dichloromethane	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND
Ethylbenzene	-	-	-	-	-	-
Isopropylacetone	-	-	-	-	-	-
Methyl ethyl ketone	-	-	-	-	-	-
Tetrachloroethene	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND
Toluene	-	-	-	-	-	-
Trichloroethene	0.0001 ND	0.0033	0.0001 ND	0.0001 ND	0.0001 ND	0.0058
Vinyl acetate	-	-	-	-	-	-
Vinyl chloride	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Xylenes	-	-	-	-	-	-
cis-1,2-Dichloroethene	-	-	-	-	-	-
trans-1,2-Dichloroethene	0.0001 ND	0.0016	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND
trans-1,2-Dichloroethene/1,1 Dichloroethane	-	-	-	-	-	-

"-" = Not analyzed

ND = Non-detect; Values represent one-half of the detection limit

Data Tables
Residential North Ground Water
Volatile Organic Compounds

Sample Location	GW34	GW37	GW20	GW27	GW28	GW34
Sample Date	06/06/89	06/06/89	08/11/89	09/11/89	09/11/89	09/11/89
Concentration Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
1,1,1-Trichloroethane	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND
1,1,1-Trichloroethane/1,2-Dichloroethane	-	-	-	-	-	-
1,1,2,2-Tetrachloroethane	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND
1,1,2-Trichloroethane	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND
1,1-Dichloroethane	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
1,1-Dichloroethene	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND
1,2-Dichloroethane	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
1,2-Dichloroethene	-	-	-	-	-	-
1,2-Dichloropropane	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND
2-Hexanone	-	-	-	-	-	-
Acetone	-	-	-	-	-	-
Benzene	-	-	-	-	-	-
Bromodichloromethane	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND
Bromoform	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Carbon disulfide	-	-	-	-	-	-
Carbon tetrachloride	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND
Chlorobenzene	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Chloroform	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND
Chloromethane	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Dibromochloromethane	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Dichlorodifluoromethane	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND
Dichloromethane	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND
Ethylbenzene	-	-	-	-	-	-
Isopropylacetone	-	-	-	-	-	-
Methyl ethyl ketone	-	-	-	-	-	-
Tetrachloroethene	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND
Toluene	-	-	-	-	-	-
Trichloroethene	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0024	0.0001 ND
Vinyl acetate	-	-	-	-	-	-
Vinyl chloride	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Xylenes	-	-	-	-	-	-
cis-1,2-Dichloroethene	-	-	-	-	-	-
trans-1,2-Dichloroethene	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND
trans-1,2-Dichloroethene/1,1 Dichloroethane	-	-	-	-	-	-

"-" = Not analyzed

ND = Non-detect; Values represent one-half of the detection limit

Data Tables
Residential North Ground Water
Volatile Organic Compounds

Sample Location	GW40	GW41	GW20	GW27	GW28	GW34
Sample Date	09/11/89	09/11/89	12/05/89	12/05/89	12/05/89	12/05/89
Concentration Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
1,1,1-Trichloroethane	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND
1,1,1-Trichloroethane/1,2-Dichloroethane	-	-	-	-	-	-
1,1,1,2-Tetrachloroethane	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND
1,1,2-Trichloroethane	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND
1,1-Dichloroethane	0.00025 ND	0.00025 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND
1,1-Dichloroethene	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND
1,2-Dichloroethane	0.00025 ND	0.00025 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND
1,2-Dichloroethene	-	-	-	-	-	-
1,2-Dichloropropane	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND
2-Hexanone	-	-	-	-	-	-
Acetone	-	-	-	-	-	-
Benzene	-	-	-	-	-	-
Bromodichloromethane	0.0001 ND	0.0001 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Bromoform	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Carbon disulfide	-	-	-	-	-	-
Carbon tetrachloride	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND
Chlorobenzene	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Chloroform	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND
Chloromethane	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Dibromochloromethane	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Dichlorodifluoromethane	0.0001 ND	0.0001 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Dichloromethane	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND
Ethylbenzene	-	-	-	-	-	-
Isopropylacetone	-	-	-	-	-	-
Methyl ethyl ketone	-	-	-	-	-	-
Tetrachloroethene	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND
Toluene	-	-	-	-	-	-
Trichloroethene	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND
Vinyl acetate	-	-	-	-	-	-
Vinyl chloride	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Xylenes	-	-	-	-	-	-
cis-1,2-Dichloroethene	-	-	-	-	-	-
trans-1,2-Dichloroethene	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND
trans-1,2-Dichloroethene/1,1 Dichloroethane	-	-	-	-	-	-

"-" = Not analyzed

ND = Non-detect; Values represent one-half of the detection limit

Data Tables
Residential North Ground Water
Volatile Organic Compounds

Sample Location	GW40	GW41	GW20	GW27	GW34	GW41
Sample Date	02/15/90	02/15/90	03/05/90	03/05/90	03/05/90	03/05/90
Concentration Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
1,1,1-Trichloroethane	0.0001 ND	0.001	0.0001 ND	0.0001 ND	0.0001 ND	0.0011
1,1,1-Trichloroethane/1,2-Dichloroethane	-	-	-	-	-	-
1,1,2,2-Tetrachloroethane	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND
1,1,2-Trichloroethane	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND
1,1-Dichloroethane	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
1,1-Dichloroethene	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND
1,2-Dichloroethane	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
1,2-Dichloroethene	-	-	-	-	-	-
1,2-Dichloropropane	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND
2-Hexanone	-	-	-	-	-	-
Acetone	-	-	-	-	-	-
Benzene	-	-	-	-	-	-
Bromodichloromethane	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND
Bromoform	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Carbon disulfide	-	-	-	-	-	-
Carbon tetrachloride	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND
Chlorobenzene	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Chloroform	0.0001 ND	0.00041	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND
Chloromethane	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Dibromochloromethane	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Dichlorodifluoromethane	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND
Dichloromethane	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND
Ethylbenzene	-	-	-	-	-	-
Isopropylacetone	-	-	-	-	-	-
Methyl ethyl ketone	-	-	-	-	-	-
Tetrachloroethene	0.0001 ND	0.0013	0.0001 ND	0.0001 ND	0.0001 ND	0.00095
Toluene	-	-	-	-	-	-
Trichloroethene	0.0001 ND	0.13	0.0001 ND	0.0001 ND	0.0001 ND	0.118
Vinyl acetate	-	-	-	-	-	-
Vinyl chloride	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Xylenes	-	-	-	-	-	-
cis-1,2-Dichloroethene	-	-	-	-	-	-
trans-1,2-Dichloroethene	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND	0.0001 ND
trans-1,2-Dichloroethene/1,1 Dichloroethane	-	-	-	-	-	-

"-" = Not analyzed

ND = Non-detect; Values represent one-half of the detection limit

Data Tables
Residential North Ground Water
Volatile Organic Compounds

Sample Location	GW41DUP	GW27	GW34	GW41	GW20	GW40
Sample Date	03/05/90	06/21/90	06/21/90	06/21/90	07/09/90	08/22/90
Concentration Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
1,1,1-Trichloroethane	0.0013	0.00025 ND	0.00025 ND	0.0005 ND	0.00025 ND	0.00025 ND
1,1,1-Trichloroethane/1,2-Dichloroethane	-	-	-	-	-	-
1,1,2,2-Tetrachloroethane	0.0001 ND	0.00035 ND	0.00035 ND	0.0005 ND	0.00035 ND	0.00035 ND
1,1,2-Trichloroethane	0.0001 ND	0.00025 ND	0.00025 ND	0.00075 ND	0.00025 ND	0.00025 ND
1,1-Dichloroethane	0.00025 ND	0.00065 ND	0.00065 ND	0.00075 ND	0.00065 ND	0.00065 ND
1,1-Dichloroethene	0.0001 ND	0.00025 ND	0.00025 ND	0.00075 ND	0.00025 ND	0.00025 ND
1,2-Dichloroethane	0.00025 ND	0.00025 ND	0.00025 ND	0.00075 ND	0.00025 ND	0.00025 ND
1,2-Dichloroethene	-	-	-	-	-	-
1,2-Dichloropropane	0.0001 ND	0.00025 ND	0.00025 ND	0.00175 ND	0.00025 ND	0.00025 ND
2-Hexanone	-	-	-	0.005 ND	-	-
Acetone	-	-	-	0.005 ND	-	-
Benzene	-	0.00025 ND	0.00025 ND	0.0005 ND	0.00025 ND	0.00025 ND
Bromodichloromethane	0.0001 ND	0.00025 ND	0.00025 ND	0.0005 ND	0.00025 ND	0.00025 ND
Bromoform	0.00025 ND	0.00035 ND	0.00035 ND	0.0005 ND	0.00035 ND	0.00035 ND
Carbon disulfide	-	-	-	0.005 ND	-	-
Carbon tetrachloride	0.0001 ND	0.00025 ND	0.00025 ND	0.0005 ND	0.00025 ND	0.00025 ND
Chlorobenzene	0.00025 ND	0.0005 ND	0.0005 ND	0.00175 ND	0.0005 ND	0.0005 ND
Chloroform	0.0001 ND	0.00025 ND	0.00025 ND	0.00075 ND	0.00025 ND	0.00025 ND
Chloromethane	0.00025 ND	0.0011 ND	0.0011 ND	0.005 ND	0.0011 ND	0.0011 ND
Dibromochloromethane	0.00025 ND	0.00025 ND	0.00025 ND	0.0005 ND	0.00025 ND	0.00025 ND
Dichlorodifluoromethane	0.0001 ND	0.00085 ND	0.00085 ND	0.005 ND	0.00085 ND	0.00085 ND
Dichloromethane	0.0001 ND	0.00045 ND	0.00045 ND	0.0025 ND	0.00045 ND	0.00045 ND
Ethylbenzene	-	0.00065 ND	0.00065 ND	0.0005 ND	0.00065 ND	0.00065 ND
Isopropylacetone	-	-	-	0.005 ND	-	-
Methyl ethyl ketone	-	-	-	0.00225 ND	-	-
Tetrachloroethene	0.00061	0.00025 ND	0.00025 ND	0.00075 ND	0.00025 ND	0.00025 ND
Toluene	-	0.00045 ND	0.00045 ND	0.00075 ND	0.00045 ND	0.00045 ND
Trichloroethene	0.092	0.00025 ND	0.00025 ND	0.161	0.00025 ND	0.005
Vinyl acetate	-	-	-	0.005 ND	-	-
Vinyl chloride	0.00025 ND	0.00025 ND	0.00025 ND	0.00175 ND	0.00025 ND	0.00025 ND
Xylenes	-	0.00165 ND	0.00165 ND	0.0005 ND	0.00165 ND	0.00165 ND
cis-1,2-Dichloroethene	-	0.0004 ND	0.0004 ND	0.005	0.0004 ND	0.0018
trans-1,2-Dichloroethene	0.0001 ND	0.0004 ND	0.0004 ND	0.00075 ND	0.0004 ND	0.0004 ND
trans-1,2-Dichloroethene/1,1 Dichloroethane	-	-	-	-	-	-

"-" = Not analyzed

ND = Non-detect; Values represent one-half of the detection limit

Data Tables
Residential North Ground Water
Volatile Organic Compounds

Sample Location	GW40DUP	GW27	GW34	GW20	GW40	GW40DUP
Sample Date	08/22/90	09/12/90	09/12/90	09/13/90	10/12/90	10/12/90
Concentration Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
1,1,1-Trichloroethane	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
1,1,1-Trichloroethane/1,2-Dichloroethane	-	-	-	-	-	-
1,1,2,2-Tetrachloroethane	0.00035 ND	0.00035 ND	0.00035 ND	0.00035 ND	0.00035 ND	0.00035 ND
1,1,2-Trichloroethane	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
1,1-Dichloroethane	0.00065 ND	0.00065 ND	0.00065 ND	0.00065 ND	0.00065 ND	0.00065 ND
1,1-Dichloroethene	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
1,2-Dichloroethane	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
1,2-Dichloroethene	-	-	-	-	-	-
1,2-Dichloropropane	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
2-Hexanone	-	-	-	-	-	-
Acetone	-	-	-	-	-	-
Benzene	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Bromodichloromethane	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Bromoform	0.00035 ND	0.00035 ND	0.00035 ND	0.00035 ND	0.00035 ND	0.00035 ND
Carbon disulfide	-	-	-	-	-	-
Carbon tetrachloride	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Chlorobenzene	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Chloroform	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Chloromethane	0.0011 ND	0.0011 ND	0.0011 ND	0.0011 ND	0.0011 ND	0.0011 ND
Dibromochloromethane	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Dichlorodifluoromethane	0.00085 ND	0.00085 ND	0.00085 ND	0.00085 ND	0.00085 ND	0.00085 ND
Dichloromethane	0.00045 ND	0.00045 ND	0.00045 ND	0.00045 ND	0.00045 ND	0.00045 ND
Ethylbenzene	0.00065 ND	0.00065 ND	0.00065 ND	0.00065 ND	0.00065 ND	0.00065 ND
Isopropylacetone	-	-	-	-	0.0025 ND	0.0025 ND
Methyl ethyl ketone	-	-	-	-	-	-
Tetrachloroethene	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Toluene	0.00045 ND	0.00045 ND	0.00045 ND	0.00045 ND	0.00045 ND	0.00045 ND
Trichloroethene	0.005	0.00025 ND	0.00025 ND	0.00025 ND	0.0029	0.0027
Vinyl acetate	-	-	-	-	-	-
Vinyl chloride	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Xylenes	0.00165 ND	0.00165 ND	0.00165 ND	0.00165 ND	0.00165 ND	0.00165 ND
cis-1,2-Dichloroethene	0.0019	0.0004 ND	0.0004 ND	0.0004 ND	0.0013	0.0013
trans-1,2-Dichloroethene	0.0004 ND	0.0004 ND	0.0004 ND	0.0004 ND	0.0004 ND	0.0004 ND
trans-1,2-Dichloroethene/1,1 Dichloroethane	-	-	-	-	-	-

"-" = Not analyzed

ND = Non-detect; Values represent one-half of the detection limit

Data Tables
Residential North Ground Water
Volatile Organic Compounds

Sample Location	GW40	GW20	GW40
Sample Date	10/23/90	12/11/90	12/11/90
Concentration Units	mg/l	mg/l	mg/l
1,1,1-Trichloroethane	0.00025 ND	0.00025 ND	0.00025 ND
1,1,1-Trichloroethane/1,2-Dichloroethane	-	-	-
1,1,1,2,2-Tetrachloroethane	0.00035 ND	0.00035 ND	0.00035 ND
1,1,2-Trichloroethane	0.00025 ND	0.00025 ND	0.00025 ND
1,1-Dichloroethane	0.00065 ND	0.00065 ND	0.00065 ND
1,1-Dichloroethene	0.00025 ND	0.00025 ND	0.00025 ND
1,2-Dichloroethane	0.00025 ND	0.00025 ND	0.00025 ND
1,2-Dichloroethene	-	-	0.0028
1,2-Dichloropropane	0.00025 ND	0.00025 ND	0.00025 ND
2-Hexanone	-	0.0025 ND	0.0025 ND
Acetone	-	0.0025 ND	0.0025 ND
Benzene	0.00025 ND	0.00025 ND	0.00025 ND
Bromodichloromethane	0.00025 ND	0.00025 ND	0.00025 ND
Bromoform	0.00035 ND	0.00035 ND	0.00035 ND
Carbon disulfide	-	0.0025 ND	0.0025 ND
Carbon tetrachloride	0.00025 ND	0.00025 ND	0.00025 ND
Chlorobenzene	0.0005 ND	0.0005 ND	0.0005 ND
Chloroform	0.00025 ND	0.00025 ND	0.00025 ND
Chloromethane	0.0011 ND	0.0011 ND	0.0011 ND
Dibromochloromethane	0.00025 ND	0.00025 ND	0.00025 ND
Dichlorodifluoromethane	0.00085 ND	0.00085 ND	0.00085 ND
Dichloromethane	0.00045 ND	0.00045 ND	0.00045 ND
Ethylbenzene	0.00065 ND	0.00065 ND	0.00065 ND
Isopropylacetone	0.0051	0.0025 ND	0.0025 ND
Methyl ethyl ketone	-	0.001 ND	0.001 ND
Tetrachloroethene	0.00025 ND	0.00025 ND	0.00025 ND
Toluene	0.00045 ND	0.00045 ND	0.00045 ND
Trichloroethene	0.0028	0.00025 ND	0.011
Vinyl acetate	-	0.0025 ND	0.0025 ND
Vinyl chloride	0.00025 ND	0.00025 ND	0.00025 ND
Xylenes	0.00165 ND	0.00165 ND	0.00165 ND
cis-1,2-Dichloroethene	0.001	0.00025 ND	0.00025 ND
trans-1,2-Dichloroethene	0.0004 ND	0.00025 ND	0.00025 ND
trans-1,2-Dichloroethene/1,1 Dichloroethane	-	-	-

"-" = Not analyzed

ND = Non-detect; Values represent one-half of the detection limit

Data Tables
Residential North Ground Water
Volatile Organic Compounds

Sample Location	GW41	GW27	GW34	GW40	GW40	GW20
Sample Date	12/11/90	12/12/90	12/13/90	01/03/91	02/05/91	03/05/91
Concentration Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
1,1,1-Trichloroethane	0.0005 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
1,1,1-Trichloroethane/1,2-Dichloroethane	-	-	-	-	-	-
1,1,2,2-Tetrachloroethane	0.0005 ND	0.00035 ND	0.00035 ND	0.00035 ND	0.00035 ND	0.00035 ND
1,1,2-Trichloroethane	0.00075 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
1,1-Dichloroethane	0.00075 ND	0.00065 ND	0.00065 ND	0.00065 ND	0.00065 ND	0.00065 ND
1,1-Dichloroethene	0.00075 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
1,2-Dichloroethane	0.00075 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
1,2-Dichloroethene	0.0023	-	-	-	0.02	-
1,2-Dichloropropane	0.00175 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
2-Hexanone	0.005 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND
Acetone	0.005 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND
Benzene	0.0005 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Bromodichloromethane	0.0005 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Bromoform	0.0005 ND	0.00035 ND	0.00035 ND	0.00035 ND	0.00035 ND	0.00035 ND
Carbon disulfide	0.005 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND
Carbon tetrachloride	0.0005 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Chlorobenzene	0.00175 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Chloroform	0.00075 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Chloromethane	0.005 ND	0.0011 ND	0.0011 ND	0.0011 ND	0.0011 ND	0.0011 ND
Dibromochloromethane	0.0005 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Dichlorodifluoromethane	0.005 ND	0.00085 ND	0.00085 ND	0.00085 ND	0.00085 ND	0.00085 ND
Dichloromethane	0.0025 ND	0.00045 ND	0.00045 ND	0.00045 ND	0.00045 ND	0.00045 ND
Ethylbenzene	0.0005 ND	0.00065 ND	0.00065 ND	0.00065 ND	0.00065 ND	0.00065 ND
Isopropylacetone	0.005 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND
Methyl ethyl ketone	0.00225 ND	0.001 ND	0.001 ND	0.001 ND	0.001 ND	0.001 ND
Tetrachloroethene	0.00075 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Toluene	0.00075 ND	0.00045 ND	0.00045 ND	0.00045 ND	0.00045 ND	0.00045 ND
Trichloroethene	0.049	0.00025 ND	0.00025 ND	0.0097	0.14	0.00025 ND
Vinyl acetate	0.005 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND
Vinyl chloride	0.00175 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Xylenes	0.0005 ND	0.00165 ND	0.00165 ND	0.00165 ND	0.00165 ND	0.00165 ND
cis-1,2-Dichloroethene	0.0005 ND	0.00025 ND	0.00025 ND	0.00025 ND	-	0.00025 ND
trans-1,2-Dichloroethene	0.00075 ND	0.00025 ND	0.00025 ND	0.00025 ND	-	0.00025 ND
trans-1,2-Dichloroethene/1,1 Dichloroethane	-	-	-	-	-	-

"-" = Not analyzed

ND = Non-detect; Values represent one-half of the detection limit

Data Tables
Residential North Ground Water
Volatile Organic Compounds

Sample Location	GW40	GW41	GW27	GW34	GW40	GW41
Sample Date	03/05/91	03/05/91	03/06/91	03/06/91	04/04/91	04/04/91
Concentration Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
1,1,1-Trichloroethane	0.00025 ND	0.0005 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.0005 ND
1,1,1-Trichloroethane/1,2-Dichloroethane	-	-	-	-	-	-
1,1,2,2-Tetrachloroethane	0.00035 ND	0.0005 ND	0.00035 ND	0.00035 ND	0.00035 ND	0.0005 ND
1,1,2-Trichloroethane	0.00025 ND	0.00075 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00075 ND
1,1-Dichloroethane	0.00065 ND	0.00075 ND	0.00065 ND	0.00065 ND	0.00065 ND	0.00075 ND
1,1-Dichloroethene	0.00025 ND	0.00075 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00075 ND
1,2-Dichloroethane	0.00025 ND	0.00075 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00075 ND
1,2-Dichloroethene	0.054	-	-	-	0.044	0.003
1,2-Dichloropropane	0.00025 ND	0.00175 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00175 ND
2-Hexanone	0.0025 ND	0.005 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.005 ND
Acetone	0.0025 ND	0.005 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.005 ND
Benzene	0.00025 ND	0.0005 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.0005 ND
Bromodichloromethane	0.00025 ND	0.0005 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.0005 ND
Bromoform	0.00035 ND	0.0005 ND	0.00035 ND	0.00035 ND	0.00035 ND	0.0005 ND
Carbon disulfide	0.0025 ND	0.005 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.005 ND
Carbon tetrachloride	0.00025 ND	0.0005 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.0005 ND
Chlorobenzene	0.0005 ND	0.00175 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.00175 ND
Chloroform	0.00025 ND	0.00075 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00075 ND
Chloromethane	0.0011 ND	0.005 ND	0.0011 ND	0.0011 ND	0.0011 ND	0.005 ND
Dibromochloromethane	0.00025 ND	0.0005 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.0005 ND
Dichlorodifluoromethane	0.00085 ND	0.005 ND	0.00085 ND	0.00085 ND	0.00085 ND	0.005 ND
Dichloromethane	0.00045 ND	0.0025 ND	0.00045 ND	0.00045 ND	0.00045 ND	0.0025 ND
Ethylbenzene	0.00065 ND	0.0005 ND	0.00065 ND	0.00065 ND	0.00065 ND	0.0005 ND
Isopropylacetone	0.0025 ND	0.005 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.005 ND
Methyl ethyl ketone	0.001 ND	0.00225 ND	0.001 ND	0.001 ND	0.001 ND	0.00225 ND
Tetrachloroethene	0.00025 ND	0.00075 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00075 ND
Toluene	0.0054	0.00075 ND	0.00045 ND	0.00045 ND	0.00045 ND	0.00075 ND
Trichloroethene	0.096	0.052	0.00025 ND	0.00025 ND	-	0.062
Vinyl acetate	0.0025 ND	0.005 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.005 ND
Vinyl chloride	0.00025 ND	0.00175 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00175 ND
Xylenes	0.00165 ND	0.0005 ND	0.00165 ND	0.00165 ND	0.00165 ND	0.0005 ND
cis-1,2-Dichloroethene	-	0.0005 ND	0.00025 ND	0.00025 ND	-	-
trans-1,2-Dichloroethene	-	0.00075 ND	0.00025 ND	0.00025 ND	0.00025 ND	-
trans-1,2-Dichloroethene/1,1 Dichloroethane	-	-	-	-	-	-

"-" = Not analyzed

ND = Non-detect; Values represent one-half of the detection limit

Data Tables
Residential North Ground Water
Volatile Organic Compounds

Sample Location	GW40	GW20	GW27	GW34	GW40	GW41
Sample Date	05/09/91	06/06/91	06/06/91	06/06/91	06/06/91	06/07/91
Concentration Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
1,1,1-Trichloroethane	0.0005 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.0005 ND	0.0005 ND
1,1,1-Trichloroethane/1,2-Dichloroethane	-	-	-	-	-	-
1,1,2,2-Tetrachloroethane	0.0005 ND	0.00035 ND	0.00035 ND	0.00035 ND	0.0005 ND	0.0005 ND
1,1,2-Trichloroethane	0.00075 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00075 ND	0.00075 ND
1,1-Dichloroethane	0.00075 ND	0.00065 ND	0.00065 ND	0.00065 ND	0.00075 ND	0.00075 ND
1,1-Dichloroethene	0.00075 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00075 ND	0.00075 ND
1,2-Dichloroethane	0.00075 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00075 ND	0.00075 ND
1,2-Dichloroethene	0.032	-	-	-	0.013	-
1,2-Dichloropropane	0.00175 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00175 ND	0.00175 ND
2-Hexanone	0.005 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.005 ND	0.005 ND
Acetone	0.005 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.005 ND	0.005 ND
Benzene	0.0005 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.0005 ND	0.0005 ND
Bromodichloromethane	0.0005 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.0005 ND	0.0005 ND
Bromoform	0.0005 ND	0.00035 ND	0.00035 ND	0.00035 ND	0.0005 ND	0.0005 ND
Carbon disulfide	0.005 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.005 ND	0.005 ND
Carbon tetrachloride	0.0005 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.0005 ND	0.0005 ND
Chlorobenzene	0.00175 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.00175 ND	0.00175 ND
Chloroform	0.00075 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00075 ND	0.00075 ND
Chloromethane	0.005 ND	0.0011 ND	0.0011 ND	0.0011 ND	0.005 ND	0.005 ND
Dibromochloromethane	0.0005 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.0005 ND	0.0005 ND
Dichlorodifluoromethane	0.005 ND	0.00085 ND	0.00085 ND	0.00085 ND	0.005 ND	0.005 ND
Dichloromethane	0.0025 ND	0.00045 ND	0.00045 ND	0.00045 ND	0.0025 ND	0.0025 ND
Ethylbenzene	0.0005 ND	0.00065 ND	0.00065 ND	0.00065 ND	0.0005 ND	0.0005 ND
Isopropylacetone	0.005 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.005 ND	0.005 ND
Methyl ethyl ketone	0.00225 ND	0.001 ND	0.001 ND	0.001 ND	0.00225 ND	0.00225 ND
Tetrachloroethene	0.00075 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00075 ND	0.00075 ND
Toluene	0.00075 ND	0.00045 ND	0.00045 ND	0.00045 ND	0.00075 ND	0.00075 ND
Trichloroethene	0.17	0.00025 ND	0.00025 ND	0.00025 ND	0.067	0.064
Vinyl acetate	0.005 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.005 ND	0.005 ND
Vinyl chloride	0.00175 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00175 ND	0.00175 ND
Xylenes	0.0005 ND	0.00165 ND	0.00165 ND	0.00165 ND	0.0005 ND	0.0005 ND
cis-1,2-Dichloroethene	-	0.00025 ND	0.00025 ND	0.00025 ND	-	0.0033
trans-1,2-Dichloroethene	-	0.00025 ND	0.00025 ND	0.00025 ND	-	0.00075 ND
trans-1,2-Dichloroethene/1,1 Dichloroethane	-	-	-	-	-	-

"-" = Not analyzed

ND = Non-detect; Values represent one-half of the detection limit

Data Tables
Residential North Ground Water
Volatile Organic Compounds

Sample Location	GW42	GW43	GW44	GW40	GW40T	GW40
Sample Date	06/07/91	06/07/91	06/07/91	07/05/91	07/05/91	08/22/91
Concentration Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
1,1,1-Trichloroethane	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.0005 ND
1,1,1-Trichloroethane/1,2-Dichloroethane	-	-	-	-	-	-
1,1,2,2-Tetrachloroethane	0.00035 ND	0.00035 ND	0.00035 ND	0.00035 ND	0.00035 ND	0.0005 ND
1,1,2-Trichloroethane	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00075 ND
1,1-Dichloroethane	0.00065 ND	0.00065 ND	0.00065 ND	0.00065 ND	0.00065 ND	0.00075 ND
1,1-Dichloroethene	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00075 ND
1,2-Dichloroethane	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00075 ND
1,2-Dichloroethene	-	-	-	-	-	-
1,2-Dichloropropane	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00175 ND
2-Hexanone	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.005 ND
Acetone	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.005 ND
Benzene	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.0005 ND
Bromodichloromethane	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.0005 ND
Bromoform	0.00035 ND	0.00035 ND	0.00035 ND	0.00035 ND	0.00035 ND	0.0005 ND
Carbon disulfide	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.005 ND
Carbon tetrachloride	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.0005 ND
Chlorobenzene	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.00175 ND
Chloroform	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00075 ND
Chloromethane	0.0011 ND	0.0011 ND	0.0011 ND	0.0011 ND	0.0011 ND	0.005 ND
Dibromochloromethane	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.0005 ND
Dichlorodifluoromethane	0.00085 ND	0.00085 ND	0.00085 ND	0.00085 ND	0.00085 ND	0.005 ND
Dichloromethane	0.00045 ND	0.00045 ND	0.00045 ND	0.00045 ND	0.00045 ND	0.0025 ND
Ethylbenzene	0.00065 ND	0.00065 ND	0.00065 ND	0.00065 ND	0.00065 ND	0.0005 ND
Isopropylacetone	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.005 ND
Methyl ethyl ketone	0.001 ND	0.001 ND	0.001 ND	0.001 ND	0.001 ND	0.00225 ND
Tetrachloroethene	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00075 ND
Toluene	0.00045 ND	0.00045 ND	0.00045 ND	0.00045 ND	0.00045 ND	0.00075 ND
Trichloroethene	0.00025 ND	0.00025 ND	0.00025 ND	0.052	0.00025 ND	0.034
Vinyl acetate	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.005 ND
Vinyl chloride	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00175 ND
Xylenes	0.00165 ND	0.00165 ND	0.00165 ND	0.00165 ND	0.00165 ND	0.0005 ND
cis-1,2-Dichloroethene	0.00025 ND	0.00025 ND	0.00025 ND	0.0063	0.00025 ND	0.0049
trans-1,2-Dichloroethene	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00075 ND
trans-1,2-Dichloroethene/1,1 Dichloroethane	-	-	-	-	-	-

"-" = Not analyzed

ND = Non-detect; Values represent one-half of the detection limit

Data Tables
Residential North Ground Water
Volatile Organic Compounds

Sample Location	GW40B	GW40T	GW45	GW46	GW48	GW50
Sample Date	08/22/91	08/22/91	08/22/91	08/22/91	08/23/91	08/23/91
Concentration Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
1,1,1-Trichloroethane	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
1,1,1-Trichloroethane/1,2-Dichloroethane	-	-	-	-	-	-
1,1,2,2-Tetrachloroethane	0.00035 ND	0.00035 ND	0.00035 ND	0.00035 ND	0.00035 ND	0.00035 ND
1,1,2-Trichloroethane	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
1,1-Dichloroethane	0.00065 ND	0.00065 ND	0.00065 ND	0.00065 ND	0.00065 ND	0.00065 ND
1,1-Dichloroethene	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
1,2-Dichloroethane	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
1,2-Dichloroethene	-	-	-	-	-	-
1,2-Dichloropropane	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
2-Hexanone	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND
Acetone	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND
Benzene	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Bromodichloromethane	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Bromoform	0.00035 ND	0.00035 ND	0.00035 ND	0.00035 ND	0.00035 ND	0.00035 ND
Carbon disulfide	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND
Carbon tetrachloride	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Chlorobenzene	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Chloroform	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Chloromethane	0.0011 ND	0.0011 ND	0.0011 ND	0.0011 ND	0.0011 ND	0.0011 ND
Dibromochloromethane	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Dichlorodifluoromethane	0.00085 ND	0.00085 ND	0.00085 ND	0.00085 ND	0.00085 ND	0.00085 ND
Dichloromethane	0.00045 ND	0.00045 ND	0.00045 ND	0.00045 ND	0.00045 ND	0.00045 ND
Ethylbenzene	0.00065 ND	0.00065 ND	0.00065 ND	0.00065 ND	0.00065 ND	0.00065 ND
Isopropylacetone	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND
Methyl ethyl ketone	0.001 ND	0.001 ND	0.001 ND	0.001 ND	0.001 ND	0.001 ND
Tetrachloroethene	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Toluene	0.00045 ND	0.00045 ND	0.00045 ND	0.00045 ND	0.00045 ND	0.00045 ND
Trichloroethene	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Vinyl acetate	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND
Vinyl chloride	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Xylenes	0.00165 ND	0.00165 ND	0.00165 ND	0.00165 ND	0.00165 ND	0.00165 ND
cis-1,2-Dichloroethene	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
trans-1,2-Dichloroethene	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
trans-1,2-Dichloroethene/1,1 Dichloroethane	-	-	-	-	-	-

“-” = Not analyzed

ND = Non-detect; Values represent one-half of the detection limit

Data Tables
Residential North Ground Water
Volatile Organic Compounds

Sample Location	GW64	GW65	GW66	GW49	GW20	GW34
Sample Date	08/23/91	08/23/91	08/23/91	08/28/91	09/03/91	09/03/91
Concentration Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
1,1,1-Trichloroethane	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
1,1,1-Trichloroethane/1,2-Dichloroethane	-	-	-	-	-	-
1,1,2,2-Tetrachloroethane	0.00035 ND	0.00035 ND	0.00035 ND	0.00035 ND	0.00035 ND	0.00035 ND
1,1,2-Trichloroethane	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
1,1-Dichloroethane	0.00065 ND	0.00065 ND	0.00065 ND	0.00065 ND	0.00065 ND	0.00065 ND
1,1-Dichloroethene	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
1,2-Dichloroethane	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
1,2-Dichloroethene	-	-	-	-	-	-
1,2-Dichloropropane	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
2-Hexanone	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND
Acetone	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND
Benzene	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Bromodichloromethane	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Bromoform	0.00035 ND	0.00035 ND	0.00035 ND	0.00035 ND	0.00035 ND	0.00035 ND
Carbon disulfide	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND
Carbon tetrachloride	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Chlorobenzene	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Chloroform	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Chloromethane	0.0011 ND	0.0011 ND	0.0011 ND	0.0011 ND	0.0011 ND	0.0011 ND
Dibromochloromethane	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Dichlorodifluoromethane	0.00085 ND	0.00085 ND	0.00085 ND	0.00085 ND	0.00085 ND	0.00085 ND
Dichloromethane	0.00045 ND	0.00045 ND	0.00045 ND	0.00045 ND	0.00045 ND	0.00045 ND
Ethylbenzene	0.00065 ND	0.00065 ND	0.00065 ND	0.00065 ND	0.00065 ND	0.00065 ND
Isopropylacetone	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND
Methyl ethyl ketone	0.001 ND	0.001 ND	0.001 ND	0.001 ND	0.001 ND	0.001 ND
Tetrachloroethene	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Toluene	0.00045 ND	0.00045 ND	0.00045 ND	0.00045 ND	0.00045 ND	0.00045 ND
Trichloroethene	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Vinyl acetate	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND
Vinyl chloride	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Xylenes	0.00165 ND	0.00165 ND	0.00165 ND	0.00165 ND	0.00165 ND	0.00165 ND
cis-1,2-Dichloroethene	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
trans-1,2-Dichloroethene	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
trans-1,2-Dichloroethene/1,1 Dichloroethane	-	-	-	-	-	-

"-" = Not analyzed

ND = Non-detect; Values represent one-half of the detection limit

Data Tables
Residential North Ground Water
Volatile Organic Compounds

Sample Location	GW40	GW40T	GW27	GW43	GW44	GW47
Sample Date	09/03/91	09/03/91	09/05/91	09/05/91	09/05/91	09/24/91
Concentration Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
1,1,1-Trichloroethane	0.0005 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
1,1,1-Trichloroethane/1,2-Dichloroethane	-	-	-	-	-	-
1,1,2,2-Tetrachloroethane	0.0005 ND	0.00035 ND	0.00035 ND	0.00035 ND	0.00035 ND	0.00035 ND
1,1,2-Trichloroethane	0.00075 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
1,1-Dichloroethane	0.00075 ND	0.00065 ND	0.00065 ND	0.00065 ND	0.00065 ND	0.00065 ND
1,1-Dichloroethene	0.00075 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
1,2-Dichloroethane	0.00075 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
1,2-Dichloroethene	-	-	-	-	-	-
1,2-Dichloropropane	0.00175 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
2-Hexanone	0.005 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND
Acetone	0.005 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND
Benzene	0.0005 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.0024
Bromodichloromethane	0.0005 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Bromoform	0.0005 ND	0.00035 ND	0.00035 ND	0.00035 ND	0.00035 ND	0.00035 ND
Carbon disulfide	0.005 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND
Carbon tetrachloride	0.0005 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Chlorobenzene	0.00175 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Chloroform	0.00075 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Chloromethane	0.005 ND	0.0011 ND	0.0011 ND	0.0011 ND	0.0011 ND	0.0011 ND
Dibromochloromethane	0.0005 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Dichlorodifluoromethane	0.005 ND	0.00085 ND	0.00085 ND	0.00085 ND	0.00085 ND	0.00085 ND
Dichloromethane	0.0025 ND	0.00045 ND	0.00045 ND	0.00045 ND	0.00045 ND	0.00045 ND
Ethylbenzene	0.0005 ND	0.00065 ND	0.00065 ND	0.00065 ND	0.00065 ND	0.00065 ND
Isopropylacetone	0.005 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND
Methyl ethyl ketone	0.00225 ND	0.001 ND	0.001 ND	0.001 ND	0.001 ND	0.001 ND
Tetrachloroethene	0.00075 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Toluene	0.00075 ND	0.00045 ND	0.00045 ND	0.00045 ND	0.00045 ND	0.00045 ND
Trichloroethene	0.026	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Vinyl acetate	0.005 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND
Vinyl chloride	0.00175 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Xylenes	0.0005 ND	0.00165 ND	0.00165 ND	0.00165 ND	0.00165 ND	0.00165 ND
cis-1,2-Dichloroethene	0.0038	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
trans-1,2-Dichloroethene	0.00075 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
trans-1,2-Dichloroethene/1,1 Dichloroethane	-	-	-	-	-	-

"-" = Not analyzed

ND = Non-detect; Values represent one-half of the detection limit

Data Tables
Residential North Ground Water
Volatile Organic Compounds

Sample Location	GW67
Sample Date	09/24/91
Concentration Units	mg/l
1,1,1-Trichloroethane	0.00025 ND
1,1,1-Trichloroethane/1,2-Dichloroethane	-
1,1,2,2-Tetrachloroethane	0.00035 ND
1,1,2-Trichloroethane	0.00025 ND
1,1-Dichloroethane	0.00065 ND
1,1-Dichloroethene	0.00025 ND
1,2-Dichloroethane	0.00025 ND
1,2-Dichloroethene	-
1,2-Dichloropropane	0.00025 ND
2-Hexanone	0.0025 ND
Acetone	0.0025 ND
Benzene	0.25
Bromodichloromethane	0.00025 ND
Bromoform	0.00035 ND
Carbon disulfide	0.0025 ND
Carbon tetrachloride	0.00025 ND
Chlorobenzene	0.0005 ND
Chloroform	0.00025 ND
Chloromethane	0.0011 ND
Dibromochloromethane	0.00025 ND
Dichlorodifluoromethane	0.00085 ND
Dichloromethane	0.00045 ND
Ethylbenzene	0.011
Isopropylacetone	0.0025 ND
Methyl ethyl ketone	0.001 ND
Tetrachloroethene	0.00025 ND
Toluene	0.0052
Trichloroethene	0.00025 ND
Vinyl acetate	0.0025 ND
Vinyl chloride	0.00025 ND
Xylenes	0.00165 ND
cis-1,2-Dichloroethene	0.00025 ND
trans-1,2-Dichloroethene	0.00025 ND
trans-1,2-Dichloroethene/1,1 Dichloroethane	-

"-" = Not analyzed

ND = Non-detect; Values represent one-half of the detection limit

Data Tables
Residential North Ground Water
Volatile Organic Compounds

Sample Location	GW41	GW27	GW34	GW40	GW40	GW20
Sample Date	12/11/90	12/12/90	12/13/90	01/03/91	02/05/91	03/05/91
Concentration Units	mg/l					
1,1,1-Trichloroethane	0.0005 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
1,1,1-Trichloroethane/1,2-Dichloroethane	-	-	-	-	-	-
1,1,2,2-Tetrachloroethane	0.0005 ND	0.00035 ND	0.00035 ND	0.00035 ND	0.00035 ND	0.00035 ND
1,1,2-Trichloroethane	0.00075 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
1,1-Dichloroethane	0.00075 ND	0.00065 ND	0.00065 ND	0.00065 ND	0.00065 ND	0.00065 ND
1,1-Dichloroethene	0.00075 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
1,2-Dichloroethane	0.00075 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
1,2-Dichloroethene	0.0023	-	-	-	0.02	-
1,2-Dichloropropane	0.00175 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
2-Hexanone	0.005 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND
Acetone	0.005 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND
Benzene	0.0005 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Bromodichloromethane	0.0005 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Bromoform	0.0005 ND	0.00035 ND	0.00035 ND	0.00035 ND	0.00035 ND	0.00035 ND
Carbon disulfide	0.005 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND
Carbon tetrachloride	0.0005 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Chlorobenzene	0.00175 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Chloroform	0.00075 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Chloromethane	0.005 ND	0.0011 ND	0.0011 ND	0.0011 ND	0.0011 ND	0.0011 ND
Dibromochloromethane	0.0005 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Dichlorodifluoromethane	0.005 ND	0.00085 ND	0.00085 ND	0.00085 ND	0.00085 ND	0.00085 ND
Dichloromethane	0.0025 ND	0.00045 ND	0.00045 ND	0.00045 ND	0.00045 ND	0.00045 ND
Ethylbenzene	0.0005 ND	0.00065 ND	0.00065 ND	0.00065 ND	0.00065 ND	0.00065 ND
Isopropylacetone	0.005 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND
Methyl ethyl ketone	0.00225 ND	0.001 ND	0.001 ND	0.001 ND	0.001 ND	0.001 ND
Tetrachloroethene	0.00075 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Toluene	0.00075 ND	0.00045 ND	0.00045 ND	0.00045 ND	0.00045 ND	0.00045 ND
Trichloroethene	0.049	0.00025 ND	0.00025 ND	0.0097	0.14	0.00025 ND
Vinyl acetate	0.005 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND
Vinyl chloride	0.00175 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Xylenes	0.0005 ND	0.00165 ND	0.00165 ND	0.00165 ND	0.00165 ND	0.00165 ND
cis-1,2-Dichloroethene	0.0005 ND	0.00025 ND	0.00025 ND	0.00025 ND	-	0.00025 ND
trans-1,2-Dichloroethene	0.00075 ND	0.00025 ND	0.00025 ND	0.00025 ND	-	0.00025 ND
trans-1,2-Dichloroethene/1,1 Dichloroethane	-	-	-	-	-	-

"-" = Not analyzed

ND = Non-detect; Values represent one-half of the detection limit

Data Tables
Residential North Ground Water
Volatile Organic Compounds

Sample Location	GW40	GW41	GW27	GW34	GW40	GW41
Sample Date	03/05/91	03/05/91	03/06/91	03/06/91	04/04/91	04/04/91
Concentration Units						
1,1,1-Trichloroethane	0.00025 ND	0.0005 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.0005 ND
1,1,1-Trichloroethane/1,2-Dichloroethane	-	-	-	-	-	-
1,1,2,2-Tetrachloroethane	0.00035 ND	0.0005 ND	0.00035 ND	0.00035 ND	0.00035 ND	0.0005 ND
1,1,2-Trichloroethane	0.00025 ND	0.00075 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00075 ND
1,1-Dichloroethane	0.00065 ND	0.00075 ND	0.00065 ND	0.00065 ND	0.00065 ND	0.00075 ND
1,1-Dichloroethene	0.00025 ND	0.00075 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00075 ND
1,2-Dichloroethane	0.00025 ND	0.00075 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00075 ND
1,2-Dichloroethene	0.054	-	-	-	0.044	0.003
1,2-Dichloropropane	0.00025 ND	0.00175 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00175 ND
2-Hexanone	0.0025 ND	0.005 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.005 ND
Acetone	0.0025 ND	0.005 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.005 ND
Benzene	0.00025 ND	0.0005 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.0005 ND
Bromodichloromethane	0.00025 ND	0.0005 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.0005 ND
Bromoform	0.00035 ND	0.0005 ND	0.00035 ND	0.00035 ND	0.00035 ND	0.0005 ND
Carbon disulfide	0.0025 ND	0.005 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.005 ND
Carbon tetrachloride	0.00025 ND	0.0005 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.0005 ND
Chlorobenzene	0.0005 ND	0.00175 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.00175 ND
Chloroform	0.00025 ND	0.00075 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00075 ND
Chloromethane	0.0011 ND	0.005 ND	0.0011 ND	0.0011 ND	0.0011 ND	0.005 ND
Dibromochloromethane	0.00025 ND	0.0005 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.0005 ND
Dichlorodifluoromethane	0.00085 ND	0.005 ND	0.00085 ND	0.00085 ND	0.00085 ND	0.005 ND
Dichloromethane	0.00045 ND	0.0025 ND	0.00045 ND	0.00045 ND	0.00045 ND	0.0025 ND
Ethylbenzene	0.00065 ND	0.0005 ND	0.00065 ND	0.00065 ND	0.00065 ND	0.0005 ND
Isopropylacetone	0.0025 ND	0.005 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.005 ND
Methyl ethyl ketone	0.001 ND	0.00225 ND	0.001 ND	0.001 ND	0.001 ND	0.00225 ND
Tetrachloroethene	0.00025 ND	0.00075 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00075 ND
Toluene	0.0054	0.00075 ND	0.00045 ND	0.00045 ND	0.00045 ND	0.00075 ND
Trichloroethene	0.096	0.052	0.00025 ND	0.00025 ND	-	0.062
Vinyl acetate	0.0025 ND	0.005 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.005 ND
Vinyl chloride	0.00025 ND	0.00175 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00175 ND
Xylenes	0.00165 ND	0.0005 ND	0.00165 ND	0.00165 ND	0.00165 ND	0.0005 ND
cis-1,2-Dichloroethene	-	0.0005 ND	0.00025 ND	0.00025 ND	-	-
trans-1,2-Dichloroethene	-	0.00075 ND	0.00025 ND	0.00025 ND	0.00025 ND	-
trans-1,2-Dichloroethene/1,1 Dichloroethane	-	-	-	-	-	-

"-" = Not analyzed

ND = Non-detect; Values represent one-half of the detection limit

Data Tables
Residential North Ground Water
Volatile Organic Compounds

Sample Location	GW40	GW20	GW27	GW34	GW40	GW41
Sample Date	05/09/91	06/06/91	06/06/91	06/06/91	06/06/91	06/07/91
Concentration Units						
1,1,1-Trichloroethane	0.0005 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.0005 ND	0.0005 ND
1,1,1-Trichloroethane/1,2-Dichloroethane	-	-	-	-	-	-
1,1,2,2-Tetrachloroethane	0.0005 ND	0.00035 ND	0.00035 ND	0.00035 ND	0.0005 ND	0.0005 ND
1,1,2-Trichloroethane	0.00075 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00075 ND	0.00075 ND
1,1-Dichloroethane	0.00075 ND	0.00065 ND	0.00065 ND	0.00065 ND	0.00075 ND	0.00075 ND
1,1-Dichloroethene	0.00075 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00075 ND	0.00075 ND
1,2-Dichloroethane	0.00075 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00075 ND	0.00075 ND
1,2-Dichloroethene	0.032	-	-	-	0.013	-
1,2-Dichloropropane	0.00175 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00175 ND	0.00175 ND
2-Hexanone	0.005 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.005 ND	0.005 ND
Acetone	0.005 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.005 ND	0.005 ND
Benzene	0.0005 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.0005 ND	0.0005 ND
Bromodichloromethane	0.0005 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.0005 ND	0.0005 ND
Bromoform	0.0005 ND	0.00035 ND	0.00035 ND	0.00035 ND	0.0005 ND	0.0005 ND
Carbon disulfide	0.005 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.005 ND	0.005 ND
Carbon tetrachloride	0.0005 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.0005 ND	0.0005 ND
Chlorobenzene	0.00175 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.00175 ND	0.00175 ND
Chloroform	0.00075 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00075 ND	0.00075 ND
Chloromethane	0.005 ND	0.0011 ND	0.0011 ND	0.0011 ND	0.005 ND	0.005 ND
Dibromochloromethane	0.0005 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.0005 ND	0.0005 ND
Dichlorodifluoromethane	0.005 ND	0.00085 ND	0.00085 ND	0.00085 ND	0.005 ND	0.005 ND
Dichloromethane	0.0025 ND	0.00045 ND	0.00045 ND	0.00045 ND	0.0025 ND	0.0025 ND
Ethylbenzene	0.0005 ND	0.00065 ND	0.00065 ND	0.00065 ND	0.0005 ND	0.0005 ND
Isopropylacetone	0.005 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.005 ND	0.005 ND
Methyl ethyl ketone	0.00225 ND	0.001 ND	0.001 ND	0.001 ND	0.00225 ND	0.00225 ND
Tetrachloroethene	0.00075 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00075 ND	0.00075 ND
Toluene	0.00075 ND	0.00045 ND	0.00045 ND	0.00045 ND	0.00075 ND	0.00075 ND
Trichloroethene	0.17	0.00025 ND	0.00025 ND	0.00025 ND	0.067	0.064
Vinyl acetate	0.005 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.005 ND	0.005 ND
Vinyl chloride	0.00175 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00175 ND	0.00175 ND
Xylenes	0.0005 ND	0.00165 ND	0.00165 ND	0.00165 ND	0.0005 ND	0.0005 ND
cis-1,2-Dichloroethene	-	0.00025 ND	0.00025 ND	0.00025 ND	-	0.0033
trans-1,2-Dichloroethene	-	0.00025 ND	0.00025 ND	0.00025 ND	-	0.00075 ND
trans-1,2-Dichloroethene/1,1 Dichloroethane	-	-	-	-	-	-

"-" = Not analyzed

ND = Non-detect; Values represent one-half of the detection limit

Data Tables
Residential North Ground Water
Volatile Organic Compounds

Sample Location	GW42	GW43	GW44	GW40	GW40T	GW40
Sample Date	06/07/91	06/07/91	06/07/91	07/05/91	07/05/91	08/22/91
Concentration Units						
1,1,1-Trichloroethane	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.0005 ND
1,1,1-Trichloroethane/1,2-Dichloroethane	-	-	-	-	-	-
1,1,2,2-Tetrachloroethane	0.00035 ND	0.00035 ND	0.00035 ND	0.00035 ND	0.00035 ND	0.0005 ND
1,1,2-Trichloroethane	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00075 ND
1,1-Dichloroethane	0.00065 ND	0.00065 ND	0.00065 ND	0.00065 ND	0.00065 ND	0.00075 ND
1,1-Dichloroethene	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00075 ND
1,2-Dichloroethane	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00075 ND
1,2-Dichloroethene	-	-	-	-	-	-
1,2-Dichloropropane	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00175 ND
2-Hexanone	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.005 ND
Acetone	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.005 ND
Benzene	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.0005 ND
Bromodichloromethane	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.0005 ND
Bromoform	0.00035 ND	0.00035 ND	0.00035 ND	0.00035 ND	0.00035 ND	0.0005 ND
Carbon disulfide	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.005 ND
Carbon tetrachloride	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.0005 ND
Chlorobenzene	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.00175 ND
Chloroform	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00075 ND
Chloromethane	0.0011 ND	0.0011 ND	0.0011 ND	0.0011 ND	0.0011 ND	0.005 ND
Dibromochloromethane	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.0005 ND
Dichlorodifluoromethane	0.00085 ND	0.00085 ND	0.00085 ND	0.00085 ND	0.00085 ND	0.005 ND
Dichloromethane	0.00045 ND	0.00045 ND	0.00045 ND	0.00045 ND	0.00045 ND	0.0025 ND
Ethylbenzene	0.00065 ND	0.00065 ND	0.00065 ND	0.00065 ND	0.00065 ND	0.0005 ND
Isopropylacetone	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.005 ND
Methyl ethyl ketone	0.001 ND	0.001 ND	0.001 ND	0.001 ND	0.001 ND	0.00225 ND
Tetrachloroethene	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00075 ND
Toluene	0.00045 ND	0.00045 ND	0.00045 ND	0.00045 ND	0.00045 ND	0.00075 ND
Trichloroethene	0.00025 ND	0.00025 ND	0.00025 ND	0.052	0.00025 ND	0.034
Vinyl acetate	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.005 ND
Vinyl chloride	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00175 ND
Xylenes	0.00165 ND	0.00165 ND	0.00165 ND	0.00165 ND	0.00165 ND	0.0005 ND
cis-1,2-Dichloroethene	0.00025 ND	0.00025 ND	0.00025 ND	0.0063	0.00025 ND	0.0049
trans-1,2-Dichloroethene	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00075 ND
trans-1,2-Dichloroethene/1,1 Dichloroethane	-	-	-	-	-	-

"-" = Not analyzed

ND = Non-detect; Values represent one-half of the detection limit

Data Tables
Residential North Ground Water
Volatile Organic Compounds

Sample Location	GW40B	GW40T	GW45	GW46	GW48	GW50
Sample Date	08/22/91	08/22/91	08/22/91	08/22/91	08/23/91	08/23/91
Concentration Units						
1,1,1-Trichloroethane	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
1,1,1-Trichloroethane/1,2-Dichloroethane	-	-	-	-	-	-
1,1,1,2-Tetrachloroethane	0.00035 ND	0.00035 ND	0.00035 ND	0.00035 ND	0.00035 ND	0.00035 ND
1,1,2-Trichloroethane	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
1,1-Dichloroethane	0.00065 ND	0.00065 ND	0.00065 ND	0.00065 ND	0.00065 ND	0.00065 ND
1,1-Dichloroethene	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
1,2-Dichloroethane	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
1,2-Dichloroethene	-	-	-	-	-	-
1,2-Dichloropropane	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
2-Hexanone	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND
Acetone	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND
Benzene	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Bromodichloromethane	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Bromoform	0.00035 ND	0.00035 ND	0.00035 ND	0.00035 ND	0.00035 ND	0.00035 ND
Carbon disulfide	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND
Carbon tetrachloride	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Chlorobenzene	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Chloroform	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Chloromethane	0.0011 ND	0.0011 ND	0.0011 ND	0.0011 ND	0.0011 ND	0.0011 ND
Dibromochloromethane	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Dichlorodifluoromethane	0.00085 ND	0.00085 ND	0.00085 ND	0.00085 ND	0.00085 ND	0.00085 ND
Dichloromethane	0.00045 ND	0.00045 ND	0.00045 ND	0.00045 ND	0.00045 ND	0.00045 ND
Ethylbenzene	0.00065 ND	0.00065 ND	0.00065 ND	0.00065 ND	0.00065 ND	0.00065 ND
Isopropylacetone	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND
Methyl ethyl ketone	0.001 ND	0.001 ND	0.001 ND	0.001 ND	0.001 ND	0.001 ND
Tetrachloroethene	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Toluene	0.00045 ND	0.00045 ND	0.00045 ND	0.00045 ND	0.00045 ND	0.00045 ND
Trichloroethene	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Vinyl acetate	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND
Vinyl chloride	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Xylenes	0.00165 ND	0.00165 ND	0.00165 ND	0.00165 ND	0.00165 ND	0.00165 ND
cis-1,2-Dichloroethene	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
trans-1,2-Dichloroethene	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
trans-1,2-Dichloroethene/1,1 Dichloroethane	-	-	-	-	-	-

"-" = Not analyzed

ND = Non-detect; Values represent one-half of the detection limit

Data Tables
Residential North Ground Water
Volatile Organic Compounds

Sample Location	GW64	GW65	GW66	GW49	GW20	GW34
Sample Date	08/23/91	08/23/91	08/23/91	08/28/91	09/03/91	09/03/91
Concentration Units						
1,1,1-Trichloroethane	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
1,1,1-Trichloroethane/1,2-Dichloroethane	-	-	-	-	-	-
1,1,2,2-Tetrachloroethane	0.00035 ND	0.00035 ND	0.00035 ND	0.00035 ND	0.00035 ND	0.00035 ND
1,1,2-Trichloroethane	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
1,1-Dichloroethane	0.00065 ND	0.00065 ND	0.00065 ND	0.00065 ND	0.00065 ND	0.00065 ND
1,1-Dichloroethene	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
1,2-Dichloroethane	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
1,2-Dichloroethene	-	-	-	-	-	-
1,2-Dichloropropane	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
2-Hexanone	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND
Acetone	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND
Benzene	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Bromodichloromethane	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Bromoform	0.00035 ND	0.00035 ND	0.00035 ND	0.00035 ND	0.00035 ND	0.00035 ND
Carbon disulfide	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND
Carbon tetrachloride	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Chlorobenzene	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Chloroform	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Chloromethane	0.0011 ND	0.0011 ND	0.0011 ND	0.0011 ND	0.0011 ND	0.0011 ND
Dibromochloromethane	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Dichlorodifluoromethane	0.00085 ND	0.00085 ND	0.00085 ND	0.00085 ND	0.00085 ND	0.00085 ND
Dichloromethane	0.00045 ND	0.00045 ND	0.00045 ND	0.00045 ND	0.00045 ND	0.00045 ND
Ethylbenzene	0.00065 ND	0.00065 ND	0.00065 ND	0.00065 ND	0.00065 ND	0.00065 ND
Isopropylacetone	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND
Methyl ethyl ketone	0.001 ND	0.001 ND	0.001 ND	0.001 ND	0.001 ND	0.001 ND
Tetrachloroethene	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Toluene	0.00045 ND	0.00045 ND	0.00045 ND	0.00045 ND	0.00045 ND	0.00045 ND
Trichloroethene	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Vinyl acetate	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND
Vinyl chloride	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Xylenes	0.00165 ND	0.00165 ND	0.00165 ND	0.00165 ND	0.00165 ND	0.00165 ND
cis-1,2-Dichloroethene	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
trans-1,2-Dichloroethene	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
trans-1,2-Dichloroethene/1,1 Dichloroethane	-	-	-	-	-	-

"-" = Not analyzed

ND = Non-detect; Values represent one-half of the detection limit

Data Tables
Residential North Ground Water
Volatile Organic Compounds

Sample Location	GW40	GW40T	GW27	GW43	GW44	GW47
Sample Date	09/03/91	09/03/91	09/05/91	09/05/91	09/05/91	09/24/91
Concentration Units						
1,1,1-Trichloroethane	0.0005 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
1,1,1-Trichloroethane/1,2-Dichloroethane	-	-	-	-	-	-
1,1,2,2-Tetrachloroethane	0.0005 ND	0.00035 ND	0.00035 ND	0.00035 ND	0.00035 ND	0.00035 ND
1,1,2-Trichloroethane	0.00075 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
1,1-Dichloroethane	0.00075 ND	0.00065 ND	0.00065 ND	0.00065 ND	0.00065 ND	0.00065 ND
1,1-Dichloroethene	0.00075 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
1,2-Dichloroethane	0.00075 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
1,2-Dichloroethene	-	-	-	-	-	-
1,2-Dichloropropane	0.00175 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
2-Hexanone	0.005 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND
Acetone	0.005 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND
Benzene	0.0005 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.0024
Bromodichloromethane	0.0005 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Bromoform	0.0005 ND	0.00035 ND	0.00035 ND	0.00035 ND	0.00035 ND	0.00035 ND
Carbon disulfide	0.005 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND
Carbon tetrachloride	0.0005 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Chlorobenzene	0.00175 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Chloroform	0.00075 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Chloromethane	0.005 ND	0.0011 ND	0.0011 ND	0.0011 ND	0.0011 ND	0.0011 ND
Dibromochloromethane	0.0005 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Dichlorodifluoromethane	0.005 ND	0.00085 ND	0.00085 ND	0.00085 ND	0.00085 ND	0.00085 ND
Dichloromethane	0.0025 ND	0.00045 ND	0.00045 ND	0.00045 ND	0.00045 ND	0.00045 ND
Ethylbenzene	0.0005 ND	0.00065 ND	0.00065 ND	0.00065 ND	0.00065 ND	0.00065 ND
Isopropylacetone	0.005 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND
Methyl ethyl ketone	0.00225 ND	0.001 ND	0.001 ND	0.001 ND	0.001 ND	0.001 ND
Tetrachloroethene	0.00075 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Toluene	0.00075 ND	0.00045 ND	0.00045 ND	0.00045 ND	0.00045 ND	0.00045 ND
Trichloroethene	0.026	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Vinyl acetate	0.005 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND
Vinyl chloride	0.00175 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Xylenes	0.0005 ND	0.00165 ND	0.00165 ND	0.00165 ND	0.00165 ND	0.00165 ND
cis-1,2-Dichloroethene	0.0038	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
trans-1,2-Dichloroethene	0.00075 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
trans-1,2-Dichloroethene/1,1 Dichloroethane	-	-	-	-	-	-

"-" = Not analyzed

ND = Non-detect; Values represent one-half of the detection limit

Data Tables
Residential North Ground Water
Volatile Organic Compounds

Sample Location	GW67
Sample Date	09/24/91
Concentration Units	
1,1,1-Trichloroethane	0.00025 ND
1,1,1-Trichloroethane/1,2-Dichloroethane	-
1,1,2,2-Tetrachloroethane	0.00035 ND
1,1,2-Trichloroethane	0.00025 ND
1,1-Dichloroethane	0.00065 ND
1,1-Dichloroethene	0.00025 ND
1,2-Dichloroethane	0.00025 ND
1,2-Dichloroethene	-
1,2-Dichloropropane	0.00025 ND
2-Hexanone	0.0025 ND
Acetone	0.0025 ND
Benzene	0.25
Bromodichloromethane	0.00025 ND
Bromoform	0.00035 ND
Carbon disulfide	0.0025 ND
Carbon tetrachloride	0.00025 ND
Chlorobenzene	0.0005 ND
Chloroform	0.00025 ND
Chloromethane	0.0011 ND
Dibromochloromethane	0.00025 ND
Dichlorodifluoromethane	0.00085 ND
Dichloromethane	0.00045 ND
Ethylbenzene	0.011
Isopropylacetone	0.0025 ND
Methyl ethyl ketone	0.001 ND
Tetrachloroethene	0.00025 ND
Toluene	0.0052
Trichloroethene	0.00025 ND
Vinyl acetate	0.0025 ND
Vinyl chloride	0.00025 ND
Xylenes	0.00165 ND
cis-1,2-Dichloroethene	0.00025 ND
trans-1,2-Dichloroethene	0.00025 ND
trans-1,2-Dichloroethene/1,1 Dichloroethane	-

"-" = Not analyzed

ND = Non-detect; Values represent one-half of the
detection limit

Data Tables
Residential North Ground Water
Semi-Volatile Organic Compounds

Sample Location	GW04	GW05	GW07	GW10	GW12A	GW12B	GW10
Sample Date	06/25/86	06/25/86	06/25/86	06/25/86	06/25/86	06/25/86	07/09/86
Concentration Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
1,2-Dichlorobenzene	-	-	-	-	-	-	-
1,3-Dichlorobenzene	-	-	-	-	-	-	-
1,4-Dichlorobenzene	-	-	-	-	-	-	-
2-Chloroethyl vinyl ether	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.333 ND
Hexachlorobutadiene	-	-	-	-	-	-	-
Methyl tert butyl ether (MTBE)	-	-	-	-	-	-	-

"-" = Not analyzed

ND = Non-detect; Values represent one-half
of the detection limit

Data Tables
Residential North Ground Water
Semi-Volatile Organic Compounds

Sample Location	GW10	GW04	GW05	GW07	GW10	GW04	GW05
Sample Date	07/10/86	07/29/86	07/29/86	07/29/86	07/29/86	09/11/86	09/11/86
Concentration Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
1,2-Dichlorobenzene	-	-	-	-	-	0.0005 ND	0.0005 ND
1,3-Dichlorobenzene	-	-	-	-	-	0.0005 ND	0.0005 ND
1,4-Dichlorobenzene	-	-	-	-	-	0.0005 ND	0.0005 ND
2-Chloroethyl vinyl ether	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Hexachlorobutadiene	-	-	-	-	-	-	-
Methyl tert butyl ether (MTBE)	-	-	-	-	-	-	-

"-" = Not analyzed

ND = Non-detect; Values represent one-half
of the detection limit

Data Tables

Residential North Ground Water Semi-Volatile Organic Compounds

Sample Location	GW07	GW10	GW12B	GW04	GW05	GW07	GW10
Sample Date	09/11/86	09/11/86	09/11/86	10/17/86	10/17/86	10/17/86	10/17/86
Concentration Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
1,2-Dichlorobenzene	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
1,3-Dichlorobenzene	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
1,4-Dichlorobenzene	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
2-Chloroethyl vinyl ether	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Hexachlorobutadiene	-	-	-	-	-	-	-
Methyl tert butyl ether (MTBE)	-	-	-	-	-	-	-

"-" = Not analyzed

ND = Non-detect; Values represent one-half
of the detection limit

Data Tables
Residential North Ground Water
Semi-Volatile Organic Compounds

Sample Location	GW12B	GW05	GW07	GW10	GW12	GW10	GW12B
Sample Date	10/17/86	12/19/86	12/19/86	12/19/86	12/19/86	01/21/87	01/21/87
Concentration Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
1,2-Dichlorobenzene	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
1,3-Dichlorobenzene	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
1,4-Dichlorobenzene	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
2-Chloroethyl vinyl ether	0.075 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0279
Hexachlorobutadiene	-	-	-	-	-	-	-
Methyl tert butyl ether (MTBE)	-	-	-	-	-	-	-

"-" = Not analyzed

ND = Non-detect; Values represent one-half
of the detection limit

Data Tables
Residential North Ground Water
Semi-Volatile Organic Compounds

Sample Location	GW04	GW05	GW07	GW10	GW12	GW04	GW05
Sample Date	04/22/87	04/22/87	04/22/87	04/22/87	04/22/87	06/25/87	06/25/87
Concentration Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
1,2-Dichlorobenzene	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
1,3-Dichlorobenzene	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
1,4-Dichlorobenzene	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
2-Chloroethyl vinyl ether	0.0005 ND	0.0005 ND	0.0005 ND	155.5	5.44	0.0005 ND	0.0005 ND
Hexachlorobutadiene	-	-	-	-	-	-	-
Methyl tert butyl ether (MTBE)	-	-	-	-	-	-	-

"-" = Not analyzed

ND = Non-detect; Values represent one-half
of the detection limit

Data Tables
Residential North Ground Water
Semi-Volatile Organic Compounds

Sample Location	GW07	GW12	GW04	GW05	GW07	GW12	GW12
Sample Date	06/25/87	06/25/87	08/24/87	08/24/87	08/24/87	08/24/87	09/16/87
Concentration Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
1,2-Dichlorobenzene	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.00025 ND
1,3-Dichlorobenzene	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.00025 ND
1,4-Dichlorobenzene	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.00025 ND
2-Chloroethyl vinyl ether	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.00025 ND
Hexachlorobutadiene	-	-	-	-	-	-	-
Methyl tert butyl ether (MTBE)	-	-	-	-	-	-	-

"-" = Not analyzed

ND = Non-detect; Values represent one-half
of the detection limit

Data Tables
Residential North Ground Water
Semi-Volatile Organic Compounds

Sample Location	GW12	GW12	GW04	GW05	GW07	GW12	GW12
Sample Date	10/19/87	12/22/87	02/18/88	02/18/88	02/18/88	02/18/88	04/26/88
Concentration Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
1,2-Dichlorobenzene	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
1,3-Dichlorobenzene	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
1,4-Dichlorobenzene	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
2-Chloroethyl vinyl ether	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Hexachlorobutadiene	-	-	-	-	-	-	-
Methyl tert butyl ether (MTBE)	-	-	-	-	-	-	-

"-" = Not analyzed

ND = Non-detect; Values represent one-half
of the detection limit

Data Tables
Residential North Ground Water
Semi-Volatile Organic Compounds

Sample Location	GW12	GW04	GW05	GW07	GW12	GW12	GW04
Sample Date	07/11/88	08/15/88	08/15/88	08/15/88	08/15/88	10/12/88	12/16/88
Concentration Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
1,2-Dichlorobenzene	0.0005 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
1,3-Dichlorobenzene	0.0005 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
1,4-Dichlorobenzene	0.0005 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
2-Chloroethyl vinyl ether	0.0005 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Hexachlorobutadiene	-	-	-	-	-	-	-
Methyl tert butyl ether (MTBE)	-	-	-	-	-	-	-

"-" = Not analyzed

ND = Non-detect; Values represent one-half
of the detection limit

Data Tables
Residential North Ground Water
Semi-Volatile Organic Compounds

Sample Location	GW05	GW07	GW12	GW12	GW12	GW12	GW04	GW07
Sample Date	12/16/88	12/16/88	12/16/88	02/22/89	04/03/89	06/06/89	08/24/89	08/24/89
Concentration Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
1,2-Dichlorobenzene	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025
1,3-Dichlorobenzene	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025
1,4-Dichlorobenzene	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025
2-Chloroethyl vinyl ether	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025
Hexachlorobutadiene	-	-	-	-	-	-	-	-
Methyl tert butyl ether (MTBE)	-	-	-	-	-	-	-	-

"-" = Not analyzed

ND = Non-detect; Values represent one-half
of the detection limit

Data Tables
Residential North Ground Water
Semi-Volatile Organic Compounds

Sample Location		GW04	GW05	GW05	GW07	GW04	GW04	GW04
Sample Date		02/15/90	02/15/90	08/22/90	08/22/90	09/13/90	10/12/90	12/12/90
Concentration Units		mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
1,2-Dichlorobenzene	ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
1,3-Dichlorobenzene	ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
1,4-Dichlorobenzene	ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
2-Chloroethyl vinyl ether	ND	0.00025 ND	0.00025 ND	-	-	-	-	-
Hexachlorobutadiene		-	-	0.00205 ND	0.00205 ND	0.00205 ND	0.00205 ND	0.00205 ND
Methyl tert butyl ether (MTBE)		-	-	-	-	-	0.0025 ND	0.0025 ND

"-" = Not analyzed

ND = Non-detect; Values represent one-half
of the detection limit

Data Tables

Residential North Ground Water Semi-Volatile Organic Compounds

Sample Location	GW12DB1	GW10DB1	GW10DB2	GW10DB3	GW04	GW10DBPT	GW12DBPT
Sample Date	12/20/90	12/21/90	12/21/90	12/21/90	02/05/91	04/01/91	04/02/91
Concentration Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
1,2-Dichlorobenzene	-	-	-	-	0.00025 ND	0.00075 ND	0.003 ND
1,3-Dichlorobenzene	-	-	-	-	0.00025 ND	0.00075 ND	0.003 ND
1,4-Dichlorobenzene	-	-	-	-	0.00025 ND	0.0005 ND	0.002 ND
2-Chloroethyl vinyl ether	-	-	-	-	-	-	-
Hexachlorobutadiene	-	-	-	-	0.00205 ND	0.00075 ND	0.003 ND
Methyl tert butyl ether (MTBE)	0.005 ND	0.5 ND	0.5 ND	0.025 ND	0.0025 ND	0.5 ND	0.1 ND

"-" = Not analyzed

ND = Non-detect; Values represent one-half
of the detection limit

Data Tables
Residential North Ground Water
Semi-Volatile Organic Compounds

Sample Location	GW10DBPT	GW05	GW04	GW05	GW07
Sample Date	04/03/91	06/07/91	08/22/91	08/22/91	08/22/91
Concentration Units	mg/l	mg/l	mg/l	mg/l	mg/l
1,2-Dichlorobenzene	0.003 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
1,3-Dichlorobenzene	0.003 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
1,4-Dichlorobenzene	0.002 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
2-Chloroethyl vinyl ether	-	-	-	-	-
Hexachlorobutadiene	0.003 ND	0.00205 ND	0.00205 ND	0.00205 ND	0.00205 ND
Methyl tert butyl ether (MTBE)	1 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND

"-" = Not analyzed

ND = Non-detect; Values represent one-half
of the detection limit

Data Tables
Residential North Ground Water
Semi-Volatile Organic Compounds

Sample Location	GW16	GW16	GW16	GW16	GW16	GW16	GW16
Sample Date	06/25/86	07/29/86	09/11/86	10/17/86	01/21/87	04/16/87	04/22/87
Concentration Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
1,2-Dichlorobenzene	-	-	0.0005 ND	0.0005 ND	0.0005 ND	-	0.0005 ND
1,3-Dichlorobenzene	-	-	0.0005 ND	0.0005 ND	0.0005 ND	-	0.0005 ND
1,4-Dichlorobenzene	-	-	0.0005 ND	0.0005 ND	0.0005 ND	-	0.0005 ND
2-Chloroethyl vinyl ether	0.0005 ND	0.0005 ND	0.0005 ND	0.0075 ND	0.0075 ND	0.0075 ND	0.0005 ND
Hexachlorobutadiene	-	-	-	-	-	-	-
Methyl tert butyl ether (MTBE)	-	-	-	-	-	-	-

"-" = Not analyzed

ND = Non-detect; Values represent one-half of the
detection limit

Data Tables

Residential North Ground Water Semi-Volatile Organic Compounds

Sample Location	GW12T	GW12T	GW16	GW12T	GW12T	GW12T	GW16
Sample Date	08/24/87	10/19/87	12/19/87	12/22/87	02/11/88	02/18/88	02/18/88
Concentration Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
1,2-Dichlorobenzene	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
1,3-Dichlorobenzene	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
1,4-Dichlorobenzene	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
2-Chloroethyl vinyl ether	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Hexachlorobutadiene	-	-	-	-	-	-	-
Methyl tert butyl ether (MTBE)	-	-	-	-	-	-	-

"-" = Not analyzed

ND = Non-detect; Values represent one-half of the
detection limit

Data Tables
Residential North Ground Water
Semi-Volatile Organic Compounds

Sample Location	GW16	GW12T	GW16	GW12T	GW16	GW12T	GW12T
Sample Date	03/25/88	04/26/88	04/26/88	07/11/88	07/11/88	07/27/88	08/15/88
Concentration Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
1,2-Dichlorobenzene	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.00025 ND	0.00025 ND
1,3-Dichlorobenzene	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.00025 ND	0.00025 ND
1,4-Dichlorobenzene	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.00025 ND	0.00025 ND
2-Chloroethyl vinyl ether	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.00025 ND	0.00025 ND
Hexachlorobutadiene	-	-	-	-	-	-	-
Methyl tert butyl ether (MTBE)	-	-	-	-	-	-	-

"-" = Not analyzed

ND = Non-detect; Values represent one-half of the
detection limit

Data Tables
Residential North Ground Water
Semi-Volatile Organic Compounds

Sample Location	GW16	GW12T	GW16	GW12T	GW16	GW12T	GW16
Sample Date	08/15/88	10/12/88	10/12/88	12/16/88	12/16/88	02/22/89	02/22/89
Concentration Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
1,2-Dichlorobenzene	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
1,3-Dichlorobenzene	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
1,4-Dichlorobenzene	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
2-Chloroethyl vinyl ether	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Hexachlorobutadiene	-	-	-	-	-	-	-
Methyl tert butyl ether (MTBE)	-	-	-	-	-	-	-

"-" = Not analyzed

ND = Non-detect; Values represent one-half of the
detection limit

Data Tables
Residential North Ground Water
Semi-Volatile Organic Compounds

Sample Location	GW12T	GW16	GW12T	GW16	GW12T	GW16	GW16
Sample Date	04/03/89	04/03/89	06/06/89	06/06/89	08/24/89	09/11/89	12/05/89
Concentration Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
1,2-Dichlorobenzene	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
1,3-Dichlorobenzene	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
1,4-Dichlorobenzene	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
2-Chloroethyl vinyl ether	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Hexachlorobutadiene	-	-	-	-	-	-	-
Methyl tert butyl ether (MTBE)	-	-	-	-	-	-	-

"-" = Not analyzed

ND = Non-detect; Values represent one-half of the
detection limit

Data Tables
Residential North Ground Water
Semi-Volatile Organic Compounds

Sample Location	GW16	GW16	GW16	GW16
Sample Date	03/05/90	06/21/90	09/13/90	10/12/90
Concentration Units	mg/l	mg/l	mg/l	mg/l
1,2-Dichlorobenzene	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
1,3-Dichlorobenzene	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
1,4-Dichlorobenzene	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
2-Chloroethyl vinyl ether	0.00025 ND	-	-	-
Hexachlorobutadiene	-	0.00205 ND	0.00205 ND	0.00205 ND
Methyl tert butyl ether (MTBE)	-	-	-	-

"-" = Not analyzed

ND = Non-detect; Values represent one-half of the
detection limit

Data Tables
Residential North Ground Water
Semi-Volatile Organic Compounds

Sample Location	GW17	GW18	GW20	GW17	GW18	GW20	GW17
Sample Date	06/25/86	06/25/86	07/02/86	07/29/86	07/29/86	07/29/86	09/11/86
Concentration Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
1,2-Dichlorobenzene	-	-	-	-	-	-	0.0005 ND
1,3-Dichlorobenzene	-	-	-	-	-	-	0.0005 ND
1,4-Dichlorobenzene	-	-	-	-	-	-	0.0005 ND
2-Chloroethyl vinyl ether	0.0005 ND	0.0005 ND	0.001 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Hexachlorobutadiene	-	-	-	-	-	-	-
Methyl tert butyl ether (MTBE)	-	-	-	-	-	-	-

"-" = Not analyzed

ND = Non-detect; Values represent
one-half of the detection limit

Data Tables
Residential North Ground Water
Semi-Volatile Organic Compounds

Sample Location	GW18	GW20	GW17	GW18	GW20	GW18	GW18	GW17
Sample Date	09/11/86	09/11/86	10/17/86	10/17/86	10/17/86	12/19/86	01/21/87	04/22/87
Concentration Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
1,2-Dichlorobenzene	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
1,3-Dichlorobenzene	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	-	0.0005 ND	0.0005 ND	0.0005 ND
1,4-Dichlorobenzene	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	-	0.0005 ND	0.0005 ND	0.0005 ND
2-Chloroethyl vinyl ether	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	-	0.0005 ND	0.0005 ND	0.0005 ND
Hexachlorobutadiene	-	-	-	-	-	-	-	-
Methyl tert butyl ether (MTBE)	-	-	-	-	-	-	-	-

"-" = Not analyzed

ND = Non-detect; Values represent
one-half of the detection limit

Data Tables
Residential North Ground Water
Semi-Volatile Organic Compounds

Sample Location	GW18	GW17	GW18	GW17	GW18	GW18	GW18	GW17
Sample Date	04/22/87	06/25/87	06/25/87	08/24/87	08/24/87	10/19/87	12/22/87	02/18/88
Concentration Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
1,2-Dichlorobenzene	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
1,3-Dichlorobenzene	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
1,4-Dichlorobenzene	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
2-Chloroethyl vinyl ether	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Hexachlorobutadiene	-	-	-	-	-	-	-	-
Methyl tert butyl ether (MTBE)	-	-	-	-	-	-	-	-

"-" = Not analyzed

ND = Non-detect; Values represent
one-half of the detection limit

Data Tables
Residential North Ground Water
Semi-Volatile Organic Compounds

Sample Location	GW18	GW18	GW18	GW17	GW18	GW18	GW17	GW18
Sample Date	02/18/88	04/26/88	07/11/88	08/15/88	08/15/88	10/12/88	12/16/88	12/16/88
Concentration Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
1,2-Dichlorobenzene	0.0005 ND	0.0005 ND	0.0005 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
1,3-Dichlorobenzene	0.0005 ND	0.0005 ND	0.0005 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
1,4-Dichlorobenzene	0.0005 ND	0.0005 ND	0.0005 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
2-Chloroethyl vinyl ether	0.0005 ND	0.0005 ND	0.0005 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Hexachlorobutadiene	-	-	-	-	-	-	-	-
Methyl tert butyl ether (MTBE)	-	-	-	-	-	-	-	-

"-" = Not analyzed

ND = Non-detect; Values represent
one-half of the detection limit

Data Tables
Residential North Ground Water
Semi-Volatile Organic Compounds

Sample Location	GW18	GW18	GW18	GW17	GW18	GW18	GW17	GW18
Sample Date	04/03/89	06/06/89	12/05/89	02/15/90	03/05/90	06/21/90	08/22/90	09/12/90
Concentration Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
1,2-Dichlorobenzene	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
1,3-Dichlorobenzene	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
1,4-Dichlorobenzene	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
2-Chloroethyl vinyl ether	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	-	-	-
Hexachlorobutadiene	-	-	-	-	-	0.00205 ND	0.00205 ND	0.00205 ND
Methyl tert butyl ether (MTBE)	-	-	-	-	-	0.0025 ND	-	-

"-" = Not analyzed

ND = Non-detect; Values represent
one-half of the detection limit

Data Tables
Residential North Ground Water
Semi-Volatile Organic Compounds

Sample Location	GW16DUP	GW16	GW17	GW16	GW18	GW17	GW16	GW16DUP
Sample Date	09/13/90	10/12/90	10/12/90	12/11/90	12/12/90	01/11/91	01/29/91	01/29/91
Concentration Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
1,2-Dichlorobenzene	0.00025 ND	-	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
1,3-Dichlorobenzene	0.00025 ND	-	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
1,4-Dichlorobenzene	0.00025 ND	-	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
2-Chloroethyl vinyl ether	-	-	-	-	-	-	-	-
Hexachlorobutadiene	0.00205 ND	-	0.00205 ND	0.00205 ND	0.00205 ND	0.00205 ND	0.00205 ND	0.00205 ND
Methyl tert butyl ether (MTBE)	-	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND

"-" = Not analyzed

ND = Non-detect; Values represent
one-half of the detection limit

Data Tables
Residential North Ground Water
Semi-Volatile Organic Compounds

Sample Location	GW16	GW16DUP	GW17	GW16	GW18	GW16	GW17	GW17DB
Sample Date	02/05/91	02/05/91	02/05/91	03/06/91	03/06/91	04/04/91	04/04/91	05/15/91
Concentration Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
1,2-Dichlorobenzene	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
1,3-Dichlorobenzene	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
1,4-Dichlorobenzene	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
2-Chloroethyl vinyl ether	-	-	-	-	-	-	-	-
Hexachlorobutadiene	0.00205 ND	0.00205 ND	0.00205 ND	0.00205 ND	0.00205 ND	0.00205 ND	0.00205 ND	0.00205 ND
Methyl tert butyl ether (MTBE)	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND

"-" = Not analyzed

ND = Non-detect; Values represent
one-half of the detection limit

Data Tables
Residential North Ground Water
Semi-Volatile Organic Compounds

Sample Location	GW18	GW16	GW16DUP	GW17	GW17DUP	GW16	GW18
Sample Date	06/06/91	06/07/91	06/07/91	06/07/91	06/07/91	09/03/91	09/03/91
Concentration Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
1,2-Dichlorobenzene	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
1,3-Dichlorobenzene	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
1,4-Dichlorobenzene	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
2-Chloroethyl vinyl ether	-	-	-	-	-	-	-
Hexachlorobutadiene	0.00205 ND	0.00205 ND	0.00205 ND	0.00205 ND	0.00205 ND	0.00205 ND	0.00205 ND
Methyl tert butyl ether (MTBE)	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND

"-" = Not analyzed

ND = Non-detect; Values represent
one-half of the detection limit

Data Tables
Residential North Ground Water
Semi-Volatile Organic Compounds

Sample Location	GW47	GW27	GW27	GW27	GW28	GW27	GW28
Sample Date	08/23/09	07/09/86	07/10/86	07/29/86	07/29/86	09/11/86	09/11/86
Concentration Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
1,2-Dichlorobenzene	0.00025 ND	-	-	-	-	0.0005 ND	0.0005 ND
1,3-Dichlorobenzene	0.00025 ND	-	-	-	-	0.0005 ND	0.0005 ND
1,4-Dichlorobenzene	0.00025 ND	-	-	-	-	0.0005 ND	0.0005 ND
2-Chloroethyl vinyl ether	-	0.001 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Hexachlorobutadiene	0.00205 ND	-	-	-	-	-	-
Methyl tert butyl ether (MTBE)	0.0071	-	-	-	-	-	-

"-" = Not analyzed

ND = Non-detect; Values represent one-half
of the detection limit

Data Tables
Residential North Ground Water
Semi-Volatile Organic Compounds

Sample Location	GW30	GW20	GW27	GW31	GW32	GW20	GW27
Sample Date	09/11/86	10/17/86	10/17/86	10/17/86	10/17/86	12/19/86	12/19/86
Concentration Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
1,2-Dichlorobenzene	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
1,3-Dichlorobenzene	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
1,4-Dichlorobenzene	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
2-Chloroethyl vinyl ether	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Hexachlorobutadiene	-	-	-	-	-	-	-
Methyl tert butyl ether (MTBE)	-	-	-	-	-	-	-

"-" = Not analyzed

ND = Non-detect; Values represent one-half
of the detection limit

Data Tables
Residential North Ground Water
Semi-Volatile Organic Compounds

Sample Location	GW31	GW32	GW27	GW20	GW27	GW30	GW20
Sample Date	12/19/86	12/19/86	01/21/87	04/22/87	04/22/87	04/22/87	06/25/87
Concentration Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
1,2-Dichlorobenzene	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
1,3-Dichlorobenzene	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
1,4-Dichlorobenzene	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
2-Chloroethyl vinyl ether	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0054	0.0005 ND
Hexachlorobutadiene	-	-	-	-	-	-	-
Methyl tert butyl ether (MTBE)	-	-	-	-	-	-	-

"-" = Not analyzed

ND = Non-detect; Values represent one-half
of the detection limit

Data Tables
Residential North Ground Water
Semi-Volatile Organic Compounds

Sample Location	GW27	GW20	GW27	GW34	GW20	GW27	GW34
Sample Date	06/25/87	08/24/87	08/24/87	08/24/87	10/19/87	10/19/87	10/19/87
Concentration Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
1,2-Dichlorobenzene	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
1,3-Dichlorobenzene	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
1,4-Dichlorobenzene	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
2-Chloroethyl vinyl ether	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Hexachlorobutadiene	-	-	-	-	-	-	-
Methyl tert butyl ether (MTBE)	-	-	-	-	-	-	-

"-" = Not analyzed

ND = Non-detect; Values represent one-half
of the detection limit

Data Tables
Residential North Ground Water
Semi-Volatile Organic Compounds

Sample Location	GW20	GW27	GW34	GW27	GW34	GW20	GW28
Sample Date	12/22/87	12/22/87	12/22/87	02/18/88	02/18/88	02/22/88	02/22/88
Concentration Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
1,2-Dichlorobenzene	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
1,3-Dichlorobenzene	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
1,4-Dichlorobenzene	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
2-Chloroethyl vinyl ether	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Hexachlorobutadiene	-	-	-	-	-	-	-
Methyl tert butyl ether (MTBE)	-	-	-	-	-	-	-

"-" = Not analyzed

ND = Non-detect; Values represent one-half
of the detection limit

Data Tables
Residential North Ground Water
Semi-Volatile Organic Compounds

Sample Location	GW28	GW20	GW27	GW28	GW34	GW20	GW27
Sample Date	03/25/88	04/26/88	04/26/88	04/26/88	04/26/88	07/11/88	07/11/88
Concentration Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
1,2-Dichlorobenzene	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
1,3-Dichlorobenzene	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
1,4-Dichlorobenzene	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
2-Chloroethyl vinyl ether	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND
Hexachlorobutadiene	-	-	-	-	-	-	-
Methyl tert butyl ether (MTBE)	-	-	-	-	-	-	-

"-" = Not analyzed

ND = Non-detect; Values represent one-half
of the detection limit

Data Tables
Residential North Ground Water
Semi-Volatile Organic Compounds

Sample Location	GW28	GW34	GW20	GW27	GW28	GW34	GW20
Sample Date	07/11/88	07/11/88	08/15/88	08/15/88	08/15/88	08/15/88	10/12/88
Concentration Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
1,2-Dichlorobenzene	0.0005 ND	0.0005 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
1,3-Dichlorobenzene	0.0005 ND	0.0005 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
1,4-Dichlorobenzene	0.0005 ND	0.0005 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
2-Chloroethyl vinyl ether	0.0005 ND	0.0005 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Hexachlorobutadiene	-	-	-	-	-	-	-
Methyl tert butyl ether (MTBE)	-	-	-	-	-	-	-

"-" = Not analyzed

ND = Non-detect; Values represent one-half
of the detection limit

Data Tables
Residential North Ground Water
Semi-Volatile Organic Compounds

Sample Location	GW27	GW28	GW34	GW20	GW27	GW28	GW34
Sample Date	10/12/88	10/12/88	10/12/88	12/16/88	12/16/88	12/16/88	12/16/88
Concentration Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
1,2-Dichlorobenzene	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
1,3-Dichlorobenzene	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
1,4-Dichlorobenzene	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
2-Chloroethyl vinyl ether	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Hexachlorobutadiene	-	-	-	-	-	-	-
Methyl tert butyl ether (MTBE)	-	-	-	-	-	-	-

"-" = Not analyzed

ND = Non-detect; Values represent one-half
of the detection limit

Data Tables
Residential North Ground Water
Semi-Volatile Organic Compounds

Sample Location	GW20	GW27	GW28	GW34	GW20	GW27	GW28
Sample Date	02/22/89	02/22/89	02/22/89	02/22/89	04/03/89	04/03/89	04/03/89
Concentration Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
1,2-Dichlorobenzene	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
1,3-Dichlorobenzene	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
1,4-Dichlorobenzene	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
2-Chloroethyl vinyl ether	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Hexachlorobutadiene	-	-	-	-	-	-	-
Methyl tert butyl ether (MTBE)	-	-	-	-	-	-	-

"-" = Not analyzed

ND = Non-detect; Values represent one-half
of the detection limit

Data Tables
Residential North Ground Water
Semi-Volatile Organic Compounds

Sample Location	GW34	GW20	GW27	GW28	GW34	GW37	GW20
Sample Date	04/03/89	06/06/89	06/06/89	06/06/89	06/06/89	06/06/89	09/11/89
Concentration Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
1,2-Dichlorobenzene	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
1,3-Dichlorobenzene	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
1,4-Dichlorobenzene	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
2-Chloroethyl vinyl ether	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Hexachlorobutadiene	-	-	-	-	-	-	-
Methyl tert butyl ether (MTBE)	-	-	-	-	-	-	-

"-" = Not analyzed

ND = Non-detect; Values represent one-half
of the detection limit

Data Tables
Residential North Ground Water
Semi-Volatile Organic Compounds

Sample Location	GW27	GW28	GW34	GW40	GW41	GW20	GW27
Sample Date	09/11/89	09/11/89	09/11/89	09/11/89	09/11/89	12/05/89	12/05/89
Concentration Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
1,2-Dichlorobenzene	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
1,3-Dichlorobenzene	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
1,4-Dichlorobenzene	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
2-Chloroethyl vinyl ether	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Hexachlorobutadiene	-	-	-	-	-	-	-
Methyl tert butyl ether (MTBE)	-	-	-	-	-	-	-

"-" = Not analyzed

ND = Non-detect; Values represent one-half
of the detection limit

Data Tables
Residential North Ground Water
Semi-Volatile Organic Compounds

Sample Location	GW28	GW34	GW40	GW41	GW20	GW27	GW34
Sample Date	12/05/89	12/05/89	02/15/90	02/15/90	03/05/90	03/05/90	03/05/90
Concentration Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
1,2-Dichlorobenzene	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
1,3-Dichlorobenzene	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
1,4-Dichlorobenzene	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
2-Chloroethyl vinyl ether	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
Hexachlorobutadiene	-	-	-	-	-	-	-
Methyl tert butyl ether (MTBE)	-	-	-	-	-	-	-

"-" = Not analyzed

ND = Non-detect; Values represent one-half
of the detection limit

Data Tables
Residential North Ground Water
Semi-Volatile Organic Compounds

Sample Location	GW41	GW41DUP	GW27	GW34	GW20	GW40	GW40DUP
Sample Date	03/05/90	03/05/90	06/21/90	06/21/90	07/09/90	08/22/90	08/22/90
Concentration Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
1,2-Dichlorobenzene	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
1,3-Dichlorobenzene	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
1,4-Dichlorobenzene	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
2-Chloroethyl vinyl ether	0.00025 ND	0.00025 ND	-	-	-	-	-
Hexachlorobutadiene	-	-	0.00205 ND	0.00205 ND	0.00205 ND	0.00205 ND	0.00205 ND
Methyl tert butyl ether (MTBE)	-	-	-	-	-	-	-

"-" = Not analyzed

ND = Non-detect; Values represent one-half
of the detection limit

Data Tables
Residential North Ground Water
Semi-Volatile Organic Compounds

Sample Location	GW27	GW34	GW20	GW40	GW40DUP	GW40	GW20
Sample Date	09/12/90	09/12/90	09/13/90	10/12/90	10/12/90	10/23/90	12/11/90
Concentration Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
1,2-Dichlorobenzene	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
1,3-Dichlorobenzene	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
1,4-Dichlorobenzene	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
2-Chloroethyl vinyl ether	-	-	-	-	-	-	-
Hexachlorobutadiene	0.00205 ND	0.00205 ND	0.00205 ND	0.00205 ND	0.00205 ND	0.00205 ND	0.00205 ND
Methyl tert butyl ether (MTBE)	-	-	-	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND

"-" = Not analyzed

ND = Non-detect; Values represent one-half
of the detection limit

Data Tables
Residential North Ground Water
Semi-Volatile Organic Compounds

Sample Location	GW40	GW41	GW27	GW34	GW40	GW40	GW20
Sample Date	12/11/90	12/11/90	12/12/90	12/13/90	01/03/91	02/05/91	03/05/91
Concentration Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
1,2-Dichlorobenzene	0.00025 ND	-	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
1,3-Dichlorobenzene	0.00025 ND	-	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
1,4-Dichlorobenzene	0.00025 ND	-	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
2-Chloroethyl vinyl ether	-	-	-	-	-	-	-
Hexachlorobutadiene	0.00205 ND	-	0.00205 ND	0.00205 ND	0.00205 ND	0.00205 ND	0.00205 ND
Methyl tert butyl ether (MTBE)	0.0025 ND	0.005 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND

"-" = Not analyzed

ND = Non-detect; Values represent one-half
of the detection limit

Data Tables
Residential North Ground Water
Semi-Volatile Organic Compounds

Sample Location	GW40	GW41	GW27	GW34	GW40	GW41
Sample Date	03/05/91	03/05/91	03/06/91	03/06/91	04/04/91	04/04/91
Concentration Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
1,2-Dichlorobenzene	0.00025 ND	-	0.00025 ND	0.00025 ND	0.22	-
1,3-Dichlorobenzene	0.00025 ND	-	0.00025 ND	0.00025 ND	0.00025 ND	-
1,4-Dichlorobenzene	0.00025 ND	-	0.00025 ND	0.00025 ND	0.00025 ND	-
2-Chloroethyl vinyl ether	-	-	-	-	-	-
Hexachlorobutadiene	0.00205 ND	-	0.00205 ND	0.00205 ND	0.00205 ND	-
Methyl tert butyl ether (MTBE)	0.0025 ND	0.005 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.005 ND

"-" = Not analyzed

ND = Non-detect; Values represent one-half
of the detection limit

Data Tables
Residential North Ground Water
Semi-Volatile Organic Compounds

Sample Location	GW40	GW20	GW27	GW34	GW40	GW41	GW42
Sample Date	05/09/91	06/06/91	06/06/91	06/06/91	06/06/91	06/07/91	06/07/91
Concentration Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
1,2-Dichlorobenzene	-	0.00025 ND	0.00025 ND	0.00025 ND	-	-	0.00025 ND
1,3-Dichlorobenzene	-	0.00025 ND	0.00025 ND	0.00025 ND	-	-	0.00025 ND
1,4-Dichlorobenzene	-	0.00025 ND	0.00025 ND	0.00025 ND	-	-	0.00025 ND
2-Chloroethyl vinyl ether	-	-	-	-	-	-	-
Hexachlorobutadiene	-	0.00205 ND	0.00205 ND	0.00205 ND	-	-	0.00205 ND
Methyl tert butyl ether (MTBE)	0.005 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.005 ND	0.005 ND	0.0025 ND

"-" = Not analyzed

ND = Non-detect; Values represent one-half
of the detection limit

Data Tables

Residential North Ground Water Semi-Volatile Organic Compounds

Sample Location	GW43	GW44	GW40	GW40T	GW40	GW40B	GW40T
Sample Date	06/07/91	06/07/91	07/05/91	07/05/91	08/22/91	08/22/91	08/22/91
Concentration Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
1,2-Dichlorobenzene	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	-	0.00025 ND	0.00025 ND
1,3-Dichlorobenzene	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	-	0.00025 ND	0.00025 ND
1,4-Dichlorobenzene	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	-	0.00025 ND	0.00025 ND
2-Chloroethyl vinyl ether	-	-	-	-	-	-	-
Hexachlorobutadiene	0.00205 ND	0.00205 ND	0.00205 ND	0.00205 ND	-	0.00205 ND	0.00205 ND
Methyl tert butyl ether (MTBE)	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.005 ND	0.0025 ND	0.0025 ND

"-" = Not analyzed

ND = Non-detect; Values represent one-half
of the detection limit

Data Tables
Residential North Ground Water
Semi-Volatile Organic Compounds

Sample Location	GW45	GW46	GW48	GW50	GW64	GW65	GW66
Sample Date	08/22/91	08/22/91	08/23/91	08/23/91	08/23/91	08/23/91	08/23/91
Concentration Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
1,2-Dichlorobenzene	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
1,3-Dichlorobenzene	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
1,4-Dichlorobenzene	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND	0.00025 ND
2-Chloroethyl vinyl ether	-	-	-	-	-	-	-
Hexachlorobutadiene	0.00205 ND	0.00205 ND	0.00205 ND	0.00205 ND	0.00205 ND	0.00205 ND	0.00205 ND
Methyl tert butyl ether (MTBE)	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND

"-" = Not analyzed

ND = Non-detect; Values represent one-half
of the detection limit

Data Tables

Residential North Ground Water Semi-Volatile Organic Compounds

Sample Location	GW49	GW20	GW34	GW40	GW40T	GW27	GW43
Sample Date	08/28/91	09/03/91	09/03/91	09/03/91	09/03/91	09/05/91	09/05/91
Concentration Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
1,2-Dichlorobenzene	0.00025 ND	0.00025 ND	0.00025 ND	-	0.00025 ND	0.00025 ND	0.00025 ND
1,3-Dichlorobenzene	0.00025 ND	0.00025 ND	0.00025 ND	-	0.00025 ND	0.00025 ND	0.00025 ND
1,4-Dichlorobenzene	0.00025 ND	0.00025 ND	0.00025 ND	-	0.00025 ND	0.00025 ND	0.00025 ND
2-Chloroethyl vinyl ether	-	-	-	-	-	-	-
Hexachlorobutadiene	0.00205 ND	0.00205 ND	0.00205 ND	-	0.00205 ND	0.00205 ND	0.00205 ND
Methyl tert butyl ether (MTBE)	0.0025 ND	0.0025 ND	0.0025 ND	0.005 ND	0.0025 ND	0.0025 ND	0.0025 ND

"-" = Not analyzed

ND = Non-detect; Values represent one-half
of the detection limit

Data Tables

Residential North Ground Water Semi-Volatile Organic Compounds

Sample Location	GW44	GW47	GW67
Sample Date	09/05/91	09/24/91	09/24/91
Concentration Units	mg/l	mg/l	mg/l
1,2-Dichlorobenzene	0.00025 ND	0.00025 ND	0.00025 ND
1,3-Dichlorobenzene	0.00025 ND	0.00025 ND	0.00025 ND
1,4-Dichlorobenzene	0.00025 ND	0.00025 ND	0.00025 ND
2-Chloroethyl vinyl ether	-	-	-
Hexachlorobutadiene	0.00205 ND	0.00205 ND	0.00205 ND
Methyl tert butyl ether (MTBE)	0.0025 ND	0.0025 ND	0.25

"-" = Not analyzed

ND = Non-detect; Values represent one-half
of the detection limit

Data Tables
Residential North Ground Water
Metals

Sample Location	GW47	GW12	GW12	GW12T	GW12T	GW10	GW12
Sample Date	08/23/09	06/15/87	08/24/87	08/24/87	10/19/87	08/02/88	08/02/88
Concentration Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
Arsenic, Dissolved	-	-	0.02	0.02	0.005 ND	0.175	0.027
Arsenic, Total	0.00085 ND	-	-	-	-	-	-
Barium, Dissolved	-	-	-	-	-	-	-
Barium, Total	-	-	-	-	-	-	-
Beryllium, Dissolved	-	-	-	-	-	-	-
Beryllium, Total	-	-	-	-	-	-	-
Cadmium, Dissolved	-	-	-	-	-	-	-
Cadmium, Total	-	-	-	-	-	-	-
Calcium, Dissolved	-	-	-	-	-	-	-
Calcium, Total	-	-	-	-	-	-	-
Chromium, Dissolved	-	-	-	-	-	-	-
Chromium, Total	-	-	-	-	-	-	-
Iron, Dissolved	-	0.05 ND	-	-	-	-	-
Iron, Total	-	-	-	-	-	-	-
Lead, Dissolved	-	-	-	-	-	-	-
Lead, Total	-	-	-	-	-	-	-
Manganese, Dissolved	-	0.38	-	-	-	-	-
Manganese, Total	-	-	-	-	-	-	-
Nickel, Dissolved	-	-	-	-	-	-	-
Nickel, total	-	-	-	-	-	-	-
Potassium, Dissolved	-	-	-	-	-	-	-
Potassium, Total	-	-	-	-	-	-	-
Sodium, Dissolved	-	-	-	-	-	-	-
Sodium, Total	-	-	-	-	-	-	-

"-" = Not analyzed

ND = Non-detect; Values represent one-half
of the detection limit

Data Tables
Residential North Ground Water
Metals

Sample Location	GW04	GW05	GW07	GW12	GW12T	GW16	GW17	GW18
Sample Date	08/15/88	08/15/88	08/15/88	08/15/88	08/15/88	08/15/88	08/15/88	08/15/88
Concentration Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
Arsenic, Dissolved	0.005 ND	-	0.005 ND	0.04	0.04	0.005 ND	-	0.005 ND
Arsenic, Total	-	-	-	-	-	-	-	-
Barium, Dissolved	-	-	-	-	-	-	-	-
Barium, Total	-	-	-	-	-	-	-	-
Beryllium, Dissolved	-	-	-	-	-	-	-	-
Beryllium, Total	-	-	-	-	-	-	-	-
Cadmium, Dissolved	-	-	-	-	-	-	-	-
Cadmium, Total	-	-	-	-	-	-	-	-
Calcium, Dissolved	-	-	-	-	-	-	-	-
Calcium, Total	-	-	-	-	-	-	-	-
Chromium, Dissolved	-	-	-	-	-	-	-	-
Chromium, Total	-	-	-	-	-	-	-	-
Iron, Dissolved	0.05 ND	0.05 ND	0.05 ND	0.05 ND	0.05 ND	0.05 ND	0.05 ND	0.05 ND
Iron, Total	-	-	-	-	-	-	-	-
Lead, Dissolved	-	-	-	-	-	-	-	-
Lead, Total	-	-	-	-	-	-	-	-
Manganese, Dissolved	0.01 ND	0.01 ND	0.01 ND	0.01 ND	0.01 ND	0.01 ND	0.01 ND	0.01 ND
Manganese, Total	-	-	-	-	-	-	-	-
Nickel, Dissolved	-	-	-	-	-	-	-	-
Nickel, total	-	-	-	-	-	-	-	-
Potassium, Dissolved	-	-	-	-	-	-	-	-
Potassium, Total	-	-	-	-	-	-	-	-
Sodium, Dissolved	-	-	-	-	-	-	-	-
Sodium, Total	-	-	-	-	-	-	-	-

"-" = Not analyzed

ND = Non-detect; Values represent one-half
of the detection limit

Data Tables
Residential North Ground Water
Metals

Sample Location	GW20	GW27	GW28	GW34	GW04	GW05	GW07	GW12
Sample Date	08/15/88	08/15/88	08/15/88	08/15/88	12/16/88	12/16/88	12/16/88	12/16/88
Concentration Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
Arsenic, Dissolved	-	-	0.005 ND	-	-	-	-	-
Arsenic, Total	-	-	-	-	-	-	-	-
Barium, Dissolved	-	-	-	-	-	-	-	-
Barium, Total	-	-	-	-	-	-	-	-
Beryllium, Dissolved	-	-	-	-	-	-	-	-
Beryllium, Total	-	-	-	-	-	-	-	-
Cadmium, Dissolved	-	-	-	-	-	-	-	-
Cadmium, Total	-	-	-	-	-	-	-	-
Calcium, Dissolved	-	-	-	-	-	-	-	-
Calcium, Total	-	-	-	-	-	-	-	-
Chromium, Dissolved	-	-	-	-	-	-	-	-
Chromium, Total	-	-	-	-	-	-	-	-
Iron, Dissolved	0.05 ND	0.05 ND	0.05 ND	0.05 ND	0.05 ND	0.05 ND	0.05 ND	0.05 ND
Iron, Total	-	-	-	-	-	-	-	-
Lead, Dissolved	-	-	-	-	-	-	-	-
Lead, Total	-	-	-	-	-	-	-	-
Manganese, Dissolved	0.01 ND	0.01 ND	0.01 ND	0.01 ND	0.01 ND	0.01 ND	0.01 ND	0.01 ND
Manganese, Total	-	-	-	-	-	-	-	-
Nickel, Dissolved	-	-	-	-	-	-	-	-
Nickel, total	-	-	-	-	-	-	-	-
Potassium, Dissolved	-	-	-	-	-	-	-	-
Potassium, Total	-	-	-	-	-	-	-	-
Sodium, Dissolved	-	-	-	-	-	-	-	-
Sodium, Total	-	-	-	-	-	-	-	-

"-" = Not analyzed

ND = Non-detect; Values represent one-half
of the detection limit

Data Tables
Residential North Ground Water
Metals

Sample Location	GW12T	GW17	GW18	GW20	GW27	GW28	GW34	GW12
Sample Date	12/16/88	12/16/88	12/16/88	12/16/88	12/16/88	12/16/88	12/16/88	02/22/89
Concentration Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
Arsenic, Dissolved	-	-	-	-	-	-	-	-
Arsenic, Total	-	-	-	-	-	-	-	-
Barium, Dissolved	-	-	-	-	-	-	-	-
Barium, Total	-	-	-	-	-	-	-	-
Beryllium, Dissolved	-	-	-	-	-	-	-	-
Beryllium, Total	-	-	-	-	-	-	-	-
Cadmium, Dissolved	-	-	-	-	-	-	-	-
Cadmium, Total	-	-	-	-	-	-	-	-
Calcium, Dissolved	-	-	-	-	-	-	-	-
Calcium, Total	-	-	-	-	-	-	-	-
Chromium, Dissolved	-	-	-	-	-	-	-	-
Chromium, Total	-	-	-	-	-	-	-	-
Iron, Dissolved	0.05 ND	0.05 ND	0.05 ND	0.05 ND	0.05 ND	0.05 ND	0.05 ND	0.05 ND
Iron, Total	-	-	-	-	-	-	-	-
Lead, Dissolved	-	-	-	-	-	-	-	-
Lead, Total	-	-	-	-	-	-	-	-
Manganese, Dissolved	0.01 ND	0.01 ND	0.01 ND	0.01 ND	0.01 ND	0.01 ND	0.01 ND	0.01 ND
Manganese, Total	-	-	-	-	-	-	-	-
Nickel, Dissolved	-	-	-	-	-	-	-	-
Nickel, total	-	-	-	-	-	-	-	-
Potassium, Dissolved	-	-	-	-	-	-	-	-
Potassium, Total	-	-	-	-	-	-	-	-
Sodium, Dissolved	-	-	-	-	-	-	-	-
Sodium, Total	-	-	-	-	-	-	-	-

"-" = Not analyzed

ND = Non-detect; Values represent one-half
of the detection limit

Data Tables
Residential North Ground Water
Metals

Sample Location	GW12T	GW16	GW20	GW27	GW28	GW34	GW12	GW12T
Sample Date	02/22/89	02/22/89	02/22/89	02/22/89	02/22/89	02/22/89	06/06/89	06/06/89
Concentration Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
Arsenic, Dissolved	-	-	-	-	-	-	-	-
Arsenic, Total	-	-	-	-	-	-	-	-
Barium, Dissolved	-	-	-	-	-	-	-	-
Barium, Total	-	-	-	-	-	-	-	-
Beryllium, Dissolved	-	-	-	-	-	-	-	-
Beryllium, Total	-	-	-	-	-	-	-	-
Cadmium, Dissolved	-	-	-	-	-	-	-	-
Cadmium, Total	-	-	-	-	-	-	-	-
Calcium, Dissolved	-	-	-	-	-	-	-	-
Calcium, Total	-	-	-	-	-	-	-	-
Chromium, Dissolved	-	-	-	-	-	-	-	-
Chromium, Total	-	-	-	-	-	-	-	-
Iron, Dissolved	0.05 ND	0.05 ND	0.05 ND	0.05 ND	0.05 ND	0.05 ND	0.05 ND	0.05 ND
Iron, Total	-	-	-	-	-	-	-	-
Lead, Dissolved	-	-	-	-	-	-	-	-
Lead, Total	-	-	-	-	-	-	-	-
Manganese, Dissolved	0.01 ND	0.01 ND	0.01 ND	0.01 ND	0.01 ND	0.01 ND	0.01 ND	0.01 ND
Manganese, Total	-	-	-	-	-	-	-	-
Nickel, Dissolved	-	-	-	-	-	-	-	-
Nickel, total	-	-	-	-	-	-	-	-
Potassium, Dissolved	-	-	-	-	-	-	-	-
Potassium, Total	-	-	-	-	-	-	-	-
Sodium, Dissolved	-	-	-	-	-	-	-	-
Sodium, Total	-	-	-	-	-	-	-	-

"-" = Not analyzed

ND = Non-detect; Values represent one-half
of the detection limit

Data Tables
Residential North Ground Water
Metals

Sample Location	GW16	GW18	GW20	GW27	GW28	GW34	GW37	GW16
Sample Date	06/06/89	06/06/89	06/06/89	06/06/89	06/06/89	06/06/89	06/06/89	09/11/89
Concentration Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
Arsenic, Dissolved	-	-	-	-	-	-	-	-
Arsenic, Total	-	-	-	-	-	-	-	-
Barium, Dissolved	-	-	-	-	-	-	-	-
Barium, Total	-	-	-	-	-	-	-	-
Beryllium, Dissolved	-	-	-	-	-	-	-	-
Beryllium, Total	-	-	-	-	-	-	-	-
Cadmium, Dissolved	-	-	-	-	-	-	-	-
Cadmium, Total	-	-	-	-	-	-	-	-
Calcium, Dissolved	-	-	-	-	-	-	-	-
Calcium, Total	-	-	-	-	-	-	-	-
Chromium, Dissolved	-	-	-	-	-	-	-	-
Chromium, Total	-	-	-	-	-	-	-	-
Iron, Dissolved	0.05 ND	0.05 ND	0.05 ND	0.05 ND	0.05 ND	0.05 ND	0.05 ND	0.05 ND
Iron, Total	-	-	-	-	-	-	-	-
Lead, Dissolved	-	-	-	-	-	-	-	-
Lead, Total	-	-	-	-	-	-	-	-
Manganese, Dissolved	0.01 ND	0.01 ND	0.01 ND	0.01 ND	0.01 ND	0.01 ND	0.01 ND	0.01 ND
Manganese, Total	-	-	-	-	-	-	-	-
Nickel, Dissolved	-	-	-	-	-	-	-	-
Nickel, total	-	-	-	-	-	-	-	-
Potassium, Dissolved	-	-	-	-	-	-	-	-
Potassium, Total	-	-	-	-	-	-	-	-
Sodium, Dissolved	-	-	-	-	-	-	-	-
Sodium, Total	-	-	-	-	-	-	-	-

"-" = Not analyzed

ND = Non-detect; Values represent one-half
of the detection limit

Data Tables
Residential North Ground Water
Metals

Sample Location	GW20	GW27	GW28	GW34	GW40	GW41	GW16	GW18
Sample Date	09/11/89	09/11/89	09/11/89	09/11/89	09/11/89	09/11/89	06/21/90	06/21/90
Concentration Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
Arsenic, Dissolved	-	-	-	-	-	-	-	-
Arsenic, Total	-	-	-	-	-	-	0.0056	0.0094
Barium, Dissolved	-	-	-	-	-	-	-	-
Barium, Total	-	-	-	-	-	-	-	-
Beryllium, Dissolved	-	-	-	-	-	-	-	-
Beryllium, Total	-	-	-	-	-	-	-	-
Cadmium, Dissolved	-	-	-	-	-	-	-	-
Cadmium, Total	-	-	-	-	-	-	-	-
Calcium, Dissolved	-	-	-	-	-	-	-	-
Calcium, Total	-	-	-	-	-	-	-	-
Chromium, Dissolved	-	-	-	-	-	-	-	-
Chromium, Total	-	-	-	-	-	-	-	-
Iron, Dissolved	0.05 ND	0.05 ND	0.05 ND	0.05 ND	0.05 ND	0.05 ND	-	-
Iron, Total	-	-	-	-	-	-	-	-
Lead, Dissolved	-	-	-	-	-	-	-	-
Lead, Total	-	-	-	-	-	-	-	-
Manganese, Dissolved	0.01 ND	0.01 ND	0.01 ND	0.01 ND	0.01 ND	0.01 ND	-	-
Manganese, Total	-	-	-	-	-	-	-	-
Nickel, Dissolved	-	-	-	-	-	-	-	-
Nickel, total	-	-	-	-	-	-	-	-
Potassium, Dissolved	-	-	-	-	-	-	-	-
Potassium, Total	-	-	-	-	-	-	-	-
Sodium, Dissolved	-	-	-	-	-	-	-	-
Sodium, Total	-	-	-	-	-	-	-	-

"-" = Not analyzed

ND = Non-detect; Values represent one-half
of the detection limit

Data Tables
Residential North Ground Water
Metals

Sample Location	GW27	GW34	GW41	GW20	GW10DB1	GW10DB2	GW10DB3	GW12DB1
Sample Date	06/21/90	06/21/90	06/21/90	07/09/90	07/13/90	07/13/90	07/13/90	07/16/90
Concentration Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
Arsenic, Dissolved	-	-	-	-	-	-	-	-
Arsenic, Total	0.004	0.0504	0.5 ND	0.5 ND	0.146	0.456	0.513	0.288
Barium, Dissolved	-	-	-	-	-	-	-	-
Barium, Total	-	-	-	-	-	-	-	-
Beryllium, Dissolved	-	-	-	-	-	-	-	-
Beryllium, Total	-	-	-	-	-	-	-	-
Cadmium, Dissolved	-	-	-	-	-	-	-	-
Cadmium, Total	-	-	-	-	-	-	-	-
Calcium, Dissolved	-	-	-	-	-	-	-	-
Calcium, Total	-	-	-	-	-	-	-	-
Chromium, Dissolved	-	-	-	-	-	-	-	-
Chromium, Total	-	-	-	-	-	-	-	-
Iron, Dissolved	-	-	-	-	-	-	-	-
Iron, Total	-	-	-	-	-	-	-	-
Lead, Dissolved	-	-	-	-	-	-	-	-
Lead, Total	-	-	-	-	-	-	-	-
Manganese, Dissolved	-	-	-	-	-	-	-	-
Manganese, Total	-	-	-	-	-	-	-	-
Nickel, Dissolved	-	-	-	-	-	-	-	-
Nickel, total	-	-	-	-	-	-	-	-
Potassium, Dissolved	-	-	-	-	-	-	-	-
Potassium, Total	-	-	-	-	-	-	-	-
Sodium, Dissolved	-	-	-	-	-	-	-	-
Sodium, Total	-	-	-	-	-	-	-	-

"-" = Not analyzed

ND = Non-detect; Values represent one-half
of the detection limit

Data Tables
Residential North Ground Water
Metals

Sample Location	GW12DB1D	GW05	GW07	GW17	GW40	GW40DUP	GW18	GW27
Sample Date	07/16/90	08/22/90	08/22/90	08/22/90	08/22/90	08/22/90	09/12/90	09/12/90
Concentration Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
Arsenic, Dissolved	-	-	-	-	-	-	-	-
Arsenic, Total	0.271	0.0018	0.0023	0.0005 ND	0.0005 ND	0.0005 ND	0.0038	0.0005 ND
Barium, Dissolved	-	-	-	-	-	-	-	-
Barium, Total	-	-	-	-	-	-	-	-
Beryllium, Dissolved	-	-	-	-	-	-	-	-
Beryllium, Total	-	-	-	-	-	-	-	-
Cadmium, Dissolved	-	-	-	-	-	-	-	-
Cadmium, Total	-	-	-	-	-	-	-	-
Calcium, Dissolved	-	-	-	-	-	-	-	-
Calcium, Total	-	-	-	-	-	-	-	-
Chromium, Dissolved	-	-	-	-	-	-	-	-
Chromium, Total	-	-	-	-	-	-	-	-
Iron, Dissolved	-	-	-	-	-	-	-	-
Iron, Total	-	-	-	-	-	-	-	-
Lead, Dissolved	-	-	-	-	-	-	-	-
Lead, Total	-	-	-	-	-	-	-	-
Manganese, Dissolved	-	-	-	-	-	-	-	-
Manganese, Total	-	-	-	-	-	-	-	-
Nickel, Dissolved	-	-	-	-	-	-	-	-
Nickel, total	-	-	-	-	-	-	-	-
Potassium, Dissolved	-	-	-	-	-	-	-	-
Potassium, Total	-	-	-	-	-	-	-	-
Sodium, Dissolved	-	-	-	-	-	-	-	-
Sodium, Total	-	-	-	-	-	-	-	-

"-" = Not analyzed

ND = Non-detect; Values represent one-half
of the detection limit

Data Tables
Residential North Ground Water
Metals

Sample Location	GW34	GW04	GW16	GW16DUP	GW20	GW04	GW16	GW17
Sample Date	09/12/90	09/13/90	09/13/90	09/13/90	09/13/90	10/12/90	10/12/90	10/12/90
Concentration Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
Arsenic, Dissolved	-	-	-	-	-	-	-	-
Arsenic, Total	0.0182	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0009 ND	0.0009 ND	0.0009 ND
Barium, Dissolved	-	-	-	-	-	-	-	-
Barium, Total	-	-	-	-	-	-	-	-
Beryllium, Dissolved	-	-	-	-	-	-	-	-
Beryllium, Total	-	-	-	-	-	-	-	-
Cadmium, Dissolved	-	-	-	-	-	-	-	-
Cadmium, Total	-	-	-	-	-	-	-	-
Calcium, Dissolved	-	-	-	-	-	-	-	-
Calcium, Total	-	-	-	-	-	-	-	-
Chromium, Dissolved	-	-	-	-	-	-	-	-
Chromium, Total	-	-	-	-	-	-	-	-
Iron, Dissolved	-	-	-	-	-	-	-	-
Iron, Total	-	-	-	-	-	-	-	-
Lead, Dissolved	-	-	-	-	-	-	-	-
Lead, Total	-	-	-	-	-	-	-	-
Manganese, Dissolved	-	-	-	-	-	-	-	-
Manganese, Total	-	-	-	-	-	-	-	-
Nickel, Dissolved	-	-	-	-	-	-	-	-
Nickel, total	-	-	-	-	-	-	-	-
Potassium, Dissolved	-	-	-	-	-	-	-	-
Potassium, Total	-	-	-	-	-	-	-	-
Sodium, Dissolved	-	-	-	-	-	-	-	-
Sodium, Total	-	-	-	-	-	-	-	-

"-" = Not analyzed

ND = Non-detect; Values represent one-half
of the detection limit

Data Tables
Residential North Ground Water
Metals

Sample Location	GW40	GW40DUP	GW40	GW16	GW20	GW40	GW41	GW04
Sample Date	10/12/90	10/12/90	10/23/90	12/11/90	12/11/90	12/11/90	12/11/90	12/12/90
Concentration Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
Arsenic, Dissolved	-	-	-	-	-	-	-	-
Arsenic, Total	0.0009 ND	0.0009 ND	0.0009 ND	0.0009 ND	0.0009 ND	0.0009 ND	0.0009 ND	0.0009 ND
Barium, Dissolved	-	-	-	-	-	-	-	-
Barium, Total	-	-	-	-	-	0.016 ND	-	0.016 ND
Beryllium, Dissolved	-	-	-	-	-	-	-	-
Beryllium, Total	-	-	-	-	-	0.0005 ND	-	0.0005 ND
Cadmium, Dissolved	-	-	-	-	-	-	-	-
Cadmium, Total	-	-	-	-	-	0.003 ND	-	0.003 ND
Calcium, Dissolved	-	-	-	-	-	-	-	-
Calcium, Total	-	-	-	-	-	-	-	-
Chromium, Dissolved	-	-	-	-	-	-	-	-
Chromium, Total	-	-	-	-	-	0.0045 ND	-	0.0045 ND
Iron, Dissolved	-	-	-	-	-	-	-	-
Iron, Total	-	-	0.00024	-	-	-	-	-
Lead, Dissolved	-	-	-	-	-	-	-	-
Lead, Total	-	-	-	-	-	0.001 ND	-	0.0031
Manganese, Dissolved	-	-	-	-	-	-	-	-
Manganese, Total	-	-	0.05	-	-	-	-	-
Nickel, Dissolved	-	-	-	-	-	-	-	-
Nickel, total	-	-	-	-	-	-	-	-
Potassium, Dissolved	-	-	-	-	-	0.011 ND	-	0.011 ND
Potassium, Total	-	-	-	-	-	-	-	-
Sodium, Dissolved	-	-	-	-	-	-	-	-
Sodium, Total	-	-	-	-	-	-	-	-

"-" = Not analyzed

ND = Non-detect; Values represent one-half
of the detection limit

Data Tables
Residential North Ground Water
Metals

Sample Location	GW18	GW27	GW34	GW12DB1	GW10DB1	GW10DB2	GW10DB3
Sample Date	12/12/90	12/12/90	12/13/90	12/20/90	12/21/90	12/21/90	12/21/90
Concentration Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
Arsenic, Dissolved	-	-	-	0.0122	0.164	-	0.137
Arsenic, Total	0.0044	0.0009 ND	0.0108	0.0374	-	0.221	0.171
Barium, Dissolved	-	-	-	0.016 ND	0.29	-	0.051
Barium, Total	-	-	0.016 ND	1.327	-	0.135	0.759
Beryllium, Dissolved	-	-	-	0.0005 ND	0.0005 ND	-	0.0005 ND
Beryllium, Total	-	-	0.0005 ND	0.0005 ND	-	0.0005 ND	0.0005 ND
Cadmium, Dissolved	-	-	-	0.003 ND	0.003 ND	-	0.003 ND
Cadmium, Total	-	-	0.003 ND	0.011	-	0.003 ND	0.003 ND
Calcium, Dissolved	-	-	-	-	-	-	-
Calcium, Total	-	-	-	53621	48685	40464	42840
Chromium, Dissolved	-	-	-	0.0045 ND	0.189	-	0.0045 ND
Chromium, Total	-	-	0.0045 ND	0.625	-	0.04	0.042
Iron, Dissolved	-	-	-	28	37624	-	-
Iron, Total	-	-	-	272.64	-	11.84	-
Lead, Dissolved	-	-	-	1 ND	16.3	-	-
Lead, Total	-	-	0.001 ND	0.0873	-	0.0074	-
Manganese, Dissolved	-	-	-	-	-	-	-
Manganese, Total	-	-	-	-	-	-	-
Nickel, Dissolved	-	-	-	0.011 ND	0.081	-	-
Nickel, total	-	-	0.011 ND	0.367	-	0.048	-
Potassium, Dissolved	-	-	-	2970	4960	-	-
Potassium, Total	-	-	-	72920	-	3870	-
Sodium, Dissolved	-	-	-	12730	16410	-	-
Sodium, Total	-	-	-	22100	-	13380	-

"-" = Not analyzed

ND = Non-detect; Values represent one-half
of the detection limit

Data Tables
Residential North Ground Water
Metals

Sample Location	GW10DB3	GW40	GW04	GW17	GW40	GW20	GW40	GW41
Sample Date	12/21/90	01/03/91	02/05/91	02/05/91	02/05/91	03/05/91	03/05/91	03/05/91
Concentration Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
Arsenic, Dissolved	-	-	-	-	-	-	-	-
Arsenic, Total	-	0.0009 ND	0.0006 ND	0.0023	0.0006 ND	0.0006 ND	0.0006 ND	0.0006 ND
Barium, Dissolved	-	-	-	-	-	-	-	-
Barium, Total	-	-	-	-	-	-	-	-
Beryllium, Dissolved	-	-	-	-	-	-	-	-
Beryllium, Total	-	-	-	-	-	-	-	-
Cadmium, Dissolved	-	-	-	-	-	-	-	-
Cadmium, Total	-	-	-	-	-	-	-	-
Calcium, Dissolved	-	-	-	-	-	-	-	-
Calcium, Total	-	-	-	-	-	-	-	-
Chromium, Dissolved	-	-	-	-	-	-	-	-
Chromium, Total	-	-	-	-	-	-	-	-
Iron, Dissolved	631	-	-	-	-	-	-	-
Iron, Total	22.62	-	-	-	-	-	-	-
Lead, Dissolved	3.8	-	-	-	-	-	-	-
Lead, Total	0.005	-	-	-	-	-	-	-
Manganese, Dissolved	-	-	-	-	-	-	-	-
Manganese, Total	-	-	-	-	-	-	-	-
Nickel, Dissolved	0.035	-	-	-	-	-	-	-
Nickel, total	0.038	-	-	-	-	-	-	-
Potassium, Dissolved	3350	-	-	-	-	-	-	-
Potassium, Total	3810	-	-	-	-	-	-	-
Sodium, Dissolved	13330	-	-	-	-	-	-	-
Sodium, Total	14160	-	-	-	-	-	-	-

"-" = Not analyzed

ND = Non-detect; Values represent
one-half of the detection limit

Data Tables
Residential North Ground Water
Metals

Sample Location	GW16	GW18	GW27	GW34	GW10DBPT	GW12DBPT	GW10DBPT	GW16
Sample Date	03/06/91	03/06/91	03/06/91	03/06/91	04/01/91	04/02/91	04/03/91	04/04/91
Concentration Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
Arsenic, Dissolved	-	-	-	-	0.0938	0.0189	0.162	-
Arsenic, Total	0.0006 ND	0.0052	0.0006 ND	0.0118	0.1461	0.0563	0.16	0.0006 ND
Barium, Dissolved	-	-	-	-	0.03	0.005 ND	0.04	-
Barium, Total	-	-	-	-	0.042	0.059	0.04	-
Beryllium, Dissolved	-	-	-	-	0.0025 ND	0.0025 ND	0.0025 ND	-
Beryllium, Total	-	-	-	-	0.0025 ND	0.0025 ND	0.0025 ND	-
Cadmium, Dissolved	-	-	-	-	0.0025 ND	0.0025 ND	0.0025 ND	-
Cadmium, Total	-	-	-	-	0.0025 ND	0.005	0.0025 ND	-
Calcium, Dissolved	-	-	-	-	-	26	37.9	-
Calcium, Total	-	-	-	-	-	26.1	38.8	-
Chromium, Dissolved	-	-	-	-	0.005 ND	0.005 ND	0.005 ND	-
Chromium, Total	-	-	-	-	5 ND	0.026	0.005 ND	-
Iron, Dissolved	-	-	-	-	0.098	0.06	0.13	-
Iron, Total	-	-	-	-	1.124	3.01	0.22	-
Lead, Dissolved	-	-	-	-	0.0006 ND	0.0029	0.0014	-
Lead, Total	-	-	-	-	0.0013	0.0153	0.0029	-
Manganese, Dissolved	-	-	-	-	0.631	0.28	0.78	-
Manganese, Total	-	-	-	-	1.978	0.53	0.88	-
Nickel, Dissolved	-	-	-	-	0.0125 ND	0.0125 ND	0.0125 ND	-
Nickel, total	-	-	-	-	0.0125 ND	0.0125 ND	0.0125 ND	-
Potassium, Dissolved	-	-	-	-	-	3.38	4.33	-
Potassium, Total	-	-	-	-	-	3.59	3.87	-
Sodium, Dissolved	-	-	-	-	-	10.8	11.7	-
Sodium, Total	-	-	-	-	-	10.9	12	-

"-" = Not analyzed

ND = Non-detect; Values represent
one-half of the detection limit

Data Tables
Residential North Ground Water
Metals

Sample Location	GW17	GW40	GW41	GW18	GW20	GW27	GW34	GW40
Sample Date	04/04/91	04/04/91	04/04/91	06/06/91	06/06/91	06/06/91	06/06/91	06/06/91
Concentration Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
Arsenic, Dissolved	-	-	-	-	-	-	-	-
Arsenic, Total	0.0006 ND	0.0006 ND	0.0006 ND	0.0054	0.00085 ND	0.00085 ND	0.0104	0.00085 ND
Barium, Dissolved	-	-	-	-	-	-	-	-
Barium, Total	-	-	-	-	-	-	-	-
Beryllium, Dissolved	-	-	-	-	-	-	-	-
Beryllium, Total	-	-	-	-	-	-	-	-
Cadmium, Dissolved	-	-	-	-	-	-	-	-
Cadmium, Total	-	-	-	-	-	-	-	-
Calcium, Dissolved	-	-	-	-	-	-	-	-
Calcium, Total	-	-	-	-	-	-	-	-
Chromium, Dissolved	-	-	-	-	-	-	-	-
Chromium, Total	-	-	-	-	-	-	-	-
Iron, Dissolved	-	-	-	-	-	-	-	-
Iron, Total	-	-	-	-	-	-	-	-
Lead, Dissolved	-	-	-	-	-	-	-	-
Lead, Total	-	-	-	-	-	-	-	-
Manganese, Dissolved	-	-	-	-	-	-	-	-
Manganese, Total	-	-	-	-	-	-	-	-
Nickel, Dissolved	-	-	-	-	-	-	-	-
Nickel, total	-	-	-	-	-	-	-	-
Potassium, Dissolved	-	-	-	-	-	-	-	-
Potassium, Total	-	-	-	-	-	-	-	-
Sodium, Dissolved	-	-	-	-	-	-	-	-
Sodium, Total	-	-	-	-	-	-	-	-

"-" = Not analyzed

ND = Non-detect; Values represent
one-half of the detection limit

Data Tables
Residential North Ground Water
Metals

Sample Location	GW05	GW16	GW16DUP	GW17	GW17DUP	GW41	GW42	GW43
Sample Date	06/07/91	06/07/91	06/07/91	06/07/91	06/07/91	06/07/91	06/07/91	06/07/91
Concentration Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
Arsenic, Dissolved	-	-	-	-	-	-	-	-
Arsenic, Total	0.00085 ND	0.00085 ND	0.00085 ND	0.00085 ND	0.00085 ND	0.00085 ND	0.00085 ND	0.0028
Barium, Dissolved	-	-	-	-	-	-	-	-
Barium, Total	-	-	-	-	-	-	-	-
Beryllium, Dissolved	-	-	-	-	-	-	-	-
Beryllium, Total	-	-	-	-	-	-	-	-
Cadmium, Dissolved	-	-	-	-	-	-	-	-
Cadmium, Total	-	-	-	-	-	-	-	-
Calcium, Dissolved	-	-	-	-	-	-	-	-
Calcium, Total	-	-	-	-	-	-	-	-
Chromium, Dissolved	-	-	-	-	-	-	-	-
Chromium, Total	-	-	-	-	-	-	-	-
Iron, Dissolved	-	-	-	-	-	-	-	-
Iron, Total	-	-	-	-	-	-	-	-
Lead, Dissolved	-	-	-	-	-	-	-	-
Lead, Total	-	-	-	-	-	-	-	-
Manganese, Dissolved	-	-	-	-	-	-	-	-
Manganese, Total	-	-	-	-	-	-	-	-
Nickel, Dissolved	-	-	-	-	-	-	-	-
Nickel, total	-	-	-	-	-	-	-	-
Potassium, Dissolved	-	-	-	-	-	-	-	-
Potassium, Total	-	-	-	-	-	-	-	-
Sodium, Dissolved	-	-	-	-	-	-	-	-
Sodium, Total	-	-	-	-	-	-	-	-

"-" = Not analyzed

ND = Non-detect; Values represent
one-half of the detection limit

Data Tables
Residential North Ground Water
Metals

Sample Location	GW44	GW04	GW05	GW07	GW40	GW40B	GW40T	GW45
Sample Date	06/07/91	08/22/91	08/22/91	08/22/91	08/22/91	08/22/91	08/22/91	08/22/91
Concentration Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
Arsenic, Dissolved	-	-	-	-	-	-	-	-
Arsenic, Total	0.0104	0.00085 ND	0.00085 ND	0.0023	0.00085 ND	0.00085 ND	0.00085 ND	0.0059
Barium, Dissolved	-	-	-	-	-	-	-	-
Barium, Total	-	-	-	-	-	-	-	-
Beryllium, Dissolved	-	-	-	-	-	-	-	-
Beryllium, Total	-	-	-	-	-	-	-	-
Cadmium, Dissolved	-	-	-	-	-	-	-	-
Cadmium, Total	-	-	-	-	-	-	-	-
Calcium, Dissolved	-	-	-	-	-	-	-	-
Calcium, Total	-	-	-	-	-	-	-	-
Chromium, Dissolved	-	-	-	-	-	-	-	-
Chromium, Total	-	-	-	-	-	-	-	-
Iron, Dissolved	-	-	-	-	-	-	-	-
Iron, Total	-	-	-	-	-	-	-	-
Lead, Dissolved	-	-	-	-	-	-	-	-
Lead, Total	-	-	-	-	-	-	-	-
Manganese, Dissolved	-	-	-	-	-	-	-	-
Manganese, Total	-	-	-	-	-	-	-	-
Nickel, Dissolved	-	-	-	-	-	-	-	-
Nickel, total	-	-	-	-	-	-	-	-
Potassium, Dissolved	-	-	-	-	-	-	-	-
Potassium, Total	-	-	-	-	-	-	-	-
Sodium, Dissolved	-	-	-	-	-	-	-	-
Sodium, Total	-	-	-	-	-	-	-	-

"-" = Not analyzed

ND = Non-detect; Values represent
one-half of the detection limit

Data Tables
Residential North Ground Water
Metals

Sample Location	GW46	GW48	GW50	GW64	GW65	GW66	GW49	GW16
Sample Date	08/22/91	08/23/91	08/23/91	08/23/91	08/23/91	08/23/91	08/28/91	08/03/91
Concentration Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
Arsenic, Dissolved	-	-	-	-	-	-	-	-
Arsenic, Total	0.00085 ND	0.00085 ND	0.0031	0.00085 ND	0.0066	0.0018	0.00085 ND	0.00085 ND
Barium, Dissolved	-	-	-	-	-	-	-	-
Barium, Total	-	-	-	-	-	-	-	-
Beryllium, Dissolved	-	-	-	-	-	-	-	-
Beryllium, Total	-	-	-	-	-	-	-	-
Cadmium, Dissolved	-	-	-	-	-	-	-	-
Cadmium, Total	-	-	-	-	-	-	-	-
Calcium, Dissolved	-	-	-	-	-	-	-	-
Calcium, Total	-	-	-	-	-	-	-	-
Chromium, Dissolved	-	-	-	-	-	-	-	-
Chromium, Total	-	-	-	-	-	-	-	-
Iron, Dissolved	-	-	-	-	-	-	-	-
Iron, Total	-	-	-	-	-	-	-	-
Lead, Dissolved	-	-	-	-	-	-	-	-
Lead, Total	-	-	-	-	-	-	-	-
Manganese, Dissolved	-	-	-	-	-	-	-	-
Manganese, Total	-	-	-	-	-	-	-	-
Nickel, Dissolved	-	-	-	-	-	-	-	-
Nickel, total	-	-	-	-	-	-	-	-
Potassium, Dissolved	-	-	-	-	-	-	-	-
Potassium, Total	-	-	-	-	-	-	-	-
Sodium, Dissolved	-	-	-	-	-	-	-	-
Sodium, Total	-	-	-	-	-	-	-	-

"-" = Not analyzed

ND = Non-detect; Values represent
one-half of the detection limit

Data Tables
Residential North Ground Water
Metals

Sample Location	GW18	GW20	GW34	GW40	GW40T	GW27	GW43	GW44
Sample Date	09/03/91	09/03/91	09/03/91	09/03/91	09/03/91	09/05/91	09/05/91	09/05/91
Concentration Units	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
Arsenic, Dissolved	-	-	-	-	-	-	-	-
Arsenic, Total	0.0049	0.00085 ND	0.0129	0.00085 ND	0.00085 ND	0.00085 ND	0.0024	0.0116
Barium, Dissolved	-	-	-	-	-	-	-	-
Barium, Total	-	-	-	-	-	-	-	-
Beryllium, Dissolved	-	-	-	-	-	-	-	-
Beryllium, Total	-	-	-	-	-	-	-	-
Cadmium, Dissolved	-	-	-	-	-	-	-	-
Cadmium, Total	-	-	-	-	-	-	-	-
Calcium, Dissolved	-	-	-	-	-	-	-	-
Calcium, Total	-	-	-	-	-	-	-	-
Chromium, Dissolved	-	-	-	-	-	-	-	-
Chromium, Total	-	-	-	-	-	-	-	-
Iron, Dissolved	-	-	-	-	-	-	-	-
Iron, Total	-	-	-	-	-	-	-	-
Lead, Dissolved	-	-	-	-	-	-	-	-
Lead, Total	-	-	-	-	-	-	-	-
Manganese, Dissolved	-	-	-	-	-	-	-	-
Manganese, Total	-	-	-	-	-	-	-	-
Nickel, Dissolved	-	-	-	-	-	-	-	-
Nickel, total	-	-	-	-	-	-	-	-
Potassium, Dissolved	-	-	-	-	-	-	-	-
Potassium, Total	-	-	-	-	-	-	-	-
Sodium, Dissolved	-	-	-	-	-	-	-	-
Sodium, Total	-	-	-	-	-	-	-	-

"-" = Not analyzed

ND = Non-detect; Values represent
one-half of the detection limit

Data Tables
Soil Zone 1; All Depths
Volatile Organic Compounds

Zone 1								
Sample Location	B-6	B-7	B-7	B-7	B-8	B-8	B-8	B-8
Sample Date	12/15/88	12/15/88	12/15/88	12/15/88	12/15/88	12/15/88	12/15/88	12/15/88
Sample Depth	10-11	2-3	4-5	5-6	11-12	13-14	7-8	9-10
Concentration Units	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
1,1,1-Trichloroethane	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND
1,1-Dichloroethane	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND
1,2-Dichloroethane	-	-	-	0.025 ND	-	-	-	-
2-Butanone	-	-	-	-	-	-	-	-
4-Methyl-2-pentanone	-	-	-	-	-	-	-	-
Acetone	-	-	-	-	-	-	-	-
Dibromochloromethane	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND
Ethylbenzene	-	-	-	-	-	-	-	-
Tetrachloroethene	0.025 ND	0.602	0.614 ND	0.418	0.025 ND	0.025 ND	0.025 ND	0.025 ND
Toluene	-	-	-	-	-	-	-	-
Trichloroethene	0.025 ND	0.587	4.022 ND	2.149	0.025 ND	0.025 ND	0.025 ND	0.025 ND
Xylenes	-	-	-	-	-	-	-	-
cis-1,2-Dichloroethene	-	-	-	-	-	-	-	-

- = Not analyzed

ND = Non-detect; Values represent one-half
of the detection limit

Data Tables
Soil Zone 1; All Depths
Volatile Organic Compounds

Zone 1								
Sample Location	B-9	B-9	B-9	B-9	B-14	B-14	B-14	B-14
Sample Date	12/15/88	12/15/88	12/15/88	12/15/88	12/16/88	12/16/88	12/16/88	12/16/88
Sample Depth	1-2	3-4	5-6	7-8	11-12	13-14	19-20	27-28
Concentration Units	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
1,1,1-Trichloroethane	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND
1,1-Dichloroethane	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND
1,2-Dichloroethene	-	-	-	-	-	-	-	-
2-Butanone	-	-	-	-	-	-	-	-
4-Methyl-2-pentanone	-	-	-	-	-	-	-	-
Acetone	-	-	-	-	-	-	-	-
Dibromochloromethane	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND
Ethylbenzene	-	-	-	-	-	-	-	-
Tetrachloroethene	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND
Toluene	-	-	-	-	-	-	-	-
Trichloroethene	0.072	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.082	0.025 ND	0.025 ND
Xylenes	-	-	-	-	-	-	-	-
cis-1,2-Dichloroethene	-	-	-	-	-	-	-	-

- = Not analyzed

ND = Non-detect; Values represent one-half
of the detection limit

Data Tables
Soil Zone 1; All Depths
Volatile Organic Compounds

Zone 1								
Sample Location	B-14	B-14	B-14	B-14	B-14	B-14	B-14	B-23
Sample Date	12/16/88	12/16/88	12/16/88	12/16/88	12/16/88	12/16/88	12/16/88	12/16/88
Sample Depth	3-4	31-32	5-6	6-7	7-8	8-9	9-10	10-11
Concentration Units	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
1,1,1-Trichloroethane	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND
1,1-Dichloroethane	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND
1,2-Dichloroethene	-	-	-	-	-	-	-	-
2-Butanone	-	-	-	-	-	-	-	-
4-Methyl-2-pentanone	-	-	-	-	-	-	-	-
Acetone	-	-	-	-	-	-	-	-
Dibromochloromethane	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND
Ethylbenzene	-	-	-	-	-	-	-	0.025 ND
Tetrachloroethene	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.01
Toluene	-	-	-	-	-	-	-	0.025 ND
Trichloroethene	0.025 ND	0.025 ND	0.025 ND	0.057	0.025 ND	0.025 ND	0.025 ND	0.462
Xylenes	-	-	-	-	-	-	-	0.025 ND
cis-1,2-Dichloroethene	-	-	-	-	-	-	-	-

- = Not analyzed

ND = Non-detect; Values represent one-half
of the detection limit

Data Tables
Soil Zone 1; All Depths
Volatile Organic Compounds

Zone 1								
Sample Location	B-23	B-23	B-23	B-11	B-11	B-17	B-18	B-12
Sample Date	12/16/88	12/16/88	12/16/88	12/20/88	12/20/88	12/20/88	12/20/88	12/21/88
Sample Depth	3-4	6-7	9-10	11-12	4-5	1-2	13-14	1-2
Concentration Units	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
1,1,1-Trichloroethane	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND
1,1-Dichloroethane	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND
1,2-Dichloroethane	-	-	-	-	-	-	-	-
2-Butanone	-	-	-	-	-	-	-	-
4-Methyl-2-pentanone	-	-	-	-	-	-	-	-
Acetone	-	-	-	-	-	-	-	-
Dibromochloromethane	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND
Ethylbenzene	0.025 ND	2.75	0.025 ND	-	-	-	-	-
Tetrachloroethene	0.025 ND	0.984	0.357	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND
Toluene	0.079	7.577	0.025 ND	-	-	-	-	-
Trichloroethene	0.073	0.025 ND	0.66	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.33
Xylenes	0.1	4.318	0.025 ND	-	-	-	-	-
cis-1,2-Dichloroethene	-	-	-	-	-	-	-	-

- = Not analyzed

ND = Non-detect; Values represent one-half
of the detection limit

Data Tables
Soil Zone 1; All Depths
Volatile Organic Compounds

Zone 1								
Sample Location	B-12	B-12	B-12	B-13	B-13	B-15	B-15	B-15
Sample Date	12/21/88	12/21/88	12/21/88	12/21/88	12/21/88	12/21/88	12/21/88	12/21/88
Sample Depth	11-12	3-4	5-6	11-12	8-9	1-2	2-3	6-7
Concentration Units	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
1,1,1-Trichloroethane	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND
1,1-Dichloroethane	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND
1,2-Dichloroethene	-	-	-	-	-	-	-	-
2-Butanone	-	-	-	-	-	-	-	-
4-Methyl-2-pentanone	-	-	-	-	-	-	-	-
Acetone	-	-	-	-	-	-	-	-
Dibromochloromethane	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND
Ethylbenzene	-	-	-	0.025 ND	0.025 ND	-	0.025 ND	0.025 ND
Tetrachloroethene	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND
Toluene	-	-	-	0.025 ND	0.025 ND	-	0.025 ND	0.025 ND
Trichloroethene	0.091	0.1	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND
Xylenes	-	-	-	0.025 ND	0.025 ND	-	0.025 ND	0.025 ND
cis-1,2-Dichloroethene	-	-	-	-	-	-	-	-

- = Not analyzed

ND = Non-detect; Values represent one-half
of the detection limit

Data Tables

Soil Zone 1; All Depths

Volatile Organic Compounds

Zone 1								
Sample Location	B-16	B-24	DW-1t	DW-1t	DW-1t	DW-1t	DW-1t	DW-1t
Sample Date	12/21/88	12/22/88	03/27/91	03/27/91	03/27/91	03/27/91	03/27/91	03/28/91
Sample Depth	5-6	15-16	0-2	14-16	18-20	28-30	8-10	38-40
Concentration Units	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
1,1,1-Trichloroethane	0.025 ND	0.025 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	1	0.01 ND
1,1-Dichloroethane	0.025 ND	0.025 ND	0.00075 ND	0.00075 ND	0.00075 ND	0.00075 ND	0.00075 ND	0.015 ND
1,2-Dichloroethene	-	-	-	-	-	0.092	0.083	-
2-Butanone	-	-	0.00225 ND	-	0.00225 ND	0.00225 ND	0.00225 ND	0.045 ND
4-Methyl-2-pentanone	-	-	0.005 ND	0.005 ND	0.005 ND	0.005 ND	0.005 ND	0.1 ND
Acetone	-	-	0.005 ND	0.005 ND	0.005 ND	0.005 ND	0.005 ND	0.1 ND
Dibromochloromethane	0.025 ND	0.025 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.01 ND
Ethylbenzene	-	-	0.0005 ND	0.0005 ND	0.0005 ND	0.0005 ND	0.13	0.01 ND
Tetrachloroethene	0.025 ND	0.025 ND	0.00075 ND	0.00075 ND	0.00075 ND	0.00075 ND	0.67	0.015 ND
Toluene	-	-	0.00075 ND	0.38	0.22	0.25	2.1	0.015 ND
Trichloroethene	0.025 ND	0.104	0.0005 ND	51	22	20	210	16
Xylenes	-	-	0.0005 ND	0.21	0.058	0.0005 ND	0.64	0.01 ND
cis-1,2-Dichloroethene	-	-	0.0005 ND	0.0005 ND	0.0005 ND	-	-	0.01 ND

- = Not analyzed

ND = Non-detect; Values represent one-half of the detection limit

Data Tables
Soil Zone 1; All Depths
Volatile Organic Compounds

Zone 1								
Sample Location	B-25	B-25	B-25	B-25	B-25	B-27	B-27	B-27
Sample Date	06/10/91	06/10/91	06/10/91	06/10/91	06/10/91	06/11/91	06/11/91	06/11/91
Sample Depth	0-2	18-20	28-30	38-40	8-10	18-20	28-30	38-40
Concentration Units	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
1,1,1-Trichloroethane	0.011	0.005 ND	0.0025 ND	0.005 ND	0.0025 ND	0.005 ND	0.005 ND	0.01
1,1-Dichloroethane	0.0015 ND	0.0075 ND	0.056	0.032	0.00375 ND	0.0075 ND	0.0075 ND	0.0075 ND
1,2-Dichloroethane	-	-	-	-	-	-	-	-
2-Butanone	0.0045 ND	0.0225 ND	0.01125 ND	0.0225 ND	0.01125 ND	0.27	12	2.3
4-Methyl-2-pentanone	0.01 ND	0.05 ND	0.025 ND	0.05 ND	0.025 ND	0.05 ND	0.43	0.05 ND
Acetone	0.01 ND	0.05 ND	0.025 ND	0.05 ND	0.025 ND	0.24	5.9	1.8
Dibromochloromethane	0.001 ND	0.005 ND	0.0025 ND	0.005 ND	0.0025 ND	0.005 ND	0.005 ND	0.005 ND
Ethylbenzene	0.001 ND	0.005 ND	0.016	0.038	0.2	0.005 ND	0.005 ND	0.005 ND
Tetrachloroethene	0.0015 ND	0.0075 ND	0.056	0.097	0.00375 ND	0.0075 ND	0.0075 ND	0.0075 ND
Toluene	0.0055	0.0075 ND	0.3	0.87	0.11	0.0075 ND	0.058	0.0075 ND
Trichloroethene	0.0051	0.023	3	0.005 ND	0.017	0.005 ND	0.005 ND	0.01
Xylenes	0.0033	0.005 ND	0.094	0.21	1.2	0.005 ND	0.022	0.005 ND
cis-1,2-Dichloroethene	0.001 ND	0.005 ND	0.056	0.11	0.0025 ND	0.005 ND	0.005 ND	0.005 ND

- = Not analyzed

ND = Non-detect; Values represent one-half
of the detection limit

Data Tables
Soil Zone 1; All Depths
Volatile Organic Compounds

Zone 1								
Sample Location	B-27	B-28	B-28	B-28	B-28	B-26	B-26	B-26
Sample Date	06/11/91	06/12/91	06/12/91	06/12/91	06/12/91	06/27/91	06/27/91	06/27/91
Sample Depth	8-10	18-20	28-30	38-40	8-10	19-20	24-25	28-29
Concentration Units	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
1,1,1-Trichloroethane	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0005 ND
1,1-Dichloroethane	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND	0.00075 ND
1,2-Dichloroethene	-	-	-	-	-	-	-	-
2-Butanone	0.01125 ND	0.01125 ND	0.01125 ND	0.01125 ND	0.01125 ND	0.01125 ND	0.01125 ND	0.00225 ND
4-Methyl-2-pentanone	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.005 ND
Acetone	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.005 ND
Dibromochloromethane	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0005 ND
Ethylbenzene	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0005 ND
Tetrachloroethene	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND	0.022	0.00375 ND	0.00075 ND
Toluene	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND	0.018	0.00375 ND	0.00075 ND
Trichloroethene	0.0025 ND	0.058	0.0025 ND	0.013	0.0025 ND	5.4	0.2	0.0005 ND
Xylenes	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.011	0.0025 ND	0.0005 ND
cis-1,2-Dichloroethene	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0005 ND

- = Not analyzed

ND = Non-detect; Values represent one-half
of the detection limit

Data Tables
Soil Zone 1; All Depths
Volatile Organic Compounds

Zone 1		
Sample Location	B-26	B-26
Sample Date	06/27/91	06/27/91
Sample Depth	39-40	9-10
Concentration Units	mg/kg	mg/kg
1,1,1-Trichloroethane	0.0025 ND	0.0025 ND
1,1-Dichloroethane	0.00375 ND	0.00375 ND
1,2-Dichloroethene	-	-
2-Butanone	0.01125 ND	0.01125 ND
4-Methyl-2-pentanone	0.025 ND	0.025 ND
Acetone	0.025 ND	0.025 ND
Dibromochloromethane	0.0025 ND	0.0025 ND
Ethylbenzene	0.0025 ND	0.0025 ND
Tetrachloroethene	0.00375 ND	0.00375 ND
Toluene	0.0093	0.00375 ND
Trichloroethene	0.36	0.0025 ND
Xylenes	0.014	0.0025 ND
cis-1,2-Dichloroethene	0.0025 ND	0.0025 ND

- = Not analyzed

ND = Non-detect; Values represent one-half
of the detection limit

Data Tables
Soil Zone 2; All Depths
Volatile Organic Compounds

Zone 2						
Sample Location	Pits near tanks	Pits near tanks	Pits near tanks	Pits near tanks	Brick dry well	SB-1
Sample Date	05/20/87	05/20/87	05/20/87	05/20/87	05/22/87	06/06/89
Sample Depth	0-0.5	0.5-1	1-1.5	1.5-2	0-1	1-2
Concentration Units	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
1,1,1-Trichloroethane	0.01 ND	0.01 ND	0.01 ND	0.01 ND	0.01 ND	0.025 ND
1,1-Dichloroethane	0.01 ND	0.01 ND	0.01 ND	0.01 ND	0.01 ND	0.025 ND
1,2-Dichloroethene	-	-	-	-	-	0.025 ND
2-Butanone	-	-	-	-	-	-
4-Methyl-2-pentanone	-	-	-	-	-	-
Acetone	-	-	-	-	-	-
Dibromochloromethane	0.01 ND	0.01 ND	0.01 ND	0.01 ND	0.01 ND	0.025 ND
Ethylbenzene	-	-	-	-	-	-
Tetrachloroethene	0.01 ND	0.01 ND	0.01 ND	0.01 ND	0.01 ND	0.025 ND
Toluene	-	-	-	-	-	-
Trichloroethene	0.01 ND	0.01 ND	0.01 ND	0.01 ND	0.202	0.025 ND
Xylenes	-	-	-	-	-	-
cis-1,2-Dichloroethene	-	-	-	-	-	-

- = Not analyzed

ND = Non-detect; Values represent one-half
of the detection limit

Data Tables
Soil Zone 2; All Depths
Volatile Organic Compounds

Zone 2

Sample Location	SB-2	SB-3	SB-4	Brick dry well	T-4	T-4	T-4 Dup	T-4 Dup
Sample Date	06/06/89	06/06/89	06/06/89	08/08/89	06/25/91	06/25/91	06/25/91	06/25/91
Sample Depth	1-2	1-2	1-2	0-1	.5	4	.5	4
Concentration Units	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
1,1,1-Trichloroethane	0.025 ND	0.025 ND	0.025 ND	0.0625 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND
1,1-Dichloroethane	0.025 ND	0.025 ND	0.025 ND	0.25 ND	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND
1,2-Dichloroethene	0.025 ND	0.025 ND	0.025 ND	-	-	-	-	-
2-Butanone	-	-	-	-	0.01125 ND	0.01125 ND	0.01125 ND	0.01125 ND
4-Methyl-2-pentanone	-	-	-	-	0.025 ND	0.025 ND	0.025 ND	0.025 ND
Acetone	-	-	-	-	0.025 ND	0.025 ND	0.025 ND	0.025 ND
Dibromochloromethane	0.025 ND	0.025 ND	0.025 ND	0.25 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND
Ethylbenzene	-	-	-	-	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND
Tetrachloroethene	-	0.025 ND	0.025 ND	0.0625 ND	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND
Toluene	-	-	-	-	0.018	0.00375 ND	0.00375 ND	0.00375 ND
Trichloroethene	0.025 ND	0.025 ND	0.025 ND	0.0625 ND	0.036	0.0069	0.008	0.0025 ND
Xylenes	-	-	-	-	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND
cis-1,2-Dichloroethene	-	-	-	-	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND

- = Not analyzed

ND = Non-detect; Values represent one-half
of the detection limit

Data Tables
Soil Zone 3; All Depths
Volatile Organic Compounds

Zone 3							
Sample Location	Leaching Field	Blakely trench	T-1	T-1	T-1 Dup	T-1 Dup	T-2
Sample Date	06/06/89	10/03/89	06/25/91	06/25/91	06/25/91	06/25/91	06/25/91
Sample Depth	0-1	3.5-4	.5	3	.5	3	.5
Concentration Units	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
1,1,1-Trichloroethane	0.025 ND	0.05 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND
1,1-Dichloroethane	0.025 ND	0.05 ND	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND
1,2-Dichloroethene	0.025 ND	-	-	-	-	-	-
2-Butanone	-	-	0.01125 ND	0.01125 ND	0.01125 ND	0.01125 ND	0.01125 ND
4-Methyl-2-pentanone	-	-	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND
Acetone	-	-	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND
Dibromochloromethane	0.025 ND	0.05 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND
Ethylbenzene	-	-	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND
Tetrachloroethene	0.025 ND	0.05 ND	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND
Toluene	-	-	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND
Trichloroethene	0.025 ND	0.05 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND
Xylenes	-	-	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND
cis-1,2-Dichloroethene	-	-	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND

- = Not analyzed

ND = Non-detect; Values represent one-half
of the detection limit

Data Tables
Soil Zone 3; All Depths
Volatile Organic Compounds

Zone 3			
Sample Location	T-2	T-2 dup	T-3
Sample Date	06/25/91	06/25/91	06/25/91
Sample Depth	3	3	3
Concentration Units	mg/kg	mg/kg	mg/kg
1,1,1-Trichloroethane	0.0025 ND	0.0025 ND	0.0025 ND
1,1-Dichloroethane	0.00375 ND	0.00375 ND	0.00375 ND
1,2-Dichloroethene	-	-	-
2-Butanone	0.01125 ND	0.01125 ND	0.01125 ND
4-Methyl-2-pentanone	0.025 ND	0.025 ND	0.025 ND
Acetone	0.025 ND	0.025 ND	0.025 ND
Dibromochloromethane	0.0025 ND	0.0025 ND	0.0025 ND
Ethylbenzene	0.0025 ND	0.0025 ND	0.0025 ND
Tetrachloroethene	0.00375 ND	0.00375 ND	0.00375 ND
Toluene	0.00375 ND	0.00375 ND	0.00375 ND
Trichloroethene	0.0025 ND	0.0025 ND	0.0025 ND
Xylenes	0.0025 ND	0.0025 ND	0.0025 ND
cis-1,2-Dichloroethene	0.0025 ND	0.0025 ND	0.0025 ND

- = Not analyzed

ND = Non-detect; Values represent one-half
of the detection limit

Data Tables
Soil Zone 4; All Depths
Volatile Organic Compounds

Zone 4								
Sample Location	MW-16sb	MW-16sb	B-29	B-29	B-29	B-39	B-39	B-39
Sample Date	04/23/91	04/23/91	06/13/91	06/13/91	06/13/91	06/14/91	06/14/91	06/14/91
Sample Depth	34-36	46-48	18-20	28-30	8-10	18-20	28-30	44-46
Concentration Units	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
1,1,1-Trichloroethane	0.0005 ND	-	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND
1,1-Dichloroethane	0.00075 ND	0.00075 ND	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND
1,2-Dichloroethene	-	-	-	-	-	-	-	-
2-Butanone	0.00225 ND	0.00225 ND	0.01125 ND	0.01125 ND	0.01125 ND	0.01125 ND	0.01125 ND	0.01125 ND
4-Methyl-2-pentanone	0.005 ND	0.005 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND
Acetone	0.005 ND	0.005 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND
Dibromochloromethane	0.0005 ND	0.0005 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND
Ethylbenzene	0.0005 ND	0.0005 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND
Tetrachloroethene	0.00075 ND	0.00075 ND	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND
Toluene	0.00075 ND	0.00075 ND	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND
Trichloroethene	0.0005 ND	0.0005 ND	0.0025 ND	0.0025 ND	0.026	0.0025 ND	3.7	1.3
Xylenes	0.0005 ND	0.0005 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND
cis-1,2-Dichloroethene	0.0005 ND	0.0005 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.011	0.0025 ND

- = Not analyzed

ND = Non-detect; Values represent one-half
of the detection limit

Data Tables
Soil Zone 4; All Depths
Volatile Organic Compounds

Zone 4

Sample Location	B-39	B-30	B-30	B-31	B-31	B-32	B-32	B-33
Sample Date	06/14/91	06/17/91	06/17/91	06/17/91	06/17/91	06/17/91	06/17/91	06/17/91
Sample Depth	8-10	0-2	2-4	0-2	2-4	0-2	2-4	0-2
Concentration Units	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
1,1,1-Trichloroethane	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND
1,1-Dichloroethane	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND
1,2-Dichloroethene	-	-	-	-	-	-	-	-
2-Butanone	0.01125 ND	0.01125 ND	0.01125 ND	0.01125 ND	0.01125 ND	0.01125 ND	0.01125 ND	0.01125 ND
4-Methyl-2-pentanone	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND
Acetone	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND
Dibromochloromethane	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND
Ethylbenzene	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND
Tetrachloroethene	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND
Toluene	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND
Trichloroethene	0.86	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND
Xylenes	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND
cis-1,2-Dichloroethene	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND

- = Not analyzed

ND = Non-detect; Values represent one-half
of the detection limit

Data Tables
Soil Zone 4; All Depths
Volatile Organic Compounds

Zone 4								
Sample Location	B-33	B-34	B-34	B-35	B-35	B-36	B-36	B-37
Sample Date	06/17/91	06/17/91	06/17/91	06/17/91	06/17/91	06/17/91	06/17/91	06/17/91
Sample Depth	2-4	0-2	2-4	0-2	2-4	0-2	2-4	0-2
Concentration Units	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
1,1,1-Trichloroethane	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND
1,1-Dichloroethane	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND
1,2-Dichloroethene	-	-	-	-	-	-	-	-
2-Butanone	0.01125 ND	0.01125 ND	0.01125 ND	0.01125 ND	0.01125 ND	0.01125 ND	0.01125 ND	0.01125 ND
4-Methyl-2-pentanone	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND
Acetone	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND
Dibromochloromethane	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND
Ethylbenzene	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND
Tetrachloroethene	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND
Toluene	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND
Trichloroethene	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND
Xylenes	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.017	0.0025 ND	0.0025 ND	0.0025 ND
cis-1,2-Dichloroethene	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND

- = Not analyzed

ND = Non-detect; Values represent one-half
of the detection limit

Data Tables
Soil Zone 4; All Depths
Volatile Organic Compounds

Zone 4

Sample Location	B-37	B-38	B-38	B-40	B-40	B-41	B-41	B-42
Sample Date	06/17/91	06/17/91	06/17/91	06/17/91	06/17/91	06/17/91	06/17/91	06/17/91
Sample Depth	2-4	0-2	2-4	0-2	2-4	0-2	2-4	0-2
Concentration Units	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
1,1,1-Trichloroethane	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND
1,1-Dichloroethane	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND
1,2-Dichloroethene	-	-	-	-	-	-	-	-
2-Butanone	0.01125 ND	0.01125 ND	0.01125 ND	0.01125 ND	0.01125 ND	0.01125 ND	0.01125 ND	0.01125 ND
4-Methyl-2-pentanone	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND
Acetone	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND
Dibromochloromethane	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND
Ethylbenzene	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND
Tetrachloroethene	0.00375 ND	0.079	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND
Toluene	0.044	0.18	2.1	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND
Trichloroethene	0.054	1.2	0.0025 ND	0.013	0.0025 ND	0.038	0.0025 ND	0.095
Xylenes	0.0025 ND	0.0025 ND	0.016	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND
cis-1,2-Dichloroethene	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND

- = Not analyzed

ND = Non-detect; Values represent one-half
of the detection limit

Data Tables
Soil Zone 4; All Depths
Volatile Organic Compounds

Zone 4								
Sample Location	B-42	B-43	B-43	B-44	B-44	B-45	B-45	MW-24t
Sample Date	06/17/91	06/17/91	06/17/91	06/18/91	06/18/91	06/18/91	06/18/91	06/19/91
Sample Depth	2-4	0-2	2-4	10-12	4-6	10-12	4-6	14-16
Concentration Units	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
1,1,1-Trichloroethane	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND
1,1-Dichloroethane	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND
1,2-Dichloroethene	-	-	-	-	-	-	-	-
2-Butanone	0.01125 ND	0.01125 ND	0.01125 ND	0.01125 ND	0.01125 ND	0.01125 ND	0.01125 ND	0.01125 ND
4-Methyl-2-pentanone	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND
Acetone	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND
Dibromochloromethane	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND
Ethylbenzene	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND
Tetrachloroethene	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND
Toluene	0.00375 ND	0.0035 ND	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND
Trichloroethene	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND
Xylenes	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND
cis-1,2-Dichloroethene	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND

- = Not analyzed

ND = Non-detect; Values represent one-half
of the detection limit

Data Tables
Soil Zone 4; All Depths
Volatile Organic Compounds

Zone 4								
Sample Location	MW-24t	MW-24t	MW-24t	MW-24t	MW-24t	B-46	B-46	B-46
Sample Date	06/19/91	06/19/91	06/19/91	06/19/91	06/19/91	06/20/91	06/20/91	06/20/91
Sample Depth	18-20	24-26	28-30	4-6	8-10	14-16	18-20	24-26
Concentration Units	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
1,1,1-Trichloroethane	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND
1,1-Dichloroethane	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND
1,2-Dichloroethene	-	-	-	-	-	-	-	-
2-Butanone	0.01125 ND	0.01125 ND	0.01125 ND	0.01125 ND	0.01125 ND	0.01125 ND	0.01125 ND	0.01125 ND
4-Methyl-2-pentanone	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND
Acetone	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND
Dibromochloromethane	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND
Ethylbenzene	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND
Tetrachloroethene	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND
Toluene	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND
Trichloroethene	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND
Xylenes	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND
cis-1,2-Dichloroethene	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND

- = Not analyzed

ND = Non-detect; Values represent one-half
of the detection limit

Data Tables
Soil Zone 4; All Depths
Volatile Organic Compounds

Zone 4								
Sample Location	B-46	B-46	B-46	B-46	B-46	B-46	B-46	B-46
Sample Date	06/20/91	06/20/91	06/20/91	06/20/91	06/20/91	06/20/91	06/20/91	06/20/91
Sample Depth	26-28	28-30	34-36	38-40	4-6	44-46	48-50	54-56
Concentration Units	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
1,1,1-Trichloroethane	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND
1,1-Dichloroethane	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND
1,2-Dichloroethene	-	-	-	-	-	-	-	-
2-Butanone	0.01125 ND	0.01125 ND	0.01125 ND	0.01125 ND	0.01125 ND	0.01125 ND	0.01125 ND	0.01125 ND
4-Methyl-2-pentanone	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND
Acetone	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND
Dibromochloromethane	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND
Ethylbenzene	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND
Tetrachloroethene	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND
Toluene	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND
Trichloroethene	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND
Xylenes	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND
cis-1,2-Dichloroethene	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND

- = Not analyzed

ND = Non-detect; Values represent one-half
of the detection limit

Data Tables
Soil Zone 4; All Depths
Volatile Organic Compounds

Zone 4								
Sample Location	B-46	B-46	MW-25t	MW-25t	MW-25t	MW-25t	MW-25t	MW-25t
Sample Date	06/20/91	06/20/91	06/21/91	06/21/91	06/21/91	06/21/91	06/21/91	06/21/91
Sample Depth	58-60	8-10	10-12	14-16	18-20	25-27	29-31	35-37
Concentration Units	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
1,1,1-Trichloroethane	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND
1,1-Dichloroethane	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND
1,2-Dichloroethene	-	-	-	-	-	-	-	-
2-Butanone	0.01125 ND	0.01125 ND	0.01125 ND	0.01125 ND	0.01125 ND	0.01125 ND	0.01125 ND	0.01125 ND
4-Methyl-2-pentanone	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND
Acetone	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND
Dibromochloromethane	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND
Ethylbenzene	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND
Tetrachloroethene	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND
Toluene	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND
Trichloroethene	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND
Xylenes	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND
cis-1,2-Dichloroethene	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND

- = Not analyzed

ND = Non-detect; Values represent one-half
of the detection limit

Data Tables
Soil Zone 4; All Depths
Volatile Organic Compounds

Zone 4		
Sample Location	MW-25t	MW-25t
Sample Date	06/21/91	06/21/91
Sample Depth	45-47	5-7
Concentration Units	mg/kg	mg/kg
1,1,1-Trichloroethane	0.0025 ND	0.0025 ND
1,1-Dichloroethane	0.00375 ND	0.00375 ND
1,2-Dichloroethene	-	-
2-Butanone	0.01125 ND	0.01125 ND
4-Methyl-2-pentanone	0.025 ND	0.025 ND
Acetone	0.025 ND	0.025 ND
Dibromochloromethane	0.0025 ND	0.0025 ND
Ethylbenzene	0.0025 ND	0.0025 ND
Tetrachloroethene	0.00375 ND	0.00375 ND
Toluene	0.00375 ND	0.00375 ND
Trichloroethene	0.0025 ND	0.0025 ND
Xylenes	0.0025 ND	0.0025 ND
cis-1,2-Dichloroethene	0.0025 ND	0.0025 ND

- = Not analyzed

ND = Non-detect; Values represent one-half
of the detection limit

Data Tables

Soil Zone 1; All Depths

Semi-Volatile Organic Compounds

Zone1					
Sample Location	DW-1t	B-25	B-27	B-28	B-26
Sample Date	03/28/91	06/10/91	06/11/91	06/12/91	06/27/91
Sample Depth	38-40	38-40	38-40	38-40	39-40
Concentration Units	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
Anthracene	0.0625 ND	0.0625 ND	0.0625 ND	0.0625 ND	0.0625 ND
Benzo(a)anthracene	0.0775 ND	0.0775 ND	0.0775 ND	0.0775 ND	0.0775 ND
Benzo(a)pyrene	0.095 ND	0.095 ND	0.095 ND	0.095 ND	0.095 ND
Benzo(k/b)fluoranthene	-	-	-	-	-
Bis(2-ethylhexyl)adipate	0.0825 ND	0.0825 ND	0.9	0.0825 ND	0.0825 ND
Bis(2-ethylhexyl)phthalate	0.2275 ND	0.301	0.329	0.326	0.2275 ND
Chrysene	0.0775 ND	0.0775 ND	0.0775 ND	0.0775 ND	0.0775 ND
Di-n-butylphthalate	0.0675 ND	0.704	2.191	1.675	1.58 ND
Di-n-octylphthalate	0.06 ND	0.06 ND	0.06 ND	0.06 ND	0.06 ND
Fluoranthene	0.0725 ND	0.0725 ND	0.0725 ND	0.0725 ND	0.0725 ND
Fluorene	0.0675 ND	0.0675 ND	0.0675 ND	0.0675 ND	0.0675 ND
Phenanthrene	0.065 ND	0.065 ND	0.065 ND	0.065 ND	0.065 ND
Pyrene	0.07 ND	0.07 ND	0.07 ND	0.07 ND	0.07 ND

- = Not analyzed

ND = Non-detect; Values represent one-half of the detection limit

Data Tables
Soil Zone 2; All Depths
Semi-Volatile Organic Compounds

Zone 2				
Sample Location	T-4	T-4	T-4 Dup	T-4 Dup
Sample Date	06/25/91	06/25/91	06/25/91	06/25/91
Sample Depth	.5	4	.5	4
Concentration Units	mg/kg	mg/kg	mg/kg	mg/kg
Anthracene	0.0625 ND	0.0625 ND	0.0625 ND	0.0625 ND
Benzo(a)anthracene	0.0775 ND	0.0775 ND	0.0775 ND	0.0775 ND
Benzo(a)pyrene	0.095 ND	0.095 ND	0.095 ND	0.095 ND
Benzo(k/b)fluoranthene	-	-	-	-
Bis(2-ethylhexyl)adipate	27.45 ND	0.0825 ND	23.55	0.0825 ND
Bis(2-ethylhexyl)phthalate	0.72	0.2275 ND	0.495	0.654
Chrysene	0.0775 ND	0.0775 ND	0.0775 ND	0.0775 ND
Di-n-butylphthalate	1.16	1.65	0.911	1.66
Di-n-octylphthalate	0.06 ND	0.06 ND	0.06 ND	0.06 ND
Fluoranthene	0.15	0.0725 ND	0.0725 ND	0.0725 ND
Fluorene	0.0675 ND	0.0675 ND	0.0675 ND	0.0675 ND
Phenanthrene	0.065 ND	0.065 ND	0.065 ND	0.065 ND
Pyrene	0.145	0.07 ND	0.07 ND	0.07 ND

- = Not analyzed

ND = Non-detect; Values represent one-half of the detection limit

Data Tables
Soil Zone 3; All Depths
Semi-Volatiles

Zone 3

Sample Location	T-1	T-1 Dup	T-2	T-2 dup
Sample Date	06/25/91	06/25/91	06/25/91	06/25/91
Sample Depth	3	3	3	3
Concentration Units	mg/kg	mg/kg	mg/kg	mg/kg
Anthracene	0.0625 ND	0.0625 ND	0.0625 ND	0.0625 ND
Benzo(a)anthracene	0.0775 ND	0.0775 ND	0.0775 ND	0.0775 ND
Benzo(a)pyrene	0.095 ND	0.095 ND	0.095 ND	0.095 ND
Benzo(k/b)fluoranthene	-	-	-	-
Bis(2-ethylhexyl)adipate	0.0825 ND	1.204	0.0825 ND	0.0825 ND
Bis(2-ethylhexyl)phthalate	0.2275 ND	1.01	0.2275 ND	0.2275 ND
Chrysene	0.0775 ND	0.0775 ND	0.0775 ND	0.0775 ND
Di-n-butylphthalate	1.41	1.47	0.891	1.43 ND
Di-n-octylphthalate	0.06 ND	0.06 ND	0.06 ND	0.06 ND
Fluoranthene	0.0725 ND	0.0725 ND	0.0725 ND	0.0725 ND
Fluorene	0.0675 ND	0.0675 ND	0.0675 ND	0.0675 ND
Phenanthrene	0.065 ND	0.065 ND	0.065 ND	0.065 ND
Pyrene	0.07 ND	0.07 ND	0.07 ND	0.07 ND

- = Not analyzed

ND = Non-detect; Values represent one-half
of the detection limit

Data Tables

Soil Zone 4; All Depths

Semi-Volatile Organic Compounds

Zone4

Sample Location	B-29	B-39	B-33	B-37	B-44	B-45
Sample Date	33402	33403	33406	33406	33407	33407
Sample Depth	28-30	28-30	2-4	2-4	10-12	10-12
Concentration Units	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
Anthracene	0.0015 ND	0.0625 ND	0.0625 ND	0.255	0.0015 ND	0.0015 ND
Benzo(a)anthracene	0.002 ND	0.0775 ND	0.0775 ND	0.275	0.002 ND	0.002 ND
Benzo(a)pyrene	0.002 ND	0.095 ND	0.095 ND	0.195	0.002 ND	0.002 ND
Benzo(k/b)fluoranthene	-	-	-	0.199	-	-
Bis(2-ethylhexyl)adipate	4.095	0.0825 ND	12.688	15.7	-	-
Bis(2-ethylhexyl)phthalate	0.01 ND	0.2275 ND	0.2275 ND	0.2275 ND	0.01 ND	0.55
Chrysene	0.00075 ND	0.0775 ND	0.0775 ND	0.267	0.00075 ND	0.00075 ND
Di-n-butylphthalate	1.21	0.479	2.05	2.95	0.0025 ND	1.132
Di-n-octylphthalate	0.0025 ND	0.06 ND	0.06 ND	0.06 ND	0.0025 ND	0.0025 ND
Fluoranthene	0.0025 ND	0.0725 ND	0.0725 ND	0.702	0.0025 ND	0.0025 ND
Fluorene	0.001 ND	0.0675 ND	0.0675 ND	0.153	0.001 ND	0.001 ND
Phenanthrene	0.00075 ND	0.065 ND	0.065 ND	0.904	0.00075 ND	0.00075 ND
Pyrene	0.0015 ND	0.07 ND	0.07 ND	0.521	0.0015 ND	0.0015 ND

- = Not analyzed

ND = Non-detect;

Values represent one-half of the detection limit

Data Table
Zone 1 Soil; All Depths
Metals

Zone1								
Sample Location	DW-1t	DW-1t	B-25	B-25	B-27	B-27	B-28	B-28
Sample Date	03/27/91	03/28/91	06/10/91	06/10/91	06/11/91	06/11/91	06/12/91	06/12/91
Sample Depth	18-20	38-40	18-20	38-40	18-20	38-40	38-40	8-10
Concentration Units	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
Aluminum, Total	-	29800	-	20360	-	20908	14786	-
Antimony, Total	-	3.25 ND	-	3.25 ND	-	7.2	8.3	-
Arsenic, Total	5.3	14.7	3.93	5	4.45	6.89	2.49	5.35
Barium, Total	133	217	134	130	142	144	115	135
Beryllium, Total	0.4	0.9	0.44	0.5	0.4	0.4	0.4	0.7
Cadmium, Total	2.3	2.5	2.65	9	3	2.6	2.6	3.3
Chromium, Total	70.5	110	72.1	75.1	73.1	76.9	57.3	63.9
Copper, Total	-	31.3	-	22.5	-	20.4	17.9	-
Lead, Total	4.5	6.3	5.13	6.7	1.12	1.62	4.82	6.01
Magnesium, Total	-	15200	-	10250	-	10388	7745	-
Manganese, Total	-	516	-	421	-	356	315	-
Mercury, Total	-	0.055 ND	-	0.05 ND	-	0.05 ND	0.05 ND	-
Nickel, Total	49	69.5	40.7	41.2	44.1	43	36.1	39.3
Selenium, Total	-	0.15 ND	-	0.235 ND	-	0.13 ND	0.255 ND	-
Silver, Total	-	0.8 ND	-	0.8 ND	-	0.75 ND	0.75 ND	-
Thallium, Total	-	0.25 ND	-	0.245 ND	-	0.255 ND	235 ND	-
Vanadium, Total	-	80.9	-	57.4	-	51.7	40.2	-
Zinc, Total	-	87.3	-	66.1	-	58.4	42.8	-

- = Not analyzed
 ND = Non-detect; Values
 represent one-half of the
 detection limit

Data Table
Zone 1 Soil; All Depths
Metals

Zone1		
Sample Location	B-26	B-26
Sample Date	06/27/91	06/27/91
Sample Depth	19-20	39-40
Concentration Units	mg/kg	mg/kg
Aluminum, Total	-	24000
Antimony, Total	-	3.15 ND
Arsenic, Total	4.34	7.6
Barium, Total	138	172
Beryllium, Total	0.7	0.9
Cadmium, Total	3.8	3.3
Chromium, Total	74.5	93.1
Copper, Total	-	25.7
Lead, Total	4.93	5.96
Magnesium, Total	-	11600
Manganese, Total	-	425
Mercury, Total	-	0.05 ND
Nickel, Total	47	61.8
Selenium, Total	-	0.235 ND
Silver, Total	-	0.75 ND
Thallium, Total	-	0.64
Vanadium, Total	-	63.7
Zinc, Total	-	65.2

- = Not analyzed
 ND = Non-detect; Values
 represent one-half of the
 detection limit

Data Table
Zone 2; All Depths
Metals

Zone 2				
Sample Location	T-4	T-4	T-4 Dup	T-4 Dup
Sample Date	06/25/91	06/25/91	06/25/91	06/25/91
Sample Depth	.5	4	.5	4
Concentration Units	mg/kg	mg/kg	mg/kg	mg/kg
Aluminum, Total	13800	23700	15200	24800
Antimony, Total	4.2 ND	4.1 ND	11.6	3.9 ND
Arsenic, Total	7.36	7.37	7.31	7.26
Barium, Total	59.6	119	70.8	122
Beryllium, Total	0.6	1.1	0.6	1.1
Cadmium, Total	2.3	3.4	2.7	4
Chromium, Total	37.3	75.7	48.7	89.5
Copper, Total	54.9	134	70.5	119
Lead, Total	55.7	420	59.5	285
Magnesium, Total	3940	5950	4820	6710
Manganese, Total	319	637	316	520
Mercury, Total	0.065 ND	2.01	0.065 ND	1.81
Nickel, Total	8.4	18.4	12.5	13.2
Selenium, Total	0.84	0.76	0.62	0.76
Silver, Total	2.3	1 ND	1.05 ND	0.95 ND
Thallium, Total	0.315 ND	0.3 ND	0.31 ND	0.31 ND
Vanadium, Total	16.5	30.5	22.1	33.4
Zinc, Total	125	370	164	444

- = Not analyzed
 ND = Non-detect; Values
 represent one-half of the
 detection limit

Data Tables
Soil Zone 3; All Depths
Metals

Zone 3

Sample Location	T-1	T-1 Dup	T-2	T-2 dup
Sample Date	06/25/91	06/25/91	06/25/91	06/25/91
Sample Depth	3	3	3	3
Concentration Units	mg/kg	mg/kg	mg/kg	mg/kg
Aluminum, Total	28600	27300	27800	26200
Antimony, Total	3.8 ND	12.7	3.3 ND	7.5
Arsenic, Total	5.37	6.1	7.23	6.54
Barium, Total	127	129	128	114
Beryllium, Total	1	1.1	1.1	1.1
Cadmium, Total	2.6	2.3	1.6	1.5
Chromium, Total	79.5	81.9	71	65.5
Copper, Total	18.9	22.8	20.4	17.3
Lead, Total	7.23	8.01	6.63	6.57
Magnesium, Total	9920	-	9180	8500
Manganese, Total	362	376	381	347
Mercury, Total	0.06 ND	0.22	0.05 ND	0.25
Nickel, Total	38	48.9	454.8	3.8
Selenium, Total	0.27 ND	0.255 ND	0.24 ND	0.23 ND
Silver, Total	0.9 ND	0.8 ND	0.8 ND	0.75 ND
Thallium, Total	0.285 ND	0.53	0.59	0.48
Vanadium, Total	55.3	55.7	52.2	45.3
Zinc, Total	50.1	51.6	48.6	40.9

- = Not analyzed

ND = Non-detect; Values represent one-half
of the detection limit

Data Tables

Soil Zone 4; All Depths

Metals

Zone 4

Sample Location	MW-16sb	MW-16sb	B-29	B-29	B-39	B-39	B-30	B-32
Sample Date	04/23/91	04/23/91	06/13/91	06/13/91	06/14/91	06/14/91	06/17/91	06/17/91
Sample Depth	34-36	46-48	28-30	8-10	18-20	28-30	0-2	0-2
Concentration Units	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
Aluminum, Total	-	-	20400	-	-	18700	-	-
Antimony, Total	-	-	3.2 ND	-	-	3.25 ND	-	-
Arsenic, Total	7.6	4.3	5.25	7.85	5.97	4.79	16.6	6.18
Barium, Total	165	172	146	117	139	145	64.3	68.9
Beryllium, Total	0.45 ND	0.45 ND	0.4	0.5	0.7	0.7	0.7	0.8
Cadmium, Total	1.6	2	3.1	1.6	0.9	0.9	5.3	4.3
Chromium, Total	85.5	90.9	80.1	55.7	74.4	76.7	55.3	50.4
Copper, Total	-	-	23.1	-	-	17.6	-	-
Lead, Total	5.8	6.2	6.69	5.68	5.12	5.4	16.2	18.4
Magnesium, Total	-	-	9880	-	-	10400	-	-
Manganese, Total	-	-	361	-	-	352	-	-
Mercury, Total	-	-	0.05 ND	-	-	0.05 ND	-	-
Nickel, Total	51.7	50.3	48.7	37	46	47.3	47.6	31.4
Selenium, Total	-	-	0.22 ND	-	-	0.235 ND	-	-
Silver, Total	-	-	0.75 ND	-	-	0.8 ND	-	-
Thallium, Total	-	-	0.53	-	-	0.59	-	-
Vanadium, Total	-	-	53.5	-	-	52.2	-	-
Zinc, Total	-	-	57.5	-	-	57.4	-	-

- = Not analyzed

ND = Non-detect;

Values represent one-

half of the detection

limit

Data Tables

Soil Zone 4; All Depths

Metals

Zone 4

Sample Location	B-33	B-34	B-35	B-36	B-37	B-38	B-40	B-41
Sample Date	06/17/91	06/17/91	06/17/91	06/17/91	06/17/91	06/17/91	06/17/91	06/17/91
Sample Depth	2-4	0-2	2-4	0-2	2-4	0-2	0-2	2-4
Concentration Units	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
Aluminum, Total	26500	-	-	-	22300	-	-	-
Antimony, Total	2.95 ND	-	-	-	3.1 ND	-	-	-
Arsenic, Total	6.35	5.28	7.01	6.41	4.79	5.86	6.01	7.06
Barium, Total	125	64	135	80	79.1	65	65.2	113
Beryllium, Total	1.2	0.6	0.6	0.7	0.9	0.7	0.9	0.9
Cadmium, Total	3.6	40.3	6.9	4.1	2.1	5.3	6.1	7.9
Chromium, Total	79.5	50.9	84	62.7	56.4	57.5	58.7	98.6
Copper, Total	18.2	-	-	-	13.3	-	-	-
Lead, Total	7.27	26.4	6.54	39.1	7.65	7.74	11.3	7.6
Magnesium, Total	8620	-	-	-	6160	-	-	-
Manganese, Total	407	-	-	-	206	-	-	-
Mercury, Total	0.05 ND	-	-	-	0.55 ND	-	-	-
Nickel, Total	42.7	30.3	46.4	34.4	32.2	43.5	34.8	51.4
Selenium, Total	0.21 ND	-	-	-	0.23 ND	-	-	-
Silver, Total	0.7 ND	-	-	-	0.75 ND	-	-	-
Thallium, Total	0.56	-	-	-	0.24 ND	-	-	-
Vanadium, Total	49.3	-	-	-	39.5	-	-	-
Zinc, Total	51.6	-	-	-	39.2	-	-	-

- = Not analyzed

ND = Non-detect;

Values represent one-

half of the detection

limit

Data Tables

Soil Zone 4; All Depths

Metals

Zone 4

Sample Location	B-42	B-43	B-44	B-45	MW-24t	MW-24t	MW-24t	MW-24t
Sample Date	06/17/91	06/17/91	06/18/91	06/18/91	06/19/91	06/19/91	06/19/91	06/19/91
Sample Depth	0-2	0-2	10-12	10-12	14-16	18-20	24-26	28-30
Concentration Units	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
Aluminum, Total	-	-	19000	24000	-	-	-	-
Antimony, Total	-	-	3.15 ND	3.35 ND	-	-	-	-
Arsenic, Total	5.25	4.78	6.2	7.45	9.26	5.22	12	8.53
Barium, Total	72.2	63.2	120	166	133	139	146	137
Beryllium, Total	0.9	0.8	0.2	0.5	0.4	0.5	0.4	0.4
Cadmium, Total	5.2	5.6	0.45 ND	0.45 ND	0.45 ND	0.9	0.4 ND	0.4 ND
Chromium, Total	55.9	56.5	68.1	83.4	70.6	77.9	80.8	75.9
Copper, Total	-	-	6.8	22.8	-	-	-	-
Lead, Total	8.68	8.68	5.64	5.86	5.51	7.89	5.94	5.72
Magnesium, Total	-	-	9300	11100	-	-	-	-
Manganese, Total	-	-	3.2	495	-	-	-	-
Mercury, Total	-	-	0.05 ND	0.05 ND	-	-	-	-
Nickel, Total	55.4	35.6	42.5	50	42.8	44.3	45.8	41.3
Selenium, Total	-	-	0.23 ND	0.23 ND	-	-	-	-
Silver, Total	-	-	0.75 ND	0.8 ND	-	-	-	-
Thallium, Total	-	-	0.61	0.57	-	-	-	-
Vanadium, Total	-	-	44.7	59.7	-	-	-	-
Zinc, Total	-	-	48.4	61.3	-	-	-	-

- = Not analyzed

ND = Non-detect;

Values represent one-

half of the detection

limit

Data Tables

Soil Zone 4; All Depths

Metals

Zone 4

Sample Location	MW-24t	MW-24t	MW-25t	MW-25t	MW-25t	MW-25t
Sample Date	06/19/91	06/19/91	06/21/91	06/21/91	06/21/91	06/21/91
Sample Depth	4-6	8-10	10-12	18-20	29-31	45-47
Concentration Units	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
Aluminum, Total	-	-	-	-	-	-
Antimony, Total	-	-	-	-	-	-
Arsenic, Total	9.1	8.02	13.4	4.16	6.95	5.26
Barium, Total	129	136	116	139	165	153
Beryllium, Total	0.6	0.6	0.4	0.7	0.7	0.7
Cadmium, Total	0.4 ND	0.45 ND	1.5	1.8	2.3	1.4
Chromium, Total	73.2	77.8	95.8	76.8	84.1	81.3
Copper, Total	-	-	-	-	-	-
Lead, Total	6.37	5.81	5.05	5.22	5.7	5.58
Magnesium, Total	-	-	-	-	-	-
Manganese, Total	-	-	-	-	-	-
Mercury, Total	-	-	-	-	-	-
Nickel, Total	42	43	51.3	51.8	52.3	50.8
Selenium, Total	-	-	-	-	-	-
Silver, Total	-	-	-	-	-	-
Thallium, Total	-	-	-	-	-	-
Vanadium, Total	-	-	-	-	-	-
Zinc, Total	-	-	-	-	-	-

- = Not analyzed

ND = Non-detect;

Values represent one-half of the detection limit

Data Table
Soil Samples less than 2 ft.
Volatile Organic Compounds

Sample Location	Pits near tanks	Pits near tanks	Pits near tanks	Pits near tanks	Brick dry well	B-9
Sample Date	05/20/87	05/20/87	05/20/87	05/20/87	05/22/87	12/15/88
Sample Depth	0-0.5	0.5-1	1-1.5	1.5-2	0-1	1-2
Concentration Units	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
1,1,1-Trichloroethane	0.01 ND	0.01 ND	0.01 ND	0.01 ND	0.01 ND	0.025 ND
1,1-Dichloroethane	0.01 ND	0.01 ND	0.01 ND	0.01 ND	0.01 ND	0.025 ND
1,2-Dichloroethene	-	-	-	-	-	-
2-Butanone	-	-	-	-	-	-
4-Methyl-2-pentanone	-	-	-	-	-	-
Acetone	-	-	-	-	-	-
Dibromochloromethane	0.01 ND	0.01 ND	0.01 ND	0.01 ND	0.01 ND	0.025 ND
Ethylbenzene	-	-	-	-	-	-
Tetrachloroethene	0.01 ND	0.01 ND	0.01 ND	0.01 ND	0.01 ND	0.025 ND
Toluene	-	-	-	-	-	-
Trichloroethene	0.01 ND	0.01 ND	0.01 ND	0.01 ND	0.202	0.072
Xylenes	-	-	-	-	-	-
cis-1,2-Dichloroethene	-	-	-	-	-	-

- = Not analyzed

ND = Non-detect; Values represent one-half of the detection limit

Data Table
Soil Samples less than 2 ft.
Volatile Organic Compounds

Sample Location	B-17	B-12	B-15	Leaching Field	SB-1	SB-2	SB-3
Sample Date	12/20/88	12/21/88	12/21/88	06/06/89	06/06/89	06/06/89	06/06/89
Sample Depth	1-2	1-2	1-2	0-1	1-2	1-2	1-2
Concentration Units	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
1,1,1-Trichloroethane	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND
1,1-Dichloroethane	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND
1,2-Dichloroethene	-	-	-	0.025 ND	0.025 ND	0.025 ND	0.025 ND
2-Butanone	-	-	-	-	-	-	-
4-Methyl-2-pentanone	-	-	-	-	-	-	-
Acetone	-	-	-	-	-	-	-
Dibromochloromethane	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND
Ethylbenzene	-	-	-	-	-	-	-
Tetrachloroethene	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND	-	0.025 ND
Toluene	-	-	-	-	-	-	-
Trichloroethene	0.025 ND	0.33	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND
Xylenes	-	-	-	-	-	-	-
cis-1,2-Dichloroethene	-	-	-	-	-	-	-

- = Not analyzed

ND = Non-detect; Values represent one-half of the detection limit

Data Table
Soil Samples less than 2 ft.
Volatile Organic Compounds

Sample Location	SB-4	Brick dry well	DW-1t	B-25	B-30	B-31	B-32
Sample Date	06/06/89	08/08/89	03/27/91	06/10/91	06/17/91	06/17/91	06/17/91
Sample Depth	1-2	0-1	0-2	0-2	0-2	0-2	0-2
Concentration Units	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
1,1,1-Trichloroethane	0.025 ND	0.0625 ND	0.0005 ND	0.011	0.0025 ND	0.0025 ND	0.0025 ND
1,1-Dichloroethane	0.025 ND	0.25 ND	0.00075 ND	0.0015 ND	0.00375 ND	0.00375 ND	0.00375 ND
1,2-Dichloroethene	0.025 ND	-	-	-	-	-	-
2-Butanone	-	-	0.00225 ND	0.0045 ND	0.01125 ND	0.01125 ND	0.01125 ND
4-Methyl-2-pentanone	-	-	0.005 ND	0.01 ND	0.025 ND	0.025 ND	0.025 ND
Acetone	-	-	0.005 ND	0.01 ND	0.025 ND	0.025 ND	0.025 ND
Dibromochloromethane	0.025 ND	0.25 ND	0.0005 ND	0.001 ND	0.0025 ND	0.0025 ND	0.0025 ND
Ethylbenzene	-	-	0.0005 ND	0.001 ND	0.0025 ND	0.0025 ND	0.0025 ND
Tetrachloroethene	0.025 ND	0.0625 ND	0.00075 ND	0.0015 ND	0.00375 ND	0.00375 ND	0.00375 ND
Toluene	-	-	0.00075 ND	0.0055	0.00375 ND	0.00375 ND	0.00375 ND
Trichloroethene	0.025 ND	0.0625 ND	0.0005 ND	0.0051	0.0025 ND	0.0025 ND	0.0025 ND
Xylenes	-	-	0.0005 ND	0.0033	0.0025 ND	0.0025 ND	0.0025 ND
cis-1,2-Dichloroethene	-	-	0.0005 ND	0.001 ND	0.0025 ND	0.0025 ND	0.0025 ND

- = Not analyzed

ND = Non-detect; Values represent one-half of the detection limit

Data Table
Soil Samples less than 2 ft.
Volatile Organic Compounds

Sample Location	B-33	B-34	B-35	B-36	B-37	B-38	B-40	B-41
Sample Date	06/17/91	06/17/91	06/17/91	06/17/91	06/17/91	06/17/91	06/17/91	06/17/91
Sample Depth	0-2	0-2	0-2	0-2	0-2	0-2	0-2	0-2
Concentration Units	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
1,1,1-Trichloroethane	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND
1,1-Dichloroethane	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND
1,2-Dichloroethene	-	-	-	-	-	-	-	-
2-Butanone	0.01125 ND	0.01125 ND	0.01125 ND	0.01125 ND	0.01125 ND	0.01125 ND	0.01125 ND	0.01125 ND
4-Methyl-2-pentanone	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND
Acetone	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND
Dibromochloromethane	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND
Ethylbenzene	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND
Tetrachloroethene	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND	0.079	0.00375 ND	0.00375 ND
Toluene	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND	0.18	0.00375 ND	0.00375 ND
Trichloroethene	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	1.2	0.013	0.038
Xylenes	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND
cis-1,2-Dichloroethene	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND

- = Not analyzed

ND = Non-detect; Values represent one-half of the detection limit

Data Table
Soil Samples less than 2 ft.
Volatile Organic Compounds

Sample Location	B-42	B-43	T-1	T-1 Dup	T-2	T-4	T-4 Dup
Sample Date	06/17/91	06/17/91	06/25/91	06/25/91	06/25/91	06/25/91	06/25/91
Sample Depth	0-2	0-2	.5	.5	.5	.5	.5
Concentration Units	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
1,1,1-Trichloroethane	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND
1,1-Dichloroethane	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND
1,2-Dichloroethene	-	-	-	-	-	-	-
2-Butanone	0.01125 ND	0.01125 ND	0.01125 ND	0.01125 ND	0.01125 ND	0.01125 ND	0.01125 ND
4-Methyl-2-pentanone	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND
Acetone	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND	0.025 ND
Dibromochloromethane	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND
Ethylbenzene	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND
Tetrachloroethene	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND	0.00375 ND
Toluene	0.00375 ND	0.0035 ND	0.00375 ND	0.00375 ND	0.00375 ND	0.018	0.00375 ND
Trichloroethene	0.095	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.036	0.008
Xylenes	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND
cis-1,2-Dichloroethene	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND	0.0025 ND

- = Not analyzed

ND = Non-detect; Values represent one-half of the detection limit

Data Table
Soil Samples less than 2ft.
Semi-Volatile Organic Compounds

Sample Location	T-4	T-4 Dup
Sample Date	06/25/91	06/25/91
Sample Depth	.5	.5
Concentration Units	mg/kg	mg/kg
Anthracene	0.0625 ND	0.0625 ND
Benzo(a)anthracene	0.0775 ND	0.0775 ND
Benzo(a)pyrene	0.095 ND	0.095 ND
Bis(2-ethylhexyl)adipate	27.45 ND	23.55
Bis(2-ethylhexyl)phthalate	0.72	0.495
Chrysene	0.0775 ND	0.0775 ND
Di-n-butylphthalate	1.16	0.911
Di-n-octylphthalate	0.06 ND	0.06 ND
Fluoranthene	0.15	0.0725 ND
Fluorene	0.0675 ND	0.0675 ND
Phenanthrene	0.065 ND	0.065 ND
Pyrene	0.145	0.07 ND

- = Not analyzed

ND = Non-detect; Values represent one-half of the detection limit

Data Table
Soil Samples less than 2ft.
Metals

Sample Location	B-30	B-32	B-34	B-36	B-38	B-40	B-42	B-43
Sample Date	33406	33406	33406	33406	33406	33406	33406	33406
Depth to Sample	0-2	0-2	0-2	0-2	0-2	0-2	0-2	0-2
Concentration Units	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
Aluminum, Total	-	-	-	-	-	-	-	-
Antimony, Total	-	-	-	-	-	-	-	-
Arsenic, Total	16.6	6.18	5.28	6.41	5.86	6.01	5.25	4.78
Barium, Total	64.3	68.9	64	80	65	65.2	72.2	63.2
Beryllium, Total	0.7	0.8	0.6	0.7	0.7	0.9	0.9	0.8
Cadmium, Total	5.3	4.3	40.3	4.1	5.3	6.1	5.2	5.6
Chromium, Total	55.3	50.4	50.9	62.7	57.5	58.7	55.9	56.5
Copper, Total	-	-	-	-	-	-	-	-
Lead, Total	16.2	18.4	26.4	39.1	7.74	11.3	8.68	8.68
Magnesium, Total	-	-	-	-	-	-	-	-
Manganese, Total	-	-	-	-	-	-	-	-
Mercury, Total	-	-	-	-	-	-	-	-
Nickel, Total	47.6	31.4	30.3	34.4	43.5	34.8	55.4	35.6
Selenium, Total	-	-	-	-	-	-	-	-
Silver, Total	-	-	-	-	-	-	-	-
Thallium, Total	-	-	-	-	-	-	-	-
Vanadium, Total	-	-	-	-	-	-	-	-
Zinc, Total	-	-	-	-	-	-	-	-

- = Not analyzed

ND = Non-detect; Values represent one-half
of the detection limit

Data Table
Soil Samples less than 2ft.
Metals

Sample Location	T-4	T-4 Dup
Sample Date	33414	33414
Depth to Sample	.5	.5
Concentration Units	mg/kg	mg/kg
Aluminum, Total	13800	15200
Antimony, Total	4.2 ND	11.6
Arsenic, Total	7.36	7.31
Barium, Total	59.6	70.8
Beryllium, Total	0.6	0.6
Cadmium, Total	2.3	2.7
Chromium, Total	37.3	48.7
Copper, Total	54.9	70.5
Lead, Total	55.7	59.5
Magnesium, Total	3940	4820
Manganese, Total	319	316
Mercury, Total	0.065 ND	0.065 ND
Nickel, Total	8.4	12.5
Selenium, Total	0.84	0.62
Silver, Total	2.3	1.05 ND
Thallium, Total	0.315 ND	0.31 ND
Vanadium, Total	16.5	22.1
Zinc, Total	125	164

- = Not analyzed

ND = Non-detect; Values represent one-half
of the detection limit