

**Aerovox NTCRA Ambient Air Sampling
Validated Data Received through 10/21/11**

Air Monitoring Station 1: South Station at Acushnet Company/Titleist

Sample Date	Analyte	Units	Sample Result	Air Quality Performance Standard (AQPS)	Exceed AQPS?
21-Apr-11	Asbestos	f/cc	ND	0.1	No
	Lead	ug/m3	0.001	50	No
	Silica	ug/m3	ND	25	No
	Total PCB	ng/m3	3	10,000	No
29-Apr-11	Mercury	ng/m3	0.007	0.050	No
13-May-11	Mercury	ng/m3	0.008	0.050	No
6-Jun-11	Mercury	ng/m3	0.018	0.050	No
8-Jun-11	Asbestos	f/cc	ND	0.1	No
15-Jun-11	Asbestos	f/cc	0.005	0.1	No
29-Jun-11	Asbestos	f/cc	ND	0.1	No
11-Jul-11	Asbestos	f/cc	0.003	0.1	No
20-Jul-11	Asbestos	f/cc	0.003	0.1	No
	Lead	ug/m3	0.001	50	No
	Mercury	ng/m3	0.017	0.050	No
	Silica	ug/m3	8.4	25	No
	Total PCB	ng/m3	75	10,000	No
21-Jul-11	Asbestos	f/cc	ND	0.1	No
	Mercury	ng/m3	0.019	0.050	No
	Silica	ug/m3	ND	25	No
22-Jul-11	Asbestos	f/cc	ND	0.1	No
	Mercury	ng/m3	0.013	0.050	No
	Silica	ug/m3	ND	25	No
22-Jul-11	Total PCB	ng/m3	19	10,000	No
25-Jul-11	Asbestos	f/cc	0.003	0.1	No
	Mercury	ng/m3	0.015	0.050	No
	Silica	ug/m3	ND	25	No
	Total PCB	ng/m3	20	10,000	No
26-Jul-11	Asbestos	f/cc	ND	0.1	No
	Mercury	ng/m3	0.008	0.050	No
	Silica	ug/m3	ND	25	No
27-Jul-11	Asbestos	f/cc	ND	0.1	No
	Lead	ug/m3	0.000	50	No
	Mercury	ng/m3	0.014	0.050	No
	Silica	ug/m3	ND	25	No
	Total PCB	ng/m3	26	10,000	No

**Aerovox NTCRA Ambient Air Sampling
Validated Data Received through 10/21/11**

Air Monitoring Station 1: South Station at Acushnet Company/Titleist

Sample Date	Analyte	Units	Sample Result	Air Quality Performance Standard (AQPS)	Exceed AQPS?
28-Jul-11	Asbestos	f/cc	ND	0.1	No
	Silica	ug/m3	5.6	25	No
29-Jul-11	Asbestos	f/cc	ND	0.1	No
	Silica	ug/m3	ND	25	No
	Total PCB	ng/m3	92	10,000	No
1-Aug-11	Asbestos	f/cc	ND	0.1	No
	Silica	ug/m3	ND	25	No
	Total PCB	ng/m3	57	10,000	No
2-Aug-11	Asbestos	f/cc	ND	0.1	No
	Silica	ug/m3	ND	25	No
3-Aug-11	Lead	ug/m3	0.002	50	No
4-Aug-11	Total PCB	ng/m3	143	10,000	No
8-Aug-11	Total PCB	ng/m3	128	10,000	No
9-Aug-11	Silica	ug/m3	ND	25	No
10-Aug-11	Lead	ug/m3	0.000	50	No
	Total PCB	ng/m3	28	10,000	No
11-Aug-11	Total PCB	ng/m3	34	10,000	No
16-Aug-11	Total PCB	ng/m3	94	10,000	No
22-Aug-11	Silica	ug/m3	ND	25	No
	Total PCB	ng/m3	3	10,000	No
26-Aug-11	Asbestos	f/cc	ND	0.1	No
	Silica	ug/m3	ND	25	No
	Total PCB	ng/m3	117	10,000	No
1-Sep-11	Silica	ug/m3	8.8	25	No
	Total PCB	ng/m3	192	10,000	No
9-Sep-11	Asbestos	f/cc	ND	0.1	No
	Silica	ug/m3	ND	25	No
	Total PCB	ng/m3	230	10,000	No
14-Sep-11	Silica	ug/m3	6.2	25	No
	Total PCB	ng/m3	40	10,000	No
21-Sep-11	Asbestos	f/cc	ND	0.1	No
	Silica	ug/m3	ND	25	No
	Total PCB	ng/m3	131	10,000	No
28-Sep-11	Silica	ug/m3	ND	25	No
	Total PCB	ng/m3	33	10,000	No
3-Oct-11	Total PCB	ng/m3	47	10,000	No

**Aerovox NTCRA Ambient Air Sampling
Validated Data Received through 10/21/11**

Air Monitoring Station 1: South Station at Acushnet Company/Titleist

Sample Date	Analyte	Units	Sample Result	Air Quality Performance Standard (AQPS)	Exceed AQPS?
5-Oct-11	Asbestos	f/cc	ND	0.1	No
	Silica	ug/m3	ND	25	No
	Total PCB	ng/m3	262	10,000	No
6-Oct-11	Total PCB	ng/m3	159	10,000	No
12-Oct-11	Silica	ug/m3	6.5	25	No
	Total PCB	ng/m3	71	10,000	No
21-Oct-11	Silica	ug/m3	ND	25	No
	Total PCB	ng/m3	ND	10,000	No
26-Oct-11	Silica	ug/m3	7.1	25	No
	Total PCB	ng/m3	28	10,000	No
31-Oct-11	Asbestos	f/cc	ND	0.1	No
	Silica	ug/m3	ND	25	No
	Total PCB	ng/m3	35	10,000	No
2-Nov-11	Silica	ug/m3	ND	25	No
	Total PCB	ng/m3	58	10,000	No
9-Nov-11	Total PCB	ng/m3	115	10,000	No
11-Nov-11	Total PCB	ng/m3	25	10,000	No

Notes:

ng/m3 - nanograms per cubic meter of air

f/cc - fibers per cubic centimeter of air

ng/m3 - milligrams per cubic meter of air

ug/m3 - micrograms per cubic meter of air

ND - not detected

**Aerovox NTCRA Ambient Air Sampling
Validated Data Received through 11/21/11**

Air Monitoring Station 2: East Station at Acushnet River

Sample Date	Analyte	Units	Sample Result	Air Quality Performance Standard (AQPS)	Exceed AQPS?
21-Apr-11	Asbestos	f/cc	ND	0.1	No
	Asbestos	f/cc	ND	0.1	No
	Lead	ug/m3	0.001	50	No
	Lead	ug/m3	0.000	50	No
	Silica	ug/m3	ND	25	No
	Silica	ug/m3	ND	25	No
	Total PCBs	ng/m3	20	10,000	No
	Total PCBs	ng/m3	20	10,000	No
29-Apr-11	Mercury	ng/m3	0.005	0.050	No
13-May-11	Mercury	ng/m3	0.007	0.050	No
6-Jun-11	Mercury	ng/m3	0.013	0.050	No
8-Jun-11	Asbestos	f/cc	ND	0.1	No
15-Jun-11	Asbestos	f/cc	ND	0.1	No
29-Jun-11	Asbestos	f/cc	ND	0.1	No
11-Jul-11	Asbestos	f/cc	ND	0.1	No
20-Jul-11	Asbestos	f/cc	ND	0.1	No
	Lead	ug/m3	0.001	50	No
	Mercury	ng/m3	0.020	0.050	No
	Silica	ug/m3	ND	25	No
	Total PCBs	ng/m3	4854	10,000	No
21-Jul-11	Asbestos	f/cc	ND	0.1	No
	Mercury	ng/m3	0.012	0.050	No
	Silica	ug/m3	7.6	25	No
22-Jul-11	Asbestos	f/cc	ND	0.1	No
	Mercury	ng/m3	0.020	0.050	No
	Silica	ug/m3	22.0	25	No
	Total PCBs	ng/m3	181	10,000	No
25-Jul-11	Asbestos	f/cc	ND	0.1	No
	Mercury	ng/m3	0.015	0.050	No
	Silica	ug/m3	ND	25	No
	Total PCBs	ng/m3	156	10,000	No
26-Jul-11	Asbestos	f/cc	ND	0.1	No
	Asbestos	f/cc	ND	0.1	No
	Mercury	ng/m3	0.019	0.050	No
	Silica	ug/m3	ND	25	No
	Silica	ug/m3	ND	25	No

**Aerovox NTCRA Ambient Air Sampling
Validated Data Received through 11/21/11**

Air Monitoring Station 2: East Station at Acushnet River

Sample Date	Analyte	Units	Sample Result	Air Quality Performance Standard (AQPS)	Exceed AQPS?
27-Jul-11	Asbestos	f/cc	ND	0.1	No
	Lead	ug/m3	0.003	50	No
	Mercury	ng/m3	0.016	0.050	No
	Silica	ug/m3	ND	25	No
	Total PCBs	ng/m3	60	10,000	No
28-Jul-11	Asbestos	f/cc	ND	0.1	No
	Silica	ug/m3	ND	25	No
29-Jul-11	Asbestos	f/cc	ND	0.1	No
	Asbestos	f/cc	ND	0.1	No
	Silica	ug/m3	ND	25	No
	Silica	ug/m3	ND	25	No
	Total PCBs	ng/m3	4690	10,000	No
	Total PCBs	ng/m3	872	10,000	No
1-Aug-11	Asbestos	f/cc	ND	0.1	No
	Silica	ug/m3	ND	25	No
	Total PCBs	ng/m3	628	10,000	No
2-Aug-11	Asbestos	f/cc	ND	0.1	No
	Asbestos	f/cc	ND	0.1	No
	Silica	ug/m3	ND	25	No
3-Aug-11	Lead	ug/m3	0.001	50	No
	Lead	ug/m3	0.000	50	No
	Total PCBs	ng/m3	649	10,000	No
	Total PCBs	ng/m3	196	10,000	No
4-Aug-11	Total PCBs	ng/m3	48	10,000	No
8-Aug-11	Total PCBs	ng/m3	268	10,000	No
9-Aug-11	Silica	ug/m3	ND	25	No
	Silica	ug/m3	ND	25	No
10-Aug-11	Lead	ug/m3	0.003	50	No
	Total PCBs	ng/m3	245	10,000	No
	Total PCBs	ng/m3	293	10,000	No
11-Aug-11	Total PCBs	ng/m3	86	10,000	No
16-Aug-11	Total PCBs	ng/m3	236	10,000	No
22-Aug-11	Silica	ug/m3	7.8	25	No
	Silica	ug/m3	7.5	25	No
	Total PCBs	ug/m3	497	10,000	No
	Total PCBs	ng/m3	613	10,000	No

**Aerovox NTCRA Ambient Air Sampling
Validated Data Received through 11/21/11**

Air Monitoring Station 2: East Station at Acushnet River

Sample Date	Analyte	Units	Sample Result	Air Quality Performance Standard (AQPS)	Exceed AQPS?
26-Aug-11	Asbestos	f/cc	ND	0.1	No
	Asbestos	f/cc	0.003	0.1	No
	Silica	ug/m3	7.1	25	No
	Silica	ug/m3	7.4	25	No
	Total PCBs	ug/m3	586	10,000	No
	Total PCBs	ng/m3	741	10,000	No
1-Sep-11	Silica	ug/m3	ND	25	No
	Total PCBs	ng/m3	800	10,000	No
9-Sep-11	Asbestos	f/cc	ND	0.1	No
	Asbestos	f/cc	ND	0.1	No
	Silica	ug/m3	ND	25	No
	Silica	ug/m3	ND	25	No
	Total PCBs	ng/m3	230	10000	No
12-Sep-11	Total PCBs	ng/m3	934	10,000	No
14-Sep-11	Silica	ug/m3	19.4	25	No
	Total PCBs	ng/m3	394	10,000	No
21-Sep-11	Asbestos	f/cc	ND	0.1	No
	Silica	ug/m3	7.7	25	No
	Silica	ug/m3	ND	25	No
	Total PCBs	ng/m3	622	10,000	No
	Total PCBs	ng/m3	546	10,000	No
28-Sep-11	Silica	ug/m3	5.9	25	No
	Total PCB	ng/m3	163	10,000	No
3-Oct-11	Total PCB	ng/m3	151	10,000	No
5-Oct-11	Asbestos	f/cc	ND	0.1	No
	Asbestos	f/cc	ND	0.1	No
	Silica	ug/m3	ND	25	No
	Total PCB	ug/m3	272	10,000	No
	Total PCB	ng/m3	133	10,000	No
6-Oct-11	Total PCB	ng/m3	463	10,000	No
12-Oct-11	Silica	ug/m3	ND	25	No
	Total PCBs	ng/m3	62	10,000	No
	Total PCB	ng/m3	62	10,000	No
21-Oct-11	Silica	ug/m3	ND	25	No
	Total PCB	ng/m3	47	10,000	No

**Aerovox NTCRA Ambient Air Sampling
Validated Data Received through 11/21/11**

Air Monitoring Station 2: East Station at Acushnet River

Sample Date	Analyte	Units	Sample Result	Air Quality Performance Standard (AQPS)	Exceed AQPS?
26-Oct-11	Silica	ug/m3	13.4	25	No
	Total PCB	ng/m3	70	10,000	No
31-Oct-11	Asbestos	f/cc	0.002	0.1	No
	Asbestos	f/cc	0.003	0.1	No
	Silica	ug/m3	ND	25	No
	Total PCB	ug/m3	37	10,000	No
	Total PCB	ng/m3	35	10,000	No
2-Nov-11	Silica	ug/m3	ND	25	No
	Total	ug/m3	13	10,000	No
	Total PCB	ng/m3	23	10,000	No

Notes:

ng/m3 - nanograms per cubic meter of air

f/cc - fibers per cubic centimeter of air

ng/m3 - miligrams per cubic meter of air

ug/m3 - micrograms per cubic meter of air

ND - not detected

Two results for a single day indicate that a duplicate sample was collected for the analyte(s).

**Aerovox NTCRA Ambient Air Sampling
Validated Data Received through 10/21/11**

Air Monitoring Station 3: North Station at Precix

Sample Date	Analyte	Units	Sample Result	Air Quality Performance Standard (AQPS)	Exceed AQPS?
21-Apr-11	Asbestos	f/cc	ND	0.1	No
	Asbestos	f/cc	ND	0.1	No
	Lead	ug/m3	0.001	50	No
	Silica	ug/m3	ND	25	No
	Total PCBs	ng/m3	17	10,000	No
29-Apr-11	Mercury	ng/m3	0.010	0.050	No
13-May-11	Mercury	9:04	0.005	0.050	No
6-Jun-11	Mercury	11:42	0.020	0.050	No
8-Jun-11	Asbestos	f/cc	ND	0.1	No
15-Jun-11	Asbestos	f/cc	ND	0.100	No
29-Jun-11	Asbestos	f/cc	ND	0.100	No
11-Jul-11	Asbestos	f/cc	ND	0.1	No
20-Jul-11	Asbestos	f/cc	ND	0.1	No
	Lead	ug/m3	0.001	50	No
	Mercury	11:12	0.017	0.050	No
	Silica	ug/m3	ND	25	No
	Total PCBs	ng/m3	192	10,000	No
21-Jul-11	Asbestos	f/cc	ND	0.1	No
	Mercury	13:33	0.013	0.050	No
	Silica	ug/m3	7.6	25	No
22-Jul-11	Asbestos	f/cc	ND	0.1	No
	Mercury	13:24	0.018	0.050	No
	Silica	ug/m3	ND	25	No
	Total PCBs	ng/m3	137	10,000	No
25-Jul-11	Asbestos	f/cc	ND	0.1	No
	Mercury	13:15	0.012	0.050	No
	Silica	ug/m3	ND	25	No
	Total PCBs	ng/m3	96	10,000	No
26-Jul-11	Asbestos	f/cc	ND	0.1	No
	Asbestos	f/cc	ND	0.1	No
	Mercury	13:46	0.018	0.050	No
	Silica	ug/m3	ND	25	No

**Aerovox NTCRA Ambient Air Sampling
Validated Data Received through 10/21/11**

Air Monitoring Station 3: North Station at Precix

Sample Date	Analyte	Units	Sample Result	Air Quality Performance Standard (AQPS)	Exceed AQPS?
27-Jul-11	Asbestos	f/cc	ND	0.1	No
	Lead	ng/m3	0.001	50	No
	Mercury	13:55	0.017	0.050	No
	Silica	ug/m3	ND	25	No
	Total PCBs	ng/m3	99	10,000	No
28-Jul-11	Asbestos	f/cc	ND	0.1	No
	Silica	ug/m3	ND	25	No
29-Jul-11	Asbestos	f/cc	ND	0.1	No
	Asbestos	f/cc	ND	0.1	No
	Silica	ug/m3	ND	25	No
	Total PCBs	ng/m3	162	10,000	No
1-Aug-11	Asbestos	f/cc	ND	0.1	No
	Silica	ug/m3	ND	25	No
	Total PCBs	ng/m3	291	10,000	No
2-Aug-11	Asbestos	f/cc	ND	0.1	No
	Asbestos	f/cc	ND	0.1	No
	Silica	ug/m3	ND	25	No
3-Aug-11	Lead	3	0.003	50	No
	Total PCBs	ng/m3	122	10,000	No
4-Aug-11	Total PCBs	ng/m3	33	10,000	No
8-Aug-11	Total PCBs	ng/m3	64	10,000	No
10-Aug-11	Lead	3	0.002	50	No
	Total PCBs	ng/m3	138	10,000	No
11-Aug-11	Total PCBs	ng/m3	86	10,000	No
16-Aug-11	Total PCBs	ng/m3	111	10,000	No
22-Aug-11	Silica	ug/m3	ND	25	No
	Total PCBs	ng/m3	71	10,000	No
26-Aug-11	Asbestos	f/cc	ND	0.1	No
	Asbestos	f/cc	0.003	0.1	No
	Silica	ug/m3	ND	25	No
	Total PCBs	ng/m3	257	10,000	No
1-Sep-11	Silica	ug/m3	6.7	25	No
	Total PCBs	ng/m3	544	10,000	No
9-Sep-11	Asbestos	f/cc	ND	0.1	No
	Silica	ug/m3	ND	25	No
	Total PCBs	ng/m3	105	10,000	No

**Aerovox NTCRA Ambient Air Sampling
Validated Data Received through 10/21/11**

Air Monitoring Station 3: North Station at Precix

Sample Date	Analyte	Units	Sample Result	Air Quality Performance Standard (AQPS)	Exceed AQPS?
14-Sep-11	Silica	ug/m3	ND	25	No
	Total PCBs	ng/m3	167	10,000	No
21-Sep-11	Asbestos	f/cc	ND	0.1	No
	Silica	ug/m3	7.4	25.0	No
	Total PCBs	ng/m3	572	10000.0	No
28-Sep-11	Silica	ug/m3	9.7	25	No
	Total PCB	ng/m3	1114	10,000	No
3-Oct-11	Total PCB	ng/m3	263	10,000	No
5-Oct-11	Asbestos	f/cc	ND	0.1	No
	Silica	ug/m3	11.3	25	No
	Total PCB	ng/m3	66	10,000	No
6-Oct-11	Total PCB	ng/m3	20	10,000	No
12-Oct-11	Silica	ug/m3	ND	25	No
	Total PCB	ng/m3	160	10,000	No
21-Oct-11	Silica	ug/m3	ND	25	No
	Total PCB	ng/m3	706	10,000	No
26-Oct-11	Silica	ug/m3	ND	25	No
	Total PCB	ng/m3	98	10,000	No
31-Oct-11	Asbestos	f/cc	ND	0.1	No
	Silica	ug/m3	10.8	25	No
	Total PCB	ng/m3	204	10,000	No
2-Nov-11	Silica	ug/m3	ND	25	No
	Total PCB	ng/m3	203	10,000	No
9-Nov-11	Total PCB	ng/m3	266	10,000	No
11-Nov-11	Total PCB	ng/m3	44	10,000	No

Notes:

ng/m3 - nanograms per cubic meter of air
f/cc - fibers per cubic centimeter of air
ng/m3 - milligrams per cubic meter of air
ug/m3 - micrograms per cubic meter of air
ND - not detected

**Aerovox NTCRA Ambient Air Sampling
Validated Data Received through 11/21/11**

Air Monitoring Station 4: West Station near Belleville Avenue

Sample Date	Analyte	Units	Sample Result	Air Quality Performance Standard (AQPS)	Exceed AQPS?
21-Apr	Asbestos	f/cc	ND	0.1	No
	Lead	ug/m3	0.002	50	No
	Silica	ug/m3	ND	25	No
	Total PCBs	ng/m3	2	250	No
29-Apr	Mercury	ng/m3	0.000	0.050	No
13-May	Mercury	ng/m3	0.008	0.050	No
6-Jun	Mercury	ng/m3	0.017	0.050	No
8-Jun	Asbestos	f/cc	0.002	0.1	No
15-Jun	Asbestos	f/cc	ND	0.1	No
29-Jun	Asbestos	f/cc	0.002	0.1	No
11-Jul	Asbestos	f/cc	ND	0.1	No
20-Jul	Asbestos	f/cc	ND	0.1	No
	Lead	ug/m3	0.0007	50	No
	Mercury	ng/m3	0.017	0.050	No
	Silica	ug/m3	ND	25	No
	Total PCBs	ng/m3	45	250	No
21-Jul	Asbestos	f/cc	ND	0.1	No
	Mercury	ng/m3	0.012	0.050	No
	Silica	ug/m3	ND	25	No
22-Jul	Asbestos	f/cc	ND	0.1	No
	Mercury	ng/m3	0.018	0.050	No
	Silica	ug/m3	7.2	25	No
	Total PCBs	ng/m3	23	250	No
25-Jul	Asbestos	f/cc	ND	0.1	No
	Mercury	ng/m3	0.013	0.050	No
	Silica	ug/m3	ND	25	No
	Total PCBs	ng/m3	113	250	No
26-Jul	Asbestos	f/cc	ND	0.1	No
	Mercury	ng/m3	0.013	0.050	No
	Silica	ug/m3	ND	25	No
27-Jul	Asbestos	f/cc	ND	0.1	No
	Lead	ug/m3	0.004	50	No
	Mercury	ng/m3	0.013	0.05	No
	Silica	ug/m3	ND	25	No
	Total PCBs	ng/m3	27	250	No
28-Jul	Asbestos	f/cc	ND	0.1	No
	Silica	ug/m3	ND	25	No

**Aerovox NTCRA Ambient Air Sampling
Validated Data Received through 11/21/11**

Air Monitoring Station 4: West Station near Belleville Avenue

Sample Date	Analyte	Units	Sample Result	Air Quality Performance Standard (AQPS)	Exceed AQPS?
29-Jul	Asbestos	f/cc	ND	0.1	No
	Silica	ug/m3	ND	25	No
	Total PCBs	ng/m3	17	250	No
1-Aug	Asbestos	f/cc	ND	0.1	No
	Silica	ug/m3	ND	25	No
	Total PCBs	ng/m3	25	250	No
2-Aug	Asbestos	f/cc	ND	0.1	No
	Silica	ug/m3	ND	25	No
3-Aug	Lead	ug/m3	0.0008	50	No
	Total PCBs	ng/m3	153	250	No
8-Aug	Total PCBs	ng/m3	89	250	No
9-Aug	Silica	ug/m3	ND	25	No
10-Aug	Lead	ug/m3	0.0004	50	No
	Total PCBs	ng/m3	20	250	No
11-Aug	Total PCBs	ng/m3	22	250	No
16-Aug	Total PCBs	ng/m3	60	250	No
22-Aug	Silica	ug/m3	ND	25	No
	Total PCBs	ng/m3	4	250	No
26-Aug	Asbestos	f/cc	ND	0.1	No
	Silica	ug/m3	ND	25	No
	Total PCBs	ng/m3	43	250	No
1-Sep	Silica	ug/m3	8.3	25	No
	Total PCBs	ng/m3	241	250	No
9-Sep	Asbestos	f/cc	ND	0.1	No
	Silica	ug/m3	ND	25	No
	Total PCBs	ng/m3	75	250	No
14-Sep	Silica	ug/m3	ND	25	No
	Total PCBs	ng/m3	15	250	No
21-Sep	Asbestos	f/cc	ND	0.1	No
	Silica	ug/m3	9.3	25	No
	Total PCBs	ng/m3	71	250	No
28-Sep-11	Silica	ug/m3	7	25	No
	Total PCB	ng/m3	202	250	No
3-Oct-11	Total PCB	ng/m3	35	10,000	No
5-Oct-11	Asbestos	f/cc	0.007	0.1	No
	Silica	ug/m3	ND	25	No
	Total PCB	ng/m3	33	250	No

**Aerovox NTCRA Ambient Air Sampling
Validated Data Received through 11/21/11**

Air Monitoring Station 4: West Station near Belleville Avenue

Sample Date	Analyte	Units	Sample Result	Air Quality Performance Standard (AQPS)	Exceed AQPS?
6-Oct-11	Total PCB	ng/m3	7	250	No
12-Oct-11	Silica	ug/m3	6.3	25	No
	Total PCB	ng/m3	860	250	Yes
21-Oct-11	Silica	ug/m3	ND	25	No
	Total PCB	ng/m3	ND	250	No
26-Oct-11	Silica	ug/m3	17.3	25	No
	Total PCB	ng/m3	591	250	Yes
31-Oct-11	Asbestos	f/cc	ND	0.1	No
	Silica	ug/m3	6.1	25	No
	Total PCB	ng/m3	112	250	No
2-Nov-11	Silica	ug/m3	10.4	25	No
	Total PCB	ng/m3	429	250	Yes
9-Nov-11	Total PCB	ng/m3	96	250	No
11-Nov-11	Total PCB	ng/m3	13	250	No

Notes:

ng/m3 - nanograms per cubic meter of air
 f/cc - fibers per cubic centimeter of air
 mg/m3 - milligrams per cubic meter of air
 ug/m3 - micrograms per cubic meter of air
 ND - not detected