

**ENGINEERING INVESTIGATIONS
AT
INACTIVE HAZARDOUS WASTE SITES
IN THE
STATE OF NEW YORK
PHASE I - PRELIMINARY INVESTIGATION
FINAL REPORT
GOLDISC RECORDINGS, INC. SITE**

**CONTRACT NO. D000452
NYSDEC SITE NO. 152022**

**Submitted To:
Division of Solid Waste
New York State
Department of Environmental Conservation
50 Wolf Road
Albany, New York 12233-0001**

**Submitted By:
Woodward-Clyde Consultants, Inc.
1250 Broadway, 15th Floor
New York, New York 10001**

September 20, 1984

82C4548

100001

ENGINEERING INVESTIGATIONS
AT
INACTIVE HAZARDOUS WASTE SITES
IN THE
STATE OF NEW YORK

PHASE I - PRELIMINARY INVESTIGATION

FINAL REPORT

GOLDISC RECORDINGS, INC. SITE

*done by the
state for the
plate*

CONTRACT NO. D000452
NYSDEC SITE NO. 152022

Submitted To:
Division of Solid Waste
New York State
Department of Environmental Conservation
50 Wolf Road
Albany, New York 12233-0001

Submitted By:
Woodward-Clyde Consultants, Inc.
1250 Broadway, 15th Floor
New York, New York 10001

September 20, 1984

82C4548

100002

1250 Broadway, 15th Floor
New York, New York 10001
212-926-2878 (NY/NJ)
212-594-2118 (Direct)
Telex 133-541

Woodward-Clyde Consultants, Inc.

September 20, 1984
82C4548

New York State Department of Environmental Conservation
Division of Solid Waste
Room 209
50 Wolf Road
Albany, New York 12233

Attention: Mr. Norman H. Nosenchuck
Director

Subject: Engineering Investigations at Inactive Hazardous Waste Sites in the
State of New York
Phase I - Preliminary Investigation
Goldisc Recordings, Inc.
NYSDEC No. 152022
EPA No. Not Available

Dear Sir:

This report presents the results of our Preliminary Investigation of the Goldisc Recordings, Inc. site in Suffolk County, New York. This preliminary investigation fulfills the requirements of Phase I of our Contract No. D000452 to perform engineering investigations at 40 inactive hazardous waste sites in the State of New York. Phase II involves field investigation services at the sites.

The objective of Phase I was to:

- o collect and review data
- o perform a site reconnaissance
- o prepare a draft Hazard Ranking System (HRS) and Documentation
- o develop a specific site work plan for Phase II
- o develop Phase II site investigation costs
- o identify known responsible parties
- o prepare a summary report



September 20, 1984
82C4548
Page 2

This report contains six sections. Section 1.0 includes a description of the site. Section 2.0 presents the preliminary HRS work sheets, the HRS documentation records, and EPA site assessment forms (2070-12 and 2070-13). Section 3.0 provides a brief summary of the history of site activities. Section 4.0 includes a discussion of existing site data. Section 5.0 provides an assessment of the data adequacy identifying major data gaps. Lastly, Section 6.0 presents the recommended Phase II Site Investigation Work Plan and costs. The sampling and analysis plan and the health and safety plan are not included. These are to be supplied by NYSDEC.

The Goldisc Recordings, Inc. site occupies approximately 150,000 square feet of commercially-zoned property in Holbrook, Suffolk County, New York. Goldisc Recordings (formerly named Sonic Recordings Products) was engaged exclusively in the production of phonographic records from January, 1968 to June, 1983. The site is reportedly owned by Goldisc Recordings, Inc./Electro Sound Group, 725 Broadway, Holbrook, New York.

Wastes generated from manufacturing conducted at the site include large volumes of nickel plating wastes and hydraulic oil, and lesser quantities of solvents. Dumping of these wastes apparently occurred at the site over an undetermined period of time. On several occasions, the Suffolk County Department of Health discovered chemical wastes on the ground, in storm drains and sanitary pools, and in an on site sump (recharge basin).

The HRS scores developed for the Goldisc Recordings, Inc. site are as follows:

$$S_M = 38.8 \quad (S_{gw} = 64.4 \quad S_{sw} = 9.7 \quad S_a = 0.0)$$

$$S_{FE} = N/A$$

$$S_{DC} = 50.00$$

100004

September 20, 1984
82C4548
Page 3

Data were not adequate to complete HRS scoring. The extent of soil and ground water contamination has not been defined. The direction and rate of ground water flow at the site also need to be determined.

Excessive levels of solvents, nickel plating wastes and oil was discovered in sanitary and storm drains at Goldisc Recordings, Inc. during 1981. Depth to water in the site vicinity is estimated to be between 24 and 32 feet.

An estimated 130 wells exist within a 3-mile radius of the site serving a minimum population of 71,000. A public supply well is located only 1000 feet downgradient (south) of the site. Other public and private supply wells are also located downgradient.

The Phase II work plan is specifically designed to supplement the data collected to date, in order that conceptual remedial designs and estimated costs be prepared. We have proposed a limited geophysical survey, the installation of five monitoring wells, and limited ground water, soil, and air sampling. A detailed description of the work plan and estimated costs is provided in Section 6.0. The total estimated cost for Phase II investigations at the Goldisc Recordings, Inc. site is \$40,524.

If there are any questions or comments concerning the work plan or any other portion of the Phase I report, please do not hesitate to contact us.

Very truly yours,



Donald R. Ganser,
Project Manager

DRG:jc/cp
enclosure
C709/134

100005

TABLE OF CONTENTS

<u>Section</u>	<u>Page</u>
1.0 SITE DESCRIPTION	1-1
2.0 U.S. ENVIRONMENTAL PROTECTION AGENCY DOCUMENTATION	2-1
2.1 Preliminary HRS Work Sheets	2-2
2.2 Documentation Records For HRS	2-10
2.3 EPA Form 2070-12	2-24
2.4 EPA Form 2070-13	2-29
3.0 SITE HISTORY	3-1
4.0 SITE DATA	4-1
4.1 Site Area Surface Features	4-1
4.2 Site Hydrogeology	4-1
4.2.1 Ground Water Occurrence	4-1
4.2.2 Ground Water Quality	4-2
4.3 Past Sampling and Analysis	4-3
5.0 DATA ADEQUACY	5-1
6.0 WORK PLAN	6-1
6.1 Objectives	6-1
6.2 Field Investigation Plan	6-1
6.2.1 Geophysical Studies	6-1
6.2.2 Monitoring Wells	6-2
6.2.2.1 Installation	6-2
6.2.2.2 Water Elevations	6-3
6.2.2.3 Aquifer Testing	6-3
6.2.3 Sampling and Analysis Plan	6-4
6.2.3.1 General Plan	6-4
6.2.3.2 Sampling Parameters	6-4
6.2.3.3 Sampling Locations	6-4
6.3 Health and Safety Plan	6-5
6.4 Cost Estimate	6-5

LIST OF TABLES

<u>Table</u>		<u>Page</u>
6-1	PROPOSED CHEMICAL ANALYSES AT THE GOLDISC RECORDINGS, INC. SITE	6-6
6-2	GEOPHYSICAL STUDIES COSTS	6-7
6-3	DRILLING/WELL INSTALLATION COSTS	6-8
6-4	SAMPLING AND ANALYSIS COSTS	6-9
6-5	REPORT PREPARATION COSTS	6-10
6-6	PROJECT MANAGEMENT COSTS	6-11

LIST OF FIGURES

Figure

- 1 SITE LOCATION MAP - GOLDISC RECORDINGS, INC. SITE
- 2 LOCATION PLAN FOR PROPOSED PHASE II INVESTIGATION

Appendix

- A REFERENCES
- B PERTINENT INFORMATION
- C UPDATED NEW YORK STATE REGISTRY FORM

1.0

SITE DESCRIPTION

Goldisc Recordings, Inc. is located in Suffolk County at 725 Broadway Avenue, Holbrook (Figure 1). The facility occupies approximately 150,000 square feet on 7 acres of commercial property. The former Viewlex building abuts Goldisc 50 feet to the west. A paved area between the two buildings is continuous with a large paved area on the southern portion of the site. Sanitary and storm drains, two above ground tanks and some 55-gallon drums are located between the two buildings. A large sump is located on the north side of the site. Grassy, wooded areas surround the property.

The site is relatively flat to the south and west, with variable topography to the north and east. Oil contamination of a large marshy area in the northeastern corner of the site is attributed to continuous discharge of water and presumably liquid wastes from the Goldisc facility (SCDOH, 1981). Vegetative growth is poor in this area.

Residential and commercial areas are located largely to the west and south and relatively undeveloped land lies adjacent to the site to the north and east. Many surface water bodies, including lakes and recharge basins, are downgradient.

At the time of the WCC site survey (July, 1983), the sump was observed half full and exposed soils were a greenish color. Obvious discharge into the marshy area referenced above had recently occurred.

U.S. ENVIRONMENTAL PROTECTION AGENCY DOCUMENTATION

This section includes documentation records and work sheets required to develop Hazard Ranking System (HRS) scores. In addition, two EPA forms regarding site inspection and preliminary assessment have been completed and are included as required.

Documents included in this section are:

1. Preliminary Hazard Ranking System (HRS) Work Sheets
2. Documentation Records for HRS
3. EPA Form 2070-12 (Preliminary Assessment)
4. EPA Form 2070-13 (Site Inspection Report)

All forms were prepared as completely as possible using information available from county, state, and federal agency files. The Suffolk County Department of Health files on the Goldisc Recordings, Inc. site were the most complete of all the agency files. Values assigned to the rating factors are indicated with a circle or a square reflecting complete or incomplete data, respectively.

All information provided in the Documentation Records for HRS are referenced, and copies of pertinent information are included in Appendix B. Analytical results are also included in Appendix B.

2.1 Preliminary HRS Work Sheets

Facility Name: Goldisc Recordings, Inc.

Location: 725 Broadway, Holbrook, N.Y. 11741

EPA Region: II

Person(s) in Charge of the Facility: Ernest Kirk - Dir. of Eng.

James Donahue - Plant Mgr.

Name of Reviewer: C. Mancini **Date:** 6 Sept. 83

General Description of the Facility:

(For example: landfill, surface impoundment, pile, container; types of hazardous substances; location of the facility; contamination route of major concern; types of information needed for rating; agency action, etc.)

Operations included manufacture of phonographic records. Major wastes were polyvinyl chloride, waste oil and nickel plating solution. Extensive on site discharges. Route of major concern is Ground Water.

Additional data is needed for the quantity of wastes on site.

Scores: $S_M = 38.81$ ($S_{SW} = 66.44$ $S_{SW} = 9.65$ $S_A = 0.0$)

$S_{FE} = N/A$

$S_{DC} = 50.00$

GROUND WATER ROUTE WORK SHEET

Rating Factor	Assigned Value (Circle One)	Multi-plier	Score	Max. Score	Ref. (Section)
1 Observed Release	0 45	1	0	45	3.1
If observed release is given a score of 45, proceed to line 4 . If observed release is given a score of 0, proceed to line 2 .					
2 Route Characteristics					3.2
Depth to Aquifer of Concern	0 1 2 3	2	4	6	
Net Precipitation	0 1 2 3	1	2	3	
Permeability of the Unsaturated Zone	0 1 2 3	1	3	3	
Physical State	0 1 2 3	1	3	3	
Total Route Characteristics Score			12	15	
3 Containment	0 1 2 3	1	3	3	3.3
4 Waste Characteristics					3.4
Toxicity/Persistence	0 3 6 9 12 15 18	1	18	18	
Hazardous Waste Quantity	0 1 2 3 4 5 6 7 8	1	5	8	
Total Waste Characteristics Score			23	26	
5 Targets					3.5
Ground Water Use	0 1 2 3	3	6	9	
Distance to Nearest Well/Population Served	0 4 8 8 10 12 16 18 20 24 30 32 35 40	1	40	40	
Total Targets Score			46	49	
6 If line 1 is 45, multiply 1 x 4 x 5 If line 1 is 0, multiply 2 x 3 x 4 x 5	38,088			57,330	
7 Divide line 6 by 57,330 and multiply by 100	S _{gw} = 66.44				

100014

SURFACE WATER ROUTE WORK SHEET

Rating Factor	Assigned Value (Circle One)	Multi-plier	Score	Max. Score	Ref. (Section)
1 Observed Release	0 45	1	45	45	4.1
If observed release is given a value of 45, proceed to line 4 . If observed release is given a value of 0, proceed to line 2 .					
2 Route Characteristics					4.2
Facility Slope and Intervening Terrain	0 1 2 3	1		3	
1-yr. 24-hr. Rainfall	0 1 2 3	1		3	
Distance to Nearest Surface Water	0 1 2 3	2		6	
Physical State	0 1 2 3	1		3	
Total Route Characteristics Score				15	
3 Containment	0 1 2 3	1		3	4.3
4 Waste Characteristics					4.4
Toxicity/Persistence	0 3 6 9 12 15 18	1	18	18	
Hazardous Waste Quantity	0 1 2 3 4 5 6 7 8	1	5	8	
Total Waste Characteristics Score				23	28
5 Targets					4.5
Surface Water Use	0 1 2 3	3	6	9	
Distance to a Sensitive Environment	0 1 2 3	2	0	6	
Population Served/Distance to Water Intake Downstream	0 4 8 8 10 12 16 18 20 24 30 32 35 40	1	0	40	
Total Targets Score				6	55
6 If line 1 is 45, multiply 1 x 4 x 5					
If line 1 is 0, multiply 2 x 3 x 4 x 5			6,210	64,350	
7 Divide line 6 by 64,350 and multiply by 100			$S_{sw} = 9.65$		

100015

AIR ROUTE WORK SHEET

Rating Factor	Assigned Value (Circle One)	Multi-plier	Score	Max. Score	Ref. (Section)
1 Observed Release	0 45	1	0	45	5.1
Date and Location:					
Sampling Protocol:					
If line 1 is 0, the S = 0. Enter on line 5 . If line 1 is 45, then proceed to line 2 .					
2 Waste Characteristics					5.2
Reactivity and Incompatibility	0 1 2 3	1		3	
Toxicity	0 1 2 3	3		9	
Hazardous Waste Quantity	0 1 2 3 4 5 6 7 8	1		8	
Total Waste Characteristics Score				20	
3 Targets					5.3
Population Within 4-Mile Radius	0 9 12 15 18 21 24 27 30	1		30	
Distance to Sensitive Environment	0 1 2 3	2		6	
Land Use	0 1 2 3	1		3	
Total Targets Score				39	
4 Multiply 1 x 2 x 3			0	35,100	
5 Divide line 4 by 35,100 and multiply by 100 $S_a = 0.0$					

100016

	s	s ²
Groundwater Route Score (S _{gw})	66.44	
Surface Water Route Score (S _{sw})	9.65	
Air Route Score (S _a)	0.0	
$S_{gw}^2 + S_{sw}^2 + S_a^2$		
$\sqrt{S_{gw}^2 + S_{sw}^2 + S_a^2}$		
$\sqrt{S_{gw}^2 + S_{sw}^2 + S_a^2} / 1.73$		S _M = 38.81

WORKSHEET FOR COMPUTING S_M

100017

N/A

FIRE AND EXPLOSION WORK SHEET						
Rating Factor	Assigned Value (Circle One)		Multi- plier	Score	Max. Score	Ref. (Section)
1 Containment	1	3	1		3	7.1
2 Waste Characteristics						7.2
Direct Evidence	0	3	1		3	
Ignitability	0	1 2 3	1		3	
Reactivity	0	1 2 3	1		3	
Incompatibility	0	1 2 3	1		3	
Hazardous Waste Quantity	0	1 2 3 4 5 6 7 8	1		8	
Total Waste Characteristics Score					20	
3 Targets						7.3
Distance to Nearest Population	0	1 2 3 4 5	1		5	
Distance to Nearest Building	0	1 2 3	1		3	
Distance to Sensitive Environment	0	1 2 3	1		3	
Land Use	0	1 2 3	1		3	
Population Within 2-Mile Radius	0	1 2 3 4 5	1		5	
Buildings Within 2-Mile Radius	0	1 2 3 4 5	1		5	
Total Targets Score					24	
4 Multiply 1 x 2 x 3					1,440	
5 Divide line 4 by 1,440 and multiply by 100						SFE = N/A

100018

DIRECT CONTACT WORK SHEET

Rating Factor	Assigned Value (Circle One)	Multi-plier	Score	Max. Score	Ref. (Section)
1 Observed Incident	0 45	1	0	45	8.1
If line 1 is 45, proceed to line 4 If line 1 is 0, proceed to line 2					
2 Accessibility	0 1 2 3	1	3	3	8.2
3 Containment	0 15	1	15	15	8.3
4 Waste Characteristics Toxicity	0 1 2 3	5	15	15	8.4
5 Targets					8.5
Population Within a 1-Mile Radius	0 1 2 3 4 5	4	16	20	
Distance to a Critical Habitat	0 1 2 3	4	0	12	
Total Targets Score			16	32	
6 If line 1 is 45, multiply 1 x 4 x 5 If line 1 is 0, multiply 2 x 3 x 4 x 5			10,800	21,600	
7 Divide line 6 by 21,600 and multiply by 100			SDC = 50.00		

100019

2.2 Documentation Records For HRS

DOCUMENTATION RECORDS
FOR HAZARD RANKING SYSTEM

INSTRUCTIONS: The purpose of these records is to provide a convenient way to prepare an auditable record of the data and documentation used to apply the Hazard Ranking System to a given facility. As briefly as possible summarize the information you used to assign the score for each factor (e.g., "Waste quantity = 4,230 drums plus 800 cubic yards of sludges"). The source of information should be provided for each entry and should be a bibliographic-type reference that will make the document used for a given data point easier to find. Include the location of the document and consider appending a copy of the relevant page(s) for ease in review.

FACILITY NAME: Goldisc Recordings, Inc.

LOCATION: 725 Broadway, Holbrook, Suffolk County, New York 11741

GROUND WATER ROUTE

I. OBSERVED RELEASE

Contaminants detected (5 maximum):

N/A.

Rationale for attributing the contaminants to the facility:

N/A.

* * *

2. ROUTE CHARACTERISTICS

Depth to Aquifer of Concern

Name/description of aquifer(s) of concern:

Upper glacial aquifer; Magothy aquifer; aquifers are hydraulically connected (Franke and McClymonds, 1972; Jensen and Soren, 1974).

Depth(s) from the ground surface to the highest seasonal level of the saturated zone (water table(s)) of the aquifer of concern:

24 to 32 feet (Suffolk County Department of Health, 1983; Donaldson and Koszalka, 1983).

Depth from the ground surface to the lowest point of waste disposal/storage:

Unknown (Suffolk County DOH, 1983).

Net Precipitation

Mean annual or seasonal precipitation (list months for seasonal):

46 inches (User's Manual).

Mean annual lake or seasonal evaporation (list months for seasonal):

31 inches (User's Manual).

Net precipitation (subtract the above figures):

15 inches.

Permeability of Unsaturated Zone

Soil type in unsaturated zone:

Sand and gravel (Jensen and Soren, 1974).

Permeability associated with soil type:

Greater than 10^{-3} cm/sec (User's Manual).

Physical State

Physical state of substances at time of disposal (or at present time for generated gases):

Liquid (SCDOH, 1981).

3. CONTAINMENT

Containment

Method(s) of waste or leachate containment evaluated:

Containers.
Surface Impoundment (Suffolk County DOH, 1979).

Method with highest score:

Containers (3) (User's Manual).

4. WASTE CHARACTERISTICS

Toxicity and Persistence

Compound(s) evaluated:

	<u>Toxicity</u>	<u>Persistence</u>
Hydraulic oil (ethylene glycol)	2	2
1,2,4 Trimethylbenzene	2	2
Nickel	3	3
Chloroform	3	3

(User's Manual; Sax, 1979).

Compound with highest score:

Nickel (18); Chloroform (18) (User's Manual).

Hazardous Waste Quantity

Total quantity of hazardous substances at the facility, excluding those with a containment score of 0 (Give a reasonable estimate even if quantity is above maximum):

1000 to 2000 gallons of plating wastes discharged to groundwater (between July and November 1978) (SCDOH, 1979).
Unknown quantity of oil discharged to leaching facilities on site (SCDOH, 1981).
720 drums stored on site indoors (SCDOH, 1983).
Other drums stored outside (WCC site survey, 1983).

Basis of estimating and/or computing waste quantity:

Suffolk County Department of Health documents waste quantities at the site (SCDOH, 1983).

5. TARGETS

Ground Water Use

Use(s) of aquifer(s) of concern within a 3-mile radius of the facility:

Public and private drinking water supplies; commercial and industrial use (SCDOH, 1983; NYS DEC Stony Brook, 1983).

Distance to Nearest Well

Location of nearest well drawing from aquifer of concern or occupied building not served by a public water supply:

Well located on site. Public water supply well 1000 feet south of site (SCDOH, 1983; NYS DEC Stony Brook, 1983).

Distance to above well or building:

Public water supply well 1000 feet south (SCDOH, 1983).

Population Served by Ground Water Wells Within a 3-Mile Radius

Identified water-supply well(s) drawing from aquifer(s) of concern within a 3-mile radius and populations served by each:

Suffolk County Water Authority, Patchogue District Service Area (pop. 70,811) (SCDOH, 1983; Rand McNally, 1983).

Computation of land area irrigated by supply well(s) drawing from aquifer(s) of concern within a 3-mile radius, and conversion to population (1.5 people per acre):

N/A.

Total population served by ground water within a 3-mile radius:

70,811 minimum (SCDOH, 1983; Rand McNally, 1983).

SURFACE WATER ROUTE

I. OBSERVED RELEASE

Contaminants detected in surface water at the facility or downhill from it (5 maximum):

Hexavalent chromium; Cadmium; Nickel; 1,2,4 Trimethylbenzene; Chloroform (SCDOH 1978-1982).

Rationale for attributing the contaminants to the facility:

Suffolk County Department of Health Inspection and Laboratory Reports (SCDOH, 1978-1982).

2. ROUTE CHARACTERISTICS

Facility Slope and Intervening Terrain

Average slope of facility in percent:

3 to 5 % (WCC Site Survey, 1983).

Name/description of nearest downslope surface water:

Sans Souci Lakes (USGS, 1967).

Average slope of terrain between facility and above-cited surface water body in percent:

Less than 1 % (USGS, 1967).

Is the facility located either totally or partially in surface water?

No (USGS, 1967; WCC Site Survey, 1983).

Is the facility completely surrounded by areas of higher elevation?

No (USGS, 1967).

1-Year 24-Hour Rainfall in Inches

2.7 inches (User's Manual).

Distance to Nearest Downslope Surface Water

2500 feet (USGS, 1967).

Physical State of Waste

Liquid (SCDOH, 1983).

* * *

3. CONTAINMENT

Containment

Method(s) of waste or leachate containment evaluated:

Containers.
Surface Impoundment (SCDOH, 1979).

Method with highest score:

Containers (3) (User's Manual).

4. WASTE CHARACTERISTICS

Toxicity and Persistence

Compound(s) evaluated

See: Ground Water.

Compound with highest score:

Chloroform (18); Nickel (18) (User's Manual).

Hazardous Waste Quantity

Total quantity of hazardous substances at the facility, excluding those with a containment score of 0 (Give a reasonable estimate even if quantity is above maximum):

See: Ground Water.

Basis of estimating and/or computing waste quantity:

See: Ground Water.

* * *

5. TARGETS

Surface Water Use

Use(s) of surface water within 3 miles downstream of the hazardous substance:

Recreation.

Recharge areas (USGS, 1967).

Is there tidal influence?

No (USGS, 1967).

Distance to a Sensitive Environment

Distance to 5-acre (minimum) coastal wetland, if 2 miles or less:

None (NYSDEC, Division of Fish and Wildlife, 1975a).

Distance to 5-acre (minimum) fresh-water wetland, if 1 mile or less:

None (NYSDEC, Division of Fish and Wildlife, 1975b).

Distance to critical habitat of an endangered species or national wildlife refuge, if 1 mile or less:

None (NYSDEC, Division of Fish and Wildlife, 1983; U.S. Fish and Wildlife Service, 1983).

Population Served by Surface Water

Location(s) of water-supply intake(s) within 3 miles (free-flowing bodies) or 1 mile (static water bodies) downstream of the hazardous substance and population served by each intake:

None known (Suffolk County DOH, 1983).

Computation of land area irrigated by above-cited intake(s) and conversion to population (1.5 people per acre):

N/A.

Total population served:

N/A.

Name/description of nearest of above water bodies:

N/A.

Distance to above-cited intakes, measured in stream miles:

N/A.

AIR ROUTE

1. OBSERVED RELEASE

Contaminants detected:

N/A.

Date and location of detection of contaminants:

N/A.

Methods used to detect the contaminants:

N/A.

Rationale for attributing the contaminants to the site:

N/A.

* * *

2. WASTE CHARACTERISTICS

Reactivity and Incompatibility

Most reactive compound:

None known.

Most incompatible pair of compounds:

None known.

Toxicity

Most toxic compound:

See: Ground Water.

Hazardous Waste Quantity

Total quantity of hazardous waste:

See: Ground Water.

Basis of estimating and/or computing waste quantity:

See: Ground Water.

* * *

3. TARGETS

Population Within 4-Mile Radius

Circle radius used, give population, and indicate how determined:

<u>0 to 4 mi</u>	<u>0 to 1 mi</u>	<u>0 to 1/2 mi</u>	<u>0 to 1/4 mi</u>
130,673	8,771	2,917	
(Donnelly Marketing, 1982).			

Distance to a Sensitive Environment

Distance to 5-acre (minimum) coastal wetland, if 2 miles or less:

None (NYSDEC, Division of Fish and Wildlife, 1975a).

Distance to 5-acre (minimum) fresh-water wetland, if 1 mile or less:

None (NYSDEC, Division of Fish and Wildlife, 1975b).

Distance to critical habitat of an endangered species, if 1 mile or less:

None (NYSDEC, Division of Fish and Wildlife, 1983).

Land Use

Distance to commercial/industrial area, if 1 mile or less:

Less than 700 feet (WCC Site Survey, 1983).

Distance to national or state park, forest, or wildlife reserve, if 2 miles or less:

Less than 2500 feet (USGS, 1967).

Distance to residential area, if 2 miles or less:

1300 feet (WCC Site Survey).

Distance to agricultural land in production within past 5 years, if 1 mile or less:

None (NYS Department of Agriculture and Markets, 1983).

Distance to prime agricultural land in production within past 5 years, if 2 miles or less:

None (NYS Department of Agriculture and Markets, 1983).

Is a historic or landmark site (National Register of Historical Places and National Natural Landmarks) within the view of the site?

No (NYS Parks and Recreation, 1983).

2.3 EPA Form 2070-12
(Preliminary Assessment)



**POTENTIAL HAZARDOUS WASTE SITE
PRELIMINARY ASSESSMENT
PART 1 - SITE INFORMATION AND ASSESSMENT**

I. IDENTIFICATION	
01 STATE NY	02 SITE NUMBER N/A

II. SITE NAME AND LOCATION

01 SITE NAME (Legal, common, or descriptive name of site) Goldisc Recordings, Inc.		02 STREET, ROUTE NO., OR SPECIFIC LOCATION IDENTIFIER 725 Broadway			
03 CITY Holbrook	04 STATE NY	05 ZIP CODE 11741	06 COUNTY Suffolk	07 COUNTY CODE 123	08 CONG DIST 123
09 COORDINATES LATITUDE 40 46 26.0		LONGITUDE 073 03 55.0			

10 DIRECTIONS TO SITE (Starting from nearest public road)
NE Corner of Broadway Avenue and Veterans Memorial Highway Intersection.

III. RESPONSIBLE PARTIES

01 OWNER (if known) Leslie Levine / First Holbrook Properties		02 STREET (Business, making, residential) Perez, Akerman, and Levine Great Neck Road			
03 CITY Great Neck	04 STATE NY	05 ZIP CODE	06 TELEPHONE NUMBER ()		
07 OPERATOR (if known and different from owner) James Donahue		08 STREET (Business, making, residential) 725 Broadway			
09 CITY Holbrook	10 STATE NY	11 ZIP CODE 11741	12 TELEPHONE NUMBER (516) 234-2010	(516) 567-3700	
13 TYPE OF OWNERSHIP (Check one) <input checked="" type="checkbox"/> A. PRIVATE <input type="checkbox"/> B. FEDERAL: _____ (Agency name) <input type="checkbox"/> C. STATE <input type="checkbox"/> D. COUNTY <input type="checkbox"/> E. MUNICIPAL <input type="checkbox"/> F. OTHER: _____ (Specify) <input type="checkbox"/> G. UNKNOWN					

14 OWNER/OPERATOR NOTIFICATION ON FILE (Check all that apply)
 A. RCRA 3001 DATE RECEIVED: ____/____/____ MONTH DAY YEAR B. UNCONTROLLED WASTE SITE (CERCLA 103 c) DATE RECEIVED: ____/____/____ MONTH DAY YEAR C. NONE

IV. CHARACTERIZATION OF POTENTIAL HAZARD

01 ON SITE INSPECTION <input checked="" type="checkbox"/> YES DATE 7/27/83 <input type="checkbox"/> NO MONTH DAY YEAR		BY (Check all that apply) <input type="checkbox"/> A. EPA <input type="checkbox"/> B. EPA CONTRACTOR <input type="checkbox"/> C. STATE <input checked="" type="checkbox"/> D. OTHER CONTRACTOR <input type="checkbox"/> E. LOCAL HEALTH OFFICIAL <input type="checkbox"/> F. OTHER: _____ (Specify)			
02 SITE STATUS (Check one) <input type="checkbox"/> A. ACTIVE <input type="checkbox"/> B. INACTIVE <input type="checkbox"/> C. UNKNOWN		03 YEARS OF OPERATION BEGINNING YEAR 1976 ENDING YEAR 1983 <input type="checkbox"/> UNKNOWN			

04 DESCRIPTION OF SUBSTANCES POSSIBLY PRESENT, KNOWN, OR ALLEGED
Waste oils, plating wastes, solvents

05 DESCRIPTION OF POTENTIAL HAZARD TO ENVIRONMENT AND/OR POPULATION
Potential threat to ground water quality and population drinking the water

V. PRIORITY ASSESSMENT

01 PRIORITY FOR INSPECTION (Check one if high or medium is checked, complete Part 2 - Waste Information and Part 3 - Description of Hazardous Conditions and Incidents)
 A. HIGH (inspection required promptly) B. MEDIUM (inspection required) C. LOW (inspect on time available basis) D. NONE (no further action needed, complete current disposition form)

VI. INFORMATION AVAILABLE FROM

01 CONTACT William Roberts	02 OF (Agency/Organization) Suffolk County Dept. of Health	03 TELEPHONE NUMBER 516 451-4627
PERSON RESPONSIBLE FOR ASSESSMENT Donald R. Ganser	05 AGENCY	06 ORGANIZATION Woodward-Clude Consultants, Inc.
	07 TELEPHONE NUMBER (201) 785-0700	08 DATE 8/15/83 MONTH DAY YEAR



POTENTIAL HAZARDOUS WASTE SITE
PRELIMINARY ASSESSMENT
PART 2 - WASTE INFORMATION

I. IDENTIFICATION

D1 STATE: NY D2 SITE NUMBER: N/A

II. WASTE STATES, QUANTITIES, AND CHARACTERISTICS

<p>1. PHYSICAL STATES (Check all that apply)</p> <input type="checkbox"/> A. SOLID <input type="checkbox"/> B. POWDER, FINES <input checked="" type="checkbox"/> C. SLUDGE <input type="checkbox"/> D. OTHER _____ (Specify) _____	<p>2. WASTE QUANTITY AT SITE (Measure of waste quantities must be independent)</p> <p>TONS _____</p> <p>CUBIC YARDS _____</p> <p>NO. OF DRUMS _____</p>	<p>3. WASTE CHARACTERISTICS (Check all that apply)</p> <input checked="" type="checkbox"/> A. TOXIC <input type="checkbox"/> B. CORROSIVE <input type="checkbox"/> C. RADIOACTIVE <input checked="" type="checkbox"/> D. PERSISTENT <input type="checkbox"/> E. SOLUBLE <input type="checkbox"/> F. INFECTIOUS <input type="checkbox"/> G. FLAMMABLE <input type="checkbox"/> H. IGNITABLE <input type="checkbox"/> I. HIGHLY VOLATILE <input type="checkbox"/> J. EXPLOSIVE <input type="checkbox"/> K. REACTIVE <input type="checkbox"/> L. INCOMPATIBLE <input type="checkbox"/> M. NOT APPLICABLE
---	---	---

III. WASTE TYPE

CATEGORY	SUBSTANCE NAME	01 GROSS AMOUNT	02 UNIT OF MEASURE	03 COMMENTS
(SLU)	SLUDGE			
(OLW)	OILY WASTE			
(SOL)	SOLVENTS			
PSD	PESTICIDES			
OCC	OTHER ORGANIC CHEMICALS			
IOC	INORGANIC CHEMICALS			
ACD	ACIDS			
BAS	BASES			
(MES)	HEAVY METALS		2,000 gallon	during 1978 of plating waste

V. HAZARDOUS SUBSTANCES (See Appendix for most frequently used CAS Numbers)

01 CATEGORY	02 SUBSTANCE NAME	03 CAS NUMBER	04 STORAGE/DISPOSAL METHOD	05 CONCENTRATION	06 MEASURE OF CONCENTRATION
MES	Plating wastes				
OLW	Oil (hydraulic)				
SOL	Solvents - ^{1,2,4 and 1,3} Trimethylbenzene			34 ppb / 15 ppb	
	Toluene			110 ppb	
ES	Heavy Metals Nickel		Leak	52,000 ppm	
	Chromium ⁶		Leak	37.5 ppm	
	Cadmium		Leak	.1 ppm	
SLU	Nickel sludge				

V. FEEDSTOCKS (See Appendix for CAS Numbers)

CATEGORY	01 FEEDSTOCK NAME	02 CAS NUMBER	CATEGORY	01 FEEDSTOCK NAME	02 CAS NUMBER
FDS			FDS		
FDS			FDS		
FDS			FDS		
FDS			FDS		

VI. SOURCES OF INFORMATION (Cite specific references, e.g., state files, sample analysis, reports)

Suffolk County Department of Health Files



**POTENTIAL HAZARDOUS WASTE SITE
PRELIMINARY ASSESSMENT
PART 3 - DESCRIPTION OF HAZARDOUS CONDITIONS AND INCIDENTS**

I. IDENTIFICATION

01 STATE: NY 02 SITE NUMBER: N/A

II. HAZARDOUS CONDITIONS AND INCIDENTS

01 A. GROUNDWATER CONTAMINATION 02 OBSERVED (DATE: _____) POTENTIAL ALLEGED
 03 POPULATION POTENTIALLY AFFECTED: 78,811 04 NARRATIVE DESCRIPTION
minimum pop. w/in 3 mile radius

01 B. SURFACE WATER CONTAMINATION 02 OBSERVED (DATE: _____) POTENTIAL ALLEGED
 03 POPULATION POTENTIALLY AFFECTED: _____ 04 NARRATIVE DESCRIPTION
Sans Souci Lakes located 20.5 mile south-southeast of site. Several surface water bodies exist in the general area of the site.

01 C. CONTAMINATION OF AIR 02 OBSERVED (DATE: _____) POTENTIAL ALLEGED
 03 POPULATION POTENTIALLY AFFECTED: _____ 04 NARRATIVE DESCRIPTION
No information available (N/A)

01 D. FIRE/EXPLOSIVE CONDITIONS 02 OBSERVED (DATE: _____) POTENTIAL ALLEGED
 03 POPULATION POTENTIALLY AFFECTED: _____ 04 NARRATIVE DESCRIPTION
N/A

01 E. DIRECT CONTACT 02 OBSERVED (DATE: _____) POTENTIAL ALLEGED
 03 POPULATION POTENTIALLY AFFECTED: _____ 04 NARRATIVE DESCRIPTION
N/A

01 F. CONTAMINATION OF SOIL 02 OBSERVED (DATE: 8/86) POTENTIAL ALLEGED
 03 AREA POTENTIALLY AFFECTED: 21 (Acres) 04 NARRATIVE DESCRIPTION
Tan residue on ground, assumed oil and water

01 G. DRINKING WATER CONTAMINATION 02 OBSERVED (DATE: _____) POTENTIAL ALLEGED
 03 POPULATION POTENTIALLY AFFECTED: 70,811 04 NARRATIVE DESCRIPTION
minimum

01 H. WORKER EXPOSURE/INJURY 02 OBSERVED (DATE: _____) POTENTIAL ALLEGED
 03 WORKERS POTENTIALLY AFFECTED: _____ 04 NARRATIVE DESCRIPTION
N/A

01 I. POPULATION EXPOSURE/INJURY 02 OBSERVED (DATE: _____) POTENTIAL ALLEGED
 03 POPULATION POTENTIALLY AFFECTED: _____ 04 NARRATIVE DESCRIPTION
N/A



**POTENTIAL HAZARDOUS WASTE SITE
PRELIMINARY ASSESSMENT
PART 3 - DESCRIPTION OF HAZARDOUS CONDITIONS AND INCIDENTS**

I. IDENTIFICATION

01 STATE: NY 02 SITE NUMBER: N/A

I. HAZARDOUS CONDITIONS AND INCIDENTS (Continued)

01 J. DAMAGE TO FLORA 02 OBSERVED (DATE: 8/16/81) POTENTIAL ALLEGED
04 NARRATIVE DESCRIPTION
Suffolk County Dept of Health inspection noted damage to vegetation due to discharges from Goldisc's operations.

01 K. DAMAGE TO FAUNA 02 OBSERVED (DATE: _____) POTENTIAL ALLEGED
04 NARRATIVE DESCRIPTION (include names of species)
N/A

01 L. CONTAMINATION OF FOOD CHAIN 02 OBSERVED (DATE: _____) POTENTIAL ALLEGED
04 NARRATIVE DESCRIPTION
N/A

01 M. UNSTABLE CONTAINMENT OF WASTES 02 OBSERVED (DATE: 7/8 - 10/78) POTENTIAL ALLEGED
(Spills/runoff/standing liquids/leaking drums)
03 POPULATION POTENTIALLY AFFECTED: _____ 04 NARRATIVE DESCRIPTION
1,000 - 2,000 gallons of plating wastes discharged to groundwater

01 N. DAMAGE TO OFFSITE PROPERTY 02 OBSERVED (DATE: _____) POTENTIAL ALLEGED
04 NARRATIVE DESCRIPTION
N/A

01 O. CONTAMINATION OF SEWERS, STORM DRAINS, WWTPs 02 OBSERVED (DATE: 7/8) POTENTIAL ALLEGED
04 NARRATIVE DESCRIPTION
Contamination found on several occasions. Usual contaminants included oils and plating wastes.
(hydraulic) (heavy metals)

01 P. ILLEGAL/UNAUTHORIZED DUMPING 02 OBSERVED (DATE: 1978) POTENTIAL ALLEGED
04 NARRATIVE DESCRIPTION
Up to 2,000 gallons of plating wastes during approximately a three month period.

05 DESCRIPTION OF ANY OTHER KNOWN, POTENTIAL, OR ALLEGED HAZARDS
The Suffolk County DOH documents several inspections made at the site whereby drums were leaking, drains and leaching facilities on site were contaminated and discharges to ground involving violation of SPDES permit was evident.

06 TOTAL POPULATION POTENTIALLY AFFECTED: At least 70,811

V. COMMENTS
Discharge of plating wastes and waste oils to ground for undetermined time period. Waste quantity unknown, however, most likely substantial.

V. SOURCES OF INFORMATION (Cite specific references, e.g., State files, sample analysis reports)
Suffolk County Dept of Health Files

2.4 EPA Form 2070-13
(Site Inspection Report)



**POTENTIAL HAZARDOUS WASTE SITE
SITE INSPECTION REPORT
PART 1 - SITE LOCATION AND INSPECTION INFORMATION**

I. IDENTIFICATION

01 STATE **NY** 02 SITE NUMBER **N/A**

II. SITE NAME AND LOCATION

01 SITE NAME (Legal, common, or descriptive name of site) **Goldisc Recordings, Inc.** 02 STREET, ROUTE NO. OR SPECIFIC LOCATION IDENTIFIER **725 Broadway Avenue**

03 CITY **Holbrook** 04 STATE **NY** 05 ZIP CODE **11741** 06 COUNTY **Suffolk** 07 COUNTY CODE **103** 08 CONG. DIST.

09 COORDINATES
 LATITUDE **40 46 26.0** LONGITUDE **073 23 55.0**
 10 TYPE OF OWNERSHIP (Check one)
 A PRIVATE B FEDERAL C STATE D COUNTY E MUNICIPAL F OTHER G UNKNOWN

III. INSPECTION INFORMATION

01 DATE OF INSPECTION **7 27 83** 02 SITE STATUS
 ACTIVE INACTIVE
 03 YEARS OF OPERATION **1976 1 1983** UNKNOWN
 BEGINNING YEAR ENDING YEAR

04 AGENCY PERFORMING INSPECTION (Check all that apply)
 A. EPA B. EPA CONTRACTOR C. MUNICIPAL D. MUNICIPAL CONTRACTOR
 E. STATE F. STATE CONTRACTOR **Woodward-Clyde Consultants, Inc.** G. OTHER

05 CHIEF INSPECTOR L. Wade	06 TITLE Senior Staff Scientist	07 ORGANIZATION Woodward-Clyde Consultants	08 TELEPHONE NO. (201) 785-0700
09 OTHER INSPECTORS	10 TITLE	11 ORGANIZATION	12 TELEPHONE NO. ()
			()
			()
			()
			()

13 SITE REPRESENTATIVES INTERVIEWED Ernest Kirk	14 TITLE Director of Engineering	15 ADDRESS 725 Broadway Ave Holbrook, N.Y. 11741	16 TELEPHONE NO. (516) 567-3700
			(516) 234-2010
			()
			()
			()
			()

17 ACCESS GAINED BY (Check one)
 PERMISSION WARRANT
 18 TIME OF INSPECTION **1430** 19 WEATHER CONDITIONS **Clear, sunny and warm**

IV. INFORMATION AVAILABLE FROM

01 CONTACT **William Roberts** 02 OF (Agency/Organization) **Suffolk County Dept. of Health** 03 TELEPHONE NO. **(516) 451-4627**

04 PERSON RESPONSIBLE FOR SITE INSPECTION FORM **Donald R. Ganser** 05 AGENCY **Woodward-Clyde Consultants, Inc.** 06 ORGANIZATION **Woodward-Clyde Consultants, Inc.** 07 TELEPHONE NO. **(201) 926-2878** 08 DATE **8 15 83**
 MONTH DAY YEAR



**POTENTIAL HAZARDOUS WASTE SITE
SITE INSPECTION REPORT
PART 2 - WASTE INFORMATION**

I. IDENTIFICATION
 01 STATE: NY 02 SITE NUMBER: N/A

II. WASTE STATES, QUANTITIES, AND CHARACTERISTICS

01 PHYSICAL STATES (Check all that apply): <input type="checkbox"/> A. SOLID <input type="checkbox"/> B. POWDER, FINES <input checked="" type="checkbox"/> C. SLUDGE <input type="checkbox"/> D. OTHER _____ <small>(Specify)</small>	02 WASTE QUANTITY AT SITE <small>(Measure of waste quantity must be independent)</small> TONS _____ CUBIC YARDS _____ NO OF DRUMS _____	03 WASTE CHARACTERISTICS (Check all that apply): <input checked="" type="checkbox"/> A. TOXIC <input type="checkbox"/> E. SOLUBLE <input type="checkbox"/> I. HIGHLY VOLATILE <input type="checkbox"/> B. CORROSIVE <input type="checkbox"/> F. INFECTIOUS <input type="checkbox"/> J. EXPLOSIVE <input type="checkbox"/> C. RADIOACTIVE <input type="checkbox"/> G. FLAMMABLE <input type="checkbox"/> K. REACTIVE <input checked="" type="checkbox"/> D. PERSISTENT <input type="checkbox"/> H. IGNITABLE <input type="checkbox"/> L. INCOMPATIBLE <input type="checkbox"/> M. NOT APPLICABLE
---	--	---

III. WASTE TYPE

CATEGORY	SUBSTANCE NAME	01 GROSS AMOUNT	02 UNIT OF MEASURE	03 COMMENTS
(SLU)	SLUDGE			
(OLW)	ONLY WASTE			
(SOL)	SOLVENTS			
PSD	PESTICIDES			
OCC	OTHER ORGANIC CHEMICALS			
IOC	INORGANIC CHEMICALS			
ACD	ACIDS			
BAS	BASES			
(MES)	HEAVY METALS			2,000 gallon discharge during 1978

IV. HAZARDOUS SUBSTANCES (See Appendix for most frequently cited CAS Numbers)

01 CATEGORY	02 SUBSTANCE NAME	03 CAS NUMBER	04 STORAGE/ DISPOSAL METHOD	05 CONCENTRATION	06 MEASURE OF CONCENTRATION
MES	Plating wastes				
OLW	oils				
SOL	1,2,4 Trimethylbenzene		Leak	34 ppb	
	Toluene			110 ppb	
	1,3,5 Trimethylbenzene			15 ppb	
MES	Nickel			5.200 ppm	
	Chromium			37.5 ppm	
	Cadmium			.1 ppm	
SLU	Nickel Sludge				

V. FEEDSTOCKS (See Appendix for CAS Numbers)

CATEGORY	01 FEEDSTOCK NAME	02 CAS NUMBER	CATEGORY	01 FEEDSTOCK NAME	02 CAS NUMBER
FDS			FDS		
FDS			FDS		
FDS			FDS		
FDS			FDS		

VI. SOURCES OF INFORMATION (Cite specific references e.g. state files, sample analysis reports)

Suffolk County Department of Health Files



**POTENTIAL HAZARDOUS WASTE SITE
SITE INSPECTION REPORT
PART 3 - DESCRIPTION OF HAZARDOUS CONDITIONS AND INCIDENTS**

I. IDENTIFICATION

01 STATE NY 02 SITE NUMBER N/A

II. HAZARDOUS CONDITIONS AND INCIDENTS

01 A GROUNDWATER CONTAMINATION 02 OBSERVED (DATE _____) POTENTIAL ALLEGED
 03 POPULATION POTENTIALLY AFFECTED 70,811 04 NARRATIVE DESCRIPTION
minimum pop. w/in 3 mile radius

01 B SURFACE WATER CONTAMINATION 02 OBSERVED (DATE _____) POTENTIAL ALLEGED
 03 POPULATION POTENTIALLY AFFECTED _____ 04 NARRATIVE DESCRIPTION
San Souci Lakes are located 40.5 mile south-southeast of the site.
 Several surface water bodies exist in the general area of the site.

01 C CONTAMINATION OF AIR 02 OBSERVED (DATE _____) POTENTIAL ALLEGED
 03 POPULATION POTENTIALLY AFFECTED _____ 04 NARRATIVE DESCRIPTION
No information available (N/A)

01 D FIRE EXPLOSIVE CONDITIONS 02 OBSERVED (DATE _____) POTENTIAL ALLEGED
 03 POPULATION POTENTIALLY AFFECTED _____ 04 NARRATIVE DESCRIPTION
N/A

01 E DIRECT CONTACT 02 OBSERVED (DATE _____) POTENTIAL ALLEGED
 03 POPULATION POTENTIALLY AFFECTED _____ 04 NARRATIVE DESCRIPTION
N/A

01 F CONTAMINATION OF SOIL 02 OBSERVED (DATE 8/81) POTENTIAL ALLEGED
 03 AREA POTENTIALLY AFFECTED >1 04 NARRATIVE DESCRIPTION
(Acres)
 Tan. residue on ground, assumed oil and water

01 G DRINKING WATER CONTAMINATION 02 OBSERVED (DATE _____) POTENTIAL ALLEGED
 03 POPULATION POTENTIALLY AFFECTED 70,811 04 NARRATIVE DESCRIPTION
minimum

01 H WORKER EXPOSURE/INJURY 02 OBSERVED (DATE _____) POTENTIAL ALLEGED
 03 WORKERS POTENTIALLY AFFECTED _____ 04 NARRATIVE DESCRIPTION
N/A

01 I POPULATION EXPOSURE/INJURY 02 OBSERVED (DATE _____) POTENTIAL ALLEGED
 03 POPULATION POTENTIALLY AFFECTED _____ 04 NARRATIVE DESCRIPTION
N/A



**POTENTIAL HAZARDOUS WASTE SITE
SITE INSPECTION REPORT**
PART 3 - DESCRIPTION OF HAZARDOUS CONDITIONS AND INCIDENTS

I. IDENTIFICATION	
01 STATE NY	02 SITE NUMBER N/A

II. HAZARDOUS CONDITIONS AND INCIDENTS (Continued)

01 J DAMAGE TO FLORA
04 NARRATIVE DESCRIPTION

02 OBSERVED (DATE 8/81) POTENTIAL ALLEGED

Suffolk County Dept. of Health site inspection; noted damage to vegetation due to discharges from Goldisc's operations

01 K DAMAGE TO FAUNA
04 NARRATIVE DESCRIPTION (INCLUDE NAME(S) OF SPECIES)

02 OBSERVED (DATE _____) POTENTIAL ALLEGED

N/A

01 L CONTAMINATION OF FOOD CHAIN
04 NARRATIVE DESCRIPTION

02 OBSERVED (DATE _____) POTENTIAL ALLEGED

N/A

01 M UNSTABLE CONTAINMENT OF WASTES
(Spills, Runoff, Spilling, Leaking, or Leaking Drums)
03 POPULATION POTENTIALLY AFFECTED _____ 04 NARRATIVE DESCRIPTION

02 OBSERVED (DATE 7/78-10/78) POTENTIAL ALLEGED

1,000 - 2,000 gallons of plating wastes discharged to groundwater

01 N DAMAGE TO OFFSITE PROPERTY
04 NARRATIVE DESCRIPTION

02 OBSERVED (DATE _____) POTENTIAL ALLEGED

N/A

01 O CONTAMINATION OF SEWERS, STORM DRAINS, WWTPs
04 NARRATIVE DESCRIPTION

02 OBSERVED (DATE 7/81) POTENTIAL ALLEGED

contamination found on several occasions. Usual contaminants included oils (hydraulic waste) and plating wastes (heavy metals)

01 P ILLEGAL/UNAUTHORIZED DUMPING
04 NARRATIVE DESCRIPTION

02 OBSERVED (DATE 1978) POTENTIAL ALLEGED

Up to 2,000 gallons of plating wastes during a three month time period.

05 DESCRIPTION OF ANY OTHER KNOWN, POTENTIAL, OR ALLEGED HAZARDS

The Suffolk County Dept of Health documents several inspections made at the site whereby drums were leaking, drains and leaching facilities on site were contaminated and discharges to ground, including violations to SPDES permit was evident.

III. TOTAL POPULATION POTENTIALLY AFFECTED: At least 70,511

IV. COMMENTS

Excessive discharge of plating wastes and waste oils has occurred at the site. Leaking drums were often observed at the site.

V. SOURCES OF INFORMATION: (See specific references in § 201.6(a)(2) of the State's Air Quality Criteria Regulations)

Suffolk County Department of Health Files



**POTENTIAL HAZARDOUS WASTE SITE
SITE INSPECTION
PART 4 - PERMIT AND DESCRIPTIVE INFORMATION**

I. IDENTIFICATION	
01 STATE <i>NY</i>	02 SITE NUMBER <i>NIA</i>

II. PERMIT INFORMATION				
01 TYPE OF PERMIT ISSUED <small>(Check all that apply.)</small>	02 PERMIT NUMBER	03 DATE ISSUED	04 EXPIRATION DATE	05 COMMENTS
<input type="checkbox"/> A NPDES				
<input type="checkbox"/> B UIC				
<input type="checkbox"/> C AM				
<input type="checkbox"/> D RCRA				
<input type="checkbox"/> E RCRA INTERIM STATUS				
<input type="checkbox"/> F SPCC PLAN				
<input checked="" type="checkbox"/> G STATE <small>Spec. No.</small> <i>SPDES</i>	<i>NY 007 SRSD</i>	<i>6/1/81</i>	<i>6/1/86</i>	<i>Company violated SPDES Permit</i>
<input type="checkbox"/> H LOCAL <small>(Specify)</small>				
<input type="checkbox"/> I OTHER <small>(Specify)</small>				
<input type="checkbox"/> J NONE				

III. SITE DESCRIPTION				
01 STORAGE DISPOSAL <small>(Check all that apply.)</small>	02 AMOUNT	03 UNIT OF MEASURE	04 TREATMENT <small>(Check all that apply.)</small>	05 OTHER
<input type="checkbox"/> A SURFACE IMPOUNDMENT			<input type="checkbox"/> A INCINERATION	<input checked="" type="checkbox"/> A. BUILDINGS ON SITE
<input type="checkbox"/> B PILES			<input type="checkbox"/> B. UNDERGROUND INJECTION	
<input checked="" type="checkbox"/> C. DRUMS, ABOVE GROUND		<i>55 gal.</i>	<input type="checkbox"/> C. CHEMICAL/PHYSICAL	06 AREA OF SITE <i>< 3.0</i> (Acres)
<input checked="" type="checkbox"/> D. TANK, ABOVE GROUND		<i>3,000 gal.</i>	<input type="checkbox"/> D. BIOLOGICAL	
<input checked="" type="checkbox"/> E. TANK, BELOW GROUND		<i>10,000 gal.</i>	<input type="checkbox"/> E. WASTE OIL PROCESSING	
<input type="checkbox"/> F. LANDFILL			<input type="checkbox"/> F. SOLVENT RECOVERY	
<input type="checkbox"/> G. LANDFARM			<input type="checkbox"/> G. OTHER RECYCLING/RECOVERY	
<input type="checkbox"/> H. OPEN DUMP			<input type="checkbox"/> H. OTHER <small>(Specify)</small>	
<input checked="" type="checkbox"/> I. OTHER <small>(Specify)</small> <i>Recharge basin</i>				

07 COMMENTS

IV. CONTAINMENT

01 CONTAINMENT OF WASTES (Check one)

A ADEQUATE, SECURE B MODERATE C. INADEQUATE, POOR D INSECURE, UNSOUND, DANGEROUS

02 DESCRIPTION OF DRUMS, DIKING, LINERS, BARRIERS, ETC.

On-site survey during July, 1983 revealed only 3 drums outside and approximately 15 drums indoors. Previously, drums were stored unprotected outdoors and were often leaking and/or uncovered.

V. ACCESSIBILITY

01 WASTE EASILY ACCESSIBLE YES NO

02 COMMENTS

Fence encloses a portion of site, however, it is not secure.

VI. SOURCES OF INFORMATION (See specific references to site files, sample analysis reports)

Suffolk County Dept. of Health Files; WCC Files



**POTENTIAL HAZARDOUS WASTE SITE
SITE INSPECTION REPORT
PART 5 - WATER, DEMOGRAPHIC, AND ENVIRONMENTAL DATA**

I. IDENTIFICATION
 01 STATE: NY 02 SITE NUMBER: N/A

II. DRINKING WATER SUPPLY

01 TYPE OF DRINKING SUPPLY <small>(Check as applicable)</small>	02 STATUS		03 DISTANCE TO SITE
	SURFACE COMMUNITY A. <input type="checkbox"/> NON-COMMUNITY C. <input type="checkbox"/> WELL B. <input checked="" type="checkbox"/> D. <input checked="" type="checkbox"/>	ENDANGERED A. <input checked="" type="checkbox"/> D. <input checked="" type="checkbox"/> AFFECTED B. <input type="checkbox"/> E. <input type="checkbox"/> MONITORED C. <input type="checkbox"/> F. <input type="checkbox"/>	

III. GROUNDWATER

01 GROUNDWATER USE IN VICINITY (Check one)

A ONLY SOURCE FOR DRINKING
 B DRINKING (Other sources available)
 C COMMERCIAL INDUSTRIAL IRRIGATION (Other water sources available)
 D NOT USED, UNUSEABLE

02 POPULATION SERVED BY GROUND WATER: <u>70,811 at least within 3 mi. radius</u>	03 DISTANCE TO NEAREST DRINKING WATER WELL: <u>4.2</u> (mi)
04 DEPTH TO GROUNDWATER: <u>~ 24</u> (m)	05 DIRECTION OF GROUNDWATER FLOW: <u>South</u>
06 DEPTH TO AQUIFER OF CONCERN: <u>~ 24</u> (m)	07 POTENTIAL YIELD OF AQUIFER: <u>unknown</u> (gpd)
08 SOLE SOURCE AQUIFER: <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO	

09 DESCRIPTION OF WELLS (including usage, depth, and location relative to population and buildings)

Public drinking water supply wells
 Monitoring wells
 Wells for commercial / industrial purposes

= All located within vicinity and within a 3-mile radius of the site.

10 RECHARGE AREA	11 DISCHARGE AREA
<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO COMMENTS: <u>Recharge area on site; recharge areas south of site</u>	<input type="checkbox"/> YES <input type="checkbox"/> NO COMMENTS:

IV. SURFACE WATER

01 SURFACE WATER USE (Check one)

A RESERVOIR, RECREATION, DRINKING WATER SOURCE
 B IRRIGATION ECONOMICALLY IMPORTANT RESOURCES
 C COMMERCIAL, INDUSTRIAL
 D NOT CURRENTLY USED

02 AFFECTED/POTENTIALLY AFFECTED BODIES OF WATER

NAME	AFFECTED	DISTANCE TO SITE
<u>Sans Souci Lakes (SSE of site)</u>	<input type="checkbox"/>	<u>4.1</u> (mi)
<u>Creek feeding into Sans Souci Lakes</u>	<input type="checkbox"/>	<u>4.5</u> (mi)
	<input type="checkbox"/>	

V. DEMOGRAPHIC AND PROPERTY INFORMATION

01 TOTAL POPULATION WITHIN	02 DISTANCE TO NEAREST POPULATION
ONE (1) MILE OF SITE: A <u>8771</u> NO OF PERSONS TWO (2) MILES OF SITE: B <u>34,998</u> NO OF PERSONS FOUR (4) MILES OF SITE: C <u>130,673</u> NO OF PERSONS	<u>4.25</u> (mi)
03 NUMBER OF BUILDINGS WITHIN TWO (2) MILES OF SITE: <u>unknown</u>	04 DISTANCE TO NEAREST OFF-SITE BUILDING: <u>0.13</u> (mi)

05 POPULATION WITHIN VICINITY OF SITE (Provide narrative description of nature of population within vicinity of site, e.g., rural, village, densely populated urban area)

Zoned commercial area south and west of site vicinity
 Residential area to the north
 Relatively undeveloped area to the east



**POTENTIAL HAZARDOUS WASTE SITE
SITE INSPECTION REPORT
PART 5 - WATER, DEMOGRAPHIC, AND ENVIRONMENTAL DATA**

I. IDENTIFICATION

D1 STATE: NY D2 SITE NUMBER: N/A

VI. ENVIRONMENTAL INFORMATION

D1 PERMEABILITY OF UNSATURATED ZONE (Check one)

A. $10^{-8} - 10^{-9}$ cm/sec B. $10^{-4} - 10^{-6}$ cm/sec C. $10^{-4} - 10^{-3}$ cm/sec D. GREATER THAN 10^{-3} cm/sec

D2 PERMEABILITY OF BEDROCK (Check one)

A. IMPERMEABLE (Less than 10^{-8} cm/sec) B. RELATIVELY IMPERMEABLE ($10^{-4} - 10^{-6}$ cm/sec) C. RELATIVELY PERMEABLE ($10^{-2} - 10^{-4}$ cm/sec) D. VERY PERMEABLE (Greater than 10^{-2} cm/sec)

D3 DEPTH TO BEDROCK

1650 (m)

D4 DEPTH OF CONTAMINATED SOIL ZONE

unknown (m)

D5 SOIL PH

unknown

D6 NET PRECIPITATION

15 (in)

D7 ONE YEAR 24 HOUR RAINFALL

2.7 (in)

D8 SLOPE

SITE SLOPE

< 1 %

DIRECTION OF SITE SLOPE

South

TERRAIN AVERAGE SLOPE

~3 %

D9 FLOOD POTENTIAL

SITE IS IN _____ YEAR FLOODPLAIN

10

SITE IS ON BARRIER ISLAND, COASTAL HIGH HAZARD AREA, RIVERINE FLOODWAY

D11 DISTANCE TO WETLANDS (5 acre minimum)

ESTUARINE

A _____ (mi)

OTHER

B _____ (mi)

D12 DISTANCE TO CRITICAL HABITAT (of endangered species)

_____ (mi)

ENDANGERED SPECIES _____

D13 LAND USE IN VICINITY

DISTANCE TO

COMMERCIAL/INDUSTRIAL

A adjacent (mi)

RESIDENTIAL AREAS, NATIONAL/STATE PARKS, FORESTS, OR WILDLIFE RESERVES

B _____ (mi)

AGRICULTURAL LANDS PRIME AG LAND AG LAND

C _____ (mi) D _____ (mi)

D14 DESCRIPTION OF SITE IN RELATION TO SURROUNDING TOPOGRAPHY

Site is relatively flat in the southern portion. An embankment exists to the north and the slope is approximately 3-6% on the east.

VII. SOURCES OF INFORMATION (Cite specific references, e.g., state files, sample analysis reports)

Jensen and Soren, 1974 Hydrogeology of Suffolk County, Long Island, N.Y.
WCC Files
USGS Patchogue Quad, 1967
Donnelly Marketing, 1982
HRS User's Manual



POTENTIAL HAZARDOUS WASTE SITE
SITE INSPECTION REPORT
PART 6 - SAMPLE AND FIELD INFORMATION

I. IDENTIFICATION

D1 STATE: NY D2 SITE NUMBER: N/A

II. SAMPLES TAKEN

SAMPLE TYPE	D1 NUMBER OF SAMPLES TAKEN	D2 SAMPLES SENT TO	D3 ESTIMATED DATE RESULTS AVAILABLE
GROUNDWATER			
(SURFACE WATER)	several	Suffolk County DOH Labs	
WASTE			
AIR			
RUNOFF			
SPILL			
SOIL			
VEGETATION			
OTHER			

III. FIELD MEASUREMENTS TAKEN

D1 TYPE	D2 COMMENTS

IV. PHOTOGRAPHS AND MAPS

D1 TYPE <input checked="" type="checkbox"/> GROUND <input type="checkbox"/> AERIAL	D2 IN CUSTODY OF <u>WCC Files, Suffolk County DOH</u> <small>(Name of organization or individual)</small>
D3 MAPS <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO	D4 LOCATION OF MAPS <u>WCC Files</u>

V. OTHER FIELD DATA COLLECTED (Provide narrative description)

VI. SOURCES OF INFORMATION (Cite specific references e.g. state files, sample analysis reports)

Suffolk County DOH Files; WCC Files



POTENTIAL HAZARDOUS WASTE SITE
SITE INSPECTION REPORT
PART 7 - OWNER INFORMATION

I. IDENTIFICATION
01 STATE: NY 02 SITE NUMBER: N/A

II. CURRENT OWNER(S)				PARENT COMPANY (if applicable)			
01 NAME Goldisc Recordings, Inc. / Electro Sound Group		02 D+B NUMBER		08 NAME Electro Sound Group, Inc.		09 D+B NUMBER	
03 STREET ADDRESS (P.O. Box, RFD, etc.) 725 Broadway		04 SIC CODE		10 STREET ADDRESS (P.O. Box, RFD, etc.) same		11 SIC CODE	
05 CITY Holbrook		06 STATE Ny	07 ZIP CODE 11741	12 CITY		13 STATE	14 ZIP CODE
01 NAME		02 D+B NUMBER		08 NAME		09 D+B NUMBER	
03 STREET ADDRESS (P.O. Box, RFD, etc.)		04 SIC CODE		10 STREET ADDRESS (P.O. Box, RFD, etc.)		11 SIC CODE	
05 CITY		06 STATE	07 ZIP CODE	12 CITY		13 STATE	14 ZIP CODE
01 NAME		02 D+B NUMBER		08 NAME		09 D+B NUMBER	
03 STREET ADDRESS (P.O. Box, RFD, etc.)		04 SIC CODE		10 STREET ADDRESS (P.O. Box, RFD, etc.)		11 SIC CODE	
05 CITY		06 STATE	07 ZIP CODE	12 CITY		13 STATE	14 ZIP CODE
01 NAME		02 D+B NUMBER		08 NAME		09 D+B NUMBER	
03 STREET ADDRESS (P.O. Box, RFD, etc.)		04 SIC CODE		10 STREET ADDRESS (P.O. Box, RFD, etc.)		11 SIC CODE	
05 CITY		06 STATE	07 ZIP CODE	12 CITY		13 STATE	14 ZIP CODE
01 NAME		02 D+B NUMBER		08 NAME		09 D+B NUMBER	
03 STREET ADDRESS (P.O. Box, RFD, etc.)		04 SIC CODE		10 STREET ADDRESS (P.O. Box, RFD, etc.)		11 SIC CODE	
05 CITY		06 STATE	07 ZIP CODE	12 CITY		13 STATE	14 ZIP CODE
III. PREVIOUS OWNER(S) (List most recent first)				IV. REALTY OWNER(S) (Indicate as most recent first)			
01 NAME Sonic Recording Products		02 D+B NUMBER		01 NAME Leslie Levine / First Holbrook Properties		02 D+B NUMBER	
03 STREET ADDRESS (P.O. Box, RFD, etc.) 725 Broadway		04 SIC CODE		03 STREET ADDRESS (P.O. Box, RFD, etc.) Great Neck Road		04 SIC CODE	
05 CITY Holbrook		06 STATE Ny	07 ZIP CODE 11741	05 CITY Great Neck		06 STATE Ny	07 ZIP CODE
01 NAME		02 D+B NUMBER		01 NAME		02 D+B NUMBER	
03 STREET ADDRESS (P.O. Box, RFD, etc.)		04 SIC CODE		03 STREET ADDRESS (P.O. Box, RFD, etc.)		04 SIC CODE	
05 CITY		06 STATE	07 ZIP CODE	05 CITY		06 STATE	07 ZIP CODE
01 NAME		02 D+B NUMBER		01 NAME		02 D+B NUMBER	
03 STREET ADDRESS (P.O. Box, RFD, etc.)		04 SIC CODE		03 STREET ADDRESS (P.O. Box, RFD, etc.)		04 SIC CODE	
05 CITY		06 STATE	07 ZIP CODE	05 CITY		06 STATE	07 ZIP CODE
V. SOURCES OF INFORMATION (See specific references e.g. state files, sample analysis reports)							
Suffolk County DOH Files; WCC Files							



POTENTIAL HAZARDOUS WASTE SITE
SITE INSPECTION REPORT
PART 9 - GENERATOR/TRANSPORTER INFORMATION

I. IDENTIFICATION

01 STATE 02 SITE NUMBER
NY N/A

II. ON-SITE GENERATOR

01 NAME	02 D+B NUMBER		
03 STREET ADDRESS (P.O. Box, RFD, etc.)	04 SIC CODE		
05 CITY	06 STATE	07 ZIP CODE	

III. OFF-SITE GENERATOR(S)

01 NAME	02 D+B NUMBER	01 NAME	02 D+B NUMBER		
03 STREET ADDRESS (P.O. Box, RFD, etc.)	04 SIC CODE	03 STREET ADDRESS (P.O. Box, RFD, etc.)	04 SIC CODE		
05 CITY	06 STATE	07 ZIP CODE	05 CITY	06 STATE	07 ZIP CODE
01 NAME	02 D+B NUMBER	01 NAME	02 D+B NUMBER		
03 STREET ADDRESS (P.O. Box, RFD, etc.)	04 SIC CODE	03 STREET ADDRESS (P.O. Box, RFD, etc.)	04 SIC CODE		
05 CITY	06 STATE	07 ZIP CODE	05 CITY	06 STATE	07 ZIP CODE

IV. TRANSPORTER(S)

01 NAME	02 D+B NUMBER	01 NAME	02 D+B NUMBER		
R.G.M. Chemical Waste Management					
03 STREET ADDRESS (P.O. Box, RFD, etc.)	04 SIC CODE	03 STREET ADDRESS (P.O. Box, RFD, etc.)	04 SIC CODE		
340 Eastern Parkway					
05 CITY	06 STATE	07 ZIP CODE	05 CITY	06 STATE	07 ZIP CODE
Farmingdale	Ny				
01 NAME	02 D+B NUMBER	01 NAME	02 D+B NUMBER		
03 STREET ADDRESS (P.O. Box, RFD, etc.)	04 SIC CODE	03 STREET ADDRESS (P.O. Box, RFD, etc.)	04 SIC CODE		
05 CITY	06 STATE	07 ZIP CODE	05 CITY	06 STATE	07 ZIP CODE

V. SOURCES OF INFORMATION (Use specific references, e.g., state files, sample analysis reports.)

WCC Files (WCC Site Survey / Interview, 1983)



POTENTIAL HAZARDOUS WASTE SITE
SITE INSPECTION REPORT
PART 10 - PAST RESPONSE ACTIVITIES

I. IDENTIFICATION

01 STATE 02 SITE NUMBER

NY 1 N/A

II. PAST RESPONSE ACTIVITIES

01 <input type="checkbox"/> A WATER SUPPLY CLOSED 04 DESCRIPTION	02 DATE _____	03 AGENCY _____
01 <input type="checkbox"/> B TEMPORARY WATER SUPPLY PROVIDED 04 DESCRIPTION	02 DATE _____	03 AGENCY _____
01 <input type="checkbox"/> C PERMANENT WATER SUPPLY PROVIDED 04 DESCRIPTION	02 DATE _____	03 AGENCY _____
01 <input checked="" type="checkbox"/> D SPILLED MATERIAL REMOVED 04 DESCRIPTION <i>Two contaminated leaching facilities on site were pumped.</i>	02 DATE <i>11/81</i>	03 AGENCY _____
01 <input type="checkbox"/> E CONTAMINATED SOIL REMOVED 04 DESCRIPTION	02 DATE _____	03 AGENCY _____
01 <input type="checkbox"/> F WASTE REPACKAGED 04 DESCRIPTION	02 DATE _____	03 AGENCY _____
01 <input type="checkbox"/> G WASTE DISPOSED ELSEWHERE 04 DESCRIPTION	02 DATE _____	03 AGENCY _____
01 <input type="checkbox"/> H ON SITE BURIAL 04 DESCRIPTION	02 DATE _____	03 AGENCY _____
01 <input type="checkbox"/> I IN SITU CHEMICAL TREATMENT 04 DESCRIPTION	02 DATE _____	03 AGENCY _____
01 <input type="checkbox"/> J IN SITU BIOLOGICAL TREATMENT 04 DESCRIPTION	02 DATE _____	03 AGENCY _____
01 <input type="checkbox"/> K IN SITU PHYSICAL TREATMENT 04 DESCRIPTION	02 DATE _____	03 AGENCY _____
01 <input type="checkbox"/> L ENCAPSULATION 04 DESCRIPTION	02 DATE _____	03 AGENCY _____
01 <input type="checkbox"/> M EMERGENCY WASTE TREATMENT 04 DESCRIPTION	02 DATE _____	03 AGENCY _____
01 <input type="checkbox"/> N CUTOFF WALLS 04 DESCRIPTION	02 DATE _____	03 AGENCY _____
01 <input type="checkbox"/> O EMERGENCY DIKING/SURFACE WATER DIVERSION 04 DESCRIPTION	02 DATE _____	03 AGENCY _____
01 <input type="checkbox"/> P CUTOFF TRENCHES/SUMP 04 DESCRIPTION	02 DATE _____	03 AGENCY _____
01 <input type="checkbox"/> Q SUBSURFACE CUTOFF WALL 04 DESCRIPTION	02 DATE _____	03 AGENCY _____



POTENTIAL HAZARDOUS WASTE SITE
SITE INSPECTION REPORT
PART 10 - PAST RESPONSE ACTIVITIES

I. IDENTIFICATION
01 STATE: NY
02 SITE NUMBER: N/A

II. PAST RESPONSE ACTIVITIES (Continued)

01 <input type="checkbox"/> R. BARRIER WALLS CONSTRUCTED 04 DESCRIPTION	02 DATE _____	03 AGENCY _____
01 <input type="checkbox"/> S. CAPPING/COVERING 04 DESCRIPTION	02 DATE _____	03 AGENCY _____
01 <input type="checkbox"/> T. BULK TANKAGE REPAIRED 04 DESCRIPTION	02 DATE _____	03 AGENCY _____
01 <input type="checkbox"/> U. GROUT CURTAIN CONSTRUCTED 04 DESCRIPTION	02 DATE _____	03 AGENCY _____
01 <input type="checkbox"/> V. BOTTOM SEALED 04 DESCRIPTION	02 DATE _____	03 AGENCY _____
01 <input type="checkbox"/> W. GAS CONTROL 04 DESCRIPTION	02 DATE _____	03 AGENCY _____
01 <input type="checkbox"/> X. FIRE CONTROL 04 DESCRIPTION	02 DATE _____	03 AGENCY _____
01 <input type="checkbox"/> Y. LEACHATE TREATMENT 04 DESCRIPTION	02 DATE _____	03 AGENCY _____
01 <input type="checkbox"/> Z. AREA EVACUATED 04 DESCRIPTION	02 DATE _____	03 AGENCY _____
01 <input type="checkbox"/> 1. ACCESS TO SITE RESTRICTED 04 DESCRIPTION	02 DATE _____	03 AGENCY _____
01 <input type="checkbox"/> 2. POPULATION RELOCATED 04 DESCRIPTION	02 DATE _____	03 AGENCY _____
01 <input type="checkbox"/> 3. OTHER REMEDIAL ACTIVITIES 04 DESCRIPTION	02 DATE _____	03 AGENCY _____

III. SOURCES OF INFORMATION (Cite specific references e.g., state files, sample analysis reports)

WCC Files; Suffolk County DOT Files



POTENTIAL HAZARDOUS WASTE SITE
SITE INSPECTION REPORT
PART 11 - ENFORCEMENT INFORMATION

I. IDENTIFICATION	
D1 STATE	D2 SITE NUMBER
NY	N/A

II. ENFORCEMENT INFORMATION

D1 PAST REGULATORY/ENFORCEMENT ACTION YES NO

D2 DESCRIPTION OF FEDERAL, STATE, LOCAL REGULATORY/ENFORCEMENT ACTION

Order-on-Consent: 1979/80
1981

Several violations of Article 12 of the
Suffolk County Sanitary Code and the N.Y.S.
ECL were cited.

III. SOURCES OF INFORMATION (Cite specific references e.g., state files, sample analyses, reports)

SCDOH Files.

3.0
SITE HISTORY

Goldisc Recordings, Inc. operated at the Broadway Avenue site for approximately 15 years until June 1983. The 3.5 acre site is leased to Goldisc by First Holbrook Properties of Great Neck, New York. The company was exclusively involved in the production of phonographic records. Primary chemical wastes generated from manufacturing included nickel plating wastes, hydraulic oil, solvents and polyvinyl chloride. Goldisc Recordings, Inc. was issued a number of Consent Orders between 1979 and 1981 for numerous violations of Article 12 Suffolk County Sanitary Code and the NYS Environmental Conservation Law.

Manufacturing at the facility required particularly large quantities of vinyl and nickel for the vinyl record compression molding and electroplating processes (SCDOH, 1979). Wastewater from the plating room flowed from floor drains to two large capacity outdoor storage tanks. Several drums containing waste chemicals were stored in the tank area. The Suffolk County Department of Health documents several inspections where leaking drums containing plating wastes and oil entered storm drains and leaching facilities on site. Chemical analyses revealed the presence of oil, solvent and heavy metal contamination (SCDOH, 1978-1981). Oil was repeatedly found in pools on site up to depths of 12 feet. Two sanitary pools were pumped during 1981 per request of the Health Department (SCDOH, 1981). The sump area, receiving 360,000 gallons per day of thermal discharge, was found contaminated by plating wastes. Discharges of oil, plating wastes, and residues were often observed on the Goldisc Recordings, Inc. property.

4.1 Site Area Surface Features

Topography at the Goldisc Recordings, Inc. site is irregular in that it is relatively flat in the south and western areas with varying slopes on the north and east.

Several surface water bodies are located within a 3-mile radius of the site, many of which are downgradient. A creek located 2500 feet south of the site feeds into the interconnected Sans Souci Lakes. A nature preserve is located less than a 1/2-mile south of the site. Recharge basins and public and private water supply wells are downgradient, with the closest public supply well at a distance of only 1000 feet. Except for rural areas somewhat east and north of the site, the remainder of the vicinity is largely residential and commercial.

4.2 Site Hydrogeology

4.2.1 Ground Water Occurrence. Ground water in the site area occurs in unconsolidated sediments of Pleistocene and Cretaceous age. Regional information suggests that the site is underlain by sand and gravel to an estimated depth of approximately 150 feet (Taney, 1961). These materials are believed to consist primarily of glacial outwash deposits from the Harbor Hill and Ronkonkoma moraines (Fuller, 1914).

There are two major water-bearing units in the site region. The "principal aquifer" as defined by Isbister (1966) includes all beds overlying the Upper Cretaceous clay member of the Raritan Formation. In the site area, this includes

the Upper glacial deposits and the Magothy Formation, which is a major aquifer throughout most of Long Island. The Upper glacial and the Magothy aquifers are hydraulically linked (Jensen and Soren, 1974). The saturated thickness of the Magothy aquifer is believed to be approximately 875 feet in the site area (Taney, 1961; Franke and McClymonds, 1966). It directly overlies the clay member of the Raritan Formation in the site area. The clay, in turn, overlies and confines the Lloyd Sand Member of the Raritan Formation, which constitutes the deep confined aquifer in the site region (Isbister, 1966; Taney, 1961). The Lloyd Sand consists of stratified beds of sand, gravel, sandy clay, silt, and clay (Franke and McClymonds, 1972). It is a productive aquifer on Long Island. The Lloyd Sand overlies Precambrian rock at the site at an estimated depth of at least 1200 feet and extends for at least 315 feet (Franke and McClymonds, 1972). The bedrock surface dips approximately 60 feet per mile to the southeast, as do the overlying Cretaceous sediments (Franke and McClymonds, 1972; Taney, 1961).

Ground water in the Upper glacial aquifer underlying the site is likely to be under water table conditions. Water in the upper portion of the Magothy aquifer is also likely to be under water table conditions at the site, however, it becomes more confined with depth because of interbedded clay and silt layers (Franke and McClymonds, 1972). Flow between the principal aquifer and the deep confined aquifer is retarded but not prevented by the intervening clay member of the Raritan Formation. Recharge to the deep aquifer is by slow leakage down through overlying materials (Kilburn, 1979).

Ground water at the site was encountered at depths of 24 to 32 feet (SCDOH, 1983; Donaldson and Koszalka, 1983). Regional ground water flow in both the principal aquifer and the deep confined aquifer is to the south (Jensen and Soren, 1974; Donaldson and Koszalka, 1983).

4.2.2 Ground Water Quality. Ground water quality in Suffolk County is generally good, typically containing less than 100 ppm dissolved solids. Local contamination by domestic waste, industrial waste, and road salt has caused some alteration of the regional quality of the ground water. No salt water contamination has been reported in the site area. Locally high nitrate concentrations have been reported in both the shallow aquifer and the deep confined aquifer on Long Island (Franke and McClymonds, 1972). The primary source for this nitrate contamination is believed to be sanitary systems, particularly cesspools, with some contribution from chemical fertilizers.

Evaluation of ground water quality needs to be conducted at the site.

4.2.3 Ground Water Use. Public supply wells for the Patchogue District Service area are located within 3 miles of the site. Private wells also supply drinking water in the site vicinity. Wells are completed in both the Upper glacial and the Magothy aquifers (Erlichman, 1979; Suffolk County DOH, 1983).

4.3 Past Sampling and Analysis

All available analytical data are included in Appendix B.

Samples taken from on site sanitary pools, storm drains, and drum storage area at Goldisc Recordings, Inc. revealed levels of heavy metals and solvents which exceeded New York State ground water standards. On site inspections conducted by the Suffolk County Department of Health revealed the presence of oils and plating wastes on the ground, in the drum storage area and in leaching facilities on site. Oil was discovered in sanitary pools to a depth of 12 feet during a site visit in 1981. Ground water evaluation at the site has not been conducted.

5.0
DATA ADEQUACY

Existing available data were not adequate for HRS Scoring of the Goldisc Recordings, Inc. site. The Suffolk County Department of Health files provided the most complete data source. The WCC site survey also provided useful information on existing land use and other characteristic features of the site vicinity.

Factors requiring additional data are the Hazardous Waste Quantity for the Ground and Surface Water Route work sheets and ground water quality data. The waste quantity given is an estimate (signified with a square on the route work sheets). The actual value is probably higher and therefore, would serve to increase the Ground Water, Surface Water, and Migration Route scores. Ground water quality data would also greatly influence the HRS score.

6.1 Objectives

The objective of this proposed work plan is to collect additional field information required to adequately prepare a final HRS Score and develop conceptual remedial designs and cost estimates. This work plan will address questions primarily concerning the horizontal and vertical extent of ground water and soil contamination, ground water flow and quality, and air quality. Previous investigations at the site indicate that the depth to ground water is approximately 24 to 32 feet (SCDOH, 1983). The general ground water gradient is probably to the south-southeast. However, the local gradient may be influenced by cones of depression surrounding nearby water supply wells. The site is underlain by highly permeable sand and gravel to a depth of approximately 150 feet.

Investigations performed by the Suffolk County Department of Health indicate that contamination may be widespread and that the potential exists for ground water contamination. A public supply well field and pump station is located only 1000 feet south of the site.

6.2 Field Investigation Plan

6.2.1 Geophysical Studies. As part of the on site field investigation to characterize the hydrologic regime and extent of soil contamination, a geophysical survey utilizing the terrain conductivity technique will be performed at the site. This technique has been utilized successfully in locating subsurface plumes of many different substances including hydrocarbons, landfill leachate, and heavy metals. A Geonics EM-34 conductivity meter, capable of exploration depths

ranging from 24 to 200 feet, will be used to perform the survey. Readings will be taken at 24 and 48 foot exploration depths in order to characterize the horizontal and vertical extent of ground water contamination. Conductivity will be measured at 10-foot centers along parallel lines in the site vicinity. Measurements will be taken across the site in order to determine expected ranges of background or upgradient conductivity, as well as the location of possible contaminant plumes.

It is anticipated that it will require a two person team two days to perform the conductivity survey with readings taken for two depths at each measurement station. The data will be plotted on maps and contoured. These contour maps will provide the basis for defining the number and location of additional ground water monitoring wells.

6.2.2 Monitoring Wells

6.2.2.1 Installation. Monitoring wells will be installed to provide data pertinent to both water chemistry and characterization of stratigraphy and the ground water regime at the site. The former Viewlex Corporation installed three monitoring wells southwest of the Goldisc site. Well placement proposed in the southern area of the site is based on the assumption that samples may be procured from these wells. Proposed monitoring wells are located in order to maximize data concerning ground water flow and quality. It is recommended that five wells be installed at the approximate locations shown in Figure 2. Final well locations will be determined after geophysical data has been plotted and reduced.

One well (MW-1) will be installed at a presumed upgradient location and will provide representative samples of ground water flowing into the area. MW-2 will provide data on conditions existing in the sump area, where chemicals allegedly have been discharged. MW-3 will be installed slightly downgradient from an area which received thermal and chemical discharge. MW-4 and MW-5 will help define ground water flow and quality of the site boundary.

All monitoring wells will be installed so as to sample the upper 10 feet of ground water. It is assumed that the ground water table is approximately 30 feet below grade, thus, the anticipated completion depth of the wells is 40 feet.

Borings will be advanced through overburden by 6-inch I.D. hollow stem augers or driven casing with continuous split spoon sampling for the first 15 feet of drilling and at 5 foot intervals thereafter. Soil samples will be classified in the field by a hydrogeologist. To maximize information on any volatile or organic contaminants, headspace analysis will be conducted on soil samples, using a portable gas chromatograph. These data will be used to evaluate relative concentrations of organic contaminants in various stratigraphic horizons.

Slotted 3-inch I.D. PVC well screen will be installed over 10-foot intervals in each well, with a riser of flush joint, threaded, 3-inch I.D. PVC pipe. In low lying areas, risers will extend at least 3 feet above the ground surface to prevent contamination by surface water flooding. A gravel pack will be completed to approximately 2 feet above the top of the screen, where a one-foot bentonite seal will be installed. To further assure that water samples will be representative of the screened interval, the remaining annular space will be grouted. A protective steel casing will be installed. After installation, any wells completed in overburden will be developed by pumping, to remove any fine grained material. It is assumed that 13 working days will be required to install and develop the monitoring wells.

6.2.2.2 Water Elevations. Ground water depths will be measured at the time of well development and again at the time of sampling. Water elevations will be plotted and used to develop contours of the ground water table at the site. Elevations will be measured relative to an arbitrary datum established at the site by a leveling survey. Based on this map, the direction of ground water flow will be calculated. Flow and gradient data will be fundamental input in quantifying site conditions and will be assessed together with plume geometries inferred from geophysical survey data.

It is anticipated that it will require a two person crew two days to perform the leveling survey at the site.

6.2.2.3 Aquifer Testing. "Slug"-type permeability tests will be conducted in each newly installed well to evaluate the permeability of materials spanning the screened interval. The method is a rapid means by which the in-situ permeability in the immediate vicinity of a monitoring well can be approximated. The test does not involve pumping of potentially contaminated water and results generally suffice for ground water flow analysis. One man day will be required to perform the slug tests.

6.2.3 Sampling and Analysis Plan

6.2.3.1 General Plan. The sampling and analysis plan will be supplied by NYSDEC.

6.2.3.2 Sampling Parameters. Limited chemical information available from previous analyses suggests that the soil and ground water may be contaminated with oils, organic solvents, and heavy metals. Samples for laboratory analysis will be collected from ground water and soils to determine the range of concentrations and the migration of contaminants. Sample types and chemical parameters are summarized in Table 6-1. Air quality will be assessed at the site using a portable HNU photoionization analyzer or an Organic Vapor Analyzer (OVA).

6.2.3.3 Sampling Locations. All sampling locations are delineated in Figure 2. One water sample and one soil sample from each of the five ground water monitoring wells will be analyzed. Results from each pair of analyses will be compared to evaluate any downward migration of contaminants through soil. In addition, the three downgradient existing wells on site may be sampled pending permission. Ground water analysis will be evaluated in terms of other hydrogeologic data to evaluate the presence, distribution, and migration directions of any ground water contaminant plumes.

Air quality will be monitored at upwind and downwind locations. This survey is designed to evaluate whether volatile organics are being released from the site.

6.3 Health and Safety Plan

The health and safety plan will be supplied by NYSDEC.

6.4 Cost Estimate

Costs for Phase II work were developed based on assumptions, rates, and charges described in WCC's cost proposal submitted to NYSDEC on 29 October 1982. Costs have been grouped by task, and estimates are presented in Tables 6-2, 6-3, 6-4, 6-5, and 6-6. Costs may be impacted by the sampling and analysis plan or health and safety plan to be supplied by NYSDEC. The total estimated cost for Phase II investigations at the Goldisc Recordings, Inc. site is \$40,524.

Table 6-1. PROPOSED CHEMICAL ANALYSES AT THE
GOLDISC RECORDINGS, INC. SITE.

<u>Sample Type</u>	<u>ANALYSES</u>			<u>Remarks</u>
	<u>Oil</u>	<u>Metals</u>	<u>Volatile Organics</u>	
Ground Water	X	X	X	One sample from each of five proposed wells plus existing Viewlex wells.
Soil	X	X	X	One sample from unsaturated zone at each of five wells.
Air			X	Upwind and downwind locations using HNU or OVA.

TABLE 6-2. GEOPHYSICAL STUDIES COSTS.

		<u>Estimated Cost</u>	<u>Total Estimated Cost</u>
1. Direct Material			
a. Purchased Parts			
b. Subcontract Items			
c. Other			
2. Material Overhead			
	<u>Estimated Hours</u>	<u>Rate/ Hour</u>	
3. Direct Labor			
Senior Staff Engineer/ Geologist/Scientist	48	12.62	606
		Total Direct Labor	\$ 606
	<u>O H Rate</u>	<u>X Base</u>	
4. Labor Overhead	120%	606	727
		Total Labor Overhead	\$ 727
5. Special Testing			
6. Special Equipment-Terrain Conductivity Equipment (EM-34)			\$ 400
7. Travel			
a. Transportation		50	
b. Subsistence		120	
		Total Travel	\$ 170
8. Consultants			
		Total Consultants	-
9. Other Direct Costs			
10.		Total Direct Costs and Overhead	\$1,903
11. General and Administrative Expense (rate 15% of Cost Element No's. 1, 3, 4, 7, 9)			\$ 225
12. Royalties			
13.		Sub-Total	\$2,128
14. Fee		192	
15.		Total Estimated Cost	\$2,320

TABLE 6-3. DRILLING/WELL INSTALLATION COSTS.

			<u>Estimated Cost</u>	<u>Total Estimated Cost</u>
1. Direct Material				
a. Purchased Parts				
b. Subcontract Items			\$14,085	
c. Other				
		Total Direct Material		\$14,085
2. Material Overhead				
	<u>Estimated Hours</u>	<u>Rate/ Hour</u>		
3. Direct Labor				
Senior Staff Engineer/ Geologist/Scientist	165	12.62	2,082	
		Total Direct Labor		\$ 2,082
	<u>O H Rate</u>	<u>X Base</u>		
4. Labor Overhead	120%	2,082	2,499	
		Total Labor Overhead		\$ 2,499
5. Special Testing				
6. Special Equipment				
Century Organic Vapor Analyzer			250	
Photovac 10A10 Gas Chromatograph			450	
"Slug"-Test Apparatus			200	
		Total Special Equipment		\$ 900
7. Travel				
a. Transportation			180	
b. Subsistence			780	
		Total Travel		\$ 960
8. Consultants				
		Total Consultants		-
9. Other Direct Costs				
10.		Total Direct Costs and Overhead		\$20,526
11. General and Administrative Expense (rate 15% of Cost Element No's. 1, 3, 4, 7, 9)				\$ 2,944
12. Royalties				
13.			Sub-Total	\$23,470
14. Fee			2,112	
15.		Total Estimated Cost		\$25,582

TABLE 6-4. SAMPLING AND ANALYSIS COSTS.

			<u>Estimated Cost</u>	<u>Total Estimated Cost</u>
1. Direct Material				
a. Purchased Parts				
b. Subcontract Items			\$4,000*	
c. Other				
		Total Direct Material		\$ 4,000
2. Material Overhead				
	<u>Estimated Hours</u>	<u>Rate/ Hour</u>		
3. Direct Labor				
Senior Staff Engineer/ Geologist/Scientist	24	12.62	303	
		Total Direct Labor		\$ 303
	<u>O H Rate</u>	<u>X Base</u>		
4. Labor Overhead	120%	303	364	
		Total Labor Overhead		\$ 364
5. Special Testing				\$ 1,930
6. Special Equipment - Pumps, Bailers				\$ 100
7. Travel				
a. Transportation			50	
b. Subsistence			120	
		Total Travel		\$ 170
8. Consultants				
		Total Consultants		-
9. Other Direct Costs				
Sample Shipment			250	\$ 250
10.		Total Direct Costs and Overhead		\$ 7,117
11. General and Administrative Expense (rate 15% of Cost Element No's. 1, 3, 4, 7, 9)				\$ 763
12. Royalties				
13.		Sub-Total		\$ 7,880
14. Fee			709	
15.		Total Estimated Cost		\$ 8,589


*Prices do not include sampling three existing wells on property.

TABLE 6-5. REPORT PREPARATION COSTS.

			<u>Estimated Cost</u>	<u>Total Estimated Cost</u>
1. Direct Material				
a. Purchased Parts				
b. Subcontract Items				
c. Other				
2. Material Overhead				
	<u>Estimated Hours</u>	<u>Rate/ Hour</u>		
3. Direct Labor				
Senior Staff Engineer/ Geologist/Scientist	34	12.62	429	
Draftsperson	12	10.24	123	
Typist	4	8.44	34	
		Total Direct Labor		\$ 586
	<u>O H Rate</u>	<u>X Base</u>		
4. Labor Overhead	120%	586	703	
		Total Labor Overhead		\$ 703
5. Special Testing				
6. Special Equipment				
7. Travel				
a. Transportation				
b. Subsistence				
8. Consultants				
		Total Consultants		-
9. Other Direct Costs				\$ 150
10.		Total Direct Costs and Overhead		\$ 1,439
11. General and Administrative Expense (rate 15% of Cost Element No's. 1, 3, 3, 7, 9)				\$ 216
12. Royalties				
13.			Sub-Total	\$ 1,655
14. Fee			149	
15.		Total Estimated Cost		\$ 1,804

TABLE 6-6. PROJECT MANAGEMENT COSTS.

			<u>Estimated Cost</u>	<u>Total Estimated Cost</u>
1. Direct Material				
a. Purchased Parts				
b. Subcontract Items				
c. Other				
2. Material Overhead				
3. Direct Labor	<u>Estimated Hours</u>	<u>Rate/ Hour</u>		
Principal In Charge	2	33.32	67	
Activity Leader	12	20.92	251	
Project Manager	12	20.91	251	
Asst. Prj. Engr/Geol/Sci.	12	14.96	180	
Typist	4	8.44	34	
		Total Direct Labor		\$ 783
	<u>O H Rate</u>	<u>X Base</u>		
4. Labor Overhead	120%	783	940	
		Total Labor Overhead		\$ 940
5. Special Testing				
6. Special Equipment				
7. Travel				
a. Transportation			55	
b. Subsistence				
		Total Travel		\$ 55
8. Consultants				
		Total Consultants		-
9. Other Direct Costs				
10.		Total Direct Costs and Overhead		\$1,778
11. General and Administrative Expense (rate 15% of Cost Element No's. 1, 3, 4, 7, 9)				\$ 267
12. Royalties				
13.			Sub-Total	\$2,045
14. Fee			184	
15.		Total Estimated Cost		\$2,229



NOTE:

BASE MAP FROM USGS, PATCHOGUE, N.Y., QUAD, 1967




**SITE LOCATION MAP
GOLDISC RECORDINGS, INC.**





WOODWARD—CLYDE CONSULTANTS, INC.
CONSULTING ENGINEERS, GEOLOGISTS AND ENVIRONMENTAL SCIENTISTS
NEW YORK, NEW YORK

DR. BY: CIG	SCALE: 1 IN. = 2000 FT	PROJ. NO.: 82C4548-14
CK'D. BY: LEW	DATE: 26 AUGUST 1983	FIG. NO.: 1

100070



LEGEND

-  PROPOSED WELLS
-  EXISTING WELLS
-  SANITARY POOLS
-  STORM DRAINS



**LOCATION PLAN
FOR PROPOSED PHASE II INVESTIGATION
GOLDISC RECORDINGS, INC.**

WOODWARD—CLYDE CONSULTANTS

CONSULTING ENGINEERS, GEOLOGISTS AND ENVIRONMENTAL SCIENTISTS
WAYNE, NEW JERSEY

DR. BY:	CIG	SCALE:	NOT TO SCALE	PROJ. NO.:	82C4548-14
CK'D. BY:	LEW	DATE:	7 OCT 1983	FIG. NO.:	2

100071

APPENDIX A

APPENDIX A
REFERENCES

- Donaldson, C.D. and E.J. Koszalka, 1983, Water Table on Long Island, New York, March 1979, U.S. Geological Survey Open-File Report 82-163, Syosset, New York, (LOCATION: WCC Files).
- Donnelly Marketing, 1982, American Profile Information Retrieval System, based on 1980 Census data, Stamford, CT., (LOCATION: WCC Files).
- Erlichman, F., 1979, Distribution of Ground-Water Withdrawals on Long Island, New York, in 1973 by Area, Aquifer, and Use, U.S. Geological Survey, Long Island Water Resources Bulletin 10, Suffolk County Water Authority, (LOCATION: WCC Files).
- Franke, O.L. and N.E. McClymonds, 1972, Summary of the Hydrologic Situation on Long Island, New York, as a Guide to Water-Management Alternatives, U.S. Geological Survey Professional Paper 627-F, Washington, D.C., (LOCATION: WCC Files).
- Fuller, M., 1914, The Geology of Long Island, U.S. Geological Survey Professional Paper 82, Washington, D.C., (LOCATION: WCC Files).
- Isbister, J. 1966, Geology and Hydrology of Northeastern Nassau County, Long Island, New York, U.S. Geological Survey Water-Supply Paper 1825, Washington, D.C., (LOCATION: WCC Files).
- Jensen, H.M. and J. Soren, 1974, Hydrogeology of Suffolk County, Long Island, New York, U.S. Geological Survey, Hydrologic Investigations Atlas HA-501, Washington, D.C., (LOCATION: WCC Files).
- Kilburn, C., 1979, Hydrogeology of the Town of North Hempstead, Nassau County, Long Island, New York, U.S. Geological Survey, Long Island Water Resources Bulletin 12, Nassau County Department of Public Works, (LOCATION: WCC Files).
- NYS Department of Agriculture and Markets, 1983, Agricultural Districts Map, Division of Rural Affairs, (LOCATION: NYSDA&M/Albany Files).
- NYSDEC, 1975a, Tidal Wetlands Maps of Suffolk County, Division of Fish and Wildlife, (LOCATION: NYSDEC/Region 1 Files).
- NYSDEC, 1975b, Freshwater Wetlands Maps of Suffolk County, Patchogue Quad., Division of Fish and Wildlife, (LOCATION: NYSDEC/Albany Files).
- NYSDEC, 1983, Listings and Maps of Significant Habitats in Suffolk County, Division of Fish and Wildlife, Significant Habitats Unit, (LOCATION: NYSDEC/Albany Files).
- NYSDEC, Stony Brook, 1983, Information from T. Candella to L. Wade of WCC, re: Maps indicating number and location of all permitted wells within a three-mile radius of Goldisc Recordings, Inc., (LOCATION: WCC Files).

- NYS Parks and Recreation, 1983, Files of Suffolk County Historical Sites Listed on State and Federal Registers, Division for Historic Preservation, (LOCATION: NYSP&R/Albany Files).
- NYS Parks and Recreation, 1983, Guide to New York State Parks, Recreation and Historic Preservation, (LOCATION: WCC Files).
- Rand McNally, 1983, Road Atlas, United States/Canada/Mexico; Chicago, Illinois, (LOCATION: WCC Files).
- Sax, N.I., 1979, Dangerous Properties of Industrial Materials, Van Nostrand Reinhold, New York, (LOCATION: WCC Files).
- Suffolk County Department of Health, 1981 Inspection Report of Goldisc Recordings Inc., August 6, 1981, (LOCATION: WCC Files).
- Suffolk County Department of Health, 1981, Interoffice Memorandum regarding Goldisc Recordings, Inc., Re: Pumping Industrial waste from on site pools, August 25, 1981, (LOCATION: WCC Files).
- Suffolk County Department of Health, 1983, personal communication from P. Ponturo to L. Wade of WCC, re: Wells in vicinity of Goldisc Recordings, Inc., (LOCATION: WCC Files).
- Suffolk County Department of Health, 1983, personal communication from S. Cary to L. Wade of WCC, re: Depth to ground water at Goldisc Recordings, Inc., (LOCATION: WCC Files).
- Taney, N.E., 1961, Geomorphology of the South Shore of Long Island, New York, Department of the Army Corps of Engineers, Technical Memorandum No. 128, Beach Erosion Board, Washington, D.C., (LOCATION: WCC Files).
- USEPA, 1982, Uncontrolled Hazardous Waste Site Ranking System, A User's Manual, Washington, D.C., (LOCATION: WCC Files).
- USEPA, 1982, Memorandum from S. Caldwell, Discovery & Investigation Branch, Washington, D.C., re: Supplemental Instructions for the Hazard Ranking System, dated July 29, (LOCATION: WCC Files).
- U.S. Fish and Wildlife Service, 1983, National Wildlife Refuges, A Visitors Guide, (LOCATION: WCC Files).
- U.S.G.S., 1967, Patchogue New York 7.5-Minute Quadrangle, (LOCATION: WCC Files).
- Woodward-Clyde Consultants, 1983, Site survey conducted by L. Wade, Senior Staff Scientist on July 27, 1983, (LOCATION: WCC Files).

APPENDIX B

100076

APPENDIX B
PERTINENT INFORMATION

Reg. #1 - Reg. Ref. #47-0399 Name of Permittee : Sonic Recording Products
Suffolk Co. Dept. Env. Control ✓
Mr. Crandall - BMS Effective Date : February 24, 1975
Mr. Quinn - BIP Expiration Date : February 24, 1980

STATE POLLUTANT DISCHARGE ELIMINATION SYSTEM (SPDES)
DISCHARGE PERMIT

Special Conditions
(Part I)

This SPDES permit is issued in compliance with Title 8 of Article 17 of the Environmental Conservation Law of New York State and in compliance with the provisions of the Federal Water Pollution Control Act, as amended by the Federal Water Pollution Control Act Amendments of 1972, P. L. 92-500, October 18, 1972 (33 U.S.C. § 1251 et. seq.) (hereinafter referred to as "the Act").

Sonic Recording Products, Inc.
(Full Name of Permittee)

is authorized by William L. Garvey, P.E., Director, Bureau of Standards & Compliance
(Designated Representative of Commissioner of the
Department of Environmental Conservation)

to discharge from Veterans Memorial Highway & Broadway
(Street Address of Discharging Facility)
Holbrook, N.Y. 11741
Islip (T), Suffolk Co.

to Ground Waters
(Name of Receiving Waters)

in accordance with the following special and general conditions:

The specific effluent limitations and other pollution controls applicable to the discharge permitted herein are set forth in the special conditions. Also set forth are self-monitoring and reporting requirements. Unless otherwise specified, the permittee shall submit original copies of all reports to the Central Office and the appropriate Regional Office of the Department of Environmental Conservation and the EPA Region II Regional Administrator. Except for data determined to be confidential under Section 17-0805 of the Environmental Conservation Law or Section 308 of the Act, all such reports shall be available for public inspection at the offices of the Department of Environmental Conservation and the Regional Administrator of EPA Region II. Knowingly making any false statement on any such report may result in the imposition of criminal penalties as provided for in Section 71-1933 of the Environmental Conservation Law or Section 309 of the Act.

100078

Initial Effluent Limitations

During the period beginning on the effective date of this permit and lasting until months from EDP , discharges from outfalls 001 (Give Date) (Specify Outfall Numbers) shall be limited and monitored by the permittee as specified below:

(a) The following shall be limited and monitored by the permittee as specified:

Outfall Number	Effluent Characteristic	Discharge Limitation in kg/day (lbs./day)		Other Limitations (Specify Units)		Monitoring Requirements	
		Daily Average	Daily Maximum	Average	Maximum	Measurement Frequency	Sample Type
001	Flow			N/A		Continuous	Recorded
	Chromium (TOTAL)			1.5 mg/1		Bi-Weekly	Grab
	Chromium (Hexavalent)			0.5mg/1		"	Grab
	Iron			1 mg/1		"	Grab
	Nickel			30. mg/1		"	Grab

002 Cooling Water Only - No chemical addition to exceed groundwater standards.

~~003~~ Sanitary Wastes Only - No monitoring required.

005

006

Also subject to attached Schedule A.

For the purposes of this subsection, the daily average discharge is the total discharge by weight during a calendar month divided by the number of days in the month that the production or commercial facility was operating.

For the purposes of this subsection, the daily maximum discharge means the total discharge by weight during any calendar day.

(b) The pH shall not be less than 6.5 nor greater than 8.5. The pH shall be monitored as follows: By pH meter on each batch.

Initial Effluent Limitations

During the period beginning on the effective date of this permit and lasting until 8 months from EDP, discharges from outfalls 001 shall be limited and monitored by the permittee as specified below:

(Give Date)

(Specify Outfall Numbers)

(a) The following shall be limited and monitored by the permittee as specified:

Outfall Number	Effluent Characteristic	Discharge Limitation in kg/day (lbs./day)		Other Limitations (Specify Units)		Monitoring Requirements	
		Daily Average	Daily Maximum	Average	Maximum	Measurement Frequency	Sample Type
01	Flow			N/A		Total each	Batch
	Chromium (TOTAL)			14 mg/l		Each Batch	Grab
	Chromium (Hexavalent)			7 mg/l		Each Batch	Grab
	Iron			1 mg/l		Each Batch	Grab
	Nickel			38 mg/l		Each Batch	Grab

For the purposes of this subsection, the daily average discharge is the total discharge by weight during a calendar month divided by the number of days in the month that the production or commercial facility was operating.

For the purposes of this subsection, the daily maximum discharge means the total discharge by weight during any calendar day.

(b) The pH shall not be less than 6.5 nor greater than 8.5. The pH shall be monitored as follows: By pH meter on each batch.

Final Effluent Limitations

During the period beginning 8 months from EDP and lasting
 (Give Date)
 until the date of expiration of this permit, discharges from outfalls 001 and 002
 (Specify Outfall Numbers)
 shall be limited and monitored by the permittee as specified below:

(a) The following shall be limited and monitored by the permittee as specified:

Outfall Number	Effluent Characteristic	Discharge Limitation in kg/day (lbs./day)		Other Limitations (Specify Units)		Monitoring Requirements	
		Daily Average	Daily Maximum	Average	Maximum	Measurement Frequency	Sample Type
001	Flow			N/A		Total	Each Batch
	Nickel			1.0 mg/l		Each Batch	Grab
	Chromium (hexavalent)			.1 mg/l		"	"
	Chromium (Total)			.25 mg/l		"	"
	Iron			.6 mg/l		"	"
	Total Dissolved Solids			1000 mg/l		"	"
	Total Suspended Solids			50 mg/l		"	"
	Boron			1.0 mg/l		"	"
	Silver			.1 mg/l		"	"
	Oils or Waxes			Not allowed in Discharge			
002*	Flow			N/A		Continuous	
	Conductivity			N/A		Daily	
	Temperature			N/A		Monthly	Grab

003-006 Sanitary Wastes Only

* Cooling water only

For the purposes of this subsection, the daily average discharge is the total discharge by weight during a calendar month divided by the number of days in the month that the production or commercial facility was operating.

For the purposes of this subsection, the daily maximum discharge means the total discharge by weight during any calendar day.

(b) The pH shall not be less than 6.5 nor greater than 8.5.
 The pH shall be monitored as follows: 001 by pH meter on each batch;
002 by pH meter daily.

Final Effluent Limitations

During the period beginning 11 months from EDP and lasting
(Give Date)
until the date of expiration of this permit, discharges from outfalls 001 and 002
(Specify Outfall Numbers)
shall be limited and monitored by the permittee as specified below:

(a) The following shall be limited and monitored by the permittee as specified:

Outfall Number	Effluent Characteristic	Discharge Limitation in kg/day (lbs./day)		Other Limitations (Specify Units)		Monitoring Requirements	
		Daily Average	Daily Maximum	Average	Maximum	Measurement Frequency	Sample Type
001	Flow			N/A		Total	Each Batch
	Nickel			1.0 mg/l		Each Batch	Grab
	Chromium (hexavalent)			.1 mg/l		"	"
	Chromium (Total)			1.0 mg/l		"	"
	Iron			.6 mg/l		"	"
	Total Dissolved Solids			1000 mg/l		"	"
	Total Suspended Solids			50 mg/l		"	"
	Boron			1.0 mg/l		"	"
	Silver			.1 mg/l		"	"
	Oils or Waxes			Not allowed in Discharge			
002*	Flow			N/A		Continuous	
	Conductivity			N/A		Daily	
	Temperature			N/A		Monthly	Grab
003-006	Sanitary Wastes Only						

* Cooling water only - No chemical addition to exceed groundwater standards.

Also subject to attached Schedule A.

For the purposes of this subsection, the daily average discharge is the total discharge by weight during a calendar month divided by the number of days in the month that the production or commercial facility was operating.

For the purposes of this subsection, the daily maximum discharge means the total discharge by weight during any calendar day.

(b) The pH shall not be less than 6.5 nor greater than 8.5.
The pH shall be monitored as follows: 001 by pH meter on each batch;
002 by pH meter daily.

Schedule of Compliance for Effluent Limitations

(a) Permittee shall achieve compliance with the effluent limitations specified above for discharges from outfalls 001 and 002

(Specify Outfall Numbers)

in accordance with the following schedule:

1. Submit Approvable Engineering Report by: 3 months from EPD
2. Submit Approvable Final Plans by : 5 months from EDP
3. Award of Contract or other Commitment of Financing by : _____
4. Commencement of Construction by : 6 months from EDP
5. Report of Construction Progress : _____
6. Report of Construction Progress : _____
7. Report of Construction Progress : _____
8. Completion of Construction by : 10 months from EDP
9. Attainment of Operational Level by : 11 months from EDP

(b) The permittee shall submit to the Department of Environmental Conservation the required document (s) where a specific action is required in (a) above to be taken by a certain date, and a written notice of compliance or noncompliance with each of the above schedule dates, postmarked no later than 14 days following each elapsed date. Each notice of noncompliance shall include the following information:

1. A short description of the noncompliance;
2. A description of any actions taken or proposed by the permittee to comply with the elapsed schedule requirement without further delay;
3. A description of any factors which tend to explain or mitigate the noncompliance; and
4. An estimate of the date permittee will comply with the elapsed schedule requirement and an assessment of the probability that permittee will meet the next scheduled requirement on time.


This permit and the authorization to discharge shall expire on midnight
5 years from EDP . Permittee shall not discharge after the above
(Give Date)

date of expiration. In order to receive authorization to discharge beyond the above
date of expiration, the permittee shall submit such information, forms, and fees
as are required by the Department of Environmental Conservation no later than
180 days prior to the above date of expiration.

By Authority of William L. Garvey, P.E., Director, Bureau of Standards & Compliance
Designated Representative of Commissioner of the
Department of Environmental Conservation

February 24, 1975

Date


Signature

Attachments:

General Conditions
Schedule A

100084

-0399
Env. Control ✓

Name of Permittee : GOLDISC RECORDINGS, INC.
Effective Date : February 24, 1975
Expiration Date : February 24, 1980
MODIFIED : September 22, 1975

STATE POLLUTANT DISCHARGE ELIMINATION SYSTEM (SPDES)
DISCHARGE PERMIT

Special Conditions
(Part I)

This SPDES permit is issued in compliance with Title 8 of Article 17 of the Environmental Conservation Law of New York State and in compliance with the provisions of the Federal Water Pollution Control Act, as amended by the Federal Water Pollution Control Act Amendments of 1972, P. L. 92-500, October 18, 1972 (33 U.S.C. § 1251 et. seq.) (hereinafter referred to as "the Act").

GOLDISC RECORDINGS, INC.

(Full Name of Permittee)

is authorized by George K. Hansen, P.E., Chief, PDES Permit Section
(Designated Representative of Commissioner of the
Department of Environmental Conservation)

to discharge from Broadway Avenue & Veterans Memorial Highway
(Street Address of Discharging Facility)
Holbrook, New York 11741

Islip (T), Suffolk County

to Groundwater - Class GA
(Name of Receiving Waters)

in accordance with the following special and general conditions:

The specific effluent limitations and other pollution controls applicable to the discharge permitted herein are set forth in the special conditions. Also set forth are self-monitoring and reporting requirements. Unless otherwise specified, the permittee shall submit original copies of all reports to the Central Office and the appropriate Regional Office of the Department of Environmental Conservation and the EPA Region II Regional Administrator. Except for data determined to be confidential under Section 17-0805 of the Environmental Conservation Law or Section 308 of the Act, all such reports shall be available for public inspection at the offices of the Department of Environmental Conservation and the Regional Administrator of EPA Region II. Knowingly making any false statement on any such report may result in the imposition of criminal penalties as provided for in Section 71-1933 of the Environmental Conservation Law or Section 309 of the Act.

100085

Initial Effluent Limitations

During the period beginning on the effective date of this permit and lasting until September 24, 1975, discharges from outfalls A, 001 through 006 shall be limited and monitored by the permittee as specified below:
 (Give Date) (Specify Outfall Numbers)

(a) The following shall be limited and monitored by the permittee as specified:

Outfall Number	Effluent Characteristic	Discharge Limitation in kg/day (lbs./day)		Other Limitations (Specify Units)		Monitoring Requirements	
		Daily Average	Daily Maximum	Average	Maximum	Measurement Frequency	Sample Type
	Industrial Waste Cesspools - to be disconnected and filled in.						
001	Cooling Water Only - No chemical addition to exceed groundwater standards.						
003 } 004 } 005 } 006 }	Sanitary Waste Only						N/A

Permittee also subject to attached Schedule "A"

For the purposes of this subsection, the daily average discharge is the total discharge by weight during a calendar month divided by the number of days in the month that the production or commercial facility was operating.

For the purposes of this subsection, the daily maximum discharge means the total discharge by weight during any calendar day.

(b) The pH shall not be less than N/A nor greater than N/A.
 The pH shall be monitored as follows: N/A

Final Effluent Limitations

During the period beginning September 24, 1975 and lasting
 (Give Date)
 until the date of expiration of this permit, discharges from outfalls 001 through 006
 (Specify Outfall Numbers)
 shall be limited and monitored by the permittee as specified below:

(a) The following shall be limited and monitored by the permittee as specified:

Outfall Number	Effluent Characteristic	Discharge Limitation in kg/day (lbs./day)		Other Limitations (Specify Units)	Monitoring Requirements	
		Daily Average	Daily Maximum		Measurement Frequency	Sample Type
001	Flow - Cooling Water Only*			N/A	Monthly	Reading
002 } 003 } 4 } 5 } 006 }	Sanitary Waste Only					N/A

*No chemical addition to exceed groundwater standards.

Permittee also subject to attached Schedule "A"


For the purposes of this subsection, the daily average discharge is the total discharge by weight during a calendar month divided by the number of days in the month that the production or commercial facility was operating.

For the purposes of this subsection, the daily maximum discharge means the total discharge by weight during any calendar day.

(b) The pH shall not be less than N/A nor greater than N/A.
 The pH shall be monitored as follows: N/A

Monitoring Locations

Permittee shall take samples and measurements to meet the monitoring requirements at the location indicated below: (Show locations of outfalls with U.T.M. Coordinates and sketch or flow diagram as appropriate).



This permit and the authorization to discharge shall expire on midnight
February 24, 1980 . Permittee shall not discharge after the above

(Give Date)

date of expiration. In order to receive authorization to discharge beyond the above date of expiration, the permittee shall submit such information, forms, and fees as are required by the Department of Environmental Conservation no later than 180 days prior to the above date of expiration.

By Authority of George K. Hansen, P.E., Chief, PDES Permit Section
Designated Representative of Commissioner of the
Department of Environmental Conservation

September 22, 1975

Date

George K. Hansen

Signature

Attachments:

General Conditions
Schedule "A"

100089

Facility ID No. : NY 007 5850
Effective Date : Feb. 24, 1980
Expiration Date : EDP + 5 yrs.

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION
STATE POLLUTANT DISCHARGE ELIMINATION SYSTEM (SPDES)
DISCHARGE PERMIT

Special Conditions
(Part I)

This SPDES permit is issued in compliance with Title 8 of Article 17 of the Environmental Conservation Law of New York State and in compliance with the provisions of the Federal Water Pollution Control Act, as amended by the Federal Water Pollution Control Act Amendments of 1972, P.L. 92-500, October 18, 1972, (33 U.S.C. §1251 et. seq.) (hereinafter referred to as "the Act").

Goldisc Recordings, Inc./Electrosound Group, Inc.

is authorized to discharge from the facility described below:

725 Broadway Avenue (NE Corner of Broadway Avenue & Veterans
Memorial Highway Intersection)
Holbrook, New York 11741
(T/ Islip, C/Suffolk)

into receiving waters known as:

Groundwater (Class GA)

in accordance with the effluent limitations, monitoring requirements and other conditions set forth in this permit.

This permit and the authorization to discharge shall expire on midnight of the expiration date shown above and the permittee shall not discharge after the expiration date unless this permit has been renewed, or written authorization is given by the Department. In order to receive authorization to discharge beyond the expiration date, the permittee shall submit such information, forms, and fees as are required by the Department of Environmental Conservation no later than 180 days prior to the expiration date.

By Authority of _____

Designated Representative of Commissioner of the
Department of Environmental Conservation

DEC 11 1979

Date

Signature

S.C. DEPT. OF
HEALTH SERVICES

EFFLUENT LIMITATIONS AND MONITORING REQUIREMENTS

During the period beginning _____ and lasting until _____ the discharges from the permitted facility shall be limited and monitored by the permittee as specified below:

Outfall Effluent Number Parameter	Discharge Limitations				Monitoring Reqmts.	
	kg/day Daily Avg.	(lbs/day) Daily Max.	Other Units Daily Avg.	(Specify) Daily Max.	Measurement Frequency	Sample Type

IMPORTANT: Information indicated below is tentative; final limitations and requirements are dependent on approvable engineering report.

- 001 INDUSTRIAL WASTE HOLDING TANKS - Records of Removal shall be kept and submitted periodically. (One below grade and two above grade.)
- 002 NON-CONTACT COOLING WATER RECHARGE FACILITY (i.e. Recharge Basin)
 - " COOLING WATER ONLY - No chemical addition to exceed groundwater standards. Monthly Composite
 - " FLOW 360,000 gpd Contin. Recdg.
- 003, 004, 005, 006 & 007 SANITARY WASTE DISPOSAL SYSTEMS (5)

- NOTES:
1. In general, there shall be no discharge of industrial waste to either surface or groundwaters except as permitted herein. Specifically, no industrial discharge permitted into the sanitary waste disposal systems or into the cooling water recharge system; nor into any existing storm water drainage disposal systems inclusive of dry wells.
 2. All industrial wastes to be removed from the site, including industrial wastes from the I.W. holding tank designated as Outfall No. 001, shall be properly stored and maintained in a spill prevention and protected area for periodic removal of an authorized industrial waste scavenger to an approved industrial waste disposal area or reclamation facility.
 3. The permittee shall include as part of his Discharge Monitoring Report the following scavenger waste removal information:
 - a. Date of each waste collection/removal
 - b. Description and volume of waste removed
 - c. Method of waste removal (i.e. tank truck, drums and/or other)
 - d. Name, address and registration number of the authorized scavenger and
 - e. Destination of the removed wastes.

The pH shall not be less than _____ standard units nor greater than _____ standard units and shall be monitored as follows:

Samples taken in compliance with the monitoring requirements specified above shall be taken at the following location(s):


The daily average discharge is the total discharge by weight or in other appropriate units as specified herein, during a calendar month divided by the number of days in the month that the production or commercial facility was operating. Where less than daily sampling is required by this permit, the daily average discharge shall be determined by the summation of all the measured daily discharges in appropriate units as specified herein divided by the number of days during the calendar month when the measurements were made.

The daily maximum discharge means the total discharge by weight or in other appropriate units as specified herein, during any calendar day.

DEC 11 1979
 S.C. DEPT. OF
 HEALTH SERVICES
 100091

INDUSTRIAL CHEMICAL SURVEY

PART I



COMPLETE AND RETURN TO THE ABOVE ADDRESS, ATTENTION: INDUSTRIAL CHEMICAL SURVEY.

NY NAME <i>Disc Recordings, Inc.</i>		SIC CODE (If known)	OFFICE USE ONLY	
NY MAILING ADDRESS <i>Goldisc Road</i>		CITY <i>Holbrook</i>	STATE <i>N.Y.</i>	ZIP CODE <i>11741</i>
OTHER NAME (If different)		CONTACT NAME		TELEPHONE <i>Area 516-589-0462</i>
ADDRESS (If different)		CITY	STATE	ZIP CODE

PRINCIPAL BUSINESS OF PLANT
Phonograph Record Molding

(If parent company, give name and addresses of all divisions, subsidiaries, etc. located in New York State. A separate questionnaire is to be completed and submitted for each.)

PART II
Discharge Information

1. Does your plant discharge liquid wastes to a municipally owned sanitary sewer system? Yes No
Name of System _____

2. Is your facility permitted to discharge liquid wastes under a State (SPDES) or Federal (NPDES) permit? Yes No
Permit Number

6	0	7	5	8	5	0
---	---	---	---	---	---	---

3. Do you discharge liquid wastes in any other manner? Yes No
Explain _____

If any of the above are "Yes":

a. Do you discharge process or chemical wastes - (i.e. water used in manufacturing including direct contact cooling water and scrubber water)? Yes No

b. Do you discharge non-contact cooling water? Yes No

c. Do you discharge collected storm drainage only? Yes No

d. Do you discharge sanitary wastes only? Yes No

1. Does your facility have sources of possible emissions to the atmosphere? Yes No

2. Enter Location and Facility Code as shown on your Air Pollution Control Application for Permits and Certification (If applicable)

--	--	--	--	--	--	--	--	--	--

1. List Name and Address of Firm (Including yourself) removing wastes other than office and cafeteria refuse.

Name	<i>Chemical Waste Disposal Corp.</i>		
Address	<i>42-14 18th Ave.</i>	City <i>Holbrook</i>	State <i>N.Y.</i>
			Zip Code <i>11741</i>

2. List Location(s) of Landfill(s) owned and used by your facility.

1

--

2

--

DEC 11 1976

S.C. DEPT. OF HEALTH SERVICES

Active Inactive

1. Does this facility:

Manufacture Pesticides or Pesticide Product Ingredients? Yes No

Produce Pesticides or Pesticide Product Ingredients? Yes No

Formulate Pesticides? Yes No

Repackage Pesticides? Yes No

2. EPA Establishment Number

--	--	--	--	--	--	--	--	--	--

STATE POLLUTANT DISCHARGE ELIMINATION SYSTEM (SPDES)
Thermal Discharge And Material
Storage Area Supplement For
Application Form C

(Attach to Application Form)

1. Thermal Discharges

Does the temperature of any of the discharges from this facility exceed
70°F. at any time? YES NO

If yes, attach the following information, and specify which outfall(s) it relates
to:

- a) Range of measured discharge temperatures 65-80°
- b) Maximum discharge temperature 80°
- c) Discharge configuration (that is, whether surface subsurface, effluent
diffuser, etc.)
- d) Chemical additives utilized (also see Section 4 on Form C) None

2. Material Storage Areas

Is storm runoff or leachate from any material storage area (such as: coal
piles, raw material or finished product stockpiles, etc.) discharged to either
surface waters or groundwaters? YES NO

If "yes", please attach a brief description of types and quantities of
materials stored, size of storage area, etc., and show its location and the
location of any discharge points on the map required by Section 6 of Form C.

RECEIVED

DEC 11 1979

S.C. DEPT. OF
HEALTH SERVICES
9/78 - 2,000

APPLICATION FORM "C" FOR A STATE POLLUTANT DISCHARGE ELIMINATION SYSTEM (SPDES) PERMIT
INDUSTRIAL OR MINING

GENERAL DATA

APPLICATION TYPE: Renewal Modification

IF RENEWAL OR MODIFICATION, GIVE PREVIOUS APPLICATION NO., EFFECTIVE DATE, EXPIRATION DATE
 No. NY-0075850 | Effective Date Feb. 24, 1975 | Expiration Date Feb 24, 1980

APPLICANT (Corporate, Partnership or Individual): *Disc Recordings, Inc. (Electric-Sound)*

TYPE OF OWNERSHIP: Corporate Individual Partnership Public

MAILING ADDRESS (Street, City, State, Zip Code): *Sway Avenue & Veterans Highway, Holbrook, N.Y. 11741*

PERSON TO CORRESPONDENCE TO: (Name, Title and Address): *B. Persson Plant Maintenance Manager*

TELEPHONE NO. (Include Area Code): *516 589-0462*

CITY NAME: *Disc Recordings, Inc.* FACILITY LOCATION (Street or Road): *Veterans Highway & Urdway* CITY, TOWN OR VILLAGE: *Holbrook*

GIVE EXPLICIT DIRECTIONS TO LOCATION, if Necessary: *Folk Exit 57 E L.I.E.*

NAME OF BUSINESS OR TYPE OF FACILITY: *Disc Record Pressing Plant* NO. OF EMPLOYEES: *150* NO. OF SHIFTS: *2*

IF YOUR WASTE IS DISCHARGED TO A PUBLICLY OWNED WASTE TREATMENT FACILITY AND/OR A LICENSED WASTE SCAVENGER AND TO THE BEST OF YOUR KNOWLEDGE YOU ARE NOT REQUIRED TO OBTAIN AN SPDES PERMIT, COMPLETE THIS SECTION ONLY, SIGN APPLICATION AND RETURN.

NAME AND ADDRESS OF MUNICIPALITY RESPONSIBLE FOR RECEIVING WASTE AND/OR NAME AND ADDRESS OF LICENSED WASTE SCAVENGER

OPERATION DATA (Use additional forms, if necessary)

TYPICAL TYPES OF PROCESSING DONE AT THIS FACILITY: *Vinyl Record Compression Molding, Electroplating*

TYPICAL PRODUCTS AND AMOUNTS PRODUCED PER TIME UNIT	RAW MATERIALS AND AMOUNTS CONSUMED PER TIME UNIT
<i>Discograph Records - 30,000/shift</i>	1. <i>Vinyl - 1300 LBS/HR</i>
	2. <i>#2 Fuel Oil - 160 GPH (winter)</i>
	3. <i>Natural Gas - 280 CCFH (Summer)</i>
	4. <i>Nickel - 2800 LBS/month</i>
	5.

ANY OF YOUR DISCHARGES CONTAIN OR IS IT POSSIBLE FOR ANY DISCHARGE TO CONTAIN ONE OR MORE OF THE FOLLOWING SUBSTANCES ADDED AS A RESULT OF YOUR OPERATIONS, ACTIVITIES OR PROCESSES?

<input type="checkbox"/> Aluminum	<input type="checkbox"/> Arsenic	<input type="checkbox"/> Boron	<input type="checkbox"/> Chromium	<input type="checkbox"/> Fluorides	<input type="checkbox"/> Lead	<input type="checkbox"/> Nickel	<input type="checkbox"/> Selenium	<input type="checkbox"/> Tin
<input type="checkbox"/> Ammonia	<input type="checkbox"/> Barium	<input type="checkbox"/> Cadmium	<input type="checkbox"/> Copper	<input type="checkbox"/> Gold	<input type="checkbox"/> Manganese	<input type="checkbox"/> Oil & Grease	<input type="checkbox"/> Silver	<input type="checkbox"/> Zinc
<input type="checkbox"/> Antimony	<input type="checkbox"/> Beryllium	<input type="checkbox"/> Chlorine	<input type="checkbox"/> Cyanide	<input type="checkbox"/> Iron	<input type="checkbox"/> Mercury	<input type="checkbox"/> Phenols	<input type="checkbox"/> Sulfides	

Corrosion control chemicals (specify) _____

Halogenated organics or halogenated hydrocarbons (e.g. chlorinated, fluorinated or brominated) (specify) _____

Insecticides or pesticides (specify) _____

Oil activity (specify) _____

Organic acids, biocides or algaecides (specify) _____


Substituted aromatics (e.g. derivatives of benzene, pyridene, biphenyl, naphthalene, coal or petroleum tar, etc.) (specify) _____

Surfactants (specify) _____

None of the above

Name and manufacturer of any chemicals used at this facility which are not listed above and whose specific constituents are not listed above: _____

Explanation of above: (Attach additional sheets, if necessary) _____



S.C. DEPT. OF HEALTH SERVICES

6. DISCHARGE DATA (Continued) (See Instructions) ATTACH SKETCH SHOWING OUTFALL LOCATIONS

OUTFALL NO. 001	<input type="checkbox"/> Proposed <input checked="" type="checkbox"/> Existing	<input type="checkbox"/> Replacement <input type="checkbox"/> Expansion	TYPE OF WASTE Cooling Water (Non-contact)	TYPE OF TREATMENT (If none, so state) None
DESIGN FLOW N/A Gal/Day	ACTUAL FLOW 360,000 Gal/Day	FREQUENCY OF DISCHARGE <input checked="" type="checkbox"/> Continuous <input type="checkbox"/> Intermittent <input type="checkbox"/> Batch		IS FLOW EQUALIZATION PROVIDED? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If "Yes", describe in comments
METHOD OF DISCHARGE Twelve Months per year Five Days per week 8-16 Hours per day				
SURFACE DISCHARGE <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		If "Yes", Name of Receiving Waters Recharge Basin		
SURFACE DISCHARGE <input type="checkbox"/> Yes <input type="checkbox"/> No		Distance Ft.	SOIL TYPE	Depth to Water Table

OUTFALL NO. 2-006	<input type="checkbox"/> Proposed <input checked="" type="checkbox"/> Existing	<input type="checkbox"/> Replacement <input type="checkbox"/> Expansion	TYPE OF WASTE Sanitary	TYPE OF TREATMENT (If none, so state) None
DESIGN FLOW N/A Gal/Day	ACTUAL FLOW 1000 Gal/Day	FREQUENCY OF DISCHARGE <input type="checkbox"/> Continuous <input checked="" type="checkbox"/> Intermittent <input type="checkbox"/> Batch		IS FLOW EQUALIZATION PROVIDED? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If "Yes", describe in comments
METHOD OF DISCHARGE 12 Months per year 5 Days per week N/A Hours per day				
SURFACE DISCHARGE <input type="checkbox"/> Yes <input type="checkbox"/> No		If "Yes", Name of Receiving Waters		
SURFACE DISCHARGE <input type="checkbox"/> Yes <input type="checkbox"/> No		Distance Ft.	SOIL TYPE	Depth to Water Table

OUTFALL NO.	<input type="checkbox"/> Proposed <input type="checkbox"/> Existing	<input type="checkbox"/> Replacement <input type="checkbox"/> Expansion	TYPE OF WASTE	TYPE OF TREATMENT (If none, so state)
DESIGN FLOW Gal/Day	ACTUAL FLOW Gal/Day	FREQUENCY OF DISCHARGE <input type="checkbox"/> Continuous <input type="checkbox"/> Intermittent <input type="checkbox"/> Batch		IS FLOW EQUALIZATION PROVIDED? <input type="checkbox"/> Yes <input type="checkbox"/> No If "Yes", describe in comments
METHOD OF DISCHARGE Months per year Days per week Hours per day				
SURFACE DISCHARGE <input type="checkbox"/> Yes <input type="checkbox"/> No		If "Yes", Name of Receiving Waters		
SURFACE DISCHARGE <input type="checkbox"/> Yes <input type="checkbox"/> No		Distance Ft.	SOIL TYPE	Depth to Water Table

OUTFALL NO.	<input type="checkbox"/> Proposed <input type="checkbox"/> Existing	<input type="checkbox"/> Replacement <input type="checkbox"/> Expansion	TYPE OF WASTE	TYPE OF TREATMENT (If none, so state)
DESIGN FLOW Gal/Day	ACTUAL FLOW Gal/Day	FREQUENCY OF DISCHARGE <input type="checkbox"/> Continuous <input type="checkbox"/> Intermittent <input type="checkbox"/> Batch		IS FLOW EQUALIZATION PROVIDED? <input type="checkbox"/> Yes <input type="checkbox"/> No If "Yes", describe in comments
METHOD OF DISCHARGE Months per year Days per week Hours per day				
SURFACE DISCHARGE <input type="checkbox"/> Yes <input type="checkbox"/> No		If "Yes", Name of Receiving Waters		
SURFACE DISCHARGE <input type="checkbox"/> Yes <input type="checkbox"/> No		Distance Ft.	SOIL TYPE	Depth to Water Table

REMARKS:

DEC 11 1979
S.C. DEPT. OF HEALTH SERVICES

I hereby affirm under penalty of perjury that information provided on this form and any attached supplemental forms is true to the best of my knowledge and belief. False statements made herein are punishable as a Class A misdemeanor pursuant to Section 210.45 of the Penal Law.

OPERATOR'S SIGNATURE (See Instructions) **Alan B. D.** Date **8/1/79** Printed Name **T. J. P.** Title **...**

100095

DRAFT

January 8, 1978

Mr. Dick Meixner, President
Gold Disc Recording, Inc.
Broadway Avenue and Veterans Highway
Holbrook, NY 11741

Dear Mr. Meixner:

Your complaint of December 18, 1978 has been reviewed by the Commissioner of the Department of Health Services, and discussed with the personnel involved in this incident.

I have been given to understand that many of the problems that led to the actions by Mr. Gilbert have been corrected and that Department of Health personnel are working with your staff to prevent further discharge of plating wastes. In reviewing the record, it is noted that Gold Disc Recordings has a permit and has operated for several years as a non-discharge facility with your plating wastes being held for removal by industrial scavengers. The recent discovery by County inspectors of substantial quantities of plating wastes on and in the ground surrounding your plant constituted serious permit and ground water discharge violations that led to the letters by the Department of Environmental Control. Mr. Gilbert's overzealous reference to fines or injunctions were an attempt to impress upon your personnel the importance of the violation and the urgency for correction. The department's exuberance in attempting to achieve compliance will be tempered by the reality of the economic needs and requirements of our industrial community without compromising the need to maintain strict pollution abatement requirements.

In water pollution, the County acts as the legal representative of the New York State Department of Environmental Conservation in managing the SPDES permit program. When violations are discovered, they are automatically submitted to the State in the form of a case report for action deemed necessary by the State Department of Environmental Conservation staff. Normal procedure is for the State to call a compliance conference at which time both sides can present their points of view in an informal manner, with the aim of resolving alleged violations by consent. Such a conference can be expected in your case in the near future. The more progress that is made towards alleviating the difficulties before the time of the meeting, the easier it is to arrive at a consent and the less harsh the results.

100096

. Dick Meixner

- 2 -

January 8, 1978

I am sure this matter will be quickly and easily resolved. I have directed the department involved to work with your company to assist in correcting and alleviating the discharge.

Sincerely,

JVW:WCR:ft

John V. N. Klein
Suffolk County Executive

100097

FOR THE RECORD

Nov. 13, 1973

Robert Olsen

Goldisc Recording Products
12 Broadway Ave., Holbrook

On Thursday, Nov. 8, 1973 at 2:15 p.m. I had cause to be in the alleyway between Goldisc Recording Products and Viewlex Corp. at which time I noted a series of large puddles in the northeastern end of the alleyway. On closer inspection, I noted that these puddles were bluish-green in color, were viscous and contained a high content of solids. There were many stains leading to a 1,000 gal. steel above ground holding tank employed by Goldisc to hold plating wastes. This tank has a gravity feed swing valve that is used to empty the tank, the lock handle that is used to operate the valve was in place at this time. There was a small amount of liquid coming out of the valve and I closed it fully. It has been the contention of this office that in the past, this handle should be either removed or locked to prevent tampering and ventillation.

I then proceeded to the Goldisc office where I contacted Dave White. Mr. White and I proceeded to the driveway at which time he expressed amazement at the amount of liquid on the ground. Mr. White also sounded the tank by hitting the outside of it and stated that it was less than 1/3 full. Mr. White then, at my request, opened the valve to ascertain whether or not the liquid on the ground originated from the tank. The liquid that came out of the tank was identical to that on the ground and Mr. White recognized the fact that the two were identical. Mr. White explained that some "kids" had probably opened the valve and spilled the waste. However, at this time I was suspicious of this explanation since both Mr. White and I had great difficulty in operating the valve, having to use a good amount of force to open and close it.

Mr. White and I then discussed clean-up of the spill at which

100098

Nov. 13, 1978

time Mr. White said, "I'll get a couple of men out here with a hose and wash the stuff away". I informed Mr. White that this was unacceptable and that speedy dry or a reasonable facinile could be used to pick it up and place it in drums for proper disposal. Mr. White is aware of the nature and content of this waste and the restrictions placed upon its handling and disposal.

I also suggested that the valve on the tank be locked as soon as possible. Some absorbant material was spread at the southern end of the largest puddle to prevent entry into the storm drain. A dip sample was taken from the storm drain, which indicated that the waste had not entered the drain as of yet. A solid cover was also noted under the largest puddle. The purpose of this cover could not be ascertained since opening it would permit the waste to enter. I then proceeded to my appointment and left Goldisc.

At 4:15 p.m. I returned to Goldisc for further investigation since some things did not make sense to me. These mainly were:

1. The valve was very difficult to operate and would have taken more than 1 "kid" to operate it.
2. If "kids" did open it why did they bother to close it?
3. The puddles progressed to the northeast or uphill with little or no stains connecting them and waste did not appear in the storm drain. If "kids" had opened the valve, these puddles could only be formed if the alleyway was under more than a foot of waste, which obviously did not occur.

When I returned to Goldisc I noted that clean-up operations had not begun but that the swing valve was now locked. I proceeded to the rear of the building where I found lengths of stacked fire hose. These hoses had what appeared to be dried waste residue inside. One hose had liquid waste inside it. This waste was identical to that in the holding tank and on the ground. This hose also had a plume of dry

Nov. 13, 1978

waste running out of it into the street. I then decided to investigate in the woods, behind the building. I found one large area approx. 20' in diameter soaked with oil with evidence of recent oil dumping. I went deeper into the woods and found another area approx. 50' long and 10-15' wide with no undergrowth or trees on it. This area was covered with a thin layer of bluish-green residue somewhat like that in the driveway where the spill occurred. The ground was not wet so I do not think that a recent dump occurred here. I could not investigate further since it was getting too dark to see.

On Friday, Nov. 10, 1978 at 1:00 p.m. I returned to Goldisc to check on the clean-up operation. It was apparent to me that a hose of some sort was used to wash the waste down the alleyway and into the storm drain, in direct contradiction to what I told Mr. White. A small amount of dirt had been placed in the middle of the largest puddle.

One thing should be noted; that when the northeastern puddles were washed down, they flowed toward the storm drain not toward the woods. It is my conclusion that a spill did not take place as vandalism but rather during a dump into the woods and that this is not something that is a one case occurrence but has occurred at least one time in the past.

Robert Olsen
RO/rt
Att. (Diagram)
cc: Steve Costa


100100

Woods



2


Alley way



Viewlex

Alley way

4



10 stains

Gold Disc

Key

- 1 - bluish-green area in woods
- 2 - oil dumping area in woods
- 3 - stacked fire hoses
- 4 - industrial well
- 5, 6, 8 - puddles of waste
- 7 - solid cover
- 9 - storm drain
- 10 - 4000 gal holding tank

100101

INTER-OFFICE MEMORANDUM

DEPARTMENT OF ENVIRONMENTAL CONTROL

TO: FOR THE RECORD

DATE: Nov. 22, 1978

FROM: Roy Gilbert

SUBJECT: Goldisc Recording Products
Broadway Avenue, Holbrook

On 11/17/78 Bob Olsen and I visited the above firm. We noted the following observations:

1. At the rear of the plant in the woods grounds severely stained with oil.
2. We noted at the rear of the plant an accumulation of used fire hoses some of which had encrusted inside what appeared to be dried plating waste sludge.
3. At the rear of the plant in the woods we noted freshly raked ground at which location Mr. Olsen had previously noted an accumulation of dried sludge. The manner of disposal of this sludge was not ascertained.
4. We noted on the N/S of the plant between Goldisc and Viewlex a puddle of green liquid, which appeared to be plating waste (probably nickel). Samples of this material were previously obtained.
5. In going through past scavenger pick-up receipts we noted that Goldisc, over the past couple of years, had averaged almost 2 - 1300 gallon pick-ups per month but since July 14th there was only 1 record thousand gallon pick-up from their newly installed thousand gallon holding tank, which pick-up was on 9/14/78.

David White insisted that their waste production has been markedly reduced due to his remedying of several leaks in the plating room. However, during our inspection, Mr. Olsen and I noted the existence of leaks in the plating room and in conversation with the bookkeeper, she indicated that for at least the last year Goldisc had been operating


100102

three shifts around the clock. Mr. White, himself, admitted that they "are very busy".



Roy Gilbert
RG/rt

FOLK COUNTY
DEPARTMENT OF ENVIRONMENTAL CONTROL



~~XXXXXXXXXXXXXX~~
65 Jetson Lane

Hempstead N. Y. 11787
(516) 234-2622

Dec. 13, 1978

Mr. David K. White, Plant Engineer
Goldisc Recordings, Inc.
725 Broadway Ave.
Holbrook, N.Y. 11741

Dear Mr. White:

Enclosed find unsatisfactory sampling reports pertaining to samples procured from various points on your premises on 11/9/78 and 11/13/78. Such results could only come from large discharges of plating wastes over past months; a violation of your State Pollutant Discharge Elimination System (SPDES) permit.

The following actions should be taken immediately by your firm to remedy any correctable pollution problems:

1. The puddle in the driveway (north of your plant) appears to be concentrated waste. This material, with any sand used to absorb it, should be containerized for removal by a licensed industrial scavenger.
2. The cesspool and storm drain located in the driveway (north of your plant) must be pumped out by a licensed scavenger and the sludge and contaminated soil at the bottom of these leaching facilities should be similarly removed. This office should be advised in advance of performance of this work so that we may send a representative to observe.
3. All discharge from your outdoor holding tank must cease immediately and adequate scavenger pick-ups must be arranged to preclude such discharges in the future.

During the aforementioned inspections, certain evidence was procured, which requires explanation by you. We

shall expect to be in receipt of an explanation of the following by Dec. 31, 1978:

1. Over the past 2 years, prior to installing the 1,000 gallon holding tank, Goldisc hauled an average of 1,300 gallons every 2 weeks, yet between 7/14/78 - 11/13/78 only 1 pick-up of 1,000 gallons was documented. A great deal of waste is apparently missing. Where is it?
2. On 11/9/78 you accompanied Mr. Olsen of this office on an inspection and ascertained that your 1,000 gallon holding tank was about 1/3 full, yet 4 days later on 11/13/78 this very same holding tank was overflowing out the top, indicating that this tank filled up over the course of these four days.
3. Contamination in a storm drain north of your plant, was shown through samples taken of the contents therein. Such contamination was probably caused by overflowing from your holding tank. However, contamination in a leaching pool in the same area was also discovered, which leaching pool had a solid cover and no incoming piping. How did the contamination get there?
4. A large area of what appeared to be dried nickel sludge was discovered in the woods at the rear of your plant. How did it get there and where did it go, as it mysteriously disappeared a few days later?
5. Several fire hoses were discovered around your plant, which hoses were encrusted by a green sludge material resembling nickel sludge. Were these hoses used to transport wastes to the aforementioned leaching pool in the driveway and/or the area aforementioned in the woods?

Your quick response by letter and action will be expected and failure to adequately so respond will result in further

Mr. David K. White, Plant Engineer
Idisc Recordings, Inc.


- 3 -

Dec. 13, 1978

enforcement action by this Department.

If you have any questions please do not hesitate to contact
this office.

Very truly yours,



Roy Gilbert
Water Pollution Control Section
RG/rt
Encl.

100106

INTER-OFFICE MEMORANDUM

DEPARTMENT OF ENVIRONMENTAL CONTROL

TO: The Record

DATE: December 13, 1978

FROM: R. Olsen

SUBJECT: Goldisc Recordings, Inc.
Interval - Covers week of 11/13/78 to 11/17/78

On Monday, November 13, 1978, I returned to Goldisc at 12 Noon to try and determine what options remained as to the past disposals of plating waste. At this time, I began to remove the solid covers that were in the driveway. I managed to remove eight (8) covers by myself, three (3) remained where I needed assistance. I found one old industrial pool filled with sand, five (5) were sanitary cesspools and one was connected to a storm drain and was aprx.1/2 full of plating wastes. There was no discernible inlet to this leach pool but an interconnection outlet was noted to an adjacent storm drain. A large pipe with an ID of aprx.8" made up of an unknown substance inter-connected the two pools. The end that was in the pool containing the plating wastes was extensively decomposed and the inner core of reinforcing wires was discernible. I sampled this pool at this time. Samples were also taken from the bottom and the surface of the adjacent storm drain. I returned to the office to obtain help in removing the remaining covers and leave my samples in care of Sue Quinn of the Suffolk County Department of Environmental Control Laboratory.

At 2 P.M. Tony C. and I returned to Goldisc with a copy of the plot contained in Goldisc's permit. When we arrived the holding tank was actively discharging a large volume of waste from the vent pipe on the top of the holding tank. Samples were immediately taken from this stream and two (2) pictures were also taken during the period of discharge. The discharge suddenly stopped and we proceeded to remove the remaining covers. There were no significant findings under the remaining covers. We then proceeded to Dave White's office to obtain a sample from the bottom of the holding tank. Dave White unlocked the swing valve and opened it while I took the sample. After the sample had been obtained, we proceeded back to the Jetson Lane office where we placed the samples in Sue Quinn's care.

On Tuesday, November 14, 1978, I again drove through the alleyway between Goldisc and Viewlex and noted that the sand pile in the driveway had still not been cleaned up. Dave White was unavailable.

On Wednesday, November 15, 1978, I returned to Goldisc with Roy Gilbert. I showed Roy the areas of concern and gave him a synopsis of what had transpired to that point. We found more lengths of hose in the woods that had what appeared to be plating waste in and on them. The area where I had suspected a previous dump had been raked out. I then showed Roy the holding tank and the leach pool that contained what appeared to be plating waste. It was noted that the level in this pool had dropped considerably since Monday. No inlet

100107

to the pool could be found. We then proceeded to Dave White's office where Roy interviewed him and asked some pertinent questions. Dave White said:

- 1) The holding tank has been in use for only a "couple of months".
- 2) The only pick up that had occurred had taken place that morning (11/15/78).
- 3) The previous pick up had occurred during July when the last of the drums were picked up (Goldisc had previously stored their waste in 55 gal. drums).
- 4) Chemical Waste of Astoria was their scavenger and only came when Dave White called, no automatic pick ups ever occurred.
- 5) Goldisc was operating on three eight-hour shifts daily.
- 6) Only aprx. 50 gals of waste was generated per day.
- 7) A new, high volume nickel plating bath had been added recently (This new unit was operational on September 1978, when a previous routine inspection was conducted).
- 8) Prior to inception of the holding tank, pick ups of 1,300 gals. of drummed waste occurred aprx. every 20 days.
- 9) It was requested that the mess in the driveway be cleaned up and disposed of properly.

I then gave Roy a tour of the plating area after which we returned to our office.

Some observations were made:

- 1- A minimum of 2,500 gallons of waste was missing.
- 2- The increased flow from the new unit, which increased production by about 1/3, was not figured into flow figures.
- 3- There was little or no correlation between the permit criteria and actual practices.

On Thursday, November 16, 1978, I again made a "drive through" inspection at Goldisc. I noted that the dirt had been cleaned up and was stored in a 35 gal. drum by the tank. I then tried to remove the cover that had been under the waste but was unable to do so.

On Friday, November 17, 1978 I again tried to remove the cover but heavy rains made it impossible.

R. Olsen
RO/db

100108

INTER-OFFICE MEMORANDUM
DEPARTMENT OF ENVIRONMENTAL CONTROL

TO: FOR THE RECORD

DATE: Dec. 14, 1978

FROM: R. Gilbert

SUBJECT: Goldisc Recordings, Inc.
725 Broadway Avenue
Holbrook

On 12/13/78 I visited the above mentioned firm and noted that Dave White, Plant Manager, is no longer with them. Taking his place is Jan Persson. Mr. Persson knew nothing of the environmental requirements for his firm and I explained to him the problems we have been experiencing and asked him to take the following remedial actions:

1. Cease all discharge onto the surface of the ground and into the groundwater.
2. Have all liquid industrial wastes generated removed by a licensed industrial scavenger.
3. All cooling water discharge should be to the recharge basin rather than onto the surface of the ground.
4. Clean out the affected storm drains and cesspools.
5. Ascertain the chemical nature of boiler treatment and retain boiler blow-down for licensed scavenger pick-up rather than discharging onto the surface of the ground.
6. Install a high level alarm system in their 1,000 gallon holding tank so as to obviate the necessity of waiting for an overflow to know when the tank is full.

I requested the above steps be taken immediately to remedy present pollution problems and prevent future ones.

R. Gilbert
RG/rt

100109

STATE OF NEW YORK
DEPARTMENT OF ENVIRONMENTAL CONSERVATION

file
2

In the Matter of the Alleged Violation
of Articles 17 and 71 of the New York State
Environmental Conservation Law, by

GOLDISC RECORDINGS, INC.

C O M P L A I N T

FILE NO. 1-0374

(Suffolk County)

Respondent

The Department of Environmental Conservation of the State of New York, complaining of Respondents in the above-entitled proceeding, alleges as follows:

FIRST: The complainant is and has been d Department of the State of New York charged with jurisdiction over the prevention and abatement of pollution in the State of New York in the manner provided by Articles 17 and 71 of the Environmental Conservation Law.

SECOND: That on information and belief, Respondent, Goldisc Recordings, Inc., is a corporation licensed to do business under the laws of the State of New York.

THIRD: That on information and belief, Richard Meixner is the president of the Respondent corporation.

FOURTH: That Section 17-0505 of the New York State Environmental Conservation Law provides in part that the making or use of an outlet or point source discharging into the waters of the State without a valid SPDES Permit.

FIFTH: That Section 17-0701 of the New York State Environmental Conservation Law provides in part that it shall be unlawful for any person, until a written SPDES Permit has been granted therefor, to make or cause to make or use any outlet or point

source for the discharge of industrial waste into the waters of the State.

SIXTH: That Section 17-0511 of the New York State Environmental Conservation Law provides that the use of existing or new outlets or point sources that discharge industrial wastes into the waters of the State is prohibited unless such use is in compliance with all standards, criteria, limitations, rules and regulations promulgated by the NYSDEC pursuant to Article 17 of the New York State Environmental Conservation Law.

SEVENTH: That Section 17-0807 of the New York State Environmental Conservation Law provides in part that any discharge into the waters of the State not permitted by the provisions of Article 17 of the New York State Environmental Conservation Law and the rules and regulations adopted thereunder or applicable thereto, or by the provisions of a permit issued thereunder, is prohibited.

EIGHTH: That Respondent, Goldisc Recordings, Inc., was issued a State Pollutant Discharge Elimination System (SPDES) Permit (Facility 10 No. NY 0075850) pursuant to Article 17 of the NYSFCL, which SPDES Permit became effective on February 24, 1975 and remains in effect through February 24, 1980.

NINTH: That the SPDES Permit issued to Respondent, Goldisc Recordings, Inc., provides in part a permission for the discharge of cooling water, but no permission for the discharge of other industrial wastes.

TENTH: That on information and belief, on November 9, 1978, November 13, 1979, December 12, 1979, December 13, 1979, December 19, 1979 and January 8, 1979, Respondent, Goldisc Recordings, Inc.

discharged industrial waste from point sources without first having obtained a valid SPDES Permit therefor, in violation of Sections 17-0505 and 17-0701 of the NYSECL.

ELEVENTH: That on information and belief, on the dates above mentioned in paragraph Tenth, Respondent, Goldisc Recordings, Inc., discharged industrial waste from point sources in violation of effluent standards in 6 NYCRR 703.6 which sets forth the lawful levels of discharge of various contaminants, and therefore, in violations of Sections 17-0511 and 17-0807 of the NYSECL.

WHEREFORE, Complainant demands a finding of violations against the Respondent, and that a penalty in the sum of Twenty Thousand (\$20,000) Dollars be issued against the Respondent, and that Respondent be enjoined from continued discharge in violation of Article 17 of the NYSECL and the Rules and Regulations promulgated thereunder, and for such other and further relief as may be proper in the circumstances herein.

Yours, etc.

JOAN B. SCHERB
Regional Attorney - Region One
N.Y.S. Dept. Environmental Conser.
Bldg. 40, S.U.N.Y., Stony Brook
New York 11794

INTER-OFFICE MEMORANDUM
DEPARTMENT OF ENVIRONMENTAL CONTROL

TO: FOR THE RECORD

DATE: Jan. 3, 1979

FROM: R. Olsen

SUBJECT: Goldisc Recordings, Inc.
Broadway Avenue & Veterans Mem. Hwy.
Holbrook

On Dec. 28, 1978 a meeting was held at Goldisc between Jan Persson and myself. The purpose of the meeting was to determine what steps had been taken to correct conditions that existed in contravention of state statutes. The following were noted:

1. The two leaching pools in the driveway that contained plating wastes had been pumped, the bottoms excavated and backfilled and the sides peeled. This was done as per our request. I made a visual inspection of both pools and found that the work had been done. I also noted that there were no house connections to either pool. I also noted a greenish residue packed into the crevices of both pools. Mr. Persson explained that this residue could not be removed without complete excavation of both pools.
2. The areas in the woods that had been used for waste oil dumping and plating residue dumping would be excavated. Bids for the work had already been let for the work.
3. The cooling water discharges would be rectified. Mr. Persson stated that an engineer had already been retained to develop a recirculation system for the cooling water. Mr. Persson did not know the name of the engineer, who had been retained. It was also stated that at least one more sump would be constructed to augment the existing sump for cooling water discharge. It was also stated that the existing sump would be rehabilitated as soon as possible.

After the meeting, a walk around Goldisc with Mr. Persson⁴ was conducted. The following are observations made during the walk-around:


100113

Jan. 3, 1979

1. A large area of the driveway was covered with a highly refined oil. The oil had pooled in depressions that existed in the pavement. A large plume of oil was also noted emanating from the hydraulic oil holding tank,
2. Two 35 gal. pails of waste oil were stored in the rear of the building alongside a free flowing discharge from the building. Neither pail was covered and both pails were overfilled. It was noted that some of this oil had already entered the discharge and was flowing into a storm drain in the driveway behind the building.

I instructed Mr. Persson to clean up the spilled oil, remove the two pails and explained the proper procedure for waste oil disposal.

R. Olsen
RO/rt



100114

INTER-OFFICE MEMORANDUM
DEPARTMENT OF ENVIRONMENTAL CONTROL

TO: FOR THE RECORD

DATE: Jan. 5, 1979

FROM: R. Olsen

SUBJECT: Goldisc Recordings, Inc.
Broadway Avenue & Veterans Mem. Hwy.
Holbrook

On Jan. 2, 1979 a special sampling run was conducted at the cooling water discharge sump at Goldisc. Since Goldisc had been shut down for 4 days for the holiday, the water level in the sump had dropped and the clarity had increased enough so a close inspection of the sump's bottom could be made. The following are observations that were made at that time.

1. Two large pipes entered the sump on the west side approx. 2' above the sump's bottom. One of the two was actively discharging a stream of whitish liquid. This discharge was sampled. These two pipes could be those mentioned by Jan Persson, Goldisc's Maintenance Supervisor, as being connected to a floor drain system. They are also probably part of the cooling water discharge system.
2. The sump's bottom was dark green. This coloration was part of the sediment and not caused by a plant growth. When the bottom was disturbed, the agent causing the coloration entered the water column and remained suspended for more than 15 minutes. On the east end of the sump there existed a large depression in the bottom. This depression contained a greenish-white slurry similar to that observed from the plating waste holding tank after a recent spill.

R. Olsen
RO/rt



100115

Goldisc Recordings, Inc.
725 Broadway Avenue
Holbrook
R. Olsen sampling discharge
from storm drain. The liquid
coming through the grated cover
was brown in color and so hot it
scalded on contact.
R. Olsen
1/8/79 - 3:10 p.m.



1-8-79 3:10 PM
Olsen/PM #1 Goldisc

SAME
The cooling lines discharging to
a vacant lot North of the building.
Note the accumulation of water and
the steam emanating from the surface
within the woods. It was estimated
previously that approx. 2 acres or
more of wooded land has already been
inundated by this discharge.
R. Olsen
1/8/79 - 3:15 p.m.



1-8-79 3:15 PM
Olsen/PM #2 Goldisc

M E M O R A N D U M

TO: Joan B. Scherb
FROM: Albert Machlin
SUBJECT: REQUEST FOR LEGAL ACTION - Goldisc Recordings, Inc.
725 Broadway
DATE: January 15, 1979 Holbrook, New York 11741

Attached please find data supporting a request for legal action. This Office recommends that appropriate legal action be initiated.

Regarding the scheduling of enforcement action:

This case is of high priority due to potential impact of continuing discharge or enforcement posture, and should be expedited relative to other pending actions.

This case is of moderate priority, and excessive delays should be avoided relative to other pending actions.

This case is of normal priority, and does not require special consideration relative to other pending actions.

Recommended for
Legal Action: Andrew R. Yerman
Andrew R. Yerman, P.E.
Associate Sanitary Engineer

Endorsed By: Albert Machlin
Albert Machlin, P.E.
Regional Engineer for
Environmental Quality

AM/ef
Attachments

cc: A. Yerman
Agency SCDEC
L. Peterec
A. Machlin

100117

DATE: 1/15/79
FIRM: Goldisc Recordings, Inc.
RESPONSIBLE OFFICER: Mr. Richard Meixner, Pres.
ADDRESS: Mr. Richard Meixner, President
725 Broadway
Holbrook, NY 11741

1. Specific violations: Between July and November 1978, discharge of (Approximately 1,000-2,000 gallons) plating wastes to ground-water (via yard and storm drain) in violation of ECL 17-0501.

2. Background information: Records of Hold & Haul do not verify compliance with permit requirement to collect and ship all toxic waste

Numerous inspection reports documents attached - noting puddles and spills on ground and in adjoining wooded area (Hoses in evidence; lab analysis; photos. See Lab analysis of yard samples: Nov. 9, 13 and December 12, 13, 19, 1978 and Jan. 4, 1979

3. Facts describing respondent's cooperation or lack thereof: Property showed puddles, colored liquids, over-filling of tanks, some cleanup upon request was done.


4. Other proceedings, if any involving respondent

5. Recommendations:
Compliance Conference: Hearing Priority High
Fine \$ 25,000 Performance Bond \$ 10,000 (?)
Other Penalty
Consent Order Terms: a) Performance Bond and/or fine
b) Clean up site
c) Install suitable storage equipment for toxic materials to prevent losses from spills
d) Keep records of scavenger pick-ups by collector

6. Other Comments: Evidence of intentional discharges warrants a large fine. Request SCDEC to attend pre-conference briefing.

Ed. Snyder
2/28/79

New York State Department of Environmental Conservation
Building 40 - State University of New York
Stony Brook, New York 11794
(516) 751-7900



Robert F. Flacke
Commissioner

May 11, 1979

Goldisc Recording, Inc.
725 Broadway
Holbrook, New York 11741

Attention: Mr. Richard Meixner, President


Dear Mr. Meixner:

Records of this Department indicate that you are in violation of Section 17-0501 of the Environmental Conservation Law of the State of New York, in that you caused or permitted to be caused, the discharge of approximately 1,000 to 2,000 gallons of plating wastes to the groundwater between July and September of 1978.

In view of the foregoing, you are hereby requested to appear at this office on Friday, June 1, 1979 at ten a.m., in order that we may further discuss this matter.

If for any reason, you cannot appear on the aforementioned date or time, please contact this office immediately.

Very truly yours,


JOHN B. SCHERB
Regional Attorney

JBS:cm
cc: R. Gilbert - SCDHS
T. Snyder

1770-1-1-10 6/15/79

100119

APPENDIX A

For the past 2 years, after correcting many violations, Goldisc Recordings has operated as a hold and haul industry. They accumulated waste in drums from their plating operation and had a NYSDEC licensed scavenger haul away approximately 1300 gallons at one time.

From inspections conducted on 9/21/76, 12/1/76, 3/10/77, 6/9/77, 8/23/77, 1/4/78, 6/5/78, 8/22/78 and 11/15/78, we ascertained that Goldisc had scavenged drummed waste on the following dates in the following amounts:

6/28/76	1300 gal.
8/24/76	1300 gal.
9/30/76	1300 gal.
10/20/76	1300 gal.
Receipt for 11/76 pickup lost	
12/1/76	1300 gal.
1/7/77	1300 gal.
1/14/77	1300 gal.
2/17/77	1300 gal.
3/16/77	1300 gal.
4/5/77	1300 gal.
5/17/77	1300 gal.
6/20/77	1300 gal.
7/20/77	1300 gal.
8/9/77	1300 gal.
9/8/77	1300 gal.
10/6/77	1300 gal.
11/4/77	1300 gal.
5/3/78	1200 gal.
5/16/78	1200 gal.
5/26/78	1200 gal.
6/2/78	1300 gal.
6/5/78	1300 gal.
6/15/78	1300 gal.
7/14/78	1300 gal.

As can be seen, Goldisc has been averaging a 1300 gallon pickup 1½ to 2 times per month and sometimes more. Because of the potential problems and hazards associated with their outdoor drum storage of waste, a 1000 gallon holding bank (above ground) was installed outside between 6/5/78 and 8/22/78. However, 9/14/78 is the only date a recorded pickup from that tank was made, and the maximum volume of that pickup could be only 1000 gallons. In conclusion, between 7/14/78 and 11/13/78 only one 1000 gallon pickup is recorded when ordinarily between 4 and 8 1300 gallon pickups would have occurred.

During an inspection on 11/17/78, it was ascertained from the firm's bookkeeper that Goldisc has been operating 3 shifts, around the clock, for at least the last year and, although Dave White of Goldisc indicated he had fixed many of the leaks in the plating room contributing to waste volume, on 11/17/78 leaks were observed by R. Gilbert and R. Olsen. There was no evidence on which to rely to indicate a severely curtailed waste usage. It is our conclusion that several thousand gallons of waste produced between 7/14/78 and 11/13/78 was disposed of by means other than through a licensed scavenger.

Evidence obtained by Bob Olsen of discharges of industrial waste in violation of this SPDES permit:

1. 11/9/78 - Green puddle in driveway on N/side of plant noted and sampled. Analyses showed contamination. The 1000 gal. tank was less than 1/3 full as of this date.
2. 11/9/78 - A leak from a valve at bottom of this tank was noted onto the surface of the ground.
3. 11/13/78 - A leaching pool and dry well located in driveway near puddle was sampled and industrial wastes were found.
4. 11/10/78 - Discarded fire hoses observed at rear of property which hoses were encrusted w/ a green sludgy material similar in appearance to nickel plating sludge.
5. 11/13/78 - Overflow from holding tank top observed, sampled, and photographed. (Note: This holding tank went from 1/3 full on 11/10/78 to overflowing 3 days later with no records of pickups).
6. 11/9/78 - Bob Olsen noted areas of oil dumping and apparent sludge dumping in woods behind rear of plant.

Verbal requests for cleanup resulted in a mysterious disappearance of sludge in the woods and the placing of sand over the puddle in the driveway and no believable explanation was given for the presence of these items in the first place.

100121

recordings, inc.

Broadway Ave. and Veterans Hwy., Holbrook, N.Y. 11741 Phone 212-895-6575 TWX 510-228-7708

June 18, 1979

Mr. Steven Costa
Suffolk County Department of
Environmental Control
65 Jetson Lane
Hauppauge, N.Y. 11787

Dear Mr. Costa:

Before I submit to you our recent changes in our Hold and Haul System, to abide by the permit standards in a more efficient way, and our proposed ideas to insure of a zero goal of pollutants discharging from our premises, I would like to thank your office for the concern and help that your representatives have given me in these past months.

First of all, in the summer of 1978, we installed a 1000 gallon holding tank for plating wastes, to replace the 55 gallon drums previously used since 1975. This system was later improved upon again this winter by the addition of another 1000 gallon tank, used as an auxiliary back up in the event that there might be a delay with the scavenger pick up. These tanks are piped together in an enclosed loop to ensure prevention of any discharge of waste leaving our premises. Steps have been taken to insure the safety and efficiency of the system by first, installing separate heating systems, for winter pick ups, installation of a high level alarm light, located inside of the plating area in view of the sump discharge pump. This will indicate when the primary tank is near full capacity. And third, the sump is inspected daily, on a routine maintenance basis. When the sump requires pumping, the outside storage area is monitored until completion of pumping.

Our internal improvements have consisted of repairing and replacing worn and broken pumps, pipe lines and all parts that would contribute to any uncontrollable waste. We are in the process of routing our Silver Spray filter drain connection to the plating sump pit. The installation of individual rinse sprays at each Nickel tank are near completed. This will now contain all washoff at and back in the Nickel plating tanks.



Suffolk County Dept. of
Environmental Control

I am currently involved with Dubois Chemical Corporation in a joint program of collection and in house treatment of any rinse water before it can leave our plant. Basically, it is a Flocculate Program using Anionic Flocculant.

On a smaller scale, but just as important as safety is concerned, we're constructing a curb at the plating area exit door to contain any waste discharge in the event of an inside accident.

As you may be aware of, we are in the middle of enlarging our outside sump area for cooling water collection back to ground water. The existing capacity of the sump cannot keep up with our company's growth. I have contracted Deluge Contracting to give us another 2000 square feet of collecting area and also clean up the existing sump. They have received from me a copy of the Town of Islip Engineering Divisions Construction Standards from our enlargement project. Any and all debris or contamination that was reported to me by your office concerning the area north of our plant, has been cleaned up by the contractor mentioned above. To add finishing touches to our outside project, I have acquired some strong, young pine trees to be landscaped in this northern area.

If there are any questions, I am available anytime.

Respectfully yours,

Jan Persson
Plant Maintenance Dept. Mgr.

JP:sg

DEPARTMENT OF HEALTH SERVICES

INTEROFFICE MEMORANDUM

DEC 3 1979
DIV. OF ENVIRONMENTAL HEALTH SERVICES
P.D.E.S. PERMIT SECTION

To: George K. Hansen, P.E., Chief PDES Permit Section - NYSDEC
Date: Nov. 28, 1979
From: Otto J. Reneberg, P.E.
Subject: Goldisc Recordings, Inc./Electrosound Group, Inc.
725 Broadway Avenue
Holbrook
(T/Islip, C/Suffolk)

Transmitted herewith for your processing is a SPDES permit renewal application for the subject industry. Also transmitted is a fee check and a draft SPDES permit, as suggested by this section. The following findings and comments are presented for your consideration in conjunction with this renewal application:

Findings and Comments:

1. The subject industry is currently operating under SPDES Permit No. NY 0075850 with an expiration date of Feb. 24, 1980.
 - a. Since the effective date of this permit (i.e. Feb. 24, 1975), two modifications have been incorporated into the permit with respective dates of September 22, 1975 and September 12, 1978.
2. On June 15, 1979 a compliance conference was held at Region I offices to resolve previous and possibly future permit violations. The result of this conference was a draft consent order (i.e. File No. 1-0374) which was forwarded on June 26, 1979 for signature by the respondent. As of Oct. 22, 1979 a signed consent order had not been received, and a formal hearing or a re-opening of the compliance conference was recommended by this section in the near future.
 - a. The consent order included, but was not limited to, a penalty, construction of berms around the openings to the building, reconstruction of rinse drains so that there would be no discharge from these drains, plus the furnishing of an engineering report detailing what work must be completed in order to meet groundwater standards for discharge.

DEC 11 1979

S.C. DEPT. OF
HEALTH SERVICES

100124

Nov. 28, 1979

- b. A recent inspection (i.e. Oct. 11, 1979) revealed that an attempt has been made to comply with the construction of the required berming and reconstruction of the rinse drains as indicated in the consent order, but is not sufficient to meet the requirements of the order.
3. The outfall location site plan that was included with the application is commented on herewith since there are many inconsistencies shown thereon.
 - a. Outfall A "Former Industrial Waste Cesspools" currently indicated as being used as a "hold and haul" was supposedly to be disconnected and filled in, a condition stated in the initial effluent limitations of the original permit
 - b. Outfall nos. 002, 003, 004, 005 and 006, which are indicated as sanitary waste systems only are not only used for sanitary waste disposal. Extensive field inspection work done in the past has revealed that some of these leaching facilities are storm water leaching/cesspools with grating tops wherein industrial type wastes have been found; particularly from surface type discharges on the west side of the building.
 - c. An existing 1000+ gallon above grade industrial waste holding tank facility located on the west side of the building has not been shown or included.
4. The engineering report that was to be submitted by June 30, 1979 (i.e. according to consent order) has not been received as of this date. It is important that this document be submitted and approved in order to resolve any and all differences prior to proceeding with any new or re-construction.
5. In light of the above findings and comments, it is suggested that the results of a formal hearing or a re-opened compliance conference be incorporated into the schedule of compliance of subject permit renewal.

Otto J. Reneberg
Otto J. Reneberg, P.E.
OJR/rt
Encl.

DEC 11 1979

S.C. DEPT. OF
HEALTH SERVICES

100125

STATE OF NEW YORK
DEPARTMENT OF ENVIRONMENTAL CONSERVATION

..... X
In the Matter of the Alleged Violation of :
Article 17 of the Environmental Conservation : ORDER ON CONSENT
Law of the State of New York, by :
 : File No. 1-0374
GOLDISC RECORDING, INC. :
 :
(Suffolk County) Respondent :
..... X

WHEREAS, this Department has documented instances of Respondent discharging industrial wastes to the groundwater, a violation of Section 17-0807 and of Respondent making an outlet for the discharge of industrial wastes into the water of the State without the requisite State Pollutant Discharge Elimination System (SPDES) Permit, a violation of Section 17-1701; and

WHEREAS, Respondent has affirmatively waived its right to a public hearing in this matter in the manner provided by law and having consented to the entering and issuing of this Order, pursuant to the terms and provisions of Article 17 of the Environmental Conservation Law of the State of New York and agrees to be bound by the terms and conditions contained therein;

NOW, having considered this matter and being duly advised, it is

ORDERED, that with respect to the aforesaid violation, there is hereby imposed upon Respondent, a penalty, payable to this Department upon execution of this Order, in the sum of One Thousand (\$1,000.00) Dollars; and it is further

ORDERED, that Respondent shall strictly comply with the terms and conditions outlined in the Compliance Schedule, known as Schedule A, attached hereto and made a part hereof; and it is further

ORDERED, that in those instances in which the Respondent desires that any of the provisions, terms or conditions of this Order be changed, it shall make written application, setting forth the grounds for the relief sought, to the Commissioner, c/o Joan B. Scherb, Regional Attorney, Building 40, State University of New York, Stony Brook, New York 11794; and it is further

ORDERED, that any change in this Order shall not be made or become effective, except as specifically set forth by written order of the Commissioner, such written order being made either upon written application of the Respondent, or upon the Commissioner's own findings; and it is further

ORDERED, that the provisions, terms and conditions of this Order shall be deemed to bind Respondent, its successors and assigns, and all persons,

firms and corporations acting under or for it, including, but not limited to those who may carry on any or all of the operations now being conducted by Respondent, whether at the present location or at any other location in the State of New York, or who shall have any interest, financial or otherwise in the conduct of such operations.

Dated: Albany, N. Y.
1980

ROBERT F. FLACKE
Commissioner of Environmental Conservation


By 
DONALD J. MIDDLETON
Regional Director

To: GOLDISC RECORDING, INC.
725 Broadway
Holbrook, New York 11741
Att: Mr. Richard Meixner, President

CONSENT BY RESPONDENT

Respondent acknowledges the authority and jurisdiction of the Commissioner of Environmental Conservation of the State of New York to issue the foregoing Order, waives public hearing or other proceedings in this matter, accepts the terms and conditions set forth in the Order, and consents to the issuance thereof.


GOLDISC RECORDING, INC.

By 

STATE OF NEW YORK)
ss.:
COUNTY OF SUFFOLK)

On the 28 day of March, 1980, before me personally came John Finnegan to me known, who being duly sworn, deposed and said that he resides at 83 Fuller Ave Islip NY that he is the Vice President of Respondent Corporation, and that he signed his name as authorized by said corporation with full authority so to do.

JAMES J. McHUGH
NOTARY PUBLIC, State of New York
No. 52-4620773
Qualified in Suffolk County
Commission Expires March 30, 1987


NOTARY PUBLIC

MEMORANDUM

TO: James C. Maloney, P. E.
FROM: John V. Soderberg, P. E.
DATE: May 29, 1980
RE: Gold Disc Records, Bohemia, NY

On May 28th, 1980 at the request of Commissioner Harris, the writer met with Mr. William Larkin of the Holbrook Fire Department (a full-time employee of Health Services Department) and with Legislator Wehrenberg at the above site.

Apparently Mr. Larkin, in his duties as a volunteer fireman, was called out on May 17th to put out a brush fire behind the subject firm.

According to Mr. Larkin, the brush fire "ignited" a swamplike area behind the firm and Mr. Larkin informs me further that the vegetation in this area was dead before the fire occurred.

Additionally, the Chief of the Bayport Fire Department became ill after wading in this swampy area without benefit of protective boots. (His injuries were described to me as acid burn type.)

While there I did note the discharge of what appeared to be clear water into this swampy area from an underground discharge pipe. I checked with Mr. Reneberg of the Water Pollution Section who assured me that they were fully aware of this matter. Our section has no file on this firm (probably because there were no air emissions) and I have asked Mr. Randall to perform an inspection as soon as possible.

I informed Mr. Davids of these results and later that same afternoon Mr. Roberts.

JVS:mew
CC: Jim Pim
Frank Randall

100128

COUNTY OF SUFFOLK



DEPARTMENT OF HEALTH SERVICES

June 17, 1980

Goldisc Recordings, Inc.
1 Goldisc Road
Holbrook, New York 11741

Attention: Jan Persson, Maintenance Manager

Gentlemen:

This letter is in reference to an inspection made by Ms. Valerie Bogacki of this office on June 4, 1980.

In that regard, it was noted that your firm operates the following sources of air contamination:

Sanding Exhaust
Nickel Sulfamate Plating Exhaust
Spray Booth Exhaust.

Enclosed, therefore, please find three forms 6-19-3 with instructions and worksheet. Please complete these forms as per the instructions and return them to this office within thirty days for approval.

Lastly, be advised that satisfying State filing requirements fulfills those of Suffolk County as well. If you have any questions, please feel free to contact me for assistance.

Very truly yours,

John V. Soderberg, P. E.
Senior Public Health Engineer

JVS:mew

Encs.

cc: Dr. M. Zaki

T. J. [unclear] 6/18/80

NAME OF FACILITY		OWNER/OFFICER	
COMPANY NAME <u>Goldstein Recording</u>		CONTACT	
PLANT ADDRESS <u>Broadway Ave.</u>		VILLAGE <u>Bohemia</u>	TOWN <u>Islip</u>
MAILING ADDRESS		ZIP	
DATE <u>28 May 1980</u>	TIME <u>4:30</u>	ORIG. _____ PERIODIC _____ RE. <input checked="" type="checkbox"/>	WASTE _____ NO WASTE _____ H.H.F. <input checked="" type="checkbox"/>

INDUSTRIAL PROCESS: Mixing + packing records

SPDES OR NPDES PERMIT? YES. _____ NO. PERMIT NO. _____

360 PERMIT? _____ YES. _____ NO. PERMIT NO. _____

SCAVENGER _____ TEL. _____

SCAVENGER APPROVED. _____ YES. _____ NO. PICK UP RECORDS AVAILABLE. _____ YES. _____ NO. RECORDS CONSISTENT WITH EXPECTED WASTE GENERATION. _____ YES. _____ NO.

STORAGE CAPACITY: WASTE MATERIALS. _____ RAW MATERIALS. _____

VOLUME ON SITE: WASTE MATERIALS. _____ RAW MATERIALS. _____


STORAGE FACILITIES: ENCLOSED _____ DIKED _____ CHEMICAL RESISTANT PAD _____ FLOOR DRAINS _____ STRUCTURALLY LEAK TIGHT _____

PROCESS	DISCHARGE	DISCHARGED TO	DISCHARGE POINT
---------	-----------	---------------	-----------------

1. Disposed 8" pipe discharging to ground on the corner.
2. A Goldie.
3. Apparently blowing liquid is from cooling water from _____
4. _____
5. Discharge from block to ground down thru pipe then into ground. Before block drains also over flows into this system.

Took samples 28004, 28005, 28006, 28007.

Fire at 17 May 1980 approx 1 PM.



100130

File #1 ✓
/HA ✓
Crandall, BP&C
Adamczyk, BIP

Effective Date (EDP) : EDP (6/1/81)
Expiration Date (ExDP) : EDP + 5 Yrs. (6/1/86)

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION
STATE POLLUTANT DISCHARGE ELIMINATION SYSTEM (SPDES)
DISCHARGE PERMIT

Special Conditions
(Part I)

This SPDES permit is issued in compliance with Title 8 of Article 17 of the Environmental Conservation Law of New York State and in compliance with the Clean Water Act, as amended, (33 U.S.C. §1251 et. seq.) (hereinafter referred to as "the Act").

Permittee Name: GOLDISC RECORDINGS, INC./ELECTRO SOUND GROUP, INC.
ATTN: JAN B. PERSSON

Permittee Street: 725 Broadway Avenue

Permittee City: Holbrook State: New York Zip Code: 11741

Is authorized to discharge from the facility described below:

Facility Name: Goldisc Recordings, Inc.

Facility Location (C,T,V): Islip County: Suffolk

Facility Mailing Address (Street): 725 Broadway Avenue (NE Corner of Broadway Avenue & Veterans Memorial Highway Intersection)

Facility Mailing Address (City): Holbrook State: New York Zip Code: 11741

Into receiving waters known as: Groundwater (Class GA)

In accordance with the effluent limitations, monitoring requirements and other conditions set forth in this permit.

This permit and the authorization to discharge shall expire on midnight of the expiration date shown above and the permittee shall not discharge after the expiration date unless this permit has been renewed, or extended pursuant to law. To be authorized to discharge beyond the expiration date, the permittee shall apply for permit renewal as prescribed by Sections 17-0803 and 17-0804 of the Environmental Conservation Law and Parts 621, 752, and 755 of the Departments' rules and regulations.

Authority of George K. Hansen, P.E., Chief, P.D.E.S. Permit Section
Designated Representative of Commissioner of the
Department of Environmental Conservation

MAY 4 1981

Date

George K. Hansen
Signature

REQUIRED EFFLUENT LIMITATIONS AND MONITORING REQUIREMENTS

During the period beginning EDP (6/1/81) and lasting until EDP + 5 yrs.(6/1/86) the discharges from the permitted facility shall be limited and monitored by the permittee as specified below:

Outfall Number	Effluent Parameter	Discharge Limitations				Monitoring Reqmts.	
		kg/day (lbs/day)	Other Units (Specify)	Measurement	Sample	Frequency	Type
		Daily Avg.	Daily Max.	Daily Avg.	Daily Max.		
001	INDUSTRIAL WASTE HOLDING TANKS - Records of Removal shall be kept and submitted periodically. (One below grade and two above grade.)						
002	NON-CONTACT COOLING WATER RECHARGE FACILITY (i.e. Recharge Basin)					Monthly	Composit.
"	COOLING WATER ONLY - No chemical addition to exceed groundwater standards.						
"	FLOW			360,000 gpd	Contin.	Recdg.	
003, 004, 005, 006 & 007	SANITARY WASTE DISPOSAL SYSTEMS (5)						

IMPORTANT: Information indicated below is tentative; final limitations and requirements are dependent on approvable engineering report.

001 INDUSTRIAL WASTE HOLDING TANKS - Records of Removal shall be kept and submitted periodically. (One below grade and two above grade.)

002 NON-CONTACT COOLING WATER RECHARGE FACILITY (i.e. Recharge Basin)

" COOLING WATER ONLY - No chemical addition to exceed groundwater standards.

" FLOW 360,000 gpd Contin. Recdg.

003, 004, 005, 006 & 007 SANITARY WASTE DISPOSAL SYSTEMS (5)

- NOTES:
- In general, there shall be no discharge of industrial waste to either surface or groundwaters except as permitted herein. Specifically, no industrial discharge permitted into the sanitary waste disposal systems or into the cooling water recharge system; nor into any existing storm water drainage disposal systems inclusive of dry wells.
 - All industrial wastes to be removed from the site, including industrial wastes from the I.W. holding tank designated as Outfall No. 001, shall be properly stored and maintained in a spill prevention and protected area for periodic removal of an authorized industrial waste scavenger to an approved industrial waste disposal area or reclamation facility.
 - The permittee shall include as part of his Discharge Monitoring Report the following scavenger waste removal information:
 - Date of each waste collection/removal
 - Description and volume of waste removed
 - Method of waste removal (i.e. tank truck, drums and/or other)
 - Name, address and registration number of the authorized scavenger and
 - Destination of the removed wastes.

The pH shall not be less than 6.5 standard units nor greater than 8.5 standard units and shall be monitored as follows: cooling water only - before discharge to recharge basin.

Samples taken in compliance with the monitoring requirements specified above shall be taken at the following location(s):

The daily average discharge is the total discharge by weight or in other appropriate units as specified herein, during a calendar month divided by the number of days in the month that the production or commercial facility was operating. Where less than daily sampling is required by this permit, the daily average discharge shall be determined by the summation of all the measured daily discharges in appropriate units as specified herein divided by the number of days during the calendar month when the measurements were made.

The daily maximum discharge means the total discharge by weight or in other appropriate unit as specified herein, during any calendar day.

GOLD DISC

Chronology

5-26-81 - inspection for unreported spill ~~and~~ from drum (chem) area - transformer still leaking.

5-27-81 - sample procured from storm drain involved in spill (2ROS-24).

5-28-81 - find 12 qt of oil in SC#3.

6-1-81 - Jim Miller from MPC. calls concerning oil in Gold Disc's sanitary system

6-2-81 - AM - interview Andriola from Andriola's Cesspool Service - relates how Gold Disc had called previous Friday and Sat. for clean out of affected systems - refused due to presence of oil in system.

PM - inspect with Personn find 2 qt of oil in Gold Disc sanitary system. Personn and Finnegan notified to clean out.

6-2-81 - with Personn - observe puddle^{of oil} on and around covers - find floating oil in 2 storm drains. - call Levine regarding required action - requests official

100133


notification -

7-13-81 - observe 1 qt oil in bold
Disc - sanitary system - thiel all pools
kind - 8' of oil in SC#3 with no water
(paste test) - storm drains effected on
7-2-81 now dry, sides heavily oil stained -
observe oil exuding from drum - 2 photos -
Finnegan informed and present - Mr F.
wants to know what happened to
official notification.


7-14-81 - no corrective action taken
to date.

Photos - Gold Disc.

05-26-81




← Photo depicts stain resulting from most recent unreported spill from above company. Spill, according to Mr. Jew Person, resulted from worker turning over a rain filled nickel barrel accidentally. barrel was located in fenced in area. According to Mr. Person, most of spill was picked up with speedy dry, rest went into storm drain in photo foreground.




Photo's Gold Disc

05-26-81

#1



← Photo depicts leaking power supply transformer for Gold Disc. Repairs still had not been effected even after repeated notification to Jan Person, maintenance supervisor for Gold Disc.



← waste drum and chemical container area for Gold Disc. This is the area from which the most recent spill occurred.

100136

Food and Medicine

REQUEST TO QUALITY CONTROL LABORATORY

DATE

6-3-81

DIRECTED TO:

- CHEMISTRY LABORATORY
 METALLURGY LABORATORY
 RADIOGRAPHY LABORATORY
 SPECTROSCOPY LABORATORY
 TILT LABORATORY

PART NAME: Sewage & Oil - Gold Disc Recording

PART NUMBER:

TYPE OF MATERIAL:

RECEIVING REPORT NO.	PURCHASE ORDER NUMBER CTR-780-5022	ROUTE CARD NO.	JOB NUMBER 1906-901-121	QUANTITY	BATCH/HEAT NO.
ITEM NUMBER	SPECIFICATION	SERIAL NUMBER		BIN NUMBER	

SELLER OR DEPARTMENT: Marine Pollution Control Inc

- TYPE OF TEST OR ANALYSIS REQUIRED
- | | |
|--------|--------------------------------------|
| 1. PCB | 6. Flash point |
| 2. Zn | 7. Trichloroethylene |
| 3. Ag | 8. Total Dissolved Solids - added by |
| 4. Pb | 9. " Suspended " D. Miller |
| 5. VC | 10. Ph 6-8-81 |
| | 11. BTX |

REMARKS:

REQUESTED BY Join Conover	DEPARTMENT	PLANT EX 516-473 9132	O C LAB APPROVAL
------------------------------	------------	--------------------------	------------------

FINDINGS OR RESULTS:

XX

- REMARKS:
- | | |
|---------------------------------|--|
| 1. PCB = <1 ppm | 8. Total Dissolved Solids = * |
| 2. Zn = 108 ug/ml | 9. " Suspended " = * |
| 3. Ag = 2.6 ug/ml | 10. Ph = * |
| 4. Pb = 10.2 ug/ml | 11. BTX = * |
| 5. VC = * | |
| 6. Flash Point = None | * Test not suitable on a water/Oil mixture |
| 7. Trichloroethylene = 2200 ppb | |
| 1,1,1 Trichloroethane = 2600 | |
| Tetrachloroethylene = 930 | |
| Chloroform = 52 | |

W. Keigel 1/13/81 100137

APPROVED

Goldisc - 7-13-81



#1

#1 - photo depicts sample taken from bottom of SC3 this date with the chief. Sample was all oil with no water



#2

#2 - waste oil drums stored along west wall of Goldisc. 4 drum from foreground was overflowing. This condition was shown to Mr. Ferrigan.

100138

COUNTY OF SUFFOLK



PETER F. COHALAN
SUFFOLK COUNTY EXECUTIVE

DEPARTMENT OF HEALTH SERVICES

July 31, 1981

Mr. Jan Persson, Plant Maintenance Mgr.
Goldisc Recording Inc.
725 Broadway Avenue
Holbrook, N. Y. 11741

Dear Mr. Persson:

This letter is to inform you that during our routine surveillance activities of industrial facilities operating within Suffolk County, a plant inspection was conducted by a representative from this office on May 26, 1981.

During the inspection and several subsequent reinspections, it was observed that the leaching pools and storm drains located in vicinity of your drum storage area contained significant quantities of oil. This unsatisfactory condition constitutes violations of the N. Y. S. Environmental Conservation Law, as well as Article 12 of the Suffolk County Sanitary Code. Since this appears to be an ongoing practice, this office can no longer tolerate your continued disregard for existing statutes promulgated to reduce ground-water contamination. Therefore, you are requested to immediately cease all waste oil discharges to any leaching pool or to the surface of the ground.

Based on these observations, this office requests that not only the hazardous and toxic liquids be removed from the leaching pools and storm drains, but also that the sides and bottom of the pools be scraped clean of contaminated residue. This work must be accomplished by a licensed industrial waste scavenger licensed by the State of New York. Kindly notify this department three working days in advance of the clean-up date so that one of our representatives may be present.


Please be advised that this matter is being reviewed for possible litigation. Notification as to your intent in resolving this, and the prevention

(Continued.....)

of future illegal discharges, is expected within ten days.

Your prompt attention to this problem is appreciated.

Very truly yours,



D. C. Gobbi
Environmental Pollution Control

DCG:ets

*D.C.
Snider
Apr 75 11:29 AM*

100141

To: File
From: D. Gobbi

3/19/81

SUBJECT: Goldisc Recordings Inc
Holdback

Met with Plant Engineer Jim Persson at 9:15 AM to discuss company's position in resolving problems concerning unpermitted discharges or containment by 2 white tank trucking pools located on premises.

During our consultation he explained that he had contacted the hazardous waste disposal company (HWC) and that they are in a hurry to get the waste to the permitted area due to the fact that the white tank trucking pools. However, a firm commitment from either company has not been received. He further stated that the landlord representative Leslie Leone is arranging to have required site wells installed.

Mr. Persson was informed that this office would no longer tolerate further delays in having containment and residue removed from trucking pools located on property of company without a clean storage tank. Before concluding our discussion.

over

100142

he was requested to have removal procedure commence within 5 working days & to keep our office apprised of his progress.

2/20/81
DS

Mr. Pearson telephoned to inform me that a proposal was submitted for review by Chemical Dept to have liquid waste removed from the leaching pools & stored in a tank truck & drums pending its disposal.

2/20/81
DS

Mr. Pearson called to indicate that proposal was approved & that removal operations are expected to begin on Tuesday, 2/22/81. (estimated liquid & waste)

2/22/81
DS

Arrived at Goldisc this morning (10:30 AM) and observed that a large tank truck was positioned on the alley way west of building, however, no work was in progress. Mr. Pearson advised that 21 employees Chem. Dept. personnel would return so that pumping of pools could be accomplished.

Arrived to site at 1:30 PM and witnessed the pumping of liquid waste from pools numbered 8 & 9 on site plan. Pool number 10 was also scheduled to be pumped. Estimated total sludge is expected to be removed from today on 2/22/81. (approximate volume - 1000 gal)

100143

Goldisc.

Continuation Sheet

8/26/81

D6

5:15 - 4:10 PM

Visited site today with Joseph Pappa to evaluate clean-up procedure. Sanitary & storm drains in question were pumped of contaminated liquid & residue and were stored in a 7000 gallon capacity tanker and 55 gallon drums pending proper disposal by R&M. Eleven of the 30 drums were filled with residue. Sides of pools were also cleaned at this time.

Tim Pappan telephoned to advise of a Department of Public Health inspection of this proposal for pumping pools at the Chester site & for the installation of required site work. He agreed to verify this office when clean-up is to begin.

100144

SUFFOLK COUNTY DEPARTMENT OF HEALTH SERVICES
 INDUSTRIAL WASTE AND HAZARDOUS MATERIALS CONTROL
 65 JETSON LA., P.O. BOX G, CENTRAL ISLIP, NY. 11722
 (516) 234-2622

NAME OF FACILITY <i>Goldisc</i>		OWNER/OFFICER		PAGE 1 OF <i>2</i>	
CONTACT NAME <i>Mr Finnegan</i>		CONTACT		TEL.	
STREET ADDRESS <i>Broadway & Vets</i>		VILLAGE <i>Holbrook</i>		TOWN <i>Islip</i>	
MAILING ADDRESS		ZIP			
DATE <i>8-6-81</i>	TIME <i>16⁰⁵</i>	ORIG. PERIODIC <input checked="" type="radio"/> RE	WASTE	NO WASTE <input checked="" type="radio"/> H&H	SEWAGE SYSTEM
				PUBLIC PRIVATE	

INDUSTRY		DES OR NPDES PERMIT?		YES	NO	PERMIT NO.	360 PERMIT?	YES	NO	PERMIT NO.
----------	--	----------------------	--	-----	----	------------	-------------	-----	----	------------

SCAVENGER APPROVED		YES	NO	PICK UP RECORDS AVAILABLE	YES	NO	RECORDS CONSISTENT WITH EXPECTED WASTE GENERATION	YES	NO
--------------------	--	-----	----	---------------------------	-----	----	---	-----	----

HEATING SYSTEM-MFG NAME		FUEL TYPE	FIRING RATE

INCIN. NAME		WASTE BURNED	RATE

DRUM STORAGE	YES	NO	NUMBER OF DRUMS STORED	TYPE OF MATERIAL STORED	WASTE	RAW	BOTH			
STORAGE	YES	NO	ABOVE GROUND	UNDER GROUND	BOTH	TYPE OF MATERIAL STORED	WASTE	RAW	BOTH	
WASTE TANKS	BEEN REGISTERED	YES	NO	CONDITION OF ABOVEGROUND TANKS	GOOD	FAIR	POOR	ANY ART. XII VIOLATIONS	YES	NO

On this date Mr. Finnegan and I inspected the area on the north-east side of the plant where the discharge of boiler blowdown, casement pumpout waters and other miscellaneous waters occurs to the ground surface in the woods. (first observed by Dave O'Leary) - the following are observations made at this time -

1- copious amounts of heated water were being discharged to the ground surface. This discharge was constant

PERMISSION IS GRANTED BY THIS FACILITY TO THE SUFFOLK COUNTY DEPARTMENT OF HEALTH SERVICES TO CONDUCT ROUTINE SAMPLING OF TAPS, STORMDRAINS, AND OTHER DISCHARGE POINTS AT THE FACILITY.

REINSPECTION SCHEDULED ON OR AFTER _____ FAILURE TO CORRECT UNSATISFACTORY CONDITIONS BY REINSPECTION DATE MAY RESULT IN A HEARING AND/OR FINE.

SIGN. OF PERSON REC. REPORT	TITLE	INSPECTOR
-----------------------------	-------	-----------

Goldisc

with little fluctuation in rate noted


2- The ground inundated from the discharge was covered with a like tar residue much like that formed when grease and oil come in contact with water.

3- The area inundated covered more than one acre. The ecology of the area had been extensively altered and the fauna flora had changed to a marsh type.

4- Mr. Finnegan stated that Mr. Person has intends to rewrite this discharge to the swamp sometime in the future

5- Permission to sample was obtained from Mr. Finnegan

6- The total scope of the problem cannot be comprehended from ground level. If it is deemed necessary to determine the area involved, aerial photos would be required.



INDUSTRIAL WASTE PROCESS

PROCESS	CHEMICALS USED AND APPROXIMATE QUANTITY	DISCHARGE	DISCHARGE TO
Indoor Tank Storage	Solid 1 lb. material	None	
Board Pressing	Oil, Heat, Cooling H ₂ O, Oil	None	
Off Set Printing, Plate Production	Press waste, Waste down, Residues	None	
Plating rooms	None, Pickle (Acid) etc. etc.	None	
(Nickel Sulfamate) Plating	None, H ₂ SO ₄ , Nickel, K ₂ Cr ₂ O ₇	None	
Indoor Drum Storage	None	None	
out door Tank Storage (oil)	7 125 gal, 1-750 gal tanks	None	
Machining room	Solvent cleaned indoor drums	None	
Ware house	None	None	
Boiler room	Indoor Drum stor 5 Drum Pick per Water	None	
Compressor room	(1 Drum oil) Compressor blow out	None	

AIR POLLUTION SOURCES

18-155:

PROCESS	CONTROL TYPE	EP'S	CHEMICALS OR PRODUCTS USED	AMOUNT CONSUM.	HOURS OF OPERA.	TYPE OF EMISSION
Plate Plating	None	0	None	None	None	None
Reburnd of waste (Voted for other new uses)	None	2	None in the way of waste	None	None	None

100147

goldisc recordings, inc.

Broadway Ave. and Veterans Hwy., Holbrook, N.Y. 11741 Phone 212-895-6575 TWX 510-228-7708

August 12, 1981

Mr. Bob Olsen
SUFFOLK COUNTY DEPARTMENT OF HEALTH SERVICES
65 Jetson Lane
Hauppauge, NY 11787

Dear Bob:

On May 26, 1981, Mr. Bob Olsen came down to our plant to inspect the pools and storm drains that were recorded as part of the Viewlex factory. The reason for this inspection was due to the fact that on May 1, 1981, Viewlex, Inc. had moved out of the building, and a large number of liquid waste drums had not been accounted for and were not at the new plant location of Viewlex, Inc. in Bellport. At Mr. Olsen's request, I showed him the inside of the vacant Viewlex building.

During the inspection of various pools and drains in the area, at least three were found to be contaminated. Two with solvents and acids, and one with oil. Even though Viewlex had used oil in their operations, it was stated to me that Goldisc was involved because we also use oil, and we did store drums of oil in the area of that pool.

Mr. Olsen then took samples of each of the pools to be analyzed later on, because of the chance that the pool with the oil in it might have been from our plant. I then contacted our normal cesspool people, and also the property landlord to notify him of the inspections both inside the Viewlex plant and the pools and drains in the area, and of the initial findings.

When Mr. Edward Andriola from Andriola's Cesspool Service came down, he gave me the number of Marine Pollution Control, Inc. who deal with oil spill recovery. I was told by Bob Olsen that the oil would have to be removed from the pool right away to avoid any further contamination.

Mr. Miller from Marine Pollution came down to us the following week. In the meantime, I called the N.Y.S. Environmental Office and also the State Department of Transportation, and informed them of the oil problem. When Mr. Miller came down, he took samples of the pool with oil in it and said it would go to Brookhaven for analysis before anything could be pumped out.

100148



goldisc
recordings, inc.

Broadway Ave. and Veterans Hwy., Holbrook, N.Y. 11741 Phone 212-895-6575 TWX 510-228-7708

- 2 -


He also mentioned that disposal site would have to be found. In the meantime, I contacted Jack Leibel from Chemical Management for an alternative route to dispose of the oil. He came down and said he will check with your office on the analysis results and get back to me about the pool.

On July 13, 1981, I received a report from Marine Pollution Control stating the other items found in the pool. A copy is enclosed. Items found inside were used in the operations at Viewlex. I did not receive a report from your office yet. From what I've been told, no one can do anything until an out-of-state disposal sight is found.

Since I've received this report, I've been checking every week with the scavengers for any word on disposal.

I was told on the phone yesterday by Marine Pollution that the only sight that might be available is in Carolina and it would have to be put in drums with sawdust and shipped as a solid. They will be getting back to me on estimated prices.

Very truly yours



Jan Persson
Plant Engineer

JP/bsp

Enclosure

100149



September 18, 1981

HAND DELIVER

Goldisc Recordings, Inc.
Broadway Ave. and Veterans Highway
Holbrook, New York 11741

Gentlemen:

The records of this office indicate that you have violated Articles V-B and 12 of the Suffolk County Sanitary Code in the following manner:

A. Article 12 - Violations alleged:

- (1). Section 1205(a)-unlawful discharge of toxic or hazardous materials.
 - (a). each and every day from May 27, 1981, to August 25, 1981, when oily material removed from affected leaching facility.
 - (b). on May 26, 1981, from spilled drum of nickel waste.
 - (c). on May 27, 1981, from nickel in a storm drain.
 - (d). on July 2, 1981, two violations from two drums overflowing oily materials.
- (2). Section 1207-storing toxic or hazardous materials without having applied for or received a permit to operate such a storage facility on May 26, 1981, May 27, 1981, and July 2, 1981.
- (3). Section 1217
 - (a). failure to timely report a leak or spill of toxic or hazardous materials on May 26, 1981.
- (4). Section 1215-improper storage of toxic or hazardous materials in portable containers on May 26, 1981, May 27, 1981, and July 2, 1981.

100150

September 18, 1981

B. Article V-B - Violations alleged:

- (1). Section 1(b) - the deposition and holding of offensive material so as to create a public nuisance or the discharge of offensive materials into the waters of the health district without a permit on each and every day from May 26, 1981, through August 25, 1981.
- (2). Section 1(c) - failure of a container for the storage of offensive material to completely confine said materials - two violations on July 2, 1981.
- (3). Section 2(a) - maintaining a private storage disposal system pipe or drain so as to discharge deleterious liquids on to the surface of the ground or so as to endanger any source or supply of drinking water on each and every day from May 26, 1981, through August 25, 1981.

In order to resolve the foregoing alleged violations, a preliminary hearing is being scheduled at this office on September 23, 1981, at 9:00 AM. You may appear at this hearing with or without counsel; you may produce witnesses and evidence, but no sworn testimony will be taken or recorded.

Please be advised that each violation of the Suffolk County Sanitary Code is punishable by a civil penalty not to exceed \$500 for each day or part thereof that such violation continues. Therefore, it would be in your best interest to appear at the preliminary hearing. A failure to appear will result in the scheduling of a formal hearing by the Department.

If you are unable to meet the above-mentioned scheduling requirements or if you have any questions regarding this proceeding, please do not hesitate to contact this office.

Very truly yours,

Roy Gilbert
Environmental Enforcement Services

RG/cc

100151

Exact corporate or other name of firm to be charged:

Goldisc Recording Inc / ELECTRO SOUND GROUP, INC

Principal officers of firm; partners if a partnership; owner:

N B. PERSSON (Plant Engineer) and Richard Meixner, President

Address of firm to be charged. Indicate address of alleged violating facility and main office if not the same, mailing address if different:

725 Broadway Ave, Holbrook, NY 11741

J.P.

Violations alleged - check those you believe applicable and include dates of alleged occurrence:

Industrial Wastes and Hazardous Materials

- a. acted as a scavenger without a proper license
- b. hired unlicensed scavenger
- c. discharged hazardous material
- d. discharged industrial waste without a SPDES Permit
- e. discharged industrial waste in violation of SPDES Permit
- f. storage of hazardous material without a permit (Pt. 360)
- g. improper storage of hazardous materials
 - 1. portable containers
 - 2. underground tanks
 - 3. above-ground tanks
 - 4. indoor tanks
 - 5. other
- h. failure to report a leak or spill of hazardous material - 5/26/81 (Nickel spill)
- i. failure to report leak or spill of material likely to pollute groundwater where at the time of leak or spill at least 1500 gallons of such material was on the site
- j. discharge in excess of groundwater standards
- x. other

6/2/81

II. Public Nuisance - Liquid Discharges; Sewage Plants

- a. overflowing cesspools
- b. overflowing sewage treatment plant
- c. STP - discharge in violation of SPDES Permit
- d. other

III. Air Pollution

- a. construction of source without a permit
- b. operation of source without a permit
- c. nuisance conditions from emission
- d. opacity violation
- e. operation in violation of permit (i.e. improper maintenance of equipment)
- f. open burning
- g. auto emission violations
- h. fugitive dust
- i. emissions in excess of applicable standards
- j. other

NB - make sure no exemptions apply

Brief description of nature of proof to support allegation

Inspection reports, photographs & correspondence since 5/26/81
 Sample, Field Number 11 RO 5-27-SC#3, 6/2/81 Field Observation, 2' of oil in sanitary
 Pool (designated RS#9), 6/2/81 oil in SC#3 + pool #9, 7/2/81 inspection - oil in SC#3, #9
 #6 & #7, Two drums of oil overflowing, 7/13/81

Recommendation for Consent Order

- a. by Inspectional Services
- b. by applicable Engineering Section

SUFFOLK COUNTY

DEPARTMENT OF HEALTH SERVICES

INTEROFFICE MEMORANDUM

Dr. e Wirenius - Rabro Dr.

DATE: 11-9-81

Patrick Perrella

Respondent: Goldisc Recordings
Div. Electro Sound Group, Inc.
725 Broadway Ave.
Holbrook, New York 11741
Order on Consent No. IW81-44

Attached find an Order on Consent which has been duly executed
the above-referenced Respondent.

Kindly have this Order on Consent presented to Dr. Chaves for
signature and then returned to this office.

r/cc
tt.

100153



PETER F. COHALAN
SUFFOLK COUNTY EXECUTIVE

DEPARTMENT OF HEALTH SERVICES

DATE: October 2, 1981

Goldisc Recordings
Div. Electro Sound Group, Inc.
725 Broadway Avenue
Holbrook, New York 11741

Gentlemen:

Attached herewith find a proposed Order on Consent which reflects the results of conversations and discussions with your agent or representative Leslie Levine, Esq. on October 1, 1981. If the terms and conditions of the attached order are acceptable, please have it executed by a corporate officer or other principal as appropriate.

This Order, duly executed, should be returned to my attention by October 21, 1981.

If it has not been received in this office by the date assigned, it will be deemed to have been rejected, and the Department will then institute formal hearing proceedings to resolve any violations of law alleged.

If you have any questions regarding this Order on Consent, please do not hesitate to contact me.

Very truly yours,

Roy Gilbert
Environmental Enforcement Services
RG/cc
att.

CC: Leslie Levine, Esq.
175 Great Neck Road
Great Neck, New York

SPECIFICATION OF ALLEGED VIOLATIONS

is alleged that the Respondent above-named failed to comply with the following provisions of the Suffolk County Sanitary Code as indicated below:

- 1.
- 2.
- 3.
- 4.
- 5.
- 6.
- 7.
- 8.
- 9.

SPECIFIC TERMS AND CONDITIONS

In satisfaction of the above-named Respondent's alleged violations of the Suffolk County Sanitary Code, the Respondent agrees to the making and issuance of this Order of the Commissioner of the Suffolk County Department of Health Services, and the Respondent agrees to be bound by the terms and conditions following as well as the above General Provisions.

Respondent agrees to submit to this Department by September 11, 1981, a report prepared, signed and sealed by an engineer licensed to practice professional engineering in the State of New York, detailing the nature and extent of groundwater contamination caused by the contamination of the two leaching facilities on the west side of Respondent's plant designated as pools number 8 and 9. This report should state one of the following conclusions supported by adequate scientific data so as to be approved by this Department:

a. No contamination exists in the groundwater as a result of the contamination found in the aforementioned leaching facilities. Such a conclusion should be based on direct groundwater observations at appropriate places with chemical analyses of groundwater as appropriate, or the equivalent thereof satisfactory to the Department. Such a conclusion, if concurred in by the Department, would conclude this matter.

b. Contamination of the groundwater exists, but the definition of its nature and extent indicates a recovery or cleanup operation is not warranted. This conclusion may be based on appropriate scientific evidence that:

1. The contamination in the groundwater received no contribution from the contaminated leaching

100155

SPECIFIC TERMS AND CONDITIONS
(continued)

facilities aforementioned, or

2. although it is likely that the contamination of the groundwater was caused or contributed to by the aforementioned contaminated leaching facilities, it poses no threat to any source or supply of drinking water, or that its recovery or cleanup is not feasible technologically and/or financially possible.

Such a conclusion, if concurred in by the Department, would conclude this matter.

c. Contamination of the groundwater exists, and it was caused or significantly contributed to by the aforementioned leaching facilities, and a cleanup operation is needed and is feasible to at least some extent. If this conclusion is found, a proposal for cleanup shall be included.

By execution of this Order on Consent, Respondent does not admit any wrongdoing or violation of any law, rule or regulation.

Notwithstanding any indication or statement to the contrary appearing in this Order on Consent, the Department does not allege that the Respondent violated any law, rule or regulation in connection with the allegedly contaminated leaching facilities aforementioned.

CONSENT BY RESPONDENT

Respondent herein named acknowledges the authority and jurisdiction of the Commissioner of the Suffolk County Department of Health Services to issue the foregoing Order on Consent, Respondent voluntarily waives public hearing in this matter and agrees to be bound by the terms, conditions and provisions of the Order of the Commissioner.

10/20/81

Respondent Goldisc Receding

By: (signature) [Signature]

(printed) John Finnegan

Title Gen. Mgr.

STATE OF NEW YORK)
)SS.:
COUNTY OF SUFFOLK)

On the 20 day of October, 1981, before me personally came John Finnegan to me known, who duly sworn, deposed and said that he resides at Apartment 83 Fulton Ave Islip, N.Y. 11750 and that he is the General Manager of Respondent corporation, and that he signed his name as authorized by said corporation with full authority to do so.

[Signature]
NOTARY PUBLIC

CONSENT BY COMMISSIONER

The Commissioner of the Suffolk County Department of Health Services agrees to waive further administrative enforcement action against the Respondent named herein, and the Commissioner agrees to accept the Respondent's consent to the entry and enforcement of this Order in full satisfaction of the Department's obligations herein listed, PROVIDED THAT the Respondent duly executes this Order and strictly adheres to all of its terms, conditions and provisions.

Witness my hand and seal this _____ day of _____, 1981.

Albany, New York

David Harris, M.D., M.P.H.
Commissioner
Suffolk County Department
of Health Services

By:

COUNTY OF SUFFOLK
DEPARTMENT OF HEALTH SERVICES

.....
the Matter of the Alleged :
Violation of Article 12 :
of the Suffolk County Sanitary Code :
: :
Disc Recordings :
iv. Electro Sound Group, Inc. :
25 Broadway :
Brook, New York 11741 :
Respondent. :
.....

ORDER ON CONSENT
NO. IW81-44
DATE: 10/5/81

GENERAL PROVISIONS

This Department alleges that the above-named Respondent has failed to comply with the provisions of the Suffolk County Sanitary Code as specified below. Because of such alleged non-compliance, the above-named Respondent consents and agrees to the issuance of this Order on Consent, and agrees to be bound by the terms, conditions and provisions stated herein.

Respondent understands that by entering into the Order on Consent with the Department, he is affirmatively and voluntarily waiving his right to a formal adjudicatory proceeding with respect to the matters herein addressed. Although the Department will not pursue further enforcement action with respect to the specific alleged violations of law set forth below if the above-named Respondent enters into this Order and abides by its terms, Respondent understands that the Department is not agreeing to forbearance from pursuing enforcement action regarding alleged violations not addressed by this Order. Moreover, Respondent understands that notwithstanding his execution of this Order on Consent, his failure to strictly comply with all or the terms, conditions and provisions herein contained will revive the Department's rights regarding the violations alleged as set forth below subject to a set-off for any penalties already paid pursuant to this Order on Consent. Furthermore, the Respondent is hereby advised that this Order on Consent, when executed by the Respondent's agent and the Commissioner or duly authorized representative has the force and effect of a Commissioner's Order, the violation of which is subject to penalties provided in Section 218 of Article 2 of the Suffolk County Sanitary Code.

Modification of any of the provisions of this Order on Consent may be obtained by a timely written request demonstrating good and sufficient cause for the change or extension requested. No modification of this Order shall be effective unless and until it is specifically set forth in writing by the Department.

SPECIFICATION OF ALLEGED VIOLATIONS

It is alleged that the Respondent above-named failed to comply with the following provisions of the Suffolk County Sanitary Code as indicated below:

- Section 1205(a), Article 12 on or about May 27, 1981, July 2, 1981.
- Section 1207, Article 12 from Jan. 1, 1981, thru date of this Order on Consent.
- Section 1217, Article 12 on or about May 26, 1981.
- Section 1215, Article 12 on May 26, 1981, May 27, 1981, July 2, 1981.

SPECIFIC TERMS AND CONDITIONS

In satisfaction of the above-named Respondent's alleged violations of the Suffolk County Sanitary Code, the Respondent agrees to the entering and issuance of this Order of the Commissioner of the Suffolk County Department of Health Services, and the Respondent agrees to be bound by the terms and conditions following as well as by the above General Provisions.

Commencing immediately, Respondent shall keep all portable containers containing toxic or hazardous materials or residues thereof indoors.

By December 11, 1981, Respondent shall have made complete application for the following permits as required by law:

- a. Permit to construct pursuant to Section 1206, Article 12, Suffolk County Sanitary Code.
- b. Permit to operate pursuant to Section 1207, Article 12 Suffolk County Sanitary Code.
- c. Part 360 Permit pursuant to Section 27-0913, New York State Environmental Conservation Law.

Information and applications may be obtained by contacting Mr. Peter [Name], 65 Jetson Lane, Central Islip, telephone 234-2622, extension 3.

100159

SPECIFIC TERMS AND CONDITIONS
(continued)

By December 11, 1981, Respondent shall have submitted to the Department to the attention of Mr. Alexander Santino, P.E., a report prepared, signed and sealed by an engineer licensed to practice professional engineering in the State of New York proposing Respondent's plan to comply with all of the requirements of Article 2 for the storage of toxic or hazardous materials in drums, above-ground tanks, below-ground tanks and indoor tanks.

In satisfaction of all violations alleged herein, Respondent agrees to the imposition of a civil penalty in the amount of two thousand (\$2000) dollars, all of which shall be suspended and ultimately dismissed on December 11, 1981, PROVIDED THAT Respondent agrees to all of the terms, conditions and provisions of this Order on Consent.

100160

CONSENT BY RESPONDENT

The Respondent herein named acknowledges the authority and jurisdiction of the Commissioner of the Suffolk County Department of Health Services to issue the foregoing Order on Consent, and Respondent voluntarily waives public hearing in this matter and agrees to be bound by the terms, conditions and provisions of this Order of the Commissioner.

Dated: 11/6/81 Respondent Goldisc Recordings
 By: *(signature) [Handwritten Signature]
 *(printed) RICHARD F. MEIXNER
 * Title VICE DIVISION PRESIDENT

STATE OF NEW YORK)
) SS.:
 COUNTY OF SUFFOLK)

On the 6th day of November, 1981, before me personally came RICHARD MEIXNER to me known, who being duly sworn, deposed and said that he resides at 44 TWIN RIVER RD ORADAKE NY that he is the VICE PRESIDENT of Respondent corporation, and that he signed his name as authorized by said corporation with full authority to do so.

NOTARY PUBLIC State of New York
 No. 524620773
 Qualified in Suffolk County
 Commission Expires March 25, 1983

[Handwritten Signature]
 NOTARY PUBLIC

CONSENT BY COMMISSIONER

The Commissioner of the Suffolk County Department of Health Services agrees to waive further administrative enforcement action against the Respondent named herein, and the Commissioner agrees to accept the Respondent's consent to the entry and issuance of this Order in full satisfaction of the Department's allegations herein listed, PROVIDED THAT The Respondent duly executes this Order and strictly adheres to all of its terms, conditions and provisions.

Dated: _____ David Harris, M.D., M.P.H.
 Commissioner
 Hauppauge, New York Suffolk County Department
 of Health Services

By: _____

DEPARTMENT OF HEALTH SERVICES

INTEROFFICE MEMORANDUM

file

TO: Alexander Santino, P.E.

DATE: 12-11-81

FROM: Roy Gilbert

SUBJECT: Goldisc

It is a given fact that some groundwater exploration needs to be instituted as a result of the large amount of oil found in various leaching facilities on the premises of the above-referenced firm. Before forcing this considerable expense onto the landlord of the property who apparently is not to blame for the presence of the contamination, we should just attempt to determine with certainty who is to blame.

Circumstantial evidence seems to point to Goldisc as the cause or major contributor to the problem because:

1. proximity of oil contaminated leaching pools to Goldisc's oil waste storage
2. Goldisc uses large quantities of oil annually
3. the leaching pools contaminated are within an area under Goldisc's occupation and control
4. Goldisc has and is expending fair-sized sums of monies on pumping and hauling away of the waste oil.

The above evidence is only circumstantial and not conclusive. Additional investigation by this Department needs to be performed including:

1. Chemical analysis of the waste oil in the leaching facility and its comparison with the oils used and generated by Goldisc. Dennis Collins of Siben & Siben, Goldisc's attorney, told me on December 10, 1981, that he is in possession of chemical analyses conclusively proving his client's oil was not in the leaching pool. This evidence will be forwarded to us and we should review it carefully.
2. An engineer from the Department should make a complete inspection of all plumbing at Goldisc or otherwise connected to the affected leaching facilities so as to determine whether the oil could have entered the leaching system through it. This investigation may inculcate or exculpate Goldisc or another with respect to the genesis of the pollution.

100162

3. A thorough investigation of Goldisc's records with respect to oil bought and waste oil disposed. In addition to receipts, we should get copies of cancelled checks showing pick-up receipts are paid to preclude the possibility of overlooking evidence.

In the event Goldisc refuses to cooperate in the above investigation, inspection warrants should be procured.

RG/cc

CC: J. Pim
P. Perrella
D. Gobbi

SUFFOLK COUNTY DEPARTMENT OF HEALTH SERVICES
 INDUSTRIAL WASTE AND HAZARDOUS MATERIALS CONTROL
 15 HORSEBLOCK PLACE, FARMINGVILLE, N.Y. 11738
 (516) 451-4633

P. 10

NAME OF FACILITY <i>Gold disc recording Inc.</i>		OWNER/OFFICER <i>Ellie Kirk</i>	PAGE 1 OF
ADDRESS <i>735 Broadway Ave</i>		CONTACT <i>Jim Farnsworth</i>	TEL <i>589-0712</i>
VILLAGE <i>Holbrook</i>	TOWN <i>T-11A</i>	ZIP <i>11741</i>	
MAILING ADDRESS <i>same</i>			
DATE <i>3/11/87</i>	TIME <i>9:10</i>	ORIG. PERIODIC RE. <input checked="" type="checkbox"/>	WASTE NO WASTE <input checked="" type="checkbox"/>
SEWAGE SYSTEM <input checked="" type="checkbox"/>		PUBLIC PRIVATE <input checked="" type="checkbox"/>	

INDUSTRY <i>Audio recording</i>			
DES OR DES PERMIT? YES NO	PERMIT NO. <i>111-5850</i>	360 PERMIT? YES NO	PERMIT NO.
SAVENGER <i>RL-111</i>		TEL.	
SAVENGER APPROVED YES NO	PICK UP RECORDS AVAILABLE YES NO	RECORDS CONSISTENT WITH EXPECTED WASTE GENERATION YES NO	

HEATING SYSTEM-MFG NAME <i>1-1524 Pelauer Procs</i>		FUEL TYPE <i>2</i>	FIRING RATE <i>11</i>
<i>2-150 HP Power Master</i>		<i>2</i>	<i>11</i>
<i>(Note only natural gas is being burned - at this time)</i>			
MACHINE NAME <i>None</i>		WASTE BURNED	RATE

ROOM STORAGE YES NO	NUMBER STORED INDOORS <i>2</i> OUTDOORS <i>0</i>	TYPE OF MATERIAL STORED WASTE RAW	
TANKS YES NO	NUMBER OF TANKS ABOVEGROUND <i>2</i> UNDERGROUND <i>1</i>	TYPE OF MATERIAL STORED WASTE RAW	
PROCESS TANKS YES NO	NUMBER OF OPEN PROCESS TANKS <i>4</i>	ANY ART. XII VIOLATIONS YES NO	

1) Make out underground tank
 2) Oil contaminated since north west side of Rd must be cleaned up, re De compressor blow off.
 3) Floor drain in control room, but does not drain.
 4) Waste water hose from plant room goes to outside Holbrook tanks.
 5) Mr. Kirk told me he will contact our office for all outside conditions.

EMMISSION IS GRANTED BY THIS FACILITY TO THE SUFFOLK COUNTY DEPARTMENT OF HEALTH SERVICES TO CONDUCT ROUTINE SAMPLING OF POOLS, STORMDRAINS, AND OTHER DISCHARGE POINTS AT THE FACILITY.

INSPECTION SCHEDULED ON OR AFTER _____ FAILURE TO CORRECT UNSATISFACTORY CONDITIONS BY REINSPECTION DATE MAY RESULT IN A HEARING AND/OR FINE.

NAME OF PERSON REPORTING *[Signature]* TITLE *Dir. of Off.* INSPECTOR *[Signature]*

Patrick Bologna Room 320 (518) 457-7020
New York State Department of Environmental Conservation
50 Wolf Road, Albany, New York 12233-0001

RECEIPT REQUESTED
NO.



Goldisc Recordings Inc.
Broadway Ave. & V M Highway
Holbrook, New York 11741

Commissioner

Date: May 13, 1983

zip code

RE: Notice of Failure to Submit SPDES Discharge Monitoring Report

Facility I.D. (Permit) No. NY- 0075850
Suffolk County
Facility Name Goldisc Recording Inc.

This is to advise you that we have not received your SPDES Discharge Monitoring Report (DMR) for the reporting period which ended March 31, 1983. The DMR was due within 28 days following that date.

Failure to submit the required DMR is a violation of your permit which may necessitate follow-up action by our Department if you do not comply.

Part 1 -- Encon Copy of the completed DMR should be sent to the following address immediately:

Bureau of Wastewater Facilities Operations
Division of Water
50 Wolf Road
Albany, New York 12233-0001

Send Part 2 -- Region Copy of the completed DMR to the appropriate DEC Regional Office and send Part 3 -- EPA Copy to U.S. EPA Region II (see mailing instructions on back of Part 4 of DMR). If applicable, send a photocopy of the DMR to your local county health department (see your permit for applicability).

Please disregard this notice if you have recently mailed your DMR.

cc: Region No. 1
Tickler File

FOR DEC USE ONLY
DMR Rec'd _____
Referred to Compliance Section _____



100165

ENVIRONMENTAL REPORT

ENGINEERING REPORT

FOR

GOLDISC RECORDINGS, INC.

Veterans Highway and Broadway


Holbrook, NY 11741

Robert F. Gasser

 Robert F. Gasser, P.E.

Michael Murphy

 Michael Murphy
 Vice President



ECOLOTRON ENVIRONMENTAL SYSTEMS

TABLE I

TANK FUNCTION AND CONTENTS

<u>Tank #</u>	<u>Function</u>	<u>Contents and Concentration</u>
1	Soak cleaner	Dubois Sprex AC <i>off</i> (alkaline detergent) .33 lb/gal.
2	Scrub rack	
3	Soak cleaner	Dubois Sprex AC (alkaline detergent) .33 lb/gal
4	Spray rinse	
5	Scrub rack	Calcium Carbonate .25 lb/gal Trace of Sodium Cyanide
6	Still rinse	
7	Spray rinse	
8	Scrub rack	
9	Acid dip	Sulfuric Acid (10%)
10	Acid dip	Sulfuric Acid (10%)
11	Spray rinse	
12	Chromate dip	Potassium Chromate .5 gm/gal
13	Chromate dip	Potassium Chromate 1.9 gm/gal
14	Silver spray booth	Metaplast L-19 60 gm/l (Silver Nitrate) Metaplast L-20 6 oz/gal (Canstic soda) Metaplast N-26 10 gm/gal (Sodium thiosulfate) Stannous Chloride 8 gm/gal
numbered	Acid dip	Chromic Acid 30 oz/gal
unnumbered	Nickel plating baths	Nickel Sulfamate 40 oz/gal

FCOLOTROL ENVIRONMENTAL SYSTEMS

TABLE II

LABORATORY ANALYSIS OF SOLUTION DUMPS

<u>Tank</u>	<u>Parameter</u>	<u>Concentration</u>
1	Nickel	4.3 (mg/l)
	pH	10.5
3	pH	10.6
6	pH	11.7
9	Iron	1.6 (mg/l)
	Nickel	96.6 (mg/l)
	Chromium	0.4 (mg/l)
	pH	0.6
10	Iron	1.8 (mg/l)
	Nickel	80.0 (mg/l)
	Chromium	0.2 (mg/l)
	pH	0.6
12	Chromium	23.3 (mg/l)
	pH	6.0
13	Chromium	515 (mg/l)
	pH	4.8

Note: All chromium concentrations are as total chromium.

John A. Flynn, D.E.X.
Commissioner



SUFFOLK COUNTY
DEPARTMENT OF ENVIRONMENTAL CONTROL HEALTH SERVICES

~~XXXXXX~~
65 Jetson Lane

Hauppauge N. Y. 11787
(516) 234-2622

NOTIFICATION OF UNSATISFACTORY INDUSTRIAL WASTE SAMPLING

Date Jan. 4, 1979

Goldisc Recordings, Inc.
Broadway Avenue & Veterans Mem. Hwy.
Holbrook, N.Y. 11741

Gentlemen:

On 12/12/78 samples of your industrial waste were taken from your puddle in driveway. Upon analysis, the following parameters were found to be unsatisfactory:

- | | |
|-------------------------|---------------------------------------|
| 1. pH - 4.7 | 6. Cadmium - 0.09 mg/l |
| 2. Copper - 3.4 mg/l | 7. Silver - 0.4 mg/l |
| 3. Iron - 16 mg/l | 8. Chromium ^{tr} - 37.5 mg/l |
| 4. Nickel - 52,000 mg/l | 9. |
| 5. Lead - 1.0 mg/l | 10. |

The acceptable limits on each of these parameters according to New York State Groundwater Standards are as follows:

- | | |
|----------------------|-------------------------------------|
| 1. pH - 6.5 - 8.5 | 6. Cadmium - 0.02 mg/l |
| 2. Copper - 1.0 mg/l | 7. Silver - 0.1 mg/l |
| 3. Iron - 0.6 mg/l | 8. Chromium ^{tr} - .1 mg/l |
| 4. Nickel - 2.0 mg/l | 9. |
| 5. Lead - 0.05 mg/l | 10. |

You should be aware that these unsatisfactory conditions constitute violations of the N.Y.S. Environmental Conservation Law. Please see that they are corrected as soon as possible. If you have any questions or need any assistance, please do not hesitate to contact this office.

Very truly yours,

W. J. Gilbert
W. J. Gilbert

Water Pollution Control Section
RG/rt

CC: TED SNYDER - NYSDEC



100169

219

OKsen

NAME, NOT INITIALS

12-12-78

4:20 PM.

LAB NO.

TYPE SAMPLE

DATE REC'VD.

TIME REC'VD.

DATE COMPLETED

SUFFOLK COUNTY ENVIRONMENTAL CONTROL LABORATORY
CHEMICAL EXAMINATION OF WATER, SEWAGE, INDUSTRIAL WASTE

Gold Disc

LOCATION


DIRECTION

INSTRUCTIONS

Broadway Ave & Vets Highway
puddle in Driveway

TEST	RESULT	TEST	RESULT <small>mg./liter</small>	TEST	RESULT <small>mg./liter</small>
CHLORIDE	umho	NITRATE-N		<input checked="" type="checkbox"/> COPPER	3.4
	4.7	NITRITE-N		<input checked="" type="checkbox"/> IRON	16.
TEST	RESULT <small>mg./liter</small>	AMMONIA-N		MANGANESE	
ALKALINITY		TKN		<input checked="" type="checkbox"/> CHROMIUM	94. x 10 ²
PHOSPHORUS		0-PO ₄ -P		<input checked="" type="checkbox"/> NICKEL	52. x 10 ³
FLUORIDE				<input checked="" type="checkbox"/> ZINC	3.8
FLUORIDE				MAGNESIUM	
FLUORIDE		TOT. SOLIDS		CALCIUM	
		SUS. SOLIDS		<input checked="" type="checkbox"/> LEAD	1.0
DATE		DISS. SOLIDS		<input checked="" type="checkbox"/> CADMIUM	0.09
		B.O.D.		<input checked="" type="checkbox"/> SILVER	0.4
				SODIUM	
		FIELD NITRATE		POTASSIUM	
		FIELD Cl ⁻		BARIUM	
		FIELD D.O.		Cr ⁺⁶	37.5
		FIELD TEMP			
		FIELD pH			
		FIELD COND.	umho		

~~John M. Flynn, DEC~~
~~Commissioner~~



SUFFOLK COUNTY
DEPARTMENT OF ENVIRONMENTAL CONTROL HEALTH SERVICES

~~XXXXXXXXXXXX~~
65 Jetson Lane

Hauppauge N. Y. 11787
(516) 234-2622

NOTIFICATION OF UNSATISFACTORY INDUSTRIAL WASTE SAMPLING

Date Jan. 4, 1979

Goldisc Recordings, Inc.
Broadway Avenue & Veterans Mem. Hwy.
Coldbrook, N.Y. 11741

Gentlemen:


On 12/13/78 samples of your industrial waste were taken from your discharge from perforated drum. Upon analysis, the following parameters were found to be unsatisfactory:

- | | |
|-----------------------|-------------------------------------|
| 1. pH - 5 | 6. Cadmium - 0.1 mg/l |
| 2. Copper - 3.3 mg/l | 7. Silver - 0.2 mg/l |
| 3. Iron - 2.0 mg/l | 8. Chromium ⁺⁶ - 49 mg/l |
| 4. Nickel - 6700 mg/l | 9. |
| 5. Lead - 0.4 mg/l | 10. |

The acceptable limits on each of these parameters according to New York State Groundwater Standards are as follows:

- | | |
|----------------------|------------------------------------|
| 1. pH - 6.5 - 8.5 | 6. Cadmium - 0.02 mg/l |
| 2. Copper - 1.0 mg/l | 7. Silver - 0.1 mg/l |
| 3. Iron - 0.6 mg/l | 8. Chromium ⁺⁶ - 1 mg/l |
| 4. Nickel - 2.0 mg/l | 9. |
| 5. Lead - 0.05 mg/l | 10. |

You should be aware that these unsatisfactory conditions constitute violations of the N.Y.S. Environmental Conservation Law. Please see that they are corrected as soon as possible. If you have any questions or need any assistance, please do not hesitate to contact this office.

Truly yours,

Roy Gilbert

Water Pollution Control Section
G/rt



CC: TED SNYDER - NYSDEC

100171

220

Ohsew

NAME, NOT INITIALS

12-13-78

8:58 AM

LAB NO. 12-78-106

TYPE SAMPLE Ind

DATE REC'VD. 12/13

TIME REC'VD. 11:29

DATE COMPLETED 12/20 80

SUFFOLK COUNTY ENVIRONMENTAL CONTROL LABORATORY
CHEMICAL EXAMINATION OF WATER, SEWAGE, INDUSTRIAL WASTE

Gold Disc

FIRM


ADDRESS OR LOCATION

DATE OF COLLECTION Discharge From Drum

REMARKS/INSTRUCTIONS

TEST	RESULT	TEST	RESULT $\frac{mg.}{liter}$	TEST	RESULT $\frac{mg.}{liter}$
CONDUCT	umho	NITRATE-N		COPPER	3.8
	5.0	NITRITE-N		IRON	2.0
TEST	RESULT $\frac{m.g.}{liter}$	AMMONIA-N		MANGANESE	
ALKALINITY		TKN		CHROMIUM	6.0×10^2
ALKALINITY		O-PO ₄ -P		NICKEL	6.7×10^3
CHLORIDE				ZINC	5.0
FLOURIDE				MAGNESIUM	
CYANIDE		TOT. SOLIDS		CALCIUM	
		SUS. SOLIDS		LEAD	0.4
SULFATE		DISS. SOLIDS		CADMIUM	0.10
MBAS		B.O.D.		SILVER	0.2
C.O.D.				SODIUM	
C.O.C.		FIELD NITRATE		POTASSIUM	
		FIELD Cl ⁻		BARIUM	
		FIELD D.O.		Cr ⁺⁶	4.9
		FIELD TEMP			
		FIELD pH			
		FIELD COND.	umho		

John M. Flynn, P.E.
Commissioner



SUFFOLK COUNTY
DEPARTMENT OF ENVIRONMENTAL CONTROL & HEALTH SERVICES

~~XXXXXXXXXXXX~~
65 Jetson Lane

Hauppauge N. Y. 11787
(516) 234-2622

NOTIFICATION OF UNSATISFACTORY INDUSTRIAL WASTE SAMPLING

Date Jan. 4, 1979

Goldisc Recordings, Inc.
Broadway Avenue & Veterans Mem. Hwy.
Holbrook, N.Y. 11741

Gentlemen:

On 12/13/78 samples of your industrial waste were taken from your storm drain. Upon analysis, the following parameters were found to be unsatisfactory:


- | | |
|----------------------|------------------------|
| 1. pH - 5.6 | 6. Lead - 3.4 mg/l |
| 2. Copper - 8 mg/l | 7. Cadmium - 0.08 mg/l |
| 3. Iron - 90 mg/l | 8. Silver - 0.02 mg/l |
| 4. Nickel - 730 mg/l | 9. |
| 5. | 10. |


The acceptable limits on each of these parameters according to New York State Groundwater Standards are as follows:

- | | |
|----------------------|------------------------|
| 1. pH - 6.5 - 8.5 | 6. Lead - 0.05 mg/l |
| 2. Copper - 1.0 mg/l | 7. Cadmium - 0.02 mg/l |
| 3. Iron - 0.6 mg/l | 8. Silver - 0.1 mg/l |
| 4. Nickel - 2.0 mg/l | 9. |
| 5. | 10. |

You should be aware that these unsatisfactory conditions constitute violations of the N.Y.S. Environmental Conservation Law. Please see that they are corrected as soon as possible. If you have any questions or need any assistance, please do not hesitate to contact this office.

Very truly yours,


Roy Gilbert
Water Pollution Control Section
RG/rt


CC: TED SNYDER - NYSDEC

100173

221

LAB NO. 12-78-107

Olsen

TYPE SAMPLE IWB

NAME, NOT INITIALS

DATE REC'VD. 12/13

12-13-78

TIME REC'VD. 11 AM

OL

9:10 AM

DATE COMPLETED 12/20/80

DL

SUFFOLK COUNTY ENVIRONMENTAL CONTROL LABORATORY
CHEMICAL EXAMINATION OF WATER, SEWAGE, INDUSTRIAL WASTE

FIRM

Gold Disc

SS OR LOCATION

DI COLLECTION

Storm Drain

CK INSTRUCTIONS

TEST	RESULT	TEST	RESULT <small>mg. liter</small>	TEST	RESULT <small>mg. liter</small>
CONDUCT	umho	NITRATE-N		<input checked="" type="checkbox"/> COPPER	8.
	5.6	NITRITE-N		<input checked="" type="checkbox"/> IRON	90.
TEST	RESULT <small>mg. liter</small>	AMMONIA-N		MANGANESE	
GENERALITY		TKN		<input checked="" type="checkbox"/> CHROMIUM	59.
ALKALINITY		O-PO ₄ -P		<input checked="" type="checkbox"/> NICKEL	7.80 x 10 ¹
FLORIDE				<input checked="" type="checkbox"/> ZINC	5.0
CLORIDE				MAGNESIUM	
CYANIDE		TOT. SOLIDS		CALCIUM	
		SUS. SOLIDS		<input checked="" type="checkbox"/> LEAD	3.4
DATE		DISS. SOLIDS		<input checked="" type="checkbox"/> CADMIUM	0.08
AS		B.O.D.		<input checked="" type="checkbox"/> SILVER	0.20
				SODIUM	
		FIELD NITRATE		POTASSIUM	
		FIELD Cl ⁻		BARIUM	
		FIELD D.O.		Cr ⁺⁶	< .02
		FIELD TEMP			
		FIELD pH			
		FIELD COND.	umho		

10017

John M. Flynn, P.E.
Commissioner



SUFFOLK COUNTY
DEPARTMENT OF ENVIRONMENTAL CONTROL HEALTH SERVICES

~~XXXXXXXXXXXX~~
65 Jetson Lane

Hauppauge N. Y. 11787
(516) 234-2622

NOTIFICATION OF UNSATISFACTORY INDUSTRIAL WASTE SAMPLING

Date Jan. 4, 1979

Goldisc Recordings, Inc.
Broadway Avenue & Veterans Mem. Hwy.
Holbrook, N.Y. 11741

Gentlemen:

On 12/19/78 samples of your industrial waste were taken from your storm drain surface. Upon analysis, the following parameters were found to be unsatisfactory:

- | | |
|----------------------|-----|
| 1. Nickel - 105 ng/l | 6. |
| 2. | 7. |
| 3. | 8. |
| 4. | 9. |
| 5. | 10. |

The acceptable limits on each of these parameters according to New York State Groundwater Standards are as follows:

- | | |
|----------------------|-----|
| 1. Nickel - 2.0 ng/l | 6. |
| 2. | 7. |
| 3. | 8. |
| 4. | 9. |
| 5. | 10. |

You should be aware that these unsatisfactory conditions constitute violations of the N.Y.S. Environmental Conservation Law. Please see that they are corrected as soon as possible. If you have any questions or need any assistance, please do not hesitate to contact this office.

Very truly yours,

Roy Gilbert

Roy Gilbert
Water Pollution Control Section
RG/rt

CC: TED SNYDER - NYSDEC

100175

FIELD 700
 OKSEN
 NAME, NOT INITIALS
 2-19-78
 7:00 AM


LAB NO. 12-78-140
 TYPE SAMPLE IND
 DATE REC'VD. 12/19
 TIME REC'VD. 2 PM
 DATE COMPLETED 12/21/80

SUFFOLK COUNTY ENVIRONMENTAL CONTROL LABORATORY
 CHEMICAL EXAMINATION OF WATER, SEWAGE, INDUSTRIAL WASTE

Sample Disc
 LOCATION Broadway and Vets Hghwy - Hooksett
 COLLECTION Storm Drain surface
 INSTRUCTIONS

TEST	RESULT	TEST	RESULT $\frac{mg.}{liter}$	TEST	RESULT $\frac{mg.}{liter}$
PH	7.3	NITRATE-N		COPPER	0.04
		NITRITE-N		IRON	0.1
		AMMONIA-N		MANGANESE	
ALKALINITY		TKN		CHROMIUM	3.8
ALKALINITY		O-PO ₄ -P		NICKEL	105
CHLORIDE				ZINC	0.36
CHLORIDE				MAGNESIUM	
CHLORIDE		TOT. SOLIDS		CALCIUM	
		SUS. SOLIDS		LEAD	<0.1
		DISS. SOLIDS		CADMIUM	<0.02
		B.O.D.		SILVER	<0.02
				SODIUM	
		FIELD NITRATE		POTASSIUM	
		FIELD Cl ⁻		BARIUM	
		FIELD D.O.		Cr + 6	.03
		FIELD TEMP			
		FIELD pH			
		FIELD COND.	umho		

100176



SUFFOLK COUNTY
DEPARTMENT OF ENVIRONMENTAL CONTROL HEALTH SERVICES

~~624 Main Park~~
65 Jetson Lane

Hauppauge N. Y. 11787
(516) 234-2622

NOTIFICATION OF UNSATISFACTORY INDUSTRIAL WASTE SAMPLING

Date Jan. 4, 1979

Goldisc Recordings, Inc.
Broadway Avenue & Veterans Mem. Hwy.
Holbrook, N.Y. 11741

Gentlemen:

On 12/19/78 samples of your industrial waste were taken from your storm drain bottom. Upon analysis, the following parameters were found to be unsatisfactory:

- | | |
|--------------------------------------|-----|
| 1. pH - 6.3 | 6. |
| 2. Nickel - 560 mg/l | 7. |
| 3. Chromium ⁺⁶ - .26 mg/L | 8. |
| 4. | 9. |
| 5. | 10. |

The acceptable limits on each of these parameters according to New York State Groundwater Standards are as follows:

- | | |
|-------------------------------------|-----|
| 1. pH - 6.5 - 8.5 | 6. |
| 2. Nickel - 2.0 mg/l | 7. |
| 3. Chromium ⁺⁶ - .1 mg/L | 8. |
| 4. | 9. |
| 5. | 10. |

You should be aware that these unsatisfactory conditions constitute violations of the N.Y.S. Environmental Conservation Law. Please see that they are corrected as soon as possible. If you have any questions or need any assistance, please do not hesitate to contact this office.

Very truly yours,

Roy Gilbert
Roy Gilbert

Water Pollution Control Section
RG/rt



CC: TED SNYDER - NYSDEC

FIELD

LABORATORY

NO. 201

LAB NO. 12-78-141

Olson
NAME, NOT INITIALS

TYPE SAMPLE IWB

12-19-78

DATE REC'VD. 12/19

905 AM

TIME REC'VD. 2 PM

DATE COMPLETED 12/21/80

SUFFOLK COUNTY ENVIRONMENTAL CONTROL LABORATORY
CHEMICAL EXAMINATION OF WATER, SEWAGE, INDUSTRIAL WASTE

OR FIRM Gold Disc

S OR LOCATION Broadway Ave & Vets Hwy Hobbrook


OF COLLECTION Stream Drain bottom

S/INSTRUCTIONS _____

TEST	RESULT	TEST	RESULT	TEST	RESULT
INDUCT	umho	NITRATE-N		✓ COPPER	0.13
	6.3	NITRITE-N		✓ IRON	0.3
EST	in.g. liter	AMMONIA-N		MANGANESE	
ALKALINITY		TKN		✓ CHROMIUM	32
ALKALINITY		O-PO ₄ -P		✓ NICKEL	560
FLORIDE				✓ ZINC	0.40
UORIDE				MAGNESIUM	
ANIDE		TOT. SOLIDS		CALCIUM	
		SUS. SOLIDS		✓ LEAD	<0.1
LFATE		DISS. SOLIDS		✓ CADMIUM	<0.02
SAS		B.O.D.		✓ SILVER	<0.02
O.D.				SODIUM	
O.C.		FIELD NITRATE		POTASSIUM	
		FIELD Cl ⁻		BARIUM	
		FIELD D.O.			.26
		FIELD TEMP			
		FIELD pH			
		FIELD COND	umho		

100178

John M. Flynn, P.E.
COMMISSIONER



SUFFOLK COUNTY
DEPARTMENT OF ENVIRONMENTAL CONTROL HEALTH SERVICES

~~XXXXXXXXXXXX~~
65 Jetson Lane

Hauppauge N. Y. 11787
(516) 234-2622

NOTIFICATION OF UNSATISFACTORY INDUSTRIAL WASTE SAMPLING

Date Jan. 4, 1979

Goldisc Recordings, Inc.
Broadway Avenue & Veterans Mem. Hwy.
Holbrook, N.Y. 11741

Gentlemen:

On 12/13/78 samples of your industrial waste were taken from your leaching pool surface. Upon analysis, the following parameters were found to be unsatisfactory:

- | | |
|----------------------|-----|
| 1. Nickel - 7.2 mg/l | 6. |
| 2. | 7. |
| 3. | 8. |
| 4. | 9. |
| 5. | 10. |

The acceptable limits on each of these parameters according to New York State Groundwater Standards are as follows:

- | | |
|----------------------|-----|
| 1. Nickel - 2.0 mg/l | 6. |
| 2. | 7. |
| 3. | 8. |
| 4. | 9. |
| 5. | 10. |

You should be aware that these unsatisfactory conditions constitute violations of the N.Y.S. Environmental Conservation Law. Please see that they are corrected as soon as possible. If you have any questions or need any assistance, please do not hesitate to contact this office.

Very truly yours,

Roy Gilbert

Roy Gilbert
Water Pollution Control Section
RG/rt



CC: TED SNYDER - NYSDEC

100179/

LABORATORY

NO. 203
 BY Olson
 NAME, NOT INITIALS
12-19-78
 COL. 9:12 AM.

LAB NO. 12-78-143
 TYPE SAMPLE Env
 DATE REC'VD. 12/19
 TIME REC'VD. 2 PM
 DATE COMPLETED 12/21/80

SUFFOLK COUNTY ENVIRONMENTAL CONTROL LABORATORY
 CHEMICAL EXAMINATION OF WATER, SEWAGE, INDUSTRIAL WASTE

R FIRM Gold Disc R
 ADDRESS OR LOCATION Broadway Ave & Vets Hwy Hobbs Brook
 TYPE OF COLLECTION Leach pool bottom
 SPECIAL INSTRUCTIONS _____

TEST	RESULT	TEST	RESULT	TEST	RESULT
			mg. liter		mg. liter
CONDUCT	umho	NITRATE-N		<input checked="" type="checkbox"/> COPPER	20.05
	7.2	NITRITE-N		<input checked="" type="checkbox"/> IRON	0.2
TEST	RESULT	AMMONIA-N		MANGANESE	
	mg. liter	TKN		<input checked="" type="checkbox"/> CHROMIUM	0.25
ALKALINITY		0-PO ₄ -P		<input checked="" type="checkbox"/> NICKEL	7.2
ALKALINITY				<input checked="" type="checkbox"/> ZINC	0.09
CHLORIDE				MAGNESIUM	
FLUORIDE		TOT. SOLIDS		CALCIUM	
CYANIDE		SUS. SOLIDS		<input checked="" type="checkbox"/> LEAD	20.1
SULFATE		DISS. SOLIDS		<input checked="" type="checkbox"/> CADMIUM	20.02
PHOSPHATE		B.O.D.		<input checked="" type="checkbox"/> SILVER	20.02
CHLORIDE				SODIUM	
FLUORIDE		FIELD NITRATE		POTASSIUM	
		FIELD Cl ⁻		BARIUM	
		FIELD D.O.			
		FIELD TEMP			
		FIELD pH			
		FIELD COND.	umho		

100180

FIELD

LABORATORY

NO. 214

LAB NO. 1-79-104

BY OKSEN
NAME, NOT INITIALS

TYPE SAMPLE IND.

DATE COL. 1-10-79

DATE REC'VD. 1/10

TIME COL. 9:15 AM.

TIME REC'VD. 10:30 A.M.

DATE COMPLETED 2/1/80

SUFFOLK COUNTY ENVIRONMENTAL CONTROL LABORATORY
CHEMICAL EXAMINATION OF WATER, SEWAGE, INDUSTRIAL WASTE

NAME OR FIRM Gold Disc

ADDRESS OR LOCATION Broadway Ave, Vets Highway

POINT OF COLLECTION puddle in driveway

REMARKS/INSTRUCTIONS

TEST	RESULT	TEST	RESULT <small>mg. liter</small>	TEST	RESULT <small>mg. liter</small>
CONDUCT	<u>unho</u>	NITRATE-N		COPPER	<u>3.3</u>
pH	<u>~ 5.6 by paper</u>	NITRITE-N		IRON	
TEST	RESULT <small>mg. liter</small>	AMMONIA-N		MANGANESE	
ph. ALKALINITY		TKN		CHROMIUM	<u>27.5</u>
T. ALKALINITY		O-PO ₄ -P		NICKEL	<u>1. x 10⁴</u>
CHLORIDE				ZINC	<u>4.5</u>
FLUORIDE				MAGNESIUM	
CYANIDE		TOT. SOLIDS		CALCIUM	
		SUS. SOLIDS		LEAD	
SULFATE		DISS. SOLIDS		CADMIUM	<u>0.15</u>
MBAS		B.O.D.		SILVER	
C.O.D.				SODIUM	
T.O.C.		FIELD NITRATE		POTASSIUM	
		FIELD Cl ⁻		BARIUM	
		FIELD D.O.			
		FIELD TEMP			
		FIELD pH			
		FIELD COND	<u>unho</u>		

(Signature)

100181

FIELD

LABORATORY

FIELD NO. 2 Do 11

LAB NO. 3-80-111

BY David Oberg
NAME, NOT INITIALS

TYPE SAMPLE IND

DATE COL. 11 March 1980

DATE REC'VD. 3/11

TIME REC'VD. 2 PM

TIME COL. 10:34 AM

DATE COMPLETED 3/12 1980

Handwritten initials/signature

SUFFOLK COUNTY HEALTH SERVICES LABORATORY
CHEMICAL EXAMINATION OF WATER, SEWAGE, INDUSTRIAL WASTE

NAME OR FIRM Goldisc Recording, Pnc. of ElectroSound Group, Inc.

ADDRESS OR LOCATION 725 Broadway Ave. Holbrook, NY

POINT OF COLLECTION Discharge from 4" fire hose from sump.

REMARKS/INSTRUCTIONS Hold for sample week of 17th-21st March 1980

TEST	RESULT	TEST	RESULT	TEST	RESULT
			mg. / liter		mg. / liter
CONDUCT	umho	NITRATE-N		COPPER	
pH	6.8	NITRITE-N		IRON	
TEST	RESULT	AMMONIA-N		MANGANESE	
	mg. / liter	TKN		✓ CHROMIUM	0.5
ph. ALKALINITY		0-PO ₄ -P		✓ NICKEL	4.1
T. ALKALINITY		TOT. SOLIDS		ZINC	
CHLORIDE		SUS. SOLIDS		MAGNESIUM	
FLUORIDE		DISS. SOLIDS		CALCIUM	
CYANIDE				LEAD	
SULFATE				✓ CADMIUM	4.02
MBAS				✓ SILVER	4.02
C.O.D.				SODIUM	
T.O.C.				POTASSIUM	
		FIELD D.O.		BARIUM	
		FIELD TEMP			
		FIELD pH			
		FIELD COND.	umho		
					100182

FIELD

LABORATORY

All to low DQJ

N 23 D03

LAB NO. 4-80-166

Y DAVID OBRIG
NAME, NOT INITIALS

TYPE SAMPLE IND

COL. 23 April 1980

DATE REC'VD. 4/23/80

COL. 1030 AM

TIME REC'VD.

DATE COMPLETED 5/5/80 pja

SUFFOLK COUNTY HEALTH SERVICES LABORATORY
CHEMICAL EXAMINATION OF WATER, SEWAGE, INDUSTRIAL WASTE

OWNER FIRM Goldsch Recording Inc.

ADDRESS OR LOCATION Broadway Ave. - Bohemia.

POINT OF COLLECTION Pool West Side of Goldsch Bld. 20-25th

REMARKS/INSTRUCTIONS Due west holding tank

TEST	RESULT	TEST	RESULT	TEST	RESULT
			mg. liter		mg. liter
CONDUCT	umho	NITRATE-N		COPPER	
	6.8	NITRITE-N		IRON	.8
		AMMONIA-N		MANGANESE	
TEST	RESULT				
	mg. liter				
ph. ALKALINITY		TKN		CHROMIUM	.02
T. ALKALINITY		O-PO ₄ -P		NICKEL	1.3
CHLORIDE				ZINC	
FLUORIDE				MAGNESIUM	
CYANIDE		TOT. SOLIDS		CALCIUM	
		SUS. SOLIDS		LEAD	<.2
SULFATE		DISS. SOLIDS		CADMIUM	<.02
MBAS				SILVER	<.02
C.O.D.				SODIUM	
T.O.C.				POTASSIUM	
				BARIUM	
		FIELD D.O.			
		FIELD TEMP			
		FIELD pH			
		FIELD COND.	umho		

100183

FIELD

LABORATORY

NO. 23 D02
 BY David O'Bray
 NAME, NOT INITIALS
 DATE COL. 23 April 1980
 TIME COL. 1030AM

LAB NO. 4-80-165
 TYPE SAMPLE IND
 DATE REC'VD. 4/23/80
 TIME REC'VD. [scribble]
 DATE COMPLETED 4/24 Bit

2-LOW DIB

SUFFOLK COUNTY HEALTH SERVICES LABORATORY
 CHEMICAL EXAMINATION OF WATER, SEWAGE, INDUSTRIAL WASTE

CLIENT OR FIRM Goldisk Recording Inc.
 ADDRESS OR LOCATION Broadway Ave. Rosham
 POINT OF COLLECTION Pool West Sided Goldisk Bld. 20-25ft Due West
 REMARKS/INSTRUCTIONS holding tank.

TEST	RESULT		TEST	RESULT $\frac{mg.}{liter}$		TEST	RESULT $\frac{mg.}{liter}$
CONDUCT	umho		NITRATE-N			COPPER	
			NITRITE-N			IRON	
			AMMONIA-N			MANGANESE	
ph. ALKALINITY			TKN			CHROMIUM	
T. ALKALINITY			0-PO ₄ -P			NICKEL	
CHLORIDE						ZINC	
FLUORIDE						MAGNESIUM	
CYANIDE		X	TOT. SOLIDS	54.		CALCIUM	
		X	SUS. SOLIDS	8.		LEAD	
SULFATE		X	DISS. SOLIDS	46.		CADMIUM	
MBAS						SILVER	
C.O.D.	16.					SODIUM	
T.O.C.						POTASSIUM	
						BARIUM	
			FIELD D.O.				
			FIELD TEMP				
			FIELD pH				
			FIELD COND.	umho			

100184

COUNTY OF SUFFOLK



DEPARTMENT OF HEALTH SERVICES

NOTICE OF VIOLATION: N.Y.S. ENVIRONMENTAL CONSERVATION LAW

Goldisc-Recordings, Inc.
725 Broadway Ave.
Holbrook, NY 11741

Date June 25, 1980
SPDES NO. NY 0075850
Lab No. 5-90-189
Field No. 28 DO 5

Gentlemen:

On May 28, 1980 samples of industrial waste were taken from your Water on ground approx. 30 ft. NE of underground 2" pipe of Goldisc Bldg. Upon analysis, the following parameters were found in concentrations above the maximum allowed in your SPDES permit or in groundwater effluent standards:

- | | |
|------------------------|-----|
| 1. pH - 10.0 | 6. |
| 2. C.O.D. - 180.0 mg/l | 7. |
| 3. Iron - 2.6 mg/l | 8. |
| 4. | 9. |
| 5. | 10. |

Please be advised that these unsatisfactory conditions constitute violations of the N.Y.S. Environmental Conservation Law. Please be further advised that the discharge of any water from an industrial process to the groundwater of Suffolk County without having first obtained a State Pollutant Discharge Elimination System (SPDES) permit for that discharge is also a violation of the N.Y.S.E.C.L. and S.C. Sanitary Code, Art. 12.

If you do not already possess a valid SPDES permit for the above discharge, then you should apply immediately, through this office, for said permit.

Since the above noted violations may subject you to legal action, it is expected that these violations cease immediately. A reinspection in the near future will determine your compliance in this matter.

Very truly yours,

Patrick A. Perrella
Sr. Sanitarian
Industrial Waste and Hazardous
Materials Control Section
PAP/rt

(SEE REVERSE SIDE FOR
STANDARDS)

100185

FIELD

LABORATORY

D NO. 28 005

LAB NO. 5-80-189

D. O'Brien
NAME, NOT INITIALS

TYPE SAMPLE IND

E COL. 28 MAY 1980

DATE REC'VD. 5/29

E COL. 505 PM

TIME REC'VD. 10 AM

DATE COMPLETED 5/31/80

SUFFOLK COUNTY HEALTH SERVICES LABORATORY
CHEMICAL EXAMINATION OF WATER, SEWAGE, INDUSTRIAL WASTE

CLIENT OR FIRM Goldish Recording

ADDRESS OR LOCATION Broadway Ave. Holbrook N.Y.

POINT OF COLLECTION Water on ground approx. 30 ft. NE of

REMARKS/INSTRUCTIONS underground 8" pipe at Goldish Bldg.

TEST	RESULT	TEST	RESULT <small>mg./liter</small>	TEST	RESULT <small>mg./liter</small>
CONDUCT	umho	NITRATE-N		COPPER	
pH	10.0	NITRITE-N		IRON	2.6
TEST	RESULT <small>mg./liter</small>	AMMONIA-N		MANGANESE	
ph. ALKALINITY		TKN		CHROMIUM	
T. ALKALINITY		O-PO ₄ -P		NICKEL	<1
CHLORIDE				ZINC	
FLUORIDE				MAGNESIUM	
CYANIDE		TOT. SOLIDS		CALCIUM	
		SUS. SOLIDS		LEAD	
SULFATE		DISS. SOLIDS		CADMIUM	
MBAS				SILVER	
C.O.D.	1.8 x 10 ²			SODIUM	
T.O.C.	(130)			POTASSIUM	
				BARIUM	
		FIELD D.O.			
		FIELD TEMP			
		FIELD pH			
		FIELD COND.	umho		

100186

COUNTY OF SUFFOLK



DEPARTMENT OF HEALTH SERVICES

NOTICE OF VIOLATION: N.Y.S. ENVIRONMENTAL CONSERVATION LAW

Goldisc Recordings, Inc.
725 Broadway Ave.
Holbrook, NY 11741

Date June 25, 1980
SPDES NO. NY 0075850
Lab No. 5-80-190
Field No. 28 DO 6

Gentlemen:

On May 28, 1980 samples of industrial waste were taken from your Water on ground approx. 40-50 ft. directly NE of corner of Goldisc Bld. Upon analysis, the following parameters were found in concentrations above the maximum allowed in your SPDES permit or in groundwater effluent standards:

- | | |
|------------------------|-----|
| 1. pH - 6.4 | 6. |
| 2. C.O.D. - 210.0 mg/l | 7. |
| 3. Iron - 1.9 mg/l | 8. |
| 4. | 9. |
| 5. | 10. |

Please be advised that these unsatisfactory conditions constitute violations of the N.Y.S. Environmental Conservation Law. Please be further advised that the discharge of any water from an industrial process to the groundwater of Suffolk County without having first obtained a State Pollutant Discharge Elimination System (SPDES) permit for that discharge is also a violation of the N.Y.S.E.C.L. and S.C. Sanitary Code, Art. 12.

If you do not already possess a valid SPDES permit for the above discharge, then you should apply immediately, through this office, for said permit.

Since the above noted violations may subject you to legal action, it is expected that these violations cease immediately. A reinspection in the near future will determine your compliance in this matter.

Very truly yours,

Patrick A. Perrella
Patrick A. Perrella
Sr. Sanitarian
Industrial Waste and Hazardous
Materials Control Section
PAP/rt

(SEE REVERSE SIDE FOR STANDARDS)

100187

FIELD

LABORATORY

D NO. 28 DOGLAB NO. 5-80-190BY D. O'bry
NAME, NOT INITIALSTYPE SAMPLE INDE COL. 28 May 1980DATE REC'VD. 5/29E COL. 302 PMTIME REC'VD. 10AMDATE COMPLETED 5/31/80SUFFOLK COUNTY HEALTH SERVICES LABORATORY
CHEMICAL EXAMINATION OF WATER, SEWAGE, INDUSTRIAL WASTEE OR FIRM Goldfish RecordingRESS OR LOCATION Broadway Ave. Halbrock NYIT OF COLLECTION Water on ground approx. 40-50' directlyARKS/INSTRUCTIONS NE of corner Goldfish Bldg

TEST	RESULT	TEST	RESULT $\frac{\text{mg.}}{\text{liter}}$	TEST	RESULT $\frac{\text{mg.}}{\text{liter}}$
CONDUCT	umho	NITRATE-N		COPPER	
pH	6.4	NITRITE-N		IRON	1.9
TEST	RESULT $\frac{\text{m.g.}}{\text{liter}}$	AMMONIA-N		MANGANESE	
ph. ALKALINITY		TKN		CHROMIUM	
T. ALKALINITY		O-PO ₄ -P		NICKEL	<.1
CHLORIDE				ZINC	
FLUORIDE				MAGNESIUM	
CYANIDE		TOT. SOLIDS		CALCIUM	
		SUS. SOLIDS		LEAD	
SULFATE		DISS. SOLIDS		CADMIUM	
MBAS				SILVER	
C.O.D.	2.1 x 10 ²			SODIUM	
T.O.C.	210.			POTASSIUM	
				BARIUM	
		FIELD D.O.			
		FIELD TEMP			
		FIELD pH			
		FIELD COND.	umho		

100188

COUNTY OF SUFFOLK



DEPARTMENT OF HEALTH SERVICES

NOTICE OF VIOLATION: N.Y.S. ENVIRONMENTAL CONSERVATION LAW

Goldisc Recordings, Inc.
25 Broadway Ave.
Holbrook, NY 11741

Date June 25, 1980
SPDES NO. NY 0075950
Lab No. 5-80-101
Field No. 28 DO 7

Gentlemen:

On May 28, 1980 samples of industrial waste were taken from your Discharge from pipe at Goldisc, which runs into storm drain. Upon analysis, the following parameters were found in concentrations above the maximum allowed in your SPDES permit or in groundwater effluent standards:

- | | |
|--------------------|-----|
| 1. pH - 11.2 | 6. |
| 2. Iron - 1.6 mg/l | 7. |
| | 8. |
| 4. | 9. |
| 5. | 10. |

Please be advised that these unsatisfactory conditions constitute violations of the N.Y.S. Environmental Conservation Law. Please be further advised that the discharge of any water from an industrial process to the groundwater of Suffolk County without having first obtained a State Pollutant Discharge Elimination System (SPDES) permit for that discharge is also a violation of the N.Y.S.E.C.L. and S.C. Sanitary Code, Art. 12.

If you do not already possess a valid SPDES permit for the above discharge, then you should apply immediately, through this office, for said permit.

Since the above noted violations may subject you to legal action, it is expected that these violations cease immediately. A reinspection in the near future will determine your compliance in this matter.

Very truly yours,

Patrick A. Perrella
Patrick A. Perrella
Sr. Sanitarian
Industrial Waste and Hazardous
Materials Control Section
PAP/rt

(SEE REVERSE SIDE FOR
STANDARDS)

100189

FIELD

LABORATORY

NO. 28007

LAB NO. 5-80-191

D. O'Bray

NAME, NOT INITIALS

TYPE SAMPLE 1ND

COL. 28 MAY 1980

DATE REC'VD. 5/29

COL. 520PM

TIME REC'VD. 10AM

DATE COMPLETED 5/31/80 pja

SUFFOLK COUNTY HEALTH SERVICES LABORATORY
CHEMICAL EXAMINATION OF WATER, SEWAGE, INDUSTRIAL WASTE

FOR FIRM Goldish Recording

DRESS OR LOCATION Broadway Ave. Holbrook NY.

OF COLLECTION Discharge drain pipe at Goldish, which runs

MARKS/INSTRUCTIONS into storm drain.

TEST	RESULT	TEST	RESULT	TEST	RESULT
			mg. liter		mg. liter
CONDUCT	umho 11.2	NITRATE-N		COPPER	
		NITRITE-N		IRON	1.6
TEST	RESULT	AMMONIA-N		MANGANESE	
	mg. liter	TKN		CHROMIUM	
ph. ALKALINITY		0-PO ₄ -P		NICKEL	< 1
T. ALKALINITY				ZINC	
CHLORIDE		TOT. SOLIDS		MAGNESIUM	
FLUORIDE		SUS. SOLIDS		CALCIUM	
CYANIDE		DISS. SOLIDS		LEAD	
SULFATE				CADMIUM	
MBAS				SILVER	
C.O.D.	150			SODIUM	
T.O.C.				POTASSIUM	
				BARIUM	
		FIELD D.O.			
		FIELD TEMP			
		FIELD pH			
		FIELD COND.	umho		

100190



DEPARTMENT OF HEALTH SERVICES

NOTICE OF VIOLATION: N.Y.S. ENVIRONMENTAL CONSERVATION LAW

Coldisc Recordings, Inc.
775 Broadway Ave.
Holbrook, NY 11741

Date June 25, 1980
SPDES NO. NY 0075850
Lab No. 5-80-188
Field No. 29 DO 4

Gentlemen:

On May 28, 1980 samples of industrial waste were taken from your discharge from underground 8" pipe, NE side of Coldisc Bldg. Upon analysis, the following parameters were found in concentrations above the maximum allowed in your SPDES permit or in groundwater effluent standards:

- | | |
|------------------------|-----|
| 1. Iron - 1.3 mg/l | 6. |
| 2. C.O.D. - 200.0 mg/l | 7. |
| 3. | 8. |
| 4. | 9. |
| 5. | 10. |

Please be advised that these unsatisfactory conditions constitute violations of the N.Y.S. Environmental Conservation Law. Please be further advised that the discharge of any water from an industrial process to the groundwater of Suffolk County without having first obtained a State Pollutant Discharge Elimination System (SPDES) permit for that discharge is also a violation of the N.Y.S.E.C.L. and S.C. Sanitary Code, Art. 12.

If you do not already possess a valid SPDES permit for the above discharge, then you should apply immediately, through this office, for said permit.

Since the above noted violations may subject you to legal action, it is expected that these violations cease immediately. A reinspection in the near future will determine your compliance in this matter.

Very truly yours,

Patrick A. Perrella
Patrick A. Perrella
Sr. Sanitarian
Industrial Waste and Hazardous
Materials Control Section
H. H. Hart

(SEE REVERSE SIDE FOR STANDARDS)

NO. 28 004
 BY David Obry
 NAME, NOT INITIALS
 DATE 28 May 1980
 TIME 508 PM

LAB NO. 0-80-188
 TYPE SAMPLE IND
 DATE REC'VD. 5/29
 TIME REC'VD. 10AM
 DATE COMPLETED 5/31/80

SUFFOLK COUNTY HEALTH SERVICES LABORATORY
 CHEMICAL EXAMINATION OF WATER, SEWAGE, INDUSTRIAL WASTE

FOR FIRM Goldisk Recording
 ADDRESS OR LOCATION Broadway Ave. Holbrook N.Y.
 POINT OF COLLECTION Discharge from underground 8" pipe, NE side
 REMARKS/INSTRUCTIONS Goldisk Bld.

TEST	RESULT	TEST	RESULT $\frac{mg.}{liter}$	TEST	RESULT $\frac{mg.}{liter}$
CONDUCT	umho	NITRATE-N		COPPER	
pH	7.4	NITRITE-N		✓ IRON	1.3
TEST	RESULT $\frac{m.g.}{liter}$	AMMONIA-N		MANGANESE	
ALKALINITY		TKN		CHROMIUM	
T. ALKALINITY		0-PO ₄ -P		✓ NICKEL	<.1
CHLORIDE				ZINC	
FLUORIDE				MAGNESIUM	
CYANIDE		TOT. SOLIDS		CALCIUM	
		SUS. SOLIDS		LEAD	
SULFATE		DISS. SOLIDS		CADMIUM	
MBAS				SILVER	
C.O.D.	2.0 x 10 ²			SODIUM	
T.O.C.	(200)			POTASSIUM	
				BARIUM	
		FIELD D.O.			
		FIELD TEMP			
		FIELD pH			
		FIELD COND.	umho		

FIELD

LABORATORY

2R05-27

LAB NO. 5-81-2008

DLSEN.
NAME, NOT INITIALS

TYPE SAMPLE IND. -

COL. 05-27-81

DATE REC'VD. 5/27-PRO

GE. 0935

TIME REC'VD. 11:30AM

DATE COMPLETED 6/2/81

SUFFOLK COUNTY HEALTH SERVICES LABORATORY
CHEMICAL EXAMINATION OF WATER, SEWAGE, INDUSTRIAL WASTE

FIRM: Gold Disc.
ADDRESS OR LOCATION: Broadway 9 Vets Highway, Bayport.
DATE OF COLLECTION: Storm drain which received chemical spill.
REMARKS/INSTRUCTIONS: photographed at time of sample

TEST	RESULT	TEST	RESULT	TEST	RESULT
			mg. / liter		mg. / liter
CONDUCT	umho	NITRATE-N		✓ COPPER	2.02
		NITRITE		✓ IRON	.2
TEST	RESULT	AMMONIA-N		MANGANESE	
	mg. / liter				
ALKALINITY		TKN		✓ CHROMIUM	2.02
T. ALKALINITY		0-PO ₄ -P		✓ NICKEL	1.8
CHLORIDE				✓ ZINC	.2
FLUORIDE				MAGNESIUM	
CYANIDE		TOT. SOLIDS		CALCIUM	
		SUS. SOLIDS	not over	✓ LEAD	2.2
SULFATE		DISS. SOLIDS	not over	✓ CADMIUM	2.02
MBAS			appeared	✓ SILVER	2.02
C.O.D.				SODIUM	
T.O.C.				POTASSIUM	
				BARIUM	
		FIELD D.O.			
		FIELD TEMP			
		FIELD pH			
		FIELD COND.	umho		

100193

FIELD

LABORATORY

LD NO. 4R03-4
OLSCW
 NAME, NOT INITIALS
 T COL. 03-04-81
 TIME COL. 11:20

LAB NO. 3-81-66
 TYPE SAMPLE Ind.
 DATE REC'VD. 3/4 - PACE
 TIME REC'VD. 1 PM
 DATE COMPLETED 3/20/81

SUFFOLK COUNTY HEALTH SERVICES LABORATORY
 CHEMICAL EXAMINATION OF WATER, SEWAGE, INDUSTRIAL WASTE

CLIENT OR FIRM Gold Dix
 ADDRESS OR LOCATION Bohemia
 POINT OF COLLECTION discharge to sump
 REMARKS/INSTRUCTIONS _____

TEST	RESULT	TEST	RESULT	TEST	RESULT
CONDUCT	umho	NITRATE-N		✓ COPPER	.07
pH		NITRITE		IRON	
TEST	RESULT $\frac{m.g.}{liter}$	AMMONIA-N		MANGANESE	
ph. ALKALINITY		TKN		✓ CHROMIUM	.04
T. ALKALINITY		O-PO ₄ -P		✓ NICKEL	.6
CHLORIDE				ZINC	
FLUORIDE				MAGNESIUM	
CYANIDE		TOT. SOLIDS		CALCIUM	
		SUS. SOLIDS		LEAD	
SULFATE		DISS. SOLIDS		CADMIUM	
MBAS				✓ SILVER NRIA	.04
C.O.D. ✓	≈ 25.			SODIUM	
T.O.C.				POTASSIUM	
				BARIUM	
		FIELD D.O.			
		FIELD TEMP			
		FIELD pH	7		
		FIELD COND.			

100194

FIELD

LABORATORY

LF NO. 3 P08-14

LAB NO. 8-81-135

A. OLSEN
NAME, NOT INITIALS

TYPE SAMPLE Env

T. COL. 08-14-81

DATE REC'VD. 8/14/81

IF COL. 13⁰⁰

TIME REC'VD. 2:30 PM

DATE COMPLETED 8/18/81

SUFFOLK COUNTY HEALTH SERVICES LABORATORY
CHEMICAL EXAMINATION OF WATER, SEWAGE, INDUSTRIAL WASTE

NAME OR FIRM Goldise

ADDRESS OR LOCATION Vets Highway & Broadway, Hollbrook

TYPE OF COLLECTION discharged to woods

MARKS/INSTRUCTIONS

TEST	RESULT	TEST	RESULT ^{mg.} / _{liter}	TEST	RESULT ^{mg.} / _{liter}
CONDUCT	umho	NITRATE-N		<input checked="" type="checkbox"/> COPPER	2.02
		NITRITE		<input checked="" type="checkbox"/> IRON	.7
TEST	RESULT ^{mg.} / _{liter}	AMMONIA-N		MANGANESE	
ph. ALKALINITY		TKN		<input checked="" type="checkbox"/> CHROMIUM	2.02
T. ALKALINITY		O-PO ₄ -P		<input checked="" type="checkbox"/> NICKEL	2.1
CHLORIDE				<input checked="" type="checkbox"/> ZINC	.2
FLUORIDE				MAGNESIUM	
CYANIDE		TOT. SOLIDS		CALCIUM	
		SUS. SOLIDS		<input checked="" type="checkbox"/> LEAD	2.2
SULFATE		DISS. SOLIDS		<input checked="" type="checkbox"/> CADMIUM	2.02
MSAS				<input checked="" type="checkbox"/> SILVER	2.02
C.O.D.				SODIUM	
T.O.C.				POTASSIUM	
				BARIUM	
		FIELD D.O.			
		FIELD TEMP			
		FIELD pH			
		FIELD COND.	umho		

(Signature)

100195

FIELD

LABORATORY

S O. 2 R08-14

LAB NO. 8-81-134

BY R. Olsen
NAME, NOT INITIALS

TYPE SAMPLE Env.

E COL. 08-14-81

DATE REC'VD. 8/14/81

COL. 1255

TIME REC'VD. 2:30 PM

DATE COMPLETED 8/15/81

SUFFOLK COUNTY HEALTH SERVICES LABORATORY
CHEMICAL EXAMINATION OF WATER, SEWAGE, INDUSTRIAL WASTE

FOR FIRM Holbeck

RESS OR LOCATION Broadway and Vets Highway, Holbeck.

OF COLLECTION Leaching Pool for boiler bleed down

MARKS/INSTRUCTIONS

TEST	RESULT	TEST	RESULT	TEST	RESULT
			mg./liter		mg./liter
CONDUCT	umho	NITRATE-N		COPPER	.11
		NITRITE		IRON	1.1
TEST	RESULT	AMMONIA-N		MANGANESE	
	mg./liter	TKN		CHROMIUM	<.02
ph. ALKALINITY		O-PO ₄ -P		NICKEL	<.1
T. ALKALINITY				ZINC	<.1
CHLORIDE		TOT. SOLIDS		MAGNESIUM	
FLUORIDE		SUS. SOLIDS		CALCIUM	
CYANIDE		DISS. SOLIDS		LEAD	<.2
SULFATE				CADMIUM	<.02
MBAS				SILVER	<.02
C.O.D.				SODIUM	
T.O.C.				POTASSIUM	
				BARIUM	
		FIELD D.O.			
		FIELD TEMP			
		FIELD pH			
		FIELD COND.	umho		

100196

FIELD

LABORATORY

LAB NO.

8-81-133

TYPE SAMPLE

SLUD

DATE REC'VD.

8/14/81

TIME REC'VD.

2:30 PM

DATE COMPLETED

8/14/81

1208-14

R. OLSEN

NAME, NOT INITIALS

08-14-81

1240

SUFFOLK COUNTY HEALTH SERVICES LABORATORY
CHEMICAL EXAMINATION OF WATER, SEWAGE, INDUSTRIAL WASTE

OR FIRM

Goldisco

ADDRESS OR LOCATION

Beaulieu Way & Vats, Holbrook

DATE OF COLLECTION

overflow pool by waste holding tanks -

REMARKS/INSTRUCTIONS

involved in previous nickel spill

TEST	RESULT	TEST	RESULT $\frac{mg.}{liter}$	TEST	RESULT $\frac{mg.}{liter}$
CONDUCT	umho	NITRATE-N		<input checked="" type="checkbox"/> COPPER	.04
		NITRITE		<input checked="" type="checkbox"/> IRON	.7
TEST	RESULT $\frac{m.g.}{liter}$	AMMONIA-N		MANGANESE	
H. ALKALINITY		TKN		<input checked="" type="checkbox"/> CHROMIUM	<.02
T. ALKALINITY		O-PO ₄ -P		<input checked="" type="checkbox"/> NICKEL	.9
CHLORIDE				<input checked="" type="checkbox"/> ZINC	.1
FLUORIDE				MAGNESIUM	
CYANIDE		TOT. SOLIDS		CALCIUM	
		SUS. SOLIDS		<input checked="" type="checkbox"/> LEAD	<.2
SULFATE		DISS. SOLIDS		<input checked="" type="checkbox"/> CADMIUM	<.02
MBAS				<input checked="" type="checkbox"/> SILVER	<.02
C.O.D.				SODIUM	
T.O.C.				POTASSIUM	
				BARIUM	
		FIELD D.O.			
		FIELD TEMP			
		FIELD pH			
		FIELD COND.	umho		

(Signature)

100197

PETER F. COHALAN
SUFFOLK COUNTY EXECUTIVE

DEPARTMENT OF HEALTH SERVICES

Audio Recordings Inc. -
Broadway Ave. & Veterans Memorial Hwy.
Holbrook, NY 11741

Date 5/24/82
SPDES NO. NY007-5850
Lab. No. IW382026
Field No. 10RO 3-31

Att: Jan Person
Gentlemen:

On 3/31/82 samples of industrial waste were taken from pool designated as SC#3 located west of your facility. Upon analysis, the following parameters were found in concentrations above the maximum allowed in your SPDES Permit or in groundwater effluent standards:

- | | | |
|----|---------------------------------|-----|
| 1. | Toluene - 110 ppb | 6. |
| 2. | 1, 2, 4 Trimethylbenzene 34 ppb | 7. |
| 3. | 1, 3, 5 " " 15 ppb | 8. |
| 4. | | 9. |
| 5. | | 10. |

Please be advised that these unsatisfactory conditions constitute violations of the N.Y.S. Environmental Conservation Law and/or the Suffolk County Sanitary Code. Please be further advised that the discharge of any water from an industrial process to the groundwater of Suffolk County without having first obtained a State Pollutant Discharge Elimination System (SPDES) Permit for that discharge is also a violation of the N.Y.S. E.C.L. and/or the Suffolk County Sanitary Code, Article 12.

If you do not already possess a valid SPDES Permit for the above discharge, then you should apply immediately through this office for said permit.

Since the above-noted violations may subject you to legal action, it is expected that these violations cease immediately. Violations of the Suffolk County Sanitary Code are subject to the imposition of a civil penalty of up to Five Hundred (\$500) dollars per violation. E.C.L. violations are also subject to a civil penalty. A reinspection in the near future will determine your compliance in this matter.

Very truly yours,

Dennis C. Gobbi, Sr. Sanitarian
Environmental Pollution Control

35 JETSON LANE, P.O. BOX G
CENTRAL ISLIP, N.Y. 11722
516/234-2622

(SEE REVERSE SIDE FOR STANDARDS)

100198

ELD NO. 1203-31 LAB NO. 3-82-343 DATE COMPLETED 4/16/82

LABORATORY OR FIRM Goldisc Recording S
 ADDRESS OR LOCATION 1 Goldisc Rd. Halbrook
 POINT OF COLLECTION SC #3, Aka Point 004
 REMARKS/INSTRUCTIONS

TEST	RESULTS	TEST	RESULTS	TEST	RESULTS
PH (LAB)		TOTAL SOLIDS	Mg/l	✓ COPPER	.2 Mg/l
CHLORIDE	Mg/l	SUSPENDED SOLIDS		✓ IRON	2.3
CYANIDE		DISSOLVED SOLIDS		MANGANESE	
COBALT				✓ CHROMIUM-TOT	.03
COD				✓ NICKEL	.8
CODC				✓ ZINC	.7
				✓ LEAD	.2
				✓ CADMIUM	.03
AMMONIA-N				✓ SILVER	<.02
NITRITE				CHROMIUM-+6	
AMMONIA-N					
PH		PH (FIELD)	7		
		TEMP. (FIELD)			

METHOD OF PRESERVATION HNO₃ TO pH < 2 COOL 4° C

CUSTODY OF SAMPLE

URING TRANSPORT OF THE SAMPLE FROM SAMPLING SITE TO LABORATORY, THE CHAIN OF CUSTODY MUST BE UNBROKEN. GENERALLY THIS WILL REQUIRE THAT THE SAMPLE BE DELIVERED BY THE SAMPLE COLLECTOR OR HIS DESIGNATED REPRESENTATIVE WHO WILL SIGN FOR THE RECEIPT, INTEGRITY AND TRANSFER OF THE SAMPLE DURING SHIPMENT.

COLLECTED BY	NAME	AFFILIATION	DATE	TIME
	<u>P. OLSON</u>	<u>SCNHS</u>	<u>03-31-82</u>	<u>11:50</u>
POSSESSION BY			DATE - TIME	TO DATE - TIME
POSSESSION BY			DATE - TIME	TO DATE - TIME
RECEIVED LAB BY	<u>G. Mathew</u>	<u>Env. Lab</u>	<u>3/21/82</u>	<u>12:30</u>
POSSESSION BY			DATE - TIME	TO DATE - TIME
POSSESSION BY			DATE - TIME	TO DATE - TIME

100199

LD NO. 2 PC3-31

LAB NO. 3-82-314

DATE COMPLETED 5/14/82

NAME OR FIRM Goldisc

ADDRESS OR LOCATION 1 Goldisc P.O., Holbrook

POINT OF COLLECTION Discharge from basement property

MARKS/INSTRUCTIONS _____

TEST	RESULTS	TEST	RESULTS	TEST	RESULTS
(LAB)		TOTAL SOLIDS	Mg/l	✓ COPPER	Mg/l
FLORIDE	Mg/l	SUSPENDED SOLIDS		✓ IRON	<u>2.3</u>
CYANIDE		DISSOLVED SOLIDS		✓ MANGANESE	
PHOSPHAS				✓ CHROMIUM-TOT	0.03
DD				✓ NICKEL	<.1
DC				✓ ZINC	.5
				✓ LEAD	.5
				✓ CADMIUM	<.02
TRATE-N				✓ SILVER	0.03
ITE				CHROMIUM-+6	
MONIA-N					
N		PH (FIELD)	<u>7</u>		<u>15</u>
		TEMP. (FIELD)			

METHOD OF PRESERVATION HNO₃ TO pH < 2 COOL 4°C

CUSTODY OF SAMPLE

ON THE DATE OF RECEIVING AND DURING TRANSPORT OF THE SAMPLE FROM SAMPLING SITE TO LABORATORY, THE CHAIN OF CUSTODY MUST BE UNBROKEN. GENERALLY THIS WILL REQUIRE THAT THE SAMPLE BE DELIVERED BY THE SAMPLE COLLECTOR OR HIS DESIGNATED REPRESENTATIVE WHO WILL SIGN FOR THE RECEIPT, INTEGRITY AND TRANSFER OF THE SAMPLE DURING SHIPMENT.

	NAME	AFFILIATION	DATE	TIME
COLLECTED BY	<u>R. Olsen</u>	<u>SCDHS</u>	<u>05-31-82</u>	<u>12⁰⁰</u>
POSSESSION BY	_____	_____	DATE - TIME	TO DATE - TIME
POSSESSION BY	_____	_____	DATE - TIME	TO DATE - TIME
RECEIVED LAB BY	<u>B. Mullen</u>	<u>Env. Lab</u>	<u>3/31/82</u>	<u>1230</u>
POSSESSION BY	_____	_____	DATE - TIME	TO DATE - TIME
POSSESSION BY	_____	_____	DATE - TIME	TO DATE - TIME

100200

FIELD NO. 3-803-31 LAB NO. 3-82-395 DATE COMPLETED 4/14/82

NAME OR FIRM Goldisc
 ADDRESS OR LOCATION 1 Goldisc Rd, Wallbrook
 POINT OF COLLECTION boiler blow down discharge
 REMARKS/INSTRUCTIONS not preserved due to high ph

TEST	RESULTS	TEST	RESULTS	TEST	RESULTS
PH (LAB)		TOTAL SOLIDS	Mg/l	✓ COPPER	.4 Mg/l
FLORIDE	Mg/l	SUSPENDED SOLIDS		✓ IRON	2.5
CYANIDE		DISSOLVED SOLIDS		MANGANESE	
BARAS				✓ CHROMIUM-TOT	<.02
COD				✓ NICKEL	<.1
DOC				✓ ZINC	.4
				✓ LEAD	.2
				✓ CADMIUM	<.02
NITRATE-N				✓ SILVER	<.02
NITRITE				CHROMIUM-+6	
AMMONIA-N					
PH (FIELD)		PH (FIELD)	1.2		
TEMP. (FIELD)		TEMP. (FIELD)			

METHOD OF PRESERVATION HNO₃ TO pH < 2 COOL 4°C

CUSTODY OF SAMPLE

During transport of the sample from sampling site to laboratory, the chain of custody must be unbroken. Generally this will require that the sample be delivered by the sample collector or his designated representative who will sign for the receipt, integrity and transfer of the sampling shipment.

COLLECTED BY	NAME	AFFILIATION	DATE	TIME
	<u>P. Olson</u>	<u>SCORIS</u>	<u>03-31-82</u>	<u>12:05</u>
POSSESSION BY			DATE - TIME	TO DATE - TIME
POSSESSION BY			DATE - TIME	TO DATE - TIME
RECEIVED LAB BY	<u>G. yatten</u>	<u>Env. Lab.</u>	<u>3/31/82</u>	<u>12:30</u>
POSSESSION BY			DATE - TIME	TO DATE - TIME
POSSESSION BY			DATE - TIME	TO DATE - TIME

100201

Date 03-31-82
 Time 12:15
 Col. By P. Olsen
 (Name not Initials)

Private Water _____
 Other _____
 Date Completed 5-13-82
 Examined By 11 BPA

SUFFOLK COUNTY DEPARTMENT OF HEALTH SERVICES
 DIVISION OF MEDICAL LEGAL INVESTIGATIONS & FORENSIC SCIENCES
 PUBLIC HEALTH LABORATORY

TRACE ORGANIC ANALYSIS OF WATER

Name Goldise Owner or District _____

Location 1 Goldise Rd, Holbrook

Point of Collection pool designated as SC#3 Aka 004

Remarks: VNO and BTX - previously contaminated

Compound	ppb	Compound	ppb
305 Methylene Chloride.....		250 Benzene.....	<10
290 Bromochloromethane.....		251 Toluene.....	110
323 1,1 Dichloroethane.....		254 o-Xylene.....	<10
309 Trans Dichloroethylene.....		252 m-Xylene.....	<10
300 Chloroform.....	<5	253 p-Xylene.....	<10
324 1,2 Dichloroethane.....		255 Xylene (s).....	—
321 1,1,1 Trichloroethane.....	<2	258 Chlorobenzene.....	<12
304 Carbon Tetrachloride.....	<1	259 Ethylbenzene.....	<10
294 1 Bromo-2-Chloroethane.....		257 Bromobenzene.....	<16
405 1,2 Dichloropropane.....		266 o-Chlorotoluene.....	<12
310 1,1,2 Trichloroethylene.....	<5	267 m-Chlorotoluene.....	<12
303 Chlorodibromomethane.....	<2	268 p-Chlorotoluene.....	<12
293 1,2 Dibromoethane.....		265 Chlorotoluene (s).....	—
420 2-Bromo-1-Chloropropane.....		415 m-Dichlorobenzene.....	<14
301 Bromoform.....	<5	412 o-Dichlorobenzene.....	<14
311 Tetrachloroethylene.....	<2	413 p-Dichlorobenzene.....	—
308 Cis-Dichloroethylene.....		418 1,2,4 Trimethylbenzene.....	34
320 Freon 113.....	<4	406 1,3,5, Trimethylbenzene.....	15
293 Dibromomethane.....		322 2,3 Dichloropropene.....	—
307 1,1 Dichloroethylene.....		409 1,1,2 Trichloroethane.....	—
02 Bromodichloromethane.....	<3	409 1,1,1,2 Tetrachloroethane.....	—
1,3 Dichloropropane.....		1,2,2,3 Tetrachloropropane.....	—
Cis Dichloropropene.....		295 s-Tetrachloroethane.....	—
Trans dichloropropene.....		1,1,1,2 Tetrachloropropane.....	—

c: SPDES File
Reg. #1 - Reg. Ref. #47-0399 Name of Permittee : Sonic Recording Products
Suffolk Co. Dept. Env. Control ✓
Mr. Crandall - BMS Effective Date : February 24, 1975
Mr. Quinn - BIP Expiration Date : February 24, 1980

STATE POLLUTANT DISCHARGE ELIMINATION SYSTEM (SPDES)
DISCHARGE PERMIT

Special Conditions
(Part I)

This SPDES permit is issued in compliance with Title 8 of Article 17 of the Environmental Conservation Law of New York State and in compliance with the provisions of the Federal Water Pollution Control Act, as amended by the Federal Water Pollution Control Act Amendments of 1972, P. L. 92-500, October 18, 1972 (33 U.S.C. § 1251 et. seq.) (hereinafter referred to as "the Act").

Sonic Recording Products, Inc.
(Full Name of Permittee)

is authorized by William L. Garvey, P.E., Director, Bureau of Standards & Compliance
(Designated Representative of Commissioner of the
Department of Environmental Conservation)

to discharge from Veterans Memorial Highway & Broadway
(Street Address of Discharging Facility)
Holbrook, N.Y. 11741

Islip (T), Suffolk Co.

to Ground Waters
(Name of Receiving Waters)

in accordance with the following special and general conditions:

The specific effluent limitations and other pollution controls applicable to the discharge permitted herein are set forth in the special conditions. Also set forth are self-monitoring and reporting requirements. Unless otherwise specified, the permittee shall submit original copies of all reports to the Central Office and the appropriate Regional Office of the Department of Environmental Conservation and the EPA Region II Regional Administrator. Except for data determined to be confidential under Section 17-0805 of the Environmental Conservation Law or Section 308 of the Act, all such reports shall be available for public inspection at the offices of the Department of Environmental Conservation and the Regional Administrator of EPA Region II. Knowingly making any false statement on any such report may result in the imposition of criminal penalties as provided for in Section 71-1933 of the Environmental Conservation Law or Section 309 of the Act.

100203

Initial Effluent Limitations

During the period beginning on the effective date of this permit and lasting until months from EDP, discharges from outfalls 001
(Give Date) (Specify Outfall Numbers)
shall be limited and monitored by the permittee as specified below.

(a) The following shall be limited and monitored by the permittee as specified:

Outfall Number	Effluent Characteristic	Discharge Limitation in kg/day (lbs./day)		Other Limitations (Specify Units)		Monitoring Requirements	
		Daily Average	Daily Maximum	Average	Maximum	Measurement Frequency	Sampling Type
001	Flow			N/A		Continuous	Recorded
	Chromium (TOTAL)			1.5 mg/l		Bi-Weekly	Grab
	Chromium (Hexavalent)			0.5mg/l		"	Grab
	Iron			1 mg/l		"	Grab
	Nickel			30. mg/l		"	Grab

002 Cooling Water Only - No chemical addition to exceed groundwater standards.

Sanitary Wastes Only - No monitoring required.

005
006

Also subject to attached Schedule A.

For the purposes of this subsection, the daily average discharge is the total discharge by weight during a calendar month divided by the number of days in the month that the production or commercial facility was operating.

For the purposes of this subsection, the daily maximum discharge means the total discharge by weight during any calendar day.

(b) The pH shall not be less than 6.5 nor greater than 8.5.
The pH shall be monitored as follows: By pH meter on each batch.

Initial Effluent Limitations

During the period beginning on the effective date of this permit and lasting until September 24, 1975, discharges from outfalls A, 001 through 006 shall be limited and monitored by the permittee as specified below:
(Give Date) (Specify Outfall Numbers)

(a) The following shall be limited and monitored by the permittee as specified:

Outfall Number	Effluent Characteristic	Discharge Limitation in kg/day (lbs./day)		Other Limitations (Specify Units)		Monitoring Requirements	
		Daily Average	Daily Maximum	Average	Maximum	Measurement Frequency	Sample Type
	Industrial Waste Cesspools -	to be disconnected and filled in.					
1	Cooling Water Only -	No chemical addition to exceed groundwater standards.					
3 4 5 6	Sanitary Waste Only	N/A					

Permittee also subject to attached Schedule "A"

For the purposes of this subsection, the daily average discharge is the total discharge by weight during a calendar month divided by the number of days in the month that the production or commercial facility was operating.

For the purposes of this subsection, the daily maximum discharge means the total discharge by weight during any calendar day.

100205

(b) The pH shall not be less than N/A nor greater than N/A.
The pH shall be monitored as follows: N/A

Final Effluent Limitations

During the period beginning 8 months from EDP and lasting
 (Give Date)
 until the date of expiration of this permit, discharges from outfalls 001 and 002
 (Specify Outfall Numbers)
 shall be limited and monitored by the permittee as specified below:

(a) The following shall be limited and monitored by the permittee as specified:

Outfall Number	Effluent Characteristic	Discharge Limitation in kg/day (lbs./day)		Other Limitations (Specify Units)		Monitoring Requirements	
		Daily Average	Daily Maximum	Average	Maximum	Measurement Frequency	Sample Type
001	Flow			N/A		Total	Each Batch
	Nickel			1.0 mg/l		Each Batch	Grab
	Chromium (hexavalent)			.1 mg/l		"	"
	Chromium (Total)			.25 mg/l		"	"
	Iron			.6 mg/l		"	"
	Total Dissolved Solids			1000 mg/l		"	"
	Total Suspended Solids			50 mg/l		"	"
	Boron			1.0 mg/l		"	"
	Silver			.1 mg/l		"	"
	Oils or Waxes			Not allowed in Discharge			
002*	Flow			N/A		Continuous	
	Conductivity			N/A		Daily	
	Temperature			N/A		Monthly	Grab
003-006	Sanitary Wastes Only						

* Cooling water only

For the purposes of this subsection, the daily average discharge is the total discharge by weight during a calendar month divided by the number of days in the month that the production or commercial facility was operating.

For the purposes of this subsection, the daily maximum discharge means the total discharge by weight during any calendar day.

(b) The pH shall not be less than 6.5 nor greater than 8.5.
 The pH shall be monitored as follows: 001 by pH meter on each batch;
002 by pH meter daily.


This permit and the authorization to discharge shall expire on midnight
5 years from EDP . Permittee shall not discharge after the above
(Give Date)

date of expiration. In order to receive authorization to discharge beyond the above
date of expiration, the permittee shall submit such information, forms, and fees
as are required by the Department of Environmental Conservation no later than
180 days prior to the above date of expiration.

By Authority of William L. Garvey, P.E., Director, Bureau of Standards & Compliance
Designated Representative of Commissioner of the
Department of Environmental Conservation

February 24, 1975

Date



Signature

Attachments:

General Conditions
Schedule A

100207

-0399
Env. Control

Name of Permittee : GOLDISC RECORDINGS, INC.
Effective Date : February 24, 1975
Expiration Date : February 24, 1980
MODIFIED : September 22, 1975

STATE POLLUTANT DISCHARGE ELIMINATION SYSTEM (SPDES)
DISCHARGE PERMIT

Special Conditions
(Part I)

This SPDES permit is issued in compliance with Title 8 of Article 17 of the Environmental Conservation Law of New York State and in compliance with the provisions of the Federal Water Pollution Control Act, as amended by the Federal Water Pollution Control Act Amendments of 1972, P. L. 92-500, October 18, 1972 (33 U.S.C. § 1251 et. seq.) (hereinafter referred to as "the Act").

GOLDISC RECORDINGS, INC.

(Full Name of Permittee)

is authorized by George K. Hansen, P.E., Chief, PDES Permit Section
(Designated Representative of Commissioner of the
Department of Environmental Conservation)

to discharge from Broadway Avenue & Veterans Memorial Highway
(Street Address of Discharging Facility)
Holbrook, New York 11741

Islip (T), Suffolk County

to Groundwater - Class GA
(Name of Receiving Waters)

in accordance with the following special and general conditions:

The specific effluent limitations and other pollution controls applicable to the discharge permitted herein are set forth in the special conditions. Also set forth are self-monitoring and reporting requirements. Unless otherwise specified, the permittee shall submit original copies of all reports to the Central Office and the appropriate Regional Office of the Department of Environmental Conservation and the EPA Region II Regional Administrator. Except for data determined to be confidential under Section 17-0805 of the Environmental Conservation Law or Section 308 of the Act, all such reports shall be available for public inspection at the offices of the Department of Environmental Conservation and the Regional Administrator of EPA Region II. Knowingly making any false statement on any such report may result in the imposition of criminal penalties as provided for in Section 71-1933 of the Environmental Conservation Law or Section 309 of the Act.

Final Effluent Limitations

During the period beginning September 24, 1975 and lasting
 (Give Date)
 until the date of expiration of this permit, discharges from outfalls 001 through 006
 (Specify Outfall Numbers)
 shall be limited and monitored by the permittee as specified below:

(a) The following shall be limited and monitored by the permittee as specified:

Outfall Number	Effluent Characteristic	Discharge Limitation in kg/day (lbs./day)		Other Limitations (Specify Units)	Monitoring Requirements	
		Daily Average	Daily Maximum		Measurement Frequency	Sample Type
001	Flow - Cooling Water Only*			N/A	Monthly	Reading
002 } 003 } 004 } 005 } 006 }	Sanitary Waste Only					N/A

*No chemical addition to exceed groundwater standards.

Permittee also subject to attached Schedule "A"


For the purposes of this subsection, the daily average discharge is the total discharge by weight during a calendar month divided by the number of days in the month that the production or commercial facility was operating.

For the purposes of this subsection, the daily maximum discharge means the total discharge by weight during any calendar day.

(b) The pH shall not be less than N/A nor greater than N/A.
 The pH shall be monitored as follows: N/A

Monitoring Locations

Permittee shall take samples and measurements to meet the monitoring requirements at the location indicated below: (Show locations of outfalls with U.T.M. Coordinates and sketch or flow diagram as appropriate).



This permit and the authorization to discharge shall expire on midnight February 24, 1980 . Permittee shall not discharge after the above

(Give Date)

date of expiration. In order to receive authorization to discharge beyond the above date of expiration, the permittee shall submit such information, forms, and fees as are required by the Department of Environmental Conservation no later than 180 days prior to the above date of expiration.

By Authority of George K. Hansen, P.E., Chief, PDES Permit Section
Designated Representative of Commissioner of the
Department of Environmental Conservation

September 22, 1975
Date

George K. Hansen
Signature

Attachments:

General Conditions
Schedule "A"

Facility ID No. : NY 007 5850
Effective Date : Feb. 24, 1980
Expiration Date : EDP + 5 yrs.

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION
STATE POLLUTANT DISCHARGE ELIMINATION SYSTEM (SPDES)
DISCHARGE PERMIT

Special Conditions
(Part I)

This SPDES permit is issued in compliance with Title 8 of Article 17 of the Environmental Conservation Law of New York State and in compliance with the provisions of the Federal Water Pollution Control Act, as amended by the Federal Water Pollution Control Act Amendments of 1972, P.L. 92-500, October 18, 1972, (33 U.S.C. §1251 et. seq.) (hereinafter referred to as "the Act").

Goldisc Recordings, Inc./Electrosound Group, Inc.

is authorized to discharge from the facility described below:

725 Broadway Avenue (NE Corner of Broadway Avenue & Veterans Memorial Highway Intersection)
Holbrook, New York 11741
(T/ Islip, C/Suffolk)

into receiving waters known as:


Groundwater (Class GA)

in accordance with the effluent limitations, monitoring requirements and other conditions set forth in this permit.

This permit and the authorization to discharge shall expire on midnight of the expiration date shown above and the permittee shall not discharge after the expiration date unless this permit has been renewed, or written authorization is given by the Department. In order to receive authorization to discharge beyond the expiration date, the permittee shall submit such information, forms, and fees as are required by the Department of Environmental Conservation no later than 180 days prior to the expiration date.

By Authority of _____

Designated Representative of Commissioner of the
Department of Environmental Conservation



DEC 11 1979

Date

Signature

S.C. DEPT. OF
HEALTH SERVICES

EFFLUENT LIMITATIONS AND MONITORING REQUIREMENTS

During the period beginning _____ and lasting until _____
 the discharges from the permitted facility shall be limited and monitored by the
 permittee as specified below:

Outfall Effluent Number Parameter	Discharge Limitations				Monitoring Reqmts.	
	kg/day (lbs/day)	Other Units (Specify)		Measurement	Sample	
	Daily Avg.	Daily Max.	Daily Avg.	Daily Max.	Frequency	Type

IMPORTANT: Information indicated below is tentative; final limitations and requirements are dependent on approvable engineering report.

- 01 INDUSTRIAL WASTE HOLDING TANKS - Records of Removal shall be kept and submitted periodically. (One below grade and two above grade.)
- 02 NON-CONTACT COOLING WATER RECHARGE FACILITY (i.e. Recharge Basin)
 - Monthly Composite
 - COOLING WATER ONLY - No chemical addition to exceed groundwater standards.
 - FLOW 360,000 gpd Contin. Recdg.
- 03, 004, 005, 006 & 007 SANITARY WASTE DISPOSAL SYSTEMS (5)

- NOTES:**
1. In general, there shall be no discharge of industrial waste to either surface or groundwaters except as permitted herein. Specifically, no industrial discharge permitted into the sanitary waste disposal systems or into the cooling water recharge system; nor into any existing storm water drainage disposal systems inclusive of dry wells.
 2. All industrial wastes to be removed from the site, including industrial wastes from the I.W. holding tank designated as Outfall No. 001, shall be properly stored and maintained in a spill prevention and protected area for periodic removal of an authorized industrial waste scavenger to an approved industrial waste disposal area or reclamation facility.
 3. The permittee shall include as part of his Discharge Monitoring Report the following scavenger waste removal information:
 - a. Date of each waste collection/removal
 - b. Description and volume of waste removed
 - c. Method of waste removal (i.e. tank truck, drums and/or other)
 - d. Name, address and registration number of the authorized scavenger and
 - e. Destination of the removed wastes.

The pH shall not be less than _____ standard units nor greater than _____ standard units and all be monitored as follows:

Samples taken in compliance with the monitoring requirements specified above shall be taken at the following location(s):

The daily average discharge is the total discharge by weight or in other appropriate units specified herein, during a calendar month divided by the number of days in the month at the production or commercial facility was operating. Where less than daily sampling required by this permit, the daily average discharge shall be determined by the summation of all the measured daily discharges in appropriate units as specified herein divided by the number of days during the calendar month when the measurements were made.

The daily maximum discharge means the total discharge by weight or in other appropriate units specified herein, during any calendar day.


DEC 11 1979

S.C. DEPT. OF
 HEALTH SERVICES

100213

INDUSTRIAL CHEMICAL SURVEY

PART I



COMPLETE AND RETURN TO THE ABOVE ADDRESS, ATTENTION: INDUSTRIAL CHEMICAL SURVEY.

FIRM NAME <i>Disc Recordings, Inc.</i>		SIC CODE (if known)		OFFICE USE ONLY	
MAILING ADDRESS <i>Goldise Road</i>		CITY <i>Holbrook</i>	STATE <i>N.Y.</i>	ZIP CODE <i>11741</i>	
NAME (if different)		CONTACT NAME		TELEPHONE <i>Area 516-589-0462</i>	
ADDRESS (if different)		CITY	STATE	ZIP CODE	

PLANT BUSINESS OF PLANT
Phonograph Record Molding

(If parent company, give name and addresses of all divisions, subsidiaries, etc. located in New York State. A separate questionnaire is to be completed and submitted for each.)

PART II
Discharge Information

Does your plant discharge liquid wastes to a municipally owned sanitary sewer system? Yes No

Name of System _____

Is your facility permitted to discharge liquid wastes under a State (SPDES) or Federal (NPDES) permit? Yes No

Permit Number

C	0	7	5	8	5	0
---	---	---	---	---	---	---

Do you discharge liquid wastes in any other manner? Yes No

Explain _____

Any of the above are "Yes":

a. Do you discharge process or chemical wastes - (i.e. water used in manufacturing including direct contact cooling water and scrubber water)? Yes No

b. Do you discharge non-contact cooling water? Yes No

c. Do you discharge collected storm drainage only? Yes No

d. Do you discharge sanitary wastes only? Yes No

Does your facility have sources of possible emissions to the atmosphere? Yes No

Enter Location and Facility Code as shown on your Air Pollution Control Application for Permits and Certification (If applicable)

--	--	--	--	--	--	--	--	--	--

List Name and Address of Firm (Including yourself) removing wastes other than office and cafeteria refuse.

Name	<i>Chemical Waste Disposal Corp.</i>		
Address	<i>42-14 19th Ave.</i>	City <i>Holbrook</i>	State <i>N.Y.</i> Zip Code <i>11741</i>
Name			
Address	City	State	Zip Code

List Location(s) of Landfill(s) owned and used by your facility.

1	-
2	

DEC 11 1979

S.C. DEPT. OF HEALTH SERVICES

Active Inactive

Does this facility:

Manufacture Pesticides or Pesticide Product Ingredients? Yes No

Produce Pesticides or Pesticide Product Ingredients? Yes No

Formulate Pesticides? Yes No

Repackage Pesticides? Yes No

EPA Establishment Number

--	--	--	--	--	--	--	--	--	--	--	--

100214

STATE POLLUTANT DISCHARGE ELIMINATION SYSTEM (SPDES)
Thermal Discharge And Material
Storage Area Supplement For
Application Form C

(Attach to Application Form)

1. Thermal Discharges

Does the temperature of any of the discharges from this facility exceed
70°F. at any time? YES NO

If yes, attach the following information, and specify which outfall(s) it relates
to:

- a) Range of measured discharge temperatures 65-80°
- b) Maximum discharge temperature 80°
- c) Discharge configuration (that is, whether surface subsurface, effluent
diffuser, etc.)
- d) Chemical additives utilized (also see Section 4 on Form C) None

2. Material Storage Areas

Is storm runoff or leachate from any material storage area (such as: coal
piles, raw material or finished product stockpiles, etc.) discharged to either
surface waters or groundwaters? YES NO

If "yes", please attach a brief description of types and quantities of
materials stored, size of storage area, etc., and show its location and the
location of any discharge points on the map required by Section 6 of Form C.

RECEIVED

DEC 11 1979

S.C. DEPT. OF
HEALTH SERVICES

9/78 - 2,000

APPLICATION FORM "C" FOR A STATE POLLUTANT DISCHARGE ELIMINATION SYSTEM (SPDES) PERMIT - INDUSTRIAL OR MINING

IDENTIFICATION DATA
 APPLICATION TYPE: Renewal Modification
 IF RENEWAL OR MODIFICATION, GIVE PREVIOUS APPLICATION NO., EFFECTIVE DATE, EXPIRATION DATE
 No. NY-0075850 | Effective Date Feb. 24, 1975 | Expiration Date Feb 24, 1980
 APPLICANT (Corporate, Partnership or Individual): *Disc Recordings, Inc. (Electro-Science)*
 TYPE OF OWNERSHIP: Corporate Individual Partnership Public

MAILING ADDRESS (Street, City, State, Zip Code): *Sway Avenue & Veterans Highway, Holbrook, N.Y. 11791*
 CORRESPONDENCE TO: (Name, Title and Address): *B. Persson Plant Maintenance Manager*
 TELEPHONE NO. (Include Area Code): *516 589-0462*

FACILITY NAME: *Disc Recordings, Inc.* FACILITY LOCATION (Street or Road): *Vets. Hwy & Broadway* CITY, TOWN OR VILLAGE: *Holbrook*
 GIVE EXPLICIT DIRECTIONS TO LOCATION, IF NECESSARY: *Exit 57 E L.I.E.*

DESCRIPTION OF BUSINESS OR TYPE OF FACILITY: *Graph Record Pressing Plant* NO. OF EMPLOYEES: *150* NO. OF SHIFTS: *2*

IF WASTE IS DISCHARGED TO A PUBLICLY OWNED WASTE TREATMENT FACILITY AND/OR A LICENSED WASTE SCAVENGER AND TO THE BEST OF YOUR KNOWLEDGE YOU ARE NOT REQUIRED TO OBTAIN AN SPDES PERMIT, COMPLETE THIS SECTION ONLY, SIGN APPLICATION AND RETURN.

ADDRESS OF MUNICIPALITY RESPONSIBLE FOR RECEIVING WASTE: _____ AND/OR NAME AND ADDRESS OF LICENSED WASTE SCAVENGER: _____

OPERATION DATA (Use additional forms, if necessary)

PRINCIPAL TYPES OF PROCESSING DONE AT THIS FACILITY: *Vinyl Record Compression Molding*
Tectroplating

PRODUCTS AND AMOUNTS PRODUCED PER TIME UNIT	RAW MATERIALS AND AMOUNTS CONSUMED PER TIME UNIT
<i>Graph Records - 30,000/shift</i>	<i>1. Vinyl - 1300 Lbs/HR</i>
	<i>2. #2 Fuel Oil - 160 GPH (winter)</i>
	<i>3. Natural Gas - 280 CCFH (summer)</i>
	<i>4. Nickel - 280 LBS/month</i>
	<i>5.</i>


DISCHARGE DATA (ANY OF YOUR DISCHARGES CONTAIN OR IS IT POSSIBLE FOR ANY DISCHARGE TO CONTAIN ONE OR MORE OF THE FOLLOWING SUBSTANCES ADDED AS A RESULT OF YOUR OPERATIONS, ACTIVITIES OR PROCESSES?)

<input type="checkbox"/> Aluminum	<input type="checkbox"/> Arsenic	<input type="checkbox"/> Boron	<input type="checkbox"/> Chromium	<input type="checkbox"/> Fluorides	<input type="checkbox"/> Lead	<input type="checkbox"/> Nickel	<input type="checkbox"/> Selenium	<input type="checkbox"/> Tin
<input type="checkbox"/> Ammonia	<input type="checkbox"/> Barium	<input type="checkbox"/> Cadmium	<input type="checkbox"/> Copper	<input type="checkbox"/> Gold	<input type="checkbox"/> Manganese	<input type="checkbox"/> Oil & Grease	<input type="checkbox"/> Silver	<input type="checkbox"/> Zinc
<input type="checkbox"/> Antimony	<input type="checkbox"/> Beryllium	<input type="checkbox"/> Chlorine	<input type="checkbox"/> Cyanide	<input type="checkbox"/> Iron	<input type="checkbox"/> Mercury	<input type="checkbox"/> Phenols	<input type="checkbox"/> Sulfides	

Disinfection control chemicals (specify) _____
 Halogenated organics or halogenated hydrocarbons (e.g. chlorinated, fluorinated or brominated) (specify) _____
 Herbicides or pesticides (specify) _____
 Insecticides (specify) _____
 Fungicides, biocides or algacides (specify) _____
 Substituted aromatics (e.g. derivatives of benzene, pyridene, biphenyl, naphthalene, coal or petroleum tar, etc.) (specify) _____
 Surfactants (specify) _____
 None of the above

Specify the trade names and manufacturer of any chemicals used at this facility which are not listed above and whose specific constituents are not listed above: _____

Description of above: (Attach additional sheets, if necessary) _____




S.C. DEPT. OF HEALTH SERVICES

100216

b. DISCHARGE DATA (Continued) (See Instructions) ATTACH SKETCH SHOWING OUTFALL LOCATIONS

OUTFALL NO. 001	<input type="checkbox"/> Proposed <input checked="" type="checkbox"/> Existing	<input type="checkbox"/> Replacement <input type="checkbox"/> Expansion	TYPE OF WASTE Cooling Water (Non-contact)	TYPE OF TREATMENT (If none, so state) None
DESIGN FLOW N/A Gal/Day	ACTUAL FLOW 360,000 Gal/Day	FREQUENCY OF DISCHARGE <input checked="" type="checkbox"/> Continuous <input type="checkbox"/> Intermittent <input type="checkbox"/> Batch		IS FLOW EQUALIZATION PROVIDED? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If "Yes", describe in comments
METHOD OF DISCHARGE Twelve Months per year		Days per week Five		Hours per day 8-16
SURFACE DISCHARGE <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		If "Yes", Name of Receiving Waters Recharge Basin		
SURFACE DISCHARGE <input type="checkbox"/> Yes <input type="checkbox"/> No		Distance Ft.	SOIL TYPE	Depth to Water Table
OUTFALL NO. 006	<input type="checkbox"/> Proposed <input checked="" type="checkbox"/> Existing	<input type="checkbox"/> Replacement <input type="checkbox"/> Expansion	TYPE OF WASTE Sanitary	TYPE OF TREATMENT (If none, so state) None
DESIGN FLOW N/A Gal/Day	ACTUAL FLOW 1000 Gal/Day	FREQUENCY OF DISCHARGE <input type="checkbox"/> Continuous <input checked="" type="checkbox"/> Intermittent <input type="checkbox"/> Batch		IS FLOW EQUALIZATION PROVIDED? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If "Yes", describe in comments
METHOD OF DISCHARGE 12 Months per year		Days per week 5		Hours per day N/A
SURFACE DISCHARGE <input type="checkbox"/> Yes <input type="checkbox"/> No		If "Yes", Name of Receiving Waters		
SURFACE DISCHARGE <input type="checkbox"/> Yes <input type="checkbox"/> No		Distance Ft.	SOIL TYPE	Depth to Water Table
OUTFALL NO.	<input type="checkbox"/> Proposed <input type="checkbox"/> Existing	<input type="checkbox"/> Replacement <input type="checkbox"/> Expansion	TYPE OF WASTE	TYPE OF TREATMENT (If none, so state)
DESIGN FLOW	ACTUAL FLOW	FREQUENCY OF DISCHARGE		IS FLOW EQUALIZATION PROVIDED?
METHOD OF DISCHARGE		Days per week		Hours per day
SURFACE DISCHARGE <input type="checkbox"/> Yes <input type="checkbox"/> No		If "Yes", Name of Receiving Waters		
SURFACE DISCHARGE <input type="checkbox"/> Yes <input type="checkbox"/> No		Distance Ft.	SOIL TYPE	Depth to Water Table
OUTFALL NO.	<input type="checkbox"/> Proposed <input type="checkbox"/> Existing	<input type="checkbox"/> Replacement <input type="checkbox"/> Expansion	TYPE OF WASTE	TYPE OF TREATMENT (If none, so state)
DESIGN FLOW	ACTUAL FLOW	FREQUENCY OF DISCHARGE		IS FLOW EQUALIZATION PROVIDED?
METHOD OF DISCHARGE		Days per week		Hours per day
SURFACE DISCHARGE <input type="checkbox"/> Yes <input type="checkbox"/> No		If "Yes", Name of Receiving Waters		
SURFACE DISCHARGE <input type="checkbox"/> Yes <input type="checkbox"/> No		Distance Ft.	SOIL TYPE	Depth to Water Table

COMMENTS:


 DEC 11 1979
 S.C. DEPT. OF HEALTH SERVICES

I hereby affirm under penalty of perjury that information provided on this form and any attached supplemental forms is true to the best of my knowledge and belief. False statements made herein are punishable as a Class A misdemeanor pursuant to Section 210.45 of the Penal Law.

APPLICANT'S SIGNATURE (See Instructions) *John B. D.* Date *8/1/79* Printed Name *J. B. D.* Title *...*

100217

POR THE RECORD

Nov. 13, 1978

Robert Olsen

Goldisc Recording Products
12 Broadway Ave., Holbrook

On Thursday, Nov. 9, 1978 at 2:15 p.m. I had cause to be in the alleyway between Goldisc Recording Products and Viewlex Corp. at which time I noted a series of large puddles in the northeastern end of the alleyway. On closer inspection, I noted that these puddles were bluish-green in color, were viscous and contained a high content of solids. There were many stains leading to a 1,000 gal. steel above ground holding tank employed by Goldisc to hold plating wastes. This tank has a gravity feed swing valve that is used to empty the tank, the lock handle that is used to operate the valve was in place at this time. There was a small amount of liquid coming out of the valve and I closed it fully. It has been the contention of this office that in the past, this handle should be either removed or locked to prevent tampering and vandalism.

I then proceeded to the Goldisc office where I contacted Dave White. Mr. White and I proceeded to the driveway at which time he expressed amazement at the amount of liquid on the ground. Mr. White also sounded the tank by hitting the outside of it and stated that it was less than 1/3 full. Mr. White then, at my request, opened the valve to ascertain whether or not the liquid on the ground originated from the tank. The liquid that came out of the tank was identical to that on the ground and Mr. White recognized the fact that the two were identical. Mr. White explained that some "kids" had probably opened the valve and spilled the waste. However, at this time I was suspicious of this explanation since both Mr. White and I had great difficulty in operating the valve, having to use a good amount of force to open and close it.

Mr. White and I then discussed clean-up of the spill at which

100218

Nov. 13, 1978

time Mr. White said, "I'll get a couple of men out here with a hose and wash the stuff away". I informed Mr. White that this was unacceptable and that speedy dry or a reasonable facimile could be used to pick it up and place it in drums for proper disposal. Mr. White is aware of the nature and content of this waste and the restrictions placed upon its handling and disposal.

I also suggested that the valve on the tank be locked as soon as possible. Some absorbant material was spread at the southern end of the largest puddle to prevent entry into the storm drain. A dip sample was taken from the storm drain, which indicated that the waste had not entered the drain as of yet. A solid cover was also noted under the largest puddle. The purpose of this cover could not be ascertained since opening it would permit the waste to enter. I then proceeded to my appointment and left Goldisc.

At 4:15 p.m. I returned to Goldisc for further investigation since some things did not make sense to me. These mainly were:

1. The valve was very difficult to operate and would have taken more than 1 "kid" to operate it.
2. If "kids" did open it why did they bother to close it?
3. The puddles progressed to the northeast or uphill with little or no stains connecting them and waste did not appear in the storm drain. If "kids" had opened the valve, these puddles could only be formed if the alleyway was under more than a foot of waste, which obviously did not occur.

When I returned to Goldisc, I noted that clean-up operations had not begun but that the swing valve was now locked. I proceeded to the rear of the building where I found lengths of stacked fire hose. These hoses had what appeared to be dried waste residue inside. One hose had liquid waste inside it. This waste was identical to that in the holding tank and on the ground. This hose also had a plume of dry

Nov. 13, 1978

waste running out of it into the street. I then decided to investigate in the woods, behind the building. I found one large area approx. 20' in diameter soaked with oil with evidence of recent oil dumping. I went deeper into the woods and found another area approx. 50' long and 10-15' wide with no undergrowth or trees on it. This area was covered with a thin layer of bluish-green residue somewhat like that in the driveway where the spill occurred. The ground was not wet so I do not think that a recent dump occurred here. I could not investigate further since it was getting too dark to see.

On Friday, Nov. 10, 1978 at 1:00 p.m. I returned to Goldisc to check on the clean-up operation. It was apparent to me that a hose of some sort was used to wash the waste down the alleyway and into the storm drain, in direct contradiction to what I told Mr. White. A small amount of dirt had been placed in the middle of the largest puddle.

One thing should be noted; that when the northeastern puddles were washed down, they flowed toward the storm drain not toward the woods. It is my conclusion that a spill did not take place as vandalism but rather during a dump into the woods and that this is not something that is a one case occurrence but has occurred at least one time in the past.

Robert Olsen

RO/rt

Att. (diagram)

cc: Steve Costa

INTER-OFFICE MEMORANDUM

DEPARTMENT OF ENVIRONMENTAL CONTROL

TO: FOR THE RECORD

DATE: Nov. 22, 1978

FROM: Roy Gilbert

SUBJECT: Goldisc Recording Products
Broadway Avenue, Holbrook

On 11/17/78 Bob Olsen and I visited the above firm. We noted the following observations:

1. At the rear of the plant in the woods grounds severely stained with oil.
2. We noted at the rear of the plant an accumulation of used fire hoses some of which had encrusted inside what appeared to be dried plating waste sludge.
3. At the rear of the plant in the woods we noted freshly raked ground at which location Mr. Olsen had previously noted an accumulation of dried sludge. The manner of disposal of this sludge was not ascertained.
4. We noted on the N/S of the plant between Goldisc and Viewlex a puddle of green liquid, which appeared to be plating waste (probably nickel). Samples of this material were previously obtained.
5. In going through past scavenger pick-up receipts we noted that Goldisc, over the past couple of years, had averaged almost 2 - 1300 gallon pick-ups per month but since July 14th there was only 1 record thousand gallon pick-up from their newly installed thousand gallon holding tank, which pick-up was on 9/14/78.

David White insisted that their waste production has been markedly reduced due to his remedying of several leaks in the plating room. However, during our inspection, Mr. Olsen and I noted the existence of leaks in the plating room and in conversation with the bookkeeper, she indicated that for at least the last year Goldisc had been operating

three shifts around the clock. Mr. White, himself, admitted that they "are very busy".

RG
Roy Gilbert
RG/rt

FOLK COUNTY
DEPARTMENT OF ENVIRONMENTAL CONTROL~~XXXXXXXXXXXX~~
65 Jetson LaneHauppauge N. Y. 11787
(516) 234-2622

Dec. 13, 1978

Mr. David K. White, Plant Engineer
Goldisc Recordings, Inc.
725 Broadway Ave.
Holbrook, N.Y. 11741

Dear Mr. White:

Enclosed find unsatisfactory sampling reports pertaining to samples procured from various points on your premises on 11/9/78 and 11/13/78. Such results could only come from large discharges of plating wastes over past months; a violation of your State Pollutant Discharge Elimination System (SPDES) permit.

The following actions should be taken immediately by your firm to remedy any correctable pollution problems:

1. The puddle in the driveway (north of your plant) appears to be concentrated waste. This material, with any sand used to absorb it, should be containerized for removal by a licensed industrial scavenger.
2. The cesspool and storm drain located in the driveway (north of your plant) must be pumped out by a licensed scavenger and the sludge and contaminated soil at the bottom of these leaching facilities should be similarly removed. This office should be advised in advance of performance of this work so that we may send a representative to observe.
3. All discharge from your outdoor holding tank must cease immediately and adequate scavenger pick-ups must be arranged to preclude such discharges in the future.

During the aforementioned inspections, certain evidence was procured, which requires explanation by you. We

100223

shall expect to be in receipt of an explanation of the following by Dec. 31, 1978:

1. Over the past 2 years, prior to installing the 1,000 gallon holding tank, Goldisc hauled an average of 1,300 gallons every 2 weeks, yet between 7/14/78 - 11/13/78 only 1 pick-up of 1,000 gallons was documented. A great deal of waste is apparently missing. Where is it?
2. On 11/9/78 you accompanied Mr. Olsen of this office on an inspection and ascertained that your 1,000 gallon holding tank was about 1/3 full, yet 4 days later on 11/13/78 this very same holding tank was overflowing out the top, indicating that this tank filled up over the course of these four days.
3. Contamination in a storm drain north of your plant, was shown through samples taken of the contents therein. Such contamination was probably caused by overflowing from your holding tank. However, contamination in a leaching pool in the same area was also discovered, which leaching pool had a solid cover and no incoming piping. How did the contamination get there?
4. A large area of what appeared to be dried nickel sludge was discovered in the woods at the rear of your plant. How did it get there and where did it go, as it mysteriously disappeared a few days later?
5. Several fire hoses were discovered around your plant, which hoses were encrusted by a green sludge material resembling nickel sludge. Were these hoses used to transport wastes to the aforementioned leaching pool in the driveway and/or the area aforementioned in the woods?

our quick response by letter and action will be expected and failure to adequately so respond will result in further

Mr. David K. White, Plant Engineer
Disc Recordings, Inc.


- 3 -

Dec. 13, 1978

enforcement action by this Department.

If you have any questions please do not hesitate to contact
this office.

Very truly yours,



Roy Gilbert
Water Pollution Control Section
JG/rt
Encl.

100225

INTER-OFFICE MEMORANDUM

DEPARTMENT OF ENVIRONMENTAL CONTROL

TO: The Record

DATE: December 13, 1978

FROM: R. Olsen

SUBJECT: Goldisc Recordings, Inc.
Interval - Covers week of 11/13/78 to 11/17/78

On Monday, November 13, 1978, I returned to Goldisc at 12 Noon to try and determine what options remained as to the past disposals of plating waste. At this time, I began to remove the solid covers that were in the driveway. I managed to remove eight (8) covers by myself, three (3) remained where I needed assistance. I found one old industrial pool filled with sand, five (5) were sanitary cesspools and one was connected to a storm drain and was aprx. 1/2 full of plating wastes. There was no discernible inlet to this leach pool but an interconnection outlet was noted to an adjacent storm drain. A large pipe with an ID of aprx. 8" made up of an unknown substance interconnected the two pools. The end that was in the pool containing the plating wastes was extensively decomposed and the inner core of reinforcing wires was discernible. I sampled this pool at this time. Samples were also taken from the bottom and the surface of the adjacent storm drain. I returned to the office to obtain help in removing the remaining covers and leave my samples in care of Sue Quinn of the Suffolk County Department of Environmental Control Laboratory.

At 2 P.M. Tony C. and I returned to Goldisc with a copy of the plot contained in Goldisc's permit. When we arrived the holding tank was actively discharging a large volume of waste from the vent pipe on the top of the holding tank. Samples were immediately taken from this stream and two (2) pictures were also taken during the period of discharge. The discharge suddenly stopped and we proceeded to remove the remaining covers. There were no significant findings under the remaining covers. We then proceeded to Dave White's office to obtain a sample from the bottom of the holding tank. Dave White unlocked the swing valve and opened it while I took the sample. After the sample had been obtained, we proceeded back to the Jetson Lane office where we placed the samples in Sue Quinn's care.

On Tuesday, November 14, 1978, I again drove through the alleyway between Goldisc and Viewlex and noted that the sand pile in the driveway had still not been cleaned up. Dave White was unavailable.

On Wednesday, November 15, 1978, I returned to Goldisc with Roy Gilbert. I showed Roy the areas of concern and gave him a synopsis of what had transpired to that point. We found more lengths of hose in the woods that had what appeared to be plating waste in and on them. The area where I had suspected a previous dump had been raked out. I then showed Roy the holding tank and the leach pool that contained what appeared to be plating waste. It was noted that the level in this pool had dropped considerably since Monday. No inlet

100226

to the pool could be found. We then proceeded to Dave White's office where Roy interviewed him and asked some pertinent questions. Dave White said:

- 1) The holding tank has been in use for only a "couple of months".
- 2) The only pick up that had occurred had taken place that morning (11/15/78).
- 3) The previous pick up had occurred during July when the last of the drums were picked up (Goldisc had previously stored their waste in 55 gal. drums).
- 4) Chemical Waste of Astoria was their scavenger and only came when Dave White called, no automatic pick ups ever occurred.
- 5) Goldisc was operating on three eight-hour shifts daily.
- 6) Only aprx. 50 gals of waste was generated per day.
- 7) A new, high volume nickel plating bath had been added recently (This new unit was operational on September 1978, when a previous routine inspection was conducted).
- 8) Prior to inception of the holding tank, pick ups of 1,300 gals. of drummed waste occurred aprx. every 20 days.
- 9) It was requested that the mess in the driveway be cleaned up and disposed of properly.

I then gave Roy a tour of the plating area after which we returned to our office.

Some observations were made:

- 1- A minimum of 2,500 gallons of waste was missing.
- 2- The increased flow from the new unit, which increased production by about 1/3, was not figured into flow figures.
- 3- There was little or no correlation between the permit criteria and actual practices.

On Thursday, November 16, 1978, I again made a "drive through" inspection at Goldisc. I noted that the dirt had been cleaned up and was stored in a 35 gal. drum by the tank. I then tried to remove the cover that had been under the waste but was unable to do so.

On Friday, November 17, 1978 I again tried to remove the cover but heavy rains made it impossible.

STATE OF NEW YORK
DEPARTMENT OF ENVIRONMENTAL CONSERVATION

File
2

In the Matter of the Alleged Violation
of Articles 17 and 71 of the New York State
Environmental Conservation Law, by

GOLDISC RECORDINGS, INC.

C O M P L A I N T

FILE NO. 1-0374

(Suffolk County)

Respondent

X

The Department of Environmental Conservation of the State of New York, complaining of Respondents in the above-entitled proceeding, alleges as follows:

FIRST: The complainant is and has been d Department of the State of New York charged with jurisdiction over the prevention and abatement of pollution in the State of New York in the manner provided by Articles 17 and 71 of the Environmental Conservation Law.

SECOND: That on information and belief, Respondent, Goldisc Recordings, Inc., is a corporation licensed to do business under the laws of the State of New York.

THIRD: That on information and belief, Richard Meixner is the president of the Respondent corporation.

FOURTH: That Section 17-0505 of the New York State Environmental Conservation Law provides in part that the making or use of an outlet or point source discharging into the waters of the State without a valid SPDES Permit.

FIFTH: That Section 17-0701 of the New York State Environmental Conservation Law provides in part that it shall be unlawful for any person, until a written SPDES Permit has been granted therefor, to make or cause to make or use any outlet or point

source for the discharge of industrial waste into the waters of the State.

SIXTH: That Section 17-0511 of the New York State Environmental Conservation Law provides that the use of existing or new outlets or point sources that discharge industrial wastes into the waters of the State is prohibited unless such use is in compliance with all standards, criteria, limitations, rules and regulations promulgated by the NYSDEC pursuant to Article 17 of the New York State Environmental Conservation Law.

SEVENTH: That Section 17-0807 of the New York State Environmental Conservation Law provides in part that any discharge into the waters of the State not permitted by the provisions of Article 17 of the New York State Environmental Conservation Law and the rules and regulations adopted thereunder or applicable thereto, or by the provisions of a permit issued thereunder, is prohibited.

EIGHTH: That Respondent, Goldisc Recordings, Inc., was issued a State Pollutant Discharge Elimination System (SPDES) Permit (Facility 10 No. NY 0075850) pursuant to Article 17 of the NYSECL, which SPDES Permit became effective on February 24, 1975 and remains in effect through February 24, 1980.

NINTH: That the SPDES Permit issued to Respondent, Goldisc Recordings, Inc., provides in part a permission for the discharge of cooling water, but no permission for the discharge of other industrial wastes.

TENTH: That on information and belief, on November 9, 1978, November 13, 1979, December 12, 1979, December 13, 1979, December 19, 1979 and January 9, 1979, Respondent, Goldisc Recordings, Inc.

discharged industrial waste from point sources without first having obtained a valid SPDES Permit therefor, in violation of Sections 17-0505 and 17-0701 of the NYSECL.

ELEVENTH: That on information and belief, on the dates above mentioned in paragraph Tenth, Respondent, Goldisc Recordings, Inc., discharged industrial waste from point sources in violation of effluent standards in 6 NYCRR 703.6 which sets forth the lawful levels of discharge of various contaminants, and therefore, in violations of Sections 17-0511 and 17-0807 of the NYSECL.

WHEREFORE, Complainant demands a finding of violations against the Respondent, and that a penalty in the sum of Twenty Thousand (\$20,000) Dollars be issued against the Respondent, and that Respondent be enjoined from continued discharge in violation of Article 17 of the NYSECL and the Rules and Regulations promulgated thereunder, and for such other and further relief as may be proper in the circumstances herein.

Yours, etc.

JOAN B. SCHERB
Regional Attorney - Region One
N.Y.S. Dept. Environmental Conser.
Bldg. 40, S.U.N.Y., Stony Brook
New York 11794

100230

INTER-OFFICE MEMORANDUM

DEPARTMENT OF ENVIRONMENTAL CONTROL

TO: FOR THE RECORD

DATE: Jan. 5, 1979

FROM: R. Olsen

SUBJECT: Goldisc Recordings, Inc.
Broadway Avenue & Veterans Mem. Hwy.
Holbrook

On Jan. 2, 1979 a special sampling run was conducted at the cooling water discharge sump at Goldisc. Since Goldisc had been shut down for 4 days for the holiday, the water level in the sump had dropped and the clarity had increased enough so a close inspection of the sump's bottom could be made. The following are observations that were made at that time.

1. Two large pipes entered the sump on the west side approx. 2' above the sump's bottom. One of the two was actively discharging a stream of whitish liquid. This discharge was sampled. These two pipes could be those mentioned by Jan Persson, Goldisc's Maintenance Supervisor, as being connected to a floor drain system. They are also probably part of the cooling water discharge system.
2. The sump's bottom was dark green. This coloration was part of the sediment and not caused by a plant growth. When the bottom was disturbed, the agent causing the coloration entered the water column and remained suspended for more than 15 minutes. On the east end of the sump there existed a large depression in the bottom. This depression contained a greenish-white slurry similar to that observed from the plating waste holding tank after a recent spill.

R. Olsen
RO/rt




100231

Goldisc Recordings, Inc.
725 Broadway Avenue
Holbrook
R. Olsen sampling discharge
from storm drain. The liquid
coming through the grated cover
was brown in color and so hot it
scalded on contact.
R. Olsen
1/8/79 - 3:10 p.m.



1-8-79 3:10 PM
Olsen/PM #1 Goldisc

SAME
The cooling lines discharging to
a vacant lot North of the building.
Note the accumulation of water and
the steam emanating from the surface
within the woods. It was estimated
previously that approx. 2 acres or
more of wooded land has already been
inundated by this discharge.
R. Olsen
1/8/79 - 3:15 p.m.



1-8-79 3:15 PM
Olsen/PM #2 Goldisc

MEMORANDUM

TO: Joan B. Scherb
FROM: Albert Machlin
SUBJECT: REQUEST FOR LEGAL ACTION - Goldisc Recordings, Inc.
725 Broadway
DATE: January 15, 1979 Holbrook, New York 11741

Attached please find data supporting a request for legal action. This Office recommends that appropriate legal action be initiated.

Regarding the scheduling of enforcement action:

This case is of high priority due to potential impact of continuing discharge or enforcement posture, and should be expedited relative to other pending actions.

This case is of moderate priority, and excessive delays should be avoided relative to other pending actions.

This case is of normal priority, and does not require special consideration relative to other pending actions.

Recommended for
Legal Action: Andrew R. Yerman
Andrew R. Yerman, P.E.
Associate Sanitary Engineer

Endorsed By: Albert Machlin
Albert Machlin, P.E.
Regional Engineer for
Environmental Quality

AM/ef
Attachments

cc: A. Yerman
Agency SCDEC
L. Peterec
A. Machlin

100233

DATE: 1/15/79
FIRM: Goldisc Recordings, Inc.
RESPONSIBLE OFFICER: Mr. Richard Meixner, Pres.
ADDRESS: Mr. Richard Meixner, President
725 Broadway
Holbrook, NY 11741

1. Specific violations: Between July and November 1978, discharge of (Approximately 1,000-2,000 gallons) plating wastes to ground-water (via yard and storm drain) in violation of ECL 17-0501

2. Background information: Records of Hold & Haul do not verify compliance with permit requirement to collect and ship all toxic waste

Numerous inspection reports documents attached - noting puddles and spills on ground and in adjoining wooded area (Hoses in evidence; lab analysis; photos. See Lab analysis of yard samples: Nov. 9, 13 and December 12, 13, 19, 1978 and Jan. 4, 1979

3. Facts describing respondent's cooperation or lack thereof: Property showed puddles, colored liquids, over-filling of tanks, some cleanup upon request was done.

4. Other proceedings, if any involving respondent

5. Recommendations:
Compliance Conference: Hearing Priority High
Fine \$ 25,000 Performance Bond \$ 10,000 (?)
Other Penalty
Consent Order Terms: a) Performance Bond and/or fine
b) Clean up site
c) Install suitable storage equipment for toxic materials to prevent losses from spills
d) Keep records of scavenger pick-ups

6. Other Comments: Evidence of intentional discharges warrants a large fine. Request SCDEC to attend pre-conference briefing.

Ed. Snyder
2/28/79

Evidence obtained by Bob Olsen of discharges of industrial waste in violation of this SPDES permit:

1. 11/9/78 - Green puddle in driveway on N/side of plant noted and sampled. Analyses showed contamination. The 1000 gal. tank was less than 1/3 full as of this date.
2. 11/9/78 - A leak from a valve at bottom of this tank was noted onto the surface of the ground.
3. 11/13/78 - A leaching pool and dry well located in driveway near puddle was sampled and industrial wastes were found.
4. 11/10/78 - Discarded fire hoses observed at rear of property which hoses were encrusted w/ a green sludgy material similar in appearance to nickel plating sludge.
5. 11/13/78 - Overflow from holding tank top observed, sampled, and photographed. (Note: This holding tank went from 1/3 full on 11/10/78 to overflowing 3 days later with no records of pickups).
6. 11/9/78 - Bob Olsen noted areas of oil dumping and apparent sludge dumping in woods behind rear of plant.

Verbal requests for cleanup resulted in a mysterious disappearance of sludge in the woods and the placing of sand over the puddle in the driveway and no believable explanation was given for the presence of these items in the first place.

100235

DEPARTMENT OF HEALTH SERVICES

INTEROFFICE MEMORANDUM

RECEIVED
DEC 3 1979
DIV. OF ENVIRONMENTAL CONSERVATION
P.D.E.S. PERMIT SECTION

To: George K. Hansen, P.E., Chief PDES Permit Section - NYSDEC Date: Nov. 28, 1979
From: Otto J. Reneberg, P.E.
Subject: Goldisc Recordings, Inc./Electrosound Group, Inc.
725 Broadway Avenue
Holbrook
(T/Islip, C/Suffolk)

Transmitted herewith for your processing is a SPDES permit renewal application for the subject industry. Also transmitted is a fee check and a draft SPDES permit, as suggested by this section. The following findings and comments are presented for your consideration in conjunction with this renewal application:

Findings and Comments:

1. The subject industry is currently operating under SPDES Permit No. NY 0075850 with an expiration date of Feb. 24, 1980.
 - a. Since the effective date of this permit (i.e. Feb. 24, 1975), two modifications have been incorporated into the permit with respective dates of September 22, 1975 and September 12, 1978.
2. On June 15, 1979 a compliance conference was held at Region I offices to resolve previous and possibly future permit violations. The result of this conference was a draft consent order (i.e. File No. 1-0374) which was forwarded on June 26, 1979 for signature by the respondent. As of Oct. 22, 1979 a signed consent order had not been received, and a formal hearing or a re-opening of the compliance conference was recommended by this section in the near future.
 - a. The consent order included, but was not limited to, a penalty, construction of berms around the openings to the building, reconstruction of rinse drains so that there would be no discharge from these drains, plus the furnishing of an engineering report detailing what work must be completed in order to meet groundwater standards for discharge.

DEC 11 1979

S.C. DEPT. OF HEALTH SERVICES 100236

Nov. 28, 1979

- b. A recent inspection (i.e. Oct. 11, 1979) revealed that an attempt has been made to comply with the construction of the required berming and reconstruction of the rinse drains as indicated in the consent order, but is not sufficient to meet the requirements of the order.
3. The outfall location site plan that was included with the application is commented on herewith since there are many inconsistencies shown thereon.
 - a. Outfall A "Former Industrial Waste Cesspools" currently indicated as being used as a "hold and haul" was supposedly to be disconnected and filled in, a condition stated in the initial effluent limitations of the original permit
 - b. Outfall nos. 002, 003, 004, 005 and 006, which are indicated as sanitary waste systems only are not only used for sanitary waste disposal. Extensive field inspection work done in the past has revealed that some of these leaching facilities are storm water leaching/cesspools with grating tops wherein industrial type wastes have been found; particularly from surface type discharges on the west side of the building.
 - c. An existing 1000± gallon above grade industrial waste holding tank facility located on the west side of the building has not been shown or included.
4. The engineering report that was to be submitted by June 30, 1979 (i.e. according to consent order) has not been received as of this date. It is important that this document be submitted and approved in order to resolve any and all differences prior to proceeding with any new or re-construction.
5. In light of the above findings and comments, it is suggested that the results of a formal hearing or a re-opened compliance conference be incorporated into the schedule of compliance of subject permit renewal.

Otto J. Reneberg
Otto J. Reneberg, P.E.
OJR/rt
Encl.

DEC 11 1979

S.C. DEPT. OF
HEALTH SERVICES

100237

STATE OF NEW YORK
DEPARTMENT OF ENVIRONMENTAL CONSERVATION

..... X
In the Matter of the Alleged Violation of :
Article 17 of the Environmental Conservation : ORDER ON CONSENT
Law of the State of New York, by :
: File No. 1-0374
: GOLDISC RECORDING, INC. :
: (Suffolk County) Respondent :
..... X

WHEREAS, this Department has documented instances of Respondent discharging industrial wastes to the groundwater, a violation of Section 17-0807 and of Respondent making an outlet for the discharge of industrial wastes into the water of the State without the requisite State Pollutant Discharge Elimination System (SPDES) Permit, a violation of Section 17-1701; and

WHEREAS, Respondent has affirmatively waived its right to a public hearing in this matter in the manner provided by law and having consented to the entering and issuing of this Order, pursuant to the terms and provisions of Article 17 of the Environmental Conservation Law of the State of New York and agrees to be bound by the terms and conditions contained therein;

NOW, having considered this matter and being duly advised, it is

ORDERED, that with respect to the aforesaid violation, there is hereby imposed upon Respondent, a penalty, payable to this Department upon execution of this Order, in the sum of One Thousand (\$1,000.00) Dollars; and it is further

ORDERED, that Respondent shall strictly comply with the terms and conditions outlined in the Compliance Schedule, known as Schedule A, attached hereto and made a part hereof; and it is further

ORDERED, that in those instances in which the Respondent desires that any of the provisions, terms or conditions of this Order be changed, it shall make written application, setting forth the grounds for the relief sought, to the Commissioner, c/o Joan B. Scherb, Regional Attorney, Building 40, State University of New York, Stony Brook, New York 11794; and it is further

ORDERED, that any change in this Order shall not be made or become effective, except as specifically set forth by written order of the Commissioner, such written order being made either upon written application of the Respondent, or upon the Commissioner's own findings; and it is further

ORDERED, that the provisions, terms and conditions of this Order shall be deemed to bind Respondent, its successors and assigns, and all persons,

firms and corporations acting under or for it, including, but not limited to those who may carry on any or all of the operations now being conducted by Respondent, whether at the present location or at any other location in the State of New York, or who shall have any interest, financial or otherwise in the conduct of such operations.

Dated: Albany, N. Y.
1980

ROBERT F. FLACKE
Commissioner of Environmental Conservation


By 
DONALD J. MIDDLETON
Regional Director

To: GOLDISC RECORDING, INC.
725 Broadway
Holbrook, New York 11741
Att: Mr. Richard Meixner, President

CONSENT BY RESPONDENT

Respondent acknowledges the authority and jurisdiction of the Commissioner of Environmental Conservation of the State of New York to issue the foregoing Order, waives public hearing or other proceedings in this matter, accepts the terms and conditions set forth in the Order, and consents to the issuance thereof.


GOLDISC RECORDING, INC.

By 

STATE OF NEW YORK)
ss.:
COUNTY OF SUFFOLK)

On the 28 day of March, 1980, before me personally came John Finnegan to me known, who being duly sworn, deposed and said that he resides at 83 Fullen Ave Islip NY that he is the VICE PRESIDENT of Respondent Corporation, and that he signed his name as authorized by said corporation with full authority so to do.

JAMES J. McHUGH
NOTARY PUBLIC, State of New York
No. 52-4620773
Qualified in Suffolk County
Commission Expires March 30, 1987


NOTARY PUBLIC

MEMORANDUM

TO: James C. Maloney, P. E.
FROM: John V. Soderberg, P. E.
DATE: May 29, 1980
RE: Gold Disc Records, Bohemia, NY

On May 28th, 1980 at the request of Commissioner Harris, the writer met with Mr. William Larkin of the Holbrook Fire Department (a full-time employee of Health Services Department) and with Legislator Wehrenberg at the above site.

Apparently Mr. Larkin, in his duties as a volunteer fireman, was called out on May 17th to put out a brush fire behind the subject firm.

According to Mr. Larkin, the brush fire "ignited" a swamplike area behind the firm and Mr. Larkin informs me further that the vegetation in this area was dead before the fire occurred.

Additionally, the Chief of the Bayport Fire Department became ill after wading in this swampy area without benefit of protective boots. (His injuries were described to me as acid burn type.)

While there I did note the discharge of what appeared to be clear water into this swampy area from an underground discharge pipe. I checked with Mr. Renberg of the Water Pollution Section who assured me that they were fully aware of this matter. Our section has no file on this firm (probably because there were no air emissions) and I have asked Mr. Randall to perform an inspection as soon as possible.

I informed Mr. Davids of these results and later that same afternoon Mr. Roberts.

JVS:now
Jim Pim
Frank Randall

COUNTY OF SUFFOLK



DEPARTMENT OF HEALTH SERVICES

June 17, 1980

Goldisc Recordings, Inc.
1 Goldisc Road
Holbrook, New York 11741

Attention: Jan Persson, Maintenance Manager

Gentlemen:

This letter is in reference to an inspection made by Ms. Valerie Bogacki of this office on June 4, 1980.

In that regard, it was noted that your firm operates the following sources of air contamination:

Sanding Exhaust
Nickel Sulfamate Plating Exhaust
Spray Booth Exhaust.

Enclosed, therefore, please find three forms 6-19-3 with instructions and worksheet. Please complete these forms as per the instructions and return them to this office within thirty days for approval.

Lastly, be advised that satisfying State filing requirements fulfills those of Suffolk County as well. If you have any questions, please feel free to contact me for assistance.

Very truly yours,

John V. Soderberg, P. E.
Senior Public Health Engineer

JVS:mew

Encs.

bcc: Dr. M. Zaki

T. 7/18/80

100241

ES File
i #1 ✓
HA ✓

Crandall, BP&C
lamczyk, BIP

Effective Date (EDP) : EDP (6/1/81)
Expiration Date (ExDP) : EDP + 5 Yrs. (6/1/86)

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION
STATE POLLUTANT DISCHARGE ELIMINATION SYSTEM (SPDES)
DISCHARGE PERMIT

Special Conditions
(Part I)

This SPDES permit is issued in compliance with Title 8 of Article 17 of the Environmental Conservation Law of New York State and in compliance with the Clean Water Act, as amended, (33 U.S.C. §1251 et. seq.) (hereinafter referred to as "the Act").

Permittee Name: GOLDISC RECORDINGS, INC./ELECTRO SOUND GROUP, INC.
ATTN: JAN B. PERSSON

Permittee Street: 725 Broadway Avenue

Permittee City: Holbrook State: New York Zip Code: 11741

is authorized to discharge from the facility described below:

Facility Name: Goldisc Recordings, Inc.

Facility Location (C,T,V): Islip County: Suffolk

Facility Mailing Address (Street): 725 Broadway Avenue (NE Corner of Broadway Avenue & Veterans Memorial Highway Intersection)

Facility Mailing Address (City): Holbrook State: New York Zip Code: 11741

into receiving waters known as: Groundwater (Class GA)

In accordance with the effluent limitations, monitoring requirements and other conditions set forth in this permit.

This permit and the authorization to discharge shall expire on midnight of the expiration date shown above and the permittee shall not discharge after the expiration date unless this permit has been renewed, or extended pursuant to law. To be authorized to discharge beyond the expiration date, the permittee shall apply for permit renewal as prescribed by Sections 17-0803 and 17-0804 of the Environmental Conservation Law and Parts 621, 752, and 755 of the Departments' rules and regulations.

Authority of George K. Hansen, P.E., Chief, P.D.E.S. Permit Section
Designated Representative of Commissioner of the
Department of Environmental Conservation

MAY 4 1981
Date

George K. Hansen
Signature

PERMITTED EFFLUENT LIMITATIONS AND MONITORING REQUIREMENTS

During the period beginning EDP (6/1/81) and lasting until EDP + 5 yrs.(6/1/86) the discharges from the permitted facility shall be limited and monitored by the permittee as specified below:

Outfall Number	Effluent Parameter	Discharge Limitations				Monitoring Reqmts.	
		kg/day	(lbs/day)	Other Units (Specify)	Measurement	Sample Frequency	Type
		Daily Avg.	Daily Max.	Daily Avg.	Daily Max.		
IMPORTANT: Information indicated below is tentative; final limitations and requirements are dependent on approvable engineering report.							
001	INDUSTRIAL WASTE HOLDING TANKS - Records of Removal shall be kept and submitted periodically. (One below grade and two above grade.)						
002	NON-CONTACT COOLING WATER RECHARGE FACILITY (i.e. Recharge Basin)					Monthly	Composit.
"	COOLING WATER ONLY - No chemical addition to exceed groundwater standards.						
"	FLOW				360,000 gpd	Contin.	Recdgd.
003, 004, 005, 006 & 007	SANITARY WASTE DISPOSAL SYSTEMS (5)						

- NOTES:
- In general, there shall be no discharge of industrial waste to either surface or groundwaters except as permitted herein. Specifically, no industrial discharge permitted into the sanitary waste disposal systems or into the cooling water recharge system; nor into any existing storm water drainage disposal systems inclusive of dry wells.
 - All industrial wastes to be removed from the site, including industrial wastes from the I.W. holding tank designated as Outfall No. 001, shall be properly stored and maintained in a spill prevention and protected area for periodic removal of an authorized industrial waste scavenger to an approved industrial waste disposal area or reclamation facility.
 - The permittee shall include as part of his Discharge Monitoring Report the following scavenger waste removal information:
 - Date of each waste collection/removal
 - Description and volume of waste removed
 - Method of waste removal (i.e. tank truck, drums and/or other)
 - Name, address and registration number of the authorized scavenger and
 - Destination of the removed wastes.

The pH shall not be less than 6.5 standard units nor greater than 8.5 standard units and shall be monitored as follows: cooling water only - before discharge to recharge basin.

Samples taken in compliance with the monitoring requirements specified above shall be taken at the following location(s):

The daily average discharge is the total discharge by weight or in other appropriate units as specified herein, during a calendar month divided by the number of days in the month that the production or commercial facility was operating. Where less than daily sampling is required by this permit, the daily average discharge shall be determined by the summation of all the measured daily discharges in appropriate units as specified herein divided by the number of days during the calendar month when the measurements were made.

The daily maximum discharge means the total discharge by weight or in other appropriate unit as specified herein, during any calendar day.

Gold Disc
Chronology

5-26-81 - inspection for unreported spill
from Drum (chem) area - transformer
still leaking.

5-27-81 - sample procured from
storm drain involved in spill (2ROS-27),

5-28-81 - find 12 qt of oil in SC#3.

6-1-81 - Jim Miller from MPC. calls
concerning oil in Gold Disc's sanitary
system

6-2-81 - AM - interview Andriola from
Andriola's Cesspool Service - relates how
Gold Disc had called previous Friday
and Sat. for clean out of affected systems -
refused due to presence of oil in system.
PM - inspect with Personn find
2 qt of oil in Gold Disc sanitary system.
Personn and Finnegan notified to clean out.

6-2-81 - with Personn - observe puddle ^{of oil} on
ground around covers - find floating oil
in 2 storm drains. - call Levine regarding
required action - requests official

100244

notification -

7-13-81 - observe 1 qt oil in cold
disc sanitary system - thick all pools
and 8' of oil in SC#3 with no water
paste test) - storm drains effected on
7-2-81 now dry, sides heavily oil stained -
observe oil exuding from drum - 2 photos -
Finnegan informed and present - Mr F.
wants to know what happened to
official notification.


7-14-81 - no corrective action taken
to date.

100245

Photo's Gold Disc

05-26-81


#1



← Photo depicts leaking power supply transformer for Gold Disc. Repairs still had not been effected even after repeated notification to Jan Person, maintenance supervisor for Gold Disc.



#2



← Waste Drum and chemical container area for Gold Disc. This is the area from which the most recent spill occurred.

100246

REQUEST TO QUALITY CONTROL LABORATORY

DATE 6-3-81

DIRECTED TO:

- CHEMISTRY LABORATORY
 METALLURGY LABORATORY
 RADIOGRAPHY LABORATORY
 SPECTROSCOPY LABORATORY
 PLT LABORATORY

ART NAME: Sewage & Oil - Gold Disc Recording

ART NUMBER:

TYPE OF MATERIAL:

DECLASSIFY REPORT NO	PURCHASE ORDER NUMBER CTR-780-5022	ROUTE CARD NO	JOB NUMBER 1906-901-121	QUANTITY	BATCH/HEAT NO
ISSUE NUMBER	SPECIFICATION	SERIAL NUMBER		BIN NUMBER	

CLIENT OR DEPARTMENT: Marine Pollution Control Inc

- TYPE OF TEST OR ANALYSIS REQUIRED
- | | |
|--------|--------------------------------------|
| 1. PCB | 6. Flash point |
| 2. Zn | 7. Trichloroethylene |
| 3. Ag | 8. Total Dissolved Solids - added by |
| 4. Pb | 9. " Suspended " D. Miller |
| 5. VC | 10. Ph 6-8-81 |
| | 11. BTX |

MARKS:

TESTED BY John Conover	DEPARTMENT	PLANT EX 516-473 9132	Q C LAB APPROVAL
---------------------------	------------	--------------------------	------------------

FINDINGS OR RESULTS:

XX


- MARKS:
- | | |
|---------------------------------|--|
| 1. PCB = <1 ppm | 8. Total Dissolved Solids = * |
| 2. Zn = 108 ug/ml | 9. " Suspended " = * |
| 3. Ag = 2.6 ug/ml | 10. Ph = * |
| 4. Pb = 10.2 ug/ml | 11. BTX = * |
| 5. VC = * | |
| 6. Flash Point = None | * Test not suitable on a water/Oil mixture |
| 7. Trichloroethylene = 2200 ppb | |
| 1,1,1 Trichloroethane = 2600 | |
| Tetrachloroethylene = 930 | |
| Chloroform = 52 | |

100247

W. Keigel 1/13/81

APPROVED

Goldisc - 7-13-81



#1

#1 - photo depicts sample taken from bottom of SC3 this date with the chief. Sample was all oil with no water



#2

#2 - waste oil drums stored along west wall of Goldisc. 4 drum from foreground was overflowing. This condition was shown to Mr. Fenreagan.

100248

Gold Disc	OWNER/ OFFICER	PAGE 1 OF
Electro Sound Group.	CONTACT Jan Persson	TEL.
1 Gold Disc Rd.	VILLAGE Holbrook TOWN Islip.	ZIP

7-02-81	TIME 0840	ORIG.	PERIODIC	RE X	WASTE	NO WASTE	H&H	SEWAGE SYSTEM	PUBLIC PRIVATE
---------	-----------	-------	----------	------	-------	----------	-----	---------------	----------------

PERMIT?	YES	NO	PERMIT NO.	360 PERMIT?	YES	NO	PERMIT NO.
---------	-----	----	------------	-------------	-----	----	------------

TEL.	PICK UP RECORDS AVAILABLE	RECORDS CONSISTENT WITH EXPECTED WASTE GENERATION
YES NO	YES NO	YES NO

SYSTEM-MFG NAME	FUEL TYPE	FIRING RATE
	WASTE BURNED	RATE

of diagram for permit corrected - new permit delivered - observations made with Jan Persson -

- 1- no underground waste tanks exist on premises - permit incorrect.
- large oil stain in west alley encompassing storm drains and 2 solid cover pools - oil served in both storm drains.
- standing puddle of oil by waste oil drums - 2 drums overflowing slightly - Jan states that rain overfilled drums after worker forgot to replace bungs
- asphalt extensively deteriorated around waste drums and oil storage tank

PERMISSION IS GRANTED BY THIS FACILITY TO THE SUFFOLK COUNTY DEPARTMENT OF HEALTH SERVICES TO CONDUCT ROUTINE SAMPLING OF OILS, STORMDRAINS, AND OTHER DISCHARGE POINTS AT THE FACILITY.

INSPECTION SCHEDULED ON OR AFTER _____ . FAILURE TO CORRECT UNSATISFACTORY CONDITIONS BY REINSPECTION DATE MAY RESULT IN A HEARING AND/OR FINE.

INSPECTOR	TITLE

COUNTY OF SUFFOLK



PETER F. COHALAN
SUFFOLK COUNTY EXECUTIVE

DEPARTMENT OF HEALTH SERVICES

July 31, 1981

Mr. Jan Persson, Plant Maintenance Mgr.
Goldisc Recording Inc.
725 Broadway Avenue
Holbrook, N. Y. 11741

Dear Mr. Persson:

This letter is to inform you that during our routine surveillance activities of industrial facilities operating within Suffolk County, a plant inspection was conducted by a representative from this office on May 26, 1981.

During the inspection and several subsequent reinspections, it was observed that the leaching pools and storm drains located in vicinity of your drum storage area contained significant quantities of oil. This unsatisfactory condition constitutes violations of the N. Y. S. Environmental Conservation Law, as well as Article 12 of the Suffolk County Sanitary Code. Since this appears to be an ongoing practice, this office can no longer tolerate your continued disregard for existing statutes promulgated to reduce ground-water contamination. Therefore, you are requested to immediately cease all waste oil discharges to any leaching pool or to the surface of the ground.

Based on these observations, this office requests that not only the hazardous and toxic liquids be removed from the leaching pools and storm drains, but also that the sides and bottom of the pools be scraped clean of contaminated residue. This work must be accomplished by a licensed industrial waste scavenger licensed by the State of New York. Kindly notify this department three working days in advance of the clean-up date so that one of our representatives may be present.

Please be advised that this matter is being reviewed for possible litigation. Notification as to your intent in resolving this, and the prevention

(Continued.....)

of future illegal discharges, is expected within ten days.

Your prompt attention to this problem is appreciated.

Very truly yours,

D. C. Gobbi

D. C. Gobbi
Environmental Pollution Control

DCG:ets

*DFC
Snyder
751-7900*

100251

SUFFOLK COUNTY DEPARTMENT OF HEALTH SERVICES
 INDUSTRIAL WASTE AND HAZARDOUS MATERIALS CONTROL
 65 JETSON LA., PO. BOX G, CENTRAL ISLIP, NY. 11722
 (516) 234-2622

CITY <i>Goldisco</i>		OWNER/OFFICER		PAGE 1 OF <i>2</i>	
ADDRESS <i>Broadway & Vets</i>		CONTACT <i>Mr Finnegan</i>		TEL.	
VILLAGE <i>Holbrook</i>		TOWN <i>Islip</i>		ZIP	
DATE <i>8-6-81</i>	TIME <i>16⁰⁵</i>	ORIG. PERIODIC <input checked="" type="radio"/> RE.	WASTE	NO WASTE <input checked="" type="radio"/> H&H	SEWAGE SYSTEM PUBLIC PRIVATE
360 PERMIT? YES NO PERMIT NO.			360 PERMIT? YES NO PERMIT NO.		
PICK UP RECORDS AVAILABLE YES NO			RECORDS CONSISTENT WITH EXPECTED WASTE GENERATION YES NO		
FUEL TYPE				FIRING RATE	
WASTE BURNED				RATE	
STORAGE YES NO		NUMBER OF DRUMS STORED		TYPE OF MATERIAL STORED WASTE RAW BOTH	
STORAGE YES NO		ABOVE GROUND UNDER GROUND BOTH		TYPE OF MATERIAL STORED WASTE RAW BOTH	
TANKS REGISTERED YES NO		CONDITION OF ABOVEGROUND TANKS GOOD FAIR POOR		ANY ART. XII VIOLATIONS YES NO	
<p>ON this date Mr. Finnegan and I inspected the area on the north-east side of the plant where the discharge of boiler blowdown, casement pumpout waters and other miscellaneous waters occurs to the ground surface in the woods. (first observed by Dave O'Leary) - the following are observations made at this time -</p> <p>1- copious amounts of heated water were being discharged to the ground surface. This discharge was constant</p>					
<p>PERMISSION IS GRANTED BY THIS FACILITY TO THE SUFFOLK COUNTY DEPARTMENT OF HEALTH SERVICES TO CONDUCT ROUTINE SAMPLING OF WELLS, STORMDRAINS, AND OTHER DISCHARGE POINTS AT THE FACILITY.</p>					
<p>ACTION SCHEDULED ON OR AFTER _____ . FAILURE TO CORRECT UNSATISFACTORY CONDITIONS BY REINSPECTION LATE MAY IN A HEARING AND/OR FINE.</p>					
REPORT		TITLE		INSPECTOR	

100252

TJK

5/81

Goldisc

with little fluctuation in rate noted

2- The ground inundated from the discharge was covered with a like tar residue much like that formed when grease and oil come in contact with water.

3- The area inundated covered more than one acre. The ecology of the area had been extensively altered and the ~~former~~ flora had changed to a marsh type.

4- Mr. Finnegan stated that Mr. Persson ~~has~~ intends to reroute this discharge to the swamp sometime in the future.

5- Permission to sample was obtained from Mr. Finnegan.

6- The total scope of the problem cannot be comprehended from ground level. If it is deemed necessary to determine the area involved, aerial photos would be required.

September 18, 1981

HAND DELIVER

Goldisc Recordings, Inc.
Broadway Ave. and Veterans Highway
Holbrook, New York 11741

Gentlemen:

The records of this office indicate that you have violated Articles V-B and 12 of the Suffolk County Sanitary Code in the following manner:

A. Article 12 - Violations alleged:

- (1). Section 1205(a)-unlawful discharge of toxic or hazardous materials.
 - (a). each and every day from May 27, 1981, to August 25, 1981, when oily material removed from affected leaching facility.
 - (b). on May 26, 1981, from spilled drum of nickel waste.
 - (c). on May 27, 1981, from nickel in a storm drain.
 - (d). on July 2, 1981, two violations from two drums overflowing oily materials.
- (2). Section 1207-storing toxic or hazardous materials without having applied for or received a permit to operate such a storage facility on May 26, 1981, May 27, 1981, and July 2, 1981.
- (3). Section 1217
 - (a). failure to timely report a leak or spill of toxic or hazardous materials on May 26, 1981.
- (4). Section 1215-improper storage of toxic or hazardous materials in portable containers on May 26, 1981, May 27, 1981, and July 2, 1981.

100254

B. Article V-B - Violations alleged:

- (1). Section 1(b) - the deposition and holding of offensive material so as to create a public nuisance or the discharge of offensive materials into the waters of the health district without a permit on each and every day from May 26, 1981, through August 25, 1981.
- (2). Section 1(c) - failure of a container for the storage of offensive material to completely confine said materials - two violations on July 2, 1981.
- (3). Section 2(a) - maintaining a private storage disposal system pipe or drain so as to discharge deleterious liquids on to the surface of the ground or so as to endanger any source or supply of drinking water on each and every day from May 26, 1981, through August 25, 1981.

In order to resolve the foregoing alleged violations, a preliminary hearing is being scheduled at this office on September 23, 1981, at 9:00 AM. You may appear at this hearing with or without counsel; you may produce witnesses and evidence, but no sworn testimony will be taken or recorded.

Please be advised that each violation of the Suffolk County Sanitary Code is punishable by a civil penalty not to exceed \$500 for each day or part thereof that such violation continues. Therefore, it would be in your best interest to appear at the preliminary hearing. A failure to appear will result in the scheduling of a formal hearing by the Department.

If you are unable to meet the above-mentioned scheduling requirements or if you have any questions regarding this proceeding, please do not hesitate to contact this office.

Very truly yours,

Roy Gilbert
Environmental Enforcement Services

RG/cc

Exact corporate or other name of firm to be charged:

Goldisc Recording Inc / ELECTRO SOUND GROUP, INC

Principal officers of firm; partners if a partnership; owner:

B. PERSSON (PLANT ENGINEER) and Richard Meixner, President

Address of firm to be charged. Indicate address of alleged violating facility and main office if not the same, mailing address if different:

725 Broadway Ave, Holbrook, NY 11741

J.P.

Violations alleged - check those you believe applicable and include dates of alleged occurrence:

I. Industrial Wastes and Hazardous Materials

- a. acted as a scavenger without a proper license
- b. hired unlicensed scavenger
- c. discharged hazardous material
- d. discharged industrial waste without a SPDES Permit
- e. discharged industrial waste in violation of SPDES Permit
- f. storage of hazardous material without a permit (Pt. 360)
- g. improper storage of hazardous materials
 - 1. portable containers
 - 2. underground tanks
 - 3. above-ground tanks
 - 4. indoor tanks
 - 5. other
- h. failure to report a leak or spill of hazardous material - 5/26/81 (nickel spill)
- i. failure to report leak or spill of material likely to pollute groundwater where at the time of leak or spill at least 1500 gallons of such material was on the site
- j. discharge in excess of groundwater standards
- k. other

6/2/81

II. Public Nuisance - Liquid Discharges; Sewage Plants

- a. overflowing cesspools
- b. overflowing sewage treatment plant
- c. STP - discharge in violation of SPDES Permit
- d. other

III. Air Pollution

- a. construction of source without a permit
- b. operation of source without a permit
- c. nuisance conditions from emission
- d. opacity violation
- e. operation in violation of permit (i.e. improper maintenance of equipment)
- f. open burning
- g. auto emission violations
- h. fugitive dust
- i. emissions in excess of applicable standards
- j. other

NB - make sure no exemptions apply

Brief description of nature of proof to support allegation

Inspection reports, photographs & correspondence since 5/26/81

Sample, Field Number 11 R05-27-SC#3, 6/2/81 Field Observation - 2' of oil in sanitary

Pool (designated RS#9), 6/2/81 oil in SC#3 + pool #9, 7/2/81 inspection - oil in SC#3, #9

Recommendation for Consent Order

#6 & #7, Two drums of oil overflowing, 7/13/81

a. by Inspectional Services

b. by applicable Engineering Section

100256

SPECIFICATION OF ALLEGED VIOLATIONS

alleged that the Respondent above-named failed to comply with the following provisions of the Suffolk County Sanitary Code as indicated below:

SPECIFIC TERMS AND CONDITIONS

In satisfaction of the above-named Respondent's alleged violations of the Suffolk County Sanitary Code, the Respondent agrees to the signing and issuance of this Order of the Commissioner of the Suffolk County Department of Health Services, and the Respondent shall be bound by the terms and conditions following as well as the above General Provisions.

The Respondent agrees to submit to this Department by April 11, 1981, a report prepared, signed and sealed by an engineer licensed to practice professional engineering in the State of New York, detailing the nature and extent of groundwater contamination caused by the contamination of two leaching facilities on the west side of Respondent's premises designated as pools number 8 and 9. This report should include the following conclusions supported by adequate scientific data so as to be approved by this Department:

a. No contamination exists in the groundwater as a result of the contamination found in the aforementioned leaching facilities. Such a conclusion should be based on direct groundwater observations at appropriate places with chemical analyses of groundwater as appropriate, or the equivalent thereof satisfactory to the Department. Such a conclusion, if concurred in by the Department, would conclude this matter.

b. Contamination of the groundwater exists, but the definition of its nature and extent indicates a recovery or cleanup operation is not warranted. This conclusion may be based on appropriate scientific evidence that:

1. The contamination in the groundwater received no contribution from the contaminated leaching

100257

SPECIFIC TERMS AND CONDITIONS
(continued)

facilities aforementioned, or

2. although it is likely that the contamination of the groundwater was caused or contributed to by the aforementioned contaminated leaching facilities, it poses no threat to any source or supply of drinking water, or that its recovery or cleanup is not feasible technologically and/or financially possible.

Such a conclusion, if concurred in by the Department, would conclude this matter.

c. Contamination of the groundwater exists, and it was caused or significantly contributed to by the aforementioned leaching facilities, and a cleanup operation is needed and is feasible to at least some extent. If this conclusion is found, a proposal for cleanup shall be included.

By execution of this Order on Consent, Respondent does not admit to any wrongdoing or violation of any law, rule or regulation. Notwithstanding any indication or statement to the contrary appearing in this Order on Consent, the Department does not allege that the Respondent violated any law, rule or regulation in connection with the allegedly contaminated leaching facilities aforementioned.

100258

CONSENT BY RESPONDENT

Ident herein named acknowledges the authority and
on of the Commissioner of the Suffolk County Depart-
Health Services to issue the foregoing Order on Consent,
Ident voluntarily waives public hearing in this matter
to be bound by the terms, conditions and provisions
Order of the Commissioner.

9/20/81

Respondent JOLOISE RECPEDING
By: (signature) [Signature]
(printed) JOHN FINNEGAN
Title Gen. Mgr.

NEW YORK)
) SS.:
SUFFOLK)

20 day of October, 1981, before me
came John Finnegan to me known, who
sworn, deposed and said that he resides at
83 Fulton Ave. Islip, N.Y. 11750
is the General Manager of Respondent cor-
and that he signed his name as authorized by said
with full authority to do so.

JAMES J. FINNICH
NOTARY PUBLIC
11750

[Signature]
NOTARY PUBLIC

CONSENT BY COMMISSIONER

Commissioner of the Suffolk County Department of Health
agrees to waive further administrative enforcement
against the Respondent named herein, and the Commissioner
to accept the Respondent's consent to the entry and
of this Order in full satisfaction of the Department's
conditions herein listed, PROVIDED THAT the Respondent duly
obey this Order and strictly adheres to all of its terms,
conditions and provisions.

New York

David Harris, M.D., M.P.H.
Commissioner
Suffolk County Department
of Health Services

By:

CONSENT BY RESPONDENT

The Respondent herein named acknowledges the authority and jurisdiction of the Commissioner of the Suffolk County Department of Health Services to issue the foregoing Order on Consent, and Respondent voluntarily waives public hearing in this matter and agrees to be bound by the terms, conditions and provisions of this Order of the Commissioner.

Dated: 11/6/81

Respondent Goldisc Recordings
By: * (signature) [Signature]

* (printed) RICHARD F. MEIXNER
* Title VICE DIVISION PRESIDENT

STATE OF NEW YORK)
) SS.:
COUNTY OF SUFFOLK)

On the 6th day of November, 1981, before me personally came RICHARD MEIXNER to me known, who being duly sworn, deposed and said that he resides at 44 Twin River Rd Bardonia NY that he is the VICE President of Respondent corporation, and that he signed his name as authorized by said corporation with full authority to do so.

NOTARY PUBLIC State of New York
No. 52-462073
Qualified in Suffolk County
Commission Expires March 21, 1983

[Signature]
NOTARY PUBLIC

CONSENT BY COMMISSIONER

The Commissioner of the Suffolk County Department of Health Services agrees to waive further administrative enforcement action against the Respondent named herein, and the Commissioner agrees to accept the Respondent's consent to the entry and issuance of this Order in full satisfaction of the Department's allegations herein listed, PROVIDED THAT The Respondent duly executes this Order and strictly adheres to all of its terms, conditions and provisions.

Dated: _____
Hauppauge, New York

David Harris, M.D., M.P.H.
Commissioner
Suffolk County Department
of Health Services

By:

SUFFOLK COUNTY
DEPARTMENT OF HEALTH SERVICES

file

INTEROFFICE MEMORANDUM

Alexander Santino, P.E.

DATE: 12-11-81

FROM: Roy Gilbert

SUBJECT: Goldisc

It is a given fact that some groundwater exploration needs to be instituted as a result of the large amount of oil found in various leaching facilities on the premises of the above-referenced firm. Before forcing this considerable expense onto the landlord of the property who apparently is not to blame for the presence of the contamination, we should just attempt to determine with certainty who is to blame.

Circumstantial evidence seems to point to Goldisc as the cause or major contributor to the problem because:

1. proximity of oil contaminated leaching pools to Goldisc's oil waste storage
2. Goldisc uses large quantities of oil annually
3. the leaching pools contaminated are within an area under Goldisc's occupation and control
4. Goldisc has and is expending fair-sized sums of monies on pumping and hauling away of the waste oil.

The above evidence is only circumstantial and not conclusive. Additional investigation by this Department needs to be performed including:

1. Chemical analysis of the waste oil in the leaching facility and its comparison with the oils used and generated by Goldisc. Dennis Collins of Siben & Siben, Goldisc's attorney, told me on December 10, 1981, that he is in possession of chemical analyses conclusively proving his client's oil was not in the leaching pool. This evidence will be forwarded to us and we should review it carefully.
2. An engineer from the Department should make a complete inspection of all plumbing at Goldisc or otherwise connected to the affected leaching facilities so as to determine whether the oil could have entered the leaching system through it. This investigation may inculpate or exculpate Goldisc or another with respect to the genesis of the pollution.

100261

Alexander Santino, P.E.

-2-

12-11-81

3. A thorough investigation of Goldisc's records with respect to oil bought and waste oil disposed. In addition to receipts, we should get copies of cancelled checks showing pick-up receipts are paid to preclude the possibility of overlooking evidence.

In the event Goldisc refuses to cooperate in the above investigation, inspection warrants should be procured.

RG/cc

CC: J. Pim
P. Perrella
D. Gobbi

100262

INDUSTRIAL WASTE AND HAZARDOUS MATERIALS CONTROL
 15 HORSEBLOCK PLACE, FARMINGVILLE, N.Y. 11738
 (516) 451-4633

File

NAME OF FACILITY <i>Gold disc Recording Inc.</i>		OWNER/OFFICER <i>Ernie Kirk</i>		PAGE 1 OF	
COMPANY NAME <i>Div - Electro Sound Corp.</i>		CONTACT <i>Jim Pittman</i>		TEL <i>589-0762</i>	
PLANT ADDRESS <i>735 Broadway Ave</i>		VILLAGE <i>Holbrook</i>		TOWN <i>T-SHIP</i>	
MAILING ADDRESS <i>SPARE</i>				ZIP <i>11741</i>	
DATE <i>3/11/82</i>		TIME <i>9:10</i>		ORIG. <input type="checkbox"/> PERIODIC <input checked="" type="checkbox"/> RE. <input type="checkbox"/> WASTE <input type="checkbox"/>	
		NO WASTE <input type="checkbox"/>		SEWAGE SYSTEM <input checked="" type="checkbox"/> PUBLIC PRIVATE <input type="checkbox"/>	
INDUSTRY <i>Disc Recording</i>					
PERMITS OR PERMITS PERMIT? YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>		PERMIT NO. <i>11705550</i>		360 PERMIT? YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
HAZARDOUS WASTE TREATMENT AND STORAGE UNIT (TASU) NO. <i>KL-117</i> TEL.					
HAZARDOUS WASTE TREATMENT AND STORAGE UNIT (TASU) NO. <i>KL-117</i>		PICK UP RECORDS AVAILABLE YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>		RECORDS CONSISTENT WITH EXPECTED WASTE GENERATION YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	
HEATING SYSTEM - MFG NAME <i>1 - Schelmer Pumps</i>				FUEL TYPE <i>#2</i>	FIRING RATE <i>11</i>
<i>2 - 150 HP Power pumps</i>				<i>#2</i>	<i>11</i>
<i>(Note only natural gas is being burned - at this time)</i>					
WASTE BURNED <i>None</i>				RATE	
STORAGE YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>		NUMBER STORED INDOORS <i>21</i> OUTDOORS <i>0</i>		TYPE OF MATERIAL STORED <input checked="" type="checkbox"/> WASTE <input type="checkbox"/> RAW <input type="checkbox"/>	
STORAGE TANKS YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>		NUMBER OF TANKS ABOVEGROUND <i>2</i> UNDERGROUND <i>1</i>		TYPE OF MATERIAL STORED <input checked="" type="checkbox"/> WASTE <input type="checkbox"/> RAW <input type="checkbox"/>	
TANKS YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>		NUMBER OF OPEN PROCESS TANKS <i>4</i>		ANY ART. XII VIOLATIONS YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>	
<i>1 - 1000 gal underground tank</i>					
<i>1) Oil contaminated soil on north west side of Bld must be cleaned up. re De compressor blow off.</i>					
<i>2) Floor drain in plating room, but does not drain.</i>					
<i>3) Waste water hose from plating room goes to outside hold tanks.</i>					
<i>4) Mr. Kirk told me he will contact out office for all outside tank compliance.</i>					
PERMISSION IS GRANTED BY THIS FACILITY TO THE SUFFOLK COUNTY DEPARTMENT OF HEALTH SERVICES TO CONDUCT ROUTINE SAMPLING OF POOLS, STORMDRAINS, AND OTHER DISCHARGE POINTS AT THE FACILITY.					
INSPECTION SCHEDULED ON OR AFTER _____ FAILURE TO CORRECT UNSATISFACTORY CONDITIONS BY REINSPECTION DATE MAY RESULT IN A HEARING AND/OR FINE.					
PERSON REPORT <i>[Signature]</i>		TITLE <i>Director</i>		INSPECTOR <i>T. Daniels</i>	

5/82

5/81 TJK

100263

ENVIRONMENTAL REPORT

100264

100264

ENGINEERING REPORT

FOR


GOLDISC RECORDINGS, INC.

Veterans Highway and Broadway

Holbrook, NY 11741

Robert F. Gasser
Robert F. Gasser, P.E.

Michael Murphy
Michael Murphy
Vice President



100264

100264

ECOLOGROL ENVIRONMENTAL SYSTEMS

TABLE I

TANK FUNCTION AND CONTENTS

<u>Tank #</u>	<u>Function</u>	<u>Contents and Concentration</u>
1	Soak cleaner	Dubois Sprex AC (alkaline detergent) <i>0.33 lb/gal</i>
2	Scrub rack	
3	Soak cleaner	Dubois Sprex AC (alkaline detergent) <i>0.33 lb/gal</i>
4	Spray rinse	
5	Scrub rack	Calcium Carbonate Trace of Sodium Cyanide <i>0.25 lb/gal</i>
6	Still rinse	
	Spray rinse	
8	Scrub rack	
9	Acid dip	Sulfuric Acid (10%)
10	Acid dip	Sulfuric Acid (10%)
11	Spray rinse	
12	Chromate dip	Potassium Chromate .5 gm/gal
13	Chromate dip	Potassium Chromate 1.9 gm/gal
14	Silver spray booth	Metaplast L-19 (Silver Nitrate) 60 gm/l Metaplast L-20 (Canstic soda) 6 oz/gal Metaplast N-26 (Sodium thiosulfate) 10 gm/gal Stannous Chloride 8 gm/gal
numbered	Acid dip	Chromic Acid 30 oz/gal
unnumbered	Nickel plating baths	Nickel Sulfamate 40 oz/gal

LOTROL ENVIRONMENTAL SYSTEMS

TABLE II

LABORATORY ANALYSIS OF SOLUTION DUMPS


100266

100266

<u>Tank</u>	<u>Parameter</u>	<u>Concentration</u>
1	Nickel	4.3 (mg/l)
	pH	10.5
3	pH	10.6
6	pH	11.7
9	Iron	1.6 (mg/l)
	Nickel	96.6 (mg/l)
	Chromium	0.4 (mg/l)
	pH	0.6
10	Iron	1.8 (mg/l)
	Nickel	80.0 (mg/l)
	Chromium	0.2 (mg/l)
	pH	0.6
12	Chromium	23.3 (mg/l)
	pH	6.0
13	Chromium	515 (mg/l)
	pH	4.8

100266

Note: All chromium concentrations are as total chromium.



SUFFOLK COUNTY
DEPARTMENT OF ENVIRONMENTAL CONTROL HEALTH SERVICES

~~XXXXXXXXXXXX~~
65 Jetson Lane

Hauppauge N. Y. 11787
(516) 234-2622

NOTIFICATION OF UNSATISFACTORY INDUSTRIAL WASTE SAMPLING

Date Jan. 4, 1979

Goldisc Recordings, Inc.
Broadway Avenue & Veterans Mem. Hwy.
Holbrook, N.Y. 11741

Gentlemen:

On 12/12/78 samples of your industrial waste were taken from
your puddle in driveway. Upon analysis, the
following parameters were found to be unsatisfactory:

- | | |
|-------------------------|---------------------------------------|
| 1. pH - 4.7 | 6. Cadmium - 0.09 mg/l |
| 2. Copper - 3.4 mg/l | 7. Silver - 0.4 mg/l |
| 3. Iron - 16 mg/l | 8. Chromium ⁶⁺ - 37.5 mg/l |
| 4. Nickel - 52,000 mg/l | 9. |
| 5. Lead - 1.0 mg/l | 10. |

The acceptable limits on each of these parameters according to New York State Groundwater Standards are as follows:

- | | |
|----------------------|-------------------------------------|
| 1. pH - 6.5 - 8.5 | 6. Cadmium - 0.02 mg/l |
| 2. Copper - 1.0 mg/l | 7. Silver - 0.1 mg/l |
| 3. Iron - 0.6 mg/l | 8. Chromium ⁶⁺ - .1 mg/l |
| 4. Nickel - 2.0 mg/l | 9. |
| 5. Lead - 0.05 mg/l | 10. |

You should be aware that these unsatisfactory conditions constitute violations of the N.Y.S. Environmental Conservation Law. Please see that they are corrected as soon as possible. If you have any questions or need any assistance, please do not hesitate to contact this office.

Very truly yours,

Roy Gilbert

Roy Gilbert

Water Pollution Control Section
G/rt

CC: TED SNYDER - NYSDEC

OKsen

NAME, NOT INITIALS

12-12-78

2:20 P.M.

TYPE SAMPLE

Lead

DATE REC'D.

12/13

TIME REC'D.

11 A.M.

DATE COMPLETED

12/20/80

SUFFOLK COUNTY ENVIRONMENTAL CONTROL LABORATORY
CHEMICAL EXAMINATION OF WATER, SEWAGE, INDUSTRIAL WASTE

6000 Disc

LOCATION

Broadway Ave & Vets Highway

SECTION

puddle in driveway

INSTRUCTIONS

RESULT	TEST	RESULT <small>mg. liter</small>	TEST	RESULT <small>mg. liter</small>
umho	NITRATE-N		<input checked="" type="checkbox"/> COPPER	3.4
4.7	NITRITE-N		<input checked="" type="checkbox"/> IRON	16.
RESULT <small>m.g. liter</small>	AMMONIA-N		MANGANESE	
	TKN		<input checked="" type="checkbox"/> CHROMIUM	94. x 10 ²
	O-PO ₄ -P		<input checked="" type="checkbox"/> NICKEL	52. x 10 ³
			<input checked="" type="checkbox"/> ZINC	3.8
			MAGNESIUM	
	TOT. SOLIDS		CALCIUM	
	SUS. SOLIDS		<input checked="" type="checkbox"/> LEAD	1.0
	DISS. SOLIDS		<input checked="" type="checkbox"/> CADMIUM	0.09
	B.O.D.		<input checked="" type="checkbox"/> SILVER	0.4
			SODIUM	
	FIELD NITRATE		POTASSIUM	
	FIELD Cl ⁻		BARIUM	
	FIELD D.O.		Cr ⁺⁶	37.5
	FIELD TEMP			
	FIELD pH			
	FIELD COND.	umho		

~~John M. Flynn, D.D.~~
~~Commissioner~~



SUFFOLK COUNTY
DEPARTMENT OF ENVIRONMENTAL CONTROL HEALTH SERVICES

~~John M. Flynn~~
65 Jetson Lane

Hauppauge N. Y. 11787
(516) 234-2622

NOTIFICATION OF UNSATISFACTORY INDUSTRIAL WASTE SAMPLING

Date Jan. 4, 1979

Goldisc Recordings, Inc.
Broadway Avenue & Veterans Mem. Hwy.
Holbrook, N.Y. 11741

Gentlemen:

On 12/13/78 samples of your industrial waste were taken from your discharge from perforated drum. Upon analysis, the following parameters were found to be unsatisfactory:

- | | |
|-----------------------|-------------------------------------|
| 1. pH - 5 | 6. Cadmium - 0.1 mg/l |
| 2. Copper - 3.3 mg/l | 7. Silver - 0.2 mg/l |
| 3. Iron - 2.0 mg/l | 8. Chromium ⁺⁶ - 49 mg/l |
| 4. Nickel - 6700 mg/l | 9. |
| 5. Lead - 0.4 mg/l | 10. |

The acceptable limits on each of these parameters according to New York State Groundwater Standards are as follows:

- | | |
|----------------------|-------------------------------------|
| 1. pH - 6.5 - 8.5 | 6. Cadmium - 0.02 mg/l |
| 2. Copper - 1.0 mg/l | 7. Silver - 0.1 mg/l |
| 3. Iron - 0.6 mg/l | 8. Chromium ⁺⁶ - .1 mg/l |
| 4. Nickel - 2.0 mg/l | 9. |
| 5. Lead - 0.05 mg/l | 10. |

You should be aware that these unsatisfactory conditions constitute violations of the N.Y.S. Environmental Conservation Law. Please see that they are corrected as soon as possible. If you have any questions or need any assistance, please do not hesitate to contact this office.

Very truly yours,

Roy Gilbert
Roy Gilbert
Water Pollution Control Section
RG/rt



CC: TED SWYDER - NYSDEC

100269

FIELD

220

Ohsew

NAME, NOT INITIALS

12-13-78

8:55-AM

LABORATORY

LAB NO. 12-78-106

TYPE SAMPLE Ind

DATE REC'VD. 12/13

TIME REC'VD. 11:49

DATE COMPLETED 12/20/80

SUFFOLK COUNTY ENVIRONMENTAL CONTROL LABORATORY
CHEMICAL EXAMINATION OF WATER, SEWAGE, INDUSTRIAL WASTE

CLIENT FIRM Gold Disc

SOURCE OR LOCATION

METHOD OF COLLECTION Discharge From Drum

REMARKS/INSTRUCTIONS

TEST	RESULT	TEST	RESULT	TEST	RESULT
CONDUCT	umho	NITRATE-N		1 COPPER	3.8
	5.0	NITRITE-N		2 IRON	2.0
EST	RESULT $\frac{m.g.}{liter}$	AMMONIA-N		MANGANESE	
ALKALINITY		TKN		1 CHROMIUM	6.0×10^2
ALKALINITY		O-PO ₄ -P		1 NICKEL	6.7×10^3
FLORIDE				1 ZINC	5.0
LUORIDE				MAGNESIUM	
CYANIDE		TOT. SOLIDS		CALCIUM	
		SUS. SOLIDS		1 LEAD	0.4
SULFATE		DISS. SOLIDS		1 CADMIUM	0.10
BAS		B.O.D.		1 SILVER	0.2
B.O.D.				SODIUM	
B.O.C.		FIELD NITRATE		POTASSIUM	
		FIELD Cl ⁻		BARIUM	
		FIELD D.O.		Cr ⁺⁶	4.9
		FIELD TEMP			
		FIELD pH			
		FIELD COND.	umho		100270



SUFFOLK COUNTY
DEPARTMENT OF ENVIRONMENTAL CONTROL & HEALTH SERVICES

~~XXXXXXXXXXXX~~
65 Jetson Lane

Hauppauge N. Y. 11787
(516) 234-2622

NOTIFICATION OF UNSATISFACTORY INDUSTRIAL WASTE SAMPLING

Date Jan. 4, 1979

Goldisc Recordings, Inc.
Broadway Avenue & Veterans Mem. Hwy.
Holbrook, N.Y. 11741

Gentlemen:

On 12/13/73 samples of your industrial waste were taken from your storm drain. Upon analysis, the following parameters were found to be unsatisfactory:

- | | |
|----------------------|------------------------|
| 1. pH - 5.6 | 6. Lead - 3.4 mg/l |
| 2. Copper - 8 mg/l | 7. Cadmium - 0.08 mg/l |
| 3. Iron - 90 mg/l | 8. Silver - 0.02 mg/l |
| 4. Nickel - 730 mg/l | 9. |
| 5. | 10. |

The acceptable limits on each of these parameters according to New York State Groundwater Standards are as follows:

- | | |
|----------------------|------------------------|
| 1. pH - 6.5 - 8.5 | 6. Lead - 0.05 mg/l |
| 2. Copper - 1.0 mg/l | 7. Cadmium - 0.02 mg/l |
| 3. Iron - 0.6 mg/l | 8. Silver - 0.1 mg/l |
| 4. Nickel - 2.0 mg/l | 9. |
| 5. | 10. |

You should be aware that these unsatisfactory conditions constitute violations of the N.Y.S. Environmental Conservation Law. Please see that they are corrected as soon as possible. If you have any questions or need any assistance, please do not hesitate to contact this office.

Very truly yours,

Roy Gilbert
Roy Gilbert
Water Pollution Control Section
RG/rt



CC: TED SNYDER - NYSDEC

100271

FIELD
 221
 OHSEN
 NAME, NOT INITIALS
 12-13-78
 9:10 AM

LABORATORY
 LAB NO. 12-78-107
 TYPE SAMPLE IWB
 DATE REC'VD. 12/13
 TIME REC'VD. 11 AM
 DATE COMPLETED 12/20/90

SUFFOLK COUNTY ENVIRONMENTAL CONTROL LABORATORY
 CHEMICAL EXAMINATION OF WATER, SEWAGE, INDUSTRIAL WASTE

FIRM Gold Disc
 SOURCE OR LOCATION
 DATE OF COLLECTION Storm Drain
 SPECIAL INSTRUCTIONS

TEST	RESULT	TEST	RESULT	TEST	RESULT
			mg./liter		mg./liter
CONDUCT	umho	NITRATE-N		COPPER	8.
	5.6	NITRITE-N		IRON	90.
TEST	RESULT	AMMONIA-N		MANGANESE	
	mg./liter	TKN		CHROMIUM	59.
ALKALINITY		0-PO ₄ -P		NICKEL	7.80 x 10 ¹
ALKALINITY				ZINC	5.0
FLORIDE				MAGNESIUM	
CHLORIDE		TOT. SOLIDS		CALCIUM	
CYANIDE		SUS. SOLIDS		LEAD	3.4
SULFATE		DISS. SOLIDS		CADMIUM	0.08
PHOSPHAS		B.O.D.		SILVER	0.20
				SODIUM	
		FIELD NITRATE		POTASSIUM	
		FIELD Cl ⁻		BARIUM	
		FIELD D.O.		Cr ⁺⁶	4.02
		FIELD TEMP			
		FIELD pH			
		FIELD COND.	umho		100272

John M. Flynn, P. E.
Commissioner



SUFFOLK COUNTY
DEPARTMENT OF ENVIRONMENTAL CONTROL HEALTH SERVICES

~~XXXXXXXXXXXX~~
65 Jetson Lane

Hempstead N. Y. 11787
(516) 234-2622

NOTIFICATION OF UNSATISFACTORY INDUSTRIAL WASTE SAMPLING

Date Jan. 4, 1979

Goldisc Recordings, Inc.
Broadway Avenue & Veterans Mem. Hwy.
Holbrook, N.Y. 11741

Gentlemen:

On 12/19/78 samples of your industrial waste were taken from your storm drain surface. Upon analysis, the following parameters were found to be unsatisfactory:


- | | |
|----------------------|-----|
| 1. Nickel - 105 ng/l | 6. |
| 2. | 7. |
| 3. | 8. |
| 4. | 9. |
| 5. | 10. |


The acceptable limits on each of these parameters according to New York State Groundwater Standards are as follows:

- | | |
|----------------------|-----|
| 1. Nickel - 2.0 ng/l | 6. |
| 2. | 7. |
| 3. | 8. |
| 4. | 9. |
| 5. | 10. |

You should be aware that these unsatisfactory conditions constitute violations of the N.Y.S. Environmental Conservation Law. Please see that they are corrected as soon as possible. If you have any questions or need any assistance, please do not hesitate to contact this office.

Very truly yours,


Roy Gilbert
Water Pollution Control Section
RG/rt


CC: TED SNYDER - NYSDEC

100273

FIELD

700

OKSEN

NAME, NOT INITIALS

12-19-78

9:00 AM

LAB NO.

12-78-140

TYPE SAMPLE

IND

DATE REC'VD.

12/19

TIME REC'VD.

2 PM

DATE COMPLETED

12/21/80

SUFFOLK COUNTY ENVIRONMENTAL CONTROL LABORATORY
CHEMICAL EXAMINATION OF WATER, SEWAGE, INDUSTRIAL WASTE

FIRM

Grnd Disc

LOCATION

Broadway and Vets Hwy - Holbrook

COLLECTION


Storm Drain surface

INSTRUCTIONS

TEST	RESULT	TEST	RESULT $\frac{mg.}{liter}$	TEST	RESULT $\frac{mg.}{liter}$
DUCT	umho	NITRATE-N		✓ COPPER	0.04
	7.3	NITRITE-N		✓ IRON	0.1
T	RESULT $\frac{m.g.}{liter}$	AMMONIA-N		MANGANESE	
ALKALINITY		TKN		✓ CHROMIUM	3.8
ALKALINITY		O-PO ₄ -P		✓ NICKEL	105.
CHLORIDE				✓ ZINC	0.36
FLUORIDE				MAGNESIUM	
CYANIDE		TOT. SOLIDS		CALCIUM	
		SUS. SOLIDS		✓ LEAD	<0.1
SULFATE		DISS. SOLIDS		✓ CADMIUM	<0.02
CHLORIDE		B.O.D.		✓ SILVER	<0.02
				SODIUM	
		FIELD NITRATE		POTASSIUM	
		FIELD Cl ⁻		BARIUM	
		FIELD D.O.		Cr ⁺⁶	.03
		FIELD TEMP			
		FIELD pH			
		FIELD COND.	umho		

100274

35-12



SUFFOLK COUNTY
DEPARTMENT OF ENVIRONMENTAL CONTROL HEALTH SERVICES

~~1021 Main Park~~
65 Jetson Lane

Hauppauge N. Y. 11787
(516) 234-2622

NOTIFICATION OF UNSATISFACTORY INDUSTRIAL WASTE SAMPLING

Date Jan. 4, 1979

Goldisc Recordings, Inc.
Broadway Avenue & Veterans Mem. Hwy.
Holbrook, N.Y. 11741

Gentlemen:

On 12/19/78 samples of your industrial waste were taken from your storm drain bottom. Upon analysis, the following parameters were found to be unsatisfactory:

- | | |
|--------------------------------------|-----|
| 1. pH - 6.3 | 6. |
| 2. Nickel - 560 mg/l | 7. |
| 3. Chromium ⁺⁶ - .36 mg/l | 8. |
| 4. | 9. |
| 5. | 10. |

The acceptable limits on each of these parameters according to New York State Groundwater Standards are as follows:

- | | |
|-------------------------------------|-----|
| 1. pH - 6.5 - 8.5 | 6. |
| 2. Nickel - 2.0 mg/l | 7. |
| 3. Chromium ⁺⁶ - .1 mg/l | 8. |
| 4. | 9. |
| 5. | 10. |

You should be aware that these unsatisfactory conditions constitute violations of the N.Y.S. Environmental Conservation Law. Please see that they are corrected as soon as possible. If you have any questions or need any assistance, please do not hesitate to contact this office.

Very truly yours,

Roy Gilbert

Roy Gilbert
Water Pollution Control Section
RG/rt



CC: TED SNYDER - NYSDEC

100275

FIELD

LABORATORY

NO. 201

LAB NO. 12-78-141

OLSEN
NAME, NOT INITIALS

TYPE SAMPLE IWB

DATE REC'VD. 12/19

TIME REC'VD. 2 PM

DATE COMPLETED 12/21/80

DATE 12-19-80

TIME 9:05 AM

SUFFOLK COUNTY ENVIRONMENTAL CONTROL LABORATORY
CHEMICAL EXAMINATION OF WATER, SEWAGE, INDUSTRIAL WASTE

OR FIRM Gold Disc

ADDRESS OR LOCATION Broadway Ave & Vets Hwy Hokbrook

POINT OF COLLECTION Stream Drain bottom

REMARKS/INSTRUCTIONS

TEST	RESULT	TEST	RESULT ^{mg-} liter	TEST	RESULT ^{mg-} liter
CONDUCT	umho	NITRATE-N		<input checked="" type="checkbox"/> COPPER	0.13
pH	6.3	NITRITE-N		<input checked="" type="checkbox"/> IRON	0.3
TEST	RESULT ^{in.g-} liter	AMMONIA-N		MANGANESE	
H. ALKALINITY		TKN		<input checked="" type="checkbox"/> CHROMIUM	32.
T. ALKALINITY		C-PO ₄ -P		<input checked="" type="checkbox"/> NICKEL	560.
FLORIDE				<input checked="" type="checkbox"/> ZINC	0.40
FLUORIDE				MAGNESIUM	
CYANIDE		TOT. SOLIDS		CALCIUM	
		SUS. SOLIDS		<input checked="" type="checkbox"/> LEAD	<0.1
SULFATE		DISS. SOLIDS		<input checked="" type="checkbox"/> CADMIUM	<0.02
MBAS		B.O.D.		<input checked="" type="checkbox"/> SILVER	<0.02
C.O.D.				SODIUM	
T.O.C.		FIELD NITRATE		POTASSIUM	
		FIELD Cl ⁻		BARIUM	
		FIELD D.O.		<input checked="" type="checkbox"/>	.26
		FIELD TEMP			
		FIELD pH			
		FIELD COND	umho		

100276

John M. Flynn, P.E.
Commissioner



SUFFOLK COUNTY
DEPARTMENT OF ENVIRONMENTAL CONTROL HEALTH SERVICES

~~XXXXXXXXXXXXXXXXXXXX~~
65 Jetson Lane

Hauppauge N. Y. 11787
(516) 234-2622

NOTIFICATION OF UNSATISFACTORY INDUSTRIAL WASTE SAMPLING

Date Jan. 4, 1979

Goldisc Recordings, Inc.
Broadway Avenue & Veterans Mem. Hwy.
Holbrook, N.Y. 11741

Gentlemen:

On 12/19/78 samples of your industrial waste were taken from your leaching pool surface. Upon analysis, the following parameters were found to be unsatisfactory:

- | | |
|----------------------|-----|
| 1. Nickel - 7.2 mg/l | 6. |
| 2. | 7. |
| 3. | 8. |
| 4. | 9. |
| 5. | 10. |

The acceptable limits on each of these parameters according to New York State Groundwater Standards are as follows:

- | | |
|----------------------|-----|
| 1. Nickel - 2.0 mg/l | 6. |
| 2. | 7. |
| 3. | 8. |
| 4. | 9. |
| 5. | 10. |

You should be aware that these unsatisfactory conditions constitute violations of the N.Y.S. Environmental Conservation Law. Please see that they are corrected as soon as possible. If you have any questions or need any assistance, please do not hesitate to contact this office.

Very truly yours,

Roy Gilbert
Water Pollution Control Section
RG/rt

CC: TED SNYDER - NYSDEC

100277

FIELD

LABORATORY

FIELD NO. 203

LAB NO. 12-78-143

BY Olson
NAME, NOT INITIALS

TYPE SAMPLE IND

DATE COL. 12-19-78

DATE REC'VD. 12/19

TIME COL. 9:12 AM

TIME REC'VD. 4 PM

DATE COMPLETED 12/21/78

SUFFOLK COUNTY ENVIRONMENTAL CONTROL LABORATORY
CHEMICAL EXAMINATION OF WATER, SEWAGE, INDUSTRIAL WASTE

CLIENT OR FIRM Gold Disc R
ADDRESS OR LOCATION Broadway Ave & Vets Hwy Hobb Brook
POINT OF COLLECTION Loach Brook bottom
REMARKS/INSTRUCTIONS

TEST	RESULT	TEST	RESULT	TEST	RESULT
			mg./liter		mg./liter
CONDUCT	umho	NITRATE-N		✓ COPPER	20.05
pH	7.2	NITRITE-N		✓ IRON	0.2
TEST	RESULT	AMMONIA-N		MANGANESE	
ALKALINITY	m.g./liter	TKN		✓ CHROMIUM	0.25
ALKALINITY		O-PO ₄ -P		✓ NICKEL	7.2
CHLORIDE				✓ ZINC	0.09
FLUORIDE				MAGNESIUM	
CYANIDE		TOT. SOLIDS		CALCIUM	
		SUS. SOLIDS		✓ LEAD	20.1
SULFATE		DISS. SOLIDS		✓ CADMIUM	20.02
MBAS		B.O.D.		✓ SILVER	20.02
C.O.D.				SODIUM	
C.C.		FIELD NITRATE		POTASSIUM	
		FIELD Cl ⁻		BARIUM	
		FIELD D.O.			
		FIELD TEMP			
		FIELD pH			
		FIELD COND.	umho		

(Handwritten signature/initials)

100278

FIELD

LABORATORY

FILE NO. 214

LAB NO. 1-79-104

COLLECTED BY OLSEN
NAME, NOT INITIALS

TYPE SAMPLE I.N.O.

DATE COL. 1-10-79

DATE REC'D. 1/10

TIME COL. 9:15 AM.

TIME REC'D. 10:30 A.M.

DATE COMPLETED 2/1/80

SUFFOLK COUNTY ENVIRONMENTAL CONTROL LABORATORY
CHEMICAL EXAMINATION OF WATER, SEWAGE, INDUSTRIAL WASTE

NAME OR FIRM Gold Disc

ADDRESS OR LOCATION Broadway Ave, Vets Highway

POINT OF COLLECTION puddle in Driveway

REMARKS/INSTRUCTIONS

TEST	RESULT	TEST	RESULT <small>mg. liter</small>	TEST	RESULT <small>mg. liter</small>
CONDUCT	umho	NITRATE-N		COPPER	3.2
pH	<u>~ 5.6</u> <small>paper</small>	NITRITE-N		IRON	
TEST	RESULT <small>mg. liter</small>	AMMONIA-N		MANGANESE	
ph. ALKALINITY		TKN		CHROMIUM	27.5
T. ALKALINITY		O-PO ₄ -P		NICKEL	1. x 10 ⁴
CHLORIDE				ZINC	4.5
FLUORIDE				MAGNESIUM	
CYANIDE		TOT. SOLIDS		CALCIUM	
		SUS. SOLIDS		LEAD	
SULFATE		DISS. SOLIDS		CADMIUM	0.15
MBAS		B.O.D.		SILVER	
C.O.D.				SODIUM	
T.O.C.		FIELD NITRATE		POTASSIUM	
		FIELD Cl ⁻		BARIUM	
		FIELD D.O.			
		FIELD TEMP			
		FIELD pH			

OLW

100279

FIELD

LABORATORY

FIELD NO. 2 D011LAB NO. 3-80-111CC David Obery
NAME, NOT INITIALSTYPE SAMPLE INDDATE COL. 11 March 1980DATE REC'VD. 3/11TIME COL. 10:34 AMTIME REC'VD. 2 PMDATE COMPLETED 3/12 1980SUFFOLK COUNTY HEALTH SERVICES LABORATORY
CHEMICAL EXAMINATION OF WATER, SEWAGE, INDUSTRIAL WASTENAME OR FIRM Goldisc Recording, Inc. of ElectroSound Group, Inc.ADDRESS OR LOCATION 725 Broadway Ave. Holbrook, NYPOINT OF COLLECTION Discharge from 4" fire hose from sump.REMARKS/INSTRUCTIONS Hold for sample week of 17th-21st March 1980

TEST	RESULT	TEST	RESULT $\frac{\text{mg.}}{\text{liter}}$	TEST	RESULT $\frac{\text{mg.}}{\text{liter}}$
CONDUCT	umho	NITRATE-N		COPPER	
✓ pH	6.8	NITRITE-N		IRON	
TEST	RESULT $\frac{\text{m.g.}}{\text{liter}}$	AMMONIA-N		MANGANESE	
ph. ALKALINITY		TKN		✓ CHROMIUM	0.5
T. ALKALINITY		O-PO ₄ -P		✓ NICKEL	4.1
CHLORIDE				ZINC	
FLUORIDE				MAGNESIUM	
CYANIDE		TOT. SOLIDS		CALCIUM	
		SUS. SOLIDS		LEAD	
SULFATE		DISS. SOLIDS		✓ CADMIUM	4.02
MBAS				✓ SILVER	4.02
C.O.D.				SODIUM	
T.O.C.				POTASSIUM	
				BARIUM	
		FIELD D.O.			
		FIELD TEMP			
		FIELD pH			
		FIELD COND.	umho		100280

FIELD

LABORATORY

NO. 23 D03

LAB NO. 4-80-166

DAVID OBRIG
NAME, NOT INITIALS

TYPE SAMPLE IND

DATE REC'VD. 4/23/80

TIME REC'VD. _____

DATE COMPLETED 5/5/80

COL. 23 April 1980

COL. 1030 AM

All to low Duj

SUFFOLK COUNTY HEALTH SERVICES LABORATORY
CHEMICAL EXAMINATION OF WATER, SEWAGE, INDUSTRIAL WASTE

OWNER FIRM Goldish Recording Inc.

ADDRESS OR LOCATION Broadway Ave. - Bohemia.

POINT OF COLLECTION Pool West Side of Goldish Bld. 20-25th

REMARKS/INSTRUCTIONS Due west holding tank

TEST	RESULT	TEST	RESULT <small>mg. liter</small>	TEST	RESULT <small>mg. liter</small>
CONDUCT	umho	NITRATE-N		COPPER	
<i>PH</i>	<i>6.8</i>	NITRITE-N		IRON	.8
TEST	RESULT <small>mg. liter</small>	AMMONIA-N		MANGANESE	
ph. ALKALINITY		TKN		CHROMIUM	.02
T. ALKALINITY		O-PO ₄ -P		NICKEL	1.3
CHLORIDE				ZINC	
FLUORIDE				MAGNESIUM	
CYANIDE		TOT. SOLIDS		CALCIUM	
		SUS. SOLIDS		LEAD	<.2
SULFATE		DISS. SOLIDS		CADMIUM	<.02
MBAS				SILVER	<.02
C.O.D.	<i>10</i>			SODIUM	
T.O.C.	<i>10</i>			POTASSIUM	
				BARIUM	
		FIELD D.O.			
		FIELD TEMP			
		FIELD pH			
		FIELD COND.	umho		

100281

FIELD

LABORATORY

NO. 23 D02

LAB NO. 4-80-165

BY David O'Bray
NAME, NOT INITIALS

TYPE SAMPLE IND

*2-LOW
D.O.*

DATE REC'VD. 4/23/80

E COL. 23 April 1980

TIME REC'VD. [scribble]

E COL. 1030AM

DATE COMPLETED 4/24 2:15

SUFFOLK COUNTY HEALTH SERVICES LABORATORY
CHEMICAL EXAMINATION OF WATER, SEWAGE, INDUSTRIAL WASTE

OR FIRM Goldisk Recording Inc.

DRESS OR LOCATION Broadway Ave. Bohemia

POINT OF COLLECTION Pool West Side of Goldisk Bld. 20-25th Ave West

REMARKS/INSTRUCTIONS holding tank.

TEST	RESULT		TEST	RESULT $\frac{mg.}{liter}$		TEST	RESULT $\frac{mg.}{liter}$
CONDUCT	umho		NITRATE-N			COPPER	
			NITRITE-N			IRON	
			AMMONIA-N			MANGANESE	
TEST	RESULT $\frac{m.g.}{liter}$		TKN			CHROMIUM	
ph. ALKALINITY			O-PO ₄ -P			NICKEL	
T. ALKALINITY						ZINC	
CHLORIDE						MAGNESIUM	
FLUORIDE						CALCIUM	
CYANIDE		X	TOT. SOLIDS	54.		LEAD	
		X	SUS. SOLIDS	8.		CADMIUM	
SULFATE		X	DISS. SOLIDS	46.		SILVER	
MBAS						SODIUM	
X C.O.D.	16.					POTASSIUM	
T.O.C.						BARIUM	
			FIELD D.O.				
			FIELD TEMP				
			FIELD pH				
			FIELD COND.	umho			

100282

COUNTY OF SUFFOLK



DEPARTMENT OF HEALTH SERVICES

NOTICE OF VIOLATION: N.Y.S. ENVIRONMENTAL CONSERVATION LAW

Goldisc Recordings, Inc.
725 Broadway Ave.
Holbrook, NY 11741

Date June 25, 1980
SPDES NO. NY 0075850
Lab No. 5-90-189
Field No. 28 DO 5

Gentlemen:

On May 28, 1980 samples of industrial waste were taken from your Water on ground approx. 30 ft. NE of underground 2" pipe of Goldisc Bldg. Upon analysis, the following parameters were found in concentrations above the maximum allowed in your SPDES permit or in groundwater effluent standards:

- | | |
|------------------------|-----|
| 1. pH - 10.0 | 6. |
| 2. C.O.D. - 180.0 mg/l | 7. |
| Iron - 2.6 mg/l | 8. |
| 4. | 9. |
| 5. | 10. |

Please be advised that these unsatisfactory conditions constitute violations of the N.Y.S. Environmental Conservation Law. Please be further advised that the discharge of any water from an industrial process to the groundwater of Suffolk County without having first obtained a State Pollutant Discharge Elimination System (SPDES) permit for that discharge is also a violation of the N.Y.S.E.C.L. and S.C. Sanitary Code, Art. 12.

If you do not already possess a valid SPDES permit for the above discharge, then you should apply immediately, through this office, for said permit.

Since the above noted violations may subject you to legal action, it is expected that these violations cease immediately. A reinspection in the near future will determine your compliance in this matter.

Very truly yours,

Patrick A. Perrella
Sr. Sanitarian
Industrial Waste and Hazardous
Materials Control Section
PAP/rt

(SEE REVERSE SIDE FOR
STANDARDS)

100283

FIELD

FIELD NO. 28 005NAME, NOT INITIALS D. O'BrienDATE COL. 28 MAY 1980TIME COL. 505 PM

LABORATORY

LAB NO. 5-80-189TYPE SAMPLE INDDATE REC'VD. 5/29TIME REC'VD. 10 AMDATE COMPLETED 5/31/80SUFFOLK COUNTY HEALTH SERVICES LABORATORY
CHEMICAL EXAMINATION OF WATER, SEWAGE, INDUSTRIAL WASTENAME OR FIRM Goldish RecordingADDRESS OR LOCATION Broadway Ave. Holbrook N.Y.POINT OF COLLECTION Water on ground approx. 30 ft. NE ofREMARKS/INSTRUCTIONS underground 8" pipe at Goldish Bldg.

TEST	RESULT	TEST	RESULT	TEST	RESULT
CONDUCT	umho	NITRATE-N		COPPER	
pH	10.0	NITRITE-N		IRON	2.6
TEST	RESULT $\frac{\text{m.g.}}{\text{liter}}$	AMMONIA-N		MANGANESE	
ph. ALKALINITY		TKN		CHROMIUM	
T. ALKALINITY		O-PO ₄ -P		NICKEL	<1
CHLORIDE				ZINC	
FLUORIDE				MAGNESIUM	
CYANIDE		TOT. SOLIDS		CALCIUM	
		SUS. SOLIDS		LEAD	
SULFATE		DISS. SOLIDS		CADMIUM	
MBAS				SILVER	
✓ C.O.D.	18 x 10 ²			SODIUM	
T.O.C.	(20)			POTASSIUM	
		FIELD D.O.		BARIUM	
		FIELD TEMP			
		FIELD pH			
		FIELD COND.	umho		

100284

COUNTY OF SUFFOLK



DEPARTMENT OF HEALTH SERVICES

NOTICE OF VIOLATION: N.Y.S. ENVIRONMENTAL CONSERVATION LAW

Goldisc Recordings, Inc.
725 Broadway Ave.
Holbrook, NY 11741

Date June 25, 1980
SPDES NO. NY 0075850
Lab No. 5-80-190
Field No. 28 DO 6

Gentlemen:

On May 28, 1980 samples of industrial waste were taken from your Water on ground approx. 40-50 ft. directly W of corner of Goldisc Bld. Upon analysis, the following parameters were found in concentrations above the maximum allowed in your SPDES permit or in groundwater effluent standards:

- | | |
|------------------------|-----|
| 1. pH - 6.4 | 6. |
| 2. C.O.D. - 210.0 mg/l | 7. |
| 3. Iron - 1.9 mg/l | 8. |
| 4. | 9. |
| 5. | 10. |

Please be advised that these unsatisfactory conditions constitute violations of the N.Y.S. Environmental Conservation Law. Please be further advised that the discharge of any water from an industrial process to the groundwater of Suffolk County without having first obtained a State Pollutant Discharge Elimination System (SPDES) permit for that discharge is also a violation of the N.Y.S.E.C.L. and S.C. Sanitary Code, Art. 12.

If you do not already possess a valid SPDES permit for the above discharge, then you should apply immediately, through this office, for said permit.

Since the above noted violations may subject you to legal action, it is expected that these violations cease immediately. A reinspection in the near future will determine your compliance in this matter.

Very truly yours,

Patrick A. Perrella
Sr. Sanitarian
Industrial Waste and Hazardous
Materials Control Section
PAP/rt

(SEE REVERSE SIDE FOR
STANDARDS)

100285

FIELD

LABORATORY

FIELD NO. 28 DOGLAB NO. 580-190BY D. O'Brien
NAME, NOT INITIALSTYPE SAMPLE INDDATE COL. 28 May 1980DATE REC'VD. 5/29TIME COL. 302 PMTIME REC'VD. 10AMDATE COMPLETED 5/31/80 p.m.SUFFOLK COUNTY HEALTH SERVICES LABORATORY
CHEMICAL EXAMINATION OF WATER, SEWAGE, INDUSTRIAL WASTENAME OR FIRM Goldfish RecordingADDRESS OR LOCATION Broadway Ave. Holbrook NYPOINT OF COLLECTION Water on ground approx. 40-50' directlyREMARKS/INSTRUCTIONS NE of corner Goldfish Bldg.

TEST	RESULT	TEST	RESULT $\frac{\text{mg.}}{\text{liter}}$	TEST	RESULT $\frac{\text{mg.}}{\text{liter}}$
CONDUCT	umho	NITRATE-N		COPPER	
✓ pH	6.4	NITRITE-N		✓ IRON	1.9
TEST	RESULT $\frac{\text{m.g.}}{\text{liter}}$	AMMONIA-N		MANGANESE	
ph. ALKALINITY		TKN		CHROMIUM	
T. ALKALINITY		O-PO ₄ -P		✓ NICKEL	<.1
CHLORIDE				ZINC	
FLUORIDE				MAGNESIUM	
CYANIDE		TOT. SOLIDS		CALCIUM	
		SUS. SOLIDS		LEAD	
SULFATE		DISS. SOLIDS		CADMIUM	
MBAS				SILVER	
✓ C.O.D.	2.1 x 10 ²			SODIUM	
T.O.C.	210.			POTASSIUM	
	SE			BARIUM	
		FIELD D.O.			
		FIELD TEMP			
		FIELD pH			
		FIELD COND.	umho		

100286

COUNTY OF SUFFOLK



DEPARTMENT OF HEALTH SERVICES

NOTICE OF VIOLATION: N.Y.S. ENVIRONMENTAL CONSERVATION LAW

Goldisc Recordings, Inc.
25 Broadway Ave.
Holbrook, NY 11741

Date June 25, 1980
SPDES NO. NY 0075250
Lab No. 5-90-101
Field No. 28 00 7

Gentlemen:

On May 28, 1980 samples of industrial waste were taken from your Discharge from pipe at Goldisc, which runs into storm drain. Upon analysis, the following parameters were found in concentrations above the maximum allowed in your SPDES permit or in groundwater effluent standards:

- | | |
|--------------------|-----|
| 1. pH - 11.2 | 6. |
| 2. Iron - 1.6 mg/l | 7. |
| | 8. |
| 4. | 9. |
| 5. | 10. |

Please be advised that these unsatisfactory conditions constitute violations of the N.Y.S. Environmental Conservation Law. Please be further advised that the discharge of any water from an industrial process to the groundwater of Suffolk County without having first obtained a State Pollutant Discharge Elimination System (SPDES) permit for that discharge is also a violation of the N.Y.S.E.C.L. and S.C. Sanitary Code, Art. 12.

If you do not already possess a valid SPDES permit for the above discharge, then you should apply immediately, through this office, for said permit.

Since the above noted violations may subject you to legal action, it is expected that these violations cease immediately. A reinspection in the near future will determine your compliance in this matter.

Very truly yours,

Patrick A. Perrella
Sr. Sanitarian
Industrial Waste and Hazardous
Materials Control Section
PAP/rt

(SEE REVERSE SIDE FOR STANDARDS)

100287

FIELD

LABORATORY

NO. 28007

LAB NO. 2-80-191

B. DeObry
NAME, NOT INITIALS

TYPE SAMPLE 1ND

RE COL. 28 MAY 1980

DATE REC'VD. 5/29

IS COL. 5 20 PM

TIME REC'VD. 10 AM

DATE COMPLETED 5/31/80

SUFFOLK COUNTY HEALTH SERVICES LABORATORY
CHEMICAL EXAMINATION OF WATER, SEWAGE, INDUSTRIAL WASTE

NAME OR FIRM Goldish Recording

ADDRESS OR LOCATION Broadway Ave. Holbrook N.Y.

POINT OF COLLECTION Discharge down pipe at Goldish, which runs

REMARKS/INSTRUCTIONS into storm drain.

TEST	RESULT	TEST	RESULT	TEST	RESULT
CONDUCT	umho	NITRATE-N		COPPER	
	11.2	NITRITE-N		IRON	1.6
TEST	RESULT	AMMONIA-N		MANGANESE	
ph. ALKALINITY		TKN		CHROMIUM	
T. ALKALINITY		0-PO ₄ -P		NICKEL	< .1
CHLORIDE				ZINC	
FLUORIDE				MAGNESIUM	
CYANIDE		TOT. SOLIDS		CALCIUM	
		SUS. SOLIDS		LEAD	
SULFATE		DISS. SOLIDS		CADMIUM	
MBAS				SILVER	
C.O.D.	650			SODIUM	
T.O.C.				POTASSIUM	
				BARIUM	
		FIELD D.O.			
		FIELD TEMP			
		FIELD pH			
		FIELD COND.	umho		

100288



DEPARTMENT OF HEALTH SERVICES

NOTICE OF VIOLATION: N.Y.S. ENVIRONMENTAL CONSERVATION LAW

Disc Recordings, Inc.
15 Broadway Ave.
Holbrook, NY 11741

Date June 25, 1980
SPDES NO. NY 0075850
Lab No. 5-80-188
Field No. 28 DO 4

Gentlemen:

On May 28, 1980 samples of industrial waste were taken from your discharge from underground 8" pipe, NE side of Golding Bld. Upon analysis, the following parameters were found in concentrations above the maximum allowed in your SPDES permit or in groundwater effluent standards:

- | | |
|------------------------|-----|
| 1. Iron - 1.3 mg/l | 6. |
| 2. C.O.D. - 200.0 mg/l | 7. |
| 3. | 8. |
| 4. | 9. |
| 5. | 10. |

Please be advised that these unsatisfactory conditions constitute violations of the N.Y.S. Environmental Conservation Law. Please be further advised that the discharge of any water from an industrial process to the groundwater of Suffolk County without having first obtained a State Pollutant Discharge Elimination System (SPDES) permit for that discharge is also a violation of the N.Y.S.E.C.L. and S.C. Sanitary Code, Art. 12.

If you do not already possess a valid SPDES permit for the above discharge, then you should apply immediately, through this office, for said permit.

Since the above noted violations may subject you to legal action, it is expected that these violations cease immediately. A reinspection in the near future will determine your compliance in this matter.

Very truly yours,

Patrick A. Perrella
Patrick A. Perrella
Sr. Sanitarian
Industrial Waste and Hazardous
Materials Control Section
Port

(SEE REVERSE SIDE FOR STANDARDS)

LD NO. 20001
 BY David Oberg
 NAME, NOT INITIALS
 COL. 28 May 1980
 COL. 508 PM

LAB NO. _____
 TYPE SAMPLE IND
 DATE REC'VD. 5/29
 TIME REC'VD. 10 AM
 DATE COMPLETED 5/31/80

SUFFOLK COUNTY HEALTH SERVICES LABORATORY
 CHEMICAL EXAMINATION OF WATER, SEWAGE, INDUSTRIAL WASTE

NAME OR FIRM Goldisk Recording
 ADDRESS OR LOCATION Broadway Ave. Holbrook N.Y.
 POINT OF COLLECTION Discharge from underground 8" pipe, NE side
 REMARKS/INSTRUCTIONS Goldisk Bld.

TEST	RESULT	TEST	RESULT $\frac{mg.}{liter}$	TEST	RESULT $\frac{mg.}{liter}$
CONDUCT	umho	NITRATE-N		COPPER	
pH	7.4	NITRITE-N		✓ IRON	1.3
TEST	RESULT $\frac{m.g.}{liter}$	AMMONIA-N		MANGANESE	
ALKALINITY		TKN		CHROMIUM	
T. ALKALINITY		O-PO ₄ -P		✓ NICKEL	<.1
CHLORIDE				ZINC	
FLUORIDE				MAGNESIUM	
CYANIDE		TOT. SOLIDS		CALCIUM	
		SUS. SOLIDS		LEAD	
SULFATE		DISS. SOLIDS		CADMIUM	
MBAS				SILVER	
C.O.D.	2.0 x 10 ²			SODIUM	
T.O.C.	(ND)			POTASSIUM	
				BARIUM	
		FIELD D.O.			
		FIELD TEMP			
		FIELD pH			
		FIELD COND.	umho		

FIELD

LABORATORY

2 R05-27

LAB NO. 5-81-2058

DLSEN.

TYPE SAMPLE IND. -

NAME, NOT INITIALS

DATE REC'VD. 5/27-81

OL. 05-27-81

TIME REC'VD. 11:30 AM

OL. 0935

DATE COMPLETED 6/2/81

SUFFOLK COUNTY HEALTH SERVICES LABORATORY
CHEMICAL EXAMINATION OF WATER, SEWAGE, INDUSTRIAL WASTE

FIRM Gold Disc.

ADDRESS OR LOCATION Broadway & Vets Highway, Bayport.

TYPE OF COLLECTION Storm drain which received chemical spill.

REMARKS/INSTRUCTIONS photographed at time of sample

TEST	RESULT	TEST	RESULT	TEST	RESULT
			mg. / liter		mg. / liter
CONDUCT	umho	NITRATE-N		COPPER	2.02
		NITRITE		IRON	.2
		AMMONIA-N		MANGANESE	
ph. ALKALINITY		TKN		CHROMIUM	2.02
T. ALKALINITY		O-PO ₄ -P		NICKEL	1.8
CHLORIDE				ZINC	.2
FLUORIDE				MAGNESIUM	
CYANIDE		TOT. SOLIDS		CALCIUM	
		SUS. SOLIDS		LEAD	2.2
SULFATE		DISS. SOLIDS		CADMIUM	2.02
MBAS				SILVER	2.02
C.O.D.				SODIUM	
T.O.C.				POTASSIUM	
				BARIUM	
		FIELD D.O.			
		FIELD TEMP			
		FIELD pH			
		FIELD COND.	umho		

not done but has appeared

(P)

100291

FIELD

LABORATORY

LAB NO. 4203-4

LAB NO. 3-81-66

NAME, NOT INITIALS OLSEN

TYPE SAMPLE IND.

DATE COL. 03-04-81

DATE REC'VD. 3/4-PRR

TIME COL. 11:20

TIME REC'VD. 1 PM

DATE COMPLETED 3/20/81

SUFFOLK COUNTY HEALTH SERVICES LABORATORY
CHEMICAL EXAMINATION OF WATER, SEWAGE, INDUSTRIAL WASTE

CLIENT OR FIRM Hold Disc

ADDRESS OR LOCATION Bohemia

POINT OF COLLECTION discharge to pump

REMARKS/INSTRUCTIONS

TEST	RESULT	TEST	RESULT $\frac{mg.}{liter}$	TEST	RESULT $\frac{mg.}{liter}$
CONDUCT	umho	NITRATE-N		✓ COPPER	.07
		NITRITE		IRON	
TEST	RESULT $\frac{m.g.}{liter}$	AMMONIA-N		MANGANESE	
ph. ALKALINITY		TKN		✓ CHROMIUM	.04
T. ALKALINITY		O-PO ₄ -P		✓ NICKEL	.6
CHLORIDE				ZINC	
FLUORIDE				MAGNESIUM	
CYANIDE		TOT. SOLIDS		CALCIUM	
		SUS. SOLIDS		LEAD	
SULFATE		DISS. SOLIDS		CADIUM	
MBAS				✓ SILVER NRIA	.04
C.O.D. ✓	2.25			SODIUM	
T.O.C.				POTASSIUM	
				BARIUM	
		FIELD D.O.			
		FIELD TEMP			
		FIELD pH	7		
		FIELD COND.	umho		

100292

FIELD

LABORATORY

NO. 3 P08-14

LAB NO. 8-81-135

A. OLSON
NAME, NOT INITIALS

TYPE SAMPLE FAD

COL. 08-14-81

DATE REC'VD. 8/14/81

COL. 13⁰⁰

TIME REC'VD. 2:30 PM

DATE COMPLETED date

SUFFOLK COUNTY HEALTH SERVICES LABORATORY
CHEMICAL EXAMINATION OF WATER, SEWAGE, INDUSTRIAL WASTE

NAME OR FIRM Gold Disc

ADDRESS OR LOCATION Water delivery & Ben Oliver, Hollbrook

POINT OF COLLECTION discharge to woods

REMARKS/INSTRUCTIONS

TEST	RESULT	TEST	RESULT	TEST	RESULT
			mg./liter		mg./liter
CONDUCT	umho	NITRATE-N		<input checked="" type="checkbox"/> COPPER	1.02
		NITRITE		<input checked="" type="checkbox"/> IRON	.7
	RESULT $\frac{m.g.}{liter}$	AMMONIA-N		MANGANESE	
ph. ALKALINITY		TKN		<input checked="" type="checkbox"/> CHROMIUM	1.02
T. ALKALINITY		0-PO ₄ -P		<input checked="" type="checkbox"/> NICKEL	1.1
CHLORIDE				<input checked="" type="checkbox"/> ZINC	.2
FLUORIDE				MAGNESIUM	
CYANIDE		TOT. SOLIDS		CALCIUM	
		SUS. SOLIDS		<input checked="" type="checkbox"/> LEAD	1.2
SULFATE		DISS. SOLIDS		<input checked="" type="checkbox"/> CADMIUM	1.02
MSAS				<input checked="" type="checkbox"/> SILVER	1.02
C.O.D.				SODIUM	-
T.O.C.				POTASSIUM	-
		FIELD D.O.		BARIUM	-
		FIELD TEMP			
		FIELD pH			
		FIELD COND.	umho		

(Signature)

100293

FIELD

LABORATORY

NO. 2 R08-14
 BY R. Olsen
NAME, NOT INITIALS
 COL. 08-14-81
 COL. 1255

LAB NO. 8-81-134
 TYPE SAMPLE Env.
 DATE REC'VD. 8/14 1981
 TIME REC'VD. 2:30 PM
 DATE COMPLETED 8/21/81

SUFFOLK COUNTY HEALTH SERVICES LABORATORY
 CHEMICAL EXAMINATION OF WATER, SEWAGE, INDUSTRIAL WASTE

OR FIRM Goldens
 DRESS OR LOCATION Brookway and Vets Highway, Halbrook
 OF COLLECTION leaching pool for boiler blow down
 MARKS/INSTRUCTIONS _____

TEST	RESULT	TEST	RESULT <small>mg. liter</small>	TEST	RESULT <small>mg. liter</small>
CONDUCT	umho	NITRATE-N		COPPER	.11
		NITRITE		IRON	1.1
		AMMONIA-N		MANGANESE	
ph. ALKALINITY		TKN		CHROMIUM	<.02
T. ALKALINITY		O-PO ₄ -P		NICKEL	<.1
CHLORIDE				ZINC	<.1
FLUORIDE				MAGNESIUM	
CYANIDE		TOT. SOLIDS		CALCIUM	
		SUS. SOLIDS		LEAD	<.2
SULFATE		DISS. SOLIDS		CADMIUM	<.02
MBAS				SILVER	<.02
C.O.D.				SODIUM	
T.O.C.				POTASSIUM	
				BARIUM	
		FIELD D.O.			
		FIELD TEMP			
		FIELD pH			
		FIELD COND.	umho		

100294

FIELD

LABORATORY

1205-14

LAB NO.

8-81-133

R. OLSEN

TYPE SAMPLE

SLID

NAME, NOT INITIALS

DATE REC'VD.

8/14/99

OL.

08-14-81

TIME REC'VD.

2:30PM

OL.

1240

DATE COMPLETED

8/19/99

SUFFOLK COUNTY HEALTH SERVICES LABORATORY
CHEMICAL EXAMINATION OF WATER, SEWAGE, INDUSTRIAL WASTE

FIRM

Hollis

ADDRESS OR LOCATION

Beaumontway & Vets, Holbrook

TYPE OF COLLECTION

overflow pool by waste holding tanks

REMARKS/INSTRUCTIONS

involved in previous nickel spill

TEST	RESULT	TEST	RESULT	TEST	RESULT
			mg. liter		mg. liter
CONDUCT	umho	NITRATE-N		✓ COPPER	.04
		NITRITE		✓ IRON	.7
TEST	RESULT mg. liter	AMMONIA-N		MANGANESE	
ph. ALKALINITY		TKN		✓ CHROMIUM	<.02
T. ALKALINITY		O-PO ₄ -P		✓ NICKEL	.9
CHLORIDE				✓ ZINC	.1
FLUORIDE				MAGNESIUM	
CYANIDE		TOT. SOLIDS		CALCIUM	
		SUS. SOLIDS		✓ LEAD	<.2
SULFATE		DISS. SOLIDS		✓ CADMIUM	<.02
MBAS				✓ SILVER	<.02
C.O.D.				SODIUM	-
T.O.C.				POTASSIUM	-
				BARIUM	-
		FIELD D.O.			
		FIELD TEMP			
		FIELD pH			
		FIELD COND.	umho		

(Handwritten signature)

100295



FILE

PETER F. COHALAN
SUFFOLK COUNTY EXECUTIVE

DEPARTMENT OF HEALTH SERVICES

Goldisc Recordings Inc. -
Broadway Ave. & Veterans Memorial Hwy.
Holbrook, NY 11741

Date 5/24/82
SPDES NO. NY007-5850
Lab. No. IW382026
Field No. 10RO 3-31

Att: Jan Person

Gentlemen:

On 3/31/82 samples of industrial waste were taken from pool designated as SC#3 located west of your facility. Upon analysis, the following parameters were found in concentrations above the maximum allowed in your SPDES Permit or in groundwater effluent standards:

- | | | |
|----|---------------------------------|-----|
| 1. | Toluene - 110 ppb | 6. |
| 2. | 1, 2, 4 Trimethylbenzene 34 ppb | 7. |
| 3. | 1, 3, 5 " " 15 ppb | 8. |
| 4. | | 9. |
| 5. | | 10. |

Please be advised that these unsatisfactory conditions constitute violations of the N.Y.S. Environmental Conservation Law and/or the Suffolk County Sanitary Code. Please be further advised that the discharge of any water from an industrial process to the groundwater of Suffolk County without having first obtained a State Pollutant Discharge Elimination System (SPDES) Permit for that discharge is also a violation of the N.Y.S. E.C.L. and/or the Suffolk County Sanitary Code, Article 12.

If you do not already possess a valid SPDES Permit for the above discharge, then you should apply immediately through this office for said permit.

Since the above-noted violations may subject you to legal action, it is expected that these violations cease immediately. Violations of the Suffolk County Sanitary Code are subject to the imposition of a civil penalty of up to Five Hundred (\$500) dollars per violation. E.C.L. violations are also subject to a civil penalty. A reinspection in the near future will determine your compliance in this matter.

Very truly yours,

Dennis C. Gobbi, Sr. Sanitarian
Environmental Pollution Control

5 JETSON LANE PO BOX G
CENTRAL ISIP, NY 11722
(516) 234-2622

(SEE REVERSE SIDE FOR STANDARDS)

100296

FIELD NO. 1 P-03-31 LAB NO. 3-82-343 DATE COMPLETED 4/16/82

NAME OR FIRM Goldisc Recording 5
 ADDRESS OR LOCATION 1 Goldisc R.D. Halbrook
 POINT OF COLLECTION SC #3, Aka Pond 004
 REMARKS/INSTRUCTIONS _____

TEST	RESULTS	TEST	RESULTS	TEST	RESULTS
PH (LAB)		TOTAL SOLIDS	Mg/l	✓ COPPER	.2 Mg/l
CHLORIDE	Mg/l	SUSPENDED SOLIDS		✓ IRON	2.3
CYANIDE		DISSOLVED SOLIDS		MANGANESE	
IBAS				✓ CHROMIUM-TOT	.03
COD				✓ NICKEL	.8
BOD				✓ ZINC	.7
				✓ LEAD	.2
				✓ CADMIUM	.03
NITRATE-N				✓ SILVER	<.02
NITRITE				CHROMIUM+6	
AMMONIA-N					
T.N		PH (FIELD)	7		
		TEMP. (FIELD)			

METHOD OF PRESERVATION HNO₃ TO pH < 2 COOL 4° C

CUSTODY OF SAMPLE

ON THE DATE OF BRINGING TRANSPORT OF THE SAMPLE FROM SAMPLING SITE TO LABORATORY, THE CHAIN OF CUSTODY MUST BE UNBROKEN. GENERALLY THIS WILL REQUIRE THAT THE SAMPLE BE DELIVERED BY THE SAMPLE COLLECTOR OR HIS DESIGNATED REPRESENTATIVE WHO WILL SIGN FOR THE RECEIPT, INTEGRITY AND TRANSFER OF THE SAMPLE DURING SHIPMENT.

	NAME	AFFILIATION	DATE	TIME
COLLECTED BY	<u>P. Olsen</u>	<u>SCN P/S</u>	<u>03-31-82</u>	<u>11:50</u>
POSSESSION BY	<u>IE</u>		DATE - TIME	TO DATE - TIME
POSSESSION BY			DATE - TIME	TO DATE - TIME
RECEIVED LAB BY	<u>B. Mathews</u>	<u>Env. Lab</u>	<u>3/21/82</u>	<u>12:30</u>
POSSESSION BY			DATE - TIME	TO DATE - TIME
POSSESSION BY			DATE - TIME	TO DATE - TIME

100297

FIELD NO. 2 PC3-31 LAB NO. 3-82-344 DATE COMPLETED 4/14/82

NAME OR FIRM Goldisc
 ADDRESS OR LOCATION 1 Goldisc P.O., Holbrook
 POINT OF COLLECTION Discharge from Casement pump out
 REMARKS/INSTRUCTIONS

TEST	RESULTS	TEST	RESULTS	TEST	RESULTS
PH (LAB)		TOTAL SOLIDS	Mg/l	✓ COPPER	Mg/l
CHLORIDE	Mg/l	SUSPENDED SOLIDS		✓ IRON	2.3
CYANIDE		DISSOLVED SOLIDS		MANGANESE	
MBAS				✓ CHROMIUM-TOT	.03
COD				✓ NICKEL	<.1
TOC				✓ ZINC	.5
				✓ LEAD	.5
				✓ CADMIUM	<.02
NITRATE-N				✓ SILVER	.03
NITRITE				CHROMIUM-+6	
AMMONIA-N					
PH		PH (FIELD)	7		12.5
		TEMP. (FIELD)			

METHOD OF PRESERVATION HNO₃ TO pH < 2 COOL 4°C

CUSTODY OF SAMPLE

DURING TRANSPORT OF THE SAMPLE FROM SAMPLING SITE TO LABORATORY, THE CHAIN OF CUSTODY MUST BE UNBROKEN. GENERALLY THIS WILL REQUIRE THAT THE SAMPLE BE DELIVERED BY THE SAMPLE COLLECTOR OR HIS DESIGNATED REPRESENTATIVE WHO WILL SIGN FOR THE RECEIPT, INTEGRITY AND TRANSFER OF THE SAMPLE DURING SHIPMENT.

	NAME	AFFILIATION	DATE	TIME
COLLECTED BY	<u>R. Olson</u>	<u>SCAHS</u>	<u>03-31-82</u>	<u>12:00</u>
POSSESSION BY			DATE - TIME	TO DATE - TIME
POSSESSION BY			DATE - TIME	TO DATE - TIME
RECEIVED LAB BY	<u>G. Mollan</u>	<u>Env. Lab</u>	<u>3/31/82</u>	<u>12:30</u>
POSSESSION BY			DATE - TIME	TO DATE - TIME
POSSESSION BY			DATE - TIME	TO DATE - TIME

100298

FIELD NO. 3-82-31 LAB NO. 3-82-395 DATE COMPLETED 4/14/82

NAME OR FIRM Goldisc
 ADDRESS OR LOCATION 1 Goldisc Rd, Walbrook
 POINT OF COLLECTION hiker blow down discharge
 REMARKS/INSTRUCTIONS not preserved due to high ph

TEST	RESULTS	TEST	RESULTS	TEST	RESULTS
PH (LAB)		TOTAL SOLIDS	Mg/l	✓ COPPER	.4 Mg/l
CHLORIDE	Mg/l	SUSPENDED SOLIDS		✓ IRON	2.5
CYANIDE		DISSOLVED SOLIDS		MANGANESE	
MBAS				✓ CHROMIUM-TOT	<.02
COD				✓ NICKEL	<.1
TOC				✓ ZINC	.4
				✓ LEAD	.2
				✓ CADMIUM	<.02
NITRATE-N				✓ SILVER	<.02
NITRITE				CHROMIUM-+6	
AMMONIA-N					
PH (FIELD)			1.2		
TEMP. (FIELD)					

METHOD OF PRESERVATION HNO₃ TO PH < 2 COOL 4°C

CUSTODY OF SAMPLE

DURING TRANSPORT OF THE SAMPLE FROM SAMPLING SITE TO LABORATORY, THE CHAIN OF CUSTODY MUST BE UNBROKEN. GENERALLY THIS WILL REQUIRE THAT THE SAMPLE BE DELIVERED BY THE SAMPLE COLLECTOR OR HIS DESIGNATED REPRESENTATIVE WHO WILL SIGN FOR THE RECEIPT, INTEGRITY AND TRANSFER OF THE SAMPLE DURING SHIPMENT.

	NAME	AFFILIATION	DATE	TIME
1. COLLECTED BY	<u>P. Olson</u>	<u>SCORIS</u>	<u>03-31-82</u>	<u>12:05</u>
2. POSSESSION BY			DATE - TIME	TO DATE - TIME
3. POSSESSION BY			DATE - TIME	TO DATE - TIME
4. RECEIVED LAB BY	<u>B. yellow</u>	<u>Env. Lab.</u>	<u>3/31/82</u>	<u>12:30</u>
5. POSSESSION BY			DATE - TIME	TO DATE - TIME
6. POSSESSION BY			DATE - TIME	TO DATE - TIME

100299

Lab No. 21-382026
 Field No. 10 ED 3-31
 Date 03-31-82
 Time 12:15
 Col. By P. OLSON
 (Name not Initials)

Received in L.O. 5-31-82 2:20 PM
 Public Water _____
 Private Water _____
 Other _____
 Date Completed 5-13-82
 Examined By KA BPPA

SUFFOLK COUNTY DEPARTMENT OF HEALTH SERVICES
 DIVISION OF MEDICAL LEGAL INVESTIGATIONS & FORENSIC SCIENCES
 PUBLIC HEALTH LABORATORY

TRACE ORGANIC ANALYSIS OF WATER

Name Goldisc Owner or District _____

Location 1 Goldisc Rd, Holbrook

Point of Collection pool designated as SC#3 Aka 004

Remarks: VHO and BTX - previously contaminated

Compound	ppb	Compound	ppb
305 Methylene Chloride.....		250 Benzene.....	<10
290 Bromochloromethane.....		251 Toluene.....	110
323 1,1 Dichloroethane.....		254 o-Xylene.....	<10
309 Trans Dichloroethylene.....		252 m-Xylene.....	<10
300 Chloroform.....	<5	253 p-Xylene.....	<10
324 1,2 Dichloroethane.....		255 Xylene (s).....	—
321 1,1,1 Trichloroethane.....	<2	258 Chlorobenzene.....	<12
304 Carbon Tetrachloride.....	<1	259 Ethylbenzene.....	<10
294 1 Bromo-2-Chloroethane.....		257 Bromobenzene.....	<16
405 1,2 Dichloropropane.....		266 o-Chlorotoluene.....	<12
310 1,1,2 Trichloroethylene.....	<5	267 m-Chlorotoluene.....	<12
303 Chlorodibromomethane.....	<2	268 p-Chlorotoluene.....	<12
293 1,2 Dibromoethane.....		265 Chlorotoluene (s).....	—
420 2-Bromo-1-Chloropropane.....		415 m-Dichlorobenzene.....	<14
301 Bromoform.....	<5	412 o-Dichlorobenzene.....	<14
311 Tetrachloroethylene.....	<2	413 p-Dichlorobenzene.....	—
308 Cis-Dichloroethylene.....		418 1,2,4 Trimethylbenzene.....	34
320 Freon 113.....	<4	406 1,3,5, Trimethylbenzene.....	15
293 Dibromomethane.....		322 1,1,2 Trichloroethane.....	
307 1,1 Dichloroethylene.....		409 1,1,1,2 Tetrachlorethane.....	
302 Bromodichloromethane.....	<3	1,2,2,3 Tetrachloropropane.....	
1,3 Dichloropropane.....		295 s-Tetrachloroethane.....	
Cis Dichloropropene.....		1,1,1,2 Tetrachloropropane.....	
Trans dichloropropene.....			

APPENDIX C

100301

APPENDIX C
UPDATED NEW YORK STATE REGISTRY FORM

**HAZARDOUS WASTE DISPOSAL SITES REPORT
NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION**

47-15-11(2/80)

Code: _____

Site Code: _____

Name of Site: Goldisc Recordings, Inc. Region: _____
 County: Suffolk Town/City: Holbrook 11741
 Street Address: 725 Broadway

Status of Site Narrative:

Goldisc Recordings, Inc. operated at this site from January, 1968 to June, 1983. The company was engaged in the production of phonographic records. Polyvinyl chloride, waste oil and nickel plating solution constitute major wastes generated from manufacturing. Past practices at the site include illegal dumping of plating wastes and waste oils. Substantial discharges have occurred in the wooded area behind the building as well as into storm drains and sanitary leaching facilities on site. Leaking drums and tanks containing plating wastes and oils were frequently observed during Suffolk County Health Department Inspections. During approximately a 3-month period in 1978, as much as 2,000 gallons of plating wastes were discharged to the ground water. During 1981, oil was discovered to a depth of 12 feet in a leaching facility on site. The contents of two leaching pools were pumped during August, 1981. The extent of soil and ground water contamination is not known at the site. Operations were discontinued at Goldisc in June, 1983.

Type of Site: Open Dump Treatment Pond(s) Number of Ponds _____
 Landfill Lagoon(s) Number of Lagoons _____
 Structure

Estimated Size 3.5 Acres

Hazardous Wastes Disposed? Confirmed Suspected

***Type and Quantity of Hazardous Wastes:**

TYPE	QUANTITY (Pounds, drums, tons, gallons)
<u>Nickel plating waste (contains</u>	<u>2,000 gallons/month</u>
<u>nickel, total chromium, hexavalent</u>	_____
<u>chromium, iron, silver, etc.)</u>	_____
<u>Nickel sulfamate</u>	<u>2,000 gallons/month (1983)</u>
<u>Waste Oil</u>	<u>unknown quantity</u>

* Use additional sheets if more space is needed.

