

ALLIED PAPER/PORTAGE CREEK/ KALAMAZOO RIVER SUPERFUND SITE

OPERABLE UNIT 1 ALLIED LANDFILL

Kalamazoo, Michigan



Record of Decision

U.S. Environmental Protection Agency Region 5

77 W Jackson Blvd Chicago, IL 60604

September 2016

TABLE OF CONTENTS

LIST O	F ACRONYMS AND ABBREVIATIONS 4
Part 1 –	Declaration
1.1	Site Name and Location
1.2	Statement of Basis and Purpose
1.3	Assessment of Site
1.4	Description of Selected Remedy5
1.5	Statutory Determinations
1.6	Data Certification Checklist7
1.7	Authorizing Signature and Support Agency Acceptance of Remedy
Part 2 -	Decision Summary
2.1	Site Name, Location, and Brief Description
2.2	Site History and Enforcement Activities
2.3	Community Participation
2.4	Scope and Role of Operable Unit or Response Action
2.5	Site Characteristics 15
2.6	Current and Potential Future Land and Resource Uses
2.7	Summary of Site Risks
2.8	Remedial Action Objectives
2.9	Description of Alternatives
2.10	Summary of Comparative Analysis of Alternatives
2.11	Principal Threat Wastes
2.12	Selected Remedy
2.13	Statutory Determinations
2.14	Documentation of Significant Changes
Part 3 -	Responsiveness Summary

2 ·

FIGURES

- Figure 1 Allied Zoning Area
- Figure 2 Sub-Areas
- Figure 3 Site Topography and Drainage
- Figure 4 Cross-Section Location Map
- Figure 5 Groundwater Flow Net Cross Section Location Map
- Figure 6 Geologic Cross Section B"-B-B'-B"
- Figure 7 Geologic Cross Section B-B' Groundwater Flow Net June 25-26, 2009
- Figure 8 Geologic Cross Section F-F' Groundwater Flow Net June 25-26, 2009
- Figure 9 Conceptual Site Model
- Figure 10 Surficial Extent of PCB
- Figure 11 Surface/Subsurface Extent of PCB
- Figure 12 PCBs in Groundwater
- Figure 13 Alternative 2A, B, C and D Containment System Cap Liner Section
- Figure 14 Alternative 2A Onsite Consolidation of Outlying Areas/Containment of Former Operational Areas Beneath Impermeable Cap
- Figure 15 Alternatives 2B & 2C Onsite Consolidation of Outlying Areas and Monarch HRDL/Containment of Former Operational Areas Beneath Impermeable Cap
- Figure 16 Alternative 2D Onsite Consolidation with Alternate Configuration Beneath Impermeable Engineered Barrier
- Figure 17 Alternative 3 Total Removal and Offsite Disposal
- Figure 18 Alternative 4 Full-Encapsulating Containment System

TABLES

Table 1	Summary of Final Remediation Goals Established by EPA for PCBs
Table 2	Summary of Final Remediation Goals for COCs other than PCBs
Table 3	Summary of VOCs, SVOCs, Pesticides, PCDD/PCDF, and Inorganic
	Exceedances
Table 4	Summary of Short-term Effectiveness Considerations
Table 5	Comparative Analysis of Alternatives
Table 6	Summary of Federal and State ARARs, and Local Considerations
Table 7	Detailed Cost Estimate of Selected Remedy, Alternative 2D

APPENDICES

Appendix 1Michigan Department of Environmental Quality Concurrence LetterAppendix 2Administrative Record Index

LIST OF ACRONYMS AND ABBREVIATIONS

Above Mean Sea Level
Administrative Record
Applicable or Relevant and Appropriate Requirements
Baseline Ecological Risk Assessment
Comprehensive Environmental Response. Compensation, and Liability Act
City of Kalamazoo
Centimeters per Second
Contaminants of Concern
Conceptual Site Model
United States Environmental Protection Agency
Flexible-membrane Liner
Former Residuals Dewatering Lagoons
Final Remediation Goal
Feasibility Study
Geosynthetic Clay Liner
Geosynthetic Drainage Composite
Groundwater-Surface Water Interface
Human Health Risk Assessment
Hazard Index
Hazard Quotient
Historic Residuals Dewatering Lagoon
International Paper
Interim Response Measures
Kalamazoo River Cleanup Coalition
Kalamazoo River Watershed Council
Maximum Contaminant Level
Michigan Department of Environmental Quality
Michigan Department of Natural Resources
Milligrams per kilogram
Millennium Holdings Company LLC
National Contingency Plan
National Priorities List
Natural Resources and Environmental Protection Act
Operation and Maintenance
Operable Unit
Polychlorinated Biphenyls
Potentially Responsible Parties
Remedial Action Objective
Risk-Based Concentration
Reference Dose
Remedial Investigation
Record of Decision
State of Michigan
Semi-Volatile Organic Compounds
Target Compound List
Time-Critical Removal Action
Toxic Substances Control Act
Unlimited Use and Unrestricted Exposure
Volatile Organic Compounds
cubic vards

Part 1 – Declaration

1.1 Site Name and Location

Allied Paper/Portage Creek/Kalamazoo River site CERCLA SITE ID# MID006007306 Operable Unit 1 Kalamazoo County, Michigan

1.2 Statement of Basis and Purpose

This decision document presents the Selected Remedy for Operable Unit 1 (OU1), Allied Landfill (or Allied Paper Landfill), at the Allied Paper/Portage Creek/Kalamazoo River site located in Kalamazoo, Michigan (the Site).

OU1 is located on 89 acres within the city limits of Kalamazoo, Michigan. OU1 is defined as the areas between Cork Street and Alcott Street where contamination from paper manufacturing operations is located (Figure 1). Portage Creek runs through and bisects OU1. OU1 includes areas that are zoned for residential, commercial, and manufacturing uses. Residential development exists along part of the eastern side of OU1 and a railroad corridor forms part of the western boundary.

The Selected Remedy for OU1 was chosen in accordance with the Comprehensive Environmental Response, Compensation, and Liability Act of 1980, as amended, 42 U.S.C. § 9601 *et seq*. (CERCLA) and, to the extent practicable, the National Oil and Hazardous Substances Pollution Contingency Plan, 40 C.F.R. Part 300 (NCP). This decision is based on information contained in the Administrative Record (AR) for OU1.

The State of Michigan (State) concurs with the Selected Remedy.

1.3 Assessment of Site

The response action selected in this Record of Decision (ROD) is necessary to protect human health and the environment from actual or threatened releases of hazardous substances into the environment.

1.4 Description of Selected Remedy

The primary risks associated with OU1 of the Site are to human and ecological receptors through direct contact exposure to soil and sediment which are contaminated with polychlorinated biphenyls (PCBs) and to human and ecological receptors through consumption of PCB-contaminated fish which have become contaminated due to erosion and runoff of PCB-contaminated soil and sediment into Portage Creek and the Kalamazoo River. The U.S. Environmental Protection Agency (EPA) is selecting Alternative 2D as the remedy for OU1 to address these risks.

5

Alternative 2D involves excavating contaminated soils, sediments, and residuals from the Monarch disposal area of OU1, from commercial, residential, and wetland areas of OU1, and from other OU1 areas near Portage Creek, and consolidating those materials into the main body of the landfill area of OU1. Portions of the landfill area itself – those areas abutting Portage Creek – will also be excavated and consolidated, reducing the footprint of the waste from approximately 49 acres to approximately 27 acres. After consolidation, the landfill area will be covered with an impermeable cap and an active gas collection system will be installed. Excavated and backfilled areas that are not used for flood or water runoff control will be potentially available for commercial redevelopment. The capped area will potentially be available for light recreational reuse. This redevelopment and reuse will further the long-term groundwater monitoring to verify the effectiveness of the remedy, institutional controls to protect the remedy and restrict land and groundwater use, and long-term operation and maintenance (O&M).

1.5 Statutory Determinations

The Selected Remedy set forth in this ROD achieves the statutory and regulatory mandates set forth in CERCLA Section 121 and the NCP. Specifically, the Selected Remedy addresses exposure to PCBs in a manner that is protective of human health and the environment, complies with applicable or relevant and appropriate federal and state requirements (ARARs), and is cost-effective.

The Selected Remedy does not include a treatment component, so it does not satisfy the statutory preference for treatment as a principal element. However, EPA does not consider the wastes at OU1 to be principal threat wastes because they do not appear to act as a source material to groundwater outside of the waste mass and can be reliably contained in place due to their immobility. Because this remedy will result in hazardous substances, pollutants or contaminants remaining on site above levels that allow for unlimited use and unrestricted exposure (UU/UE) at certain parts of OU1, statutory reviews will be conducted every five years to ensure that the Selected Remedy is, or will be, protective of human health and the environment. Such periodic reviews are already being conducted at the Site because remedial actions have been selected and implemented at other Site OUs.

Under the Toxic Substances Control Act (TSCA), EPA finds that the PCBs remaining on site as part of the Selected Remedy will not pose an unreasonable risk of injury to human health or the environment pursuant to 40 C.F.R. § 761.61(c).

The Selected Remedy represents the maximum extent to which permanent solutions and treatment technologies can be utilized in a practicable manner at OU1. Of those remedial alternatives that are protective of human health and the environment and comply with ARARs, EPA has determined that the Selected Remedy provides the best balance of tradeoffs in terms of the five balancing criteria, while also considering the statutory preference for treatment as a principal element and bias against off-site disposal without treatment, and considering state and community acceptance.

1.6 Data Certification Checklist

The following information is included in the Decision Summary section of this ROD. Additional information can be found in the AR for OU1 of the Site.

1

Information Item	Section in Record of Decision	
Chemicals of concern and their respective concentrations	2.5	
Baseline risk represented by the chemicals of concern	2.7	
Cleanup levels established for chemicals of concern and the		
basis for these levels	2.8	
How source materials constituting principal threats are	•	
addressed	2.11	
Current and reasonably-anticipated future land use		
assumptions and current and potential future beneficial uses	2.2, 2.6	
of groundwater used in the baseline risk assessment and the		
ROD		
Potential land and groundwater use that will be available at		
the Site as a result of the Selected Remedy	2.6	
Estimated capital, annual O&M, and total present worth costs,		
discount rate, and the number of years over which the remedy	2.9, 2.10	
cost estimates are projected		
Key factor(s) that led to selecting the remedy (that is, describe	•	
how the Selected Remedy provides the best balance of	2.12	
tradeoffs with respect to the balancing and modifying criteria,		
highlighting criteria key to the decision)		

1.7 Authorizing Signature and Support Agency Acceptance of Remedy

EPA, as the lead agency for OU1, formally authorizes this ROD.

ind l

Douglas Ballotti, Acting Director Superfund Division U.S. Environmental Protection Agency Region 5

10/6

The State of Michigan Department of Environmental Quality (MDEQ), as the support agency for OU1, formally concurs with this ROD. MDEQ's concurrence letter is included in Appendix 1.

<u>Part 2 – Decision Summary</u>

2.1 Site Name, Location, and Brief Description

Name, Identification Number, Official Site Address, Location

Allied Paper/Portage Creek/Kalamazoo River site CERCLA SITE ID# MID006007306 420 East Alcott Street, Kalamazoo, Michigan 49001

This ROD addresses OU1 of the Site. OU1 is located in Kalamazoo County of southwest Michigan. OU1 and the area surrounding OU1 are shown in Figure 1.

Site Type and Brief Description

The Site was listed on the National Priorities List (NPL) in August 1990 and consists of former disposal areas, former paper mill properties, and contaminated sediments, banks, and floodplains of the Kalamazoo River and Portage Creek.

EPA often divides complex cleanup sites into smaller, more manageable sections called operable units or OUs. The Site currently comprises six different OUs:

- OU1 Allied Paper/Bryant Mill Pond (the subject of this ROD);
- OU2 Willow Boulevard/A-Site Landfill;
- OU3 King Highway Landfill;
- OU4 12th Street Landfill;
- OU5 77 miles of the Kalamazoo River and 3 miles of Portage Creek; and
- OU7 former Plainwell Paper Mill Property.

OUs 1-4 and 7 are land-based source-area OUs. The RODs for those OUs address contaminated soils and paper-waste residuals in certain mill areas and land-based disposal areas. OU5 encompasses 77 miles of the Kalamazoo River from Morrow Dam east of Kalamazoo to the river mouth at Lake Michigan, plus a 3-mile stretch of Portage Creek in Kalamazoo. EPA designated OU6 as a placeholder for certain other source areas at the Site, but the OU6 designation currently is not used for any ongoing activities or geographic areas.

OU1 is located on 89 acres within the city limits of Kalamazoo, Michigan (the City). OU1 is defined as the areas between Cork Street and Alcott Street (see Figure 1) where contamination from paper manufacturing operations is located. Portage Creek runs through and bisects OU1. OU1 includes areas that are zoned for residential, commercial, and manufacturing uses. Residential development exists along part of the eastern side of OU1 and a railroad corridor forms part of the western boundary. Commercial and manufacturing properties are located north and south of OU1 and along portions of the eastern and western sides of OU1.

Lead and Support Agencies and Source of Cleanup Funds

Since the start of the investigation effort in 1993, EPA and the State held interagency negotiations to determine which government agency should act as the lead agency and which as support agency in the remedial process. The roles of EPA and the State related to the Site and each OU are set forth in a series of Site-wide Memoranda of Understanding. At present, EPA is the lead agency for all response actions and enforcement activities at OU1.

EPA has issued general notice letters to multiple potentially responsible parties (PRPs) at the Site. Cleanup work done to date in OU1 was completed in large part by EPA. In 1998 and 1999, EPA conducted a time-critical removal action (TCRA) at the Bryant Mill Pond portion of OU1, partially funded by a settlement with Millennium Holdings Company LLC (MHLLC).

2.2 Site History and Enforcement Activities

Paper mills were located on or near OU1 beginning at least as early as the 1870s. From the 1950s through the 1970s, as part of the papermaking process, those mills recycled carbonless copy paper, which contained PCBs as a carrier for the ink. Wastewater generated in that process was contaminated with PCBs, which adsorbed or adhered to suspended particles such as cellulose and clay in the wastewater.

Paper mills associated with OU1 include mills referred to as the Bryant Mill and the Monarch Mill, both of which were owned and operated by various companies at different times. The Bryant Mill was located on the northern part of OU1, as well as north of Alcott Street, while the Monarch Mill was located east and south of Portage Creek, across the creek from the rest of OU1. These mills included carbonless copy paper recycling in their operations. The portion of the former Bryant Mill located south of Alcott Street is a part of OU1. The portion of the former Bryant Mill located north of Alcott Street is a part of OU1. The portion of the former Bryant Mill located north of Alcott Street is a part of the Site, but not a part of OU1.

The mills either discharged contaminated wastewater directly to Portage Creek or its impounded area referred to as the Bryant Mill Pond (also referred to as the Pond), or first dewatered the wastewater in settling lagoons, which were intended to remove some of the suspended particles in the wastewater prior to discharge. Settling lagoons were located at areas of OU1 now referred to as the Bryant Historic Residuals Dewatering Lagoon (HRDL) and Former Residuals Dewatering Lagoons (FRDLs), and the Monarch HRDL (Figure 2).

The Bryant Mill Pond was formed by the damming of Portage Creek at Alcott Street in 1895, impounding the creek within the northern part of OU1. The Alcott Street Dam was built in 1895 to provide hydroelectric power and to control water for the Bryant Paper Mills. In 1976, the then owner, Allied Paper Company, drew down the water level of Bryant Mill Pond in an effort to reduce the discharge of sediment or groundwater to Portage Creek. Surface water in Portage Creek was lowered 13 feet during the

drawdown, which exposed contaminated sediments that had accumulated over many years of mill operations.

Allied Landfill Sub-areas

In addition to the areas described above, additional areas at OU1 became contaminated due to the papermaking operations. For purposes of managing OU1, EPA has organized the contaminated areas at OU1 into the following areas and sub-areas (see Figure 2):

- Former Operational Areas— Consists of the Bryant HRDL and FRDLs, Monarch HRDL (including the Former Raceway Channel), and areas referred to as the Former Type III Landfill and the Western Disposal Area. PCBs were introduced to the HRDL and FRDLs through the residual dewatering operations. At times, contaminated residuals from these areas were excavated and disposed of in the Western Disposal Area and the Type III Landfill. Portions of contiguous properties, including the adjacent Panelyte Marsh on the Panelyte Property, Conrail Railroad Property, and the State of Michigan's Cork Street Property, are included in the Former Operational Areas due to waste materials having encroached into these areas from the Western Disposal Area.
- Former Bryant Mill Pond Area—Includes the area within the boundary of the Former Bryant Mill Pond, prior to dewatering, defined by a historical impoundment elevation of 790 feet above mean sea level (AMSL). A portion of the Bryant Mill property south of Alcott Street is included within this area. During mill operations, the Former Bryant Mill Pond Area was contaminated through the discharge of contaminated wastewater.
- **Residential Properties (Outlying)**—Consists of residential properties that are part of OU1, but not contiguous with the Former Operational Areas, including the following: Clay Seam Area, East Bank Area, four adjacent residential properties (Golden Age Retirement Community and three single-family residences), and property owned by the Lyondell Environmental Custodial Trust but used by owners of the three single-family residences.
- **Commercial Properties (Outlying)**—Consists of commercial properties that are part of OU1, but not contiguous with the Former Operational Areas, including the following: the Goodwill property, the Consumers Power property, the Former Filter Plant and the Alcott Street Parking Lot, and part of the former Bryant Mill property located south of Alcott Street.

The Residential Properties (Outlying) and Commercial Properties (Outlying) are adjacent to the Former Bryant Mill Pond area and were contaminated by the use and flooding of the Pond.

Site Investigations and Related Enforcement Activities

The Michigan Department of Natural Resources (MDNR) first became concerned about the presence of PCBs in the Kalamazoo River in 1971, after routine surface water and

biota sampling at the mouth of the river indicated that PCBs were discharging from the river into Lake Michigan. During the summer of 1972, MDNR conducted an extensive survey of PCB levels in sediments of the Kalamazoo River. In 1990, the Site was listed on the NPL as a Superfund site. CERCLA site investigations began in 1993.

The baseline human health risk assessment (HHRA) for the Site was completed by MDEQ's contractor, Camp, Dresser, & McKee, in 2003. The HHRA evaluated potential current and future risks to people who may live or engage in recreational activities near the Kalamazoo River and its floodplains, including risks to subsistence and sport anglers who may consume fish caught from the Kalamazoo River. Additionally, the Michigan Department of Community Health prepared a Health Consultation for the Site in 2002.

The State of Michigan initially was the lead agency for the Site and entered into an Administrative Order on Consent with MHLLC in 1991 for a remedial investigation (RI) and feasibility study (FS) at OU1. In 2006, the State disapproved MHLLC's draft RI Report for OU1 and then authored the final RI Report. EPA then assumed the lead agency role at the Site and approved the State's RI Report in March 2008.

At OU1, early investigative efforts recognized that if the full extent of PCBs were identified and appropriately remediated, then other associated substances at OU1 would be appropriately addressed. The RI therefore focused on PCBs for identifying the extent of contamination. In addition to PCBs, several inorganics, volatile organic compounds (VOCs), and semi-volatile organic compounds (SVOCs) were detected in soils, sediments, and groundwater.

The RI Report describes the data collected between 1991 and 2003. The completion of the prior response actions described below, most of which were completed prior to 2004, resulted in significant changes in the lateral extent, mobility, and potential exposure pathways at OU1. Summaries of the data included in the RI Report regarding the nature and extent of PCBs at OU1 describe current conditions. The key mechanisms of PCB fate and transport are presented in the following subsection.

Pursuant to a 2007 administrative consent order with EPA, MHLLC and Georgia-Pacific, LLC agreed to perform a supplemental RI and an FS for parts of the Site. For OU1, MHLLC agreed to conduct an FS and submitted a draft FS Report in October 2009. EPA disapproved the draft and MHLLC later filed for bankruptcy. After filing for bankruptcy, MHLLC ceased performing under the 2007 consent order and never submitted a revised FS report. EPA then took over completion of the OU1 FS, which it completed in November 2013. After release of the FS Report, the City asked EPA to pause the remedy selection process so the potential for other cleanup alternatives could be explored. EPA, MDEQ and the City met extensively and explored whether a reconfigured consolidation and capping alternative could integrate redevelopment and long-term stewardship of the entire property into the remedy. EPA subsequently finalized an FS Addendum in June 2015 that described and evaluated a new remedial alternative for OU1.

Response Actions and Related Enforcement Activities

Between 1990 and 2004, a series of CERCLA response actions were completed at OU1 to minimize exposure to PCBs and to stop the ongoing release of PCBs from the Former Bryant Mill Pond Area to Portage Creek and the Kalamazoo River. Those actions are summarized below.

Time-critical Removal Action at the Former Bryant Mill Pond

In 1990, EPA ordered the installation of fencing to minimize access to contaminated areas at OU1. In order to remove a large, ongoing source of PCB contamination to Portage Creek and the Kalamazoo River, EPA then conducted a TCRA at the Former Bryant Mill Pond Area in 1998 and 1999. In this TCRA, EPA excavated 146,000 cubic yards (yd³) of PCB-containing sediments, residuals, and soils from the creek banks and floodplains up to an elevation of 790 feet AMSL and placed those materials into the Bryant HRDL and FRDLs. EPA then backfilled the excavated area with clean fill and graded, seeded, and revegetated the backfilled area with native grasses and plants.

EPA's action level for the excavation was a PCB concentration of 10 milligrams per kilogram (mg/kg), with a goal of achieving post-excavation PCB concentrations less than or equal to 1 mg/kg. Only 5 of the 440 post-TCRA samples that EPA collected had PCB concentrations in excess of 1 mg/kg. The PCB concentration of those five samples ranged from 1.8 to 3.8 mg/kg. Additionally, 410 of the post-excavation samples were below the 0.33 mg/kg screening-level criterion recommended by MDEQ to be protective of people eating fish.

Interim Response Measures

After completion of the Former Bryant Mill Pond TCRA, one of the owners of OU1 conducted a series of small-scale Interim Response Measures (IRMs) to restrict access to OU1 and to provide erosion control and stabilization in certain areas. The IRMs further mitigated the exposure to or potential transport of PCBs at OU1. The IRMs are summarized below and described in detail in the RI Report:

- Installation of 2,600 feet of sealed-joint sheet pile along the Bryant HRDL and FRDLs adjacent to Portage Creek (see Figure 2) to stabilize the perimeter berms that separate the materials in the Bryant HRDL and FRDLs from the Portage Creek floodplain. This IRM was completed in 2001.
- Removal of remnant structures from the former Bryant Mill operational areas.
- Removal of several hundred yd³ of soil containing residuals from locations between the sheet pile wall and Portage Creek and consolidation of those materials into the Bryant HRDL and FRDLs. This material was removed in 2000 and 2003 to minimize the potential for contaminated material releases to Portage Creek.
- Construction of an engineered composite cap for the Bryant HRDL and FRDLs, with its design based on Michigan Act 451, Part 115, solid waste regulations. The cap was

constructed between 2000 and 2004. The cap was installed as a barrier to minimize the potential for direct contact with PCB-containing materials.

- Installation and operation of a groundwater extraction system inside the sheet pile wall and beneath the cap. The purpose of the system was to mitigate groundwater mounding behind the sheet pile wall, which might compromise the cap or inundate otherwise unsaturated residuals and increase the potential for migration of PCBs to the creek.
- Removal of approximately 1,700 yd³ of residuals located in the floodplain on the eastern side of Portage Creek (referred to as the East Bank Area, see Figure 2) and additional PCB-containing soils between the sheet pile wall and the creek. The materials were consolidated into the Bryant FRDLs prior to construction of the cap.

After cap installation, MDEQ (the lead agency at the time) expressed concerns that the flexible-membrane liner (FML) used as part of the cap was left exposed for substantial periods of time. During this period, the cap was repeatedly punctured by wildlife. The then owner, MHLLC, subsequently repaired the cap, rather than replacing it as recommended, to address MDEQ concerns. MDEQ and EPA remain concerned about the current cap due to the number and quality of repairs that were made. As a result of the earlier damage, the current cap is not fully mitigating the infiltration of precipitation that might form leachate.

The IRM methods and cleanup targets were similar to those used by EPA during the Former Bryant Mill Pond TCRA. Results of all post-excavation confirmation samples were below the target PCB removal action goal of 1 mg/kg, and the excavation was backfilled with a minimum of one foot of clean fill. Upland areas of the Former Bryant Mill Pond were subsequently seeded and revegetated with native plants. However, PCB concentrations greater than 1 mg/kg continue to exist in floodplain areas not addressed by the IRMs, specifically the seep areas. Those areas will be addressed by this remedy.

2.3 Community Participation

EPA has conducted extensive public outreach for OU1. Since 2007, EPA has provided OU1 updates to the public at quarterly and semi-annual Site-wide public meetings. EPA also held public meetings specifically about OU1, including two presentations in fall 2009. In January 2011, EPA presented the array of cleanup alternatives to the public. In 2013, EPA conducted OU1 tours for the mayor of Kalamazoo and citizen groups prior to publishing the FS Report in November 2013. EPA presented the FS alternatives in two open-house style meetings, one in February 2014 and another in April 2014. EPA held tours of OU1 for Representative Upton and Senators Stabenow and Levin during the summer of 2014.

Since 2007, the City indicated that total removal of the waste was the only cleanup plan that it would support. Members of the public expressed a similar interest. Starting in April 2014, EPA began meeting with the City with the goal of developing a new cleanup alternative that might address some of the concerns expressed by the City and the public.

The City shared the results of the meetings via a December 2014 press release and a February 2015 public meeting. The City's message was that a consolidation and capping alternative that maximizes reusable space could be beneficial to the City and the surrounding community, that total removal of the waste may not be viable, and that it could support a consolidation alternative of this nature. That alternative is Alternative 2D, EPA's Selected Remedy for OU1. EPA first shared the new alternative with the public in draft form during an April 2015 public meeting and in final form at a June 2015 public meeting. Around the time of the release of the Proposed Plan¹, EPA collaborated with the Kalamazoo River Cleanup Coalition (KRCC), a local stakeholder group, on raising local awareness of the remedy selection process for Allied Landfill. EPA and KRCC worked together to disseminate flyers to residents near OU1 notifying them of upcoming meetings and sharing a list of frequently asked questions. EPA also worked with KRCC in coordinating two informal availability discussion sessions, held by EPA, in addition to the formal Proposed Plan meeting and hearing.

EPA developed Alternative 2D after extensive discussions with MDEQ and the City. Since early 2014, staff from EPA, MDEQ and the City met in person more than 40 times for the purpose of exploring the potential for a different cleanup alternative than those included in the November 2013 FS Report. From EPA's perspective, in order to be selected, any new alternative would need to provide the best balance of the NCP nine remedy selection criteria. A remedy that incorporates redevelopment was recognized as having greater long-term protectiveness, due to the associated stewardship of the land, than a remedy that does not include redevelopment.

On August 21, 2015, the Kalamazoo Mayor sent a letter to the Region 5 EPA Superfund Division Director stating the City's support for Alternative 2D and intent to provide ongoing stewardship at OU1. During the 60-day public comment period on the Proposed Plan, the City provided formal comments, including the following statement: "The City is strongly committed to the ongoing joint stewardship and partnership regarding the Allied Landfill site and surrounding areas. An ongoing partnership with USEPA-Region 5 and the MDEQ will ensure that adequate redevelopment and recreation will be implemented and maintained for the site and the entire Portage Creek Corridor. The City of Kalamazoo is vitally interested and wishes to be involved with the overall long-term management and local oversight of the Allied Landfill site."

2.4 Scope and Role of Operable Unit or Response Action

As noted earlier, a TCRA was conducted at OU1 in 1998-1999 to address the Former Bryant Mill Pond Area of OU1, and a series of IRM activities was conducted in the early 2000s to restrict OU1 access and stabilize portions of OU1. The response action described in this ROD is intended to be the final response action for OU1. The other parts of the Site have been or will be addressed by separate response actions, as each OU of the Site is being addressed separately. The schedule for implementation of the Selected Remedy for OU1 is not dependent on response actions at any other Site OUs.

¹ The Proposed Plan was released on September 23, 2015, with the formal public meeting on November 17, 2015 and the public comment period closing on December 1, 2015.

2.5 Site Characteristics

OU1 has been evaluated in the OU1 RI Report (completed in 2008 by MDEQ and approved by EPA), a 2009 Supplemental Groundwater Investigation (2009 Study²), and a 2014 groundwater investigation (2014 Investigation). Significant findings from these reports are discussed below.

Geology/Hydrogeology

OU1 is situated on the floor of a north-south trending valley drained by Portage Creek. The creek empties into the Kalamazoo River approximately 2.25 miles to the north. As shown in the graphic below, the valley is flanked by hills formed from unconsolidated material that rise about 80 feet above creek level to the east and 100 feet above creek level to the west. The graphic below and Figure 3 depict the general topography of OU1 and its environs. Total relief across OU1 is approximately 70 feet, with elevations ranging from 783 feet AMSL near the Alcott Street Dam to 853 feet AMSL at the highest point of the Monarch HRDL. The land surface of OU1 generally slopes toward Portage Creek.



Surface runoff at OU1 is generally directed to Portage Creek. Runoff from the area capped during the IRMs (e.g., the Bryant HRDL and FRDLs) is currently managed through a series of engineered drainage ditches and swales, routed to a settling basin, and discharged to Portage Creek through an engineered outlet.

² The 2009 Study report is included as Appendix A to the OU1 FS Report.

Geology

The geologic layers near OU1 generally consist of bedrock overlain by overburden. The bedrock underlying the region near OU1 consists of the Coldwater Shale formation. The surface of the formation, which is estimated at an elevation of 650 to 700 feet AMSL near OU1, slopes downward to the southwest. The formation is greater than 500 feet thick, with bedding dipping toward the northeast. Based on the elevation range provided above, the depth to bedrock beneath OU1 is estimated to be between 100 and 150 feet.

Classified overburden soils in the region fall primarily into the Oshtemo-Kalamazoo-Glendora complex. The geologic units range from nearly level areas of very poorlydrained Glendora soil along Portage Creek to rolling, well-drained areas of Kalamazoo soil and hilly, well-drained deposits of Oshtemo soil on the upland areas. The Glendora series consists of very poorly-drained soils on floodplains along perennial rivers and streams. The soils formed in sandy alluvium. Layers of this soil are highly variable in sequence and thickness within a horizontal distance of a few feet.

Seven units were identified in the upper sand and gravel aquifer at OU1 based on investigatory borings. The units include fill, residuals, peat, sand and gravel, silt, clay, and till. Fill and residuals are not native layers but are the result of historic OU1 activities. Based on slug test data, the hydraulic conductivity of the upper sand unit varies considerably across OU1, ranging between 1.7×10^{-2} to 4.9×10^{-5} centimeters per second (cm/s). As with most clays, the residuals have low permeability when compacted. Based on the results of 10 residuals samples collected from OU1, the measured hydraulic conductivity of the residuals was approximately 1.3×10^{-7} cm/s.

Figures 4 and 5 identify the locations of representative geologic cross sections of OU1. Figure 6 shows cross section B"-B-B'-B" which runs north-south from the City well field through OU1, as shown in Figure 4. Figure 5 shows the location of two cross sections, B-B' and F-F', which run generally east-west through the landfill; these cross sections are shown in Figure 7 and Figure 8, respectively.

Hydrogeology

The hydrogeology at or near OU1 has been evaluated in the OU1 RI, the 2009 Study, and the 2014 Investigation. The results of these studies support the OU1 conceptual site model (CSM) and, specifically, the conclusion that there is no apparent groundwater migration pathway from OU1 to the City well fields. Figure 9 depicts the OU1 CSM and shows exposure routes and transport mechanisms for contaminants of concern (COCs) in soil and water.

The unconsolidated deposits near OU1 vary from approximately 200 to 400 feet thick. Gravelly or sandy deposits with characteristics that allow subsurface water (groundwater) to move through them are typically referred to as "aquifers." Clayey or silty deposits that do not transmit water are referred to as "aquitards" (limited water flow) or "aquicludes" (no water flow). Taken as a whole, the unconsolidated glacial materials beneath OU1 consist of interbedded aquifers, aquitards, and aquicludes throughout its depth, arrayed in more or less horizontal layers. A consistent clay or silt aquitard or aquiclude beneath OU1 is not present. However, a consistent upward vertical gradient is present at OU1, inhibiting flow to the deep aquifer.

The City well fields provide geologic information for deeper elevations which is not otherwise available near OU1. The City's Millford well fields located to the south of OU1 show interbedded horizontal layers similar to those at OU1 based on a limited number of data points. The geological units at the City well fields 3 and 7 to the north indicate the presence of relatively consistent materials without interbedded layers. The City well fields 3 and 7 draw from the lowest portion of the aquifer, identified as the deep aquifer at OU1.

The 2009 Study included an evaluation of existing data from OU1, the nearby Strebor property, and the City wellhead protection model. The 2009 Study also included the collection of new groundwater elevation data from OU1 and the Strebor, Panelyte, and Performance Paper properties. The 2009 Study supported the following conclusions:

- Water is not dropping down to the elevation of the City wells, as there is an upward gradient from the lower regional aquifer upward toward the surficial aquifer.
- Shallow groundwater flow in the area is generally to the east (to Portage Creek) and not northwest toward the City well fields. Shallow groundwater from adjacent properties flows to the east and west onto OU1 (see Figures 3 and 5).
- Portage Creek is the point of discharge for shallow groundwater from OU1, further directing groundwater away from the City well fields.

MDEQ generally concurred with the 2009 Study conclusions in an April 16, 2010 letter to EPA, in which MDEQ stated the following:

- Portage Creek appears to be the primary influence on the configuration of the water table surface within OU1. In the main disposal area of OU1, shallow groundwater discharges radially to Portage Creek.
- Shallow groundwater is influenced, although not completely captured, by Portage Creek.
- Due to the upward pressure exerted by the groundwater present in the regional aquifer, the downward flow of groundwater from the surficial aquifer at OU1 to the deeper regional aquifer is highly improbable.

The 2014 Investigation included the installation of monitoring wells on OU1 at depths more consistent with the City well fields. The findings of the 2014 Investigation were consistent with the CSM for OU1 and the findings of the 2009 Study. The general groundwater flow directions established for the CSM were confirmed, with water table flow towards Portage Creek, intermediate and deep zone flows toward the north-northeast, and vertical hydraulic groundwater gradients predominantly upward across OU1 and the neighboring properties. The 2014 Investigation found that a consistent lateral aquitard is not present beneath OU1.

The City raised concerns that contamination from OU1 could migrate to the City well field. As described above, all available data suggest that a flow path from OU1 toward the City well fields is unlikely. This conclusion is based on the presence of a lateral aquitard (the previously-mentioned clay layer) beneath portions of OU1 and an upward vertical hydraulic gradient between the regional aquifer (which is used by the City for potable purposes) and the shallow aquifer at OU1 (which is not classified as a drinking water aquifer).

Further empirical support for the above conceptual understanding was provided by the analytical results from water samples collected by the City from its own production wells. PCBs have never been detected in the City's samples, even at trace levels. Similarly, the 2014 Investigation identified only a single PCB detection in the wells monitored at and around OU1. The well with the detection, MW-8A, is screened immediately below waste material, and the detected concentration was below both the groundwater-surface water interface (GSI) and drinking water protection criteria. There were no PCB detections in perimeter samples located outside the extent of waste material at OU1. Together, the production well data and the 2014 Investigation support the previous findings that PCBs are not migrating off of OU1 in groundwater.

Nature and Extent of Contamination

PCBs are being used as the primary indicator to define the extent of contamination at OU1. PCBs are associated with the paper residuals and appear to be the most widespread contaminant at OU1. They are present in soils and sediments due to the residuals eroding and mixing into the soils and/or sediments in certain sub-areas. Other COCs, including several inorganics, VOCs, and SVOCs, were detected in soils, sediments, and groundwater at OU1 (see Table 3), but appear to be co-located with the PCBs. The RI Report concluded the following:

- Target analyte list inorganic constituents in soils and sediments that exceed criteria appear to be associated with the PCBs identified at OU1.
- Soils with inorganic constituents may be acting as a source, resulting in low-level impacts to the groundwater.
- Target compound list (TCL) VOCs in soils, sediments, and groundwater do not appear to be associated with the residuals identified at OU1.
- Detected TCL SVOCs in soils and sediments appear to have a similar distribution to the residuals based on the data set available.
- The groundwater impact of detected SVOCs appears to be much less extensive than the SVOCs in soil at OU1. There were no SVOC exceedances of the screening criteria during the most recent groundwater sampling event.
- Concentrations of TCL pesticides did not exceed screening criteria in any media.

- TCL pesticides were not present in the groundwater at the time of sampling, which is consistent with the soil and sediment data. One pesticide was detected in a leachate sample below screening criteria.
- Soils with visual indicators of paper residuals can be expected to have PCB concentrations.
- During the most recent sampling event, PCBs were detected in several of the groundwater seep monitoring wells located along Portage Creek near the Former Operational Areas, with PCB detections above the GSI screening criteria in two locations.

Because of the co-location of PCBs and the other COCs, addressing the PCB contamination is expected to address the other COCs found at OU1. This will be confirmed with post-excavation confirmation sampling for all OU1 COCs during remedy implementation.

The red dots on Figures 10 and 11 depict the aerial extent of PCB-containing soils and residuals at the surface and subsurface, respectively, at OU1. PCBs are present in concentrations exceeding TSCA and Michigan Part 201 risk-based screening levels in the following areas: the soils and sediments in the Former Operational Areas, the area of the Former Bryant Mill Pond impacted by ongoing seeps, certain Residential Areas east of Portage Creek and certain neighboring Commercial Areas, in groundwater in the Western Disposal Area and Bryant HRDL/FRDLs, and in seeps in the Former Type III Landfill Area adjacent to the Bryant HRDL/FRDLs. The PCB detections in groundwater (3 of 56 monitoring well locations) and leachate (1 of 2 leachate locations) in samples collected during the RI (Figure 12) were all co-located within or adjacent to borings that contained residuals. Based on this information, EPA does not believe there is a groundwater plume of PCBs emanating from OU1.

Soil sample results at OU1 show isolated areas of PCBs with concentrations as high as 2,500 mg/kg. However, the reasonable maximum exposure concentration for the soils and sediments at OU1 is 60 mg/kg. This value is the highest exposure that is reasonably expected to occur at OU1 and was calculated based upon the 95 percent upper confidence limit on the mean PCB concentration in soil, sediment, and residual samples from OU1.

EPA performed a groundwater investigation in 2014 to supplement existing groundwater data collected during the RI and to confirm the CSM presented in the RI Report. PCB results from the 2014 Investigation are shown on Figure 12. Four new monitoring wells were completed to deeper elevations than previously evaluated to verify the vertical extent of contamination. PCBs were detected in 1 of 32 samples and the concentration in that sample did not exceed criteria. The percentage of inorganics detected at concentrations exceeding criteria or background was comparable to that seen during the RI. No detections of VOCs or SVOCs were attributed to the Site.

Data from the 2014 Investigation confirm the CSM presented in the RI Report. PCBs at OU1 are not mobile within the waste and do not readily leach into groundwater.

Fate and Transport

EPA evaluated the following PCB fate and transport mechanisms at OU1:

- PCB transport from surface water runoff and soil erosion;
- PCB transport in groundwater;
- PCB transport in Portage Creek; and
- PCB transport in air.

In general, PCBs are relatively immobile. They are chemically and thermally stable, fairly inert, have low solubility in water, and have a high affinity for solids. Typically, the lower the water solubility of a chemical, the more likely it is to be adsorbed onto solids. With that high adsorption tendency, PCBs have a strong affinity for soils and suspended solids, especially those high in total organic carbon such as the OU1 paper residuals, which are composed primarily of fibrous wood material and clay. The properties of PCBs as they interact with the residuals at OU1 is discussed further in the RI Report.

In addition to organic content, other soil or sediment characteristics such as soil density, particle size distribution, moisture content, and permeability affect the mobility of PCBs. Meteorological and physical conditions, such as precipitation and the presence of organic colloids (micron-sized particles), can also affect the mobility of PCBs. For example, PCBs that are dissolved or sorbed to mobile particulates (for example, colloids) may migrate with groundwater in sediments and soils.

When compacted, the OU1 residuals have a low hydraulic conductivity. The hydraulic conductivity of 10 residuals samples collected from OU1 was approximately 1.3×10^{-7} cm/s, rendering the residuals largely impermeable. As water does not easily flow through the residuals, the opportunities for PCBs to migrate via groundwater are low.

Based on the PCBs' high affinity to adhere to the OU1 residuals and the low hydraulic conductivity of those residuals, the PCBs do not migrate significantly from or through the OU1 residuals. This finding is supported by the near absence of PCB detections in groundwater samples at OU1 and by the lack of vertical and horizontal gradients in soil, sediment, and residual samples.

Surface Water Runoff and Soil Erosion

At portions of OU1 (primarily in the Former Operational Areas), PCBs and other COCs are present in surface soils and surface residuals and are, therefore, exposed to the elements. Because these materials are located at the surface, they may be transported to the floodplain or sediments in Portage Creek by erosion or surface water runoff.

Groundwater

Based on the RI results and the 2014 Investigation, PCBs do not appear to be migrating in groundwater beyond the waste areas at OU1. PCBs were detected in 3 of 56 monitoring well locations and 1 of 2 leachate locations during the RI. PCBs were detected at 1 of 32 well locations during the 2014 groundwater investigation. Those detections, above screening levels, occurred only in wells screened within or immediately adjacent to the OU1 residuals. This finding supports the conclusion that PCB transport in groundwater is limited within OU1. These data, together with the hydrological conditions described above and the lack of PCB detections in City production wells, demonstrate that a groundwater migration pathway to the City well field does not exist. Discharge of groundwater to the surface water of Portage Creek is viewed as the most significant potential groundwater migration pathway at OU1.

Other COCs found in groundwater at OU1 are primarily inorganic compounds. As described in the BERA, these COCs have a low-level impact to Portage Creek upon discharge. Exceedances of inorganic screening levels in groundwater generally occur within areas where PCBs exceed soil screening levels.

The supplemental groundwater investigation performed in 2014 confirmed that PCBs do not appear to be migrating in groundwater at OU1. The 2014 groundwater data was comparable to data collected during the RI in that exceedances of inorganic screening levels generally occur within areas where PCBs exceed soil screening levels.

Direct Discharge to Portage Creek

The most significant historical source of PCBs from OU1 was the direct or indirect discharge of PCB-containing residuals to Portage Creek and the Bryant Mill Pond. The excavation of PCB-containing sediments, residuals, and soils from the Former Bryant Mill Pond Area, subsequent replacement with clean fill, and the consolidation and capping of those materials in the Bryant HRDL/FRDLs area has isolated most of those source materials from direct contact with surface water and removed the largest source of PCBs to Portage Creek. Under current conditions, the remaining potential sources of PCBs to Portage Creek from OU1 are primarily associated with the erosion of contaminated soils and sediments.

Air

Transport of PCBs by air can occur through wind-blown dispersion or volatilization from exposed residuals. An investigation for vapor-phase and particulate-phase PCBs was performed in 1993, when the waste materials in the HRDL and FRDLs were not covered by a cap. PCBs were not detected in any of the airborne particulate-phase samples collected at OU1. Vapor phase PCB concentrations were detected within OU1 above background concentrations, but did not exceed the secondary risk screening levels under Michigan Air Toxic regulations. The subsequent completion of the TCRA and IRMs significantly reduced the area where residuals were exposed at the ground surface.

3

Additionally, as PCBs strongly adhere to organic materials, air transport is not anticipated to be a significant transport mechanism at OU1.

2.6 Current and Potential Future Land and Resource Uses

Land use in the area of Kalamazoo surrounding OU1 varies, with industrial, commercial, municipal, recreational, and residential areas. OU1 lies along Portage Creek. In 2008, the City prepared a redevelopment and reuse plan for the Portage Creek Corridor. That plan calls for a mix of commercial, industrial and residential redevelopment in the area. OU1 groundwater is not currently in use and will not be used in the future, as its use will be restricted as a part of the Selected Remedy.

During discussions described in Section 2.3 of this ROD, the City shared with EPA its intent to redevelop the Allied Landfill property for mixed use. The City has publicly stated its intent to facilitate the redevelopment of OU1 a number of times, including at its February 26, 2015 public meeting and in its public comments on the OU1 Proposed Plan. The City shared its intent that uncapped portions of OU1 be redeveloped for commercial or industrial use and capped portions for light recreational use. Along Portage Creek, from Cork to Alcott streets, the City intends to build a bike path that would connect with other paths outside of the OU1 property. As discussed above in Section 2.3, the City is committed to providing or ensuring long-term stewardship at all parts of OU1. There is no known active tribal land use at or near OU1.

2.7 Summary of Site Risks

This section summarizes the risks to human health and the environment that are posed by the contamination.

Exposure to PCBs is the primary risk driver at OU1. MDEQ, as part of its RI activities, completed a *Site-wide Final (Revised) Human Health Risk Assessment* (HHRA) and *Final (Revised) Baseline Ecological Risk Assessment* (BERA) for the Site in 2003.

The HHRA and BERA were developed using Site-wide concentrations from the OUs. The chart below provides a summary of the concentrations of PCBs found in soils and sediment associated with OU1. Based on the findings of the FS, it is assumed that cleanup of PCBs in soil and sediment will be protective of groundwater.



Baseline Human Health Risk Assessment

For carcinogens, risks are generally expressed as the incremental probability of an individual's developing cancer over a lifetime as a result of exposure to the carcinogen. These risks are probabilities that usually are expressed in scientific notation (e.g., 1×10^{-6}). An excess lifetime cancer risk of 1×10^{-6} indicates that an individual experiencing the reasonable maximum exposure estimate has a 1 in 1,000,000 chance of developing cancer as a result of site-related exposure. This is referred to as an "excess lifetime cancer risk" because it would be in addition to the risks of cancer individuals face from other causes such as smoking or exposure to too much sun. The chance of an individual's developing cancer from all other causes has been estimated to be as high as one in three. EPA's generally acceptable risk range for site-related exposures is 10^{-4} to 10^{-6} .

The potential for non-carcinogenic effects is evaluated by comparing an exposure level over a specified time period (e.g., over a lifetime) with a reference dose (RfD) derived for a similar exposure period. An RfD represents a level that an individual may be exposed to that is not expected to cause any deleterious effect. The ratio of exposure to toxicity is called a hazard quotient (HQ). An HQ < 1 indicates that the dose from an individual contaminant is less than the RfD, so non-cancer health effects are unlikely. The hazard index (HI) is generated by adding the HQs for all chemical(s) of concern that affect the same target organ (e.g., liver) or that act through the same mechanism of action within a medium or across all media to which a given individual may reasonably be exposed. An HI < 1 indicates that, based on the sum of all HQs from different contaminants and exposure routes, toxic non-carcinogenic effects from all contaminants are unlikely. An HI > 1 indicates that site-related exposures may present a risk to human health.

Although MDEQ completed the HHRA for the entire Site, the assumptions made and the scenarios evaluated in the HHRA apply to OU1 as well as the other OUs. The HHRA

identified that risks associated with PCB contamination do exist within the Kalamazoo River study area. The table below summarizes the potential risks to human health.

Receptor	Source	Medium	Chemical	Carcinogenic Range	Non- Carcinogenic Range
Angler	Fish	Fish	Total PCBs	6.7x10 ⁻³ to 4.9x10 ⁻⁵	0.82 - 67 (R) 2.9 - 240 (l)
Resident	Floodplain Soils	Floodplain Soils	Total PCBs	3.5x10 ⁻⁴ to 3.4x10 ⁻⁵	0.57-5.8 (R) 2.0-20(I)
Recreational Visitor	Floodplain Soils	Floodplain Soils	Total PCBs	3.7x10 ⁻⁵ to 3.6x10 ⁻⁶	0.006-0.61(R) 0.26-2.7(I)

Carcinogenic and Non-carcinogenic Human Health Risks

(R) - Reproductive endpoint

(I) – Immunological endpoint

Ranges include both average and maximum concentrations.

The HHRA quantitatively identified potential carcinogenic and non-carcinogenic risks to human health through exposure to media impacted with PCBs, including:

- consumption of fish by recreational and subsistence anglers;
- direct contact with PCB-contaminated materials by residents; recreational users, and construction/utility workers; and
- inhalation of dust and volatile emissions from PCB-contaminated materials.

The exposed PCB-contaminated soils, sediments, and paper residuals at OU1 present a human health risk via the direct contact exposure pathway and ingestion of PCB contaminated fish. Exposed soils, sediments, and paper residuals currently act as a source of contaminants to Portage Creek via erosion. Additionally, active groundwater seeps at OU1 discharge low levels of PCBs to Portage Creek, likely through the transport of contaminated solids that the seeping liquids mobilize as they vent at the surface. The greatest human health risk is to anglers who consume contaminated fish that became contaminated by consuming contaminated sediments.

As described above, the data at OU1 indicate that although PCBs are partitioning into groundwater from the waste material, they are not migrating in groundwater beyond the waste areas. In addition, the shallow aquifer is not utilized for drinking water purposes, and zoning ordinances require all new facilities to receive drinking water from the City's water supply. Other COCs, primarily inorganic compounds, have been identified in groundwater at OU1 and are discharging to Portage Creek at concentrations below risk-based levels of concern. The inorganics are at low levels and appear to be co-located with the PCBs in groundwater within the waste areas.

More details about the risks to human receptors at OU1 are provided in the OU1 FS Report and the HHRA, both of which are available in the OU1 AR.

Baseline Ecological Risk Assessment

The BERA quantitatively identified potential risks to various ecological receptors for different exposure pathways, including:

- direct contact with and ingestion of PCB-contaminated soils, sediments, or paper residuals by animals at OU1; and
- ingestion of PCB-contaminated animals by other animals.

The BERA was conducted to evaluate potential adverse effects to terrestrial and aquatic ecological receptors associated with PCB exposures in surface water, sediment, surface soil, and biota. Representative ecological receptors included aquatic plants, aquatic macroinvertebrates, game fish, forage fish, rough fish, terrestrial invertebrates, small burrowing omnivorous mammals, semi-aquatic herbivorous mammals, small semi-aquatic carnivorous mammals, and top mammalian and avian predators. The BERA evaluated complete exposure pathways that included the following:

- Surface water direct contact, uptake, ingestion, or ingestion of prey;
- In-stream sediment/interstitial water direct contact, ingestion, or ingestion of prey; and
- Surface soil/floodplain sediment and soil direct contact, ingestion, or ingestion of vegetation/prey.

The BERA concluded the following:

- Most aquatic biota, such as invertebrates and fish, are not expected to be adversely affected by direct contact with and ingestion of surface water because of relatively low PCB toxicity to most aquatic biota;
- PCB contamination of surface water and streambed sediment may adversely affect sensitive piscivorous predators, such as mink, through the consumption of PCB-contaminated fish; and
- Terrestrial and semi-aquatic biota are potentially at risk from floodplain sediment and surface soil, depending on life cycle characteristics (e.g., foraging behavior, diet, mobility) and predicted sensitivity to PCBs.

More details about the risks to ecological receptors at OU1 are provided in the OU1 FS Report and the BERA, both of which are available in the OU1 AR.

Risk Assessment Conclusion and Basis for Action

The key risk management goals established for OU1 are associated with exposure to PCBs in soils and sediments. During the FS, EPA developed and evaluated alternatives to mitigate the risks posed by this contamination. Those alternatives are described in later sections of this ROD. As noted earlier, other COCs have been identified at OU1 and will be addressed with PCBs during the remedial action. These non-PCB COCs were screened

against risk-based Michigan and federal cleanup standards. EPA expects that remediation to address PCB contamination will also address any risks posed by these other COCs.

The response action selected in this ROD is necessary to protect public health, welfare, and/or the environment from actual or threatened releases of hazardous substances into the environment from OU1.

2.8 Remedial Action Objectives

Remedial Action Objectives (RAOs) are general descriptions of the goals to be accomplished through cleanup activities. RAOs are established by considering the medium of concern, the COCs, the acceptable risk range, potential exposure routes, and potential receptors. EPA has identified the following RAOs to address the risks posed by OU1:

- RAO1: Mitigate the potential for human and ecological exposure to materials at OU1 containing COC concentrations that exceed applicable risk-based cleanup criteria.
- RAO2: Mitigate the potential for COC-containing materials to migrate, by erosion or surface water runoff, into Portage Creek or onto adjacent properties.
- RAO3: Prevent contaminated waste material at OU1 from impacting groundwater and surface water.

The Final Remediation Goals (FRGs) for OU1 are identified in Tables 1 and 2 and discussed below. In addition, as part of the Selected Remedy, EPA will require that either all residuals that are visually observed in areas subject to excavation are removed or that sufficient sampling occurs to verify that the residuals do not contain PCB or other COC concentrations above the applicable FRGs.

Final Remediation Goals/Cleanup Levels

FRGs are risk-based or ARAR-based chemical-specific concentrations that help further define the RAOs. This ROD establishes the FRGs as cleanup levels. FRGs are also used to define the extent of contaminated media requiring remedial action, and are the targets for the analysis and selection of long-term remedial goals.

EPA selected FRGs for OU1 based on potential exposure pathways, risk assessments, and federal and state ARARs. The FRGs for the PCBs at OU1 are summarized in Table 1. For contaminants other than PCBs, EPA is using Michigan Act 451, Part 201, screening criteria and federal drinking water maximum contaminant levels as the FRGs. The FRGs and exposure routes for COCs other than PCBs are shown in Table 2. A summary of the frequency of FRG exceedances for COCs other than PCBs is provided in Table 3.

The HHRA developed a series of risk-based concentrations (RBCs) for total PCBs in fish, sediment, and floodplain soil intended to be protective of anglers, recreationists, and residents, while the BERA developed RBCs for sediment and floodplain soil intended to

be protective of sensitive wildlife receptors. The RBCs are calculated, chemical-specific concentrations below which no significant health effects are anticipated for a receptor. For human receptors, the RBCs correspond to a target risk for carcinogenic effects of 1×10^{-5} and a target hazard index of 1 for non-carcinogenic effects. For ecological receptors, the RBCs correspond to a target hazard quotient of 1. RBCs for ecological receptors represent a risk range based on "no observed adverse effect level" and "lowest observed adverse effect level" risk estimates for each receptor group.

The selection of a sediment FRG for PCBs considered the human health RBC values associated with the human receptors who consume fish. MDEQ and EPA conducted a joint review of available sediment criteria and selected a sediment FRG of 0.33 mg/kg for PCBs. MDEQ concluded that this FRG value is appropriate for sediment because it is sufficiently protective of the high-end sport angler. This FRG value also corresponds to MDEQ's historical PCB detection limit that has previously been used as a screening and target level in Michigan, and that has become a precedent value in the state for PCB site cleanup efforts under Michigan's Natural Resources and Environmental Protection Act, Part 201. Further, this FRG value is close to the mean background sediment concentration of 0.31 mg/kg at the Site. An FRG of 0.33 mg/kg is protective of the selected human and ecological receptors.

2.9 Description of Alternatives

EPA developed different remedial alternatives in the FS to address the potential risks at OU1. EPA is required to evaluate a "No Action" alternative as a basis of comparison for the other alternatives. The remedial alternatives that were evaluated in the FS, as amended by the June 2015 FS Addendum that details Alternative 2D, are briefly described below, and the net present value cost for each alternative is provided. A more detailed description of each alternative is provided later in this section of the ROD. More information about cost, including the estimated capital, annual O&M, and periodic cost for each alternative, is provided in the "Cost" portion of Section 2.10 of this ROD.

Alternative 1—No Further Action

- No action would be taken to address the risks from OU1;
- No implementation time required; and
- Net present value cost of \$110,000.

Alternative 2A—Consolidation of Outlying Areas on the Bryant HRDL/FRDLs, Former Type III Landfill, Western Disposal Area, and consolidation at Monarch HRDL. This alternative includes the following major components:

- Excavate Outlying Areas and certain Operational Sub-areas (see *Common Elements* discussion below for more details);
- Excavate and pull back perimeter around Bryant HRDL/FRDLs, Former Type III Landfill, and Western Disposal Area;

- Excavate and pull back the creek-side edge of Monarch HRDL to achieve nonresidential soil FRG of 10 mg/kg PCBs; where hydraulically connected to Portage Creek, set-back areas would achieve 0.33 mg/kg sediment FRG for PCBs to be protective of human consumption of fish;
- Consolidate excavated material on the Bryant HRDL/FRDLs, Former Type III Landfill, and Western Disposal Area;
- Backfill Outlying Areas to original grade after excavation and restore paved areas that require removal during the remedial action;
- Install cap on Bryant HRDL/FRDLs, Former Type III Landfill, Western Disposal Area, and Monarch HRDL;
- Implement restrictive covenant(s) to limit residential use in areas at which PCBs remain above 1 mg/kg;
- Implement restrictive covenant(s) to prevent disturbance of contaminated material under building foundations without EPA approval;
- Implement restrictive covenant(s) in capped areas to prohibit interference with the cap and fences and to prohibit groundwater use;
- Mitigate any filled wetlands and implement restrictive covenant(s) to ensure that wetland areas are not disturbed in the future;
- Monitor groundwater to verify effectiveness of remedy;
- Implementation time: 2 years; and
- Net present value cost of \$44,000,000.

Alternative 2B—Consolidation of Outlying Areas and Monarch HRDL on the Bryant HRDL/FRDLs, Former Type III Landfill, and Western Disposal Area. This alternative includes the following major components:

- Excavate Outlying Areas and certain Operational Sub-areas (See Common Elements of Alternatives discussion below for more details);
- Excavate Monarch HRDL to achieve non-residential soil FRG of 10 mg/kg PCBs; areas hydraulically connected to Portage Creek would achieve 0.33 mg/kg sediment FRG for PCBs to be protective of human consumption of fish;
- Excavate and pull back perimeter around Bryant HRDL/FRDLs, Former Type III Landfill, and Western Disposal Area;
- Consolidate excavated material on the Bryant HRDL/FRDLs, Former Type III Landfill, and Western Disposal Area;
- Backfill Outlying Areas to original grade after excavation and restore paved areas that require removal during the remedial action;
- Install cap on Bryant HRDL/FRDLs, Former Type III Landfill, and Western Disposal Area;

- Implement restrictive covenant(s) to limit residential use in areas at which PCBs remain above 1 mg/kg;
- Implement restrictive covenant(s) to prevent disturbance of contaminated material under building foundations without EPA approval;
- Implement restrictive covenant(s) in capped areas to prohibit interference with the cap and fences and to prohibit groundwater use;
- Mitigate any filled wetlands and implement restrictive covenant(s) to ensure that wetland areas are not disturbed in the future;
- Monitor groundwater to verify effectiveness of remedy;
- Implementation time: 2 years; and
- Net present value cost of \$43,000,000.

Alternative 2C—Consolidation of materials from Outlying Areas and Monarch HRDL with PCB concentrations of 500 mg/kg or less on the Bryant HRDL/FRDLs, Former Type III Landfill, and Western Disposal Area, and off-site incineration of excavated soils/sediments with PCB concentrations greater than 500 mg/kg. This alternative includes the following major components:

- Excavate Outlying Areas and certain Operational Sub-areas (See Common Elements of Alternatives discussion below for more details);
- Excavate Monarch HRDL to achieve non-residential soil FRG of 10 mg/kg PCBs; areas hydraulically connected to Portage Creek would achieve 0.33 mg/kg sediment FRG for PCBs to be protective of human consumption of fish;
- Excavate and pull back perimeter around Bryant HRDL/FRDLs, Former Type III Landfill, and Western Disposal Area;
- Transport all excavated materials with PCB concentrations greater than 500 mg/kg off site for incineration;
- Consolidate excavated materials with PCB concentrations of 500 mg/kg or less on Bryant HRDL/FRDLs, Former Type III Landfill, and Western Disposal Area;
- Backfill Outlying Areas to original grade after excavation and restore paved areas that require removal during the remedial action;
- Install cap on Bryant HRDL/FRDLs, Former Type III Landfill, and Western Disposal Area;
- Implement restrictive covenant(s) to limit residential use in areas at which PCBs remain above 1 mg/kg;
- Implement restrictive covenant(s) to prevent disturbance of contaminated material under building foundations without EPA approval;
- Implement restrictive covenant(s) in capped areas to prohibit interference with the cap and fences and to prohibit groundwater use;

- Mitigate any filled wetlands and implement restrictive covenant(s) to ensure that wetland areas are not disturbed in the future;
- Monitor groundwater to verify effectiveness of remedy;
- Implementation time: 2 years; and
- Net present value cost of \$70,000,000.

Alternative 2D—Consolidation of Outlying Areas, Monarch HRDL and Portions of the Operational Areas into a Reduced Footprint on the Bryant HRDL/FRDLs, Former Type III Landfill, and Western Disposal Area. This alternative includes the following major components:

- Excavate the Outlying Areas, the Monarch HRDL, and portions of the Bryant HRDL/ FRDLs, Former Type III Landfill, and Western Disposal Area to achieve non-residential soil FRG of 10 mg/kg PCBs; areas hydraulically connected to Portage Creek would achieve the 0.33 mg/kg sediment FRG for PCBs to be protective of human consumption of fish. (See *Common Elements of Alternatives* discussion below for more details);
- Consolidate excavated material into a reduced footprint within the on-site disposal areas (as necessary) to create a protective setback and developable area along the creek;
- Backfill Outlying Areas to original grade after excavation and restore paved areas that require removal during the remedial action. Backfill excavated areas in the Operational Areas to 1 foot above the water table and revegetate to prevent erosion of these areas;
- Install cap over the consolidated materials;
- Implement restrictive covenant(s) to limit residential use in areas at which PCBs remain above 1 mg/kg;
- Implement restrictive covenant(s) to prevent disturbance of contaminated material under building foundations without EPA approval;
- Implement restrictive covenant(s) in capped areas to prohibit interference with the cap and fences and to prohibit groundwater use;
- Mitigate any filled wetlands and implement restrictive covenant(s) to ensure that wetland areas are not disturbed in the future;
- Monitor groundwater to verify effectiveness of remedy;
- Implementation time: 3 years; and
- Net present value cost of \$63,000,000.

Note regarding Alternatives 2A, 2B, 2C, and 2D: Groundwater monitoring is included in all of the alternatives that leave waste in place and/or consolidated on site. Monitoring would include upgradient and downgradient wells to determine if COCs are migrating off site. Additionally, for each of the Alternative 2 options, the following two sub-alternatives were considered:

- Sub-alternative (i)—Groundwater collection and treatment, which includes a system of extraction wells or trenches installed downgradient to capture groundwater before discharge to Portage Creek; and
- Sub-alternative (ii)—Slurry wall installed downgradient of groundwater flow along with extraction wells or trenches to prevent groundwater mounding behind the slurry wall.

Alternative 3—Total Removal and Off-site Disposal. This alternative includes the following major components:

- Excavate Outlying Areas and All Operational Areas to achieve appropriate FRGs;
- Transport all materials above FRGs off site for disposal;
- Backfill excavation to above water table elevations in Operational Areas and to original grade in the Outlying Areas;
- Implement restrictive covenant(s) to limit residential use in areas at which PCBs remain above 1 mg/kg;
- Implement restrictive covenant(s) to prevent disturbance of contaminated material under building foundations without EPA approval;
- Mitigate any filled wetlands and implement restrictive covenant(s) to ensure that wetland areas are not disturbed in the future;
- Implementation time: 5 years; and
- Net present value cost of \$238,000,000.

Alternative 4—Encapsulation Containment System. This alternative includes the following major components:

- Excavate Outlying and all Operational Areas and stockpile the excavated materials;
- Line bottom of OU1 with a 3-foot compacted clay liner (or geosynthetic equivalent) beneath two 40-mil FMLs. A leachate collection and monitoring system would be constructed between the FML layers;
- Consolidate excavated materials within the lined OU1 area;
- Install cap on consolidated materials within the lined OU1 area;
- Implement restrictive covenant(s) to limit residential use in areas at which PCBs remain above 1 mg/kg;
- Implement restrictive covenant(s) to prevent disturbance of contaminated material under building foundations without EPA approval;
- Implement restrictive covenant(s) in capped areas to prohibit interference with the cap and fences and to prohibit groundwater use;
- Mitigate any filled wetlands and implement restrictive covenant(s) to ensure that wetland areas are not disturbed in the future;

- Monitor groundwater to verify effectiveness of remedy;
- Implementation time: 10 years; and
- Net present value cost of \$159,000,000.

Common Elements of Alternatives

Five-year reviews are a common component of all the remedial alternatives. All alternatives except Alternative 1 (No Further Action) include pre-design investigations with sampling of soil, sediments, and residuals to further delineate the nature and extent of PCBs exceeding the relevant FRGs in certain sub-areas of OU1. Each alternative except Alternative 1 includes excavation of soil and sediment above respective FRGs in Outlying Areas and in certain sub-areas of the Operational Areas. Based on the RI, it is assumed that by addressing PCBs, other COCs would also be addressed. Confirmation sampling for PCBs and other COCs would be performed during the implementation of the remedial action to verify that respective FRGs have been achieved.

Certain Operational Sub-areas

Portions of the following sub-areas are contiguous and listed with the Operational Areas due to encroachment of waste material from the various disposal areas. However, the following sub-areas are discussed separately from the Bryant HRDL/FRDLs, Former Type III Landfill, and Western Disposal Area, due to the FRGs and proposed approach envisioned for Alternatives 2 through 4:

- Former Raceway Channel—Sediments exceeding the FRG of 0.33 mg/kg PCBs would be excavated. After confirmation samples indicate the 0.33 mg/kg PCB FRG and the FRGs for other COCs have been achieved, the wetlands would be restored and an environmental covenant would be implemented to maintain the wetlands.
- **Panelyte Property**—Waste materials are believed to have encroached onto the southern portion of the Panelyte Property, including Panelyte Marsh, from the Western Disposal Area. Soils exceeding the FRG of 10 mg/kg PCBs would be excavated. After confirmation samples indicate the 10 mg/kg PCB FRG and the FRGs for other COCs have been achieved, the excavation would be backfilled with clean material. A restrictive covenant would be required to prohibit residential use of this area.
- **Panelyte Marsh**—Sediments exceeding the FRG of 0.33 mg/kg PCBs would be excavated. After confirmation samples indicate the 0.33 mg/kg PCB FRG and the FRGs for other COCs have been achieved, the wetlands would be restored and an environmental covenant would be implemented to maintain the wetlands.
- **Conrail Property**—Waste materials are believed to have encroached onto the eastern portion of the Conrail Property from the Western Disposal Area. Soils exceeding the FRG of 10 mg/kg PCBs would be excavated. After confirmation samples indicate the 10 mg/kg PCB FRG and the FRGs for other COCs have been achieved, the excavation would be backfilled with clean material. A restrictive covenant would be required to prohibit residential use of this area.

- State of Michigan Cork Street Property—Waste materials are believed to have encroached onto the Cork Street Property from the Bryant HRDL. Soils exceeding the FRG of 10 mg/kg PCBs would be excavated. After confirmation samples indicate the 10 mg/kg PCB FRG and the FRGs for other COCs have been achieved, the excavation would be backfilled with clean material. A restrictive covenant would be required to prohibit residential use of this area.
- **Residential Properties (Outlying)**—Soils exceeding the FRG of 1 mg/kg PCBs would be excavated. After confirmation samples indicate the 1 mg/kg PCB FRG and the FRGs for other COCs have been achieved, the excavation would be backfilled with clean material.
- **Commercial Properties (Outlying)**—This area includes the Alcott Street Parking Lot, Former Filter Plant, Goodwill property, former Bryant Mill property, and Consumers Power property. Soils exceeding the FRG of 10 mg/kg PCBs would be excavated. After confirmation samples indicate the 10 mg/kg PCB FRG and the FRGs for other COCs have been achieved, the excavation would be backfilled with clean material. Sub-areas achieving PCB concentrations between 1 mg/kg and 10 mg/kg would require restrictive covenants preventing residential use. Where there are buildings that serve to mitigate direct contact but hinder the ability to remove impacted materials, restrictive covenants would be employed that would prevent disturbance of contaminated material under building foundations without EPA approval. Parking lots would be investigated and excavated to meet FRGs, as necessary.

)

- Former Bryant Mill Pond Area (Outlying) Soils in the Former Bryant Mill Pond and sediment in the associated wetland area may have been impacted by the PCBcontaminated seeps. Soils exceeding the FRG of 10 mg/kg PCBs, floodplain soils exceeding the FRG of 6.5 to 8.1 mg/kg PCBs, and sediments exceeding the FRG of 0.33 mg/kg PCBs would be excavated. After confirmation samples indicate the respective FRGs for PCBs and the FRGs for other COCs have been achieved, the excavation would be backfilled with clean material. Wetlands were previously delineated in the Former Bryant Mill Pond Area, and at least 1 acre of wetland would be mitigated for each acre filled during the remedy. An environmental covenant would be implemented to ensure that wetland areas are not disturbed in the future.
- Wetland Areas—Known wetland areas were discussed above with the associated sub-areas. However, if additional wetland areas with suspected PCB impacts are identified within the Outlying Areas discussed above or Operational Areas during the pre-design investigation, the wetlands would be investigated for PCBs. Sediments exceeding the FRG of 0.33 mg/kg PCBs would be excavated. After confirmation samples indicate the 0.33 mg/kg PCB FRG and the FRGs for other COCs have been achieved, any filled wetlands would be mitigated as appropriate and an environmental covenant would be implemented to maintain the wetlands.
- Floodplain Soils—Known floodplain soils within the Outlying or Operational Areas were discussed with the associated sub-areas. However, if additional floodplain soils with suspected PCB impacts are identified within the Outlying or Operational Areas during the pre-design investigation, the area would be remediated for PCBs. Floodplain

soils exceeding the FRG of 6.5 to 8.1 mg/kg PCBs would be excavated and then backfilled with clean material.

- Sheet Pile Wall—Except for Alternative 1, the partial or complete removal of the existing sheet pile wall along the western bank of Portage Creek would be evaluated as a component (for stability) of each alternative.
- **Groundwater Monitoring**—Alternatives 2A, 2B, 2C, 2D, and 4 include a robust groundwater monitoring program to measure remedy performance, including monitoring wells located between the border of OU1 and the City's well field that supplies drinking water. EPA would use this groundwater monitoring to determine whether the remedy effectively prevents the contaminated waste materials from impacting any groundwater or surface water leaving OU1. If the groundwater monitoring data indicates that the remedy is not effective and a groundwater plume has developed, EPA would develop and implement a separate groundwater remedy for OU1 as appropriate. However, at this time, there is no reason to believe that a future groundwater remedy will be needed.
- **Post-removal confirmatory sampling and analysis** would be performed at the excavation areas.

Detailed Description of Alternatives

Alternative 1—No Further Action

The NCP requires EPA to evaluate a No Further Action alternative when evaluating remedial options. The No Further Action alternative serves as a baseline against which the other potential remedial alternatives are compared. Under this alternative, no further active remediation would be performed in any portion of OU1. The potential for human and ecological receptors to be exposed to COCs would not be addressed, and a potential would remain for COCs to erode into Portage Creek over time because there would be no maintenance of the existing fence, cap, soil cover, or other engineered control systems put in place as part of the interim remedial measures. Operation of the groundwater collection/treatment system would also be discontinued. The costs associated with this remedy are for conducting periodic five-year reviews which would be required since this alternative leaves waste in place.

Alternative 2—Consolidation and Capping

The primary element of Alternative 2 is the excavation of contamination above FRGs from certain areas of OU1 and in-place containment of the excavated materials on other portions of OU1. The Residential Properties (Outlying), the impacted portion of the Former Bryant Mill Pond Area, the Commercial Properties (Outlying), and portions of the Former Operational Areas would be excavated. The excavated materials would be consolidated on the Bryant HRDL/FRDLs area, the Former Type III Landfill area, and Western Disposal Areas, and if Alternative 2A were selected, the Monarch HRDL area. The areas used for consolidation would be covered with an engineered composite cap. The landfill would be constructed with appropriate erosion controls and other measures to protect against floods and other natural or human-induced incidents that might otherwise

threaten the integrity of the disposal areas. As discussed below, four variations of Alternative 2 were developed to allow for variations in the material excavated and consolidation locations and methods.

Excavation along the perimeter of the Former Operational Areas would create a setback that would act as a protective buffer along Portage Creek and enhance long-term slope stability. All of the Alternative 2 options include long-term inspections and maintenance of the existing and newly-installed, engineered landfill caps and any remaining sheet pile. A long-term monitoring program would be implemented to verify the performance of the remedy, demonstrate that groundwater quality conforms to FRGs (Tables 1 and 2), and provide the appropriate management of landfill gas.

For the purpose of cost estimating, EPA assumed the cap would consist of six layers as shown in Figure 13. The layers are (from bottom to top): a non-woven geotextile, a 12-inch-thick (minimum) sand gas venting layer, a 30-millimeter polyvinyl chloride FML or equivalent (permeability less than 1×10^{-10} centimeters per second), a geosynthetic drainage composite layer, a 24-inch-thick (minimum) drainage and soil protection layer, and a 6-inch-thick (minimum) vegetated, topsoil layer. The cap design contains the landfill cap components required under Michigan's Natural Resources and Environmental Protection Act (NREPA), as amended, Part 115.

The existing sheet pile wall would be evaluated during the remedial design to determine whether it can be removed completely or is required to stabilize the base of the consolidation area on the side closest to Portage Creek. If the wall is required for stabilization, the wall would be cut off at ground surface and, if necessary, individual panels would be removed to allow groundwater flow to the creek, eliminating the need for the existing groundwater collection and treatment system, which would then be removed.

A groundwater monitoring network consisting of existing and new monitoring wells would be located outside the consolidation areas, included in the setback between Portage Creek and the consolidation area(s). The groundwater monitoring plan would also evaluate upgradient groundwater concentrations to determine local background conditions. For the purposes of cost estimating, EPA assumed that 24 monitoring wells would be installed under Alternative 2A, and 20 monitoring wells would be installed under Alternatives 2B, 2C, and 2D. The setback would also allow room for a groundwater collection and treatment system to be installed, if necessary, based on future groundwater sampling.

All of the Alternative 2 options include sub-alternatives for hydraulic control of groundwater. For sub-alternative (i), a groundwater collection and treatment system would be installed. This system would consist of groundwater extraction wells and a series of sumps and lateral drain lines. Sub-alternative (ii) would include the same groundwater collection and treatment system as sub-alternative (i), but would also include a grout slurry wall. The grout slurry wall would be installed downgradient of the Bryant HRDL/FRDLs and Monarch HRDL (if left in place) to contain impacted groundwater located within OU1. The slurry wall would extend approximately 40 feet below ground surface based on the

current sheet pile wall location. The slurry wall would not necessarily key into clay or bedrock; portions of the slurry wall at this depth would terminate in the upper sand zones.

Alternative 2 includes restrictive covenants to prevent exposure to PCBs after consolidation and to prohibit interference with the remedy. Alternative 2 also includes informational devices, access restrictions consisting of a perimeter fence for Alternatives 2A, 2B, and 2C, and warning signs to deter access to the property. More limited fencing would be present under Alternative 2D, primarily around mechanical components of the remedy such as the gas collection system.

Any areas subject to excavation would potentially be available for redevelopment after implementation of the remedy. Placement of additional fill to reach desired grade for redevelopment, or other enhancements to promote redevelopment, are not included as part of Alternative 2. Provided that additional material is placed upon the required soil protection layer, the landfill may be available for some types of recreational reuse.

Alternative 2A—Consolidation of Outlying Areas on Former Operational Areas, including the Monarch HRDL

Under Alternative 2A, the excavated material from the Outlying Areas and perimeter areas of the Operational Areas would be consolidated on the Former Operational Areas, and materials at the Monarch HRDL would be consolidated at Monarch. The areas targeted for excavation and consolidation are shown in Figure 14. After consolidation, each consolidation area would be covered with an engineered composite cap as described above.

Alternative 2B—Consolidation of Outlying Areas and the Monarch HRDL on Former Operational Areas

Under Alternative 2B, the excavated material from the Outlying Areas and certain perimeter areas of the Former Operational areas would be consolidated on the Former Operational Areas. The Monarch HRDL would also be excavated and consolidated on the Bryant HRDL/FRDLs landfill. The areas targeted for excavation and consolidation are shown in Figure 15. After consolidation, the areas used for consolidation would be covered with an engineered composite cap as described above.

Alternative 2C—Consolidation of Outlying Areas and the Monarch HRDL on Former Operational Areas, with Off-site Incineration of Excavated Materials with PCB Concentrations Greater than 500 mg/kg

The extent of excavation and the consolidation areas are the same for Alternative 2C as under Alternative 2B and are shown in Figure 15. Excavated materials with PCB concentrations greater than 500 mg/kg would be transported off site for incineration. The remaining excavated materials with PCB concentrations of 500 mg/kg or less would be consolidated on the Former Operational Areas and covered with an engineered composite cap as described above.
A pre-design investigation would be used to identify materials exceeding 500 mg/kg PCBs within the areas to be excavated. For cost-estimating purposes, EPA assumed that approximately five percent of the soils excavated from the pullback area near the Western Disposal Area and Former Type III Landfill would require off-site incineration, and that approximately two percent of soils excavated from the Outlying Areas, Monarch HRDL, and the setback between Portage Creek and Former Operational Areas would require off-site incineration. These assumptions were based on a statistical evaluation of the existing sampling data.

Alternative 2D—Consolidation of Outlying Areas, Monarch HRDL, and Portions of the Operational Areas into a Reduced Footprint on the Former Operational Areas

Alternative 2D includes the excavation of material above FRGs from the Outlying Areas, the Monarch HRDL, portions of the Bryant HRDL/ FRDLs, Former Type III Landfill, and Western Disposal Area, and consolidation into an on-site landfill encompassing 27 acres as shown in Figure 16. The resulting height of the landfill is estimated at an additional 41 feet above existing grade. The majority of the landfill would have side slopes of 4:1 (vertical:horizontal) with slopes at the top ranging from 6:1 to 10:1. After consolidation, the landfill would be covered with an engineered composite landfill cap as described above.

A pre-design investigation would be performed and would include a geotechnical investigation to evaluate the COC-containing materials that are currently in place or that would be consolidated. Features for stabilization of the landfill materials and slopes would be included in the design, as necessary, based on the investigation results. For cost estimating purposes, stormwater management and erosion control measures are assumed to consist of two bench drains, riprap, culverts, and piping before discharging to two 1-acre stormwater detention ponds. As Alternative 2D contemplates possible reuse of OU1 with resulting potential receptors nearby, an active landfill gas collection system would be included to collect landfill gases to prevent migration and eliminate or reduce the accumulation of landfill gases that could compromise the cap.

Alternative 3—Total Removal and Off-site Disposal

The primary element of Alternative 3 is the excavation and off-site disposal of all contaminated areas of OU1 as shown in Figure 17. The excavation areas would include the following:

- All Outlying Areas other than that portion of any property that may be covered by buildings; and
- Former Operational Areas, along with portions of contiguous properties to which waste materials may have encroached from the Former Operational Areas, including portions of the Panelyte Property, the Conrail Railroad Property, and the State of Michigan's Cork Street Property.

Materials would be excavated and transported directly to off-site commercial landfills. Materials with PCB concentrations of 50 mg/kg or greater would be transported to and disposed of at approved off-site landfills permitted to receive TSCA-regulated wastes. Materials with PCB concentrations less than 50 mg/kg would be transported to and disposed of at other permitted and approved landfills. Excluded from removal at this time are any PCB-containing materials that may be located under existing buildings. EPA would seek to have environmental covenants placed on such properties to prohibit disturbance of those materials without the consent of EPA. Therefore, such materials would be addressed if and when construction occurs at those locations.

Once cleanup goals have been achieved, the excavated areas would be backfilled with clean material, graded to mitigate ponding, and revegetated or otherwise restored to match the surrounding areas. The excavated and backfilled area would extend across approximately 65 acres.

Appropriate mitigation would be applied to any wetlands filled during the remedy, including, as appropriate, the Panelyte Marsh and the Former Monarch Raceway Channel. EPA would seek restrictive covenants to ensure that wetlands are not disturbed in the future.

Alternative 3 would include the removal of the sheet pile along the western bank of Portage Creek to the extent feasible. The existing groundwater treatment system would be decommissioned and removed, and the network of groundwater extraction trenches, sumps, and wells currently in place behind the sheet pile wall would be removed and disposed.

This alternative includes the removal of all material containing COCs above OU1 FRGs. However, if it is not feasible to remove some of the material, groundwater monitoring would be performed in areas where materials remain above cleanup levels to ensure that any remaining contamination does not contribute to groundwater contamination. Monitoring would be performed as described in Alternatives 2 and 4. EPA would seek restrictive covenants to prohibit disturbance of those materials without the consent of EPA for any areas where COCs are left in place above FRGs.

Alternative 4—Encapsulation Containment System

The primary element of Alternative 4 is the full encapsulation of impacted materials on site as shown in Figure 18. This alternative includes the following activities:

- Excavation of approximately 1,600,000 yd³ of soil and/or sediment containing PCBs above the relevant FRGs;
- Sequential stockpiling of excavated materials on site during construction of a series of landfill containment cells in the locations of the current Former Operational Areas;
- Construction of a landfill bottom liner in the excavated Former Operational Areas. For cost estimating purposes, EPA assumed that the base of the liner would consist of a 3-foot compacted clay liner (or geosynthetic equivalent) beneath two 40-mil FMLs,

and that a leachate collection and monitoring system would be constructed between the FML layers;

- Consolidation of the excavated materials on the newly-constructed landfill liner;
- Construction of an engineered composite landfill cap over the new landfill areas (as described in Alternative 2, except for having a 40-mil FML); and
- Depending on the capacity of the new landfill areas, some materials may need to be sent to off-site commercial landfills for disposal.

In the Outlying Areas, once excavation has been completed, the excavated areas would be backfilled with clean material, graded to mitigate ponding, and revegetated or otherwise restored to match the surrounding area. Appropriate mitigation would be applied to any wetlands filled during the remedy, including, as appropriate, the Panelyte Marsh and the Former Monarch Raceway Channel.

For purposes of illustration, the work in the Former Operational Areas could potentially be carried out in the following manner:

- Excavate soils from the Monarch HRDL and temporarily stage the soils in the Western Disposal Area. Backfill the Monarch HRDL with approximately 10 feet of clean fill to establish the base liner four feet above the water table for the disposal cell. Construct the base liner, transport approximately 75 percent of the excavated Monarch HRDL soils back to the Monarch cell; place, grade, and compact the soils; and construct the final cap. The remaining 25 percent of soils volumetrically displaced would be transported off site for disposal;
- Repeat the above process for the Bryant HRDL/FRDLs and the Former Type III Landfill;
- Repeat the above process for the western half of the Western Disposal Area, but without constructing the final cover system; and
- Complete the process for the eastern half of the Western Disposal Area, followed by construction of the final cover system over the entire Western Disposal Area.

The containment system disposal cells would be designed and built to include a double composite base liner system constructed a minimum distance of 10 feet above the groundwater table and graded to a minimum slope of 2 percent to promote drainage. For the purposes of cost estimating, it was assumed the base liner system would consist of the following components, from top down: a 40-mil primary FML, underlain by a geosynthetic clay liner (GCL), a leachate collection system consisting of a geosynthetic drainage composite (GDC) layer draining to a pumpable sump system, a leak detection system, a secondary 40-mil FML, and a secondary 3-foot compacted clay liner (or geosynthetic equivalent). The GCL would have a maximum hydraulic conductivity of 1 × 10^{-7} cm/s, and the GDC would have a minimum transmissivity of 3 × 10^{-4} square meters per second.

The disposal cells would have a cap sloped to grades of no less than four percent and consisting of the following components, from top down: a 6-inch vegetative soil layer, a 24-inch-thick (minimum) drainage and soil protection layer, a GDC, a 40-mil FML, a GCL, a non-woven needle-punched geotextile, a minimum 12-inch gas-venting layer with gas vents at appropriately spaced intervals, a basal non-woven needle-punched geotextile, and a soil grading layer. The disposal cells would be constructed with appropriate erosion controls and other measures to protect against flood events and other natural or human-induced incidents that might otherwise threaten the integrity of the disposal cells. The final cover system would cover approximately 50 acres.

Under this alternative, approximately 500,000 yd³ of materials would have to be transported off site for disposal because not all of the material will not fit in the containment cells (the height of the cells is limited by the desired side-slope grade). Materials with PCB concentrations of 50 mg/kg or greater would be transported to and disposed of at approved off-site landfills permitted to receive TSCA-regulated wastes. Materials with PCB concentrations less than 50 mg/kg would be transported to and disposed of at other permitted and approved landfills as appropriate. Excluded from removal are the PCB-containing materials that may be located under existing buildings. EPA would seek to have environmental covenants placed on such properties to prohibit disturbance of those materials without the consent of EPA. Excavated areas would be backfilled with clean material, graded, and revegetated or otherwise restored to match the surrounding areas. The excavated and backfilled area would extend across approximately 65 acres.

This alternative would include evaluation of the removal of the sheet pile along the western bank of Portage Creek. The need to leave portions of the sheet pile wall in place for landfill slope and bank stability would be further evaluated in the remedial design. The potential for groundwater mounding behind the wall would also be evaluated. The existing groundwater treatment system would be decommissioned and removed, and the network of groundwater extraction trenches, sumps, and wells currently in place behind the sheet pile wall would be removed and disposed.

Under Alternative 4, EPA would establish the same type of groundwater monitoring system as described for Alternative 2.

2.10 Summary of Comparative Analysis of Alternatives

Section 121(b)(1) of CERCLA presents several factors that EPA is required to consider in its assessment of alternatives. Building upon these specific statutory mandates, the NCP articulates nine evaluation criteria to be used in assessing the individual remedial alternatives. The purpose of this evaluation is to promote consistent identification of the relative advantages and disadvantages of each alternative, thereby guiding selection of remedies offering the most effective and efficient means of achieving site cleanup goals. While all nine criteria are important, they are weighed differently in the decision-making process depending on whether they evaluate protection of human health and the environment or compliance with federal and state ARARs (threshold criteria), consider technical or economic merits (primary balancing criteria), or involve the evaluation of non-EPA reviewers that may influence an EPA decision (modifying criteria).

This section of the ROD evaluates each alternative against the nine evaluation criteria and notes how each compares to the other alternatives under consideration. The nine criteria are divided into three groups: threshold, balancing, and modifying criteria. Alternatives that do not meet the threshold criteria are not considered further. In addition to the narrative discussion below, a summary of the comparative analysis of alternatives with respect to the threshold and balancing criteria is presented in Table 5. More details regarding the evaluation and comparison of the cleanup alternatives against the nine criteria can be found in the OU1 FS Report and FS Addendum.

Threshold Criteria

1. Overall Protection of Human Health and the Environment

This criterion assesses how well the alternatives achieve and maintain protection of human health and the environment and describes how risks posed through each exposure pathway are eliminated, reduced, or controlled through treatment, engineering controls, and/or institutional controls.

Alternative 1 would provide no improved protection over the current conditions, would provide no risk reduction, would not be protective of human health or the environment, and would not achieve RAOs.

Alternatives 2, 3, and 4 would all be protective of human health and the environment as long as all elements of the remedy, including O&M and monitoring, are properly carried out and maintained. These alternatives would achieve the RAOs that have been established for OU1.

Alternatives 2, 3, and 4 each achieve protectiveness through excavation of contaminated soils, with consolidation on site beneath an on-site landfill cap (Alternatives 2 and 4) or offsite disposal (Alternative 3) to prevent direct contact and contaminant transport via erosion and runoff. Alternative 2C includes an off-site incineration component for the mostcontaminated excavated soils. Alternative 3 includes complete removal and off-site disposal to eliminate the potential for exposure. When comparing Alternatives 2 and 4, Alternative 2D features the largest setback from Portage Creek and therefore has the lowest potential among these alternatives for recontamination of Portage Creek in the event of failure of the landfill.

Under current conditions, PCBs are not migrating outside the disposal areas via groundwater. Alternatives 2 and 4 each further mitigate the potential for groundwater transport through capping, which would prevent infiltration of surface water through the consolidated soils. Alternative 4 includes the installation of a bottom liner beneath the waste materials. However, given the site conditions – specifically the impermeability of

the waste and upward flow of groundwater – Alternative 4 may not be significantly more protective than Alternative 2.

The few groundwater and seep samples that had elevated PCB concentrations were generally located in areas of OU1 that were not addressed by IRMs. These previously-unaddressed areas would be addressed by Alternatives 2, 3, and 4, which would reduce the risk posed by those pathways. Alternative 3 includes complete removal and off-site disposal to eliminate the potential for contaminant transport through seeps and groundwater.

As noted earlier, EPA analyzed groundwater data collected at and around OU1 and concluded that PCBs at concentrations that pose a risk are not migrating off site via groundwater. For this reason, EPA believes that groundwater sub-alternatives (i) and (ii) are not necessary for the Alternative 2 options to be protective, because the addition of those systems would not significantly increase overall protectiveness.

2. Compliance with Applicable or Relevant and Appropriate Requirements

This criterion assesses how the alternatives comply with regulatory requirements. Federal and state regulatory requirements that are either applicable or relevant and appropriate are known as ARARs. Only state requirements that are more stringent than federal requirements are ARARs. The potential ARARs for OU1 were identified during the FS and were included in the FS Report and FS Addendum. The final ARARs for OU1 are provided in Table 6.

Alternative 1 would not comply with ARARs because it would not prevent stormwater or venting groundwater discharges to Portage Creek, in violation of Parts 31 and 201 of Michigan's NREPA.

Alternatives 2, 3, and 4 would all meet ARARs, as discussed below.

Alternatives 2 and 4 would rely on a risk-based method to address PCBs under TSCA and 40 C.F.R. § 761.61(c). The Selected Remedy, Alternative 2D, would not pose an unreasonable risk of injury to human health or the environment pursuant to 40 C.F.R. § 761.61(c) for the following reasons:

- a) The residential and non-residential FRGs for PCBs listed in Table 1 are more stringent than the numbers from the HHRA or Michigan Part 201 which would otherwise be applied at OU1. Additionally, excavation of visually-observed residuals in uncapped areas will eliminate the exposure to virtually all of the PCBs in those areas. This is based upon the RI data, as PCB contamination at OU1 is closely correlated to the presence of residuals. Therefore, application during excavation of the FRGs listed in Table 1 will result in no unreasonable risk.
- b) The cap, which is detailed in the Alternative 2 descriptions within Section 2.9, would be constructed over those areas in which excavated material would be consolidated. The cap would meet RAOs by eliminating direct contact exposure

hazards, preventing erosion and runoff of contaminated materials and minimizing infiltration³ of precipitation through the landfill and subsequent migration of residuals or leachate from the landfill. Given the nature of the OU1 waste – specifically that it is impermeable and that PCBs do not readily migrate from it – installation of the cap over the consolidated, contaminated materials would result in no unreasonable risk.

c) Institutional controls would be implemented at the on-site consolidated landfill areas and at any Outlying Areas where contaminated materials could not be completely excavated. The institutional controls would serve to prevent actions that might result in direct contact with the contaminated materials that remain. Restrictive covenants would be implemented to protect caps, fences, and other remedy components, and to prohibit residential use in certain areas.

Alternative 3 would comply with TSCA and 40 C.F.R. § 761.61 through complete removal and off-site disposal of PCB-contaminated materials.

Alternatives 2, 3, and 4 would comply with wetlands ARARs because compensatory wetland mitigation would be provided, as necessary, in accordance with the Federal Mitigation Rule set forth at 40 C.F.R. § 230.94(c)(2-14) for any wetlands that are filled during remediation.

Under Alternatives 2 and 4 (and Alternative 3 as necessary), groundwater samples would be collected and analyzed from the shallow and lower aquifers in order to monitor the effectiveness of the remedy. Groundwater monitoring would be conducted to confirm that COCs meet Michigan Part 201 GSI criteria in groundwater venting from the shallow aquifer into Portage Creek. Groundwater monitoring would occur in both the shallow and lower aquifer to confirm that COCs are not impacting the lower aquifer.

Balancing Criteria

3. Long-term Effectiveness and Permanence

This criterion evaluates the effectiveness of the alternatives in protecting human health and the environment over the long term, once the cleanup is complete, including the adequacy and reliability of controls to address residual risk.

With the exception of Alternative 1, each of the alternatives would be expected to meet the RAOs and provide long-term effectiveness and permanence once the RAOs are met. Alternatives 2 through 4 are all combinations of proven and reliable remedial processes, and the potential for failure of these alternatives is low.

Alternatives 2 and 4, including the O&M, monitoring, and institutional controls, would achieve long-term effectiveness and permanence through on-site containment of the

³ The landfill cap for Alternative 2 and Alternative 4 includes a polyvinyl chloride FML or equivalent with a permeability less than 1x10⁻¹⁰ cm/s.

contaminated materials. Capping is a proven method of preventing direct contact and erosion of material containing PCBs. Alternative 2C, which includes off-site incineration of a small amount of excavated materials with PCB concentrations greater than 500 mg/kg, would not significantly increase the long-term effectiveness of the remedy because capping prevents direct contact exposure and the erosion/transport exposure route. Alternative 2D would require additional O&M for the active landfill gas collection system and the possible need for additional slope stabilization measures due to the increased height of the landfill. However, the reduced footprint of Alternative 2D would decrease the area requiring O&M.

The long-term effectiveness and permanence of Alternative 2D is enhanced by the increased width of the clean setback – significantly larger than that provided by the other alternatives that leave waste in place – between the consolidation area and Portage Creek. The large setback would reduce the potential for erosion of COC-containing materials into Portage Creek to help achieve RAO 2. The increased setback and stabilized stream banks would also reduce the potential for Portage Creek to undermine the base of the landfill. Moreover, the long-term effectiveness and permanence of Alternative 2D is enhanced by the anticipated long-term stewardship at OU1 due to reuse of the clean, uncapped areas as well as the capped portions of the property.

Among the capping alternatives (Alternatives 2 and 4), Alternative 2D would likely have the greatest reliability of controls (e.g., institutional controls, access controls, and maintenance of engineered barriers). Productive reuse of a site, stakeholder support of that reuse, and the resulting long-term stewardship generally increase the effectiveness of a remedy. An active presence at OU1, due to reuse of the property, would allow for better access control, thereby minimizing trespass and associated activities that could damage the physical components of the remedy. Monitoring and maintenance activities associated with the reuse of the property would assist with the required maintenance of the remedy. In addition, more active management of the property means that any problems with the remedy that do occur, such as vandalism or damage to remedy components, would likely be identified earlier than they would if active management was not performed.

Capping is an effective mechanism to prevent infiltration through materials containing PCBs. At OU1, PCBs have not been detected in groundwater outside the current disposal areas, even though some of those disposal areas are not currently capped. The installation of an engineered composite cap would further mitigate the potential for infiltration and migration of PCBs out of the waste via groundwater. Because of that cap, groundwater sub-alternatives (i) or (ii) would not significantly increase the long-term effectiveness or permanence of Alternative 2.

The Alternative 2 options include proven technologies that would provide long-term effectiveness and permanence. Alternative 4 provides an added level of protectiveness because wastes would be controlled in lined, on-site containment cells.

Alternative 3 provides the greatest degree of long-term effectiveness and permanence by removing from OU1 all contaminated materials with COC concentrations above FRGs and disposing of those materials at off-site permitted facilities.

The long-term O&M and monitoring components that would be implemented in conjunction with institutional controls under Alternatives 2 and 4 would provide the necessary mechanisms to verify the remedy is performing as anticipated over time. As a result, Alternative 4 and the various Alternative 2 options are expected to provide effective, permanent, waste-in-place remedies. No long-term O&M or monitoring would be required under Alternative 3, with the possible exception of certain limited areas where waste may be left in place due to the waste's close proximity to buildings.

4. Reduction of Toxicity, Mobility, or Volume of Contaminants through Treatment

This criterion evaluates the anticipated performance of the treatment technologies that may be included as part of a remedy. EPA evaluated various treatment technologies and their applicability at OU1. EPA concluded that due to the volume and immobile nature of the waste, practical treatment to reduce the toxicity, mobility, or volume of contamination at OU1 is not available.

Alternatives 1, 2A, 2B, 2D, 3, and 4 do not include treatment as a component of the remedy and, therefore, would not reduce the toxicity, mobility, or volume of contamination at OU1. The only remedial alternative that includes treatment as a component of the remedy is Alternative 2C. However, Alternative 2C would treat only a small percentage of the waste at OU1 through off-site incineration of excavated soils that exceed 500 mg/kg, so would not significantly reduce the toxicity, mobility, or volume of most of the contamination at OU1. Additionally, it would be difficult to identify residuals with relatively high concentrations of PCBs to target for treatment because PCB contaminated materials above 500 mg/kg are not clustered, but are dispersed throughout the residuals at OU1.

5. Short-term Effectiveness

This criterion examines the length of time needed to implement the alternatives and the effectiveness of the alternatives in protecting human health and the environment during construction of the remedy. It considers any adverse impacts that may be posed to the community, workers, and the environment during the cleanup until RAOs are achieved.

The evaluation of short-term effectiveness is primarily related to the area and volume of COC-containing materials addressed in each alternative, the time necessary to implement the remedy, potential risks to workers, and potential impacts to the community until RAOs are achieved. A summary of these short-term effectiveness considerations for each alternative is provided in Table 4.

With the exception of Alternative 1, all of the alternatives would have some short-term impacts during construction, including increased noise from construction vehicles, the

potential for airborne dust releases, increased traffic in the vicinity of OU1, increased wear on local roads, increased potential for workers to come in contact with PCBcontaining materials, and other risks associated with construction work. Potential adverse impacts would be minimized through implementing a project-specific health and safety plan, keeping excavation areas properly wetted, planning truck routes to minimize disturbances to the surrounding community, and other standard best management practices, but the impacts cannot be eliminated.

Of the alternatives with active remediation, the Alternative 2 options disturb the least amount of material and require the shortest construction time. Alternatives 2A, 2B, and 2C would likely take 2 years to implement. Alternative 2D would likely take 3 years to implement and would have other short-term impacts due to the additional excavation and consolidation volume. An estimated 39,000 truck trips would be required to implement Alternative 2A, and more than 49,000 truck trips would be required to implement Alternative 2B. Alternative 2C incurs additional short-term impacts associated with offsite transport. Compared to Alternative 2B, EPA estimates that an additional 1,000 truck trips would be required for Alternative 2C to haul materials approximately 40 miles to an intermodal facility where they would be loaded onto railcars for transport to an incineration facility. Due to the limited number and location of TSCA-permitted incineration facilities, the rail transport distance for the contaminated materials could be 1,200 miles or more. Alternative 2D would require 70,000 truck trips to implement due to the amount of soil needed to backfill excavated areas.

Alternative 2C also would have greater short-term impacts than Alternatives 2A and 2B due to the potential for dispersion or erosion of excavated materials during characterization and segregation of the excavated wastes for incineration.

The addition of sub-alternative (i), the installation of a groundwater collection and treatment system, including extraction wells or trenches, or sub-alternative (ii), the addition of a slurry wall to sub-alternative (i), would increase the short-term impacts of the Alternative 2 options as they both would increase the duration of construction and increase the amount of excavation and construction relative to the Alternative 2 options. Sub-alternative (ii) would have greater short-term impacts than sub-alternative (i) because of the additional construction time and soil disturbance associated with construction of a slurry wall.

Alternatives 3 and 4 present greater short-term impacts than the Alternative 2 options due to the increased volume of materials that would be disturbed and moved as well as the increased construction duration (5 years and 10 years, respectively). Because the project duration for Alternatives 3 and 4 is longer than the Alternative 2 options, they pose greater construction-related and exposure risks to workers. The additional volume of materials to be handled in Alternatives 3 and 4 would increase truck traffic near OU1 during the project. An estimated 150,000 truck trips to and from OU1 would be necessary to implement Alternative 3. During the excavation and backfilling work under Alternative 4, more than 116,000 truck trips would be necessary to transport excavated material from the Outlying Areas to the on-site disposal cells, to bring in clean fill, and to haul displaced materials to off-site disposal locations. Any increase in truck traffic carries with it an increased risk of vehicular accidents.

In addition to the impacts discussed above, there would be other potential adverse impacts to the local community during construction, such as the potential for noise and dust. Such impacts could occur over a period of 2 years (Alternatives 2A, 2B, or 2C), 3 years (Alternative 2D), 5 years (Alternative 3), or 10 years (Alternative 4), with corresponding burdens on the local community. Although traffic impacts associated with Alternative 4 are primarily limited to 5 years, the overall construction duration (with the potential for noise and dust) is estimated at 10 years due to on-site management and emplacement of excavated materials.

There are no short-term impacts associated with Alternative 1; however, since existing measures to control access to OU1 would not be maintained, there could be an increased risk of direct exposure over the short term to individuals who trespass and come into contact with surficial contaminated materials.

6. Implementability

This criterion assesses the technical and administrative feasibility of an alternative and the availability of required goods and services. *Technical feasibility* considers the ability to construct and operate a technology, its reliability, the ease of undertaking additional remedial actions, and the ability to monitor the effectiveness of a remedy. *Administrative feasibility* considers the ability to obtain approvals from other parties or agencies and the extent of required coordination with other parties or agencies.

There are no technical or administrative implementability issues associated with Alternative 1 because no active remediation would take place. The primary remedial components of Alternatives 2, 3, and 4 are proven, readily implementable, have been used successfully as part of other environmental cleanup projects, and are expected to be reliable over the long term. All the alternatives are administratively implementable, and although no permits would be required, the substantive applicable requirements of federal and state regulations would need to be met.

Alternatives 2, 3, and 4 could all be constructed using readily-available conventional earth-moving equipment, and most of the necessary services and construction materials are expected to be readily available. Qualified commercial contractors with experience at other areas of the Site are available locally to perform the work.

Compared to Alternatives 2A and 2B, Alternatives 2C, 2D, 3, and 4 would be more difficult to implement due to different constraining conditions. For Alternative 2C, there is limited availability of TSCA permitted incinerators. Alternative 2D could be more difficult to implement than Alternatives 2A, 2B, or 2C due to the reduced landfill footprint and increased excavation and consolidation volumes. Additional stabilization measures may be required for the underlying soils prior to consolidation and slope stabilization measures and settlement monitoring may be required due to the increased

height of the landfill. For Alternative 3, the availability of off-site solid waste and/or TSCA landfills to accept the volume of materials to be disposed could be a limiting factor in terms of construction progress and overall cost. The limited staging area available for excavated materials during construction of the containment cells would be a limiting factor for Alternative 4.

Landfill Availability: There are few solid waste landfills in southwest Michigan that are available to accept PCB-containing material. The facilities commonly have limits on disposal capacity and disposal rates. These limits may affect the timely completion of Alternatives 3 and 4, which would both send large volumes of PCB- and other COC-containing material off site for disposal. If capacity at local solid waste facilities and TSCA landfills is exhausted, use of facilities outside of southwest Michigan could increase transport distances for off-site disposal, and consequentially increase risks and costs.

<u>Construction of Containment Cells</u>: Additional implementability challenges associated with construction of the containment cells in Alternative 4 include sequencing and space constraints, developing a plan for excavating nearly 1,600,000 yd³ of COC-containing materials, constructing the full-encapsulation disposal cells, and replacing the excavated materials in the cells. As each containment cell is sequentially constructed, a successively smaller area would be available on OU1 for staging of clean materials and temporary storage of COC-containing materials. Eventually, on-site capacity would be depleted, and a substantial volume of material would need to be sent off site for disposal. Approximately 25 percent of the soils targeted for excavation and placement in the Former Operational Areas and all of the soils excavated from the Outlying Areas would be displaced, resulting in more than 500,000 yd³ of materials being transported off site for disposal. This has a significant impact on both the implementability and cost of this alternative. The control and management of surface water runoff from the temporarily-stored COC-containing materials would also become increasingly challenging as less area would be available for the operations under Alternative 4.

7. *Cost*

This criterion evaluates the capital and O&M costs of each alternative. Total presentworth costs are provided to help compare costs among alternatives with different implementation times. The costs for each alternative are based on a 30-year discount rate of 1.9%, as footnoted in the detailed cost estimate tables in the FS Addendum. A discount rate of 1.9% was selected to match the updated interest rates referenced in OMB Circular No. A-94, revised in December 2014.

The costs for the range of alternatives and sub-alternatives presented in this ROD are summarized in the table below. The cost estimates are consistent with an FS-level of estimation, with an accuracy of +50 to -30 percent. While Alternative 1 has no associated capital or O&M costs since there would be no further actions taken, five-year reviews would be required and those periodic costs are reflected in the table below.

48

Summary of Remedial Alternative Costs

Alternative	Estimated Capital Cost	Estimated O&M Cost	Estimated Periodic Cost	Total Present worth Cost
Alternative 1	\$0	\$0	\$110,000	\$110,0000
Alternative 2A	\$38 million	\$6.7 million	\$110,000	\$44 million
Subalternative (i)	\$1.7 million	\$2.7 million	\$0	\$4.4 million
Subalternative (ii)	\$11 million	\$2.7 million	\$0	\$14 million
Alternative 2B	\$38 million	\$5.0 million	\$110,000	\$43 million
Alternative 2C	\$65 million	\$5.0 million	\$110,000	\$70 million
Alternative 2D	\$57 million	\$5.8 million	\$110,000	\$63 million
Subalternative (i)	\$1.5 million	\$2.7 million	\$0	\$4.3 million
Subalternative (ii)	\$9.2 million	\$2.7 million	\$0	\$12 million
Alternative 3	\$238 million	\$0 million	\$110,000	\$238 million
Alternative 4	\$154 million	\$5.0 million	\$110,000	\$159 million

Note: The costs for the sub-alternatives under the Alternative 2 options would be in addition to the cost of each respective option.

Modifying Criteria

8. State/Support Agency Acceptance

This criterion considers the state's preferences among or concerns about the alternatives, including comments on regulatory criteria or use of waivers.

EPA collaborated with MDEQ and the City of Kalamazoo in developing the concepts upon which Alternative 2D are based. MDEO supports Alternative 2D and concurs with the ROD. The State's concurrence letter is included in Appendix 1.

9. Community Acceptance

This criterion considers the community's preferences or concerns about the alternatives. Alternative 2D has support from the City and other stakeholders, although community input during the public comment period indicates some preference for complete and partial off-site disposal of site wastes. The City has also stated its willingness to provide long-term stewardship for the Selected Remedy at both capped and uncapped portions of OU1. Please see Section 3, Responsiveness Summary, for a complete summary of community input on the selected remedy.

2.11 **Principal Threat Wastes**

The principal threat concept is applied to the characterization of "source material" at a Superfund site. Source material is material that includes or contains hazardous substances, pollutants, or contaminants that act as a reservoir for migration of

49

contaminants to groundwater, surface water or air, or acts as a source for direct exposure. EPA has defined principal threat wastes as those source materials considered to be highly toxic or highly mobile that generally cannot be reliably contained or would present a significant risk to human health or the environment should exposure occur.

EPA does not consider the waste materials at OU1 to be principal threat waste because the waste materials exhibit very low mobility and can be reliably controlled in place through consolidation and capping. Although sample results show that there are isolated soil samples at OU1 with PCB concentrations as high as 2,500 mg/kg, soil and groundwater data demonstrate that the PCBs at OU1 are not mobile within the waste and do not readily leach into groundwater, even though portions of OU1 are not currently capped.

2.12 Selected Remedy

The Selected Remedy for OU1 is described in this section.

EPA's remedy for addressing the contamination at OU1 is Alternative 2D. Alternative 2D involves excavating contaminated soils, sediments, and residuals from the Monarch area of OU1, from commercial, residential, and wetland areas of OU1, and from areas near Portage Creek, and consolidating those materials into the main body of the landfill area of OU1. Portions of the landfill area itself would also be excavated and consolidated, reducing the footprint of the waste from approximately 49 acres to approximately 27 acres. After consolidation, the landfill area would be covered with an impermeable cap and an active gas collection system would be installed. Excavated and backfilled areas that are not used for flood control would potentially be available for commercial redevelopment. The capped area would potentially be available for light recreational reuse. Alternative 2D also includes long-term groundwater monitoring to verify the effectiveness of the remedy, institutional controls to protect the remedy and restrict land and groundwater use, and long-term O&M. A more detailed description of Alternative 2D is provided above in Section 2.9.

Rationale for the Selected Remedy

Alternative 2D meets the threshold criteria, offers a high degree of long-term effectiveness and permanence, and represents the best balance of tradeoffs among the alternatives with respect to the balancing and modifying criteria. Alternative 2D would meet the RAOs because it would:

- prevent human and ecological exposure to contaminated materials at OU1;
- prevent the most significant route of exposure erosion and off-site migration of contaminated materials from OU1; and
- prevent contaminated material at OU1 from impacting groundwater or surface water emanating from OU1.

EPA believes that Alternative 2D is the appropriate remedy for OU1 given the immobility of the PCB contamination as evidenced by both soil and groundwater data.

The fact that PCB contamination is not migrating to groundwater at levels that pose a risk to human health or the environment, despite the fact that portions of the landfill are not currently capped, demonstrates that the waste can be reliably contained in place. Alternative 2D will achieve the RAOs within a reasonable timeframe of three years. While Alternative 2D poses more short-term adverse impacts than Alternatives 2A, 2B, and 2C, it will result in significantly greater long-term effectiveness and permanence than those alternatives due to the anticipated long-term stewardship at the OU1 property and the size of the buffer between the waste and Portage Creek. Alternative 2D requires a shorter implementation timeframe than Alternatives 3 or 4 and does not require the exposure and handling of all the waste in the landfill that would occur under those alternatives 2D therefore results in fewer short-term adverse impacts to the local community than Alternatives 3 or 4.

While Alternative 2D is projected to cost more than Alternatives 2A and 2B, it is considered cost-effective due to its higher long-term effectiveness and permanence. Alternatives 3 and 4 are not cost-effective because they cost orders of magnitude more than Alternative 2D without a significantly greater reduction in risk. Alternative 2C is not cost-effective because the added cost of treatment does not increase protectiveness. Alternative 2C may also be more difficult to implement, because residuals with high concentrations of PCBs are not aggregated, making them difficult to locate and transport to one of the few available incinerators. Alternatives 2A, 2B, and 2C lack the features, such as the larger setback of the waste and the anticipated stewardship, that lead to the higher long-term effectiveness and permanence of Alternative 2D.

Many community members and the State of Michigan support Alternative 2D.

Expected Outcomes of the Selected Remedy

The Selected Remedy, Alternative 2D, will reduce the risks to human health and the environment posed by PCBs and other COCs at OU1. Implementation of the remedy will entail consolidation of contaminated material (some of which is currently exposed) under an engineered barrier. Doing so will address the risks posed by contaminated material at OU1: direct contact exposure, erosion and runoff into Portage Creek, and the potential to impact surface water or groundwater. Capped portions of OU1 will be covered with clean material and recreational use would be possible above additional clean material placed upon the cap.

Excavated areas of OU1 will be remediated to appropriate FRGs so as to be protective for the variable land use and exposure scenarios at OU1. Those use and exposure scenarios include:

- Residential use at areas adjacent to residential properties east of Portage Creek
- Commercial or industrial use at most uncapped portions of OU1
- Recreational use at the capped portion of OU1
- Protective use for anglers at areas that impact fish subject to consumption
- Protective use by ecological receptors at wetland areas.

The corresponding FRGs are detailed in Tables 1 & 2.

Cost of the Selected Remedy

The estimated cost of implementing the Selected Remedy is \$63,000,000. A detailed cost estimate for the Selected Remedy is provided in Table 7. The information in the cost estimate is based on the best available information regarding the anticipated scope of the Selected Remedy. Changes in the cost elements may occur as a result of new information and data collected during the engineering design and remedy implementation phases. This is an order-of-magnitude engineering cost estimate that is expected to be within +50 to -30 percent of the actual project cost.

ARARs for the Selected Remedy

The ARARs for the Selected Remedy are discussed above in Section 2.10 and can be found in Table 6.

2.13 Statutory Determinations

Under CERCLA Section 121 and the NCP, the lead agency must select remedies that are protective of human health and the environment, comply with ARARs (unless a statutory waiver is justified), are cost-effective, and utilize permanent solutions and alternative treatment technologies or resource recovery technologies to the maximum extent practicable. In addition, CERCLA includes a preference for remedies that employ treatment that permanently and significantly reduces the volume, toxicity, or mobility of hazardous wastes as a principal element and a bias against off-site disposal of untreated wastes. The discussion below describes how the Selected Remedy meets these statutory requirements and explains the five-year review requirements associated with the Selected Remedy.

Protection of Human Health and the Environment

The Selected Remedy, Alternative 2D, provides overall protection of human health and the environment from the contamination at OU1 and will meet the RAOs that have been established. RAO 1 will be achieved by mitigating the potential for human and ecological exposure to materials containing COCs above the relevant FRGs. RAO 2 will be achieved since materials with COC concentrations above relevant FRGs would be covered with an engineered cap. The cap will mitigate the potential for migration to Portage Creek or onto adjacent properties by erosion. RAO 3 will be achieved by preventing surface water infiltration through the waste. In order to confirm that RAO 3 has been achieved, a long-term groundwater monitoring program will be implemented. Institutional controls, monitoring, and maintenance of various areas of OU1 are critical components for maintaining protectiveness over time.

The Selected Remedy also includes a long-term inspection and maintenance program. Landfill gas and groundwater monitoring, as well as long-term inspection and maintenance activities, will be conducted to assess whether the remedy is functioning as intended.

Compliance with Applicable or Relevant and Appropriate Requirements

The Selected Remedy is expected to comply with the federal and state ARARs that are specific to this remedial action. The ARARs for this action are discussed above in Section 2.10 and can be found in Table 6.

Cost-Effectiveness

In EPA's judgment, the Selected Remedy is cost-effective and represents a reasonable value for the money to be spent. In making this determination, the following definition was used: "A remedy shall be cost-effective if its costs are proportional to its overall effectiveness." (NCP Section 300.430(f)(I)(ii)(D)). It is important to note that more than one cleanup alternative can be cost-effective, and the NCP does not mandate the selection of the most cost-effective alternative. Cost-effectiveness deals with the reasonableness of the relationship between the effectiveness afforded by each alternative and its costs compared to other available options.

Alternatives 2A, 2B, and 2D are all considered cost-effective alternatives. Although the Selected Remedy, Alternative 2D, is projected to cost more than Alternatives 2A and 2B, it is cost-effective due to its higher long-term effectiveness and permanence. Alternatives 3 and 4 are not cost-effective as they cost orders of magnitude more than the Selected Remedy without a significantly greater reduction in risk. Alternative 2C is not cost-effective as the added cost of treatment featured in that alternative does not increase protectiveness.

<u>Utilization of Permanent Solutions and Alternative Treatment Technologies (or Resource Recovery Technologies) to the Maximum Extent Practicable/Preference for Treatment as a Principal Element</u>

The Selected Remedy, Alternative 2D, represents the maximum extent to which permanent solutions and treatment are practicable at OU1 and provides the best balance of tradeoffs with respect to the balancing and modifying criteria as compared to the other options. These tradeoffs are summarized below.

Alternative 2D provides long-term and effective protection against exposure to contaminated materials by consolidating and capping those materials under an engineered barrier. Compared to the other cost-effective alternatives (Alternatives 2A and 2B), Alternative 2D features the largest setback from Portage Creek and therefore has the lowest potential for recontamination of Portage Creek.

Alternative 2D does not include a treatment component because the contamination at OU1 does not lend itself to any cost-effective treatment. EPA evaluated known treatment technologies and concluded that none were applicable to the waste at OU1. EPA does not

consider the waste materials at OU1 to be principal threat wastes because they do not appear to act as source materials and can be reliably contained in place due to their immobility. When EPA treats waste, it does so with the goal of either destroying or immobilizing waste that is highly toxic and/or highly mobile. Soil and groundwater data demonstrate that the PCBs at OU1 are not mobile within the waste and do not readily leach into groundwater, so treatment is not necessary to immobilize the PCBs at OU1.

Alternative 2D will achieve the RAOs within a reasonable timeframe of three years. While Alternative 2D poses more short-term adverse impacts than Alternatives 2A, 2B, and 2C, it will result in significantly greater long-term effectiveness and permanence compared to those alternatives due to the anticipated long-term stewardship at the property and the size of the buffer between the waste and Portage Creek. Compared to Alternatives 3 and 4, Alternative 2D requires a shorter implementation timeframe and does not require exposing and handling all of the waste. Alternative 2D will therefore result in less short-term adverse impacts to the local community than Alternatives 3 or 4.

Although Alternative 2D is projected to cost more than Alternatives 2A and 2B, it is costeffective due to its higher long-term effectiveness and permanence. Alternatives 3 and 4 are not cost-effective as they cost orders of magnitude greater than Alternative 2D without a significantly greater reduction in risk. Alternative 2C is not cost-effective as the added cost of treatment featured in the remedy does not increase protectiveness. Alternative 2C may also be more difficult to implement, because residuals with high concentrations of PCBs are not aggregated, making them difficult to locate and transport to one of the few available incinerators. Alternatives 2A, 2B, and 2C lack the features, such as the larger setback of the waste and the anticipated stewardship, that lead to the higher long-term effectiveness and permanence of Alternative 2D.

The State of Michigan and the City of Kalamazoo support Alternative 2D. EPA developed Alternative 2D after collaborating with MDEQ and the City for the purpose of exploring ways that a cleanup alternative could have greater long-term protectiveness than those in the November 2014 FS, while allowing for the City's intended reuse of the property as a part of their plans to revitalize the Portage Creek Corridor. Alternative 2D during the favored alternative of the State. The City stated its support for Alternative 2D during the public comment period, as did a number of citizen groups.

Five-Year Review Requirements

Because this remedy will result in hazardous substances, pollutants, or contaminants remaining on site above levels that allow for UU/UE, statutory review of the remedy protectiveness will be conducted every five years. Two five-year reviews have already been conducted at the Site, and OU1 will be included in future five-year reviews.

2.14 Documentation of Significant Changes

The Proposed Plan for OU1 was issued for public comment on September 23, 2015. The Proposed Plan identified Alternative 2D as the Preferred Alternative. The Proposed Plan public comment period ran from September 23, 2015 through December 1, 2015. CERCLA Section 117(b) and NCP Section 300.430(f)(5)(iii) require an explanation of any significant changes from the remedy presented in the Proposed Plan that was published for public comment. Based upon its review of the written and oral comments submitted during the public comment period, EPA has determined that no significant changes to the remedy, as originally identified in the Proposed Plan, are necessary or appropriate.

Part 3 - Responsiveness Summary

In accordance with CERCLA Section 117, 42 U.S.C. Section 9617, EPA released the Proposed Plan on September 23, 2015, and the public comment period ran through December 1, 2015, to allow interested parties to comment on the Proposed Plan. EPA held a public meeting regarding the Proposed Plan on November 19, 2015, at the Washington Writer's Academy, Kalamazoo, Michigan. Approximately 40 people attended the meeting. Representatives from EPA, MDEQ, and MDNR were present at the public meeting. A written transcript from the public meeting is available in the AR.

The AR index is attached as Appendix 2 to this ROD. EPA, in consultation with MDEQ, carefully considered all information found in the AR prior to selecting the remedy documented in this ROD. Complete copies of the Proposed Plan, AR, and other pertinent documents are available at:

The Kalamazoo Public Library 315 South Rose Kalamazoo, MI 49007 EPA Region 5 Superfund Division Records Center 77 West Jackson Boulevard Chicago, IL 60604

EPA is not required to reprint the comments of the commenter verbatim and may paraphrase where appropriate. In this responsiveness summary, EPA has included large segments of the original comment. However, persons wishing to see the full text of the comment should refer to the commenter's submittal to EPA, which is included in the AR.

The comments and EPA responses below are generally grouped as follows:

- Comments by individuals
- Comments by the City of Kalamazoo
- Comments by the Kalamazoo River Watershed Council (KRWC)
- Comments by the KRCC
- Comments by the Natural Resource Trustee Council
- Comments by International Paper (IP)

Comments by Individuals

This portion of the Responsiveness Summary primarily contains comments from individual commenters. For certain topics, however, related comments from other stakeholder groups (such as the KRWC or KRCC) are grouped-in with the comments from individuals.

Comment: One commenter suggested that certain scientific studies have concluded that there is no causal connection between PCBs and human health.

Response: EPA disagrees with the comment and considers PCBs to pose a significant risk to human and ecological receptors. PCBs are classified as probable human carcinogens and it is EPA's position that PCB contamination at OU1 presents an unacceptable risk to human health and ecological receptors.

Comment: One commenter noted the Lyondell bankruptcy agreement dedicated separate funds to the OU1 cleanup than it did to the cleanup on the Kalamazoo River.

Response: Through the Lyondell bankruptcy, the Lyondell Environmental Custodial Trust was created and was provided with certain funds available primarily for the cleanup of OU1. Separately through the bankruptcy, EPA received funds which can be used anywhere on the Site.

Comment: Multiple commenters suggested that the Biopath bioremediation process should be used to treat OU1 PCBs on-site. Commenters claim that application of BioPath's technologies will result in total cleanup, eliminating the PCBs at OU1. Further, they request that EPA use language in the ROD that allows for the possibility of using BioPath's technology as a part of the remedy.

One person commented that Biopath's technology was untested at this time and, while it might prove effective in the future, for now expressed support for Alternative 2D.

The KRWC commented that in-situ bioremediation would be exciting, but that BioPath has not provided the necessary information for KRWC to endorse the application of BioPaths's technology at OU1. KRWC suggested that BioPath's technology be subject to a pilot study on a laboratory benchtop or small field scale, if it is judged by EPA scientists to show promise. KWRC concluded that they would advise against committing to BioPath at the present time given the lack of evidence that it would achieve remediation goals.

Response: EPA has a stated preference for treatment of contaminated materials when practical. EPA also must select remedies that are cost-effective. EPA evaluated a wide range of treatment technologies in the FS and in a separate evaluation by EPA's subject matter experts. Both reviews concluded that, based on the nature of the waste at Allied Landfill, there are no known treatment technologies that would successfully and practicably treat the waste at OU1 in a cost-effective manner. Both reviews included an evaluation of bioremediation. At this point in time, Biopath has provided no technical information to suggest that its technology could successfully treat the contaminated materials at OU1. Due to the absence of any current information suggesting that effective and cost-effective on-site treatment technologies are potentially available, it is inappropriate to reference any potential use of such technologies, including BioPath's technology, in the ROD. Regardless, EPA is willing to facilitate BioPath Solutions' participation in a bench-scale study, as it would for other potential treatment proposals.

Comment: Multiple commenters, including the KRCC, expressed concerns that implementation of Alternative 2D would leave behind a 40-foot mound of contaminated soil in the heart of the city. KRCC requested that the design of the remedy minimize the size of the hill and maximize acreage available for redevelopment.

Response: EPA will seek to maximize the pull-back of the OU1 waste from Portage Creek during the design and implementation of the remedy, as the increased size of the

pull-back will increase the long-term effectiveness and protectiveness of the remedy. Efforts to decrease the height of the landfill might decrease the long-term protectiveness of the remedy by requiring a smaller pull-back. However, during the RD, EPA will look for opportunities to reduce the height of the landfill consistent with the needs of the remedy.

Comment: Multiple commenters, including the KRCC, requested that the PCB materials which had been placed at OU1 as part of the Former Bryant Mill Pond removal action be disposed of off-site rather than be interred at OU1 as part of Alternative 2D.

Response: Segregation and then off-site disposal of the materials removed from the Former Bryant Mill Pond in 1998-1999 would dramatically increase the cost of the remedy and increase the short-term risks associated with implementing the remedy, but would not increase the long-term effectiveness of the remedy. For these reasons, the scenario suggested by these commenters is not a viable remedial alternative.

Comment: Two commenters commended EPA and those in the City of Kalamazoo for working together to improve the formerly combative relationship, supported Alternative 2D, and commented favorably on the community outreach. Additionally, one commenter indicated that a local citizens group approves in general terms with Alternative 2D. Another commenter urged that this collaboration continue moving forward.

Response: EPA recognizes these comments. EPA intends to work with MDEQ and the City throughout the design, implementation and long-term maintenance of the remedy and to continue outreach to the larger community.

Comment: One commenter questioned the cost-benefit analysis of Alternative 2D and asserted that Alternative 2D has uncertain effectiveness. CERCLA § 121(b)(1)(f) should be considered with a worst-case scenario in order to provide a better cost-benefit analysis.

Response: EPA notes that CERCLA does not require a "cost-benefit analysis," but rather requires that EPA select "cost-effective" remedies. In making cost-effectiveness determinations, the following definition is used: "A remedy shall be cost-effective if its costs are proportional to its overall effectiveness." (NCP Section 300.430(f)(I)(ii)(D)). Cost-effectiveness deals with the reasonableness of the relationship between the effectiveness afforded by each alternative and its costs compared to other available options. Regarding the effectiveness of Alternative 2D, waste containment using engineered barriers is a proven and reliable technology. Waste containment using engineered barriers has been used to successfully remediate three other landfills at the Allied Paper/Portage Creek/Kalamazoo River Superfund Site, as well as numerous landfills at other Superfund sites across the country. The CERCLA reference made by the commenter is to the general rule that EPA take into account, during the remedy selection process, the costs to repair a failed remedy. Based upon its experiences with similar landfills, EPA believes that failure of Alternative 2D is unlikely. Further, EPA believes that even if failure of Alternative 2D were to occur and additional costs incurred, Alternative 2D would still be cost-effective.

58

.7

Comment: One commenter, noting that the PCB contamination on residential properties is believed to be located under four feet of clean fill material, inquired as to whether it would be cost-effective or environmentally preferable to relocate those residents.

Response: EPA relocates residents only in extreme situations in which the risks posed by a Superfund site are such that it is unsafe for residents to remain in their homes. Such conditions do not exist for the residents whose properties are impacted by OU1 wastes. Further, any potential impacts of excavation work, such as accidental release of contaminated materials to Portage Creek or generation of contaminated dust, can be readily mitigated through implementation of proper controls during construction.

Comment: One commenter suggested that EPA treat Michigan's Environmental Protection Act as an "applicable or relevant and appropriate requirement" ("ARAR") under 42 U.S.C. § 9621(D)(2)(A)(ii) for the OU1 remedy and that EPA should therefore select groundwater subalternatives (i) or (ii) as part of the OU1 remedy in order to protect Portage Creek.

Response: The Michigan Environmental Protection Act (MEPA) is found at Part 17 of Michigan Act 451 of 1994 (MCL §§ 324.1701-324.1706). However, the MEPA does not contain a "promulgated standard, requirement, criteria, or limitation" with the meaning of 42 U.S.C. § 9621(D)(2)(A)(ii). Therefore, the MEPA does not qualify as an ARAR under CERCLA.

As explained in Part 2 of this ROD, EPA believes that groundwater sub-alternatives (i) and (ii) are not necessary to protect Portage Creek. Groundwater data collected in the flow path between the waste at OU1 and Portage Creek demonstrates that groundwater at OU1 does not pose a risk to Portage Creek. Though there are seeps expressing low levels of PCBs to Portage Creek, EPA expects to eliminate this transport pathway by removing PCB-contaminated waste from the seep pathway through the pullback of those wastes.

Comment: One commenter urged EPA to consider the presence of children at OU1, as recreational reuse is intended for portions of OU1, and that increased signage and fencing could help protect children from drinking creek water or from harm from remedy components. The commenter also stated that EPA should consider the risks posed to fish in Portage Creek and the potential for contamination to anglers.

Response: EPA developed FRGs for OU1 based upon potential exposure of receptors, including children. Currently, people can be exposed to the contaminated material at OU1 through direct contact with exposed contaminated materials or through eating fish that have ingested contaminated materials that have eroded into Portage Creek. Alternative 2D requires the excavation of those contaminated materials above FRGs and consolidation of such contaminated materials beneath an engineered barrier. Alternative 2D will prevent both direct contact exposure and any erosion and runoff of exposed materials into Portage Creek. Following implementation of Alternative 2D, the contaminated materials at OU1 will no longer present a significant risk of exposure to users, including children.

After implementation, EPA expects to reduce fencing and rely upon proper maintenance of the remedy to prevent exposure. Reducing fencing will help to increase accessibility to OU1, a goal long sought by the City and the local public. Additional signage at OU1 will be put in place to minimize any potential harm from remedy components. EPA will work with MDEQ and MDNR to increase awareness of the restrictions on fish consumption as well as signage within the Kalamazoo River area, which includes OU1. The Michigan Department of Health and Human Services has recently developed www.michigan.gov/eatsafefish to better explain fish consumption restrictions and associated risks. The cleanup at OU1 will reduce PCB levels in fish and protect fish consumers in the long term.

Comment: One commenter requested that EPA clarify how CERCLA remedies are exempt from permit requirements under Section 404 of the Clean Water Act.

Response: Pursuant to Section 121(e)(1) of CERCLA, 42 U.S.C. § 9621(e)(1), no "Federal, State or local permit shall be required for the portion of any removal or remedial action conducted entirely onsite, where such remedial action is selected and carried out in accordance with this section." Pursuant to this exemption, permits are not required under Section 404 of the Clean Water Act for the on-site wetlands activities addressed under the OU1 remedy. However, in accordance with Section 121(d) of CERCLA, 42 U.S.C. § 9621(d), remedies must comply with substantive promulgated standards, requirements, criteria or limitations under Federal environmental law.

In its comment, the commenter cites to language from an EPA webpage discussing Clean Water Act permitting exemptions. That language derives from Section 404(f)(1) of the Clean Water Act, 33 U.S.C. § 1344(f)(1), which exempts certain activities from Clean Water Act permitting requirements. None of these exempted activities are a part of the OU1 remedy. Therefore, that language is not relevant to the OU1 remedy. As explained above, on-site CERCLA remedies do not require permits but still must comply with substantive requirements.

Comment: One commenter requested clarification of whether EPA was relying on Nationwide Permit 38 and further commented on its application to Alternatives 3 and 4.

Response: EPA is not relying on Nationwide Permit 38, which by its terms exempts EPA-approved CERCLA activities from Section 404 permitting requirements, with respect to the OU1 remedy. Moreover, EPA has selected Alternative 2D, not Alternatives 3 or 4, as the OU1 remedy.

Comment: One commenter requested that EPA, with respect to wetlands covenants required by the ROD, "clarify the environmental covenant and the imposition it will have on the community." The commenter further requested that the public be notified of "the details of the covenant and if compliance requires community stewardship." The commenter also requested that EPA provide details about wetland mitigation if EPA selects Alternatives 3 or 4.

Response: The Selected Remedy identifies various areas of OU1 that may require environmental covenants to protect wetlands. The exact locations to be covered by the covenants, and the substantive requirements of the covenants, will be identified during the remedial design/remedial action process. Each owner of land requiring a covenant will be expected to file the covenants in the local property records. Those owners, as well as subsequent owners, will be expected to comply with the covenants.

Once filed, the covenants will be publicly available in the local property records. The covenants will require stewardship, either by responsible parties or by governmental agencies. EPA, as part of the periodic remedy review required by Section 121(c) of CERCLA, 42 U.S.C. § 9621(c), reviews institutional controls to determine their continued effectiveness. In addition, parties performing the work at OU1 will have obligations to review the institutional controls under an Institutional Controls Implementation and Assurance Plan.

EPA has selected Alternative 2D, not Alternatives 3 or 4. Regardless of which Alternative was selected, the exact details of any wetlands mitigation activities cannot be identified until the remedial design/remedial action process.

Comment: One commenter stated that EPA should reexamine the proposed selection of Alternative 2D in order to stay consistent with internal guidelines, state regulations, and federal regulations. The commenter explains that EPA did not follow guidelines because it did not choose the remedy that best provides for the community. The commenter claims that Alternative 3 is the most cost-effective option if evaluated in terms of long-term effectiveness, reduction of toxicity and community acceptance. The commenter adds that EPA should consider the worst-case scenario when evaluating the remedy and the costs posed by failure of the Selected Remedy.

Response: EPA disagrees with commenter's assertions that EPA did not follow all appropriate internal guidelines and federal regulations in the development, proposal and selection of Alternative 2D, and disagrees with the commenter's understanding of the nine evaluation criteria set forth in the NCP. EPA is not required to select the most cost-effective remedy, but instead must select a remedy that is cost-effective and represents the best balance of the nine criteria. As discussed in the response to an earlier comment, cost-effectiveness deals with the reasonableness of the relationship between the effectiveness afforded by each alternative and its costs compared to other available options. Alternative 3 is not cost-effective because its estimated costs are more than three times the cost of remedies like Alternative 2D without a significantly greater reduction in risk. Alternative 2D, but presents significantly greater short-term risks. Additionally, were portions of the landfill to fail after implementation of Alternative 2D, the sum of the additional cost to fix the landfill and the initial cost of the remedy would still be significantly less than the cost of Alternative 3.

Comment: One commenter asserted that Alternative 3 is the only alternative that presents a permanent solution for OU1 and that the long-term protectiveness and costs of consolidation and capping alternatives are uncertain. The commenter added that EPA should better explain the

uncertainties with containment remedies like Alternative 2D and the uncertain costs beyond 30 years, the period for which costs are considered.

Response: EPA disagrees with commenter's assertion that Alternative 3 is the only alternative that presents a permanent solution. Consolidation and capping remedies have been used successfully at numerous sites throughout the country, including three other landfills at the Site that contain PCBs. Containment remedies employ proven technologies that are protective over the long term provided that they are maintained. EPA acknowledges that there will be long-term maintenance costs at OU1 that extend beyond 30 years. EPA typically considers a 30-year period when calculating the "total present worth" cost of Superfund remedial alternatives because, based on the calculations that deal with the time value of money, costs beyond 30 years do not significantly change the dollar value of the total present worth cost.

Comment: One commenter stated that EPA should prefer Alternative 3 because CERCLA gives preference to alternatives that permanently and significantly reduce the volume, toxicity or mobility of hazardous substances.

Response: The commenter appears to be referring to CERCLA's preference for remedies employing treatment that permanently and significantly reduces the toxicity, mobility, or volume of the hazardous substances, pollutants, or contaminants as a principal element. Excavation and off-site disposal of the waste, the primary components of Alternative 3, does not constitute treatment and does not reduce the toxicity, mobility, or volume of the waste. Alternative 3 simply moves the waste to another location.

Comment: In considering the implementability of Alternative 2D, a commenter suggested that EPA's five-year review process may not provide enough frequency of observation to adequately monitor the protectiveness of the remedy and that EPA consider adaptive management. The commenter adds that EPA should specify how the long-term monitoring plan will be implemented.

Response: Through the five-year review process, EPA will conduct comprehensive reviews of the remedy. In addition to five-year reviews, EPA will require regular inspection and O&M of the landfill cap, the groundwater monitoring system, and the gas collection system, including any necessary repairs of these systems. EPA will also require that compliance with institutional controls, which are required as part of the remedy, be achieved and maintained. Collectively, these actions will help ensure the long-term protectiveness of the remedy. The details of the O&M requirements will be provided in a comprehensive long-term monitoring plan developed for OU1 during the remedial design/remedial action process.

Comment: One commenter said that EPA should reconsider the cost-benefit analysis for Alternative 2C because several studies indicate that incinerators may be a cost-effective solution for hazardous waste.

Response: When EPA selects incineration as a remedy, it is typically for sites with small volumes of acutely hazardous and highly mobile waste. OU1 is not the type of site for which incineration is considered a viable remedy because OU1 contains a large volume of waste (1.6 million cubic yards) that is relatively immobile and mostly found in low concentrations. Additionally, incineration is an expensive remedy. Alternative 2C considers incineration of approximately 10 percent of the OU1 waste, with the cost of incineration being \$21M in addition to all other costs. Since the waste materials at OU1 are already immobile – one of the potential end goals of treatment – incinerating some of the waste will not increase protectiveness. For these reasons, incineration is not a cost-effective cleanup option at OU1.

Comment: One commenter suggested that because the FS and Proposed Plan state that Alternative 3 is viable (because it is implementable and proven) and because it is supported by the community, EPA should either select that alternative or better explain its lack of viability.

Response: Alternative 3 may be implementable, but it is not cost-effective, as discussed in the response to earlier comments. EPA is required to select a cost-effective remedy, and therefore cannot select Alternative 3.

Comment: Two people criticized EPA's efforts to reach out to the general public and minorities in the community. One commenter said that EPA should have employed flyers and worked with stakeholder groups.

Response: Through recent years, EPA has held community meetings at locations close to the Site so as to be accessible to members of the surrounding community. EPA has also sought to attend the meetings of different stakeholder groups as a way of reaching all members of the community. During the proposed plan public comment period, EPA, with the assistance of the KRCC, coordinated with the Hispanic Heritage Council and held a discussion session at its facility. EPA also coordinated with the KRCC to disseminate flyers to local residents near OU1 immediately prior to the start of the public comment period. EPA will continue to conduct outreach to all community members as the site cleanup moves forward.

Comment: One commenter expressed the belief that Alternative 2D is the proposed remedy because EPA and MDEQ prioritize money over public health. The commenter also stated his belief that, in regards to BioPath Solutions, EPA is "going to give them the runaround."

Response: EPA considers cost in the remedy selection process by determining if a remedy is cost-effective, which it must be in order for EPA to select it. Alternative 3 is not cost-effective because its estimated costs are more than three times the cost of Alternative 2D without a significantly greater reduction in risk, and with significantly greater short-term risks. Despite numerous communications between EPA and BioPath Solutions representatives, substantiation of BioPath Solutions' technology as an effective cleanup option for site wastes was not provided to EPA, therefore was not further evaluated for site cleanup.

Comment: One commenter raised concerns about 110,000 truckloads going through the community under Alternative 3.

Response: EPA is not selecting Alternative 3. EPA estimates that implementation of Alternative 3, total removal, would require the shipment of approximately 110,000 truckloads of waste from OU1 through the neighborhood to the highway. This amount of truck traffic through residential areas presents a high short-term risk and factored into EPA's remedy selection process.

Comment: One commenter expressed concern about the length of time that it has taken to clean up OU1.

Response: EPA has followed the Superfund remedial process at OU1 and the Site overall, and acknowledges that this process can be lengthy.

Comment: One commenter noted that Alternative 2B was protective of the environment and, emphasizing the downstream risk to fish and wildlife, urged EPA to select Alternative 2B. The commenter stated that the money saved by selecting Alternative 2B could be used in other downstream areas of the Site.

Response: EPA is selecting Alternative 2D for OU1 because it represents the best balance of Superfund's nine remedy selection criteria, which include costs, and is more protective than Alternative 2B.

Comment: One commenter expressed concern that funds earmarked for OU1 not be used elsewhere on the Site.

Response: Bankruptcy funds in the Lyondell Environmental Trust can be used elsewhere on the Site if not needed at OU1.

Comment: One commenter inquired as to how the recent decrease in gasoline prices impacted EPA's cost analysis of the off-site disposal alternative.

Response: FS-level cost estimates are not subject to constant revision with the rising and falling values of different commodities such as gasoline prices. Further, changing gas prices should impact the costs estimates for each alternative. Therefore, EPA's comparison of alternative costs, relative to one another, would not change significantly. Fluctuating gas prices do not change EPA's determination that Alternative 3, excavation and off-site disposal of the waste, is not cost-effective.

Comment: One commenter expressed concerns about EPA's proposed remedy, asserting that EPA did not sufficiently explore off-site disposal because there is a commercial landfill that can accept PCBs in Michigan.

Response: The commenter's statement is not accurate. EPA considered landfills in Michigan capable of accepting PCB-contaminated waste (both TSCA and non-TSCA) in its cost evaluation of Alternative 3.

Comment: One commenter expressed concerns that if waste were to remain in place, monitoring would go on in perpetuity, that OU1 would have fences in perpetuity, and that 1600 feet of sheet pile wall would be an eyesore in perpetuity.

Response: EPA acknowledges that Alternative 2D will require monitoring of OU1 in perpetuity. After the remedy is implemented there will be a vast reduction in the amount of fencing at OU1. As a part of Alternative 2D, fences will be required at only a small portion of the OU1 property to protect mechanical components of the landfill gas collection system and perhaps other limited components of the remedy. Fences will not otherwise impede access and reuse at OU1. As discussed in the Proposed Plan, implementation of Alternative 2D will include removing at least most of the above-ground portions of the sheet pile wall. EPA does not expect the remaining wall to be a dominant visual feature at OU1 following implementation of the remedy.

Comment: Multiple people commented that EPA did not consider that Allied Landfill is located in an environmental justice area. One commenter cites Executive Order 12989 on Environmental Justice which requires federal agencies to identify environmental justice areas, address their adverse human health issues to the extent allowable by law and to provide access to public information and participation.

Response: EPA acknowledges that the area surrounding OU1 is an environmental justice area. Accordingly, EPA reached out to the surrounding community through mailings, door-to-door dissemination of Site information, and by holding numerous availability sessions in the surrounding area.

Comment: One commenter said that a lower-elevation landfill would require less maintenance over the long term.

Response: Once the remedy has been constructed, the long-term maintenance required for Alternative 2D is likely to be largely commensurate with a lower-elevation landfill like that included in Alternative 2B. EPA recognizes that some additional costs may be incurred, but as explained in the ROD, Alternative 2D represents the best balance of tradeoffs among all nine remedy selection criteria from the NCP.

Comment: One commenter stated that EPA is proposing a remedy for a site with no ERC (EPA believes the commenter to mean an environmental restrictive covenant, a form of institutional control) in place, so the restrictions will not be adhered to.

Response: Under the Selected Remedy, Alternative 2D, EPA will seek to ensure that institutional controls are put in place and complied with in the future. Institutional controls will help ensure the long-term protectiveness of the remedy.

Comment: Multiple commenters stated that EPA should select Alternative 3 because it would have a greater positive impact on property values and have a greater social benefit when compared to Alternative 2D. One commenter said that the best option for the local community would be Alternative 3, because it reduces or eliminates future requirements at the site, would result in a greater chance of reuse of the property, and would help increase property values in the local area. Another commenter cites studies claiming that hazardous sites like landfills can have a negative impact on surrounding property values.

Response: EPA does not select remedies based upon projected property value, social cost-benefit analyses at or around a site, or potential taxable income stemming from the reuse of a site. EPA is required to select remedies based on the nine evaluation criteria set forth in the NCP. EPA notes that the City intends to seek productive reuse of the OU1 property, and that such productive reuse can be possible after implementation of the Selected Remedy, Alternative 2D.

Comment: One person commented that there has been considerable public debate about whether OU1 threatens the City well field. The commenter stated that significant paper residuals located beneath PCB contamination act as a buffer, that the cap in the consolidation remedy should be more than enough to contain PCBs, and that data shows groundwater flows towards Portage Creek and not towards the well field.

Response: EPA agrees with the comment. All available data indicate that groundwater at OU1 does not flow towards the City well field. Installation of a cap will significantly mitigate risks posed by contaminated materials at OU1.

Comment: One commenter stated that the Site was listed on the NPL because of the risk of people eating fish. The commenter concluded that areas downstream should be prioritized and that available funds from the bankruptcy should be directed towards downstream cleanup.

Response: Consumption of contaminated fish is one of the current risks at OU1. Implementation of Alternative 2D will address that risk. EPA notes that remedial investigations and feasibility studies are underway for the river portion of the Site and that EPA issued its first ROD for the river portion of the site in September 2015. At this time EPA cannot comment on the specific use of available OU1 funds for future response actions downstream at the Site.

Comments by the City of Kalamazoo

The City of Kalamazoo submitted written comments on the Proposed Plan. The City's full letter is included in the Administrative Record.

Comment: In its comment letter, the City stated that the letter supersedes all of the past technical and associated comments that the City has provided to EPA on OU1, as those comments have been adequately addressed.

Response: This comment is noted.

Comment: The City expressed gratitude to EPA Region 5 for its willingness to engage in discussions with the City and MDEQ on potential plans for OU1. The City also expressed that even though they would prefer total removal of the waste, they support Alternative 2D because it is a reasonable alternative that meets the City's goals of protectiveness, connectedness, accessibility and productivity for OU1.

Response: These comments are noted.

Comment: The City expressed its strong commitment to ongoing joint stewardship and partnering regarding OU1 and the surrounding areas. The City stated its wish to be involved in the long-term management and oversight of OU1, with its chief concerns being: a) public access and recreation; b) areas set aside for economic development; and c) ongoing groundwater monitoring and assessment.

The City expressed its desire to be involved with the future site design and implementation of Alternative 2D. In regard to the design challenges posed by Alternative 2D, the City anticipates that City staff will participate in this process and the City believes it can provide key information and insight into the design and implementation of the overall proposed remedy.

Response: EPA believes that the City is uniquely positioned to be the long-term steward of OU1 and understands the City's long-term concerns at OU1. EPA is committed to seeking the City's involvement with and input on the design and implementation of the OU1 remedy.

Comment: The City expressed its intent to acquire the former Panelyte site that is adjacent to OU1 and to incorporate the property into the economic redevelopment of various portions of OU1. The City believes that its acquisition of Panelyte will also assist with the overall remedy implementation at OU1.

Response: This comment is noted.

Comment: The City expressed its appreciation of the additional characterization and groundwater monitoring that EPA conducted in 2014, which reduced the City's concerns and uncertainty regarding contaminant fate. The City also expressed its desire to provide input in the development and implementation of the groundwater monitoring plans for OU1 as a part of the City's ongoing stewardship of the groundwater within the City, particularly those areas around the Central Wellfield. This will include involvement in the formal effectiveness and protectiveness reviews by EPA and MDEQ every five years to ensure that the implemented remedy is still protective of the City's vital groundwater resource.

Response: EPA intends to work with the City during the design and implementation of the groundwater monitoring system. EPA expects to seek City input and involvement in all groundwater data reviews.

Comment: The City recognizes the need to ensure that designed features for OU1 that have been appropriately implemented will require monitoring and oversight. Within the public access and recreation area, the City anticipates it will be involved with future programming, oversight, and monitoring of activities within the remediated areas. The City also expressed the desire to be involved with the coordination of efforts regarding long-term oversight and ownership of the capped areas that will become available for public recreation. The City stated that it is appropriate that such areas have local government involvement and oversight, as well as operation and maintenance activities for the site where adequate funding is available to conduct such responsibilities.

Response: As stated in an earlier response, EPA believes that the City is uniquely suited to be the long-term steward of OU1. EPA will seek to have City stewardship at both capped and uncapped areas of OU1. EPA expects that this stewardship will include monitoring and maintenance activities at all parts of OU1.

Comment: At the remediated and uncapped portions of OU1 that have been appropriately delisted and prepared for redevelopment, the City fully intends to facilitate and actively assist in marketing of these properties as part of the ongoing redevelopment activities at the site. The City will also endeavor to assist with the development of any necessary deed restrictions, ordinances, or other environmental covenants that may be needed to appropriately create opportunities for public access, recreation, and economic redevelopment of the remediated Allied Landfill site.

Response: After the remedy is implemented, there will be areas in which redevelopment may be possible. EPA expects the City to cooperate in the placement, implementation and monitoring of institutional controls, such as deed restrictions, as a part of its stewardship role at OU1.

Comments by the Kalamazoo River Watershed Council

Comment: The KRWC stated that Alternative 2D is an acceptable compromise between the CERCLA guidelines and the community's desire to redevelop part of the site, but that any funding needed greater than the money in the bankruptcy trust specific to OU1 not come from other parts of the bankruptcy settlement, which should be directed to the rest of the Superfund Site downstream of OU1. The KRWC stated that remediation and restoration of the Kalamazoo River downstream continues to be hampered by inadequate funding, and those funds would best be applied there, where PCBs continue to be a problem in fish and the people and wildlife that consume them.

Response: EPA will seek to ensure full implementation of the remedies at OU1 and the river portion of the Site. However, at this time EPA cannot comment on the specific use of available bankruptcy funds.

Comments by the Kalamazoo River Cleanup Coalition

Comment: The KRCC stated its qualified support of Alternative 2D as the cleanup plan for OU1, as it was developed and added to the FS with the assistance of officials and citizens from

the City of Kalamazoo. The KRCC prefers total removal of all the site contaminants, but is willing to support option 2D as long as it is fully protective of human health and the environment.

Response: EPA acknowledges the comment and reiterates that Alternative 2D is protective of human health and the environment.

Comment: The KRCC is in favor of there being fewer rather than more PCBs left on the site after the selected remedy is implemented, and requests that if any "hotspots" of PCB-contaminated soils and paper residuals are found during the implementation of the remedy that those be taken away and removed from the site completely.

Response: EPA evaluated the potential for hotspot identification and removal at OU1 during the FS. EPA concluded that high concentrations of PCBs are not aggregated as "hotspots." Rather, the PCBs at OU1 exhibit a "salt and pepper" distribution with high and low concentrations of PCBs scattered throughout the residual-containing areas. As described in Appendix E of the November 2013 FS, it is not practicable to manage these randomly distributed areas as "hotspots." Further, since the PCBs are already immobile within the waste and it is possible to prevent exposure to PCB-containing waste with engineered barriers, removing higher concentrations of PCBs would serve to increase the cost of the remedy without increasing protectiveness.

Comment: The KRCC requested that language be added to the ROD to assure the citizens of Kalamazoo that no additional contaminants will ever be placed on the site again.

Response: EPA cannot include in the ROD the specific language requested by the KRCC. However, through the use of institutional controls, EPA will seek to ensure that OU1 is only used in a manner that is protective of human health and the environment.

Comment: The KRCC requested that EPA write the ROD in such a way as to leave open the possibility for total removal of all remaining contaminants on the site.

Response: EPA is selecting Alternative 2D as the remedy for OU1. If EPA later determines that a change to Alternative 2D or a different remedy altogether is necessary to achieve long-term protectiveness, EPA can change the remedy for OU1 through a ROD Amendment or other appropriate decision document, as allowed by CERCLA and the NCP.

Comment: The KRCC is in favor of EPA being more innovative rather than less, including being willing to explore emerging technologies for removal or destruction of PCBs and other contaminants on this site.

Response: EPA thoroughly evaluated the potential application of currently available treatment technologies for addressing the waste at OU1. EPA is committed to the exploration of treatment technologies and seeks to responsibly employ those technologies whenever possible.

69

Comment: The KRCC encouraged the use of local contractors and employers for the design and implementation of the selected remedy when possible.

Response: To the extent that it can, EPA will encourage the parties designing and implementing the remedy to use local contractors whenever possible.

Comment: The KRCC commented that it looks forward to the continued collaboration between the EPA, the City of Kalamazoo and its citizens as the Allied Paper Landfill remedy is selected and enters the design phase.

Response: EPA acknowledges this comment and also looks forward to continued engagement with stakeholders.

Comments by the Natural Resource Trustee Council

The Natural Resource Trustee Council (Trustees), comprised of the Michigan Department of Environmental Quality, the Michigan Department of Natural Resources, the Michigan Attorney General, the U.S. Fish and Wildlife Service, and the National Oceanic and Atmospheric Administration, provided written comments on the proposed remedy from a Natural Resource Damage Assessment and Restoration perspective.

Comment: The Trustees support Alternative 2D based upon EPA's evaluation of the nine criteria. Alternative 2D provides a greater buffer area from the landfill to Portage Creek with opportunities to capitalize on excavations in the floodplain to potentially increase flood capacity, wetland habitat and to provide a more natural stream environment. The Trustees recommend the development of a 50-foot-wide natural buffer and 200-foot setback for structures along Portage Creek. The Trustees also suggest restoration considerations like natural streambank construction. Lastly, the Trustees offer to coordinate with EPA on beneficial reuse opportunities including their planned removal of the Alcott Street dam.

Response: EPA notes the Trustees' support of EPA's selection of Alternative 2D. During design and implementation of the remedy, EPA intends to consult with the Trustees on mitigation and restoration issues.

Comments by International Paper

Comment: Citing to prior EPA statements, IP asserted that OU1 is a low-risk site. IP further notes that there is no off site migration of contaminated groundwater.

Response: As reflected in the Proposed Plan, this ROD, and the administrative record, OU1 poses a risk (including both cancer risk and non-cancer hazard) to human and ecological receptors through exposure to PCBs. The exposed PCB-contaminated soils, sediments, and paper residuals at OU1 present a human health risk via the direct contact and ingestion exposure pathways. PCBs bioaccumulate in fish which can then be consumed by anglers. Absent a remedy, humans may be exposed to PCB-contaminated soils and sediments. The contaminated materials also pose an ecological risk via direct contact and ingestion pathways. Exposed soils, sediments, and paper residuals currently act as a source of contaminants to Portage Creek via erosion and may result in increased aquatic risk. Additionally, active groundwater seeps at OU1 discharge low levels of PCBs to Portage Creek. The greatest aquatic risk is to fish, which may consume contaminated sediments, and subsistence anglers that consume contaminated fish. Therefore, although there is currently no off site migration of contaminated groundwater from the Allied Landfill, remedial action is required and appropriate to respond to the above-mentioned risks.

EPA has publicly stated that Allied Landfill poses a low-level risk relative to other Superfund sites and therefore would likely rank lower in the risk-based funding prioritization process than other sites. It is important to note that this statement was made only in the context of discussing funding priorities. Nothing in this statement was meant to suggest that the threats to human health and the environment at Allied Landfill, discussed above, do not require remediation.

Comment: IP asserted that technical questions regarding Alternative 2D call into question its implementability. IP asserts that some of the materials to be consolidated are unstable.

Response: EPA acknowledged in the FS Addendum which describes Alternative 2D that geotechnical testing and stability measures will be required for the implementation of this alternative. Based upon the remediation of the other Site landfills, EPA believes that the materials at OU1 can be stabilized, if necessary, through compaction and the addition of stabilizing agents, as well as through the proper sloping and benching of the landfill. As with any engineered remedy, the need for stabilization measures will be determined during the remedial design/remedial action process.

EPA recognized in the Proposed Plan that Alternative 2D presents greater implementability issues due to decreased landfill footprint, increased excavation activities, increased consolidation volumes, and the need for additional stabilization measures. However, these issues are merely differences in degree, not kind. Both Alternatives 2B and 2D present these issues, but they are just different in scope and detail for Alternative 2D. Therefore, while Alternative 2D may be more complex and require additional engineering compared to some of the other alternatives, Alternative 2D is not conceptually different and is fully implementable.

Comment: IP noted that Alternatives 2B and 2D both meet the two CERCLA threshold criteria.

Response: Under the NCP, EPA considers nine criteria when selecting a remedy. Two of those criteria (overall protection of human health and the environment, and compliance with ARARs) are considered threshold criteria that a remedy must satisfy in order to be selected. EPA agrees that Alternatives 2B and 2D both satisfy the threshold criteria, as do each of the other options analyzed in the Proposed Plan and this ROD (except for the no-action alternative).

Comment: IP criticized the cost of Alternative 2D compared to Alternative 2B, asserting that the increased cost of Alternative 2D was unwarranted. IP also asserted that EPA failed to account for the costs of predesign investigations and stabilization matters in its cost estimate. IP also asserted that redevelopment was not cost-effective.

Response: EPA is statutorily required to select remedies that are cost-effective. Superfund's July 1999 guidance document entitled "A Guide for Preparing Superfund Proposed Plans, Records of Decision, and other Remedy Selection Documents" specifically states that more than one alternative can be cost-effective and that Superfund does not mandate the selection of the most cost-effective alternative. It further states that the most cost-effective alternative may not present the best balance of tradeoffs in the context of the nine remedy selection criteria. A remedial alternative is cost-effective if its "costs are proportional to its overall effectiveness."

As discussed in Part 2 of this ROD, the long-term effectiveness and permanence of Alternative 2D is enhanced by the increased width of the clean setback between the consolidation area and Portage Creek. The clean setback under Alternative 2D is significantly larger than that provided by the other alternatives that leave waste in place and will reduce the potential for erosion of COC-containing materials into Portage Creek. As pointed out by the natural resource Trustees in their comments, the increased setback available under Alternative 2D allows for greater stormwater management than would be possible under Alternative 2B, because Alternative 2D could allow for a greater widening of Portage Creek, a configuration that would be better able to handle increased water flow during flood events.

Additionally, the long-term stewardship associated with Alternative 2D will also provide increased protectiveness. Superfund cleanups that involve leaving waste in place require stewardship of the property in perpetuity. EPA's September 2005 task force report entitled "Long-Term Stewardship: Ensuring Environmental Site Cleanups Remain Protective Over Time" addresses issues like those posed at OU1. In evaluating the role of long-term stewardship (LTS), the report states that "site reuse can also help ensure the protection of the remedy itself. For example, sites with active users can help ensure that LTS requirements or activities are occurring, as well as ensure that inappropriate uses of the site are not occurring."

The City of Kalamazoo has made it clear that it is interested in providing stewardship under Alternative 2D. The City has also made it clear to EPA that it is not interested in providing long-term stewardship at OU1 under Alternative 2B, under which the only potential reuse for the former operational areas of OU1 would be for recreational facilities. EPA is statutorily barred from conducting long-term operation and maintenance at Superfund sites. OU1 is currently owned by a bankruptcy trust with limited funding and which can remain in existence only as long as that funding lasts. The City, therefore, is an excellent potential long-term steward for OU1. For these reasons, EPA believes that the increased costs of Alternative 2D are proportional to the increased protectiveness it offers, that Alternative 2D is cost-effective, and that Alternative 2D presents the best balance of tradeoffs with respect to the remedy selection criteria.
The costs associated with predesign investigations and stabilization matters were factored into the cost estimate for Alternative 2D. For example, the cost estimate includes placing the material in 12-inch lifts and compacting the material for stabilization. To address stability issues with the height of the landfill, bench drains were also included in the cost estimate. Bench drains are flat areas along the sides of the landfill that are designed to intercept storm water flow and provide drainage to prevent erosion. As with any of the containment remedies, the exact amount of materials requiring stabilization is not yet known, but EPA has an overall estimate of the amount of materials subject to consolidation, and EPA's cost estimates are based upon this estimate. The need for stabilizing agents cannot currently be assessed for any of the alternatives. Should EPA determine that the cost to implement Alternative 2D is significantly greater than currently estimated, EPA will consider issuing an Explanation of Significant Differences or a ROD Amendment as necessary to address such a cost increase.

IP asserted that the additional costs of Alternative 2D compared to Alternative 2B were not cost-effective, on a per-acre basis, from a redevelopment perspective. However, as explained above, EPA is selecting Alternative 2D because it represents the best balance of tradeoffs with respect to the remedy selection criteria. EPA's analysis of Alternative 2D did not depend on any actual redevelopment but instead on the increased long-term protectiveness that will result from the increased pullback from Portage Creek and from the potential for City stewardship over the OU1 property because of the potential for redevelopment.

Comment: IP asserted that Alternative 2B better meets the five CERCLA balancing criteria better than does Alternative 2D. IP suggests that Alternative 2B can be as effective and protective in the long term as Alternative 2D. IP suggests that Alternative 2B has a greater shortterm effectiveness than Alternative 2D because it will require a shorter period of time to implement and require fewer truck trips. IP also suggests that Alternative 2D is more difficult to implement because of the decreased landfill footprint, increased excavation activities, increased consolidation volumes, and the need for additional stabilization measures. Finally, IP notes that Alternative 2B is less costly than Alternative 2D.

Response: As indicated above, a remedy must meet the threshold selection criteria of protectiveness and compliance with ARARs. In selecting between remedial alternatives which meet those threshold criteria, EPA considers five "balancing criteria": long-term effectiveness and permanence; reduction of toxicity, mobility or volume through treatment; short-term effectiveness; implementability; and cost. After considering each of those criteria, as well as the two modifying criteria (state acceptance and community acceptance), EPA selects an alternative which it believes achieves the best balance among the alternatives. As indicated in the Proposed Plan and this ROD, EPA has carefully considered each of the balancing criteria in selecting the OU1 remedy. When all of the balancing criteria are considered together, EPA believes that the additional long-term effectiveness and permanence provided by Alternative 2D outweighs the minor advantages that Alternative 2B may have with respect to some of the other balancing criteria.

EPA disagrees that Alternative 2B is as protective in the long term as Alternative 2D. For reasons stated elsewhere in this ROD, EPA believes that Alternative 2D is more effective and protective in the long term. The increased pullback creates a more protective buffer between the landfill and Portage Creek and creates the opportunity for long-term stewardship. Alternative 2B lacks those features.

Alternative 2D may pose greater short-term risks than Alternative 2B, but EPA believes that it can mitigate those risks, like accidents and accidental release of contamination to Portage Creek, through the development and use of a site management plan during construction. Although Alternative 2D will include more truck traffic than Alternative 2B, such traffic will be largely on site and will not significantly increase the short-term risks. To the extent that Alternative 2D does pose greater short-term risks, EPA acknowledges this in the discussion of the balancing criteria in Section 2.10 of this ROD. In that discussion of the balancing criteria, EPA also states that the increased short-term risks are more than countered by the significantly greater long-term effectiveness and permanence of Alternative 2D.

EPA recognized in the Proposed Plan that Alternative 2D may present greater implementability issues than Alternative 2B due to decreased landfill footprint, increased excavation activities, increased consolidation volumes, and the need for additional stabilization measures. However, these issues are merely differences in degree, not kind. EPA would employ the same kinds of proven techniques and technologies to implement Alternatives 2B and 2D. While Alternative 2D may be more complex and require additional engineering compared to some of the other alternatives, Alternative 2D is not conceptually different than those other alternatives and is fully implementable.

As discussed in response to comments above, EPA appropriately considered the costs of the various alternatives. In its consideration of the five balancing criteria, EPA similarly considered the increased cost of Alternative 2D and, in its judgment and expertise, determined that the additional protectiveness provided by Alternative 2D outweighed the increased costs.

Comment: IP asserted that EPA selected Alternative 2D based on redevelopment concerns and that such concerns are not an appropriate remedy selection consideration. IP suggested that Alternative 2B is appropriate for redevelopment. IP also suggested that redevelopment should focus on greenspace development and that Alternative 2B was better for that purpose.

Response: As discussed in response to other comments, EPA did not select Alternative 2D based on redevelopment. Rather, EPA selected Alternative 2D because of the increased long-term protectiveness and permanence provided by that alternative. Other than to the extent it provides a basis for stewardship and City support of the selected remedy, redevelopment by itself played no role in EPA's selection of the remedy. As long as stewardship is obtained, EPA takes no position on what types of redevelopment should occur at OU1.

IP suggested that Alternative 2B is appropriate for redevelopment. The City, however, strongly objected to Alternative 2B and has only expressed a stewardship interest with respect to Alternative 2D. Without stewardship, Alternative 2B is less protective than Alternative 2D.

IP suggested that redevelopment should focus on greenspace development and that Alternative 2B was better for that purpose. In its comments on the Proposed Plan, the City recognized the potential role for both commercial and recreational development at OU1. However, is not appropriate for EPA, through a ROD, to compel or prefer a particular type of development or to compel future land use except to the extent necessary to implement the ROD.

IP suggested that the City's Portage Creek Corridor Reuse Plan justified the focus on green space development at the OU1 properties. The Portage Creek Reuse Plan 2008 does show plans for open space reuse of OU1. However, as evidenced by the City's comments on the Proposed Plan, the City is interested in economic as well as greenspace redevelopment at OU1.

IP noted that redevelopment was not required for the remedies at other landfills in the Allied Paper/Portage Creek/Kalamazoo River site. As described above, redevelopment is not required under Alternative 2D. The potential for City stewardship, which the opportunity for redevelopment provides, is greater for the Allied Landfill than the other landfills because of the absence of viable owners such as are present at the other landfills.

IP suggested that recreational facilities, such as trails, provides the same level of stewardship as Alternative 2D. Absent a party willing to provide the stewardship for those activities or the remainder of the properties, that assertion is simply incorrect.

IP suggested that EPA's guidelines on green and sustainable practices justifies the focus on greenspace development. EPA disagrees with IP's application of EPA's green remediation directive. EPA's goals of green remediation compel EPA to seek ways to lessen the environmental footprint of the remedial action, and is not a part of the nine remedy selection criteria as discussed in the NCP.

FIGURES



This map is neither a legally recorded map nor a survey and is not intended to be used as one. This map is a compilation of records, information and data located in various city, county, state and federal offices and other sources regarding the area shown, and is to be used for reference purposes only. Created From City of Kalamazoo Online Mapping Site. Sources: Kalamazoo, MI. Data Dates: 2009: County Basemap; 2008: Rentals Daily; Dec., Section Lines; Nov., Mowing Properties; Sept., Ownership Info; Jan., Parcels, Zoning, Landuse, Bus Stops, Bus Routes; 2007: October, Centerlines; June, Voting Precincts; Apr., School Prop.; 2006: Aug., Parking; Feb., Soils, Trees, NWI Wetlands; 2004: Dec., Elevation Contours; Nov., Structures and Roads; Aug., Bus Routes; June, Brownfields; all others Fall 2003. Map Created: 3/24/2011

FIGURE 1 Allied Zoning Area Allied Paper, Inc./Portage Creek/ Kalamazoo River Superfund Site Allied Paper, Inc. OU









Cross-Section Location Map Kalamazoo River Superfund Site

- CH2MHILL.







ž

Geologic Cross Section B-B' Groundwater Flow Net June 25-26, 2009 Allied Paper, Inc./Portage Creek/ Kalamazoo River Superfund Site Allied Paper, Inc. OU **CH2MHILL**





The conceptual site model has identified that the risks at Allied Landfill are associated with exposed residuals:	Transport mechanisms that may result in completed exposure pathways include:	Evidence of Co	mpleted Pathway
Consumption of fish.	Erosion of contaminated materials and surface water runoff to Portage Creek and Kalamazoo River System.	~	Materials with PCBs and other COCs are present in su transported to the floodplain or sediments in Portag may bioaccumulate PCBs present in Creek sediments and the environment.
Direct contact with residuals.	Tracking of exposed residuals.	\checkmark	PCBs have been detected in soil along the floodplair residential properties. Exposed residuals pose a risk
Inhalation of dust and volatile emissions from floodplain soils and consolidated residuals.	Wind dispersion of exposed residuals.	\bigcirc	Prior to the Removal Action and IRM, vapor phase Prior to the Removal Action and IRM, vapor phase Prisite boundary above the background concentrations a significant transport mechanism at the site.
Ingestion of or direct contact with groundwater.	Colloidal transport in groundwater.	\bigtriangledown	Exceedances of groundwater criteria occurred only in to the residuals. This finding supports the conclusion within the landfill.

surface soils and surface residuals and may be age Creek by erosion or surface water runoff. Fish ts. Exposed residuals pose a risk to human health

ins of the Creek adjacent to the site and on some to human health and the environment.

PCB concentrations were detected within the OU1 is, but below criteria. Air is not anticipated to be

in wells screened within or immediately adjacent on that PCB transport in groundwater is limited

> FIGURE 9 Conceptual Site Model Allied Paper, Inc./Portage Creek/ Kalamazoo River Superfund Site Allied Paper, Inc. OU









Feet

MKE \\LAKEFRONT\PROJEPA\ALLIEDPAPER_KALAMAZOOMI\MAPFILES\GWREPORT2014\FIGURE 01-01 - 2014 SITE LOCATION AND FIELD SAMPLED LOCATIONS.MXD JHANSEN1 1/30/2015 1:47:45 PM

Allied Paper, Inc. OU



3

FIGURE 13 Alternative 2A, B, C and D Containment System Cap Liner Section Allied Paper, Inc./Portage Creek/ Kalamazoo River Superfund Site Allied Paper, Inc. OU







Z

FIGURE 15 Alternative 2B & 2C Onsite Consolidation of Outlying Areas and Monarch HRDL/Containment of Former Operational Areas Beneath Impermeable Cap Allied Paper, Inc./Portage Creek/ Kalamazoo River Superfund Site Allied Paper, Inc. OU



Figure 16 Alternative 2D Onsite Consolidation With Alternate Configuration Beneath Impermeable Engineered Barrier

CH2MHILL

7

ALLIED PAPER, INC. / PORTAGE CREEK / KALAMAZOO RIVER SUPERFUND SITE ALLIED PAPER, INC. OU





ALTERNATIVE 4 FULL-ENCAPSULATING CONTAINMENT SYSTEM FIGURE 18

ALLIED PAPER, INC. / PORTAGE CREEK / KALAMAZOO RIVER SUPERFUND SITE ALLIED PAPER, INC. OU

۲ ۲

····

۰. ۰

TABLES

.

Medium	Pathway	Exposure Scenario	PCB FRG	Basis		
		Residential	1.0 mg/kg ^a	40 CFR § 761.61(a)(4)		
	Human Health	Non-Residential	10 mg/kg ^b	40 CFR § 761.61(a)(4)		
Soils		Recreational	23 mg/kg ^c	HHRA		
	Trada staal	Aquatic	0.5-0.6 mg/kg	BERA		
	Ecological	Terrestrial	6.5-8.1 mg/kg	BERA		
Subsurface Soils		Residential	1.0 mg/kg ^a	40 CFR § 761.61(a)(4)		
	Human Health	Non-Residential	10 mg/kg ^b	40 CFR § 761.61(a)(4)		
	Human Health	Recreational	23 mg/kg ^c	HHRA		
Surface and Subsurface		Terrestrial	6.5–8.1 mg/kg	BERA		
Sediments		Fish Consumption	0.33 mg/kg ^{c,d}	HHRA		
	Ecological	Aquatic	0.5-0.6 mg/kg	BERA		
Groundwater	•	Direct Contact	3.3 µg/L°	MI Part 201 direct contact criteria		
(including seeps)	Human Health	Groundwater-Surface Water Interface (GSI)	0.2 µg/L ^f	MI Part 201 GSI criteria		
Residuals	N/A	Qualitative: Where an excavation is proposed, all visible residuals are to be removed unless analytical data are available to confirm PCBs (if present) are below applicable criteria.				

OU1 Record of Decision-Allied Paper, Inc./ Portage Creek/Kalamazoo River Superfund Site

Notes:

^a Based on high-occupancy cleanup level (without conditions) set forth in 40 CFR § 761.61(a)(4).

^bBased on 40 CFR § 761.61(a)(4) with restrictive covenant prohibiting residential use.

^c Based on recreational exposure as developed in HHRA.

^d Default sediment criteria of 0.33 mg/kg will be applied to shallow soil in areas of periodic inundation due to the potential runoff of shallow soils into surface water. Evaluation of contaminated soil runoff to surface water required under R299.5728(f).

^e Groundwater for use as drinking water is not considered a complete pathway so the Part 201 Drinking Water criteria of 0.5 microgram per liter (μ g/L) was not used. The Part 201 direct contact criteria were used for protection of human health due to the presence of seeps.

^f The groundwater criteria protective of surface water is a FRG where the GSI is present (MCL 324.20120e and Part 31). BERA = baseline ecological risk assessment; HHRA = human health risk assessment; mg/kg = milligrams per kilogram;

N/A = not applicable

Source: CH2M HILL 2009

Table 2 - Summary of Final Remediation Goals for COCs other than PCBs
Allied Landfill-Allied Paper, Inc./Portage Creek/Kalamazoo River Superfund Site

	Soils/Sediments (µg/kg)					Groundwater	r and Seeps ^a (µg/L)
	Statewide	Residential	Groundwater	Residential	Non-Residential	Residential	
	Default	Drinking Water	Surface Water	Direct Contact	Direct Contact	Drinking Water	Groundwater Surface
	Background	Protection Criteria	Interface Protection	Criteria &	Criteria &	Criteria &	Water Interface
Analyte	Level	& RBSLs	Criteria and RBSLs	RBSLs	RBSLs	RBSLs	Criteria & RBSL
SVOCs							
4-methylphenol	N/A	7,400	1,000	11,000,000	36,000,000	370	30
PCDD/PCDF ^b					*		
Total TCDD Equivalent(O)	N/A	NLL	NLL	0.09	0.99	N/A	
Inorganics							
Aluminum (B)	6,900,000	1,000	N/A	50,000,000	370,000,000	50	N/A
Antimony	N/A	4,300	94,000	180,000	670,000	6	130
Arsenic	5,800	4,600	4,600	7,600	37,000	10	10
Barium (B)	75,000 °	1,300,000	660,000 (G)	37,000,000	130,000,000	2,000	1,000 (G)
Cadmium (B)	1,200 °	6,000	3,000 (G)	550,000	2,100,000	5	2.5 (G)
Chromium	N/A	30,000	3,300	2,500,000	9,200,000	100	11
Cobalt	6,800	800	2,000	2,600,000	9,000,000	40	100
Copper	32,000 °	5,800,000	100,000 (G)	20,000,000	73,000,000	1,000	18 (G)
Cyanide	390	4,000	100	12,000	250,000	200	5.2
Iron (B)	12,000,000	6,000	N/A	160,000,000	580,000,000	300 (E)	N/A
Lead (B)	21,000 °	700,000	2,500,000 (G)	400,000	900,000	4	14 (G)
Magnesium (B)	N/A	8,000,000	N/A	1,000,000,000	1,000,000,000	400,000	N/A
Manganese (B)	440,000	1,000	26,000 (G)	25,000,000	90,000,000	50	1,300 (G)
Mercury	130	1,700	50	160,000	580,000	2	0.0013
Nickel	20,000 °	100,000	100,000 (G)	40,000,000	150,000,000	100	100 (G)
Selenium	410	4,000	400	2,600,000	9,600,000	50	5
Zinc	47,000 °	2,400,000	230,000 (G)	170,000,000	630,000,000	2,400	235 (G)

^a Only the data from the 2002–2003 groundwater and seep samples are summarized to reflect conditions after removal.

^b Dioxin and furans only were sampled in 1998.

^c Background value used in RI as screening criteria; lowest risk-based level highlighted used for COC comparison.

N/A = Not Applicable, NLL= Not likely to leach, RBSL = risk-based screening level, $\mu g/kg = micrograms$ per kilogram

(B) Background, as defined in R 299.5701(b), may be substituted if higher than the calculated cleanup criterion.

(E) Criterion is the aesthetic drinking water value, as required by § 20120a(5) of NREPA 1994 PA 451, as amended by NREPA of 1994.

(G) Calculated value dependent on ph, hardness.

(O) The concentration of all polychlorinated and polybrominated dibenzodioxin and dibenzofuran isomers present at a facility, expressed as an equivalent concentration of 2,3,7,8-tetrachlorodibenzo-p-dioxin based upon their relative potency, shall be added together and compared to the criteria for 2,3,7,8- tetrachlorodibenzo-p-dioxin. Highlighted cells = lowest applicable criteria.

Source: Non-Residential Part 201 Generic Cleanup Criteria and Screening Levels; Part 213 Tier 1 Risk-Based Screening Levels, document release date March 25, 2011.

Analyte	Surface Soils	Subsurface Soils	Surface Sediments	Subsurface Sediments	Groundwater ^a	Seeps*
VOCs						
Carbon Tetrachloride	•	1/54				
Acetone			1/2			
SVOCs			·			
Acenaphthene			1/2			
Carbazole			1/2			
Dibenzofuran			1/2			
Phenanthrene		1/54				
4-methylphenol		12/54		•		
Naphthalene		1/54	1/2			
Pentachlorophenol		1/54	1/2			
Pesticides					······	
None						
PCDD/PCDF ^b						
Total TCDD Equivalent	1/8					
Inorganics						
Aluminum	1/2	26/55			5/72	1/37
Antimony		7/55				
Arsenic	1/2	9/54	1/2		23/72	10/37
Barium		23/55	1/2	1/1	4/72	4/37
Cadmium		5/55				
Chromium	2/2	53/55	2/2	1/1	1/72	
Cobalt		6/55				
Copper		23/55		1/1		
Cyanide		21/54			4/72	3/37
Iron	1/2	8/55	1/2	1/1	64/72	31/37
Lead	1/2	20/55	1/2	1/1	1/72	
Magnesium		13/55				
Manganese		4/55			66/72	36/37
Mercury		20/55		1/1		•
Nickel		1/55		1/1	4/72	1/37
Selenium		10/55	1/2	1/1		
Silver				1/1	2/72	
Sodium					4/72	
Vanadium					1/72	1/37
Zinc		28/45	1/2	. 1/1	7/72	

Table 3 - Summary of VOCs, SVOCs, Pesticides, PCDD/PCDF, and Inorganic Exceedances OU1 Record of Decision—Allied Paper, Inc./ Portage Creek/Kalamazoo River Superfund Site

Notes:

x/y = number of samples (x) exceeding screening level criteria out of number of samples (y) ^a Only the data from the 2002/2003 groundwater and seep samples are summarized to reflect conditions after removal ^b Dioxin and furans only sampled in surface soils in 1998 PCDD = polychlorinated dibenzodioxins; PCDF = polychlorinated dibenzofurans

 Table 4 - Summary of Short-term Effectiveness Considerations

 OU1 Record of Decision—Allied Paper, Inc./ Portage Creek/Kalamazoo River Superfund Site

Alternative	Total Area Addressed	Total Volume of COC-Containing Materials Excavated	Duration	Worker Risks	Community Impacts
Alternative 1	No areas addressed	No volume of impacted PCB-containing materials addressed	No time period to implement	No worker risks from implementation as no action is taken.	Potential off-site migration of COC- containing materials.
Alternative 2A	65 acres, 48 acre cap	350,000 yd ³	Approximately 2 years	Least of the active alternatives; managed by health and safety plan.	Associated with dust, noise, and truck traffic.
Alternative 2B	65 acres, 42 acre cap	479,000 yd ³	Approximately 2 years	Slightly increased due to moving Monarch HRDL; managed by health and safety plan.	Slightly increased due to dust, noise, and truck traffic.
Alternative 2C	65 acres, 42 acre cap	479,000 yd ³	Approximately 2 years	Greater than 2A and 2B due to potential exposure during characterization and transportation.	Greater than 2A and 2B due to additional management for characterization and off-site transport.
Alternative 2D	65 acres, 27 acre cap	920,000 yd ³	Approximately 3 years	Greater than 2A, 2B, or 2C due to increased excavation and consolidation volume.	Greater than 2A, 2B, and 2C due to longer construction duration and transport of backfill materials.
Subalternative (i)	N/A	N/A	Concurrent with Alternative 2 Options, but indefinite O&M	Risks are easily managed by health and safety plan. Continued risks present with operation and maintenance of treatment system.	Slightly increased over Alternative 2 options during construction due to well installation and treatment system construction.
Subalternative (ii)	N/A	N/A	Concurrent with Alternative 2 Options, but indefinite O&M	Greater risks than subalternative (i) due to construction of slurry wall. Similar O&M risks.	Slightly increased over Alternative 2 options during construction due to well installation and treatment system construction. Greater than subalternative (i) due to slurry wall construction.
Alternative 3	65 acres	1,600,000 yd ³	5 years	Greater than Alternative 2 given the area/volume of targeted material; increased travel for disposal and increased project duration.	Greater than Alternative 2 due to noise, dust, and increased truck traffic, which would average 115 trips daily in and out of OU1 for the duration of the project. Greatest number of miles driven due to volume transported to disposal facilities with limited locations.

-

<u>OUI Recora oj L</u>	Jecision—Aillei	I Puper, Inc./ Portuge	Creek/Kalamazoo	<u>Kiver Superjuna Sue</u>	
Alternative	Total Area Addressed	Total Volume of COC-Containing Materials Excavated	Duration	Worker Risks	Community Impacts
Alternative 4	65 acres, 48 acre landfill	1,600,000 yd ³	10 years	Greater than Alternatives 2 and 3 given the area/volume of targeted material and significantly increased project duration.	Greater than Alternatives 2 and 3 due to noise and dust over the longest project duration. Slightly fewer truck trips than Alternative 3, but 1/3 of the miles outside OU1 due to decreased volume transported to disposal facilities.

Table 4 - Summary of Short-term Effectiveness Considerations OU1 Record of Decision—Allied Paper, Inc./ Portage Creek/Kalamazoo River Superfund Site

.

Table 5 - Comparative Analysis of Alternatives
OUI Record of Decision-Allied Paper, Inc./ Portage Creek/Kalamazoo River Superfund Sit

Alternative	Description	Overall Protection	Compliance with ARARs	Long-term Effectiveness	Reduction of Toxicity, Mobility, or Volume through Treatment	Short-term Effectiveness	Implementability	Cost
Alternative 1	No Action	Not protective. No action would be taken.	Would not meet ARARs	Not effective. Site conditions would remain the same.	No reduction of toxicity, mobility, or volume.	No worker risks. No action to be taken.	Implementable as no action would be taken.	\$110,000
Altermetive 2	Consolidation and Ca	nning			·			
2A	Construct caps on both Monarch and Operations areas	Protective. Remaining exposed contamination would be covered and contained. Infiltration of surface water would be minimized.	Meets ARARS	Effective. Larger landfill footprint requiring O&M than Alternatives 2B, 2C, and 2D.	No reduction of toxicity, mobility, or volume would be achieved.	Implementation over 2-year period, most effective of active alternatives. Worker risk associated with dermal contact, inhalation, and ingestion. Risks are controllable. Community impacts: associated dust, noise, and traffic.	Proven technology has been implemented at similar OUs.	\$44,000,000
2B	Consolidate Monarch within Operations areas	Protective. Remaining exposed contamination would be covered and contained. Consolidation of the Monarch HRDL within the operations area would reduce the amount of monitoring required.	Meets ARARS	Effective	No reduction of toxicity, mobility, or volume would be achieved.	Implementation over 2-year period, slightly longer than 2A. Worker risk associated with dermal contact, inhalation, and ingestion. Risks are controllable. Community impacts: associated dust, noise, and traffic.	Proven technology has been implemented at similar OUs. Combining Monarch on the Operations Area would reduce the footprint of contamination.	\$43,000,000
2C	Consolidate Monarch within operations areas and transport excavated soils with PCBs >500 mg/kg off site for incineration	Protective. Remaining exposed contamination would be covered and contained. Consolidation of the Monarch HRDL within the operations area would reduce the amount of monitoring required. Off-site incineration of some of the highest PCB concentrations would be slightly more protective.	Meets ARARs	Effective	Reduction of toxicity and volume would be achieved through treatment of a portion of the material.	Implementation over 2-year period, slightly longer than 2A and 2B. Worker risk associated with dermal contact, inhalation, and ingestion due to increased management with characterization and segregation. Risks are controllable. Community impacts: associated dust, noise, traffic, and off- site transportation of contaminated materials.	Proven technology has been implemented at similar OUs. Combining Monarch on the operations area would reduce the footprint of contamination. TSCA-permitted incinerators are in limited quantity. Identifying, segregating and shipping make 2C more difficult to implement.	\$70,000,000
2D .	Consolidate Monarch and portions of Operations Areas under an approximate 27 acre cap.	Protective. Remaining exposed contamination would be covered and contained.	Meets ARARs	Effective. Increased O&M requirements over Alternatives 2A, 2B, and 2C. Community stewardship may help facilitate the monitoring and maintenance of the cap and effectiveness of controls. Provides larger clean buffer along Portage Creek.	No reduction of toxicity, mobility, or volume would be achieved.	Implementation over 3-year period is longer than 2A, 2B, or 2C resulting in increases to worker risk associated with inhalation and ingestion. Community impacts: associated dust and noise during construction and increased traffic associated with trucking backfill materials.	Proven technology has been implemented at similar OUs. Implementability challenges are increased due to the consolidation on a smaller footprint resulting in a taller landfill. Additional stabilization measures may be required.	\$63,000,000

Table 5 - Comparative Analysis of Alternatives OU1 Record of Decision—Allied Paper, Inc./ Portage Creek/Kalamazoo River Superfund Site

Alternative	Description	Overall Protection	Compliance with ARARs	Long-term Effectiveness	Reduction of Toxicity, Mobility, or Volume through Treatment	Short-term Effectiveness	Implementability	Cost
Subalternative (i)	Groundwater collection and	Protective. Achieves RAO 3 with collection and treatment of	Meets ARARs	Effective	Provides some reduction of volume through	Manageable risk associated with the installation of wells and construction of	Proven technology.	\$4,400,000 for Alternative 2A
()	treatment system	potentially impacted groundwater.	• .		treatment of PCBs in groundwater. However, minimal contaminant mass is present in the groundwater.	treatment system.		\$4,300,000 for Alternative 2B, 2C or 2D
Subalternative (ii)	Groundwater collection and	Achieves RAO 3 with collection and treatment of	Meets ARARs	Effective	Provides some reduction of volume through	Increased short-term risks to construction worker and environment	Proven technology. Implementation may result in	\$14,000,000 for Alternative 2A
	treatment system with slurry wall	potentially impacted groundwater, but may create mounding or otherwise alter groundwater flow.		·	treatment of PCBs in groundwater. However, minimal contaminant mass is present in the groundwater.	over subalternative (i) during installation of the slurry wall. Community impacts; associated dust, noise, and traffic associated with slurry wall construction.	groundwater mounding or short-circuiting around the barrier if operation of the groundwater treatment system ceased.	\$12,000,000 for Alternative 2B, 2C or 2D
Alternative 3	Total Removal and Off-site Disposal	Protective. Contamination would be disposed of at an approved landfill facility both hazardous and non-hazardous.	Meets ARARS	More effective than Alternative 2 due to removal from OU1. No cover maintenance or source for potential groundwater impacts.	No reduction of toxicity, mobility, or volume would be achieved. Volume may be increased if soils require dewatering by addition of cement.	Implementation over 5-year period. Worker risk associated with dermal contact, inhalation and ingestion would occur over a longer period of time. Risks are controllable. Community impacts: associated dust, noise, and traffic.	Proven technology, landfill space in the area could be limited requiring the hauling of waste a significant distance from OU1.	\$238,000,000
Alternative 4	Encapsulation Containment System	Protective. Little advantage achieved by construction of the liner. Compacted waste can already achieve 1×10^{-7} centimeters per second hydraulic conductivity, limiting groundwater flow through the material.	Meets ARARS	More effective than Alternative 2. The source material is fully encapsulated further minimizing potential for groundwater impacts.	No reduction of toxicity, mobility, or volume would be achieved.	Implementation over 10-year period. Worker risk associated with dermal contact, inhalation, and ingestion would occur over a longer period of time. Risks are controllable. Community impacts: associated dust and noise is the least short-term effective alternative.	Proven technology.	\$159,000,000

-

.

.

OU1 Record of Decision—Allied Paper, Inc./Portage Creek/Kalamazoo River Superfund Site

Requirement	Citation	Description	ARAR/TBC	Rationale
Tederal				
Action-Specific				
Toxic Substances Control Act (TSCA)	15 USC § 2601 to 2692	This regulation establishes prohibitions of, and requirements for, the manufacture, processing, distribution in commerce, use, disposal, storage, and marking of PCBs and PCB Items.	Applicable	Provides clean up levels and disposal requirements for PCB remediation waste including that from Superfund sites. Also allows for a site-specific risk- based evaluation for cleanup and disposal.
	40 CFR § 761.61 40 CFR 761.50(b)(3)	Under 40 C.F.R. §761.50(b)(3), PCB remediation waste is "regulated for cleanup and disposal in accordance with 40 C.F.R. §761.61." 40 C.F.R. §761.3 defines PCB remediation waste as "waste containing PCBs as a result of a spill, release, or other unauthorized disposal at any concentration from a source not authorized for use under TSCA. PCB remediation waste includes "environmental media containing PCBs, such as soil and gravel, dredged materials, such as sediments, settled sediment fines, and aqueous decantate from sediment." 40 C.F.R. §761.61(a)(4) defines "bulk PCB remediation waste "to include "soil, sediments, dredged materials, muds, PCB sewage sludge, and industrial sludges." 40 C.F.R. §761.61(c) allows for a risk based method for cleanup or disposal of PCB remediation waste when USEPA finds that that the method of disposal will not pose an unreasonable risk of injury to human health and the environment. 40 CFR §761.61(a)(4)(B)(2) sets forth requirements for off-site disposal of remediation waste.	Applicable	A risk based method for PCB remediation waste, including on-site disposal, can be approved by USEPA if the remedial alternative does not pose an unreasonable risk of injury to health or the environment. Soil/sediment from OU1 that contain PCB concentrations and are intended for offsite disposal will comply with 40 CFR §761.61(a)(5)(i)(B)(2) and 40 CFR §761.62(a)(5)(v). Alternatives with offsite disposal of soil/sediment with PCB concentrations < 50 ppm will likely be disposed of in a licensed state solid waste facility.
Clean Water Act (CWA) (See Federal Water Pollution	33 USC § §1344 40 CFR § 230 33 CFR § 323 40 CFR 230.94(c)	Requires approval from USACE for discharge of dredged or fill material into waters of the United States (CWA Section 404 Permit) including the creek, floodplain, or wetland. Provides guidelines to	Applicable	See also Section 10 of the Rivers and Harbors Appropriations Act. The substantive requirements of a permit for discharge of dredged materials will

OU1 Record of Decision—Allied Paper, Inc./Portage Creek/Kalamazoo River Superfund Site

.

Requirement	Citation	Description	ARAR/TBC	Rationale
		· · · · · · · · · · · · · · · · · · ·		
Control Act) and corresponding regulations	· · · · · · · · · · · · · · · · · · ·	restore and maintain the chemical, physical, and biological integrity of waters of the U.S. by controlling discharge of fill material. If any wetlands are filled, Superfund policy is to require a minimum of one acre of wetlands mitigation for each acre of wetland filled. (See "Considering Wetlands at CERCLA Sites" OSWER 9280.0-03). The Federal Mitigation Rule is set forth at 40 C.F.R. § 230.94(c)(2-14).		be met. Excavation within the creek would constitute discharge of dredged material. Requirements are likely to include measures to minimize re- suspension of sediments and erosion of sediments during excavation. Wetlands were delineated as part of the RI. Applicable for remedial alternatives that impact wetlands.
	33 USC § §1251 40 CFR § 122 40 CFR § 125 40 CFR § 136	Types of discharges regulated under the CWA include: discharge to surface water (including storm water), direct discharge to a POTW, and discharge of dredged or fill material into United States waters. Establishes site-specific pollutant limitations and performance standards which are designed to protect surface water quality. Requires implementation of best management practices to control run-off from construction activities.	Applicable	Applies to remediation alternatives which treat and/or discharge water. State standards that are more restrictive than federal criteria become the applicable requirement, consistent with CERCLA 121(d). Best management practices will likely include minimal clearing for grading and equipment operations, erosion and sediment control measures, and structural controls required to control surface water runoff.
	40 CFR § 129	Establishes effluent standards for toxic compounds including PCBs.	Applicable	Applicable for remedial alternatives that would include discharge of water to Portage Creek.
Section 10 of the Rivers & Harbors Appropriation Act of 1899	33 USC § 403	Requires approval from USACE for dredging and filling work performed in a navigable waterway of the U.S. Prohibits creation of any obstructions not affirmatively authorized by Congress to the navigable capacity of any water in the United States.	Applicable	Remedial activities may be conducted in such a way as to avoid obstruction or alteration to Portage Creek channel including removal of material abutting the Portage Creek channel. Nationwide Permit #38 is applicable. Typical substantive requirements of dredging permits include measures to minimize re-suspension of sediments, and minimize effects on natural and historic resources See also Clean Water Act

.

OU1 Record of Decision—Allied Paper, Inc./Portage Creek/Kalamazoo River Superfund Site

Requirement	Citation	Description	ARAR/TBC	Rationale
Criteria For Classification Of Solid Waste Disposal Facilitles And Practices	40 CFR § 257	Sets forth criteria for determining which solid waste disposal facilities and practices pose a reasonable probability of adverse effects on health or the environment.		These criteria apply to the consolidation of wastes on OU1.
Criteria for Classification of Solid Waste Disposal Facilities and Practices (RCRA Regulations)	40 CFR § 257	Establishes standards for the management and disposal of solid waste, including: 1) Facility or practices in floodplains will not restrict the flow of base flood, reduce the temporary water storage capacity of the floodplain, or otherwise result in a washout of solid waste; 2) Facility or practices shall not cause discharge of dredged or fill material into waters of the United States; 3) Facility or practice shall not allow uncontrolled public access so as to expose the public to potential health and safety hazards; 4) Covers groundwater monitoring and corrective action requirements under Subpart E and closure and post closure care under Subpart F.	TBC	May be considered as it offers guidance on management and disposal of waste.
Resource Conservation and Recovery Act (RCRA) (see Solid Waste Disposal Act)	42 USC §§ 6901 to 6992k	RCRA addresses solid and hazardous wastes in or on the land; requires the conversion of existing open dumps to facilities which do not pose a danger to the environment or to health.	Applicable	Provides standards for management of solid waste.
Clean Air Act	42 USC §§ 7401 to 7671q	Establishes requirements for sources of hazardous air pollutants such as PCBs; establishes requirements for constituent emission rates in accordance with National Ambient Air Quality Standards.	Applicable	Applies to CERCLA sites that may emit measurable quantities of hazardous air pollutants and particulate matter if threshold values are exceeded. Here there may be a release of a particulate matter and hazardous air pollutants during clearing, grubbing, excavation or cap installation.
·	· · · · · · · · · · · · · · · · · · ·	Provides guidelines with respect to minimizing the harmful effects of fugitive dust and airborne contaminants that result from excavation,	Applicable	May be appropriate for remedial alternatives that include excavation/removal of residual/ soil.

ES122911103434MKE

1

A.

.

OU1 Record of Decision—Allied Paper, Inc./Portage Creek/Kalamazoo River Superfund Site

Requirement	Citation	Description	ARAR/TBC	Rationale
		construction, and other removal activities. Establishes primary and secondary ambient air quality standards for emissions of chemicals and particulate matter.		· · · · · · · · · · · · · · · · · · ·
Approach for Addressing Dioxin in Soil at CERCLA and RCRA Sites	OSWER Directive 9200.4-26	This Directive sets forth policy basis for these recommended levels and prescribes procedures for implementing these recommendations.	твс	Dioxins are present in surficial soils where sampled Additional sampling will be conducted to confirm that dioxins do not exceed recommended levels.
Migratory Bird Treaty Act	16 USC 703–711	Establishes federal responsibility for the protection of the international migratory bird resources. Taking, killing, or possessing migratory birds is unlawful. If migratory birds, their active nests, or eggs are discovered they may not be disturbed or destroyed.	Applicable	The presence of migratory birds will be evaluated and during remedial design and appropriate measures implemented during remedial construction to assure that the cleanup of the Site does not unnecessarily impact migratory birds.
Location-Specific	· ·			
Executive Order 11990 – Protection of Wetlands	42 Fed. Reg. 26961 (May 24,1977)	Orders federal agencies to minimize the destruction, loss or degradation of wetlands, and to preserve and enhance the natural and beneficial values of wetlands when carrying out federally required activities.	ТВС	Any dredging, excavation or filling operation, field work disturbing designated wetlands or floodplains are required to adhere to the conditions of the executive orders.
Executive Order 11988 – Floodplain Management	42 Fed. Reg 26951 (May 24, 1977)	Addresses floodplain management and the evaluation by federal agencies of the potential effects of actions they may take in a floodplain to avold, to the extent possible, adverse effects associated with direct and indirect development of a floodplain.	TBC	Any access roads will be designed to minimize the direct impact of the floodplain and any reuse scenarios considered will be evaluated in accordance with this executive order.
Fish and Wildlife Coordination Act	16 USC §§ 661-667e	Protects fish and wildlife wherever federal actions result in the control or modification of a stream or other body of water; Consultation with the Bureau of Fisheries is performed with the intent of protecting and preserving wildlife.	Applicable	OU1 is not known to be a habitat for endangered species or wildlife. US Fish and Wildlife Service and Michigan Department of Natural Resources consultations will be performed prior to construction.
Joint regulations on interagency cooperation	16 USC §§ §1531-1544 50 CFR § Part 402	Requires federal agencies to ensure that the continued existence of any endangered or	Applicable	OU1 is not known to be a habitat for endangered species or wildlife. State

4 OF 11

OU1 Record of Decision—Allied Paper, Inc./Portage Creek/Kalamazoo River Superfund Site

Requirement	Citation	Description	ARAR/TBC	Rationale
regarding the Endangered Species Act		threatened species and their habitats will not be jeopardized by a site action.		and federal consultations will be performed prior to construction.
Chemical- Specific				
Clean Water Act	33 USC §§ 1251-1387	EPA has developed water quality criteria for 1) protection of human health; and 2) protection of aquatic life.	Applicable	Response activities conducted at the site must meet the appropriate established protective criteria.
State				
Action-Specific				
Michigan Natural resources and Environmental Protection Act (NREPA), Public Act 451, Part 31 - Water Resources Protection	MCL 324.3101-3133	Prohibits direct or indirect discharge of a substance that is injurious to public health, recreational use, or aquatic life. Establishes rules specifying standards for several water quality parameters	Applicable	Any remedial action that results in the unacceptable discharge of injurious substances will not be considered effective or complete.
Michigan Public Act 451, Part 115 – Solid Waste Management	MCL 324 11502-22550	Establishes rules for methods of solid waste disposal and for design/operational standards for disposal areas. Describes where Type III landfill standards apply. Rules provide specifications for Type III landfill final cover design to minimize erosion and infiltration to protect public health; Type III landfill groundwater monitoring requirements, requirements for hydrogeologic monitoring plan, monitoring network, and associated sampling, requirements for final cover materials, and Construction Quality Controls.	Relevant and Appropriate	Type III standards cover design requirements and substantive portions of Construction Quality Control are relevant and appropriate to the Allied OU. A design that keeps the final cover from being inundated is capable of limiting erosion and infiltration to the extent necessary to protect human health and the environment.
Michigan Public Act 451, Part 201 – Environmental Remediation	MCL 324.20101 - 20142	Requires that a remedial action shall provide for response activity that will satisfy cleanup criteria; requirements for owner of facility, such as preventing exacerbation and exercising due care; restrictions on transfer of real property designated as a facility, and requirements that if residential criteria are not met, land use restrictions,	Applicable	The remedial action implemented must meet generic or site-specific cleanup criteria; due to existing contamination, property cannot be transferred without land use restrictions, including restrictive covenants, that apply to the site. All actions leaving contamination in place

TABLE 6 - SUMMARY OF FEDERAL AND STATE ARARS, AND LOCAL CONSIDERATIONS OU1 Record of Decision—Allied Paper, Inc./Portage Creek/Kalamazoo River Superfund Site

Requirement	Citation	Description	ARAR/TBC	Rationale
	۰ ۲ ۲	including restrictive covenants must be provided. Actions required upon approval of remedial action plans, elements of remedial action plans; required action if contaminated soil is moved off-site or relocated within the site. Also MCL 324.20120e requires that a response action demonstrate compliance with groundwater/surface water requirements for groundwater venting to surface water.		must, with county register of deeds, record restrictions on activities that may interfere with the integrity of the remedial action and on activities that may result in unacceptable exposure. Substantive requirements can be met in remedial design documents; for example, by including an aquifer monitoring plan and operation and maintenance plan. Such plans identify points of compliance for judging the effectiveness of the remedial action. Material moved off site must be evaluated to determine if it is subject to Part 111.
Michigan Public Act 451, Part 301 - Inland Lakes and Streams	MAC R 299.5520-5540, MAC R 299.51001-51021	Objectives of response activities, determination (or nullification) that a response activity is complete; Required elements of remedial action plans; Requirements for land use restrictions if residential criteria are not met; notice to the department and adjacent land owners in certain situations, such as if hazardous substances emanate beyond the property boundary.	Applicable	When the response action is complete, the entity initiating the action has the burden of demonstrating that the action meets all requirements; Substantive requirements can be met in remedial design documents. For example, by including an aquifer monitoring plan and operation and maintenance plan. Such plans identify points of compliance for judging the effectiveness of the remedial action. All actions leaving contamination in place must, with county register of deeds, record restrictions on activities that may interfere with the integrity of the remedial action and on activities that may result in unacceptable exposure.
	MAC R 281.951-965	Regulates dredging or filling of lake or stream bottoms	Applicable	For remedial alternatives involving any fill in the river channel or streambeds, activities may be restricted by these regulations.
OU1 Record of Decision—Allied Paper, Inc./Portage Creek/Kalamazoo River Superfund Site

• 3

Requirement	Citation	Description	ARAR/TBC	Rationale
				· · ·
Michlgan Public Act 451, Part 91 ⁻ - Soil Erosion and Sediment Control	MCL 324.9101-324.9123a	Requirements for owners of land undergoing an earth change. Establishes rules prescribing soil erosion and sedimentation control plans, procedures, and measures.	Applicable	For any remedial action involving an earth change, implement and maintain soil erosion and sedimentation control measures. Substantive requirements of permit must be satisfied.
	MAC R 323.1701-1714	Requirements for owners of land undergoing an earth change. Establishes rules prescribing soil erosion and sedimentation control plans, procedures, and measures.	Applicable	For any remedial action involving an earth change, implement and maintain soil erosion and sedimentation control measures. Substantive requirements of permit must be satisfied.
Michigan Public Act 451, Part 31 - Water Resources Protection	MCL 324.3101-3133	Prohibition of discharge of waste or waste effluent into surface water without approval of the State and establishment of rules; provisions in 3109b allow for mixing zone for discharge of venting groundwater, 310 prohibits filling or grading of a floodplain unless permitted by the State, and 3109b defines when Part 31 remedial obligations are met.	Applicable	Substantive requirements of a NPDES permit must be attained. For any remedial alternative where waste is left in place, the mixing zone criteria shall not be less protective than for point source discharges. For any remedial alternative meeting the requirements of Part 201, Part 31 requirements are satisfied.
	MAC R 323.1041 - 323.1117; R 323.1171 - 323.1181; R 323.1201 - 323.1221; R 323.1311 - 323.1329; R 323.1701 - 323.1714; R 323.2101- 323.2197; R 323.2201 - 323.2240; R 323.2301 - 323.2317; R 323.3001 - 323.3027; R 324.2001 - 324.2009	Prohibition of discharge waste or waste effluent Into surface water without approval of the State and establishment of rules	Applicable	Certain remedial alternatives may involve discharge of waters to the Kalamazoo River. Substantive requirements of a NPDES permit must be attained.
Michigan Public Act 451, Part 111- Hazardous Waste Management	MCL 324.11105	Establishes requirements for hazardous waste generators, transporters, and treatment/storage/disposal facilities.	Applicable	Allied Operable Unit is not a TSD facility or a generator. Response activities may generate waste material that may be classified as hazardous waste from former mill operations. Used for characterizing and identifying hazardous wastes and determining appropriate disposal options.
	MAC R 299.9101 -11107	Establishes requirements for hazardous waste generators, transporters, and treatment/storage/disposal facilities.	Applicable	Allied Operable Unit is not a TSD facility or a generator. Response activities may generate waste material that may be classified as hazardous waste from

E\$122911103434MKE

OU1 Record of Decision—Allied Paper, Inc./Portage Creek/Kalamazoo River Superfund Site

Requirement	Citation	Description	ARAR/TBC	Rationale
				former mill operations. Used for characterizing and identifying hazardous wastes and determining appropriate disposal options.
Michigan Public Act 451, Part 55 - Air Pollution Control	MCL 324.5501-324.5542	Establishes rules prohibiting the emission of air contaminants in quantities which cause injurious effects to human health, animal life, plant life or significant economic value, and/or property.	Applicable	Applicable for remedial alternatives that would generate air emissions (e.g., dust, during excavation, soil stabilization, or compaction) if threshold values are exceeded. For certain remedial alternatives, air emissions must comply with substantive requirements of permits and monitoring would be required.
	MAC R 336.1101-2706	Establishes rules prohibiting the emission of air contaminants in quantities which cause injurious effects to human health, animal life, plant life or significant economic value, and/or property.	Applicable	Applicable for remedial alternatives that would generate air emissions (e.g., dust, during excavation, soil stabilization, or compaction) if threshold values are exceeded. For certain remedial alternatives, air emissions must comply with substantive requirements of permits and monitoring would be required.
Location-Specific		· · · · · · · · · · · · · · · · · · ·		
Michigan Public Act 451, Part 303 -wetland Protection	MCL 324.30301 - 324.30329	Provides for protection and conservation of wetlands, including establishing rules regarding wetland uses and prohibitions on future use.	Applicable	For certain remedial alternatives, these regulations may limit potential work and/or storage areas and future reuse.
	MAC R 281.921-925, R 281.951- 281.961	Provides categories and types of wetlands and corresponding mitigation ratios for impacts to varying types of wetlands, as well as availability of wetland banking	Applicable	Ratios and mitigation requirements may inform decisions about work in wetland areas.
Chemical-Specific		······································		
Michigan Public Act 451, Part 201 – Environmental Remediation	MAC R 299.5701-299.5752	Part 7 Rules: Cleanup Criteria Requirements for Remedial Actions and Interim Response	Applicable	The remedial action implemented must meet generic or site-specific cleanup criteria, applicable to all environmental media and may be used to gauge the success of the remedial action.

1

OU1 Record of Decision—Allied Paper, Inc./Portage Creek/Kalamazoo River Superfund Site

Requirement	Citation	Description	ARAR/TBC	Rationale
		• .		
Michigan Natural resources and Environmental Protection Act (NREPA), Public Act 451, Part 31 - Water Resources Protection	Michigan Administrative Code (MAC) R 323.1041-1116 (Part 4 Rules)	The Part 4 Rules specify water quality standards which shall be met in all waters of the state. The rules require that all designated uses of the receiving water be protected, including indigenous aquatic life and wildlife.	Relevant and Appropriate	These rules drive the need to reduce contaminant loading to Portage Creek and the Kalamazoo River. Surface water quality standards may be used to assess surface water quality in the vicinity of the Allied Paper Operable Unit and as a means to gauge effectiveness of a remedial action.
	MAC R 323.1201-1221 (Part 8, Water Quality-Based Effluent Limit Development for Toxic Substance Rules)	In accordance with federal WPCA and CWA, the Part 8 Rules establish chemical specific water quality-based effluent limits (WQBELs) for point- source discharges.	Applicable	Part 31 and its promulgated rules are to be complied with during environmental remediation conducted pursuant to Part 201. Criteria are applicable to venting groundwater, storm water, and discharge associated with implementing the remedial action.
•	MAC R 323.2101-2104, 2136-2140, 2142-2145, 2149, 2152-2155, 2160- 2161, 2190 (Part 21, Wastewater Discharge Rules)	The Part 21 Rules establish a waste effluent discharge system compatible with NPDES.	Applicable	Substantive requirements of state discharge permits (including storm water permits) must be attained for remedial actions taking place on site.
· .	MAC R 323.1311-1329 (Part 13, Floodways and Floodways Rules	Regulates activities to occupy, fill, or grade lands In a floodplain, streambed, or channel of a stream.	Applicable	The OU lies within the 100-year floodplain. Substantive requirements would need to be met for certain remedial activities
Michigan Public Act 451, Part 201 – Environmental Remediation	MCL 324.20101 - MCL 324.20142	Part 201 establishes rules specifying site cleanup criteria, including risk-based cleanup criteria. Requires that remedial action be consistent with cleanup criteria. Generic and site-specific criteria deemed to meet the protectiveness requirement.	Applicable	By statute, the Allied OU is a "facility." Response activities conducted at the site must meet the appropriate state- established protective criteria. If these criteria are attained, the remedial action will be considered protective by MDEQ.
	MAC R 299.5101-5117, R299.5701-5752 Statutorlly-required (see MCL 324.20120a(1)(b) criteria found at: http://www.michigan.gov/deq/0,1607, 7-135-3311_4109_9846_30022- 251790-,00.html	Rules provide residential cleanup criteria for soil and groundwater	Applicable	By statute, the Allied OU is a "facility." Response activities conducted at the site must meet the appropriate state- established protective criteria. If these criteria are attained, the remedial action will be considered protective by MDEQ.

ES122911103434MKE

OU1 Record of Decision—Allied Paper, Inc./Portage Creek/Kalamazoo River Superfund Site

Requirement	Citation	Description	ARAR/TBC	Rationale
	NREPA Part 201 Criteria Tables	Tables for nonresidential and residential soil and groundwater criteria.	Applicable	By statute, the Allied OU is a "facility." Response activities conducted at the site must meet the appropriate state- established protective criteria. If these criteria are attained, the remedial action will be considered protective by MDEQ.
Local Consideratio	ns (which are not ARARs)			
Noise	Chapter 21—Code of the City of Kalamazoo	Secures/promotes the public health, comfort, convenience, safety, and welfare of City residents; promotes peace & quiet.		Certain remedial alternatives may involve machinery that may exceed noise limits for private property without special considerations.
Soil Erosion and Sedimentation Control	Chapter 30 – Code of the City of Kalamazoo	Control soil erosion and sedimentation with respect to earth change activities within the City.		For any remedial action involving an earth change, implement and maintain soil erosion and sedimentation control measures. Substantive requirements of permit must be satisfied.
City of Kalamazoo Performance Standards for Groundwater Protection within Wellhead Protection Capture Zones and Stormwater Quality Management.		Defines technical standards for site development that facilities located within the Capture Zones are required to attain for drinking water source protection and to protect surface water quality by establishing acceptable stormwater quality management strategies throughout the City. Includes best management practices.		OU1 is within one of the City's 5-year time-of-travel capture zones for a well field.
Drinking Water Well Installation	Chapter 19b, Chapter 24b, Chapter 25b, Kalamazoo County Sanitary Code Chapter 30 – Code of the City of Kalamazoo	Prohibits certain uses of groundwater from wells at properties located in the vicinity of such sites that are the source, or location, of Contaminated Groundwater, or where there is a known threat from Contaminated Groundwater.		OU1 is within a restricted zone, prohibiting any drinking well installation within the area.
Groundwater Sites of Concern,	-	Location of Restricted zones referred to in Kalamazoo County Sanitary Code, Chapter 19b.		OU1 is within a restricted zone, prohibiting any drinking well installation within the area.

OU1 Record of Decision—Allied Paper, Inc./Portage Creek/Kalamazoo River Superfund Site

Requirement	Citation	Description	ARAR/TBC	Rationale
Kalamazoo	· · · · · · · · · · · · · · · · · · ·			
Township, City				
of Kalamazoo,	•			
City of				
Parchment,	•			
Kalamazoo				
County,				
wichigan	·····			
List of Acronyms:				
ARAR = Applicable or Rele	vant and Appropriate Requirements	TSCA = Toxic	: Substances Control Act	
CERCLA = Comprehensive	Environmental Response, Compensat	ion, and Liability Act USC = Unite	d States Federal Code	
CFR = Code of Federal Reg	gulations	USEPA = U.S	. Environmental Protection Agency	
CWA = Clean Water Act		USACE = U.S	Army Corps of Engineers	
GSI -= groundwater surfa	ce water interface	USDOT = U.S	5. Department of Transportation	
MAC = Michigan Administ	rative Code			
MCL = Michigan Compiled	Laws			
MDEQ = Michigan Depart	ment of Environmental Quality		-	
mg/kg = milligrams per kil	ogram			
NPDES = National Pollutar	nt Discharge Elimination System			
OU = operable unit				
PCBs = polychlorinated big	phenyls	,		·
POTW = Publicly Owned T	reatment Works			
RCRA = Resource Conserva	ation and Recovery Act			
TBC = to be considered		· · ·		

TABLE 7

Detailed Cost Estimate of Selected Remedy, Alternative 2D

· Allied Paper, Inc./Portage Creek/Kalamazoo River Superfund Site

		<u> </u>		Unit Cost	
item No.	Description	Estimated Quantity	Unit	(Labor and Materials)	Estimated Cost
I. CAPI	TAL COSTS				
Site Pr	eparation				
1	Pre-construction Field Survey	1	LS	\$5,300	\$5,300
2	Air Monitoring Program	420	DAY	\$1,600	\$672,000
3	Temporary Fencing	1	LS	\$16,000	\$16,000
4	Decontamination Area	1	EA	\$37,000	\$37,000
5	Temporary Construction Access Roads	1	LS	\$85,000	\$85,000
6	Clearing & Grubbing	20	AC	\$13,000	\$260,000
	Temporary Steel Sheeting (Drive, Extract and Salvage: Means 31 41			••	•- •
7	16.10 0100)	564	TON	\$2,200	\$1,240,800
8	Utility Protection / Relocation	1	LS	\$106,000	\$106,000
9.	Temporary Stormwater Management and Erosion and Sediment	1	دا	\$265,000	\$265,000
10	Well Abandonment	100	EA	\$640	\$64,000
			Site Prepa	ration Subtotal:	\$2,751,100
Excava	tion and Consolidation				
11	Survey	10	WK	\$5,300	\$53,000
12	Soil Removal and Consolidation	920000	CY	\$13	\$12,190,000
12a	Construction Water Treatment System	300	days	\$11,000	\$3,300,000
13	Confirmation Sampling	660	EA	\$530	\$349,800
14	Remove Sheet Pile Wall	2600	LF	\$120	\$312,000
15	Soil Removal and Consolidation (setback from creek)	0	CY	\$13	\$0
		Excavation	and Consoli	dation Subtotal:	\$16,204,800
Final C	over System				
16	Grade Verification Surveys	8	WK	\$5,000	\$40,000
17	Soil Grading Layer (Select Fill)	22,900	CY	\$20	\$458,000
18	Geotextile Separation Layer (8-oz/sy)	10,000	SY	\$3	\$25,000
19	Gas Venting Layer (Sand)	44,000	CY	\$21	\$924,000
20	Active Gas Venting System	28	EA	\$95,000	\$2,696,901
21	30-mil PVC Liner (or equivalent)	160,000	SY	\$8	\$1,280,000
22	Geotextile Cushion Layer (16-oz/sy)	160,000	SY	\$5	\$800,000
23	Soil Protection / Drainage Layer (Sand)	91,000	CY	\$21	\$1,911,000
24	Topsoil Layer	22,900	ςγ.	\$32	\$732,800
25	Seed & Mulch	28	AC	\$2,200	\$62,455
		I	Final Cover S	ystem Subtotal:	\$8,930,155
Perma	nent Stormwater Management		_		
28	Vegetated Swales	16,000	LF	\$16	\$256,000
29	Riprap-lined Swales	6,000	LF	\$110	\$660,000
30	Riprap Slope Protection	1	LS	\$636,000	\$636,000
31	Culverts	1,600	· LF	\$32	\$51,200
32	Subsurface Drain Piping	8,000	LF	\$48	\$384,000
33	Stormwater Basins	2	EA	\$84,800	\$169,600
Dester		Permanent Stormw	vater Manag	ement Subtotal:	\$2,156,800
Restor	As built Summer	<i>,</i>		65 000	£24.000
34	As-bailt survey	B	WK O	\$5,300	\$31,800
35	Backtul	400,000	CY	\$21	\$8,400,000
36	1 opsow	31,000	CY	\$32	\$992,000
37	Seed & Mulch	38	AC	\$2,200	\$83,600
38	Permanent Gravel Access Roads	1	LS Bosto	\$265,000 Ention Subtotal:	\$265,000
Post-d	osure Monitoring Features Installation	······	Resto	ouun subustali	23,//2,40U
39	Installation of Permanent Gas Monitoring Probes	0	EA	\$5.300	\$0
40	Installation of Perimeter Gas Venting Trenches	. 0	SF	\$21	\$0
41	Installation of Post-closure Groundwater Monitoring Well Network	20	EA	\$6.400	\$128.000
	Post-clo	sure Monitoring Fe	atures Insta	liation Subtotal:	\$128,000

CAPITAL COST SUBTOTAL:

\$39,943,255

1 of 3

TABLE 7

Detailed Cost Estimate of Selected Remedy, Alternative 2D

Allied Paper, Inc./Portage Creek/Kalamazoo River Superfund Site

				Unit Cost		
item		Estimated		(Labor and		
No.	Description	Quantity	Unit	Materials)	Estimated Cost	
	Subcontractor	Performance and Payment Bonds (2% o	of Subto	otal Capital Cost):	\$798,865	
		Mobilization/Demobilization (5% of	of Subto	tal Capital Cost):	\$1,997,163	
		Administration, Design, and	Constr	uction Oversight:	\$5,000,000	
	Independent Construction	on Quality Assurance (10% of Final Cove	er Syste	m Capital Costs):	\$893,016	
		Contingency (20% o	of Subta	otal Capital Cost):	\$7,988,651	
			TOT	L CAPITAL COST:	\$56,620,950	
II. OP	ERATION AND MAINTENANCE (0&M) COSTS			Discount Rate	1.9%	
Post-e	dosure Inspections & Maintenance	Current Annual Cost		NPV Factor	NPV	
42	Years 1-5	\$150,000	YR	4.73	\$709,076	
43	Years 6-30	\$75,000	YR	17.98	\$1,348,524	
		Post-closure Inspections &	i Maint	enance Subtotal:	\$2,057,600	
Post-	closure Landfill Gas Monitoring & Reporting					
44	Years 1-5	\$4,000	YR	4.73	\$18,909	
45	Years 6-30	\$2,000	YR	17.98	\$35,961	
		Post-closure Landfill Gas Monitorir	ng & Re	porting Subtotal:	\$54,869	
Post-o	dosure Groundwater Sampling & Reporting					
46	Years 1-5	\$200,000	YR	4.73	\$945,434	
47	Years 6-30	\$100,000	YR	17.98	\$1,798,032	
		Post-closure Groundwater Samplir	ıg & Re	porting Subtotal:	\$2,743,466	
			0&M	COST SUBTOTAL:	\$4,855,936	
•		Contingency (20%	of Sub	total O&M Cost):	\$971,187	
			т	TAL O&M COST:	\$5,827,123	

III. PE	RIODIC COSTS			Discount Rate Discount	1.9%	
5-Yea	r Reviews	Annual Cost		Factor	Net Present Value	
48	Year 5	\$25,000	YR	0.91	\$22,755	
49	Year 10	\$25,000	YR	0.83	\$20,711	
50	Year 15	\$25,000	YR	0.75	\$18,851	
51	Year 20	\$25,000	YR	0.69	\$17,158	
52	Year 25	\$25,000	YR	0.62	\$15,617	
53	Year 30	\$25,000	YR	0.57	\$14,214	
			TOTAL	PERIODIC COST:	\$109,304	

					TOTAL	ESTIMATED COST	\$62,	557,377
		 	 			ROUNDED TO	\$63,	000,000

This estimate has been prepared for the purposes of comparing potential remedial alternatives. The information in this cost estimate is based on the available information regarding the site investigation and the anticipated scope of the remedial alternative. Changes in cost elements are likely to occur as a result of new information and data collected during the engineering design of the remedial alternative. This cost estimate is expected to be within -30% to +50% of the projected cost.

Unit prices are based on 2015 dollars.

All volumes represent in-place measures.

Where not otherwise noted, unit cost is based on past project experience.

Mobilization/Demobilization includes, but is not necessary limited to, transportation of personnel, equipment, and materials to and from the OU, temporary utilities and services (i.e., electrical, water, telephone, sanitary), construction trailers, etc., that is with winter shutdown.

CY = Cubic Yard; LF = Linear Feet; LS = Lump Sum; SY = Square Yard; AC = Acre; EA = Each; TN = Ton; WK = Week; MO = Month.

Item Notes (where applicable):

 Pre-construction survey includes costs associated with performing an aerial survey, supplemental field survey, in-field property boundary delineations, field marking OU features to be protected (e.g., monitoring wells), and cross sections within Portage Creek prior to construction.

- 2. Air monitoring unit cost assumes that monitoring activities are required during COC-containing material handling only (e.g., excavation, consolidation, subgrade preparation).
- 6. Clearing and grubbing unit cost is based on cutting and chipping of medium to heavily forested area and grubbing of stumps and other miscellaneous debris within the areas subject to consolidation and final cover system.
- 7. Temporary steel sheeting cost estimate is based on the assumption that approximately 1,200 linear feet of 15-foot long steel sheeting will be installed to facilitate earthwork activities along the bank of Portage Creek adjacent to the Monarch HRDL.

TABLE 7

Detailed Cost Estimate of Selected Remedy, Alternative 2D

Allied Paper, Inc./Portage Creek/Kalamazoo River Superfund Site

				4. 1		
item	Be excluded a	Estimated	14-74	(Labor and	F -11	
NO.	Description	Quantity	υηπ	Materiaisj	Estimated Cost	
12	Soil removal and consolidation quantity represents the total quantity	ty of in-situ material re	quiring exca	avation prior to	consolidation within	
	the Former Type III Landfill, Western Disposal Area, and Monarch Hi	KDL consolidation area	s. Soil remains	oval and consoli	pation cost includes	
	excavation and loading of COC-containing materials, onsite transport	rt to placement area w	on removal	and consolidation	s, and placement and	
	190,000 cubic yards of material along the peripheral areas of the Eo	rmer Type III i andfill a	nd the Meet	tern Disposal Ar	on or approximately	
	Panelyte Property, Panelyte March, and Coprail Property), approving	nie Type in Canalara ately 170 000 cubic va	rds from th	e Monarch HRD	and approvimately	
	99 500 cubic vards of material from outlying areas	Intery 170,000 Cobic ye			c, and approximately	
13	Confirmation sample quantity assumes that all soil removal areas w	ill be sampled on a 50-	foot by 50-f	oot grid to confi	rm removal of COC-	
	containing material.					
14	Estimated quantity and cost is not based on calculation, rather it is a removal based on slope stability considerations. Lineal footage and	an estimate based on s costs to be determine	ite topograj d during de	ohy and the pote sign phase.	ential for sheet pile	
15	Estimated quantity is based on a setback 30-foot-wide along a linear	r distance of 2.100 feet	along Brva	nt HRDL/FRDLs a	and Portage Creek.	
	Estimated excavation depth is 8 feet based on nearby borings.	·		• • • •	..	
16 -	Final cover quantities are based on the following estimated areas: Fo	ormer Type III Landfill	- 10 acres, V	Vestern Disposa	Area - 12 acres, and	
25	Bryant HRDLs/FRDLs - 20.7 acres.					
17	Soil grading layer cost estimate is based on an assumed 6-inch-thick and is the first layer of the earthen cover system.	layer of select fill cove	ring the ent	tire consolidatio	n/cover system areas	
18	Geotextile separation layer cost estimate assumes utilizing a non-we	oven geotextile coverir	ng the entire	e cover system a	reas, and includes an	
	additional 20% material quantity to account for overlap and wrinkle	s. Unit cost is based o	n informatio	on provided by g	eotextile	
	manufacturer.					
23	Soil protection/drainage layer consists of a 2-foot-thick layer of sand	d covering the entire o	over system	area.		
24	Topsoil laver consists of a 6-inch-thick laver of topsoil covering the e	entire cover system are	as.			
25	Seed and mulch cost estimate is based on seeding and mulching the	entire area subject to	consolidatio	on/final cover sy	stem.	
26	Shurzy wall costs include all components of design and construction	Groundwater collecti	on and treat	tment (Continge	ncv 7) not costed here	
	as the slurry wall cost will be higher.			unen (continge		
28	Total length of the vegetated swale is based on a conceptual cover s	system layout prepared	for cost es	timating purpos	es only.	
29	Total length of the riprap-lined swale is based on a conceptual cover	r system layout prepar	ed for cost e	estimating purpo	oses only.	
31	Total length of culvert piping is based on a conceptual cover system	layout prepared for co	st estimatir	ng purposes only	•	
32	It is anticipated that subsurface drainage would be installed at the in and FRDLs liner system. Liner system grades at the interface are ass containing the subsurface drainage piping.	nterface between the c sumed to slope downw	onsolidatio ard on a 4 o	n area and the e In 1 slope formir	xisting Bryant HRDLs og a v-notch channel	
33	Stormwater basin unit cost represents an average per basin cost, wi	hich was developed fro	m a concep	tual stormwater	basin configuration.	
		2 · · · · · · · · · · · · · · · · · · ·				
34 - 38	Restoration quantity assumes approximately 22 acres of soil remova following: Former Type III Landfill - 3.6 acres, Western Disposal Area commercial properties - 5.3 acres and Residential/MHLLC-Owned pr	al area, located outside a - 3.6 acres, Bryant HR roperties including Gol	the limits o DL/RDL - 1.4 den Age) - 1	of capping, as sp 4 acres, Monarcl 5 acres.	ecified in the hRDL - 6.8 acres,	
35	Estimated backfill quantities are based on the volume of clean fill m	aterial that will be req	uired to bac	kfill the periphe	ral soil removal areas	
	located outside the limits of capping to appropriate subgrade elevat	ion. An estimated 50,	000 cubic ya	irds will be used	to backfill the	
	Monarch HRDL. Actual quantities will be determined during the desi	ign.	•			
36	Topsoil quantity is based on covering approximately 42 acres of soil topsoil.	removal area, located	outside the	limits of capping	g, with 6 inches of	
37	Seed and mulch quantity is based on covering the 42 acres of topsol vegetative growth.	I placed over the outly	ing soil rem	oval areas, as ne	cessary to promote	
38	Permanent access road quantity based on an assumed 8,000 linear f	eet of newly construct	ed road tha	t will be require	d to access various	
	portions of the cover system area for maintenance purposes.					
2-						
7	Net present value (NPV) factors calculated using the following equal	tion:				
	L L	1		·		
	$NPV = I_0 + \frac{r_1}{1+r} + \frac{r_2}{(1+r)^2} + \dots + \frac{r_2}{(1+r)^2}$	$\frac{-n}{(1+r)^n}$		· · · ····	-	·
	r = Discount rate (expressed as decimal)					
	n = Number of years from present			÷		

Halt Cost

4

APPENDICES

. .

. .

. .

·----

Appendix 1: Michigan Department of Environmental Quality Concurrence Letter



STATE OF MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

LANSING



C. HEIDI GRETHER DIRECTOR

September 16, 2016

Mr. Douglas Ballotti, Acting Director Superfund Division United States Environmental Protection Agency Region 5 77 West Jackson Boulevard (S-6J) Chicago, Illinois 60604-3507

Dear Mr. Ballotti:

SUBJECT: Allied Paper, Inc./Portage Creek/Kalamazoo River Superfund Site Operable Unit 1 – Allied Landfill, Kalamazoo County, Michigan State of Michigan Concurrence with the Record of Decision

Staff of the Michigan Department of Environmental Quality (MDEQ) has reviewed the 2016 Draft Record of Decision (ROD) for contaminated soil and sediment at the Allied Paper, Inc./Portage Creek/Kalamazoo River Superfund Site (site), Operable Unit 1 (OU1 – Allied Landfill), in Kalamazoo County, Michigan. The OU1 – Allied Landfill remedy is financed by monies in a bankruptcy trust for the site, as well as the Responsible Parties that have been identified for the site. The lead agency for the Feasibility Study was the United States Environmental Protection Agency (USEPA). The USEPA also continues as the lead agency for the Remedial Design/Remedial Action (RD/RA) for the site.

The ROD developed for OU1 – Allied Landfill includes remedial options developed for soil and sediment contamination at the site but excludes addressing the groundwater, as it is anticipated that groundwater will be protected following implementation of the ROD activities. The USEPA has identified Alternative 2D as the Selected Remedy for OU1 – Allied Landfill to address risk.

The MDEQ concurs with the selection of Alternative 2D as the remedy in the 2016 ROD. The ROD provides the basis for the USEPA to begin the RD/RA.

If you have any questions, please contact Mr. Paul Bucholtz, Remediation and Redevelopment Division, at 517-284-5072; bucholtzp@michigan.gov; or MDEQ, P.O. Box 30426, Lansing, Michigan 48909-7926; or you may contact me.

Sincerely,

Adria

C. Heidi Grether Director 517-284-6700

CONSTITUTION HALL • 525 WEST ALLEGAN STREET • P.O. BOX 30473 • LANSING, MICHIGAN 48909-7973 www.michigan.gov/deq • (800) 662-9278 cc: Mr. Donald Bruce, USEPA
Ms. Rebecca Frey, USEPA
Mr. Michael Berkoff, USEPA
Mr. Robert Wagner, Program Deputy Director, MDEQ
Ms. Susan Leeming, MDEQ
Mr. David Kline, MDEQ
Ms. Daria W. Devantier, MDEQ
Mr. Frank Ballo, MDEQ
Mr. Paul Bucholtz, MDEQ
Allied Paper, Inc./Portage Creek/Kalamazoo River Superfund Site Files (J1)

2

Appendix 2: Administrative Record Index

U.S. ENVIRONMENTAL PROTECTION AGENCY REMEDIAL ACTION

ADMINISTRATIVE RECORD FOR THE ALLIED PAPER/PORTAGE CREEK/KALAMAZOO RIVER SITE OPERABLE UNIT 1 KALAMAZOO, KALAMAZOO COUNTY, MICHIGAN

UPDATE 2 SEPTEMBER, 2016

<u>NO.</u>	<u>SEMS ID</u>	<u>DATE</u>	AUTHOR	<u>RECIPIENT</u>	TITLE/DESCRIPTION	PAGES
1	921814	Undated	Arcadis	File	Poster re: PCB Detections in Groundwater at Allied Landfill	1
2	165881	2/1/86	Wilkins & Wheaton Laboratories Inc	File	Program for Effective Residuals Management for Allied Paper Solid Waste Disposal Facility for Residuals Disposal	179
3	494693	5/1/87	Guyer, G., MDNR	Eaton, R., Allied Paper Co.	Notice of Denial of Renewal of Solid Waste Disposal Area License	3
4	165884	9/2/88	Limno-Tech Inc.	File	Draft Bryant Pond Soil Characteristic Data (Cover Memo Attached)	107
5	494780	4/19/91	ATSDR	File	Land Application of Bleached Pulp & Paper Mill Wastewater Treatment Sludges	102
6	179726	9/1/91	National Council for Stream Improvement	File	Technical Bulleting #613 - Characterization of Wastes & Emissions from Mills Using Recycled Paper	52
7	167770	2/1/94	Blasland Bouck and Lee	U.S. EPA	Technical Memorandum 2 - Results of Phase I TBSA Soil Sampling	68
8	165250	4/1/94	Blasland Bouck and Lee	U.S. EPA	Draft Technical Memorandum 11 - RI/FS - Allied Paper Inc. Operable Unit	42

	<u>NO.</u>	<u>SEMS ID</u>	<u>DATE</u>	AUTHOR	RECIPIENT	TITLE/DESCRIPTION	PAGES
,	9	232535	4/1/94	Blasland Bouck and Lee	U.S. EPA	Remedial Investigation/ Feasibility Study Draft Technical Memorandum 10: Sediment Characterization/ Geostatistical Pilot Study (Volume I of II)	377
	10	179743	12/1/94	Blasland Bouck and Lee	Allied Paper Co.	Draft Technical Memorandum 15 - Remedial Investigation/Feasibility Study (RI/FS)- Volume 1 of 2 (Cover Letter Attached)	92
	11	920869	5/25/95	Laws, E., U.S. EPA	Regional Directors	Memo re: Land Use in the CERCLA Remedy Selection Process	11
	12	167803	8/1/96	Blasland Bouck and Lee	U.S. EPA	Technical Memorandum 15 - Mill Investigation - Vol 1 of 2	71
	13	149821	5/14/97	Cornelius, S., MDNR	Citizens of Kalamazoo	Memo re: Citizens Advisory Committee Meeting for Allied Paper	1
	14	295924	5/20/97	Muno, W., U.S. EPA	Larson, B., City of Kalamazoo	Letter re: Response to Concerns on PCB Contamination	2
	15	149819	6/2/97	Levin, C., U.S. Senate, and Mayo, J., Kalamazoo Environmental Council	Ullrich, D., U.S. EPA	Letter re: Disagreement About Appropriate Clean-Up Method (Letters Attached)	3
	16	921818	6/11/97	U.S. EPA	Public	Presentation Slides: Pulp And Paper Sludge Listing Determination	20
	17	149815	7/24/97	Mayo, J., Kalamazoo Environmental Council	Ullrich, D., U.S. EPA	Letter re: Bryant Mill Pond Operable Unit	2
	18	149814	7/25/97	Harrison, D., Kalamazoo River Protection Association	Browner, C., U.S. EPA	Letter re: Emergency Cleanup at Bryant Mill Pond	7
	19	165254	8/1/97	Blasland Bouck and Lee	U.S. EPA	Technical Memorandum 7 - RI/FS - Allied Paper Inc. Operable Unit - Vol 1 of 7	251

1

.

<u>NO.</u>	<u>SEMS ID</u>	<u>DATE</u>	AUTHOR	RECIPIENT	TITLE/DESCRIPTION	PAGES
20	921791	11/8/97	Clay, D., U.S. EPA	Florini, K., Environmental Defense Fund and Van Putten, M., National Wildlife Federation	Letter re: Consent Decree in Environmental Defense Fund and National Wildlife Federation v. Thomas	12
21	235191	3/1/98	Kalamazoo River Area of Concern Public Advisory Council	Public	Interests and Concerns: PCBs& Kalamazoo River Impairments	1
22 .	295923	5/14/98	Muno, W., U.S. EPA	Digiovanni, P., City of Kalamazoo	Letter re: Removal Action at Bryant Mill Pond	5
23	284933	8/1/98	U.S. EPA	Public	Fact Sheet - Time Critical Removal Cleanup at Allied Paper Operable Unit Site	6
24	167833	12/1/99	MDEQ	Public	Information Bulletin - Allied Paper Operable Unit 1 - Time Critical Removal Was an Outstanding Success	5
25	167812	1/1/00	Weston, Inc.	U.S. EPA	Final Report - Allied Paper Operable Unit - Appendices A, B1, B2	733
26	167813	1/1/00	Weston, Inc.	U.S. EPA	Final Report - Allied Paper Operable Unit - Appendices C1-N (6/98-7/98)	965
27	921778	8/1/00	U.S. EPA	Public	Presentation - Allied Paper/Portage Creek/Kalamazoo River Superfund Site - August 2000 Update	32
28 .	284926	5/30/01	Bucholtz, P., MDEQ	Cowin, D., Blasland Bouck & Lee	Letter re: Review of Draft Remedial Investigation Report	25
29	921805	10/1/01	U.S. DOE	File	Long-Term Stewardship Study Report - Volume 1	207
30	205878	2/1/02	Weston, Inc.	U.S. EPA	Removal Assessment Report	777
31 ,	167790- 167793	2/1/02	Biasland Bouck and Lee	U.S. EPA	Technical Memorandum 10 - Sediment Characterization & Geostatistical Pilot Study (Volumes 1-4)	1563
						`~

·

• • .

NO.	SEMS ID	DATE	AUTHOR	RECIPIENT	TITLE/DESCRIPTION	PAGES
32	<u>994707</u>	5/2/02	ATSDR	U.S. EPA	Health Consultation Response to Comments - Allied Paper/Portage Creek/Kalamazoo River	55
33	494708	5/2/02	Tetra Tech	File	Presentation re: Former Allied Paper Mill Site Groundwater Recovery System Update	25
34	494694	5/8/02	Blasland Bouck and Lee	U.S. EPA	Calculation Sheet for the Permeability of Residuals in the Bryant HRDL/FRDLs of the Allied OU	4
35	921810	5/9/02	Cowin, D., Blasland Bouck and Lee	Furey, E., and Muno, W., U.S. EPA	Letter re: Request for Risk-Based TSCA Disposal Approval with Attachments- Allied Paper Landfill - Operable Unit 1	, 96
36	237703	6/10/02	Muno, W., U.S. EPA	Barnett, B., Drinker Biddle & Reath, and Cowin, D., Blasland Bouck & Lee	Letter re: Request for Risk-Based Disposal Approval of PCB Remediation Waste From Bryant Mill Pond Area	2
37	383619	1/24/03	Bucholtz, P., MDEQ	Cowin, D., Blasland Bouck & Lee	Letter re: Review of Work Plan for Additional Remedial Investigation Studies	2
38	249487	4/1/03	CDM Inc.	MDEQ	Final Baseline Ecological Risk Assessment (Revised)	270
39	249486	5/1/03	Camp Dreswser & McKee, Inc.	U.S. EPA	Final Human Health Risk Assessment (Revised)	109
40	284924	6/26/03	Bucholtz, P., MDEQ	Cowin, D., , Blasland Bouck & Lee	Letter re: Remedial Investigation Outline Comments Pursuant to Schedule	2
41	92176 8	4/5/04	Kern, J., Kern Statistical Services	King, T., CDM	Letter re: Review of OU1 RI Fish and Water Analysis	4
42	921764	8/5/04	Bucholtz, P., MDEQ	Cowin, D., Blasland Bouck & Lee	Letter re: Review of the Allied Paper Landfill Operable Unit 1 Remedial Investigation Report (December 2003)	6
43	921796	9/1/05	U.S. EPA	File	Long-Term Stewardship: Ensuring Environmental Site Cleanups	67

· . .

<u>NO.</u>	<u>SEMS ID</u>	<u>DATE</u>	<u>AUTHOR</u>	<u>RECIPIENT</u>	TITLE/DESCRIPTION	PAGES
44	921801	9/1/05	U.S. EPA and U.S. DOE	File	Environmental Compliance Consultation - DOE PCB Questions and Answers - Part II	6
45	921800	11/1/05	U.S. EPA	File	Polychlorinated Biphenyl (PCB) Site Revitalization Guidance Under the Toxic Substances Control Act (TSCA)	87
46	921765	1/1/06	Gove Associates	Goodwill Industries of Southwestern Michigan	Baseline Environmental Assessment & Section 7A Compliance Analysis - Former Stryker Corporation	718
47	312141	1/1/06	City of Kalamazoo	Public	Pamphlet: 2006 Water Quality Report	3
48	284883	10/25/06	Bucholtz, P., MDEQ	Brown, M., Blasland Bouck and Lee	Letter re: Review of Revised Section 4 of 10/05 RI Report	2
49	494679	10/18/07	Berkoff, M., U.S. EPA	Bucholtz, P., MDEQ	Letter re: Comments on Draft Remedial Investigation Report for Operable Unit 1	5
50	921771	11/1/07	U.S. EPA	Public	Presentation - Superfund Laws and Procedures	19
51	349677	3/1/08	CDM Inc.	MDEQ	Allied Paper Inc. Operable Unit Remedial Investigation Report	9797
52	494680	3/7/08	Berkoff, M., U.S. EPA	Bucholtz, P., MDEQ	Letter re: Conditional Approval of Draft Remedial Investigation Report for Operable Unit 1	8
53	921770	5/1/08	U.S. EPA	Public	Presentation - Allied Paper Landfill Remedial Investigation	17
54	312177	5/13/0 8	Allied Site Task Force	File	Notes: Remedial Investigation Concerns and Questions	2
55	3 8 3611	6/4/08	Arakere, S., Millenium Holdings LLC	Berkoff, M., U.S. EPA	Letter re: Comments on Draft Remedial Investigation Report for Allied Paper Operable Unit	6
56	921808	8/12/08	Maupin, M., and Robbie, M., E^2 Inc.	City of Kalamazoo	Memo re: Draft Allied Landfill Site Reuse Characterization Maps	8
57	383608	9/5/08	Arakere, S., Millenium Holdings LLC	Berkoff, M., U.S. EPA	Letter re: Schedule for Draft Feasibility Study Report	2

,

.

,

<u>NO.</u>	<u>SEMS ID</u>	<u>DATE</u>	AUTHOR	RECIPIENT	TITLE/DESCRIPTION	PAGES
58	312147	9/17/08	Wetzel, M., City of Kalamazoo	Berkoff, M., U.S. EPA	Interim Technical Responses to Remedial Investigation Report	35
59	921774	9/23/08	U.S. EPA	Public	Presentation - Reuse Planning for Allied Landfill: Draft Reuse Scenarios	32
60	921782	9/23/08	U.S. EPA	Public	Presentation - Allied Landfill OU1 Update	10
61	921817	9/23/08	Kalamazoo River Cleanup Coalition	Public	Press Release - EPA Report on Fix for PCBs in Kalamazoo Leaves Questions - Allied Paper Landfill - Operable Unit 1	1
62	312172	10/6/08	Berkoff, M., U.S. EPA	Merchant, B., City of Kalamazoo	Letter re: Comments on the Remedial Investigation and Feasibility Study	2
63	921809	10/17/08	Maupin, M., and Robbie, M., E^2 Inc	Berkoff, M., U.S. EPA	Memo re: Draft Conceptual Reuse Scenarios for Allied Landfill Site	8
64	312140	10/29/08	Arakere, S., Millenium Holdings LLC	Berkoff, M., U.S. EPA	Letter re: Work Plan Preparation to Address City Concerns for Uncertainty in Existence or Completeness of Groundwater Pathway to City Well Field	2
65	383629	12/3/08	Berkoff, M., U.S. EPA	Merchant, B., City of Kalamazoo	Letter re: Technical Memorandum Discussing Appropriate Cleanup Goals for Allied Paper Landfill OU-1	2
66	383621	12/16/08	CH2M Hill	Attendees	Meeting Summary - Conference Call with City of Kalamazoo to Discuss PRG Memorandum for Allied Landfill	3
67	920866	1/8/09	King, T., and Santini, A., CDM	U.S. EPA	Comments on Allied Paper Feasibility Study	8
68	920867	1/8/09	Schultz, M., CDM	U.S. EPA	Comments on Allied Paper Feasibility Study	4
69	312168	2/26/09	Berkoff, M., U.S. EPA	Weishar, S., Lyondell Basell	Letter re: Supplemental Groundwater Evaluation Work	3

-

<u>NO.</u>	<u>SEMS ID</u>	<u>DATE</u>	AUTHOR	RECIPIENT	TITLE/DESCRIPTION	PAGES
70	921787	2/27/09	Berkoff, M., U.S. EPA	Weishar, S., Lyondell Basell Industries	Letter re: Review Comments on Draft Groundwater Evaluation Workplan - Allied Paper Landfill - Operable Unit 1	3.
71	920873	3/5/09	Scully-Granzeier, T., Arcadis	Berkoff, M., U.S. EPA	Draft Groundwater Evaluation and Work Plan for Supplemental Groundwater Investigation Report - Allied Paper Landfill - Operable Unit 1	28
72	312148	3/6/09	Scully-Granzeier, T., Arcadis	Wetzel, M., City of Kalamazoo	Letter re: Draft Groundwater Evaluation and Work Plan for Supplemental Investigation	30
73	312181	3/10/09	CH2M Hill	Berkoff, M., U.S. EPA	Technical Memorandum: Summarization of Preliminary Remedial Goals	20
74	920874	3/24/09	Scully-Granzeier, T., Arcadis	Berkoff, M., U.S. EPA	Summary of Concerns Expressed During the March 16, 2009 Teleconference and Preliminary Responses - Allied Paper Landfill - Operable Unit 1	3
75	312186	4/28/09	Scully-Granzeier, T., Arcadis	Wetzel, M., City of Kalamazoo	Letter re: Groundwater Evaluation and Work Plan for Supplemental Investigation	2
76	312187	4/28/09	Coffey, L., and Scully-Granzeier, T., Arcadis	Berkoff, M., U.S. EPA	Letter re: Groundwater Evaluation and Work Plan for Supplemental Investigation	23
77	383616	4/29/09	Berkoff, M., U.S. EPA	Merchant, B., City of Kalamazoo	Letter re: Response to April 3, 2009 Letter Outlining Concerns with Groundwater Evaluation in the Allied Paper Remedial Investigation Report	2
78	921807	5/1/09	The Corradino Group of Michigan	City of Kalamazoo	Corradino Group - Portage Creek Corridor Reuse Plan	111
79	921777	6/1/09	U.S. EPA	Public	Presentation - Allied Paper/Portage Creek/Kalamazoo River Superfund Site - Summer 2009 Update	13
80	312157	7/20/09	U.S. EPA	Public	Public Notice: Announcement of July 28, 2009 Allied Landfill Operable Unit Public Meeting (Kalamazoo Gazette)	1

•

<u>NO.</u>	<u>SEMS ID</u>	<u>DATE</u>	AUTHOR -	<u>RECIPIENT</u>	TITLE/DESCRIPTION	<u>PAGES</u>
81	312156	7/23/09	U.S. EPA	Public	Public Notice: Announcement of July 28, 2009 Allied Landfill Operable Unit Public Meeting (Allegan County News)	1
82	312143	7/28/09	Hopewell, B., City of Kalamazoo	Levin, C., U.S. Senate	Letter re: Federal Administration Activities (Handwritten Annotations)	3
83	383622	8/14/09	Mathur, B., U.S. EPA	Upton, F., U.S. House of Representatives	Letter re: Response to Inquiry and Concerns at the Allied Paper Landfill	2
84	312176	8/25/09	U.S. EPA	File	Agenda: Draft Alternatives Analysis Review and Public Meeting Planning w/Drawings	7
85	383607	9/16/09	Mathur, B. , U.S. EPA	Levin, C., U.S. Senate	Letter re: Response August 31, 2009 Letter Concerning EPA Activites at Allied Paper Site and City of Kalamazoo's Well Field Future w/Attached Correspondence	8
86	383605	9/21/09	Berkoff, M., U.S. EPA	Weishar, S., Lyondell Basell Industries	Letter re: Request to Include Additional Alternatives to Feasibility Study	2
87	312173	9/29/09	Cowin, D. , Arcadis	Berkoff, M., U.S. EPA	Letter re: Draft Feasibility Study	2
88	312149	10/1/09	Arcadis	Millennium Holdings, LLC	Feasibility Study Report	373
89	312121	10/2/09	Cowin, D., Arcadis	Berkoff, M., U.S. EPA	Supplemental Groundwater Investigation Report - Allied Paper Landfill - Operable Unit 1 (Transmittal Letter Attached)	77
90	921789	10/22/09	Fields, T., U.S. EPA	Regional Waste Policy Managers	Memo re: Transmittal of Final Fact Sheet Regarding Institutional Controls - Allied Paper Landfill - Operable Unit 1	32
91	312185	10/22/09	Berkoff, M., U.S. EPA	Weishar. S., Lyondell Basell Industries	Letter re: Concurrence with Supplemental Groundwater Study - Allied Paper Landfill - Operable Unit 1	2
92	356563	10/29/09	Arcadis	U.S. EPA	Draft Feasibility Study Report Review	373

-- · ·· -

•

ί

<u>NO.</u>	<u>SEMS ID</u>	<u>DATE</u>	AUTHOR	<u>RECIPIENT</u>	TITLE/DESCRIPTION	PAGES
93	312122	10/29/09	Merchant , B. , City of Kalamazoo	Berkoff, M., U.S. EPA	Letter re: Closure Stabilization & Containment System Option w/ Drawings	8
94	383620	11/5/09	Wetzel, M., City of Kalamazoo	Berkoff, M., U.S. EPA	Letter re: Review and Summary of Supplemental Groundwater Investigation Report	8
95	921793	11/17/09	Berkoff, M., U.S. EPA	Wetzel, M., City of Kalamazoo	Letter re: City of Kalamazoo Concerns - Allied Paper Landfill - Operable Unit 1	2
96	312161	11/21/09	U. S. EPA	Public	Public Notice: Announcement of December 1, 2009 Kalamazoo River Superfund Project Public Meeting (Kalamazoo Gazette)	1
97	312158	11/26/09	U. S. EPA	Public	Public Notice: Announcement of December 3, 2009 Allied Landfill OU Public Meeting (Allegan County News)	1
98	312159	11/26/09	U. S. EPA	Public	Public Notice : Announcement of December 1, 2009 Kalamazoo River Superfund Project Public Meeting (Union Enterprise)	1
99	312160	11/26/09	U. S. EPA	Public	Public Notice: Announcement of December 1, 2009 Kalamazoo River Superfund Project Public Meeting (Commercial Record)	1
100	383625	12/13/09	Urban, J.	Berkoff, M., U.S. EPA	Letter re: Additional Alternative for the Draft Feasibility Study	3
101	922155	1/1/10	"U.S. EPA	File	Reference Guide to Non- Combustion Technologies for Remediation of Persistent Organic Pollutants in Soil, Second Edition	103
102	312162	1/1/10	Wager, G., Kalamazoo River Cleanup Coalition	File	Summary Sheet for Feasibility Study	2
103	312138	2/25/10	Berkoff, M., U.S. EPA	Weishar, S., Lyondell Basell Industries	Letter re: U.S. EPA Comments on Draft Feasibility Study	7
104	383603	3/24/10	Kryak, D. , Millennium Holdings, LLC	Berkoff, M., U.S. EPA	Letter re: Feasibility Study	1

•

<u>NO.</u>	<u>SEMS ID</u>	<u>DATE</u>	AUTHOR	RECIPIENT	TITLE/DESCRIPTION	PAGES
105	383604	3/29/10	Prendiville, T. , U.S. EPA	Kryak, D. , Millennium Holdings, LLC	Letter re: Response to March 24, 2010 Letter Concerning the Feasibility Study	2
106	312150	3/30/10	Fishbeck, Thompson, Carr & Huber	Kalamazoo Brownfield Redevelopment Authority	Category N Baseline Environmental Assessment for Former Panelyte Property	1385
107	921826	4/1/10	Arcadis	File	Charts: Evaluation of Groundwater Sampling Results	2
108	312145	4/6/10	Bucholtz, P., MDEQ	Berkoff, M., U.S. EPA	Letter re: Review of Draft Feasibility Study Report	17
109	383606	4/16/10	Sygo, J., MDNR	Karl, R., U.S. EPA	Letter re: Review of Draft Supplemental Groundwater Investigation Report for October 2009	4
110	929383	4/19/10	Harrison, D., Kalamazoo River Protection Association	Dreher, R., U.S. DOJ	Comments on the Allied Paper Landfill Cleanup (Bankruptcy Settlement Agreement Attached)	70
111	31216	4/20/10	U.S. Congress	Public	News from Congress: Proposed Kalamazoo River Superfund Settlement	4
112	312189	5/3/10	Concerned Citizens	U. S. EPA	Public Comment Postcards: Clean Up the Kalamazoo River Superfund Site (<i>Redacted</i>)	10
113	494681	5/5/10	Merchant, B., City of Kalamazoo	Bucholtz, P., MDEQ	Letter re: Allied Paper OU-1 Closure Plan	17
114	312144	6/30/10	Merchant, B., City of Kalamazoo	Berkoff, M., U.S. EPA	Letter re: Closure Plan Containment and Stabilization Option	6
115	383617	8/4/10	Hopewell, B., City of Kalamazoo	Hedman, S., U.S. EPA	Letter re: City of Kalamazoo's Involvement with Allied Paper OU1 Closure plan	2
116	312128	11/29/10	Dillworth, J., Goodwill Industries of Southwestern Michigan	Berkoff, M., U.S. EPA	Letter re: Goodwill Industires Comments on Alternative 3	2
			(

<u>NO.</u>	<u>SEMS ID</u>	<u>DATE</u>	<u>AUTHOR</u>	<u>RECIPIENT</u>	TITLE/DESCRIPTION	PAGES
117	312127	12/13/10	Albertson, G., Parks Foundation of Kalamazoo City	Berkoff, M., U.S. EPA	Letter re: Parks Foundation Commentary of the Draft Feasibility Study for OU-1	3
118	312123	12/15/10	Wager, G., Kalamazoo River Cleanup Coalition	Berkoff, M., U.S. EPA	KRCC Comments on Allied Paper OU-1 Feasibility Study	7
119	494684	12/16/10	City of Kalamazoo	U.S. EPA	Comments for EPA Environmental, Redevelopment & Long-Range Perspective	7
120	312126	12/17/10	Hopewell, B. , City of Kalamazoo	Berkoff, M., U.S. EPA	Letter re: City of Kalamazoo Comments to the NRBB for Evaluation of Remedial	12
121	383597	12/20/10	Whitesides, R., Kalamazoo River Watershed Council	Berkoff, M., U.S. EPA	Alternatives Letter re: Comments on Presentation of Remediation Alternatives	4
122	312125	12/21/10	Coughlin, B., & Travers, M., Environ International	Berkoff, M., U.S. EPA	Letter re: Groundwater Treatment Plant Data	9
123	494778	2/17/11	Corp. Dillworth, J., Goodwill Industries of Southwestern Michigan	Berkoff, M., U.S. EPA	Email re: Resolution in Support of Cleanup Option 3	3
124	920865	3/31/11	Keiser, J., and McKenna, K., CH2M Hill	Berkoff, M., U.S. EPA	Technical Memorandum - Waste Characterization Evaluation - Allied Paper/Kalamazoo River	6
125	921783	4/14/11	Legare, A., National Remedy Review Board	Ballotti, D., U.S. EPA	Memo re: National Remedy Review Board Recommendations for Operable Unite 1 of the Allied Paper/Portage Creek/Kalamazoo River Site	5
126	921760	6/3/11	Hopewell, B., City of Kalamazoo	Hedman, S., U.S. EPA	Letter re: Allied Paper Operable Unit 1 Closure Plan	4
127	920864	7/26/11	Vu, H., Seagull Environmental Technology	Pham, H., U.S. EPA	Seagull Environmental Technologies - Work Plan for Allied Paper Operable Unit - OU1	30

<u>NO.</u>	<u>SEMS ID</u>	<u>DATE</u>	AUTHOR	<u>RECIPIENT</u>	TITLE/DESCRIPTION	PAGES
128	494686	7/29/11	Seals, M., and Wager, G., Kalamazoo River Cleanup Coalition	Hedman, S., U.S. EPA	Letter re: Questions on the Portage Creek Time Critical Removal Action	3
129	920868	8/4/11	Vu, H., Seagull Environmental Technology	Pham, H., U.S. EPA	Soil Sampling Activities Report - Allied Paper Operable Unit - OU1	30
130	446519	11/18/11	Bucholtz, P., MDEQ	Berkoff, M., U.S. EPA	Letter re: Conditions and Status of the Areas and Material within Allied Paper Operable Unit 1	4
131 ,	446520	11/18/11	Bucholtz, P., MDEQ	Berkoff, M., U.S. EPA	Letter re: Allied Paper Operable Unit 1 Applicable, Relevant, and Appropriate Requirements (ARARs) Table	3
132	921799	2012	U.S. EPA	File	Technology Alternatives for the Remediation of PCP Contaminated Soils and Sediments	40
133	494683	4/13/12	Hopewell, B., City of Kalamazoo	Karl, R., U.S. EPA	Letter re: Allied Paper Site Operating Unit 1 (OU-1) Remedy	17
134	920871	6/28/12	Karl, R., U.S. EPA	Hopewell, B., City of Kalamazoo	Letter re: Review of EQ Fixed Price Cleanup Proposal	3
135	494689	7/25/12	Lusk, D., Environmental Quality Company	Burns, R., NTH Consultants, Ltd.	Letter re: Response to EPA Comments on Excavation and Off- Site Disposal Proposal	2
136	921769	9/1/12	U.S. EPA	Public	Fact Sheet - A Citizen's Guide to Capping	2
137	921802	12/1/12	U.S. EPA	File	Institutional Controls: A Guide to Planning, Implementing, Maintaining, and Enforcing Institutional Controls at Contaminated Sites	40
138	921762	4/4/13	Hopewell, B., City of Kalamazoo	Hedman, S., U.S. EPA	Letter re: Request for Delay in Officially Proposing Remedy by USEPA-Region 5 for Kalamazoo River Superfund Site OU-1	3

.

.

.

-

·

<u>NO.</u>	<u>SEMS ID</u>	<u>DATE</u>	AUTHOR	<u>RECIPIENT</u>	TITLE/DESCRIPTION	PAGES
139	494685	5/21/13	Bucholtz, P., MDEQ	Berkoff, M., U.S. EPA	Letter re: Allied Paper Inc. Operable Unit 1 Applicable Relevant and Appropriate Requirements (ARARs) Table	3
140	494775	6/17/13	Hopewell, B., City of Kalamazoo	Stabenow, D., U.S. Senate	Letter re: City's Goals of Achieving Total Removal of PCB- Contaminated Waste	3
141	494690	6/18/13	Cate, M., Environmental Quality Company	Karl, R., U.S. EPA	Quotation for Off-Site Disposal	3
142	494688	6/19/13	Warner, M., Environmental Quality Company	Karl, R., U.S. EPA	Letter re: Allied Landfill: Beneficial On-Site Reuse and Development	5
143	921786	7/10/13	Karl, R., U.S. EPA	Warner, M., Environmental Quality Co.	Letter re: Response to Environmental Quality Company's Off-Site Disposal Proposal - Allied Paper Landfill - Operable Unit 1	2
144	467793	11/1/13	CH2M Hill	U.S. EPA	Feasibility Study Report for Allied Paper Landfill - Operable Unit 1	271
145	918898	1/1/14	U.S. EPA	Public	Fact Sheet - EPA Releases Report on Landfill Cleanup Options - Public Availability Sessions to Follow	6
146	494696	2/7/14	U.S. EPA	Kalamazoo Residents	Invitation to Informational Session About Cleanup Options for Allied Landfill	1
147	921822	2/19/14	U.S. EPA	Public	Presentation Posters re: Bryant Mill Pond Time-Critical Removal Action (TCRA)	13
148	494777	3/11/14	Hedman, S., U.S. EPA	Hopewell, B., City of Kalamazoo	Letter re: Public Availability Sessions on the Allied Landfill Feasibility Study	·1
149	494695	4/10/14	U.S. EPA	Kalamazoo Residents	Invitation to Informational Session About Cleanup Options for Allied Landfill	1
150	921775	4/22/14	U.S. EPA	Public	Presentation - Remedial Alternatives for Allied Landfill - Operable Unit 1	15

. . ..

,

<u>NO.</u>	<u>SEMS ID</u>	<u>DATE</u>	AUTHOR	<u>RECIPIENT</u>	TITLE/DESCRIPTION	<u>PAGES</u>
151	921781 _.	5/19/14	U.S. EPA	Public	Presentation - Allied Landfill OU and Portage Creek Corridor Reuse Plan	7
152	920862	9/18/14	Gervais, G., U.S. EPA	File	Presentation re: PCB Treatment Technologies: State of the Science	27
153	921 8 24	9/30/14	U.S. EPA	Public	MW-7D Boring Photos	48
154	921780	10/17/14	U.S. EPA	Public	Presentation - Moving Forward Together: What Does this Look Like?	13
155	920861	12/5/14	Karl, R., U.S. EPA	Hopewell, B., City of Kalamazoo	Letter re: Alternative On-Site Treatment Technologies (with attached memos)	9
156	921761	12/18/14	Kisscorni, J., City of Kalamazoo	Public	News Release re: Allied Superfund Site Redevelopment Public Meeting - Operable Unit 1 - Allied Paper Landfill	4
157	921763	1/29/15	City of Kalamazoo	File	Draft Redevelopment Concept Photos - Operable Unit 1 - Allied Paper Landfill	5
158	921757	2/18/15	Chamberlain, J., City of Kalamazoo	Public	News Release re: Allied Superfund Site Redevelopment Public Meeting - Operable Unit 1 - Allied Paper Landfill	3
159	921758	2/18/15	Merchant, B., City of Kalamazoo	Berkoff, M., U.S. EPA	Letter re: Allied Paper Operable Unit 1 Closure Plan Containment System Option	2
160	921794	2/26/15	U.S. EPA	File	Feedback Summaries From February 26, 2015 Allied Site Public Meeting	8
161	921830	2/26/15	City of Kalamazoo	Public	Presentation re: Allied Site	15
162	494779	2/26/15	U.S. EPA	File	Goals and Agenda for Media Session	1
163	921829	3/27/15	Mindmixer	U.S. EPA	Idea Report: Creating Development, Connection and Access, and Recreation Opportunities	2
164	921827	3/30/15	Chamberlain, J., City of Kalamazoo	U.S. EPA	Summary Report of Allied Site Meeting	4

<u>NO.</u>	SEMS ID	DATE_	AUTHOR	RECIPIENT	TITLE/DESCRIPTION	PAGES
165	921776	4/1/15	U.S. EPA	Public	Fact Sheet - Frequently Asked Questions about Allied Paper Landfill, Operable Unit 1	2
166	921823	4/22/15	U.S. EPA	Public	Presentation Slides Re: Kalamazoo River Superfund Project	14
167	922163	4/22/15	Kovacich, M., Tetra Tech	Berkoff, M., U.S. EPA	Email re: Influent PCB Concentrations 2005 to Present (Data Table Attached)	4
168	929376	4/30/15	Commenter	U.S. EPA	Public Comment on the Allied Paper Landfill Cleanup (<i>Redacted</i>)	12
169	921773	4/30/15	U.S. EPA	Public	Presentation - Allied Landfill Superfund Site: Next Steps in Cleanup	25
170	494705	6/1/15	CH2M Hill	U.S. EPA	2014 Groundwater Data Evaluation Report - Allied Paper Landfill - Operable Unit 1	8
171	494706	6/1/15	CH2M Hill	U.S. EPA	Feasibility Study Addendum - Allied Paper Landfill - Operable Unit 1	476
172	494697	6/15/15	U.S. EPA	Kalamazoo Residents	Invitation to A Meeting to Learn More About the Allied Landfill	1
173	921779	6/24/15	U.S. EPA	Public	Presentation - Allied Landfill Superfund Site - Feasibility Study Addendum	25
174	494704	8/20/15	Karl, R., U.S. EPA	Legare, A., National Remedy Review Board	Memo re: U.S. EPA Region 5 Superfund Division Response to the April 14, 2011, National Remedy Review Board Recommendations	8
175	921828	8 /21/15	Hopewell, B., City of Kalamazoo	Karl, R., U.S. EPA	Letter of Support for Option 2D of the Amended Feasibility Study for OU-1 Landfill of the Portage Creek/Kalamazoo River Superfund Site	2
176	920870	9/18/15	U.S. EPA	Public	Proposed Plan for Operable Unit 1: Allied Paper Landfill	64
				· ·	/	

					,	
						·
<u>NO.</u>	<u>SEMS ID</u>	DATE	<u>AUTHOR</u>	RECIPIENT	TITLE/DESCRIPTION	PAGES
177	494774	9/19/15	Powell Water Recovery	File	Presentation re: ElectroCoagulation: A Green Path to Cleaner Water	29
178	922156	9/22/15	Russell, D., U.S. EPA	Kalamazoo Mailing List	Email re: Public Comment Period on EPA's Proposed Cleanup Plan for Allied Landfill	1
179	922157	9/22/15	U.S. EPA	Public	Fact Sheet - EPA Proposes Cleanup Plan for Allied Paper Landfill	8
180	922160	9/27/15	Kalamazoo Gazette	Public	Public Notice - EPA Accepting Comments on the Cleanup Plan for Allied Landfill - Operable Unit 1	2
181	922161	9/28/15	The Union Enterprise	Public	Public Notice - EPA Accepting Comments on the Cleanup Plan for Allied Landfill - Operable Unit 1	1
182	922158	10/1/15	The Allegan County News	Public	Public Notice - EPA Accepting Comments on the Cleanup Plan for Allied Landfill - Operable Unit 1	1
183	922159	10/1/15	The Commercial Record	Public	Public Notice - EPA Accepting Comments on the Cleanup Plan for Allied Landfill - Operable Unit 1	1
1 84	929377	10/26/15	Commenter	U.S. EPA	Public Comment on the Allied Paper Landfill Cleanup (<i>Redacted</i>)	2
185	929387	11/19/15	Taylor, T., Edison Neighborhood Association	Russell, D., U.S. EPA	Comments on the Allied Paper Landfill Cleanup	2
186	929391	11/19/15	Jensen Litigation Solutions	U.S. EPA	Transcript of U.S. EPA Public Meeting on Allied Paper Landfill Cleanup <i>(Redacted)</i>	83
187	929378	11/20/15	Commenter	U.S. EPA	Public Comment on the Allied Paper Landfill Cleanup (<i>Redacted</i>)	2
188	929379	11/30/15	Commenter	U.S. EPA	Public Comment on the Allied Paper Landfill Cleanup (<i>Redacted</i>)	2
					·	

,

.

,

<u>NO.</u>	<u>SEMS ID</u>	DATE_	<u>AUTHOR</u>	RECIPIENT	TITLE/DESCRIPTION	<u>PAGES</u>
189	929380	11/30/15	Commenter	U.S. EPA	Public Comment on the Allied Paper Landfill Cleanup (<i>Redacted</i>)	1
190	929384	11/30/15	Hamilton, S., Kalamazoo River Watershed Council	Russell, D., and Berkoff, M., U.S. EPA	Comments on the Allied Paper Landfill Cleanup	2
191	929385	11/30/15	Ritsema, J., City of Kalamazoo	Berkoff, M., U.S. EPA	Comments on the Allied Paper Landfill Cleanup	- 5
192	929381	12/1/15	Kalamazoo River Coalition	U.S. EPA	Public Comment on the Allied Paper Landfill Cleanup (<i>Redacted</i>)	4
193	. 929382	12/1/15	Commenter .	U.S. EPA	Public Comment on the Allied Paper Landfill Cleanup (<i>Redacted</i>)	33
194	929386	12/1/15	Alfano, J., NRDA Trustee	Russell, D., and Berkoff, M., U.S. EPA	Comments on the Allied Paper Landfill Cleanup	5
195	929388	12/1/15	Jones, B., International Paper Company	Russell, D., U.S. EPA	Comments on the Allied Paper Landfill Cleanup	19
196	929389	12/1/15	Warner, M., Biopath Solutions	Russell, D., U.S. EPA	Comments on the Allied Paper Landfill Cleanup	3
197	929390	12/1/15	Miller, J., Catskill Remedial Contracting Services	Russell, D., U.S. EPA	Comments on the Allied Paper Landfill Cleanup	2
				• .		
			• • • •	-		