



November 4, 2025

705365

Angel Camacho  
SET Environmental  
450 Sumac Road  
Wheeling, Illinois 60090

RE: Thorium Monitoring – City of Chicago Department of Water Management  
CDOT Permit: 2180191 325 E. Ohio St.

Dear Mr. Camacho:

Stan A. Huber Consultants, Inc (SAHCI) was hired by your firm to provide radiation monitoring during excavation for a repair of a Chicago Department of Water Management catch basin and gutter box at 325 E. Ohio St. in Chicago, Illinois. The monitoring was performed by Aaron Morris, contracted SAHCI Health Physicist, on October 30, 2025. All activities were conducted under the guidance of document *SET General Procedure for Thorium Monitoring*.

#### Instrumentation

Surface gamma scans were performed using a Ludlum Model 2221 Scaler / Ratemeter (serial no. 132844) with attached Ludlum Model 44-10 2"x2" NaI Detector (w/ 6" collimated lead shield). The instrument was calibrated on May 6, 2025. The US Environmental Protection Agency (USEPA) action level of 7.1 picocuries per gram (pCi/g) total thorium for this instrument is 7,141 counts per minute (cpm).

The average background count rate for this location was 1,765 cpm.

#### Soil Gamma Scans

Gamma surface scans were performed using the Ludlum Model 2221 Scaler / Ratemeter described above. Survey data was collected by scanning the surface and walls of the excavation surrounding the existing catch basin to a depth of 18 inches below ground surface. Excavated concrete was loaded directly into a truck for disposal. No soil was removed.

The maximum observed gamma count rate of 2,972 cpm was recorded on the attached Radiation Survey Form. No count rates were found at any time that exceeded the threshold limit of 7,141 cpm.

### Additional Monitoring

Since no count rates were identified above the 7.1 pCi/gram threshold limit, no additional soil sampling, air monitoring, or personnel monitoring were performed.

I will be providing a copy of this report to both the City of Chicago Department of Public Health and US Environmental Protection Agency, as required.

Thank you for your assistance with this project. If you have any questions or need additional information, please call me at (815) 485-6161.

Sincerely,  
Stan A. Huber Consultants, Inc.

A handwritten signature in black ink, appearing to read 'Glenn Huber', with a long horizontal flourish extending to the right.

Glenn Huber, CHP  
President

## Radiation Survey Form

**Location/ Project ID:** 325 E. Ohio St. DWM Catch Basin and Gutter Box Repair

**Date:** 10/30/25

**Technician:** Aaron Morris

**Inst Model:** Ludlum 2221

**Serial No. :** 132844


**Probe Type:** 1"x1" NaI / (2"x2" NaI)  
(Shielded) / Not Shielded

**Lift Elevation:** Surface to -18"

**Background** 1,765 cpm

**Action Level:** 7,141 cpm

Write grid designations in circles. Record highest counts for grid in cpm. Record 30 second counts at grid intersections (if required). Shade areas of elevated counts and record max cpm.



☐ = Excavation -18" (Below Slab) = 2972 cpm max