ERM

Environmental Resources Management
CityCentre Four
840 West Sam Houston Parkway North,
Suite 600
Houston, Texas 77024-3920

Telephone: +1 281-600-1000
Fax: +1 281-520-4625

www.erm.com

12 May 2020

Ms. Raji Josiam
U. S. Environmental Protection Agency, Region 6
Superfund Enforcement Section
1445 Ross Avenue
Suite 1200, Mail Code: 6SF-RA
Dallas, Texas 75202-2733

Reference: 0543408

Subject: Transmittal of 2020 Annual Ground Water Monitoring Report
French Limited Superfund Site
Crosby, Texas

Dear Ms. Josiam,

On behalf of Scott McDonald, Project Coordinator for FLTG, Inc., ERM is forwarding one electronic copy of the 2020 Annual Ground Water Monitoring Report for the above-referenced site.

Please feel free to contact me if you have any questions at 832-786-5779, or Scott McDonald at 409-370-0899.

Sincerely,

Environmental Resources Management

Fay M. Bourgeois

Fay M. Bourgeois, P.G.
Senior Project Manager

cc: Irina Afanasyeva, Texas Commission on Environmental Quality
Scott McDonald, BP America, Inc.
Dave Roberson, de maximis, inc.
Paul Stefan, P.G., Environmental Resources Management
Rob Jaros, Environmental Resources Management

100022858

Texas Registered Engineering Firm F-2393
Texas Board of Professional Geoscientists Firm 50036
P:\Projects\0543408\DM\28616Hltr.docx
© Copyright 2020 by ERM Worldwide Group Ltd and/or its affiliates ("ERM"). All rights reserved. No part of this work may be reproduced or transmitted in any form, or by any means, without the prior written permission of ERM.



2020 Annual Ground Water Monitoring Report

French Limited Task Group

French Limited Superfund Site
French Limited Task Group
Crosby, Texas

12 May 2020

Project No.: 0543408

The business of sustainability

ERM

Signature Page

12 May 2020

2020 Annual Ground Water Monitoring Report

French Limited Superfund Site
French Limited Task Group
Crosby, Texas

A. Stefan, P.G.
Partner-in-Charge

Fay M. Bourgeois, P.G.
Project Manager

Rob Jaros
Senior Scientist

Environmental Resources Management
CityCentre Four
840 West Sam Houston Parkway North, Suite 600
Houston, Texas 77024-3920
281-600-1000 (T)
281-520-4625 (F)

Texas Registered Engineering Firm F-2393
Texas Board of Professional Geoscientists Firm 50036

© Copyright 2020 by ERM Worldwide Group Ltd and / or its affiliates ("ERM").
All rights reserved. No part of this work may be reproduced or transmitted in any form, or by any means, without the prior written permission of ERM.

CONTENTS

1. INTRODUCTION 1
1.1 BACKGROUND 1
1.2 GROUND WATER MONITORING PROGRAM 2
2. EVALUATION OF GROUND WATER RESULTS 5
2.1 GROUND WATER FLOW DIRECTION AND GRADIENT 5
2.1.1 S1 Unit 5
2.1.2 INT Unit 6
2.1.3 Ground Water Elevation Data Along Sheet Pile Wall 6
2.2 GROUND WATER SAMPLING RESULTS 6
2.2.1 East Plume Area 7
2.2.2 Central Plume Area 7
2.2.3 West Plume Area 8
2.3 REVIEW OF CONCENTRATION TREND DATA 8
2.3.1 East Plume Area 8
2.3.2 Central Plume Area 9
2.3.3 West Plume Area 10
3. REVIEW OF QUALITY ASSURANCE/QUALITY CONTROL DATA 11
4. CONCLUSIONS 12
5. REFERENCES 13

APPENDIX A PERFORMANCE SUMMARY FOR THE SHEET PILE WALL
APPENDIX B TIME VS. CONCENTRATION GRAPHS FOR SELECTED WELLS
APPENDIX C LABORATORY ANALYTICAL REPORTS

List of Tables

Table 1-1: Sampling and Analysis Program
Table 2-1: Ground Water and Surface Water Elevation Data Collected March 3, 2020
Table 2-2: Summary of COC Detections and Regulatory Limit Exceedances
Table 2-3: Summary of Reported Ground Water Results for the East Slough Area
Table 2-4: Summary of Reported Ground Water Results for the Central Plume Area
Table 2-5: Summary of Reported Ground Water Results for the West Plume Area
Table 2-6: Summary of Quality Assurance/Quality Control Samples for 2020

List of Figures

Figure 1-1: Site Location Map
Figure 1-2: Site Layout Map
Figure 2-1: S1 Potentiometric Surface Map – March 2020
Figure 2-2: INT Potentiometric Surface Map – March 2020
Figure 2-3: Benzene in Ground Water Map - S1 Unit
Figure 2-4: 1,2-Dichloroethane in Ground Water – S1 Unit
Figure 2-5: Vinyl Chloride in Ground Water - S1 Unit
Figure 2-6: Tertiary-Butyl Alcohol in Ground Water - S1 Unit
Figure 2-7: Benzene in Ground Water - INT Unit
Figure 2-8: 1,2-Dichloroethane in Ground Water - INT Unit
Figure 2-9: Vinyl Chloride in Ground Water - INT Unit
Figure 2-10: Tertiary-Butyl Alcohol in Ground Water - INT Unit

Acronyms and Abbreviations

Name	Description
CERCLA	Comprehensive Environmental Response, Compensation and Liability Act
COC	Constituents of concern
GPR	Gulf Pump Road
GWBU	Ground water-bearing units
HRSC	High-resolution site characterization
NPL	National Priorities List
RAO	Remedial Action Objectives
ROD	Record of Decision
SFS	Supplemental Feasibility Study
SPW	Sheet pile wall
TBA	Tertiary-butyl alcohol
TI	Technical Impracticability
VC	Vinyl chloride

1. INTRODUCTION

This annual ground water monitoring report provides the results of a site-wide ground water monitoring event completed at the French Limited Superfund Site (the site) in Crosby, Texas (Figure 1-1). The scope and procedures used to complete the monitoring event were consistent with the January 1996 Site Closure Plan (Southwestern Environmental Consulting, Inc. [SEC] 1996). The report documents field activities performed at the site in February and March 2019 by Environmental Resources Management (ERM) including the collection of fluid level measurements and ground water samples for analysis of the constituents of concern (COCs). The objectives of the report are to:

- Evaluate ground water potentiometric surface patterns and gradients;
- Characterize COC concentrations in the two uppermost water-bearing zones (the S1 and INT units) beneath the site;
- Compare the sample results with the Remedial Action Objectives (RAOs) for ground water; and
- Evaluate the trends in concentration over time to provide a basis for assessing the progress made toward closure.

1.1 BACKGROUND

The site was a sand quarry in the 1950s and 1960s, which resulted in the formation of an 11-acre sand pit. The company that owned the site was permitted by the Texas Water Commission to accept industrial waste material from 1966 until 1971. During that period, it received an estimated 90 million gallons of chemical waste, transforming the sand pit into a waste lagoon.

The U.S. Environmental Protection Agency (USEPA) placed the site on the National Priorities List (NPL) in 1982, and designated it for remedial action under the Comprehensive Environmental Response, Compensation and Liability Act (CERCLA). The Potentially Responsible Parties formed the French Limited Task Group in 1983 to manage the remedial investigations and feasibility studies completed between 1984 and 1986. In 1988, USEPA issued a Record of Decision (ROD) and FLTG, Inc. (FLTG) was formed to manage the remediation efforts presented in the ROD.

A steel sheet pile wall (SPW) was installed around the lagoon in 1989, as required by the Administrative Order for the site. The initial purpose of the wall was to provide: (1) flood protection; and (2) containment of affected sediments, surface and ground water in and under the lagoon. The presence of DNAPL at well INT-11 was considered a potential continuing source of impacts to ground water and drove the completion of an additional wall segment in 1995, adjacent to the Former Lagoon Area and north of Gulf Pump Road (GPR).

As part of the lagoon closure, the SPW was cut off at a depth of two feet below grade and continues to contain the residual affected media associated with the former lagoon source area. The lagoon was then capped, graded to promote drainage, covered with top soil and re-vegetated with a variety of deep-rooted hardwoods to promote ground water usage and grasses for erosion control. A site layout map is included as Figure 1-2.

Previous studies reported that the site's hydrogeology is a heterogeneous sequence of stratified alluvial deposits with grain sizes ranging from gravelly sand to clay and contains two shallow ground water-bearing units (GWBUs; AHA, 1989). The units of the upper alluvial sequence from top to bottom include:

- UNC: relatively uniform silty clay layer present from the surface to about 15 ft bgs;
- S1: relatively uniform GWBU containing sand over gravelly sand from about 15 ft bgs to about 30 ft bgs;

- C1: a discontinuous, relatively uniform clay and silt layer present from about 30 ft bgs to about 35 ft bgs;
- INT: a heterogeneous GWBU consisting of interbedded fine-grained sand and silt with clay zones present from approximately 35 ft bgs to 55 ft bgs; and C2: a clay and silt layer considered to be an aquitard (O'Hayre et al., 1993).

The Supplemental Ground Water Investigation Report (NAH, 2006) indicated that the ground water RAOs were not met in either of the two GWBUs by the end of the 10-year Progress Monitoring Period. The reported concentrations during that time were generally found to be stable or fluctuating as compared to historical concentration ranges.

The FLTG proposed alternate remedies in a Supplemental Feasibility Study (SFS) submitted to USEPA on September 29, 2010 (ERM, 2010). Following a series of comments and response to comments, the EPA approved the SFS on June 27, 2012. To support the SFS, a series of additional field investigations were conducted between 2011 and 2013. Those studies provided a high-resolution site characterization (HRSC) to assess the viability of the alternate remedies proposed in the SFS and the potential for plume mobility.

Findings from the HRSC indicated the following:

- Consistent with prior findings, the site is characterized by a complex, heterogeneous, geology consisting of interbedded sands, silts and low-permeability clays, where the majority of the mass of the COCs is trapped within low-permeability zones;
- The site geology requires that ground water remedies be specifically designed to address multiple small-scale areas with unique hydrogeological conditions;
- Removal of residual DNAPL trapped in fine-grained sediments is impractical for existing as well as innovative remedial technologies because restoration to the ground water RAOs would not occur within a reasonable timeframe; and
- According to the Technical Impracticability Evaluation for Ground Water Restoration (revised May 12, 2015), this timeframe was estimated to be more than 100 years.

Based on a review of the data obtained from the HRSC and continued discussions between the EPA and FLTG, EPA approved a Technical Impracticability (TI) waiver for ground water in the ROD Amendment dated September 2014. Accordingly, FLTG prepared the Technical Impracticability Evaluation for Ground Water Restoration, revised May 12, 2015 for EPA. Implementation of the TI waiver will begin following the execution of the Amendment to the Consent Decree.

1.2 GROUND WATER MONITORING PROGRAM

Section 12 of the Site Closure Plan (SEC, 1996) outlines the FLTG ground water monitoring program that has been implemented since 1996. Since the preparation of that plan, several additional monitor wells were added to the monitoring program as part of subsequent investigations to further characterize the plume areas.

Before the 2020 ground water monitoring event, several field activities were undertaken from February 17 to 28, 2020. These activities included inspection of 89 wells, routine maintenance, and rehabilitation of 65 monitor wells. ERM performed a monitor well inspection on February 17 and 18, 2020 in preparation of the 2020 annual ground water monitoring event. The purpose of the inspection was to evaluate possible impacts of the Tropical Storm Imelda-related flooding event that occurred during September 17-21, 2019 on the integrity of the well casing seals. Historically, similar flood events with flood stages above 19 feet

above mean sea level (ft. MSL)[1] were found to compromise some of the well caps that seal the well casing. This type of sustained inundation was observed at the site following the flooding from Hurricane Harvey in 2017, Hurricane Ike in 2008 and during flooding events in April and May of 2016. Based upon the local food data provided by the National Weather Service, nearly half of the monitor well network inspected was submerged as a result of Tropical Storm Imelda. The 89 wells included in the inspection comprised the 77 monitor wells that are currently sampled in the annual ground water monitoring program plus 12 additional wells in the Central Plume Area that are currently not sampled. These additional 12 non-sampled wells are located close in proximity to wells that are sampled, suggesting that their flood inundation status would be beneficial to evaluating the water quality in this area.

During the February 2020 site inspection, ERM was able to access and inspect 78 of the 89 monitor wells. Safety concerns accessing the wells and silted/corroded locks that could not be opened restricted access to 11 monitor wells. For those wells that were accessible, ERM inspected the well caps for evidence that infiltration of flood waters may have occurred (such as missing or loose well caps or plugs). For the 11 wells, ERM identified those wells as “not inspected – presumed inundated” based upon the location and history of flooding in the vicinity of the three wells. A total of 51 wells were identified to have compromised or likely compromised well cap seals.

Consistent with the approach approved in the EPA’s email dated February 14, 2020, FLTG purged these 51 wells prior to performing the annual ground water monitoring, as part of a well rehabilitation program. Calculated volumes for rehab were determined from infiltration calculations using site and well specific data. During the course of the five-day well rehab program, approximately 3,000 gallons of purged ground water was generated and placed into the sump located within the sheet pile wall of the Former Lagoon.

Field activities associated with the 2020 annual ground water monitoring event were conducted between March 3 and March 9, 2020. Depth to water measurements were collected at 93 monitor wells and the surface water elevation of the East Slough was measured using the staff gauge. The South Pond staff gauge was damaged during the Tropical Storm Imelda flooding and was not in working order; no surface water measurement was collected. Ground water samples were collected from 77 monitor wells and analyzed of the COCs.

Table 1-1 lists the current network of wells sampled and the ground water analyses conducted for the annual monitoring program. Three wells (S1-126, S1-119 and P-6) are located inside the SPW and are gauged to evaluate the ground water elevation differences inside and outside the SPW.

Consistent with the Site Closure Plan, the ground water samples collected from across the site were analyzed for Volatile Organic Constituents (VOCs) using Method SW-846 8260C. Samples from the West Plume Area were also analyzed for three metals (arsenic, chromium and lead) using Method SW-846 6020A.

The monitor wells were purged and sampled using the low-flow purge method, following procedures specified in Section 12.3.4.2 of the Site Closure Plan. A peristaltic pump was attached to the dedicated tubing at each well and approximately one gallon was purged at approximately 200-300 mL/minute. Stabilization of pH, dissolved oxygen, and conductivity was generally achieved over two readings with less than 10 percent (%) difference between readings. Samples were collected at a flow rate of approximately 100 mL/minute.

[1] National Weather Service Advanced Hydrologic Prediction Center http://water.weather.gov/ahps2/hydrograph.php?wfo=hgx&gage=shlt2)

The ground water samples were placed in laboratory-supplied containers with the appropriate preservatives (as needed), stored on ice, and shipped to ALS Environmental, Inc. of Houston, Texas, for analysis. Decontamination water and purge water from sampling activities was collected in five-gallon buckets and transferred for disposal in the former sump located inside the SPW in the Former Lagoon Area.

2. EVALUATION OF GROUND WATER RESULTS

This section describes the results of the ground water monitoring event for each of the three areas of concern: East Plume Area, Central Plume Area, and West Plume Area. The Central Plume Area is a combination of the S1-123/INT-130R Area and the Gulf Pump Road South Area (as described in previous Ground Water Monitoring Reports), which are contiguous areas on the north and south sides of Gulf Pump Road, respectively.

2.1 GROUND WATER FLOW DIRECTION AND GRADIENT

The March 2020 ground water elevations were generally consistent with 2019 measurements except for ground water elevations in the East Plume Area, which increased by approximately one-half foot. Maps showing ground water elevations and inferred ground water flow directions for the S1 and INT units are presented in Figures 2-1 and 2-2. Ground water and surface water measurements and elevation data collected on March 3, 2020 are summarized in Table 2-1.

According to the local climatological data provided by the Harris County Flood Warning System San Jacinto River gauges at Sheldon Road, the area around the site received 51.69 inches of rainfall between the March 2019 and March 2020 sampling events.

The ground water flow in both the S1 and INT units is influenced by the elevation of surface water in the South Pond and other nearby surface water features as well as extreme rainfall events. During periods of low water levels in the South Pond (generally less than 10 ft MSL), local flow within the water-bearing units is generally radially inward from the surrounding features (Landfill, East Slough, East Pond). During periods of elevated water levels in the South Pond (generally 10 ft MSL, or greater), ground water flow in both units is typically radially outward from the pond.

The observations made in March 2020 were similar to observations made during the prior three years of monitoring events. The estimated ground water flow conditions in the S1 and INT units exhibited a general radial flow into the South Pond. Ground water flow from the Central Plume Area is toward the northeast and southwest consistent with periods of relatively low water levels in the South Pond. The surface water elevation in the East Slough was measured at approximately 11.20 ft MSL, approximately one foot higher than the estimated 10.26 ft MSL measured during the 2019 sampling event. This increase in elevation is believed to be caused by a beaver dam near S1-165, which increased both surface water and ground water elevations in the East Slough area. Although no measures were made of the South Pond surface water elevation, the long history of data collection as well as field observations during the sampling event provided a reasonable basis for evaluating ground water elevations at and near the South Pond and the hydraulic relationship to the S1 Unit.

2.1.1 S1 Unit

A review of the 2020 ground water elevation data reported in Table 2-1 and Figure 2-1 indicated that ground water elevations for the S1 Unit ranged from a low elevation of 8.39 ft MSL at S1-051-P-3 (north side of the South Pond) to a high elevation of 12.00 ft MSL at S1-135 (west side of the former landfill). Both of these wells are in the West Plume Area. Consistent with previous reports and surface water elevations, the ground water flow directions show an apparent divide following the topography of the Former Harris County Landfill – flowing generally west on the west side of the Landfill and toward the South Pond on the east side of the Landfill. In the Central Plume Area, ground water flows toward the South Pond. In the East Slough Area, a slight gradient to the southwest is apparent. Ground water gradients range from less than 0.0012 ft/ft (S1-136 to S1-149) in the eastern area of the Site to a maximum of 0.0060 ft/ft (S1-135 to S1-033) in the West Plume Area.

2.1.2 INT Unit

A review of the INT potentiometric surface data, presented in Table 2-1 and shown on Figure 2-2, indicated that the ground water flow direction remains generally toward the southwest with typical local variation. In the northeast portion of the Central Plume Area, the ground water flow direction is toward the north. West of the South Pond in the Former Harris County Landfill area, the ground water flow direction is toward the west-southwest.

Ground water flow gradients in the INT Unit range from a low of 0.0025 ft/ft in the Central Plume Area (INT-259 to INT-261) to a high gradient of 0.0089 ft/ft in the West Plume Area (INT-118 to INT-144). Ground water elevations range from 4.97 ft MSL at INT-144, west of the South Pond and the Landfill to 10.78 ft MSL at FLTG-13 in the Central Plume Area. The ground water elevation for INT-168 (11.04 ft MSL) was considered inaccurate because of damage to the well casing.

2.1.3 Ground Water Elevation Data Along Sheet Pile Wall

The Site Closure Plan states that lower ground water elevation inside the SPW is the desirable condition to help reduce the potential for COCs in ground water to migrate away from the source area. Three pairs of S1 monitor wells are located on opposite sides of the SPW to evaluate the ground water elevation differences across the SPW: P-6/P-5 (West), S1-119/S1-121(Central), and S1-126/S1-064 (East).

For the March 2020 monitoring event, the ground water elevations for the wells inside the SPW were reported to be approximately one to three feet higher than those outside the SPW. The higher ground water elevations suggest that infiltration of rainwater is exceeding the evapotranspiration capacity of the lagoon cover during the dormant winter months.

Appendix A presents further information on the ground water elevation differences across the SPW. Specifically, Figure A-1 in Appendix A presents the ground water elevation differences for the three well pairs over the past 15 years. A review of the time versus concentration graphs for P-5, S1-121 and S1-064 in Appendix B do not suggest a significant bias toward the migration of COCs across the SPW. The reported concentrations of the four target COCs continue to remain at concentrations that are within the historic ranges for these three wells, and benzene has decreased by several orders in magnitude at S1-064 and is now below the RAO. The COC isopleths presented in Figures 2-3 through 2-6 show the extent and distribution of concentrations of COCs around the SPW to be constant. These two lines of evidence indicate that the SPW is providing control around the Former Lagoon Area.

2.2 GROUND WATER SAMPLING RESULTS

The ground water analytical results for the 2020 monitoring event are presented in Tables 2-2 through 2-6. Table 2-2 summarizes results relative to detections and exceedances of the RAOs for the analyzed COCs. Tables 2-3 through 2-5 summarize results for the three individual plume areas. Table 2-6 provides a summary of quality assurance/quality control data for the sampling event. The laboratory analytical reports and chain-of-custody forms for the 2020 ground water sampling event are provided in Appendix C.

The analytical results were compared with the RAOs provided by USEPA in a letter to FLTG dated June 15, 2007. Four COCs have been selected to represent the full list of 23 compounds that have been monitored in ground water at the site: benzene, 1,2-dichloroethane (1,2-DCA), vinyl chloride (VC), and tertiary-butyl alcohol (TBA). These four constituents were selected for map display of concentration isopleths because they are representative of the different COC classes (i.e., non-halogenated VOCs, halogenated VOCs, and alcohols) and tend to be the most mobile, persistent, and/or concentrated of the COCs. Analytical results for these COCs and interpretations of their distributions are shown on Figures 2-3 through 2-10.

The extent of affected ground water in the three plume areas is generally consistent with previous ground water monitoring results and is decreasing in a few areas. The following discussion presents a summary of reported concentrations for COCs within each of the three designated plume areas.

2.2.1 East Plume Area

In the East Plume Area, TBA and benzene are the most dominant COCs in terms of frequency of detection and concentration in the S1 Unit. As demonstrated in Tables 2-2 and 2-3, the RAOs were exceeded for benzene in four wells and TBA in six wells. The maximum reported concentration of benzene and TBA occurred at S1-162 (1.7 mg/L and 240 mg/L, respectively). A review of Figures 2-3 through 2-6 show that the highest COC concentrations in the East Plume Area are located near the northeastern and southeastern portions of the SPW.

The reported VC and 1,2-DCA concentrations remain below the RAO in the East Plume Area. The north-south trending benzene plume historically present east of the Former Lagoon, has retracted to form two smaller plumes in the northern and southern extents.

The 1996 Site Closure Plan does not require ground water monitoring of the INT unit in the East Plume Area. Monitor well INT-155 is gauged annually, but is not routinely sampled. The ground water analytical results for INT-155 from previous sampling programs and investigations reported only TBA; the concentrations were consistently reported at levels less than the RAO of 2.2 mg/L between 2002 and 2004.

2.2.2 Central Plume Area

The areal extent of COC plumes in the S1 Unit is smaller than depicted in previous years indicating that natural processes are contributing to both plume stabilization and a reduction in constituent mass in ground water.

A review of the results for the S1 Unit ground water concentrations presented on Table 2-2 and Table 2-4 indicated that the reported COCs exceeded the RAOs in 14 of the 23 ground water samples collected. The most common exceedances were seven TBA exceedances and nine VC exceedances. There were six exceedances for 1,2-DCA and five exceedances for benzene. The maximum reported concentration of TBA (11 mg/L) in the S1 Unit was at S1-147. The sample from S1-154 had the highest reported concentration of 1,2-DCA (6.1 mg/L) and VC (0.51 mg/L) in the S1 Unit and benzene's maximum was seen at S1-121 (0.032 mg/L). The majority of the COC mass remains within the HRSC investigation area, generally south of the SPW and along Gulf Pump Road.

As illustrated on Figures 2-3 through 2-6, the benzene plume concentrations for a portion of the plume along GPR remain below the RAOs. The highest area of elevated TBA concentrations remains south of GPR in the vicinity of S1-147. The VC plume remains centered in the area of S1-123 and S1-106A and the magnitude of concentrations are consistent with 2019 observations.

Ground water analytical data for the INT Unit in the Central Plume Area reported that 12 of 17 samples had one or more exceedance of an RAO. A total of 12 different COCs had a least one exceedance in this area. TBA was the most commonly detected COC with 16 detections and 12 exceedances. The RAOs for the four indicator COCs (benzene, 1,2-DCA, VC, and TBA) in ground water were exceeded at INT-120, INT-127 and INT-167, near the SPW. The highest reported concentrations were found at INT-167 where four COCs showed increased concentrations.

As shown on Figure 2-7 through Figure 2-10, the COC plumes in the INT unit are within their historical extents. The concentrations of COCs in this area demonstrate temporal fluctuations below and above their RAOs; however, the extent of the affected ground water is delineated and remains within the extent of the investigation area.

2.2.3 West Plume Area

The magnitude and extent of affected ground water in the West Plume Area remains consistent with the historical observations. A review of the S1 Unit ground water analytical results presented in Tables 2-2 and 2-5 indicated that benzene was detected above its RAO at S1-051-P-3 (0.057 mg/L) and TBA was detected above its RAO at P-5 (16 mg/L). Arsenic was reported above the regulatory limit of 0.01 at S1-135 (0.0555 mg/L), which is located adjacent and west of the Former Harris County Landfill. The concentrations of COCs in all other S1 wells were below their respective RAOs. Figures 2-3 and 2-6 show the affected ground water in the S1 unit in two discrete locations, one in close proximity to the SPW at P-5 for TBA and the other just to the south of GPR for benzene.

A review of the INT Unit ground water analytical results indicated that 9 of the 20 samples for the area had one or more exceedances of an RAO for 1,2-DCA, benzene, TBA, VC, or arsenic. The extent of affected ground water in the INT Unit is illustrated in Figures 2-7 through 2-10. Benzene-affected ground water was detected above the RAO at two wells in an area adjacent to the SPW (INT-233 and INT-163) and in one well west of the Former Lagoon at INT-101. Benzene concentrations are below the RAO at INT-150, INT-250, and INT-026, resulting in a small benzene footprint in the West Plume Area. VC was detected above the RAO in five samples, including one well located north of the South Pond (INT-251) and four wells located on either side of the Harris County Former Landfill, including INT-252, INT-253 and INT-254 on the east and INT-134 on the west. The distribution of the data form three discrete VC plumes in these areas. The distribution of TBA has the larger footprint of the four target COCs in the West Plume Area. In prior years, the VC plume extended from the western extent of the SPW (near INT-233) toward the east to the SPW extension. For 2020, the concentrations of VC are below the RAO at INT-150, INT-250, and INT-026 separating of the historically larger plume into two separate plumes in this area. Isolated exceedances of TBA were reported near the Former Harris County Landfill at INT-101 and INT-134. Consistent with the previous four monitoring periods, 1,2-DCA was detected above the RAO in one well, INT-134.

2.3 REVIEW OF CONCENTRATION TREND DATA

Concentration changes over time were reviewed to assess plume stability and natural attenuation effectiveness. To assist in the evaluation, concentration versus time graphs for the four indicator COCs were prepared for the monitor wells sampled in March of 2020. The concentration graphs are included in Appendix B.

A review of the 2020 ground water monitoring data indicated that COC concentrations generally remain within historical ranges as discussed above, and the lateral extent of affected ground water is stable or decreasing. The following discussion addresses each area individually and summarizes changes in concentration, if any, for the four indicator constituents of 1,2-DCA, benzene, TBA, and VC.

2.3.1 East Plume Area

A total of 10 wells were analyzed for concentration trends in the S1 Unit in the East Plume Area. With few exceptions, the trend graphs show stable to continued decreasing concentrations below the RAOs in the target COCs in this area of the Site. One monitor well, S1-162 located near the northeastern extent of the SPW, reported an increase in the target COCs for 2020. Benzene increased from 0.045 mg/L in 2019 to 1.7 mg/L in 2020 with recent data showing fluctuating concentrations that remain within the historical ranges for this well. TBA concentrations remains consistent with the historical trend above the RAO in S1-162, and 1,2-DCE and VC remain at concentrations below the RAOs. Monitor well S1-139 (located near the central portion of the East Plume Area) reported an isolated increase of VC above the RAO for 2018. In 2019 and 2020, the VC concentrations decreased, returning to concentrations that have been at or

below the RAO since 2012. Similarly, benzene shows decreasing concretions at S1-139, with the 2020 level dropping below the RAO for the first time in this well.

In the southern-most portion of the Eastern Plume Area, benzene and TBA concentrations continue to demonstrate decreasing trends at S1-160. Notably, the benzene in this well decreased from 0.021 mg/L in 2018 to below the RAO at 0.0012J mg/L in 2019. A similar benzene concentration of 0.0011J mg/L was reported for 2020 and continues an overall decreasing concentration trend. The 2019 and 2020 data are the lowest ranges in concentrations reported for this well since 2004 and the first instance of the concentration dropping below the RAO. Similarly, the benzene concentration near the SPW at S1-064 has declined since 2017 to a concentration that is below the RAO for the first time in this well. To the southeast, S1-136 continues to report decreasing concentrations of all four target COCs as compared to 2018 levels. With the exception of a fluctuation in 2018, VC and TBA concentrations have declined since at least 2015 and are currently below their respective RAOs in this well. Overall and with a few exceptions, the COC concentrations in the East Plume S1 unit are generally decreasing.

The INT Unit is not monitored in the East Plume Area.

2.3.2 Central Plume Area

The trend analysis for the S1 Unit in the Central Plume Area included a review of 23 wells. The S1 wells in this area exhibit concentrations that are within the historical range of concentrations for the four target COCs. The maximum concentrations of 1,2-DCA, and VC were located near the former source area along GPR. TBA was reported at a maximum reported concentration of 11 mg/L south of GPR at S1-147. Benzene was reported at a maximum concentration of 0.032 mg/L near the SPW at S1-121. Elevated benzene concentrations are becoming less prevalent over time as illustrated by discrete small plumes taking the place of larger plume areas. TBA and VC concentrations remain below the RAOs at FLTG-14, in the eastern portion of the Central Plume Area near the East Pond. For TBA, the reported concentration is characteristic of historical concentrations that have fluctuated above and below the RAO. VC concentrations are consistent with a predominant historical trend of *Not Detected* concentrations in this well. TBA and VC are below the RAOs at S1-148 in southern most portion of the Central Plume Area. With the exception of a small exceedance of VC in 2018, both TBA and VC have remained below the RAOs in this well since 2016.

The COC concentration data within the INT Unit in the Central Plume Area are represented by 17 wells. The ground water analytical results remained within the historical range of concentrations documented for this area of the site. Most concentration trends in the INT Central Plume Area appear stable or decreasing. In 2018, TBA in monitor wells INT-108 and INT-123 increased toward the maximum reported concentrations observed in previous monitoring events; however, it was near the historic ranges for these wells. Since that time, TBA has decreased to below the RAO at INT-108 and has fluctuated at concentrations near the RAO at INT-123. Some upward trends in concentration continued for the four target COCs at INT-167, which is located north of GPR and near the SPW. Upward trends were also apparent at INT-120 for 1,2-DCA, INT-060-P-3 for TBA and INT-106 for VC. A review of concentration data for nearby INT wells showed that concentrations in the area are decreasing or demonstrating variability within their historic ranges. The mass of affected ground water appears stable and fluctuations in the concentrations of COCs are not a significant risk for plume migration.

2.3.3 West Plume Area

In the West Plume Area, concentration trends in the S1 Unit are represented by seven wells. Generally, the concentration trends in the S1 Unit of the West Plume Area are stable at levels below the RAOs with some temporal fluctuations. Since 2015, the concentrations of the COCs in the S1 Unit were reported below respective RAOs with two exceptions, TBA at well P-5 and benzene at well S1-051-P-3. The concentration of TBA at P-5 has generally decreased since 2013 and the reported concentration for 2019 (16 mg/L) remains within historical ranges. The concentration of benzene at S1-051-P-3 was reported to be above its RAO in the 2017 monitoring event for the first time since 2012. The concentration for 2018 (0.17 mg/L) was slightly above the historical high concentration, and subsequent decreases in benzene concentrations to 0.057 mg/L in 2020 confirm six years of a declining trend.

The INT Unit in the West Plume Area is represented by 20 wells for which trend graphs generally show stable to decreasing trends with some temporal fluctuations within the historical range of concentrations. Concentrations of the COCs were reported below the RAOs with the exception of TBA in five wells, benzene in three wells, 1,2-DCA in one well and VC in five wells. The benzene plume historically extended from the SPW across GPR to the South Pond Area. A review of the 2019 and 2020 data indicates that the larger plume observed in 2018 has reduced in size to form discrete smaller plumes in the West Plume Area, consistent with other similar patterns at the site. Benzene is present around INT-233 and INT-163 near the SPW where historical trends exhibit temporal fluctuations at levels above the RAO.

To the south of GPR, benzene concentrations at INT-026 have decreased to a level below the RAO for 2020. This is the first instance of benzene being below the RAO in this well since 1998. Consistent with the data since 2017, benzene concentration was reported to exceed the RAO in one well west of the Former Lagoon (INT-101). The concentrations of TBA decreased to below the RAO at three wells located south of GPR, near the South Pond (INT-026, INT-150, and INT-250) reducing the size of the larger TBA footprint that has historically extended across this area. To the west of the Former Lagoon, the occurrence of TBA near the Former Harris County Landfill at INT-101 and INT-134 appears consistent with historical observations and data trends. Distribution of VC in the West Plume remains generally consistent with 2019 observations, with the highest reported concentration near the South Pond at INT-251 (25 mg/L).

3. REVIEW OF QUALITY ASSURANCE/QUALITY CONTROL DATA

The Quality Assurance/Quality Control (QA/QC) sample results are summarized on Table 2-6 for field duplicates and blanks. MS/MSD summaries are included with lab reports in Appendix C. A review of QA/QC sample results leads to the following conclusions:

- Duplicate sample results were within an acceptable range of error; and
- Matrix spike and matrix spike duplicate concentrations were within an acceptable range of error.

For the purposes of this investigation, the data are considered suitable for the intended use.

4. CONCLUSIONS

The FLTG annual ground water monitoring program was conducted between March 3 and March 9, 2020. The monitoring network continues to provide useful information regarding the extent and trends of affected ground water. Overall, the data collected in 2020 are consistent with the remedial objectives of providing containment while natural processes work to reduce constituent concentrations over time. Specific observations for 2020 include:

- The ground water flow direction in the S1 Unit was generally inward toward the South Pond under a slight gradient, with a localized ground water flow divide along the topographic high in the area of the Former Harris County Landfill;
- The ground water flow direction in the INT Unit was generally toward the southwest under a slight gradient from the Central Plume Area toward the Former Harris County Landfill where a steeper southwesterly gradient is apparent;
- The extent of affected ground water was noticeably reduced for benzene in the S1 in the East Plume Area and for TBA in the INT in the West Plume Area, suggesting that concentrations are approaching and dropping below the target levels, in some instances for the first time;
- Upward concentration trends were limited to a few areas including 4 out of 17 wells in the INT unit of the Central Plume Area - these trends were within the historical range of fluctuation;
- No migration away from the monitor well network was apparent for the sixth straight year since the approval of the TI in 2014, consistent with the lower mobility of COCs in the C1 clay and INT Unit;
- The highest concentrations of COCs are generally near the SPW and decrease with distance away from the SPW; and
- A review of QA/QC results indicated that the data are suitable for the intended use.

The next ground water monitoring event is scheduled for the first quarter of 2021.

5. REFERENCES

Applied Hydrology Associates, Inc. (AHA), 1989, Hydrogeological Characterization Report. Unpublished report submitted to the U. S. Environmental Protection Agency and The Texas Water Commission, March 15, 1989.

Southwestern Environmental Consulting, Inc. (SEC), 1996, Site Closure Plan, French Limited Project, Crosby, Texas. Unpublished report prepared for the French Limited Task Group, submitted with revisions to the U. S. Environmental Protection Agency on March 28, 1996.

Norwest Applied Hydrology (NAH), 2006, Supplemental Ground water Investigation Report, French Limited Superfund Site, Crosby, Texas. Unpublished report submitted by FLTG, Inc. to the U. S. Environmental Protection Agency, Region 6, February 2006.

Environmental Resources Management (ERM), 2010, Supplemental Feasibility Study, French Limited Superfund Site, Crosby, Texas. Unpublished report submitted by FLTG, Inc. to the U. S. Environmental Protection Agency, Region 6, September 29, 2010.

Environmental Resources Management (ERM), 2014, Technical Impracticability Evaluation for Ground Water Restoration, French Limited Superfund Site, Crosby, Texas. Unpublished report submitted by FLTG, Inc. to the U. S. Environmental Protection Agency, Region 6, April 3, 2014.

TABLES

12 May 2020

TABLE 1-1

Sampling and Analysis Program

2020 Ground Water Monitoring Report
French Limited Superfund Site
Crosby, Texas

Project Area & Zone	Well/Sample#	Sampling Plan	Gauge	VOC	Metals
East Plume Area					
S1	S1-064	VOC Only	X	X	
	S1-105	VOC Only	X	X	
	S1-126	No Analysis	X		
	S1-131	VOC Only	X	X	
	S1-136	VOC Only	X	X	
	DUP-3 S1-136	VOC Only		X	
	S1-138	VOC Only	X	X	
	S1-139	VOC Only	X	X	
	S1-160	VOC Only	X	X	
	S1-161	VOC Only	X	X	
	S1-162	VOC Only	X	X	
	S1-163	No Analysis	X		
	S1-165	VOC Only	X	X	
INT	INT-155	No Analysis	X		
Central Plume Area					
S1	FLTG-014	VOC Only	X	X	
	S1-106A	VOC Only	X	X	
	S1-106R	VOC Only	X	X	
	S1-108A	VOC Only	X	X	
	S1-119	No Analysis	X		
	S1-121	VOC Only	X	X	
	S1-123	VOC Only	X	X	
	S1-140	No Analysis	X		
	S1-141	No Analysis	X		
	S1-142	VOC Only	X	X	
	S1-143	VOC Only	X	X	
	S1-144	VOC Only	X	X	
	S1-145	VOC Only	X	X	
	S1-146	VOC Only	X	X	
	S1-147	VOC Only	X	X	
	S1-148	VOC Only	X	X	
	S1-149	VOC Only	X	X	
	S1-153	VOC Only	X	X	
	S1-154	VOC Only	X	X	
	S1-155	VOC Only	X	X	
	S1-159	VOC Only	X	X	
	S1-164	VOC Only	X	X	
	S1-166	VOC Only	X	X	
	S1-167	VOC Only	X	X	
	S1-168	VOC Only	X	X	
	DUP-4 S1-168	VOC Only		X	
	S1-169	VOC Only	X	X	

NOTES:

VOC = Volatile Organic Constituents
TOC = Total Organic Carbon
MW = Monitor Well; VOC = Volatile Organic Compounds; MS = Matrix Spike; MSD = Matrix Spike Duplicate
Gauge = Monitor Well should be gauged for fluid level
Metals included total arsenic, total chromium, and total lead
Gauging performed on March 3, 2020. Sampling was conducted March 4-9, 2020.

TABLE 1-1 (Cont'd)

Sampling and Analysis Program

2020 Ground Water Monitoring Report
French Limited Superfund Site
Crosby, Texas

Project Area & Zone	Well/Sample#	Sampling Plan	Gauge	VOC	Metals
Central Plume Area (cont'd)					
INT	FLTG-013	VOC Only	X	X	
	INT-060-P-3	VOC Only	X	X	
	INT-106	VOC Only	X	X	
	INT-108	VOC Only	X	X	
	INT-120	VOC Only	X	X	
	INT-123	VOC Only	X	X	
	INT-130	No Analysis			
	INT-130RS	No Analysis			
	INT-127	VOC Only	X	X	
	INT-152	No Analysis	X		
	INT-153	No Analysis	X		
	INT-154	VOC Only	X	X	
	INT-166	VOC Only	X	X	
	INT-167	VOC Only	X	X	
	INT-168	No Analysis	X		
	INT-169	VOC Only	X	X	
	DUP-1 INT-169	VOC Only		X	
	INT-170	No Analysis	X		
	INT-234	No Analysis			
	INT-235	VOC Only	X	X	
	INT-236	No Analysis			
	INT-237	No Analysis			
	INT-238	No Analysis			
	INT-239	VOC Only	X	X	
	INT-240	No Analysis			
	INT-259	VOC Only	X	X	
	INT-260	VOC Only	X	X	
	INT-261	VOC Only	X	X	
	INT-262	VOC Only	X	X	
South Pond, South Area					
S1	CMC-2	No Analysis	X		
	S1-157	No Analysis			
	S1-158	No Analysis			
INT	INT-156	No Analysis	X		
	INT-164	No Analysis			
	INT-165	No Analysis			
	INT-255	No Analysis	X		
	INT-256	No Analysis			
	INT-257	No Analysis			
	INT-258	No Analysis			
West Plume Area					
S1	P-5	VOC Only	X	X	
	P-6	No Analysis	X		
	S1-031	VOC, Metals	X	X	X
	S1-033	VOC, Metals	X	X	X
	S1-051-P-3	VOC Only	X	X	
	S1-111	VOC, Metals	X	X	X
	S1-116	No Analysis			
	S1-118	VOC, Metals	X	X	X
	S1-135	VOC, Metals	X	X	X

NOTES:

VOC = Volatile Organic Constituents
TOC = Total Organic Carbon
MW = Monitor Well; VOC = Volatile Organic Compounds; MS = Matrix Spike; MSD = Matrix Spike Duplicate
Gauge = Monitor Well should be gauged for fluid level
Metals included total arsenic, total chromium, and total lead
Gauging performed on March 3, 2020. Sampling was conducted March 4-9, 2020.

TABLE 1-1 (Cont'd)

Sampling and Analysis Program

2020 Ground Water Monitoring Report
French Limited Superfund Site
Crosby, Texas

Project Area & Zone	Well/Sample#	Sampling Plan	Gauge	VOC	Metals
West Plume Area (cont'd)					
S1	DUP-2 S1-135	VOC, Metals		X	X
INT	INT-022	VOC Only	X	X	
	INT-026	VOC Only	X	X	
	INT-059-P-2	VOC, Metals	X	X	X
	INT-101	VOC, Metals	X	X	X
	INT-116	No Analysis			
	INT-118	VOC, Metals	X	X	X
	INT-134	VOC Only	X	X	
	INT-135	VOC, Metals	X	X	X
	INT-144	VOC, Metals	X	X	X
	INT-147	No Analysis	X		
	INT-148	No Analysis	X		
	INT-149	No Analysis	X		
	INT-150	VOC Only	X	X	
	INT-151	No Analysis	X		
	INT-157	No Analysis			
	INT-158	No Analysis			
	INT-159	No Analysis			
	INT-160	No Analysis			
	INT-161	VOC Only	X	X	
	INT-162	VOC Only	X	X	
	INT-163	VOC Only	X	X	
	INT-214	VOC Only	X	X	
	INT-217	VOC Only	X	X	
	INT-233	VOC Only	X	X	
	INT-250	VOC Only	X	X	
	INT-251	VOC Only	X	X	
	INT-252	VOC Only	X	X	
	INT-253	VOC Only	X	X	
	INT-254	VOC Only	X	X	
QA/QC Samples					
	TB-1	Trip Blank		X	
	TB-2	Trip Blank		X	
			95	**83**	**11**

NOTES:

VOC = Volatile Organic Constituents
TOC = Total Organic Carbon
MW = Monitor Well; VOC = Volatile Organic Compounds; MS = Matrix Spike; MSD = Matrix Spike Duplicate
Gauge = Monitor Well should be gauged for fluid level
Metals included total arsenic, total chromium, and total lead
Gauging performed on March 3, 2020. Sampling was conducted March 4-9, 2020.

TABLE 2-1

Ground Water and Surface Water Elevation Data Collected March 3, 2020

2020 Ground Water Monitoring Report
French Limited Superfund Site
Crosby, Texas

Project Area & Zone	Well ID	Notes	TOC Elevation (Ft. MSL)	Depth/Height to Water (Ft. BTOC)	Ground Water Elevation (Ft. MSL)
Surface Water					
	East Slough	(c)	NA	NA	11.20
	South Pond	(d)	NA	NA	NM
CENTRAL PLUME AREA					
S1 Wells	FLTG-14		11.51	0.70	10.81
	S1-106A		11.92	1.47	10.45
	S1-106R		15.47	5.24	10.23
	S1-108A		14.24	5.52	8.72
	S1-119	(a)	18.49	6.13	12.36
	S1-121	(b)	17.84	7.55	10.29
	S1-123		10.68	0.41	10.27
	S1-140		14.33	5.54	8.79
	S1-141		15.24	5.87	9.37
	S1-142		14.88	4.14	10.74
	S1-143		16.14	5.70	10.44
	S1-144		14.22	4.09	10.13
	S1-145		14.15	3.82	10.33
	S1-146		14.24	4.03	10.21
	S1-147		13.60	3.03	10.57
	S1-148		15.23	4.97	10.26
	S1-149		11.54	1.17	10.37
	S1-153		11.37	0.92	10.45
	S1-154		11.19	1.10	10.09
	S1-155		11.23	1.15	10.08
	S1-159		16.84	6.18	10.66
	S1-164		17.45	6.34	11.11
	S1-166		14.17	3.56	10.61
	S1-167		14.57	3.88	10.69
	S1-168		14.68	4.44	10.24
	S1-169		14.48	4.36	10.12
INT Wells	FLTG-13		11.81	1.03	10.78
	INT-060-P-3		14.68	5.93	8.75
	INT-106		11.79	1.59	10.20
	INT-108		13.52	4.70	8.82
	INT-120		17.58	8.38	9.20
	INT-123		18.09	8.25	9.84
	INT-127		11.57	1.62	9.95
	INT-152		12.64	4.27	8.37
	INT-153		14.82	5.92	8.90
	INT-154		14.73	4.53	10.20
	INT-156		11.84	3.80	8.04
	INT-166		16.96	7.75	9.21
	INT-167		15.55	5.60	9.95
	INT-168	(e)	15.04	4	11.04
	INT-169		15.03	4.86	10.17
	INT-170		14.24	4.19	10.05
	INT-235		11.37	1.46	9.91
	INT-239		17.51	7.52	9.99
	INT-259		14.06	3.68	10.38
	INT-260		14.66	4.52	10.14
	INT-261		15.32	5.91	9.41
	INT-262		16.00	5.61	10.39

NOTES:

Ft. MSL = Feet Mean Sea Level
Ft. BTOC = Beet Below Top of Casing
NM = Not Measured (due to inaccessible field conditions)
NA = Not Applicable
--- = Well TOC has not been accurately surveyed to determine ground water elevation data.
(a) Well/piezometer located inside sheet pile wall.
(b) Well/piezometer located outside sheet pile wall.
(c) Elevation in East Slough was estimated from site photographs taken on 3/3/2020.
(d) The gauge in the South Pond is damaged preventing measurement of the surface water elevation.
(e) The well casing at INT-168 is damaged and scheduled to be plugged and abandoned.

TABLE 2-1 (Cont'd)

Ground Water and Surface Water Elevation Data Collected March 3, 2020

2020 Ground Water Monitoring Report
French Limited Superfund Site
Crosby, Texas

Project Area & Zone	Well ID	Notes	TOC Elevation (Ft. MSL)	Depth/Height to Water (Ft. BTOC)	Ground Water Elevation (Ft. MSL)
EAST PLUME AREA					
S1 Wells	S1-064	(b)	14.61	3.79	10.82
	S1-105		11.91	1.10	10.81
	S1-126	(a)	14.75	2.93	11.82
	S1-131		15.60	4.79	10.81
	S1-136		14.92	4.15	10.77
	S1-138		14.95	4.15	10.80
	S1-139		16.04	5.23	10.81
	S1-160		16.34	5.62	10.72
	S1-161		13.74	2.90	10.84
	S1-162		13.19	3.00	10.19
	S1-163		17.68	6.56	11.12
	S1-165		13.48	2.95	10.53
INT Well	INT-155		14.76	4.96	9.80
West Plume Area					
S1 Wells	P-5	(b)	17.85	9.33	8.52
	P-6	(a)	18.45	6.78	11.67
	CMC-2		17.11	8.44	8.67
	S1-031		16.48	7.39	9.09
	S1-033		12.78	2.93	9.85
	S1-051-P-3		12.22	3.83	8.39
	S1-111		12.30	3.81	8.49
	S1-118		18.92	8.53	10.39
	S1-135		18.02	6.02	12.00
INT Wells	INT-022		14.27	4.71	9.56
	INT-026		12.33	3.62	8.71
	INT-059-P-2		15.50	6.97	8.53
	INT-101		13.15	4.96	8.19
	INT-118		19.58	9.59	9.99
	INT-134		17.04	9.89	7.15
	INT-135		18.02	11.02	7.00
	INT-144		18.89	13.92	4.97
	INT-147		14.46	5.30	9.16
	INT-148		15.54	8.42	7.12
	INT-149		19.52	13.36	6.16
	INT-150		13.36	4.72	8.64
	INT-151		12.92	4.40	8.52
	INT-161		---	5.34	---
	INT-162		---	4.79	---
	INT-163		---	6.35	---
	INT-214		11.93	3.16	8.77
	INT-217		11.13	2.86	8.27
	INT-233		15.38	6.24	9.14
	INT-250		13.55	5.30	8.25
	INT-251		14.22	5.91	8.31
	INT-252		13.87	5.14	8.73
	INT-253		20.50	12.52	7.98
	INT-254		18.38	11.43	6.95
	INT-255		16.75	11.24	5.51

NOTES:

Ft. MSL = Feet Mean Sea Level
Ft. BTOC = Beet Below Top of Casing
NM = Not Measured (due to inaccessible field conditions)
NA = Not Applicable
--- = Well TOC has not been accurately surveyed to determine ground water elevation data.
(a) Well/piezometer located inside sheet pile wall.
(b) Well/piezometer located outside sheet pile wall.
(c) Elevation in East Slough is estimated from site photographs taken on 3/3/2020.
(d) The gauge in the South Pond is damaged preventing measurement of the surface water elevation.
(e) The well casing at INT-168 is damaged and scheduled to be plugged and abandoned.

TABLE 2-2

Summary of COC Detections and Regulatory Limit Exceedances

2020 Ground Water Monitoring Report
French Limited Superfund Site
Crosby, Texas

		East Plume Area		Central Plume Area				West Plume Area				Detections (All Areas)			Exceedances (All Areas)		
		S1		S1		INT		S1		INT							
Constituent	Regulatory Limit[2]	Detections[7]	Exceedances[5]	Detections[7]	Exceedances[5]	Detections[7]	Exceedances[5]	Detections[7]	Exceedances	Detections[7]	Exceedances[5]	S1	INT	Both	S1	INT	Both
1,1-Dichloroethane[(3)]	7.3	**1**	0 (0)	**12**	0 (0)	**11**	0 (0)	0	0 (0)	**8**	0 (0)	**13**	**19**	**32**	0 (0)	0 (0)	0 (0)
1,1-Dichloroethene[(3)]	0.007	0	0 (0)	**4**	0 (1)	**5**	**1 (3)**	0	0 (0)	0	0 (0)	**4**	**5**	**9**	0 (1)	**1 (3)**	**1 (4)**
1,2-Dichloroethane	0.005	**4**	0 (0)	**9**	**6 (0)**	**9**	**5 (0)**	0	0 (0)	**5**	**1 (0)**	**13**	**14**	**27**	**6 (0)**	**6 (0)**	**12 (0)**
Acetone	66	0	0 (0)	0	0 (0)	**1**	0 (0)	0	0 (0)	0	0 (0)	0	**1**	**1**	0 (0)	0 (0)	0 (0)
Benzene	0.005	**8**	**4 (0)**	**13**	**4 (1)**	**11**	**8 (1)**	**2**	**1 (0)**	**9**	**3 (0)**	**23**	**20**	**43**	**9 (1)**	**11 (1)**	**20 (2)**
Carbon Tetrachloride	0.005	0	0 (0)	**1**	**1 (0)**	**1**	**1 (2)**	0	0 (0)	0	0 (0)	**1**	**1**	**2**	**1 (0)**	**1 (2)**	**2 (2)**
Chloroethane[(3)]	29	0	0 (0)	0	0 (0)	0	0 (0)	**1**	0 (0)	0	0 (0)	**1**	0	**1**	0 (0)	0 (0)	0 (0)
Chloroform[(3)]	0.73	**2**	0 (0)	**5**	**1 (0)**	**5**	**3 (0)**	0	0 (0)	**1**	0 (0)	**7**	**6**	**13**	**1 (0)**	**3 (0)**	**4 (0)**
Cis-1,2-Dichloroethene	0.07	**2**	0 (0)	**11**	**1 (0)**	**11**	**4 (0)**	0	0 (0)	**1**	0 (0)	**13**	**12**	**25**	**1 (0)**	**4 (0)**	**5 (0)**
Ethylbenzene	0.7	**3**	0 (0)	**1**	0 (0)	**2**	0 (0)	0	0 (0)	0	0 (0)	**4**	**2**	**6**	0 (0)	0 (0)	0 (0)
Methylene chloride	0.005	0	0 (0)	**1**	0 (1)	**3**	**3 (0)**	0	0 (0)	0	0 (0)	**1**	**3**	**4**	0 (1)	**3 (0)**	**3 (1)**
Naphthalene[(3)]	1.5	**2**	0 (0)	**2**	0 (0)	**6**	0 (0)	0	0 (0)	0	0 (0)	**4**	**6**	**10**	0 (0)	0 (0)	0 (0)
Tert-Butyl Alcohol[(4)]	2.2	**10**	**6 (0)**	**22**	**7 (0)**	**16**	**12 (0)**	**3**	**1 (0)**	**17**	**5 (0)**	**35**	**33**	**68**	**14 (0)**	**17 (0)**	**31 (0)**
Tert-Butyl Methyl Ether[(3)]	0.73	**6**	0 (0)	**10**	0 (0)	**12**	0 (0)	**1**	0 (0)	**5**	0 (0)	**17**	**17**	**34**	0 (0)	0 (0)	0 (0)
Tetrachloroethene	0.005	0	0 (0)	**6**	**1 (1)**	**5**	**4 (0)**	0	0 (0)	0	0 (0)	**6**	**5**	**11**	**1 (1)**	**4 (0)**	**5 (1)**
Toluene	1	**1**	0 (0)	**2**	0 (0)	**6**	0 (0)	**1**	0 (0)	**2**	0 (0)	**4**	**8**	**12**	0 (0)	0 (0)	0 (0)
Trans-1,2-Dichloroethene	0.1	0	0 (0)	**4**	0 (0)	**4**	**3 (0)**	0	0 (0)	**2**	0 (0)	**4**	**6**	**10**	0 (0)	**3 (0)**	**3 (0)**
Trichloroethene	0.005	0	0 (0)	**7**	**3 (0)**	**7**	**4 (0)**	0	0 (0)	0	0 (0)	**7**	**7**	**14**	**3 (0)**	**4 (0)**	**7 (0)**
Vinyl Chloride	0.002	**1**	0 (0)	**13**	**9 (0)**	**9**	**5 (0)**	0	0 (0)	**8**	**5 (0)**	**14**	**17**	**31**	**9 (0)**	**10 (0)**	**19 (0)**
Xylene(Total)	10	**4**	0 (0)	**7**	0 (0)	**8**	0 (0)	**2**	0 (0)	**4**	0 (0)	**13**	**12**	**25**	0 (0)	0 (0)	0 (0)
Arsenic	0.01	—	—	—	—	—	—	**5**	**1 (0)**	**5**	**2 (0)**	**5**	**5**	**10**	**1 (0)**	**2 (0)**	**3 (0)**
Chromium	0.1	—	—	—	—	—	—	**1**	0 (0)	**2**	0 (0)	**1**	**2**	**3**	0 (0)	0 (0)	0 (0)
Lead	0.015	—	—	—	—	—	—	0	0 (0)	**1**	0 (0)	0	**1**	**1**	0 (0)	0 (0)	0 (0)
Number of COCs Detected or Exceeding Regulatory Limit[(6)]		12	2 (0)	18	9 (2)	19	12 (0)	8	3 (0)	14	5 (0)	18	19	19	14 (2)	17 (0)	31 (2)
Number of Wells with One or More Exceedances			7		14		12		3		9				24	21	45
Number of Monitor Wells Analyzed		10	10	23	23	17	17	7	7	20	20	40	37	77	40	37	77

NOTES:

1) This table reports statistics that summarize numbers of detections and regulatory limit exceedances by plume area and constituent, which are reported in detail for individual monitor wells in Tables 3-3 through 3-6.
2) Regulatory Limit = Maximum Contaminant Level (MCL), Protective Concentration Level (PCL), or Remedial Action Objective (RAO), whichever is applicable.
3) MCL not available; Texas TRRP Tier 1 commercial/industrial PCL is provided instead.
4) RAO of 2.2 mg/L indicated in correspondence dated June 15, 2007 from USEPA to FLTG.
5) Exceedances are reported as: (non-parenthetical - type 1) the number of samples in which the detected COC concentration exceeds the regulatory limit, and (parenthetical - type 2) the number of samples where the detection limit is greater than the regulatory limit. Exceedance totals that include one or more type 1 exceedances are shown in bold. Detection limit exceedances are enclosed in parentheses.
6) In the row titled "Number of COCs Detected or Exceeding Regulatory Limit", the number of COCs for which regulatory limits are exceeded by detection limit values only are shown i parentheses.
7) Detections include reported results including estimated values (J-flagged).
8) Metals were analyzed for selected wells in the West Plume Area only.
9) The four COCs selected for plume maps in Figures 3-3 through 3-10 and the graphs of Appendix B are highlighted.

TABLE 2-3

Summary of Reported Ground Water Results for the East Slough Area

2020 Ground Water Monitoring Report
French Limited Superfund Site
Crosby, Texas

					Reported Constituent Concentrations (mg/L)																							
Constituent	MCL/PCL/ RAO	Notes	Unit Screened	Well ID: Sample Date:	S1-064 3/9/2020		S1-105 3/9/2020		S1-131 3/9/2020		S1-136 3/6/2020		S1-138 3/9/2020		S1-139 3/9/2020		S1-160 3/9/2020		S1-161 3/6/2020		S1-162 3/6/2020		S1-165 3/6/2020
1,1-Dichloroethane	7.3	(a)	S1	mg/L	< 0.0004		< 0.0004		< 0.0004		< 0.0004		< 0.0004		**J 0.0018**		< 0.0004		< 0.0004		< 0.002		< 0.0004
1,1-Dichloroethene	0.007	(a)	S1	mg/L	< 0.0005		< 0.0005		< 0.0005		< 0.0005		< 0.0005		< 0.0005		< 0.0005		< 0.0005		< 0.0025		< 0.0005
1,2-Dichloroethane	0.005		S1	mg/L	**J 0.00056**		< 0.0005		< 0.0005		< 0.0005		< 0.0005		**J 0.00069**		**J 0.0023**		< 0.0005		< 0.0025		**J 0.0014**
Acetone	66		S1	mg/L	< 0.002		< 0.002		< 0.002		< 0.002		< 0.002		< 0.002		< 0.002		< 0.002		< 0.01		< 0.002
Benzene	0.005		S1	mg/L	**J 0.001**		< 0.0006		**0.024**	*	< 0.0006		**0.0088**	*	**J 0.0042**		**J 0.0011**		**0.0068**	*	**1.7**	*	**J 0.0037**
Carbon Tetrachloride	0.005		S1	mg/L	< 0.0006		< 0.0006		< 0.0006		< 0.0006		< 0.0006		< 0.0006		< 0.0006		< 0.0006		< 0.003		< 0.0006
Chloroethane	29	(a)	S1	mg/L	< 0.0005		< 0.0005		< 0.0005		< 0.0005		< 0.0005		< 0.0005		< 0.0005		< 0.0005		< 0.0025		< 0.0005
Chloroform	0.73	(a)	S1	mg/L	< 0.0006		< 0.0006		< 0.0006		< 0.0006		< 0.0006		< 0.0006		**J 0.0018**		< 0.0006		< 0.003		**J 0.00083**
Cis-1,2-Dichloroethene	0.07		S1	mg/L	< 0.0006		< 0.0006		< 0.0006		**J 0.00081**		< 0.0006		< 0.0006		**J 0.0006**		< 0.0006		< 0.003		< 0.0006
Ethylbenzene	0.7		S1	mg/L	< 0.0005		< 0.0005		< 0.0005		< 0.0005		< 0.0005		< 0.0005		< 0.0005		**J 0.0016**		**0.15**		**J 0.001**
Methylene chloride	0.005		S1	mg/L	< 0.001		< 0.001		< 0.001		< 0.001		< 0.001		< 0.001		< 0.001		< 0.001		< 0.005		< 0.001
Naphthalene	1.5	(a)	S1	mg/L	< 0.0007		< 0.0007		< 0.0007		< 0.0007		< 0.0007		< 0.0007		< 0.0007		**J 0.0021**		**0.029**		< 0.0007
Tert-Butyl Alcohol	2.2	(b)	S1	mg/L	**23**	*	**J 0.075**		**51**	*	**0.31**		**11**	*	**16**	*	**3.3**	*	**0.36**		**240**	*	**J 0.068**
Tert-Butyl Methyl Ether	0.73	(a)	S1	mg/L	**0.014**		< 0.0006		**0.012**		< 0.0006		**J 0.003**		**0.0052**		**J 0.00086**		< 0.0006		**0.07**		< 0.0006
Tetrachloroethene	0.005		S1	mg/L	< 0.0006		< 0.0006		< 0.0006		< 0.0006		< 0.0006		< 0.0006		< 0.0006		< 0.0006		< 0.003		< 0.0006
Toluene	1		S1	mg/L	< 0.0005		< 0.0005		< 0.0005		< 0.0005		< 0.0005		< 0.0005		< 0.0005		< 0.0005		**J 0.0082**		< 0.0005
Trans-1,2-Dichloroethene	0.1		S1	mg/L	< 0.0004		< 0.0004		< 0.0004		< 0.0004		< 0.0004		< 0.0004		< 0.0004		< 0.0004		< 0.002		< 0.0004
Trichloroethene	0.005		S1	mg/L	< 0.0005		< 0.0005		< 0.0005		< 0.0005		< 0.0005		< 0.0005		< 0.0005		< 0.0005		< 0.0025		< 0.0005
Vinyl Chloride	0.002		S1	mg/L	< 0.0004		< 0.0004		< 0.0004		< 0.0004		< 0.0004		**J 0.00051**		< 0.0004		< 0.0004		< 0.002		< 0.0004
Xylene(Total)	10		S1	mg/L	< 0.0005		< 0.0005		< 0.0005		< 0.0005		**J 0.00094**		< 0.0005		< 0.0005		**J 0.0016**		**0.17**		**J 0.001**

NOTES:

MCL/PCL/RAO = Maximum Contaminant Level/Protective Concentration Level/Remedial Action Objective
Detected concentrations are shown in bold font.
* = Exceedance of MCL/PCL/RAO
< 0.005 = *Not Detected* at the laboratory reporting limit shown
(a) = MCL not available; Texas TRRP Tier 1 commercial/industrial PCL is provided instead.
(b) = RAO of 2.2 mg/L indicated in correspondence dated June 15, 2007 from USEPA to FLTG.
J = approximate concentration; result is less than the lowest calibration standard
The four COCs selected for plume maps in Figures 3-3 through 3-10 and the graphs of Appendix B are highlighted.

TABLE 2-4

Summary of Reported Ground Water Results for the Central Plume Area

2020 Ground Water Monitoring Report
French Limited Superfund Site
Crosby, Texas

					Reported Constituent Concentrations (mg/L)																	
Constituent	MCL/PCL/ RAO	Notes	Unit Screened	Well ID: Sample Date:	FLTG-014 3/6/2020		S1-106A 3/5/2020		S1-106R 3/4/2020		S1-108A 3/4/2020		S1-121 3/9/2020		S1-123 3/9/2020		S1-142 3/4/2020		S1-143 3/9/2020		S1-144 3/4/2020		S1-145 3/4/2020	
1,1-Dichloroethane	7.3	(a)	S1	mg/L	**J 0.00043**		**0.041**		< 0.0004		< 0.0004		< 0.0004		**J 0.0024**		< 0.0004		**J 0.0027**		**0.01**		**J 0.00058**	
1,1-Dichloroethene	0.007	(a)	S1	mg/L	< 0.0005		**0.0056**		< 0.0005		< 0.0005		< 0.0005		< 0.0005		< 0.0005		< 0.0005		**J 0.0011**		< 0.0005	
1,2-Dichloroethane	0.005		S1	mg/L	**J 0.005**		**0.55**	*	< 0.0005		< 0.0005		< 0.0005		**J 0.0014**		< 0.0005		**0.014**	*	**0.033**	*	< 0.0005	
Acetone	66		S1	mg/L	< 0.002		< 0.002		< 0.002		< 0.002		< 0.002		< 0.002		< 0.002		< 0.002		< 0.002		< 0.002	
Benzene	0.005		S1	mg/L	< 0.0006		**J 0.0048**		**J 0.0037**		< 0.0006		**0.032**	*	**J 0.0013**		< 0.0006		**J 0.00088**		**J 0.00084**		< 0.0006	
Carbon Tetrachloride	0.005		S1	mg/L	< 0.0006		< 0.0006		< 0.0006		< 0.0006		< 0.0006		< 0.0006		< 0.0006		**0.01**	*	< 0.0006		< 0.0006	
Chloroethane	29	(a)	S1	mg/L	< 0.0005		< 0.0005		< 0.0005		< 0.0005		< 0.0005		< 0.0005		< 0.0005		< 0.0005		< 0.0005		< 0.0005	
Chloroform	0.73	(a)	S1	mg/L	**J 0.0032**		**J 0.0045**		< 0.0006		< 0.0006		< 0.0006		< 0.0006		< 0.0006		**0.081**		< 0.0006		< 0.0006	
Cis-1,2-Dichloroethene	0.07		S1	mg/L	**J 0.0016**		**0.055**		< 0.0006		< 0.0006		< 0.0006		**J 0.0012**		< 0.0006		**0.017**		**0.0073**		**J 0.00083**	
Ethylbenzene	0.7		S1	mg/L	< 0.0005		< 0.0005		< 0.0005		< 0.0005		**J 0.0011**		< 0.0005		< 0.0005		< 0.0005		< 0.0005		< 0.0005	
Methylene chloride	0.005		S1	mg/L	< 0.001		< 0.001		< 0.001		< 0.001		< 0.001		< 0.001		< 0.001		< 0.001		< 0.001		< 0.001	
Naphthalene	1.5	(a)	S1	mg/L	< 0.0007		**J 0.0031**		< 0.0007		< 0.0007		< 0.0007		< 0.0007		< 0.0007		**0.006**		< 0.0007		< 0.0007	
Tert-Butyl Alcohol	2.2	(b)	S1	mg/L	< 0.02		**0.67**		**4**	*	**J 0.036**		**3**	*	**0.78**		**0.26**		**0.68**		**0.24**		**1.3**	
Tert-Butyl Methyl Ether	0.73	(a)	S1	mg/L	< 0.0006		< 0.0006		**J 0.0016**		< 0.0006		**J 0.0012**		< 0.0006		< 0.0006		< 0.0006		< 0.0006		**J 0.00096**	
Tetrachloroethene	0.005		S1	mg/L	**J 0.0018**		**J 0.003**		< 0.0006		< 0.0006		< 0.0006		< 0.0006		< 0.0006		**0.048**	*	**J 0.00079**		< 0.0006	
Toluene	1		S1	mg/L	< 0.0005		**J 0.0014**		< 0.0005		< 0.0005		< 0.0005		< 0.0005		< 0.0005		< 0.0005		< 0.0005		< 0.0005	
Trans-1,2-Dichloroethene	0.1		S1	mg/L	**J 0.00048**		< 0.0004		< 0.0004		< 0.0004		< 0.0004		< 0.0004		< 0.0004		**0.0069**		< 0.0004		< 0.0004	
Trichloroethene	0.005		S1	mg/L	**J 0.0015**		**J 0.0028**		< 0.0005		< 0.0005		< 0.0005		< 0.0005		< 0.0005		**0.013**	*	**J 0.0013**		< 0.0005	
Vinyl Chloride	0.002		S1	mg/L	**J 0.00062**		**0.17**	*	< 0.0004		< 0.0004		< 0.0004		**0.0051**	*	< 0.0004		**J 0.0019**		**0.018**	*	**0.0025**	*
Xylene(Total)	10		S1	mg/L	< 0.0005		**J 0.002**		**J 0.00095**		< 0.0005		**J 0.0036**		< 0.0005		< 0.0005		**J 0.0012**		< 0.0005		< 0.0005	

NOTES:

MCL/PCL/RAO = Maximum Contaminant Level/Protective Concentration Level/Remedial Action Objective
Detected concentrations are shown in bold font.
* = Exceedance of MCL/PCL/RAO
< 0.005 = *Not Detected* at the laboratory reporting limit shown
(a) = MCL not available; Texas TRRP Tier 1 commercial/industrial PCL is provided instead.
(b) = RAO of 2.2 mg/L indicated in correspondence dated June 15, 2007 from USEPA to FLTG.
J = approximate concentration; result is less than the lowest calibration standard
NA = Not Analyzed
The four COCs selected for plume maps in Figures 3-3 through 3-10 and the graphs of Appendix B are highlighted.

TABLE 2-4 (Cont'd)

Summary of Reported Ground Water Results for the Central Plume Area

2020 Ground Water Monitoring Report
French Limited Superfund Site
Crosby, Texas

Constituent	MCL/PCL/ RAO	Notes	Unit Screened	Well ID: Sample Date:	S1-146 3/4/2020	S1-147 3/5/2020	S1-148 3/4/2020	S1-149 3/9/2020	S1-153 3/9/2020	S1-154 3/9/2020	S1-155 3/9/2020	S1-159 3/9/2020	S1-164 3/9/2020	S1-166 3/5/2020
					Reported Constituent Concentrations (mg/L)									
1,1-Dichloroethane	7.3	(a)	S1	mg/L	**J 0.00085**	< 0.0004	< 0.0004	**0.0082**	**J 0.0046**	**0.22**	**J 0.0021**	< 0.0004	**J 0.0012**	< 0.0004
1,1-Dichloroethene	0.007	(a)	S1	mg/L	< 0.0005	< 0.0005	< 0.0005	**J 0.00053**	< 0.0005	**J 0.015** *	< 0.0005	< 0.0005	< 0.0005	< 0.0005
1,2-Dichloroethane	0.005		S1	mg/L	< 0.0005	< 0.0005	< 0.0005	**J 0.00088**	**0.0096** *	**6.1** *	**0.031** *	< 0.0005	< 0.0005	< 0.0005
Acetone	66		S1	mg/L	< 0.002	< 0.002	< 0.002	< 0.002	< 0.002	< 0.01	< 0.002	< 0.002	< 0.002	< 0.002
Benzene	0.005		S1	mg/L	**0.023** *	**0.022** *	< 0.0006	**0.015** *	**J 0.0017**	**J 0.018** *	< 0.0006	< 0.0006	**J 0.0009**	**J 0.001**
Carbon Tetrachloride	0.005		S1	mg/L	< 0.0006	< 0.0006	< 0.0006	< 0.0006	< 0.0006	< 0.003	< 0.0006	< 0.0006	< 0.0006	< 0.0006
Chloroethane	29	(a)	S1	mg/L	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0025	< 0.0005	< 0.0005	< 0.0005	< 0.0005
Chloroform	0.73	(a)	S1	mg/L	< 0.0006	< 0.0006	< 0.0006	< 0.0006	< 0.0006	**2.7** *	**0.022**	< 0.0006	< 0.0006	< 0.0006
Cis-1,2-Dichloroethene	0.07		S1	mg/L	**J 0.0033**	< 0.0006	< 0.0006	**0.006**	**J 0.0046**	**0.41** *	**J 0.0045**	< 0.0006	< 0.0006	< 0.0006
Ethylbenzene	0.7		S1	mg/L	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0025	< 0.0005	< 0.0005	< 0.0005	< 0.0005
Methylene chloride	0.005		S1	mg/L	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	**J 0.018** *	< 0.001	< 0.001	< 0.001	< 0.001
Naphthalene	1.5	(a)	S1	mg/L	< 0.0007	< 0.0007	< 0.0007	< 0.0007	< 0.0007	< 0.0035	< 0.0007	< 0.0007	< 0.0007	< 0.0007
Tert-Butyl Alcohol	2.2	(b)	S1	mg/L	**8.4** *	**11** *	**1.1**	**7.3** *	**2.8** *	**0.64**	**0.52**	**0.72**	**0.2**	**1.9**
Tert-Butyl Methyl Ether	0.73	(a)	S1	mg/L	**J 0.0026**	**J 0.0032**	< 0.0006	**J 0.0028**	**J 0.0013**	< 0.003	**J 0.0019**	< 0.0006	< 0.0006	**J 0.00076**
Tetrachloroethene	0.005		S1	mg/L	< 0.0006	< 0.0006	< 0.0006	< 0.0006	< 0.0006	**J 0.014** *	**J 0.002**	< 0.0006	< 0.0006	< 0.0006
Toluene	1		S1	mg/L	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	**J 0.0056**	< 0.0005	< 0.0005	< 0.0005	< 0.0005
Trans-1,2-Dichloroethene	0.1		S1	mg/L	< 0.0004	< 0.0004	< 0.0004	< 0.0004	< 0.0004	**0.066**	**J 0.0016**	< 0.0004	< 0.0004	< 0.0004
Trichloroethene	0.005		S1	mg/L	< 0.0005	< 0.0005	< 0.0005	< 0.0005	**J 0.001**	**0.1** *	**0.0065** *	< 0.0005	< 0.0005	< 0.0005
Vinyl Chloride	0.002		S1	mg/L	**0.021** *	< 0.0004	**J 0.00041**	**0.011** *	**0.0038** *	**0.51** *	**0.0054** *	< 0.0004	< 0.0004	< 0.0004
Xylene(Total)	10		S1	mg/L	**J 0.0011**	**J 0.001**	< 0.0005	< 0.0005	< 0.0005	**J 0.003**	< 0.0005	< 0.0005	< 0.0005	< 0.0005

NOTES:

MCL/PCL/RAO = Maximum Contaminant Level/Protective Concentration Level/Remedial Action Objective
Detected concentrations are shown in bold font.
* = Exceedance of MCL/PCL/RAO
< 0.005 = Not Detected at the laboratory reporting limit shown
(a) = MCL not available; Texas TRRP Tier 1 commercial/industrial PCL is provided instead.
(b) = RAO of 2.2 mg/L indicated in correspondence dated June 15, 2007 from USEPA to FLTG.
J = approximate concentration; result is less than the lowest calibration standard
NA = Not Analyzed
The four COCs selected for plume maps in Figures 3-3 through 3-10 and the graphs of Appendix B are highlighted.

TABLE 2-4 (Cont'd)

Summary of Reported Ground Water Results for the Central Plume Area

2020 Ground Water Monitoring Report
French Limited Superfund Site
Crosby, Texas

				Reported Constituent Concentrations (mg/L)													
Constituent	MCL/PCL/ RAO	Notes	Unit Screened	Well ID: Sample Date:	S1-167 3/4/2020	S1-168 3/5/2020		S1-169 3/4/2020									
1,1-Dichloroethane	7.3	(a)	S1	mg/L	< 0.0004	< 0.0004		< 0.0004									
1,1-Dichloroethene	0.007	(a)	S1	mg/L	< 0.0005	< 0.0005		< 0.0005									
1,2-Dichloroethane	0.005		S1	mg/L	< 0.0005	< 0.0005		< 0.0005									
Acetone	66		S1	mg/L	< 0.002	< 0.002		< 0.002									
Benzene	0.005		S1	mg/L	< 0.0006	< 0.0006		< 0.0006									
Carbon Tetrachloride	0.005		S1	mg/L	< 0.0006	< 0.0006		< 0.0006									
Chloroethane	29	(a)	S1	mg/L	< 0.0005	< 0.0005		< 0.0005									
Chloroform	0.73	(a)	S1	mg/L	< 0.0006	< 0.0006		< 0.0006									
Cis-1,2-Dichloroethene	0.07		S1	mg/L	< 0.0006	< 0.0006		< 0.0006									
Ethylbenzene	0.7		S1	mg/L	< 0.0005	< 0.0005		< 0.0005									
Methylene chloride	0.005		S1	mg/L	< 0.001	< 0.001		< 0.001									
Naphthalene	1.5	(a)	S1	mg/L	< 0.0007	< 0.0007		< 0.0007									
Tert-Butyl Alcohol	2.2	(b)	S1	mg/L	**0.95**	**2.9**	*	**0.5**									
Tert-Butyl Methyl Ether	0.73	(a)	S1	mg/L	< 0.0006	**J 0.001**		< 0.0006									
Tetrachloroethene	0.005		S1	mg/L	< 0.0006	< 0.0006		< 0.0006									
Toluene	1		S1	mg/L	< 0.0005	< 0.0005		< 0.0005									
Trans-1,2-Dichloroethene	0.1		S1	mg/L	< 0.0004	< 0.0004		< 0.0004									
Trichloroethene	0.005		S1	mg/L	< 0.0005	< 0.0005		< 0.0005									
Vinyl Chloride	0.002		S1	mg/L	< 0.0004	**J 0.0014**		< 0.0004									
Xylene(Total)	10		S1	mg/L	< 0.0005	< 0.0005		< 0.0005									

NOTES:

MCL/PCL/RAO = Maximum Contaminant Level/Protective Concentration Level/Remedial Action Objective
Detected concentrations are shown in bold font.
* = Exceedance of MCL/PCL/RAO
< 0.005 = Not Detected at the laboratory reporting limit shown
(a) = MCL not available; Texas TRRP Tier 1 commercial/industrial PCL is provided instead.
(b) = RAO of 2.2 mg/L indicated in correspondence dated June 15, 2007 from USEPA to FLTG.
J = approximate concentration; result is less than the lowest calibration standard
NA = Not Analyzed
The four COCs selected for plume maps in Figures 3-3 through 3-10 and the graphs of Appendix B are highlighted.

TABLE 2-4 (Cont'd)

Summary of Reported Ground Water Results for the Central Plume Area

2020 Ground Water Monitoring Report
French Limited Superfund Site
Crosby, Texas

					Reported Constituent Concentrations (mg/L)																			
Constituent	MCL/PCL/ RAO	Notes	Unit Screened	Well ID: Sample Date:	FLTG-013 3/6/2020		INT-060-P-3 3/5/2020		INT-106 3/6/2020		INT-108 3/4/2020		INT-120 3/9/2020		INT-123 3/9/2020		INT-127 3/9/2020		INT-154 3/5/2020		INT-166 3/9/2020		INT-167 3/9/2020	
1,1-Dichloroethane	7.3	(a)	INT	mg/L	**J 0.0021**		< 0.0004		**0.067**		< 0.0004		**0.66**		**0.012**		**0.0052**		< 0.0004		**J 0.0017**		**3.5**	
1,1-Dichloroethene	0.007	(a)	INT	mg/L	< 0.0005		< 0.0005		**0.0073**	*	< 0.0005		**J 0.038**	*	< 0.0005		**J 0.00062**		< 0.0005		< 0.0005		**J 0.11**	*
1,2-Dichloroethane	0.005		INT	mg/L	**J 0.0023**		< 0.0005		**1.1**	*	< 0.0005		**19**	*	**J 0.0017**		**0.014**	*	< 0.0005		< 0.0005		**76**	*
Acetone	66		INT	mg/L	< 0.002		< 0.002		< 0.002		< 0.002		< 0.02		< 0.002		< 0.002		< 0.002		< 0.002		**30**	
Benzene	0.005		INT	mg/L	< 0.0006		**J 0.0019**		**0.0068**	*	**< 0.0006**		**0.1**	*	**0.0055**	*	**0.022**	*	**0.18**	*	**0.12**	*	**0.63**	*
Carbon Tetrachloride	0.005		INT	mg/L	< 0.0006		< 0.0006		< 0.0006		< 0.0006		**< 0.006**	*	< 0.0006		< 0.0006		< 0.0006		< 0.0006		**< 0.03**	*
Chloroethane	29	(a)	INT	mg/L	< 0.0005		< 0.0005		< 0.0005		< 0.0005		< 0.005		< 0.0005		< 0.0005		< 0.0005		< 0.0005		< 0.025	
Chloroform	0.73	(a)	INT	mg/L	**J 0.0019**		< 0.0006		**0.49**		< 0.0006		**11**	*	< 0.0006		< 0.0006		< 0.0006		< 0.0006		**110**	*
Cis-1,2-Dichloroethene	0.07		INT	mg/L	**J 0.0024**		< 0.0006		**0.19**	*	< 0.0006		**3**	*	**0.005**		**0.0078**		< 0.0006		< 0.0006		**18**	*
Ethylbenzene	0.7		INT	mg/L	< 0.0005		< 0.0005		< 0.0005		< 0.0005		< 0.005		< 0.0005		< 0.0005		< 0.0005		**0.0085**		**J 0.045**	
Methylene chloride	0.005		INT	mg/L	< 0.001		< 0.001		< 0.001		< 0.001		**0.36**	*	< 0.001		< 0.001		< 0.001		< 0.001		**21**	*
Naphthalene	1.5	(a)	INT	mg/L	< 0.0007		< 0.0007		**J 0.0046**		< 0.0007		< 0.007		< 0.0007		**J 0.0039**		**J 0.0025**		**J 0.0046**		**J 0.21**	
Tert-Butyl Alcohol	2.2	(b)	INT	mg/L	**4**	*	**26**	*	**3.6**	*	**1.7**		**11**	*	**3.5**	*	**6.9**	*	**74**	*	**3.7**	*	**98**	*
Tert-Butyl Methyl Ether	0.73	(a)	INT	mg/L	**J 0.0013**		**0.013**		**J 0.0013**		**J 0.0014**		< 0.006		**J 0.0011**		**J 0.0019**		**0.02**		**J 0.0025**		< 0.03	
Tetrachloroethene	0.005		INT	mg/L	**J 0.0014**		< 0.0006		**0.037**	*	< 0.0006		**0.13**	*	< 0.0006		< 0.0006		< 0.0006		< 0.0006		**0.83**	*
Toluene	1		INT	mg/L	< 0.0005		< 0.0005		**J 0.0027**		< 0.0005		**J 0.014**		< 0.0005		**J 0.00052**		**J 0.00091**		**0.0064**		**J 0.18**	
Trans-1,2-Dichloroethene	0.1		INT	mg/L	< 0.0004		< 0.0004		**0.034**		< 0.0004		**0.41**	*	< 0.0004		< 0.0004		< 0.0004		< 0.0004		**3.8**	*
Trichloroethene	0.005		INT	mg/L	**J 0.00085**		< 0.0005		**0.049**	*	< 0.0005		**0.1**	*	< 0.0005		**J 0.00086**		< 0.0005		**J 0.00056**		**0.75**	*
Vinyl Chloride	0.002		INT	mg/L	< 0.0004		< 0.0004		**0.14**	*	< 0.0004		**0.79**	*	< 0.0004		**0.0043**	*	< 0.0004		< 0.0004		**3.8**	*
Xylene(Total)	10		INT	mg/L	< 0.0005		**J 0.0013**		**J 0.003**		< 0.0005		**J 0.013**		< 0.0005		**J 0.00099**		**0.0096**		**0.0088**		**J 0.13**	

NOTES:

MCL/PCL/RAO = Maximum Contaminant Level/Protective Concentration Level/Remedial Action Objective
Detected concentrations are shown in bold font.
* = Exceedance of MCL/PCL/RAO
< 0.005 = Not Detected at the laboratory reporting limit shown
(a) = MCL not available; Texas TRRP Tier 1 commercial/industrial PCL is provided instead.
(b) = RAO of 2.2 mg/L indicated in correspondence dated June 15, 2007 from USEPA to FLTG.
J = approximate concentration; result is less than the lowest calibration standard
NA = Not Analyzed
The four COCs selected for plume maps in Figures 3-3 through 3-10 and the graphs of Appendix B are highlighted.

TABLE 2-4 (Cont'd)

Summary of Reported Ground Water Results for the Central Plume Area

2020 Ground Water Monitoring Report
French Limited Superfund Site
Crosby, Texas

					Reported Constituent Concentrations (mg/L)																																	
Constituent	MCL/PCL/ RAO	Notes	Unit Screened	Well ID: Sample Date:	INT-169 3/9/2020		INT-235 3/9/2020		INT-239 3/9/2020		INT-259 3/5/2020		INT-260 3/4/2020		INT-261 3/4/2020		INT-262 3/4/2020																					
1,1-Dichloroethane	7.3	(a)	INT	mg/L	**J 0.00068**		**0.27**		**J 0.0028**		< 0.0004		**J 0.00071**		< 0.0004		< 0.0004																					
1,1-Dichloroethene	0.007	(a)	INT	mg/L	< 0.0005		**J 0.0074**	*	< 0.0005		< 0.0005		< 0.0005		< 0.0005		< 0.0005																					
1,2-Dichloroethane	0.005		INT	mg/L	< 0.0005		**1.3**	*	**J 0.001**		< 0.0005		< 0.0005		< 0.0005		**J 0.0016**																					
Acetone	66		INT	mg/L	< 0.002		< 0.01		< 0.002		< 0.002		< 0.002		< 0.002		< 0.002																					
Benzene	0.005		INT	mg/L	**J 0.0012**		**J 0.022**	*	< 0.0006		< 0.0006		**0.01**	*	< 0.0006		< 0.0006																					
Carbon Tetrachloride	0.005		INT	mg/L	< 0.0006		**0.16**	*	< 0.0006		< 0.0006		< 0.0006		< 0.0006		< 0.0006																					
Chloroethane	29	(a)	INT	mg/L	< 0.0005		< 0.0025		< 0.0005		< 0.0005		< 0.0005		< 0.0005		< 0.0005																					
Chloroform	0.73	(a)	INT	mg/L	< 0.0006		**7.8**	*	< 0.0006		< 0.0006		< 0.0006		< 0.0006		< 0.0006																					
Cis-1,2-Dichloroethene	0.07		INT	mg/L	**J 0.0011**		**1.5**	*	**0.0053**		**J 0.00068**		**J 0.0016**		< 0.0006		< 0.0006																					
Ethylbenzene	0.7		INT	mg/L	< 0.0005		< 0.0025		< 0.0005		< 0.0005		< 0.0005		< 0.0005		< 0.0005																					
Methylene chloride	0.005		INT	mg/L	< 0.001		**0.073**	*	< 0.001		< 0.001		< 0.001		< 0.001		< 0.001																					
Naphthalene	1.5	(a)	INT	mg/L	< 0.0007		**0.04**		< 0.0007		< 0.0007		< 0.0007		< 0.0007		< 0.0007																					
Tert-Butyl Alcohol	2.2	(b)	INT	mg/L	**1.7**		**4.1**	*	**2.1**		**4.7**	*	**15**	*	< 0.02		**0.12**																					
Tert-Butyl Methyl Ether	0.73	(a)	INT	mg/L	**J 0.0008**		< 0.003		**J 0.00073**		**J 0.0018**		**J 0.0041**		< 0.0006		< 0.0006																					
Tetrachloroethene	0.005		INT	mg/L	< 0.0006		**0.35**	*	< 0.0006		< 0.0006		< 0.0006		< 0.0006		< 0.0006																					
Toluene	1		INT	mg/L	< 0.0005		< 0.0025		< 0.0005		< 0.0005		< 0.0005		< 0.0005		< 0.0005																					
Trans-1,2-Dichloroethene	0.1		INT	mg/L	< 0.0004		**0.28**	*	< 0.0004		< 0.0004		< 0.0004		< 0.0004		< 0.0004																					
Trichloroethene	0.005		INT	mg/L	< 0.0005		**0.16**	*	< 0.0005		< 0.0005		< 0.0005		< 0.0005		< 0.0005																					
Vinyl Chloride	0.002		INT	mg/L	**J 0.0012**		**0.13**	*	**J 0.00078**		**J 0.0011**		**0.002**		< 0.0004		< 0.0004																					
Xylene(Total)	10		INT	mg/L	< 0.0005		**J 0.0089**		< 0.0005		< 0.0005		< 0.0005		< 0.0005		< 0.0005																					

NOTES:

MCL/PCL/RAO = Maximum Contaminant Level/Protective Concentration Level/Remedial Action Objective
Detected concentrations are shown in bold font.
* = Exceedance of MCL/PCL/RAO
< 0.005 = Not Detected at the laboratory reporting limit shown
(a) = MCL not available; Texas TRRP Tier 1 commercial/industrial PCL is provided instead.
(b) = RAO of 2.2 mg/L indicated in correspondence dated June 15, 2007 from USEPA to FLTG.
J = approximate concentration; result is less than the lowest calibration standard
NA = Not Analyzed
The four COCs selected for plume maps in Figures 3-3 through 3-10 and the graphs of Appendix B are highlighted.

TABLE 2-5

Summary of Reported Ground Water Results for the West Plume Area

2020 Ground Water Monitoring Report
French Limited Superfund Site
Crosby, Texas

				Reported Constituent Concentrations (mg/L)															
Constituent	MCL/PCL/ RAO	Unit Screened	Well ID: Sample Date:	S1-031 3/5/2020		S1-033 3/4/2020		S1-051-P-3 3/4/2020		S1-111 3/5/2020		S1-118 3/5/2020		S1-135 3/5/2020		P-5 3/5/2020	
1,1-Dichloroethane	7.3	S1	mg/L	< 0.0004		< 0.0004		< 0.0004		< 0.0004		< 0.0004		< 0.0004		< 0.0004	
1,1-Dichloroethene	0.007	S1	mg/L	< 0.0005		< 0.0005		< 0.0005		< 0.0005		< 0.0005		< 0.0005		< 0.0005	
1,2-Dichloroethane	0.005	S1	mg/L	< 0.0005		< 0.0005		< 0.0005		< 0.0005		< 0.0005		< 0.0005		< 0.0005	
Acetone	66	S1	mg/L	< 0.002		< 0.002		< 0.002		< 0.002		< 0.002		< 0.002		< 0.002	
Benzene	0.005	S1	mg/L	< 0.0006		< 0.0006		**0.057**	*	< 0.0006		< 0.0006		< 0.0006		**J 0.00075**	
Carbon Tetrachloride	0.005	S1	mg/L	< 0.0006		< 0.0006		< 0.0006		< 0.0006		< 0.0006		< 0.0006		< 0.0006	
Chloroethane	29	S1	mg/L	< 0.0005		< 0.0005		**0.011**		< 0.0005		< 0.0005		< 0.0005		< 0.0005	
Chloroform	0.73	S1	mg/L	< 0.0006		< 0.0006		< 0.0006		< 0.0006		< 0.0006		< 0.0006		< 0.0006	
Cis-1,2-Dichloroethene	0.07	S1	mg/L	< 0.0006		< 0.0006		< 0.0006		< 0.0006		< 0.0006		< 0.0006		< 0.0006	
Ethylbenzene	0.7	S1	mg/L	< 0.0005		< 0.0005		< 0.0005		< 0.0005		< 0.0005		< 0.0005		< 0.0005	
Methylene chloride	0.005	S1	mg/L	< 0.001		< 0.001		< 0.001		< 0.001		< 0.001		< 0.001		< 0.001	
Naphthalene	1.5	S1	mg/L	< 0.0007		< 0.0007		< 0.0007		< 0.0007		< 0.0007		< 0.0007		< 0.0007	
Tert-Butyl Alcohol	2.2	S1	mg/L	< 0.02		< 0.02		**0.46**		**0.3**		< 0.02		< 0.02		**16**	*
Tert-Butyl Methyl Ether	0.73	S1	mg/L	< 0.0006		< 0.0006		< 0.0006		< 0.0006		< 0.0006		< 0.0006		**J 0.0039**	
Tetrachloroethene	0.005	S1	mg/L	< 0.0006		< 0.0006		< 0.0006		< 0.0006		< 0.0006		< 0.0006		< 0.0006	
Toluene	1	S1	mg/L	< 0.0005		< 0.0005		**J 0.00089**		< 0.0005		< 0.0005		< 0.0005		< 0.0005	
Trans-1,2-Dichloroethene	0.1	S1	mg/L	< 0.0004		< 0.0004		< 0.0004		< 0.0004		< 0.0004		< 0.0004		< 0.0004	
Trichloroethene	0.005	S1	mg/L	< 0.0005		< 0.0005		< 0.0005		< 0.0005		< 0.0005		< 0.0005		< 0.0005	
Vinyl Chloride	0.002	S1	mg/L	< 0.0004		< 0.0004		< 0.0004		< 0.0004		< 0.0004		< 0.0004		< 0.0004	
Xylene(Total)	10	S1	mg/L	< 0.0005		< 0.0005		**J 0.0038**		< 0.0005		< 0.0005		< 0.0005		**0.0061**	
Arsenic	0.01	S1	mg/L	**J 0.00115**		**J 0.000855**		NA		**0.00343**		**0.00395**		**0.0555**	*	NA	
Chromium	0.1	S1	mg/L	< 0.0004		< 0.0004		NA		< 0.0004		< 0.0004		**J 0.00122**		NA	
Lead	0.015	S1	mg/L	< 0.0006		< 0.0006		NA		< 0.0006		< 0.0006		< 0.0006		NA	

NOTES:

MCL/PCL/RAO = Maximum Contaminant Level/Protective Concentration Level/Remedial Action Objective
Detected concentrations are shown in bold font.
* = Exceedance of MCL/PCL/RAO
< 0.005 = *Not Detected* at the laboratory reporting limit shown
(a) = MCL not available; Texas TRRP Tier 1 commercial/industrial PCL is provided instead.
(b) = RAO of 2.2 mg/L indicated in correspondence dated June 15, 2007 from USEPA to FLTG.
J = approximate concentration; result is less than the lowest calibration standard
NA = Not Analyzed
The four COCs selected for plume maps in Figures 3-3 through 3-10 and the graphs of Appendix B are highlighted.

TABLE 2-5 (Cont'd)

Summary of Reported Ground Water Results for the West Plume Area

2020 Ground Water Monitoring Report
French Limited Superfund Site
Crosby, Texas

				Reported Constituent Concentrations (mg/L)														
Constituent	MCL/PCL/ RAO	Unit Screened	Well ID: Sample Date:	INT-022 3/4/2020		INT-026 3/4/2020		INT-059-P-2 3/5/2020		INT-101 3/6/2020		INT-118 3/5/2020		INT-134 3/5/2020				
1,1-Dichloroethane	7.3	INT	mg/L	< 0.0004		< 0.0004		< 0.0004		< 0.0004		< 0.0004		**0.0089**				
1,1-Dichloroethene	0.007	INT	mg/L	< 0.0005		< 0.0005		< 0.0005		< 0.0005		< 0.0005		< 0.0005				
1,2-Dichloroethane	0.005	INT	mg/L	< 0.0005		< 0.0005		< 0.0005		< 0.0005		< 0.0005		**0.013**	*			
Acetone	66	INT	mg/L	< 0.002		< 0.002		< 0.002		< 0.002		< 0.002		< 0.002				
Benzene	0.005	INT	mg/L	**J 0.0019**		**J 0.00083**		< 0.0006		**0.0093**	*	< 0.0006		**J 0.00088**				
Carbon Tetrachloride	0.005	INT	mg/L	< 0.0006		< 0.0006		< 0.0006		< 0.0006		< 0.0006		< 0.0006				
Chloroethane	29	INT	mg/L	< 0.0005		< 0.0005		< 0.0005		< 0.0005		< 0.0005		< 0.0005				
Chloroform	0.73	INT	mg/L	< 0.0006		< 0.0006		< 0.0006		< 0.0006		< 0.0006		**J 0.00062**				
Cis-1,2-Dichloroethene	0.07	INT	mg/L	< 0.0006		< 0.0006		< 0.0006		< 0.0006		< 0.0006		**J 0.0014**				
Ethylbenzene	0.7	INT	mg/L	< 0.0005		< 0.0005		< 0.0005		< 0.0005		< 0.0005		< 0.0005				
Methylene chloride	0.005	INT	mg/L	< 0.001		< 0.001		< 0.001		< 0.001		< 0.001		< 0.001				
Naphthalene	1.5	INT	mg/L	< 0.0007		< 0.0007		< 0.0007		< 0.0007		< 0.0007		< 0.0007				
Tert-Butyl Alcohol	2.2	INT	mg/L	**0.92**		**1.6**		**1.9**		**7.7**	*	< 0.02		**7.3**	*			
Tert-Butyl Methyl Ether	0.73	INT	mg/L	< 0.0006		< 0.0006		**J 0.00082**		**J 0.0019**		< 0.0006		**< 0.0006**				
Tetrachloroethene	0.005	INT	mg/L	< 0.0006		< 0.0006		< 0.0006		< 0.0006		< 0.0006		< 0.0006				
Toluene	1	INT	mg/L	< 0.0005		< 0.0005		< 0.0005		< 0.0005		< 0.0005		< 0.0005				
Trans-1,2-Dichloroethene	0.1	INT	mg/L	< 0.0004		< 0.0004		< 0.0004		< 0.0004		< 0.0004		**J 0.0047**				
Trichloroethene	0.005	INT	mg/L	< 0.0005		< 0.0005		< 0.0005		< 0.0005		< 0.0005		< 0.0005				
Vinyl Chloride	0.002	INT	mg/L	< 0.0004		< 0.0004		< 0.0004		< 0.0004		< 0.0004		**0.02**	*			
Xylene(Total)	10	INT	mg/L	< 0.0005		< 0.0005		< 0.0005		**J 0.00061**		< 0.0005		< 0.0005				
Arsenic	0.01	INT	mg/L	NA		NA		**0.199**	*	**0.0438**	*	**J 0.00133**		NA				
Chromium	0.1	INT	mg/L	NA		NA		**J 0.000751**		< 0.0004		**J 0.00075**		NA				
Lead	0.015	INT	mg/L	NA		NA		**J 0.000958**		< 0.0006		< 0.0006		NA				

NOTES:

MCL/PCL/RAO = Maximum Contaminant Level/Protective Concentration Level/Remedial Action Objective
Detected concentrations are shown in bold font.
* = Exceedance of MCL/PCL/RAO
< 0.005 = Not Detected at the laboratory reporting limit shown
(a) = MCL not available; Texas TRRP Tier 1 commercial/industrial PCL is provided instead.
(b) = RAO of 2.2 mg/L indicated in correspondence dated June 15, 2007 from USEPA to FLTG.
J = approximate concentration; result is less than the lowest calibration standard
NA = Not Analyzed
The four COCs selected for plume maps in Figures 3-3 through 3-10 and the graphs of Appendix B are highlighted.

TABLE 2-5 (Cont'd)

Summary of Reported Ground Water Results for the West Plume Area

2020 Ground Water Monitoring Report
French Limited Superfund Site
Crosby, Texas

				Reported Constituent Concentrations (mg/L)													
Constituent	MCL/PCL/ RAO	Unit Screened	Well ID: Sample Date:	INT-135 3/5/2020		INT-144 3/5/2020		INT-150 3/5/2020		INT-161 3/5/2020		INT-162 3/6/2020		INT-163 3/5/2020		INT-214 3/4/2020	
1,1-Dichloroethane	7.3	INT	mg/L	< 0.0004		< 0.0004		< 0.0004		< 0.0004		**J 0.0006**		< 0.0004		< 0.0004	
1,1-Dichloroethene	0.007	INT	mg/L	< 0.0005		< 0.0005		< 0.0005		< 0.0005		< 0.0005		< 0.0005		< 0.0005	
1,2-Dichloroethane	0.005	INT	mg/L	< 0.0005		**J 0.00069**		< 0.0005		< 0.0005		**J 0.0006**		< 0.0005		< 0.0005	
Acetone	66	INT	mg/L	< 0.002		< 0.002		< 0.002		< 0.002		< 0.002		< 0.002		< 0.002	
Benzene	0.005	INT	mg/L	< 0.0006		< 0.0006		**J 0.0012**		< 0.0006		< 0.0006		**0.047**	*	< 0.0006	
Carbon Tetrachloride	0.005	INT	mg/L	< 0.0006		< 0.0006		< 0.0006		< 0.0006		< 0.0006		< 0.0006		< 0.0006	
Chloroethane	29	INT	mg/L	< 0.0005		< 0.0005		< 0.0005		< 0.0005		< 0.0005		< 0.0005		< 0.0005	
Chloroform	0.73	INT	mg/L	< 0.0006		< 0.0006		< 0.0006		< 0.0006		< 0.0006		< 0.0006		< 0.0006	
Cis-1,2-Dichloroethene	0.07	INT	mg/L	< 0.0006		< 0.0006		< 0.0006		< 0.0006		< 0.0006		< 0.0006		< 0.0006	
Ethylbenzene	0.7	INT	mg/L	< 0.0005		< 0.0005		< 0.0005		< 0.0005		< 0.0005		< 0.0005		< 0.0005	
Methylene chloride	0.005	INT	mg/L	< 0.001		< 0.001		< 0.001		< 0.001		< 0.001		< 0.001		< 0.001	
Naphthalene	1.5	INT	mg/L	< 0.0007		< 0.0007		< 0.0007		< 0.0007		< 0.0007		< 0.0007		< 0.0007	
Tert-Butyl Alcohol	2.2	INT	mg/L	**J 0.066**		**J 0.027**		**1.7**		**0.74**		**0.47**		**15**	*	**J 0.053**	
Tert-Butyl Methyl Ether	0.73	INT	mg/L	< 0.0006		< 0.0006		**< 0.0006**		< 0.0006		< 0.0006		**0.0066**		< 0.0006	
Tetrachloroethene	0.005	INT	mg/L	< 0.0006		< 0.0006		< 0.0006		< 0.0006		< 0.0006		< 0.0006		< 0.0006	
Toluene	1	INT	mg/L	< 0.0005		< 0.0005		< 0.0005		< 0.0005		< 0.0005		**J 0.00067**		< 0.0005	
Trans-1,2-Dichloroethene	0.1	INT	mg/L	< 0.0004		< 0.0004		< 0.0004		< 0.0004		< 0.0004		< 0.0004		< 0.0004	
Trichloroethene	0.005	INT	mg/L	< 0.0005		< 0.0005		< 0.0005		< 0.0005		< 0.0005		< 0.0005		< 0.0005	
Vinyl Chloride	0.002	INT	mg/L	< 0.0004		**J 0.00055**		< 0.0004		< 0.0004		**J 0.00096**		< 0.0004		< 0.0004	
Xylene(Total)	10	INT	mg/L	< 0.0005		< 0.0005		< 0.0005		**J 0.0014**		< 0.0005		**0.0064**		< 0.0005	
Arsenic	0.01	INT	mg/L	**0.00541**		**0.00386**		NA		NA		NA		NA		NA	
Chromium	0.1	INT	mg/L	< 0.0004		< 0.0004		NA		NA		NA		NA		NA	
Lead	0.015	INT	mg/L	< 0.0006		< 0.0006		NA		NA		NA		NA		NA	

NOTES:

MCL/PCL/RAO = Maximum Contaminant Level/Protective Concentration Level/Remedial Action Objective
Detected concentrations are shown in bold font.
* = Exceedance of MCL/PCL/RAO
< 0.005 = Not Detected at the laboratory reporting limit shown
(a) = MCL not available; Texas TRRP Tier 1 commercial/industrial PCL is provided instead.
(b) = RAO of 2.2 mg/L indicated in correspondence dated June 15, 2007 from USEPA to FLTG.
J = approximate concentration; result is less than the lowest calibration standard
NA = Not Analyzed
The four COCs selected for plume maps in Figures 3-3 through 3-10 and the graphs of Appendix B are highlighted.

TABLE 2-5 (Cont'd)

Summary of Reported Ground Water Results for the West Plume Area

2020 Ground Water Monitoring Report
French Limited Superfund Site
Crosby, Texas

				Reported Constituent Concentrations (mg/L)															
Constituent	MCL/PCL/ RAO	Unit Screened	Well ID: Sample Date:	INT-217 3/4/2020		INT-233 3/5/2020		INT-250 3/4/2020		INT-251 3/5/2020		INT-252 3/4/2020		INT-253 3/4/2020		INT-254 3/4/2020	
1,1-Dichloroethane	7.3	INT	mg/L	**J 0.0036**		< 0.0004		**J 0.00046**		**J 0.00075**		**0.0083**		**J 0.0041**		**J 0.0041**	
1,1-Dichloroethene	0.007	INT	mg/L	< 0.0005		< 0.0005		< 0.0005		< 0.0005		< 0.0005		< 0.0005		< 0.0005	
1,2-Dichloroethane	0.005	INT	mg/L	< 0.0005		< 0.0005		< 0.0005		**J 0.00084**		J 0.00056		< 0.0005		< 0.0005	
Acetone	66	INT	mg/L	< 0.002		< 0.002		< 0.002		< 0.002		< 0.002		< 0.002		< 0.002	
Benzene	0.005	INT	mg/L	< 0.0006		**0.091**	*	**J 0.00095**		< 0.0006		< 0.0006		**J 0.003**		< 0.0006	
Carbon Tetrachloride	0.005	INT	mg/L	< 0.0006		< 0.0006		< 0.0006		< 0.0006		< 0.0006		< 0.0006		< 0.0006	
Chloroethane	29	INT	mg/L	< 0.0005		< 0.0005		< 0.0005		< 0.0005		< 0.0005		< 0.0005		< 0.0005	
Chloroform	0.73	INT	mg/L	< 0.0006		< 0.0006		< 0.0006		< 0.0006		< 0.0006		< 0.0006		< 0.0006	
Cis-1,2-Dichloroethene	0.07	INT	mg/L	< 0.0006		< 0.0006		< 0.0006		< 0.0006		< 0.0006		< 0.0006		< 0.0006	
Ethylbenzene	0.7	INT	mg/L	< 0.0005		< 0.0005		< 0.0005		< 0.0005		< 0.0005		< 0.0005		< 0.0005	
Methylene chloride	0.005	INT	mg/L	< 0.001		< 0.001		< 0.001		< 0.001		< 0.001		< 0.001		< 0.001	
Naphthalene	1.5	INT	mg/L	< 0.0007		< 0.0007		< 0.0007		< 0.0007		< 0.0007		< 0.0007		< 0.0007	
Tert-Butyl Alcohol	2.2	INT	mg/L	< 0.02		**10**	*	**1**		**14**	*	< 0.02		**0.1**		**J 0.02**	
Tert-Butyl Methyl Ether	0.73	INT	mg/L	< 0.0006		**J 0.0045**		< 0.0006		**0.0056**		< 0.0006		< 0.0006		< 0.0006	
Tetrachloroethene	0.005	INT	mg/L	< 0.0006		< 0.0006		< 0.0006		< 0.0006		< 0.0006		< 0.0006		< 0.0006	
Toluene	1	INT	mg/L	< 0.0005		**J 0.00086**		< 0.0005		< 0.0005		< 0.0005		< 0.0005		< 0.0005	
Trans-1,2-Dichloroethene	0.1	INT	mg/L	< 0.0004		< 0.0004		< 0.0004		< 0.0004		**J 0.0032**		< 0.0004		< 0.0004	
Trichloroethene	0.005	INT	mg/L	< 0.0005		< 0.0005		< 0.0005		< 0.0005		< 0.0005		< 0.0005		< 0.0005	
Vinyl Chloride	0.002	INT	mg/L	**J 0.00089**		< 0.0004		< 0.0004		**0.0031**	*	**0.0055**	*	**0.014**	*	**0.0047**	*
Xylene(Total)	10	INT	mg/L	< 0.0005		**J 0.0038**		< 0.0005		< 0.0005		< 0.0005		< 0.0005		< 0.0005	
Arsenic	0.01	INT	mg/L	NA		NA		NA		NA		NA		NA		NA	
Chromium	0.1	INT	mg/L	NA		NA		NA		NA		NA		NA		NA	
Lead	0.015	INT	mg/L	NA		NA		NA		NA		NA		NA		NA	

NOTES:

MCL/PCL/RAO = Maximum Contaminant Level/Protective Concentration Level/Remedial Action Objective
Detected concentrations are shown in bold font.
* = Exceedance of MCL/PCL/RAO
< 0.005 = Not Detected at the laboratory reporting limit shown
(a) = MCL not available; Texas TRRP Tier 1 commercial/industrial PCL is provided instead.
(b) = RAO of 2.2 mg/L indicated in correspondence dated June 15, 2007 from USEPA to FLTG.
J = approximate concentration; result is less than the lowest calibration standard
NA = Not Analyzed
The four COCs selected for plume maps in Figures 3-3 through 3-10 and the graphs of Appendix B are highlighted.

TABLE 2-6

Summary of Quality Assurance/Quality Control Samples for 2020

2020 Ground Water Monitoring Report
French Limited Superfund Site
Crosby, Texas

					Duplicates									
Constituent		MCL/PCL/ RAO	Notes	Well ID: Sample Date:	DUP1 (INT-169) 3/9/2020		DUP2 (S1-135) 3/5/2020		DUP3 (S1-136) 3/6/2020		DUP4 (S1-168) 3/5/2020		
1,1-Dichloroethane		7.3	(a)	mg/L	**J 0.00062**		< 0.0004		< 0.0004		< 0.0004		
1,1-Dichloroethene		0.007		mg/L	< 0.0005		< 0.0005		< 0.0005		< 0.0005		
1,2-Dichloroethane		0.005		mg/L	< 0.0005		< 0.0005		< 0.0005		< 0.0005		
Acetone		66	(a)	mg/L	< 0.002		< 0.002		< 0.002		< 0.002		
Benzene		0.005		mg/L	< 0.0006		< 0.0006		< 0.0006		**J 0.00062**		
Carbon Tetrachloride		0.005		mg/L	< 0.0006		< 0.0006		< 0.0006		< 0.0006		
Chloroethane		29	(a)	mg/L	< 0.0005		< 0.0005		< 0.0005		< 0.0005		
Chloroform		0.73	(a)	mg/L	< 0.0006		< 0.0006		< 0.0006		< 0.0006		
Cis-1,2-Dichloroethene		0.07		mg/L	**J 0.001**		< 0.0006		**J 0.00071**		< 0.0006		
Ethylbenzene		0.7		mg/L	< 0.005		< 0.0005		< 0.0005		< 0.0005		
Methylene chloride		0.005		mg/L	< 0.005		< 0.005		< 0.005		< 0.005		
Naphthalene		1.5	(a)	mg/L	< 0.0007		< 0.0007		< 0.0007		< 0.0007		
Tert-Butyl Alcohol		2.2	(b)	mg/L	**1.8**		< 0.02		**0.31**		**3.5**		*
Tert-Butyl Methyl Ether		0.73	(a)	mg/L	**J 0.00092**		< 0.0006		< 0.0006		**J 0.0013**		
Tetrachloroethene		0.005		mg/L	< 0.0006		< 0.0006		< 0.0006		< 0.0006		
Toluene		1		mg/L	< 0.0005		< 0.0005		< 0.0005		< 0.0005		
Trans-1,2-Dichloroethene		0.1		mg/L	< 0.0004		< 0.0004		< 0.0004		< 0.0004		
Trichloroethene		0.005		mg/L	< 0.0005		< 0.0005		< 0.0005		< 0.0005		
Vinyl Chloride		0.002		mg/L	**J 0.0011**		< 0.0004		< 0.0004		**J 0.0019**		
Xylene(Total)		10		mg/L	< 0.0005		< 0.0005		< 0.0005		< 0.0005		
Arsenic		0.01		mg/L	NA		**0.0529**	*	NA		NA		
Chromium		0.1		mg/L	NA		**J 0.00124**		NA		NA		
Lead		0.015		mg/L	NA		< 0.0006		NA		NA		

NOTES:

MCL/PCL/RAO = Maximum Contaminant Level/Protective Concentration Level/Remedial Action Objective
Detected concentrations are shown in bold font.
* = Exceedance of MCL/PCL/RAO
< 0.005 = Not Detected at the laboratory reporting limit shown
(a) = MCL not available; commercial/industrial PCL provided
(b) = RAO of 2.2 mg/L indicated in correspondence dated June 15, 2007 from USEPA to FLTG.
DUP = Duplicate

TABLE 2-6 (Cont'd)

Summary of Quality Assurance/Quality Control Samples for 2020

2020 Ground Water Monitoring Report
French Limited Superfund Site
Crosby, Texas

				Trip Blanks					
Constituent		MCL/PCL/ RAO	Notes	Well ID: Sample Date:	CG-021720-62 3/9/2020		CG-021720-64 3/6/2020		
1,1-Dichloroethane		7.3	(a)	mg/L	< 0.0004		< 0.0004		
1,1-Dichloroethene		0.007		mg/L	< 0.0005		< 0.0005		
1,2-Dichloroethane		0.005		mg/L	< 0.0005		< 0.0005		
Acetone		66	(a)	mg/L	< 0.002		< 0.002		
Benzene		0.005		mg/L	< 0.0006		< 0.0006		
Carbon Tetrachloride		0.005		mg/L	< 0.0006		< 0.0006		
Chloroethane		29	(a)	mg/L	< 0.0005		< 0.0005		
Chloroform		0.73	(a)	mg/L	< 0.0006		< 0.0006		
Cis-1,2-Dichloroethene		0.07		mg/L	< 0.0006		< 0.0006		
Ethylbenzene		0.7		mg/L	< 0.0005		< 0.0005		
Methylene chloride		0.005		mg/L	< 0.001		< 0.001		
Naphthalene		1.5	(a)	mg/L	< 0.0007		< 0.0007		
Tert-Butyl Alcohol		2.2	(b)	mg/L	< 0.02		< 0.02		
Tert-Butyl Methyl Ether		0.73	(a)	mg/L	< 0.0006		< 0.0006		
Tetrachloroethene		0.005		mg/L	< 0.0006		< 0.0006		
Toluene		1		mg/L	< 0.0005		< 0.0005		
Trans-1,2-Dichloroethene		0.1		mg/L	< 0.0004		< 0.0004		
Trichloroethene		0.005		mg/L	< 0.0005		< 0.0005		
Vinyl Chloride		0.002		mg/L	< 0.0004		< 0.0004		
Xylene(Total)		10		mg/L	< 0.0005		< 0.0005		
Arsenic		0.01		mg/L	NA		NA		
Chromium		0.1		mg/L	NA		NA		
Lead		0.015		mg/L	NA		NA		

NOTES:

MCL/PCL/RAO = Maximum Contaminant Level/Protective Concentration Level/Remedial Action Objective
Detected concentrations are shown in boldface (except MS/MSD results)
* = Exceedance of MCL/PCL/RAO
< 0.005 = Not Detected at the laboratory reporting limit shown
(a) = MCL not available; Texas TRRP Tier 1 commercial/industrial PCL is provided instead.
(b) = RAO of 2.2 mg/L indicated in correspondence dated June 15, 2007 from USEPA to FLTG.
DUP = Duplicate

FIGURES

12 May 2020



SOURCE: U.S.G.S. 7.5' QUADRANGLES, CROSBY, TX (o29095H1) 1982 AND HIGHLANDS, TX (o29095G1) 1982.

Environmental Resources Management

DESIGN: R. Jaros	DRAWN: EFC	CHKD.: CHT
DATE: 4/23/2018	SCALE: AS SHOWN	REV.:
PROJ. NO.: P:\Projects\0446446 BP 2018 French Limited SF Site.FB\CAD\0446446_SiteLocMap.dwg		

FIGURE 1-1
SITE LOCATION MAP
French Limited Superfund Site
Crosby, Texas

ERM



Environmental Resources Management

FIGURE 1-2
SITE LAYOUT MAP
French Limited Superfund Site
Crosby, Texas

DESIGN: TMO	DRAWN: CAK/RLM	CHKD.: PAS
DATE: 5/31/2018	SCALE: AS SHOWN	REV.:
W.O.NO.:		

ERM

P:\Projects\0446446 BP 2018 French Limited SF Site.FB\CAD\0446446 F1-2 Site Layout.dwg, 5/31/2018 12:09:23 PM



LEGEND

- S1 MONITOR WELL
- 8.28 POTENTIOMETRIC GROUND WATER ELEVATION (MSL)
- NM NOT MEASURED
- 10 CONTOURS OF GROUND WATER ELEVATIONS (DASHED WHERE INFERRED)
- DIRECTION OF GROUND WATER FLOW
- SWAMP AND/OR WETLAND
- CYPRESS SWAMP
- POND OR LAKE
- SHEET PILE WALL
- PAVED ROAD
- UNPAVED ROAD
- FLTG PROPERTY BOUNDARY
- AREA WHERE C1 CLAY LATER IS MISSING

NOTES:
1. S1-126, S1-119 AND P-6 ARE LOCATED INSIDE THE SHEET PILE WALL AND WERE NOT USED FOR CONTOURING.
2. S1-157 WAS NOT ACCESSIBLE FOR GAUGING.
3. SOUTH POND GAUGE WAS DAMAGED AND NOT ACCESSIBLE FOR GAUGING.

Environmental Resources Management

FIGURE 2-1
S1 POTENTIOMETRIC SURFACE MAP
MARCH 2020
French Limited Superfund Site
Crosby, Texas

DESIGN: R. Jaros	DRAWN: RLM	CHKD.: RJ
DATE: 5/5/2020	SCALE: AS SHOWN	REV.:

W.O.NO.: P:\Projects\0543408 FLTG, Inc. FLTG 2020 French LTD.FB\CAD\0543408_S1_pmap_mar2020 R5.dwg

ERM-Southwest, Inc. TX PE Firm No. 2393



LEGEND

- MONITOR WELL
- 4.93 POTENTIOMETRIC GROUND WATER ELEVATION (MSL)
- NM NOT MEASURED
- 10 CONTOURS OF GROUND WATER ELEVATIONS (DASHED WHERE INFERRED)
- DIRECTION OF GROUND WATER FLOW
- SWAMP AND/OR WETLAND
- CYPRESS SWAMP
- POND OR LAKE
- SHEET PILE WALL
- PAVED ROAD
- UNPAVED ROAD
- FLTG PROPERTY BOUNDARY
- AREA WHERE C1 CLAY LATER IS MISSING

NOTES:
1. GROUND WATER ELEVATIONS FOR INT-254 WAS NOT USED FOR CONTOURING.
2. INT-256, INT-257 AND INT-258 WERE NOT ACCESSIBLE FOR GAUGING.
3. THE WELL CASING AT INT-168 IS DAMAGED AND THE DATA WERE NOT USED FOR CONTOURING.

5/12/20

STATE OF TEXAS
Fay Bourgeois
GEOLOGY
2635
LICENSED
PROFESSIONAL GEOSCIENTIST

Fay M. Bourgeois

Environmental Resources Management

FIGURE 2-2
INT POTENTIOMETRIC SURFACE MAP
MARCH 2020
French Limited Superfund Site
Crosby, Texas

ERM

DESIGN: R. Jaros	DRAWN: RLM	CHKD.: RJ
DATE: 4/30/2020	SCALE: AS SHOWN	REV.:

W.O.NO.: P:\Projects\0543408 FLTG, Inc. FLTG 2020 French LTD.FB\CAD\0543408_INT_pmap_mar2020 r1.dwg

ERM-Southwest, Inc. TX PE Firm No. 2393



N

LEGEND

- S1 WELL
- 0.06 CONSTITUENT CONCENTRATION (mg/L)
- < 0.0006 CONSTITUENT NOT DETECTED AT INDICATED DETECTION LIMIT (mg/L)
- SWAMP AND/OR WETLAND
- CYPRESS SWAMP
- POND OR LAKE
- SHEET PILE WALL
- PAVED ROAD
- UNPAVED ROAD
- FLTG PROPERTY BOUNDARY
- C1 CLAY LAYER MISSING

BENZENE IN GROUNDWATER

- 0.005 ≥0.005 mg/L
- 0.05 ≥0.05 mg/L

NOTES:

1. WELL S1-118 IS LOCATED WEST OF FIGURE BORDER.

5/12/20

STATE OF TEXAS
Fay Bourgeois
GEOLOGY
2635
LICENSED
PROFESSIONAL GEOSCIENTIST

Fay M. Bourgeois

Environmental Resources Management

FIGURE 2-3
BENZENE IN GROUNDWATER
S1 UNIT - MARCH 2020
French Limited Superfund Site
Crosby, Texas

ERM

DESIGN: R. Jaros	DRAWN: RLM	CHKD.: CHT
DATE: 5/5/2020	SCALE: AS SHOWN	REV.: 0

W.O.NO.: P:\Projects\0543408 FLTG, Inc. FLTG 2020 French LTD.FB\CAD\0543408_S1_INT_chem_mar2020 V2.dwg

ERM-Southwest, Inc. TX PE Firm No. 2393

N

LEGEND

- S1 WELL
- 0.79 CONSTITUENT CONCENTRATION (mg/L)
- < 0.0005 CONSTITUENT NOT DETECTED AT INDICATED DETECTION LIMIT (mg/L)
- SWAMP AND/OR WETLAND
- CYPRESS SWAMP
- POND OR LAKE
- SHEET PILE WALL
- PAVED ROAD
- UNPAVED ROAD
- FLTG PROPERTY BOUNDARY
- C1 CLAY LAYER MISSING

1,2-DICHLOROETHANE IN GROUNDWATER

0.005	≥0.005 mg/L
0.05	≥0.05 mg/L

NOTES:

1. WELL S1-118 IS LOCATED WEST OF FIGURE BORDER.

5/12/20

STATE OF TEXAS
Fay Bourgeois
GEOLOGY
2635
LICENSED
PROFESSIONAL GEOSCIENTIST

Fay M. Bourgeois

Environmental Resources Management

FIGURE 2-4
1,2-DICHLOROETHANE IN GROUNDWATER
S1 UNIT - MARCH 2020
French Limited Superfund Site
Crosby, Texas

ERM

DESIGN: R. Jaros	DRAWN: RLM	CHKD.: CHT
DATE: 5/5/2020	SCALE: AS SHOWN	REV.: 0

W.O.NO.: P:\Projects\0543408 FLTG, Inc. FLTG 2020 French LTD.FB\CAD\0543408_S1_INT_chem_mar2020 V2.dwg

ERM-Southwest, Inc. TX PE Firm No. 2393



N

LEGEND

- S1 WELL
- 0.0061 CONSTITUENT CONCENTRATION (mg/L)
- < 0.0004 CONSTITUENT NOT DETECTED AT INDICATED DETECTION LIMIT (mg/L)
- SWAMP AND/OR WETLAND
- CYPRESS SWAMP
- POND OR LAKE
- SHEET PILE WALL
- PAVED ROAD
- UNPAVED ROAD
- FLTG PROPERTY BOUNDARY
- C1 CLAY LAYER MISSING

VINYL CHLORIDE IN GROUNDWATER

0.002	≥0.002 mg/L
0.02	≥0.02 mg/L

NOTES:

1. WELL S1-118 IS LOCATED WEST OF FIGURE BORDER.

5/12/20

STATE OF TEXAS
Fay Bourgeois
GEOLOGY
2635
LICENSED
PROFESSIONAL GEOSCIENTIST

Fay M. Bourgeois

Environmental Resources Management

FIGURE 2-5
VINYL CHLORIDE IN GROUNDWATER
S1 UNIT - MARCH 2020
French Limited Superfund Site
Crosby, Texas

ERM

DESIGN: R. Jaros	DRAWN: RLM	CHKD.: CHT
DATE: 5/5/2020	SCALE: AS SHOWN	REV.: 0

W.O.NO.: P:\Projects\0543408 FLTG, Inc. FLTG 2020 French LTD.FB\CAD\0543408_S1_INT_chem_mar2020 V2.dwg

ERM-Southwest, Inc. TX PE Firm No. 2393

N

LEGEND

- S1 WELL
- 12 CONSTITUENT CONCENTRATION (mg/L)
- < 0.02 CONSTITUENT NOT DETECTED AT INDICATED DETECTION LIMIT (mg/L)
- SWAMP AND/OR WETLAND
- CYPRESS SWAMP
- POND OR LAKE
- SHEET PILE WALL
- PAVED ROAD
- UNPAVED ROAD
- FLTG PROPERTY BOUNDARY
- C1 CLAY LAYER MISSING

TERTIARY-BUTYL ALCOHOL IN GROUNDWATER

- 2.2 ≥2.2 mg/L
- 10 ≥10 mg/L
- 100 ≥100 mg/L

NOTE:

1. WELL S1-118 IS LOCATED WEST OF FIGURE BORDER.

5/12/20

STATE OF TEXAS
Fay Bourgeois
GEOLOGY
2635
LICENSED
PROFESSIONAL GEOSCIENTIST

Fay M. Bourgeois

Environmental Resources Management

FIGURE 2-6
TERTIARY-BUTYL ALCOHOL IN GROUNDWATER
S1 UNIT - MARCH 2020
French Limited Superfund Site
Crosby, Texas

ERM

DESIGN: R. Jaros	DRAWN: RLM	CHKD.: CHT
DATE: 5/5/2020	SCALE: AS SHOWN	REV.: 0

W.O.NO.: P:\Projects\0543408 FLTG, Inc. FLTG 2020 French LTD.FB\CAD\0543408_S1_INT_chem_mar2020 V2.dwg

ERM-Southwest, Inc. TX PE Firm No. 2393



NOTE:

1. WELL INT-118 IS LOCATED WEST OF FIGURE BORDER.

5/12/20

STATE OF TEXAS
Fay Bourgeois
GEOLOGY
2635
LICENSED
PROFESSIONAL GEOSCIENTIST

Fay M. Bourgeois

Environmental Resources Management

FIGURE 2-7
BENZENE IN GROUNDWATER
INT UNIT - MARCH 2020
French Limited Superfund Site
Crosby, Texas

DESIGN: R. Jaros	DRAWN: RLM	CHKD.: CHT
DATE: 5/5/2020	SCALE: AS SHOWN	REV.: 0

W.O.NO.: P:\Projects\0543408 FLTG, Inc. FLTG 2020 French LTD.FB\CAD\0543408_S1_INT_chem_mar2020 V2.dwg

ERM

ERM-Southwest, Inc. TX PE Firm No. 2393



N

LEGEND

- INT WELL
- 3.5 CONSTITUENT CONCENTRATION (mg/L)
- < 0.005 CONSTITUENT NOT DETECTED AT INDICATED DETECTION LIMIT (mg/L)
- SWAMP AND/OR WETLAND
- CYPRESS SWAMP
- POND OR LAKE
- SHEET PILE WALL
- PAVED ROAD
- UNPAVED ROAD
- FLTG PROPERTY BOUNDARY
- C1 CLAY LAYER MISSING

1,2-DICHLOROETHANE IN GROUNDWATER

- 0.005 ≥0.005 mg/L
- 0.05 ≥0.05 mg/L

NOTE:

1. WELL INT-118 IS LOCATED WEST OF FIGURE BORDER.

5/12/20

STATE OF TEXAS
Fay Bourgeois
GEOLOGY
2635
LICENSED
PROFESSIONAL GEOSCIENTIST

Fay M. Bourgeois

Environmental Resources Management

FIGURE 2-8
1,2-DICHLOROETHANE IN GROUNDWATER
INT UNIT - MARCH 2020
French Limited Superfund Site
Crosby, Texas

ERM

DESIGN: R. Jaros	DRAWN: RLM	CHKD.: CHT
DATE: 5/5/2020	SCALE: AS SHOWN	REV.: 0

W.O.NO.: P:\Projects\0543408 FLTG, Inc. FLTG 2020 French LTD.FB\CAD\0543408_S1_INT_chem_mar2020 V2.dwg

ERM-Southwest, Inc. TX PE Firm No. 2393



LEGEND

- INT WELL
- 0.18 CONSTITUENT CONCENTRATION (mg/L)
- < 0.0004 CONSTITUENT NOT DETECTED AT INDICATED DETECTION LIMIT (mg/L)
- SWAMP AND/OR WETLAND
- CYPRESS SWAMP
- POND OR LAKE
- SHEET PILE WALL
- PAVED ROAD
- UNPAVED ROAD
- FLTG PROPERTY BOUNDARY
- C1 CLAY LAYER MISSING

VINYL CHLORIDE IN GROUNDWATER

- 0.002 ≥0.002 mg/L
- 0.02 ≥0.02 mg/L

NOTE:

1. WELL INT-118 IS LOCATED WEST OF FIGURE BORDER.

5/12/20

STATE OF TEXAS
Fay Bourgeois
GEOLOGY
2635
LICENSED
PROFESSIONAL x GEOSCIENTIST

Fay M. Bourgeois

Environmental Resources Management

FIGURE 2-9
VINYL CHLORIDE IN GROUNDWATER
INT UNIT - MARCH 2020
French Limited Superfund Site
Crosby, Texas

ERM

DESIGN: R. Jaros	DRAWN: RLM	CHKD.: CHT
DATE: 5/5/2020	SCALE: AS SHOWN	REV.: 0

W.O.NO.: P:\Projects\0543408 FLTG, Inc. FLTG 2020 French LTD.FB\CAD\0543408_S1_INT_chem_mar2020 V2.dwg

ERM-Southwest, Inc. TX PE Firm No. 2393



LEGEND

- INT WELL
- 9.1 CONSTITUENT CONCENTRATION (mg/L)
- < 0.02 CONSTITUENT NOT DETECTED AT INDICATED DETECTION LIMIT (mg/L)
- SWAMP AND/OR WETLAND
- CYPRESS SWAMP
- POND OR LAKE
- SHEET PILE WALL
- PAVED ROAD
- UNPAVED ROAD
- FLTG PROPERTY BOUNDARY
- C1 CLAY LAYER MISSING

TERTIARY-BUTYL ALCOHOL IN GROUNDWATER

- 2.2 ≥2.2 mg/L
- 10 ≥10 mg/L

NOTE:

1. WELL INT-118 IS LOCATED WEST OF FIGURE BORDER.

5/12/20

STATE OF TEXAS
Fay Bourgeois
GEOLOGY
2635
LICENSED
PROFESSIONAL GEOSCIENTIST

Fay M. Bourgeois

Environmental Resources Management

FIGURE 2-10
TERTIARY-BUTYL ALCOHOL IN GROUNDWATER
INT UNIT - MARCH 2020
French Limited Superfund Site
Crosby, Texas

ERM

DESIGN: R. Jaros	DRAWN: RLM	CHKD.: CHT
DATE: 5/5/2020	SCALE: AS SHOWN	REV.: 0

W.O.NO.: P:\Projects\0543408 FLTG, Inc. FLTG 2020 French LTD.FB\CAD\0543408_S1_INT_chem_mar2020 V2.dwg

ERM-Southwest, Inc. TX PE Firm No. 2393

APPENDIX A PERFORMANCE SUMMARY FOR THE SHEET PILE WALL

12 May 2020

Appendix A

Performance Summary for the Sheet Pile Wall
French Limited Superfund Site
Crosby, Texas

Introduction

FLTG collects data on an annual basis to assess the performance of the Sheet Pile Wall (SPW) at the French Limited Superfund Site. The *Site Closure Plan (SWE, 1996)* states that lower ground water elevation inside the SPW is the desirable condition to help reduce the potential for COCs in ground water to migrate away from the source area. Three pairs of S1 monitor wells are located on opposite sides of the SPW to evaluate the ground water elevation differences across the SPW: P-6/P-5 (West), S1-119/S1-121(Central), and S1-126/S1-64 (East).

Multiple lines of evidence are used to assess the performance year-to-year, including these data:

- The evaluation of the trends in the reported concentrations of constituents of concern (COCs) in ground water;
- the plume stability outside the SPW; and
- the Ground Water Elevation (GWE) differences across the SPW.

The purpose of this discussion is to provide an overview of the performance assessments that have been provided in the annual ground water monitoring reports since 2006. Overall, the seasonal upward and downward trends in ground water elevations and constituent concentrations are well documented, and the data collection and evaluation approach has been proven effective at identifying the potential risk for migration.

Background

The previous Five Year Reviews (FYR) performed by the U.S. Environmental Protection Agency (EPA) in 1994, 2002, 2007, 2012 and 2017, noted instances or periods of time when an apparent outward elevation difference across the SPW was present (higher GWE inside the SPW relative to the GWE outside the SPW).

In 1994 and 2002 (First and Second FYR, respectively), the outward GWE difference was noted and continued monitoring of the difference was the recommended response action. In 2007, the EPA stated in the Third FYR that the water level measurements in the well pairs located inside and outside the sheet pile wall should continue to be monitored. In 2012, the EPA stated in the Fourth FYR that the groundwater elevation differences demonstrated that the SPW presented an overall barrier to groundwater flow. In 2017, the Fifth FYR noted that "*the lack of inward groundwater gradient and the fluctuating contaminant concentrations in wells near the SPW need to be evaluated and statistical analysis conducted as appropriate. The wells need to be closely monitored".* FLTG has responded to each of the review comments.

Summary of Results for 2020

As documented in the French Limited Site Closure Plan, three pairs of S1 monitor wells are located on opposite sides of the SPW surrounding the former lagoon (Table A-1). The data from these well pairs were used to evaluate the ground water elevations across the SPW.

TABLE A-1

	Well Pair Location on the Former Lagoon		
Well location relative to the SPW	East	Central	West
INSIDE	S1-126	S1-119	P-6
OUTSIDE	S1-064	S1-121	P-5

A review of Figure 1 shows that the potential for both inward and outward elevation differences across the SPW have existed over the past 15 years. During periods of excessive rainfall, an outward GWE difference develops over time; during periods of extended drought, an inward GWE difference develops. Since 2006, excess rainfall, flooding, and drought have all been observed.

Despite the extreme conditions observed, no significant changes have been reported in the distribution of COC concentrations outside the SPW. The time versus concentration graphs for P-5, S1-121 and S1-064 are provided in Appendix B and show the COC concentrations at the monitoring locations around the SPW. A review of these trend graphs illustrate the seasonal upward and downward fluctuations within a range of concentrations. As noted in the Annual Reports, the extent of affected ground water is generally stable outside the SPW.

FIGURE A-1- Ground Water Elevation Differences Across the SPW 2006 to 2020



References

- 2019 Annual Ground Water Monitoring Report. French Limited Superfund Site. French Limited Task Group. Crosby, TX. Prepared by ERM. May 16, 2019.
- Follow-up Actions for Fourth Five-Year Review. French Limited Superfund Site. Crosby, Harris County, Texas. Environmental Resources Management. May 5, 2014.
- Fourth Five-Year Review Report for French Limited Superfund Site. Crosby, Harris County, Texas. EPA Region Dallas, Texas. August 2012.
- (SWE, 1996), Site Closure Plan. French Limited Project. Crosby, Texas. Prepared by Southwestern Environmental Consulting, Inc. for United States Environmental Protection Agency Texas Natural Conservation Commission. January 4, 1996.

- CH2M Hill. 1994. First Five-Year Review (Type Ia): French Limited Superfund Site Crosby, Harris County, Texas. December.
- EPA. 1994. Hazardous Waste Management Division, First Five-Year Review (Type Ia), French Limited Site, Crosby, Texas, CERCLIS TXD-980514814. December.
- EPA. 2002. Second Five-Year Review Report for the French Limited Superfund Site, Crosby, Harris County, Texas. February.
- EPA. 2007. Third Five-Year Review Report, French Limited Superfund Site, Crosby, Harris County, Texas. February.
- EPA. 2010. Status and Plans for Third Five-Year Review Follow-up Actions, Third Five-Year Review (Dated March 15, 2007), French Limited Superfund Site, Crosby, Texas. March.
- Franke, E. (Franke). 2007. Correspondence addressed to D. Guier, FLTG, Inc. from Mr. E. Franke, U. S. Environmental Protection Agency, Region 6, Dallas, Texas. June 15.

APPENDIX B TIME VS. CONCENTRATION GRAPHS FOR SELECTED WELLS

12 May 2020

EAST PLUME AREA

Unit Screened: S1

Well: S1-064



Not Detected results are graphed as 1/2 the laboratory reporting limit.

Ground Water Progress Graph

French Limited Superfund Site

EAST PLUME AREA

Unit Screened: S1

Well: S1-105



Not Detected results are graphed as 1/2 the laboratory reporting limit.

Ground Water Progress Graph

French Limited Superfund Site

EAST PLUME AREA

Unit Screened: S1

Well: S1-131



Not Detected results are graphed as 1/2 the laboratory reporting limit.

Ground Water Progress Graph

French Limited Superfund Site

EAST PLUME AREA

Unit Screened: S1

Well: S1-136



Not Detected results are graphed as 1/2 the laboratory reporting limit.

Ground Water Progress Graph

French Limited Superfund Site

EAST PLUME AREA

Unit Screened: S1

Well: S1-138



Not Detected results are graphed as 1/2 the laboratory reporting limit.

Ground Water Progress Graph

French Limited Superfund Site

EAST PLUME AREA

Unit Screened: S1

Well: S1-139



Not Detected results are graphed as 1/2 the laboratory reporting limit.

Ground Water Progress Graph

French Limited Superfund Site

EAST PLUME AREA

Unit Screened: S1

Well: S1-160



Not Detected results are graphed as 1/2 the laboratory reporting limit.

Ground Water Progress Graph

French Limited Superfund Site

EAST PLUME AREA

Unit Screened: S1

Well: S1-161



Not Detected results are graphed as 1/2 the laboratory reporting limit.

Ground Water Progress Graph

French Limited Superfund Site

EAST PLUME AREA

Unit Screened: S1

Well: S1-162



Not Detected results are graphed as 1/2 the laboratory reporting limit.

Ground Water Progress Graph

French Limited Superfund Site

EAST PLUME AREA

Unit Screened: S1

Well: S1-165



Not Detected results are graphed as 1/2 the laboratory reporting limit.

CENTRAL PLUME AREA

Unit Screened: S1

Well: FLTG-014



Not Detected results are graphed as 1/2 the laboratory reporting limit.

Ground Water Progress Graph

French Limited Superfund Site

CENTRAL PLUME AREA

Unit Screened: S1

Well: S1-106A



Not Detected results are graphed as 1/2 the laboratory reporting limit.

Ground Water Progress Graph

French Limited Superfund Site

CENTRAL PLUME AREA

Unit Screened: S1

Well: S1-106R



Not Detected results are graphed as 1/2 the laboratory reporting limit.

Ground Water Progress Graph

French Limited Superfund Site

CENTRAL PLUME AREA

Unit Screened: S1

Well: S1-108A



Not Detected results are graphed as 1/2 the laboratory reporting limit.

Ground Water Progress Graph

French Limited Superfund Site

CENTRAL PLUME AREA

Unit Screened: S1

Well: S1-121



Not Detected results are graphed as 1/2 the laboratory reporting limit.

Ground Water Progress Graph

French Limited Superfund Site

CENTRAL PLUME AREA

Unit Screened: S1

Well: S1-123



Not Detected results are graphed as 1/2 the laboratory reporting limit.

Ground Water Progress Graph

French Limited Superfund Site

CENTRAL PLUME AREA

Unit Screened: S1

Well: S1-142



Not Detected results are graphed as 1/2 the laboratory reporting limit.

Ground Water Progress Graph

French Limited Superfund Site

CENTRAL PLUME AREA

Unit Screened: S1

Well: S1-143



Not Detected results are graphed as 1/2 the laboratory reporting limit.

Ground Water Progress Graph

French Limited Superfund Site

CENTRAL PLUME AREA

Unit Screened: S1

Well: S1-144



Not Detected results are graphed as 1/2 the laboratory reporting limit.

Ground Water Progress Graph

French Limited Superfund Site

CENTRAL PLUME AREA

Unit Screened: S1

Well: S1-145



Not Detected results are graphed as 1/2 the laboratory reporting limit.

Ground Water Progress Graph

French Limited Superfund Site

CENTRAL PLUME AREA

Unit Screened: S1

Well: S1-146



Not Detected results are graphed as 1/2 the laboratory reporting limit.

Ground Water Progress Graph

French Limited Superfund Site

CENTRAL PLUME AREA

Unit Screened: S1

Well: S1-147



Not Detected results are graphed as 1/2 the laboratory reporting limit.

Ground Water Progress Graph

French Limited Superfund Site

CENTRAL PLUME AREA

Unit Screened: S1

Well: S1-148



Not Detected results are graphed as 1/2 the laboratory reporting limit.

Ground Water Progress Graph

French Limited Superfund Site

CENTRAL PLUME AREA

Unit Screened: S1

Well: S1-149



Not Detected results are graphed as 1/2 the laboratory reporting limit.

Ground Water Progress Graph

French Limited Superfund Site

CENTRAL PLUME AREA

Unit Screened: S1

Well: S1-153



Not Detected results are graphed as 1/2 the laboratory reporting limit.

Ground Water Progress Graph

French Limited Superfund Site

CENTRAL PLUME AREA

Unit Screened: S1

Well: S1-154



Not Detected results are graphed as 1/2 the laboratory reporting limit.

Ground Water Progress Graph

French Limited Superfund Site

CENTRAL PLUME AREA

Unit Screened: S1

Well: S1-155



Not Detected results are graphed as 1/2 the laboratory reporting limit.

Ground Water Progress Graph

French Limited Superfund Site

CENTRAL PLUME AREA

Unit Screened: S1

Well: S1-159



Not Detected results are graphed as 1/2 the laboratory reporting limit.

Ground Water Progress Graph

French Limited Superfund Site

CENTRAL PLUME AREA

Unit Screened: S1

Well: S1-164



Not Detected results are graphed as 1/2 the laboratory reporting limit.

Ground Water Progress Graph

French Limited Superfund Site

CENTRAL PLUME AREA

Unit Screened: S1

Well: S1-166



Not Detected results are graphed as 1/2 the laboratory reporting limit.

Ground Water Progress Graph

French Limited Superfund Site

CENTRAL PLUME AREA

Unit Screened: S1

Well: S1-167



Not Detected results are graphed as 1/2 the laboratory reporting limit.

Ground Water Progress Graph

French Limited Superfund Site

CENTRAL PLUME AREA

Unit Screened: S1

Well: S1-168



Not Detected results are graphed as 1/2 the laboratory reporting limit.

Ground Water Progress Graph

French Limited Superfund Site

CENTRAL PLUME AREA

Unit Screened: S1

Well: S1-169



Not Detected results are graphed as 1/2 the laboratory reporting limit.

CENTRAL PLUME AREA

Unit Screened: INT

Well: FLTG-013



Not Detected results are graphed as 1/2 the laboratory reporting limit.

Ground Water Progress Graph

French Limited Superfund Site

CENTRAL PLUME AREA

Unit Screened: INT

Well: INT-060-P-3



Not Detected results are graphed as 1/2 the laboratory reporting limit.

Ground Water Progress Graph

French Limited Superfund Site

CENTRAL PLUME AREA

Unit Screened: INT

Well: INT-106



Not Detected results are graphed as 1/2 the laboratory reporting limit.

Ground Water Progress Graph

French Limited Superfund Site

CENTRAL PLUME AREA

Unit Screened: INT

Well: INT-108



Not Detected results are graphed as 1/2 the laboratory reporting limit.

CENTRAL PLUME AREA

Unit Screened: INT

Well: INT-120



Not Detected results are graphed as 1/2 the laboratory reporting limit.

Ground Water Progress Graph

French Limited Superfund Site

CENTRAL PLUME AREA

Unit Screened: INT

Well: INT-123



Not Detected results are graphed as 1/2 the laboratory reporting limit.

Ground Water Progress Graph

French Limited Superfund Site

CENTRAL PLUME AREA

Unit Screened: INT

Well: INT-127



Not Detected results are graphed as 1/2 the laboratory reporting limit.

Ground Water Progress Graph

French Limited Superfund Site

CENTRAL PLUME AREA

Unit Screened: INT

Well: INT-154



Not Detected results are graphed as 1/2 the laboratory reporting limit.

Ground Water Progress Graph

French Limited Superfund Site

CENTRAL PLUME AREA

Unit Screened: INT

Well: INT-166



Not Detected results are graphed as 1/2 the laboratory reporting limit.

Ground Water Progress Graph

French Limited Superfund Site

CENTRAL PLUME AREA

Unit Screened: INT

Well: INT-167



Not Detected results are graphed as 1/2 the laboratory reporting limit.

Ground Water Progress Graph

French Limited Superfund Site

CENTRAL PLUME AREA

Unit Screened: INT

Well: INT-169



Not Detected results are graphed as 1/2 the laboratory reporting limit.

Ground Water Progress Graph

French Limited Superfund Site

CENTRAL PLUME AREA

Unit Screened: INT

Well: INT-235



Not Detected results are graphed as 1/2 the laboratory reporting limit.

Ground Water Progress Graph

French Limited Superfund Site

CENTRAL PLUME AREA

Unit Screened: INT

Well: INT-239



Not Detected results are graphed as 1/2 the laboratory reporting limit.

Ground Water Progress Graph

French Limited Superfund Site

CENTRAL PLUME AREA

Unit Screened: INT

Well: INT-259



Not Detected results are graphed as 1/2 the laboratory reporting limit.

Ground Water Progress Graph

French Limited Superfund Site

CENTRAL PLUME AREA

Unit Screened: INT

Well: INT-260



Not Detected results are graphed as 1/2 the laboratory reporting limit.

Ground Water Progress Graph

French Limited Superfund Site

CENTRAL PLUME AREA

Unit Screened: INT

Well: INT-261



Not Detected results are graphed as 1/2 the laboratory reporting limit.

Ground Water Progress Graph

French Limited Superfund Site

CENTRAL PLUME AREA

Unit Screened: INT

Well: INT-262



Not Detected results are graphed as 1/2 the laboratory reporting limit.

WEST PLUME AREA

Unit Screened: S1

Well: P-5



Not Detected results are graphed as 1/2 the laboratory reporting limit.

Ground Water Progress Graph

French Limited Superfund Site

WEST PLUME AREA

Unit Screened: S1

Well: S1-031



Not Detected results are graphed as 1/2 the laboratory reporting limit.

Ground Water Progress Graph

French Limited Superfund Site

WEST PLUME AREA

Unit Screened: S1

Well: S1-033



Not Detected results are graphed as 1/2 the laboratory reporting limit.

Ground Water Progress Graph

French Limited Superfund Site

WEST PLUME AREA

Unit Screened: S1

Well: S1-051-P-3



Not Detected results are graphed as 1/2 the laboratory reporting limit.

Ground Water Progress Graph

French Limited Superfund Site

WEST PLUME AREA

Unit Screened: S1

Well: S1-111



Not Detected results are graphed as 1/2 the laboratory reporting limit.

Ground Water Progress Graph

French Limited Superfund Site

WEST PLUME AREA

Unit Screened: S1

Well: S1-118



Not Detected results are graphed as 1/2 the laboratory reporting limit.

Ground Water Progress Graph

French Limited Superfund Site

WEST PLUME AREA

Unit Screened: S1

Well: S1-135



Not Detected results are graphed as 1/2 the laboratory reporting limit.

WEST PLUME AREA

Unit Screened: INT

Well: INT-022



Not Detected results are graphed as 1/2 the laboratory reporting limit.

Ground Water Progress Graph

French Limited Superfund Site

WEST PLUME AREA

Unit Screened: INT

Well: INT-026



Not Detected results are graphed as 1/2 the laboratory reporting limit.

Ground Water Progress Graph

French Limited Superfund Site

WEST PLUME AREA

Unit Screened: INT

Well: INT-059-P-2



Not Detected results are graphed as 1/2 the laboratory reporting limit.

Ground Water Progress Graph

French Limited Superfund Site

WEST PLUME AREA

Unit Screened: INT

Well: INT-101



Not Detected results are graphed as 1/2 the laboratory reporting limit.

Ground Water Progress Graph

French Limited Superfund Site

WEST PLUME AREA

Unit Screened: INT

Well: INT-118



Not Detected results are graphed as 1/2 the laboratory reporting limit.

Ground Water Progress Graph

French Limited Superfund Site

WEST PLUME AREA

Unit Screened: INT

Well: INT-134



Not Detected results are graphed as 1/2 the laboratory reporting limit.

Ground Water Progress Graph

French Limited Superfund Site

WEST PLUME AREA

Unit Screened: INT

Well: INT-135



Not Detected results are graphed as 1/2 the laboratory reporting limit.

Ground Water Progress Graph

French Limited Superfund Site

WEST PLUME AREA

Unit Screened: INT

Well: INT-144



Not Detected results are graphed as 1/2 the laboratory reporting limit.

Ground Water Progress Graph

French Limited Superfund Site

WEST PLUME AREA

Unit Screened: INT

Well: INT-150



Not Detected results are graphed as 1/2 the laboratory reporting limit.

Ground Water Progress Graph

French Limited Superfund Site

WEST PLUME AREA

Unit Screened: INT

Well: INT-161



Not Detected results are graphed as 1/2 the laboratory reporting limit.

Ground Water Progress Graph

French Limited Superfund Site

WEST PLUME AREA

Unit Screened: INT

Well: INT-162



Not Detected results are graphed as 1/2 the laboratory reporting limit.

Ground Water Progress Graph

French Limited Superfund Site

WEST PLUME AREA

Unit Screened: INT

Well: INT-163



Not Detected results are graphed as 1/2 the laboratory reporting limit.

Ground Water Progress Graph

French Limited Superfund Site

WEST PLUME AREA

Unit Screened: INT

Well: INT-214



Not Detected results are graphed as 1/2 the laboratory reporting limit.

Ground Water Progress Graph

French Limited Superfund Site

WEST PLUME AREA

Unit Screened: INT

Well: INT-217



Not Detected results are graphed as 1/2 the laboratory reporting limit.

Ground Water Progress Graph

French Limited Superfund Site

WEST PLUME AREA

Unit Screened: INT

Well: INT-233



Not Detected results are graphed as 1/2 the laboratory reporting limit.

Ground Water Progress Graph

French Limited Superfund Site

WEST PLUME AREA

Unit Screened: INT

Well: INT-250



Not Detected results are graphed as 1/2 the laboratory reporting limit.

Ground Water Progress Graph

French Limited Superfund Site

WEST PLUME AREA

Unit Screened: INT

Well: INT-251



Not Detected results are graphed as 1/2 the laboratory reporting limit.

Ground Water Progress Graph

French Limited Superfund Site

WEST PLUME AREA

Unit Screened: INT

Well: INT-252



Not Detected results are graphed as 1/2 the laboratory reporting limit.

Ground Water Progress Graph

French Limited Superfund Site

WEST PLUME AREA

Unit Screened: INT

Well: INT-253



Not Detected results are graphed as 1/2 the laboratory reporting limit.

Ground Water Progress Graph

French Limited Superfund Site

WEST PLUME AREA

Unit Screened: INT

Well: INT-254



Not Detected results are graphed as 1/2 the laboratory reporting limit.

APPENDIX C LABORATORY ANALYTICAL REPORTS

12 May 2020

10450 Stancliff Rd. Suite 210
Houston, TX 77099
T: +1 281 530 5656
F: +1 281 530 5887

March 16, 2020

Rob Jaros
Environmental Resources Management
CityCentre Four
840 W. Sam Houston Pkwy., Suite 600
Houston, TX 77024

Work Order: **HS20030296**

Laboratory Results for: **FLTG French Limited**

Dear Rob,

ALS Environmental received 58 sample(s) on Mar 06, 2020 for the analysis presented in the following report.

The analytical data provided relates directly to the samples received by ALS Environmental and for only the analyses requested. Results are expressed as "as received" unless otherwise noted.

QC sample results for this data met EPA or laboratory specifications except as noted in the Case Narrative or as noted with qualifiers in the QC batch information. Should this laboratory report need to be reproduced, it should be reproduced in full unless written approval has been obtained by ALS Environmental. Samples will be disposed in 30 days unless storage arrangements are made.

If you have any questions regarding this report, please feel free to call me.

Sincerely,

Generated By: JUMOKE.LAWAL

Bernadette A. Fini
Project Manager

Client: Environmental Resources Management
Project: FLTG French Limited
Work Order: HS20030296

SAMPLE SUMMARY

Lab Samp ID	Client Sample ID	Matrix	TagNo	Collection Date	Date Received	Hold
HS20030296-01	FLTG-013	Water		06-Mar-2020 10:20	06-Mar-2020 15:05	☐
HS20030296-02	FLTG-014	Water		06-Mar-2020 09:50	06-Mar-2020 15:05	☐
HS20030296-03	INT-154	Water		05-Mar-2020 11:33	06-Mar-2020 15:05	☐
HS20030296-04	INT-259	Water		05-Mar-2020 09:28	06-Mar-2020 15:05	☐
HS20030296-05	INT-260	Water		04-Mar-2020 12:08	06-Mar-2020 15:05	☐
HS20030296-06	INT-261	Water		04-Mar-2020 14:28	06-Mar-2020 15:05	☐
HS20030296-07	INT-262	Water		04-Mar-2020 09:43	06-Mar-2020 15:05	☐
HS20030296-08	SI-106R	Water		05-Mar-2020 10:53	06-Mar-2020 15:05	☐
HS20030296-09	SI-142	Water		04-Mar-2020 10:28	06-Mar-2020 15:05	☐
HS20030296-10	SI-146	Water		04-Mar-2020 12:28	06-Mar-2020 15:05	☐
HS20030296-11	SI-147	Water		05-Mar-2020 08:48	06-Mar-2020 15:05	☐
HS20030296-12	SI-148	Water		04-Mar-2020 09:03	06-Mar-2020 15:05	☐
HS20030296-13	SI-166	Water		05-Mar-2020 10:08	06-Mar-2020 15:05	☐
HS20030296-14	SI-167	Water		04-Mar-2020 09:08	06-Mar-2020 15:05	☐
HS20030296-15	DUP4	Water		05-Mar-2020 12:05	06-Mar-2020 15:05	☐
HS20030296-16	SI-169	Water		04-Mar-2020 11:13	06-Mar-2020 15:05	☐
HS20030296-17	INT-106	Water		06-Mar-2020 08:55	06-Mar-2020 15:05	☐
HS20030296-18	SI-106A	Water		05-Mar-2020 14:33	06-Mar-2020 15:05	☐
HS20030296-19	SI-144	Water		04-Mar-2020 10:16	06-Mar-2020 15:05	☐
HS20030296-20	SI-145	Water		04-Mar-2020 09:42	06-Mar-2020 15:05	☐
HS20030296-21	SI-136	Water		06-Mar-2020 10:13	06-Mar-2020 15:05	☐
HS20030296-22	DUP3	Water		06-Mar-2020 12:00	06-Mar-2020 15:05	☐
HS20030296-23	SI-161	Water		06-Mar-2020 11:45	06-Mar-2020 15:05	☐
HS20030296-24	SI-162	Water		06-Mar-2020 11:23	06-Mar-2020 15:05	☐
HS20030296-25	SI-165	Water		06-Mar-2020 12:15	06-Mar-2020 15:05	☐
HS20030296-26	INT-161	Water		05-Mar-2020 08:35	06-Mar-2020 15:05	☐

RIGHT SOLUTIONS | RIGHT PARTNER

Client: Environmental Resources Management
Project: FLTG French Limited
Work Order: HS20030296

SAMPLE SUMMARY

Lab Samp ID	Client Sample ID	Matrix	TagNo	Collection Date	Date Received	Hold
HS20030296-27	INT-163	Water		05-Mar-2020 10:05	06-Mar-2020 15:05	☐
HS20030296-28	INT-233	Water		05-Mar-2020 09:00	06-Mar-2020 15:05	☐
HS20030296-29	P-5	Water		05-Mar-2020 10:40	06-Mar-2020 15:05	☐
HS20030296-30	SI-031	Water		05-Mar-2020 09:30	06-Mar-2020 15:05	☐
HS20030296-31	INT-060-P-3	Water		05-Mar-2020 12:08	06-Mar-2020 15:05	☐
HS20030296-32	INT-108	Water		04-Mar-2020 11:32	06-Mar-2020 15:05	☐
HS20030296-33	SI-108A	Water		04-Mar-2020 11:05	06-Mar-2020 15:05	☐
HS20030296-34	INT-022	Water		04-Mar-2020 10:50	06-Mar-2020 15:05	☐
HS20030296-35	INT-026	Water		04-Mar-2020 14:38	06-Mar-2020 15:05	☐
HS20030296-36	INT-059-P-2	Water		05-Mar-2020 11:38	06-Mar-2020 15:05	☐
HS20030296-37	INT-101	Water		06-Mar-2020 09:25	06-Mar-2020 15:05	☐
HS20030296-38	INT-118	Water		05-Mar-2020 14:45	06-Mar-2020 15:05	☐
HS20030296-39	INT-134	Water		05-Mar-2020 10:55	06-Mar-2020 15:05	☐
HS20030296-40	INT-135	Water		05-Mar-2020 12:05	06-Mar-2020 15:05	☐
HS20030296-41	INT-144	Water		05-Mar-2020 13:50	06-Mar-2020 15:05	☐
HS20030296-42	INT-150	Water		05-Mar-2020 08:40	06-Mar-2020 15:05	☐
HS20030296-43	INT-162	Water		06-Mar-2020 08:53	06-Mar-2020 15:05	☐
HS20030296-44	INT-214	Water		04-Mar-2020 14:55	06-Mar-2020 15:05	☐
HS20030296-45	INT-217	Water		04-Mar-2020 12:25	06-Mar-2020 15:05	☐
HS20030296-46	INT-250	Water		04-Mar-2020 12:25	06-Mar-2020 15:05	☐
HS20030296-47	INT-252	Water		04-Mar-2020 14:05	06-Mar-2020 15:05	☐
HS20030296-48	INT-253	Water		04-Mar-2020 09:25	06-Mar-2020 15:05	☐
HS20030296-49	INT-254	Water		04-Mar-2020 10:00	06-Mar-2020 15:05	☐
HS20030296-50	SI-033	Water		04-Mar-2020 11:20	06-Mar-2020 15:05	☐
HS20030296-51	SI-051-P-3	Water		04-Mar-2020 14:05	06-Mar-2020 15:05	☐
HS20030296-52	SI-111	Water		05-Mar-2020 09:25	06-Mar-2020 15:05	☐
HS20030296-53	SI-118	Water		05-Mar-2020 14:38	06-Mar-2020 15:05	☐

RIGHT SOLUTIONS | RIGHT PARTNER

Client: Environmental Resources Management
Project: FLTG French Limited
Work Order: HS20030296

SAMPLE SUMMARY

Lab Samp ID	Client Sample ID	Matrix	TagNo	Collection Date	Date Received	Hold
HS20030296-54	SI-135	Water		05-Mar-2020 11:30	06-Mar-2020 15:05	☐
HS20030296-55	DUP2	Water		05-Mar-2020 12:00	06-Mar-2020 15:05	☐
HS20030296-56	SI-168	Water		05-Mar-2020 12:18	06-Mar-2020 15:05	☐
HS20030296-57	INT-251	Water		05-Mar-2020 10:10	06-Mar-2020 15:05	☐
HS20030296-58	CG-021720-64	Water	CG-021720-64	06-Mar-2020 00:00	06-Mar-2020 15:05	☐

RIGHT SOLUTIONS | RIGHT PARTNER

Client: Environmental Resources Management
Project: FLTG French Limited
Work Order: HS20030296

CASE NARRATIVE

Work Order Comments

- Actually there were 2 samples not on chain:

  Extra samples received not on COC :
  SI-168 & INT-251. Logged in with analysis.

  Times Differ : SI-146 COC - 12:28 Labels - 12:48
  SI-106A COC - 14:33 Labels - 13:43

GCMS Volatiles by Method SW8260

Batch ID: R357831

Sample ID: HS20030264-03MS

- MS and MSD are for an unrelated sample

Batch ID: R357923

Sample ID: HS20030384-01MS

- MS and MSD are for an unrelated sample

Batch ID: R357999

Sample ID: SI-031 (HS20030296-30MSD)

- The RPD between the MS and MSD was outside of the control limit. Acetone

Batch ID: R358000

Sample ID: HS20030412-01MS

- MS and MSD are for an unrelated sample

Batch ID: R358083

Sample ID: HS20030464-01MSD

- MSD is for an unrelated sample

Batch ID: R358087,R358156,R358182

- The test results meet requirements of the current NELAP standards, state requirements or programs where applicable.

Metals by Method SW6020

Batch ID: 151613

- The test results meet requirements of the current NELAP standards, state requirements or programs where applicable.

Batch ID: 151662

Sample ID: HS20030402-01MS

- MS and MSD are for an unrelated sample

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**	
Project:	FLTG French Limited	WorkOrder:HS20030296	
Sample ID:	FLTG-013	Lab ID:HS20030296-01	
Collection Date:	06-Mar-2020 10:20	Matrix:Water	

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
1,1,1-Trichloroethane	U		0.00050	0.0050	mg/L	1	10-Mar-2020 14:47
1,1,2,2-Tetrachloroethane	U		0.00050	0.0050	mg/L	1	10-Mar-2020 14:47
1,1,2-Trichloroethane	U		0.00050	0.0050	mg/L	1	10-Mar-2020 14:47
1,1-Dichloroethane	**0.0021**	J	**0.00040**	**0.0050**	**mg/L**	1	10-Mar-2020 14:47
1,1-Dichloroethene	U		0.00050	0.0050	mg/L	1	10-Mar-2020 14:47
1,2-Dichloroethane	**0.0023**	J	**0.00050**	**0.0050**	**mg/L**	1	10-Mar-2020 14:47
1,2-Dichloropropane	U		0.00070	0.0050	mg/L	1	10-Mar-2020 14:47
2-Butanone	U		0.0010	0.010	mg/L	1	10-Mar-2020 14:47
2-Hexanone	U		0.0010	0.010	mg/L	1	10-Mar-2020 14:47
4-Methyl-2-pentanone	U		0.0010	0.010	mg/L	1	10-Mar-2020 14:47
Acetone	U		0.0020	0.010	mg/L	1	10-Mar-2020 14:47
Allyl Chloride	U		0.0030	0.010	mg/L	1	10-Mar-2020 14:47
Benzene	U		0.00060	0.0050	mg/L	1	10-Mar-2020 14:47
Bromodichloromethane	U		0.00060	0.0050	mg/L	1	10-Mar-2020 14:47
Bromoform	U		0.00050	0.0050	mg/L	1	10-Mar-2020 14:47
Bromomethane	U		0.00050	0.0050	mg/L	1	10-Mar-2020 14:47
Carbon disulfide	U		0.00090	0.010	mg/L	1	10-Mar-2020 14:47
Carbon tetrachloride	U		0.00060	0.0050	mg/L	1	10-Mar-2020 14:47
Chlorobenzene	U		0.00040	0.0050	mg/L	1	10-Mar-2020 14:47
Chloroethane	U		0.00050	0.0050	mg/L	1	10-Mar-2020 14:47
Chloroform	**0.0019**	J	**0.00060**	**0.0050**	**mg/L**	1	10-Mar-2020 14:47
Chloromethane	U		0.00050	0.0050	mg/L	1	10-Mar-2020 14:47
cis-1,2-Dichloroethene	**0.0024**	J	**0.00060**	**0.0050**	**mg/L**	1	10-Mar-2020 14:47
cis-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	10-Mar-2020 14:47
Dibromochloromethane	U		0.00050	0.0050	mg/L	1	10-Mar-2020 14:47
Ethylbenzene	U		0.00050	0.0050	mg/L	1	10-Mar-2020 14:47
m,p-Xylene	U		0.00060	0.010	mg/L	1	10-Mar-2020 14:47
Methyl tert-butyl ether	**0.0013**	J	**0.00060**	**0.0050**	**mg/L**	1	10-Mar-2020 14:47
Methylene chloride	U		0.0010	0.010	mg/L	1	10-Mar-2020 14:47
Naphthalene	U		0.00070	0.0050	mg/L	1	10-Mar-2020 14:47
o-Xylene	U		0.00050	0.0050	mg/L	1	10-Mar-2020 14:47
Styrene	U		0.00050	0.0050	mg/L	1	10-Mar-2020 14:47
Tert-butyl alcohol	**4.0**		**0.10**	**0.50**	**mg/L**	5	11-Mar-2020 17:52
Tetrachloroethene	**0.0014**	J	**0.00060**	**0.0050**	**mg/L**	1	10-Mar-2020 14:47
Toluene	U		0.00050	0.0050	mg/L	1	10-Mar-2020 14:47
trans-1,2-Dichloroethene	U		0.00040	0.0050	mg/L	1	10-Mar-2020 14:47
trans-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	10-Mar-2020 14:47
Trichloroethene	**0.00085**	J	**0.00050**	**0.0050**	**mg/L**	1	10-Mar-2020 14:47
Vinyl chloride	U		0.00040	0.0020	mg/L	1	10-Mar-2020 14:47

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**
Project:	FLTG French Limited	WorkOrder:HS20030296
Sample ID:	FLTG-013	Lab ID:HS20030296-01
Collection Date:	06-Mar-2020 10:20	Matrix:Water

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
Xylenes, Total		U	0.00050	0.0050	mg/L	1	10-Mar-2020 14:47
Surr: 1,2-Dichloroethane-d4	*110*			*70-126*	*%REC*	*1*	*10-Mar-2020 14:47*
Surr: 1,2-Dichloroethane-d4	*92.2*			*70-126*	*%REC*	*5*	*11-Mar-2020 17:52*
Surr: 4-Bromofluorobenzene	*84.6*			*82-124*	*%REC*	*1*	*10-Mar-2020 14:47*
Surr: 4-Bromofluorobenzene	*105*			*82-124*	*%REC*	*5*	*11-Mar-2020 17:52*
Surr: Dibromofluoromethane	*105*			*77-123*	*%REC*	*1*	*10-Mar-2020 14:47*
Surr: Dibromofluoromethane	*96.1*			*77-123*	*%REC*	*5*	*11-Mar-2020 17:52*
Surr: Toluene-d8	*107*			*82-127*	*%REC*	*1*	*10-Mar-2020 14:47*
Surr: Toluene-d8	*98.7*			*82-127*	*%REC*	*5*	*11-Mar-2020 17:52*

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**	
Project:	FLTG French Limited	WorkOrder:HS20030296	
Sample ID:	FLTG-014	Lab ID:HS20030296-02	
Collection Date:	06-Mar-2020 09:50	Matrix:Water	

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
1,1,1-Trichloroethane	U		0.00050	0.0050	mg/L	1	10-Mar-2020 00:06
1,1,2,2-Tetrachloroethane	U		0.00050	0.0050	mg/L	1	10-Mar-2020 00:06
1,1,2-Trichloroethane	U		0.00050	0.0050	mg/L	1	10-Mar-2020 00:06
1,1-Dichloroethane	**0.00043**	J	**0.00040**	**0.0050**	**mg/L**	1	10-Mar-2020 00:06
1,1-Dichloroethene	U		0.00050	0.0050	mg/L	1	10-Mar-2020 00:06
1,2-Dichloroethane	**0.0050**	J	**0.00050**	**0.0050**	**mg/L**	1	10-Mar-2020 00:06
1,2-Dichloropropane	U		0.00070	0.0050	mg/L	1	10-Mar-2020 00:06
2-Butanone	U		0.0010	0.010	mg/L	1	10-Mar-2020 00:06
2-Hexanone	U		0.0010	0.010	mg/L	1	10-Mar-2020 00:06
4-Methyl-2-pentanone	U		0.0010	0.010	mg/L	1	10-Mar-2020 00:06
Acetone	U		0.0020	0.010	mg/L	1	10-Mar-2020 00:06
Allyl Chloride	U		0.0030	0.010	mg/L	1	10-Mar-2020 00:06
Benzene	U		0.00060	0.0050	mg/L	1	10-Mar-2020 00:06
Bromodichloromethane	U		0.00060	0.0050	mg/L	1	10-Mar-2020 00:06
Bromoform	U		0.00050	0.0050	mg/L	1	10-Mar-2020 00:06
Bromomethane	U		0.00050	0.0050	mg/L	1	10-Mar-2020 00:06
Carbon disulfide	U		0.00090	0.010	mg/L	1	10-Mar-2020 00:06
Carbon tetrachloride	U		0.00060	0.0050	mg/L	1	10-Mar-2020 00:06
Chlorobenzene	U		0.00040	0.0050	mg/L	1	10-Mar-2020 00:06
Chloroethane	U		0.00050	0.0050	mg/L	1	10-Mar-2020 00:06
Chloroform	**0.0032**	J	**0.00060**	**0.0050**	**mg/L**	1	10-Mar-2020 00:06
Chloromethane	U		0.00050	0.0050	mg/L	1	10-Mar-2020 00:06
cis-1,2-Dichloroethene	**0.0016**	J	**0.00060**	**0.0050**	**mg/L**	1	10-Mar-2020 00:06
cis-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	10-Mar-2020 00:06
Dibromochloromethane	U		0.00050	0.0050	mg/L	1	10-Mar-2020 00:06
Ethylbenzene	U		0.00050	0.0050	mg/L	1	10-Mar-2020 00:06
m,p-Xylene	U		0.00060	0.010	mg/L	1	10-Mar-2020 00:06
Methyl tert-butyl ether	U		0.00060	0.0050	mg/L	1	10-Mar-2020 00:06
Methylene chloride	U		0.0010	0.010	mg/L	1	10-Mar-2020 00:06
Naphthalene	U		0.00070	0.0050	mg/L	1	10-Mar-2020 00:06
o-Xylene	U		0.00050	0.0050	mg/L	1	10-Mar-2020 00:06
Styrene	U		0.00050	0.0050	mg/L	1	10-Mar-2020 00:06
Tert-butyl alcohol	U		0.020	0.10	mg/L	1	10-Mar-2020 00:06
Tetrachloroethene	**0.0018**	J	**0.00060**	**0.0050**	**mg/L**	1	10-Mar-2020 00:06
Toluene	U		0.00050	0.0050	mg/L	1	10-Mar-2020 00:06
trans-1,2-Dichloroethene	**0.00048**	J	**0.00040**	**0.0050**	**mg/L**	1	10-Mar-2020 00:06
trans-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	10-Mar-2020 00:06
Trichloroethene	**0.0015**	J	**0.00050**	**0.0050**	**mg/L**	1	10-Mar-2020 00:06
Vinyl chloride	**0.00062**	J	**0.00040**	**0.0020**	**mg/L**	1	10-Mar-2020 00:06

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**
Project:	FLTG French Limited	WorkOrder:HS20030296
Sample ID:	FLTG-014	Lab ID:HS20030296-02
Collection Date:	06-Mar-2020 09:50	Matrix:Water

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
Xylenes, Total		U	0.00050	0.0050	mg/L	1	10-Mar-2020 00:06
Surr: 1,2-Dichloroethane-d4	*89.9*			*70-126*	*%REC*	*1*	*10-Mar-2020 00:06*
Surr: 4-Bromofluorobenzene	*108*			*82-124*	*%REC*	*1*	*10-Mar-2020 00:06*
Surr: Dibromofluoromethane	*93.1*			*77-123*	*%REC*	*1*	*10-Mar-2020 00:06*
Surr: Toluene-d8	*105*			*82-127*	*%REC*	*1*	*10-Mar-2020 00:06*

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**	
Project:	FLTG French Limited	WorkOrder:HS20030296	
Sample ID:	INT-154	Lab ID:HS20030296-03	
Collection Date:	05-Mar-2020 11:33	Matrix:Water	

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
1,1,1-Trichloroethane	U		0.00050	0.0050	mg/L	1	10-Mar-2020 15:12
1,1,2,2-Tetrachloroethane	U		0.00050	0.0050	mg/L	1	10-Mar-2020 15:12
1,1,2-Trichloroethane	U		0.00050	0.0050	mg/L	1	10-Mar-2020 15:12
1,1-Dichloroethane	U		0.00040	0.0050	mg/L	1	10-Mar-2020 15:12
1,1-Dichloroethene	U		0.00050	0.0050	mg/L	1	10-Mar-2020 15:12
1,2-Dichloroethane	U		0.00050	0.0050	mg/L	1	10-Mar-2020 15:12
1,2-Dichloropropane	U		0.00070	0.0050	mg/L	1	10-Mar-2020 15:12
2-Butanone	U		0.0010	0.010	mg/L	1	10-Mar-2020 15:12
2-Hexanone	U		0.0010	0.010	mg/L	1	10-Mar-2020 15:12
4-Methyl-2-pentanone	U		0.0010	0.010	mg/L	1	10-Mar-2020 15:12
Acetone	U		0.0020	0.010	mg/L	1	10-Mar-2020 15:12
Allyl Chloride	U		0.0030	0.010	mg/L	1	10-Mar-2020 15:12
Benzene	**0.18**		**0.00060**	**0.0050**	**mg/L**	1	10-Mar-2020 15:12
Bromodichloromethane	U		0.00060	0.0050	mg/L	1	10-Mar-2020 15:12
Bromoform	U		0.00050	0.0050	mg/L	1	10-Mar-2020 15:12
Bromomethane	U		0.00050	0.0050	mg/L	1	10-Mar-2020 15:12
Carbon disulfide	U		0.00090	0.010	mg/L	1	10-Mar-2020 15:12
Carbon tetrachloride	U		0.00060	0.0050	mg/L	1	10-Mar-2020 15:12
Chlorobenzene	**0.0015**	J	**0.00040**	**0.0050**	**mg/L**	1	10-Mar-2020 15:12
Chloroethane	U		0.00050	0.0050	mg/L	1	10-Mar-2020 15:12
Chloroform	U		0.00060	0.0050	mg/L	1	10-Mar-2020 15:12
Chloromethane	U		0.00050	0.0050	mg/L	1	10-Mar-2020 15:12
cis-1,2-Dichloroethene	U		0.00060	0.0050	mg/L	1	10-Mar-2020 15:12
cis-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	10-Mar-2020 15:12
Dibromochloromethane	U		0.00050	0.0050	mg/L	1	10-Mar-2020 15:12
Ethylbenzene	U		0.00050	0.0050	mg/L	1	10-Mar-2020 15:12
m,p-Xylene	**0.0096**	J	**0.00060**	**0.010**	**mg/L**	1	10-Mar-2020 15:12
Methyl tert-butyl ether	**0.020**		**0.00060**	**0.0050**	**mg/L**	1	10-Mar-2020 15:12
Methylene chloride	U		0.0010	0.010	mg/L	1	10-Mar-2020 15:12
Naphthalene	**0.0025**	J	**0.00070**	**0.0050**	**mg/L**	1	10-Mar-2020 15:12
o-Xylene	U		0.00050	0.0050	mg/L	1	10-Mar-2020 15:12
Styrene	U		0.00050	0.0050	mg/L	1	10-Mar-2020 15:12
Tert-butyl alcohol	**74**		**1.0**	**5.0**	**mg/L**	50	11-Mar-2020 18:41
Tetrachloroethene	U		0.00060	0.0050	mg/L	1	10-Mar-2020 15:12
Toluene	**0.00091**	J	**0.00050**	**0.0050**	**mg/L**	1	10-Mar-2020 15:12
trans-1,2-Dichloroethene	U		0.00040	0.0050	mg/L	1	10-Mar-2020 15:12
trans-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	10-Mar-2020 15:12
Trichloroethene	U		0.00050	0.0050	mg/L	1	10-Mar-2020 15:12
Vinyl chloride	U		0.00040	0.0020	mg/L	1	10-Mar-2020 15:12

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**
Project:	FLTG French Limited	WorkOrder:HS20030296
Sample ID:	INT-154	Lab ID:HS20030296-03
Collection Date:	05-Mar-2020 11:33	Matrix:Water

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
Xylenes, Total	**0.0096**		**0.00050**	**0.0050**	**mg/L**	1	10-Mar-2020 15:12
Surr: 1,2-Dichloroethane-d4	*96.7*			*70-126*	*%REC*	*1*	*10-Mar-2020 15:12*
Surr: 1,2-Dichloroethane-d4	*97.8*			*70-126*	*%REC*	*50*	*11-Mar-2020 18:41*
Surr: 4-Bromofluorobenzene	*115*			*82-124*	*%REC*	*1*	*10-Mar-2020 15:12*
Surr: 4-Bromofluorobenzene	*101*			*82-124*	*%REC*	*50*	*11-Mar-2020 18:41*
Surr: Dibromofluoromethane	*93.6*			*77-123*	*%REC*	*1*	*10-Mar-2020 15:12*
Surr: Dibromofluoromethane	*99.7*			*77-123*	*%REC*	*50*	*11-Mar-2020 18:41*
Surr: Toluene-d8	*107*			*82-127*	*%REC*	*1*	*10-Mar-2020 15:12*
Surr: Toluene-d8	*94.3*			*82-127*	*%REC*	*50*	*11-Mar-2020 18:41*

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**	
Project:	FLTG French Limited	WorkOrder:HS20030296	
Sample ID:	INT-259	Lab ID:HS20030296-04	
Collection Date:	05-Mar-2020 09:28	Matrix:Water	

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
1,1,1-Trichloroethane	U		0.00050	0.0050	mg/L	1	10-Mar-2020 19:40
1,1,2,2-Tetrachloroethane	U		0.00050	0.0050	mg/L	1	10-Mar-2020 19:40
1,1,2-Trichloroethane	U		0.00050	0.0050	mg/L	1	10-Mar-2020 19:40
1,1-Dichloroethane	U		0.00040	0.0050	mg/L	1	10-Mar-2020 19:40
1,1-Dichloroethene	U		0.00050	0.0050	mg/L	1	10-Mar-2020 19:40
1,2-Dichloroethane	U		0.00050	0.0050	mg/L	1	10-Mar-2020 19:40
1,2-Dichloropropane	U		0.00070	0.0050	mg/L	1	10-Mar-2020 19:40
2-Butanone	U		0.0010	0.010	mg/L	1	10-Mar-2020 19:40
2-Hexanone	U		0.0010	0.010	mg/L	1	10-Mar-2020 19:40
4-Methyl-2-pentanone	U		0.0010	0.010	mg/L	1	10-Mar-2020 19:40
Acetone	U		0.0020	0.010	mg/L	1	10-Mar-2020 19:40
Allyl Chloride	U		0.0030	0.010	mg/L	1	10-Mar-2020 19:40
Benzene	U		0.00060	0.0050	mg/L	1	10-Mar-2020 19:40
Bromodichloromethane	U		0.00060	0.0050	mg/L	1	10-Mar-2020 19:40
Bromoform	U		0.00050	0.0050	mg/L	1	10-Mar-2020 19:40
Bromomethane	U		0.00050	0.0050	mg/L	1	10-Mar-2020 19:40
Carbon disulfide	U		0.00090	0.010	mg/L	1	10-Mar-2020 19:40
Carbon tetrachloride	U		0.00060	0.0050	mg/L	1	10-Mar-2020 19:40
Chlorobenzene	U		0.00040	0.0050	mg/L	1	10-Mar-2020 19:40
Chloroethane	U		0.00050	0.0050	mg/L	1	10-Mar-2020 19:40
Chloroform	U		0.00060	0.0050	mg/L	1	10-Mar-2020 19:40
Chloromethane	U		0.00050	0.0050	mg/L	1	10-Mar-2020 19:40
cis-1,2-Dichloroethene	**0.00068**	J	**0.00060**	**0.0050**	**mg/L**	1	10-Mar-2020 19:40
cis-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	10-Mar-2020 19:40
Dibromochloromethane	U		0.00050	0.0050	mg/L	1	10-Mar-2020 19:40
Ethylbenzene	U		0.00050	0.0050	mg/L	1	10-Mar-2020 19:40
m,p-Xylene	U		0.00060	0.010	mg/L	1	10-Mar-2020 19:40
Methyl tert-butyl ether	**0.0018**	J	**0.00060**	**0.0050**	**mg/L**	1	10-Mar-2020 19:40
Methylene chloride	U		0.0010	0.010	mg/L	1	10-Mar-2020 19:40
Naphthalene	U		0.00070	0.0050	mg/L	1	10-Mar-2020 19:40
o-Xylene	U		0.00050	0.0050	mg/L	1	10-Mar-2020 19:40
Styrene	U		0.00050	0.0050	mg/L	1	10-Mar-2020 19:40
Tert-butyl alcohol	**4.7**		**0.10**	**0.50**	**mg/L**	5	11-Mar-2020 19:29
Tetrachloroethene	U		0.00060	0.0050	mg/L	1	10-Mar-2020 19:40
Toluene	U		0.00050	0.0050	mg/L	1	10-Mar-2020 19:40
trans-1,2-Dichloroethene	U		0.00040	0.0050	mg/L	1	10-Mar-2020 19:40
trans-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	10-Mar-2020 19:40
Trichloroethene	U		0.00050	0.0050	mg/L	1	10-Mar-2020 19:40
Vinyl chloride	**0.0011**	J	**0.00040**	**0.0020**	**mg/L**	1	10-Mar-2020 19:40

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**
Project:	FLTG French Limited	WorkOrder:HS20030296
Sample ID:	INT-259	Lab ID:HS20030296-04
Collection Date:	05-Mar-2020 09:28	Matrix:Water

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
Xylenes, Total		U	0.00050	0.0050	mg/L	1	10-Mar-2020 19:40
Surr: 1,2-Dichloroethane-d4	*119*			*70-126*	*%REC*	*1*	*10-Mar-2020 19:40*
Surr: 1,2-Dichloroethane-d4	*95.0*			*70-126*	*%REC*	*5*	*11-Mar-2020 19:29*
Surr: 4-Bromofluorobenzene	*98.5*			*82-124*	*%REC*	*1*	*10-Mar-2020 19:40*
Surr: 4-Bromofluorobenzene	*92.5*			*82-124*	*%REC*	*5*	*11-Mar-2020 19:29*
Surr: Dibromofluoromethane	*104*			*77-123*	*%REC*	*1*	*10-Mar-2020 19:40*
Surr: Dibromofluoromethane	*104*			*77-123*	*%REC*	*5*	*11-Mar-2020 19:29*
Surr: Toluene-d8	*103*			*82-127*	*%REC*	*1*	*10-Mar-2020 19:40*
Surr: Toluene-d8	*101*			*82-127*	*%REC*	*5*	*11-Mar-2020 19:29*

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**	
Project:	FLTG French Limited	WorkOrder:HS20030296	
Sample ID:	INT-260	Lab ID:HS20030296-05	
Collection Date:	04-Mar-2020 12:08	Matrix:Water	

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
1,1,1-Trichloroethane	U		0.00050	0.0050	mg/L	1	10-Mar-2020 22:55
1,1,2,2-Tetrachloroethane	U		0.00050	0.0050	mg/L	1	10-Mar-2020 22:55
1,1,2-Trichloroethane	U		0.00050	0.0050	mg/L	1	10-Mar-2020 22:55
1,1-Dichloroethane	**0.00071**	J	**0.00040**	**0.0050**	**mg/L**	1	10-Mar-2020 22:55
1,1-Dichloroethene	U		0.00050	0.0050	mg/L	1	10-Mar-2020 22:55
1,2-Dichloroethane	U		0.00050	0.0050	mg/L	1	10-Mar-2020 22:55
1,2-Dichloropropane	U		0.00070	0.0050	mg/L	1	10-Mar-2020 22:55
2-Butanone	U		0.0010	0.010	mg/L	1	10-Mar-2020 22:55
2-Hexanone	U		0.0010	0.010	mg/L	1	10-Mar-2020 22:55
4-Methyl-2-pentanone	U		0.0010	0.010	mg/L	1	10-Mar-2020 22:55
Acetone	U		0.0020	0.010	mg/L	1	10-Mar-2020 22:55
Allyl Chloride	U		0.0030	0.010	mg/L	1	10-Mar-2020 22:55
Benzene	**0.010**		**0.00060**	**0.0050**	**mg/L**	1	10-Mar-2020 22:55
Bromodichloromethane	U		0.00060	0.0050	mg/L	1	10-Mar-2020 22:55
Bromoform	U		0.00050	0.0050	mg/L	1	10-Mar-2020 22:55
Bromomethane	U		0.00050	0.0050	mg/L	1	10-Mar-2020 22:55
Carbon disulfide	U		0.00090	0.010	mg/L	1	10-Mar-2020 22:55
Carbon tetrachloride	U		0.00060	0.0050	mg/L	1	10-Mar-2020 22:55
Chlorobenzene	**0.0022**	J	**0.00040**	**0.0050**	**mg/L**	1	10-Mar-2020 22:55
Chloroethane	U		0.00050	0.0050	mg/L	1	10-Mar-2020 22:55
Chloroform	U		0.00060	0.0050	mg/L	1	10-Mar-2020 22:55
Chloromethane	U		0.00050	0.0050	mg/L	1	10-Mar-2020 22:55
cis-1,2-Dichloroethene	**0.0016**	J	**0.00060**	**0.0050**	**mg/L**	1	10-Mar-2020 22:55
cis-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	10-Mar-2020 22:55
Dibromochloromethane	U		0.00050	0.0050	mg/L	1	10-Mar-2020 22:55
Ethylbenzene	U		0.00050	0.0050	mg/L	1	10-Mar-2020 22:55
m,p-Xylene	U		0.00060	0.010	mg/L	1	10-Mar-2020 22:55
Methyl tert-butyl ether	**0.0041**	J	**0.00060**	**0.0050**	**mg/L**	1	10-Mar-2020 22:55
Methylene chloride	U		0.0010	0.010	mg/L	1	10-Mar-2020 22:55
Naphthalene	U		0.00070	0.0050	mg/L	1	10-Mar-2020 22:55
o-Xylene	U		0.00050	0.0050	mg/L	1	10-Mar-2020 22:55
Styrene	U		0.00050	0.0050	mg/L	1	10-Mar-2020 22:55
Tert-butyl alcohol	**15**		**0.10**	**0.50**	**mg/L**	5	11-Mar-2020 20:18
Tetrachloroethene	U		0.00060	0.0050	mg/L	1	10-Mar-2020 22:55
Toluene	U		0.00050	0.0050	mg/L	1	10-Mar-2020 22:55
trans-1,2-Dichloroethene	U		0.00040	0.0050	mg/L	1	10-Mar-2020 22:55
trans-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	10-Mar-2020 22:55
Trichloroethene	U		0.00050	0.0050	mg/L	1	10-Mar-2020 22:55
Vinyl chloride	**0.0020**		**0.00040**	**0.0020**	**mg/L**	1	10-Mar-2020 22:55

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**
Project:	FLTG French Limited	WorkOrder:HS20030296
Sample ID:	INT-260	Lab ID:HS20030296-05
Collection Date:	04-Mar-2020 12:08	Matrix:Water

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
Xylenes, Total		U	0.00050	0.0050	mg/L	1	10-Mar-2020 22:55
Surr: 1,2-Dichloroethane-d4	*92.3*			*70-126*	*%REC*	*1*	*10-Mar-2020 22:55*
Surr: 1,2-Dichloroethane-d4	*108*			*70-126*	*%REC*	*5*	*11-Mar-2020 20:18*
Surr: 4-Bromofluorobenzene	*85.9*			*82-124*	*%REC*	*1*	*10-Mar-2020 22:55*
Surr: 4-Bromofluorobenzene	*96.8*			*82-124*	*%REC*	*5*	*11-Mar-2020 20:18*
Surr: Dibromofluoromethane	*94.6*			*77-123*	*%REC*	*1*	*10-Mar-2020 22:55*
Surr: Dibromofluoromethane	*103*			*77-123*	*%REC*	*5*	*11-Mar-2020 20:18*
Surr: Toluene-d8	*91.1*			*82-127*	*%REC*	*1*	*10-Mar-2020 22:55*
Surr: Toluene-d8	*101*			*82-127*	*%REC*	*5*	*11-Mar-2020 20:18*

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**	
Project:	FLTG French Limited	WorkOrder:HS20030296	
Sample ID:	INT-261	Lab ID:HS20030296-06	
Collection Date:	04-Mar-2020 14:28	Matrix:Water	

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
1,1,1-Trichloroethane		U	0.00050	0.0050	mg/L	1	10-Mar-2020 00:31
1,1,2,2-Tetrachloroethane		U	0.00050	0.0050	mg/L	1	10-Mar-2020 00:31
1,1,2-Trichloroethane		U	0.00050	0.0050	mg/L	1	10-Mar-2020 00:31
1,1-Dichloroethane		U	0.00040	0.0050	mg/L	1	10-Mar-2020 00:31
1,1-Dichloroethene		U	0.00050	0.0050	mg/L	1	10-Mar-2020 00:31
1,2-Dichloroethane		U	0.00050	0.0050	mg/L	1	10-Mar-2020 00:31
1,2-Dichloropropane		U	0.00070	0.0050	mg/L	1	10-Mar-2020 00:31
2-Butanone		U	0.0010	0.010	mg/L	1	10-Mar-2020 00:31
2-Hexanone		U	0.0010	0.010	mg/L	1	10-Mar-2020 00:31
4-Methyl-2-pentanone		U	0.0010	0.010	mg/L	1	10-Mar-2020 00:31
Acetone		U	0.0020	0.010	mg/L	1	10-Mar-2020 00:31
Allyl Chloride		U	0.0030	0.010	mg/L	1	10-Mar-2020 00:31
Benzene		U	0.00060	0.0050	mg/L	1	10-Mar-2020 00:31
Bromodichloromethane		U	0.00060	0.0050	mg/L	1	10-Mar-2020 00:31
Bromoform		U	0.00050	0.0050	mg/L	1	10-Mar-2020 00:31
Bromomethane		U	0.00050	0.0050	mg/L	1	10-Mar-2020 00:31
Carbon disulfide		U	0.00090	0.010	mg/L	1	10-Mar-2020 00:31
Carbon tetrachloride		U	0.00060	0.0050	mg/L	1	10-Mar-2020 00:31
Chlorobenzene		U	0.00040	0.0050	mg/L	1	10-Mar-2020 00:31
Chloroethane		U	0.00050	0.0050	mg/L	1	10-Mar-2020 00:31
Chloroform		U	0.00060	0.0050	mg/L	1	10-Mar-2020 00:31
Chloromethane		U	0.00050	0.0050	mg/L	1	10-Mar-2020 00:31
cis-1,2-Dichloroethene		U	0.00060	0.0050	mg/L	1	10-Mar-2020 00:31
cis-1,3-Dichloropropene		U	0.00060	0.0050	mg/L	1	10-Mar-2020 00:31
Dibromochloromethane		U	0.00050	0.0050	mg/L	1	10-Mar-2020 00:31
Ethylbenzene		U	0.00050	0.0050	mg/L	1	10-Mar-2020 00:31
m,p-Xylene		U	0.00060	0.010	mg/L	1	10-Mar-2020 00:31
Methyl tert-butyl ether		U	0.00060	0.0050	mg/L	1	10-Mar-2020 00:31
Methylene chloride		U	0.0010	0.010	mg/L	1	10-Mar-2020 00:31
Naphthalene		U	0.00070	0.0050	mg/L	1	10-Mar-2020 00:31
o-Xylene		U	0.00050	0.0050	mg/L	1	10-Mar-2020 00:31
Styrene		U	0.00050	0.0050	mg/L	1	10-Mar-2020 00:31
Tert-butyl alcohol		U	0.020	0.10	mg/L	1	10-Mar-2020 00:31
Tetrachloroethene		U	0.00060	0.0050	mg/L	1	10-Mar-2020 00:31
Toluene		U	0.00050	0.0050	mg/L	1	10-Mar-2020 00:31
trans-1,2-Dichloroethene		U	0.00040	0.0050	mg/L	1	10-Mar-2020 00:31
trans-1,3-Dichloropropene		U	0.00060	0.0050	mg/L	1	10-Mar-2020 00:31
Trichloroethene		U	0.00050	0.0050	mg/L	1	10-Mar-2020 00:31
Vinyl chloride		U	0.00040	0.0020	mg/L	1	10-Mar-2020 00:31

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**
Project:	FLTG French Limited	WorkOrder:HS20030296
Sample ID:	INT-261	Lab ID:HS20030296-06
Collection Date:	04-Mar-2020 14:28	Matrix:Water

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
Xylenes, Total		U	0.00050	0.0050	mg/L	1	10-Mar-2020 00:31
Surr: 1,2-Dichloroethane-d4	*110*			*70-126*	*%REC*	*1*	*10-Mar-2020 00:31*
Surr: 4-Bromofluorobenzene	*93.5*			*82-124*	*%REC*	*1*	*10-Mar-2020 00:31*
Surr: Dibromofluoromethane	*102*			*77-123*	*%REC*	*1*	*10-Mar-2020 00:31*
Surr: Toluene-d8	*105*			*82-127*	*%REC*	*1*	*10-Mar-2020 00:31*

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**
Project:	FLTG French Limited	WorkOrder:HS20030296
Sample ID:	INT-262	Lab ID:HS20030296-07
Collection Date:	04-Mar-2020 09:43	Matrix:Water

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
1,1,1-Trichloroethane	U		0.00050	0.0050	mg/L	1	10-Mar-2020 00:55
1,1,2,2-Tetrachloroethane	U		0.00050	0.0050	mg/L	1	10-Mar-2020 00:55
1,1,2-Trichloroethane	U		0.00050	0.0050	mg/L	1	10-Mar-2020 00:55
1,1-Dichloroethane	U		0.00040	0.0050	mg/L	1	10-Mar-2020 00:55
1,1-Dichloroethene	U		0.00050	0.0050	mg/L	1	10-Mar-2020 00:55
1,2-Dichloroethane	**0.0016**	J	**0.00050**	**0.0050**	**mg/L**	1	10-Mar-2020 00:55
1,2-Dichloropropane	U		0.00070	0.0050	mg/L	1	10-Mar-2020 00:55
2-Butanone	U		0.0010	0.010	mg/L	1	10-Mar-2020 00:55
2-Hexanone	U		0.0010	0.010	mg/L	1	10-Mar-2020 00:55
4-Methyl-2-pentanone	U		0.0010	0.010	mg/L	1	10-Mar-2020 00:55
Acetone	U		0.0020	0.010	mg/L	1	10-Mar-2020 00:55
Allyl Chloride	U		0.0030	0.010	mg/L	1	10-Mar-2020 00:55
Benzene	U		0.00060	0.0050	mg/L	1	10-Mar-2020 00:55
Bromodichloromethane	U		0.00060	0.0050	mg/L	1	10-Mar-2020 00:55
Bromoform	U		0.00050	0.0050	mg/L	1	10-Mar-2020 00:55
Bromomethane	U		0.00050	0.0050	mg/L	1	10-Mar-2020 00:55
Carbon disulfide	U		0.00090	0.010	mg/L	1	10-Mar-2020 00:55
Carbon tetrachloride	U		0.00060	0.0050	mg/L	1	10-Mar-2020 00:55
Chlorobenzene	U		0.00040	0.0050	mg/L	1	10-Mar-2020 00:55
Chloroethane	U		0.00050	0.0050	mg/L	1	10-Mar-2020 00:55
Chloroform	U		0.00060	0.0050	mg/L	1	10-Mar-2020 00:55
Chloromethane	U		0.00050	0.0050	mg/L	1	10-Mar-2020 00:55
cis-1,2-Dichloroethene	U		0.00060	0.0050	mg/L	1	10-Mar-2020 00:55
cis-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	10-Mar-2020 00:55
Dibromochloromethane	U		0.00050	0.0050	mg/L	1	10-Mar-2020 00:55
Ethylbenzene	U		0.00050	0.0050	mg/L	1	10-Mar-2020 00:55
m,p-Xylene	U		0.00060	0.010	mg/L	1	10-Mar-2020 00:55
Methyl tert-butyl ether	U		0.00060	0.0050	mg/L	1	10-Mar-2020 00:55
Methylene chloride	U		0.0010	0.010	mg/L	1	10-Mar-2020 00:55
Naphthalene	U		0.00070	0.0050	mg/L	1	10-Mar-2020 00:55
o-Xylene	U		0.00050	0.0050	mg/L	1	10-Mar-2020 00:55
Styrene	U		0.00050	0.0050	mg/L	1	10-Mar-2020 00:55
Tert-butyl alcohol	**0.12**		**0.020**	**0.10**	**mg/L**	1	10-Mar-2020 00:55
Tetrachloroethene	U		0.00060	0.0050	mg/L	1	10-Mar-2020 00:55
Toluene	U		0.00050	0.0050	mg/L	1	10-Mar-2020 00:55
trans-1,2-Dichloroethene	U		0.00040	0.0050	mg/L	1	10-Mar-2020 00:55
trans-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	10-Mar-2020 00:55
Trichloroethene	U		0.00050	0.0050	mg/L	1	10-Mar-2020 00:55
Vinyl chloride	U		0.00040	0.0020	mg/L	1	10-Mar-2020 00:55

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**
Project:	FLTG French Limited	WorkOrder:HS20030296
Sample ID:	INT-262	Lab ID:HS20030296-07
Collection Date:	04-Mar-2020 09:43	Matrix:Water

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
Xylenes, Total		U	0.00050	0.0050	mg/L	1	10-Mar-2020 00:55
Surr: 1,2-Dichloroethane-d4	*93.6*			*70-126*	*%REC*	*1*	*10-Mar-2020 00:55*
Surr: 4-Bromofluorobenzene	*93.2*			*82-124*	*%REC*	*1*	*10-Mar-2020 00:55*
Surr: Dibromofluoromethane	*95.2*			*77-123*	*%REC*	*1*	*10-Mar-2020 00:55*
Surr: Toluene-d8	*100*			*82-127*	*%REC*	*1*	*10-Mar-2020 00:55*

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**
Project:	FLTG French Limited	WorkOrder:HS20030296
Sample ID:	SI-106R	Lab ID:HS20030296-08
Collection Date:	05-Mar-2020 10:53	Matrix:Water

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
1,1,1-Trichloroethane	U		0.00050	0.0050	mg/L	1	10-Mar-2020 01:19
1,1,2,2-Tetrachloroethane	U		0.00050	0.0050	mg/L	1	10-Mar-2020 01:19
1,1,2-Trichloroethane	U		0.00050	0.0050	mg/L	1	10-Mar-2020 01:19
1,1-Dichloroethane	U		0.00040	0.0050	mg/L	1	10-Mar-2020 01:19
1,1-Dichloroethene	U		0.00050	0.0050	mg/L	1	10-Mar-2020 01:19
1,2-Dichloroethane	U		0.00050	0.0050	mg/L	1	10-Mar-2020 01:19
1,2-Dichloropropane	U		0.00070	0.0050	mg/L	1	10-Mar-2020 01:19
2-Butanone	U		0.0010	0.010	mg/L	1	10-Mar-2020 01:19
2-Hexanone	U		0.0010	0.010	mg/L	1	10-Mar-2020 01:19
4-Methyl-2-pentanone	U		0.0010	0.010	mg/L	1	10-Mar-2020 01:19
Acetone	U		0.0020	0.010	mg/L	1	10-Mar-2020 01:19
Allyl Chloride	U		0.0030	0.010	mg/L	1	10-Mar-2020 01:19
Benzene	**0.0037**	J	**0.00060**	**0.0050**	**mg/L**	1	10-Mar-2020 01:19
Bromodichloromethane	U		0.00060	0.0050	mg/L	1	10-Mar-2020 01:19
Bromoform	U		0.00050	0.0050	mg/L	1	10-Mar-2020 01:19
Bromomethane	U		0.00050	0.0050	mg/L	1	10-Mar-2020 01:19
Carbon disulfide	U		0.00090	0.010	mg/L	1	10-Mar-2020 01:19
Carbon tetrachloride	U		0.00060	0.0050	mg/L	1	10-Mar-2020 01:19
Chlorobenzene	U		0.00040	0.0050	mg/L	1	10-Mar-2020 01:19
Chloroethane	U		0.00050	0.0050	mg/L	1	10-Mar-2020 01:19
Chloroform	U		0.00060	0.0050	mg/L	1	10-Mar-2020 01:19
Chloromethane	U		0.00050	0.0050	mg/L	1	10-Mar-2020 01:19
cis-1,2-Dichloroethene	U		0.00060	0.0050	mg/L	1	10-Mar-2020 01:19
cis-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	10-Mar-2020 01:19
Dibromochloromethane	U		0.00050	0.0050	mg/L	1	10-Mar-2020 01:19
Ethylbenzene	U		0.00050	0.0050	mg/L	1	10-Mar-2020 01:19
m,p-Xylene	**0.00095**	J	**0.00060**	**0.010**	**mg/L**	1	10-Mar-2020 01:19
Methyl tert-butyl ether	**0.0016**	J	**0.00060**	**0.0050**	**mg/L**	1	10-Mar-2020 01:19
Methylene chloride	U		0.0010	0.010	mg/L	1	10-Mar-2020 01:19
Naphthalene	U		0.00070	0.0050	mg/L	1	10-Mar-2020 01:19
o-Xylene	U		0.00050	0.0050	mg/L	1	10-Mar-2020 01:19
Styrene	U		0.00050	0.0050	mg/L	1	10-Mar-2020 01:19
Tert-butyl alcohol	**4.0**		**0.10**	**0.50**	**mg/L**	5	10-Mar-2020 18:51
Tetrachloroethene	U		0.00060	0.0050	mg/L	1	10-Mar-2020 01:19
Toluene	U		0.00050	0.0050	mg/L	1	10-Mar-2020 01:19
trans-1,2-Dichloroethene	U		0.00040	0.0050	mg/L	1	10-Mar-2020 01:19
trans-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	10-Mar-2020 01:19
Trichloroethene	U		0.00050	0.0050	mg/L	1	10-Mar-2020 01:19
Vinyl chloride	U		0.00040	0.0020	mg/L	1	10-Mar-2020 01:19

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**
Project:	FLTG French Limited	WorkOrder:HS20030296
Sample ID:	SI-106R	Lab ID:HS20030296-08
Collection Date:	05-Mar-2020 10:53	Matrix:Water

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
Xylenes, Total	**0.00095**	J	**0.00050**	**0.0050**	**mg/L**	1	10-Mar-2020 01:19
Surr: 1,2-Dichloroethane-d4	*111*			*70-126*	*%REC*	*1*	*10-Mar-2020 01:19*
Surr: 1,2-Dichloroethane-d4	*98.9*			*70-126*	*%REC*	*5*	*10-Mar-2020 18:51*
Surr: 4-Bromofluorobenzene	*95.3*			*82-124*	*%REC*	*1*	*10-Mar-2020 01:19*
Surr: 4-Bromofluorobenzene	*92.9*			*82-124*	*%REC*	*5*	*10-Mar-2020 18:51*
Surr: Dibromofluoromethane	*102*			*77-123*	*%REC*	*1*	*10-Mar-2020 01:19*
Surr: Dibromofluoromethane	*89.0*			*77-123*	*%REC*	*5*	*10-Mar-2020 18:51*
Surr: Toluene-d8	*101*			*82-127*	*%REC*	*1*	*10-Mar-2020 01:19*
Surr: Toluene-d8	*95.8*			*82-127*	*%REC*	*5*	*10-Mar-2020 18:51*

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**
Project:	FLTG French Limited	WorkOrder:HS20030296
Sample ID:	SI-142	Lab ID:HS20030296-09
Collection Date:	04-Mar-2020 10:28	Matrix:Water

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
1,1,1-Trichloroethane	U		0.00050	0.0050	mg/L	1	10-Mar-2020 20:04
1,1,2,2-Tetrachloroethane	U		0.00050	0.0050	mg/L	1	10-Mar-2020 20:04
1,1,2-Trichloroethane	U		0.00050	0.0050	mg/L	1	10-Mar-2020 20:04
1,1-Dichloroethane	U		0.00040	0.0050	mg/L	1	10-Mar-2020 20:04
1,1-Dichloroethene	U		0.00050	0.0050	mg/L	1	10-Mar-2020 20:04
1,2-Dichloroethane	U		0.00050	0.0050	mg/L	1	10-Mar-2020 20:04
1,2-Dichloropropane	U		0.00070	0.0050	mg/L	1	10-Mar-2020 20:04
2-Butanone	U		0.0010	0.010	mg/L	1	10-Mar-2020 20:04
2-Hexanone	U		0.0010	0.010	mg/L	1	10-Mar-2020 20:04
4-Methyl-2-pentanone	U		0.0010	0.010	mg/L	1	10-Mar-2020 20:04
Acetone	U		0.0020	0.010	mg/L	1	10-Mar-2020 20:04
Allyl Chloride	U		0.0030	0.010	mg/L	1	10-Mar-2020 20:04
Benzene	U		0.00060	0.0050	mg/L	1	10-Mar-2020 20:04
Bromodichloromethane	U		0.00060	0.0050	mg/L	1	10-Mar-2020 20:04
Bromoform	U		0.00050	0.0050	mg/L	1	10-Mar-2020 20:04
Bromomethane	U		0.00050	0.0050	mg/L	1	10-Mar-2020 20:04
Carbon disulfide	U		0.00090	0.010	mg/L	1	10-Mar-2020 20:04
Carbon tetrachloride	U		0.00060	0.0050	mg/L	1	10-Mar-2020 20:04
Chlorobenzene	U		0.00040	0.0050	mg/L	1	10-Mar-2020 20:04
Chloroethane	U		0.00050	0.0050	mg/L	1	10-Mar-2020 20:04
Chloroform	U		0.00060	0.0050	mg/L	1	10-Mar-2020 20:04
Chloromethane	U		0.00050	0.0050	mg/L	1	10-Mar-2020 20:04
cis-1,2-Dichloroethene	U		0.00060	0.0050	mg/L	1	10-Mar-2020 20:04
cis-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	10-Mar-2020 20:04
Dibromochloromethane	U		0.00050	0.0050	mg/L	1	10-Mar-2020 20:04
Ethylbenzene	U		0.00050	0.0050	mg/L	1	10-Mar-2020 20:04
m,p-Xylene	U		0.00060	0.010	mg/L	1	10-Mar-2020 20:04
Methyl tert-butyl ether	U		0.00060	0.0050	mg/L	1	10-Mar-2020 20:04
Methylene chloride	U		0.0010	0.010	mg/L	1	10-Mar-2020 20:04
Naphthalene	U		0.00070	0.0050	mg/L	1	10-Mar-2020 20:04
o-Xylene	U		0.00050	0.0050	mg/L	1	10-Mar-2020 20:04
Styrene	U		0.00050	0.0050	mg/L	1	10-Mar-2020 20:04
Tert-butyl alcohol	**0.26**		**0.020**	**0.10**	**mg/L**	1	10-Mar-2020 20:04
Tetrachloroethene	U		0.00060	0.0050	mg/L	1	10-Mar-2020 20:04
Toluene	U		0.00050	0.0050	mg/L	1	10-Mar-2020 20:04
trans-1,2-Dichloroethene	U		0.00040	0.0050	mg/L	1	10-Mar-2020 20:04
trans-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	10-Mar-2020 20:04
Trichloroethene	U		0.00050	0.0050	mg/L	1	10-Mar-2020 20:04
Vinyl chloride	U		0.00040	0.0020	mg/L	1	10-Mar-2020 20:04

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**
Project:	FLTG French Limited	WorkOrder:HS20030296
Sample ID:	SI-142	Lab ID:HS20030296-09
Collection Date:	04-Mar-2020 10:28	Matrix:Water

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
Xylenes, Total		U	0.00050	0.0050	mg/L	1	10-Mar-2020 20:04
Surr: 1,2-Dichloroethane-d4	*120*			*70-126*	*%REC*	*1*	*10-Mar-2020 20:04*
Surr: 4-Bromofluorobenzene	*98.0*			*82-124*	*%REC*	*1*	*10-Mar-2020 20:04*
Surr: Dibromofluoromethane	*105*			*77-123*	*%REC*	*1*	*10-Mar-2020 20:04*
Surr: Toluene-d8	*101*			*82-127*	*%REC*	*1*	*10-Mar-2020 20:04*

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**
Project:	FLTG French Limited	WorkOrder:HS20030296
Sample ID:	SI-146	Lab ID:HS20030296-10
Collection Date:	04-Mar-2020 12:28	Matrix:Water

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
1,1,1-Trichloroethane	U		0.00050	0.0050	mg/L	1	11-Mar-2020 16:14
1,1,2,2-Tetrachloroethane	U		0.00050	0.0050	mg/L	1	11-Mar-2020 16:14
1,1,2-Trichloroethane	U		0.00050	0.0050	mg/L	1	11-Mar-2020 16:14
1,1-Dichloroethane	**0.00085**	J	**0.00040**	**0.0050**	**mg/L**	1	11-Mar-2020 16:14
1,1-Dichloroethene	U		0.00050	0.0050	mg/L	1	11-Mar-2020 16:14
1,2-Dichloroethane	U		0.00050	0.0050	mg/L	1	11-Mar-2020 16:14
1,2-Dichloropropane	U		0.00070	0.0050	mg/L	1	11-Mar-2020 16:14
2-Butanone	U		0.0010	0.010	mg/L	1	11-Mar-2020 16:14
2-Hexanone	U		0.0010	0.010	mg/L	1	11-Mar-2020 16:14
4-Methyl-2-pentanone	U		0.0010	0.010	mg/L	1	11-Mar-2020 16:14
Acetone	U		0.0020	0.010	mg/L	1	11-Mar-2020 16:14
Allyl Chloride	U		0.0030	0.010	mg/L	1	11-Mar-2020 16:14
Benzene	**0.023**		**0.00060**	**0.0050**	**mg/L**	1	11-Mar-2020 16:14
Bromodichloromethane	U		0.00060	0.0050	mg/L	1	11-Mar-2020 16:14
Bromoform	U		0.00050	0.0050	mg/L	1	11-Mar-2020 16:14
Bromomethane	U		0.00050	0.0050	mg/L	1	11-Mar-2020 16:14
Carbon disulfide	U		0.00090	0.010	mg/L	1	11-Mar-2020 16:14
Carbon tetrachloride	U		0.00060	0.0050	mg/L	1	11-Mar-2020 16:14
Chlorobenzene	U		0.00040	0.0050	mg/L	1	11-Mar-2020 16:14
Chloroethane	U		0.00050	0.0050	mg/L	1	11-Mar-2020 16:14
Chloroform	U		0.00060	0.0050	mg/L	1	11-Mar-2020 16:14
Chloromethane	U		0.00050	0.0050	mg/L	1	11-Mar-2020 16:14
cis-1,2-Dichloroethene	**0.0033**	J	**0.00060**	**0.0050**	**mg/L**	1	11-Mar-2020 16:14
cis-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	11-Mar-2020 16:14
Dibromochloromethane	U		0.00050	0.0050	mg/L	1	11-Mar-2020 16:14
Ethylbenzene	U		0.00050	0.0050	mg/L	1	11-Mar-2020 16:14
m,p-Xylene	**0.0011**	J	**0.00060**	**0.010**	**mg/L**	1	11-Mar-2020 16:14
Methyl tert-butyl ether	**0.0026**	J	**0.00060**	**0.0050**	**mg/L**	1	11-Mar-2020 16:14
Methylene chloride	U		0.0010	0.010	mg/L	1	11-Mar-2020 16:14
Naphthalene	U		0.00070	0.0050	mg/L	1	11-Mar-2020 16:14
o-Xylene	U		0.00050	0.0050	mg/L	1	11-Mar-2020 16:14
Styrene	U		0.00050	0.0050	mg/L	1	11-Mar-2020 16:14
Tert-butyl alcohol	**8.4**		**0.10**	**0.50**	**mg/L**	5	12-Mar-2020 11:22
Tetrachloroethene	U		0.00060	0.0050	mg/L	1	11-Mar-2020 16:14
Toluene	U		0.00050	0.0050	mg/L	1	11-Mar-2020 16:14
trans-1,2-Dichloroethene	U		0.00040	0.0050	mg/L	1	11-Mar-2020 16:14
trans-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	11-Mar-2020 16:14
Trichloroethene	U		0.00050	0.0050	mg/L	1	11-Mar-2020 16:14
Vinyl chloride	**0.021**		**0.00040**	**0.0020**	**mg/L**	1	11-Mar-2020 16:14

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**
Project:	FLTG French Limited	WorkOrder:HS20030296
Sample ID:	SI-146	Lab ID:HS20030296-10
Collection Date:	04-Mar-2020 12:28	Matrix:Water

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
Xylenes, Total	**0.0011**	J	**0.00050**	**0.0050**	**mg/L**	1	11-Mar-2020 16:14
Surr: 1,2-Dichloroethane-d4	*102*			*70-126*	*%REC*	*1*	*11-Mar-2020 16:14*
Surr: 1,2-Dichloroethane-d4	*120*			*70-126*	*%REC*	*5*	*12-Mar-2020 11:22*
Surr: 4-Bromofluorobenzene	*105*			*82-124*	*%REC*	*1*	*11-Mar-2020 16:14*
Surr: 4-Bromofluorobenzene	*101*			*82-124*	*%REC*	*5*	*12-Mar-2020 11:22*
Surr: Dibromofluoromethane	*95.6*			*77-123*	*%REC*	*1*	*11-Mar-2020 16:14*
Surr: Dibromofluoromethane	*104*			*77-123*	*%REC*	*5*	*12-Mar-2020 11:22*
Surr: Toluene-d8	*99.7*			*82-127*	*%REC*	*1*	*11-Mar-2020 16:14*
Surr: Toluene-d8	*102*			*82-127*	*%REC*	*5*	*12-Mar-2020 11:22*

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**
Project:	FLTG French Limited	WorkOrder:HS20030296
Sample ID:	SI-147	Lab ID:HS20030296-11
Collection Date:	05-Mar-2020 08:48	Matrix:Water

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
1,1,1-Trichloroethane	U		0.00050	0.0050	mg/L	1	11-Mar-2020 16:39
1,1,2,2-Tetrachloroethane	U		0.00050	0.0050	mg/L	1	11-Mar-2020 16:39
1,1,2-Trichloroethane	U		0.00050	0.0050	mg/L	1	11-Mar-2020 16:39
1,1-Dichloroethane	U		0.00040	0.0050	mg/L	1	11-Mar-2020 16:39
1,1-Dichloroethene	U		0.00050	0.0050	mg/L	1	11-Mar-2020 16:39
1,2-Dichloroethane	U		0.00050	0.0050	mg/L	1	11-Mar-2020 16:39
1,2-Dichloropropane	U		0.00070	0.0050	mg/L	1	11-Mar-2020 16:39
2-Butanone	U		0.0010	0.010	mg/L	1	11-Mar-2020 16:39
2-Hexanone	U		0.0010	0.010	mg/L	1	11-Mar-2020 16:39
4-Methyl-2-pentanone	U		0.0010	0.010	mg/L	1	11-Mar-2020 16:39
Acetone	U		0.0020	0.010	mg/L	1	11-Mar-2020 16:39
Allyl Chloride	U		0.0030	0.010	mg/L	1	11-Mar-2020 16:39
Benzene	**0.022**		**0.00060**	**0.0050**	**mg/L**	1	11-Mar-2020 16:39
Bromodichloromethane	U		0.00060	0.0050	mg/L	1	11-Mar-2020 16:39
Bromoform	U		0.00050	0.0050	mg/L	1	11-Mar-2020 16:39
Bromomethane	U		0.00050	0.0050	mg/L	1	11-Mar-2020 16:39
Carbon disulfide	U		0.00090	0.010	mg/L	1	11-Mar-2020 16:39
Carbon tetrachloride	U		0.00060	0.0050	mg/L	1	11-Mar-2020 16:39
Chlorobenzene	U		0.00040	0.0050	mg/L	1	11-Mar-2020 16:39
Chloroethane	U		0.00050	0.0050	mg/L	1	11-Mar-2020 16:39
Chloroform	U		0.00060	0.0050	mg/L	1	11-Mar-2020 16:39
Chloromethane	U		0.00050	0.0050	mg/L	1	11-Mar-2020 16:39
cis-1,2-Dichloroethene	U		0.00060	0.0050	mg/L	1	11-Mar-2020 16:39
cis-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	11-Mar-2020 16:39
Dibromochloromethane	U		0.00050	0.0050	mg/L	1	11-Mar-2020 16:39
Ethylbenzene	U		0.00050	0.0050	mg/L	1	11-Mar-2020 16:39
m,p-Xylene	**0.00100**	J	**0.00060**	**0.010**	**mg/L**	1	11-Mar-2020 16:39
Methyl tert-butyl ether	**0.0032**	J	**0.00060**	**0.0050**	**mg/L**	1	11-Mar-2020 16:39
Methylene chloride	U		0.0010	0.010	mg/L	1	11-Mar-2020 16:39
Naphthalene	U		0.00070	0.0050	mg/L	1	11-Mar-2020 16:39
o-Xylene	U		0.00050	0.0050	mg/L	1	11-Mar-2020 16:39
Styrene	U		0.00050	0.0050	mg/L	1	11-Mar-2020 16:39
Tert-butyl alcohol	**11**		**0.10**	**0.50**	**mg/L**	5	12-Mar-2020 12:10
Tetrachloroethene	U		0.00060	0.0050	mg/L	1	11-Mar-2020 16:39
Toluene	U		0.00050	0.0050	mg/L	1	11-Mar-2020 16:39
trans-1,2-Dichloroethene	U		0.00040	0.0050	mg/L	1	11-Mar-2020 16:39
trans-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	11-Mar-2020 16:39
Trichloroethene	U		0.00050	0.0050	mg/L	1	11-Mar-2020 16:39
Vinyl chloride	U		0.00040	0.0020	mg/L	1	11-Mar-2020 16:39

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**
Project:	FLTG French Limited	WorkOrder:HS20030296
Sample ID:	SI-147	Lab ID:HS20030296-11
Collection Date:	05-Mar-2020 08:48	Matrix:Water

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
Xylenes, Total	**0.00100**	J	**0.00050**	**0.0050**	**mg/L**	1	11-Mar-2020 16:39
Surr: 1,2-Dichloroethane-d4	*95.3*			*70-126*	*%REC*	*1*	*11-Mar-2020 16:39*
Surr: 1,2-Dichloroethane-d4	*122*			*70-126*	*%REC*	*5*	*12-Mar-2020 12:10*
Surr: 4-Bromofluorobenzene	*93.8*			*82-124*	*%REC*	*1*	*11-Mar-2020 16:39*
Surr: 4-Bromofluorobenzene	*102*			*82-124*	*%REC*	*5*	*12-Mar-2020 12:10*
Surr: Dibromofluoromethane	*95.5*			*77-123*	*%REC*	*1*	*11-Mar-2020 16:39*
Surr: Dibromofluoromethane	*104*			*77-123*	*%REC*	*5*	*12-Mar-2020 12:10*
Surr: Toluene-d8	*96.1*			*82-127*	*%REC*	*1*	*11-Mar-2020 16:39*
Surr: Toluene-d8	*104*			*82-127*	*%REC*	*5*	*12-Mar-2020 12:10*

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**	
Project:	FLTG French Limited	WorkOrder:HS20030296	
Sample ID:	SI-148	Lab ID:HS20030296-12	
Collection Date:	04-Mar-2020 09:03	Matrix:Water	

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
1,1,1-Trichloroethane	U		0.00050	0.0050	mg/L	1	11-Mar-2020 15:50
1,1,2,2-Tetrachloroethane	U		0.00050	0.0050	mg/L	1	11-Mar-2020 15:50
1,1,2-Trichloroethane	U		0.00050	0.0050	mg/L	1	11-Mar-2020 15:50
1,1-Dichloroethane	U		0.00040	0.0050	mg/L	1	11-Mar-2020 15:50
1,1-Dichloroethene	U		0.00050	0.0050	mg/L	1	11-Mar-2020 15:50
1,2-Dichloroethane	U		0.00050	0.0050	mg/L	1	11-Mar-2020 15:50
1,2-Dichloropropane	U		0.00070	0.0050	mg/L	1	11-Mar-2020 15:50
2-Butanone	U		0.0010	0.010	mg/L	1	11-Mar-2020 15:50
2-Hexanone	U		0.0010	0.010	mg/L	1	11-Mar-2020 15:50
4-Methyl-2-pentanone	U		0.0010	0.010	mg/L	1	11-Mar-2020 15:50
Acetone	U		0.0020	0.010	mg/L	1	11-Mar-2020 15:50
Allyl Chloride	U		0.0030	0.010	mg/L	1	11-Mar-2020 15:50
Benzene	U		0.00060	0.0050	mg/L	1	11-Mar-2020 15:50
Bromodichloromethane	U		0.00060	0.0050	mg/L	1	11-Mar-2020 15:50
Bromoform	U		0.00050	0.0050	mg/L	1	11-Mar-2020 15:50
Bromomethane	U		0.00050	0.0050	mg/L	1	11-Mar-2020 15:50
Carbon disulfide	U		0.00090	0.010	mg/L	1	11-Mar-2020 15:50
Carbon tetrachloride	U		0.00060	0.0050	mg/L	1	11-Mar-2020 15:50
Chlorobenzene	U		0.00040	0.0050	mg/L	1	11-Mar-2020 15:50
Chloroethane	U		0.00050	0.0050	mg/L	1	11-Mar-2020 15:50
Chloroform	U		0.00060	0.0050	mg/L	1	11-Mar-2020 15:50
Chloromethane	U		0.00050	0.0050	mg/L	1	11-Mar-2020 15:50
cis-1,2-Dichloroethene	U		0.00060	0.0050	mg/L	1	11-Mar-2020 15:50
cis-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	11-Mar-2020 15:50
Dibromochloromethane	U		0.00050	0.0050	mg/L	1	11-Mar-2020 15:50
Ethylbenzene	U		0.00050	0.0050	mg/L	1	11-Mar-2020 15:50
m,p-Xylene	U		0.00060	0.010	mg/L	1	11-Mar-2020 15:50
Methyl tert-butyl ether	U		0.00060	0.0050	mg/L	1	11-Mar-2020 15:50
Methylene chloride	U		0.0010	0.010	mg/L	1	11-Mar-2020 15:50
Naphthalene	U		0.00070	0.0050	mg/L	1	11-Mar-2020 15:50
o-Xylene	U		0.00050	0.0050	mg/L	1	11-Mar-2020 15:50
Styrene	U		0.00050	0.0050	mg/L	1	11-Mar-2020 15:50
Tert-butyl alcohol	**1.1**		**0.020**	**0.10**	**mg/L**	1	11-Mar-2020 15:50
Tetrachloroethene	U		0.00060	0.0050	mg/L	1	11-Mar-2020 15:50
Toluene	U		0.00050	0.0050	mg/L	1	11-Mar-2020 15:50
trans-1,2-Dichloroethene	U		0.00040	0.0050	mg/L	1	11-Mar-2020 15:50
trans-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	11-Mar-2020 15:50
Trichloroethene	U		0.00050	0.0050	mg/L	1	11-Mar-2020 15:50
Vinyl chloride	**0.00041**	J	**0.00040**	**0.0020**	**mg/L**	1	11-Mar-2020 15:50

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**
Project:	FLTG French Limited	WorkOrder:HS20030296
Sample ID:	SI-148	Lab ID:HS20030296-12
Collection Date:	04-Mar-2020 09:03	Matrix:Water

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
Xylenes, Total		U	0.00050	0.0050	mg/L	1	11-Mar-2020 15:50
Surr: 1,2-Dichloroethane-d4	*102*			*70-126*	*%REC*	*1*	*11-Mar-2020 15:50*
Surr: 4-Bromofluorobenzene	*98.7*			*82-124*	*%REC*	*1*	*11-Mar-2020 15:50*
Surr: Dibromofluoromethane	*96.3*			*77-123*	*%REC*	*1*	*11-Mar-2020 15:50*
Surr: Toluene-d8	*102*			*82-127*	*%REC*	*1*	*11-Mar-2020 15:50*

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**	
Project:	FLTG French Limited	WorkOrder:HS20030296	
Sample ID:	SI-166	Lab ID:HS20030296-13	
Collection Date:	05-Mar-2020 10:08	Matrix:Water	

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
1,1,1-Trichloroethane	U		0.00050	0.0050	mg/L	1	10-Mar-2020 23:19
1,1,2,2-Tetrachloroethane	U		0.00050	0.0050	mg/L	1	10-Mar-2020 23:19
1,1,2-Trichloroethane	U		0.00050	0.0050	mg/L	1	10-Mar-2020 23:19
1,1-Dichloroethane	U		0.00040	0.0050	mg/L	1	10-Mar-2020 23:19
1,1-Dichloroethene	U		0.00050	0.0050	mg/L	1	10-Mar-2020 23:19
1,2-Dichloroethane	U		0.00050	0.0050	mg/L	1	10-Mar-2020 23:19
1,2-Dichloropropane	U		0.00070	0.0050	mg/L	1	10-Mar-2020 23:19
2-Butanone	U		0.0010	0.010	mg/L	1	10-Mar-2020 23:19
2-Hexanone	U		0.0010	0.010	mg/L	1	10-Mar-2020 23:19
4-Methyl-2-pentanone	U		0.0010	0.010	mg/L	1	10-Mar-2020 23:19
Acetone	U		0.0020	0.010	mg/L	1	10-Mar-2020 23:19
Allyl Chloride	U		0.0030	0.010	mg/L	1	10-Mar-2020 23:19
Benzene	**0.0010**	J	**0.00060**	**0.0050**	**mg/L**	1	10-Mar-2020 23:19
Bromodichloromethane	U		0.00060	0.0050	mg/L	1	10-Mar-2020 23:19
Bromoform	U		0.00050	0.0050	mg/L	1	10-Mar-2020 23:19
Bromomethane	U		0.00050	0.0050	mg/L	1	10-Mar-2020 23:19
Carbon disulfide	U		0.00090	0.010	mg/L	1	10-Mar-2020 23:19
Carbon tetrachloride	U		0.00060	0.0050	mg/L	1	10-Mar-2020 23:19
Chlorobenzene	U		0.00040	0.0050	mg/L	1	10-Mar-2020 23:19
Chloroethane	U		0.00050	0.0050	mg/L	1	10-Mar-2020 23:19
Chloroform	U		0.00060	0.0050	mg/L	1	10-Mar-2020 23:19
Chloromethane	U		0.00050	0.0050	mg/L	1	10-Mar-2020 23:19
cis-1,2-Dichloroethene	U		0.00060	0.0050	mg/L	1	10-Mar-2020 23:19
cis-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	10-Mar-2020 23:19
Dibromochloromethane	U		0.00050	0.0050	mg/L	1	10-Mar-2020 23:19
Ethylbenzene	U		0.00050	0.0050	mg/L	1	10-Mar-2020 23:19
m,p-Xylene	U		0.00060	0.010	mg/L	1	10-Mar-2020 23:19
Methyl tert-butyl ether	**0.00076**	J	**0.00060**	**0.0050**	**mg/L**	1	10-Mar-2020 23:19
Methylene chloride	U		0.0010	0.010	mg/L	1	10-Mar-2020 23:19
Naphthalene	U		0.00070	0.0050	mg/L	1	10-Mar-2020 23:19
o-Xylene	U		0.00050	0.0050	mg/L	1	10-Mar-2020 23:19
Styrene	U		0.00050	0.0050	mg/L	1	10-Mar-2020 23:19
Tert-butyl alcohol	**1.9**		**0.020**	**0.10**	**mg/L**	1	10-Mar-2020 23:19
Tetrachloroethene	U		0.00060	0.0050	mg/L	1	10-Mar-2020 23:19
Toluene	U		0.00050	0.0050	mg/L	1	10-Mar-2020 23:19
trans-1,2-Dichloroethene	U		0.00040	0.0050	mg/L	1	10-Mar-2020 23:19
trans-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	10-Mar-2020 23:19
Trichloroethene	U		0.00050	0.0050	mg/L	1	10-Mar-2020 23:19
Vinyl chloride	U		0.00040	0.0020	mg/L	1	10-Mar-2020 23:19

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**
Project:	FLTG French Limited	WorkOrder:HS20030296
Sample ID:	SI-166	Lab ID:HS20030296-13
Collection Date:	05-Mar-2020 10:08	Matrix:Water

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
Xylenes, Total		U	0.00050	0.0050	mg/L	1	10-Mar-2020 23:19
Surr: 1,2-Dichloroethane-d4	*89.0*			*70-126*	*%REC*	*1*	*10-Mar-2020 23:19*
Surr: 4-Bromofluorobenzene	*90.0*			*82-124*	*%REC*	*1*	*10-Mar-2020 23:19*
Surr: Dibromofluoromethane	*98.3*			*77-123*	*%REC*	*1*	*10-Mar-2020 23:19*
Surr: Toluene-d8	*107*			*82-127*	*%REC*	*1*	*10-Mar-2020 23:19*

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**
Project:	FLTG French Limited	WorkOrder:HS20030296
Sample ID:	SI-167	Lab ID:HS20030296-14
Collection Date:	04-Mar-2020 09:08	Matrix:Water

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
1,1,1-Trichloroethane		U	0.00050	0.0050	mg/L	1	10-Mar-2020 20:29
1,1,2,2-Tetrachloroethane		U	0.00050	0.0050	mg/L	1	10-Mar-2020 20:29
1,1,2-Trichloroethane		U	0.00050	0.0050	mg/L	1	10-Mar-2020 20:29
1,1-Dichloroethane		U	0.00040	0.0050	mg/L	1	10-Mar-2020 20:29
1,1-Dichloroethene		U	0.00050	0.0050	mg/L	1	10-Mar-2020 20:29
1,2-Dichloroethane		U	0.00050	0.0050	mg/L	1	10-Mar-2020 20:29
1,2-Dichloropropane		U	0.00070	0.0050	mg/L	1	10-Mar-2020 20:29
2-Butanone		U	0.0010	0.010	mg/L	1	10-Mar-2020 20:29
2-Hexanone		U	0.0010	0.010	mg/L	1	10-Mar-2020 20:29
4-Methyl-2-pentanone		U	0.0010	0.010	mg/L	1	10-Mar-2020 20:29
Acetone		U	0.0020	0.010	mg/L	1	10-Mar-2020 20:29
Allyl Chloride		U	0.0030	0.010	mg/L	1	10-Mar-2020 20:29
Benzene		U	0.00060	0.0050	mg/L	1	10-Mar-2020 20:29
Bromodichloromethane		U	0.00060	0.0050	mg/L	1	10-Mar-2020 20:29
Bromoform		U	0.00050	0.0050	mg/L	1	10-Mar-2020 20:29
Bromomethane		U	0.00050	0.0050	mg/L	1	10-Mar-2020 20:29
Carbon disulfide		U	0.00090	0.010	mg/L	1	10-Mar-2020 20:29
Carbon tetrachloride		U	0.00060	0.0050	mg/L	1	10-Mar-2020 20:29
Chlorobenzene		U	0.00040	0.0050	mg/L	1	10-Mar-2020 20:29
Chloroethane		U	0.00050	0.0050	mg/L	1	10-Mar-2020 20:29
Chloroform		U	0.00060	0.0050	mg/L	1	10-Mar-2020 20:29
Chloromethane		U	0.00050	0.0050	mg/L	1	10-Mar-2020 20:29
cis-1,2-Dichloroethene		U	0.00060	0.0050	mg/L	1	10-Mar-2020 20:29
cis-1,3-Dichloropropene		U	0.00060	0.0050	mg/L	1	10-Mar-2020 20:29
Dibromochloromethane		U	0.00050	0.0050	mg/L	1	10-Mar-2020 20:29
Ethylbenzene		U	0.00050	0.0050	mg/L	1	10-Mar-2020 20:29
m,p-Xylene		U	0.00060	0.010	mg/L	1	10-Mar-2020 20:29
Methyl tert-butyl ether		U	0.00060	0.0050	mg/L	1	10-Mar-2020 20:29
Methylene chloride		U	0.0010	0.010	mg/L	1	10-Mar-2020 20:29
Naphthalene		U	0.00070	0.0050	mg/L	1	10-Mar-2020 20:29
o-Xylene		U	0.00050	0.0050	mg/L	1	10-Mar-2020 20:29
Styrene		U	0.00050	0.0050	mg/L	1	10-Mar-2020 20:29
Tert-butyl alcohol	**0.95**		**0.020**	**0.10**	**mg/L**	1	10-Mar-2020 20:29
Tetrachloroethene		U	0.00060	0.0050	mg/L	1	10-Mar-2020 20:29
Toluene		U	0.00050	0.0050	mg/L	1	10-Mar-2020 20:29
trans-1,2-Dichloroethene		U	0.00040	0.0050	mg/L	1	10-Mar-2020 20:29
trans-1,3-Dichloropropene		U	0.00060	0.0050	mg/L	1	10-Mar-2020 20:29
Trichloroethene		U	0.00050	0.0050	mg/L	1	10-Mar-2020 20:29
Vinyl chloride		U	0.00040	0.0020	mg/L	1	10-Mar-2020 20:29

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**
Project:	FLTG French Limited	WorkOrder:HS20030296
Sample ID:	SI-167	Lab ID:HS20030296-14
Collection Date:	04-Mar-2020 09:08	Matrix:Water

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
Xylenes, Total		U	0.00050	0.0050	mg/L	1	10-Mar-2020 20:29
Surr: 1,2-Dichloroethane-d4	*119*			*70-126*	*%REC*	*1*	*10-Mar-2020 20:29*
Surr: 4-Bromofluorobenzene	*99.1*			*82-124*	*%REC*	*1*	*10-Mar-2020 20:29*
Surr: Dibromofluoromethane	*106*			*77-123*	*%REC*	*1*	*10-Mar-2020 20:29*
Surr: Toluene-d8	*103*			*82-127*	*%REC*	*1*	*10-Mar-2020 20:29*

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**
Project:	FLTG French Limited	WorkOrder:HS20030296
Sample ID:	DUP4	Lab ID:HS20030296-15
Collection Date:	05-Mar-2020 12:05	Matrix:Water

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
1,1,1-Trichloroethane	U		0.00050	0.0050	mg/L	1	11-Mar-2020 18:16
1,1,2,2-Tetrachloroethane	U		0.00050	0.0050	mg/L	1	11-Mar-2020 18:16
1,1,2-Trichloroethane	U		0.00050	0.0050	mg/L	1	11-Mar-2020 18:16
1,1-Dichloroethane	U		0.00040	0.0050	mg/L	1	11-Mar-2020 18:16
1,1-Dichloroethene	U		0.00050	0.0050	mg/L	1	11-Mar-2020 18:16
1,2-Dichloroethane	U		0.00050	0.0050	mg/L	1	11-Mar-2020 18:16
1,2-Dichloropropane	U		0.00070	0.0050	mg/L	1	11-Mar-2020 18:16
2-Butanone	U		0.0010	0.010	mg/L	1	11-Mar-2020 18:16
2-Hexanone	U		0.0010	0.010	mg/L	1	11-Mar-2020 18:16
4-Methyl-2-pentanone	U		0.0010	0.010	mg/L	1	11-Mar-2020 18:16
Acetone	U		0.0020	0.010	mg/L	1	11-Mar-2020 18:16
Allyl Chloride	U		0.0030	0.010	mg/L	1	11-Mar-2020 18:16
Benzene	**0.00062**	J	**0.00060**	**0.0050**	**mg/L**	1	11-Mar-2020 18:16
Bromodichloromethane	U		0.00060	0.0050	mg/L	1	11-Mar-2020 18:16
Bromoform	U		0.00050	0.0050	mg/L	1	11-Mar-2020 18:16
Bromomethane	U		0.00050	0.0050	mg/L	1	11-Mar-2020 18:16
Carbon disulfide	U		0.00090	0.010	mg/L	1	11-Mar-2020 18:16
Carbon tetrachloride	U		0.00060	0.0050	mg/L	1	11-Mar-2020 18:16
Chlorobenzene	U		0.00040	0.0050	mg/L	1	11-Mar-2020 18:16
Chloroethane	U		0.00050	0.0050	mg/L	1	11-Mar-2020 18:16
Chloroform	U		0.00060	0.0050	mg/L	1	11-Mar-2020 18:16
Chloromethane	U		0.00050	0.0050	mg/L	1	11-Mar-2020 18:16
cis-1,2-Dichloroethene	U		0.00060	0.0050	mg/L	1	11-Mar-2020 18:16
cis-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	11-Mar-2020 18:16
Dibromochloromethane	U		0.00050	0.0050	mg/L	1	11-Mar-2020 18:16
Ethylbenzene	U		0.00050	0.0050	mg/L	1	11-Mar-2020 18:16
m,p-Xylene	U		0.00060	0.010	mg/L	1	11-Mar-2020 18:16
Methyl tert-butyl ether	**0.0013**	J	**0.00060**	**0.0050**	**mg/L**	1	11-Mar-2020 18:16
Methylene chloride	U		0.0010	0.010	mg/L	1	11-Mar-2020 18:16
Naphthalene	U		0.00070	0.0050	mg/L	1	11-Mar-2020 18:16
o-Xylene	U		0.00050	0.0050	mg/L	1	11-Mar-2020 18:16
Styrene	U		0.00050	0.0050	mg/L	1	11-Mar-2020 18:16
Tert-butyl alcohol	**3.5**		**0.020**	**0.10**	**mg/L**	1	11-Mar-2020 18:16
Tetrachloroethene	U		0.00060	0.0050	mg/L	1	11-Mar-2020 18:16
Toluene	U		0.00050	0.0050	mg/L	1	11-Mar-2020 18:16
trans-1,2-Dichloroethene	U		0.00040	0.0050	mg/L	1	11-Mar-2020 18:16
trans-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	11-Mar-2020 18:16
Trichloroethene	U		0.00050	0.0050	mg/L	1	11-Mar-2020 18:16
Vinyl chloride	**0.0019**	J	**0.00040**	**0.0020**	**mg/L**	1	11-Mar-2020 18:16

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

ANALYTICAL REPORT

Client: Environmental Resources Management
Project: FLTG French Limited
Sample ID: DUP4
Collection Date: 05-Mar-2020 12:05

WorkOrder:HS20030296
Lab ID:HS20030296-15
Matrix:Water

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
Xylenes, Total		U	0.00050	0.0050	mg/L	1	11-Mar-2020 18:16
Surr: 1,2-Dichloroethane-d4	*107*			*70-126*	*%REC*	*1*	*11-Mar-2020 18:16*
Surr: 4-Bromofluorobenzene	*103*			*82-124*	*%REC*	*1*	*11-Mar-2020 18:16*
Surr: Dibromofluoromethane	*101*			*77-123*	*%REC*	*1*	*11-Mar-2020 18:16*
Surr: Toluene-d8	*102*			*82-127*	*%REC*	*1*	*11-Mar-2020 18:16*

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**	
Project:	FLTG French Limited	WorkOrder:HS20030296	
Sample ID:	SI-169	Lab ID:HS20030296-16	
Collection Date:	04-Mar-2020 11:13	Matrix:Water	

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
1,1,1-Trichloroethane	U		0.00050	0.0050	mg/L	1	10-Mar-2020 20:53
1,1,2,2-Tetrachloroethane	U		0.00050	0.0050	mg/L	1	10-Mar-2020 20:53
1,1,2-Trichloroethane	U		0.00050	0.0050	mg/L	1	10-Mar-2020 20:53
1,1-Dichloroethane	U		0.00040	0.0050	mg/L	1	10-Mar-2020 20:53
1,1-Dichloroethene	U		0.00050	0.0050	mg/L	1	10-Mar-2020 20:53
1,2-Dichloroethane	U		0.00050	0.0050	mg/L	1	10-Mar-2020 20:53
1,2-Dichloropropane	U		0.00070	0.0050	mg/L	1	10-Mar-2020 20:53
2-Butanone	U		0.0010	0.010	mg/L	1	10-Mar-2020 20:53
2-Hexanone	U		0.0010	0.010	mg/L	1	10-Mar-2020 20:53
4-Methyl-2-pentanone	U		0.0010	0.010	mg/L	1	10-Mar-2020 20:53
Acetone	U		0.0020	0.010	mg/L	1	10-Mar-2020 20:53
Allyl Chloride	U		0.0030	0.010	mg/L	1	10-Mar-2020 20:53
Benzene	U		0.00060	0.0050	mg/L	1	10-Mar-2020 20:53
Bromodichloromethane	U		0.00060	0.0050	mg/L	1	10-Mar-2020 20:53
Bromoform	U		0.00050	0.0050	mg/L	1	10-Mar-2020 20:53
Bromomethane	U		0.00050	0.0050	mg/L	1	10-Mar-2020 20:53
Carbon disulfide	U		0.00090	0.010	mg/L	1	10-Mar-2020 20:53
Carbon tetrachloride	U		0.00060	0.0050	mg/L	1	10-Mar-2020 20:53
Chlorobenzene	U		0.00040	0.0050	mg/L	1	10-Mar-2020 20:53
Chloroethane	U		0.00050	0.0050	mg/L	1	10-Mar-2020 20:53
Chloroform	U		0.00060	0.0050	mg/L	1	10-Mar-2020 20:53
Chloromethane	U		0.00050	0.0050	mg/L	1	10-Mar-2020 20:53
cis-1,2-Dichloroethene	U		0.00060	0.0050	mg/L	1	10-Mar-2020 20:53
cis-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	10-Mar-2020 20:53
Dibromochloromethane	U		0.00050	0.0050	mg/L	1	10-Mar-2020 20:53
Ethylbenzene	U		0.00050	0.0050	mg/L	1	10-Mar-2020 20:53
m,p-Xylene	U		0.00060	0.010	mg/L	1	10-Mar-2020 20:53
Methyl tert-butyl ether	U		0.00060	0.0050	mg/L	1	10-Mar-2020 20:53
Methylene chloride	U		0.0010	0.010	mg/L	1	10-Mar-2020 20:53
Naphthalene	U		0.00070	0.0050	mg/L	1	10-Mar-2020 20:53
o-Xylene	U		0.00050	0.0050	mg/L	1	10-Mar-2020 20:53
Styrene	U		0.00050	0.0050	mg/L	1	10-Mar-2020 20:53
Tert-butyl alcohol	**0.50**		**0.020**	**0.10**	**mg/L**	1	10-Mar-2020 20:53
Tetrachloroethene	U		0.00060	0.0050	mg/L	1	10-Mar-2020 20:53
Toluene	U		0.00050	0.0050	mg/L	1	10-Mar-2020 20:53
trans-1,2-Dichloroethene	U		0.00040	0.0050	mg/L	1	10-Mar-2020 20:53
trans-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	10-Mar-2020 20:53
Trichloroethene	U		0.00050	0.0050	mg/L	1	10-Mar-2020 20:53
Vinyl chloride	U		0.00040	0.0020	mg/L	1	10-Mar-2020 20:53

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**
Project:	FLTG French Limited	WorkOrder:HS20030296
Sample ID:	SI-169	Lab ID:HS20030296-16
Collection Date:	04-Mar-2020 11:13	Matrix:Water

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
Xylenes, Total		U	0.00050	0.0050	mg/L	1	10-Mar-2020 20:53
Surr: 1,2-Dichloroethane-d4	*120*			*70-126*	*%REC*	*1*	*10-Mar-2020 20:53*
Surr: 4-Bromofluorobenzene	*96.9*			*82-124*	*%REC*	*1*	*10-Mar-2020 20:53*
Surr: Dibromofluoromethane	*104*			*77-123*	*%REC*	*1*	*10-Mar-2020 20:53*
Surr: Toluene-d8	*101*			*82-127*	*%REC*	*1*	*10-Mar-2020 20:53*

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**
Project:	FLTG French Limited	WorkOrder:HS20030296
Sample ID:	INT-106	Lab ID:HS20030296-17
Collection Date:	06-Mar-2020 08:55	Matrix:Water

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
1,1,1-Trichloroethane	U		0.00050	0.0050	mg/L	1	10-Mar-2020 15:36
1,1,2,2-Tetrachloroethane	U		0.00050	0.0050	mg/L	1	10-Mar-2020 15:36
1,1,2-Trichloroethane	**0.00079**	J	**0.00050**	**0.0050**	**mg/L**	1	10-Mar-2020 15:36
1,1-Dichloroethane	**0.067**		**0.00040**	**0.0050**	**mg/L**	1	10-Mar-2020 15:36
1,1-Dichloroethene	**0.0073**		**0.00050**	**0.0050**	**mg/L**	1	10-Mar-2020 15:36
1,2-Dichloroethane	**1.1**		**0.0050**	**0.050**	**mg/L**	10	11-Mar-2020 21:07
1,2-Dichloropropane	U		0.00070	0.0050	mg/L	1	10-Mar-2020 15:36
2-Butanone	U		0.0010	0.010	mg/L	1	10-Mar-2020 15:36
2-Hexanone	U		0.0010	0.010	mg/L	1	10-Mar-2020 15:36
4-Methyl-2-pentanone	**0.0011**	J	**0.0010**	**0.010**	**mg/L**	1	10-Mar-2020 15:36
Acetone	U		0.0020	0.010	mg/L	1	10-Mar-2020 15:36
Allyl Chloride	U		0.0030	0.010	mg/L	1	10-Mar-2020 15:36
Benzene	**0.0068**		**0.00060**	**0.0050**	**mg/L**	1	10-Mar-2020 15:36
Bromodichloromethane	U		0.00060	0.0050	mg/L	1	10-Mar-2020 15:36
Bromoform	U		0.00050	0.0050	mg/L	1	10-Mar-2020 15:36
Bromomethane	U		0.00050	0.0050	mg/L	1	10-Mar-2020 15:36
Carbon disulfide	U		0.00090	0.010	mg/L	1	10-Mar-2020 15:36
Carbon tetrachloride	U		0.00060	0.0050	mg/L	1	10-Mar-2020 15:36
Chlorobenzene	U		0.00040	0.0050	mg/L	1	10-Mar-2020 15:36
Chloroethane	U		0.00050	0.0050	mg/L	1	10-Mar-2020 15:36
Chloroform	**0.49**		**0.0060**	**0.050**	**mg/L**	10	11-Mar-2020 21:07
Chloromethane	U		0.00050	0.0050	mg/L	1	10-Mar-2020 15:36
cis-1,2-Dichloroethene	**0.19**		**0.00060**	**0.0050**	**mg/L**	1	10-Mar-2020 15:36
cis-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	10-Mar-2020 15:36
Dibromochloromethane	U		0.00050	0.0050	mg/L	1	10-Mar-2020 15:36
Ethylbenzene	U		0.00050	0.0050	mg/L	1	10-Mar-2020 15:36
m,p-Xylene	**0.00092**	J	**0.00060**	**0.010**	**mg/L**	1	10-Mar-2020 15:36
Methyl tert-butyl ether	**0.0013**	J	**0.00060**	**0.0050**	**mg/L**	1	10-Mar-2020 15:36
Methylene chloride	U		0.0010	0.010	mg/L	1	10-Mar-2020 15:36
Naphthalene	**0.0046**	J	**0.00070**	**0.0050**	**mg/L**	1	10-Mar-2020 15:36
o-Xylene	**0.0021**	J	**0.00050**	**0.0050**	**mg/L**	1	10-Mar-2020 15:36
Styrene	U		0.00050	0.0050	mg/L	1	10-Mar-2020 15:36
Tert-butyl alcohol	**3.6**		**0.020**	**0.10**	**mg/L**	1	10-Mar-2020 15:36
Tetrachloroethene	**0.037**		**0.00060**	**0.0050**	**mg/L**	1	10-Mar-2020 15:36
Toluene	**0.0027**	J	**0.00050**	**0.0050**	**mg/L**	1	10-Mar-2020 15:36
trans-1,2-Dichloroethene	**0.034**		**0.00040**	**0.0050**	**mg/L**	1	10-Mar-2020 15:36
trans-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	10-Mar-2020 15:36
Trichloroethene	**0.049**		**0.00050**	**0.0050**	**mg/L**	1	10-Mar-2020 15:36
Vinyl chloride	**0.14**		**0.00040**	**0.0020**	**mg/L**	1	10-Mar-2020 15:36

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**
Project:	FLTG French Limited	WorkOrder:HS20030296
Sample ID:	INT-106	Lab ID:HS20030296-17
Collection Date:	06-Mar-2020 08:55	Matrix:Water

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
Xylenes, Total	**0.0030**	J	**0.00050**	**0.0050**	**mg/L**	1	10-Mar-2020 15:36
Surr: 1,2-Dichloroethane-d4	*123*			*70-126*	*%REC*	*1*	*10-Mar-2020 15:36*
Surr: 1,2-Dichloroethane-d4	*97.9*			*70-126*	*%REC*	*10*	*11-Mar-2020 21:07*
Surr: 4-Bromofluorobenzene	*96.5*			*82-124*	*%REC*	*1*	*10-Mar-2020 15:36*
Surr: 4-Bromofluorobenzene	*103*			*82-124*	*%REC*	*10*	*11-Mar-2020 21:07*
Surr: Dibromofluoromethane	*96.4*			*77-123*	*%REC*	*1*	*10-Mar-2020 15:36*
Surr: Dibromofluoromethane	*100*			*77-123*	*%REC*	*10*	*11-Mar-2020 21:07*
Surr: Toluene-d8	*108*			*82-127*	*%REC*	*1*	*10-Mar-2020 15:36*
Surr: Toluene-d8	*96.7*			*82-127*	*%REC*	*10*	*11-Mar-2020 21:07*

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**
Project:	FLTG French Limited	WorkOrder:HS20030296
Sample ID:	SI-106A	Lab ID:HS20030296-18
Collection Date:	05-Mar-2020 14:33	Matrix:Water

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
1,1,1-Trichloroethane	U		0.00050	0.0050	mg/L	1	11-Mar-2020 19:05
1,1,2,2-Tetrachloroethane	U		0.00050	0.0050	mg/L	1	11-Mar-2020 19:05
1,1,2-Trichloroethane	U		0.00050	0.0050	mg/L	1	11-Mar-2020 19:05
1,1-Dichloroethane	**0.041**		**0.00040**	**0.0050**	**mg/L**	1	11-Mar-2020 19:05
1,1-Dichloroethene	**0.0056**		**0.00050**	**0.0050**	**mg/L**	1	11-Mar-2020 19:05
1,2-Dichloroethane	**0.55**		**0.0025**	**0.025**	**mg/L**	5	15-Mar-2020 16:26
1,2-Dichloropropane	U		0.00070	0.0050	mg/L	1	11-Mar-2020 19:05
2-Butanone	U		0.0010	0.010	mg/L	1	11-Mar-2020 19:05
2-Hexanone	U		0.0010	0.010	mg/L	1	11-Mar-2020 19:05
4-Methyl-2-pentanone	U		0.0010	0.010	mg/L	1	11-Mar-2020 19:05
Acetone	U		0.0020	0.010	mg/L	1	11-Mar-2020 19:05
Allyl Chloride	U		0.0030	0.010	mg/L	1	11-Mar-2020 19:05
Benzene	**0.0048**	J	**0.00060**	**0.0050**	**mg/L**	1	11-Mar-2020 19:05
Bromodichloromethane	U		0.00060	0.0050	mg/L	1	11-Mar-2020 19:05
Bromoform	U		0.00050	0.0050	mg/L	1	11-Mar-2020 19:05
Bromomethane	U		0.00050	0.0050	mg/L	1	11-Mar-2020 19:05
Carbon disulfide	U		0.00090	0.010	mg/L	1	11-Mar-2020 19:05
Carbon tetrachloride	U		0.00060	0.0050	mg/L	1	11-Mar-2020 19:05
Chlorobenzene	U		0.00040	0.0050	mg/L	1	11-Mar-2020 19:05
Chloroethane	U		0.00050	0.0050	mg/L	1	11-Mar-2020 19:05
Chloroform	**0.0045**	J	**0.00060**	**0.0050**	**mg/L**	1	11-Mar-2020 19:05
Chloromethane	U		0.00050	0.0050	mg/L	1	11-Mar-2020 19:05
cis-1,2-Dichloroethene	**0.055**		**0.00060**	**0.0050**	**mg/L**	1	11-Mar-2020 19:05
cis-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	11-Mar-2020 19:05
Dibromochloromethane	U		0.00050	0.0050	mg/L	1	11-Mar-2020 19:05
Ethylbenzene	U		0.00050	0.0050	mg/L	1	11-Mar-2020 19:05
m,p-Xylene	**0.00067**	J	**0.00060**	**0.010**	**mg/L**	1	11-Mar-2020 19:05
Methyl tert-butyl ether	U		0.00060	0.0050	mg/L	1	11-Mar-2020 19:05
Methylene chloride	U		0.0010	0.010	mg/L	1	11-Mar-2020 19:05
Naphthalene	**0.0031**	J	**0.00070**	**0.0050**	**mg/L**	1	11-Mar-2020 19:05
o-Xylene	**0.0013**	J	**0.00050**	**0.0050**	**mg/L**	1	11-Mar-2020 19:05
Styrene	U		0.00050	0.0050	mg/L	1	11-Mar-2020 19:05
Tert-butyl alcohol	**0.67**		**0.020**	**0.10**	**mg/L**	1	11-Mar-2020 19:05
Tetrachloroethene	**0.0030**	J	**0.00060**	**0.0050**	**mg/L**	1	11-Mar-2020 19:05
Toluene	**0.0014**	J	**0.00050**	**0.0050**	**mg/L**	1	11-Mar-2020 19:05
trans-1,2-Dichloroethene	U		0.00040	0.0050	mg/L	1	11-Mar-2020 19:05
trans-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	11-Mar-2020 19:05
Trichloroethene	**0.0028**	J	**0.00050**	**0.0050**	**mg/L**	1	11-Mar-2020 19:05
Vinyl chloride	**0.17**		**0.00040**	**0.0020**	**mg/L**	1	11-Mar-2020 19:05

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**
Project:	FLTG French Limited	WorkOrder:HS20030296
Sample ID:	SI-106A	Lab ID:HS20030296-18
Collection Date:	05-Mar-2020 14:33	Matrix:Water

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
Xylenes, Total	**0.0020**	J	**0.00050**	**0.0050**	**mg/L**	1	11-Mar-2020 19:05
Surr: 1,2-Dichloroethane-d4	*91.6*			*70-126*	*%REC*	*1*	*11-Mar-2020 19:05*
Surr: 1,2-Dichloroethane-d4	*98.0*			*70-126*	*%REC*	*5*	*15-Mar-2020 16:26*
Surr: 4-Bromofluorobenzene	*102*			*82-124*	*%REC*	*1*	*11-Mar-2020 19:05*
Surr: 4-Bromofluorobenzene	*95.1*			*82-124*	*%REC*	*5*	*15-Mar-2020 16:26*
Surr: Dibromofluoromethane	*102*			*77-123*	*%REC*	*1*	*11-Mar-2020 19:05*
Surr: Dibromofluoromethane	*100*			*77-123*	*%REC*	*5*	*15-Mar-2020 16:26*
Surr: Toluene-d8	*99.6*			*82-127*	*%REC*	*1*	*11-Mar-2020 19:05*
Surr: Toluene-d8	*99.7*			*82-127*	*%REC*	*5*	*15-Mar-2020 16:26*

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**
Project:	FLTG French Limited	WorkOrder:HS20030296
Sample ID:	SI-144	Lab ID:HS20030296-19
Collection Date:	04-Mar-2020 10:16	Matrix:Water

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
1,1,1-Trichloroethane	U		0.00050	0.0050	mg/L	1	10-Mar-2020 21:17
1,1,2,2-Tetrachloroethane	U		0.00050	0.0050	mg/L	1	10-Mar-2020 21:17
1,1,2-Trichloroethane	U		0.00050	0.0050	mg/L	1	10-Mar-2020 21:17
1,1-Dichloroethane	**0.010**		**0.00040**	**0.0050**	**mg/L**	1	10-Mar-2020 21:17
1,1-Dichloroethene	**0.0011**	J	**0.00050**	**0.0050**	**mg/L**	1	10-Mar-2020 21:17
1,2-Dichloroethane	**0.033**		**0.00050**	**0.0050**	**mg/L**	1	10-Mar-2020 21:17
1,2-Dichloropropane	U		0.00070	0.0050	mg/L	1	10-Mar-2020 21:17
2-Butanone	U		0.0010	0.010	mg/L	1	10-Mar-2020 21:17
2-Hexanone	U		0.0010	0.010	mg/L	1	10-Mar-2020 21:17
4-Methyl-2-pentanone	U		0.0010	0.010	mg/L	1	10-Mar-2020 21:17
Acetone	U		0.0020	0.010	mg/L	1	10-Mar-2020 21:17
Allyl Chloride	U		0.0030	0.010	mg/L	1	10-Mar-2020 21:17
Benzene	**0.00084**	J	**0.00060**	**0.0050**	**mg/L**	1	10-Mar-2020 21:17
Bromodichloromethane	U		0.00060	0.0050	mg/L	1	10-Mar-2020 21:17
Bromoform	U		0.00050	0.0050	mg/L	1	10-Mar-2020 21:17
Bromomethane	U		0.00050	0.0050	mg/L	1	10-Mar-2020 21:17
Carbon disulfide	U		0.00090	0.010	mg/L	1	10-Mar-2020 21:17
Carbon tetrachloride	U		0.00060	0.0050	mg/L	1	10-Mar-2020 21:17
Chlorobenzene	U		0.00040	0.0050	mg/L	1	10-Mar-2020 21:17
Chloroethane	U		0.00050	0.0050	mg/L	1	10-Mar-2020 21:17
Chloroform	U		0.00060	0.0050	mg/L	1	10-Mar-2020 21:17
Chloromethane	U		0.00050	0.0050	mg/L	1	10-Mar-2020 21:17
cis-1,2-Dichloroethene	**0.0073**		**0.00060**	**0.0050**	**mg/L**	1	10-Mar-2020 21:17
cis-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	10-Mar-2020 21:17
Dibromochloromethane	U		0.00050	0.0050	mg/L	1	10-Mar-2020 21:17
Ethylbenzene	U		0.00050	0.0050	mg/L	1	10-Mar-2020 21:17
m,p-Xylene	U		0.00060	0.010	mg/L	1	10-Mar-2020 21:17
Methyl tert-butyl ether	U		0.00060	0.0050	mg/L	1	10-Mar-2020 21:17
Methylene chloride	U		0.0010	0.010	mg/L	1	10-Mar-2020 21:17
Naphthalene	U		0.00070	0.0050	mg/L	1	10-Mar-2020 21:17
o-Xylene	U		0.00050	0.0050	mg/L	1	10-Mar-2020 21:17
Styrene	U		0.00050	0.0050	mg/L	1	10-Mar-2020 21:17
Tert-butyl alcohol	**0.24**		**0.020**	**0.10**	**mg/L**	1	10-Mar-2020 21:17
Tetrachloroethene	**0.00079**	J	**0.00060**	**0.0050**	**mg/L**	1	10-Mar-2020 21:17
Toluene	U		0.00050	0.0050	mg/L	1	10-Mar-2020 21:17
trans-1,2-Dichloroethene	U		0.00040	0.0050	mg/L	1	10-Mar-2020 21:17
trans-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	10-Mar-2020 21:17
Trichloroethene	**0.0013**	J	**0.00050**	**0.0050**	**mg/L**	1	10-Mar-2020 21:17
Vinyl chloride	**0.018**		**0.00040**	**0.0020**	**mg/L**	1	10-Mar-2020 21:17

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**
Project:	FLTG French Limited	WorkOrder:HS20030296
Sample ID:	SI-144	Lab ID:HS20030296-19
Collection Date:	04-Mar-2020 10:16	Matrix:Water

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
Xylenes, Total		U	0.00050	0.0050	mg/L	1	10-Mar-2020 21:17
Surr: 1,2-Dichloroethane-d4	*118*			*70-126*	*%REC*	*1*	*10-Mar-2020 21:17*
Surr: 4-Bromofluorobenzene	*98.3*			*82-124*	*%REC*	*1*	*10-Mar-2020 21:17*
Surr: Dibromofluoromethane	*105*			*77-123*	*%REC*	*1*	*10-Mar-2020 21:17*
Surr: Toluene-d8	*102*			*82-127*	*%REC*	*1*	*10-Mar-2020 21:17*

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**	
Project:	FLTG French Limited	WorkOrder:HS20030296	
Sample ID:	SI-145	Lab ID:HS20030296-20	
Collection Date:	04-Mar-2020 09:42	Matrix:Water	

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
1,1,1-Trichloroethane	U		0.00050	0.0050	mg/L	1	11-Mar-2020 19:54
1,1,2,2-Tetrachloroethane	U		0.00050	0.0050	mg/L	1	11-Mar-2020 19:54
1,1,2-Trichloroethane	U		0.00050	0.0050	mg/L	1	11-Mar-2020 19:54
1,1-Dichloroethane	**0.00058**	J	**0.00040**	**0.0050**	**mg/L**	1	11-Mar-2020 19:54
1,1-Dichloroethene	U		0.00050	0.0050	mg/L	1	11-Mar-2020 19:54
1,2-Dichloroethane	U		0.00050	0.0050	mg/L	1	11-Mar-2020 19:54
1,2-Dichloropropane	U		0.00070	0.0050	mg/L	1	11-Mar-2020 19:54
2-Butanone	U		0.0010	0.010	mg/L	1	11-Mar-2020 19:54
2-Hexanone	U		0.0010	0.010	mg/L	1	11-Mar-2020 19:54
4-Methyl-2-pentanone	U		0.0010	0.010	mg/L	1	11-Mar-2020 19:54
Acetone	U		0.0020	0.010	mg/L	1	11-Mar-2020 19:54
Allyl Chloride	U		0.0030	0.010	mg/L	1	11-Mar-2020 19:54
Benzene	U		0.00060	0.0050	mg/L	1	11-Mar-2020 19:54
Bromodichloromethane	U		0.00060	0.0050	mg/L	1	11-Mar-2020 19:54
Bromoform	U		0.00050	0.0050	mg/L	1	11-Mar-2020 19:54
Bromomethane	U		0.00050	0.0050	mg/L	1	11-Mar-2020 19:54
Carbon disulfide	U		0.00090	0.010	mg/L	1	11-Mar-2020 19:54
Carbon tetrachloride	U		0.00060	0.0050	mg/L	1	11-Mar-2020 19:54
Chlorobenzene	U		0.00040	0.0050	mg/L	1	11-Mar-2020 19:54
Chloroethane	U		0.00050	0.0050	mg/L	1	11-Mar-2020 19:54
Chloroform	U		0.00060	0.0050	mg/L	1	11-Mar-2020 19:54
Chloromethane	U		0.00050	0.0050	mg/L	1	11-Mar-2020 19:54
cis-1,2-Dichloroethene	**0.00083**	J	**0.00060**	**0.0050**	**mg/L**	1	11-Mar-2020 19:54
cis-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	11-Mar-2020 19:54
Dibromochloromethane	U		0.00050	0.0050	mg/L	1	11-Mar-2020 19:54
Ethylbenzene	U		0.00050	0.0050	mg/L	1	11-Mar-2020 19:54
m,p-Xylene	U		0.00060	0.010	mg/L	1	11-Mar-2020 19:54
Methyl tert-butyl ether	**0.00096**	J	**0.00060**	**0.0050**	**mg/L**	1	11-Mar-2020 19:54
Methylene chloride	U		0.0010	0.010	mg/L	1	11-Mar-2020 19:54
Naphthalene	U		0.00070	0.0050	mg/L	1	11-Mar-2020 19:54
o-Xylene	U		0.00050	0.0050	mg/L	1	11-Mar-2020 19:54
Styrene	U		0.00050	0.0050	mg/L	1	11-Mar-2020 19:54
Tert-butyl alcohol	**1.3**		**0.020**	**0.10**	**mg/L**	1	11-Mar-2020 19:54
Tetrachloroethene	U		0.00060	0.0050	mg/L	1	11-Mar-2020 19:54
Toluene	U		0.00050	0.0050	mg/L	1	11-Mar-2020 19:54
trans-1,2-Dichloroethene	U		0.00040	0.0050	mg/L	1	11-Mar-2020 19:54
trans-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	11-Mar-2020 19:54
Trichloroethene	U		0.00050	0.0050	mg/L	1	11-Mar-2020 19:54
Vinyl chloride	**0.0025**		**0.00040**	**0.0020**	**mg/L**	1	11-Mar-2020 19:54

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**
Project:	FLTG French Limited	WorkOrder:HS20030296
Sample ID:	SI-145	Lab ID:HS20030296-20
Collection Date:	04-Mar-2020 09:42	Matrix:Water

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
Xylenes, Total		U	0.00050	0.0050	mg/L	1	11-Mar-2020 19:54
Surr: 1,2-Dichloroethane-d4	*110*			*70-126*	*%REC*	*1*	*11-Mar-2020 19:54*
Surr: 4-Bromofluorobenzene	*99.0*			*82-124*	*%REC*	*1*	*11-Mar-2020 19:54*
Surr: Dibromofluoromethane	*100*			*77-123*	*%REC*	*1*	*11-Mar-2020 19:54*
Surr: Toluene-d8	*103*			*82-127*	*%REC*	*1*	*11-Mar-2020 19:54*

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**
Project:	FLTG French Limited	WorkOrder:HS20030296
Sample ID:	SI-136	Lab ID:HS20030296-21
Collection Date:	06-Mar-2020 10:13	Matrix:Water

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
1,1,1-Trichloroethane	U		0.00050	0.0050	mg/L	1	10-Mar-2020 21:42
1,1,2,2-Tetrachloroethane	U		0.00050	0.0050	mg/L	1	10-Mar-2020 21:42
1,1,2-Trichloroethane	U		0.00050	0.0050	mg/L	1	10-Mar-2020 21:42
1,1-Dichloroethane	U		0.00040	0.0050	mg/L	1	10-Mar-2020 21:42
1,1-Dichloroethene	U		0.00050	0.0050	mg/L	1	10-Mar-2020 21:42
1,2-Dichloroethane	U		0.00050	0.0050	mg/L	1	10-Mar-2020 21:42
1,2-Dichloropropane	U		0.00070	0.0050	mg/L	1	10-Mar-2020 21:42
2-Butanone	U		0.0010	0.010	mg/L	1	10-Mar-2020 21:42
2-Hexanone	U		0.0010	0.010	mg/L	1	10-Mar-2020 21:42
4-Methyl-2-pentanone	U		0.0010	0.010	mg/L	1	10-Mar-2020 21:42
Acetone	U		0.0020	0.010	mg/L	1	10-Mar-2020 21:42
Allyl Chloride	U		0.0030	0.010	mg/L	1	10-Mar-2020 21:42
Benzene	U		0.00060	0.0050	mg/L	1	10-Mar-2020 21:42
Bromodichloromethane	U		0.00060	0.0050	mg/L	1	10-Mar-2020 21:42
Bromoform	U		0.00050	0.0050	mg/L	1	10-Mar-2020 21:42
Bromomethane	U		0.00050	0.0050	mg/L	1	10-Mar-2020 21:42
Carbon disulfide	U		0.00090	0.010	mg/L	1	10-Mar-2020 21:42
Carbon tetrachloride	U		0.00060	0.0050	mg/L	1	10-Mar-2020 21:42
Chlorobenzene	U		0.00040	0.0050	mg/L	1	10-Mar-2020 21:42
Chloroethane	U		0.00050	0.0050	mg/L	1	10-Mar-2020 21:42
Chloroform	U		0.00060	0.0050	mg/L	1	10-Mar-2020 21:42
Chloromethane	U		0.00050	0.0050	mg/L	1	10-Mar-2020 21:42
cis-1,2-Dichloroethene	**0.00081**	J	**0.00060**	**0.0050**	**mg/L**	1	10-Mar-2020 21:42
cis-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	10-Mar-2020 21:42
Dibromochloromethane	U		0.00050	0.0050	mg/L	1	10-Mar-2020 21:42
Ethylbenzene	U		0.00050	0.0050	mg/L	1	10-Mar-2020 21:42
m,p-Xylene	U		0.00060	0.010	mg/L	1	10-Mar-2020 21:42
Methyl tert-butyl ether	U		0.00060	0.0050	mg/L	1	10-Mar-2020 21:42
Methylene chloride	U		0.0010	0.010	mg/L	1	10-Mar-2020 21:42
Naphthalene	U		0.00070	0.0050	mg/L	1	10-Mar-2020 21:42
o-Xylene	U		0.00050	0.0050	mg/L	1	10-Mar-2020 21:42
Styrene	U		0.00050	0.0050	mg/L	1	10-Mar-2020 21:42
Tert-butyl alcohol	**0.31**		**0.020**	**0.10**	**mg/L**	1	10-Mar-2020 21:42
Tetrachloroethene	U		0.00060	0.0050	mg/L	1	10-Mar-2020 21:42
Toluene	U		0.00050	0.0050	mg/L	1	10-Mar-2020 21:42
trans-1,2-Dichloroethene	U		0.00040	0.0050	mg/L	1	10-Mar-2020 21:42
trans-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	10-Mar-2020 21:42
Trichloroethene	U		0.00050	0.0050	mg/L	1	10-Mar-2020 21:42
Vinyl chloride	U		0.00040	0.0020	mg/L	1	10-Mar-2020 21:42

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**
Project:	FLTG French Limited	WorkOrder:HS20030296
Sample ID:	SI-136	Lab ID:HS20030296-21
Collection Date:	06-Mar-2020 10:13	Matrix:Water

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
Xylenes, Total		U	0.00050	0.0050	mg/L	1	10-Mar-2020 21:42
Surr: 1,2-Dichloroethane-d4	*117*			*70-126*	*%REC*	*1*	*10-Mar-2020 21:42*
Surr: 4-Bromofluorobenzene	*97.9*			*82-124*	*%REC*	*1*	*10-Mar-2020 21:42*
Surr: Dibromofluoromethane	*103*			*77-123*	*%REC*	*1*	*10-Mar-2020 21:42*
Surr: Toluene-d8	*102*			*82-127*	*%REC*	*1*	*10-Mar-2020 21:42*

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**
Project:	FLTG French Limited	WorkOrder:HS20030296
Sample ID:	DUP3	Lab ID:HS20030296-22
Collection Date:	06-Mar-2020 12:00	Matrix:Water

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
1,1,1-Trichloroethane	U		0.00050	0.0050	mg/L	1	10-Mar-2020 22:06
1,1,2,2-Tetrachloroethane	U		0.00050	0.0050	mg/L	1	10-Mar-2020 22:06
1,1,2-Trichloroethane	U		0.00050	0.0050	mg/L	1	10-Mar-2020 22:06
1,1-Dichloroethane	U		0.00040	0.0050	mg/L	1	10-Mar-2020 22:06
1,1-Dichloroethene	U		0.00050	0.0050	mg/L	1	10-Mar-2020 22:06
1,2-Dichloroethane	U		0.00050	0.0050	mg/L	1	10-Mar-2020 22:06
1,2-Dichloropropane	U		0.00070	0.0050	mg/L	1	10-Mar-2020 22:06
2-Butanone	U		0.0010	0.010	mg/L	1	10-Mar-2020 22:06
2-Hexanone	U		0.0010	0.010	mg/L	1	10-Mar-2020 22:06
4-Methyl-2-pentanone	U		0.0010	0.010	mg/L	1	10-Mar-2020 22:06
Acetone	U		0.0020	0.010	mg/L	1	10-Mar-2020 22:06
Allyl Chloride	U		0.0030	0.010	mg/L	1	10-Mar-2020 22:06
Benzene	U		0.00060	0.0050	mg/L	1	10-Mar-2020 22:06
Bromodichloromethane	U		0.00060	0.0050	mg/L	1	10-Mar-2020 22:06
Bromoform	U		0.00050	0.0050	mg/L	1	10-Mar-2020 22:06
Bromomethane	U		0.00050	0.0050	mg/L	1	10-Mar-2020 22:06
Carbon disulfide	U		0.00090	0.010	mg/L	1	10-Mar-2020 22:06
Carbon tetrachloride	U		0.00060	0.0050	mg/L	1	10-Mar-2020 22:06
Chlorobenzene	U		0.00040	0.0050	mg/L	1	10-Mar-2020 22:06
Chloroethane	U		0.00050	0.0050	mg/L	1	10-Mar-2020 22:06
Chloroform	U		0.00060	0.0050	mg/L	1	10-Mar-2020 22:06
Chloromethane	U		0.00050	0.0050	mg/L	1	10-Mar-2020 22:06
cis-1,2-Dichloroethene	**0.00071**	J	**0.00060**	**0.0050**	**mg/L**	1	10-Mar-2020 22:06
cis-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	10-Mar-2020 22:06
Dibromochloromethane	U		0.00050	0.0050	mg/L	1	10-Mar-2020 22:06
Ethylbenzene	U		0.00050	0.0050	mg/L	1	10-Mar-2020 22:06
m,p-Xylene	U		0.00060	0.010	mg/L	1	10-Mar-2020 22:06
Methyl tert-butyl ether	U		0.00060	0.0050	mg/L	1	10-Mar-2020 22:06
Methylene chloride	U		0.0010	0.010	mg/L	1	10-Mar-2020 22:06
Naphthalene	U		0.00070	0.0050	mg/L	1	10-Mar-2020 22:06
o-Xylene	U		0.00050	0.0050	mg/L	1	10-Mar-2020 22:06
Styrene	U		0.00050	0.0050	mg/L	1	10-Mar-2020 22:06
Tert-butyl alcohol	**0.31**		**0.020**	**0.10**	**mg/L**	1	10-Mar-2020 22:06
Tetrachloroethene	U		0.00060	0.0050	mg/L	1	10-Mar-2020 22:06
Toluene	U		0.00050	0.0050	mg/L	1	10-Mar-2020 22:06
trans-1,2-Dichloroethene	U		0.00040	0.0050	mg/L	1	10-Mar-2020 22:06
trans-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	10-Mar-2020 22:06
Trichloroethene	U		0.00050	0.0050	mg/L	1	10-Mar-2020 22:06
Vinyl chloride	U		0.00040	0.0020	mg/L	1	10-Mar-2020 22:06

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

ANALYTICAL REPORT

Client: Environmental Resources Management
Project: FLTG French Limited
Sample ID: DUP3
Collection Date: 06-Mar-2020 12:00

WorkOrder:HS20030296
Lab ID:HS20030296-22
Matrix:Water

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
Xylenes, Total		U	0.00050	0.0050	mg/L	1	10-Mar-2020 22:06
Surr: 1,2-Dichloroethane-d4	*106*			*70-126*	*%REC*	*1*	*10-Mar-2020 22:06*
Surr: 4-Bromofluorobenzene	*95.8*			*82-124*	*%REC*	*1*	*10-Mar-2020 22:06*
Surr: Dibromofluoromethane	*100*			*77-123*	*%REC*	*1*	*10-Mar-2020 22:06*
Surr: Toluene-d8	*100*			*82-127*	*%REC*	*1*	*10-Mar-2020 22:06*

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**	
Project:	FLTG French Limited	WorkOrder:HS20030296	
Sample ID:	SI-161	Lab ID:HS20030296-23	
Collection Date:	06-Mar-2020 11:45	Matrix:Water	

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
1,1,1-Trichloroethane	U		0.00050	0.0050	mg/L	1	11-Mar-2020 20:43
1,1,2,2-Tetrachloroethane	U		0.00050	0.0050	mg/L	1	11-Mar-2020 20:43
1,1,2-Trichloroethane	U		0.00050	0.0050	mg/L	1	11-Mar-2020 20:43
1,1-Dichloroethane	U		0.00040	0.0050	mg/L	1	11-Mar-2020 20:43
1,1-Dichloroethene	U		0.00050	0.0050	mg/L	1	11-Mar-2020 20:43
1,2-Dichloroethane	U		0.00050	0.0050	mg/L	1	11-Mar-2020 20:43
1,2-Dichloropropane	U		0.00070	0.0050	mg/L	1	11-Mar-2020 20:43
2-Butanone	U		0.0010	0.010	mg/L	1	11-Mar-2020 20:43
2-Hexanone	U		0.0010	0.010	mg/L	1	11-Mar-2020 20:43
4-Methyl-2-pentanone	U		0.0010	0.010	mg/L	1	11-Mar-2020 20:43
Acetone	U		0.0020	0.010	mg/L	1	11-Mar-2020 20:43
Allyl Chloride	U		0.0030	0.010	mg/L	1	11-Mar-2020 20:43
Benzene	**0.0068**		**0.00060**	**0.0050**	**mg/L**	1	11-Mar-2020 20:43
Bromodichloromethane	U		0.00060	0.0050	mg/L	1	11-Mar-2020 20:43
Bromoform	U		0.00050	0.0050	mg/L	1	11-Mar-2020 20:43
Bromomethane	U		0.00050	0.0050	mg/L	1	11-Mar-2020 20:43
Carbon disulfide	U		0.00090	0.010	mg/L	1	11-Mar-2020 20:43
Carbon tetrachloride	U		0.00060	0.0050	mg/L	1	11-Mar-2020 20:43
Chlorobenzene	U		0.00040	0.0050	mg/L	1	11-Mar-2020 20:43
Chloroethane	U		0.00050	0.0050	mg/L	1	11-Mar-2020 20:43
Chloroform	U		0.00060	0.0050	mg/L	1	11-Mar-2020 20:43
Chloromethane	U		0.00050	0.0050	mg/L	1	11-Mar-2020 20:43
cis-1,2-Dichloroethene	U		0.00060	0.0050	mg/L	1	11-Mar-2020 20:43
cis-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	11-Mar-2020 20:43
Dibromochloromethane	U		0.00050	0.0050	mg/L	1	11-Mar-2020 20:43
Ethylbenzene	**0.0016**	J	**0.00050**	**0.0050**	**mg/L**	1	11-Mar-2020 20:43
m,p-Xylene	**0.0016**	J	**0.00060**	**0.010**	**mg/L**	1	11-Mar-2020 20:43
Methyl tert-butyl ether	U		0.00060	0.0050	mg/L	1	11-Mar-2020 20:43
Methylene chloride	U		0.0010	0.010	mg/L	1	11-Mar-2020 20:43
Naphthalene	**0.0021**	J	**0.00070**	**0.0050**	**mg/L**	1	11-Mar-2020 20:43
o-Xylene	U		0.00050	0.0050	mg/L	1	11-Mar-2020 20:43
Styrene	U		0.00050	0.0050	mg/L	1	11-Mar-2020 20:43
Tert-butyl alcohol	**0.36**		**0.020**	**0.10**	**mg/L**	1	11-Mar-2020 20:43
Tetrachloroethene	U		0.00060	0.0050	mg/L	1	11-Mar-2020 20:43
Toluene	U		0.00050	0.0050	mg/L	1	11-Mar-2020 20:43
trans-1,2-Dichloroethene	U		0.00040	0.0050	mg/L	1	11-Mar-2020 20:43
trans-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	11-Mar-2020 20:43
Trichloroethene	U		0.00050	0.0050	mg/L	1	11-Mar-2020 20:43
Vinyl chloride	U		0.00040	0.0020	mg/L	1	11-Mar-2020 20:43

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**
Project:	FLTG French Limited	WorkOrder:HS20030296
Sample ID:	SI-161	Lab ID:HS20030296-23
Collection Date:	06-Mar-2020 11:45	Matrix:Water

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
Xylenes, Total	**0.0016**	J	**0.00050**	**0.0050**	**mg/L**	1	11-Mar-2020 20:43
Surr: 1,2-Dichloroethane-d4	*112*			*70-126*	*%REC*	*1*	*11-Mar-2020 20:43*
Surr: 4-Bromofluorobenzene	*87.2*			*82-124*	*%REC*	*1*	*11-Mar-2020 20:43*
Surr: Dibromofluoromethane	*97.2*			*77-123*	*%REC*	*1*	*11-Mar-2020 20:43*
Surr: Toluene-d8	*90.2*			*82-127*	*%REC*	*1*	*11-Mar-2020 20:43*

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**
Project:	FLTG French Limited	WorkOrder:HS20030296
Sample ID:	SI-162	Lab ID:HS20030296-24
Collection Date:	06-Mar-2020 11:23	Matrix:Water

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
1,1,1-Trichloroethane	U		0.0025	0.025	mg/L	5	12-Mar-2020 16:15
1,1,2,2-Tetrachloroethane	U		0.0025	0.025	mg/L	5	12-Mar-2020 16:15
1,1,2-Trichloroethane	U		0.0025	0.025	mg/L	5	12-Mar-2020 16:15
1,1-Dichloroethane	U		0.0020	0.025	mg/L	5	12-Mar-2020 16:15
1,1-Dichloroethene	U		0.0025	0.025	mg/L	5	12-Mar-2020 16:15
1,2-Dichloroethane	U		0.0025	0.025	mg/L	5	12-Mar-2020 16:15
1,2-Dichloropropane	U		0.0035	0.025	mg/L	5	12-Mar-2020 16:15
2-Butanone	U		0.0050	0.050	mg/L	5	12-Mar-2020 16:15
2-Hexanone	U		0.0050	0.050	mg/L	5	12-Mar-2020 16:15
4-Methyl-2-pentanone	U		0.0050	0.050	mg/L	5	12-Mar-2020 16:15
Acetone	U		0.010	0.050	mg/L	5	12-Mar-2020 16:15
Allyl Chloride	U		0.015	0.050	mg/L	5	12-Mar-2020 16:15
Benzene	**1.7**		**0.060**	**0.50**	**mg/L**	100	14-Mar-2020 06:43
Bromodichloromethane	U		0.0030	0.025	mg/L	5	12-Mar-2020 16:15
Bromoform	U		0.0025	0.025	mg/L	5	12-Mar-2020 16:15
Bromomethane	U		0.0025	0.025	mg/L	5	12-Mar-2020 16:15
Carbon disulfide	U		0.0045	0.050	mg/L	5	12-Mar-2020 16:15
Carbon tetrachloride	U		0.0030	0.025	mg/L	5	12-Mar-2020 16:15
Chlorobenzene	U		0.0020	0.025	mg/L	5	12-Mar-2020 16:15
Chloroethane	U		0.0025	0.025	mg/L	5	12-Mar-2020 16:15
Chloroform	U		0.0030	0.025	mg/L	5	12-Mar-2020 16:15
Chloromethane	U		0.0025	0.025	mg/L	5	12-Mar-2020 16:15
cis-1,2-Dichloroethene	U		0.0030	0.025	mg/L	5	12-Mar-2020 16:15
cis-1,3-Dichloropropene	U		0.0030	0.025	mg/L	5	12-Mar-2020 16:15
Dibromochloromethane	U		0.0025	0.025	mg/L	5	12-Mar-2020 16:15
Ethylbenzene	**0.15**		**0.0025**	**0.025**	**mg/L**	5	12-Mar-2020 16:15
m,p-Xylene	**0.15**		**0.0030**	**0.050**	**mg/L**	5	12-Mar-2020 16:15
Methyl tert-butyl ether	**0.070**		**0.0030**	**0.025**	**mg/L**	5	12-Mar-2020 16:15
Methylene chloride	U		0.0050	0.050	mg/L	5	12-Mar-2020 16:15
Naphthalene	**0.029**		**0.0035**	**0.025**	**mg/L**	5	12-Mar-2020 16:15
o-Xylene	**0.017**	J	**0.0025**	**0.025**	**mg/L**	5	12-Mar-2020 16:15
Styrene	U		0.0025	0.025	mg/L	5	12-Mar-2020 16:15
Tert-butyl alcohol	**240**		**2.0**	**10**	**mg/L**	100	14-Mar-2020 06:43
Tetrachloroethene	U		0.0030	0.025	mg/L	5	12-Mar-2020 16:15
Toluene	**0.0082**	J	**0.0025**	**0.025**	**mg/L**	5	12-Mar-2020 16:15
trans-1,2-Dichloroethene	U		0.0020	0.025	mg/L	5	12-Mar-2020 16:15
trans-1,3-Dichloropropene	U		0.0030	0.025	mg/L	5	12-Mar-2020 16:15
Trichloroethene	U		0.0025	0.025	mg/L	5	12-Mar-2020 16:15
Vinyl chloride	U		0.0020	0.010	mg/L	5	12-Mar-2020 16:15

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**
Project:	FLTG French Limited	WorkOrder:HS20030296
Sample ID:	SI-162	Lab ID:HS20030296-24
Collection Date:	06-Mar-2020 11:23	Matrix:Water

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
Xylenes, Total	**0.17**		**0.0025**	**0.025**	**mg/L**	5	12-Mar-2020 16:15
Surr: 1,2-Dichloroethane-d4	*91.8*			*70-126*	*%REC*	*5*	*12-Mar-2020 16:15*
Surr: 1,2-Dichloroethane-d4	*90.7*			*70-126*	*%REC*	*100*	*14-Mar-2020 06:43*
Surr: 4-Bromofluorobenzene	*101*			*82-124*	*%REC*	*5*	*12-Mar-2020 16:15*
Surr: 4-Bromofluorobenzene	*101*			*82-124*	*%REC*	*100*	*14-Mar-2020 06:43*
Surr: Dibromofluoromethane	*93.9*			*77-123*	*%REC*	*5*	*12-Mar-2020 16:15*
Surr: Dibromofluoromethane	*91.1*			*77-123*	*%REC*	*100*	*14-Mar-2020 06:43*
Surr: Toluene-d8	*106*			*82-127*	*%REC*	*5*	*12-Mar-2020 16:15*
Surr: Toluene-d8	*107*			*82-127*	*%REC*	*100*	*14-Mar-2020 06:43*

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**	
Project:	FLTG French Limited	WorkOrder:HS20030296	
Sample ID:	SI-165	Lab ID:HS20030296-25	
Collection Date:	06-Mar-2020 12:15	Matrix:Water	

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
1,1,1-Trichloroethane	U		0.00050	0.0050	mg/L	1	10-Mar-2020 22:31
1,1,2,2-Tetrachloroethane	U		0.00050	0.0050	mg/L	1	10-Mar-2020 22:31
1,1,2-Trichloroethane	U		0.00050	0.0050	mg/L	1	10-Mar-2020 22:31
1,1-Dichloroethane	U		0.00040	0.0050	mg/L	1	10-Mar-2020 22:31
1,1-Dichloroethene	U		0.00050	0.0050	mg/L	1	10-Mar-2020 22:31
1,2-Dichloroethane	**0.0014**	J	**0.00050**	**0.0050**	**mg/L**	1	10-Mar-2020 22:31
1,2-Dichloropropane	U		0.00070	0.0050	mg/L	1	10-Mar-2020 22:31
2-Butanone	U		0.0010	0.010	mg/L	1	10-Mar-2020 22:31
2-Hexanone	U		0.0010	0.010	mg/L	1	10-Mar-2020 22:31
4-Methyl-2-pentanone	U		0.0010	0.010	mg/L	1	10-Mar-2020 22:31
Acetone	U		0.0020	0.010	mg/L	1	10-Mar-2020 22:31
Allyl Chloride	U		0.0030	0.010	mg/L	1	10-Mar-2020 22:31
Benzene	**0.0037**	J	**0.00060**	**0.0050**	**mg/L**	1	10-Mar-2020 22:31
Bromodichloromethane	U		0.00060	0.0050	mg/L	1	10-Mar-2020 22:31
Bromoform	U		0.00050	0.0050	mg/L	1	10-Mar-2020 22:31
Bromomethane	U		0.00050	0.0050	mg/L	1	10-Mar-2020 22:31
Carbon disulfide	U		0.00090	0.010	mg/L	1	10-Mar-2020 22:31
Carbon tetrachloride	U		0.00060	0.0050	mg/L	1	10-Mar-2020 22:31
Chlorobenzene	U		0.00040	0.0050	mg/L	1	10-Mar-2020 22:31
Chloroethane	U		0.00050	0.0050	mg/L	1	10-Mar-2020 22:31
Chloroform	**0.00083**	J	**0.00060**	**0.0050**	**mg/L**	1	10-Mar-2020 22:31
Chloromethane	U		0.00050	0.0050	mg/L	1	10-Mar-2020 22:31
cis-1,2-Dichloroethene	U		0.00060	0.0050	mg/L	1	10-Mar-2020 22:31
cis-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	10-Mar-2020 22:31
Dibromochloromethane	U		0.00050	0.0050	mg/L	1	10-Mar-2020 22:31
Ethylbenzene	**0.0010**	J	**0.00050**	**0.0050**	**mg/L**	1	10-Mar-2020 22:31
m,p-Xylene	**0.0010**	J	**0.00060**	**0.010**	**mg/L**	1	10-Mar-2020 22:31
Methyl tert-butyl ether	U		0.00060	0.0050	mg/L	1	10-Mar-2020 22:31
Methylene chloride	U		0.0010	0.010	mg/L	1	10-Mar-2020 22:31
Naphthalene	U		0.00070	0.0050	mg/L	1	10-Mar-2020 22:31
o-Xylene	U		0.00050	0.0050	mg/L	1	10-Mar-2020 22:31
Styrene	U		0.00050	0.0050	mg/L	1	10-Mar-2020 22:31
Tert-butyl alcohol	**0.068**	J	**0.020**	**0.10**	**mg/L**	1	10-Mar-2020 22:31
Tetrachloroethene	U		0.00060	0.0050	mg/L	1	10-Mar-2020 22:31
Toluene	U		0.00050	0.0050	mg/L	1	10-Mar-2020 22:31
trans-1,2-Dichloroethene	U		0.00040	0.0050	mg/L	1	10-Mar-2020 22:31
trans-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	10-Mar-2020 22:31
Trichloroethene	U		0.00050	0.0050	mg/L	1	10-Mar-2020 22:31
Vinyl chloride	U		0.00040	0.0020	mg/L	1	10-Mar-2020 22:31

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**
Project:	FLTG French Limited	WorkOrder:HS20030296
Sample ID:	SI-165	Lab ID:HS20030296-25
Collection Date:	06-Mar-2020 12:15	Matrix:Water

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
Xylenes, Total	**0.0010**	J	**0.00050**	**0.0050**	**mg/L**	1	10-Mar-2020 22:31
Surr: 1,2-Dichloroethane-d4	*94.5*			*70-126*	*%REC*	*1*	*10-Mar-2020 22:31*
Surr: 4-Bromofluorobenzene	*99.7*			*82-124*	*%REC*	*1*	*10-Mar-2020 22:31*
Surr: Dibromofluoromethane	*97.4*			*77-123*	*%REC*	*1*	*10-Mar-2020 22:31*
Surr: Toluene-d8	*99.5*			*82-127*	*%REC*	*1*	*10-Mar-2020 22:31*

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**	
Project:	FLTG French Limited	WorkOrder:HS20030296	
Sample ID:	INT-161	Lab ID:HS20030296-26	
Collection Date:	05-Mar-2020 08:35	Matrix:Water	

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
1,1,1-Trichloroethane	U		0.00050	0.0050	mg/L	1	11-Mar-2020 21:32
1,1,2,2-Tetrachloroethane	U		0.00050	0.0050	mg/L	1	11-Mar-2020 21:32
1,1,2-Trichloroethane	U		0.00050	0.0050	mg/L	1	11-Mar-2020 21:32
1,1-Dichloroethane	U		0.00040	0.0050	mg/L	1	11-Mar-2020 21:32
1,1-Dichloroethene	U		0.00050	0.0050	mg/L	1	11-Mar-2020 21:32
1,2-Dichloroethane	U		0.00050	0.0050	mg/L	1	11-Mar-2020 21:32
1,2-Dichloropropane	U		0.00070	0.0050	mg/L	1	11-Mar-2020 21:32
2-Butanone	U		0.0010	0.010	mg/L	1	11-Mar-2020 21:32
2-Hexanone	U		0.0010	0.010	mg/L	1	11-Mar-2020 21:32
4-Methyl-2-pentanone	U		0.0010	0.010	mg/L	1	11-Mar-2020 21:32
Acetone	U		0.0020	0.010	mg/L	1	11-Mar-2020 21:32
Allyl Chloride	U		0.0030	0.010	mg/L	1	11-Mar-2020 21:32
Benzene	U		0.00060	0.0050	mg/L	1	11-Mar-2020 21:32
Bromodichloromethane	U		0.00060	0.0050	mg/L	1	11-Mar-2020 21:32
Bromoform	U		0.00050	0.0050	mg/L	1	11-Mar-2020 21:32
Bromomethane	U		0.00050	0.0050	mg/L	1	11-Mar-2020 21:32
Carbon disulfide	U		0.00090	0.010	mg/L	1	11-Mar-2020 21:32
Carbon tetrachloride	U		0.00060	0.0050	mg/L	1	11-Mar-2020 21:32
Chlorobenzene	**0.0018**	J	**0.00040**	**0.0050**	**mg/L**	1	11-Mar-2020 21:32
Chloroethane	U		0.00050	0.0050	mg/L	1	11-Mar-2020 21:32
Chloroform	U		0.00060	0.0050	mg/L	1	11-Mar-2020 21:32
Chloromethane	U		0.00050	0.0050	mg/L	1	11-Mar-2020 21:32
cis-1,2-Dichloroethene	U		0.00060	0.0050	mg/L	1	11-Mar-2020 21:32
cis-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	11-Mar-2020 21:32
Dibromochloromethane	U		0.00050	0.0050	mg/L	1	11-Mar-2020 21:32
Ethylbenzene	U		0.00050	0.0050	mg/L	1	11-Mar-2020 21:32
m,p-Xylene	**0.0014**	J	**0.00060**	**0.010**	**mg/L**	1	11-Mar-2020 21:32
Methyl tert-butyl ether	U		0.00060	0.0050	mg/L	1	11-Mar-2020 21:32
Methylene chloride	U		0.0010	0.010	mg/L	1	11-Mar-2020 21:32
Naphthalene	U		0.00070	0.0050	mg/L	1	11-Mar-2020 21:32
o-Xylene	U		0.00050	0.0050	mg/L	1	11-Mar-2020 21:32
Styrene	U		0.00050	0.0050	mg/L	1	11-Mar-2020 21:32
Tert-butyl alcohol	**0.74**		**0.020**	**0.10**	**mg/L**	1	11-Mar-2020 21:32
Tetrachloroethene	U		0.00060	0.0050	mg/L	1	11-Mar-2020 21:32
Toluene	U		0.00050	0.0050	mg/L	1	11-Mar-2020 21:32
trans-1,2-Dichloroethene	U		0.00040	0.0050	mg/L	1	11-Mar-2020 21:32
trans-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	11-Mar-2020 21:32
Trichloroethene	U		0.00050	0.0050	mg/L	1	11-Mar-2020 21:32
Vinyl chloride	U		0.00040	0.0020	mg/L	1	11-Mar-2020 21:32

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**
Project:	FLTG French Limited	WorkOrder:HS20030296
Sample ID:	INT-161	Lab ID:HS20030296-26
Collection Date:	05-Mar-2020 08:35	Matrix:Water

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
Xylenes, Total	**0.0014**	J	**0.00050**	**0.0050**	**mg/L**	1	11-Mar-2020 21:32
Surr: 1,2-Dichloroethane-d4	*110*			*70-126*	*%REC*	*1*	*11-Mar-2020 21:32*
Surr: 4-Bromofluorobenzene	*95.3*			*82-124*	*%REC*	*1*	*11-Mar-2020 21:32*
Surr: Dibromofluoromethane	*103*			*77-123*	*%REC*	*1*	*11-Mar-2020 21:32*
Surr: Toluene-d8	*101*			*82-127*	*%REC*	*1*	*11-Mar-2020 21:32*

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**	
Project:	FLTG French Limited	WorkOrder:HS20030296	
Sample ID:	INT-163	Lab ID:HS20030296-27	
Collection Date:	05-Mar-2020 10:05	Matrix:Water	

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
1,1,1-Trichloroethane	U		0.00050	0.0050	mg/L	1	11-Mar-2020 21:56
1,1,2,2-Tetrachloroethane	U		0.00050	0.0050	mg/L	1	11-Mar-2020 21:56
1,1,2-Trichloroethane	U		0.00050	0.0050	mg/L	1	11-Mar-2020 21:56
1,1-Dichloroethane	U		0.00040	0.0050	mg/L	1	11-Mar-2020 21:56
1,1-Dichloroethene	U		0.00050	0.0050	mg/L	1	11-Mar-2020 21:56
1,2-Dichloroethane	U		0.00050	0.0050	mg/L	1	11-Mar-2020 21:56
1,2-Dichloropropane	U		0.00070	0.0050	mg/L	1	11-Mar-2020 21:56
2-Butanone	U		0.0010	0.010	mg/L	1	11-Mar-2020 21:56
2-Hexanone	U		0.0010	0.010	mg/L	1	11-Mar-2020 21:56
4-Methyl-2-pentanone	U		0.0010	0.010	mg/L	1	11-Mar-2020 21:56
Acetone	U		0.0020	0.010	mg/L	1	11-Mar-2020 21:56
Allyl Chloride	U		0.0030	0.010	mg/L	1	11-Mar-2020 21:56
Benzene	**0.047**		**0.00060**	**0.0050**	**mg/L**	1	11-Mar-2020 21:56
Bromodichloromethane	U		0.00060	0.0050	mg/L	1	11-Mar-2020 21:56
Bromoform	U		0.00050	0.0050	mg/L	1	11-Mar-2020 21:56
Bromomethane	U		0.00050	0.0050	mg/L	1	11-Mar-2020 21:56
Carbon disulfide	U		0.00090	0.010	mg/L	1	11-Mar-2020 21:56
Carbon tetrachloride	U		0.00060	0.0050	mg/L	1	11-Mar-2020 21:56
Chlorobenzene	U		0.00040	0.0050	mg/L	1	11-Mar-2020 21:56
Chloroethane	U		0.00050	0.0050	mg/L	1	11-Mar-2020 21:56
Chloroform	U		0.00060	0.0050	mg/L	1	11-Mar-2020 21:56
Chloromethane	U		0.00050	0.0050	mg/L	1	11-Mar-2020 21:56
cis-1,2-Dichloroethene	U		0.00060	0.0050	mg/L	1	11-Mar-2020 21:56
cis-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	11-Mar-2020 21:56
Dibromochloromethane	U		0.00050	0.0050	mg/L	1	11-Mar-2020 21:56
Ethylbenzene	U		0.00050	0.0050	mg/L	1	11-Mar-2020 21:56
m,p-Xylene	**0.0058**	J	**0.00060**	**0.010**	**mg/L**	1	11-Mar-2020 21:56
Methyl tert-butyl ether	**0.0066**		**0.00060**	**0.0050**	**mg/L**	1	11-Mar-2020 21:56
Methylene chloride	U		0.0010	0.010	mg/L	1	11-Mar-2020 21:56
Naphthalene	U		0.00070	0.0050	mg/L	1	11-Mar-2020 21:56
o-Xylene	**0.00059**	J	**0.00050**	**0.0050**	**mg/L**	1	11-Mar-2020 21:56
Styrene	U		0.00050	0.0050	mg/L	1	11-Mar-2020 21:56
Tert-butyl alcohol	**15**		**0.20**	**1.0**	**mg/L**	10	15-Mar-2020 16:51
Tetrachloroethene	U		0.00060	0.0050	mg/L	1	11-Mar-2020 21:56
Toluene	**0.00067**	J	**0.00050**	**0.0050**	**mg/L**	1	11-Mar-2020 21:56
trans-1,2-Dichloroethene	U		0.00040	0.0050	mg/L	1	11-Mar-2020 21:56
trans-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	11-Mar-2020 21:56
Trichloroethene	U		0.00050	0.0050	mg/L	1	11-Mar-2020 21:56
Vinyl chloride	U		0.00040	0.0020	mg/L	1	11-Mar-2020 21:56

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**
Project:	FLTG French Limited	WorkOrder:HS20030296
Sample ID:	INT-163	Lab ID:HS20030296-27
Collection Date:	05-Mar-2020 10:05	Matrix:Water

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
Xylenes, Total	**0.0064**		**0.00050**	**0.0050**	**mg/L**	1	11-Mar-2020 21:56
Surr: 1,2-Dichloroethane-d4	*97.4*			*70-126*	*%REC*	*1*	*11-Mar-2020 21:56*
Surr: 1,2-Dichloroethane-d4	*98.0*			*70-126*	*%REC*	*10*	*15-Mar-2020 16:51*
Surr: 4-Bromofluorobenzene	*96.4*			*82-124*	*%REC*	*1*	*11-Mar-2020 21:56*
Surr: 4-Bromofluorobenzene	*95.5*			*82-124*	*%REC*	*10*	*15-Mar-2020 16:51*
Surr: Dibromofluoromethane	*97.7*			*77-123*	*%REC*	*1*	*11-Mar-2020 21:56*
Surr: Dibromofluoromethane	*101*			*77-123*	*%REC*	*10*	*15-Mar-2020 16:51*
Surr: Toluene-d8	*99.9*			*82-127*	*%REC*	*1*	*11-Mar-2020 21:56*
Surr: Toluene-d8	*98.5*			*82-127*	*%REC*	*10*	*15-Mar-2020 16:51*

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**	
Project:	FLTG French Limited	WorkOrder:HS20030296	
Sample ID:	INT-233	Lab ID:HS20030296-28	
Collection Date:	05-Mar-2020 09:00	Matrix:Water	

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
1,1,1-Trichloroethane	U		0.00050	0.0050	mg/L	1	11-Mar-2020 22:45
1,1,2,2-Tetrachloroethane	U		0.00050	0.0050	mg/L	1	11-Mar-2020 22:45
1,1,2-Trichloroethane	U		0.00050	0.0050	mg/L	1	11-Mar-2020 22:45
1,1-Dichloroethane	U		0.00040	0.0050	mg/L	1	11-Mar-2020 22:45
1,1-Dichloroethene	U		0.00050	0.0050	mg/L	1	11-Mar-2020 22:45
1,2-Dichloroethane	U		0.00050	0.0050	mg/L	1	11-Mar-2020 22:45
1,2-Dichloropropane	U		0.00070	0.0050	mg/L	1	11-Mar-2020 22:45
2-Butanone	U		0.0010	0.010	mg/L	1	11-Mar-2020 22:45
2-Hexanone	U		0.0010	0.010	mg/L	1	11-Mar-2020 22:45
4-Methyl-2-pentanone	U		0.0010	0.010	mg/L	1	11-Mar-2020 22:45
Acetone	U		0.0020	0.010	mg/L	1	11-Mar-2020 22:45
Allyl Chloride	U		0.0030	0.010	mg/L	1	11-Mar-2020 22:45
Benzene	**0.091**		**0.00060**	**0.0050**	**mg/L**	1	11-Mar-2020 22:45
Bromodichloromethane	U		0.00060	0.0050	mg/L	1	11-Mar-2020 22:45
Bromoform	U		0.00050	0.0050	mg/L	1	11-Mar-2020 22:45
Bromomethane	U		0.00050	0.0050	mg/L	1	11-Mar-2020 22:45
Carbon disulfide	U		0.00090	0.010	mg/L	1	11-Mar-2020 22:45
Carbon tetrachloride	U		0.00060	0.0050	mg/L	1	11-Mar-2020 22:45
Chlorobenzene	U		0.00040	0.0050	mg/L	1	11-Mar-2020 22:45
Chloroethane	U		0.00050	0.0050	mg/L	1	11-Mar-2020 22:45
Chloroform	U		0.00060	0.0050	mg/L	1	11-Mar-2020 22:45
Chloromethane	U		0.00050	0.0050	mg/L	1	11-Mar-2020 22:45
cis-1,2-Dichloroethene	U		0.00060	0.0050	mg/L	1	11-Mar-2020 22:45
cis-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	11-Mar-2020 22:45
Dibromochloromethane	U		0.00050	0.0050	mg/L	1	11-Mar-2020 22:45
Ethylbenzene	U		0.00050	0.0050	mg/L	1	11-Mar-2020 22:45
m,p-Xylene	**0.0033**	J	**0.00060**	**0.010**	**mg/L**	1	11-Mar-2020 22:45
Methyl tert-butyl ether	**0.0045**	J	**0.00060**	**0.0050**	**mg/L**	1	11-Mar-2020 22:45
Methylene chloride	U		0.0010	0.010	mg/L	1	11-Mar-2020 22:45
Naphthalene	U		0.00070	0.0050	mg/L	1	11-Mar-2020 22:45
o-Xylene	**0.00053**	J	**0.00050**	**0.0050**	**mg/L**	1	11-Mar-2020 22:45
Styrene	U		0.00050	0.0050	mg/L	1	11-Mar-2020 22:45
Tert-butyl alcohol	**10.0**		**0.20**	**1.0**	**mg/L**	10	15-Mar-2020 17:15
Tetrachloroethene	U		0.00060	0.0050	mg/L	1	11-Mar-2020 22:45
Toluene	**0.00086**	J	**0.00050**	**0.0050**	**mg/L**	1	11-Mar-2020 22:45
trans-1,2-Dichloroethene	U		0.00040	0.0050	mg/L	1	11-Mar-2020 22:45
trans-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	11-Mar-2020 22:45
Trichloroethene	U		0.00050	0.0050	mg/L	1	11-Mar-2020 22:45
Vinyl chloride	U		0.00040	0.0020	mg/L	1	11-Mar-2020 22:45

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**
Project:	FLTG French Limited	WorkOrder:HS20030296
Sample ID:	INT-233	Lab ID:HS20030296-28
Collection Date:	05-Mar-2020 09:00	Matrix:Water

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
Xylenes, Total	**0.0038**	J	**0.00050**	**0.0050**	**mg/L**	1	11-Mar-2020 22:45
Surr: 1,2-Dichloroethane-d4	*101*			*70-126*	*%REC*	*1*	*11-Mar-2020 22:45*
Surr: 1,2-Dichloroethane-d4	*98.0*			*70-126*	*%REC*	*10*	*15-Mar-2020 17:15*
Surr: 4-Bromofluorobenzene	*98.0*			*82-124*	*%REC*	*1*	*11-Mar-2020 22:45*
Surr: 4-Bromofluorobenzene	*92.9*			*82-124*	*%REC*	*10*	*15-Mar-2020 17:15*
Surr: Dibromofluoromethane	*99.6*			*77-123*	*%REC*	*1*	*11-Mar-2020 22:45*
Surr: Dibromofluoromethane	*99.9*			*77-123*	*%REC*	*10*	*15-Mar-2020 17:15*
Surr: Toluene-d8	*100.0*			*82-127*	*%REC*	*1*	*11-Mar-2020 22:45*
Surr: Toluene-d8	*98.4*			*82-127*	*%REC*	*10*	*15-Mar-2020 17:15*

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**	
Project:	FLTG French Limited	WorkOrder:HS20030296	
Sample ID:	P-5	Lab ID:HS20030296-29	
Collection Date:	05-Mar-2020 10:40	Matrix:Water	

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
1,1,1-Trichloroethane	U		0.00050	0.0050	mg/L	1	11-Mar-2020 23:34
1,1,2,2-Tetrachloroethane	U		0.00050	0.0050	mg/L	1	11-Mar-2020 23:34
1,1,2-Trichloroethane	U		0.00050	0.0050	mg/L	1	11-Mar-2020 23:34
1,1-Dichloroethane	U		0.00040	0.0050	mg/L	1	11-Mar-2020 23:34
1,1-Dichloroethene	U		0.00050	0.0050	mg/L	1	11-Mar-2020 23:34
1,2-Dichloroethane	U		0.00050	0.0050	mg/L	1	11-Mar-2020 23:34
1,2-Dichloropropane	U		0.00070	0.0050	mg/L	1	11-Mar-2020 23:34
2-Butanone	U		0.0010	0.010	mg/L	1	11-Mar-2020 23:34
2-Hexanone	U		0.0010	0.010	mg/L	1	11-Mar-2020 23:34
4-Methyl-2-pentanone	U		0.0010	0.010	mg/L	1	11-Mar-2020 23:34
Acetone	U		0.0020	0.010	mg/L	1	11-Mar-2020 23:34
Allyl Chloride	U		0.0030	0.010	mg/L	1	11-Mar-2020 23:34
Benzene	**0.00075**	J	**0.00060**	**0.0050**	**mg/L**	1	11-Mar-2020 23:34
Bromodichloromethane	U		0.00060	0.0050	mg/L	1	11-Mar-2020 23:34
Bromoform	U		0.00050	0.0050	mg/L	1	11-Mar-2020 23:34
Bromomethane	U		0.00050	0.0050	mg/L	1	11-Mar-2020 23:34
Carbon disulfide	U		0.00090	0.010	mg/L	1	11-Mar-2020 23:34
Carbon tetrachloride	U		0.00060	0.0050	mg/L	1	11-Mar-2020 23:34
Chlorobenzene	U		0.00040	0.0050	mg/L	1	11-Mar-2020 23:34
Chloroethane	U		0.00050	0.0050	mg/L	1	11-Mar-2020 23:34
Chloroform	U		0.00060	0.0050	mg/L	1	11-Mar-2020 23:34
Chloromethane	U		0.00050	0.0050	mg/L	1	11-Mar-2020 23:34
cis-1,2-Dichloroethene	U		0.00060	0.0050	mg/L	1	11-Mar-2020 23:34
cis-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	11-Mar-2020 23:34
Dibromochloromethane	U		0.00050	0.0050	mg/L	1	11-Mar-2020 23:34
Ethylbenzene	U		0.00050	0.0050	mg/L	1	11-Mar-2020 23:34
m,p-Xylene	**0.0055**	J	**0.00060**	**0.010**	**mg/L**	1	11-Mar-2020 23:34
Methyl tert-butyl ether	**0.0039**	J	**0.00060**	**0.0050**	**mg/L**	1	11-Mar-2020 23:34
Methylene chloride	U		0.0010	0.010	mg/L	1	11-Mar-2020 23:34
Naphthalene	U		0.00070	0.0050	mg/L	1	11-Mar-2020 23:34
o-Xylene	**0.00066**	J	**0.00050**	**0.0050**	**mg/L**	1	11-Mar-2020 23:34
Styrene	U		0.00050	0.0050	mg/L	1	11-Mar-2020 23:34
Tert-butyl alcohol	**16**		**0.20**	**1.0**	**mg/L**	10	15-Mar-2020 17:39
Tetrachloroethene	U		0.00060	0.0050	mg/L	1	11-Mar-2020 23:34
Toluene	U		0.00050	0.0050	mg/L	1	11-Mar-2020 23:34
trans-1,2-Dichloroethene	U		0.00040	0.0050	mg/L	1	11-Mar-2020 23:34
trans-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	11-Mar-2020 23:34
Trichloroethene	U		0.00050	0.0050	mg/L	1	11-Mar-2020 23:34
Vinyl chloride	U		0.00040	0.0020	mg/L	1	11-Mar-2020 23:34

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**
Project:	FLTG French Limited	WorkOrder:HS20030296
Sample ID:	P-5	Lab ID:HS20030296-29
Collection Date:	05-Mar-2020 10:40	Matrix:Water

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
Xylenes, Total	**0.0061**		**0.00050**	**0.0050**	**mg/L**	1	11-Mar-2020 23:34
Surr: 1,2-Dichloroethane-d4	*105*			*70-126*	*%REC*	*1*	*11-Mar-2020 23:34*
Surr: 1,2-Dichloroethane-d4	*100.0*			*70-126*	*%REC*	*10*	*15-Mar-2020 17:39*
Surr: 4-Bromofluorobenzene	*98.2*			*82-124*	*%REC*	*1*	*11-Mar-2020 23:34*
Surr: 4-Bromofluorobenzene	*95.3*			*82-124*	*%REC*	*10*	*15-Mar-2020 17:39*
Surr: Dibromofluoromethane	*99.4*			*77-123*	*%REC*	*1*	*11-Mar-2020 23:34*
Surr: Dibromofluoromethane	*98.5*			*77-123*	*%REC*	*10*	*15-Mar-2020 17:39*
Surr: Toluene-d8	*101*			*82-127*	*%REC*	*1*	*11-Mar-2020 23:34*
Surr: Toluene-d8	*99.2*			*82-127*	*%REC*	*10*	*15-Mar-2020 17:39*

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**
Project:	FLTG French Limited	WorkOrder:HS20030296
Sample ID:	SI-031	Lab ID:HS20030296-30
Collection Date:	05-Mar-2020 09:30	Matrix:Water

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
1,1,1-Trichloroethane		U	0.00050	0.0050	mg/L	1	11-Mar-2020 15:01
1,1,2,2-Tetrachloroethane		U	0.00050	0.0050	mg/L	1	11-Mar-2020 15:01
1,1,2-Trichloroethane		U	0.00050	0.0050	mg/L	1	11-Mar-2020 15:01
1,1-Dichloroethane		U	0.00040	0.0050	mg/L	1	11-Mar-2020 15:01
1,1-Dichloroethene		U	0.00050	0.0050	mg/L	1	11-Mar-2020 15:01
1,2-Dichloroethane		U	0.00050	0.0050	mg/L	1	11-Mar-2020 15:01
1,2-Dichloropropane		U	0.00070	0.0050	mg/L	1	11-Mar-2020 15:01
2-Butanone		U	0.0010	0.010	mg/L	1	11-Mar-2020 15:01
2-Hexanone		U	0.0010	0.010	mg/L	1	11-Mar-2020 15:01
4-Methyl-2-pentanone		U	0.0010	0.010	mg/L	1	11-Mar-2020 15:01
Acetone		U	0.0020	0.010	mg/L	1	11-Mar-2020 15:01
Allyl Chloride		U	0.0030	0.010	mg/L	1	11-Mar-2020 15:01
Benzene		U	0.00060	0.0050	mg/L	1	11-Mar-2020 15:01
Bromodichloromethane		U	0.00060	0.0050	mg/L	1	11-Mar-2020 15:01
Bromoform		U	0.00050	0.0050	mg/L	1	11-Mar-2020 15:01
Bromomethane		U	0.00050	0.0050	mg/L	1	11-Mar-2020 15:01
Carbon disulfide		U	0.00090	0.010	mg/L	1	11-Mar-2020 15:01
Carbon tetrachloride		U	0.00060	0.0050	mg/L	1	11-Mar-2020 15:01
Chlorobenzene		U	0.00040	0.0050	mg/L	1	11-Mar-2020 15:01
Chloroethane		U	0.00050	0.0050	mg/L	1	11-Mar-2020 15:01
Chloroform		U	0.00060	0.0050	mg/L	1	11-Mar-2020 15:01
Chloromethane		U	0.00050	0.0050	mg/L	1	11-Mar-2020 15:01
cis-1,2-Dichloroethene		U	0.00060	0.0050	mg/L	1	11-Mar-2020 15:01
cis-1,3-Dichloropropene		U	0.00060	0.0050	mg/L	1	11-Mar-2020 15:01
Dibromochloromethane		U	0.00050	0.0050	mg/L	1	11-Mar-2020 15:01
Ethylbenzene		U	0.00050	0.0050	mg/L	1	11-Mar-2020 15:01
m,p-Xylene		U	0.00060	0.010	mg/L	1	11-Mar-2020 15:01
Methyl tert-butyl ether		U	0.00060	0.0050	mg/L	1	11-Mar-2020 15:01
Methylene chloride		U	0.0010	0.010	mg/L	1	11-Mar-2020 15:01
Naphthalene		U	0.00070	0.0050	mg/L	1	11-Mar-2020 15:01
o-Xylene		U	0.00050	0.0050	mg/L	1	11-Mar-2020 15:01
Styrene		U	0.00050	0.0050	mg/L	1	11-Mar-2020 15:01
Tert-butyl alcohol		U	0.020	0.10	mg/L	1	11-Mar-2020 15:01
Tetrachloroethene		U	0.00060	0.0050	mg/L	1	11-Mar-2020 15:01
Toluene		U	0.00050	0.0050	mg/L	1	11-Mar-2020 15:01
trans-1,2-Dichloroethene		U	0.00040	0.0050	mg/L	1	11-Mar-2020 15:01
trans-1,3-Dichloropropene		U	0.00060	0.0050	mg/L	1	11-Mar-2020 15:01
Trichloroethene		U	0.00050	0.0050	mg/L	1	11-Mar-2020 15:01
Vinyl chloride		U	0.00040	0.0020	mg/L	1	11-Mar-2020 15:01

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**
Project:	FLTG French Limited	WorkOrder:HS20030296
Sample ID:	SI-031	Lab ID:HS20030296-30
Collection Date:	05-Mar-2020 09:30	Matrix:Water

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
Xylenes, Total	U		0.00050	0.0050	mg/L	1	11-Mar-2020 15:01
Surr: 1,2-Dichloroethane-d4	*96.5*			*70-126*	*%REC*	*1*	*11-Mar-2020 15:01*
Surr: 4-Bromofluorobenzene	*96.4*			*82-124*	*%REC*	*1*	*11-Mar-2020 15:01*
Surr: Dibromofluoromethane	*96.0*			*77-123*	*%REC*	*1*	*11-Mar-2020 15:01*
Surr: Toluene-d8	*105*			*82-127*	*%REC*	*1*	*11-Mar-2020 15:01*
ICP-MS METALS BY SW6020A		**Method:SW6020**			Prep:SW3010A / 12-Mar-2020		Analyst: JHD
Arsenic	**0.00115**	J	**0.000400**	**0.00200**	**mg/L**	1	12-Mar-2020 15:47
Chromium	U		0.000400	0.00400	mg/L	1	12-Mar-2020 15:47
Lead	U		0.000600	0.00200	mg/L	1	12-Mar-2020 15:47

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**	
Project:	FLTG French Limited	WorkOrder:HS20030296	
Sample ID:	INT-060-P-3	Lab ID:HS20030296-31	
Collection Date:	05-Mar-2020 12:08	Matrix:Water	

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
1,1,1-Trichloroethane	U		0.00050	0.0050	mg/L	1	11-Mar-2020 15:26
1,1,2,2-Tetrachloroethane	U		0.00050	0.0050	mg/L	1	11-Mar-2020 15:26
1,1,2-Trichloroethane	U		0.00050	0.0050	mg/L	1	11-Mar-2020 15:26
1,1-Dichloroethane	U		0.00040	0.0050	mg/L	1	11-Mar-2020 15:26
1,1-Dichloroethene	U		0.00050	0.0050	mg/L	1	11-Mar-2020 15:26
1,2-Dichloroethane	U		0.00050	0.0050	mg/L	1	11-Mar-2020 15:26
1,2-Dichloropropane	U		0.00070	0.0050	mg/L	1	11-Mar-2020 15:26
2-Butanone	U		0.0010	0.010	mg/L	1	11-Mar-2020 15:26
2-Hexanone	U		0.0010	0.010	mg/L	1	11-Mar-2020 15:26
4-Methyl-2-pentanone	U		0.0010	0.010	mg/L	1	11-Mar-2020 15:26
Acetone	U		0.0020	0.010	mg/L	1	11-Mar-2020 15:26
Allyl Chloride	U		0.0030	0.010	mg/L	1	11-Mar-2020 15:26
Benzene	**0.0019**	J	**0.00060**	**0.0050**	**mg/L**	1	11-Mar-2020 15:26
Bromodichloromethane	U		0.00060	0.0050	mg/L	1	11-Mar-2020 15:26
Bromoform	U		0.00050	0.0050	mg/L	1	11-Mar-2020 15:26
Bromomethane	U		0.00050	0.0050	mg/L	1	11-Mar-2020 15:26
Carbon disulfide	U		0.00090	0.010	mg/L	1	11-Mar-2020 15:26
Carbon tetrachloride	U		0.00060	0.0050	mg/L	1	11-Mar-2020 15:26
Chlorobenzene	**0.0024**	J	**0.00040**	**0.0050**	**mg/L**	1	11-Mar-2020 15:26
Chloroethane	U		0.00050	0.0050	mg/L	1	11-Mar-2020 15:26
Chloroform	U		0.00060	0.0050	mg/L	1	11-Mar-2020 15:26
Chloromethane	U		0.00050	0.0050	mg/L	1	11-Mar-2020 15:26
cis-1,2-Dichloroethene	U		0.00060	0.0050	mg/L	1	11-Mar-2020 15:26
cis-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	11-Mar-2020 15:26
Dibromochloromethane	U		0.00050	0.0050	mg/L	1	11-Mar-2020 15:26
Ethylbenzene	U		0.00050	0.0050	mg/L	1	11-Mar-2020 15:26
m,p-Xylene	**0.00064**	J	**0.00060**	**0.010**	**mg/L**	1	11-Mar-2020 15:26
Methyl tert-butyl ether	**0.013**		**0.00060**	**0.0050**	**mg/L**	1	11-Mar-2020 15:26
Methylene chloride	U		0.0010	0.010	mg/L	1	11-Mar-2020 15:26
Naphthalene	U		0.00070	0.0050	mg/L	1	11-Mar-2020 15:26
o-Xylene	**0.00066**	J	**0.00050**	**0.0050**	**mg/L**	1	11-Mar-2020 15:26
Styrene	U		0.00050	0.0050	mg/L	1	11-Mar-2020 15:26
Tert-butyl alcohol	**26**		**0.50**	**2.5**	**mg/L**	25	15-Mar-2020 20:05
Tetrachloroethene	U		0.00060	0.0050	mg/L	1	11-Mar-2020 15:26
Toluene	U		0.00050	0.0050	mg/L	1	11-Mar-2020 15:26
trans-1,2-Dichloroethene	U		0.00040	0.0050	mg/L	1	11-Mar-2020 15:26
trans-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	11-Mar-2020 15:26
Trichloroethene	U		0.00050	0.0050	mg/L	1	11-Mar-2020 15:26
Vinyl chloride	U		0.00040	0.0020	mg/L	1	11-Mar-2020 15:26

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**
Project:	FLTG French Limited	WorkOrder:HS20030296
Sample ID:	INT-060-P-3	Lab ID:HS20030296-31
Collection Date:	05-Mar-2020 12:08	Matrix:Water

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
Xylenes, Total	**0.0013**	J	**0.00050**	**0.0050**	**mg/L**	1	11-Mar-2020 15:26
Surr: 1,2-Dichloroethane-d4	*93.6*			*70-126*	*%REC*	*1*	*11-Mar-2020 15:26*
Surr: 1,2-Dichloroethane-d4	*99.3*			*70-126*	*%REC*	*25*	*15-Mar-2020 20:05*
Surr: 4-Bromofluorobenzene	*104*			*82-124*	*%REC*	*1*	*11-Mar-2020 15:26*
Surr: 4-Bromofluorobenzene	*94.4*			*82-124*	*%REC*	*25*	*15-Mar-2020 20:05*
Surr: Dibromofluoromethane	*93.2*			*77-123*	*%REC*	*1*	*11-Mar-2020 15:26*
Surr: Dibromofluoromethane	*101*			*77-123*	*%REC*	*25*	*15-Mar-2020 20:05*
Surr: Toluene-d8	*99.1*			*82-127*	*%REC*	*1*	*11-Mar-2020 15:26*
Surr: Toluene-d8	*99.1*			*82-127*	*%REC*	*25*	*15-Mar-2020 20:05*

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**
Project:	FLTG French Limited	WorkOrder:HS20030296
Sample ID:	INT-108	Lab ID:HS20030296-32
Collection Date:	04-Mar-2020 11:32	Matrix:Water

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
1,1,1-Trichloroethane	U		0.00050	0.0050	mg/L	1	12-Mar-2020 10:33
1,1,2,2-Tetrachloroethane	U		0.00050	0.0050	mg/L	1	12-Mar-2020 10:33
1,1,2-Trichloroethane	U		0.00050	0.0050	mg/L	1	12-Mar-2020 10:33
1,1-Dichloroethane	U		0.00040	0.0050	mg/L	1	12-Mar-2020 10:33
1,1-Dichloroethene	U		0.00050	0.0050	mg/L	1	12-Mar-2020 10:33
1,2-Dichloroethane	U		0.00050	0.0050	mg/L	1	12-Mar-2020 10:33
1,2-Dichloropropane	U		0.00070	0.0050	mg/L	1	12-Mar-2020 10:33
2-Butanone	U		0.0010	0.010	mg/L	1	12-Mar-2020 10:33
2-Hexanone	U		0.0010	0.010	mg/L	1	12-Mar-2020 10:33
4-Methyl-2-pentanone	U		0.0010	0.010	mg/L	1	12-Mar-2020 10:33
Acetone	U		0.0020	0.010	mg/L	1	12-Mar-2020 10:33
Allyl Chloride	U		0.0030	0.010	mg/L	1	12-Mar-2020 10:33
Benzene	U		0.00060	0.0050	mg/L	1	12-Mar-2020 10:33
Bromodichloromethane	U		0.00060	0.0050	mg/L	1	12-Mar-2020 10:33
Bromoform	U		0.00050	0.0050	mg/L	1	12-Mar-2020 10:33
Bromomethane	U		0.00050	0.0050	mg/L	1	12-Mar-2020 10:33
Carbon disulfide	U		0.00090	0.010	mg/L	1	12-Mar-2020 10:33
Carbon tetrachloride	U		0.00060	0.0050	mg/L	1	12-Mar-2020 10:33
Chlorobenzene	U		0.00040	0.0050	mg/L	1	12-Mar-2020 10:33
Chloroethane	U		0.00050	0.0050	mg/L	1	12-Mar-2020 10:33
Chloroform	U		0.00060	0.0050	mg/L	1	12-Mar-2020 10:33
Chloromethane	U		0.00050	0.0050	mg/L	1	12-Mar-2020 10:33
cis-1,2-Dichloroethene	U		0.00060	0.0050	mg/L	1	12-Mar-2020 10:33
cis-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	12-Mar-2020 10:33
Dibromochloromethane	U		0.00050	0.0050	mg/L	1	12-Mar-2020 10:33
Ethylbenzene	U		0.00050	0.0050	mg/L	1	12-Mar-2020 10:33
m,p-Xylene	U		0.00060	0.010	mg/L	1	12-Mar-2020 10:33
Methyl tert-butyl ether	**0.0014**	J	**0.00060**	**0.0050**	**mg/L**	1	12-Mar-2020 10:33
Methylene chloride	U		0.0010	0.010	mg/L	1	12-Mar-2020 10:33
Naphthalene	U		0.00070	0.0050	mg/L	1	12-Mar-2020 10:33
o-Xylene	U		0.00050	0.0050	mg/L	1	12-Mar-2020 10:33
Styrene	U		0.00050	0.0050	mg/L	1	12-Mar-2020 10:33
Tert-butyl alcohol	**1.7**		**0.020**	**0.10**	**mg/L**	1	12-Mar-2020 10:33
Tetrachloroethene	U		0.00060	0.0050	mg/L	1	12-Mar-2020 10:33
Toluene	U		0.00050	0.0050	mg/L	1	12-Mar-2020 10:33
trans-1,2-Dichloroethene	U		0.00040	0.0050	mg/L	1	12-Mar-2020 10:33
trans-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	12-Mar-2020 10:33
Trichloroethene	U		0.00050	0.0050	mg/L	1	12-Mar-2020 10:33
Vinyl chloride	U		0.00040	0.0020	mg/L	1	12-Mar-2020 10:33

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**
Project:	FLTG French Limited	WorkOrder:HS20030296
Sample ID:	INT-108	Lab ID:HS20030296-32
Collection Date:	04-Mar-2020 11:32	Matrix:Water

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
Xylenes, Total		U	0.00050	0.0050	mg/L	1	12-Mar-2020 10:33
Surr: 1,2-Dichloroethane-d4	*118*			*70-126*	*%REC*	*1*	*12-Mar-2020 10:33*
Surr: 4-Bromofluorobenzene	*101*			*82-124*	*%REC*	*1*	*12-Mar-2020 10:33*
Surr: Dibromofluoromethane	*104*			*77-123*	*%REC*	*1*	*12-Mar-2020 10:33*
Surr: Toluene-d8	*101*			*82-127*	*%REC*	*1*	*12-Mar-2020 10:33*

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**
Project:	FLTG French Limited	WorkOrder:HS20030296
Sample ID:	SI-108A	Lab ID:HS20030296-33
Collection Date:	04-Mar-2020 11:05	Matrix:Water

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
1,1,1-Trichloroethane	U		0.00050	0.0050	mg/L	1	12-Mar-2020 10:57
1,1,2,2-Tetrachloroethane	U		0.00050	0.0050	mg/L	1	12-Mar-2020 10:57
1,1,2-Trichloroethane	U		0.00050	0.0050	mg/L	1	12-Mar-2020 10:57
1,1-Dichloroethane	U		0.00040	0.0050	mg/L	1	12-Mar-2020 10:57
1,1-Dichloroethene	U		0.00050	0.0050	mg/L	1	12-Mar-2020 10:57
1,2-Dichloroethane	U		0.00050	0.0050	mg/L	1	12-Mar-2020 10:57
1,2-Dichloropropane	U		0.00070	0.0050	mg/L	1	12-Mar-2020 10:57
2-Butanone	U		0.0010	0.010	mg/L	1	12-Mar-2020 10:57
2-Hexanone	U		0.0010	0.010	mg/L	1	12-Mar-2020 10:57
4-Methyl-2-pentanone	U		0.0010	0.010	mg/L	1	12-Mar-2020 10:57
Acetone	U		0.0020	0.010	mg/L	1	12-Mar-2020 10:57
Allyl Chloride	U		0.0030	0.010	mg/L	1	12-Mar-2020 10:57
Benzene	U		0.00060	0.0050	mg/L	1	12-Mar-2020 10:57
Bromodichloromethane	U		0.00060	0.0050	mg/L	1	12-Mar-2020 10:57
Bromoform	U		0.00050	0.0050	mg/L	1	12-Mar-2020 10:57
Bromomethane	U		0.00050	0.0050	mg/L	1	12-Mar-2020 10:57
Carbon disulfide	U		0.00090	0.010	mg/L	1	12-Mar-2020 10:57
Carbon tetrachloride	U		0.00060	0.0050	mg/L	1	12-Mar-2020 10:57
Chlorobenzene	U		0.00040	0.0050	mg/L	1	12-Mar-2020 10:57
Chloroethane	U		0.00050	0.0050	mg/L	1	12-Mar-2020 10:57
Chloroform	U		0.00060	0.0050	mg/L	1	12-Mar-2020 10:57
Chloromethane	U		0.00050	0.0050	mg/L	1	12-Mar-2020 10:57
cis-1,2-Dichloroethene	U		0.00060	0.0050	mg/L	1	12-Mar-2020 10:57
cis-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	12-Mar-2020 10:57
Dibromochloromethane	U		0.00050	0.0050	mg/L	1	12-Mar-2020 10:57
Ethylbenzene	U		0.00050	0.0050	mg/L	1	12-Mar-2020 10:57
m,p-Xylene	U		0.00060	0.010	mg/L	1	12-Mar-2020 10:57
Methyl tert-butyl ether	U		0.00060	0.0050	mg/L	1	12-Mar-2020 10:57
Methylene chloride	U		0.0010	0.010	mg/L	1	12-Mar-2020 10:57
Naphthalene	U		0.00070	0.0050	mg/L	1	12-Mar-2020 10:57
o-Xylene	U		0.00050	0.0050	mg/L	1	12-Mar-2020 10:57
Styrene	U		0.00050	0.0050	mg/L	1	12-Mar-2020 10:57
Tert-butyl alcohol	**0.036**	J	**0.020**	**0.10**	**mg/L**	1	12-Mar-2020 10:57
Tetrachloroethene	U		0.00060	0.0050	mg/L	1	12-Mar-2020 10:57
Toluene	U		0.00050	0.0050	mg/L	1	12-Mar-2020 10:57
trans-1,2-Dichloroethene	U		0.00040	0.0050	mg/L	1	12-Mar-2020 10:57
trans-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	12-Mar-2020 10:57
Trichloroethene	U		0.00050	0.0050	mg/L	1	12-Mar-2020 10:57
Vinyl chloride	U		0.00040	0.0020	mg/L	1	12-Mar-2020 10:57

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

ANALYTICAL REPORT

Client: Environmental Resources Management
Project: FLTG French Limited
Sample ID: SI-108A
Collection Date: 04-Mar-2020 11:05

WorkOrder:HS20030296
Lab ID:HS20030296-33
Matrix:Water

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
Xylenes, Total		U	0.00050	0.0050	mg/L	1	12-Mar-2020 10:57
Surr: 1,2-Dichloroethane-d4	*121*			*70-126*	*%REC*	*1*	*12-Mar-2020 10:57*
Surr: 4-Bromofluorobenzene	*98.6*			*82-124*	*%REC*	*1*	*12-Mar-2020 10:57*
Surr: Dibromofluoromethane	*106*			*77-123*	*%REC*	*1*	*12-Mar-2020 10:57*
Surr: Toluene-d8	*103*			*82-127*	*%REC*	*1*	*12-Mar-2020 10:57*

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**	
Project:	FLTG French Limited	WorkOrder:HS20030296	
Sample ID:	INT-022	Lab ID:HS20030296-34	
Collection Date:	04-Mar-2020 10:50	Matrix:Water	

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
1,1,1-Trichloroethane	U		0.00050	0.0050	mg/L	1	12-Mar-2020 11:46
1,1,2,2-Tetrachloroethane	U		0.00050	0.0050	mg/L	1	12-Mar-2020 11:46
1,1,2-Trichloroethane	U		0.00050	0.0050	mg/L	1	12-Mar-2020 11:46
1,1-Dichloroethane	U		0.00040	0.0050	mg/L	1	12-Mar-2020 11:46
1,1-Dichloroethene	U		0.00050	0.0050	mg/L	1	12-Mar-2020 11:46
1,2-Dichloroethane	U		0.00050	0.0050	mg/L	1	12-Mar-2020 11:46
1,2-Dichloropropane	U		0.00070	0.0050	mg/L	1	12-Mar-2020 11:46
2-Butanone	U		0.0010	0.010	mg/L	1	12-Mar-2020 11:46
2-Hexanone	U		0.0010	0.010	mg/L	1	12-Mar-2020 11:46
4-Methyl-2-pentanone	U		0.0010	0.010	mg/L	1	12-Mar-2020 11:46
Acetone	U		0.0020	0.010	mg/L	1	12-Mar-2020 11:46
Allyl Chloride	U		0.0030	0.010	mg/L	1	12-Mar-2020 11:46
Benzene	**0.0019**	J	**0.00060**	**0.0050**	**mg/L**	1	12-Mar-2020 11:46
Bromodichloromethane	U		0.00060	0.0050	mg/L	1	12-Mar-2020 11:46
Bromoform	U		0.00050	0.0050	mg/L	1	12-Mar-2020 11:46
Bromomethane	U		0.00050	0.0050	mg/L	1	12-Mar-2020 11:46
Carbon disulfide	U		0.00090	0.010	mg/L	1	12-Mar-2020 11:46
Carbon tetrachloride	U		0.00060	0.0050	mg/L	1	12-Mar-2020 11:46
Chlorobenzene	U		0.00040	0.0050	mg/L	1	12-Mar-2020 11:46
Chloroethane	U		0.00050	0.0050	mg/L	1	12-Mar-2020 11:46
Chloroform	U		0.00060	0.0050	mg/L	1	12-Mar-2020 11:46
Chloromethane	U		0.00050	0.0050	mg/L	1	12-Mar-2020 11:46
cis-1,2-Dichloroethene	U		0.00060	0.0050	mg/L	1	12-Mar-2020 11:46
cis-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	12-Mar-2020 11:46
Dibromochloromethane	U		0.00050	0.0050	mg/L	1	12-Mar-2020 11:46
Ethylbenzene	U		0.00050	0.0050	mg/L	1	12-Mar-2020 11:46
m,p-Xylene	U		0.00060	0.010	mg/L	1	12-Mar-2020 11:46
Methyl tert-butyl ether	U		0.00060	0.0050	mg/L	1	12-Mar-2020 11:46
Methylene chloride	U		0.0010	0.010	mg/L	1	12-Mar-2020 11:46
Naphthalene	U		0.00070	0.0050	mg/L	1	12-Mar-2020 11:46
o-Xylene	U		0.00050	0.0050	mg/L	1	12-Mar-2020 11:46
Styrene	U		0.00050	0.0050	mg/L	1	12-Mar-2020 11:46
Tert-butyl alcohol	**0.92**		**0.020**	**0.10**	**mg/L**	1	12-Mar-2020 11:46
Tetrachloroethene	U		0.00060	0.0050	mg/L	1	12-Mar-2020 11:46
Toluene	U		0.00050	0.0050	mg/L	1	12-Mar-2020 11:46
trans-1,2-Dichloroethene	U		0.00040	0.0050	mg/L	1	12-Mar-2020 11:46
trans-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	12-Mar-2020 11:46
Trichloroethene	U		0.00050	0.0050	mg/L	1	12-Mar-2020 11:46
Vinyl chloride	U		0.00040	0.0020	mg/L	1	12-Mar-2020 11:46

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**
Project:	FLTG French Limited	WorkOrder:HS20030296
Sample ID:	INT-022	Lab ID:HS20030296-34
Collection Date:	04-Mar-2020 10:50	Matrix:Water

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
Xylenes, Total		U	0.00050	0.0050	mg/L	1	12-Mar-2020 11:46
Surr: 1,2-Dichloroethane-d4	*121*			*70-126*	*%REC*	*1*	*12-Mar-2020 11:46*
Surr: 4-Bromofluorobenzene	*99.0*			*82-124*	*%REC*	*1*	*12-Mar-2020 11:46*
Surr: Dibromofluoromethane	*105*			*77-123*	*%REC*	*1*	*12-Mar-2020 11:46*
Surr: Toluene-d8	*103*			*82-127*	*%REC*	*1*	*12-Mar-2020 11:46*

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**	
Project:	FLTG French Limited	WorkOrder:HS20030296	
Sample ID:	INT-026	Lab ID:HS20030296-35	
Collection Date:	04-Mar-2020 14:38	Matrix:Water	

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
1,1,1-Trichloroethane	U		0.00050	0.0050	mg/L	1	12-Mar-2020 15:51
1,1,2,2-Tetrachloroethane	U		0.00050	0.0050	mg/L	1	12-Mar-2020 15:51
1,1,2-Trichloroethane	U		0.00050	0.0050	mg/L	1	12-Mar-2020 15:51
1,1-Dichloroethane	U		0.00040	0.0050	mg/L	1	12-Mar-2020 15:51
1,1-Dichloroethene	U		0.00050	0.0050	mg/L	1	12-Mar-2020 15:51
1,2-Dichloroethane	U		0.00050	0.0050	mg/L	1	12-Mar-2020 15:51
1,2-Dichloropropane	U		0.00070	0.0050	mg/L	1	12-Mar-2020 15:51
2-Butanone	U		0.0010	0.010	mg/L	1	12-Mar-2020 15:51
2-Hexanone	U		0.0010	0.010	mg/L	1	12-Mar-2020 15:51
4-Methyl-2-pentanone	U		0.0010	0.010	mg/L	1	12-Mar-2020 15:51
Acetone	U		0.0020	0.010	mg/L	1	12-Mar-2020 15:51
Allyl Chloride	U		0.0030	0.010	mg/L	1	12-Mar-2020 15:51
Benzene	**0.00083**	J	**0.00060**	**0.0050**	**mg/L**	1	12-Mar-2020 15:51
Bromodichloromethane	U		0.00060	0.0050	mg/L	1	12-Mar-2020 15:51
Bromoform	U		0.00050	0.0050	mg/L	1	12-Mar-2020 15:51
Bromomethane	U		0.00050	0.0050	mg/L	1	12-Mar-2020 15:51
Carbon disulfide	U		0.00090	0.010	mg/L	1	12-Mar-2020 15:51
Carbon tetrachloride	U		0.00060	0.0050	mg/L	1	12-Mar-2020 15:51
Chlorobenzene	U		0.00040	0.0050	mg/L	1	12-Mar-2020 15:51
Chloroethane	U		0.00050	0.0050	mg/L	1	12-Mar-2020 15:51
Chloroform	U		0.00060	0.0050	mg/L	1	12-Mar-2020 15:51
Chloromethane	U		0.00050	0.0050	mg/L	1	12-Mar-2020 15:51
cis-1,2-Dichloroethene	U		0.00060	0.0050	mg/L	1	12-Mar-2020 15:51
cis-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	12-Mar-2020 15:51
Dibromochloromethane	U		0.00050	0.0050	mg/L	1	12-Mar-2020 15:51
Ethylbenzene	U		0.00050	0.0050	mg/L	1	12-Mar-2020 15:51
m,p-Xylene	U		0.00060	0.010	mg/L	1	12-Mar-2020 15:51
Methyl tert-butyl ether	U		0.00060	0.0050	mg/L	1	12-Mar-2020 15:51
Methylene chloride	U		0.0010	0.010	mg/L	1	12-Mar-2020 15:51
Naphthalene	U		0.00070	0.0050	mg/L	1	12-Mar-2020 15:51
o-Xylene	U		0.00050	0.0050	mg/L	1	12-Mar-2020 15:51
Styrene	U		0.00050	0.0050	mg/L	1	12-Mar-2020 15:51
Tert-butyl alcohol	**1.6**		**0.020**	**0.10**	**mg/L**	1	12-Mar-2020 15:51
Tetrachloroethene	U		0.00060	0.0050	mg/L	1	12-Mar-2020 15:51
Toluene	U		0.00050	0.0050	mg/L	1	12-Mar-2020 15:51
trans-1,2-Dichloroethene	U		0.00040	0.0050	mg/L	1	12-Mar-2020 15:51
trans-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	12-Mar-2020 15:51
Trichloroethene	U		0.00050	0.0050	mg/L	1	12-Mar-2020 15:51
Vinyl chloride	U		0.00040	0.0020	mg/L	1	12-Mar-2020 15:51

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**
Project:	FLTG French Limited	WorkOrder:HS20030296
Sample ID:	INT-026	Lab ID:HS20030296-35
Collection Date:	04-Mar-2020 14:38	Matrix:Water

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
Xylenes, Total		U	0.00050	0.0050	mg/L	1	12-Mar-2020 15:51
Surr: 1,2-Dichloroethane-d4	*88.1*			*70-126*	*%REC*	*1*	*12-Mar-2020 15:51*
Surr: 4-Bromofluorobenzene	*97.6*			*82-124*	*%REC*	*1*	*12-Mar-2020 15:51*
Surr: Dibromofluoromethane	*89.3*			*77-123*	*%REC*	*1*	*12-Mar-2020 15:51*
Surr: Toluene-d8	*106*			*82-127*	*%REC*	*1*	*12-Mar-2020 15:51*

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**	
Project:	FLTG French Limited	WorkOrder:HS20030296	
Sample ID:	INT-059-P-2	Lab ID:HS20030296-36	
Collection Date:	05-Mar-2020 11:38	Matrix:Water	

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
1,1,1-Trichloroethane	U		0.00050	0.0050	mg/L	1	12-Mar-2020 18:15
1,1,2,2-Tetrachloroethane	U		0.00050	0.0050	mg/L	1	12-Mar-2020 18:15
1,1,2-Trichloroethane	U		0.00050	0.0050	mg/L	1	12-Mar-2020 18:15
1,1-Dichloroethane	U		0.00040	0.0050	mg/L	1	12-Mar-2020 18:15
1,1-Dichloroethene	U		0.00050	0.0050	mg/L	1	12-Mar-2020 18:15
1,2-Dichloroethane	U		0.00050	0.0050	mg/L	1	12-Mar-2020 18:15
1,2-Dichloropropane	U		0.00070	0.0050	mg/L	1	12-Mar-2020 18:15
2-Butanone	U		0.0010	0.010	mg/L	1	12-Mar-2020 18:15
2-Hexanone	U		0.0010	0.010	mg/L	1	12-Mar-2020 18:15
4-Methyl-2-pentanone	U		0.0010	0.010	mg/L	1	12-Mar-2020 18:15
Acetone	U		0.0020	0.010	mg/L	1	12-Mar-2020 18:15
Allyl Chloride	U		0.0030	0.010	mg/L	1	12-Mar-2020 18:15
Benzene	U		0.00060	0.0050	mg/L	1	12-Mar-2020 18:15
Bromodichloromethane	U		0.00060	0.0050	mg/L	1	12-Mar-2020 18:15
Bromoform	U		0.00050	0.0050	mg/L	1	12-Mar-2020 18:15
Bromomethane	U		0.00050	0.0050	mg/L	1	12-Mar-2020 18:15
Carbon disulfide	U		0.00090	0.010	mg/L	1	12-Mar-2020 18:15
Carbon tetrachloride	U		0.00060	0.0050	mg/L	1	12-Mar-2020 18:15
Chlorobenzene	U		0.00040	0.0050	mg/L	1	12-Mar-2020 18:15
Chloroethane	U		0.00050	0.0050	mg/L	1	12-Mar-2020 18:15
Chloroform	U		0.00060	0.0050	mg/L	1	12-Mar-2020 18:15
Chloromethane	U		0.00050	0.0050	mg/L	1	12-Mar-2020 18:15
cis-1,2-Dichloroethene	U		0.00060	0.0050	mg/L	1	12-Mar-2020 18:15
cis-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	12-Mar-2020 18:15
Dibromochloromethane	U		0.00050	0.0050	mg/L	1	12-Mar-2020 18:15
Ethylbenzene	U		0.00050	0.0050	mg/L	1	12-Mar-2020 18:15
m,p-Xylene	U		0.00060	0.010	mg/L	1	12-Mar-2020 18:15
Methyl tert-butyl ether	**0.00082**	J	**0.00060**	**0.0050**	**mg/L**	1	12-Mar-2020 18:15
Methylene chloride	U		0.0010	0.010	mg/L	1	12-Mar-2020 18:15
Naphthalene	U		0.00070	0.0050	mg/L	1	12-Mar-2020 18:15
o-Xylene	U		0.00050	0.0050	mg/L	1	12-Mar-2020 18:15
Styrene	U		0.00050	0.0050	mg/L	1	12-Mar-2020 18:15
Tert-butyl alcohol	**1.9**		**0.020**	**0.10**	**mg/L**	1	12-Mar-2020 18:15
Tetrachloroethene	U		0.00060	0.0050	mg/L	1	12-Mar-2020 18:15
Toluene	U		0.00050	0.0050	mg/L	1	12-Mar-2020 18:15
trans-1,2-Dichloroethene	U		0.00040	0.0050	mg/L	1	12-Mar-2020 18:15
trans-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	12-Mar-2020 18:15
Trichloroethene	U		0.00050	0.0050	mg/L	1	12-Mar-2020 18:15
Vinyl chloride	U		0.00040	0.0020	mg/L	1	12-Mar-2020 18:15

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**
Project:	FLTG French Limited	WorkOrder:HS20030296
Sample ID:	INT-059-P-2	Lab ID:HS20030296-36
Collection Date:	05-Mar-2020 11:38	Matrix:Water

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
Xylenes, Total		U	0.00050	0.0050	mg/L	1	12-Mar-2020 18:15
Surr: 1,2-Dichloroethane-d4	*92.1*			*70-126*	*%REC*	*1*	*12-Mar-2020 18:15*
Surr: 4-Bromofluorobenzene	*98.3*			*82-124*	*%REC*	*1*	*12-Mar-2020 18:15*
Surr: Dibromofluoromethane	*90.6*			*77-123*	*%REC*	*1*	*12-Mar-2020 18:15*
Surr: Toluene-d8	*105*			*82-127*	*%REC*	*1*	*12-Mar-2020 18:15*
ICP-MS METALS BY SW6020A		**Method:SW6020**			Prep:SW3010A / 12-Mar-2020		Analyst: JHD
Arsenic	**0.199**		**0.000400**	**0.00200**	**mg/L**	1	12-Mar-2020 15:59
Chromium	**0.000751**	J	**0.000400**	**0.00400**	**mg/L**	1	12-Mar-2020 15:59
Lead	**0.000958**	J	**0.000600**	**0.00200**	**mg/L**	1	12-Mar-2020 15:59

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**	
Project:	FLTG French Limited	WorkOrder:HS20030296	
Sample ID:	INT-101	Lab ID:HS20030296-37	
Collection Date:	06-Mar-2020 09:25	Matrix:Water	

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
1,1,1-Trichloroethane	U		0.00050	0.0050	mg/L	1	12-Mar-2020 20:15
1,1,2,2-Tetrachloroethane	U		0.00050	0.0050	mg/L	1	12-Mar-2020 20:15
1,1,2-Trichloroethane	U		0.00050	0.0050	mg/L	1	12-Mar-2020 20:15
1,1-Dichloroethane	U		0.00040	0.0050	mg/L	1	12-Mar-2020 20:15
1,1-Dichloroethene	U		0.00050	0.0050	mg/L	1	12-Mar-2020 20:15
1,2-Dichloroethane	U		0.00050	0.0050	mg/L	1	12-Mar-2020 20:15
1,2-Dichloropropane	U		0.00070	0.0050	mg/L	1	12-Mar-2020 20:15
2-Butanone	U		0.0010	0.010	mg/L	1	12-Mar-2020 20:15
2-Hexanone	U		0.0010	0.010	mg/L	1	12-Mar-2020 20:15
4-Methyl-2-pentanone	U		0.0010	0.010	mg/L	1	12-Mar-2020 20:15
Acetone	U		0.0020	0.010	mg/L	1	12-Mar-2020 20:15
Allyl Chloride	U		0.0030	0.010	mg/L	1	12-Mar-2020 20:15
Benzene	**0.0093**		**0.00060**	**0.0050**	**mg/L**	1	12-Mar-2020 20:15
Bromodichloromethane	U		0.00060	0.0050	mg/L	1	12-Mar-2020 20:15
Bromoform	U		0.00050	0.0050	mg/L	1	12-Mar-2020 20:15
Bromomethane	U		0.00050	0.0050	mg/L	1	12-Mar-2020 20:15
Carbon disulfide	U		0.00090	0.010	mg/L	1	12-Mar-2020 20:15
Carbon tetrachloride	U		0.00060	0.0050	mg/L	1	12-Mar-2020 20:15
Chlorobenzene	U		0.00040	0.0050	mg/L	1	12-Mar-2020 20:15
Chloroethane	U		0.00050	0.0050	mg/L	1	12-Mar-2020 20:15
Chloroform	U		0.00060	0.0050	mg/L	1	12-Mar-2020 20:15
Chloromethane	U		0.00050	0.0050	mg/L	1	12-Mar-2020 20:15
cis-1,2-Dichloroethene	U		0.00060	0.0050	mg/L	1	12-Mar-2020 20:15
cis-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	12-Mar-2020 20:15
Dibromochloromethane	U		0.00050	0.0050	mg/L	1	12-Mar-2020 20:15
Ethylbenzene	U		0.00050	0.0050	mg/L	1	12-Mar-2020 20:15
m,p-Xylene	**0.00061**	J	**0.00060**	**0.010**	**mg/L**	1	12-Mar-2020 20:15
Methyl tert-butyl ether	**0.0019**	J	**0.00060**	**0.0050**	**mg/L**	1	12-Mar-2020 20:15
Methylene chloride	U		0.0010	0.010	mg/L	1	12-Mar-2020 20:15
Naphthalene	U		0.00070	0.0050	mg/L	1	12-Mar-2020 20:15
o-Xylene	U		0.00050	0.0050	mg/L	1	12-Mar-2020 20:15
Styrene	U		0.00050	0.0050	mg/L	1	12-Mar-2020 20:15
Tert-butyl alcohol	**7.7**		**0.10**	**0.50**	**mg/L**	5	14-Mar-2020 07:07
Tetrachloroethene	U		0.00060	0.0050	mg/L	1	12-Mar-2020 20:15
Toluene	U		0.00050	0.0050	mg/L	1	12-Mar-2020 20:15
trans-1,2-Dichloroethene	U		0.00040	0.0050	mg/L	1	12-Mar-2020 20:15
trans-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	12-Mar-2020 20:15
Trichloroethene	U		0.00050	0.0050	mg/L	1	12-Mar-2020 20:15
Vinyl chloride	U		0.00040	0.0020	mg/L	1	12-Mar-2020 20:15

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**
Project:	FLTG French Limited	WorkOrder:HS20030296
Sample ID:	INT-101	Lab ID:HS20030296-37
Collection Date:	06-Mar-2020 09:25	Matrix:Water

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
Xylenes, Total	**0.00061**	J	**0.00050**	**0.0050**	**mg/L**	1	12-Mar-2020 20:15
Surr: 1,2-Dichloroethane-d4	*89.3*			*70-126*	*%REC*	*1*	*12-Mar-2020 20:15*
Surr: 1,2-Dichloroethane-d4	*90.2*			*70-126*	*%REC*	*5*	*14-Mar-2020 07:07*
Surr: 4-Bromofluorobenzene	*102*			*82-124*	*%REC*	*1*	*12-Mar-2020 20:15*
Surr: 4-Bromofluorobenzene	*98.0*			*82-124*	*%REC*	*5*	*14-Mar-2020 07:07*
Surr: Dibromofluoromethane	*90.9*			*77-123*	*%REC*	*1*	*12-Mar-2020 20:15*
Surr: Dibromofluoromethane	*91.8*			*77-123*	*%REC*	*5*	*14-Mar-2020 07:07*
Surr: Toluene-d8	*106*			*82-127*	*%REC*	*1*	*12-Mar-2020 20:15*
Surr: Toluene-d8	*107*			*82-127*	*%REC*	*5*	*14-Mar-2020 07:07*
ICP-MS METALS BY SW6020A		**Method:SW6020**			Prep:SW3010A / 12-Mar-2020		Analyst: JHD
Arsenic	**0.0438**		**0.000400**	**0.00200**	**mg/L**	1	12-Mar-2020 16:01
Chromium	U		0.000400	0.00400	mg/L	1	12-Mar-2020 16:01
Lead	U		0.000600	0.00200	mg/L	1	12-Mar-2020 16:01

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**
Project:	FLTG French Limited	WorkOrder:HS20030296
Sample ID:	INT-118	Lab ID:HS20030296-38
Collection Date:	05-Mar-2020 14:45	Matrix:Water

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
1,1,1-Trichloroethane		U	0.00050	0.0050	mg/L	1	12-Mar-2020 17:51
1,1,2,2-Tetrachloroethane		U	0.00050	0.0050	mg/L	1	12-Mar-2020 17:51
1,1,2-Trichloroethane		U	0.00050	0.0050	mg/L	1	12-Mar-2020 17:51
1,1-Dichloroethane		U	0.00040	0.0050	mg/L	1	12-Mar-2020 17:51
1,1-Dichloroethene		U	0.00050	0.0050	mg/L	1	12-Mar-2020 17:51
1,2-Dichloroethane		U	0.00050	0.0050	mg/L	1	12-Mar-2020 17:51
1,2-Dichloropropane		U	0.00070	0.0050	mg/L	1	12-Mar-2020 17:51
2-Butanone		U	0.0010	0.010	mg/L	1	12-Mar-2020 17:51
2-Hexanone		U	0.0010	0.010	mg/L	1	12-Mar-2020 17:51
4-Methyl-2-pentanone		U	0.0010	0.010	mg/L	1	12-Mar-2020 17:51
Acetone		U	0.0020	0.010	mg/L	1	12-Mar-2020 17:51
Allyl Chloride		U	0.0030	0.010	mg/L	1	12-Mar-2020 17:51
Benzene		U	0.00060	0.0050	mg/L	1	12-Mar-2020 17:51
Bromodichloromethane		U	0.00060	0.0050	mg/L	1	12-Mar-2020 17:51
Bromoform		U	0.00050	0.0050	mg/L	1	12-Mar-2020 17:51
Bromomethane		U	0.00050	0.0050	mg/L	1	12-Mar-2020 17:51
Carbon disulfide		U	0.00090	0.010	mg/L	1	12-Mar-2020 17:51
Carbon tetrachloride		U	0.00060	0.0050	mg/L	1	12-Mar-2020 17:51
Chlorobenzene		U	0.00040	0.0050	mg/L	1	12-Mar-2020 17:51
Chloroethane		U	0.00050	0.0050	mg/L	1	12-Mar-2020 17:51
Chloroform		U	0.00060	0.0050	mg/L	1	12-Mar-2020 17:51
Chloromethane		U	0.00050	0.0050	mg/L	1	12-Mar-2020 17:51
cis-1,2-Dichloroethene		U	0.00060	0.0050	mg/L	1	12-Mar-2020 17:51
cis-1,3-Dichloropropene		U	0.00060	0.0050	mg/L	1	12-Mar-2020 17:51
Dibromochloromethane		U	0.00050	0.0050	mg/L	1	12-Mar-2020 17:51
Ethylbenzene		U	0.00050	0.0050	mg/L	1	12-Mar-2020 17:51
m,p-Xylene		U	0.00060	0.010	mg/L	1	12-Mar-2020 17:51
Methyl tert-butyl ether		U	0.00060	0.0050	mg/L	1	12-Mar-2020 17:51
Methylene chloride		U	0.0010	0.010	mg/L	1	12-Mar-2020 17:51
Naphthalene		U	0.00070	0.0050	mg/L	1	12-Mar-2020 17:51
o-Xylene		U	0.00050	0.0050	mg/L	1	12-Mar-2020 17:51
Styrene		U	0.00050	0.0050	mg/L	1	12-Mar-2020 17:51
Tert-butyl alcohol		U	0.020	0.10	mg/L	1	12-Mar-2020 17:51
Tetrachloroethene		U	0.00060	0.0050	mg/L	1	12-Mar-2020 17:51
Toluene		U	0.00050	0.0050	mg/L	1	12-Mar-2020 17:51
trans-1,2-Dichloroethene		U	0.00040	0.0050	mg/L	1	12-Mar-2020 17:51
trans-1,3-Dichloropropene		U	0.00060	0.0050	mg/L	1	12-Mar-2020 17:51
Trichloroethene		U	0.00050	0.0050	mg/L	1	12-Mar-2020 17:51
Vinyl chloride		U	0.00040	0.0020	mg/L	1	12-Mar-2020 17:51

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**
Project:	FLTG French Limited	WorkOrder:HS20030296
Sample ID:	INT-118	Lab ID:HS20030296-38
Collection Date:	05-Mar-2020 14:45	Matrix:Water

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
Xylenes, Total	U		0.00050	0.0050	mg/L	1	12-Mar-2020 17:51
Surr: 1,2-Dichloroethane-d4	*90.5*			*70-126*	*%REC*	*1*	*12-Mar-2020 17:51*
Surr: 4-Bromofluorobenzene	*99.0*			*82-124*	*%REC*	*1*	*12-Mar-2020 17:51*
Surr: Dibromofluoromethane	*92.7*			*77-123*	*%REC*	*1*	*12-Mar-2020 17:51*
Surr: Toluene-d8	*109*			*82-127*	*%REC*	*1*	*12-Mar-2020 17:51*
ICP-MS METALS BY SW6020A		**Method:SW6020**			Prep:SW3010A / 12-Mar-2020		Analyst: JHD
Arsenic	**0.00133**	J	**0.000400**	**0.00200**	**mg/L**	1	12-Mar-2020 16:13
Chromium	**0.000750**	J	**0.000400**	**0.00400**	**mg/L**	1	12-Mar-2020 16:13
Lead	U		0.000600	0.00200	mg/L	1	12-Mar-2020 16:13

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**	
Project:	FLTG French Limited	WorkOrder:HS20030296	
Sample ID:	INT-134	Lab ID:HS20030296-39	
Collection Date:	05-Mar-2020 10:55	Matrix:Water	

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
1,1,1-Trichloroethane	U		0.00050	0.0050	mg/L	1	12-Mar-2020 20:40
1,1,2,2-Tetrachloroethane	U		0.00050	0.0050	mg/L	1	12-Mar-2020 20:40
1,1,2-Trichloroethane	U		0.00050	0.0050	mg/L	1	12-Mar-2020 20:40
1,1-Dichloroethane	**0.0089**		**0.00040**	**0.0050**	**mg/L**	1	12-Mar-2020 20:40
1,1-Dichloroethene	U		0.00050	0.0050	mg/L	1	12-Mar-2020 20:40
1,2-Dichloroethane	**0.013**		**0.00050**	**0.0050**	**mg/L**	1	12-Mar-2020 20:40
1,2-Dichloropropane	U		0.00070	0.0050	mg/L	1	12-Mar-2020 20:40
2-Butanone	U		0.0010	0.010	mg/L	1	12-Mar-2020 20:40
2-Hexanone	U		0.0010	0.010	mg/L	1	12-Mar-2020 20:40
4-Methyl-2-pentanone	U		0.0010	0.010	mg/L	1	12-Mar-2020 20:40
Acetone	U		0.0020	0.010	mg/L	1	12-Mar-2020 20:40
Allyl Chloride	U		0.0030	0.010	mg/L	1	12-Mar-2020 20:40
Benzene	**0.00088**	J	**0.00060**	**0.0050**	**mg/L**	1	12-Mar-2020 20:40
Bromodichloromethane	U		0.00060	0.0050	mg/L	1	12-Mar-2020 20:40
Bromoform	U		0.00050	0.0050	mg/L	1	12-Mar-2020 20:40
Bromomethane	U		0.00050	0.0050	mg/L	1	12-Mar-2020 20:40
Carbon disulfide	U		0.00090	0.010	mg/L	1	12-Mar-2020 20:40
Carbon tetrachloride	U		0.00060	0.0050	mg/L	1	12-Mar-2020 20:40
Chlorobenzene	U		0.00040	0.0050	mg/L	1	12-Mar-2020 20:40
Chloroethane	U		0.00050	0.0050	mg/L	1	12-Mar-2020 20:40
Chloroform	**0.00062**	J	**0.00060**	**0.0050**	**mg/L**	1	12-Mar-2020 20:40
Chloromethane	U		0.00050	0.0050	mg/L	1	12-Mar-2020 20:40
cis-1,2-Dichloroethene	**0.0014**	J	**0.00060**	**0.0050**	**mg/L**	1	12-Mar-2020 20:40
cis-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	12-Mar-2020 20:40
Dibromochloromethane	U		0.00050	0.0050	mg/L	1	12-Mar-2020 20:40
Ethylbenzene	U		0.00050	0.0050	mg/L	1	12-Mar-2020 20:40
m,p-Xylene	U		0.00060	0.010	mg/L	1	12-Mar-2020 20:40
Methyl tert-butyl ether	U		0.00060	0.0050	mg/L	1	12-Mar-2020 20:40
Methylene chloride	U		0.0010	0.010	mg/L	1	12-Mar-2020 20:40
Naphthalene	U		0.00070	0.0050	mg/L	1	12-Mar-2020 20:40
o-Xylene	U		0.00050	0.0050	mg/L	1	12-Mar-2020 20:40
Styrene	U		0.00050	0.0050	mg/L	1	12-Mar-2020 20:40
Tert-butyl alcohol	**7.3**		**0.10**	**0.50**	**mg/L**	5	14-Mar-2020 01:54
Tetrachloroethene	U		0.00060	0.0050	mg/L	1	12-Mar-2020 20:40
Toluene	U		0.00050	0.0050	mg/L	1	12-Mar-2020 20:40
trans-1,2-Dichloroethene	**0.0047**	J	**0.00040**	**0.0050**	**mg/L**	1	12-Mar-2020 20:40
trans-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	12-Mar-2020 20:40
Trichloroethene	U		0.00050	0.0050	mg/L	1	12-Mar-2020 20:40
Vinyl chloride	**0.020**		**0.00040**	**0.0020**	**mg/L**	1	12-Mar-2020 20:40

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**
Project:	FLTG French Limited	WorkOrder:HS20030296
Sample ID:	INT-134	Lab ID:HS20030296-39
Collection Date:	05-Mar-2020 10:55	Matrix:Water

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
Xylenes, Total		U	0.00050	0.0050	mg/L	1	12-Mar-2020 20:40
Surr: 1,2-Dichloroethane-d4	*92.5*			*70-126*	*%REC*	*1*	*12-Mar-2020 20:40*
Surr: 1,2-Dichloroethane-d4	*91.2*			*70-126*	*%REC*	*5*	*14-Mar-2020 01:54*
Surr: 4-Bromofluorobenzene	*97.4*			*82-124*	*%REC*	*1*	*12-Mar-2020 20:40*
Surr: 4-Bromofluorobenzene	*99.9*			*82-124*	*%REC*	*5*	*14-Mar-2020 01:54*
Surr: Dibromofluoromethane	*91.8*			*77-123*	*%REC*	*1*	*12-Mar-2020 20:40*
Surr: Dibromofluoromethane	*91.2*			*77-123*	*%REC*	*5*	*14-Mar-2020 01:54*
Surr: Toluene-d8	*107*			*82-127*	*%REC*	*1*	*12-Mar-2020 20:40*
Surr: Toluene-d8	*106*			*82-127*	*%REC*	*5*	*14-Mar-2020 01:54*

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**
Project:	FLTG French Limited	WorkOrder:HS20030296
Sample ID:	INT-135	Lab ID:HS20030296-40
Collection Date:	05-Mar-2020 12:05	Matrix:Water

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
1,1,1-Trichloroethane	U		0.00050	0.0050	mg/L	1	12-Mar-2020 21:04
1,1,2,2-Tetrachloroethane	U		0.00050	0.0050	mg/L	1	12-Mar-2020 21:04
1,1,2-Trichloroethane	U		0.00050	0.0050	mg/L	1	12-Mar-2020 21:04
1,1-Dichloroethane	U		0.00040	0.0050	mg/L	1	12-Mar-2020 21:04
1,1-Dichloroethene	U		0.00050	0.0050	mg/L	1	12-Mar-2020 21:04
1,2-Dichloroethane	U		0.00050	0.0050	mg/L	1	12-Mar-2020 21:04
1,2-Dichloropropane	U		0.00070	0.0050	mg/L	1	12-Mar-2020 21:04
2-Butanone	U		0.0010	0.010	mg/L	1	12-Mar-2020 21:04
2-Hexanone	U		0.0010	0.010	mg/L	1	12-Mar-2020 21:04
4-Methyl-2-pentanone	U		0.0010	0.010	mg/L	1	12-Mar-2020 21:04
Acetone	U		0.0020	0.010	mg/L	1	12-Mar-2020 21:04
Allyl Chloride	U		0.0030	0.010	mg/L	1	12-Mar-2020 21:04
Benzene	U		0.00060	0.0050	mg/L	1	12-Mar-2020 21:04
Bromodichloromethane	U		0.00060	0.0050	mg/L	1	12-Mar-2020 21:04
Bromoform	U		0.00050	0.0050	mg/L	1	12-Mar-2020 21:04
Bromomethane	U		0.00050	0.0050	mg/L	1	12-Mar-2020 21:04
Carbon disulfide	U		0.00090	0.010	mg/L	1	12-Mar-2020 21:04
Carbon tetrachloride	U		0.00060	0.0050	mg/L	1	12-Mar-2020 21:04
Chlorobenzene	U		0.00040	0.0050	mg/L	1	12-Mar-2020 21:04
Chloroethane	U		0.00050	0.0050	mg/L	1	12-Mar-2020 21:04
Chloroform	U		0.00060	0.0050	mg/L	1	12-Mar-2020 21:04
Chloromethane	U		0.00050	0.0050	mg/L	1	12-Mar-2020 21:04
cis-1,2-Dichloroethene	U		0.00060	0.0050	mg/L	1	12-Mar-2020 21:04
cis-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	12-Mar-2020 21:04
Dibromochloromethane	U		0.00050	0.0050	mg/L	1	12-Mar-2020 21:04
Ethylbenzene	U		0.00050	0.0050	mg/L	1	12-Mar-2020 21:04
m,p-Xylene	U		0.00060	0.010	mg/L	1	12-Mar-2020 21:04
Methyl tert-butyl ether	U		0.00060	0.0050	mg/L	1	12-Mar-2020 21:04
Methylene chloride	U		0.0010	0.010	mg/L	1	12-Mar-2020 21:04
Naphthalene	U		0.00070	0.0050	mg/L	1	12-Mar-2020 21:04
o-Xylene	U		0.00050	0.0050	mg/L	1	12-Mar-2020 21:04
Styrene	U		0.00050	0.0050	mg/L	1	12-Mar-2020 21:04
Tert-butyl alcohol	**0.066**	J	**0.020**	**0.10**	**mg/L**	1	12-Mar-2020 21:04
Tetrachloroethene	U		0.00060	0.0050	mg/L	1	12-Mar-2020 21:04
Toluene	U		0.00050	0.0050	mg/L	1	12-Mar-2020 21:04
trans-1,2-Dichloroethene	U		0.00040	0.0050	mg/L	1	12-Mar-2020 21:04
trans-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	12-Mar-2020 21:04
Trichloroethene	U		0.00050	0.0050	mg/L	1	12-Mar-2020 21:04
Vinyl chloride	U		0.00040	0.0020	mg/L	1	12-Mar-2020 21:04

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**
Project:	FLTG French Limited	WorkOrder:HS20030296
Sample ID:	INT-135	Lab ID:HS20030296-40
Collection Date:	05-Mar-2020 12:05	Matrix:Water

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
Xylenes, Total		U	0.00050	0.0050	mg/L	1	12-Mar-2020 21:04
Surr: 1,2-Dichloroethane-d4	*90.8*			*70-126*	*%REC*	*1*	*12-Mar-2020 21:04*
Surr: 4-Bromofluorobenzene	*98.5*			*82-124*	*%REC*	*1*	*12-Mar-2020 21:04*
Surr: Dibromofluoromethane	*91.2*			*77-123*	*%REC*	*1*	*12-Mar-2020 21:04*
Surr: Toluene-d8	*109*			*82-127*	*%REC*	*1*	*12-Mar-2020 21:04*
ICP-MS METALS BY SW6020A		**Method:SW6020**			Prep:SW3010A / 12-Mar-2020		Analyst: JHD
Arsenic	**0.00541**		**0.000400**	**0.00200**	**mg/L**	1	12-Mar-2020 16:23
Chromium		U	0.000400	0.00400	mg/L	1	12-Mar-2020 16:23
Lead		U	0.000600	0.00200	mg/L	1	12-Mar-2020 16:23

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**
Project:	FLTG French Limited	WorkOrder:HS20030296
Sample ID:	INT-144	Lab ID:HS20030296-41
Collection Date:	05-Mar-2020 13:50	Matrix:Water

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
1,1,1-Trichloroethane	U		0.00050	0.0050	mg/L	1	12-Mar-2020 19:03
1,1,2,2-Tetrachloroethane	U		0.00050	0.0050	mg/L	1	12-Mar-2020 19:03
1,1,2-Trichloroethane	U		0.00050	0.0050	mg/L	1	12-Mar-2020 19:03
1,1-Dichloroethane	U		0.00040	0.0050	mg/L	1	12-Mar-2020 19:03
1,1-Dichloroethene	U		0.00050	0.0050	mg/L	1	12-Mar-2020 19:03
1,2-Dichloroethane	**0.00069**	J	**0.00050**	**0.0050**	**mg/L**	1	12-Mar-2020 19:03
1,2-Dichloropropane	U		0.00070	0.0050	mg/L	1	12-Mar-2020 19:03
2-Butanone	U		0.0010	0.010	mg/L	1	12-Mar-2020 19:03
2-Hexanone	U		0.0010	0.010	mg/L	1	12-Mar-2020 19:03
4-Methyl-2-pentanone	U		0.0010	0.010	mg/L	1	12-Mar-2020 19:03
Acetone	U		0.0020	0.010	mg/L	1	12-Mar-2020 19:03
Allyl Chloride	U		0.0030	0.010	mg/L	1	12-Mar-2020 19:03
Benzene	U		0.00060	0.0050	mg/L	1	12-Mar-2020 19:03
Bromodichloromethane	U		0.00060	0.0050	mg/L	1	12-Mar-2020 19:03
Bromoform	U		0.00050	0.0050	mg/L	1	12-Mar-2020 19:03
Bromomethane	U		0.00050	0.0050	mg/L	1	12-Mar-2020 19:03
Carbon disulfide	U		0.00090	0.010	mg/L	1	12-Mar-2020 19:03
Carbon tetrachloride	U		0.00060	0.0050	mg/L	1	12-Mar-2020 19:03
Chlorobenzene	U		0.00040	0.0050	mg/L	1	12-Mar-2020 19:03
Chloroethane	U		0.00050	0.0050	mg/L	1	12-Mar-2020 19:03
Chloroform	U		0.00060	0.0050	mg/L	1	12-Mar-2020 19:03
Chloromethane	U		0.00050	0.0050	mg/L	1	12-Mar-2020 19:03
cis-1,2-Dichloroethene	U		0.00060	0.0050	mg/L	1	12-Mar-2020 19:03
cis-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	12-Mar-2020 19:03
Dibromochloromethane	U		0.00050	0.0050	mg/L	1	12-Mar-2020 19:03
Ethylbenzene	U		0.00050	0.0050	mg/L	1	12-Mar-2020 19:03
m,p-Xylene	U		0.00060	0.010	mg/L	1	12-Mar-2020 19:03
Methyl tert-butyl ether	U		0.00060	0.0050	mg/L	1	12-Mar-2020 19:03
Methylene chloride	U		0.0010	0.010	mg/L	1	12-Mar-2020 19:03
Naphthalene	U		0.00070	0.0050	mg/L	1	12-Mar-2020 19:03
o-Xylene	U		0.00050	0.0050	mg/L	1	12-Mar-2020 19:03
Styrene	U		0.00050	0.0050	mg/L	1	12-Mar-2020 19:03
Tert-butyl alcohol	**0.027**	J	**0.020**	**0.10**	**mg/L**	1	12-Mar-2020 19:03
Tetrachloroethene	U		0.00060	0.0050	mg/L	1	12-Mar-2020 19:03
Toluene	U		0.00050	0.0050	mg/L	1	12-Mar-2020 19:03
trans-1,2-Dichloroethene	U		0.00040	0.0050	mg/L	1	12-Mar-2020 19:03
trans-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	12-Mar-2020 19:03
Trichloroethene	U		0.00050	0.0050	mg/L	1	12-Mar-2020 19:03
Vinyl chloride	**0.00055**	J	**0.00040**	**0.0020**	**mg/L**	1	12-Mar-2020 19:03

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**
Project:	FLTG French Limited	WorkOrder:HS20030296
Sample ID:	INT-144	Lab ID:HS20030296-41
Collection Date:	05-Mar-2020 13:50	Matrix:Water

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
Xylenes, Total		U	0.00050	0.0050	mg/L	1	12-Mar-2020 19:03
Surr: 1,2-Dichloroethane-d4	*90.3*			*70-126*	*%REC*	*1*	*12-Mar-2020 19:03*
Surr: 4-Bromofluorobenzene	*97.5*			*82-124*	*%REC*	*1*	*12-Mar-2020 19:03*
Surr: Dibromofluoromethane	*92.2*			*77-123*	*%REC*	*1*	*12-Mar-2020 19:03*
Surr: Toluene-d8	*108*			*82-127*	*%REC*	*1*	*12-Mar-2020 19:03*
ICP-MS METALS BY SW6020A		**Method:SW6020**			Prep:SW3010A / 12-Mar-2020		Analyst: JHD
Arsenic	**0.00386**		**0.000400**	**0.00200**	**mg/L**	1	12-Mar-2020 16:25
Chromium		U	0.000400	0.00400	mg/L	1	12-Mar-2020 16:25
Lead		U	0.000600	0.00200	mg/L	1	12-Mar-2020 16:25

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**	
Project:	FLTG French Limited	WorkOrder:HS20030296	
Sample ID:	INT-150	Lab ID:HS20030296-42	
Collection Date:	05-Mar-2020 08:40	Matrix:Water	

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
1,1,1-Trichloroethane	U		0.00050	0.0050	mg/L	1	12-Mar-2020 21:28
1,1,2,2-Tetrachloroethane	U		0.00050	0.0050	mg/L	1	12-Mar-2020 21:28
1,1,2-Trichloroethane	U		0.00050	0.0050	mg/L	1	12-Mar-2020 21:28
1,1-Dichloroethane	U		0.00040	0.0050	mg/L	1	12-Mar-2020 21:28
1,1-Dichloroethene	U		0.00050	0.0050	mg/L	1	12-Mar-2020 21:28
1,2-Dichloroethane	U		0.00050	0.0050	mg/L	1	12-Mar-2020 21:28
1,2-Dichloropropane	U		0.00070	0.0050	mg/L	1	12-Mar-2020 21:28
2-Butanone	U		0.0010	0.010	mg/L	1	12-Mar-2020 21:28
2-Hexanone	U		0.0010	0.010	mg/L	1	12-Mar-2020 21:28
4-Methyl-2-pentanone	U		0.0010	0.010	mg/L	1	12-Mar-2020 21:28
Acetone	U		0.0020	0.010	mg/L	1	12-Mar-2020 21:28
Allyl Chloride	U		0.0030	0.010	mg/L	1	12-Mar-2020 21:28
Benzene	**0.0012**	J	**0.00060**	**0.0050**	**mg/L**	1	12-Mar-2020 21:28
Bromodichloromethane	U		0.00060	0.0050	mg/L	1	12-Mar-2020 21:28
Bromoform	U		0.00050	0.0050	mg/L	1	12-Mar-2020 21:28
Bromomethane	U		0.00050	0.0050	mg/L	1	12-Mar-2020 21:28
Carbon disulfide	U		0.00090	0.010	mg/L	1	12-Mar-2020 21:28
Carbon tetrachloride	U		0.00060	0.0050	mg/L	1	12-Mar-2020 21:28
Chlorobenzene	U		0.00040	0.0050	mg/L	1	12-Mar-2020 21:28
Chloroethane	U		0.00050	0.0050	mg/L	1	12-Mar-2020 21:28
Chloroform	U		0.00060	0.0050	mg/L	1	12-Mar-2020 21:28
Chloromethane	U		0.00050	0.0050	mg/L	1	12-Mar-2020 21:28
cis-1,2-Dichloroethene	U		0.00060	0.0050	mg/L	1	12-Mar-2020 21:28
cis-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	12-Mar-2020 21:28
Dibromochloromethane	U		0.00050	0.0050	mg/L	1	12-Mar-2020 21:28
Ethylbenzene	U		0.00050	0.0050	mg/L	1	12-Mar-2020 21:28
m,p-Xylene	U		0.00060	0.010	mg/L	1	12-Mar-2020 21:28
Methyl tert-butyl ether	U		0.00060	0.0050	mg/L	1	12-Mar-2020 21:28
Methylene chloride	U		0.0010	0.010	mg/L	1	12-Mar-2020 21:28
Naphthalene	U		0.00070	0.0050	mg/L	1	12-Mar-2020 21:28
o-Xylene	U		0.00050	0.0050	mg/L	1	12-Mar-2020 21:28
Styrene	U		0.00050	0.0050	mg/L	1	12-Mar-2020 21:28
Tert-butyl alcohol	**1.7**		**0.020**	**0.10**	**mg/L**	1	12-Mar-2020 21:28
Tetrachloroethene	U		0.00060	0.0050	mg/L	1	12-Mar-2020 21:28
Toluene	U		0.00050	0.0050	mg/L	1	12-Mar-2020 21:28
trans-1,2-Dichloroethene	U		0.00040	0.0050	mg/L	1	12-Mar-2020 21:28
trans-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	12-Mar-2020 21:28
Trichloroethene	U		0.00050	0.0050	mg/L	1	12-Mar-2020 21:28
Vinyl chloride	U		0.00040	0.0020	mg/L	1	12-Mar-2020 21:28

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

ANALYTICAL REPORT

Client: Environmental Resources Management
Project: FLTG French Limited
Sample ID: INT-150
Collection Date: 05-Mar-2020 08:40

WorkOrder:HS20030296
Lab ID:HS20030296-42
Matrix:Water

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
Xylenes, Total		U	0.00050	0.0050	mg/L	1	12-Mar-2020 21:28
Surr: 1,2-Dichloroethane-d4	*90.0*			*70-126*	*%REC*	*1*	*12-Mar-2020 21:28*
Surr: 4-Bromofluorobenzene	*98.1*			*82-124*	*%REC*	*1*	*12-Mar-2020 21:28*
Surr: Dibromofluoromethane	*91.1*			*77-123*	*%REC*	*1*	*12-Mar-2020 21:28*
Surr: Toluene-d8	*108*			*82-127*	*%REC*	*1*	*12-Mar-2020 21:28*

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**
Project:	FLTG French Limited	WorkOrder:HS20030296
Sample ID:	INT-162	Lab ID:HS20030296-43
Collection Date:	06-Mar-2020 08:53	Matrix:Water

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
1,1,1-Trichloroethane	U		0.00050	0.0050	mg/L	1	12-Mar-2020 19:27
1,1,2,2-Tetrachloroethane	U		0.00050	0.0050	mg/L	1	12-Mar-2020 19:27
1,1,2-Trichloroethane	U		0.00050	0.0050	mg/L	1	12-Mar-2020 19:27
1,1-Dichloroethane	**0.00060**	J	**0.00040**	**0.0050**	**mg/L**	1	12-Mar-2020 19:27
1,1-Dichloroethene	U		0.00050	0.0050	mg/L	1	12-Mar-2020 19:27
1,2-Dichloroethane	**0.00060**	J	**0.00050**	**0.0050**	**mg/L**	1	12-Mar-2020 19:27
1,2-Dichloropropane	U		0.00070	0.0050	mg/L	1	12-Mar-2020 19:27
2-Butanone	U		0.0010	0.010	mg/L	1	12-Mar-2020 19:27
2-Hexanone	U		0.0010	0.010	mg/L	1	12-Mar-2020 19:27
4-Methyl-2-pentanone	U		0.0010	0.010	mg/L	1	12-Mar-2020 19:27
Acetone	U		0.0020	0.010	mg/L	1	12-Mar-2020 19:27
Allyl Chloride	U		0.0030	0.010	mg/L	1	12-Mar-2020 19:27
Benzene	U		0.00060	0.0050	mg/L	1	12-Mar-2020 19:27
Bromodichloromethane	U		0.00060	0.0050	mg/L	1	12-Mar-2020 19:27
Bromoform	U		0.00050	0.0050	mg/L	1	12-Mar-2020 19:27
Bromomethane	U		0.00050	0.0050	mg/L	1	12-Mar-2020 19:27
Carbon disulfide	U		0.00090	0.010	mg/L	1	12-Mar-2020 19:27
Carbon tetrachloride	U		0.00060	0.0050	mg/L	1	12-Mar-2020 19:27
Chlorobenzene	U		0.00040	0.0050	mg/L	1	12-Mar-2020 19:27
Chloroethane	U		0.00050	0.0050	mg/L	1	12-Mar-2020 19:27
Chloroform	U		0.00060	0.0050	mg/L	1	12-Mar-2020 19:27
Chloromethane	U		0.00050	0.0050	mg/L	1	12-Mar-2020 19:27
cis-1,2-Dichloroethene	U		0.00060	0.0050	mg/L	1	12-Mar-2020 19:27
cis-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	12-Mar-2020 19:27
Dibromochloromethane	U		0.00050	0.0050	mg/L	1	12-Mar-2020 19:27
Ethylbenzene	U		0.00050	0.0050	mg/L	1	12-Mar-2020 19:27
m,p-Xylene	U		0.00060	0.010	mg/L	1	12-Mar-2020 19:27
Methyl tert-butyl ether	U		0.00060	0.0050	mg/L	1	12-Mar-2020 19:27
Methylene chloride	U		0.0010	0.010	mg/L	1	12-Mar-2020 19:27
Naphthalene	U		0.00070	0.0050	mg/L	1	12-Mar-2020 19:27
o-Xylene	U		0.00050	0.0050	mg/L	1	12-Mar-2020 19:27
Styrene	U		0.00050	0.0050	mg/L	1	12-Mar-2020 19:27
Tert-butyl alcohol	**0.47**		**0.020**	**0.10**	**mg/L**	1	12-Mar-2020 19:27
Tetrachloroethene	U		0.00060	0.0050	mg/L	1	12-Mar-2020 19:27
Toluene	U		0.00050	0.0050	mg/L	1	12-Mar-2020 19:27
trans-1,2-Dichloroethene	U		0.00040	0.0050	mg/L	1	12-Mar-2020 19:27
trans-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	12-Mar-2020 19:27
Trichloroethene	U		0.00050	0.0050	mg/L	1	12-Mar-2020 19:27
Vinyl chloride	**0.00096**	J	**0.00040**	**0.0020**	**mg/L**	1	12-Mar-2020 19:27

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**
Project:	FLTG French Limited	WorkOrder:HS20030296
Sample ID:	INT-162	Lab ID:HS20030296-43
Collection Date:	06-Mar-2020 08:53	Matrix:Water

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
Xylenes, Total		U	0.00050	0.0050	mg/L	1	12-Mar-2020 19:27
Surr: 1,2-Dichloroethane-d4	*89.9*			*70-126*	*%REC*	*1*	*12-Mar-2020 19:27*
Surr: 4-Bromofluorobenzene	*101*			*82-124*	*%REC*	*1*	*12-Mar-2020 19:27*
Surr: Dibromofluoromethane	*90.9*			*77-123*	*%REC*	*1*	*12-Mar-2020 19:27*
Surr: Toluene-d8	*106*			*82-127*	*%REC*	*1*	*12-Mar-2020 19:27*

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**	
Project:	FLTG French Limited	WorkOrder:HS20030296	
Sample ID:	INT-214	Lab ID:HS20030296-44	
Collection Date:	04-Mar-2020 14:55	Matrix:Water	

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
1,1,1-Trichloroethane	U		0.00050	0.0050	mg/L	1	12-Mar-2020 19:51
1,1,2,2-Tetrachloroethane	U		0.00050	0.0050	mg/L	1	12-Mar-2020 19:51
1,1,2-Trichloroethane	U		0.00050	0.0050	mg/L	1	12-Mar-2020 19:51
1,1-Dichloroethane	U		0.00040	0.0050	mg/L	1	12-Mar-2020 19:51
1,1-Dichloroethene	U		0.00050	0.0050	mg/L	1	12-Mar-2020 19:51
1,2-Dichloroethane	U		0.00050	0.0050	mg/L	1	12-Mar-2020 19:51
1,2-Dichloropropane	U		0.00070	0.0050	mg/L	1	12-Mar-2020 19:51
2-Butanone	U		0.0010	0.010	mg/L	1	12-Mar-2020 19:51
2-Hexanone	U		0.0010	0.010	mg/L	1	12-Mar-2020 19:51
4-Methyl-2-pentanone	U		0.0010	0.010	mg/L	1	12-Mar-2020 19:51
Acetone	U		0.0020	0.010	mg/L	1	12-Mar-2020 19:51
Allyl Chloride	U		0.0030	0.010	mg/L	1	12-Mar-2020 19:51
Benzene	U		0.00060	0.0050	mg/L	1	12-Mar-2020 19:51
Bromodichloromethane	U		0.00060	0.0050	mg/L	1	12-Mar-2020 19:51
Bromoform	U		0.00050	0.0050	mg/L	1	12-Mar-2020 19:51
Bromomethane	U		0.00050	0.0050	mg/L	1	12-Mar-2020 19:51
Carbon disulfide	U		0.00090	0.010	mg/L	1	12-Mar-2020 19:51
Carbon tetrachloride	U		0.00060	0.0050	mg/L	1	12-Mar-2020 19:51
Chlorobenzene	U		0.00040	0.0050	mg/L	1	12-Mar-2020 19:51
Chloroethane	U		0.00050	0.0050	mg/L	1	12-Mar-2020 19:51
Chloroform	U		0.00060	0.0050	mg/L	1	12-Mar-2020 19:51
Chloromethane	U		0.00050	0.0050	mg/L	1	12-Mar-2020 19:51
cis-1,2-Dichloroethene	U		0.00060	0.0050	mg/L	1	12-Mar-2020 19:51
cis-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	12-Mar-2020 19:51
Dibromochloromethane	U		0.00050	0.0050	mg/L	1	12-Mar-2020 19:51
Ethylbenzene	U		0.00050	0.0050	mg/L	1	12-Mar-2020 19:51
m,p-Xylene	U		0.00060	0.010	mg/L	1	12-Mar-2020 19:51
Methyl tert-butyl ether	U		0.00060	0.0050	mg/L	1	12-Mar-2020 19:51
Methylene chloride	U		0.0010	0.010	mg/L	1	12-Mar-2020 19:51
Naphthalene	U		0.00070	0.0050	mg/L	1	12-Mar-2020 19:51
o-Xylene	U		0.00050	0.0050	mg/L	1	12-Mar-2020 19:51
Styrene	U		0.00050	0.0050	mg/L	1	12-Mar-2020 19:51
Tert-butyl alcohol	**0.053**	J	**0.020**	**0.10**	**mg/L**	1	12-Mar-2020 19:51
Tetrachloroethene	U		0.00060	0.0050	mg/L	1	12-Mar-2020 19:51
Toluene	U		0.00050	0.0050	mg/L	1	12-Mar-2020 19:51
trans-1,2-Dichloroethene	U		0.00040	0.0050	mg/L	1	12-Mar-2020 19:51
trans-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	12-Mar-2020 19:51
Trichloroethene	U		0.00050	0.0050	mg/L	1	12-Mar-2020 19:51
Vinyl chloride	U		0.00040	0.0020	mg/L	1	12-Mar-2020 19:51

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**
Project:	FLTG French Limited	WorkOrder:HS20030296
Sample ID:	INT-214	Lab ID:HS20030296-44
Collection Date:	04-Mar-2020 14:55	Matrix:Water

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
Xylenes, Total		U	0.00050	0.0050	mg/L	1	12-Mar-2020 19:51
Surr: 1,2-Dichloroethane-d4	*89.5*			*70-126*	*%REC*	*1*	*12-Mar-2020 19:51*
Surr: 4-Bromofluorobenzene	*97.7*			*82-124*	*%REC*	*1*	*12-Mar-2020 19:51*
Surr: Dibromofluoromethane	*91.5*			*77-123*	*%REC*	*1*	*12-Mar-2020 19:51*
Surr: Toluene-d8	*106*			*82-127*	*%REC*	*1*	*12-Mar-2020 19:51*

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**	
Project:	FLTG French Limited	WorkOrder:HS20030296	
Sample ID:	INT-217	Lab ID:HS20030296-45	
Collection Date:	04-Mar-2020 12:25	Matrix:Water	

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
1,1,1-Trichloroethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 01:04
1,1,2,2-Tetrachloroethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 01:04
1,1,2-Trichloroethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 01:04
1,1-Dichloroethane	**0.0036**	J	**0.00040**	**0.0050**	**mg/L**	1	13-Mar-2020 01:04
1,1-Dichloroethene	U		0.00050	0.0050	mg/L	1	13-Mar-2020 01:04
1,2-Dichloroethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 01:04
1,2-Dichloropropane	U		0.00070	0.0050	mg/L	1	13-Mar-2020 01:04
2-Butanone	U		0.0010	0.010	mg/L	1	13-Mar-2020 01:04
2-Hexanone	U		0.0010	0.010	mg/L	1	13-Mar-2020 01:04
4-Methyl-2-pentanone	U		0.0010	0.010	mg/L	1	13-Mar-2020 01:04
Acetone	U		0.0020	0.010	mg/L	1	13-Mar-2020 01:04
Allyl Chloride	U		0.0030	0.010	mg/L	1	13-Mar-2020 01:04
Benzene	U		0.00060	0.0050	mg/L	1	13-Mar-2020 01:04
Bromodichloromethane	U		0.00060	0.0050	mg/L	1	13-Mar-2020 01:04
Bromoform	U		0.00050	0.0050	mg/L	1	13-Mar-2020 01:04
Bromomethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 01:04
Carbon disulfide	U		0.00090	0.010	mg/L	1	13-Mar-2020 01:04
Carbon tetrachloride	U		0.00060	0.0050	mg/L	1	13-Mar-2020 01:04
Chlorobenzene	U		0.00040	0.0050	mg/L	1	13-Mar-2020 01:04
Chloroethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 01:04
Chloroform	U		0.00060	0.0050	mg/L	1	13-Mar-2020 01:04
Chloromethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 01:04
cis-1,2-Dichloroethene	U		0.00060	0.0050	mg/L	1	13-Mar-2020 01:04
cis-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	13-Mar-2020 01:04
Dibromochloromethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 01:04
Ethylbenzene	U		0.00050	0.0050	mg/L	1	13-Mar-2020 01:04
m,p-Xylene	U		0.00060	0.010	mg/L	1	13-Mar-2020 01:04
Methyl tert-butyl ether	U		0.00060	0.0050	mg/L	1	13-Mar-2020 01:04
Methylene chloride	U		0.0010	0.010	mg/L	1	13-Mar-2020 01:04
Naphthalene	U		0.00070	0.0050	mg/L	1	13-Mar-2020 01:04
o-Xylene	U		0.00050	0.0050	mg/L	1	13-Mar-2020 01:04
Styrene	U		0.00050	0.0050	mg/L	1	13-Mar-2020 01:04
Tert-butyl alcohol	U		0.020	0.10	mg/L	1	13-Mar-2020 01:04
Tetrachloroethene	U		0.00060	0.0050	mg/L	1	13-Mar-2020 01:04
Toluene	U		0.00050	0.0050	mg/L	1	13-Mar-2020 01:04
trans-1,2-Dichloroethene	U		0.00040	0.0050	mg/L	1	13-Mar-2020 01:04
trans-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	13-Mar-2020 01:04
Trichloroethene	U		0.00050	0.0050	mg/L	1	13-Mar-2020 01:04
Vinyl chloride	**0.00089**	J	**0.00040**	**0.0020**	**mg/L**	1	13-Mar-2020 01:04

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**
Project:	FLTG French Limited	WorkOrder:HS20030296
Sample ID:	INT-217	Lab ID:HS20030296-45
Collection Date:	04-Mar-2020 12:25	Matrix:Water

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
Xylenes, Total		U	0.00050	0.0050	mg/L	1	13-Mar-2020 01:04
Surr: 1,2-Dichloroethane-d4	*90.2*			*70-126*	*%REC*	*1*	*13-Mar-2020 01:04*
Surr: 4-Bromofluorobenzene	*100*			*82-124*	*%REC*	*1*	*13-Mar-2020 01:04*
Surr: Dibromofluoromethane	*91.1*			*77-123*	*%REC*	*1*	*13-Mar-2020 01:04*
Surr: Toluene-d8	*108*			*82-127*	*%REC*	*1*	*13-Mar-2020 01:04*

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**	
Project:	FLTG French Limited	WorkOrder:HS20030296	
Sample ID:	INT-250	Lab ID:HS20030296-46	
Collection Date:	04-Mar-2020 12:25	Matrix:Water	

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
1,1,1-Trichloroethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 01:28
1,1,2,2-Tetrachloroethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 01:28
1,1,2-Trichloroethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 01:28
1,1-Dichloroethane	**0.00046**	J	**0.00040**	**0.0050**	**mg/L**	1	13-Mar-2020 01:28
1,1-Dichloroethene	U		0.00050	0.0050	mg/L	1	13-Mar-2020 01:28
1,2-Dichloroethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 01:28
1,2-Dichloropropane	U		0.00070	0.0050	mg/L	1	13-Mar-2020 01:28
2-Butanone	U		0.0010	0.010	mg/L	1	13-Mar-2020 01:28
2-Hexanone	U		0.0010	0.010	mg/L	1	13-Mar-2020 01:28
4-Methyl-2-pentanone	U		0.0010	0.010	mg/L	1	13-Mar-2020 01:28
Acetone	U		0.0020	0.010	mg/L	1	13-Mar-2020 01:28
Allyl Chloride	U		0.0030	0.010	mg/L	1	13-Mar-2020 01:28
Benzene	**0.00095**	J	**0.00060**	**0.0050**	**mg/L**	1	13-Mar-2020 01:28
Bromodichloromethane	U		0.00060	0.0050	mg/L	1	13-Mar-2020 01:28
Bromoform	U		0.00050	0.0050	mg/L	1	13-Mar-2020 01:28
Bromomethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 01:28
Carbon disulfide	U		0.00090	0.010	mg/L	1	13-Mar-2020 01:28
Carbon tetrachloride	U		0.00060	0.0050	mg/L	1	13-Mar-2020 01:28
Chlorobenzene	U		0.00040	0.0050	mg/L	1	13-Mar-2020 01:28
Chloroethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 01:28
Chloroform	U		0.00060	0.0050	mg/L	1	13-Mar-2020 01:28
Chloromethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 01:28
cis-1,2-Dichloroethene	U		0.00060	0.0050	mg/L	1	13-Mar-2020 01:28
cis-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	13-Mar-2020 01:28
Dibromochloromethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 01:28
Ethylbenzene	U		0.00050	0.0050	mg/L	1	13-Mar-2020 01:28
m,p-Xylene	U		0.00060	0.010	mg/L	1	13-Mar-2020 01:28
Methyl tert-butyl ether	U		0.00060	0.0050	mg/L	1	13-Mar-2020 01:28
Methylene chloride	U		0.0010	0.010	mg/L	1	13-Mar-2020 01:28
Naphthalene	U		0.00070	0.0050	mg/L	1	13-Mar-2020 01:28
o-Xylene	U		0.00050	0.0050	mg/L	1	13-Mar-2020 01:28
Styrene	U		0.00050	0.0050	mg/L	1	13-Mar-2020 01:28
Tert-butyl alcohol	**1.0**		**0.020**	**0.10**	**mg/L**	1	13-Mar-2020 01:28
Tetrachloroethene	U		0.00060	0.0050	mg/L	1	13-Mar-2020 01:28
Toluene	U		0.00050	0.0050	mg/L	1	13-Mar-2020 01:28
trans-1,2-Dichloroethene	U		0.00040	0.0050	mg/L	1	13-Mar-2020 01:28
trans-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	13-Mar-2020 01:28
Trichloroethene	U		0.00050	0.0050	mg/L	1	13-Mar-2020 01:28
Vinyl chloride	U		0.00040	0.0020	mg/L	1	13-Mar-2020 01:28

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**
Project:	FLTG French Limited	WorkOrder:HS20030296
Sample ID:	INT-250	Lab ID:HS20030296-46
Collection Date:	04-Mar-2020 12:25	Matrix:Water

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
Xylenes, Total		U	0.00050	0.0050	mg/L	1	13-Mar-2020 01:28
Surr: 1,2-Dichloroethane-d4	*88.9*			*70-126*	*%REC*	*1*	*13-Mar-2020 01:28*
Surr: 4-Bromofluorobenzene	*99.4*			*82-124*	*%REC*	*1*	*13-Mar-2020 01:28*
Surr: Dibromofluoromethane	*89.5*			*77-123*	*%REC*	*1*	*13-Mar-2020 01:28*
Surr: Toluene-d8	*107*			*82-127*	*%REC*	*1*	*13-Mar-2020 01:28*

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client: Environmental Resources Management
Project: FLTG French Limited
Sample ID: INT-252
Collection Date: 04-Mar-2020 14:05

ANALYTICAL REPORT
WorkOrder:HS20030296
Lab ID:HS20030296-47
Matrix:Water

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
1,1,1-Trichloroethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 03:04
1,1,2,2-Tetrachloroethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 03:04
1,1,2-Trichloroethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 03:04
1,1-Dichloroethane	**0.0083**		**0.00040**	**0.0050**	**mg/L**	1	13-Mar-2020 03:04
1,1-Dichloroethene	U		0.00050	0.0050	mg/L	1	13-Mar-2020 03:04
1,2-Dichloroethane	**0.00056**	J	**0.00050**	**0.0050**	**mg/L**	1	13-Mar-2020 03:04
1,2-Dichloropropane	U		0.00070	0.0050	mg/L	1	13-Mar-2020 03:04
2-Butanone	U		0.0010	0.010	mg/L	1	13-Mar-2020 03:04
2-Hexanone	U		0.0010	0.010	mg/L	1	13-Mar-2020 03:04
4-Methyl-2-pentanone	U		0.0010	0.010	mg/L	1	13-Mar-2020 03:04
Acetone	U		0.0020	0.010	mg/L	1	13-Mar-2020 03:04
Allyl Chloride	U		0.0030	0.010	mg/L	1	13-Mar-2020 03:04
Benzene	U		0.00060	0.0050	mg/L	1	13-Mar-2020 03:04
Bromodichloromethane	U		0.00060	0.0050	mg/L	1	13-Mar-2020 03:04
Bromoform	U		0.00050	0.0050	mg/L	1	13-Mar-2020 03:04
Bromomethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 03:04
Carbon disulfide	U		0.00090	0.010	mg/L	1	13-Mar-2020 03:04
Carbon tetrachloride	U		0.00060	0.0050	mg/L	1	13-Mar-2020 03:04
Chlorobenzene	U		0.00040	0.0050	mg/L	1	13-Mar-2020 03:04
Chloroethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 03:04
Chloroform	U		0.00060	0.0050	mg/L	1	13-Mar-2020 03:04
Chloromethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 03:04
cis-1,2-Dichloroethene	U		0.00060	0.0050	mg/L	1	13-Mar-2020 03:04
cis-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	13-Mar-2020 03:04
Dibromochloromethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 03:04
Ethylbenzene	U		0.00050	0.0050	mg/L	1	13-Mar-2020 03:04
m,p-Xylene	U		0.00060	0.010	mg/L	1	13-Mar-2020 03:04
Methyl tert-butyl ether	U		0.00060	0.0050	mg/L	1	13-Mar-2020 03:04
Methylene chloride	U		0.0010	0.010	mg/L	1	13-Mar-2020 03:04
Naphthalene	U		0.00070	0.0050	mg/L	1	13-Mar-2020 03:04
o-Xylene	U		0.00050	0.0050	mg/L	1	13-Mar-2020 03:04
Styrene	U		0.00050	0.0050	mg/L	1	13-Mar-2020 03:04
Tert-butyl alcohol	U		0.020	0.10	mg/L	1	13-Mar-2020 03:04
Tetrachloroethene	U		0.00060	0.0050	mg/L	1	13-Mar-2020 03:04
Toluene	U		0.00050	0.0050	mg/L	1	13-Mar-2020 03:04
trans-1,2-Dichloroethene	**0.0032**	J	**0.00040**	**0.0050**	**mg/L**	1	13-Mar-2020 03:04
trans-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	13-Mar-2020 03:04
Trichloroethene	U		0.00050	0.0050	mg/L	1	13-Mar-2020 03:04
Vinyl chloride	**0.0055**		**0.00040**	**0.0020**	**mg/L**	1	13-Mar-2020 03:04

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**
Project:	FLTG French Limited	WorkOrder:HS20030296
Sample ID:	INT-252	Lab ID:HS20030296-47
Collection Date:	04-Mar-2020 14:05	Matrix:Water

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
Xylenes, Total		U	0.00050	0.0050	mg/L	1	13-Mar-2020 03:04
Surr: 1,2-Dichloroethane-d4	*90.7*			*70-126*	*%REC*	*1*	*13-Mar-2020 03:04*
Surr: 4-Bromofluorobenzene	*99.7*			*82-124*	*%REC*	*1*	*13-Mar-2020 03:04*
Surr: Dibromofluoromethane	*90.4*			*77-123*	*%REC*	*1*	*13-Mar-2020 03:04*
Surr: Toluene-d8	*105*			*82-127*	*%REC*	*1*	*13-Mar-2020 03:04*

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**
Project:	FLTG French Limited	WorkOrder:HS20030296
Sample ID:	INT-253	Lab ID:HS20030296-48
Collection Date:	04-Mar-2020 09:25	Matrix:Water

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
1,1,1-Trichloroethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 03:28
1,1,2,2-Tetrachloroethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 03:28
1,1,2-Trichloroethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 03:28
1,1-Dichloroethane	**0.0041**	J	**0.00040**	**0.0050**	**mg/L**	1	13-Mar-2020 03:28
1,1-Dichloroethene	U		0.00050	0.0050	mg/L	1	13-Mar-2020 03:28
1,2-Dichloroethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 03:28
1,2-Dichloropropane	U		0.00070	0.0050	mg/L	1	13-Mar-2020 03:28
2-Butanone	U		0.0010	0.010	mg/L	1	13-Mar-2020 03:28
2-Hexanone	U		0.0010	0.010	mg/L	1	13-Mar-2020 03:28
4-Methyl-2-pentanone	U		0.0010	0.010	mg/L	1	13-Mar-2020 03:28
Acetone	U		0.0020	0.010	mg/L	1	13-Mar-2020 03:28
Allyl Chloride	U		0.0030	0.010	mg/L	1	13-Mar-2020 03:28
Benzene	**0.0030**	J	**0.00060**	**0.0050**	**mg/L**	1	13-Mar-2020 03:28
Bromodichloromethane	U		0.00060	0.0050	mg/L	1	13-Mar-2020 03:28
Bromoform	U		0.00050	0.0050	mg/L	1	13-Mar-2020 03:28
Bromomethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 03:28
Carbon disulfide	U		0.00090	0.010	mg/L	1	13-Mar-2020 03:28
Carbon tetrachloride	U		0.00060	0.0050	mg/L	1	13-Mar-2020 03:28
Chlorobenzene	**0.0011**	J	**0.00040**	**0.0050**	**mg/L**	1	13-Mar-2020 03:28
Chloroethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 03:28
Chloroform	U		0.00060	0.0050	mg/L	1	13-Mar-2020 03:28
Chloromethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 03:28
cis-1,2-Dichloroethene	U		0.00060	0.0050	mg/L	1	13-Mar-2020 03:28
cis-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	13-Mar-2020 03:28
Dibromochloromethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 03:28
Ethylbenzene	U		0.00050	0.0050	mg/L	1	13-Mar-2020 03:28
m,p-Xylene	U		0.00060	0.010	mg/L	1	13-Mar-2020 03:28
Methyl tert-butyl ether	U		0.00060	0.0050	mg/L	1	13-Mar-2020 03:28
Methylene chloride	U		0.0010	0.010	mg/L	1	13-Mar-2020 03:28
Naphthalene	U		0.00070	0.0050	mg/L	1	13-Mar-2020 03:28
o-Xylene	U		0.00050	0.0050	mg/L	1	13-Mar-2020 03:28
Styrene	U		0.00050	0.0050	mg/L	1	13-Mar-2020 03:28
Tert-butyl alcohol	**0.10**		**0.020**	**0.10**	**mg/L**	1	13-Mar-2020 03:28
Tetrachloroethene	U		0.00060	0.0050	mg/L	1	13-Mar-2020 03:28
Toluene	U		0.00050	0.0050	mg/L	1	13-Mar-2020 03:28
trans-1,2-Dichloroethene	U		0.00040	0.0050	mg/L	1	13-Mar-2020 03:28
trans-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	13-Mar-2020 03:28
Trichloroethene	U		0.00050	0.0050	mg/L	1	13-Mar-2020 03:28
Vinyl chloride	**0.014**		**0.00040**	**0.0020**	**mg/L**	1	13-Mar-2020 03:28

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**
Project:	FLTG French Limited	WorkOrder:HS20030296
Sample ID:	INT-253	Lab ID:HS20030296-48
Collection Date:	04-Mar-2020 09:25	Matrix:Water

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
Xylenes, Total		U	0.00050	0.0050	mg/L	1	13-Mar-2020 03:28
Surr: 1,2-Dichloroethane-d4	*90.3*			*70-126*	*%REC*	*1*	*13-Mar-2020 03:28*
Surr: 4-Bromofluorobenzene	*103*			*82-124*	*%REC*	*1*	*13-Mar-2020 03:28*
Surr: Dibromofluoromethane	*90.6*			*77-123*	*%REC*	*1*	*13-Mar-2020 03:28*
Surr: Toluene-d8	*106*			*82-127*	*%REC*	*1*	*13-Mar-2020 03:28*

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client: Environmental Resources Management
Project: FLTG French Limited
Sample ID: INT-254
Collection Date: 04-Mar-2020 10:00

ANALYTICAL REPORT
WorkOrder:HS20030296
Lab ID:HS20030296-49
Matrix:Water

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
1,1,1-Trichloroethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 03:52
1,1,2,2-Tetrachloroethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 03:52
1,1,2-Trichloroethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 03:52
1,1-Dichloroethane	**0.0041**	J	**0.00040**	**0.0050**	**mg/L**	1	13-Mar-2020 03:52
1,1-Dichloroethene	U		0.00050	0.0050	mg/L	1	13-Mar-2020 03:52
1,2-Dichloroethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 03:52
1,2-Dichloropropane	U		0.00070	0.0050	mg/L	1	13-Mar-2020 03:52
2-Butanone	U		0.0010	0.010	mg/L	1	13-Mar-2020 03:52
2-Hexanone	U		0.0010	0.010	mg/L	1	13-Mar-2020 03:52
4-Methyl-2-pentanone	U		0.0010	0.010	mg/L	1	13-Mar-2020 03:52
Acetone	U		0.0020	0.010	mg/L	1	13-Mar-2020 03:52
Allyl Chloride	U		0.0030	0.010	mg/L	1	13-Mar-2020 03:52
Benzene	U		0.00060	0.0050	mg/L	1	13-Mar-2020 03:52
Bromodichloromethane	U		0.00060	0.0050	mg/L	1	13-Mar-2020 03:52
Bromoform	U		0.00050	0.0050	mg/L	1	13-Mar-2020 03:52
Bromomethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 03:52
Carbon disulfide	U		0.00090	0.010	mg/L	1	13-Mar-2020 03:52
Carbon tetrachloride	U		0.00060	0.0050	mg/L	1	13-Mar-2020 03:52
Chlorobenzene	U		0.00040	0.0050	mg/L	1	13-Mar-2020 03:52
Chloroethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 03:52
Chloroform	U		0.00060	0.0050	mg/L	1	13-Mar-2020 03:52
Chloromethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 03:52
cis-1,2-Dichloroethene	U		0.00060	0.0050	mg/L	1	13-Mar-2020 03:52
cis-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	13-Mar-2020 03:52
Dibromochloromethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 03:52
Ethylbenzene	U		0.00050	0.0050	mg/L	1	13-Mar-2020 03:52
m,p-Xylene	U		0.00060	0.010	mg/L	1	13-Mar-2020 03:52
Methyl tert-butyl ether	U		0.00060	0.0050	mg/L	1	13-Mar-2020 03:52
Methylene chloride	U		0.0010	0.010	mg/L	1	13-Mar-2020 03:52
Naphthalene	U		0.00070	0.0050	mg/L	1	13-Mar-2020 03:52
o-Xylene	U		0.00050	0.0050	mg/L	1	13-Mar-2020 03:52
Styrene	U		0.00050	0.0050	mg/L	1	13-Mar-2020 03:52
Tert-butyl alcohol	**0.020**	J	**0.020**	**0.10**	**mg/L**	1	13-Mar-2020 03:52
Tetrachloroethene	U		0.00060	0.0050	mg/L	1	13-Mar-2020 03:52
Toluene	U		0.00050	0.0050	mg/L	1	13-Mar-2020 03:52
trans-1,2-Dichloroethene	U		0.00040	0.0050	mg/L	1	13-Mar-2020 03:52
trans-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	13-Mar-2020 03:52
Trichloroethene	U		0.00050	0.0050	mg/L	1	13-Mar-2020 03:52
Vinyl chloride	**0.0047**		**0.00040**	**0.0020**	**mg/L**	1	13-Mar-2020 03:52

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**
Project:	FLTG French Limited	WorkOrder:HS20030296
Sample ID:	INT-254	Lab ID:HS20030296-49
Collection Date:	04-Mar-2020 10:00	Matrix:Water

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
Xylenes, Total		U	0.00050	0.0050	mg/L	1	13-Mar-2020 03:52
Surr: 1,2-Dichloroethane-d4	*89.4*			*70-126*	*%REC*	*1*	*13-Mar-2020 03:52*
Surr: 4-Bromofluorobenzene	*99.8*			*82-124*	*%REC*	*1*	*13-Mar-2020 03:52*
Surr: Dibromofluoromethane	*91.3*			*77-123*	*%REC*	*1*	*13-Mar-2020 03:52*
Surr: Toluene-d8	*107*			*82-127*	*%REC*	*1*	*13-Mar-2020 03:52*

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**
Project:	FLTG French Limited	WorkOrder:HS20030296
Sample ID:	SI-033	Lab ID:HS20030296-50
Collection Date:	04-Mar-2020 11:20	Matrix:Water

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
1,1,1-Trichloroethane		U	0.00050	0.0050	mg/L	1	13-Mar-2020 04:16
1,1,2,2-Tetrachloroethane		U	0.00050	0.0050	mg/L	1	13-Mar-2020 04:16
1,1,2-Trichloroethane		U	0.00050	0.0050	mg/L	1	13-Mar-2020 04:16
1,1-Dichloroethane		U	0.00040	0.0050	mg/L	1	13-Mar-2020 04:16
1,1-Dichloroethene		U	0.00050	0.0050	mg/L	1	13-Mar-2020 04:16
1,2-Dichloroethane		U	0.00050	0.0050	mg/L	1	13-Mar-2020 04:16
1,2-Dichloropropane		U	0.00070	0.0050	mg/L	1	13-Mar-2020 04:16
2-Butanone		U	0.0010	0.010	mg/L	1	13-Mar-2020 04:16
2-Hexanone		U	0.0010	0.010	mg/L	1	13-Mar-2020 04:16
4-Methyl-2-pentanone		U	0.0010	0.010	mg/L	1	13-Mar-2020 04:16
Acetone		U	0.0020	0.010	mg/L	1	13-Mar-2020 04:16
Allyl Chloride		U	0.0030	0.010	mg/L	1	13-Mar-2020 04:16
Benzene		U	0.00060	0.0050	mg/L	1	13-Mar-2020 04:16
Bromodichloromethane		U	0.00060	0.0050	mg/L	1	13-Mar-2020 04:16
Bromoform		U	0.00050	0.0050	mg/L	1	13-Mar-2020 04:16
Bromomethane		U	0.00050	0.0050	mg/L	1	13-Mar-2020 04:16
Carbon disulfide		U	0.00090	0.010	mg/L	1	13-Mar-2020 04:16
Carbon tetrachloride		U	0.00060	0.0050	mg/L	1	13-Mar-2020 04:16
Chlorobenzene		U	0.00040	0.0050	mg/L	1	13-Mar-2020 04:16
Chloroethane		U	0.00050	0.0050	mg/L	1	13-Mar-2020 04:16
Chloroform		U	0.00060	0.0050	mg/L	1	13-Mar-2020 04:16
Chloromethane		U	0.00050	0.0050	mg/L	1	13-Mar-2020 04:16
cis-1,2-Dichloroethene		U	0.00060	0.0050	mg/L	1	13-Mar-2020 04:16
cis-1,3-Dichloropropene		U	0.00060	0.0050	mg/L	1	13-Mar-2020 04:16
Dibromochloromethane		U	0.00050	0.0050	mg/L	1	13-Mar-2020 04:16
Ethylbenzene		U	0.00050	0.0050	mg/L	1	13-Mar-2020 04:16
m,p-Xylene		U	0.00060	0.010	mg/L	1	13-Mar-2020 04:16
Methyl tert-butyl ether		U	0.00060	0.0050	mg/L	1	13-Mar-2020 04:16
Methylene chloride		U	0.0010	0.010	mg/L	1	13-Mar-2020 04:16
Naphthalene		U	0.00070	0.0050	mg/L	1	13-Mar-2020 04:16
o-Xylene		U	0.00050	0.0050	mg/L	1	13-Mar-2020 04:16
Styrene		U	0.00050	0.0050	mg/L	1	13-Mar-2020 04:16
Tert-butyl alcohol		U	0.020	0.10	mg/L	1	13-Mar-2020 04:16
Tetrachloroethene		U	0.00060	0.0050	mg/L	1	13-Mar-2020 04:16
Toluene		U	0.00050	0.0050	mg/L	1	13-Mar-2020 04:16
trans-1,2-Dichloroethene		U	0.00040	0.0050	mg/L	1	13-Mar-2020 04:16
trans-1,3-Dichloropropene		U	0.00060	0.0050	mg/L	1	13-Mar-2020 04:16
Trichloroethene		U	0.00050	0.0050	mg/L	1	13-Mar-2020 04:16
Vinyl chloride		U	0.00040	0.0020	mg/L	1	13-Mar-2020 04:16

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**
Project:	FLTG French Limited	WorkOrder:HS20030296
Sample ID:	SI-033	Lab ID:HS20030296-50
Collection Date:	04-Mar-2020 11:20	Matrix:Water

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
Xylenes, Total	U		0.00050	0.0050	mg/L	1	13-Mar-2020 04:16
Surr: 1,2-Dichloroethane-d4	*88.7*			*70-126*	*%REC*	*1*	*13-Mar-2020 04:16*
Surr: 4-Bromofluorobenzene	*99.0*			*82-124*	*%REC*	*1*	*13-Mar-2020 04:16*
Surr: Dibromofluoromethane	*89.9*			*77-123*	*%REC*	*1*	*13-Mar-2020 04:16*
Surr: Toluene-d8	*104*			*82-127*	*%REC*	*1*	*13-Mar-2020 04:16*
ICP-MS METALS BY SW6020A		**Method:SW6020**			Prep:SW3010A / 12-Mar-2020		Analyst: JHD
Arsenic	**0.000855**	J	**0.000400**	**0.00200**	**mg/L**	1	12-Mar-2020 16:28
Chromium	U		0.000400	0.00400	mg/L	1	12-Mar-2020 16:28
Lead	U		0.000600	0.00200	mg/L	1	12-Mar-2020 16:28

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**
Project:	FLTG French Limited	WorkOrder:HS20030296
Sample ID:	SI-051-P-3	Lab ID:HS20030296-51
Collection Date:	04-Mar-2020 14:05	Matrix:Water

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
1,1,1-Trichloroethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 04:40
1,1,2,2-Tetrachloroethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 04:40
1,1,2-Trichloroethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 04:40
1,1-Dichloroethane	U		0.00040	0.0050	mg/L	1	13-Mar-2020 04:40
1,1-Dichloroethene	U		0.00050	0.0050	mg/L	1	13-Mar-2020 04:40
1,2-Dichloroethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 04:40
1,2-Dichloropropane	U		0.00070	0.0050	mg/L	1	13-Mar-2020 04:40
2-Butanone	U		0.0010	0.010	mg/L	1	13-Mar-2020 04:40
2-Hexanone	U		0.0010	0.010	mg/L	1	13-Mar-2020 04:40
4-Methyl-2-pentanone	U		0.0010	0.010	mg/L	1	13-Mar-2020 04:40
Acetone	U		0.0020	0.010	mg/L	1	13-Mar-2020 04:40
Allyl Chloride	U		0.0030	0.010	mg/L	1	13-Mar-2020 04:40
Benzene	**0.057**		**0.00060**	**0.0050**	**mg/L**	1	13-Mar-2020 04:40
Bromodichloromethane	U		0.00060	0.0050	mg/L	1	13-Mar-2020 04:40
Bromoform	U		0.00050	0.0050	mg/L	1	13-Mar-2020 04:40
Bromomethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 04:40
Carbon disulfide	U		0.00090	0.010	mg/L	1	13-Mar-2020 04:40
Carbon tetrachloride	U		0.00060	0.0050	mg/L	1	13-Mar-2020 04:40
Chlorobenzene	**0.0063**		**0.00040**	**0.0050**	**mg/L**	1	13-Mar-2020 04:40
Chloroethane	**0.011**		**0.00050**	**0.0050**	**mg/L**	1	13-Mar-2020 04:40
Chloroform	U		0.00060	0.0050	mg/L	1	13-Mar-2020 04:40
Chloromethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 04:40
cis-1,2-Dichloroethene	U		0.00060	0.0050	mg/L	1	13-Mar-2020 04:40
cis-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	13-Mar-2020 04:40
Dibromochloromethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 04:40
Ethylbenzene	U		0.00050	0.0050	mg/L	1	13-Mar-2020 04:40
m,p-Xylene	**0.0024**	J	**0.00060**	**0.010**	**mg/L**	1	13-Mar-2020 04:40
Methyl tert-butyl ether	U		0.00060	0.0050	mg/L	1	13-Mar-2020 04:40
Methylene chloride	U		0.0010	0.010	mg/L	1	13-Mar-2020 04:40
Naphthalene	U		0.00070	0.0050	mg/L	1	13-Mar-2020 04:40
o-Xylene	**0.0013**	J	**0.00050**	**0.0050**	**mg/L**	1	13-Mar-2020 04:40
Styrene	U		0.00050	0.0050	mg/L	1	13-Mar-2020 04:40
Tert-butyl alcohol	**0.46**		**0.020**	**0.10**	**mg/L**	1	13-Mar-2020 04:40
Tetrachloroethene	U		0.00060	0.0050	mg/L	1	13-Mar-2020 04:40
Toluene	**0.00089**	J	**0.00050**	**0.0050**	**mg/L**	1	13-Mar-2020 04:40
trans-1,2-Dichloroethene	U		0.00040	0.0050	mg/L	1	13-Mar-2020 04:40
trans-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	13-Mar-2020 04:40
Trichloroethene	U		0.00050	0.0050	mg/L	1	13-Mar-2020 04:40
Vinyl chloride	U		0.00040	0.0020	mg/L	1	13-Mar-2020 04:40

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**
Project:	FLTG French Limited	WorkOrder:HS20030296
Sample ID:	SI-051-P-3	Lab ID:HS20030296-51
Collection Date:	04-Mar-2020 14:05	Matrix:Water

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
Xylenes, Total	**0.0038**	J	**0.00050**	**0.0050**	**mg/L**	1	13-Mar-2020 04:40
Surr: 1,2-Dichloroethane-d4	*89.3*			*70-126*	*%REC*	*1*	*13-Mar-2020 04:40*
Surr: 4-Bromofluorobenzene	*100*			*82-124*	*%REC*	*1*	*13-Mar-2020 04:40*
Surr: Dibromofluoromethane	*91.8*			*77-123*	*%REC*	*1*	*13-Mar-2020 04:40*
Surr: Toluene-d8	*104*			*82-127*	*%REC*	*1*	*13-Mar-2020 04:40*

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**
Project:	FLTG French Limited	WorkOrder:HS20030296
Sample ID:	SI-111	Lab ID:HS20030296-52
Collection Date:	05-Mar-2020 09:25	Matrix:Water

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
1,1,1-Trichloroethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 05:28
1,1,2,2-Tetrachloroethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 05:28
1,1,2-Trichloroethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 05:28
1,1-Dichloroethane	U		0.00040	0.0050	mg/L	1	13-Mar-2020 05:28
1,1-Dichloroethene	U		0.00050	0.0050	mg/L	1	13-Mar-2020 05:28
1,2-Dichloroethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 05:28
1,2-Dichloropropane	U		0.00070	0.0050	mg/L	1	13-Mar-2020 05:28
2-Butanone	U		0.0010	0.010	mg/L	1	13-Mar-2020 05:28
2-Hexanone	U		0.0010	0.010	mg/L	1	13-Mar-2020 05:28
4-Methyl-2-pentanone	U		0.0010	0.010	mg/L	1	13-Mar-2020 05:28
Acetone	U		0.0020	0.010	mg/L	1	13-Mar-2020 05:28
Allyl Chloride	U		0.0030	0.010	mg/L	1	13-Mar-2020 05:28
Benzene	U		0.00060	0.0050	mg/L	1	13-Mar-2020 05:28
Bromodichloromethane	U		0.00060	0.0050	mg/L	1	13-Mar-2020 05:28
Bromoform	U		0.00050	0.0050	mg/L	1	13-Mar-2020 05:28
Bromomethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 05:28
Carbon disulfide	U		0.00090	0.010	mg/L	1	13-Mar-2020 05:28
Carbon tetrachloride	U		0.00060	0.0050	mg/L	1	13-Mar-2020 05:28
Chlorobenzene	U		0.00040	0.0050	mg/L	1	13-Mar-2020 05:28
Chloroethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 05:28
Chloroform	U		0.00060	0.0050	mg/L	1	13-Mar-2020 05:28
Chloromethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 05:28
cis-1,2-Dichloroethene	U		0.00060	0.0050	mg/L	1	13-Mar-2020 05:28
cis-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	13-Mar-2020 05:28
Dibromochloromethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 05:28
Ethylbenzene	U		0.00050	0.0050	mg/L	1	13-Mar-2020 05:28
m,p-Xylene	U		0.00060	0.010	mg/L	1	13-Mar-2020 05:28
Methyl tert-butyl ether	U		0.00060	0.0050	mg/L	1	13-Mar-2020 05:28
Methylene chloride	U		0.0010	0.010	mg/L	1	13-Mar-2020 05:28
Naphthalene	U		0.00070	0.0050	mg/L	1	13-Mar-2020 05:28
o-Xylene	U		0.00050	0.0050	mg/L	1	13-Mar-2020 05:28
Styrene	U		0.00050	0.0050	mg/L	1	13-Mar-2020 05:28
Tert-butyl alcohol	**0.30**		**0.020**	**0.10**	**mg/L**	1	13-Mar-2020 05:28
Tetrachloroethene	U		0.00060	0.0050	mg/L	1	13-Mar-2020 05:28
Toluene	U		0.00050	0.0050	mg/L	1	13-Mar-2020 05:28
trans-1,2-Dichloroethene	U		0.00040	0.0050	mg/L	1	13-Mar-2020 05:28
trans-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	13-Mar-2020 05:28
Trichloroethene	U		0.00050	0.0050	mg/L	1	13-Mar-2020 05:28
Vinyl chloride	U		0.00040	0.0020	mg/L	1	13-Mar-2020 05:28

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**
Project:	FLTG French Limited	WorkOrder:HS20030296
Sample ID:	SI-111	Lab ID:HS20030296-52
Collection Date:	05-Mar-2020 09:25	Matrix:Water

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
Xylenes, Total		U	0.00050	0.0050	mg/L	1	13-Mar-2020 05:28
Surr: 1,2-Dichloroethane-d4	*91.3*			*70-126*	*%REC*	*1*	*13-Mar-2020 05:28*
Surr: 4-Bromofluorobenzene	*100*			*82-124*	*%REC*	*1*	*13-Mar-2020 05:28*
Surr: Dibromofluoromethane	*93.6*			*77-123*	*%REC*	*1*	*13-Mar-2020 05:28*
Surr: Toluene-d8	*106*			*82-127*	*%REC*	*1*	*13-Mar-2020 05:28*
ICP-MS METALS BY SW6020A		**Method:SW6020**			Prep:SW3010A / 12-Mar-2020		Analyst: JHD
Arsenic	**0.00343**		**0.000400**	**0.00200**	**mg/L**	1	12-Mar-2020 16:30
Chromium		U	0.000400	0.00400	mg/L	1	12-Mar-2020 16:30
Lead		U	0.000600	0.00200	mg/L	1	12-Mar-2020 16:30

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**
Project:	FLTG French Limited	WorkOrder:HS20030296
Sample ID:	SI-118	Lab ID:HS20030296-53
Collection Date:	05-Mar-2020 14:38	Matrix:Water

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
1,1,1-Trichloroethane		U	0.00050	0.0050	mg/L	1	13-Mar-2020 06:16
1,1,2,2-Tetrachloroethane		U	0.00050	0.0050	mg/L	1	13-Mar-2020 06:16
1,1,2-Trichloroethane		U	0.00050	0.0050	mg/L	1	13-Mar-2020 06:16
1,1-Dichloroethane		U	0.00040	0.0050	mg/L	1	13-Mar-2020 06:16
1,1-Dichloroethene		U	0.00050	0.0050	mg/L	1	13-Mar-2020 06:16
1,2-Dichloroethane		U	0.00050	0.0050	mg/L	1	13-Mar-2020 06:16
1,2-Dichloropropane		U	0.00070	0.0050	mg/L	1	13-Mar-2020 06:16
2-Butanone		U	0.0010	0.010	mg/L	1	13-Mar-2020 06:16
2-Hexanone		U	0.0010	0.010	mg/L	1	13-Mar-2020 06:16
4-Methyl-2-pentanone		U	0.0010	0.010	mg/L	1	13-Mar-2020 06:16
Acetone		U	0.0020	0.010	mg/L	1	13-Mar-2020 06:16
Allyl Chloride		U	0.0030	0.010	mg/L	1	13-Mar-2020 06:16
Benzene		U	0.00060	0.0050	mg/L	1	13-Mar-2020 06:16
Bromodichloromethane		U	0.00060	0.0050	mg/L	1	13-Mar-2020 06:16
Bromoform		U	0.00050	0.0050	mg/L	1	13-Mar-2020 06:16
Bromomethane		U	0.00050	0.0050	mg/L	1	13-Mar-2020 06:16
Carbon disulfide		U	0.00090	0.010	mg/L	1	13-Mar-2020 06:16
Carbon tetrachloride		U	0.00060	0.0050	mg/L	1	13-Mar-2020 06:16
Chlorobenzene		U	0.00040	0.0050	mg/L	1	13-Mar-2020 06:16
Chloroethane		U	0.00050	0.0050	mg/L	1	13-Mar-2020 06:16
Chloroform		U	0.00060	0.0050	mg/L	1	13-Mar-2020 06:16
Chloromethane		U	0.00050	0.0050	mg/L	1	13-Mar-2020 06:16
cis-1,2-Dichloroethene		U	0.00060	0.0050	mg/L	1	13-Mar-2020 06:16
cis-1,3-Dichloropropene		U	0.00060	0.0050	mg/L	1	13-Mar-2020 06:16
Dibromochloromethane		U	0.00050	0.0050	mg/L	1	13-Mar-2020 06:16
Ethylbenzene		U	0.00050	0.0050	mg/L	1	13-Mar-2020 06:16
m,p-Xylene		U	0.00060	0.010	mg/L	1	13-Mar-2020 06:16
Methyl tert-butyl ether		U	0.00060	0.0050	mg/L	1	13-Mar-2020 06:16
Methylene chloride		U	0.0010	0.010	mg/L	1	13-Mar-2020 06:16
Naphthalene		U	0.00070	0.0050	mg/L	1	13-Mar-2020 06:16
o-Xylene		U	0.00050	0.0050	mg/L	1	13-Mar-2020 06:16
Styrene		U	0.00050	0.0050	mg/L	1	13-Mar-2020 06:16
Tert-butyl alcohol		U	0.020	0.10	mg/L	1	13-Mar-2020 06:16
Tetrachloroethene		U	0.00060	0.0050	mg/L	1	13-Mar-2020 06:16
Toluene		U	0.00050	0.0050	mg/L	1	13-Mar-2020 06:16
trans-1,2-Dichloroethene		U	0.00040	0.0050	mg/L	1	13-Mar-2020 06:16
trans-1,3-Dichloropropene		U	0.00060	0.0050	mg/L	1	13-Mar-2020 06:16
Trichloroethene		U	0.00050	0.0050	mg/L	1	13-Mar-2020 06:16
Vinyl chloride		U	0.00040	0.0020	mg/L	1	13-Mar-2020 06:16

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**
Project:	FLTG French Limited	WorkOrder:HS20030296
Sample ID:	SI-118	Lab ID:HS20030296-53
Collection Date:	05-Mar-2020 14:38	Matrix:Water

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
Xylenes, Total		U	0.00050	0.0050	mg/L	1	13-Mar-2020 06:16
Surr: 1,2-Dichloroethane-d4	*89.0*			*70-126*	*%REC*	*1*	*13-Mar-2020 06:16*
Surr: 4-Bromofluorobenzene	*100*			*82-124*	*%REC*	*1*	*13-Mar-2020 06:16*
Surr: Dibromofluoromethane	*92.3*			*77-123*	*%REC*	*1*	*13-Mar-2020 06:16*
Surr: Toluene-d8	*106*			*82-127*	*%REC*	*1*	*13-Mar-2020 06:16*
ICP-MS METALS BY SW6020A		**Method:SW6020**			Prep:SW3010A / 12-Mar-2020		Analyst: JHD
Arsenic	**0.00395**		**0.000400**	**0.00200**	**mg/L**	1	12-Mar-2020 16:35
Chromium		U	0.000400	0.00400	mg/L	1	12-Mar-2020 16:35
Lead		U	0.000600	0.00200	mg/L	1	12-Mar-2020 16:35

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**
Project:	FLTG French Limited	WorkOrder:HS20030296
Sample ID:	SI-135	Lab ID:HS20030296-54
Collection Date:	05-Mar-2020 11:30	Matrix:Water

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
1,1,1-Trichloroethane		U	0.00050	0.0050	mg/L	1	13-Mar-2020 06:40
1,1,2,2-Tetrachloroethane		U	0.00050	0.0050	mg/L	1	13-Mar-2020 06:40
1,1,2-Trichloroethane		U	0.00050	0.0050	mg/L	1	13-Mar-2020 06:40
1,1-Dichloroethane		U	0.00040	0.0050	mg/L	1	13-Mar-2020 06:40
1,1-Dichloroethene		U	0.00050	0.0050	mg/L	1	13-Mar-2020 06:40
1,2-Dichloroethane		U	0.00050	0.0050	mg/L	1	13-Mar-2020 06:40
1,2-Dichloropropane		U	0.00070	0.0050	mg/L	1	13-Mar-2020 06:40
2-Butanone		U	0.0010	0.010	mg/L	1	13-Mar-2020 06:40
2-Hexanone		U	0.0010	0.010	mg/L	1	13-Mar-2020 06:40
4-Methyl-2-pentanone		U	0.0010	0.010	mg/L	1	13-Mar-2020 06:40
Acetone		U	0.0020	0.010	mg/L	1	13-Mar-2020 06:40
Allyl Chloride		U	0.0030	0.010	mg/L	1	13-Mar-2020 06:40
Benzene		U	0.00060	0.0050	mg/L	1	13-Mar-2020 06:40
Bromodichloromethane		U	0.00060	0.0050	mg/L	1	13-Mar-2020 06:40
Bromoform		U	0.00050	0.0050	mg/L	1	13-Mar-2020 06:40
Bromomethane		U	0.00050	0.0050	mg/L	1	13-Mar-2020 06:40
Carbon disulfide		U	0.00090	0.010	mg/L	1	13-Mar-2020 06:40
Carbon tetrachloride		U	0.00060	0.0050	mg/L	1	13-Mar-2020 06:40
Chlorobenzene		U	0.00040	0.0050	mg/L	1	13-Mar-2020 06:40
Chloroethane		U	0.00050	0.0050	mg/L	1	13-Mar-2020 06:40
Chloroform		U	0.00060	0.0050	mg/L	1	13-Mar-2020 06:40
Chloromethane		U	0.00050	0.0050	mg/L	1	13-Mar-2020 06:40
cis-1,2-Dichloroethene		U	0.00060	0.0050	mg/L	1	13-Mar-2020 06:40
cis-1,3-Dichloropropene		U	0.00060	0.0050	mg/L	1	13-Mar-2020 06:40
Dibromochloromethane		U	0.00050	0.0050	mg/L	1	13-Mar-2020 06:40
Ethylbenzene		U	0.00050	0.0050	mg/L	1	13-Mar-2020 06:40
m,p-Xylene		U	0.00060	0.010	mg/L	1	13-Mar-2020 06:40
Methyl tert-butyl ether		U	0.00060	0.0050	mg/L	1	13-Mar-2020 06:40
Methylene chloride		U	0.0010	0.010	mg/L	1	13-Mar-2020 06:40
Naphthalene		U	0.00070	0.0050	mg/L	1	13-Mar-2020 06:40
o-Xylene		U	0.00050	0.0050	mg/L	1	13-Mar-2020 06:40
Styrene		U	0.00050	0.0050	mg/L	1	13-Mar-2020 06:40
Tert-butyl alcohol		U	0.020	0.10	mg/L	1	13-Mar-2020 06:40
Tetrachloroethene		U	0.00060	0.0050	mg/L	1	13-Mar-2020 06:40
Toluene		U	0.00050	0.0050	mg/L	1	13-Mar-2020 06:40
trans-1,2-Dichloroethene		U	0.00040	0.0050	mg/L	1	13-Mar-2020 06:40
trans-1,3-Dichloropropene		U	0.00060	0.0050	mg/L	1	13-Mar-2020 06:40
Trichloroethene		U	0.00050	0.0050	mg/L	1	13-Mar-2020 06:40
Vinyl chloride		U	0.00040	0.0020	mg/L	1	13-Mar-2020 06:40

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**
Project:	FLTG French Limited	WorkOrder:HS20030296
Sample ID:	SI-135	Lab ID:HS20030296-54
Collection Date:	05-Mar-2020 11:30	Matrix:Water

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
Xylenes, Total	U		0.00050	0.0050	mg/L	1	13-Mar-2020 06:40
Surr: 1,2-Dichloroethane-d4	*88.7*			*70-126*	*%REC*	*1*	*13-Mar-2020 06:40*
Surr: 4-Bromofluorobenzene	*99.3*			*82-124*	*%REC*	*1*	*13-Mar-2020 06:40*
Surr: Dibromofluoromethane	*91.5*			*77-123*	*%REC*	*1*	*13-Mar-2020 06:40*
Surr: Toluene-d8	*106*			*82-127*	*%REC*	*1*	*13-Mar-2020 06:40*
ICP-MS METALS BY SW6020A		**Method:SW6020**			Prep:SW3010A / 12-Mar-2020		Analyst: JHD
Arsenic	**0.0555**		**0.000400**	**0.00200**	**mg/L**	1	12-Mar-2020 16:37
Chromium	**0.00122**	J	**0.000400**	**0.00400**	**mg/L**	1	12-Mar-2020 16:37
Lead	U		0.000600	0.00200	mg/L	1	12-Mar-2020 16:37

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**
Project:	FLTG French Limited	WorkOrder:HS20030296
Sample ID:	DUP2	Lab ID:HS20030296-55
Collection Date:	05-Mar-2020 12:00	Matrix:Water

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
1,1,1-Trichloroethane		U	0.00050	0.0050	mg/L	1	13-Mar-2020 07:04
1,1,2,2-Tetrachloroethane		U	0.00050	0.0050	mg/L	1	13-Mar-2020 07:04
1,1,2-Trichloroethane		U	0.00050	0.0050	mg/L	1	13-Mar-2020 07:04
1,1-Dichloroethane		U	0.00040	0.0050	mg/L	1	13-Mar-2020 07:04
1,1-Dichloroethene		U	0.00050	0.0050	mg/L	1	13-Mar-2020 07:04
1,2-Dichloroethane		U	0.00050	0.0050	mg/L	1	13-Mar-2020 07:04
1,2-Dichloropropane		U	0.00070	0.0050	mg/L	1	13-Mar-2020 07:04
2-Butanone		U	0.0010	0.010	mg/L	1	13-Mar-2020 07:04
2-Hexanone		U	0.0010	0.010	mg/L	1	13-Mar-2020 07:04
4-Methyl-2-pentanone		U	0.0010	0.010	mg/L	1	13-Mar-2020 07:04
Acetone		U	0.0020	0.010	mg/L	1	13-Mar-2020 07:04
Allyl Chloride		U	0.0030	0.010	mg/L	1	13-Mar-2020 07:04
Benzene		U	0.00060	0.0050	mg/L	1	13-Mar-2020 07:04
Bromodichloromethane		U	0.00060	0.0050	mg/L	1	13-Mar-2020 07:04
Bromoform		U	0.00050	0.0050	mg/L	1	13-Mar-2020 07:04
Bromomethane		U	0.00050	0.0050	mg/L	1	13-Mar-2020 07:04
Carbon disulfide		U	0.00090	0.010	mg/L	1	13-Mar-2020 07:04
Carbon tetrachloride		U	0.00060	0.0050	mg/L	1	13-Mar-2020 07:04
Chlorobenzene		U	0.00040	0.0050	mg/L	1	13-Mar-2020 07:04
Chloroethane		U	0.00050	0.0050	mg/L	1	13-Mar-2020 07:04
Chloroform		U	0.00060	0.0050	mg/L	1	13-Mar-2020 07:04
Chloromethane		U	0.00050	0.0050	mg/L	1	13-Mar-2020 07:04
cis-1,2-Dichloroethene		U	0.00060	0.0050	mg/L	1	13-Mar-2020 07:04
cis-1,3-Dichloropropene		U	0.00060	0.0050	mg/L	1	13-Mar-2020 07:04
Dibromochloromethane		U	0.00050	0.0050	mg/L	1	13-Mar-2020 07:04
Ethylbenzene		U	0.00050	0.0050	mg/L	1	13-Mar-2020 07:04
m,p-Xylene		U	0.00060	0.010	mg/L	1	13-Mar-2020 07:04
Methyl tert-butyl ether		U	0.00060	0.0050	mg/L	1	13-Mar-2020 07:04
Methylene chloride		U	0.0010	0.010	mg/L	1	13-Mar-2020 07:04
Naphthalene		U	0.00070	0.0050	mg/L	1	13-Mar-2020 07:04
o-Xylene		U	0.00050	0.0050	mg/L	1	13-Mar-2020 07:04
Styrene		U	0.00050	0.0050	mg/L	1	13-Mar-2020 07:04
Tert-butyl alcohol		U	0.020	0.10	mg/L	1	13-Mar-2020 07:04
Tetrachloroethene		U	0.00060	0.0050	mg/L	1	13-Mar-2020 07:04
Toluene		U	0.00050	0.0050	mg/L	1	13-Mar-2020 07:04
trans-1,2-Dichloroethene		U	0.00040	0.0050	mg/L	1	13-Mar-2020 07:04
trans-1,3-Dichloropropene		U	0.00060	0.0050	mg/L	1	13-Mar-2020 07:04
Trichloroethene		U	0.00050	0.0050	mg/L	1	13-Mar-2020 07:04
Vinyl chloride		U	0.00040	0.0020	mg/L	1	13-Mar-2020 07:04

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**
Project:	FLTG French Limited	WorkOrder:HS20030296
Sample ID:	DUP2	Lab ID:HS20030296-55
Collection Date:	05-Mar-2020 12:00	Matrix:Water

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
Xylenes, Total	U		0.00050	0.0050	mg/L	1	13-Mar-2020 07:04
Surr: 1,2-Dichloroethane-d4	*90.8*			*70-126*	*%REC*	*1*	*13-Mar-2020 07:04*
Surr: 4-Bromofluorobenzene	*98.3*			*82-124*	*%REC*	*1*	*13-Mar-2020 07:04*
Surr: Dibromofluoromethane	*92.5*			*77-123*	*%REC*	*1*	*13-Mar-2020 07:04*
Surr: Toluene-d8	*108*			*82-127*	*%REC*	*1*	*13-Mar-2020 07:04*
ICP-MS METALS BY SW6020A		**Method:SW6020**			Prep:SW3010A / 13-Mar-2020		Analyst: JHD
Arsenic	**0.0529**		**0.000400**	**0.00200**	**mg/L**	1	16-Mar-2020 14:49
Chromium	**0.00124**	J	**0.000400**	**0.00400**	**mg/L**	1	16-Mar-2020 14:49
Lead	U		0.000600	0.00200	mg/L	1	16-Mar-2020 14:49

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**	
Project:	FLTG French Limited	WorkOrder:HS20030296	
Sample ID:	SI-168	Lab ID:HS20030296-56	
Collection Date:	05-Mar-2020 12:18	Matrix:Water	

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
1,1,1-Trichloroethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 07:29
1,1,2,2-Tetrachloroethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 07:29
1,1,2-Trichloroethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 07:29
1,1-Dichloroethane	U		0.00040	0.0050	mg/L	1	13-Mar-2020 07:29
1,1-Dichloroethene	U		0.00050	0.0050	mg/L	1	13-Mar-2020 07:29
1,2-Dichloroethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 07:29
1,2-Dichloropropane	U		0.00070	0.0050	mg/L	1	13-Mar-2020 07:29
2-Butanone	U		0.0010	0.010	mg/L	1	13-Mar-2020 07:29
2-Hexanone	U		0.0010	0.010	mg/L	1	13-Mar-2020 07:29
4-Methyl-2-pentanone	U		0.0010	0.010	mg/L	1	13-Mar-2020 07:29
Acetone	U		0.0020	0.010	mg/L	1	13-Mar-2020 07:29
Allyl Chloride	U		0.0030	0.010	mg/L	1	13-Mar-2020 07:29
Benzene	U		0.00060	0.0050	mg/L	1	13-Mar-2020 07:29
Bromodichloromethane	U		0.00060	0.0050	mg/L	1	13-Mar-2020 07:29
Bromoform	U		0.00050	0.0050	mg/L	1	13-Mar-2020 07:29
Bromomethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 07:29
Carbon disulfide	U		0.00090	0.010	mg/L	1	13-Mar-2020 07:29
Carbon tetrachloride	U		0.00060	0.0050	mg/L	1	13-Mar-2020 07:29
Chlorobenzene	U		0.00040	0.0050	mg/L	1	13-Mar-2020 07:29
Chloroethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 07:29
Chloroform	U		0.00060	0.0050	mg/L	1	13-Mar-2020 07:29
Chloromethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 07:29
cis-1,2-Dichloroethene	U		0.00060	0.0050	mg/L	1	13-Mar-2020 07:29
cis-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	13-Mar-2020 07:29
Dibromochloromethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 07:29
Ethylbenzene	U		0.00050	0.0050	mg/L	1	13-Mar-2020 07:29
m,p-Xylene	U		0.00060	0.010	mg/L	1	13-Mar-2020 07:29
Methyl tert-butyl ether	**0.0010**	J	**0.00060**	**0.0050**	**mg/L**	1	13-Mar-2020 07:29
Methylene chloride	U		0.0010	0.010	mg/L	1	13-Mar-2020 07:29
Naphthalene	U		0.00070	0.0050	mg/L	1	13-Mar-2020 07:29
o-Xylene	U		0.00050	0.0050	mg/L	1	13-Mar-2020 07:29
Styrene	U		0.00050	0.0050	mg/L	1	13-Mar-2020 07:29
Tert-butyl alcohol	**2.9**		**0.020**	**0.10**	**mg/L**	1	13-Mar-2020 07:29
Tetrachloroethene	U		0.00060	0.0050	mg/L	1	13-Mar-2020 07:29
Toluene	U		0.00050	0.0050	mg/L	1	13-Mar-2020 07:29
trans-1,2-Dichloroethene	U		0.00040	0.0050	mg/L	1	13-Mar-2020 07:29
trans-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	13-Mar-2020 07:29
Trichloroethene	U		0.00050	0.0050	mg/L	1	13-Mar-2020 07:29
Vinyl chloride	**0.0014**	J	**0.00040**	**0.0020**	**mg/L**	1	13-Mar-2020 07:29

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**
Project:	FLTG French Limited	WorkOrder:HS20030296
Sample ID:	SI-168	Lab ID:HS20030296-56
Collection Date:	05-Mar-2020 12:18	Matrix:Water

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
Xylenes, Total		U	0.00050	0.0050	mg/L	1	13-Mar-2020 07:29
Surr: 1,2-Dichloroethane-d4	*89.6*			*70-126*	*%REC*	*1*	*13-Mar-2020 07:29*
Surr: 4-Bromofluorobenzene	*100*			*82-124*	*%REC*	*1*	*13-Mar-2020 07:29*
Surr: Dibromofluoromethane	*91.2*			*77-123*	*%REC*	*1*	*13-Mar-2020 07:29*
Surr: Toluene-d8	*108*			*82-127*	*%REC*	*1*	*13-Mar-2020 07:29*

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**	
Project:	FLTG French Limited	WorkOrder:HS20030296	
Sample ID:	INT-251	Lab ID:HS20030296-57	
Collection Date:	05-Mar-2020 10:10	Matrix:Water	

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
1,1,1-Trichloroethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 08:17
1,1,2,2-Tetrachloroethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 08:17
1,1,2-Trichloroethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 08:17
1,1-Dichloroethane	**0.00075**	J	**0.00040**	**0.0050**	**mg/L**	1	13-Mar-2020 08:17
1,1-Dichloroethene	U		0.00050	0.0050	mg/L	1	13-Mar-2020 08:17
1,2-Dichloroethane	**0.00084**	J	**0.00050**	**0.0050**	**mg/L**	1	13-Mar-2020 08:17
1,2-Dichloropropane	U		0.00070	0.0050	mg/L	1	13-Mar-2020 08:17
2-Butanone	U		0.0010	0.010	mg/L	1	13-Mar-2020 08:17
2-Hexanone	U		0.0010	0.010	mg/L	1	13-Mar-2020 08:17
4-Methyl-2-pentanone	U		0.0010	0.010	mg/L	1	13-Mar-2020 08:17
Acetone	U		0.0020	0.010	mg/L	1	13-Mar-2020 08:17
Allyl Chloride	U		0.0030	0.010	mg/L	1	13-Mar-2020 08:17
Benzene	U		0.00060	0.0050	mg/L	1	13-Mar-2020 08:17
Bromodichloromethane	U		0.00060	0.0050	mg/L	1	13-Mar-2020 08:17
Bromoform	U		0.00050	0.0050	mg/L	1	13-Mar-2020 08:17
Bromomethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 08:17
Carbon disulfide	U		0.00090	0.010	mg/L	1	13-Mar-2020 08:17
Carbon tetrachloride	U		0.00060	0.0050	mg/L	1	13-Mar-2020 08:17
Chlorobenzene	**0.0018**	J	**0.00040**	**0.0050**	**mg/L**	1	13-Mar-2020 08:17
Chloroethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 08:17
Chloroform	U		0.00060	0.0050	mg/L	1	13-Mar-2020 08:17
Chloromethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 08:17
cis-1,2-Dichloroethene	U		0.00060	0.0050	mg/L	1	13-Mar-2020 08:17
cis-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	13-Mar-2020 08:17
Dibromochloromethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 08:17
Ethylbenzene	U		0.00050	0.0050	mg/L	1	13-Mar-2020 08:17
m,p-Xylene	U		0.00060	0.010	mg/L	1	13-Mar-2020 08:17
Methyl tert-butyl ether	**0.0056**		**0.00060**	**0.0050**	**mg/L**	1	13-Mar-2020 08:17
Methylene chloride	U		0.0010	0.010	mg/L	1	13-Mar-2020 08:17
Naphthalene	U		0.00070	0.0050	mg/L	1	13-Mar-2020 08:17
o-Xylene	U		0.00050	0.0050	mg/L	1	13-Mar-2020 08:17
Styrene	U		0.00050	0.0050	mg/L	1	13-Mar-2020 08:17
Tert-butyl alcohol	**14**		**0.20**	**1.0**	**mg/L**	10	14-Mar-2020 08:19
Tetrachloroethene	U		0.00060	0.0050	mg/L	1	13-Mar-2020 08:17
Toluene	U		0.00050	0.0050	mg/L	1	13-Mar-2020 08:17
trans-1,2-Dichloroethene	U		0.00040	0.0050	mg/L	1	13-Mar-2020 08:17
trans-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	13-Mar-2020 08:17
Trichloroethene	U		0.00050	0.0050	mg/L	1	13-Mar-2020 08:17
Vinyl chloride	**0.0031**		**0.00040**	**0.0020**	**mg/L**	1	13-Mar-2020 08:17

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**
Project:	FLTG French Limited	WorkOrder:HS20030296
Sample ID:	INT-251	Lab ID:HS20030296-57
Collection Date:	05-Mar-2020 10:10	Matrix:Water

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
Xylenes, Total		U	0.00050	0.0050	mg/L	1	13-Mar-2020 08:17
Surr: 1,2-Dichloroethane-d4	*90.8*			*70-126*	*%REC*	*1*	*13-Mar-2020 08:17*
Surr: 1,2-Dichloroethane-d4	*89.9*			*70-126*	*%REC*	*10*	*14-Mar-2020 08:19*
Surr: 4-Bromofluorobenzene	*99.6*			*82-124*	*%REC*	*1*	*13-Mar-2020 08:17*
Surr: 4-Bromofluorobenzene	*97.9*			*82-124*	*%REC*	*10*	*14-Mar-2020 08:19*
Surr: Dibromofluoromethane	*91.7*			*77-123*	*%REC*	*1*	*13-Mar-2020 08:17*
Surr: Dibromofluoromethane	*90.4*			*77-123*	*%REC*	*10*	*14-Mar-2020 08:19*
Surr: Toluene-d8	*106*			*82-127*	*%REC*	*1*	*13-Mar-2020 08:17*
Surr: Toluene-d8	*105*			*82-127*	*%REC*	*10*	*14-Mar-2020 08:19*

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**
Project:	FLTG French Limited	WorkOrder:HS20030296
Sample ID:	CG-021720-64	Lab ID:HS20030296-58
Collection Date:	06-Mar-2020 00:00	Matrix:Water

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
1,1,1-Trichloroethane		U	0.00050	0.0050	mg/L	1	13-Mar-2020 00:39
1,1,2,2-Tetrachloroethane		U	0.00050	0.0050	mg/L	1	13-Mar-2020 00:39
1,1,2-Trichloroethane		U	0.00050	0.0050	mg/L	1	13-Mar-2020 00:39
1,1-Dichloroethane		U	0.00040	0.0050	mg/L	1	13-Mar-2020 00:39
1,1-Dichloroethene		U	0.00050	0.0050	mg/L	1	13-Mar-2020 00:39
1,2-Dichloroethane		U	0.00050	0.0050	mg/L	1	13-Mar-2020 00:39
1,2-Dichloropropane		U	0.00070	0.0050	mg/L	1	13-Mar-2020 00:39
2-Butanone		U	0.0010	0.010	mg/L	1	13-Mar-2020 00:39
2-Hexanone		U	0.0010	0.010	mg/L	1	13-Mar-2020 00:39
4-Methyl-2-pentanone		U	0.0010	0.010	mg/L	1	13-Mar-2020 00:39
Acetone		U	0.0020	0.010	mg/L	1	13-Mar-2020 00:39
Allyl Chloride		U	0.0030	0.010	mg/L	1	13-Mar-2020 00:39
Benzene		U	0.00060	0.0050	mg/L	1	13-Mar-2020 00:39
Bromodichloromethane		U	0.00060	0.0050	mg/L	1	13-Mar-2020 00:39
Bromoform		U	0.00050	0.0050	mg/L	1	13-Mar-2020 00:39
Bromomethane		U	0.00050	0.0050	mg/L	1	13-Mar-2020 00:39
Carbon disulfide		U	0.00090	0.010	mg/L	1	13-Mar-2020 00:39
Carbon tetrachloride		U	0.00060	0.0050	mg/L	1	13-Mar-2020 00:39
Chlorobenzene		U	0.00040	0.0050	mg/L	1	13-Mar-2020 00:39
Chloroethane		U	0.00050	0.0050	mg/L	1	13-Mar-2020 00:39
Chloroform		U	0.00060	0.0050	mg/L	1	13-Mar-2020 00:39
Chloromethane		U	0.00050	0.0050	mg/L	1	13-Mar-2020 00:39
cis-1,2-Dichloroethene		U	0.00060	0.0050	mg/L	1	13-Mar-2020 00:39
cis-1,3-Dichloropropene		U	0.00060	0.0050	mg/L	1	13-Mar-2020 00:39
Dibromochloromethane		U	0.00050	0.0050	mg/L	1	13-Mar-2020 00:39
Ethylbenzene		U	0.00050	0.0050	mg/L	1	13-Mar-2020 00:39
m,p-Xylene		U	0.00060	0.010	mg/L	1	13-Mar-2020 00:39
Methyl tert-butyl ether		U	0.00060	0.0050	mg/L	1	13-Mar-2020 00:39
Methylene chloride		U	0.0010	0.010	mg/L	1	13-Mar-2020 00:39
Naphthalene		U	0.00070	0.0050	mg/L	1	13-Mar-2020 00:39
o-Xylene		U	0.00050	0.0050	mg/L	1	13-Mar-2020 00:39
Styrene		U	0.00050	0.0050	mg/L	1	13-Mar-2020 00:39
Tert-butyl alcohol		U	0.020	0.10	mg/L	1	13-Mar-2020 00:39
Tetrachloroethene		U	0.00060	0.0050	mg/L	1	13-Mar-2020 00:39
Toluene		U	0.00050	0.0050	mg/L	1	13-Mar-2020 00:39
trans-1,2-Dichloroethene		U	0.00040	0.0050	mg/L	1	13-Mar-2020 00:39
trans-1,3-Dichloropropene		U	0.00060	0.0050	mg/L	1	13-Mar-2020 00:39
Trichloroethene		U	0.00050	0.0050	mg/L	1	13-Mar-2020 00:39
Vinyl chloride		U	0.00040	0.0020	mg/L	1	13-Mar-2020 00:39

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**
Project:	FLTG French Limited	WorkOrder:HS20030296
Sample ID:	CG-021720-64	Lab ID:HS20030296-58
Collection Date:	06-Mar-2020 00:00	Matrix:Water

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
Xylenes, Total		U	0.00050	0.0050	mg/L	1	13-Mar-2020 00:39
Surr: 1,2-Dichloroethane-d4	*88.4*			*70-126*	*%REC*	*1*	*13-Mar-2020 00:39*
Surr: 4-Bromofluorobenzene	*98.1*			*82-124*	*%REC*	*1*	*13-Mar-2020 00:39*
Surr: Dibromofluoromethane	*90.3*			*77-123*	*%REC*	*1*	*13-Mar-2020 00:39*
Surr: Toluene-d8	*108*			*82-127*	*%REC*	*1*	*13-Mar-2020 00:39*

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Weight / Prep Log

Client: Environmental Resources Management
Project: FLTG French Limited
WorkOrder: HS20030296

Batch ID: 151613 **Start Date:** 12 Mar 2020 10:30 **End Date:** 12 Mar 2020 14:30
Method: WATER - SW3010A **Prep Code:** 3010A

Sample ID	Container	Sample Wt/Vol	Final Volume	Prep Factor
HS20030296-30		10 (mL)	10 (mL)	1
HS20030296-36		10 (mL)	10 (mL)	1
HS20030296-37		10 (mL)	10 (mL)	1
HS20030296-38		10 (mL)	10 (mL)	1
HS20030296-40		10 (mL)	10 (mL)	1
HS20030296-41		10 (mL)	10 (mL)	1
HS20030296-50		10 (mL)	10 (mL)	1
HS20030296-52		10 (mL)	10 (mL)	1
HS20030296-53		10 (mL)	10 (mL)	1
HS20030296-54		10 (mL)	10 (mL)	1

Batch ID: 151662 **Start Date:** 13 Mar 2020 10:00 **End Date:** 13 Mar 2020 14:00
Method: WATER - SW3010A **Prep Code:** 3010A

Sample ID	Container	Sample Wt/Vol	Final Volume	Prep Factor
HS20030296-55		10 (mL)	10 (mL)	1

RIGHT SOLUTIONS | RIGHT PARTNER

Client: Environmental Resources Management
Project: FLTG French Limited
WorkOrder: HS20030296

DATES REPORT

Sample ID	Client Samp ID	Collection Date	Leachate Date	Prep Date	Analysis Date	DF
Batch ID: 151613 (0)	**Test Name :** ICP-MS METALS BY SW6020A				**Matrix:** Water	
HS20030296-30	SI-031	05 Mar 2020 09:30		12 Mar 2020 14:30	12 Mar 2020 15:47	1
HS20030296-36	INT-059-P-2	05 Mar 2020 11:38		12 Mar 2020 14:30	12 Mar 2020 15:59	1
HS20030296-37	INT-101	06 Mar 2020 09:25		12 Mar 2020 14:30	12 Mar 2020 16:01	1
HS20030296-38	INT-118	05 Mar 2020 14:45		12 Mar 2020 14:30	12 Mar 2020 16:13	1
HS20030296-40	INT-135	05 Mar 2020 12:05		12 Mar 2020 14:30	12 Mar 2020 16:23	1
HS20030296-41	INT-144	05 Mar 2020 13:50		12 Mar 2020 14:30	12 Mar 2020 16:25	1
HS20030296-50	SI-033	04 Mar 2020 11:20		12 Mar 2020 14:30	12 Mar 2020 16:28	1
HS20030296-52	SI-111	05 Mar 2020 09:25		12 Mar 2020 14:30	12 Mar 2020 16:30	1
HS20030296-53	SI-118	05 Mar 2020 14:38		12 Mar 2020 14:30	12 Mar 2020 16:35	1
HS20030296-54	SI-135	05 Mar 2020 11:30		12 Mar 2020 14:30	12 Mar 2020 16:37	1
Batch ID: 151662 (0)	**Test Name :** ICP-MS METALS BY SW6020A				**Matrix:** Water	
HS20030296-55	DUP2	05 Mar 2020 12:00		13 Mar 2020 14:00	16 Mar 2020 14:49	1
Batch ID: R357831 (0)	**Test Name :** VOLATILES - SW8260C				**Matrix:** Water	
HS20030296-02	FLTG-014	06 Mar 2020 09:50			10 Mar 2020 00:06	1
HS20030296-06	INT-261	04 Mar 2020 14:28			10 Mar 2020 00:31	1
HS20030296-07	INT-262	04 Mar 2020 09:43			10 Mar 2020 00:55	1
HS20030296-08	SI-106R	05 Mar 2020 10:53			10 Mar 2020 01:19	1
Batch ID: R357923 (0)	**Test Name :** VOLATILES - SW8260C				**Matrix:** Water	
HS20030296-01	FLTG-013	06 Mar 2020 10:20			10 Mar 2020 14:47	1
HS20030296-03	INT-154	05 Mar 2020 11:33			10 Mar 2020 15:12	1
HS20030296-04	INT-259	05 Mar 2020 09:28			10 Mar 2020 19:40	1
HS20030296-05	INT-260	04 Mar 2020 12:08			10 Mar 2020 22:55	1
HS20030296-08	SI-106R	05 Mar 2020 10:53			10 Mar 2020 18:51	5
HS20030296-09	SI-142	04 Mar 2020 10:28			10 Mar 2020 20:04	1
HS20030296-13	SI-166	05 Mar 2020 10:08			10 Mar 2020 23:19	1
HS20030296-14	SI-167	04 Mar 2020 09:08			10 Mar 2020 20:29	1
HS20030296-16	SI-169	04 Mar 2020 11:13			10 Mar 2020 20:53	1
HS20030296-17	INT-106	06 Mar 2020 08:55			10 Mar 2020 15:36	1
HS20030296-19	SI-144	04 Mar 2020 10:16			10 Mar 2020 21:17	1
HS20030296-21	SI-136	06 Mar 2020 10:13			10 Mar 2020 21:42	1
HS20030296-22	DUP3	06 Mar 2020 12:00			10 Mar 2020 22:06	1
HS20030296-25	SI-165	06 Mar 2020 12:15			10 Mar 2020 22:31	1

RIGHT SOLUTIONS | RIGHT PARTNER

Client: Environmental Resources Management
Project: FLTG French Limited
WorkOrder: HS20030296

DATES REPORT

Sample ID	Client Samp ID	Collection Date	Leachate Date	Prep Date	Analysis Date	DF
Batch ID: R357999 (0)	**Test Name :** VOLATILES - SW8260C				**Matrix:** Water	
HS20030296-01	FLTG-013	06 Mar 2020 10:20			11 Mar 2020 17:52	5
HS20030296-03	INT-154	05 Mar 2020 11:33			11 Mar 2020 18:41	50
HS20030296-04	INT-259	05 Mar 2020 09:28			11 Mar 2020 19:29	5
HS20030296-05	INT-260	04 Mar 2020 12:08			11 Mar 2020 20:18	5
HS20030296-10	SI-146	04 Mar 2020 12:28			11 Mar 2020 16:14	1
HS20030296-11	SI-147	05 Mar 2020 08:48			11 Mar 2020 16:39	1
HS20030296-12	SI-148	04 Mar 2020 09:03			11 Mar 2020 15:50	1
HS20030296-15	DUP4	05 Mar 2020 12:05			11 Mar 2020 18:16	1
HS20030296-17	INT-106	06 Mar 2020 08:55			11 Mar 2020 21:07	10
HS20030296-18	SI-106A	05 Mar 2020 14:33			11 Mar 2020 19:05	1
HS20030296-20	SI-145	04 Mar 2020 09:42			11 Mar 2020 19:54	1
HS20030296-23	SI-161	06 Mar 2020 11:45			11 Mar 2020 20:43	1
HS20030296-26	INT-161	05 Mar 2020 08:35			11 Mar 2020 21:32	1
HS20030296-27	INT-163	05 Mar 2020 10:05			11 Mar 2020 21:56	1
HS20030296-28	INT-233	05 Mar 2020 09:00			11 Mar 2020 22:45	1
HS20030296-29	P-5	05 Mar 2020 10:40			11 Mar 2020 23:34	1
HS20030296-30	SI-031	05 Mar 2020 09:30			11 Mar 2020 15:01	1
HS20030296-31	INT-060-P-3	05 Mar 2020 12:08			11 Mar 2020 15:26	1
Batch ID: R358000 (0)	**Test Name :** VOLATILES - SW8260C				**Matrix:** Water	
HS20030296-10	SI-146	04 Mar 2020 12:28			12 Mar 2020 11:22	5
HS20030296-11	SI-147	05 Mar 2020 08:48			12 Mar 2020 12:10	5
HS20030296-32	INT-108	04 Mar 2020 11:32			12 Mar 2020 10:33	1
HS20030296-33	SI-108A	04 Mar 2020 11:05			12 Mar 2020 10:57	1
HS20030296-34	INT-022	04 Mar 2020 10:50			12 Mar 2020 11:46	1
Batch ID: R358083 (0)	**Test Name :** VOLATILES - SW8260C				**Matrix:** Water	
HS20030296-24	SI-162	06 Mar 2020 11:23			12 Mar 2020 16:15	5
HS20030296-35	INT-026	04 Mar 2020 14:38			12 Mar 2020 15:51	1
HS20030296-36	INT-059-P-2	05 Mar 2020 11:38			12 Mar 2020 18:15	1
HS20030296-37	INT-101	06 Mar 2020 09:25			12 Mar 2020 20:15	1
HS20030296-38	INT-118	05 Mar 2020 14:45			12 Mar 2020 17:51	1
HS20030296-39	INT-134	05 Mar 2020 10:55			12 Mar 2020 20:40	1
HS20030296-40	INT-135	05 Mar 2020 12:05			12 Mar 2020 21:04	1
HS20030296-41	INT-144	05 Mar 2020 13:50			12 Mar 2020 19:03	1
HS20030296-42	INT-150	05 Mar 2020 08:40			12 Mar 2020 21:28	1
HS20030296-43	INT-162	06 Mar 2020 08:53			12 Mar 2020 19:27	1
HS20030296-44	INT-214	04 Mar 2020 14:55			12 Mar 2020 19:51	1

RIGHT SOLUTIONS | RIGHT PARTNER

Client: Environmental Resources Management
Project: FLTG French Limited
WorkOrder: HS20030296

DATES REPORT

Sample ID	Client Samp ID	Collection Date	Leachate Date	Prep Date	Analysis Date	DF
Batch ID: R358087 (0)	**Test Name :** VOLATILES - SW8260C				**Matrix:** Water	
HS20030296-45	INT-217	04 Mar 2020 12:25			13 Mar 2020 01:04	1
HS20030296-46	INT-250	04 Mar 2020 12:25			13 Mar 2020 01:28	1
HS20030296-47	INT-252	04 Mar 2020 14:05			13 Mar 2020 03:04	1
HS20030296-48	INT-253	04 Mar 2020 09:25			13 Mar 2020 03:28	1
HS20030296-49	INT-254	04 Mar 2020 10:00			13 Mar 2020 03:52	1
HS20030296-50	SI-033	04 Mar 2020 11:20			13 Mar 2020 04:16	1
HS20030296-51	SI-051-P-3	04 Mar 2020 14:05			13 Mar 2020 04:40	1
HS20030296-52	SI-111	05 Mar 2020 09:25			13 Mar 2020 05:28	1
HS20030296-53	SI-118	05 Mar 2020 14:38			13 Mar 2020 06:16	1
HS20030296-54	SI-135	05 Mar 2020 11:30			13 Mar 2020 06:40	1
HS20030296-55	DUP2	05 Mar 2020 12:00			13 Mar 2020 07:04	1
HS20030296-56	SI-168	05 Mar 2020 12:18			13 Mar 2020 07:29	1
HS20030296-57	INT-251	05 Mar 2020 10:10			13 Mar 2020 08:17	1
HS20030296-58	CG-021720-64	06 Mar 2020 00:00			13 Mar 2020 00:39	1
Batch ID: R358156 (0)	**Test Name :** VOLATILES - SW8260C				**Matrix:** Water	
HS20030296-24	SI-162	06 Mar 2020 11:23			14 Mar 2020 06:43	100
HS20030296-37	INT-101	06 Mar 2020 09:25			14 Mar 2020 07:07	5
HS20030296-39	INT-134	05 Mar 2020 10:55			14 Mar 2020 01:54	5
HS20030296-57	INT-251	05 Mar 2020 10:10			14 Mar 2020 08:19	10
Batch ID: R358182 (0)	**Test Name :** VOLATILES - SW8260C				**Matrix:** Water	
HS20030296-18	SI-106A	05 Mar 2020 14:33			15 Mar 2020 16:26	5
HS20030296-27	INT-163	05 Mar 2020 10:05			15 Mar 2020 16:51	10
HS20030296-28	INT-233	05 Mar 2020 09:00			15 Mar 2020 17:15	10
HS20030296-29	P-5	05 Mar 2020 10:40			15 Mar 2020 17:39	10
HS20030296-31	INT-060-P-3	05 Mar 2020 12:08			15 Mar 2020 20:05	25

RIGHT SOLUTIONS | RIGHT PARTNER

Client: Environmental Resources Management
Project: FLTG French Limited
WorkOrder: HS20030296

QC BATCH REPORT

Batch ID: 151613 (0) **Instrument: ICPMS05** **Method: ICP-MS METALS BY SW6020A**

MBLK Sample ID: **MBLK-151613** Units: **mg/L** Analysis Date: **12-Mar-2020 15:42**
Client ID: Run ID: **ICPMS05_358021** SeqNo: **5510821** PrepDate: **12-Mar-2020** DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Arsenic	U	0.00200								
Chromium	U	0.00400								
Lead	U	0.00200								

LCS Sample ID: **LCS-151613** Units: **mg/L** Analysis Date: **12-Mar-2020 15:45**
Client ID: Run ID: **ICPMS05_358021** SeqNo: **5510822** PrepDate: **12-Mar-2020** DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Arsenic	0.04752	0.00200	0.05	0	95.0	80 - 120				
Chromium	0.0449	0.00400	0.05	0	89.8	80 - 120				
Lead	0.04335	0.00200	0.05	0	86.7	80 - 120				

MS Sample ID: **HS20030296-30MS** Units: **mg/L** Analysis Date: **12-Mar-2020 15:52**
Client ID: **SI-031** Run ID: **ICPMS05_358021** SeqNo: **5510825** PrepDate: **12-Mar-2020** DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Arsenic	0.05053	0.00200	0.05	0.001148	98.8	80 - 120				
Chromium	0.04746	0.00400	0.05	0.000338	94.2	80 - 120				
Lead	0.04389	0.00200	0.05	0.000302	87.2	80 - 120				

MSD Sample ID: **HS20030296-30MSD** Units: **mg/L** Analysis Date: **12-Mar-2020 15:54**
Client ID: **SI-031** Run ID: **ICPMS05_358021** SeqNo: **5510826** PrepDate: **12-Mar-2020** DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Arsenic	0.04788	0.00200	0.05	0.001148	93.5	80 - 120	0.05053	5.4	20	
Chromium	0.04624	0.00400	0.05	0.000338	91.8	80 - 120	0.04746	2.6	20	
Lead	0.04336	0.00200	0.05	0.000302	86.1	80 - 120	0.04389	1.23	20	

RIGHT SOLUTIONS | RIGHT PARTNER

Client: Environmental Resources Management
Project: FLTG French Limited
WorkOrder: HS20030296

QC BATCH REPORT

Batch ID: **151613 (0)** **Instrument:** **ICPMS05** **Method:** **ICP-MS METALS BY SW6020A**

PDS Sample ID: **HS20030296-30PDS** Units: **mg/L** Analysis Date: **12-Mar-2020 15:57**
Client ID: **SI-031** Run ID: **ICPMS05_358021** SeqNo: **5510827** PrepDate: **12-Mar-2020** DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Arsenic	0.1137	0.00200	0.1	0.001148	113	75 - 125				
Chromium	0.1107	0.00400	0.1	0.000338	110	75 - 125				
Lead	0.103	0.00200	0.1	0.000302	103	75 - 125				

SD Sample ID: **HS20030296-30SD** Units: **mg/L** Analysis Date: **12-Mar-2020 15:49**
Client ID: **SI-031** Run ID: **ICPMS05_358021** SeqNo: **5510824** PrepDate: **12-Mar-2020** DF: **5**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%D	%D Limit	Qual
Arsenic	U	0.0100					0.001148	0	10	
Chromium	U	0.0200					0.000338	0	10	
Lead	U	0.0100					0.000302	0	10	

The following samples were analyzed in this batch:

HS20030296-30	HS20030296-36	HS20030296-37	HS20030296-38
HS20030296-40	HS20030296-41	HS20030296-50	HS20030296-52
HS20030296-53	HS20030296-54		

RIGHT SOLUTIONS | RIGHT PARTNER

Client: Environmental Resources Management
Project: FLTG French Limited
WorkOrder: HS20030296

QC BATCH REPORT

Batch ID: 151662 (0) **Instrument: ICPMS05** **Method: ICP-MS METALS BY SW6020A**

MBLK Sample ID: **MBLK-151662** Units: **mg/L** Analysis Date: **13-Mar-2020 22:45**
Client ID: Run ID: **ICPMS05_358125** SeqNo: **5512822** PrepDate: **13-Mar-2020** DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Arsenic	U	0.00200								
Chromium	U	0.00400								
Lead	U	0.00200								

LCS Sample ID: **LCS-151662** Units: **mg/L** Analysis Date: **13-Mar-2020 22:48**
Client ID: Run ID: **ICPMS05_358125** SeqNo: **5512823** PrepDate: **13-Mar-2020** DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Arsenic	0.04906	0.00200	0.05	0	98.1	80 - 120				
Chromium	0.04884	0.00400	0.05	0	97.7	80 - 120				
Lead	0.04733	0.00200	0.05	0	94.7	80 - 120				

MS Sample ID: **HS20030402-01MS** Units: **mg/L** Analysis Date: **16-Mar-2020 13:24**
Client ID: Run ID: **ICPMS05_358206** SeqNo: **5513521** PrepDate: **13-Mar-2020** DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Arsenic	0.05216	0.00200	0.05	0.006684	91.0	80 - 120				
Chromium	0.04192	0.00400	0.05	0.000164	83.5	80 - 120				
Lead	0.04236	0.00200	0.05	0.000035	84.6	80 - 120				

MSD Sample ID: **HS20030402-01MSD** Units: **mg/L** Analysis Date: **16-Mar-2020 13:26**
Client ID: Run ID: **ICPMS05_358206** SeqNo: **5513522** PrepDate: **13-Mar-2020** DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Arsenic	0.05723	0.00200	0.05	0.006684	101	80 - 120	0.05216	9.26	20	
Chromium	0.04588	0.00400	0.05	0.000164	91.4	80 - 120	0.04192	9.04	20	
Lead	0.04646	0.00200	0.05	0.000035	92.9	80 - 120	0.04236	9.25	20	

RIGHT SOLUTIONS | RIGHT PARTNER

Client: Environmental Resources Management
Project: FLTG French Limited
WorkOrder: HS20030296

QC BATCH REPORT

Batch ID: 151662 (0) **Instrument: ICPMS05** **Method: ICP-MS METALS BY SW6020A**

PDS Sample ID: **HS20030402-01PDS** Units: **mg/L** Analysis Date: **16-Mar-2020 13:28**
Client ID: Run ID: **ICPMS05_358206** SeqNo: **5513523** PrepDate: **13-Mar-2020** DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Arsenic	0.1162	0.00200	0.1	0.006684	110	75 - 125				
Chromium	0.1005	0.00400	0.1	0.000164	100	75 - 125				
Lead	0.1029	0.00200	0.1	0.000035	103	75 - 125				

SD Sample ID: **HS20030402-01SD** Units: **mg/L** Analysis Date: **16-Mar-2020 13:22**
Client ID: Run ID: **ICPMS05_358206** SeqNo: **5513520** PrepDate: **13-Mar-2020** DF: **5**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%D	%D Limit	Qual
Arsenic	0.00584	0.0100					0.006684	0	10	J
Chromium	U	0.0200					0.000164	0	10	
Lead	U	0.0100					0.000035	0	10	

The following samples were analyzed in this batch: HS20030296-55

RIGHT SOLUTIONS | RIGHT PARTNER

Client: Environmental Resources Management
Project: FLTG French Limited
WorkOrder: HS20030296

QC BATCH REPORT

Batch ID: R357831 (0) **Instrument:** VOA9 **Method:** VOLATILES - SW8260C

MBLK Sample ID: **VBLKW-200309** Units: **mg/L** Analysis Date: **09-Mar-2020 16:24**
Client ID: Run ID: **VOA9_357831** SeqNo: **5505511** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
1,1,1-Trichloroethane	U	0.0050								
1,1,2,2-Tetrachloroethane	U	0.0050								
1,1,2-Trichloroethane	U	0.0050								
1,1-Dichloroethane	U	0.0050								
1,1-Dichloroethene	U	0.0050								
1,2-Dichloroethane	U	0.0050								
1,2-Dichloropropane	U	0.0050								
2-Butanone	U	0.010								
2-Hexanone	U	0.010								
4-Methyl-2-pentanone	U	0.010								
Acetone	U	0.010								
Allyl Chloride	U	0.010								
Benzene	U	0.0050								
Bromodichloromethane	U	0.0050								
Bromoform	U	0.0050								
Bromomethane	U	0.0050								
Carbon disulfide	U	0.010								
Carbon tetrachloride	U	0.0050								
Chlorobenzene	U	0.0050								
Chloroethane	U	0.0050								
Chloroform	U	0.0050								
Chloromethane	U	0.0050								
cis-1,2-Dichloroethene	U	0.0050								
cis-1,3-Dichloropropene	U	0.0050								
Dibromochloromethane	U	0.0050								
Ethylbenzene	U	0.0050								
m,p-Xylene	U	0.010								
Methyl tert-butyl ether	U	0.0050								
Methylene chloride	U	0.010								
Naphthalene	U	0.0050								
o-Xylene	U	0.0050								
Styrene	U	0.0050								
Tert-butyl alcohol	U	0.10								
Tetrachloroethene	U	0.0050								

RIGHT SOLUTIONS | RIGHT PARTNER

Client: Environmental Resources Management
Project: FLTG French Limited
WorkOrder: HS20030296

QC BATCH REPORT

Batch ID: **R357831 (0)** **Instrument:** **VOA9** **Method:** **VOLATILES - SW8260C**

MBLK Sample ID: **VBLKW-200309** Units: **mg/L** Analysis Date: **09-Mar-2020 16:24**
Client ID: Run ID: **VOA9_357831** SeqNo: **5505511** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Toluene	U	0.0050								
trans-1,2-Dichloroethene	U	0.0050								
trans-1,3-Dichloropropene	U	0.0050								
Trichloroethene	U	0.0050								
Vinyl chloride	U	0.0020								
Xylenes, Total	U	0.0050								
Surr: 1,2-Dichloroethane-d4	*0.049*	*0*	*0.05*	*0*	*97.5*	*70 - 130*				
Surr: 4-Bromofluorobenzene	*0.048*	*0*	*0.05*	*0*	*96.1*	*82 - 115*				
Surr: Dibromofluoromethane	*0.049*	*0*	*0.05*	*0*	*97.5*	*73 - 126*				
Surr: Toluene-d8	*0.050*	*0*	*0.05*	*0*	*100*	*81 - 120*				

RIGHT SOLUTIONS | RIGHT PARTNER

Client: Environmental Resources Management
Project: FLTG French Limited
WorkOrder: HS20030296

QC BATCH REPORT

Batch ID: R357831 (0) **Instrument:** VOA9 **Method:** VOLATILES - SW8260C

LCS Sample ID: **VLCSW-200309** Units: **mg/L** Analysis Date: **09-Mar-2020 15:35**
Client ID: Run ID: **VOA9_357831** SeqNo: **5505510** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
1,1,1-Trichloroethane	0.020	0.0050	0.02	0	99.2	70 - 130				
1,1,2,2-Tetrachloroethane	0.020	0.0050	0.02	0	99.2	70 - 120				
1,1,2-Trichloroethane	0.020	0.0050	0.02	0	100	77 - 113				
1,1-Dichloroethane	0.019	0.0050	0.02	0	96.5	71 - 122				
1,1-Dichloroethene	0.019	0.0050	0.02	0	94.4	70 - 130				
1,2-Dichloroethane	0.019	0.0050	0.02	0	96.5	70 - 124				
1,2-Dichloropropane	0.019	0.0050	0.02	0	96.6	72 - 119				
2-Butanone	0.036	0.010	0.04	0	91.1	70 - 130				
2-Hexanone	0.038	0.010	0.04	0	95.5	70 - 130				
4-Methyl-2-pentanone	0.039	0.010	0.04	0	98.4	70 - 130				
Acetone	0.034	0.010	0.04	0	85.6	70 - 130				
Allyl Chloride	0.020	0.010	0.02	0	98.7	70 - 130				
Benzene	0.019	0.0050	0.02	0	93.4	74 - 120				
Bromodichloromethane	0.020	0.0050	0.02	0	97.9	74 - 122				
Bromoform	0.020	0.0050	0.02	0	101	73 - 128				
Bromomethane	0.020	0.0050	0.02	0	102	70 - 130				
Carbon disulfide	0.037	0.010	0.04	0	92.5	70 - 130				
Carbon tetrachloride	0.019	0.0050	0.02	0	97.2	71 - 125				
Chlorobenzene	0.019	0.0050	0.02	0	95.7	76 - 113				
Chloroethane	0.018	0.0050	0.02	0	90.6	70 - 130				
Chloroform	0.019	0.0050	0.02	0	94.8	71 - 121				
Chloromethane	0.018	0.0050	0.02	0	88.1	70 - 129				
cis-1,2-Dichloroethene	0.019	0.0050	0.02	0	96.5	75 - 122				
cis-1,3-Dichloropropene	0.020	0.0050	0.02	0	100	73 - 127				
Dibromochloromethane	0.021	0.0050	0.02	0	103	77 - 122				
Ethylbenzene	0.020	0.0050	0.02	0	100	77 - 117				
m,p-Xylene	0.039	0.010	0.04	0	98.3	77 - 122				
Methyl tert-butyl ether	0.020	0.0050	0.02	0	100	70 - 130				
Methylene chloride	0.020	0.010	0.02	0	100	70 - 127				
Naphthalene	0.018	0.0050	0.02	0	89.4	70 - 130				
o-Xylene	0.020	0.0050	0.02	0	99.9	75 - 119				
Styrene	0.019	0.0050	0.02	0	93.2	72 - 126				
Tert-butyl alcohol	0.36	0.10	0.4	0	89.4	70 - 130				
Tetrachloroethene	0.019	0.0050	0.02	0	94.8	76 - 119				

RIGHT SOLUTIONS | RIGHT PARTNER

Client: Environmental Resources Management
Project: FLTG French Limited
WorkOrder: HS20030296

QC BATCH REPORT

Batch ID: **R357831 (0)** **Instrument:** **VOA9** **Method:** **VOLATILES - SW8260C**

LCS Sample ID: **VLCSW-200309** Units: **mg/L** Analysis Date: **09-Mar-2020 15:35**
Client ID: Run ID: **VOA9_357831** SeqNo: **5505510** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Toluene	0.019	0.0050	0.02	0	96.3	77 - 118				
trans-1,2-Dichloroethene	0.019	0.0050	0.02	0	95.5	72 - 127				
trans-1,3-Dichloropropene	0.021	0.0050	0.02	0	103	77 - 119				
Trichloroethene	0.019	0.0050	0.02	0	97.0	77 - 121				
Vinyl chloride	0.018	0.0020	0.02	0	89.3	70 - 130				
Xylenes, Total	0.059	0.0050	0.06	0	98.8	75 - 122				
Surr: 1,2-Dichloroethane-d4	*0.049*	*0*	*0.05*	*0*	*98.3*	*70 - 130*				
Surr: 4-Bromofluorobenzene	*0.050*	*0*	*0.05*	*0*	*100*	*82 - 115*				
Surr: Dibromofluoromethane	*0.050*	*0*	*0.05*	*0*	*99.5*	*73 - 126*				
Surr: Toluene-d8	*0.050*	*0*	*0.05*	*0*	*99.9*	*81 - 120*				

RIGHT SOLUTIONS | RIGHT PARTNER

Client: Environmental Resources Management
Project: FLTG French Limited
WorkOrder: HS20030296

QC BATCH REPORT

Batch ID: R357831 (0) **Instrument:** VOA9 **Method:** VOLATILES - SW8260C

MS Sample ID: **HS20030264-03MS** Units: **mg/L** Analysis Date: **09-Mar-2020 19:14**
Client ID: Run ID: **VOA9_357831** SeqNo: **5505513** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
1,1,1-Trichloroethane	0.021	0.0050	0.02	0	103	70 - 130				
1,1,2,2-Tetrachloroethane	0.020	0.0050	0.02	0	97.7	70 - 123				
1,1,2-Trichloroethane	0.021	0.0050	0.02	0	103	70 - 117				
1,1-Dichloroethane	0.021	0.0050	0.02	0.001490	95.5	70 - 127				
1,1-Dichloroethene	0.014	0.0050	0.02	0	68.8	70 - 130				S
1,2-Dichloroethane	0.020	0.0050	0.02	0	98.9	70 - 127				
1,2-Dichloropropane	0.020	0.0050	0.02	0	100	70 - 122				
2-Butanone	0.037	0.010	0.04	0	91.7	70 - 130				
2-Hexanone	0.043	0.010	0.04	0	108	70 - 130				
4-Methyl-2-pentanone	0.045	0.010	0.04	0	113	70 - 130				
Acetone	0.032	0.010	0.04	0	79.6	70 - 130				
Allyl Chloride	0.020	0.010	0.02	0	97.7	70 - 130				
Benzene	0.019	0.0050	0.02	0	93.7	70 - 127				
Bromodichloromethane	0.021	0.0050	0.02	0	103	70 - 124				
Bromoform	0.021	0.0050	0.02	0	103	70 - 129				
Bromomethane	0.011	0.0050	0.02	0	53.1	70 - 130				S
Carbon disulfide	0.020	0.010	0.04	0	51.0	70 - 130				S
Carbon tetrachloride	0.020	0.0050	0.02	0	101	70 - 130				
Chlorobenzene	0.022	0.0050	0.02	0	111	70 - 114				
Chloroethane	0.0083	0.0050	0.02	0	41.6	70 - 130				S
Chloroform	0.019	0.0050	0.02	0	97.4	70 - 125				
Chloromethane	0.0022	0.0050	0.02	0	10.9	70 - 130				JS
cis-1,2-Dichloroethene	0.020	0.0050	0.02	0	98.0	70 - 128				
cis-1,3-Dichloropropene	0.021	0.0050	0.02	0	103	70 - 125				
Dibromochloromethane	0.021	0.0050	0.02	0	103	70 - 124				
Ethylbenzene	0.022	0.0050	0.02	0	109	70 - 124				
m,p-Xylene	0.045	0.010	0.04	0	113	70 - 130				
Methyl tert-butyl ether	0.023	0.0050	0.02	0	113	70 - 130				
Methylene chloride	0.016	0.010	0.02	0	82.4	70 - 128				
Naphthalene	0.018	0.0050	0.02	0	90.9	70 - 130				
o-Xylene	0.023	0.0050	0.02	0	113	70 - 124				
Styrene	0.020	0.0050	0.02	0	98.4	70 - 130				
Tert-butyl alcohol	1.2	0.10	0.4	0.7332	116	70 - 130				
Tetrachloroethene	0.021	0.0050	0.02	0	103	70 - 130				

RIGHT SOLUTIONS | RIGHT PARTNER

Client: Environmental Resources Management
Project: FLTG French Limited
WorkOrder: HS20030296

QC BATCH REPORT

Batch ID: **R357831 (0)** **Instrument:** **VOA9** **Method:** **VOLATILES - SW8260C**

MS Sample ID: **HS20030264-03MS** Units: **mg/L** Analysis Date: **09-Mar-2020 19:14**
Client ID: Run ID: **VOA9_357831** SeqNo: **5505513** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Toluene	0.025	0.0050	0.02	0	124	70 - 123				S
trans-1,2-Dichloroethene	0.018	0.0050	0.02	0	88.0	70 - 130				
trans-1,3-Dichloropropene	0.022	0.0050	0.02	0	110	70 - 121				
Trichloroethene	0.020	0.0050	0.02	0	98.9	70 - 129				
Vinyl chloride	0.0033	0.0020	0.02	0.0004508	14.3	70 - 130				S
Xylenes, Total	0.068	0.0050	0.06	0	113	70 - 130				
Surr: 1,2-Dichloroethane-d4	*0.051*	*0*	*0.05*	*0*	*101*	*70 - 126*				
Surr: 4-Bromofluorobenzene	*0.050*	*0*	*0.05*	*0*	*100.0*	*82 - 124*				
Surr: Dibromofluoromethane	*0.050*	*0*	*0.05*	*0*	*99.9*	*77 - 123*				
Surr: Toluene-d8	*0.051*	*0*	*0.05*	*0*	*103*	*82 - 127*				

RIGHT SOLUTIONS | RIGHT PARTNER

Client: Environmental Resources Management
Project: FLTG French Limited
WorkOrder: HS20030296

QC BATCH REPORT

Batch ID: R357831 (0) **Instrument: VOA9** **Method: VOLATILES - SW8260C**

MSD Sample ID: **HS20030264-03MSD** Units: **mg/L** Analysis Date: **09-Mar-2020 19:39**
Client ID: Run ID: **VOA9_357831** SeqNo: **5505514** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
1,1,1-Trichloroethane	0.019	0.0050	0.02	0	94.3	70 - 130	0.02052	8.4	20	
1,1,2,2-Tetrachloroethane	0.021	0.0050	0.02	0	104	70 - 123	0.01954	6.46	20	
1,1,2-Trichloroethane	0.023	0.0050	0.02	0	115	70 - 117	0.02068	10.5	20	
1,1-Dichloroethane	0.016	0.0050	0.02	0.001490	73.5	70 - 127	0.02059	23.8	20	R
1,1-Dichloroethene	0.013	0.0050	0.02	0	63.8	70 - 130	0.01375	7.55	20	S
1,2-Dichloroethane	0.017	0.0050	0.02	0	84.0	70 - 127	0.01978	16.2	20	
1,2-Dichloropropane	0.021	0.0050	0.02	0	107	70 - 122	0.02003	6.56	20	
2-Butanone	0.027	0.010	0.04	0	67.7	70 - 130	0.03670	30.2	20	SR
2-Hexanone	0.043	0.010	0.04	0	109	70 - 130	0.04334	0.332	20	
4-Methyl-2-pentanone	0.053	0.010	0.04	0	133	70 - 130	0.04522	15.9	20	S
Acetone	0.027	0.010	0.04	0	67.9	70 - 130	0.03185	15.8	20	S
Allyl Chloride	0.016	0.010	0.02	0	78.7	70 - 130	0.01954	21.5	20	R
Benzene	0.017	0.0050	0.02	0	87.0	70 - 127	0.01874	7.41	20	
Bromodichloromethane	0.022	0.0050	0.02	0	111	70 - 124	0.02056	7.81	20	
Bromoform	0.022	0.0050	0.02	0	108	70 - 129	0.02058	4.83	20	
Bromomethane	0.0083	0.0050	0.02	0	41.6	70 - 130	0.01062	24.2	20	SR
Carbon disulfide	0.017	0.010	0.04	0	43.6	70 - 130	0.02040	15.8	20	S
Carbon tetrachloride	0.018	0.0050	0.02	0	88.6	70 - 130	0.02012	12.6	20	
Chlorobenzene	0.022	0.0050	0.02	0	111	70 - 114	0.02223	0.106	20	
Chloroethane	0.0076	0.0050	0.02	0	38.2	70 - 130	0.008325	8.6	20	S
Chloroform	0.016	0.0050	0.02	0	78.4	70 - 125	0.01947	21.5	20	R
Chloromethane	0.0011	0.0050	0.02	0	5.63	70 - 130	0.002185	0	20	JS
cis-1,2-Dichloroethene	0.016	0.0050	0.02	0	77.6	70 - 128	0.01960	23.2	20	R
cis-1,3-Dichloropropene	0.022	0.0050	0.02	0	111	70 - 125	0.02070	7.28	20	
Dibromochloromethane	0.021	0.0050	0.02	0	107	70 - 124	0.02061	3.6	20	
Ethylbenzene	0.024	0.0050	0.02	0	121	70 - 124	0.02188	10.2	20	
m,p-Xylene	0.049	0.010	0.04	0	121	70 - 130	0.04506	7.4	20	
Methyl tert-butyl ether	0.019	0.0050	0.02	0	93.9	70 - 130	0.02254	18.2	20	
Methylene chloride	0.015	0.010	0.02	0	74.9	70 - 128	0.01648	9.58	20	
Naphthalene	0.021	0.0050	0.02	0	106	70 - 130	0.01817	15.3	20	
o-Xylene	0.023	0.0050	0.02	0	116	70 - 124	0.02261	2.25	20	
Styrene	0.021	0.0050	0.02	0	104	70 - 130	0.01967	5.35	20	
Tert-butyl alcohol	1.0	0.10	0.4	0.7332	67.1	70 - 130	1.197	17.8	20	S
Tetrachloroethene	0.022	0.0050	0.02	0	113	70 - 130	0.02056	9	20	

RIGHT SOLUTIONS | RIGHT PARTNER

Client: Environmental Resources Management
Project: FLTG French Limited
WorkOrder: HS20030296

QC BATCH REPORT

Batch ID: **R357831 (0)** **Instrument:** **VOA9** **Method:** **VOLATILES - SW8260C**

MSD Sample ID: **HS20030264-03MSD** Units: **mg/L** Analysis Date: **09-Mar-2020 19:39**
Client ID: Run ID: **VOA9_357831** SeqNo: **5505514** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Toluene	0.026	0.0050	0.02	0	132	70 - 123	0.02486	6.07	20	S
trans-1,2-Dichloroethene	0.014	0.0050	0.02	0	72.5	70 - 130	0.01761	19.4	20	
trans-1,3-Dichloropropene	0.022	0.0050	0.02	0	111	70 - 121	0.02204	0.325	20	
Trichloroethene	0.022	0.0050	0.02	0	108	70 - 129	0.01979	8.61	20	
Vinyl chloride	0.0030	0.0020	0.02	0.0004508	12.5	70 - 130	0.003317	11.7	20	S
Xylenes, Total	0.072	0.0050	0.06	0	119	70 - 130	0.06767	5.71	20	
Surr: 1,2-Dichloroethane-d4	*0.045*	*0*	*0.05*	*0*	*90.7*	*70 - 126*	*0.05056*	*10.8*	*20*	
Surr: 4-Bromofluorobenzene	*0.052*	*0*	*0.05*	*0*	*104*	*82 - 124*	*0.04999*	*3.61*	*20*	
Surr: Dibromofluoromethane	*0.048*	*0*	*0.05*	*0*	*95.4*	*77 - 123*	*0.04996*	*4.6*	*20*	
Surr: Toluene-d8	*0.061*	*0*	*0.05*	*0*	*122*	*82 - 127*	*0.05131*	*16.9*	*20*	

The following samples were analyzed in this batch: HS20030296-02 HS20030296-06 HS20030296-07 HS20030296-08

RIGHT SOLUTIONS | RIGHT PARTNER

Client: Environmental Resources Management
Project: FLTG French Limited
WorkOrder: HS20030296

QC BATCH REPORT

Batch ID: R357923 (0) **Instrument:** VOA9 **Method:** VOLATILES - SW8260C

MBLK Sample ID: **VBLKW-200310** Units: **mg/L** Analysis Date: **10-Mar-2020 13:58**
Client ID: Run ID: **VOA9_357923** SeqNo: **5507464** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
1,1,1-Trichloroethane	U	0.0050								
1,1,2,2-Tetrachloroethane	U	0.0050								
1,1,2-Trichloroethane	U	0.0050								
1,1-Dichloroethane	U	0.0050								
1,1-Dichloroethene	U	0.0050								
1,2-Dichloroethane	U	0.0050								
1,2-Dichloropropane	U	0.0050								
2-Butanone	U	0.010								
2-Hexanone	U	0.010								
4-Methyl-2-pentanone	U	0.010								
Acetone	U	0.010								
Allyl Chloride	U	0.010								
Benzene	U	0.0050								
Bromodichloromethane	U	0.0050								
Bromoform	U	0.0050								
Bromomethane	U	0.0050								
Carbon disulfide	U	0.010								
Carbon tetrachloride	U	0.0050								
Chlorobenzene	U	0.0050								
Chloroethane	U	0.0050								
Chloroform	U	0.0050								
Chloromethane	U	0.0050								
cis-1,2-Dichloroethene	U	0.0050								
cis-1,3-Dichloropropene	U	0.0050								
Dibromochloromethane	U	0.0050								
Ethylbenzene	U	0.0050								
m,p-Xylene	U	0.010								
Methyl tert-butyl ether	U	0.0050								
Methylene chloride	U	0.010								
Naphthalene	U	0.0050								
o-Xylene	U	0.0050								
Styrene	U	0.0050								
Tert-butyl alcohol	U	0.10								
Tetrachloroethene	U	0.0050								

RIGHT SOLUTIONS | RIGHT PARTNER

Client: Environmental Resources Management
Project: FLTG French Limited
WorkOrder: HS20030296

QC BATCH REPORT

Batch ID: **R357923 (0)** **Instrument:** **VOA9** **Method:** **VOLATILES - SW8260C**

MBLK Sample ID: **VBLKW-200310** Units: **mg/L** Analysis Date: **10-Mar-2020 13:58**
Client ID: Run ID: **VOA9_357923** SeqNo: **5507464** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Toluene	U	0.0050								
trans-1,2-Dichloroethene	U	0.0050								
trans-1,3-Dichloropropene	U	0.0050								
Trichloroethene	U	0.0050								
Vinyl chloride	U	0.0020								
Xylenes, Total	U	0.0050								
Surr: 1,2-Dichloroethane-d4	*0.045*	*0*	*0.05*	*0*	*89.7*	*70 - 130*				
Surr: 4-Bromofluorobenzene	*0.045*	*0*	*0.05*	*0*	*89.1*	*82 - 115*				
Surr: Dibromofluoromethane	*0.048*	*0*	*0.05*	*0*	*95.7*	*73 - 126*				
Surr: Toluene-d8	*0.046*	*0*	*0.05*	*0*	*92.9*	*81 - 120*				

RIGHT SOLUTIONS | RIGHT PARTNER

Client: Environmental Resources Management
Project: FLTG French Limited
WorkOrder: HS20030296

QC BATCH REPORT

Batch ID: R357923 (0) **Instrument:** VOA9 **Method:** VOLATILES - SW8260C

LCS Sample ID: **VLCSW-200310** Units: **mg/L** Analysis Date: **10-Mar-2020 13:10**
Client ID: Run ID: **VOA9_357923** SeqNo: **5507463** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
1,1,1-Trichloroethane	0.018	0.0050	0.02	0	92.3	70 - 130				
1,1,2,2-Tetrachloroethane	0.019	0.0050	0.02	0	94.7	70 - 120				
1,1,2-Trichloroethane	0.016	0.0050	0.02	0	77.7	77 - 113				
1,1-Dichloroethane	0.019	0.0050	0.02	0	97.4	71 - 122				
1,1-Dichloroethene	0.018	0.0050	0.02	0	89.2	70 - 130				
1,2-Dichloroethane	0.021	0.0050	0.02	0	107	70 - 124				
1,2-Dichloropropane	0.016	0.0050	0.02	0	80.4	72 - 119				
2-Butanone	0.037	0.010	0.04	0	93.0	70 - 130				
2-Hexanone	0.041	0.010	0.04	0	103	70 - 130				
4-Methyl-2-pentanone	0.029	0.010	0.04	0	72.6	70 - 130				
Acetone	0.038	0.010	0.04	0	95.4	70 - 130				
Allyl Chloride	0.021	0.010	0.02	0	103	70 - 130				
Benzene	0.021	0.0050	0.02	0	105	74 - 120				
Bromodichloromethane	0.017	0.0050	0.02	0	84.4	74 - 122				
Bromoform	0.020	0.0050	0.02	0	102	73 - 128				
Bromomethane	0.021	0.0050	0.02	0	103	70 - 130				
Carbon disulfide	0.037	0.010	0.04	0	92.1	70 - 130				
Carbon tetrachloride	0.021	0.0050	0.02	0	106	71 - 125				
Chlorobenzene	0.019	0.0050	0.02	0	95.3	76 - 113				
Chloroethane	0.018	0.0050	0.02	0	90.2	70 - 130				
Chloroform	0.019	0.0050	0.02	0	93.1	71 - 121				
Chloromethane	0.017	0.0050	0.02	0	86.6	70 - 129				
cis-1,2-Dichloroethene	0.019	0.0050	0.02	0	95.2	75 - 122				
cis-1,3-Dichloropropene	0.018	0.0050	0.02	0	88.2	73 - 127				
Dibromochloromethane	0.020	0.0050	0.02	0	102	77 - 122				
Ethylbenzene	0.020	0.0050	0.02	0	98.4	77 - 117				
m,p-Xylene	0.041	0.010	0.04	0	101	77 - 122				
Methyl tert-butyl ether	0.021	0.0050	0.02	0	104	70 - 130				
Methylene chloride	0.019	0.010	0.02	0	95.4	70 - 127				
Naphthalene	0.018	0.0050	0.02	0	89.5	70 - 130				
o-Xylene	0.021	0.0050	0.02	0	104	75 - 119				
Styrene	0.020	0.0050	0.02	0	99.0	72 - 126				
Tert-butyl alcohol	0.39	0.10	0.4	0	97.5	70 - 130				
Tetrachloroethene	0.018	0.0050	0.02	0	91.0	76 - 119				

RIGHT SOLUTIONS | RIGHT PARTNER

Client: Environmental Resources Management
Project: FLTG French Limited
WorkOrder: HS20030296

QC BATCH REPORT

Batch ID: **R357923 (0)** **Instrument:** **VOA9** **Method:** **VOLATILES - SW8260C**

LCS Sample ID: **VLCSW-200310** Units: **mg/L** Analysis Date: **10-Mar-2020 13:10**
Client ID: Run ID: **VOA9_357923** SeqNo: **5507463** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Toluene	0.016	0.0050	0.02	0	79.1	77 - 118				
trans-1,2-Dichloroethene	0.019	0.0050	0.02	0	94.8	72 - 127				
trans-1,3-Dichloropropene	0.019	0.0050	0.02	0	96.0	77 - 119				
Trichloroethene	0.018	0.0050	0.02	0	90.1	77 - 121				
Vinyl chloride	0.017	0.0020	0.02	0	85.1	70 - 130				
Xylenes, Total	0.061	0.0050	0.06	0	102	75 - 122				
Surr: 1,2-Dichloroethane-d4	*0.048*	*0*	*0.05*	*0*	*96.8*	*70 - 130*				
Surr: 4-Bromofluorobenzene	*0.051*	*0*	*0.05*	*0*	*102*	*82 - 115*				
Surr: Dibromofluoromethane	*0.050*	*0*	*0.05*	*0*	*99.9*	*73 - 126*				
Surr: Toluene-d8	*0.042*	*0*	*0.05*	*0*	*83.9*	*81 - 120*				

RIGHT SOLUTIONS | RIGHT PARTNER

Client: Environmental Resources Management
Project: FLTG French Limited
WorkOrder: HS20030296

QC BATCH REPORT

Batch ID: R357923 (0) **Instrument:** VOA9 **Method:** VOLATILES - SW8260C

MS Sample ID: **HS20030384-01MS** Units: **mg/L** Analysis Date: **10-Mar-2020 16:00**
Client ID: Run ID: **VOA9_357923** SeqNo: **5507469** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
1,1,1-Trichloroethane	0.024	0.0050	0.02	0	121	70 - 130				
1,1,2,2-Tetrachloroethane	0.023	0.0050	0.02	0	116	70 - 123				
1,1,2-Trichloroethane	0.023	0.0050	0.02	0	113	70 - 117				
1,1-Dichloroethane	0.024	0.0050	0.02	0	118	70 - 127				
1,1-Dichloroethene	0.023	0.0050	0.02	0	114	70 - 130				
1,2-Dichloroethane	0.024	0.0050	0.02	0	122	70 - 127				
1,2-Dichloropropane	0.021	0.0050	0.02	0	106	70 - 122				
2-Butanone	0.052	0.010	0.04	0.004203	119	70 - 130				
2-Hexanone	0.040	0.010	0.04	0	99.5	70 - 130				
4-Methyl-2-pentanone	0.042	0.010	0.04	0	104	70 - 130				
Acetone	0.95	0.010	0.04	0.9977	-117	70 - 130				SEO
Allyl Chloride	0.022	0.010	0.02	0	109	70 - 130				
Benzene	0.044	0.0050	0.02	0.02163	112	70 - 127				
Bromodichloromethane	0.038	0.0050	0.02	0.01570	112	70 - 124				
Bromoform	0.028	0.0050	0.02	0	139	70 - 129				S
Bromomethane	0.022	0.0050	0.02	0	111	70 - 130				
Carbon disulfide	0.048	0.010	0.04	0	120	70 - 130				
Carbon tetrachloride	0.027	0.0050	0.02	0	137	70 - 130				S
Chlorobenzene	0.021	0.0050	0.02	0	107	70 - 114				
Chloroethane	0.022	0.0050	0.02	0	111	70 - 130				
Chloroform	0.055	0.0050	0.02	0.03297	112	70 - 125				
Chloromethane	0.033	0.0050	0.02	0	163	70 - 130				S
cis-1,2-Dichloroethene	0.023	0.0050	0.02	0	115	70 - 128				
cis-1,3-Dichloropropene	0.021	0.0050	0.02	0	107	70 - 125				
Dibromochloromethane	0.030	0.0050	0.02	0.005253	126	70 - 124				S
Ethylbenzene	0.024	0.0050	0.02	0	118	70 - 124				
m,p-Xylene	0.046	0.010	0.04	0	116	70 - 130				
Methyl tert-butyl ether	0.021	0.0050	0.02	0	107	70 - 130				
Methylene chloride	0.024	0.010	0.02	0	121	70 - 128				
Naphthalene	0.019	0.0050	0.02	0	93.4	70 - 130				
o-Xylene	0.028	0.0050	0.02	0	140	70 - 124				S
Styrene	0.019	0.0050	0.02	0	96.3	70 - 130				
Tert-butyl alcohol	0.46	0.10	0.4	0	114	70 - 130				
Tetrachloroethene	0.024	0.0050	0.02	0	121	70 - 130				

RIGHT SOLUTIONS | RIGHT PARTNER

Client: Environmental Resources Management
Project: FLTG French Limited
WorkOrder: HS20030296

QC BATCH REPORT

Batch ID: **R357923 (0)** **Instrument:** **VOA9** **Method:** **VOLATILES - SW8260C**

MS Sample ID: **HS20030384-01MS** Units: **mg/L** Analysis Date: **10-Mar-2020 16:00**
Client ID: Run ID: **VOA9_357923** SeqNo: **5507469** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Toluene	0.023	0.0050	0.02	0.001177	108	70 - 123				
trans-1,2-Dichloroethene	0.023	0.0050	0.02	0	116	70 - 130				
trans-1,3-Dichloropropene	0.024	0.0050	0.02	0	119	70 - 121				
Trichloroethene	0.024	0.0050	0.02	0	120	70 - 129				
Vinyl chloride	0.024	0.0020	0.02	0	121	70 - 130				
Xylenes, Total	0.074	0.0050	0.06	0	124	70 - 130				
Surr: 1,2-Dichloroethane-d4	*0.046*	*0*	*0.05*	*0*	*91.5*	*70 - 126*				
Surr: 4-Bromofluorobenzene	*0.059*	*0*	*0.05*	*0*	*117*	*82 - 124*				
Surr: Dibromofluoromethane	*0.050*	*0*	*0.05*	*0*	*100*	*77 - 123*				
Surr: Toluene-d8	*0.047*	*0*	*0.05*	*0*	*94.6*	*82 - 127*				

RIGHT SOLUTIONS | RIGHT PARTNER

Client: Environmental Resources Management
Project: FLTG French Limited
WorkOrder: HS20030296

QC BATCH REPORT

Batch ID: R357923 (0) **Instrument:** VOA9 **Method:** VOLATILES - SW8260C

MSD Sample ID: **HS20030384-01MSD** Units: **mg/L** Analysis Date: **10-Mar-2020 16:25**
Client ID: Run ID: **VOA9_357923** SeqNo: **5507470** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
1,1,1-Trichloroethane	0.020	0.0050	0.02	0	100.0	70 - 130	0.02421	19.1	20	
1,1,2,2-Tetrachloroethane	0.022	0.0050	0.02	0	110	70 - 123	0.02317	5.54	20	
1,1,2-Trichloroethane	0.024	0.0050	0.02	0	120	70 - 117	0.02259	6.24	20	S
1,1-Dichloroethane	0.017	0.0050	0.02	0	85.6	70 - 127	0.02360	31.8	20	R
1,1-Dichloroethene	0.020	0.0050	0.02	0	100	70 - 130	0.02287	13.1	20	
1,2-Dichloroethane	0.023	0.0050	0.02	0	117	70 - 127	0.02439	4.26	20	
1,2-Dichloropropane	0.022	0.0050	0.02	0	112	70 - 122	0.02117	5.45	20	
2-Butanone	0.037	0.010	0.04	0.004203	82.8	70 - 130	0.05192	32.8	20	R
2-Hexanone	0.050	0.010	0.04	0	125	70 - 130	0.03980	22.3	20	R
4-Methyl-2-pentanone	0.052	0.010	0.04	0	130	70 - 130	0.04174	21.9	20	R
Acetone	0.78	0.010	0.04	0.9977	-548	70 - 130	0.9510	20	20	SEO
Allyl Chloride	0.017	0.010	0.02	0	82.9	70 - 130	0.02187	27.6	20	R
Benzene	0.040	0.0050	0.02	0.02163	94.0	70 - 127	0.04408	8.65	20	
Bromodichloromethane	0.041	0.0050	0.02	0.01570	128	70 - 124	0.03817	8.08	20	S
Bromoform	0.024	0.0050	0.02	0	118	70 - 129	0.02781	16.7	20	
Bromomethane	0.020	0.0050	0.02	0	98.0	70 - 130	0.02216	12.3	20	
Carbon disulfide	0.039	0.010	0.04	0	98.1	70 - 130	0.04791	19.9	20	
Carbon tetrachloride	0.024	0.0050	0.02	0	119	70 - 130	0.02745	13.9	20	
Chlorobenzene	0.021	0.0050	0.02	0	107	70 - 114	0.02134	0.439	20	
Chloroethane	0.018	0.0050	0.02	0	87.7	70 - 130	0.02211	23.1	20	R
Chloroform	0.045	0.0050	0.02	0.03297	60.2	70 - 125	0.05531	20.6	20	SR
Chloromethane	0.022	0.0050	0.02	0	111	70 - 130	0.03258	38.3	20	R
cis-1,2-Dichloroethene	0.019	0.0050	0.02	0	93.1	70 - 128	0.02304	21.2	20	R
cis-1,3-Dichloropropene	0.023	0.0050	0.02	0	114	70 - 125	0.02149	5.97	20	
Dibromochloromethane	0.032	0.0050	0.02	0.005253	135	70 - 124	0.03037	6.16	20	S
Ethylbenzene	0.023	0.0050	0.02	0	113	70 - 124	0.02365	4.91	20	
m,p-Xylene	0.045	0.010	0.04	0	112	70 - 130	0.04645	3.49	20	
Methyl tert-butyl ether	0.017	0.0050	0.02	0	83.8	70 - 130	0.02147	24.7	20	R
Methylene chloride	0.019	0.010	0.02	0	92.8	70 - 128	0.02415	26.1	20	R
Naphthalene	0.020	0.0050	0.02	0	102	70 - 130	0.01869	8.59	20	
o-Xylene	0.023	0.0050	0.02	0	114	70 - 124	0.02790	19.9	20	
Styrene	0.016	0.0050	0.02	0	78.9	70 - 130	0.01927	19.9	20	
Tert-butyl alcohol	0.37	0.10	0.4	0	91.7	70 - 130	0.4556	21.6	20	R
Tetrachloroethene	0.023	0.0050	0.02	0	115	70 - 130	0.02422	4.83	20	

RIGHT SOLUTIONS | RIGHT PARTNER

Client: Environmental Resources Management
Project: FLTG French Limited
WorkOrder: HS20030296

QC BATCH REPORT

Batch ID: R357923 (0) **Instrument:** VOA9 **Method:** VOLATILES - SW8260C

MSD Sample ID: **HS20030384-01MSD** Units: **mg/L** Analysis Date: **10-Mar-2020 16:25**
Client ID: Run ID: **VOA9_357923** SeqNo: **5507470** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Toluene	0.025	0.0050	0.02	0.001177	119	70 - 123	0.02284	9.18	20	
trans-1,2-Dichloroethene	0.019	0.0050	0.02	0	93.3	70 - 130	0.02318	21.6	20	R
trans-1,3-Dichloropropene	0.023	0.0050	0.02	0	116	70 - 121	0.02379	2.34	20	
Trichloroethene	0.022	0.0050	0.02	0	110	70 - 129	0.02398	8.36	20	
Vinyl chloride	0.020	0.0020	0.02	0	99.0	70 - 130	0.02428	20.3	20	R
Xylenes, Total	0.068	0.0050	0.06	0	113	70 - 130	0.07435	9.36	20	
Surr: 1,2-Dichloroethane-d4	*0.052*	*0*	*0.05*	*0*	*105*	*70 - 126*	*0.04575*	*13.3*	*20*	
Surr: 4-Bromofluorobenzene	*0.048*	*0*	*0.05*	*0*	*95.4*	*82 - 124*	*0.05854*	*20.5*	*20*	R
Surr: Dibromofluoromethane	*0.043*	*0*	*0.05*	*0*	*86.8*	*77 - 123*	*0.05015*	*14.5*	*20*	
Surr: Toluene-d8	*0.054*	*0*	*0.05*	*0*	*108*	*82 - 127*	*0.04729*	*13.3*	*20*	

The following samples were analyzed in this batch:

HS20030296-01	HS20030296-03	HS20030296-04	HS20030296-05
HS20030296-08	HS20030296-09	HS20030296-13	HS20030296-14
HS20030296-16	HS20030296-17	HS20030296-19	HS20030296-21
HS20030296-22	HS20030296-25		

RIGHT SOLUTIONS | RIGHT PARTNER

Client: Environmental Resources Management
Project: FLTG French Limited
WorkOrder: HS20030296

QC BATCH REPORT

Batch ID: **R357999 (0)** **Instrument:** **VOA9** **Method:** **VOLATILES - SW8260C**

MBLK Sample ID: **VBLKW-200311** Units: **mg/L** Analysis Date: **11-Mar-2020 14:37**
Client ID: Run ID: **VOA9_357999** SeqNo: **5508968** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
1,1,1-Trichloroethane	U	0.0050								
1,1,2,2-Tetrachloroethane	U	0.0050								
1,1,2-Trichloroethane	U	0.0050								
1,1-Dichloroethane	U	0.0050								
1,1-Dichloroethene	U	0.0050								
1,2-Dichloroethane	U	0.0050								
1,2-Dichloropropane	U	0.0050								
2-Butanone	U	0.010								
2-Hexanone	U	0.010								
4-Methyl-2-pentanone	U	0.010								
Acetone	U	0.010								
Allyl Chloride	U	0.010								
Benzene	U	0.0050								
Bromodichloromethane	U	0.0050								
Bromoform	U	0.0050								
Bromomethane	U	0.0050								
Carbon disulfide	U	0.010								
Carbon tetrachloride	U	0.0050								
Chlorobenzene	U	0.0050								
Chloroethane	U	0.0050								
Chloroform	U	0.0050								
Chloromethane	U	0.0050								
cis-1,2-Dichloroethene	U	0.0050								
cis-1,3-Dichloropropene	U	0.0050								
Dibromochloromethane	U	0.0050								
Ethylbenzene	U	0.0050								
m,p-Xylene	U	0.010								
Methyl tert-butyl ether	U	0.0050								
Methylene chloride	U	0.010								
Naphthalene	U	0.0050								
o-Xylene	U	0.0050								
Styrene	U	0.0050								
Tert-butyl alcohol	U	0.10								
Tetrachloroethene	U	0.0050								

RIGHT SOLUTIONS | RIGHT PARTNER

Client: Environmental Resources Management
Project: FLTG French Limited
WorkOrder: HS20030296

QC BATCH REPORT

Batch ID: **R357999 (0)** **Instrument:** **VOA9** **Method:** **VOLATILES - SW8260C**

MBLK Sample ID: **VBLKW-200311** Units: **mg/L** Analysis Date: **11-Mar-2020 14:37**
Client ID: Run ID: **VOA9_357999** SeqNo: **5508968** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Toluene	U	0.0050								
trans-1,2-Dichloroethene	U	0.0050								
trans-1,3-Dichloropropene	U	0.0050								
Trichloroethene	U	0.0050								
Vinyl chloride	U	0.0020								
Xylenes, Total	U	0.0050								
Surr: 1,2-Dichloroethane-d4	*0.050*	*0*	*0.05*	*0*	*99.8*	*70 - 130*				
Surr: 4-Bromofluorobenzene	*0.048*	*0*	*0.05*	*0*	*96.9*	*82 - 115*				
Surr: Dibromofluoromethane	*0.048*	*0*	*0.05*	*0*	*96.0*	*73 - 126*				
Surr: Toluene-d8	*0.053*	*0*	*0.05*	*0*	*106*	*81 - 120*				

RIGHT SOLUTIONS | RIGHT PARTNER

Client: Environmental Resources Management
Project: FLTG French Limited
WorkOrder: HS20030296

QC BATCH REPORT

Batch ID: R357999 (0) **Instrument:** VOA9 **Method:** VOLATILES - SW8260C

LCS Sample ID: **VLCSW-200311** Units: **mg/L** Analysis Date: **11-Mar-2020 13:48**
Client ID: Run ID: **VOA9_357999** SeqNo: **5508967** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
1,1,1-Trichloroethane	0.020	0.0050	0.02	0	99.8	70 - 130				
1,1,2,2-Tetrachloroethane	0.020	0.0050	0.02	0	102	70 - 120				
1,1,2-Trichloroethane	0.020	0.0050	0.02	0	99.5	77 - 113				
1,1-Dichloroethane	0.018	0.0050	0.02	0	89.9	71 - 122				
1,1-Dichloroethene	0.019	0.0050	0.02	0	94.7	70 - 130				
1,2-Dichloroethane	0.018	0.0050	0.02	0	91.5	70 - 124				
1,2-Dichloropropane	0.018	0.0050	0.02	0	91.2	72 - 119				
2-Butanone	0.032	0.010	0.04	0	81.3	70 - 130				
2-Hexanone	0.040	0.010	0.04	0	98.9	70 - 130				
4-Methyl-2-pentanone	0.040	0.010	0.04	0	99.6	70 - 130				
Acetone	0.039	0.010	0.04	0	96.3	70 - 130				
Allyl Chloride	0.019	0.010	0.02	0	95.2	70 - 130				
Benzene	0.018	0.0050	0.02	0	89.6	74 - 120				
Bromodichloromethane	0.021	0.0050	0.02	0	103	74 - 122				
Bromoform	0.021	0.0050	0.02	0	105	73 - 128				
Bromomethane	0.021	0.0050	0.02	0	107	70 - 130				
Carbon disulfide	0.036	0.010	0.04	0	91.3	70 - 130				
Carbon tetrachloride	0.019	0.0050	0.02	0	97.2	71 - 125				
Chlorobenzene	0.019	0.0050	0.02	0	96.8	76 - 113				
Chloroethane	0.019	0.0050	0.02	0	93.8	70 - 130				
Chloroform	0.018	0.0050	0.02	0	88.2	71 - 121				
Chloromethane	0.018	0.0050	0.02	0	90.2	70 - 129				
cis-1,2-Dichloroethene	0.018	0.0050	0.02	0	91.3	75 - 122				
cis-1,3-Dichloropropene	0.020	0.0050	0.02	0	99.1	73 - 127				
Dibromochloromethane	0.020	0.0050	0.02	0	102	77 - 122				
Ethylbenzene	0.022	0.0050	0.02	0	108	77 - 117				
m,p-Xylene	0.044	0.010	0.04	0	110	77 - 122				
Methyl tert-butyl ether	0.019	0.0050	0.02	0	96.4	70 - 130				
Methylene chloride	0.019	0.010	0.02	0	93.2	70 - 127				
Naphthalene	0.019	0.0050	0.02	0	93.1	70 - 130				
o-Xylene	0.021	0.0050	0.02	0	103	75 - 119				
Styrene	0.020	0.0050	0.02	0	97.5	72 - 126				
Tert-butyl alcohol	0.36	0.10	0.4	0	89.7	70 - 130				
Tetrachloroethene	0.020	0.0050	0.02	0	97.9	76 - 119				

RIGHT SOLUTIONS | RIGHT PARTNER

Client: Environmental Resources Management
Project: FLTG French Limited
WorkOrder: HS20030296

QC BATCH REPORT

Batch ID: **R357999 (0)** **Instrument:** **VOA9** **Method:** **VOLATILES - SW8260C**

LCS Sample ID: **VLCSW-200311** Units: **mg/L** Analysis Date: **11-Mar-2020 13:48**
Client ID: Run ID: **VOA9_357999** SeqNo: **5508967** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Toluene	0.020	0.0050	0.02	0	102	77 - 118				
trans-1,2-Dichloroethene	0.018	0.0050	0.02	0	92.0	72 - 127				
trans-1,3-Dichloropropene	0.021	0.0050	0.02	0	106	77 - 119				
Trichloroethene	0.019	0.0050	0.02	0	95.0	77 - 121				
Vinyl chloride	0.018	0.0020	0.02	0	92.4	70 - 130				
Xylenes, Total	0.065	0.0050	0.06	0	108	75 - 122				
Surr: 1,2-Dichloroethane-d4	*0.047*	*0*	*0.05*	*0*	*93.3*	*70 - 130*				
Surr: 4-Bromofluorobenzene	*0.051*	*0*	*0.05*	*0*	*101*	*82 - 115*				
Surr: Dibromofluoromethane	*0.050*	*0*	*0.05*	*0*	*101*	*73 - 126*				
Surr: Toluene-d8	*0.050*	*0*	*0.05*	*0*	*100*	*81 - 120*				

RIGHT SOLUTIONS | RIGHT PARTNER

Client: Environmental Resources Management
Project: FLTG French Limited
WorkOrder: HS20030296

QC BATCH REPORT

Batch ID: **R357999 (0)** **Instrument:** **VOA9** **Method:** **VOLATILES - SW8260C**

MS Sample ID: **HS20030296-30MS** Units: **mg/L** Analysis Date: **11-Mar-2020 17:03**
Client ID: **SI-031** Run ID: **VOA9_357999** SeqNo: **5508974** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
1,1,1-Trichloroethane	0.021	0.0050	0.02	0	103	70 - 130				
1,1,2,2-Tetrachloroethane	0.019	0.0050	0.02	0	97.3	70 - 123				
1,1,2-Trichloroethane	0.020	0.0050	0.02	0	101	70 - 117				
1,1-Dichloroethane	0.019	0.0050	0.02	0	95.6	70 - 127				
1,1-Dichloroethene	0.021	0.0050	0.02	0	103	70 - 130				
1,2-Dichloroethane	0.019	0.0050	0.02	0	96.9	70 - 127				
1,2-Dichloropropane	0.019	0.0050	0.02	0	93.2	70 - 122				
2-Butanone	0.035	0.010	0.04	0	88.6	70 - 130				
2-Hexanone	0.041	0.010	0.04	0	102	70 - 130				
4-Methyl-2-pentanone	0.041	0.010	0.04	0	102	70 - 130				
Acetone	0.033	0.010	0.04	0	83.4	70 - 130				
Allyl Chloride	0.020	0.010	0.02	0	101	70 - 130				
Benzene	0.019	0.0050	0.02	0	94.4	70 - 127				
Bromodichloromethane	0.019	0.0050	0.02	0	95.7	70 - 124				
Bromoform	0.020	0.0050	0.02	0	102	70 - 129				
Bromomethane	0.022	0.0050	0.02	0	109	70 - 130				
Carbon disulfide	0.042	0.010	0.04	0	105	70 - 130				
Carbon tetrachloride	0.020	0.0050	0.02	0	103	70 - 130				
Chlorobenzene	0.020	0.0050	0.02	0	98.0	70 - 114				
Chloroethane	0.019	0.0050	0.02	0	96.9	70 - 130				
Chloroform	0.019	0.0050	0.02	0	92.7	70 - 125				
Chloromethane	0.022	0.0050	0.02	0	108	70 - 130				
cis-1,2-Dichloroethene	0.019	0.0050	0.02	0	96.6	70 - 128				
cis-1,3-Dichloropropene	0.019	0.0050	0.02	0	95.4	70 - 125				
Dibromochloromethane	0.021	0.0050	0.02	0	104	70 - 124				
Ethylbenzene	0.021	0.0050	0.02	0	104	70 - 124				
m,p-Xylene	0.042	0.010	0.04	0	105	70 - 130				
Methyl tert-butyl ether	0.020	0.0050	0.02	0	98.0	70 - 130				
Methylene chloride	0.019	0.010	0.02	0	92.5	70 - 128				
Naphthalene	0.018	0.0050	0.02	0	89.8	70 - 130				
o-Xylene	0.021	0.0050	0.02	0	105	70 - 124				
Styrene	0.019	0.0050	0.02	0	96.2	70 - 130				
Tert-butyl alcohol	0.35	0.10	0.4	0	87.3	70 - 130				
Tetrachloroethene	0.020	0.0050	0.02	0	102	70 - 130				

RIGHT SOLUTIONS | RIGHT PARTNER

Client: Environmental Resources Management
Project: FLTG French Limited
WorkOrder: HS20030296

QC BATCH REPORT

Batch ID: **R357999 (0)** **Instrument:** **VOA9** **Method:** **VOLATILES - SW8260C**

MS Sample ID: **HS20030296-30MS** Units: **mg/L** Analysis Date: **11-Mar-2020 17:03**
Client ID: **SI-031** Run ID: **VOA9_357999** SeqNo: **5508974** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Toluene	0.020	0.0050	0.02	0	102	70 - 123				
trans-1,2-Dichloroethene	0.019	0.0050	0.02	0	97.3	70 - 130				
trans-1,3-Dichloropropene	0.020	0.0050	0.02	0	102	70 - 121				
Trichloroethene	0.020	0.0050	0.02	0	97.8	70 - 129				
Vinyl chloride	0.021	0.0020	0.02	0	106	70 - 130				
Xylenes, Total	0.063	0.0050	0.06	0	105	70 - 130				
Surr: 1,2-Dichloroethane-d4	*0.050*	*0*	*0.05*	*0*	*99.0*	*70 - 126*				
Surr: 4-Bromofluorobenzene	*0.049*	*0*	*0.05*	*0*	*98.9*	*82 - 124*				
Surr: Dibromofluoromethane	*0.049*	*0*	*0.05*	*0*	*97.8*	*77 - 123*				
Surr: Toluene-d8	*0.052*	*0*	*0.05*	*0*	*104*	*82 - 127*				

RIGHT SOLUTIONS | RIGHT PARTNER

Client: Environmental Resources Management
Project: FLTG French Limited
WorkOrder: HS20030296

QC BATCH REPORT

Batch ID: **R357999 (0)** **Instrument:** **VOA9** **Method:** **VOLATILES - SW8260C**

MSD Sample ID: **HS20030296-30MSD** Units: **mg/L** Analysis Date: **11-Mar-2020 17:27**
Client ID: **SI-031** Run ID: **VOA9_357999** SeqNo: **5508975** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	RPD %RPD	RPD Limit	Qual
1,1,1-Trichloroethane	0.021	0.0050	0.02	0	106	70 - 130	0.02060	2.96	20	
1,1,2,2-Tetrachloroethane	0.019	0.0050	0.02	0	95.0	70 - 123	0.01945	2.31	20	
1,1,2-Trichloroethane	0.020	0.0050	0.02	0	102	70 - 117	0.02026	0.523	20	
1,1-Dichloroethane	0.019	0.0050	0.02	0	93.0	70 - 127	0.01912	2.78	20	
1,1-Dichloroethene	0.022	0.0050	0.02	0	109	70 - 130	0.02056	6.12	20	
1,2-Dichloroethane	0.018	0.0050	0.02	0	91.7	70 - 127	0.01937	5.44	20	
1,2-Dichloropropane	0.021	0.0050	0.02	0	103	70 - 122	0.01864	9.89	20	
2-Butanone	0.036	0.010	0.04	0	89.4	70 - 130	0.03544	0.924	20	
2-Hexanone	0.041	0.010	0.04	0	102	70 - 130	0.04069	0.322	20	
4-Methyl-2-pentanone	0.042	0.010	0.04	0	105	70 - 130	0.04088	2.48	20	
Acetone	0.041	0.010	0.04	0	103	70 - 130	0.03336	20.8	20	R
Allyl Chloride	0.021	0.010	0.02	0	106	70 - 130	0.02019	5.28	20	
Benzene	0.018	0.0050	0.02	0	90.8	70 - 127	0.01887	3.82	20	
Bromodichloromethane	0.020	0.0050	0.02	0	99.6	70 - 124	0.01915	3.95	20	
Bromoform	0.022	0.0050	0.02	0	109	70 - 129	0.02033	7.32	20	
Bromomethane	0.023	0.0050	0.02	0	113	70 - 130	0.02187	3.06	20	
Carbon disulfide	0.045	0.010	0.04	0	112	70 - 130	0.04207	6.67	20	
Carbon tetrachloride	0.020	0.0050	0.02	0	102	70 - 130	0.02050	0.0381	20	
Chlorobenzene	0.020	0.0050	0.02	0	98.2	70 - 114	0.01959	0.242	20	
Chloroethane	0.021	0.0050	0.02	0	105	70 - 130	0.01937	7.73	20	
Chloroform	0.019	0.0050	0.02	0	93.4	70 - 125	0.01854	0.815	20	
Chloromethane	0.023	0.0050	0.02	0	116	70 - 130	0.02159	7.35	20	
cis-1,2-Dichloroethene	0.019	0.0050	0.02	0	94.9	70 - 128	0.01933	1.78	20	
cis-1,3-Dichloropropene	0.020	0.0050	0.02	0	101	70 - 125	0.01907	5.4	20	
Dibromochloromethane	0.021	0.0050	0.02	0	107	70 - 124	0.02077	2.81	20	
Ethylbenzene	0.022	0.0050	0.02	0	112	70 - 124	0.02082	7.73	20	
m,p-Xylene	0.046	0.010	0.04	0	115	70 - 130	0.04194	9.28	20	
Methyl tert-butyl ether	0.020	0.0050	0.02	0	102	70 - 130	0.01960	3.81	20	
Methylene chloride	0.020	0.010	0.02	0	100	70 - 128	0.01851	8.07	20	
Naphthalene	0.019	0.0050	0.02	0	93.4	70 - 130	0.01796	3.88	20	
o-Xylene	0.021	0.0050	0.02	0	107	70 - 124	0.02108	1.12	20	
Styrene	0.020	0.0050	0.02	0	99.6	70 - 130	0.01924	3.47	20	
Tert-butyl alcohol	0.40	0.10	0.4	0	99.0	70 - 130	0.3494	12.5	20	
Tetrachloroethene	0.020	0.0050	0.02	0	102	70 - 130	0.02049	0.264	20	

RIGHT SOLUTIONS | RIGHT PARTNER

Client: Environmental Resources Management
Project: FLTG French Limited
WorkOrder: HS20030296

QC BATCH REPORT

Batch ID: **R357999 (0)** **Instrument:** **VOA9** **Method:** **VOLATILES - SW8260C**

MSD Sample ID: **HS20030296-30MSD** Units: **mg/L** Analysis Date: **11-Mar-2020 17:27**
Client ID: **SI-031** Run ID: **VOA9_357999** SeqNo: **5508975** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Toluene	0.020	0.0050	0.02	0	102	70 - 123	0.02044	0.331	20	
trans-1,2-Dichloroethene	0.020	0.0050	0.02	0	101	70 - 130	0.01947	3.97	20	
trans-1,3-Dichloropropene	0.021	0.0050	0.02	0	107	70 - 121	0.02034	5.26	20	
Trichloroethene	0.020	0.0050	0.02	0	97.5	70 - 129	0.01956	0.305	20	
Vinyl chloride	0.023	0.0020	0.02	0	114	70 - 130	0.02122	6.91	20	
Xylenes, Total	0.067	0.0050	0.06	0	112	70 - 130	0.06302	6.63	20	
Surr: 1,2-Dichloroethane-d4	*0.047*	*0*	*0.05*	*0*	*94.9*	*70 - 126*	*0.04951*	*4.28*	*20*	
Surr: 4-Bromofluorobenzene	*0.051*	*0*	*0.05*	*0*	*103*	*82 - 124*	*0.04943*	*3.83*	*20*	
Surr: Dibromofluoromethane	*0.049*	*0*	*0.05*	*0*	*97.4*	*77 - 123*	*0.04892*	*0.473*	*20*	
Surr: Toluene-d8	*0.051*	*0*	*0.05*	*0*	*101*	*82 - 127*	*0.05195*	*2.59*	*20*	

The following samples were analyzed in this batch:

HS20030296-01	HS20030296-03	HS20030296-04	HS20030296-05
HS20030296-10	HS20030296-11	HS20030296-12	HS20030296-15
HS20030296-17	HS20030296-18	HS20030296-20	HS20030296-23
HS20030296-26	HS20030296-27	HS20030296-28	HS20030296-29
HS20030296-30	HS20030296-31		

RIGHT SOLUTIONS | RIGHT PARTNER

Client: Environmental Resources Management
Project: FLTG French Limited
WorkOrder: HS20030296

QC BATCH REPORT

Batch ID: R358000 (0) **Instrument:** VOA9 **Method:** VOLATILES - SW8260C

MBLK Sample ID: **VBLKW-200311** Units: **mg/L** Analysis Date: **12-Mar-2020 02:50**
Client ID: Run ID: **VOA9_358000** SeqNo: **5509077** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
1,1,1-Trichloroethane	U	0.0050								
1,1,2,2-Tetrachloroethane	U	0.0050								
1,1,2-Trichloroethane	U	0.0050								
1,1-Dichloroethane	U	0.0050								
1,1-Dichloroethene	U	0.0050								
1,2-Dichloroethane	U	0.0050								
1,2-Dichloropropane	U	0.0050								
2-Butanone	U	0.010								
2-Hexanone	U	0.010								
4-Methyl-2-pentanone	U	0.010								
Acetone	U	0.010								
Allyl Chloride	U	0.010								
Benzene	U	0.0050								
Bromodichloromethane	U	0.0050								
Bromoform	U	0.0050								
Bromomethane	U	0.0050								
Carbon disulfide	U	0.010								
Carbon tetrachloride	U	0.0050								
Chlorobenzene	U	0.0050								
Chloroethane	U	0.0050								
Chloroform	U	0.0050								
Chloromethane	U	0.0050								
cis-1,2-Dichloroethene	U	0.0050								
cis-1,3-Dichloropropene	U	0.0050								
Dibromochloromethane	U	0.0050								
Ethylbenzene	U	0.0050								
m,p-Xylene	U	0.010								
Methyl tert-butyl ether	U	0.0050								
Methylene chloride	U	0.010								
Naphthalene	U	0.0050								
o-Xylene	U	0.0050								
Styrene	U	0.0050								
Tert-butyl alcohol	U	0.10								
Tetrachloroethene	U	0.0050								

RIGHT SOLUTIONS | RIGHT PARTNER

Client: Environmental Resources Management
Project: FLTG French Limited
WorkOrder: HS20030296

QC BATCH REPORT

Batch ID: **R358000 (0)** **Instrument:** **VOA9** **Method:** **VOLATILES - SW8260C**

MBLK Sample ID: **VBLKW-200311** Units: **mg/L** Analysis Date: **12-Mar-2020 02:50**
Client ID: Run ID: **VOA9_358000** SeqNo: **5509077** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Toluene	U	0.0050								
trans-1,2-Dichloroethene	U	0.0050								
trans-1,3-Dichloropropene	U	0.0050								
Trichloroethene	U	0.0050								
Vinyl chloride	U	0.0020								
Xylenes, Total	U	0.0050								
Surr: 1,2-Dichloroethane-d4	*0.054*	*0*	*0.05*	*0*	*109*	*70 - 130*				
Surr: 4-Bromofluorobenzene	*0.048*	*0*	*0.05*	*0*	*96.5*	*82 - 115*				
Surr: Dibromofluoromethane	*0.051*	*0*	*0.05*	*0*	*102*	*73 - 126*				
Surr: Toluene-d8	*0.050*	*0*	*0.05*	*0*	*101*	*81 - 120*				

RIGHT SOLUTIONS | RIGHT PARTNER

Client: Environmental Resources Management
Project: FLTG French Limited
WorkOrder: HS20030296

QC BATCH REPORT

Batch ID: R358000 (0) **Instrument:** VOA9 **Method:** VOLATILES - SW8260C

LCS Sample ID: **VLCSW-200311** Units: **mg/L** Analysis Date: **12-Mar-2020 02:01**
Client ID: Run ID: **VOA9_358000** SeqNo: **5509076** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
1,1,1-Trichloroethane	0.020	0.0050	0.02	0	102	70 - 130				
1,1,2,2-Tetrachloroethane	0.021	0.0050	0.02	0	104	70 - 120				
1,1,2-Trichloroethane	0.020	0.0050	0.02	0	102	77 - 113				
1,1-Dichloroethane	0.021	0.0050	0.02	0	103	71 - 122				
1,1-Dichloroethene	0.020	0.0050	0.02	0	100	70 - 130				
1,2-Dichloroethane	0.021	0.0050	0.02	0	103	70 - 124				
1,2-Dichloropropane	0.020	0.0050	0.02	0	99.3	72 - 119				
2-Butanone	0.042	0.010	0.04	0	105	70 - 130				
2-Hexanone	0.040	0.010	0.04	0	99.4	70 - 130				
4-Methyl-2-pentanone	0.047	0.010	0.04	0	117	70 - 130				
Acetone	0.046	0.010	0.04	0	115	70 - 130				
Allyl Chloride	0.023	0.010	0.02	0	113	70 - 130				
Benzene	0.020	0.0050	0.02	0	97.6	74 - 120				
Bromodichloromethane	0.021	0.0050	0.02	0	103	74 - 122				
Bromoform	0.024	0.0050	0.02	0	120	73 - 128				
Bromomethane	0.023	0.0050	0.02	0	116	70 - 130				
Carbon disulfide	0.039	0.010	0.04	0	98.7	70 - 130				
Carbon tetrachloride	0.020	0.0050	0.02	0	99.0	71 - 125				
Chlorobenzene	0.020	0.0050	0.02	0	100	76 - 113				
Chloroethane	0.019	0.0050	0.02	0	96.9	70 - 130				
Chloroform	0.020	0.0050	0.02	0	98.3	71 - 121				
Chloromethane	0.020	0.0050	0.02	0	98.0	70 - 129				
cis-1,2-Dichloroethene	0.020	0.0050	0.02	0	102	75 - 122				
cis-1,3-Dichloropropene	0.020	0.0050	0.02	0	97.5	73 - 127				
Dibromochloromethane	0.023	0.0050	0.02	0	115	77 - 122				
Ethylbenzene	0.023	0.0050	0.02	0	113	77 - 117				
m,p-Xylene	0.045	0.010	0.04	0	112	77 - 122				
Methyl tert-butyl ether	0.023	0.0050	0.02	0	114	70 - 130				
Methylene chloride	0.022	0.010	0.02	0	108	70 - 127				
Naphthalene	0.021	0.0050	0.02	0	107	70 - 130				
o-Xylene	0.023	0.0050	0.02	0	116	75 - 119				
Styrene	0.023	0.0050	0.02	0	113	72 - 126				
Tert-butyl alcohol	0.44	0.10	0.4	0	109	70 - 130				
Tetrachloroethene	0.019	0.0050	0.02	0	94.1	76 - 119				

RIGHT SOLUTIONS | RIGHT PARTNER

Client: Environmental Resources Management
Project: FLTG French Limited
WorkOrder: HS20030296

QC BATCH REPORT

Batch ID: **R358000 (0)** **Instrument:** **VOA9** **Method:** **VOLATILES - SW8260C**

LCS Sample ID: **VLCSW-200311** Units: **mg/L** Analysis Date: **12-Mar-2020 02:01**
Client ID: Run ID: **VOA9_358000** SeqNo: **5509076** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Toluene	0.020	0.0050	0.02	0	102	77 - 118				
trans-1,2-Dichloroethene	0.020	0.0050	0.02	0	102	72 - 127				
trans-1,3-Dichloropropene	0.019	0.0050	0.02	0	92.8	77 - 119				
Trichloroethene	0.020	0.0050	0.02	0	99.6	77 - 121				
Vinyl chloride	0.019	0.0020	0.02	0	97.1	70 - 130				
Xylenes, Total	0.068	0.0050	0.06	0	113	75 - 122				
Surr: 1,2-Dichloroethane-d4	*0.049*	*0*	*0.05*	*0*	*98.3*	*70 - 130*				
Surr: 4-Bromofluorobenzene	*0.051*	*0*	*0.05*	*0*	*101*	*82 - 115*				
Surr: Dibromofluoromethane	*0.049*	*0*	*0.05*	*0*	*98.6*	*73 - 126*				
Surr: Toluene-d8	*0.052*	*0*	*0.05*	*0*	*104*	*81 - 120*				

RIGHT SOLUTIONS | RIGHT PARTNER

Client: Environmental Resources Management
Project: FLTG French Limited
WorkOrder: HS20030296

QC BATCH REPORT

Batch ID: R358000 (0) **Instrument:** VOA9 **Method:** VOLATILES - SW8260C

MS Sample ID: **HS20030412-01MS** Units: **mg/L** Analysis Date: **12-Mar-2020 04:03**
Client ID: Run ID: **VOA9_358000** SeqNo: **5509079** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
1,1,1-Trichloroethane	0.023	0.0050	0.02	0	114	70 - 130				
1,1,2,2-Tetrachloroethane	0.021	0.0050	0.02	0	107	70 - 123				
1,1,2-Trichloroethane	0.022	0.0050	0.02	0	110	70 - 117				
1,1-Dichloroethane	0.022	0.0050	0.02	0	110	70 - 127				
1,1-Dichloroethene	0.021	0.0050	0.02	0	107	70 - 130				
1,2-Dichloroethane	0.021	0.0050	0.02	0	107	70 - 127				
1,2-Dichloropropane	0.021	0.0050	0.02	0	107	70 - 122				
2-Butanone	0.045	0.010	0.04	0	111	70 - 130				
2-Hexanone	0.044	0.010	0.04	0	110	70 - 130				
4-Methyl-2-pentanone	0.046	0.010	0.04	0	115	70 - 130				
Acetone	0.15	0.010	0.04	0.1114	107	70 - 130				
Allyl Chloride	0.021	0.010	0.02	0	107	70 - 130				
Benzene	0.022	0.0050	0.02	0	111	70 - 127				
Bromodichloromethane	0.022	0.0050	0.02	0	110	70 - 124				
Bromoform	0.17	0.0050	0.02	0.1364	156	70 - 129				SO
Bromomethane	0.022	0.0050	0.02	0	110	70 - 130				
Carbon disulfide	0.042	0.010	0.04	0	104	70 - 130				
Carbon tetrachloride	0.022	0.0050	0.02	0	111	70 - 130				
Chlorobenzene	0.020	0.0050	0.02	0	102	70 - 114				
Chloroethane	0.022	0.0050	0.02	0	112	70 - 130				
Chloroform	0.021	0.0050	0.02	0	106	70 - 125				
Chloromethane	0.021	0.0050	0.02	0	104	70 - 130				
cis-1,2-Dichloroethene	0.021	0.0050	0.02	0	106	70 - 128				
cis-1,3-Dichloropropene	0.021	0.0050	0.02	0	103	70 - 125				
Dibromochloromethane	0.024	0.0050	0.02	0.001487	112	70 - 124				
Ethylbenzene	0.022	0.0050	0.02	0	112	70 - 124				
m,p-Xylene	0.046	0.010	0.04	0	115	70 - 130				
Methyl tert-butyl ether	0.021	0.0050	0.02	0	106	70 - 130				
Methylene chloride	0.021	0.010	0.02	0	104	70 - 128				
Naphthalene	0.021	0.0050	0.02	0	103	70 - 130				
o-Xylene	0.022	0.0050	0.02	0	110	70 - 124				
Styrene	0.018	0.0050	0.02	0	91.5	70 - 130				
Tert-butyl alcohol	0.44	0.10	0.4	0	109	70 - 130				
Tetrachloroethene	0.020	0.0050	0.02	0	98.0	70 - 130				

RIGHT SOLUTIONS | RIGHT PARTNER

Client: Environmental Resources Management
Project: FLTG French Limited
WorkOrder: HS20030296

QC BATCH REPORT

Batch ID: **R358000 (0)** **Instrument:** **VOA9** **Method:** **VOLATILES - SW8260C**

MS Sample ID: **HS20030412-01MS** Units: **mg/L** Analysis Date: **12-Mar-2020 04:03**
Client ID: Run ID: **VOA9_358000** SeqNo: **5509079** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Toluene	0.022	0.0050	0.02	0	108	70 - 123				
trans-1,2-Dichloroethene	0.021	0.0050	0.02	0	105	70 - 130				
trans-1,3-Dichloropropene	0.020	0.0050	0.02	0	101	70 - 121				
Trichloroethene	0.021	0.0050	0.02	0	103	70 - 129				
Vinyl chloride	0.022	0.0020	0.02	0	110	70 - 130				
Xylenes, Total	0.068	0.0050	0.06	0	114	70 - 130				
Surr: 1,2-Dichloroethane-d4	*0.053*	*0*	*0.05*	*0*	*106*	*70 - 126*				
Surr: 4-Bromofluorobenzene	*0.050*	*0*	*0.05*	*0*	*99.7*	*82 - 124*				
Surr: Dibromofluoromethane	*0.051*	*0*	*0.05*	*0*	*102*	*77 - 123*				
Surr: Toluene-d8	*0.051*	*0*	*0.05*	*0*	*103*	*82 - 127*				

RIGHT SOLUTIONS | RIGHT PARTNER

Client: Environmental Resources Management
Project: FLTG French Limited
WorkOrder: HS20030296

QC BATCH REPORT

Batch ID: R358000 (0) **Instrument: VOA9** **Method: VOLATILES - SW8260C**

MSD Sample ID: **HS20030412-01MSD** Units: **mg/L** Analysis Date: **12-Mar-2020 04:27**
Client ID: Run ID: **VOA9_358000** SeqNo: **5509080** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
1,1,1-Trichloroethane	0.019	0.0050	0.02	0	93.6	70 - 130	0.02289	20.1	20	R
1,1,2,2-Tetrachloroethane	0.022	0.0050	0.02	0	108	70 - 123	0.02136	0.845	20	
1,1,2-Trichloroethane	0.023	0.0050	0.02	0	116	70 - 117	0.02203	5.3	20	
1,1-Dichloroethane	0.019	0.0050	0.02	0	93.3	70 - 127	0.02205	16.7	20	
1,1-Dichloroethene	0.020	0.0050	0.02	0	99.6	70 - 130	0.02131	6.71	20	
1,2-Dichloroethane	0.019	0.0050	0.02	0	97.3	70 - 127	0.02149	9.95	20	
1,2-Dichloropropane	0.022	0.0050	0.02	0	112	70 - 122	0.02131	4.93	20	
2-Butanone	0.035	0.010	0.04	0	87.4	70 - 130	0.04453	24.1	20	R
2-Hexanone	0.049	0.010	0.04	0	123	70 - 130	0.04399	11.6	20	
4-Methyl-2-pentanone	0.044	0.010	0.04	0	109	70 - 130	0.04594	5.28	20	
Acetone	0.14	0.010	0.04	0.1114	73.2	70 - 130	0.1542	9.19	20	
Allyl Chloride	0.020	0.010	0.02	0	97.9	70 - 130	0.02143	9.01	20	
Benzene	0.020	0.0050	0.02	0	99.4	70 - 127	0.02214	10.8	20	
Bromodichloromethane	0.024	0.0050	0.02	0	118	70 - 124	0.02201	7.13	20	
Bromoform	0.18	0.0050	0.02	0.1364	216	70 - 129	0.1675	6.92	20	SO
Bromomethane	0.023	0.0050	0.02	0	116	70 - 130	0.02192	5.45	20	
Carbon disulfide	0.040	0.010	0.04	0	101	70 - 130	0.04155	2.6	20	
Carbon tetrachloride	0.022	0.0050	0.02	0	111	70 - 130	0.02216	0.212	20	
Chlorobenzene	0.020	0.0050	0.02	0	103	70 - 114	0.02044	0.294	20	
Chloroethane	0.021	0.0050	0.02	0	103	70 - 130	0.02245	8.33	20	
Chloroform	0.018	0.0050	0.02	0	87.9	70 - 125	0.02126	19	20	
Chloromethane	0.020	0.0050	0.02	0	99.8	70 - 130	0.02083	4.3	20	
cis-1,2-Dichloroethene	0.018	0.0050	0.02	0	92.1	70 - 128	0.02128	14.3	20	
cis-1,3-Dichloropropene	0.022	0.0050	0.02	0	108	70 - 125	0.02054	4.81	20	
Dibromochloromethane	0.025	0.0050	0.02	0.001487	119	70 - 124	0.02384	5.67	20	
Ethylbenzene	0.021	0.0050	0.02	0	105	70 - 124	0.02239	6.82	20	
m,p-Xylene	0.044	0.010	0.04	0	109	70 - 130	0.04615	5.61	20	
Methyl tert-butyl ether	0.018	0.0050	0.02	0	92.2	70 - 130	0.02129	14.4	20	
Methylene chloride	0.019	0.010	0.02	0	95.5	70 - 128	0.02072	8.2	20	
Naphthalene	0.021	0.0050	0.02	0	107	70 - 130	0.02058	4.29	20	
o-Xylene	0.021	0.0050	0.02	0	107	70 - 124	0.02199	2.31	20	
Styrene	0.018	0.0050	0.02	0	90.0	70 - 130	0.01831	1.65	20	
Tert-butyl alcohol	0.36	0.10	0.4	0	91.1	70 - 130	0.4370	18.1	20	
Tetrachloroethene	0.020	0.0050	0.02	0	101	70 - 130	0.01960	2.88	20	

RIGHT SOLUTIONS | RIGHT PARTNER

Client: Environmental Resources Management
Project: FLTG French Limited
WorkOrder: HS20030296

QC BATCH REPORT

Batch ID: R358000 (0) **Instrument:** VOA9 **Method:** VOLATILES - SW8260C

MSD Sample ID: **HS20030412-01MSD** Units: **mg/L** Analysis Date: **12-Mar-2020 04:27**
Client ID: Run ID: **VOA9_358000** SeqNo: **5509080** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Toluene	0.021	0.0050	0.02	0	104	70 - 123	0.02157	3.32	20	
trans-1,2-Dichloroethene	0.019	0.0050	0.02	0	95.1	70 - 130	0.02107	10.3	20	
trans-1,3-Dichloropropene	0.024	0.0050	0.02	0	118	70 - 121	0.02020	15.7	20	
Trichloroethene	0.022	0.0050	0.02	0	111	70 - 129	0.02070	6.91	20	
Vinyl chloride	0.021	0.0020	0.02	0	103	70 - 130	0.02191	6.23	20	
Xylenes, Total	0.065	0.0050	0.06	0	109	70 - 130	0.06814	4.53	20	
Surr: 1,2-Dichloroethane-d4	*0.046*	*0*	*0.05*	*0*	*91.7*	*70 - 126*	*0.05276*	*14*	*20*	
Surr: 4-Bromofluorobenzene	*0.055*	*0*	*0.05*	*0*	*110*	*82 - 124*	*0.04984*	*9.58*	*20*	
Surr: Dibromofluoromethane	*0.045*	*0*	*0.05*	*0*	*90.4*	*77 - 123*	*0.05099*	*12.1*	*20*	
Surr: Toluene-d8	*0.053*	*0*	*0.05*	*0*	*106*	*82 - 127*	*0.05126*	*2.99*	*20*	

The following samples were analyzed in this batch: HS20030296-10 HS20030296-11 HS20030296-32 HS20030296-33 HS20030296-34

RIGHT SOLUTIONS | RIGHT PARTNER

Client: Environmental Resources Management
Project: FLTG French Limited
WorkOrder: HS20030296

QC BATCH REPORT

Batch ID: **R358083 (0)** **Instrument:** **VOA6** **Method:** **VOLATILES - SW8260C**

MBLK Sample ID: **VBLKW-200312** Units: **mg/L** Analysis Date: **12-Mar-2020 12:39**
Client ID: Run ID: **VOA6_358083** SeqNo: **5510792** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
1,1,1-Trichloroethane	U	0.0050								
1,1,2,2-Tetrachloroethane	U	0.0050								
1,1,2-Trichloroethane	U	0.0050								
1,1-Dichloroethane	U	0.0050								
1,1-Dichloroethene	U	0.0050								
1,2-Dichloroethane	U	0.0050								
1,2-Dichloropropane	U	0.0050								
2-Butanone	U	0.010								
2-Hexanone	U	0.010								
4-Methyl-2-pentanone	U	0.010								
Acetone	U	0.010								
Allyl Chloride	U	0.010								
Benzene	U	0.0050								
Bromodichloromethane	U	0.0050								
Bromoform	U	0.0050								
Bromomethane	U	0.0050								
Carbon disulfide	U	0.010								
Carbon tetrachloride	U	0.0050								
Chlorobenzene	U	0.0050								
Chloroethane	U	0.0050								
Chloroform	U	0.0050								
Chloromethane	U	0.0050								
cis-1,2-Dichloroethene	U	0.0050								
cis-1,3-Dichloropropene	U	0.0050								
Dibromochloromethane	U	0.0050								
Ethylbenzene	U	0.0050								
m,p-Xylene	U	0.010								
Methyl tert-butyl ether	U	0.0050								
Methylene chloride	U	0.010								
Naphthalene	U	0.0050								
o-Xylene	U	0.0050								
Styrene	U	0.0050								
Tert-butyl alcohol	U	0.10								
Tetrachloroethene	U	0.0050								

RIGHT SOLUTIONS | RIGHT PARTNER

Client: Environmental Resources Management
Project: FLTG French Limited
WorkOrder: HS20030296

QC BATCH REPORT

Batch ID: **R358083 (0)** **Instrument:** **VOA6** **Method:** **VOLATILES - SW8260C**

MBLK Sample ID: **VBLKW-200312** Units: **mg/L** Analysis Date: **12-Mar-2020 12:39**
Client ID: Run ID: **VOA6_358083** SeqNo: **5510792** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Toluene	U	0.0050								
trans-1,2-Dichloroethene	U	0.0050								
trans-1,3-Dichloropropene	U	0.0050								
Trichloroethene	U	0.0050								
Vinyl chloride	U	0.0020								
Xylenes, Total	U	0.0050								
Surr: 1,2-Dichloroethane-d4	*0.045*	*0*	*0.05*	*0*	*89.4*	*70 - 130*				
Surr: 4-Bromofluorobenzene	*0.050*	*0*	*0.05*	*0*	*100*	*82 - 115*				
Surr: Dibromofluoromethane	*0.045*	*0*	*0.05*	*0*	*90.5*	*73 - 126*				
Surr: Toluene-d8	*0.053*	*0*	*0.05*	*0*	*107*	*81 - 120*				

RIGHT SOLUTIONS | RIGHT PARTNER

Client: Environmental Resources Management
Project: FLTG French Limited
WorkOrder: HS20030296

QC BATCH REPORT

Batch ID: R358083 (0) **Instrument:** VOA6 **Method:** VOLATILES - SW8260C

LCS Sample ID: **VLCSW-200311** Units: **mg/L** Analysis Date: **12-Mar-2020 11:50**
Client ID: Run ID: **VOA6_358083** SeqNo: **5510791** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
1,1,1-Trichloroethane	0.019	0.0050	0.02	0	96.2	70 - 130				
1,1,2,2-Tetrachloroethane	0.019	0.0050	0.02	0	96.0	70 - 120				
1,1,2-Trichloroethane	0.020	0.0050	0.02	0	101	77 - 113				
1,1-Dichloroethane	0.019	0.0050	0.02	0	95.5	71 - 122				
1,1-Dichloroethene	0.018	0.0050	0.02	0	92.3	70 - 130				
1,2-Dichloroethane	0.020	0.0050	0.02	0	98.7	70 - 124				
1,2-Dichloropropane	0.019	0.0050	0.02	0	95.2	72 - 119				
2-Butanone	0.038	0.010	0.04	0	94.6	70 - 130				
2-Hexanone	0.040	0.010	0.04	0	100	70 - 130				
4-Methyl-2-pentanone	0.039	0.010	0.04	0	96.5	70 - 130				
Acetone	0.043	0.010	0.04	0	106	70 - 130				
Allyl Chloride	0.019	0.010	0.02	0	95.5	70 - 130				
Benzene	0.020	0.0050	0.02	0	98.7	74 - 120				
Bromodichloromethane	0.020	0.0050	0.02	0	99.6	74 - 122				
Bromoform	0.021	0.0050	0.02	0	103	73 - 128				
Bromomethane	0.022	0.0050	0.02	0	112	70 - 130				
Carbon disulfide	0.039	0.010	0.04	0	96.9	70 - 130				
Carbon tetrachloride	0.020	0.0050	0.02	0	98.7	71 - 125				
Chlorobenzene	0.021	0.0050	0.02	0	103	76 - 113				
Chloroethane	0.018	0.0050	0.02	0	91.9	70 - 130				
Chloroform	0.019	0.0050	0.02	0	94.3	71 - 121				
Chloromethane	0.018	0.0050	0.02	0	89.9	70 - 129				
cis-1,2-Dichloroethene	0.021	0.0050	0.02	0	104	75 - 122				
cis-1,3-Dichloropropene	0.020	0.0050	0.02	0	99.7	73 - 127				
Dibromochloromethane	0.020	0.0050	0.02	0	101	77 - 122				
Ethylbenzene	0.020	0.0050	0.02	0	102	77 - 117				
m,p-Xylene	0.042	0.010	0.04	0	106	77 - 122				
Methyl tert-butyl ether	0.019	0.0050	0.02	0	96.6	70 - 130				
Methylene chloride	0.020	0.010	0.02	0	98.3	70 - 127				
Naphthalene	0.021	0.0050	0.02	0	105	70 - 130				
o-Xylene	0.020	0.0050	0.02	0	101	75 - 119				
Styrene	0.020	0.0050	0.02	0	102	72 - 126				
Tert-butyl alcohol	0.40	0.10	0.4	0	100	70 - 130				
Tetrachloroethene	0.021	0.0050	0.02	0	104	76 - 119				

RIGHT SOLUTIONS | RIGHT PARTNER

Client: Environmental Resources Management
Project: FLTG French Limited
WorkOrder: HS20030296

QC BATCH REPORT

Batch ID: **R358083 (0)** **Instrument:** **VOA6** **Method:** **VOLATILES - SW8260C**

LCS Sample ID: **VLCSW-200311** Units: **mg/L** Analysis Date: **12-Mar-2020 11:50**
Client ID: Run ID: **VOA6_358083** SeqNo: **5510791** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Toluene	0.020	0.0050	0.02	0	99.9	77 - 118				
trans-1,2-Dichloroethene	0.019	0.0050	0.02	0	97.2	72 - 127				
trans-1,3-Dichloropropene	0.020	0.0050	0.02	0	102	77 - 119				
Trichloroethene	0.020	0.0050	0.02	0	99.4	77 - 121				
Vinyl chloride	0.019	0.0020	0.02	0	94.3	70 - 130				
Xylenes, Total	0.063	0.0050	0.06	0	104	75 - 122				
Surr: 1,2-Dichloroethane-d4	*0.049*	*0*	*0.05*	*0*	*98.7*	*70 - 130*				
Surr: 4-Bromofluorobenzene	*0.051*	*0*	*0.05*	*0*	*102*	*82 - 115*				
Surr: Dibromofluoromethane	*0.049*	*0*	*0.05*	*0*	*97.1*	*73 - 126*				
Surr: Toluene-d8	*0.051*	*0*	*0.05*	*0*	*102*	*81 - 120*				

RIGHT SOLUTIONS | RIGHT PARTNER

Client: Environmental Resources Management
Project: FLTG French Limited
WorkOrder: HS20030296

QC BATCH REPORT

Batch ID: R358083 (0) **Instrument:** VOA6 **Method:** VOLATILES - SW8260C

MS Sample ID: **HS20030464-01MS** Units: **mg/L** Analysis Date: **12-Mar-2020 16:39**
Client ID: Run ID: **VOA6_358083** SeqNo: **5510802** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
1,1,1-Trichloroethane	0.019	0.0050	0.02	0	93.0	70 - 130				
1,1,2,2-Tetrachloroethane	0.020	0.0050	0.02	0	97.9	70 - 123				
1,1,2-Trichloroethane	0.020	0.0050	0.02	0	98.4	70 - 117				
1,1-Dichloroethane	0.018	0.0050	0.02	0	90.2	70 - 127				
1,1-Dichloroethene	0.019	0.0050	0.02	0	94.6	70 - 130				
1,2-Dichloroethane	0.019	0.0050	0.02	0	95.3	70 - 127				
1,2-Dichloropropane	0.019	0.0050	0.02	0	94.7	70 - 122				
2-Butanone	0.038	0.010	0.04	0.004090	85.6	70 - 130				
2-Hexanone	0.041	0.010	0.04	0	104	70 - 130				
4-Methyl-2-pentanone	0.039	0.010	0.04	0	98.4	70 - 130				
Acetone	0.036	0.010	0.04	0	88.8	70 - 130				
Allyl Chloride	0.019	0.010	0.02	0	96.9	70 - 130				
Benzene	0.020	0.0050	0.02	0	99.6	70 - 127				
Bromodichloromethane	0.019	0.0050	0.02	0	95.1	70 - 124				
Bromoform	0.021	0.0050	0.02	0	103	70 - 129				
Bromomethane	0.017	0.0050	0.02	0	87.4	70 - 130				
Carbon disulfide	0.035	0.010	0.04	0	88.2	70 - 130				
Carbon tetrachloride	0.020	0.0050	0.02	0	99.8	70 - 130				
Chlorobenzene	0.021	0.0050	0.02	0	105	70 - 114				
Chloroethane	0.017	0.0050	0.02	0	86.0	70 - 130				
Chloroform	0.018	0.0050	0.02	0	89.2	70 - 125				
Chloromethane	0.016	0.0050	0.02	0	78.4	70 - 130				
cis-1,2-Dichloroethene	0.019	0.0050	0.02	0	94.0	70 - 128				
cis-1,3-Dichloropropene	0.019	0.0050	0.02	0	96.6	70 - 125				
Dibromochloromethane	0.020	0.0050	0.02	0	98.7	70 - 124				
Ethylbenzene	0.021	0.0050	0.02	0	105	70 - 124				
m,p-Xylene	0.043	0.010	0.04	0	107	70 - 130				
Methyl tert-butyl ether	0.018	0.0050	0.02	0	91.3	70 - 130				
Methylene chloride	0.018	0.010	0.02	0	88.4	70 - 128				
Naphthalene	0.016	0.0050	0.02	0	78.9	70 - 130				
o-Xylene	0.021	0.0050	0.02	0	103	70 - 124				
Styrene	0.021	0.0050	0.02	0	105	70 - 130				
Tert-butyl alcohol	0.40	0.10	0.4	0	101	70 - 130				
Tetrachloroethene	0.022	0.0050	0.02	0	110	70 - 130				

RIGHT SOLUTIONS | RIGHT PARTNER

Client: Environmental Resources Management
Project: FLTG French Limited
WorkOrder: HS20030296

QC BATCH REPORT

Batch ID: **R358083 (0)** **Instrument:** **VOA6** **Method:** **VOLATILES - SW8260C**

MS Sample ID: **HS20030464-01MS** Units: **mg/L** Analysis Date: **12-Mar-2020 16:39**
Client ID: Run ID: **VOA6_358083** SeqNo: **5510802** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Toluene	0.022	0.0050	0.02	0.0009185	104	70 - 123				
trans-1,2-Dichloroethene	0.019	0.0050	0.02	0	94.8	70 - 130				
trans-1,3-Dichloropropene	0.020	0.0050	0.02	0	97.9	70 - 121				
Trichloroethene	0.020	0.0050	0.02	0	100	70 - 129				
Vinyl chloride	0.017	0.0020	0.02	0	85.1	70 - 130				
Xylenes, Total	0.064	0.0050	0.06	0	106	70 - 130				
Surr: 1,2-Dichloroethane-d4	*0.045*	*0*	*0.05*	*0*	*90.7*	*70 - 126*				
Surr: 4-Bromofluorobenzene	*0.050*	*0*	*0.05*	*0*	*101*	*82 - 124*				
Surr: Dibromofluoromethane	*0.046*	*0*	*0.05*	*0*	*92.0*	*77 - 123*				
Surr: Toluene-d8	*0.053*	*0*	*0.05*	*0*	*106*	*82 - 127*				

RIGHT SOLUTIONS | RIGHT PARTNER

Client: Environmental Resources Management
Project: FLTG French Limited
WorkOrder: HS20030296

QC BATCH REPORT

Batch ID: R358083 (0) **Instrument:** VOA6 **Method:** VOLATILES - SW8260C

MSD Sample ID: **HS20030464-01MSD** Units: **mg/L** Analysis Date: **12-Mar-2020 17:03**
Client ID: Run ID: **VOA6_358083** SeqNo: **5510803** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	RPD %RPD	RPD Limit	Qual
1,1,1-Trichloroethane	0.018	0.0050	0.02	0	89.1	70 - 130	0.01861	4.29	20	
1,1,2,2-Tetrachloroethane	0.021	0.0050	0.02	0	103	70 - 123	0.01957	4.98	20	
1,1,2-Trichloroethane	0.020	0.0050	0.02	0	98.7	70 - 117	0.01967	0.358	20	
1,1-Dichloroethane	0.017	0.0050	0.02	0	85.6	70 - 127	0.01804	5.21	20	
1,1-Dichloroethene	0.017	0.0050	0.02	0	85.5	70 - 130	0.01892	10.1	20	
1,2-Dichloroethane	0.019	0.0050	0.02	0	94.4	70 - 127	0.01907	0.968	20	
1,2-Dichloropropane	0.018	0.0050	0.02	0	91.0	70 - 122	0.01894	4.04	20	
2-Butanone	0.037	0.010	0.04	0.004090	81.5	70 - 130	0.03832	4.38	20	
2-Hexanone	0.041	0.010	0.04	0	101	70 - 130	0.04143	2.15	20	
4-Methyl-2-pentanone	0.039	0.010	0.04	0	97.4	70 - 130	0.03936	1.04	20	
Acetone	0.034	0.010	0.04	0	85.8	70 - 130	0.03551	3.39	20	
Allyl Chloride	0.019	0.010	0.02	0	93.2	70 - 130	0.01939	3.97	20	
Benzene	0.019	0.0050	0.02	0	94.1	70 - 127	0.01992	5.64	20	
Bromodichloromethane	0.019	0.0050	0.02	0	93.1	70 - 124	0.01901	2.05	20	
Bromoform	0.021	0.0050	0.02	0	103	70 - 129	0.02054	0.0914	20	
Bromomethane	0.017	0.0050	0.02	0	83.4	70 - 130	0.01747	4.63	20	
Carbon disulfide	0.033	0.010	0.04	0	82.7	70 - 130	0.03528	6.41	20	
Carbon tetrachloride	0.019	0.0050	0.02	0	92.8	70 - 130	0.01997	7.37	20	
Chlorobenzene	0.020	0.0050	0.02	0	101	70 - 114	0.02091	3.86	20	
Chloroethane	0.016	0.0050	0.02	0	79.8	70 - 130	0.01721	7.53	20	
Chloroform	0.017	0.0050	0.02	0	86.0	70 - 125	0.01783	3.61	20	
Chloromethane	0.015	0.0050	0.02	0	73.6	70 - 130	0.01567	6.34	20	
cis-1,2-Dichloroethene	0.018	0.0050	0.02	0	91.2	70 - 128	0.01880	2.99	20	
cis-1,3-Dichloropropene	0.019	0.0050	0.02	0	93.3	70 - 125	0.01932	3.48	20	
Dibromochloromethane	0.020	0.0050	0.02	0	99.4	70 - 124	0.01975	0.641	20	
Ethylbenzene	0.020	0.0050	0.02	0	100	70 - 124	0.02106	4.7	20	
m,p-Xylene	0.042	0.010	0.04	0	104	70 - 130	0.04291	3.29	20	
Methyl tert-butyl ether	0.018	0.0050	0.02	0	89.6	70 - 130	0.01826	1.82	20	
Methylene chloride	0.016	0.010	0.02	0	81.2	70 - 128	0.01768	8.49	20	
Naphthalene	0.020	0.0050	0.02	0	101	70 - 130	0.01577	24.4	20	R
o-Xylene	0.020	0.0050	0.02	0	102	70 - 124	0.02068	1.73	20	
Styrene	0.021	0.0050	0.02	0	104	70 - 130	0.02104	1.2	20	
Tert-butyl alcohol	0.38	0.10	0.4	0	95.7	70 - 130	0.4036	5.33	20	
Tetrachloroethene	0.021	0.0050	0.02	0	107	70 - 130	0.02192	2.69	20	

RIGHT SOLUTIONS | RIGHT PARTNER

Client: Environmental Resources Management
Project: FLTG French Limited
WorkOrder: HS20030296

QC BATCH REPORT

Batch ID: R358083 (0) **Instrument:** VOA6 **Method:** VOLATILES - SW8260C

MSD Sample ID: **HS20030464-01MSD** Units: **mg/L** Analysis Date: **12-Mar-2020 17:03**
Client ID: Run ID: **VOA6_358083** SeqNo: **5510803** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Toluene	0.021	0.0050	0.02	0.0009185	99.0	70 - 123	0.02167	4.5	20	
trans-1,2-Dichloroethene	0.018	0.0050	0.02	0	88.3	70 - 130	0.01896	7.17	20	
trans-1,3-Dichloropropene	0.019	0.0050	0.02	0	93.9	70 - 121	0.01958	4.14	20	
Trichloroethene	0.019	0.0050	0.02	0	93.7	70 - 129	0.02003	6.59	20	
Vinyl chloride	0.016	0.0020	0.02	0	79.8	70 - 130	0.01702	6.47	20	
Xylenes, Total	0.062	0.0050	0.06	0	103	70 - 130	0.06359	2.78	20	
Surr: 1,2-Dichloroethane-d4	*0.045*	*0*	*0.05*	*0*	*90.5*	*70 - 126*	*0.04537*	*0.322*	*20*	
Surr: 4-Bromofluorobenzene	*0.050*	*0*	*0.05*	*0*	*99.8*	*82 - 124*	*0.05035*	*0.893*	*20*	
Surr: Dibromofluoromethane	*0.045*	*0*	*0.05*	*0*	*90.6*	*77 - 123*	*0.04600*	*1.58*	*20*	
Surr: Toluene-d8	*0.053*	*0*	*0.05*	*0*	*107*	*82 - 127*	*0.05293*	*0.899*	*20*	

The following samples were analyzed in this batch:

HS20030296-24	HS20030296-35	HS20030296-36	HS20030296-37
HS20030296-38	HS20030296-39	HS20030296-40	HS20030296-41
HS20030296-42	HS20030296-43	HS20030296-44	

RIGHT SOLUTIONS | RIGHT PARTNER

Client: Environmental Resources Management
Project: FLTG French Limited
WorkOrder: HS20030296

QC BATCH REPORT

Batch ID: R358087 (0) **Instrument:** VOA6 **Method:** VOLATILES - SW8260C

MBLK Sample ID: **VBLKW-200312** Units: **mg/L** Analysis Date: **13-Mar-2020 00:15**
Client ID: Run ID: **VOA6_358087** SeqNo: **5511007** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
1,1,1-Trichloroethane	U	0.0050								
1,1,2,2-Tetrachloroethane	U	0.0050								
1,1,2-Trichloroethane	U	0.0050								
1,1-Dichloroethane	U	0.0050								
1,1-Dichloroethene	U	0.0050								
1,2-Dichloroethane	U	0.0050								
1,2-Dichloropropane	U	0.0050								
2-Butanone	U	0.010								
2-Hexanone	U	0.010								
4-Methyl-2-pentanone	U	0.010								
Acetone	U	0.010								
Allyl Chloride	U	0.010								
Benzene	U	0.0050								
Bromodichloromethane	U	0.0050								
Bromoform	U	0.0050								
Bromomethane	U	0.0050								
Carbon disulfide	U	0.010								
Carbon tetrachloride	U	0.0050								
Chlorobenzene	U	0.0050								
Chloroethane	U	0.0050								
Chloroform	U	0.0050								
Chloromethane	U	0.0050								
cis-1,2-Dichloroethene	U	0.0050								
cis-1,3-Dichloropropene	U	0.0050								
Dibromochloromethane	U	0.0050								
Ethylbenzene	U	0.0050								
m,p-Xylene	U	0.010								
Methyl tert-butyl ether	U	0.0050								
Methylene chloride	U	0.010								
Naphthalene	U	0.0050								
o-Xylene	U	0.0050								
Styrene	U	0.0050								
Tert-butyl alcohol	U	0.10								
Tetrachloroethene	U	0.0050								

RIGHT SOLUTIONS | RIGHT PARTNER

Client: Environmental Resources Management
Project: FLTG French Limited
WorkOrder: HS20030296

QC BATCH REPORT

Batch ID: **R358087 (0)** **Instrument:** **VOA6** **Method:** **VOLATILES - SW8260C**

MBLK Sample ID: **VBLKW-200312** Units: **mg/L** Analysis Date: **13-Mar-2020 00:15**
Client ID: Run ID: **VOA6_358087** SeqNo: **5511007** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Toluene	U	0.0050								
trans-1,2-Dichloroethene	U	0.0050								
trans-1,3-Dichloropropene	U	0.0050								
Trichloroethene	U	0.0050								
Vinyl chloride	U	0.0020								
Xylenes, Total	U	0.0050								
Surr: 1,2-Dichloroethane-d4	*0.045*	*0*	*0.05*	*0*	*89.2*	*70 - 130*				
Surr: 4-Bromofluorobenzene	*0.049*	*0*	*0.05*	*0*	*98.5*	*82 - 115*				
Surr: Dibromofluoromethane	*0.045*	*0*	*0.05*	*0*	*90.1*	*73 - 126*				
Surr: Toluene-d8	*0.053*	*0*	*0.05*	*0*	*106*	*81 - 120*				

RIGHT SOLUTIONS | RIGHT PARTNER

Client: Environmental Resources Management
Project: FLTG French Limited
WorkOrder: HS20030296

QC BATCH REPORT

Batch ID: R358087 (0) **Instrument:** VOA6 **Method:** VOLATILES - SW8260C

LCS Sample ID: **VLCSW-200312** Units: **mg/L** Analysis Date: **12-Mar-2020 23:27**
Client ID: Run ID: **VOA6_358087** SeqNo: **5511006** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
1,1,1-Trichloroethane	0.019	0.0050	0.02	0	97.2	70 - 130				
1,1,2,2-Tetrachloroethane	0.019	0.0050	0.02	0	95.8	70 - 120				
1,1,2-Trichloroethane	0.020	0.0050	0.02	0	99.0	77 - 113				
1,1-Dichloroethane	0.020	0.0050	0.02	0	97.5	71 - 122				
1,1-Dichloroethene	0.019	0.0050	0.02	0	93.7	70 - 130				
1,2-Dichloroethane	0.019	0.0050	0.02	0	97.5	70 - 124				
1,2-Dichloropropane	0.020	0.0050	0.02	0	98.0	72 - 119				
2-Butanone	0.037	0.010	0.04	0	92.4	70 - 130				
2-Hexanone	0.039	0.010	0.04	0	98.5	70 - 130				
4-Methyl-2-pentanone	0.038	0.010	0.04	0	95.0	70 - 130				
Acetone	0.037	0.010	0.04	0	92.8	70 - 130				
Allyl Chloride	0.019	0.010	0.02	0	94.7	70 - 130				
Benzene	0.019	0.0050	0.02	0	97.2	74 - 120				
Bromodichloromethane	0.019	0.0050	0.02	0	96.6	74 - 122				
Bromoform	0.020	0.0050	0.02	0	101	73 - 128				
Bromomethane	0.022	0.0050	0.02	0	108	70 - 130				
Carbon disulfide	0.038	0.010	0.04	0	95.1	70 - 130				
Carbon tetrachloride	0.018	0.0050	0.02	0	91.8	71 - 125				
Chlorobenzene	0.020	0.0050	0.02	0	98.4	76 - 113				
Chloroethane	0.018	0.0050	0.02	0	92.1	70 - 130				
Chloroform	0.020	0.0050	0.02	0	97.7	71 - 121				
Chloromethane	0.019	0.0050	0.02	0	92.8	70 - 129				
cis-1,2-Dichloroethene	0.020	0.0050	0.02	0	101	75 - 122				
cis-1,3-Dichloropropene	0.019	0.0050	0.02	0	94.9	73 - 127				
Dibromochloromethane	0.020	0.0050	0.02	0	97.8	77 - 122				
Ethylbenzene	0.020	0.0050	0.02	0	98.4	77 - 117				
m,p-Xylene	0.039	0.010	0.04	0	97.8	77 - 122				
Methyl tert-butyl ether	0.020	0.0050	0.02	0	99.8	70 - 130				
Methylene chloride	0.020	0.010	0.02	0	99.3	70 - 127				
Naphthalene	0.018	0.0050	0.02	0	91.9	70 - 130				
o-Xylene	0.019	0.0050	0.02	0	96.6	75 - 119				
Styrene	0.019	0.0050	0.02	0	96.4	72 - 126				
Tert-butyl alcohol	0.38	0.10	0.4	0	96.0	70 - 130				
Tetrachloroethene	0.019	0.0050	0.02	0	97.4	76 - 119				

RIGHT SOLUTIONS | RIGHT PARTNER

Client: Environmental Resources Management
Project: FLTG French Limited
WorkOrder: HS20030296

QC BATCH REPORT

Batch ID: **R358087 (0)** **Instrument:** **VOA6** **Method:** **VOLATILES - SW8260C**

LCS Sample ID: **VLCSW-200312** Units: **mg/L** Analysis Date: **12-Mar-2020 23:27**
Client ID: Run ID: **VOA6_358087** SeqNo: **5511006** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Toluene	0.020	0.0050	0.02	0	97.7	77 - 118				
trans-1,2-Dichloroethene	0.019	0.0050	0.02	0	96.8	72 - 127				
trans-1,3-Dichloropropene	0.020	0.0050	0.02	0	97.7	77 - 119				
Trichloroethene	0.019	0.0050	0.02	0	93.5	77 - 121				
Vinyl chloride	0.019	0.0020	0.02	0	94.2	70 - 130				
Xylenes, Total	0.058	0.0050	0.06	0	97.4	75 - 122				
Surr: 1,2-Dichloroethane-d4	*0.051*	*0*	*0.05*	*0*	*102*	*70 - 130*				
Surr: 4-Bromofluorobenzene	*0.052*	*0*	*0.05*	*0*	*104*	*82 - 115*				
Surr: Dibromofluoromethane	*0.051*	*0*	*0.05*	*0*	*102*	*73 - 126*				
Surr: Toluene-d8	*0.052*	*0*	*0.05*	*0*	*103*	*81 - 120*				

RIGHT SOLUTIONS | RIGHT PARTNER

Client: Environmental Resources Management
Project: FLTG French Limited
WorkOrder: HS20030296

QC BATCH REPORT

Batch ID: **R358087 (0)** **Instrument:** **VOA6** **Method:** **VOLATILES - SW8260C**

MS Sample ID: **HS20030296-45MS** Units: **mg/L** Analysis Date: **13-Mar-2020 01:52**
Client ID: **INT-217** Run ID: **VOA6_358087** SeqNo: **5511011** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
1,1,1-Trichloroethane	0.019	0.0050	0.02	0	92.9	70 - 130				
1,1,2,2-Tetrachloroethane	0.020	0.0050	0.02	0	102	70 - 123				
1,1,2-Trichloroethane	0.020	0.0050	0.02	0	99.1	70 - 117				
1,1-Dichloroethane	0.022	0.0050	0.02	0.003551	90.3	70 - 127				
1,1-Dichloroethene	0.018	0.0050	0.02	0	91.2	70 - 130				
1,2-Dichloroethane	0.019	0.0050	0.02	0	95.6	70 - 127				
1,2-Dichloropropane	0.019	0.0050	0.02	0	93.5	70 - 122				
2-Butanone	0.032	0.010	0.04	0	80.2	70 - 130				
2-Hexanone	0.039	0.010	0.04	0	96.6	70 - 130				
4-Methyl-2-pentanone	0.038	0.010	0.04	0	93.9	70 - 130				
Acetone	0.032	0.010	0.04	0	79.7	70 - 130				
Allyl Chloride	0.018	0.010	0.02	0	91.8	70 - 130				
Benzene	0.020	0.0050	0.02	0	99.1	70 - 127				
Bromodichloromethane	0.020	0.0050	0.02	0	97.5	70 - 124				
Bromoform	0.020	0.0050	0.02	0	102	70 - 129				
Bromomethane	0.018	0.0050	0.02	0	91.8	70 - 130				
Carbon disulfide	0.034	0.010	0.04	0	85.8	70 - 130				
Carbon tetrachloride	0.019	0.0050	0.02	0	93.2	70 - 130				
Chlorobenzene	0.021	0.0050	0.02	0	103	70 - 114				
Chloroethane	0.017	0.0050	0.02	0	86.4	70 - 130				
Chloroform	0.018	0.0050	0.02	0	89.1	70 - 125				
Chloromethane	0.016	0.0050	0.02	0	78.9	70 - 130				
cis-1,2-Dichloroethene	0.019	0.0050	0.02	0	93.1	70 - 128				
cis-1,3-Dichloropropene	0.019	0.0050	0.02	0	93.6	70 - 125				
Dibromochloromethane	0.019	0.0050	0.02	0	96.9	70 - 124				
Ethylbenzene	0.021	0.0050	0.02	0	104	70 - 124				
m,p-Xylene	0.041	0.010	0.04	0	102	70 - 130				
Methyl tert-butyl ether	0.018	0.0050	0.02	0	90.1	70 - 130				
Methylene chloride	0.018	0.010	0.02	0	88.6	70 - 128				
Naphthalene	0.016	0.0050	0.02	0	78.9	70 - 130				
o-Xylene	0.020	0.0050	0.02	0	98.9	70 - 124				
Styrene	0.020	0.0050	0.02	0	101	70 - 130				
Tert-butyl alcohol	0.36	0.10	0.4	0.01355	86.1	70 - 130				
Tetrachloroethene	0.020	0.0050	0.02	0	102	70 - 130				

RIGHT SOLUTIONS | RIGHT PARTNER

Client: Environmental Resources Management
Project: FLTG French Limited
WorkOrder: HS20030296

QC BATCH REPORT

Batch ID: **R358087 (0)** **Instrument:** **VOA6** **Method:** **VOLATILES - SW8260C**

MS Sample ID: **HS20030296-45MS** Units: **mg/L** Analysis Date: **13-Mar-2020 01:52**
Client ID: **INT-217** Run ID: **VOA6_358087** SeqNo: **5511011** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Toluene	0.020	0.0050	0.02	0	99.9	70 - 123				
trans-1,2-Dichloroethene	0.018	0.0050	0.02	0	91.2	70 - 130				
trans-1,3-Dichloropropene	0.018	0.0050	0.02	0	92.0	70 - 121				
Trichloroethene	0.019	0.0050	0.02	0	97.4	70 - 129				
Vinyl chloride	0.017	0.0020	0.02	0.0008940	81.0	70 - 130				
Xylenes, Total	0.061	0.0050	0.06	0	101	70 - 130				
Surr: 1,2-Dichloroethane-d4	*0.046*	*0*	*0.05*	*0*	*91.2*	*70 - 126*				
Surr: 4-Bromofluorobenzene	*0.049*	*0*	*0.05*	*0*	*97.7*	*82 - 124*				
Surr: Dibromofluoromethane	*0.045*	*0*	*0.05*	*0*	*90.8*	*77 - 123*				
Surr: Toluene-d8	*0.054*	*0*	*0.05*	*0*	*107*	*82 - 127*				

RIGHT SOLUTIONS | RIGHT PARTNER

Client: Environmental Resources Management
Project: FLTG French Limited
WorkOrder: HS20030296

QC BATCH REPORT

Batch ID: R358087 (0) **Instrument:** VOA6 **Method:** VOLATILES - SW8260C

MSD Sample ID: **HS20030296-45MSD** Units: **mg/L** Analysis Date: **13-Mar-2020 02:16**
Client ID: **INT-217** Run ID: **VOA6_358087** SeqNo: **5511012** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	RPD %RPD	RPD Limit	Qual
1,1,1-Trichloroethane	0.017	0.0050	0.02	0	86.1	70 - 130	0.01858	7.64	20	
1,1,2,2-Tetrachloroethane	0.019	0.0050	0.02	0	94.4	70 - 123	0.02041	7.74	20	
1,1,2-Trichloroethane	0.019	0.0050	0.02	0	96.8	70 - 117	0.01981	2.31	20	
1,1-Dichloroethane	0.021	0.0050	0.02	0.003551	84.9	70 - 127	0.02161	5.1	20	
1,1-Dichloroethene	0.017	0.0050	0.02	0	84.1	70 - 130	0.01825	8.2	20	
1,2-Dichloroethane	0.018	0.0050	0.02	0	92.2	70 - 127	0.01913	3.62	20	
1,2-Dichloropropane	0.018	0.0050	0.02	0	89.0	70 - 122	0.01870	4.96	20	
2-Butanone	0.032	0.010	0.04	0	78.8	70 - 130	0.03208	1.73	20	
2-Hexanone	0.039	0.010	0.04	0	97.6	70 - 130	0.03862	1.06	20	
4-Methyl-2-pentanone	0.039	0.010	0.04	0	96.5	70 - 130	0.03755	2.73	20	
Acetone	0.032	0.010	0.04	0	80.2	70 - 130	0.03186	0.667	20	
Allyl Chloride	0.017	0.010	0.02	0	87.3	70 - 130	0.01835	4.95	20	
Benzene	0.018	0.0050	0.02	0	92.4	70 - 127	0.01981	6.96	20	
Bromodichloromethane	0.019	0.0050	0.02	0	93.3	70 - 124	0.01951	4.45	20	
Bromoform	0.019	0.0050	0.02	0	97.2	70 - 129	0.02034	4.51	20	
Bromomethane	0.017	0.0050	0.02	0	85.9	70 - 130	0.01837	6.63	20	
Carbon disulfide	0.032	0.010	0.04	0	79.0	70 - 130	0.03430	8.26	20	
Carbon tetrachloride	0.018	0.0050	0.02	0	90.5	70 - 130	0.01865	2.97	20	
Chlorobenzene	0.020	0.0050	0.02	0	98.4	70 - 114	0.02064	4.74	20	
Chloroethane	0.015	0.0050	0.02	0	76.0	70 - 130	0.01728	12.8	20	
Chloroform	0.017	0.0050	0.02	0	84.7	70 - 125	0.01781	5.06	20	
Chloromethane	0.015	0.0050	0.02	0	74.4	70 - 130	0.01577	5.8	20	
cis-1,2-Dichloroethene	0.017	0.0050	0.02	0	86.1	70 - 128	0.01862	7.75	20	
cis-1,3-Dichloropropene	0.018	0.0050	0.02	0	88.7	70 - 125	0.01872	5.39	20	
Dibromochloromethane	0.019	0.0050	0.02	0	94.7	70 - 124	0.01939	2.3	20	
Ethylbenzene	0.019	0.0050	0.02	0	95.1	70 - 124	0.02076	8.73	20	
m,p-Xylene	0.038	0.010	0.04	0	96.0	70 - 130	0.04082	6.1	20	
Methyl tert-butyl ether	0.017	0.0050	0.02	0	86.8	70 - 130	0.01802	3.73	20	
Methylene chloride	0.016	0.010	0.02	0	82.4	70 - 128	0.01772	7.29	20	
Naphthalene	0.018	0.0050	0.02	0	91.9	70 - 130	0.01577	15.3	20	
o-Xylene	0.018	0.0050	0.02	0	92.1	70 - 124	0.01978	7.16	20	
Styrene	0.019	0.0050	0.02	0	95.6	70 - 130	0.02012	5.11	20	
Tert-butyl alcohol	0.35	0.10	0.4	0.01355	85.2	70 - 130	0.3581	1.08	20	
Tetrachloroethene	0.019	0.0050	0.02	0	95.9	70 - 130	0.02037	6.06	20	

RIGHT SOLUTIONS | RIGHT PARTNER

Client: Environmental Resources Management
Project: FLTG French Limited
WorkOrder: HS20030296

QC BATCH REPORT

Batch ID: **R358087 (0)** **Instrument:** **VOA6** **Method:** **VOLATILES - SW8260C**

MSD Sample ID: **HS20030296-45MSD** Units: **mg/L** Analysis Date: **13-Mar-2020 02:16**
Client ID: **INT-217** Run ID: **VOA6_358087** SeqNo: **5511012** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Toluene	0.019	0.0050	0.02	0	96.0	70 - 123	0.01998	4.01	20	
trans-1,2-Dichloroethene	0.017	0.0050	0.02	0	85.3	70 - 130	0.01824	6.65	20	
trans-1,3-Dichloropropene	0.019	0.0050	0.02	0	92.6	70 - 121	0.01841	0.573	20	
Trichloroethene	0.018	0.0050	0.02	0	89.9	70 - 129	0.01949	8.09	20	
Vinyl chloride	0.016	0.0020	0.02	0.0008940	74.9	70 - 130	0.01709	7.33	20	
Xylenes, Total	0.057	0.0050	0.06	0	94.7	70 - 130	0.06060	6.44	20	
Surr: 1,2-Dichloroethane-d4	*0.046*	*0*	*0.05*	*0*	*92.2*	*70 - 126*	*0.04558*	*1.09*	*20*	
Surr: 4-Bromofluorobenzene	*0.051*	*0*	*0.05*	*0*	*102*	*82 - 124*	*0.04884*	*3.97*	*20*	
Surr: Dibromofluoromethane	*0.046*	*0*	*0.05*	*0*	*91.8*	*77 - 123*	*0.04538*	*1.18*	*20*	
Surr: Toluene-d8	*0.053*	*0*	*0.05*	*0*	*105*	*82 - 127*	*0.05350*	*1.59*	*20*	

The following samples were analyzed in this batch:

HS20030296-45	HS20030296-46	HS20030296-47	HS20030296-48
HS20030296-49	HS20030296-50	HS20030296-51	HS20030296-52
HS20030296-53	HS20030296-54	HS20030296-55	HS20030296-56
HS20030296-57	HS20030296-58		

RIGHT SOLUTIONS | RIGHT PARTNER

Client: Environmental Resources Management
Project: FLTG French Limited
WorkOrder: HS20030296

QC BATCH REPORT

Batch ID: R358156 (0) **Instrument:** VOA6 **Method:** VOLATILES - SW8260C

MBLK Sample ID: **VBLKW-200313** Units: **mg/L** Analysis Date: **13-Mar-2020 23:54**
Client ID: Run ID: **VOA6_358156** SeqNo: **5512412** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Benzene	U	0.0050								
Tert-butyl alcohol	U	0.10								
Surr: 1,2-Dichloroethane-d4	*0.045*	*0*	*0.05*	*0*	*90.0*	*70 - 130*				
Surr: 4-Bromofluorobenzene	*0.048*	*0*	*0.05*	*0*	*96.3*	*82 - 115*				
Surr: Dibromofluoromethane	*0.045*	*0*	*0.05*	*0*	*90.8*	*73 - 126*				
Surr: Toluene-d8	*0.053*	*0*	*0.05*	*0*	*106*	*81 - 120*				

LCS Sample ID: **VLCSW-200313** Units: **mg/L** Analysis Date: **13-Mar-2020 23:06**
Client ID: Run ID: **VOA6_358156** SeqNo: **5512411** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Benzene	0.019	0.0050	0.02	0	97.2	74 - 120				
Tert-butyl alcohol	0.40	0.10	0.4	0	99.1	70 - 130				
Surr: 1,2-Dichloroethane-d4	*0.053*	*0*	*0.05*	*0*	*106*	*70 - 130*				
Surr: 4-Bromofluorobenzene	*0.052*	*0*	*0.05*	*0*	*104*	*82 - 115*				
Surr: Dibromofluoromethane	*0.051*	*0*	*0.05*	*0*	*102*	*73 - 126*				
Surr: Toluene-d8	*0.052*	*0*	*0.05*	*0*	*103*	*81 - 120*				

MS Sample ID: **HS20030405-24MS** Units: **mg/L** Analysis Date: **14-Mar-2020 01:06**
Client ID: Run ID: **VOA6_358156** SeqNo: **5512415** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Benzene	0.021	0.0050	0.02	0.0009038	98.6	70 - 127				
Tert-butyl alcohol	0.57	0.10	0.4	0.1989	93.8	70 - 130				
Surr: 1,2-Dichloroethane-d4	*0.046*	*0*	*0.05*	*0*	*91.5*	*70 - 126*				
Surr: 4-Bromofluorobenzene	*0.049*	*0*	*0.05*	*0*	*98.5*	*82 - 124*				
Surr: Dibromofluoromethane	*0.046*	*0*	*0.05*	*0*	*91.2*	*77 - 123*				
Surr: Toluene-d8	*0.052*	*0*	*0.05*	*0*	*104*	*82 - 127*				

RIGHT SOLUTIONS | RIGHT PARTNER

Client: Environmental Resources Management
Project: FLTG French Limited
WorkOrder: HS20030296

QC BATCH REPORT

Batch ID: **R358156 (0)** **Instrument:** **VOA6** **Method:** **VOLATILES - SW8260C**

MSD Sample ID: **HS20030405-24MSD** Units: **mg/L** Analysis Date: **14-Mar-2020 01:30**
Client ID: Run ID: **VOA6_358156** SeqNo: **5512416** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Benzene	0.019	0.0050	0.02	0.0009038	92.1	70 - 127	0.02063	6.54	20	
Tert-butyl alcohol	0.58	0.10	0.4	0.1989	96.0	70 - 130	0.5741	1.5	20	
Surr: 1,2-Dichloroethane-d4	*0.046*	*0*	*0.05*	*0*	*92.8*	*70 - 126*	*0.04574*	*1.46*	*20*	
Surr: 4-Bromofluorobenzene	*0.050*	*0*	*0.05*	*0*	*99.4*	*82 - 124*	*0.04924*	*0.965*	*20*	
Surr: Dibromofluoromethane	*0.047*	*0*	*0.05*	*0*	*93.2*	*77 - 123*	*0.04558*	*2.17*	*20*	
Surr: Toluene-d8	*0.052*	*0*	*0.05*	*0*	*104*	*82 - 127*	*0.05211*	*0.589*	*20*	

The following samples were analyzed in this batch: HS20030296-24 HS20030296-37 HS20030296-39 HS20030296-57

RIGHT SOLUTIONS | RIGHT PARTNER

Client: Environmental Resources Management
Project: FLTG French Limited
WorkOrder: HS20030296

QC BATCH REPORT

Batch ID: R358182 (0) **Instrument:** VOA9 **Method:** VOLATILES - SW8260C

MBLK Sample ID: **VBLKW-200315** Units: **mg/L** Analysis Date: **15-Mar-2020 13:11**
Client ID: Run ID: **VOA9_358182** SeqNo: **5513045** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit Qual
1,2-Dichloroethane	U	0.0050							
Tert-butyl alcohol	U	0.10							
Surr: 1,2-Dichloroethane-d4	*0.050*	*0*	*0.05*	*0*	*100*	*70 - 130*			
Surr: 4-Bromofluorobenzene	*0.048*	*0*	*0.05*	*0*	*95.2*	*82 - 115*			
Surr: Dibromofluoromethane	*0.051*	*0*	*0.05*	*0*	*102*	*73 - 126*			
Surr: Toluene-d8	*0.049*	*0*	*0.05*	*0*	*97.9*	*81 - 120*			

LCS Sample ID: **VLCSW-200315** Units: **mg/L** Analysis Date: **15-Mar-2020 12:22**
Client ID: Run ID: **VOA9_358182** SeqNo: **5513044** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit Qual
1,2-Dichloroethane	0.019	0.0050	0.02	0	94.5	70 - 124			
Tert-butyl alcohol	0.32	0.10	0.4	0	80.9	70 - 130			
Surr: 1,2-Dichloroethane-d4	*0.048*	*0*	*0.05*	*0*	*96.0*	*70 - 130*			
Surr: 4-Bromofluorobenzene	*0.049*	*0*	*0.05*	*0*	*98.4*	*82 - 115*			
Surr: Dibromofluoromethane	*0.049*	*0*	*0.05*	*0*	*97.3*	*73 - 126*			
Surr: Toluene-d8	*0.049*	*0*	*0.05*	*0*	*98.7*	*81 - 120*			

MS Sample ID: **HS20030623-12MS** Units: **mg/L** Analysis Date: **15-Mar-2020 15:37**
Client ID: Run ID: **VOA9_358182** SeqNo: **5513051** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit Qual
1,2-Dichloroethane	0.020	0.0050	0.02	0	97.6	70 - 127			
Tert-butyl alcohol	0.34	0.10	0.4	0	85.2	70 - 130			
Surr: 1,2-Dichloroethane-d4	*0.047*	*0*	*0.05*	*0*	*93.7*	*70 - 126*			
Surr: 4-Bromofluorobenzene	*0.049*	*0*	*0.05*	*0*	*97.9*	*82 - 124*			
Surr: Dibromofluoromethane	*0.049*	*0*	*0.05*	*0*	*97.6*	*77 - 123*			
Surr: Toluene-d8	*0.049*	*0*	*0.05*	*0*	*98.1*	*82 - 127*			

RIGHT SOLUTIONS | RIGHT PARTNER

Client: Environmental Resources Management
Project: FLTG French Limited
WorkOrder: HS20030296

QC BATCH REPORT

Batch ID: **R358182 (0)** **Instrument:** **VOA9** **Method:** **VOLATILES - SW8260C**

MSD Sample ID: **HS20030623-12MSD** Units: **mg/L** Analysis Date: **15-Mar-2020 16:02**
Client ID: Run ID: **VOA9_358182** SeqNo: **5513052** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
1,2-Dichloroethane	0.020	0.0050	0.02	0	101	70 - 127	0.01953	2.96	20	
Tert-butyl alcohol	0.35	0.10	0.4	0	88.5	70 - 130	0.3407	3.8	20	
Surr: 1,2-Dichloroethane-d4	*0.048*	*0*	*0.05*	*0*	*96.5*	*70 - 126*	*0.04686*	*2.93*	*20*	
Surr: 4-Bromofluorobenzene	*0.050*	*0*	*0.05*	*0*	*100*	*82 - 124*	*0.04893*	*2.25*	*20*	
Surr: Dibromofluoromethane	*0.049*	*0*	*0.05*	*0*	*98.8*	*77 - 123*	*0.04879*	*1.21*	*20*	
Surr: Toluene-d8	*0.049*	*0*	*0.05*	*0*	*98.9*	*82 - 127*	*0.04903*	*0.81*	*20*	

The following samples were analyzed in this batch: HS20030296-18 HS20030296-27 HS20030296-28 HS20030296-29 HS20030296-31

RIGHT SOLUTIONS | RIGHT PARTNER

Client: Environmental Resources Management
Project: FLTG French Limited
WorkOrder: **HS20030296**

QUALIFIERS, ACRONYMS, UNITS

Qualifier	Description
*	Value exceeds Regulatory Limit
a	Not accredited
B	Analyte detected in the associated Method Blank above the Reporting Limit
E	Value above quantitation range
H	Analyzed outside of Holding Time
J	Analyte detected below quantitation limit
M	Manually integrated, see raw data for justification
n	Not offered for accreditation
ND	Not Detected at the Reporting Limit
O	Sample amount is > 4 times amount spiked
P	Dual Column results percent difference > 40%
R	RPD above laboratory control limit
S	Spike Recovery outside laboratory control limits
U	Analyzed but not detected above the MDL/SDL

Acronym	Description
DCS	Detectability Check Study
DUP	Method Duplicate
LCS	Laboratory Control Sample
LCSD	Laboratory Control Sample Duplicate
MBLK	Method Blank
MDL	Method Detection Limit
MQL	Method Quantitation Limit
MS	Matrix Spike
MSD	Matrix Spike Duplicate
PDS	Post Digestion Spike
PQL	Practical Quantitaion Limit
SD	Serial Dilution
SDL	Sample Detection Limit
TRRP	Texas Risk Reduction Program

Unit Reported	Description
mg/L	Milligrams per Liter

RIGHT SOLUTIONS | RIGHT PARTNER

CERTIFICATIONS,ACCREDITATIONS & LICENSES

Agency	Number	Expire Date
Arkansas	19-028-0	27-Mar-2020
California	2919, 2019-2020	30-Apr-2020
Dept of Defense	ANAB L2231 V009	22-Dec-2021
Florida	E87611-28	30-Jun-2020
Illinois	2000322019-2	09-May-2020
Kansas	E-10352 2019-2020	31-Jul-2020
Kentucky	123043, 2019-2020	30-Apr-2020
Louisiana	03087, 2019-2020	30-Jun-2020
Maryland	343, 2019-2020	30-Jun-2020
North Carolina	624-2020	31-Dec-2020
North Dakota	R-193 2019-2020	30-Apr-2020
Oklahoma	2019-067	31-Aug-2020
Texas	T104704231-19-25	30-Apr-2020

RIGHT SOLUTIONS | RIGHT PARTNER

Sample Receipt Checklist

Client Name:	ERMSW-HOU	Date/Time Received:	**06-Mar-2020 15:05**
Work Order:	HS20030296	Received by:	**JRM**

Checklist completed by: *Paresh M. Giga* (eSignature) 6-Mar-2020 (Date)

Reviewed by: *Bernadette A. Fini* (eSignature) 9-Mar-2020 (Date)

Matrices: **Water**

Carrier name: **Client**

	Yes	No	
Shipping container/cooler in good condition?	☑	☐	Not Present ☐
Custody seals intact on shipping container/cooler?	☑	☐	Not Present ☐
Custody seals intact on sample bottles?	☐	☐	Not Present ☑
VOA/TX1005/TX1006 Solids in hermetically sealed vials?	☐	☐	Not Present ☑
Chain of custody present?	☑	☐	6 Page(s)
Chain of custody signed when relinquished and received?	☑	☐	COC IDs:221593/221595/221594/221600/2216101/221602
Samplers name present on COC?	☑	☐	
Chain of custody agrees with sample labels?	☐	☑	
Samples in proper container/bottle?	☑	☐	
Sample containers intact?	☑	☐	
Sufficient sample volume for indicated test?	☑	☐	
All samples received within holding time?	☑	☐	
Container/Temp Blank temperature in compliance?	☑	☐	

Temperature(s)/Thermometer(s):	1.4c U/c	IR11
Cooler(s)/Kit(s):	45767	
Date/Time sample(s) sent to storage:	3/6/2020 19:05	

	Yes	No	
Water - VOA vials have zero headspace?	☑	☐	No VOA vials submitted ☐
Water - pH acceptable upon receipt?	☑	☐	N/A ☐
pH adjusted?	☐	☑	N/A ☐

pH adjusted by:

Login Notes:
Extra samples received not on COC :
SI-168 & INT-251. Logged in with analysis.
Times Differ : SI-146 COC - 12:28 Labels - 12:48
SI-106A COC - 14:33 Labels - 13:43

Client Contacted: Date Contacted: Person Contacted:

Contacted By: Regarding:

Comments:

Corrective Action:

RIGHT SOLUTIONS | RIGHT PARTNER

ALS

Cincinnati, OH +1 513 733 5336
Everett, WA +1 425 356 2600
Fort Collins, CO +1 970 490 1511
Holland, MI +1 616 399 6070

Chain of Custody Form

Page 1 of 6

COC ID: 221593

Houston, TX +1 281 530 5656
Middletown, PA +1 717 944 5541
Spring City, PA +1 610 948 4903
Salt Lake City, UT +1 801 266 7700
South Charleston, WV +1 304 356 3168
York, PA +1 717 505 5280

ALS Project Manager:

ALS Work Order #:

Customer Information		Project Information		Parameter/Method Request for Analysis	
Purchase Order	0543408-02	Project Name	FLTG French Limited	A	8260_W (VOC 8260)
Work Order		Project Number		B	ICP_TW (As, Cr, Pb)
Company Name	Environmental Resources Managemen	Bill To Company	Environmental Resources Managemen	C	
Send Report To	Rob Jaros	Invoice Attn	ermsoutherndivisionap@erm.com	D	HS20030296
Address	CityCentre Four 840 W. Sam Houston Pkwy., Suite 6	Address	CityCentre Four 840 W. Sam Houston Pkwy., Suite 6	E F	Environmental Resources Management FLTG French Limited
City/State/Zip	Houston, TX 77024	City/State/Zip	Houston TX 77024	G	
Phone	(281) 600-1000	Phone	(281) 600-1000	H	
Fax	(281) 600-1001	Fax	(281) 600-1001	I	
e-Mail Address	rob.jaros@erm.com	e-Mail Address	ermsoutherndivisionap@erm.com	J	

No.	Sample Description	Date	Time	Matrix	Pres.	# Bottles	A	B	C	D	E	F	G	H	I	J	Hold
1	FLTG-Ø13	3/6	1020	W	1,8	3	X										
2	FLTG-14	3/6	0950														
3	INT-154	3/5	1133														
4	INT-259	3/5	0928														
5	INT-260	3/4	1208														
6	INT-261	3/4	1428														
7	INT-262	3/4	0943														
8	SI-106R	3/5	1053														
9	SI-142	3/4	1028														
10	SI-146	3/4	1228														

Sampler(s) Please Print & Sign: Reece Thompson [signature]

Shipment Method:

Required Turnaround Time: (Check Box) [X] STD 10 Wk Days [ ] 5 Wk Days [ ] 2 Wk Days [ ] 24 Hour [ ] Other

Results Due Date:

Relinquished by:	Date:	Time:	Received by:
[signature]	3/6/20	1520	
Relinquished by:	Date: 3/6/20	Time: 1505	Received by (Laboratory): J. [signature]
Logged by (Laboratory):	Date:	Time:	Checked by (Laboratory):

Notes: ERM - FLTG 0184582-B

Cooler ID	Cooler Temp.
45767	6C
	1.4
	1.211
	CF00

QC Package: (Check One Box Below)
[X] Level 4 (Full QC)
[ ] Level 4 (Full QC) Data
[ ] Level 4 (Full QC) Data
[ ] Other
[ ] TRRP Checklist
[ ] TRRP Level IV

Preservative Key: 1-HCl 2-HNO_3 3-H_2SO_4 4-NaOH 5-$Na_2S_2O_3$ 6-$NaHSO_4$ 7-Other 8-4°C 9-5035

Note: 1. Any changes must be made in writing once samples and COC Form have been submitted to ALS Environmental.
2. Unless otherwise agreed in a formal contract, services provided by ALS Environmental are expressly limited to the terms and conditions stated on the reverse.
3. The Chain of Custody is a legal document. All information must be completed accurately.

Copyright 2011 by ALS Environmental.

RIGHT SOLUTIONS | RIGHT PARTNER

Cincinnati, OH +1 513 733 5336 | Fort Collins, CO +1 970 490 1511 | Everett, WA +1 425 356 2600 | Holland, MI +1 616 399 6070

Chain of Custody Form

Page 2 of 6

COC ID: 221595

Houston, TX +1 281 530 5656 | Spring City, PA +1 610 948 4903 | South Charleston, WV +1 304 356 3168 | Middletown, PA +1 717 944 5541 | Salt Lake City, UT +1 801 266 7700 | York, PA +1 717 505 5280

ALS Project Manager: | ALS Work Order #:

Customer Information		Project Information		Parameter/Method Request for Analysis	
Purchase Order	0543408-02	Project Name	FLTG French Limited	A	8260_W(VOC 8260)
Work Order		Project Number		B	ICP_TW (As, Cr, Pb)
Company Name	Environmental Resources Managemen	Bill To Company	Environmental Resources Managemen	C	
Send Report To	Rob Jaros	Invoice Attn	ermsoutherndivisionap@erm.com	D	HS20030296
Address	CityCentre Four 840 W. Sam Houston Pkwy., Suite 6	Address	CityCentre Four 840 W. Sam Houston Pkwy., Suite 6	E F	Environmental Resources Management FLTG French Limited
City/State/Zip	Houston, TX 77024	City/State/Zip	Houston TX 77024	G	
Phone	(281) 600-1000	Phone	(281) 600-1000	H	
Fax	(281) 600-1001	Fax	(281) 600-1001	I	
e-Mail Address	rob.jaros@erm.com	e-Mail Address	ermsoutherndivisionap@erm.com	J	

No.	Sample Description	Date	Time	Matrix	Pres.	# Bottles	A	B	C	D	E	F	G	H	I	J	Hold
1	SI-147	3/5	0848	W	1.8	3	X										
2	SI-148	3/4	0903														
3	SI-166	3/5	1008														
4	SI-167	3/4	0908														
5	DUP4	3/5	1205														
6	SI-169	3/4	1113														
7	INT-106	3/6	0855														
8	SI-106A	3/5	1433														
9	SI-144	3/4	1016														
10	SI-145	3/4	0942														

Sampler(s) Please Print & Sign: Reece Thompson

Shipment Method:

Required Turnaround Time: (Check Box) [X] STD 10 Wk Days [ ] 5-Wk Days [ ] 2-Wk Days [ ] 24 Hrs [ ] Other

Results Due Date:

Relinquished by:	Date: 3/6/20	Time: 1506	Received by:
Relinquished by:	Date: 3/6/20	Time: 15:06	Received by (Laboratory): J. Immerman
Logged by (Laboratory):	Date:	Time:	Checked by (Laboratory):

Notes: ERM - FLTG 0184582-B

Cooler ID	Cooler Temp.

QC Package: (Check One Box Below)
[X] Level II Std QC
[ ] Level III Std QC/Raw Data
[ ] Level IV SW846/CLP
[ ] Other
[ ] TRRP Checklist
[ ] TRRP Level IV

Preservative Key: 1-HCl 2-HNO_3 3-H_2SO_4 4-NaOH 5-$Na_2S_2O_3$ 6-$NaHSO_4$ 7-Other 8-4°C 9-5035

Note: 1. Any changes must be made in writing once samples and COC Form have been submitted to ALS Environmental.
2. Unless otherwise agreed in a formal contract, services provided by ALS Environmental are expressly limited to the terms and conditions stated on the reverse.
3. The Chain of Custody is a legal document. All information must be completed accurately.

Copyright 2011 by ALS Environmental.

RIGHT SOLUTIONS | RIGHT PARTNER

Cincinnati, OH +1 513 733 5336 | Fort Collins, CO +1 970 490 1511 | Houston, TX +1 281 530 5656 | Spring City, PA +1 610 948 4903 | South Charleston, WV +1 304 356 3168
Everett, WA +1 425 356 2600 | Holland, MI +1 616 399 6070 | Middletown, PA +1 717 944 5541 | Salt Lake City, UT +1 801 266 7700 | York, PA +1 717 505 5280

Chain of Custody Form

Page 3 of 6

COC ID: 221594

ALS Project Manager: | ALS Work Order #:

Customer Information		Project Information		Parameter/Method Request for Analysis	
Purchase Order	0543408-02	Project Name	FLTG French Limited	A	8260_W(VOC 8260)
Work Order		Project Number		B	ICP_TW(As, Cr, Pb)
Company Name	Environmental Resources Managemen	Bill To Company	Environmental Resources Managemen	C	
Send Report To	Rob Jaros	Invoice Attn	ermsoutherndivisionap@erm.com	D	HS20030296
Address	CityCentre Four 840 W. Sam Houston Pkwy., Suite 6	Address	CityCentre Four 840 W. Sam Houston Pkwy., Suite 6	E F	Environmental Resources Management FLTG French Limited
City/State/Zip	Houston, TX 77024	City/State/Zip	Houston TX 77024	G	
Phone	(281) 600-1000	Phone	(281) 600-1000	H	
Fax	(281) 600-1001	Fax	(281) 600-1001	I	
e-Mail Address	rob.jaros@erm.com	e-Mail Address	ermsoutherndivisionap@erm.com	J	

No.	Sample Description	Date	Time	Matrix	Pres.	# Bottles	A	B	C	D	E	F	G	H	I	J	Hold
1	SI-136	3/6	1013	W	1,8	3	X										
2	DUP3	3/6	1200				X										
3	SI-161	3/6	1145				X										
4	SI-162	3/6	1123				X										
5	SI-165	3/6	1215				X										
6	INT-161	3/5	0835				X										
7	INT-163	3/5	1005				X										
8	INT-233	3/5	0900				X										
9	P-5	3/5	1040				X										
10	SI-031	3/5	0930		128	4	X	X									

Sampler(s) Please Print & Sign: Reece Thompson [signature]

Shipment Method:

Required Turnaround Time: (Check Box) [X] STD 10 Wk Days [ ] 5 Wk Days [ ] 2 Wk Days [ ] 24 Hour [ ] Other

Results Due Date:

Relinquished by:	Date:	Time:	Received by:
[signature]	3/6/20	1500	
Relinquished by:	Date: 3/6/20	Time: 15:06	Received by (Laboratory): J. [signature]
Logged by (Laboratory):	Date:	Time:	Checked by (Laboratory):

Notes: ERM - FLTG 0184582-B

Cooler ID	Cooler Temp.

QC Package: (Check One Box Below)
[X] Level II Std QC
[ ] Level III Std QC/Raw Data
[ ] Level IV SW/CLP
[ ] Other
[ ] TRRP Checklist
[ ] TRRP Level IV

Preservative Key: 1-HCl 2-HNO_3 3-H_2SO_4 4-NaOH 5-$Na_2S_2O_3$ 6-$NaHSO_4$ 7-Other 8-4°C 9-5035

Note:
1. Any changes must be made in writing once samples and COC Form have been submitted to ALS Environmental.
2. Unless otherwise agreed in a formal contract, services provided by ALS Environmental are expressly limited to the terms and conditions stated on the reverse.
3. The Chain of Custody is a legal document. All information must be completed accurately.

Copyright 2011 by ALS Environmental.

RIGHT SOLUTIONS | RIGHT PARTNER

Cincinnati, OH +1 513 733 5336 | Fort Collins, CO +1 970 490 1511 | Everett, WA +1 425 356 2600 | Holland, MI +1 616 399 6070

Chain of Custody Form

Page 4 of 6

COC ID: 221600

Houston, TX +1 281 530 5656 | Spring City, PA +1 610 948 4903 | South Charleston, WV +1 304 356 3168 | Middletown, PA +1 717 944 5541 | Salt Lake City, UT +1 801 266 7700 | York, PA +1 717 505 5280

ALS Project Manager: | ALS Work Order #:

Customer Information		Project Information		Parameter/Method Request for Analysis	
Purchase Order	0543408-02	Project Name	FLTG French Limited	A	8260_W (VOC 8260)
Work Order		Project Number		B	ICP_TW (As, Cr, Pb)
Company Name	Environmental Resources Managemen	Bill To Company	Environmental Resources Managemen	C	
Send Report To	Rob Jaros	Invoice Attn	ermsoutherndivisionap@erm.com	D	HS20030296
Address	CityCentre Four 840 W. Sam Houston Pkwy., Suite 6	Address	CityCentre Four 840 W. Sam Houston Pkwy., Suite 6	E F	Environmental Resources Management FLTG French Limited
City/State/Zip	Houston, TX 77024	City/State/Zip	Houston TX 77024	G	
Phone	(281) 600-1000	Phone	(281) 600-1000	H	
Fax	(281) 600-1001	Fax	(281) 600-1001	I	
e-Mail Address	rob.jaros@erm.com	e-Mail Address	ermsoutherndivisionap@erm.com	J	

No.	Sample Description	Date	Time	Matrix	Pres.	# Bottles	A	B	C	D	E	F	G	H	I	J	Hold
1	INT-060-P-3	3/5	1208	W	1,8	3	X										
2	INT-108	3/4	1132				X										
3	SI-108A	3/4	1105				X										
4	INT-022	3/4	1050				X										
5	INT-026	3/4	1438				X										
6	INT-059-P-2	3/5	1138		1,8	4	X	X									
7	INT-101	3/6	0925			4	X	X									
8	INT-118	3/5	1445			4	X	X									
9	INT-134	3/5	1055		1,8	3	X										
10	INT-135	3/5	1205				X										

Sampler(s) Please Print & Sign: Reece Thompson

Shipment Method:

Required Turnaround Time: (Check Box) [X] STD 10 Wk Days [ ] 5 Wk Days [ ] 3 Wk Days [ ] 24 Hour [ ] Other

Results Due Date:

Relinquished by: Date: 3/6/20 Time: 1500 Received by:

Relinquished by: Date: 3/6/20 Time: 15:06 Received by (Laboratory): J. Immann

Logged by (Laboratory): Date: Time: Checked by (Laboratory):

Notes: ERM - FLTG 0184582-B

Cooler ID	Cooler Temp.

QC Package: (Check One Box Below)
[X] Level II Std QC
[ ] Level III Std QC/Raw Data
[ ] Level IV SW846/CLP
[ ] TRRP Checklist
[ ] TRRP Level IV

Preservative Key: 1-HCl 2-HNO_3 3-H_2SO_4 4-NaOH 5-$Na_2S_2O_3$ 6-$NaHSO_4$ 7-Other 8-4°C 9-5035

Note: 1. Any changes must be made in writing once samples and COC Form have been submitted to ALS Environmental.
2. Unless otherwise agreed in a formal contract, services provided by ALS Environmental are expressly limited to the terms and conditions stated on the reverse.
3. The Chain of Custody is a legal document. All information must be completed accurately.

Copyright 2011 by ALS Environmental.

RIGHT SOLUTIONS | RIGHT PARTNER

Cincinnati, OH +1 513 733 5336 | Fort Collins, CO +1 970 490 1511 | Everett, WA +1 425 356 2600 | Holland, MI +1 616 399 6070

Chain of Custody Form

Page 5 of 6

COC ID: 221601

Houston, TX +1 281 530 5656 | Spring City, PA +1 610 948 4903 | South Charleston, WV +1 304 356 3168 | Middletown, PA +1 717 944 5541 | Salt Lake City, UT +1 801 266 7700 | York, PA +1 717 505 5280

ALS Project Manager:

ALS Work Order #:

Customer Information		Project Information		Parameter/Method Request for Analysis	
Purchase Order	0543408-02	Project Name	FLTG French Limited	A	8260_W(VOC 8260)
Work Order		Project Number		B	ICP_TW(As, Cr, Pb)
Company Name	Environmental Resources Managemen	Bill To Company	Environmental Resources Managemen	C	
Send Report To	Rob Jaros	Invoice Attn	ermsoutherndivisionap@erm.com	D	HS20030296
Address	CityCentre Four 840 W. Sam Houston Pkwy., Suite 6	Address	CityCentre Four 840 W. Sam Houston Pkwy., Suite 6	E F	Environmental Resources Management FLTG French Limited
City/State/Zip	Houston, TX 77024	City/State/Zip	Houston TX 77024	G	
Phone	(281) 600-1000	Phone	(281) 600-1000	H	
Fax	(281) 600-1001	Fax	(281) 600-1001	I	
e-Mail Address	rob.jaros@erm.com	e-Mail Address	ermsoutherndivisionap@erm.com	J	

No.	Sample Description	Date	Time	Matrix	Pres.	# Bottles	A	B	C	D	E	F	G	H	I	J	Hold
1	NT-144	3/5	1350	W	128	4	X	X									
2	NT-150	3/5	0840		18	3	X										
3	NT-162	3/6	0853				X										
4	NT-214	3/4	1455				X										
5	NT-217	3/4	1225				X										
6	NT-250	3/4	1225				X										
7	NT-251	3/4	1405				X										
8	NT-253	3/4	0925				X										
9	NT-254	3/4	1000				X										
10	SI-033	3/4	1120		128	4	X	X									

Sampler(s) Please Print & Sign: Reece Thompson

Shipment Method:

Required Turnaround Time: (Check Box) [X] Std 10 Wk Days [ ] 5 Wk Days [ ] 2 Wk Days [ ] 24 Hour [ ] Other

Results Due Date:

Relinquished by: Date: 3/6/20 Time: 1600 Received by:

Relinquished by: Date: 3/6/20 Time: 15:00 Received by (Laboratory): J. Williams

Logged by (Laboratory): Date: Time: Checked by (Laboratory):

Notes: ERM - FLTG 0184582-B

Cooler ID	Cooler Temp.

QC Package: (Check One Box Below)
[X] Level II Std QC
[ ] Level III Std QC/Raw Data
[ ] Level IV SW846/CLP
[ ] Other
[ ] TRRP Checklist
[ ] TRRP-13

Preservative Key: 1-HCl 2-HNO_3 3-H_2SO_4 4-NaOH 5-$Na_2S_2O_3$ 6-$NaHSO_4$ 7-Other 8-4°C 9-5035

Note: 1. Any changes must be made in writing once samples and COC Form have been submitted to ALS Environmental.
2. Unless otherwise agreed in a formal contract, services provided by ALS Environmental are expressly limited to the terms and conditions stated on the reverse.
3. The Chain of Custody is a legal document. All information must be completed accurately.

Copyright 2011 by ALS Environmental.

RIGHT SOLUTIONS | RIGHT PARTNER

Cincinnati, OH +1 513 733 5336 | Fort Collins, CO +1 970 490 1511 | Everett, WA +1 425 356 2600 | Holland, MI +1 616 399 6070

Chain of Custody Form

Page 6 of 6

COC ID: 221602

Houston, TX +1 281 530 5656 | Spring City, PA +1 610 948 4903 | South Charleston, WV +1 304 356 3168 | Middletown, PA +1 717 944 5541 | Salt Lake City, UT +1 801 266 7700 | York, PA +1 717 505 5280

ALS Project Manager: | ALS Work Order #:

Customer Information		Project Information		Parameter/Method Request for Analysis	
Purchase Order	0543408-02	Project Name	FLTG French Limited	A	8260_W(VOC 8260)
Work Order		Project Number		B	ICP_TW (As, Cr, Pb)
Company Name	Environmental Resources Managemen	Bill To Company	Environmental Resources Managemen	C	
Send Report To	Rob Jaros	Invoice Attn	emsouthemdivisionap@erm.com	D	
Address	CityCentre Four 840 W. Sam Houston Pkwy., Suite 6	Address	CityCentre Four 840 W. Sam Houston Pkwy., Suite 6	E F	
City/State/Zip	Houston, TX 77024	City/State/Zip	Houston TX 77024	G	
Phone	(281) 600-1000	Phone	(281) 600-1000	H	
Fax	(281) 600-1001	Fax	(281) 600-1001	I	
e-Mail Address	rob.jaros@erm.com	e-Mail Address	emsouthemdivisionap@erm.com	J	

HS20030296

Environmental Resources Management

FLTG French Limited

No.	Sample Description	Date	Time	Matrix	Pres.	# Bottles	A	B	C	D	E	F	G	H	I	J	Hold
1	S1-051-P-3	3/4	1405	W	1,8	3	X										
2	S1-111	3/5	0925		1,2,8	4	X	X									
3	S1-118	3/5	1438			4	X	X									
4	S1-135	3/5	1130			4	X	X									
5	DUP2	3/5	1200			4	X	X									
6	CG-021720-64	3/6	—	W	1,8	2	X										
7																	
8																	
9																	
10																	

Sampler(s) Please Print & Sign: Reece Thompson

Shipment Method:

Required Turnaround Time: (Check Box) [X] STD 10 WK Days [ ] 5 WK Days [ ] 2 WK Days [ ] 24 Hour [ ] Other

Results Due Date:

Relinquished by: | Date: 3/6/20 | Time: 15:06 | Received by:

Relinquished by: | Date: 3/6/20 | Time: 15:06 | Received by (Laboratory): J. Walker

Logged by (Laboratory): | Date: | Time: | Checked by (Laboratory):

Notes: ERM - FLTG 0184582-8

Cooler ID	Cooler Temp.

QC Package: (Check One Box Below)

[X] Level III Std QC [ ] TRRP Checklist

[ ] Level IV Std QC/Raw Data [ ] TRRP Laboratory

[ ] Level IV SW846/CLP

[ ] Other

Preservative Key: 1-HCl 2-HNO_3 3-H_2SO_4 4-NaOH 5-$Na_2S_2O_3$ 6-$NaHSO_4$ 7-Other 8-4°C 9-5035

Note: 1. Any changes must be made in writing once samples and COC Form have been submitted to ALS Environmental.
2. Unless otherwise agreed in a formal contract, services provided by ALS Environmental are expressly limited to the terms and conditions stated on the reverse.
3. The Chain of Custody is a legal document. All information must be completed accurately.

Copyright 2011 by ALS Environmental.

RIGHT SOLUTIONS | RIGHT PARTNER

ALS
10450 Stancliff Rd., Suite 210
Houston, Texas 77099
Tel. +1 281 530 5656
Fax. +1 281 530 5887

CUSTODY SEAL

Date: 1/1 Time: 1330
Name: R. Thompson
Company: ERM

Seal Broken By:

Date:

r By

t #:

RIGHT SOLUTIONS | RIGHT PARTNER

10450 Stancliff Rd. Suite 210
Houston, TX 77099
T: +1 281 530 5656
F: +1 281 530 5887

March 18, 2020

Rob Jaros
Environmental Resources Management
CityCentre Four
840 W. Sam Houston Pkwy., Suite 600
Houston, TX 77024

Work Order: **HS20030405**

Laboratory Results for: **FLTG French Limited**

Dear Rob,

ALS Environmental received 25 sample(s) on Mar 10, 2020 for the analysis presented in the following report.

The analytical data provided relates directly to the samples received by ALS Environmental and for only the analyses requested. Results are expressed as "as received" unless otherwise noted.

QC sample results for this data met EPA or laboratory specifications except as noted in the Case Narrative or as noted with qualifiers in the QC batch information. Should this laboratory report need to be reproduced, it should be reproduced in full unless written approval has been obtained by ALS Environmental. Samples will be disposed in 30 days unless storage arrangements are made.

If you have any questions regarding this report, please feel free to call me.

Sincerely,

Generated By: JUMOKE.LAWAL

Bernadette A. Fini
Project Manager

Client: Environmental Resources Management
Project: FLTG French Limited
Work Order: HS20030405

SAMPLE SUMMARY

Lab Samp ID	Client Sample ID	Matrix	TagNo	Collection Date	Date Received	Hold
HS20030405-01	INT-127	Water		09-Mar-2020 09:25	10-Mar-2020 13:55	☐
HS20030405-02	S1-123	Water		09-Mar-2020 10:15	10-Mar-2020 13:55	☐
HS20030405-03	S1-149	Water		09-Mar-2020 11:30	10-Mar-2020 13:55	☐
HS20030405-04	S1-153	Water		09-Mar-2020 10:55	10-Mar-2020 13:55	☐
HS20030405-05	S1-154	Water		09-Mar-2020 12:08	10-Mar-2020 13:55	☐
HS20030405-06	S1-155	Water		09-Mar-2020 13:00	10-Mar-2020 13:55	☐
HS20030405-07	INT-235	Water		09-Mar-2020 13:40	10-Mar-2020 13:55	☐
HS20030405-08	S1-064	Water		09-Mar-2020 09:42	10-Mar-2020 13:55	☐
HS20030405-09	S1-105	Water		09-Mar-2020 12:33	10-Mar-2020 13:55	☐
HS20030405-10	S1-131	Water		09-Mar-2020 10:20	10-Mar-2020 13:55	☐
HS20030405-11	S1-138	Water		09-Mar-2020 10:50	10-Mar-2020 13:55	☐
HS20030405-12	S1-139	Water		09-Mar-2020 09:18	10-Mar-2020 13:55	☐
HS20030405-13	SI-160	Water		09-Mar-2020 11:30	10-Mar-2020 13:55	☐
HS20030405-14	INT-120	Water		09-Mar-2020 11:08	10-Mar-2020 13:55	☐
HS20030405-15	INT-123	Water		09-Mar-2020 11:48	10-Mar-2020 13:55	☐
HS20030405-16	INT-166	Water		09-Mar-2020 10:28	10-Mar-2020 13:55	☐
HS20030405-17	INT-167	Water		09-Mar-2020 13:58	10-Mar-2020 13:55	☐
HS20030405-18	INT-169	Water		09-Mar-2020 13:45	10-Mar-2020 13:55	☐
HS20030405-19	DUP1	Water		09-Mar-2020 16:00	10-Mar-2020 13:55	☐
HS20030405-20	INT-239	Water		09-Mar-2020 14:55	10-Mar-2020 13:55	☐
HS20030405-21	SI-121	Water		09-Mar-2020 14:43	10-Mar-2020 13:55	☐
HS20030405-22	SI-143	Water		09-Mar-2020 14:55	10-Mar-2020 13:55	☐
HS20030405-23	SI-159	Water		09-Mar-2020 12:20	10-Mar-2020 13:55	☐
HS20030405-24	SI-164	Water		09-Mar-2020 14:25	10-Mar-2020 13:55	☐
HS20030405-25	CG-021720-62	Water		09-Mar-2020 00:00	10-Mar-2020 13:55	☐

RIGHT SOLUTIONS | RIGHT PARTNER

Client: Environmental Resources Management
Project: FLTG French Limited
Work Order: HS20030405

CASE NARRATIVE

GCMS Volatiles by Method SW8260

- The test results meet requirements of the current NELAP standards, state requirements or programs where applicable.

Batch ID: R358120

Sample ID: HS20030413-01MSD

- MSD is for an unrelated sample

Batch ID: R358156

Sample ID: SI-164 (HS20030405-24MS)

- The recovery of the Matrix Spike (MS) and the Matrix Spike Duplicate (MSD) associated to this analyte was outside of the established control limits. However, the LCS was within control limits. The failed recovery of the MS/MSD may be due to sample matrix interference.

Batch ID: R358197

- The test results meet requirements of the current NELAP standards, state requirements or programs where applicable.

Batch ID: R358251

- The test results meet requirements of the current NELAP standards, state requirements or programs where applicable.

Batch ID: R358363

- The test results meet requirements of the current NELAP standards, state requirements or programs where applicable.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**	
Project:	FLTG French Limited	WorkOrder:HS20030405	
Sample ID:	INT-127	Lab ID:HS20030405-01	
Collection Date:	09-Mar-2020 09:25	Matrix:Water	

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
1,1,1-Trichloroethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 15:29
1,1,2,2-Tetrachloroethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 15:29
1,1,2-Trichloroethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 15:29
1,1-Dichloroethane	**0.0052**		**0.00040**	**0.0050**	**mg/L**	1	13-Mar-2020 15:29
1,1-Dichloroethene	**0.00062**	J	**0.00050**	**0.0050**	**mg/L**	1	13-Mar-2020 15:29
1,2-Dichloroethane	**0.014**		**0.00050**	**0.0050**	**mg/L**	1	13-Mar-2020 15:29
1,2-Dichloropropane	U		0.00070	0.0050	mg/L	1	13-Mar-2020 15:29
2-Butanone	U		0.0010	0.010	mg/L	1	13-Mar-2020 15:29
2-Hexanone	U		0.0010	0.010	mg/L	1	13-Mar-2020 15:29
4-Methyl-2-pentanone	U		0.0010	0.010	mg/L	1	13-Mar-2020 15:29
Acetone	U		0.0020	0.010	mg/L	1	13-Mar-2020 15:29
Allyl Chloride	U		0.0030	0.010	mg/L	1	13-Mar-2020 15:29
Benzene	**0.022**		**0.00060**	**0.0050**	**mg/L**	1	13-Mar-2020 15:29
Bromodichloromethane	U		0.00060	0.0050	mg/L	1	13-Mar-2020 15:29
Bromoform	U		0.00050	0.0050	mg/L	1	13-Mar-2020 15:29
Bromomethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 15:29
Carbon disulfide	U		0.00090	0.010	mg/L	1	13-Mar-2020 15:29
Carbon tetrachloride	U		0.00060	0.0050	mg/L	1	13-Mar-2020 15:29
Chlorobenzene	U		0.00040	0.0050	mg/L	1	13-Mar-2020 15:29
Chloroethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 15:29
Chloroform	U		0.00060	0.0050	mg/L	1	13-Mar-2020 15:29
Chloromethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 15:29
cis-1,2-Dichloroethene	**0.0078**		**0.00060**	**0.0050**	**mg/L**	1	13-Mar-2020 15:29
cis-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	13-Mar-2020 15:29
Dibromochloromethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 15:29
Ethylbenzene	U		0.00050	0.0050	mg/L	1	13-Mar-2020 15:29
m,p-Xylene	**0.00099**	J	**0.00060**	**0.010**	**mg/L**	1	13-Mar-2020 15:29
Methyl tert-butyl ether	**0.0019**	J	**0.00060**	**0.0050**	**mg/L**	1	13-Mar-2020 15:29
Methylene chloride	U		0.0010	0.010	mg/L	1	13-Mar-2020 15:29
Naphthalene	**0.0039**	J	**0.00070**	**0.0050**	**mg/L**	1	13-Mar-2020 15:29
o-Xylene	U		0.00050	0.0050	mg/L	1	13-Mar-2020 15:29
Styrene	U		0.00050	0.0050	mg/L	1	13-Mar-2020 15:29
Tert-butyl alcohol	**6.9**		**0.10**	**0.50**	**mg/L**	5	15-Mar-2020 15:09
Tetrachloroethene	U		0.00060	0.0050	mg/L	1	13-Mar-2020 15:29
Toluene	**0.00052**	J	**0.00050**	**0.0050**	**mg/L**	1	13-Mar-2020 15:29
trans-1,2-Dichloroethene	U		0.00040	0.0050	mg/L	1	13-Mar-2020 15:29
trans-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	13-Mar-2020 15:29
Trichloroethene	**0.00086**	J	**0.00050**	**0.0050**	**mg/L**	1	13-Mar-2020 15:29
Vinyl chloride	**0.0043**		**0.00040**	**0.0020**	**mg/L**	1	13-Mar-2020 15:29

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**
Project:	FLTG French Limited	WorkOrder:HS20030405
Sample ID:	INT-127	Lab ID:HS20030405-01
Collection Date:	09-Mar-2020 09:25	Matrix:Water

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
Xylenes, Total	**0.00099**	J	**0.00050**	**0.0050**	**mg/L**	1	13-Mar-2020 15:29
Surr: 1,2-Dichloroethane-d4	*88.1*			*70-126*	*%REC*	*1*	*13-Mar-2020 15:29*
Surr: 1,2-Dichloroethane-d4	*92.3*			*70-126*	*%REC*	*5*	*15-Mar-2020 15:09*
Surr: 4-Bromofluorobenzene	*101*			*82-124*	*%REC*	*1*	*13-Mar-2020 15:29*
Surr: 4-Bromofluorobenzene	*97.8*			*82-124*	*%REC*	*5*	*15-Mar-2020 15:09*
Surr: Dibromofluoromethane	*89.2*			*77-123*	*%REC*	*1*	*13-Mar-2020 15:29*
Surr: Dibromofluoromethane	*91.6*			*77-123*	*%REC*	*5*	*15-Mar-2020 15:09*
Surr: Toluene-d8	*104*			*82-127*	*%REC*	*1*	*13-Mar-2020 15:29*
Surr: Toluene-d8	*104*			*82-127*	*%REC*	*5*	*15-Mar-2020 15:09*

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**	
Project:	FLTG French Limited	WorkOrder:HS20030405	
Sample ID:	S1-123	Lab ID:HS20030405-02	
Collection Date:	09-Mar-2020 10:15	Matrix:Water	

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
1,1,1-Trichloroethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 15:53
1,1,2,2-Tetrachloroethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 15:53
1,1,2-Trichloroethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 15:53
1,1-Dichloroethane	**0.0024**	J	**0.00040**	**0.0050**	**mg/L**	1	13-Mar-2020 15:53
1,1-Dichloroethene	U		0.00050	0.0050	mg/L	1	13-Mar-2020 15:53
1,2-Dichloroethane	**0.0014**	J	**0.00050**	**0.0050**	**mg/L**	1	13-Mar-2020 15:53
1,2-Dichloropropane	U		0.00070	0.0050	mg/L	1	13-Mar-2020 15:53
2-Butanone	U		0.0010	0.010	mg/L	1	13-Mar-2020 15:53
2-Hexanone	U		0.0010	0.010	mg/L	1	13-Mar-2020 15:53
4-Methyl-2-pentanone	U		0.0010	0.010	mg/L	1	13-Mar-2020 15:53
Acetone	U		0.0020	0.010	mg/L	1	13-Mar-2020 15:53
Allyl Chloride	U		0.0030	0.010	mg/L	1	13-Mar-2020 15:53
Benzene	**0.0013**	J	**0.00060**	**0.0050**	**mg/L**	1	13-Mar-2020 15:53
Bromodichloromethane	U		0.00060	0.0050	mg/L	1	13-Mar-2020 15:53
Bromoform	U		0.00050	0.0050	mg/L	1	13-Mar-2020 15:53
Bromomethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 15:53
Carbon disulfide	U		0.00090	0.010	mg/L	1	13-Mar-2020 15:53
Carbon tetrachloride	U		0.00060	0.0050	mg/L	1	13-Mar-2020 15:53
Chlorobenzene	U		0.00040	0.0050	mg/L	1	13-Mar-2020 15:53
Chloroethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 15:53
Chloroform	U		0.00060	0.0050	mg/L	1	13-Mar-2020 15:53
Chloromethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 15:53
cis-1,2-Dichloroethene	**0.0012**	J	**0.00060**	**0.0050**	**mg/L**	1	13-Mar-2020 15:53
cis-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	13-Mar-2020 15:53
Dibromochloromethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 15:53
Ethylbenzene	U		0.00050	0.0050	mg/L	1	13-Mar-2020 15:53
m,p-Xylene	U		0.00060	0.010	mg/L	1	13-Mar-2020 15:53
Methyl tert-butyl ether	U		0.00060	0.0050	mg/L	1	13-Mar-2020 15:53
Methylene chloride	U		0.0010	0.010	mg/L	1	13-Mar-2020 15:53
Naphthalene	U		0.00070	0.0050	mg/L	1	13-Mar-2020 15:53
o-Xylene	U		0.00050	0.0050	mg/L	1	13-Mar-2020 15:53
Styrene	U		0.00050	0.0050	mg/L	1	13-Mar-2020 15:53
Tert-butyl alcohol	**0.78**		**0.020**	**0.10**	**mg/L**	1	13-Mar-2020 15:53
Tetrachloroethene	U		0.00060	0.0050	mg/L	1	13-Mar-2020 15:53
Toluene	U		0.00050	0.0050	mg/L	1	13-Mar-2020 15:53
trans-1,2-Dichloroethene	U		0.00040	0.0050	mg/L	1	13-Mar-2020 15:53
trans-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	13-Mar-2020 15:53
Trichloroethene	U		0.00050	0.0050	mg/L	1	13-Mar-2020 15:53
Vinyl chloride	**0.0051**		**0.00040**	**0.0020**	**mg/L**	1	13-Mar-2020 15:53

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**
Project:	FLTG French Limited	WorkOrder:HS20030405
Sample ID:	S1-123	Lab ID:HS20030405-02
Collection Date:	09-Mar-2020 10:15	Matrix:Water

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
Xylenes, Total		U	0.00050	0.0050	mg/L	1	13-Mar-2020 15:53
Surr: 1,2-Dichloroethane-d4	*91.0*			*70-126*	*%REC*	*1*	*13-Mar-2020 15:53*
Surr: 4-Bromofluorobenzene	*102*			*82-124*	*%REC*	*1*	*13-Mar-2020 15:53*
Surr: Dibromofluoromethane	*91.2*			*77-123*	*%REC*	*1*	*13-Mar-2020 15:53*
Surr: Toluene-d8	*105*			*82-127*	*%REC*	*1*	*13-Mar-2020 15:53*

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**	
Project:	FLTG French Limited	WorkOrder:HS20030405	
Sample ID:	S1-149	Lab ID:HS20030405-03	
Collection Date:	09-Mar-2020 11:30	Matrix:Water	

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
1,1,1-Trichloroethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 16:17
1,1,2,2-Tetrachloroethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 16:17
1,1,2-Trichloroethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 16:17
1,1-Dichloroethane	**0.0082**		**0.00040**	**0.0050**	**mg/L**	1	13-Mar-2020 16:17
1,1-Dichloroethene	**0.00053**	J	**0.00050**	**0.0050**	**mg/L**	1	13-Mar-2020 16:17
1,2-Dichloroethane	**0.00088**	J	**0.00050**	**0.0050**	**mg/L**	1	13-Mar-2020 16:17
1,2-Dichloropropane	U		0.00070	0.0050	mg/L	1	13-Mar-2020 16:17
2-Butanone	U		0.0010	0.010	mg/L	1	13-Mar-2020 16:17
2-Hexanone	U		0.0010	0.010	mg/L	1	13-Mar-2020 16:17
4-Methyl-2-pentanone	U		0.0010	0.010	mg/L	1	13-Mar-2020 16:17
Acetone	U		0.0020	0.010	mg/L	1	13-Mar-2020 16:17
Allyl Chloride	U		0.0030	0.010	mg/L	1	13-Mar-2020 16:17
Benzene	**0.015**		**0.00060**	**0.0050**	**mg/L**	1	13-Mar-2020 16:17
Bromodichloromethane	U		0.00060	0.0050	mg/L	1	13-Mar-2020 16:17
Bromoform	U		0.00050	0.0050	mg/L	1	13-Mar-2020 16:17
Bromomethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 16:17
Carbon disulfide	U		0.00090	0.010	mg/L	1	13-Mar-2020 16:17
Carbon tetrachloride	U		0.00060	0.0050	mg/L	1	13-Mar-2020 16:17
Chlorobenzene	U		0.00040	0.0050	mg/L	1	13-Mar-2020 16:17
Chloroethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 16:17
Chloroform	U		0.00060	0.0050	mg/L	1	13-Mar-2020 16:17
Chloromethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 16:17
cis-1,2-Dichloroethene	**0.0060**		**0.00060**	**0.0050**	**mg/L**	1	13-Mar-2020 16:17
cis-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	13-Mar-2020 16:17
Dibromochloromethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 16:17
Ethylbenzene	U		0.00050	0.0050	mg/L	1	13-Mar-2020 16:17
m,p-Xylene	U		0.00060	0.010	mg/L	1	13-Mar-2020 16:17
Methyl tert-butyl ether	**0.0028**	J	**0.00060**	**0.0050**	**mg/L**	1	13-Mar-2020 16:17
Methylene chloride	U		0.0010	0.010	mg/L	1	13-Mar-2020 16:17
Naphthalene	U		0.00070	0.0050	mg/L	1	13-Mar-2020 16:17
o-Xylene	U		0.00050	0.0050	mg/L	1	13-Mar-2020 16:17
Styrene	U		0.00050	0.0050	mg/L	1	13-Mar-2020 16:17
Tert-butyl alcohol	**7.3**		**0.10**	**0.50**	**mg/L**	5	15-Mar-2020 20:45
Tetrachloroethene	U		0.00060	0.0050	mg/L	1	13-Mar-2020 16:17
Toluene	U		0.00050	0.0050	mg/L	1	13-Mar-2020 16:17
trans-1,2-Dichloroethene	U		0.00040	0.0050	mg/L	1	13-Mar-2020 16:17
trans-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	13-Mar-2020 16:17
Trichloroethene	U		0.00050	0.0050	mg/L	1	13-Mar-2020 16:17
Vinyl chloride	**0.011**		**0.00040**	**0.0020**	**mg/L**	1	13-Mar-2020 16:17

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**
Project:	FLTG French Limited	WorkOrder:HS20030405
Sample ID:	S1-149	Lab ID:HS20030405-03
Collection Date:	09-Mar-2020 11:30	Matrix:Water

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
Xylenes, Total		U	0.00050	0.0050	mg/L	1	13-Mar-2020 16:17
Surr: 1,2-Dichloroethane-d4	*89.1*			*70-126*	*%REC*	*1*	*13-Mar-2020 16:17*
Surr: 1,2-Dichloroethane-d4	*89.0*			*70-126*	*%REC*	*5*	*15-Mar-2020 20:45*
Surr: 4-Bromofluorobenzene	*98.8*			*82-124*	*%REC*	*1*	*13-Mar-2020 16:17*
Surr: 4-Bromofluorobenzene	*102*			*82-124*	*%REC*	*5*	*15-Mar-2020 20:45*
Surr: Dibromofluoromethane	*89.3*			*77-123*	*%REC*	*1*	*13-Mar-2020 16:17*
Surr: Dibromofluoromethane	*91.7*			*77-123*	*%REC*	*5*	*15-Mar-2020 20:45*
Surr: Toluene-d8	*105*			*82-127*	*%REC*	*1*	*13-Mar-2020 16:17*
Surr: Toluene-d8	*108*			*82-127*	*%REC*	*5*	*15-Mar-2020 20:45*

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**	
Project:	FLTG French Limited	WorkOrder:HS20030405	
Sample ID:	S1-153	Lab ID:HS20030405-04	
Collection Date:	09-Mar-2020 10:55	Matrix:Water	

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
1,1,1-Trichloroethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 16:41
1,1,2,2-Tetrachloroethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 16:41
1,1,2-Trichloroethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 16:41
1,1-Dichloroethane	**0.0046**	J	**0.00040**	**0.0050**	**mg/L**	1	13-Mar-2020 16:41
1,1-Dichloroethene	U		0.00050	0.0050	mg/L	1	13-Mar-2020 16:41
1,2-Dichloroethane	**0.0096**		**0.00050**	**0.0050**	**mg/L**	1	13-Mar-2020 16:41
1,2-Dichloropropane	U		0.00070	0.0050	mg/L	1	13-Mar-2020 16:41
2-Butanone	U		0.0010	0.010	mg/L	1	13-Mar-2020 16:41
2-Hexanone	U		0.0010	0.010	mg/L	1	13-Mar-2020 16:41
4-Methyl-2-pentanone	U		0.0010	0.010	mg/L	1	13-Mar-2020 16:41
Acetone	U		0.0020	0.010	mg/L	1	13-Mar-2020 16:41
Allyl Chloride	U		0.0030	0.010	mg/L	1	13-Mar-2020 16:41
Benzene	**0.0017**	J	**0.00060**	**0.0050**	**mg/L**	1	13-Mar-2020 16:41
Bromodichloromethane	U		0.00060	0.0050	mg/L	1	13-Mar-2020 16:41
Bromoform	U		0.00050	0.0050	mg/L	1	13-Mar-2020 16:41
Bromomethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 16:41
Carbon disulfide	U		0.00090	0.010	mg/L	1	13-Mar-2020 16:41
Carbon tetrachloride	U		0.00060	0.0050	mg/L	1	13-Mar-2020 16:41
Chlorobenzene	U		0.00040	0.0050	mg/L	1	13-Mar-2020 16:41
Chloroethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 16:41
Chloroform	U		0.00060	0.0050	mg/L	1	13-Mar-2020 16:41
Chloromethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 16:41
cis-1,2-Dichloroethene	**0.0046**	J	**0.00060**	**0.0050**	**mg/L**	1	13-Mar-2020 16:41
cis-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	13-Mar-2020 16:41
Dibromochloromethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 16:41
Ethylbenzene	U		0.00050	0.0050	mg/L	1	13-Mar-2020 16:41
m,p-Xylene	U		0.00060	0.010	mg/L	1	13-Mar-2020 16:41
Methyl tert-butyl ether	**0.0013**	J	**0.00060**	**0.0050**	**mg/L**	1	13-Mar-2020 16:41
Methylene chloride	U		0.0010	0.010	mg/L	1	13-Mar-2020 16:41
Naphthalene	U		0.00070	0.0050	mg/L	1	13-Mar-2020 16:41
o-Xylene	U		0.00050	0.0050	mg/L	1	13-Mar-2020 16:41
Styrene	U		0.00050	0.0050	mg/L	1	13-Mar-2020 16:41
Tert-butyl alcohol	**2.8**		**0.020**	**0.10**	**mg/L**	1	13-Mar-2020 16:41
Tetrachloroethene	U		0.00060	0.0050	mg/L	1	13-Mar-2020 16:41
Toluene	U		0.00050	0.0050	mg/L	1	13-Mar-2020 16:41
trans-1,2-Dichloroethene	U		0.00040	0.0050	mg/L	1	13-Mar-2020 16:41
trans-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	13-Mar-2020 16:41
Trichloroethene	**0.0010**	J	**0.00050**	**0.0050**	**mg/L**	1	13-Mar-2020 16:41
Vinyl chloride	**0.0038**		**0.00040**	**0.0020**	**mg/L**	1	13-Mar-2020 16:41

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**
Project:	FLTG French Limited	WorkOrder:HS20030405
Sample ID:	S1-153	Lab ID:HS20030405-04
Collection Date:	09-Mar-2020 10:55	Matrix:Water

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
Xylenes, Total		U	0.00050	0.0050	mg/L	1	13-Mar-2020 16:41
Surr: 1,2-Dichloroethane-d4	*89.4*			*70-126*	*%REC*	*1*	*13-Mar-2020 16:41*
Surr: 4-Bromofluorobenzene	*98.4*			*82-124*	*%REC*	*1*	*13-Mar-2020 16:41*
Surr: Dibromofluoromethane	*90.6*			*77-123*	*%REC*	*1*	*13-Mar-2020 16:41*
Surr: Toluene-d8	*105*			*82-127*	*%REC*	*1*	*13-Mar-2020 16:41*

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**
Project:	FLTG French Limited	WorkOrder:HS20030405
Sample ID:	S1-154	Lab ID:HS20030405-05
Collection Date:	09-Mar-2020 12:08	Matrix:Water

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
1,1,1-Trichloroethane	U		0.0025	0.025	mg/L	5	13-Mar-2020 13:05
1,1,2,2-Tetrachloroethane	U		0.0025	0.025	mg/L	5	13-Mar-2020 13:05
1,1,2-Trichloroethane	**0.0030**	J	**0.0025**	**0.025**	**mg/L**	5	13-Mar-2020 13:05
1,1-Dichloroethane	**0.22**		**0.0020**	**0.025**	**mg/L**	5	13-Mar-2020 13:05
1,1-Dichloroethene	**0.015**	J	**0.0025**	**0.025**	**mg/L**	5	13-Mar-2020 13:05
1,2-Dichloroethane	**6.1**		**0.025**	**0.25**	**mg/L**	50	14-Mar-2020 08:43
1,2-Dichloropropane	U		0.0035	0.025	mg/L	5	13-Mar-2020 13:05
2-Butanone	U		0.0050	0.050	mg/L	5	13-Mar-2020 13:05
2-Hexanone	U		0.0050	0.050	mg/L	5	13-Mar-2020 13:05
4-Methyl-2-pentanone	U		0.0050	0.050	mg/L	5	13-Mar-2020 13:05
Acetone	U		0.010	0.050	mg/L	5	13-Mar-2020 13:05
Allyl Chloride	U		0.015	0.050	mg/L	5	13-Mar-2020 13:05
Benzene	**0.018**	J	**0.0030**	**0.025**	**mg/L**	5	13-Mar-2020 13:05
Bromodichloromethane	U		0.0030	0.025	mg/L	5	13-Mar-2020 13:05
Bromoform	U		0.0025	0.025	mg/L	5	13-Mar-2020 13:05
Bromomethane	U		0.0025	0.025	mg/L	5	13-Mar-2020 13:05
Carbon disulfide	U		0.0045	0.050	mg/L	5	13-Mar-2020 13:05
Carbon tetrachloride	U		0.0030	0.025	mg/L	5	13-Mar-2020 13:05
Chlorobenzene	U		0.0020	0.025	mg/L	5	13-Mar-2020 13:05
Chloroethane	U		0.0025	0.025	mg/L	5	13-Mar-2020 13:05
Chloroform	**2.7**		**0.030**	**0.25**	**mg/L**	50	14-Mar-2020 08:43
Chloromethane	U		0.0025	0.025	mg/L	5	13-Mar-2020 13:05
cis-1,2-Dichloroethene	**0.41**		**0.0030**	**0.025**	**mg/L**	5	13-Mar-2020 13:05
cis-1,3-Dichloropropene	U		0.0030	0.025	mg/L	5	13-Mar-2020 13:05
Dibromochloromethane	U		0.0025	0.025	mg/L	5	13-Mar-2020 13:05
Ethylbenzene	U		0.0025	0.025	mg/L	5	13-Mar-2020 13:05
m,p-Xylene	U		0.0030	0.050	mg/L	5	13-Mar-2020 13:05
Methyl tert-butyl ether	U		0.0030	0.025	mg/L	5	13-Mar-2020 13:05
Methylene chloride	**0.018**	J	**0.0050**	**0.050**	**mg/L**	5	13-Mar-2020 13:05
Naphthalene	U		0.0035	0.025	mg/L	5	13-Mar-2020 13:05
o-Xylene	**0.0030**	J	**0.0025**	**0.025**	**mg/L**	5	13-Mar-2020 13:05
Styrene	U		0.0025	0.025	mg/L	5	13-Mar-2020 13:05
Tert-butyl alcohol	**0.64**		**0.10**	**0.50**	**mg/L**	5	13-Mar-2020 13:05
Tetrachloroethene	**0.014**	J	**0.0030**	**0.025**	**mg/L**	5	13-Mar-2020 13:05
Toluene	**0.0056**	J	**0.0025**	**0.025**	**mg/L**	5	13-Mar-2020 13:05
trans-1,2-Dichloroethene	**0.066**		**0.0020**	**0.025**	**mg/L**	5	13-Mar-2020 13:05
trans-1,3-Dichloropropene	U		0.0030	0.025	mg/L	5	13-Mar-2020 13:05
Trichloroethene	**0.10**		**0.0025**	**0.025**	**mg/L**	5	13-Mar-2020 13:05
Vinyl chloride	**0.51**		**0.0020**	**0.010**	**mg/L**	5	13-Mar-2020 13:05

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**
Project:	FLTG French Limited	WorkOrder:HS20030405
Sample ID:	S1-154	Lab ID:HS20030405-05
Collection Date:	09-Mar-2020 12:08	Matrix:Water

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
Xylenes, Total	**0.0030**	J	**0.0025**	**0.025**	**mg/L**	5	13-Mar-2020 13:05
Surr: 1,2-Dichloroethane-d4	*89.4*			*70-126*	*%REC*	*5*	*13-Mar-2020 13:05*
Surr: 1,2-Dichloroethane-d4	*88.8*			*70-126*	*%REC*	*50*	*14-Mar-2020 08:43*
Surr: 4-Bromofluorobenzene	*102*			*82-124*	*%REC*	*5*	*13-Mar-2020 13:05*
Surr: 4-Bromofluorobenzene	*96.3*			*82-124*	*%REC*	*50*	*14-Mar-2020 08:43*
Surr: Dibromofluoromethane	*89.4*			*77-123*	*%REC*	*5*	*13-Mar-2020 13:05*
Surr: Dibromofluoromethane	*93.4*			*77-123*	*%REC*	*50*	*14-Mar-2020 08:43*
Surr: Toluene-d8	*105*			*82-127*	*%REC*	*5*	*13-Mar-2020 13:05*
Surr: Toluene-d8	*107*			*82-127*	*%REC*	*50*	*14-Mar-2020 08:43*

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**	
Project:	FLTG French Limited	WorkOrder:HS20030405	
Sample ID:	S1-155	Lab ID:HS20030405-06	
Collection Date:	09-Mar-2020 13:00	Matrix:Water	

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
1,1,1-Trichloroethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 17:05
1,1,2,2-Tetrachloroethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 17:05
1,1,2-Trichloroethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 17:05
1,1-Dichloroethane	**0.0021**	J	**0.00040**	**0.0050**	**mg/L**	1	13-Mar-2020 17:05
1,1-Dichloroethene	U		0.00050	0.0050	mg/L	1	13-Mar-2020 17:05
1,2-Dichloroethane	**0.031**		**0.00050**	**0.0050**	**mg/L**	1	13-Mar-2020 17:05
1,2-Dichloropropane	U		0.00070	0.0050	mg/L	1	13-Mar-2020 17:05
2-Butanone	U		0.0010	0.010	mg/L	1	13-Mar-2020 17:05
2-Hexanone	U		0.0010	0.010	mg/L	1	13-Mar-2020 17:05
4-Methyl-2-pentanone	U		0.0010	0.010	mg/L	1	13-Mar-2020 17:05
Acetone	U		0.0020	0.010	mg/L	1	13-Mar-2020 17:05
Allyl Chloride	U		0.0030	0.010	mg/L	1	13-Mar-2020 17:05
Benzene	U		0.00060	0.0050	mg/L	1	13-Mar-2020 17:05
Bromodichloromethane	U		0.00060	0.0050	mg/L	1	13-Mar-2020 17:05
Bromoform	U		0.00050	0.0050	mg/L	1	13-Mar-2020 17:05
Bromomethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 17:05
Carbon disulfide	U		0.00090	0.010	mg/L	1	13-Mar-2020 17:05
Carbon tetrachloride	U		0.00060	0.0050	mg/L	1	13-Mar-2020 17:05
Chlorobenzene	U		0.00040	0.0050	mg/L	1	13-Mar-2020 17:05
Chloroethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 17:05
Chloroform	**0.022**		**0.00060**	**0.0050**	**mg/L**	1	13-Mar-2020 17:05
Chloromethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 17:05
cis-1,2-Dichloroethene	**0.0045**	J	**0.00060**	**0.0050**	**mg/L**	1	13-Mar-2020 17:05
cis-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	13-Mar-2020 17:05
Dibromochloromethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 17:05
Ethylbenzene	U		0.00050	0.0050	mg/L	1	13-Mar-2020 17:05
m,p-Xylene	U		0.00060	0.010	mg/L	1	13-Mar-2020 17:05
Methyl tert-butyl ether	**0.0019**	J	**0.00060**	**0.0050**	**mg/L**	1	13-Mar-2020 17:05
Methylene chloride	U		0.0010	0.010	mg/L	1	13-Mar-2020 17:05
Naphthalene	U		0.00070	0.0050	mg/L	1	13-Mar-2020 17:05
o-Xylene	U		0.00050	0.0050	mg/L	1	13-Mar-2020 17:05
Styrene	U		0.00050	0.0050	mg/L	1	13-Mar-2020 17:05
Tert-butyl alcohol	**0.52**		**0.020**	**0.10**	**mg/L**	1	13-Mar-2020 17:05
Tetrachloroethene	**0.0020**	J	**0.00060**	**0.0050**	**mg/L**	1	13-Mar-2020 17:05
Toluene	U		0.00050	0.0050	mg/L	1	13-Mar-2020 17:05
trans-1,2-Dichloroethene	**0.0016**	J	**0.00040**	**0.0050**	**mg/L**	1	13-Mar-2020 17:05
trans-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	13-Mar-2020 17:05
Trichloroethene	**0.0065**		**0.00050**	**0.0050**	**mg/L**	1	13-Mar-2020 17:05
Vinyl chloride	**0.0054**		**0.00040**	**0.0020**	**mg/L**	1	13-Mar-2020 17:05

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**
Project:	FLTG French Limited	WorkOrder:HS20030405
Sample ID:	S1-155	Lab ID:HS20030405-06
Collection Date:	09-Mar-2020 13:00	Matrix:Water

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
Xylenes, Total		U	0.00050	0.0050	mg/L	1	13-Mar-2020 17:05
Surr: 1,2-Dichloroethane-d4	*90.9*			*70-126*	*%REC*	*1*	*13-Mar-2020 17:05*
Surr: 4-Bromofluorobenzene	*101*			*82-124*	*%REC*	*1*	*13-Mar-2020 17:05*
Surr: Dibromofluoromethane	*91.0*			*77-123*	*%REC*	*1*	*13-Mar-2020 17:05*
Surr: Toluene-d8	*107*			*82-127*	*%REC*	*1*	*13-Mar-2020 17:05*

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client: Environmental Resources Management
Project: FLTG French Limited
Sample ID: INT-235
Collection Date: 09-Mar-2020 13:40

ANALYTICAL REPORT
WorkOrder:HS20030405
Lab ID:HS20030405-07
Matrix:Water

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
1,1,1-Trichloroethane	U		0.0025	0.025	mg/L	5	13-Mar-2020 20:42
1,1,2,2-Tetrachloroethane	U		0.0025	0.025	mg/L	5	13-Mar-2020 20:42
1,1,2-Trichloroethane	**0.0053**	J	**0.0025**	**0.025**	**mg/L**	5	13-Mar-2020 20:42
1,1-Dichloroethane	**0.27**		**0.0020**	**0.025**	**mg/L**	5	13-Mar-2020 20:42
1,1-Dichloroethene	**0.0074**	J	**0.0025**	**0.025**	**mg/L**	5	13-Mar-2020 20:42
1,2-Dichloroethane	**1.3**		**0.050**	**0.50**	**mg/L**	100	15-Mar-2020 21:09
1,2-Dichloropropane	U		0.0035	0.025	mg/L	5	13-Mar-2020 20:42
2-Butanone	U		0.0050	0.050	mg/L	5	13-Mar-2020 20:42
2-Hexanone	U		0.0050	0.050	mg/L	5	13-Mar-2020 20:42
4-Methyl-2-pentanone	U		0.0050	0.050	mg/L	5	13-Mar-2020 20:42
Acetone	U		0.010	0.050	mg/L	5	13-Mar-2020 20:42
Allyl Chloride	U		0.015	0.050	mg/L	5	13-Mar-2020 20:42
Benzene	**0.022**	J	**0.0030**	**0.025**	**mg/L**	5	13-Mar-2020 20:42
Bromodichloromethane	U		0.0030	0.025	mg/L	5	13-Mar-2020 20:42
Bromoform	U		0.0025	0.025	mg/L	5	13-Mar-2020 20:42
Bromomethane	U		0.0025	0.025	mg/L	5	13-Mar-2020 20:42
Carbon disulfide	U		0.0045	0.050	mg/L	5	13-Mar-2020 20:42
Carbon tetrachloride	**0.16**		**0.0030**	**0.025**	**mg/L**	5	13-Mar-2020 20:42
Chlorobenzene	U		0.0020	0.025	mg/L	5	13-Mar-2020 20:42
Chloroethane	U		0.0025	0.025	mg/L	5	13-Mar-2020 20:42
Chloroform	**7.8**		**0.060**	**0.50**	**mg/L**	100	15-Mar-2020 21:09
Chloromethane	U		0.0025	0.025	mg/L	5	13-Mar-2020 20:42
cis-1,2-Dichloroethene	**1.5**		**0.060**	**0.50**	**mg/L**	100	15-Mar-2020 21:09
cis-1,3-Dichloropropene	U		0.0030	0.025	mg/L	5	13-Mar-2020 20:42
Dibromochloromethane	U		0.0025	0.025	mg/L	5	13-Mar-2020 20:42
Ethylbenzene	U		0.0025	0.025	mg/L	5	13-Mar-2020 20:42
m,p-Xylene	U		0.0030	0.050	mg/L	5	13-Mar-2020 20:42
Methyl tert-butyl ether	U		0.0030	0.025	mg/L	5	13-Mar-2020 20:42
Methylene chloride	**0.073**		**0.0050**	**0.050**	**mg/L**	5	13-Mar-2020 20:42
Naphthalene	**0.040**		**0.0035**	**0.025**	**mg/L**	5	13-Mar-2020 20:42
o-Xylene	**0.0089**	J	**0.0025**	**0.025**	**mg/L**	5	13-Mar-2020 20:42
Styrene	U		0.0025	0.025	mg/L	5	13-Mar-2020 20:42
Tert-butyl alcohol	**4.1**		**0.10**	**0.50**	**mg/L**	5	13-Mar-2020 20:42
Tetrachloroethene	**0.35**		**0.0030**	**0.025**	**mg/L**	5	13-Mar-2020 20:42
Toluene	U		0.0025	0.025	mg/L	5	13-Mar-2020 20:42
trans-1,2-Dichloroethene	**0.28**		**0.0020**	**0.025**	**mg/L**	5	13-Mar-2020 20:42
trans-1,3-Dichloropropene	U		0.0030	0.025	mg/L	5	13-Mar-2020 20:42
Trichloroethene	**0.16**		**0.0025**	**0.025**	**mg/L**	5	13-Mar-2020 20:42
Vinyl chloride	**0.13**		**0.0020**	**0.010**	**mg/L**	5	13-Mar-2020 20:42

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**
Project:	FLTG French Limited	WorkOrder:HS20030405
Sample ID:	INT-235	Lab ID:HS20030405-07
Collection Date:	09-Mar-2020 13:40	Matrix:Water

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
Xylenes, Total	**0.0089**	J	**0.0025**	**0.025**	**mg/L**	5	13-Mar-2020 20:42
Surr: 1,2-Dichloroethane-d4	*88.7*			*70-126*	*%REC*	*5*	*13-Mar-2020 20:42*
Surr: 1,2-Dichloroethane-d4	*91.3*			*70-126*	*%REC*	*100*	*15-Mar-2020 21:09*
Surr: 4-Bromofluorobenzene	*100*			*82-124*	*%REC*	*5*	*13-Mar-2020 20:42*
Surr: 4-Bromofluorobenzene	*101*			*82-124*	*%REC*	*100*	*15-Mar-2020 21:09*
Surr: Dibromofluoromethane	*91.7*			*77-123*	*%REC*	*5*	*13-Mar-2020 20:42*
Surr: Dibromofluoromethane	*91.9*			*77-123*	*%REC*	*100*	*15-Mar-2020 21:09*
Surr: Toluene-d8	*105*			*82-127*	*%REC*	*5*	*13-Mar-2020 20:42*
Surr: Toluene-d8	*106*			*82-127*	*%REC*	*100*	*15-Mar-2020 21:09*

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**	
Project:	FLTG French Limited	WorkOrder:HS20030405	
Sample ID:	S1-064	Lab ID:HS20030405-08	
Collection Date:	09-Mar-2020 09:42	Matrix:Water	

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
1,1,1-Trichloroethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 17:29
1,1,2,2-Tetrachloroethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 17:29
1,1,2-Trichloroethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 17:29
1,1-Dichloroethane	U		0.00040	0.0050	mg/L	1	13-Mar-2020 17:29
1,1-Dichloroethene	U		0.00050	0.0050	mg/L	1	13-Mar-2020 17:29
1,2-Dichloroethane	**0.00056**	J	**0.00050**	**0.0050**	**mg/L**	1	13-Mar-2020 17:29
1,2-Dichloropropane	U		0.00070	0.0050	mg/L	1	13-Mar-2020 17:29
2-Butanone	U		0.0010	0.010	mg/L	1	13-Mar-2020 17:29
2-Hexanone	U		0.0010	0.010	mg/L	1	13-Mar-2020 17:29
4-Methyl-2-pentanone	U		0.0010	0.010	mg/L	1	13-Mar-2020 17:29
Acetone	U		0.0020	0.010	mg/L	1	13-Mar-2020 17:29
Allyl Chloride	U		0.0030	0.010	mg/L	1	13-Mar-2020 17:29
Benzene	**0.0010**	J	**0.00060**	**0.0050**	**mg/L**	1	13-Mar-2020 17:29
Bromodichloromethane	U		0.00060	0.0050	mg/L	1	13-Mar-2020 17:29
Bromoform	U		0.00050	0.0050	mg/L	1	13-Mar-2020 17:29
Bromomethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 17:29
Carbon disulfide	U		0.00090	0.010	mg/L	1	13-Mar-2020 17:29
Carbon tetrachloride	U		0.00060	0.0050	mg/L	1	13-Mar-2020 17:29
Chlorobenzene	**0.00082**	J	**0.00040**	**0.0050**	**mg/L**	1	13-Mar-2020 17:29
Chloroethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 17:29
Chloroform	U		0.00060	0.0050	mg/L	1	13-Mar-2020 17:29
Chloromethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 17:29
cis-1,2-Dichloroethene	U		0.00060	0.0050	mg/L	1	13-Mar-2020 17:29
cis-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	13-Mar-2020 17:29
Dibromochloromethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 17:29
Ethylbenzene	U		0.00050	0.0050	mg/L	1	13-Mar-2020 17:29
m,p-Xylene	U		0.00060	0.010	mg/L	1	13-Mar-2020 17:29
Methyl tert-butyl ether	**0.014**		**0.00060**	**0.0050**	**mg/L**	1	13-Mar-2020 17:29
Methylene chloride	U		0.0010	0.010	mg/L	1	13-Mar-2020 17:29
Naphthalene	U		0.00070	0.0050	mg/L	1	13-Mar-2020 17:29
o-Xylene	U		0.00050	0.0050	mg/L	1	13-Mar-2020 17:29
Styrene	U		0.00050	0.0050	mg/L	1	13-Mar-2020 17:29
Tert-butyl alcohol	**23**		**0.40**	**2.0**	**mg/L**	20	15-Mar-2020 21:33
Tetrachloroethene	U		0.00060	0.0050	mg/L	1	13-Mar-2020 17:29
Toluene	U		0.00050	0.0050	mg/L	1	13-Mar-2020 17:29
trans-1,2-Dichloroethene	U		0.00040	0.0050	mg/L	1	13-Mar-2020 17:29
trans-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	13-Mar-2020 17:29
Trichloroethene	U		0.00050	0.0050	mg/L	1	13-Mar-2020 17:29
Vinyl chloride	U		0.00040	0.0020	mg/L	1	13-Mar-2020 17:29

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**
Project:	FLTG French Limited	WorkOrder:HS20030405
Sample ID:	S1-064	Lab ID:HS20030405-08
Collection Date:	09-Mar-2020 09:42	Matrix:Water

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
Xylenes, Total		U	0.00050	0.0050	mg/L	1	13-Mar-2020 17:29
Surr: 1,2-Dichloroethane-d4	*91.8*			*70-126*	*%REC*	*1*	*13-Mar-2020 17:29*
Surr: 1,2-Dichloroethane-d4	*89.9*			*70-126*	*%REC*	*20*	*15-Mar-2020 21:33*
Surr: 4-Bromofluorobenzene	*102*			*82-124*	*%REC*	*1*	*13-Mar-2020 17:29*
Surr: 4-Bromofluorobenzene	*100*			*82-124*	*%REC*	*20*	*15-Mar-2020 21:33*
Surr: Dibromofluoromethane	*91.8*			*77-123*	*%REC*	*1*	*13-Mar-2020 17:29*
Surr: Dibromofluoromethane	*90.7*			*77-123*	*%REC*	*20*	*15-Mar-2020 21:33*
Surr: Toluene-d8	*105*			*82-127*	*%REC*	*1*	*13-Mar-2020 17:29*
Surr: Toluene-d8	*106*			*82-127*	*%REC*	*20*	*15-Mar-2020 21:33*

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**	
Project:	FLTG French Limited	WorkOrder:HS20030405	
Sample ID:	S1-105	Lab ID:HS20030405-09	
Collection Date:	09-Mar-2020 12:33	Matrix:Water	

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
1,1,1-Trichloroethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 17:53
1,1,2,2-Tetrachloroethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 17:53
1,1,2-Trichloroethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 17:53
1,1-Dichloroethane	U		0.00040	0.0050	mg/L	1	13-Mar-2020 17:53
1,1-Dichloroethene	U		0.00050	0.0050	mg/L	1	13-Mar-2020 17:53
1,2-Dichloroethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 17:53
1,2-Dichloropropane	U		0.00070	0.0050	mg/L	1	13-Mar-2020 17:53
2-Butanone	U		0.0010	0.010	mg/L	1	13-Mar-2020 17:53
2-Hexanone	U		0.0010	0.010	mg/L	1	13-Mar-2020 17:53
4-Methyl-2-pentanone	U		0.0010	0.010	mg/L	1	13-Mar-2020 17:53
Acetone	U		0.0020	0.010	mg/L	1	13-Mar-2020 17:53
Allyl Chloride	U		0.0030	0.010	mg/L	1	13-Mar-2020 17:53
Benzene	U		0.00060	0.0050	mg/L	1	13-Mar-2020 17:53
Bromodichloromethane	U		0.00060	0.0050	mg/L	1	13-Mar-2020 17:53
Bromoform	U		0.00050	0.0050	mg/L	1	13-Mar-2020 17:53
Bromomethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 17:53
Carbon disulfide	U		0.00090	0.010	mg/L	1	13-Mar-2020 17:53
Carbon tetrachloride	U		0.00060	0.0050	mg/L	1	13-Mar-2020 17:53
Chlorobenzene	U		0.00040	0.0050	mg/L	1	13-Mar-2020 17:53
Chloroethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 17:53
Chloroform	U		0.00060	0.0050	mg/L	1	13-Mar-2020 17:53
Chloromethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 17:53
cis-1,2-Dichloroethene	U		0.00060	0.0050	mg/L	1	13-Mar-2020 17:53
cis-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	13-Mar-2020 17:53
Dibromochloromethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 17:53
Ethylbenzene	U		0.00050	0.0050	mg/L	1	13-Mar-2020 17:53
m,p-Xylene	U		0.00060	0.010	mg/L	1	13-Mar-2020 17:53
Methyl tert-butyl ether	U		0.00060	0.0050	mg/L	1	13-Mar-2020 17:53
Methylene chloride	U		0.0010	0.010	mg/L	1	13-Mar-2020 17:53
Naphthalene	U		0.00070	0.0050	mg/L	1	13-Mar-2020 17:53
o-Xylene	U		0.00050	0.0050	mg/L	1	13-Mar-2020 17:53
Styrene	U		0.00050	0.0050	mg/L	1	13-Mar-2020 17:53
Tert-butyl alcohol	**0.075**	J	**0.020**	**0.10**	**mg/L**	1	13-Mar-2020 17:53
Tetrachloroethene	U		0.00060	0.0050	mg/L	1	13-Mar-2020 17:53
Toluene	U		0.00050	0.0050	mg/L	1	13-Mar-2020 17:53
trans-1,2-Dichloroethene	U		0.00040	0.0050	mg/L	1	13-Mar-2020 17:53
trans-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	13-Mar-2020 17:53
Trichloroethene	U		0.00050	0.0050	mg/L	1	13-Mar-2020 17:53
Vinyl chloride	U		0.00040	0.0020	mg/L	1	13-Mar-2020 17:53

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**
Project:	FLTG French Limited	WorkOrder:HS20030405
Sample ID:	S1-105	Lab ID:HS20030405-09
Collection Date:	09-Mar-2020 12:33	Matrix:Water

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
Xylenes, Total		U	0.00050	0.0050	mg/L	1	13-Mar-2020 17:53
Surr: 1,2-Dichloroethane-d4	*90.5*			*70-126*	*%REC*	*1*	*13-Mar-2020 17:53*
Surr: 4-Bromofluorobenzene	*99.6*			*82-124*	*%REC*	*1*	*13-Mar-2020 17:53*
Surr: Dibromofluoromethane	*89.8*			*77-123*	*%REC*	*1*	*13-Mar-2020 17:53*
Surr: Toluene-d8	*105*			*82-127*	*%REC*	*1*	*13-Mar-2020 17:53*

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**
Project:	FLTG French Limited	WorkOrder:HS20030405
Sample ID:	S1-131	Lab ID:HS20030405-10
Collection Date:	09-Mar-2020 10:20	Matrix:Water

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
1,1,1-Trichloroethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 18:18
1,1,2,2-Tetrachloroethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 18:18
1,1,2-Trichloroethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 18:18
1,1-Dichloroethane	U		0.00040	0.0050	mg/L	1	13-Mar-2020 18:18
1,1-Dichloroethene	U		0.00050	0.0050	mg/L	1	13-Mar-2020 18:18
1,2-Dichloroethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 18:18
1,2-Dichloropropane	U		0.00070	0.0050	mg/L	1	13-Mar-2020 18:18
2-Butanone	U		0.0010	0.010	mg/L	1	13-Mar-2020 18:18
2-Hexanone	U		0.0010	0.010	mg/L	1	13-Mar-2020 18:18
4-Methyl-2-pentanone	U		0.0010	0.010	mg/L	1	13-Mar-2020 18:18
Acetone	U		0.0020	0.010	mg/L	1	13-Mar-2020 18:18
Allyl Chloride	U		0.0030	0.010	mg/L	1	13-Mar-2020 18:18
Benzene	**0.024**		**0.00060**	**0.0050**	**mg/L**	1	13-Mar-2020 18:18
Bromodichloromethane	U		0.00060	0.0050	mg/L	1	13-Mar-2020 18:18
Bromoform	U		0.00050	0.0050	mg/L	1	13-Mar-2020 18:18
Bromomethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 18:18
Carbon disulfide	U		0.00090	0.010	mg/L	1	13-Mar-2020 18:18
Carbon tetrachloride	U		0.00060	0.0050	mg/L	1	13-Mar-2020 18:18
Chlorobenzene	**0.0015**	J	**0.00040**	**0.0050**	**mg/L**	1	13-Mar-2020 18:18
Chloroethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 18:18
Chloroform	U		0.00060	0.0050	mg/L	1	13-Mar-2020 18:18
Chloromethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 18:18
cis-1,2-Dichloroethene	U		0.00060	0.0050	mg/L	1	13-Mar-2020 18:18
cis-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	13-Mar-2020 18:18
Dibromochloromethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 18:18
Ethylbenzene	U		0.00050	0.0050	mg/L	1	13-Mar-2020 18:18
m,p-Xylene	U		0.00060	0.010	mg/L	1	13-Mar-2020 18:18
Methyl tert-butyl ether	**0.012**		**0.00060**	**0.0050**	**mg/L**	1	13-Mar-2020 18:18
Methylene chloride	U		0.0010	0.010	mg/L	1	13-Mar-2020 18:18
Naphthalene	U		0.00070	0.0050	mg/L	1	13-Mar-2020 18:18
o-Xylene	U		0.00050	0.0050	mg/L	1	13-Mar-2020 18:18
Styrene	U		0.00050	0.0050	mg/L	1	13-Mar-2020 18:18
Tert-butyl alcohol	**51**		**0.50**	**2.5**	**mg/L**	25	15-Mar-2020 21:57
Tetrachloroethene	U		0.00060	0.0050	mg/L	1	13-Mar-2020 18:18
Toluene	U		0.00050	0.0050	mg/L	1	13-Mar-2020 18:18
trans-1,2-Dichloroethene	U		0.00040	0.0050	mg/L	1	13-Mar-2020 18:18
trans-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	13-Mar-2020 18:18
Trichloroethene	U		0.00050	0.0050	mg/L	1	13-Mar-2020 18:18
Vinyl chloride	U		0.00040	0.0020	mg/L	1	13-Mar-2020 18:18

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**
Project:	FLTG French Limited	WorkOrder:HS20030405
Sample ID:	S1-131	Lab ID:HS20030405-10
Collection Date:	09-Mar-2020 10:20	Matrix:Water

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
Xylenes, Total		U	0.00050	0.0050	mg/L	1	13-Mar-2020 18:18
Surr: 1,2-Dichloroethane-d4	*91.5*			*70-126*	*%REC*	*1*	*13-Mar-2020 18:18*
Surr: 1,2-Dichloroethane-d4	*92.1*			*70-126*	*%REC*	*25*	*15-Mar-2020 21:57*
Surr: 4-Bromofluorobenzene	*100*			*82-124*	*%REC*	*1*	*13-Mar-2020 18:18*
Surr: 4-Bromofluorobenzene	*98.7*			*82-124*	*%REC*	*25*	*15-Mar-2020 21:57*
Surr: Dibromofluoromethane	*89.1*			*77-123*	*%REC*	*1*	*13-Mar-2020 18:18*
Surr: Dibromofluoromethane	*91.7*			*77-123*	*%REC*	*25*	*15-Mar-2020 21:57*
Surr: Toluene-d8	*106*			*82-127*	*%REC*	*1*	*13-Mar-2020 18:18*
Surr: Toluene-d8	*107*			*82-127*	*%REC*	*25*	*15-Mar-2020 21:57*

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**
Project:	FLTG French Limited	WorkOrder:HS20030405
Sample ID:	S1-138	Lab ID:HS20030405-11
Collection Date:	09-Mar-2020 10:50	Matrix:Water

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
1,1,1-Trichloroethane	U		0.00050	0.0050	mg/L	1	15-Mar-2020 14:21
1,1,2,2-Tetrachloroethane	U		0.00050	0.0050	mg/L	1	15-Mar-2020 14:21
1,1,2-Trichloroethane	U		0.00050	0.0050	mg/L	1	15-Mar-2020 14:21
1,1-Dichloroethane	U		0.00040	0.0050	mg/L	1	15-Mar-2020 14:21
1,1-Dichloroethene	U		0.00050	0.0050	mg/L	1	15-Mar-2020 14:21
1,2-Dichloroethane	U		0.00050	0.0050	mg/L	1	15-Mar-2020 14:21
1,2-Dichloropropane	U		0.00070	0.0050	mg/L	1	15-Mar-2020 14:21
2-Butanone	U		0.0010	0.010	mg/L	1	15-Mar-2020 14:21
2-Hexanone	U		0.0010	0.010	mg/L	1	15-Mar-2020 14:21
4-Methyl-2-pentanone	U		0.0010	0.010	mg/L	1	15-Mar-2020 14:21
Acetone	U		0.0020	0.010	mg/L	1	15-Mar-2020 14:21
Allyl Chloride	U		0.0030	0.010	mg/L	1	15-Mar-2020 14:21
Benzene	**0.0088**		**0.00060**	**0.0050**	**mg/L**	1	15-Mar-2020 14:21
Bromodichloromethane	U		0.00060	0.0050	mg/L	1	15-Mar-2020 14:21
Bromoform	U		0.00050	0.0050	mg/L	1	15-Mar-2020 14:21
Bromomethane	U		0.00050	0.0050	mg/L	1	15-Mar-2020 14:21
Carbon disulfide	U		0.00090	0.010	mg/L	1	15-Mar-2020 14:21
Carbon tetrachloride	U		0.00060	0.0050	mg/L	1	15-Mar-2020 14:21
Chlorobenzene	**0.00098**	J	**0.00040**	**0.0050**	**mg/L**	1	15-Mar-2020 14:21
Chloroethane	U		0.00050	0.0050	mg/L	1	15-Mar-2020 14:21
Chloroform	U		0.00060	0.0050	mg/L	1	15-Mar-2020 14:21
Chloromethane	U		0.00050	0.0050	mg/L	1	15-Mar-2020 14:21
cis-1,2-Dichloroethene	U		0.00060	0.0050	mg/L	1	15-Mar-2020 14:21
cis-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	15-Mar-2020 14:21
Dibromochloromethane	U		0.00050	0.0050	mg/L	1	15-Mar-2020 14:21
Ethylbenzene	U		0.00050	0.0050	mg/L	1	15-Mar-2020 14:21
m,p-Xylene	**0.00094**	J	**0.00060**	**0.010**	**mg/L**	1	15-Mar-2020 14:21
Methyl tert-butyl ether	**0.0030**	J	**0.00060**	**0.0050**	**mg/L**	1	15-Mar-2020 14:21
Methylene chloride	U		0.0010	0.010	mg/L	1	15-Mar-2020 14:21
Naphthalene	U		0.00070	0.0050	mg/L	1	15-Mar-2020 14:21
o-Xylene	U		0.00050	0.0050	mg/L	1	15-Mar-2020 14:21
Styrene	U		0.00050	0.0050	mg/L	1	15-Mar-2020 14:21
Tert-butyl alcohol	**11**		**0.20**	**1.0**	**mg/L**	10	16-Mar-2020 16:04
Tetrachloroethene	U		0.00060	0.0050	mg/L	1	15-Mar-2020 14:21
Toluene	U		0.00050	0.0050	mg/L	1	15-Mar-2020 14:21
trans-1,2-Dichloroethene	U		0.00040	0.0050	mg/L	1	15-Mar-2020 14:21
trans-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	15-Mar-2020 14:21
Trichloroethene	U		0.00050	0.0050	mg/L	1	15-Mar-2020 14:21
Vinyl chloride	U		0.00040	0.0020	mg/L	1	15-Mar-2020 14:21

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**
Project:	FLTG French Limited	WorkOrder:HS20030405
Sample ID:	S1-138	Lab ID:HS20030405-11
Collection Date:	09-Mar-2020 10:50	Matrix:Water

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
Xylenes, Total	**0.00094**	J	**0.00050**	**0.0050**	**mg/L**	1	15-Mar-2020 14:21
Surr: 1,2-Dichloroethane-d4	*89.8*			*70-126*	*%REC*	*1*	*15-Mar-2020 14:21*
Surr: 1,2-Dichloroethane-d4	*98.7*			*70-126*	*%REC*	*10*	*16-Mar-2020 16:04*
Surr: 4-Bromofluorobenzene	*100*			*82-124*	*%REC*	*1*	*15-Mar-2020 14:21*
Surr: 4-Bromofluorobenzene	*93.1*			*82-124*	*%REC*	*10*	*16-Mar-2020 16:04*
Surr: Dibromofluoromethane	*90.6*			*77-123*	*%REC*	*1*	*15-Mar-2020 14:21*
Surr: Dibromofluoromethane	*102*			*77-123*	*%REC*	*10*	*16-Mar-2020 16:04*
Surr: Toluene-d8	*105*			*82-127*	*%REC*	*1*	*15-Mar-2020 14:21*
Surr: Toluene-d8	*97.2*			*82-127*	*%REC*	*10*	*16-Mar-2020 16:04*

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**	
Project:	FLTG French Limited	WorkOrder:HS20030405	
Sample ID:	S1-139	Lab ID:HS20030405-12	
Collection Date:	09-Mar-2020 09:18	Matrix:Water	

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
1,1,1-Trichloroethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 19:06
1,1,2,2-Tetrachloroethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 19:06
1,1,2-Trichloroethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 19:06
1,1-Dichloroethane	**0.0018**	J	**0.00040**	**0.0050**	**mg/L**	1	13-Mar-2020 19:06
1,1-Dichloroethene	U		0.00050	0.0050	mg/L	1	13-Mar-2020 19:06
1,2-Dichloroethane	**0.00069**	J	**0.00050**	**0.0050**	**mg/L**	1	13-Mar-2020 19:06
1,2-Dichloropropane	U		0.00070	0.0050	mg/L	1	13-Mar-2020 19:06
2-Butanone	U		0.0010	0.010	mg/L	1	13-Mar-2020 19:06
2-Hexanone	U		0.0010	0.010	mg/L	1	13-Mar-2020 19:06
4-Methyl-2-pentanone	U		0.0010	0.010	mg/L	1	13-Mar-2020 19:06
Acetone	U		0.0020	0.010	mg/L	1	13-Mar-2020 19:06
Allyl Chloride	U		0.0030	0.010	mg/L	1	13-Mar-2020 19:06
Benzene	**0.0042**	J	**0.00060**	**0.0050**	**mg/L**	1	13-Mar-2020 19:06
Bromodichloromethane	U		0.00060	0.0050	mg/L	1	13-Mar-2020 19:06
Bromoform	U		0.00050	0.0050	mg/L	1	13-Mar-2020 19:06
Bromomethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 19:06
Carbon disulfide	U		0.00090	0.010	mg/L	1	13-Mar-2020 19:06
Carbon tetrachloride	U		0.00060	0.0050	mg/L	1	13-Mar-2020 19:06
Chlorobenzene	U		0.00040	0.0050	mg/L	1	13-Mar-2020 19:06
Chloroethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 19:06
Chloroform	U		0.00060	0.0050	mg/L	1	13-Mar-2020 19:06
Chloromethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 19:06
cis-1,2-Dichloroethene	U		0.00060	0.0050	mg/L	1	13-Mar-2020 19:06
cis-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	13-Mar-2020 19:06
Dibromochloromethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 19:06
Ethylbenzene	U		0.00050	0.0050	mg/L	1	13-Mar-2020 19:06
m,p-Xylene	U		0.00060	0.010	mg/L	1	13-Mar-2020 19:06
Methyl tert-butyl ether	**0.0052**		**0.00060**	**0.0050**	**mg/L**	1	13-Mar-2020 19:06
Methylene chloride	U		0.0010	0.010	mg/L	1	13-Mar-2020 19:06
Naphthalene	U		0.00070	0.0050	mg/L	1	13-Mar-2020 19:06
o-Xylene	U		0.00050	0.0050	mg/L	1	13-Mar-2020 19:06
Styrene	U		0.00050	0.0050	mg/L	1	13-Mar-2020 19:06
Tert-butyl alcohol	**16**		**0.20**	**1.0**	**mg/L**	10	15-Mar-2020 22:21
Tetrachloroethene	U		0.00060	0.0050	mg/L	1	13-Mar-2020 19:06
Toluene	U		0.00050	0.0050	mg/L	1	13-Mar-2020 19:06
trans-1,2-Dichloroethene	U		0.00040	0.0050	mg/L	1	13-Mar-2020 19:06
trans-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	13-Mar-2020 19:06
Trichloroethene	U		0.00050	0.0050	mg/L	1	13-Mar-2020 19:06
Vinyl chloride	**0.00051**	J	**0.00040**	**0.0020**	**mg/L**	1	13-Mar-2020 19:06

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**
Project:	FLTG French Limited	WorkOrder:HS20030405
Sample ID:	S1-139	Lab ID:HS20030405-12
Collection Date:	09-Mar-2020 09:18	Matrix:Water

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
Xylenes, Total		U	0.00050	0.0050	mg/L	1	13-Mar-2020 19:06
Surr: 1,2-Dichloroethane-d4	*89.7*			*70-126*	*%REC*	*1*	*13-Mar-2020 19:06*
Surr: 1,2-Dichloroethane-d4	*89.1*			*70-126*	*%REC*	*10*	*15-Mar-2020 22:21*
Surr: 4-Bromofluorobenzene	*102*			*82-124*	*%REC*	*1*	*13-Mar-2020 19:06*
Surr: 4-Bromofluorobenzene	*98.1*			*82-124*	*%REC*	*10*	*15-Mar-2020 22:21*
Surr: Dibromofluoromethane	*90.1*			*77-123*	*%REC*	*1*	*13-Mar-2020 19:06*
Surr: Dibromofluoromethane	*90.8*			*77-123*	*%REC*	*10*	*15-Mar-2020 22:21*
Surr: Toluene-d8	*106*			*82-127*	*%REC*	*1*	*13-Mar-2020 19:06*
Surr: Toluene-d8	*107*			*82-127*	*%REC*	*10*	*15-Mar-2020 22:21*

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**	
Project:	FLTG French Limited	WorkOrder:HS20030405	
Sample ID:	SI-160	Lab ID:HS20030405-13	
Collection Date:	09-Mar-2020 11:30	Matrix:Water	

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
1,1,1-Trichloroethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 19:54
1,1,2,2-Tetrachloroethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 19:54
1,1,2-Trichloroethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 19:54
1,1-Dichloroethane	U		0.00040	0.0050	mg/L	1	13-Mar-2020 19:54
1,1-Dichloroethene	U		0.00050	0.0050	mg/L	1	13-Mar-2020 19:54
1,2-Dichloroethane	**0.0023**	J	**0.00050**	**0.0050**	**mg/L**	1	13-Mar-2020 19:54
1,2-Dichloropropane	U		0.00070	0.0050	mg/L	1	13-Mar-2020 19:54
2-Butanone	U		0.0010	0.010	mg/L	1	13-Mar-2020 19:54
2-Hexanone	U		0.0010	0.010	mg/L	1	13-Mar-2020 19:54
4-Methyl-2-pentanone	U		0.0010	0.010	mg/L	1	13-Mar-2020 19:54
Acetone	U		0.0020	0.010	mg/L	1	13-Mar-2020 19:54
Allyl Chloride	U		0.0030	0.010	mg/L	1	13-Mar-2020 19:54
Benzene	**0.0011**	J	**0.00060**	**0.0050**	**mg/L**	1	13-Mar-2020 19:54
Bromodichloromethane	U		0.00060	0.0050	mg/L	1	13-Mar-2020 19:54
Bromoform	U		0.00050	0.0050	mg/L	1	13-Mar-2020 19:54
Bromomethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 19:54
Carbon disulfide	U		0.00090	0.010	mg/L	1	13-Mar-2020 19:54
Carbon tetrachloride	U		0.00060	0.0050	mg/L	1	13-Mar-2020 19:54
Chlorobenzene	U		0.00040	0.0050	mg/L	1	13-Mar-2020 19:54
Chloroethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 19:54
Chloroform	**0.0018**	J	**0.00060**	**0.0050**	**mg/L**	1	13-Mar-2020 19:54
Chloromethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 19:54
cis-1,2-Dichloroethene	**0.00060**	J	**0.00060**	**0.0050**	**mg/L**	1	13-Mar-2020 19:54
cis-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	13-Mar-2020 19:54
Dibromochloromethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 19:54
Ethylbenzene	U		0.00050	0.0050	mg/L	1	13-Mar-2020 19:54
m,p-Xylene	U		0.00060	0.010	mg/L	1	13-Mar-2020 19:54
Methyl tert-butyl ether	**0.00086**	J	**0.00060**	**0.0050**	**mg/L**	1	13-Mar-2020 19:54
Methylene chloride	U		0.0010	0.010	mg/L	1	13-Mar-2020 19:54
Naphthalene	U		0.00070	0.0050	mg/L	1	13-Mar-2020 19:54
o-Xylene	U		0.00050	0.0050	mg/L	1	13-Mar-2020 19:54
Styrene	U		0.00050	0.0050	mg/L	1	13-Mar-2020 19:54
Tert-butyl alcohol	**3.3**		**0.020**	**0.10**	**mg/L**	1	13-Mar-2020 19:54
Tetrachloroethene	U		0.00060	0.0050	mg/L	1	13-Mar-2020 19:54
Toluene	U		0.00050	0.0050	mg/L	1	13-Mar-2020 19:54
trans-1,2-Dichloroethene	U		0.00040	0.0050	mg/L	1	13-Mar-2020 19:54
trans-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	13-Mar-2020 19:54
Trichloroethene	U		0.00050	0.0050	mg/L	1	13-Mar-2020 19:54
Vinyl chloride	U		0.00040	0.0020	mg/L	1	13-Mar-2020 19:54

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**
Project:	FLTG French Limited	WorkOrder:HS20030405
Sample ID:	SI-160	Lab ID:HS20030405-13
Collection Date:	09-Mar-2020 11:30	Matrix:Water

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
Xylenes, Total		U	0.00050	0.0050	mg/L	1	13-Mar-2020 19:54
Surr: 1,2-Dichloroethane-d4	*91.3*			*70-126*	*%REC*	*1*	*13-Mar-2020 19:54*
Surr: 4-Bromofluorobenzene	*102*			*82-124*	*%REC*	*1*	*13-Mar-2020 19:54*
Surr: Dibromofluoromethane	*89.8*			*77-123*	*%REC*	*1*	*13-Mar-2020 19:54*
Surr: Toluene-d8	*106*			*82-127*	*%REC*	*1*	*13-Mar-2020 19:54*

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client: Environmental Resources Management
Project: FLTG French Limited
Sample ID: INT-120
Collection Date: 09-Mar-2020 11:08

ANALYTICAL REPORT
WorkOrder:HS20030405
Lab ID:HS20030405-14
Matrix:Water

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
1,1,1-Trichloroethane	U		0.0050	0.050	mg/L	10	14-Mar-2020 05:07
1,1,2,2-Tetrachloroethane	U		0.0050	0.050	mg/L	10	14-Mar-2020 05:07
1,1,2-Trichloroethane	**0.0064**	J	**0.0050**	**0.050**	**mg/L**	10	14-Mar-2020 05:07
1,1-Dichloroethane	**0.66**		**0.0040**	**0.050**	**mg/L**	10	14-Mar-2020 05:07
1,1-Dichloroethene	**0.038**	J	**0.0050**	**0.050**	**mg/L**	10	14-Mar-2020 05:07
1,2-Dichloroethane	**19**		**0.050**	**0.50**	**mg/L**	100	14-Mar-2020 05:31
1,2-Dichloropropane	U		0.0070	0.050	mg/L	10	14-Mar-2020 05:07
2-Butanone	U		0.010	0.10	mg/L	10	14-Mar-2020 05:07
2-Hexanone	U		0.010	0.10	mg/L	10	14-Mar-2020 05:07
4-Methyl-2-pentanone	**0.024**	J	**0.010**	**0.10**	**mg/L**	10	14-Mar-2020 05:07
Acetone	U		0.020	0.10	mg/L	10	14-Mar-2020 05:07
Allyl Chloride	U		0.030	0.10	mg/L	10	14-Mar-2020 05:07
Benzene	**0.10**		**0.0060**	**0.050**	**mg/L**	10	14-Mar-2020 05:07
Bromodichloromethane	U		0.0060	0.050	mg/L	10	14-Mar-2020 05:07
Bromoform	U		0.0050	0.050	mg/L	10	14-Mar-2020 05:07
Bromomethane	U		0.0050	0.050	mg/L	10	14-Mar-2020 05:07
Carbon disulfide	U		0.0090	0.10	mg/L	10	14-Mar-2020 05:07
Carbon tetrachloride	U		0.0060	0.050	mg/L	10	14-Mar-2020 05:07
Chlorobenzene	U		0.0040	0.050	mg/L	10	14-Mar-2020 05:07
Chloroethane	U		0.0050	0.050	mg/L	10	14-Mar-2020 05:07
Chloroform	**11**		**0.060**	**0.50**	**mg/L**	100	14-Mar-2020 05:31
Chloromethane	U		0.0050	0.050	mg/L	10	14-Mar-2020 05:07
cis-1,2-Dichloroethene	**3.0**		**0.060**	**0.50**	**mg/L**	100	14-Mar-2020 05:31
cis-1,3-Dichloropropene	U		0.0060	0.050	mg/L	10	14-Mar-2020 05:07
Dibromochloromethane	U		0.0050	0.050	mg/L	10	14-Mar-2020 05:07
Ethylbenzene	U		0.0050	0.050	mg/L	10	14-Mar-2020 05:07
m,p-Xylene	**0.0061**	J	**0.0060**	**0.10**	**mg/L**	10	14-Mar-2020 05:07
Methyl tert-butyl ether	U		0.0060	0.050	mg/L	10	14-Mar-2020 05:07
Methylene chloride	**0.36**		**0.010**	**0.10**	**mg/L**	10	14-Mar-2020 05:07
Naphthalene	U		0.0070	0.050	mg/L	10	14-Mar-2020 05:07
o-Xylene	**0.0064**	J	**0.0050**	**0.050**	**mg/L**	10	14-Mar-2020 05:07
Styrene	U		0.0050	0.050	mg/L	10	14-Mar-2020 05:07
Tert-butyl alcohol	**11**		**0.20**	**1.0**	**mg/L**	10	14-Mar-2020 05:07
Tetrachloroethene	**0.13**		**0.0060**	**0.050**	**mg/L**	10	14-Mar-2020 05:07
Toluene	**0.014**	J	**0.0050**	**0.050**	**mg/L**	10	14-Mar-2020 05:07
trans-1,2-Dichloroethene	**0.41**		**0.0040**	**0.050**	**mg/L**	10	14-Mar-2020 05:07
trans-1,3-Dichloropropene	U		0.0060	0.050	mg/L	10	14-Mar-2020 05:07
Trichloroethene	**0.10**		**0.0050**	**0.050**	**mg/L**	10	14-Mar-2020 05:07
Vinyl chloride	**0.79**		**0.0040**	**0.020**	**mg/L**	10	14-Mar-2020 05:07

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**
Project:	FLTG French Limited	WorkOrder:HS20030405
Sample ID:	INT-120	Lab ID:HS20030405-14
Collection Date:	09-Mar-2020 11:08	Matrix:Water

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
Xylenes, Total	**0.013**	J	**0.0050**	**0.050**	**mg/L**	10	14-Mar-2020 05:07
Surr: 1,2-Dichloroethane-d4	*89.9*			*70-126*	*%REC*	*10*	*14-Mar-2020 05:07*
Surr: 1,2-Dichloroethane-d4	*88.3*			*70-126*	*%REC*	*100*	*14-Mar-2020 05:31*
Surr: 4-Bromofluorobenzene	*98.8*			*82-124*	*%REC*	*100*	*14-Mar-2020 05:31*
Surr: 4-Bromofluorobenzene	*101*			*82-124*	*%REC*	*10*	*14-Mar-2020 05:07*
Surr: Dibromofluoromethane	*91.0*			*77-123*	*%REC*	*10*	*14-Mar-2020 05:07*
Surr: Dibromofluoromethane	*89.6*			*77-123*	*%REC*	*100*	*14-Mar-2020 05:31*
Surr: Toluene-d8	*107*			*82-127*	*%REC*	*10*	*14-Mar-2020 05:07*
Surr: Toluene-d8	*105*			*82-127*	*%REC*	*100*	*14-Mar-2020 05:31*

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**
Project:	FLTG French Limited	WorkOrder:HS20030405
Sample ID:	INT-123	Lab ID:HS20030405-15
Collection Date:	09-Mar-2020 11:48	Matrix:Water

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
1,1,1-Trichloroethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 20:18
1,1,2,2-Tetrachloroethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 20:18
1,1,2-Trichloroethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 20:18
1,1-Dichloroethane	**0.012**		**0.00040**	**0.0050**	**mg/L**	1	13-Mar-2020 20:18
1,1-Dichloroethene	U		0.00050	0.0050	mg/L	1	13-Mar-2020 20:18
1,2-Dichloroethane	**0.0017**	J	**0.00050**	**0.0050**	**mg/L**	1	13-Mar-2020 20:18
1,2-Dichloropropane	U		0.00070	0.0050	mg/L	1	13-Mar-2020 20:18
2-Butanone	U		0.0010	0.010	mg/L	1	13-Mar-2020 20:18
2-Hexanone	U		0.0010	0.010	mg/L	1	13-Mar-2020 20:18
4-Methyl-2-pentanone	U		0.0010	0.010	mg/L	1	13-Mar-2020 20:18
Acetone	U		0.0020	0.010	mg/L	1	13-Mar-2020 20:18
Allyl Chloride	U		0.0030	0.010	mg/L	1	13-Mar-2020 20:18
Benzene	**0.0055**		**0.00060**	**0.0050**	**mg/L**	1	13-Mar-2020 20:18
Bromodichloromethane	U		0.00060	0.0050	mg/L	1	13-Mar-2020 20:18
Bromoform	U		0.00050	0.0050	mg/L	1	13-Mar-2020 20:18
Bromomethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 20:18
Carbon disulfide	U		0.00090	0.010	mg/L	1	13-Mar-2020 20:18
Carbon tetrachloride	U		0.00060	0.0050	mg/L	1	13-Mar-2020 20:18
Chlorobenzene	U		0.00040	0.0050	mg/L	1	13-Mar-2020 20:18
Chloroethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 20:18
Chloroform	U		0.00060	0.0050	mg/L	1	13-Mar-2020 20:18
Chloromethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 20:18
cis-1,2-Dichloroethene	**0.0050**		**0.00060**	**0.0050**	**mg/L**	1	13-Mar-2020 20:18
cis-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	13-Mar-2020 20:18
Dibromochloromethane	U		0.00050	0.0050	mg/L	1	13-Mar-2020 20:18
Ethylbenzene	U		0.00050	0.0050	mg/L	1	13-Mar-2020 20:18
m,p-Xylene	U		0.00060	0.010	mg/L	1	13-Mar-2020 20:18
Methyl tert-butyl ether	**0.0011**	J	**0.00060**	**0.0050**	**mg/L**	1	13-Mar-2020 20:18
Methylene chloride	U		0.0010	0.010	mg/L	1	13-Mar-2020 20:18
Naphthalene	U		0.00070	0.0050	mg/L	1	13-Mar-2020 20:18
o-Xylene	U		0.00050	0.0050	mg/L	1	13-Mar-2020 20:18
Styrene	U		0.00050	0.0050	mg/L	1	13-Mar-2020 20:18
Tert-butyl alcohol	**3.5**		**0.10**	**0.50**	**mg/L**	5	16-Mar-2020 16:28
Tetrachloroethene	U		0.00060	0.0050	mg/L	1	13-Mar-2020 20:18
Toluene	U		0.00050	0.0050	mg/L	1	13-Mar-2020 20:18
trans-1,2-Dichloroethene	U		0.00040	0.0050	mg/L	1	13-Mar-2020 20:18
trans-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	13-Mar-2020 20:18
Trichloroethene	U		0.00050	0.0050	mg/L	1	13-Mar-2020 20:18
Vinyl chloride	U		0.00040	0.0020	mg/L	1	13-Mar-2020 20:18

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**
Project:	FLTG French Limited	WorkOrder:HS20030405
Sample ID:	INT-123	Lab ID:HS20030405-15
Collection Date:	09-Mar-2020 11:48	Matrix:Water

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
Xylenes, Total		U	0.00050	0.0050	mg/L	1	13-Mar-2020 20:18
Surr: 1,2-Dichloroethane-d4	*88.4*			*70-126*	*%REC*	*1*	*13-Mar-2020 20:18*
Surr: 1,2-Dichloroethane-d4	*97.8*			*70-126*	*%REC*	*5*	*16-Mar-2020 16:28*
Surr: 4-Bromofluorobenzene	*100*			*82-124*	*%REC*	*1*	*13-Mar-2020 20:18*
Surr: 4-Bromofluorobenzene	*95.1*			*82-124*	*%REC*	*5*	*16-Mar-2020 16:28*
Surr: Dibromofluoromethane	*88.6*			*77-123*	*%REC*	*1*	*13-Mar-2020 20:18*
Surr: Dibromofluoromethane	*100.0*			*77-123*	*%REC*	*5*	*16-Mar-2020 16:28*
Surr: Toluene-d8	*108*			*82-127*	*%REC*	*1*	*13-Mar-2020 20:18*
Surr: Toluene-d8	*98.8*			*82-127*	*%REC*	*5*	*16-Mar-2020 16:28*

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**	
Project:	FLTG French Limited	WorkOrder:HS20030405	
Sample ID:	INT-166	Lab ID:HS20030405-16	
Collection Date:	09-Mar-2020 10:28	Matrix:Water	

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
1,1,1-Trichloroethane	U		0.00050	0.0050	mg/L	1	14-Mar-2020 04:18
1,1,2,2-Tetrachloroethane	U		0.00050	0.0050	mg/L	1	14-Mar-2020 04:18
1,1,2-Trichloroethane	U		0.00050	0.0050	mg/L	1	14-Mar-2020 04:18
1,1-Dichloroethane	**0.0017**	J	**0.00040**	**0.0050**	**mg/L**	1	14-Mar-2020 04:18
1,1-Dichloroethene	U		0.00050	0.0050	mg/L	1	14-Mar-2020 04:18
1,2-Dichloroethane	U		0.00050	0.0050	mg/L	1	14-Mar-2020 04:18
1,2-Dichloropropane	U		0.00070	0.0050	mg/L	1	14-Mar-2020 04:18
2-Butanone	U		0.0010	0.010	mg/L	1	14-Mar-2020 04:18
2-Hexanone	U		0.0010	0.010	mg/L	1	14-Mar-2020 04:18
4-Methyl-2-pentanone	U		0.0010	0.010	mg/L	1	14-Mar-2020 04:18
Acetone	U		0.0020	0.010	mg/L	1	14-Mar-2020 04:18
Allyl Chloride	U		0.0030	0.010	mg/L	1	14-Mar-2020 04:18
Benzene	**0.12**		**0.00060**	**0.0050**	**mg/L**	1	14-Mar-2020 04:18
Bromodichloromethane	U		0.00060	0.0050	mg/L	1	14-Mar-2020 04:18
Bromoform	U		0.00050	0.0050	mg/L	1	14-Mar-2020 04:18
Bromomethane	U		0.00050	0.0050	mg/L	1	14-Mar-2020 04:18
Carbon disulfide	U		0.00090	0.010	mg/L	1	14-Mar-2020 04:18
Carbon tetrachloride	U		0.00060	0.0050	mg/L	1	14-Mar-2020 04:18
Chlorobenzene	U		0.00040	0.0050	mg/L	1	14-Mar-2020 04:18
Chloroethane	U		0.00050	0.0050	mg/L	1	14-Mar-2020 04:18
Chloroform	U		0.00060	0.0050	mg/L	1	14-Mar-2020 04:18
Chloromethane	U		0.00050	0.0050	mg/L	1	14-Mar-2020 04:18
cis-1,2-Dichloroethene	U		0.00060	0.0050	mg/L	1	14-Mar-2020 04:18
cis-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	14-Mar-2020 04:18
Dibromochloromethane	U		0.00050	0.0050	mg/L	1	14-Mar-2020 04:18
Ethylbenzene	**0.0085**		**0.00050**	**0.0050**	**mg/L**	1	14-Mar-2020 04:18
m,p-Xylene	**0.0049**	J	**0.00060**	**0.010**	**mg/L**	1	14-Mar-2020 04:18
Methyl tert-butyl ether	**0.0025**	J	**0.00060**	**0.0050**	**mg/L**	1	14-Mar-2020 04:18
Methylene chloride	U		0.0010	0.010	mg/L	1	14-Mar-2020 04:18
Naphthalene	**0.0046**	J	**0.00070**	**0.0050**	**mg/L**	1	14-Mar-2020 04:18
o-Xylene	**0.0038**	J	**0.00050**	**0.0050**	**mg/L**	1	14-Mar-2020 04:18
Styrene	U		0.00050	0.0050	mg/L	1	14-Mar-2020 04:18
Tert-butyl alcohol	**3.7**		**0.10**	**0.50**	**mg/L**	5	16-Mar-2020 16:52
Tetrachloroethene	U		0.00060	0.0050	mg/L	1	14-Mar-2020 04:18
Toluene	**0.0064**		**0.00050**	**0.0050**	**mg/L**	1	14-Mar-2020 04:18
trans-1,2-Dichloroethene	U		0.00040	0.0050	mg/L	1	14-Mar-2020 04:18
trans-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	14-Mar-2020 04:18
Trichloroethene	**0.00056**	J	**0.00050**	**0.0050**	**mg/L**	1	14-Mar-2020 04:18
Vinyl chloride	U		0.00040	0.0020	mg/L	1	14-Mar-2020 04:18

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**
Project:	FLTG French Limited	WorkOrder:HS20030405
Sample ID:	INT-166	Lab ID:HS20030405-16
Collection Date:	09-Mar-2020 10:28	Matrix:Water

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
Xylenes, Total	**0.0088**		**0.00050**	**0.0050**	**mg/L**	1	14-Mar-2020 04:18
Surr: 1,2-Dichloroethane-d4	*89.7*			*70-126*	*%REC*	*1*	*14-Mar-2020 04:18*
Surr: 1,2-Dichloroethane-d4	*98.4*			*70-126*	*%REC*	*5*	*16-Mar-2020 16:52*
Surr: 4-Bromofluorobenzene	*99.8*			*82-124*	*%REC*	*1*	*14-Mar-2020 04:18*
Surr: 4-Bromofluorobenzene	*96.0*			*82-124*	*%REC*	*5*	*16-Mar-2020 16:52*
Surr: Dibromofluoromethane	*89.9*			*77-123*	*%REC*	*1*	*14-Mar-2020 04:18*
Surr: Dibromofluoromethane	*101*			*77-123*	*%REC*	*5*	*16-Mar-2020 16:52*
Surr: Toluene-d8	*105*			*82-127*	*%REC*	*1*	*14-Mar-2020 04:18*
Surr: Toluene-d8	*98.8*			*82-127*	*%REC*	*5*	*16-Mar-2020 16:52*

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client: Environmental Resources Management
Project: FLTG French Limited
Sample ID: INT-167
Collection Date: 09-Mar-2020 13:58

ANALYTICAL REPORT
WorkOrder:HS20030405
Lab ID:HS20030405-17
Matrix:Water

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
1,1,1-Trichloroethane	U		0.025	0.25	mg/L	50	14-Mar-2020 06:19
1,1,2,2-Tetrachloroethane	U		0.025	0.25	mg/L	50	14-Mar-2020 06:19
1,1,2-Trichloroethane	**0.032**	J	**0.025**	**0.25**	**mg/L**	50	14-Mar-2020 06:19
1,1-Dichloroethane	**3.5**		**0.020**	**0.25**	**mg/L**	50	14-Mar-2020 06:19
1,1-Dichloroethene	**0.11**	J	**0.025**	**0.25**	**mg/L**	50	14-Mar-2020 06:19
1,2-Dichloroethane	**76**		**0.25**	**2.5**	**mg/L**	500	17-Mar-2020 16:32
1,2-Dichloropropane	U		0.035	0.25	mg/L	50	14-Mar-2020 06:19
2-Butanone	**1.9**		**0.050**	**0.50**	**mg/L**	50	14-Mar-2020 06:19
2-Hexanone	**0.19**	J	**0.050**	**0.50**	**mg/L**	50	14-Mar-2020 06:19
4-Methyl-2-pentanone	**1.3**		**0.050**	**0.50**	**mg/L**	50	14-Mar-2020 06:19
Acetone	**30**		**1.0**	**5.0**	**mg/L**	500	17-Mar-2020 16:32
Allyl Chloride	U		0.15	0.50	mg/L	50	14-Mar-2020 06:19
Benzene	**0.63**		**0.030**	**0.25**	**mg/L**	50	14-Mar-2020 06:19
Bromodichloromethane	U		0.030	0.25	mg/L	50	14-Mar-2020 06:19
Bromoform	U		0.025	0.25	mg/L	50	14-Mar-2020 06:19
Bromomethane	U		0.025	0.25	mg/L	50	14-Mar-2020 06:19
Carbon disulfide	U		0.045	0.50	mg/L	50	14-Mar-2020 06:19
Carbon tetrachloride	U		0.030	0.25	mg/L	50	14-Mar-2020 06:19
Chlorobenzene	U		0.020	0.25	mg/L	50	14-Mar-2020 06:19
Chloroethane	U		0.025	0.25	mg/L	50	14-Mar-2020 06:19
Chloroform	**110**		**0.60**	**5.0**	**mg/L**	1000	17-Mar-2020 18:59
Chloromethane	U		0.025	0.25	mg/L	50	14-Mar-2020 06:19
cis-1,2-Dichloroethene	**18**		**0.30**	**2.5**	**mg/L**	500	17-Mar-2020 16:32
cis-1,3-Dichloropropene	U		0.030	0.25	mg/L	50	14-Mar-2020 06:19
Dibromochloromethane	U		0.025	0.25	mg/L	50	14-Mar-2020 06:19
Ethylbenzene	**0.045**	J	**0.025**	**0.25**	**mg/L**	50	14-Mar-2020 06:19
m,p-Xylene	**0.068**	J	**0.030**	**0.50**	**mg/L**	50	14-Mar-2020 06:19
Methyl tert-butyl ether	U		0.030	0.25	mg/L	50	14-Mar-2020 06:19
Methylene chloride	**21**		**0.50**	**5.0**	**mg/L**	500	17-Mar-2020 16:32
Naphthalene	**0.21**	J	**0.035**	**0.25**	**mg/L**	50	14-Mar-2020 06:19
o-Xylene	**0.061**	J	**0.025**	**0.25**	**mg/L**	50	14-Mar-2020 06:19
Styrene	U		0.025	0.25	mg/L	50	14-Mar-2020 06:19
Tert-butyl alcohol	**98**		**1.0**	**5.0**	**mg/L**	50	14-Mar-2020 06:19
Tetrachloroethene	**0.83**		**0.030**	**0.25**	**mg/L**	50	14-Mar-2020 06:19
Toluene	**0.18**	J	**0.025**	**0.25**	**mg/L**	50	14-Mar-2020 06:19
trans-1,2-Dichloroethene	**3.8**		**0.020**	**0.25**	**mg/L**	50	14-Mar-2020 06:19
trans-1,3-Dichloropropene	U		0.030	0.25	mg/L	50	14-Mar-2020 06:19
Trichloroethene	**0.75**		**0.025**	**0.25**	**mg/L**	50	14-Mar-2020 06:19
Vinyl chloride	**3.8**		**0.020**	**0.10**	**mg/L**	50	14-Mar-2020 06:19

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**
Project:	FLTG French Limited	WorkOrder:HS20030405
Sample ID:	INT-167	Lab ID:HS20030405-17
Collection Date:	09-Mar-2020 13:58	Matrix:Water

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
Xylenes, Total	**0.13**	J	**0.025**	**0.25**	**mg/L**	50	14-Mar-2020 06:19
Surr: 1,2-Dichloroethane-d4	*88.3*			*70-126*	*%REC*	*50*	*14-Mar-2020 06:19*
Surr: 1,2-Dichloroethane-d4	*96.4*			*70-126*	*%REC*	*500*	*17-Mar-2020 16:32*
Surr: 1,2-Dichloroethane-d4	*94.8*			*70-126*	*%REC*	*1000*	*17-Mar-2020 18:59*
Surr: 4-Bromofluorobenzene	*100*			*82-124*	*%REC*	*50*	*14-Mar-2020 06:19*
Surr: 4-Bromofluorobenzene	*95.8*			*82-124*	*%REC*	*500*	*17-Mar-2020 16:32*
Surr: 4-Bromofluorobenzene	*93.7*			*82-124*	*%REC*	*1000*	*17-Mar-2020 18:59*
Surr: Dibromofluoromethane	*89.6*			*77-123*	*%REC*	*50*	*14-Mar-2020 06:19*
Surr: Dibromofluoromethane	*101*			*77-123*	*%REC*	*1000*	*17-Mar-2020 18:59*
Surr: Dibromofluoromethane	*100*			*77-123*	*%REC*	*500*	*17-Mar-2020 16:32*
Surr: Toluene-d8	*104*			*82-127*	*%REC*	*50*	*14-Mar-2020 06:19*
Surr: Toluene-d8	*97.3*			*82-127*	*%REC*	*500*	*17-Mar-2020 16:32*
Surr: Toluene-d8	*98.8*			*82-127*	*%REC*	*1000*	*17-Mar-2020 18:59*

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**	
Project:	FLTG French Limited	WorkOrder:HS20030405	
Sample ID:	INT-169	Lab ID:HS20030405-18	
Collection Date:	09-Mar-2020 13:45	Matrix:Water	

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
1,1,1-Trichloroethane	U		0.00050	0.0050	mg/L	1	14-Mar-2020 04:42
1,1,2,2-Tetrachloroethane	U		0.00050	0.0050	mg/L	1	14-Mar-2020 04:42
1,1,2-Trichloroethane	U		0.00050	0.0050	mg/L	1	14-Mar-2020 04:42
1,1-Dichloroethane	**0.00068**	J	**0.00040**	**0.0050**	**mg/L**	1	14-Mar-2020 04:42
1,1-Dichloroethene	U		0.00050	0.0050	mg/L	1	14-Mar-2020 04:42
1,2-Dichloroethane	U		0.00050	0.0050	mg/L	1	14-Mar-2020 04:42
1,2-Dichloropropane	U		0.00070	0.0050	mg/L	1	14-Mar-2020 04:42
2-Butanone	U		0.0010	0.010	mg/L	1	14-Mar-2020 04:42
2-Hexanone	U		0.0010	0.010	mg/L	1	14-Mar-2020 04:42
4-Methyl-2-pentanone	U		0.0010	0.010	mg/L	1	14-Mar-2020 04:42
Acetone	U		0.0020	0.010	mg/L	1	14-Mar-2020 04:42
Allyl Chloride	U		0.0030	0.010	mg/L	1	14-Mar-2020 04:42
Benzene	**0.0012**	J	**0.00060**	**0.0050**	**mg/L**	1	14-Mar-2020 04:42
Bromodichloromethane	U		0.00060	0.0050	mg/L	1	14-Mar-2020 04:42
Bromoform	U		0.00050	0.0050	mg/L	1	14-Mar-2020 04:42
Bromomethane	U		0.00050	0.0050	mg/L	1	14-Mar-2020 04:42
Carbon disulfide	U		0.00090	0.010	mg/L	1	14-Mar-2020 04:42
Carbon tetrachloride	U		0.00060	0.0050	mg/L	1	14-Mar-2020 04:42
Chlorobenzene	U		0.00040	0.0050	mg/L	1	14-Mar-2020 04:42
Chloroethane	U		0.00050	0.0050	mg/L	1	14-Mar-2020 04:42
Chloroform	U		0.00060	0.0050	mg/L	1	14-Mar-2020 04:42
Chloromethane	U		0.00050	0.0050	mg/L	1	14-Mar-2020 04:42
cis-1,2-Dichloroethene	**0.0011**	J	**0.00060**	**0.0050**	**mg/L**	1	14-Mar-2020 04:42
cis-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	14-Mar-2020 04:42
Dibromochloromethane	U		0.00050	0.0050	mg/L	1	14-Mar-2020 04:42
Ethylbenzene	U		0.00050	0.0050	mg/L	1	14-Mar-2020 04:42
m,p-Xylene	U		0.00060	0.010	mg/L	1	14-Mar-2020 04:42
Methyl tert-butyl ether	**0.00080**	J	**0.00060**	**0.0050**	**mg/L**	1	14-Mar-2020 04:42
Methylene chloride	U		0.0010	0.010	mg/L	1	14-Mar-2020 04:42
Naphthalene	U		0.00070	0.0050	mg/L	1	14-Mar-2020 04:42
o-Xylene	U		0.00050	0.0050	mg/L	1	14-Mar-2020 04:42
Styrene	U		0.00050	0.0050	mg/L	1	14-Mar-2020 04:42
Tert-butyl alcohol	**1.7**		**0.020**	**0.10**	**mg/L**	1	14-Mar-2020 04:42
Tetrachloroethene	U		0.00060	0.0050	mg/L	1	14-Mar-2020 04:42
Toluene	U		0.00050	0.0050	mg/L	1	14-Mar-2020 04:42
trans-1,2-Dichloroethene	U		0.00040	0.0050	mg/L	1	14-Mar-2020 04:42
trans-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	14-Mar-2020 04:42
Trichloroethene	U		0.00050	0.0050	mg/L	1	14-Mar-2020 04:42
Vinyl chloride	**0.0012**	J	**0.00040**	**0.0020**	**mg/L**	1	14-Mar-2020 04:42

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**
Project:	FLTG French Limited	WorkOrder:HS20030405
Sample ID:	INT-169	Lab ID:HS20030405-18
Collection Date:	09-Mar-2020 13:45	Matrix:Water

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
Xylenes, Total		U	0.00050	0.0050	mg/L	1	14-Mar-2020 04:42
Surr: 1,2-Dichloroethane-d4	*91.4*			*70-126*	*%REC*	*1*	*14-Mar-2020 04:42*
Surr: 4-Bromofluorobenzene	*97.6*			*82-124*	*%REC*	*1*	*14-Mar-2020 04:42*
Surr: Dibromofluoromethane	*92.3*			*77-123*	*%REC*	*1*	*14-Mar-2020 04:42*
Surr: Toluene-d8	*105*			*82-127*	*%REC*	*1*	*14-Mar-2020 04:42*

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**	
Project:	FLTG French Limited	WorkOrder:HS20030405	
Sample ID:	DUP1	Lab ID:HS20030405-19	
Collection Date:	09-Mar-2020 16:00	Matrix:Water	

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
1,1,1-Trichloroethane	U		0.00050	0.0050	mg/L	1	14-Mar-2020 02:18
1,1,2,2-Tetrachloroethane	U		0.00050	0.0050	mg/L	1	14-Mar-2020 02:18
1,1,2-Trichloroethane	U		0.00050	0.0050	mg/L	1	14-Mar-2020 02:18
1,1-Dichloroethane	**0.00062**	J	**0.00040**	**0.0050**	**mg/L**	1	14-Mar-2020 02:18
1,1-Dichloroethene	U		0.00050	0.0050	mg/L	1	14-Mar-2020 02:18
1,2-Dichloroethane	U		0.00050	0.0050	mg/L	1	14-Mar-2020 02:18
1,2-Dichloropropane	U		0.00070	0.0050	mg/L	1	14-Mar-2020 02:18
2-Butanone	U		0.0010	0.010	mg/L	1	14-Mar-2020 02:18
2-Hexanone	U		0.0010	0.010	mg/L	1	14-Mar-2020 02:18
4-Methyl-2-pentanone	U		0.0010	0.010	mg/L	1	14-Mar-2020 02:18
Acetone	U		0.0020	0.010	mg/L	1	14-Mar-2020 02:18
Allyl Chloride	U		0.0030	0.010	mg/L	1	14-Mar-2020 02:18
Benzene	U		0.00060	0.0050	mg/L	1	14-Mar-2020 02:18
Bromodichloromethane	U		0.00060	0.0050	mg/L	1	14-Mar-2020 02:18
Bromoform	U		0.00050	0.0050	mg/L	1	14-Mar-2020 02:18
Bromomethane	U		0.00050	0.0050	mg/L	1	14-Mar-2020 02:18
Carbon disulfide	U		0.00090	0.010	mg/L	1	14-Mar-2020 02:18
Carbon tetrachloride	U		0.00060	0.0050	mg/L	1	14-Mar-2020 02:18
Chlorobenzene	U		0.00040	0.0050	mg/L	1	14-Mar-2020 02:18
Chloroethane	U		0.00050	0.0050	mg/L	1	14-Mar-2020 02:18
Chloroform	U		0.00060	0.0050	mg/L	1	14-Mar-2020 02:18
Chloromethane	U		0.00050	0.0050	mg/L	1	14-Mar-2020 02:18
cis-1,2-Dichloroethene	**0.0010**	J	**0.00060**	**0.0050**	**mg/L**	1	14-Mar-2020 02:18
cis-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	14-Mar-2020 02:18
Dibromochloromethane	U		0.00050	0.0050	mg/L	1	14-Mar-2020 02:18
Ethylbenzene	U		0.00050	0.0050	mg/L	1	14-Mar-2020 02:18
m,p-Xylene	U		0.00060	0.010	mg/L	1	14-Mar-2020 02:18
Methyl tert-butyl ether	**0.00092**	J	**0.00060**	**0.0050**	**mg/L**	1	14-Mar-2020 02:18
Methylene chloride	U		0.0010	0.010	mg/L	1	14-Mar-2020 02:18
Naphthalene	U		0.00070	0.0050	mg/L	1	14-Mar-2020 02:18
o-Xylene	U		0.00050	0.0050	mg/L	1	14-Mar-2020 02:18
Styrene	U		0.00050	0.0050	mg/L	1	14-Mar-2020 02:18
Tert-butyl alcohol	**1.8**		**0.020**	**0.10**	**mg/L**	1	14-Mar-2020 02:18
Tetrachloroethene	U		0.00060	0.0050	mg/L	1	14-Mar-2020 02:18
Toluene	U		0.00050	0.0050	mg/L	1	14-Mar-2020 02:18
trans-1,2-Dichloroethene	U		0.00040	0.0050	mg/L	1	14-Mar-2020 02:18
trans-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	14-Mar-2020 02:18
Trichloroethene	U		0.00050	0.0050	mg/L	1	14-Mar-2020 02:18
Vinyl chloride	**0.0011**	J	**0.00040**	**0.0020**	**mg/L**	1	14-Mar-2020 02:18

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**
Project:	FLTG French Limited	WorkOrder:HS20030405
Sample ID:	DUP1	Lab ID:HS20030405-19
Collection Date:	09-Mar-2020 16:00	Matrix:Water

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
Xylenes, Total		U	0.00050	0.0050	mg/L	1	14-Mar-2020 02:18
Surr: 1,2-Dichloroethane-d4	*91.4*			*70-126*	*%REC*	*1*	*14-Mar-2020 02:18*
Surr: 4-Bromofluorobenzene	*100*			*82-124*	*%REC*	*1*	*14-Mar-2020 02:18*
Surr: Dibromofluoromethane	*90.9*			*77-123*	*%REC*	*1*	*14-Mar-2020 02:18*
Surr: Toluene-d8	*104*			*82-127*	*%REC*	*1*	*14-Mar-2020 02:18*

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**
Project:	FLTG French Limited	WorkOrder:HS20030405
Sample ID:	INT-239	Lab ID:HS20030405-20
Collection Date:	09-Mar-2020 14:55	Matrix:Water

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
1,1,1-Trichloroethane	U		0.00050	0.0050	mg/L	1	14-Mar-2020 02:42
1,1,2,2-Tetrachloroethane	U		0.00050	0.0050	mg/L	1	14-Mar-2020 02:42
1,1,2-Trichloroethane	U		0.00050	0.0050	mg/L	1	14-Mar-2020 02:42
1,1-Dichloroethane	**0.0028**	J	**0.00040**	**0.0050**	**mg/L**	1	14-Mar-2020 02:42
1,1-Dichloroethene	U		0.00050	0.0050	mg/L	1	14-Mar-2020 02:42
1,2-Dichloroethane	**0.0010**	J	**0.00050**	**0.0050**	**mg/L**	1	14-Mar-2020 02:42
1,2-Dichloropropane	U		0.00070	0.0050	mg/L	1	14-Mar-2020 02:42
2-Butanone	U		0.0010	0.010	mg/L	1	14-Mar-2020 02:42
2-Hexanone	U		0.0010	0.010	mg/L	1	14-Mar-2020 02:42
4-Methyl-2-pentanone	U		0.0010	0.010	mg/L	1	14-Mar-2020 02:42
Acetone	U		0.0020	0.010	mg/L	1	14-Mar-2020 02:42
Allyl Chloride	U		0.0030	0.010	mg/L	1	14-Mar-2020 02:42
Benzene	U		0.00060	0.0050	mg/L	1	14-Mar-2020 02:42
Bromodichloromethane	U		0.00060	0.0050	mg/L	1	14-Mar-2020 02:42
Bromoform	U		0.00050	0.0050	mg/L	1	14-Mar-2020 02:42
Bromomethane	U		0.00050	0.0050	mg/L	1	14-Mar-2020 02:42
Carbon disulfide	U		0.00090	0.010	mg/L	1	14-Mar-2020 02:42
Carbon tetrachloride	U		0.00060	0.0050	mg/L	1	14-Mar-2020 02:42
Chlorobenzene	U		0.00040	0.0050	mg/L	1	14-Mar-2020 02:42
Chloroethane	U		0.00050	0.0050	mg/L	1	14-Mar-2020 02:42
Chloroform	U		0.00060	0.0050	mg/L	1	14-Mar-2020 02:42
Chloromethane	U		0.00050	0.0050	mg/L	1	14-Mar-2020 02:42
cis-1,2-Dichloroethene	**0.0053**		**0.00060**	**0.0050**	**mg/L**	1	14-Mar-2020 02:42
cis-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	14-Mar-2020 02:42
Dibromochloromethane	U		0.00050	0.0050	mg/L	1	14-Mar-2020 02:42
Ethylbenzene	U		0.00050	0.0050	mg/L	1	14-Mar-2020 02:42
m,p-Xylene	U		0.00060	0.010	mg/L	1	14-Mar-2020 02:42
Methyl tert-butyl ether	**0.00073**	J	**0.00060**	**0.0050**	**mg/L**	1	14-Mar-2020 02:42
Methylene chloride	U		0.0010	0.010	mg/L	1	14-Mar-2020 02:42
Naphthalene	U		0.00070	0.0050	mg/L	1	14-Mar-2020 02:42
o-Xylene	U		0.00050	0.0050	mg/L	1	14-Mar-2020 02:42
Styrene	U		0.00050	0.0050	mg/L	1	14-Mar-2020 02:42
Tert-butyl alcohol	**2.1**		**0.020**	**0.10**	**mg/L**	1	14-Mar-2020 02:42
Tetrachloroethene	U		0.00060	0.0050	mg/L	1	14-Mar-2020 02:42
Toluene	U		0.00050	0.0050	mg/L	1	14-Mar-2020 02:42
trans-1,2-Dichloroethene	U		0.00040	0.0050	mg/L	1	14-Mar-2020 02:42
trans-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	14-Mar-2020 02:42
Trichloroethene	U		0.00050	0.0050	mg/L	1	14-Mar-2020 02:42
Vinyl chloride	**0.00078**	J	**0.00040**	**0.0020**	**mg/L**	1	14-Mar-2020 02:42

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**
Project:	FLTG French Limited	WorkOrder:HS20030405
Sample ID:	INT-239	Lab ID:HS20030405-20
Collection Date:	09-Mar-2020 14:55	Matrix:Water

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
Xylenes, Total		U	0.00050	0.0050	mg/L	1	14-Mar-2020 02:42
Surr: 1,2-Dichloroethane-d4	*89.5*			*70-126*	*%REC*	*1*	*14-Mar-2020 02:42*
Surr: 4-Bromofluorobenzene	*99.5*			*82-124*	*%REC*	*1*	*14-Mar-2020 02:42*
Surr: Dibromofluoromethane	*91.4*			*77-123*	*%REC*	*1*	*14-Mar-2020 02:42*
Surr: Toluene-d8	*105*			*82-127*	*%REC*	*1*	*14-Mar-2020 02:42*

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**	
Project:	FLTG French Limited	WorkOrder:HS20030405	
Sample ID:	SI-121	Lab ID:HS20030405-21	
Collection Date:	09-Mar-2020 14:43	Matrix:Water	

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
1,1,1-Trichloroethane	U		0.00050	0.0050	mg/L	1	14-Mar-2020 03:06
1,1,2,2-Tetrachloroethane	U		0.00050	0.0050	mg/L	1	14-Mar-2020 03:06
1,1,2-Trichloroethane	U		0.00050	0.0050	mg/L	1	14-Mar-2020 03:06
1,1-Dichloroethane	U		0.00040	0.0050	mg/L	1	14-Mar-2020 03:06
1,1-Dichloroethene	U		0.00050	0.0050	mg/L	1	14-Mar-2020 03:06
1,2-Dichloroethane	U		0.00050	0.0050	mg/L	1	14-Mar-2020 03:06
1,2-Dichloropropane	U		0.00070	0.0050	mg/L	1	14-Mar-2020 03:06
2-Butanone	U		0.0010	0.010	mg/L	1	14-Mar-2020 03:06
2-Hexanone	U		0.0010	0.010	mg/L	1	14-Mar-2020 03:06
4-Methyl-2-pentanone	U		0.0010	0.010	mg/L	1	14-Mar-2020 03:06
Acetone	U		0.0020	0.010	mg/L	1	14-Mar-2020 03:06
Allyl Chloride	U		0.0030	0.010	mg/L	1	14-Mar-2020 03:06
Benzene	**0.032**		**0.00060**	**0.0050**	**mg/L**	1	14-Mar-2020 03:06
Bromodichloromethane	U		0.00060	0.0050	mg/L	1	14-Mar-2020 03:06
Bromoform	U		0.00050	0.0050	mg/L	1	14-Mar-2020 03:06
Bromomethane	U		0.00050	0.0050	mg/L	1	14-Mar-2020 03:06
Carbon disulfide	U		0.00090	0.010	mg/L	1	14-Mar-2020 03:06
Carbon tetrachloride	U		0.00060	0.0050	mg/L	1	14-Mar-2020 03:06
Chlorobenzene	U		0.00040	0.0050	mg/L	1	14-Mar-2020 03:06
Chloroethane	U		0.00050	0.0050	mg/L	1	14-Mar-2020 03:06
Chloroform	U		0.00060	0.0050	mg/L	1	14-Mar-2020 03:06
Chloromethane	U		0.00050	0.0050	mg/L	1	14-Mar-2020 03:06
cis-1,2-Dichloroethene	U		0.00060	0.0050	mg/L	1	14-Mar-2020 03:06
cis-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	14-Mar-2020 03:06
Dibromochloromethane	U		0.00050	0.0050	mg/L	1	14-Mar-2020 03:06
Ethylbenzene	**0.0011**	J	**0.00050**	**0.0050**	**mg/L**	1	14-Mar-2020 03:06
m,p-Xylene	**0.0022**	J	**0.00060**	**0.010**	**mg/L**	1	14-Mar-2020 03:06
Methyl tert-butyl ether	**0.0012**	J	**0.00060**	**0.0050**	**mg/L**	1	14-Mar-2020 03:06
Methylene chloride	U		0.0010	0.010	mg/L	1	14-Mar-2020 03:06
Naphthalene	U		0.00070	0.0050	mg/L	1	14-Mar-2020 03:06
o-Xylene	**0.0014**	J	**0.00050**	**0.0050**	**mg/L**	1	14-Mar-2020 03:06
Styrene	U		0.00050	0.0050	mg/L	1	14-Mar-2020 03:06
Tert-butyl alcohol	**3.0**		**0.020**	**0.10**	**mg/L**	1	14-Mar-2020 03:06
Tetrachloroethene	U		0.00060	0.0050	mg/L	1	14-Mar-2020 03:06
Toluene	U		0.00050	0.0050	mg/L	1	14-Mar-2020 03:06
trans-1,2-Dichloroethene	U		0.00040	0.0050	mg/L	1	14-Mar-2020 03:06
trans-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	14-Mar-2020 03:06
Trichloroethene	U		0.00050	0.0050	mg/L	1	14-Mar-2020 03:06
Vinyl chloride	U		0.00040	0.0020	mg/L	1	14-Mar-2020 03:06

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**
Project:	FLTG French Limited	WorkOrder:HS20030405
Sample ID:	SI-121	Lab ID:HS20030405-21
Collection Date:	09-Mar-2020 14:43	Matrix:Water

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
Xylenes, Total	**0.0036**	J	**0.00050**	**0.0050**	**mg/L**	1	14-Mar-2020 03:06
Surr: 1,2-Dichloroethane-d4	*90.6*			*70-126*	*%REC*	*1*	*14-Mar-2020 03:06*
Surr: 4-Bromofluorobenzene	*99.5*			*82-124*	*%REC*	*1*	*14-Mar-2020 03:06*
Surr: Dibromofluoromethane	*91.1*			*77-123*	*%REC*	*1*	*14-Mar-2020 03:06*
Surr: Toluene-d8	*103*			*82-127*	*%REC*	*1*	*14-Mar-2020 03:06*

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**	
Project:	FLTG French Limited	WorkOrder:HS20030405	
Sample ID:	SI-143	Lab ID:HS20030405-22	
Collection Date:	09-Mar-2020 14:55	Matrix:Water	

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
1,1,1-Trichloroethane	U		0.00050	0.0050	mg/L	1	14-Mar-2020 03:30
1,1,2,2-Tetrachloroethane	U		0.00050	0.0050	mg/L	1	14-Mar-2020 03:30
1,1,2-Trichloroethane	U		0.00050	0.0050	mg/L	1	14-Mar-2020 03:30
1,1-Dichloroethane	**0.0027**	J	**0.00040**	**0.0050**	**mg/L**	1	14-Mar-2020 03:30
1,1-Dichloroethene	U		0.00050	0.0050	mg/L	1	14-Mar-2020 03:30
1,2-Dichloroethane	**0.014**		**0.00050**	**0.0050**	**mg/L**	1	14-Mar-2020 03:30
1,2-Dichloropropane	U		0.00070	0.0050	mg/L	1	14-Mar-2020 03:30
2-Butanone	U		0.0010	0.010	mg/L	1	14-Mar-2020 03:30
2-Hexanone	U		0.0010	0.010	mg/L	1	14-Mar-2020 03:30
4-Methyl-2-pentanone	U		0.0010	0.010	mg/L	1	14-Mar-2020 03:30
Acetone	U		0.0020	0.010	mg/L	1	14-Mar-2020 03:30
Allyl Chloride	U		0.0030	0.010	mg/L	1	14-Mar-2020 03:30
Benzene	**0.00088**	J	**0.00060**	**0.0050**	**mg/L**	1	14-Mar-2020 03:30
Bromodichloromethane	U		0.00060	0.0050	mg/L	1	14-Mar-2020 03:30
Bromoform	U		0.00050	0.0050	mg/L	1	14-Mar-2020 03:30
Bromomethane	U		0.00050	0.0050	mg/L	1	14-Mar-2020 03:30
Carbon disulfide	U		0.00090	0.010	mg/L	1	14-Mar-2020 03:30
Carbon tetrachloride	**0.010**		**0.00060**	**0.0050**	**mg/L**	1	14-Mar-2020 03:30
Chlorobenzene	U		0.00040	0.0050	mg/L	1	14-Mar-2020 03:30
Chloroethane	U		0.00050	0.0050	mg/L	1	14-Mar-2020 03:30
Chloroform	**0.081**		**0.00060**	**0.0050**	**mg/L**	1	14-Mar-2020 03:30
Chloromethane	U		0.00050	0.0050	mg/L	1	14-Mar-2020 03:30
cis-1,2-Dichloroethene	**0.017**		**0.00060**	**0.0050**	**mg/L**	1	14-Mar-2020 03:30
cis-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	14-Mar-2020 03:30
Dibromochloromethane	U		0.00050	0.0050	mg/L	1	14-Mar-2020 03:30
Ethylbenzene	U		0.00050	0.0050	mg/L	1	14-Mar-2020 03:30
m,p-Xylene	U		0.00060	0.010	mg/L	1	14-Mar-2020 03:30
Methyl tert-butyl ether	U		0.00060	0.0050	mg/L	1	14-Mar-2020 03:30
Methylene chloride	U		0.0010	0.010	mg/L	1	14-Mar-2020 03:30
Naphthalene	**0.0060**		**0.00070**	**0.0050**	**mg/L**	1	14-Mar-2020 03:30
o-Xylene	**0.0012**	J	**0.00050**	**0.0050**	**mg/L**	1	14-Mar-2020 03:30
Styrene	U		0.00050	0.0050	mg/L	1	14-Mar-2020 03:30
Tert-butyl alcohol	**0.68**		**0.020**	**0.10**	**mg/L**	1	14-Mar-2020 03:30
Tetrachloroethene	**0.048**		**0.00060**	**0.0050**	**mg/L**	1	14-Mar-2020 03:30
Toluene	U		0.00050	0.0050	mg/L	1	14-Mar-2020 03:30
trans-1,2-Dichloroethene	**0.0069**		**0.00040**	**0.0050**	**mg/L**	1	14-Mar-2020 03:30
trans-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	14-Mar-2020 03:30
Trichloroethene	**0.013**		**0.00050**	**0.0050**	**mg/L**	1	14-Mar-2020 03:30
Vinyl chloride	**0.0019**	J	**0.00040**	**0.0020**	**mg/L**	1	14-Mar-2020 03:30

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**
Project:	FLTG French Limited	WorkOrder:HS20030405
Sample ID:	SI-143	Lab ID:HS20030405-22
Collection Date:	09-Mar-2020 14:55	Matrix:Water

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
Xylenes, Total	**0.0012**	J	**0.00050**	**0.0050**	**mg/L**	1	14-Mar-2020 03:30
Surr: 1,2-Dichloroethane-d4	*88.6*			*70-126*	*%REC*	*1*	*14-Mar-2020 03:30*
Surr: 4-Bromofluorobenzene	*100*			*82-124*	*%REC*	*1*	*14-Mar-2020 03:30*
Surr: Dibromofluoromethane	*89.8*			*77-123*	*%REC*	*1*	*14-Mar-2020 03:30*
Surr: Toluene-d8	*107*			*82-127*	*%REC*	*1*	*14-Mar-2020 03:30*

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**
Project:	FLTG French Limited	WorkOrder:HS20030405
Sample ID:	SI-159	Lab ID:HS20030405-23
Collection Date:	09-Mar-2020 12:20	Matrix:Water

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
1,1,1-Trichloroethane	U		0.00050	0.0050	mg/L	1	14-Mar-2020 03:54
1,1,2,2-Tetrachloroethane	U		0.00050	0.0050	mg/L	1	14-Mar-2020 03:54
1,1,2-Trichloroethane	U		0.00050	0.0050	mg/L	1	14-Mar-2020 03:54
1,1-Dichloroethane	U		0.00040	0.0050	mg/L	1	14-Mar-2020 03:54
1,1-Dichloroethene	U		0.00050	0.0050	mg/L	1	14-Mar-2020 03:54
1,2-Dichloroethane	U		0.00050	0.0050	mg/L	1	14-Mar-2020 03:54
1,2-Dichloropropane	U		0.00070	0.0050	mg/L	1	14-Mar-2020 03:54
2-Butanone	U		0.0010	0.010	mg/L	1	14-Mar-2020 03:54
2-Hexanone	U		0.0010	0.010	mg/L	1	14-Mar-2020 03:54
4-Methyl-2-pentanone	U		0.0010	0.010	mg/L	1	14-Mar-2020 03:54
Acetone	U		0.0020	0.010	mg/L	1	14-Mar-2020 03:54
Allyl Chloride	U		0.0030	0.010	mg/L	1	14-Mar-2020 03:54
Benzene	U		0.00060	0.0050	mg/L	1	14-Mar-2020 03:54
Bromodichloromethane	U		0.00060	0.0050	mg/L	1	14-Mar-2020 03:54
Bromoform	U		0.00050	0.0050	mg/L	1	14-Mar-2020 03:54
Bromomethane	U		0.00050	0.0050	mg/L	1	14-Mar-2020 03:54
Carbon disulfide	U		0.00090	0.010	mg/L	1	14-Mar-2020 03:54
Carbon tetrachloride	U		0.00060	0.0050	mg/L	1	14-Mar-2020 03:54
Chlorobenzene	U		0.00040	0.0050	mg/L	1	14-Mar-2020 03:54
Chloroethane	U		0.00050	0.0050	mg/L	1	14-Mar-2020 03:54
Chloroform	U		0.00060	0.0050	mg/L	1	14-Mar-2020 03:54
Chloromethane	U		0.00050	0.0050	mg/L	1	14-Mar-2020 03:54
cis-1,2-Dichloroethene	U		0.00060	0.0050	mg/L	1	14-Mar-2020 03:54
cis-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	14-Mar-2020 03:54
Dibromochloromethane	U		0.00050	0.0050	mg/L	1	14-Mar-2020 03:54
Ethylbenzene	U		0.00050	0.0050	mg/L	1	14-Mar-2020 03:54
m,p-Xylene	U		0.00060	0.010	mg/L	1	14-Mar-2020 03:54
Methyl tert-butyl ether	U		0.00060	0.0050	mg/L	1	14-Mar-2020 03:54
Methylene chloride	U		0.0010	0.010	mg/L	1	14-Mar-2020 03:54
Naphthalene	U		0.00070	0.0050	mg/L	1	14-Mar-2020 03:54
o-Xylene	U		0.00050	0.0050	mg/L	1	14-Mar-2020 03:54
Styrene	U		0.00050	0.0050	mg/L	1	14-Mar-2020 03:54
Tert-butyl alcohol	**0.72**		**0.020**	**0.10**	**mg/L**	1	14-Mar-2020 03:54
Tetrachloroethene	U		0.00060	0.0050	mg/L	1	14-Mar-2020 03:54
Toluene	U		0.00050	0.0050	mg/L	1	14-Mar-2020 03:54
trans-1,2-Dichloroethene	U		0.00040	0.0050	mg/L	1	14-Mar-2020 03:54
trans-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	14-Mar-2020 03:54
Trichloroethene	U		0.00050	0.0050	mg/L	1	14-Mar-2020 03:54
Vinyl chloride	U		0.00040	0.0020	mg/L	1	14-Mar-2020 03:54

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**
Project:	FLTG French Limited	WorkOrder:HS20030405
Sample ID:	SI-159	Lab ID:HS20030405-23
Collection Date:	09-Mar-2020 12:20	Matrix:Water

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
Xylenes, Total		U	0.00050	0.0050	mg/L	1	14-Mar-2020 03:54
Surr: 1,2-Dichloroethane-d4	*91.3*			*70-126*	*%REC*	*1*	*14-Mar-2020 03:54*
Surr: 4-Bromofluorobenzene	*101*			*82-124*	*%REC*	*1*	*14-Mar-2020 03:54*
Surr: Dibromofluoromethane	*91.3*			*77-123*	*%REC*	*1*	*14-Mar-2020 03:54*
Surr: Toluene-d8	*105*			*82-127*	*%REC*	*1*	*14-Mar-2020 03:54*

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**	
Project:	FLTG French Limited	WorkOrder:HS20030405	
Sample ID:	SI-164	Lab ID:HS20030405-24	
Collection Date:	09-Mar-2020 14:25	Matrix:Water	

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
1,1,1-Trichloroethane	U		0.00050	0.0050	mg/L	1	14-Mar-2020 00:42
1,1,2,2-Tetrachloroethane	U		0.00050	0.0050	mg/L	1	14-Mar-2020 00:42
1,1,2-Trichloroethane	U		0.00050	0.0050	mg/L	1	14-Mar-2020 00:42
1,1-Dichloroethane	**0.0012**	J	**0.00040**	**0.0050**	**mg/L**	1	14-Mar-2020 00:42
1,1-Dichloroethene	U		0.00050	0.0050	mg/L	1	14-Mar-2020 00:42
1,2-Dichloroethane	U		0.00050	0.0050	mg/L	1	14-Mar-2020 00:42
1,2-Dichloropropane	U		0.00070	0.0050	mg/L	1	14-Mar-2020 00:42
2-Butanone	U		0.0010	0.010	mg/L	1	14-Mar-2020 00:42
2-Hexanone	U		0.0010	0.010	mg/L	1	14-Mar-2020 00:42
4-Methyl-2-pentanone	U		0.0010	0.010	mg/L	1	14-Mar-2020 00:42
Acetone	U		0.0020	0.010	mg/L	1	14-Mar-2020 00:42
Allyl Chloride	U		0.0030	0.010	mg/L	1	14-Mar-2020 00:42
Benzene	**0.00090**	J	**0.00060**	**0.0050**	**mg/L**	1	14-Mar-2020 00:42
Bromodichloromethane	U		0.00060	0.0050	mg/L	1	14-Mar-2020 00:42
Bromoform	U		0.00050	0.0050	mg/L	1	14-Mar-2020 00:42
Bromomethane	U		0.00050	0.0050	mg/L	1	14-Mar-2020 00:42
Carbon disulfide	U		0.00090	0.010	mg/L	1	14-Mar-2020 00:42
Carbon tetrachloride	U		0.00060	0.0050	mg/L	1	14-Mar-2020 00:42
Chlorobenzene	U		0.00040	0.0050	mg/L	1	14-Mar-2020 00:42
Chloroethane	U		0.00050	0.0050	mg/L	1	14-Mar-2020 00:42
Chloroform	U		0.00060	0.0050	mg/L	1	14-Mar-2020 00:42
Chloromethane	U		0.00050	0.0050	mg/L	1	14-Mar-2020 00:42
cis-1,2-Dichloroethene	U		0.00060	0.0050	mg/L	1	14-Mar-2020 00:42
cis-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	14-Mar-2020 00:42
Dibromochloromethane	U		0.00050	0.0050	mg/L	1	14-Mar-2020 00:42
Ethylbenzene	U		0.00050	0.0050	mg/L	1	14-Mar-2020 00:42
m,p-Xylene	U		0.00060	0.010	mg/L	1	14-Mar-2020 00:42
Methyl tert-butyl ether	U		0.00060	0.0050	mg/L	1	14-Mar-2020 00:42
Methylene chloride	U		0.0010	0.010	mg/L	1	14-Mar-2020 00:42
Naphthalene	U		0.00070	0.0050	mg/L	1	14-Mar-2020 00:42
o-Xylene	U		0.00050	0.0050	mg/L	1	14-Mar-2020 00:42
Styrene	U		0.00050	0.0050	mg/L	1	14-Mar-2020 00:42
Tert-butyl alcohol	**0.20**		**0.020**	**0.10**	**mg/L**	1	14-Mar-2020 00:42
Tetrachloroethene	U		0.00060	0.0050	mg/L	1	14-Mar-2020 00:42
Toluene	U		0.00050	0.0050	mg/L	1	14-Mar-2020 00:42
trans-1,2-Dichloroethene	U		0.00040	0.0050	mg/L	1	14-Mar-2020 00:42
trans-1,3-Dichloropropene	U		0.00060	0.0050	mg/L	1	14-Mar-2020 00:42
Trichloroethene	U		0.00050	0.0050	mg/L	1	14-Mar-2020 00:42
Vinyl chloride	U		0.00040	0.0020	mg/L	1	14-Mar-2020 00:42

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**
Project:	FLTG French Limited	WorkOrder:HS20030405
Sample ID:	SI-164	Lab ID:HS20030405-24
Collection Date:	09-Mar-2020 14:25	Matrix:Water

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
Xylenes, Total		U	0.00050	0.0050	mg/L	1	14-Mar-2020 00:42
Surr: 1,2-Dichloroethane-d4	*88.9*			*70-126*	*%REC*	*1*	*14-Mar-2020 00:42*
Surr: 4-Bromofluorobenzene	*97.3*			*82-124*	*%REC*	*1*	*14-Mar-2020 00:42*
Surr: Dibromofluoromethane	*90.3*			*77-123*	*%REC*	*1*	*14-Mar-2020 00:42*
Surr: Toluene-d8	*107*			*82-127*	*%REC*	*1*	*14-Mar-2020 00:42*

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**	
Project:	FLTG French Limited	WorkOrder:HS20030405	
Sample ID:	CG-021720-62	Lab ID:HS20030405-25	
Collection Date:	09-Mar-2020 00:00	Matrix:Water	

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
1,1,1-Trichloroethane		U	0.00050	0.0050	mg/L	1	14-Mar-2020 00:18
1,1,2,2-Tetrachloroethane		U	0.00050	0.0050	mg/L	1	14-Mar-2020 00:18
1,1,2-Trichloroethane		U	0.00050	0.0050	mg/L	1	14-Mar-2020 00:18
1,1-Dichloroethane		U	0.00040	0.0050	mg/L	1	14-Mar-2020 00:18
1,1-Dichloroethene		U	0.00050	0.0050	mg/L	1	14-Mar-2020 00:18
1,2-Dichloroethane		U	0.00050	0.0050	mg/L	1	14-Mar-2020 00:18
1,2-Dichloropropane		U	0.00070	0.0050	mg/L	1	14-Mar-2020 00:18
2-Butanone		U	0.0010	0.010	mg/L	1	14-Mar-2020 00:18
2-Hexanone		U	0.0010	0.010	mg/L	1	14-Mar-2020 00:18
4-Methyl-2-pentanone		U	0.0010	0.010	mg/L	1	14-Mar-2020 00:18
Acetone		U	0.0020	0.010	mg/L	1	14-Mar-2020 00:18
Allyl Chloride		U	0.0030	0.010	mg/L	1	14-Mar-2020 00:18
Benzene		U	0.00060	0.0050	mg/L	1	14-Mar-2020 00:18
Bromodichloromethane		U	0.00060	0.0050	mg/L	1	14-Mar-2020 00:18
Bromoform		U	0.00050	0.0050	mg/L	1	14-Mar-2020 00:18
Bromomethane		U	0.00050	0.0050	mg/L	1	14-Mar-2020 00:18
Carbon disulfide		U	0.00090	0.010	mg/L	1	14-Mar-2020 00:18
Carbon tetrachloride		U	0.00060	0.0050	mg/L	1	14-Mar-2020 00:18
Chlorobenzene		U	0.00040	0.0050	mg/L	1	14-Mar-2020 00:18
Chloroethane		U	0.00050	0.0050	mg/L	1	14-Mar-2020 00:18
Chloroform		U	0.00060	0.0050	mg/L	1	14-Mar-2020 00:18
Chloromethane		U	0.00050	0.0050	mg/L	1	14-Mar-2020 00:18
cis-1,2-Dichloroethene		U	0.00060	0.0050	mg/L	1	14-Mar-2020 00:18
cis-1,3-Dichloropropene		U	0.00060	0.0050	mg/L	1	14-Mar-2020 00:18
Dibromochloromethane		U	0.00050	0.0050	mg/L	1	14-Mar-2020 00:18
Ethylbenzene		U	0.00050	0.0050	mg/L	1	14-Mar-2020 00:18
m,p-Xylene		U	0.00060	0.010	mg/L	1	14-Mar-2020 00:18
Methyl tert-butyl ether		U	0.00060	0.0050	mg/L	1	14-Mar-2020 00:18
Methylene chloride		U	0.0010	0.010	mg/L	1	14-Mar-2020 00:18
Naphthalene		U	0.00070	0.0050	mg/L	1	14-Mar-2020 00:18
o-Xylene		U	0.00050	0.0050	mg/L	1	14-Mar-2020 00:18
Styrene		U	0.00050	0.0050	mg/L	1	14-Mar-2020 00:18
Tert-butyl alcohol		U	0.020	0.10	mg/L	1	14-Mar-2020 00:18
Tetrachloroethene		U	0.00060	0.0050	mg/L	1	14-Mar-2020 00:18
Toluene		U	0.00050	0.0050	mg/L	1	14-Mar-2020 00:18
trans-1,2-Dichloroethene		U	0.00040	0.0050	mg/L	1	14-Mar-2020 00:18
trans-1,3-Dichloropropene		U	0.00060	0.0050	mg/L	1	14-Mar-2020 00:18
Trichloroethene		U	0.00050	0.0050	mg/L	1	14-Mar-2020 00:18
Vinyl chloride		U	0.00040	0.0020	mg/L	1	14-Mar-2020 00:18

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client:	Environmental Resources Management	**ANALYTICAL REPORT**
Project:	FLTG French Limited	WorkOrder:HS20030405
Sample ID:	CG-021720-62	Lab ID:HS20030405-25
Collection Date:	09-Mar-2020 00:00	Matrix:Water

ANALYSES	RESULT	QUAL	MDL	REPORT LIMIT	UNITS	DILUTION FACTOR	DATE ANALYZED
VOLATILES - SW8260C		**Method:SW8260**					Analyst: PC
Xylenes, Total		U	0.00050	0.0050	mg/L	1	14-Mar-2020 00:18
Surr: 1,2-Dichloroethane-d4	*89.7*			*70-126*	*%REC*	*1*	*14-Mar-2020 00:18*
Surr: 4-Bromofluorobenzene	*99.1*			*82-124*	*%REC*	*1*	*14-Mar-2020 00:18*
Surr: Dibromofluoromethane	*88.4*			*77-123*	*%REC*	*1*	*14-Mar-2020 00:18*
Surr: Toluene-d8	*105*			*82-127*	*%REC*	*1*	*14-Mar-2020 00:18*

Note: See Qualifiers Page for a list of qualifiers and their explanation.

RIGHT SOLUTIONS | RIGHT PARTNER

Client: Environmental Resources Management
Project: FLTG French Limited
WorkOrder: HS20030405

DATES REPORT

Sample ID	Client Samp ID	Collection Date	Leachate Date	Prep Date	Analysis Date	DF
Batch ID: R358120 (0)	**Test Name :** VOLATILES - SW8260C				**Matrix:** Water	
HS20030405-01	INT-127	09 Mar 2020 09:25			13 Mar 2020 15:29	1
HS20030405-02	S1-123	09 Mar 2020 10:15			13 Mar 2020 15:53	1
HS20030405-03	S1-149	09 Mar 2020 11:30			13 Mar 2020 16:17	1
HS20030405-04	S1-153	09 Mar 2020 10:55			13 Mar 2020 16:41	1
HS20030405-05	S1-154	09 Mar 2020 12:08			13 Mar 2020 13:05	5
HS20030405-06	S1-155	09 Mar 2020 13:00			13 Mar 2020 17:05	1
HS20030405-07	INT-235	09 Mar 2020 13:40			13 Mar 2020 20:42	5
HS20030405-08	S1-064	09 Mar 2020 09:42			13 Mar 2020 17:29	1
HS20030405-09	S1-105	09 Mar 2020 12:33			13 Mar 2020 17:53	1
HS20030405-10	S1-131	09 Mar 2020 10:20			13 Mar 2020 18:18	1
HS20030405-12	S1-139	09 Mar 2020 09:18			13 Mar 2020 19:06	1
HS20030405-13	SI-160	09 Mar 2020 11:30			13 Mar 2020 19:54	1
HS20030405-15	INT-123	09 Mar 2020 11:48			13 Mar 2020 20:18	1
Batch ID: R358156 (0)	**Test Name :** VOLATILES - SW8260C				**Matrix:** Water	
HS20030405-05	S1-154	09 Mar 2020 12:08			14 Mar 2020 08:43	50
HS20030405-14	INT-120	09 Mar 2020 11:08			14 Mar 2020 05:31	100
HS20030405-14	INT-120	09 Mar 2020 11:08			14 Mar 2020 05:07	10
HS20030405-16	INT-166	09 Mar 2020 10:28			14 Mar 2020 04:18	1
HS20030405-17	INT-167	09 Mar 2020 13:58			14 Mar 2020 06:19	50
HS20030405-18	INT-169	09 Mar 2020 13:45			14 Mar 2020 04:42	1
HS20030405-19	DUP1	09 Mar 2020 16:00			14 Mar 2020 02:18	1
HS20030405-20	INT-239	09 Mar 2020 14:55			14 Mar 2020 02:42	1
HS20030405-21	SI-121	09 Mar 2020 14:43			14 Mar 2020 03:06	1
HS20030405-22	SI-143	09 Mar 2020 14:55			14 Mar 2020 03:30	1
HS20030405-23	SI-159	09 Mar 2020 12:20			14 Mar 2020 03:54	1
HS20030405-24	SI-164	09 Mar 2020 14:25			14 Mar 2020 00:42	1
HS20030405-25	CG-021720-62	09 Mar 2020 00:00			14 Mar 2020 00:18	1
Batch ID: R358197 (0)	**Test Name :** VOLATILES - SW8260C				**Matrix:** Water	
HS20030405-01	INT-127	09 Mar 2020 09:25			15 Mar 2020 15:09	5
HS20030405-03	S1-149	09 Mar 2020 11:30			15 Mar 2020 20:45	5
HS20030405-07	INT-235	09 Mar 2020 13:40			15 Mar 2020 21:09	100
HS20030405-08	S1-064	09 Mar 2020 09:42			15 Mar 2020 21:33	20
HS20030405-10	S1-131	09 Mar 2020 10:20			15 Mar 2020 21:57	25
HS20030405-11	S1-138	09 Mar 2020 10:50			15 Mar 2020 14:21	1
HS20030405-12	S1-139	09 Mar 2020 09:18			15 Mar 2020 22:21	10

RIGHT SOLUTIONS | RIGHT PARTNER

Client: Environmental Resources Management
Project: FLTG French Limited
WorkOrder: HS20030405

DATES REPORT

Sample ID	Client Samp ID	Collection Date	Leachate Date	Prep Date	Analysis Date	DF
Batch ID: R358251 (0)	**Test Name :** VOLATILES - SW8260C				**Matrix:** Water	
HS20030405-11	S1-138	09 Mar 2020 10:50			16 Mar 2020 16:04	10
HS20030405-15	INT-123	09 Mar 2020 11:48			16 Mar 2020 16:28	5
HS20030405-16	INT-166	09 Mar 2020 10:28			16 Mar 2020 16:52	5
Batch ID: R358363 (0)	**Test Name :** VOLATILES - SW8260C				**Matrix:** Water	
HS20030405-17	INT-167	09 Mar 2020 13:58			17 Mar 2020 18:59	1000
HS20030405-17	INT-167	09 Mar 2020 13:58			17 Mar 2020 16:32	500

RIGHT SOLUTIONS | RIGHT PARTNER

Client: Environmental Resources Management
Project: FLTG French Limited
WorkOrder: HS20030405

QC BATCH REPORT

Batch ID: R358120 (0) **Instrument:** VOA6 **Method:** VOLATILES - SW8260C

MBLK Sample ID: **VBLKW-200313** Units: **mg/L** Analysis Date: **13-Mar-2020 12:17**
Client ID: Run ID: **VOA6_358120** SeqNo: **5511673** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
1,1,1-Trichloroethane	U	0.0050								
1,1,2,2-Tetrachloroethane	U	0.0050								
1,1,2-Trichloroethane	U	0.0050								
1,1-Dichloroethane	U	0.0050								
1,1-Dichloroethene	U	0.0050								
1,2-Dichloroethane	U	0.0050								
1,2-Dichloropropane	U	0.0050								
2-Butanone	U	0.010								
2-Hexanone	U	0.010								
4-Methyl-2-pentanone	U	0.010								
Acetone	U	0.010								
Allyl Chloride	U	0.010								
Benzene	U	0.0050								
Bromodichloromethane	U	0.0050								
Bromoform	U	0.0050								
Bromomethane	U	0.0050								
Carbon disulfide	U	0.010								
Carbon tetrachloride	U	0.0050								
Chlorobenzene	U	0.0050								
Chloroethane	U	0.0050								
Chloroform	U	0.0050								
Chloromethane	U	0.0050								
cis-1,2-Dichloroethene	U	0.0050								
cis-1,3-Dichloropropene	U	0.0050								
Dibromochloromethane	U	0.0050								
Ethylbenzene	U	0.0050								
m,p-Xylene	U	0.010								
Methyl tert-butyl ether	U	0.0050								
Methylene chloride	U	0.010								
Naphthalene	U	0.0050								
o-Xylene	U	0.0050								
Styrene	U	0.0050								
Tert-butyl alcohol	U	0.10								
Tetrachloroethene	U	0.0050								

RIGHT SOLUTIONS | RIGHT PARTNER

Client: Environmental Resources Management
Project: FLTG French Limited
WorkOrder: HS20030405

QC BATCH REPORT

Batch ID: **R358120 (0)** **Instrument:** **VOA6** **Method:** **VOLATILES - SW8260C**

MBLK Sample ID: **VBLKW-200313** Units: **mg/L** Analysis Date: **13-Mar-2020 12:17**
Client ID: Run ID: **VOA6_358120** SeqNo: **5511673** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Toluene	U	0.0050								
trans-1,2-Dichloroethene	U	0.0050								
trans-1,3-Dichloropropene	U	0.0050								
Trichloroethene	U	0.0050								
Vinyl chloride	U	0.0020								
Xylenes, Total	U	0.0050								
Surr: 1,2-Dichloroethane-d4	*0.045*	*0*	*0.05*	*0*	*89.6*	*70 - 130*				
Surr: 4-Bromofluorobenzene	*0.050*	*0*	*0.05*	*0*	*99.7*	*82 - 115*				
Surr: Dibromofluoromethane	*0.046*	*0*	*0.05*	*0*	*92.2*	*73 - 126*				
Surr: Toluene-d8	*0.052*	*0*	*0.05*	*0*	*105*	*81 - 120*				

RIGHT SOLUTIONS | RIGHT PARTNER

Client: Environmental Resources Management
Project: FLTG French Limited
WorkOrder: HS20030405

QC BATCH REPORT

Batch ID: R358120 (0) **Instrument:** VOA6 **Method:** VOLATILES - SW8260C

LCS Sample ID: **VLCSW-200313** Units: **mg/L** Analysis Date: **13-Mar-2020 11:29**
Client ID: Run ID: **VOA6_358120** SeqNo: **5511672** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
1,1,1-Trichloroethane	0.019	0.0050	0.02	0	97.3	70 - 130				
1,1,2,2-Tetrachloroethane	0.019	0.0050	0.02	0	97.0	70 - 120				
1,1,2-Trichloroethane	0.020	0.0050	0.02	0	99.6	77 - 113				
1,1-Dichloroethane	0.020	0.0050	0.02	0	98.4	71 - 122				
1,1-Dichloroethene	0.019	0.0050	0.02	0	97.1	70 - 130				
1,2-Dichloroethane	0.020	0.0050	0.02	0	101	70 - 124				
1,2-Dichloropropane	0.019	0.0050	0.02	0	96.5	72 - 119				
2-Butanone	0.039	0.010	0.04	0	97.9	70 - 130				
2-Hexanone	0.040	0.010	0.04	0	99.5	70 - 130				
4-Methyl-2-pentanone	0.038	0.010	0.04	0	94.2	70 - 130				
Acetone	0.041	0.010	0.04	0	102	70 - 130				
Allyl Chloride	0.020	0.010	0.02	0	97.6	70 - 130				
Benzene	0.020	0.0050	0.02	0	101	74 - 120				
Bromodichloromethane	0.020	0.0050	0.02	0	101	74 - 122				
Bromoform	0.020	0.0050	0.02	0	102	73 - 128				
Bromomethane	0.022	0.0050	0.02	0	108	70 - 130				
Carbon disulfide	0.039	0.010	0.04	0	98.1	70 - 130				
Carbon tetrachloride	0.019	0.0050	0.02	0	95.3	71 - 125				
Chlorobenzene	0.021	0.0050	0.02	0	103	76 - 113				
Chloroethane	0.019	0.0050	0.02	0	93.6	70 - 130				
Chloroform	0.020	0.0050	0.02	0	99.4	71 - 121				
Chloromethane	0.019	0.0050	0.02	0	93.7	70 - 129				
cis-1,2-Dichloroethene	0.021	0.0050	0.02	0	106	75 - 122				
cis-1,3-Dichloropropene	0.020	0.0050	0.02	0	101	73 - 127				
Dibromochloromethane	0.020	0.0050	0.02	0	99.4	77 - 122				
Ethylbenzene	0.020	0.0050	0.02	0	101	77 - 117				
m,p-Xylene	0.041	0.010	0.04	0	101	77 - 122				
Methyl tert-butyl ether	0.020	0.0050	0.02	0	101	70 - 130				
Methylene chloride	0.019	0.010	0.02	0	96.9	70 - 127				
Naphthalene	0.021	0.0050	0.02	0	106	70 - 130				
o-Xylene	0.020	0.0050	0.02	0	98.7	75 - 119				
Styrene	0.020	0.0050	0.02	0	101	72 - 126				
Tert-butyl alcohol	0.40	0.10	0.4	0	98.8	70 - 130				
Tetrachloroethene	0.019	0.0050	0.02	0	97.4	76 - 119				

RIGHT SOLUTIONS | RIGHT PARTNER

Client: Environmental Resources Management
Project: FLTG French Limited
WorkOrder: HS20030405

QC BATCH REPORT

Batch ID: **R358120 (0)** **Instrument:** **VOA6** **Method:** **VOLATILES - SW8260C**

LCS Sample ID: **VLCSW-200313** Units: **mg/L** Analysis Date: **13-Mar-2020 11:29**
Client ID: Run ID: **VOA6_358120** SeqNo: **5511672** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Toluene	0.020	0.0050	0.02	0	99.2	77 - 118				
trans-1,2-Dichloroethene	0.020	0.0050	0.02	0	99.6	72 - 127				
trans-1,3-Dichloropropene	0.021	0.0050	0.02	0	103	77 - 119				
Trichloroethene	0.020	0.0050	0.02	0	97.6	77 - 121				
Vinyl chloride	0.019	0.0020	0.02	0	96.7	70 - 130				
Xylenes, Total	0.060	0.0050	0.06	0	101	75 - 122				
Surr: 1,2-Dichloroethane-d4	*0.052*	*0*	*0.05*	*0*	*104*	*70 - 130*				
Surr: 4-Bromofluorobenzene	*0.051*	*0*	*0.05*	*0*	*102*	*82 - 115*				
Surr: Dibromofluoromethane	*0.050*	*0*	*0.05*	*0*	*101*	*73 - 126*				
Surr: Toluene-d8	*0.050*	*0*	*0.05*	*0*	*100*	*81 - 120*				

RIGHT SOLUTIONS | RIGHT PARTNER

Client: Environmental Resources Management
Project: FLTG French Limited
WorkOrder: HS20030405

QC BATCH REPORT

Batch ID: R358120 (0) **Instrument:** VOA6 **Method:** VOLATILES - SW8260C

MS Sample ID: **HS20030413-01MS** Units: **mg/L** Analysis Date: **13-Mar-2020 14:17**
Client ID: Run ID: **VOA6_358120** SeqNo: **5511957** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
1,1,1-Trichloroethane	0.019	0.0050	0.02	0	96.6	70 - 130				
1,1,2,2-Tetrachloroethane	0.021	0.0050	0.02	0	106	70 - 123				
1,1,2-Trichloroethane	0.020	0.0050	0.02	0	102	70 - 117				
1,1-Dichloroethane	0.019	0.0050	0.02	0	94.0	70 - 127				
1,1-Dichloroethene	0.019	0.0050	0.02	0	93.4	70 - 130				
1,2-Dichloroethane	0.020	0.0050	0.02	0	98.6	70 - 127				
1,2-Dichloropropane	0.019	0.0050	0.02	0	95.4	70 - 122				
2-Butanone	0.038	0.010	0.04	0.005008	83.4	70 - 130				
2-Hexanone	0.042	0.010	0.04	0	105	70 - 130				
4-Methyl-2-pentanone	0.040	0.010	0.04	0	100	70 - 130				
Acetone	0.041	0.010	0.04	0.005809	88.4	70 - 130				
Allyl Chloride	0.019	0.010	0.02	0	94.4	70 - 130				
Benzene	0.020	0.0050	0.02	0	102	70 - 127				
Bromodichloromethane	0.020	0.0050	0.02	0	101	70 - 124				
Bromoform	0.021	0.0050	0.02	0	107	70 - 129				
Bromomethane	0.018	0.0050	0.02	0	90.5	70 - 130				
Carbon disulfide	0.036	0.010	0.04	0	91.2	70 - 130				
Carbon tetrachloride	0.020	0.0050	0.02	0	102	70 - 130				
Chlorobenzene	0.021	0.0050	0.02	0	107	70 - 114				
Chloroethane	0.018	0.0050	0.02	0	89.9	70 - 130				
Chloroform	0.018	0.0050	0.02	0	90.5	70 - 125				
Chloromethane	0.016	0.0050	0.02	0	78.6	70 - 130				
cis-1,2-Dichloroethene	0.021	0.0050	0.02	0.001465	98.3	70 - 128				
cis-1,3-Dichloropropene	0.020	0.0050	0.02	0	99.4	70 - 125				
Dibromochloromethane	0.021	0.0050	0.02	0	103	70 - 124				
Ethylbenzene	0.021	0.0050	0.02	0	106	70 - 124				
m,p-Xylene	0.044	0.010	0.04	0	110	70 - 130				
Methyl tert-butyl ether	0.018	0.0050	0.02	0	88.4	70 - 130				
Methylene chloride	0.018	0.010	0.02	0	90.4	70 - 128				
Naphthalene	0.016	0.0050	0.02	0	82.1	70 - 130				
o-Xylene	0.022	0.0050	0.02	0	108	70 - 124				
Styrene	0.022	0.0050	0.02	0	111	70 - 130				
Tert-butyl alcohol	0.38	0.10	0.4	0	95.9	70 - 130				
Tetrachloroethene	0.027	0.0050	0.02	0.003773	115	70 - 130				

RIGHT SOLUTIONS | RIGHT PARTNER

Client: Environmental Resources Management
Project: FLTG French Limited
WorkOrder: HS20030405

QC BATCH REPORT

Batch ID: **R358120 (0)** **Instrument:** **VOA6** **Method:** **VOLATILES - SW8260C**

MS Sample ID: **HS20030413-01MS** Units: **mg/L** Analysis Date: **13-Mar-2020 14:17**
Client ID: Run ID: **VOA6_358120** SeqNo: **5511957** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Toluene	0.039	0.0050	0.02	0.01758	106	70 - 123				
trans-1,2-Dichloroethene	0.019	0.0050	0.02	0	93.9	70 - 130				
trans-1,3-Dichloropropene	0.020	0.0050	0.02	0	100	70 - 121				
Trichloroethene	0.021	0.0050	0.02	0.0007912	100	70 - 129				
Vinyl chloride	0.017	0.0020	0.02	0	84.5	70 - 130				
Xylenes, Total	0.066	0.0050	0.06	0	109	70 - 130				
Surr: 1,2-Dichloroethane-d4	*0.046*	*0*	*0.05*	*0*	*91.4*	*70 - 126*				
Surr: 4-Bromofluorobenzene	*0.050*	*0*	*0.05*	*0*	*99.9*	*82 - 124*				
Surr: Dibromofluoromethane	*0.046*	*0*	*0.05*	*0*	*91.3*	*77 - 123*				
Surr: Toluene-d8	*0.052*	*0*	*0.05*	*0*	*104*	*82 - 127*				

RIGHT SOLUTIONS | RIGHT PARTNER

Client: Environmental Resources Management
Project: FLTG French Limited
WorkOrder: HS20030405

QC BATCH REPORT

Batch ID: R358120 (0) **Instrument:** VOA6 **Method:** VOLATILES - SW8260C

MSD Sample ID: **HS20030413-01MSD** Units: **mg/L** Analysis Date: **13-Mar-2020 14:41**
Client ID: Run ID: **VOA6_358120** SeqNo: **5511958** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
1,1,1-Trichloroethane	0.018	0.0050	0.02	0	90.1	70 - 130	0.01932	6.95	20	
1,1,2,2-Tetrachloroethane	0.020	0.0050	0.02	0	99.1	70 - 123	0.02127	7.1	20	
1,1,2-Trichloroethane	0.020	0.0050	0.02	0	99.5	70 - 117	0.02050	2.99	20	
1,1-Dichloroethane	0.018	0.0050	0.02	0	88.5	70 - 127	0.01880	6.01	20	
1,1-Dichloroethene	0.018	0.0050	0.02	0	91.1	70 - 130	0.01869	2.5	20	
1,2-Dichloroethane	0.020	0.0050	0.02	0	98.5	70 - 127	0.01972	0.123	20	
1,2-Dichloropropane	0.019	0.0050	0.02	0	92.7	70 - 122	0.01908	2.83	20	
2-Butanone	0.041	0.010	0.04	0.005008	89.3	70 - 130	0.03836	5.95	20	
2-Hexanone	0.043	0.010	0.04	0	107	70 - 130	0.04186	2.34	20	
4-Methyl-2-pentanone	0.040	0.010	0.04	0	99.2	70 - 130	0.04019	1.27	20	
Acetone	0.040	0.010	0.04	0.005809	85.1	70 - 130	0.04116	3.19	20	
Allyl Chloride	0.019	0.010	0.02	0	93.3	70 - 130	0.01888	1.16	20	
Benzene	0.020	0.0050	0.02	0	98.7	70 - 127	0.02043	3.47	20	
Bromodichloromethane	0.020	0.0050	0.02	0	98.1	70 - 124	0.02019	2.89	20	
Bromoform	0.021	0.0050	0.02	0	106	70 - 129	0.02147	1.48	20	
Bromomethane	0.017	0.0050	0.02	0	85.6	70 - 130	0.01811	5.6	20	
Carbon disulfide	0.034	0.010	0.04	0	85.3	70 - 130	0.03648	6.62	20	
Carbon tetrachloride	0.020	0.0050	0.02	0	98.1	70 - 130	0.02046	4.18	20	
Chlorobenzene	0.020	0.0050	0.02	0	101	70 - 114	0.02131	4.96	20	
Chloroethane	0.016	0.0050	0.02	0	80.6	70 - 130	0.01797	10.8	20	
Chloroform	0.018	0.0050	0.02	0	88.7	70 - 125	0.01810	2.02	20	
Chloromethane	0.015	0.0050	0.02	0	74.9	70 - 130	0.01572	4.87	20	
cis-1,2-Dichloroethene	0.020	0.0050	0.02	0.001465	95.2	70 - 128	0.02113	3.02	20	
cis-1,3-Dichloropropene	0.019	0.0050	0.02	0	96.8	70 - 125	0.01987	2.63	20	
Dibromochloromethane	0.020	0.0050	0.02	0	100	70 - 124	0.02061	2.87	20	
Ethylbenzene	0.021	0.0050	0.02	0	105	70 - 124	0.02123	1.53	20	
m,p-Xylene	0.043	0.010	0.04	0	108	70 - 130	0.04415	2.4	20	
Methyl tert-butyl ether	0.018	0.0050	0.02	0	88.1	70 - 130	0.01768	0.342	20	
Methylene chloride	0.018	0.010	0.02	0	88.7	70 - 128	0.01808	1.85	20	
Naphthalene	0.021	0.0050	0.02	0	107	70 - 130	0.01642	26.6	20	R
o-Xylene	0.021	0.0050	0.02	0	103	70 - 124	0.02151	4.49	20	
Styrene	0.021	0.0050	0.02	0	104	70 - 130	0.02225	6.28	20	
Tert-butyl alcohol	0.42	0.10	0.4	0	104	70 - 130	0.3836	8.52	20	
Tetrachloroethene	0.026	0.0050	0.02	0.003773	110	70 - 130	0.02678	3.92	20	

RIGHT SOLUTIONS | RIGHT PARTNER

Client: Environmental Resources Management
Project: FLTG French Limited
WorkOrder: HS20030405

QC BATCH REPORT

Batch ID: **R358120 (0)** **Instrument:** **VOA6** **Method:** **VOLATILES - SW8260C**

MSD Sample ID: **HS20030413-01MSD** Units: **mg/L** Analysis Date: **13-Mar-2020 14:41**
Client ID: Run ID: **VOA6_358120** SeqNo: **5511958** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Toluene	0.037	0.0050	0.02	0.01758	98.3	70 - 123	0.03884	4.2	20	
trans-1,2-Dichloroethene	0.018	0.0050	0.02	0	92.3	70 - 130	0.01879	1.72	20	
trans-1,3-Dichloropropene	0.020	0.0050	0.02	0	98.5	70 - 121	0.02002	1.64	20	
Trichloroethene	0.021	0.0050	0.02	0.0007912	99.1	70 - 129	0.02079	0.851	20	
Vinyl chloride	0.016	0.0020	0.02	0	79.0	70 - 130	0.01690	6.67	20	
Xylenes, Total	0.064	0.0050	0.06	0	106	70 - 130	0.06567	3.08	20	
Surr: 1,2-Dichloroethane-d4	*0.045*	*0*	*0.05*	*0*	*89.2*	*70 - 126*	*0.04572*	*2.46*	*20*	
Surr: 4-Bromofluorobenzene	*0.050*	*0*	*0.05*	*0*	*99.3*	*82 - 124*	*0.04995*	*0.564*	*20*	
Surr: Dibromofluoromethane	*0.046*	*0*	*0.05*	*0*	*91.5*	*77 - 123*	*0.04567*	*0.159*	*20*	
Surr: Toluene-d8	*0.052*	*0*	*0.05*	*0*	*105*	*82 - 127*	*0.05220*	*0.16*	*20*	

The following samples were analyzed in this batch:

HS20030405-01	HS20030405-02	HS20030405-03	HS20030405-04
HS20030405-05	HS20030405-06	HS20030405-07	HS20030405-08
HS20030405-09	HS20030405-10	HS20030405-12	HS20030405-13
HS20030405-15			

RIGHT SOLUTIONS | RIGHT PARTNER

Client: Environmental Resources Management
Project: FLTG French Limited
WorkOrder: HS20030405

QC BATCH REPORT

Batch ID: **R358156 (0)** **Instrument:** **VOA6** **Method:** **VOLATILES - SW8260C**

MBLK Sample ID: **VBLKW-200313** Units: **mg/L** Analysis Date: **13-Mar-2020 23:54**
Client ID: Run ID: **VOA6_358156** SeqNo: **5512412** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
1,1,1-Trichloroethane	U	0.0050								
1,1,2,2-Tetrachloroethane	U	0.0050								
1,1,2-Trichloroethane	U	0.0050								
1,1-Dichloroethane	U	0.0050								
1,1-Dichloroethene	U	0.0050								
1,2-Dichloroethane	U	0.0050								
1,2-Dichloropropane	U	0.0050								
2-Butanone	U	0.010								
2-Hexanone	U	0.010								
4-Methyl-2-pentanone	U	0.010								
Acetone	U	0.010								
Allyl Chloride	U	0.010								
Benzene	U	0.0050								
Bromodichloromethane	U	0.0050								
Bromoform	U	0.0050								
Bromomethane	U	0.0050								
Carbon disulfide	U	0.010								
Carbon tetrachloride	U	0.0050								
Chlorobenzene	U	0.0050								
Chloroethane	U	0.0050								
Chloroform	U	0.0050								
Chloromethane	U	0.0050								
cis-1,2-Dichloroethene	U	0.0050								
cis-1,3-Dichloropropene	U	0.0050								
Dibromochloromethane	U	0.0050								
Ethylbenzene	U	0.0050								
m,p-Xylene	U	0.010								
Methyl tert-butyl ether	U	0.0050								
Methylene chloride	U	0.010								
Naphthalene	U	0.0050								
o-Xylene	U	0.0050								
Styrene	U	0.0050								
Tert-butyl alcohol	U	0.10								
Tetrachloroethene	U	0.0050								

RIGHT SOLUTIONS | RIGHT PARTNER

Client: Environmental Resources Management
Project: FLTG French Limited
WorkOrder: HS20030405

QC BATCH REPORT

Batch ID: **R358156 (0)** **Instrument:** **VOA6** **Method:** **VOLATILES - SW8260C**

MBLK Sample ID: **VBLKW-200313** Units: **mg/L** Analysis Date: **13-Mar-2020 23:54**
Client ID: Run ID: **VOA6_358156** SeqNo: **5512412** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Toluene	U	0.0050								
trans-1,2-Dichloroethene	U	0.0050								
trans-1,3-Dichloropropene	U	0.0050								
Trichloroethene	U	0.0050								
Vinyl chloride	U	0.0020								
Xylenes, Total	U	0.0050								
Surr: 1,2-Dichloroethane-d4	*0.045*	*0*	*0.05*	*0*	*90.0*	*70 - 130*				
Surr: 4-Bromofluorobenzene	*0.048*	*0*	*0.05*	*0*	*96.3*	*82 - 115*				
Surr: Dibromofluoromethane	*0.045*	*0*	*0.05*	*0*	*90.8*	*73 - 126*				
Surr: Toluene-d8	*0.053*	*0*	*0.05*	*0*	*106*	*81 - 120*				

RIGHT SOLUTIONS | RIGHT PARTNER

Client: Environmental Resources Management
Project: FLTG French Limited
WorkOrder: HS20030405

QC BATCH REPORT

Batch ID: R358156 (0) **Instrument:** VOA6 **Method:** VOLATILES - SW8260C

LCS Sample ID: **VLCSW-200313** Units: **mg/L** Analysis Date: **13-Mar-2020 23:06**
Client ID: Run ID: **VOA6_358156** SeqNo: **5512411** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
1,1,1-Trichloroethane	0.019	0.0050	0.02	0	96.0	70 - 130				
1,1,2,2-Tetrachloroethane	0.019	0.0050	0.02	0	94.6	70 - 120				
1,1,2-Trichloroethane	0.019	0.0050	0.02	0	96.9	77 - 113				
1,1-Dichloroethane	0.019	0.0050	0.02	0	97.1	71 - 122				
1,1-Dichloroethene	0.019	0.0050	0.02	0	95.6	70 - 130				
1,2-Dichloroethane	0.020	0.0050	0.02	0	97.8	70 - 124				
1,2-Dichloropropane	0.018	0.0050	0.02	0	91.8	72 - 119				
2-Butanone	0.037	0.010	0.04	0	91.6	70 - 130				
2-Hexanone	0.038	0.010	0.04	0	94.3	70 - 130				
4-Methyl-2-pentanone	0.036	0.010	0.04	0	90.9	70 - 130				
Acetone	0.038	0.010	0.04	0	95.6	70 - 130				
Allyl Chloride	0.018	0.010	0.02	0	91.1	70 - 130				
Benzene	0.019	0.0050	0.02	0	97.2	74 - 120				
Bromodichloromethane	0.020	0.0050	0.02	0	98.6	74 - 122				
Bromoform	0.020	0.0050	0.02	0	102	73 - 128				
Bromomethane	0.022	0.0050	0.02	0	110	70 - 130				
Carbon disulfide	0.038	0.010	0.04	0	95.5	70 - 130				
Carbon tetrachloride	0.019	0.0050	0.02	0	94.1	71 - 125				
Chlorobenzene	0.020	0.0050	0.02	0	100	76 - 113				
Chloroethane	0.018	0.0050	0.02	0	91.2	70 - 130				
Chloroform	0.019	0.0050	0.02	0	95.1	71 - 121				
Chloromethane	0.018	0.0050	0.02	0	89.3	70 - 129				
cis-1,2-Dichloroethene	0.021	0.0050	0.02	0	106	75 - 122				
cis-1,3-Dichloropropene	0.019	0.0050	0.02	0	97.2	73 - 127				
Dibromochloromethane	0.020	0.0050	0.02	0	98.0	77 - 122				
Ethylbenzene	0.019	0.0050	0.02	0	94.0	77 - 117				
m,p-Xylene	0.039	0.010	0.04	0	98.5	77 - 122				
Methyl tert-butyl ether	0.019	0.0050	0.02	0	95.2	70 - 130				
Methylene chloride	0.020	0.010	0.02	0	101	70 - 127				
Naphthalene	0.020	0.0050	0.02	0	97.8	70 - 130				
o-Xylene	0.019	0.0050	0.02	0	95.9	75 - 119				
Styrene	0.020	0.0050	0.02	0	98.4	72 - 126				
Tert-butyl alcohol	0.40	0.10	0.4	0	99.1	70 - 130				
Tetrachloroethene	0.020	0.0050	0.02	0	100	76 - 119				

RIGHT SOLUTIONS | RIGHT PARTNER

Client: Environmental Resources Management
Project: FLTG French Limited
WorkOrder: HS20030405

QC BATCH REPORT

Batch ID: **R358156 (0)** **Instrument:** **VOA6** **Method:** **VOLATILES - SW8260C**

LCS Sample ID: **VLCSW-200313** Units: **mg/L** Analysis Date: **13-Mar-2020 23:06**
Client ID: Run ID: **VOA6_358156** SeqNo: **5512411** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Toluene	0.020	0.0050	0.02	0	97.6	77 - 118				
trans-1,2-Dichloroethene	0.020	0.0050	0.02	0	102	72 - 127				
trans-1,3-Dichloropropene	0.020	0.0050	0.02	0	98.6	77 - 119				
Trichloroethene	0.019	0.0050	0.02	0	95.4	77 - 121				
Vinyl chloride	0.018	0.0020	0.02	0	91.3	70 - 130				
Xylenes, Total	0.059	0.0050	0.06	0	97.6	75 - 122				
Surr: 1,2-Dichloroethane-d4	*0.053*	*0*	*0.05*	*0*	*106*	*70 - 130*				
Surr: 4-Bromofluorobenzene	*0.052*	*0*	*0.05*	*0*	*104*	*82 - 115*				
Surr: Dibromofluoromethane	*0.051*	*0*	*0.05*	*0*	*102*	*73 - 126*				
Surr: Toluene-d8	*0.052*	*0*	*0.05*	*0*	*103*	*81 - 120*				

RIGHT SOLUTIONS | RIGHT PARTNER

Client: Environmental Resources Management
Project: FLTG French Limited
WorkOrder: HS20030405

QC BATCH REPORT

Batch ID: **R358156 (0)** **Instrument:** **VOA6** **Method:** **VOLATILES - SW8260C**

MS Sample ID: **HS20030405-24MS** Units: **mg/L** Analysis Date: **14-Mar-2020 01:06**
Client ID: **SI-164** Run ID: **VOA6_358156** SeqNo: **5512415** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
1,1,1-Trichloroethane	0.019	0.0050	0.02	0	94.9	70 - 130				
1,1,2,2-Tetrachloroethane	0.021	0.0050	0.02	0	103	70 - 123				
1,1,2-Trichloroethane	0.020	0.0050	0.02	0	99.6	70 - 117				
1,1-Dichloroethane	0.019	0.0050	0.02	0.001186	91.2	70 - 127				
1,1-Dichloroethene	0.019	0.0050	0.02	0	95.1	70 - 130				
1,2-Dichloroethane	0.019	0.0050	0.02	0	97.3	70 - 127				
1,2-Dichloropropane	0.019	0.0050	0.02	0	94.9	70 - 122				
2-Butanone	0.032	0.010	0.04	0	80.0	70 - 130				
2-Hexanone	0.040	0.010	0.04	0	100	70 - 130				
4-Methyl-2-pentanone	0.039	0.010	0.04	0	97.5	70 - 130				
Acetone	0.032	0.010	0.04	0	79.8	70 - 130				
Allyl Chloride	0.018	0.010	0.02	0	92.2	70 - 130				
Benzene	0.021	0.0050	0.02	0.0009038	98.6	70 - 127				
Bromodichloromethane	0.019	0.0050	0.02	0	96.8	70 - 124				
Bromoform	0.021	0.0050	0.02	0	103	70 - 129				
Bromomethane	0.018	0.0050	0.02	0	89.8	70 - 130				
Carbon disulfide	0.036	0.010	0.04	0	90.2	70 - 130				
Carbon tetrachloride	0.020	0.0050	0.02	0	100	70 - 130				
Chlorobenzene	0.021	0.0050	0.02	0	107	70 - 114				
Chloroethane	0.031	0.0050	0.02	0	155	70 - 130				S
Chloroform	0.018	0.0050	0.02	0	89.8	70 - 125				
Chloromethane	0.015	0.0050	0.02	0	76.8	70 - 130				
cis-1,2-Dichloroethene	0.019	0.0050	0.02	0	97.4	70 - 128				
cis-1,3-Dichloropropene	0.019	0.0050	0.02	0	95.4	70 - 125				
Dibromochloromethane	0.020	0.0050	0.02	0	98.8	70 - 124				
Ethylbenzene	0.021	0.0050	0.02	0	105	70 - 124				
m,p-Xylene	0.043	0.010	0.04	0	108	70 - 130				
Methyl tert-butyl ether	0.019	0.0050	0.02	0	92.8	70 - 130				
Methylene chloride	0.018	0.010	0.02	0	87.9	70 - 128				
Naphthalene	0.018	0.0050	0.02	0	91.5	70 - 130				
o-Xylene	0.021	0.0050	0.02	0	105	70 - 124				
Styrene	0.021	0.0050	0.02	0	103	70 - 130				
Tert-butyl alcohol	0.57	0.10	0.4	0.1989	93.8	70 - 130				
Tetrachloroethene	0.022	0.0050	0.02	0	110	70 - 130				

RIGHT SOLUTIONS | RIGHT PARTNER

Client: Environmental Resources Management
Project: FLTG French Limited
WorkOrder: HS20030405

QC BATCH REPORT

Batch ID: **R358156 (0)** **Instrument:** **VOA6** **Method:** **VOLATILES - SW8260C**

MS Sample ID: **HS20030405-24MS** Units: **mg/L** Analysis Date: **14-Mar-2020 01:06**
Client ID: **SI-164** Run ID: **VOA6_358156** SeqNo: **5512415** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Toluene	0.021	0.0050	0.02	0	104	70 - 123				
trans-1,2-Dichloroethene	0.018	0.0050	0.02	0	88.1	70 - 130				
trans-1,3-Dichloropropene	0.019	0.0050	0.02	0	96.3	70 - 121				
Trichloroethene	0.020	0.0050	0.02	0	101	70 - 129				
Vinyl chloride	0.017	0.0020	0.02	0	87.2	70 - 130				
Xylenes, Total	0.064	0.0050	0.06	0	107	70 - 130				
Surr: 1,2-Dichloroethane-d4	*0.046*	*0*	*0.05*	*0*	*91.5*	*70 - 126*				
Surr: 4-Bromofluorobenzene	*0.049*	*0*	*0.05*	*0*	*98.5*	*82 - 124*				
Surr: Dibromofluoromethane	*0.046*	*0*	*0.05*	*0*	*91.2*	*77 - 123*				
Surr: Toluene-d8	*0.052*	*0*	*0.05*	*0*	*104*	*82 - 127*				

RIGHT SOLUTIONS | RIGHT PARTNER

Client: Environmental Resources Management
Project: FLTG French Limited
WorkOrder: HS20030405

QC BATCH REPORT

Batch ID: **R358156 (0)** **Instrument:** **VOA6** **Method:** **VOLATILES - SW8260C**

MSD Sample ID: **HS20030405-24MSD** Units: **mg/L** Analysis Date: **14-Mar-2020 01:30**
Client ID: **SI-164** Run ID: **VOA6_358156** SeqNo: **5512416** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	RPD %RPD	RPD Limit	Qual
1,1,1-Trichloroethane	0.018	0.0050	0.02	0	90.1	70 - 130	0.01898	5.26	20	
1,1,2,2-Tetrachloroethane	0.020	0.0050	0.02	0	97.8	70 - 123	0.02054	4.85	20	
1,1,2-Trichloroethane	0.019	0.0050	0.02	0	93.0	70 - 117	0.01992	6.91	20	
1,1-Dichloroethane	0.018	0.0050	0.02	0.001186	86.4	70 - 127	0.01943	5.1	20	
1,1-Dichloroethene	0.017	0.0050	0.02	0	87.4	70 - 130	0.01902	8.42	20	
1,2-Dichloroethane	0.019	0.0050	0.02	0	94.9	70 - 127	0.01945	2.48	20	
1,2-Dichloropropane	0.017	0.0050	0.02	0	86.7	70 - 122	0.01898	9.04	20	
2-Butanone	0.031	0.010	0.04	0	78.1	70 - 130	0.03201	2.41	20	
2-Hexanone	0.039	0.010	0.04	0	98.3	70 - 130	0.04019	2.18	20	
4-Methyl-2-pentanone	0.038	0.010	0.04	0	95.3	70 - 130	0.03899	2.28	20	
Acetone	0.033	0.010	0.04	0	82.0	70 - 130	0.03194	2.7	20	
Allyl Chloride	0.018	0.010	0.02	0	88.6	70 - 130	0.01844	3.96	20	
Benzene	0.019	0.0050	0.02	0.0009038	92.1	70 - 127	0.02063	6.54	20	
Bromodichloromethane	0.019	0.0050	0.02	0	95.7	70 - 124	0.01937	1.14	20	
Bromoform	0.019	0.0050	0.02	0	96.7	70 - 129	0.02052	5.87	20	
Bromomethane	0.017	0.0050	0.02	0	84.5	70 - 130	0.01795	6.06	20	
Carbon disulfide	0.033	0.010	0.04	0	82.5	70 - 130	0.03609	8.92	20	
Carbon tetrachloride	0.018	0.0050	0.02	0	91.0	70 - 130	0.02005	9.64	20	
Chlorobenzene	0.020	0.0050	0.02	0	101	70 - 114	0.02136	5.49	20	
Chloroethane	0.028	0.0050	0.02	0	138	70 - 130	0.03108	12.2	20	S
Chloroform	0.017	0.0050	0.02	0	87.1	70 - 125	0.01796	3.1	20	
Chloromethane	0.014	0.0050	0.02	0	70.9	70 - 130	0.01537	7.97	20	
cis-1,2-Dichloroethene	0.018	0.0050	0.02	0	90.6	70 - 128	0.01948	7.28	20	
cis-1,3-Dichloropropene	0.018	0.0050	0.02	0	90.7	70 - 125	0.01909	5.1	20	
Dibromochloromethane	0.019	0.0050	0.02	0	94.8	70 - 124	0.01977	4.12	20	
Ethylbenzene	0.019	0.0050	0.02	0	96.2	70 - 124	0.02097	8.61	20	
m,p-Xylene	0.040	0.010	0.04	0	100	70 - 130	0.04308	7.39	20	
Methyl tert-butyl ether	0.018	0.0050	0.02	0	90.3	70 - 130	0.01856	2.72	20	
Methylene chloride	0.017	0.010	0.02	0	83.5	70 - 128	0.01758	5.13	20	
Naphthalene	0.020	0.0050	0.02	0	99.3	70 - 130	0.01831	8.16	20	
o-Xylene	0.020	0.0050	0.02	0	98.2	70 - 124	0.02097	6.5	20	
Styrene	0.020	0.0050	0.02	0	99.6	70 - 130	0.02066	3.62	20	
Tert-butyl alcohol	0.58	0.10	0.4	0.1989	96.0	70 - 130	0.5741	1.5	20	
Tetrachloroethene	0.020	0.0050	0.02	0	102	70 - 130	0.02210	7.7	20	

RIGHT SOLUTIONS | RIGHT PARTNER

Client: Environmental Resources Management
Project: FLTG French Limited
WorkOrder: HS20030405

QC BATCH REPORT

Batch ID: **R358156 (0)** **Instrument:** **VOA6** **Method:** **VOLATILES - SW8260C**

MSD Sample ID: **HS20030405-24MSD** Units: **mg/L** Analysis Date: **14-Mar-2020 01:30**
Client ID: **SI-164** Run ID: **VOA6_358156** SeqNo: **5512416** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Toluene	0.020	0.0050	0.02	0	97.8	70 - 123	0.02082	6.27	20	
trans-1,2-Dichloroethene	0.017	0.0050	0.02	0	84.8	70 - 130	0.01762	3.81	20	
trans-1,3-Dichloropropene	0.018	0.0050	0.02	0	89.8	70 - 121	0.01926	7.01	20	
Trichloroethene	0.018	0.0050	0.02	0	91.9	70 - 129	0.02020	9.46	20	
Vinyl chloride	0.016	0.0020	0.02	0	79.3	70 - 130	0.01744	9.53	20	
Xylenes, Total	0.060	0.0050	0.06	0	99.4	70 - 130	0.06405	7.1	20	
Surr: 1,2-Dichloroethane-d4	*0.046*	*0*	*0.05*	*0*	*92.8*	*70 - 126*	*0.04574*	*1.46*	*20*	
Surr: 4-Bromofluorobenzene	*0.050*	*0*	*0.05*	*0*	*99.4*	*82 - 124*	*0.04924*	*0.965*	*20*	
Surr: Dibromofluoromethane	*0.047*	*0*	*0.05*	*0*	*93.2*	*77 - 123*	*0.04558*	*2.17*	*20*	
Surr: Toluene-d8	*0.052*	*0*	*0.05*	*0*	*104*	*82 - 127*	*0.05211*	*0.589*	*20*	

The following samples were analyzed in this batch:

HS20030405-05	HS20030405-14	HS20030405-16	HS20030405-17
HS20030405-18	HS20030405-19	HS20030405-20	HS20030405-21
HS20030405-22	HS20030405-23	HS20030405-24	HS20030405-25

RIGHT SOLUTIONS | RIGHT PARTNER

Client: Environmental Resources Management
Project: FLTG French Limited
WorkOrder: HS20030405

QC BATCH REPORT

Batch ID: R358197 (0) **Instrument:** VOA6 **Method:** VOLATILES - SW8260C

MBLK Sample ID: **VBLKW-200315** Units: **mg/L** Analysis Date: **15-Mar-2020 13:08**
Client ID: Run ID: **VOA6_358197** SeqNo: **5513253** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
1,1,1-Trichloroethane	U	0.0050								
1,1,2,2-Tetrachloroethane	U	0.0050								
1,1,2-Trichloroethane	U	0.0050								
1,1-Dichloroethane	U	0.0050								
1,1-Dichloroethene	U	0.0050								
1,2-Dichloroethane	U	0.0050								
1,2-Dichloropropane	U	0.0050								
2-Butanone	U	0.010								
2-Hexanone	U	0.010								
4-Methyl-2-pentanone	U	0.010								
Acetone	U	0.010								
Allyl Chloride	U	0.010								
Benzene	U	0.0050								
Bromodichloromethane	U	0.0050								
Bromoform	U	0.0050								
Bromomethane	U	0.0050								
Carbon disulfide	U	0.010								
Carbon tetrachloride	U	0.0050								
Chlorobenzene	U	0.0050								
Chloroethane	U	0.0050								
Chloroform	U	0.0050								
Chloromethane	U	0.0050								
cis-1,2-Dichloroethene	U	0.0050								
cis-1,3-Dichloropropene	U	0.0050								
Dibromochloromethane	U	0.0050								
Ethylbenzene	U	0.0050								
m,p-Xylene	U	0.010								
Methyl tert-butyl ether	U	0.0050								
Methylene chloride	U	0.010								
Naphthalene	U	0.0050								
o-Xylene	U	0.0050								
Styrene	U	0.0050								
Tert-butyl alcohol	U	0.10								
Tetrachloroethene	U	0.0050								

RIGHT SOLUTIONS | RIGHT PARTNER

Client: Environmental Resources Management
Project: FLTG French Limited
WorkOrder: HS20030405

QC BATCH REPORT

Batch ID: **R358197 (0)** **Instrument:** **VOA6** **Method:** **VOLATILES - SW8260C**

MBLK Sample ID: **VBLKW-200315** Units: **mg/L** Analysis Date: **15-Mar-2020 13:08**
Client ID: Run ID: **VOA6_358197** SeqNo: **5513253** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Toluene	U	0.0050								
trans-1,2-Dichloroethene	U	0.0050								
trans-1,3-Dichloropropene	U	0.0050								
Trichloroethene	U	0.0050								
Vinyl chloride	U	0.0020								
Xylenes, Total	U	0.0050								
Surr: 1,2-Dichloroethane-d4	*0.044*	*0*	*0.05*	*0*	*88.0*	*70 - 130*				
Surr: 4-Bromofluorobenzene	*0.049*	*0*	*0.05*	*0*	*98.9*	*82 - 115*				
Surr: Dibromofluoromethane	*0.047*	*0*	*0.05*	*0*	*93.8*	*73 - 126*				
Surr: Toluene-d8	*0.054*	*0*	*0.05*	*0*	*107*	*81 - 120*				

RIGHT SOLUTIONS | RIGHT PARTNER

Client: Environmental Resources Management
Project: FLTG French Limited
WorkOrder: HS20030405

QC BATCH REPORT

Batch ID: R358197 (0) **Instrument:** VOA6 **Method:** VOLATILES - SW8260C

LCS Sample ID: **VLCSW-200315** Units: **mg/L** Analysis Date: **15-Mar-2020 12:20**
Client ID: Run ID: **VOA6_358197** SeqNo: **5513252** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
1,1,1-Trichloroethane	0.020	0.0050	0.02	0	97.6	70 - 130				
1,1,2,2-Tetrachloroethane	0.020	0.0050	0.02	0	102	70 - 120				
1,1,2-Trichloroethane	0.020	0.0050	0.02	0	99.9	77 - 113				
1,1-Dichloroethane	0.020	0.0050	0.02	0	98.2	71 - 122				
1,1-Dichloroethene	0.019	0.0050	0.02	0	95.1	70 - 130				
1,2-Dichloroethane	0.021	0.0050	0.02	0	106	70 - 124				
1,2-Dichloropropane	0.020	0.0050	0.02	0	100	72 - 119				
2-Butanone	0.039	0.010	0.04	0	97.7	70 - 130				
2-Hexanone	0.040	0.010	0.04	0	100	70 - 130				
4-Methyl-2-pentanone	0.040	0.010	0.04	0	99.1	70 - 130				
Acetone	0.040	0.010	0.04	0	101	70 - 130				
Allyl Chloride	0.019	0.010	0.02	0	96.5	70 - 130				
Benzene	0.020	0.0050	0.02	0	102	74 - 120				
Bromodichloromethane	0.021	0.0050	0.02	0	104	74 - 122				
Bromoform	0.021	0.0050	0.02	0	107	73 - 128				
Bromomethane	0.022	0.0050	0.02	0	111	70 - 130				
Carbon disulfide	0.040	0.010	0.04	0	99.3	70 - 130				
Carbon tetrachloride	0.019	0.0050	0.02	0	93.9	71 - 125				
Chlorobenzene	0.021	0.0050	0.02	0	103	76 - 113				
Chloroethane	0.019	0.0050	0.02	0	95.5	70 - 130				
Chloroform	0.020	0.0050	0.02	0	99.5	71 - 121				
Chloromethane	0.018	0.0050	0.02	0	92.2	70 - 129				
cis-1,2-Dichloroethene	0.021	0.0050	0.02	0	106	75 - 122				
cis-1,3-Dichloropropene	0.021	0.0050	0.02	0	103	73 - 127				
Dibromochloromethane	0.021	0.0050	0.02	0	103	77 - 122				
Ethylbenzene	0.020	0.0050	0.02	0	99.8	77 - 117				
m,p-Xylene	0.040	0.010	0.04	0	98.8	77 - 122				
Methyl tert-butyl ether	0.020	0.0050	0.02	0	100	70 - 130				
Methylene chloride	0.020	0.010	0.02	0	99.3	70 - 127				
Naphthalene	0.021	0.0050	0.02	0	103	70 - 130				
o-Xylene	0.019	0.0050	0.02	0	97.3	75 - 119				
Styrene	0.021	0.0050	0.02	0	105	72 - 126				
Tert-butyl alcohol	0.43	0.10	0.4	0	107	70 - 130				
Tetrachloroethene	0.020	0.0050	0.02	0	98.5	76 - 119				

RIGHT SOLUTIONS | RIGHT PARTNER

Client: Environmental Resources Management
Project: FLTG French Limited
WorkOrder: HS20030405

QC BATCH REPORT

Batch ID: **R358197 (0)** **Instrument:** **VOA6** **Method:** **VOLATILES - SW8260C**

LCS Sample ID: **VLCSW-200315** Units: **mg/L** Analysis Date: **15-Mar-2020 12:20**
Client ID: Run ID: **VOA6_358197** SeqNo: **5513252** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Toluene	0.020	0.0050	0.02	0	100	77 - 118				
trans-1,2-Dichloroethene	0.020	0.0050	0.02	0	101	72 - 127				
trans-1,3-Dichloropropene	0.021	0.0050	0.02	0	107	77 - 119				
Trichloroethene	0.020	0.0050	0.02	0	99.3	77 - 121				
Vinyl chloride	0.018	0.0020	0.02	0	88.5	70 - 130				
Xylenes, Total	0.059	0.0050	0.06	0	98.3	75 - 122				
Surr: 1,2-Dichloroethane-d4	*0.049*	*0*	*0.05*	*0*	*98.6*	*70 - 130*				
Surr: 4-Bromofluorobenzene	*0.050*	*0*	*0.05*	*0*	*99.6*	*82 - 115*				
Surr: Dibromofluoromethane	*0.049*	*0*	*0.05*	*0*	*99.0*	*73 - 126*				
Surr: Toluene-d8	*0.050*	*0*	*0.05*	*0*	*99.4*	*81 - 120*				

RIGHT SOLUTIONS | RIGHT PARTNER

Client: Environmental Resources Management
Project: FLTG French Limited
WorkOrder: HS20030405

QC BATCH REPORT

Batch ID: **R358197 (0)** **Instrument:** **VOA6** **Method:** **VOLATILES - SW8260C**

MS Sample ID: **HS20030405-01MS** Units: **mg/L** Analysis Date: **15-Mar-2020 15:57**
Client ID: **INT-127** Run ID: **VOA6_358197** SeqNo: **5513258** PrepDate: DF: **5**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
1,1,1-Trichloroethane	0.098	0.025	0.1	0	97.9	70 - 130				
1,1,2,2-Tetrachloroethane	0.093	0.025	0.1	0	93.4	70 - 123				
1,1,2-Trichloroethane	0.10	0.025	0.1	0	101	70 - 117				
1,1-Dichloroethane	0.097	0.025	0.1	0.004899	92.0	70 - 127				
1,1-Dichloroethene	0.093	0.025	0.1	0	93.2	70 - 130				
1,2-Dichloroethane	0.11	0.025	0.1	0.01406	96.5	70 - 127				
1,2-Dichloropropane	0.094	0.025	0.1	0	93.8	70 - 122				
2-Butanone	0.16	0.050	0.2	0	80.7	70 - 130				
2-Hexanone	0.19	0.050	0.2	0	96.8	70 - 130				
4-Methyl-2-pentanone	0.19	0.050	0.2	0	93.7	70 - 130				
Acetone	0.16	0.050	0.2	0	77.6	70 - 130				
Allyl Chloride	0.097	0.050	0.1	0	96.6	70 - 130				
Benzene	0.12	0.025	0.1	0.01953	97.7	70 - 127				
Bromodichloromethane	0.099	0.025	0.1	0	98.8	70 - 124				
Bromoform	0.10	0.025	0.1	0	102	70 - 129				
Bromomethane	0.071	0.025	0.1	0	70.6	70 - 130				
Carbon disulfide	0.18	0.050	0.2	0	91.5	70 - 130				
Carbon tetrachloride	0.100	0.025	0.1	0	100.0	70 - 130				
Chlorobenzene	0.10	0.025	0.1	0	104	70 - 114				
Chloroethane	0.083	0.025	0.1	0	83.2	70 - 130				
Chloroform	0.091	0.025	0.1	0	91.4	70 - 125				
Chloromethane	0.084	0.025	0.1	0	84.5	70 - 130				
cis-1,2-Dichloroethene	0.10	0.025	0.1	0.008385	96.1	70 - 128				
cis-1,3-Dichloropropene	0.096	0.025	0.1	0	96.3	70 - 125				
Dibromochloromethane	0.10	0.025	0.1	0	101	70 - 124				
Ethylbenzene	0.11	0.025	0.1	0	105	70 - 124				
m,p-Xylene	0.21	0.050	0.2	0	106	70 - 130				
Methyl tert-butyl ether	0.096	0.025	0.1	0	95.9	70 - 130				
Methylene chloride	0.091	0.050	0.1	0	91.1	70 - 128				
Naphthalene	0.079	0.025	0.1	0	79.2	70 - 130				
o-Xylene	0.10	0.025	0.1	0	104	70 - 124				
Styrene	0.10	0.025	0.1	0	104	70 - 130				
Tert-butyl alcohol	9.3	0.50	2	6.894	122	70 - 130				
Tetrachloroethene	0.11	0.025	0.1	0	112	70 - 130				

RIGHT SOLUTIONS | RIGHT PARTNER

Client: Environmental Resources Management
Project: FLTG French Limited
WorkOrder: HS20030405

QC BATCH REPORT

Batch ID: **R358197 (0)** **Instrument:** **VOA6** **Method:** **VOLATILES - SW8260C**

MS Sample ID: **HS20030405-01MS** Units: **mg/L** Analysis Date: **15-Mar-2020 15:57**
Client ID: **INT-127** Run ID: **VOA6_358197** SeqNo: **5513258** PrepDate: DF: **5**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Toluene	0.10	0.025	0.1	0	103	70 - 123				
trans-1,2-Dichloroethene	0.096	0.025	0.1	0	96.0	70 - 130				
trans-1,3-Dichloropropene	0.099	0.025	0.1	0	99.0	70 - 121				
Trichloroethene	0.11	0.025	0.1	0.004933	105	70 - 129				
Vinyl chloride	0.088	0.010	0.1	0	88.0	70 - 130				
Xylenes, Total	0.32	0.025	0.3	0	106	70 - 130				
Surr: 1,2-Dichloroethane-d4	*0.23*	*0*	*0.25*	*0*	*92.7*	*70 - 126*				
Surr: 4-Bromofluorobenzene	*0.25*	*0*	*0.25*	*0*	*99.3*	*82 - 124*				
Surr: Dibromofluoromethane	*0.23*	*0*	*0.25*	*0*	*91.7*	*77 - 123*				
Surr: Toluene-d8	*0.26*	*0*	*0.25*	*0*	*103*	*82 - 127*				

RIGHT SOLUTIONS | RIGHT PARTNER

Client: Environmental Resources Management
Project: FLTG French Limited
WorkOrder: HS20030405

QC BATCH REPORT

Batch ID: R358197 (0) **Instrument:** VOA6 **Method:** VOLATILES - SW8260C

MSD Sample ID: **HS20030405-01MSD** Units: **mg/L** Analysis Date: **15-Mar-2020 16:21**
Client ID: **INT-127** Run ID: **VOA6_358197** SeqNo: **5513259** PrepDate: DF: **5**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	RPD %RPD	RPD Limit	Qual
1,1,1-Trichloroethane	0.088	0.025	0.1	0	88.3	70 - 130	0.09794	10.3	20	
1,1,2,2-Tetrachloroethane	0.099	0.025	0.1	0	98.9	70 - 123	0.09343	5.67	20	
1,1,2-Trichloroethane	0.10	0.025	0.1	0	100	70 - 117	0.1011	0.873	20	
1,1-Dichloroethane	0.092	0.025	0.1	0.004899	86.8	70 - 127	0.09686	5.44	20	
1,1-Dichloroethene	0.094	0.025	0.1	0	93.6	70 - 130	0.09325	0.382	20	
1,2-Dichloroethane	0.11	0.025	0.1	0.01406	99.7	70 - 127	0.1106	2.89	20	
1,2-Dichloropropane	0.092	0.025	0.1	0	92.1	70 - 122	0.09375	1.82	20	
2-Butanone	0.17	0.050	0.2	0	83.9	70 - 130	0.1614	3.85	20	
2-Hexanone	0.20	0.050	0.2	0	102	70 - 130	0.1936	5	20	
4-Methyl-2-pentanone	0.19	0.050	0.2	0	95.2	70 - 130	0.1873	1.58	20	
Acetone	0.16	0.050	0.2	0	80.9	70 - 130	0.1551	4.16	20	
Allyl Chloride	0.094	0.050	0.1	0	93.5	70 - 130	0.09661	3.22	20	
Benzene	0.12	0.025	0.1	0.01953	96.0	70 - 127	0.1173	1.53	20	
Bromodichloromethane	0.097	0.025	0.1	0	96.8	70 - 124	0.09885	2.06	20	
Bromoform	0.11	0.025	0.1	0	106	70 - 129	0.1023	3.27	20	
Bromomethane	0.076	0.025	0.1	0	75.8	70 - 130	0.07063	7	20	
Carbon disulfide	0.17	0.050	0.2	0	87.1	70 - 130	0.1830	4.9	20	
Carbon tetrachloride	0.097	0.025	0.1	0	96.5	70 - 130	0.09997	3.51	20	
Chlorobenzene	0.10	0.025	0.1	0	102	70 - 114	0.1041	2.02	20	
Chloroethane	0.078	0.025	0.1	0	78.4	70 - 130	0.08321	5.98	20	
Chloroform	0.089	0.025	0.1	0	88.5	70 - 125	0.09138	3.15	20	
Chloromethane	0.073	0.025	0.1	0	73.2	70 - 130	0.08446	14.3	20	
cis-1,2-Dichloroethene	0.10	0.025	0.1	0.008385	92.4	70 - 128	0.1045	3.56	20	
cis-1,3-Dichloropropene	0.097	0.025	0.1	0	96.9	70 - 125	0.09631	0.63	20	
Dibromochloromethane	0.098	0.025	0.1	0	98.5	70 - 124	0.1008	2.33	20	
Ethylbenzene	0.10	0.025	0.1	0	101	70 - 124	0.1052	4.23	20	
m,p-Xylene	0.21	0.050	0.2	0	104	70 - 130	0.2129	1.99	20	
Methyl tert-butyl ether	0.095	0.025	0.1	0	94.7	70 - 130	0.09589	1.23	20	
Methylene chloride	0.086	0.050	0.1	0	86.2	70 - 128	0.09106	5.49	20	
Naphthalene	0.096	0.025	0.1	0	95.7	70 - 130	0.07921	18.9	20	
o-Xylene	0.10	0.025	0.1	0	101	70 - 124	0.1040	2.48	20	
Styrene	0.10	0.025	0.1	0	105	70 - 130	0.1042	0.569	20	
Tert-butyl alcohol	9.5	0.50	2	6.894	128	70 - 130	9.339	1.27	20	
Tetrachloroethene	0.11	0.025	0.1	0	109	70 - 130	0.1122	2.54	20	

RIGHT SOLUTIONS | RIGHT PARTNER

Client: Environmental Resources Management
Project: FLTG French Limited
WorkOrder: HS20030405

QC BATCH REPORT

Batch ID: **R358197 (0)** **Instrument:** **VOA6** **Method:** **VOLATILES - SW8260C**

MSD Sample ID: **HS20030405-01MSD** Units: **mg/L** Analysis Date: **15-Mar-2020 16:21**
Client ID: **INT-127** Run ID: **VOA6_358197** SeqNo: **5513259** PrepDate: DF: **5**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Toluene	0.10	0.025	0.1	0	101	70 - 123	0.1028	1.63	20	
trans-1,2-Dichloroethene	0.090	0.025	0.1	0	89.7	70 - 130	0.09601	6.76	20	
trans-1,3-Dichloropropene	0.099	0.025	0.1	0	99.2	70 - 121	0.09897	0.239	20	
Trichloroethene	0.10	0.025	0.1	0.004933	96.7	70 - 129	0.1094	7.38	20	
Vinyl chloride	0.084	0.010	0.1	0	84.1	70 - 130	0.08805	4.63	20	
Xylenes, Total	0.31	0.025	0.3	0	103	70 - 130	0.3169	2.15	20	
Surr: 1,2-Dichloroethane-d4	*0.23*	*0*	*0.25*	*0*	*92.5*	*70 - 126*	*0.2319*	*0.245*	*20*	
Surr: 4-Bromofluorobenzene	*0.24*	*0*	*0.25*	*0*	*97.7*	*82 - 124*	*0.2483*	*1.66*	*20*	
Surr: Dibromofluoromethane	*0.23*	*0*	*0.25*	*0*	*90.5*	*77 - 123*	*0.2291*	*1.24*	*20*	
Surr: Toluene-d8	*0.26*	*0*	*0.25*	*0*	*105*	*82 - 127*	*0.2572*	*1.7*	*20*	

The following samples were analyzed in this batch: HS20030405-01 HS20030405-03 HS20030405-07 HS20030405-08 HS20030405-10 HS20030405-11 HS20030405-12

RIGHT SOLUTIONS | RIGHT PARTNER

Client: Environmental Resources Management
Project: FLTG French Limited
WorkOrder: HS20030405

QC BATCH REPORT

Batch ID: R358251 (0) **Instrument:** VOA9 **Method:** VOLATILES - SW8260C

MBLK Sample ID: **VBLKW-200316** Units: **mg/L** Analysis Date: **16-Mar-2020 12:49**
Client ID: Run ID: **VOA9_358251** SeqNo: **5514621** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Tert-butyl alcohol	U	0.10								
Surr: 1,2-Dichloroethane-d4	*0.048*	*0*	*0.05*	*0*	*96.9*	*70 - 130*				
Surr: 4-Bromofluorobenzene	*0.048*	*0*	*0.05*	*0*	*95.1*	*82 - 115*				
Surr: Dibromofluoromethane	*0.049*	*0*	*0.05*	*0*	*98.9*	*73 - 126*				
Surr: Toluene-d8	*0.050*	*0*	*0.05*	*0*	*99.5*	*81 - 120*				

LCS Sample ID: **VLCSW-200316** Units: **mg/L** Analysis Date: **16-Mar-2020 12:00**
Client ID: Run ID: **VOA9_358251** SeqNo: **5514620** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Tert-butyl alcohol	0.32	0.10	0.4	0	81.1	70 - 130				
Surr: 1,2-Dichloroethane-d4	*0.048*	*0*	*0.05*	*0*	*96.0*	*70 - 130*				
Surr: 4-Bromofluorobenzene	*0.049*	*0*	*0.05*	*0*	*98.4*	*82 - 115*				
Surr: Dibromofluoromethane	*0.049*	*0*	*0.05*	*0*	*98.1*	*73 - 126*				
Surr: Toluene-d8	*0.049*	*0*	*0.05*	*0*	*99.0*	*81 - 120*				

MS Sample ID: **HS20030538-03MS** Units: **mg/L** Analysis Date: **16-Mar-2020 15:15**
Client ID: Run ID: **VOA9_358251** SeqNo: **5514627** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Tert-butyl alcohol	0.34	0.10	0.4	0	86.1	70 - 130				
Surr: 1,2-Dichloroethane-d4	*0.048*	*0*	*0.05*	*0*	*95.4*	*70 - 126*				
Surr: 4-Bromofluorobenzene	*0.050*	*0*	*0.05*	*0*	*99.0*	*82 - 124*				
Surr: Dibromofluoromethane	*0.049*	*0*	*0.05*	*0*	*97.1*	*77 - 123*				
Surr: Toluene-d8	*0.050*	*0*	*0.05*	*0*	*99.8*	*82 - 127*				

RIGHT SOLUTIONS | RIGHT PARTNER

Client: Environmental Resources Management
Project: FLTG French Limited
WorkOrder: HS20030405

QC BATCH REPORT

Batch ID: **R358251 (0)** **Instrument:** **VOA9** **Method:** **VOLATILES - SW8260C**

MSD Sample ID: **HS20030538-03MSD** Units: **mg/L** Analysis Date: **16-Mar-2020 15:39**
Client ID: Run ID: **VOA9_358251** SeqNo: **5514628** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Tert-butyl alcohol	0.36	0.10	0.4	0	89.2	70 - 130	0.3444	3.54	20	
Surr: 1,2-Dichloroethane-d4	*0.048*	*0*	*0.05*	*0*	*95.0*	*70 - 126*	*0.04769*	*0.346*	*20*	
Surr: 4-Bromofluorobenzene	*0.049*	*0*	*0.05*	*0*	*98.4*	*82 - 124*	*0.04950*	*0.633*	*20*	
Surr: Dibromofluoromethane	*0.049*	*0*	*0.05*	*0*	*98.6*	*77 - 123*	*0.04853*	*1.55*	*20*	
Surr: Toluene-d8	*0.049*	*0*	*0.05*	*0*	*98.6*	*82 - 127*	*0.04991*	*1.27*	*20*	

The following samples were analyzed in this batch: HS20030405-11 HS20030405-15 HS20030405-16

RIGHT SOLUTIONS | RIGHT PARTNER

Client: Environmental Resources Management
Project: FLTG French Limited
WorkOrder: HS20030405

QC BATCH REPORT

Batch ID: R358363 (0) **Instrument:** VOA9 **Method:** VOLATILES - SW8260C

MBLK Sample ID: **VBLKW-200317** Units: **mg/L** Analysis Date: **17-Mar-2020 12:28**
Client ID: Run ID: **VOA9_358363** SeqNo: **5517255** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
1,2-Dichloroethane	U	0.0050								
Acetone	U	0.010								
Chloroform	U	0.0050								
cis-1,2-Dichloroethene	U	0.0050								
Methylene chloride	U	0.010								
Surr: 1,2-Dichloroethane-d4	*0.048*	*0*	*0.05*	*0*	*96.3*	*70 - 130*				
Surr: 4-Bromofluorobenzene	*0.047*	*0*	*0.05*	*0*	*94.0*	*82 - 115*				
Surr: Dibromofluoromethane	*0.050*	*0*	*0.05*	*0*	*101*	*73 - 126*				
Surr: Toluene-d8	*0.049*	*0*	*0.05*	*0*	*98.4*	*81 - 120*				

LCS Sample ID: **VLCSW-200317** Units: **mg/L** Analysis Date: **17-Mar-2020 11:39**
Client ID: Run ID: **VOA9_358363** SeqNo: **5517254** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
1,2-Dichloroethane	0.019	0.0050	0.02	0	96.2	70 - 124				
Acetone	0.036	0.010	0.04	0	89.8	70 - 130				
Chloroform	0.020	0.0050	0.02	0	97.6	71 - 121				
cis-1,2-Dichloroethene	0.020	0.0050	0.02	0	97.9	75 - 122				
Methylene chloride	0.018	0.010	0.02	0	90.3	70 - 127				
Surr: 1,2-Dichloroethane-d4	*0.046*	*0*	*0.05*	*0*	*92.8*	*70 - 130*				
Surr: 4-Bromofluorobenzene	*0.050*	*0*	*0.05*	*0*	*100*	*82 - 115*				
Surr: Dibromofluoromethane	*0.048*	*0*	*0.05*	*0*	*96.9*	*73 - 126*				
Surr: Toluene-d8	*0.049*	*0*	*0.05*	*0*	*98.7*	*81 - 120*				

RIGHT SOLUTIONS | RIGHT PARTNER

Client: Environmental Resources Management
Project: FLTG French Limited
WorkOrder: HS20030405

QC BATCH REPORT

Batch ID: R358363 (0) **Instrument:** VOA9 **Method:** VOLATILES - SW8260C

MS Sample ID: **HS20030515-06MS** Units: **mg/L** Analysis Date: **17-Mar-2020 15:43**
Client ID: Run ID: **VOA9_358363** SeqNo: **5517263** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
1,2-Dichloroethane	0.021	0.0050	0.02	0	105	70 - 127				
Acetone	0.040	0.010	0.04	0	99.5	70 - 130				
Chloroform	0.022	0.0050	0.02	0	112	70 - 125				
cis-1,2-Dichloroethene	0.022	0.0050	0.02	0	109	70 - 128				
Methylene chloride	0.020	0.010	0.02	0	102	70 - 128				
Surr: 1,2-Dichloroethane-d4	*0.047*	*0*	*0.05*	*0*	*93.9*	*70 - 126*				
Surr: 4-Bromofluorobenzene	*0.049*	*0*	*0.05*	*0*	*98.3*	*82 - 124*				
Surr: Dibromofluoromethane	*0.049*	*0*	*0.05*	*0*	*97.9*	*77 - 123*				
Surr: Toluene-d8	*0.049*	*0*	*0.05*	*0*	*97.8*	*82 - 127*				

MSD Sample ID: **HS20030515-06MSD** Units: **mg/L** Analysis Date: **17-Mar-2020 16:08**
Client ID: Run ID: **VOA9_358363** SeqNo: **5517264** PrepDate: DF: **1**

Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
1,2-Dichloroethane	0.020	0.0050	0.02	0	102	70 - 127	0.02094	2.86	20	
Acetone	0.039	0.010	0.04	0	98.4	70 - 130	0.03980	1.12	20	
Chloroform	0.021	0.0050	0.02	0	107	70 - 125	0.02233	4.45	20	
cis-1,2-Dichloroethene	0.022	0.0050	0.02	0	108	70 - 128	0.02183	1.25	20	
Methylene chloride	0.021	0.010	0.02	0	104	70 - 128	0.02033	2.1	20	
Surr: 1,2-Dichloroethane-d4	*0.048*	*0*	*0.05*	*0*	*95.8*	*70 - 126*	*0.04697*	*1.92*	*20*	
Surr: 4-Bromofluorobenzene	*0.050*	*0*	*0.05*	*0*	*99.2*	*82 - 124*	*0.04914*	*0.898*	*20*	
Surr: Dibromofluoromethane	*0.050*	*0*	*0.05*	*0*	*100*	*77 - 123*	*0.04896*	*2.38*	*20*	
Surr: Toluene-d8	*0.049*	*0*	*0.05*	*0*	*98.5*	*82 - 127*	*0.04891*	*0.71*	*20*	

The following samples were analyzed in this batch: HS20030405-17

RIGHT SOLUTIONS | RIGHT PARTNER

Client: Environmental Resources Management
Project: FLTG French Limited
WorkOrder: **HS20030405**

QUALIFIERS, ACRONYMS, UNITS

Qualifier	Description
*	Value exceeds Regulatory Limit
a	Not accredited
B	Analyte detected in the associated Method Blank above the Reporting Limit
E	Value above quantitation range
H	Analyzed outside of Holding Time
J	Analyte detected below quantitation limit
M	Manually integrated, see raw data for justification
n	Not offered for accreditation
ND	Not Detected at the Reporting Limit
O	Sample amount is > 4 times amount spiked
P	Dual Column results percent difference > 40%
R	RPD above laboratory control limit
S	Spike Recovery outside laboratory control limits
U	Analyzed but not detected above the MDL/SDL

Acronym	Description
DCS	Detectability Check Study
DUP	Method Duplicate
LCS	Laboratory Control Sample
LCSD	Laboratory Control Sample Duplicate
MBLK	Method Blank
MDL	Method Detection Limit
MQL	Method Quantitation Limit
MS	Matrix Spike
MSD	Matrix Spike Duplicate
PDS	Post Digestion Spike
PQL	Practical Quantitaion Limit
SD	Serial Dilution
SDL	Sample Detection Limit
TRRP	Texas Risk Reduction Program

Unit Reported	Description
mg/L	Milligrams per Liter

RIGHT SOLUTIONS | RIGHT PARTNER

CERTIFICATIONS,ACCREDITATIONS & LICENSES

Agency	Number	Expire Date
Arkansas	19-028-0	27-Mar-2020
California	2919, 2019-2020	30-Apr-2020
Dept of Defense	ANAB L2231 V009	22-Dec-2021
Florida	E87611-28	30-Jun-2020
Illinois	2000322019-2	09-May-2020
Kansas	E-10352 2019-2020	31-Jul-2020
Kentucky	123043, 2019-2020	30-Apr-2020
Louisiana	03087, 2019-2020	30-Jun-2020
Maryland	343, 2019-2020	30-Jun-2020
North Carolina	624-2020	31-Dec-2020
North Dakota	R-193 2019-2020	30-Apr-2020
Oklahoma	2019-067	31-Aug-2020
Texas	T104704231-19-25	30-Apr-2020

RIGHT SOLUTIONS | RIGHT PARTNER

Sample Receipt Checklist

Client Name:	ERMSW-HOU	Date/Time Received:	**10-Mar-2020 13:55**
Work Order:	HS20030405	Received by:	**DDG**

Checklist completed by: *Nelson D. Dusara* (eSignature) 10-Mar-2020 (Date)

Reviewed by: *Bernadette A. Fini* (eSignature) 11-Mar-2020 (Date)

Matrices: **Water**

Carrier name: **ALS Courier**

	Yes	No	
Shipping container/cooler in good condition?	☑	☐	Not Present ☐
Custody seals intact on shipping container/cooler?	☑	☐	Not Present ☐
Custody seals intact on sample bottles?	☐	☐	Not Present ☑
VOA/TX1005/TX1006 Solids in hermetically sealed vials?	☐	☐	Not Present ☑
Chain of custody present?	☑	☐	3 Page(s)
Chain of custody signed when relinquished and received?	☑	☐	COC IDs:221597,221598,221599
Samplers name present on COC?	☑	☐	
Chain of custody agrees with sample labels?	☑	☐	
Samples in proper container/bottle?	☑	☐	
Sample containers intact?	☑	☐	
Sufficient sample volume for indicated test?	☑	☐	
All samples received within holding time?	☑	☐	
Container/Temp Blank temperature in compliance?	☑	☐	

Temperature(s)/Thermometer(s):	1.3 c UC/c	IR 11
Cooler(s)/Kit(s):	Blue	
Date/Time sample(s) sent to storage:	Mar/10/2020 17:00	

	Yes	No	
Water - VOA vials have zero headspace?	☑	☐	No VOA vials submitted ☐
Water - pH acceptable upon receipt?	☑	☐	N/A ☐
pH adjusted?	☐	☐	N/A ☑

pH adjusted by:

Login Notes:

Client Contacted: Date Contacted: Person Contacted:

Contacted By: Regarding:

Comments:

Corrective Action:

RIGHT SOLUTIONS | RIGHT PARTNER

Cincinnati, OH +1 513 733 5336 | Fort Collins, CO +1 970 490 1511 | Everett, WA +1 425 356 2600 | Holland, MI +1 616 399 6070

Chain of Custody Form

Page 1 of 3

COC ID: 221598

Houston, TX +1 281 530 5656 | Spring City, PA +1 610 948 4903 | South Charleston, WV +1 304 356 3168 | Middletown, PA +1 717 944 5541 | Salt Lake City, UT +1 801 266 7700 | York, PA +1 717 505 5280

ALS Project Manager: | ALS Work Order #:

Customer Information		Project Information		Parameter/Method Request for Analysis	
Purchase Order	0543408-02	Project Name	FLTG French Limited	A	8260_W(VOC 8260)
Work Order		Project Number		B	ICP_TW(As, Cr, Pb)
Company Name	Environmental Resources Managemen	Bill To Company	Environmental Resources Managemen	C	
Send Report To	Rob Jaros	Invoice Attn	ermsoutherndivisionap@erm.com	D	
Address	CityCentre Four 840 W. Sam Houston Pkwy., Suite 6	Address	CityCentre Four 840 W. Sam Houston Pkwy., Suite 6	E F	
City/State/Zip	Houston, TX 77024	City/State/Zip	Houston TX 77024	G	
Phone	(281) 600-1000	Phone	(281) 600-1000	H	
Fax	(281) 600-1001	Fax	(281) 600-1001	I	
e-Mail Address	rob.jaros@erm.com	e-Mail Address	ermsoutherndivisionap@erm.com	J	

HS20030405
Environmental Resources Management
FLTG French Limited

No.	Sample Description	Date	Time	Matrix	Pres.	# Bottles	A	B	C	D	E	F	G	H	I	J	Hold
1	INT-127	3/9	0925	✓	1,8	3	X										
2	S1-123		1015														
3	S1-149		1138 RT														
4	S1-153		1055														
5	S1-154		1208														
6	S1-155		1300														
7	INT-235		1340														
8	S1-064		0942														
9	S1-105		1233														
10	S1-131		1020														

Sampler(s) Please Print & Sign: Reece Thompson

Shipment Method:

Required Turnaround Time: (Check Box) [X] STD 10 Bus Days [ ] 5 Wk Days [ ] 2 Wk Days [ ] 24 Hour [ ] Other

Results Due Date:

Relinquished by:	Date:	Time:	Received by: 0800 3/10/20
Relinquished by:	Date: 3/10/20	Time: 1200	Received by (Laboratory):
Logged by (Laboratory):	Date: 3.10.20	Time: 1355	Checked by (Laboratory):

Notes: ERM - FLTG 0184582-B

Cooler ID	Cooler Temp.
BLUE	1.3

QC Package: (Check One Box Below)
[X] Level III Std QC/Raw Data
[ ] Level IV SW846/CLP
[ ] TRRP Checklist
[ ] TRRP Level IV

Preservative Key: 1-HCl 2-HNO_3 3-H_2SO_4 4-NaOH 5-$Na_2S_2O_3$ 6-$NaHSO_4$ 7-Other 8-4°C 9-5035

Note: 1. Any changes must be made in writing once samples and COC Form have been submitted to ALS Environmental.
2. Unless otherwise agreed in a formal contract, services provided by ALS Environmental are expressly limited to the terms and conditions stated on the reverse.
3. The Chain of Custody is a legal document. All information must be completed accurately.

Copyright 2011 by ALS Environmental.

RIGHT SOLUTIONS | RIGHT PARTNER

Cincinnati, OH +1 513 733 5336
Everett, WA +1 425 356 2600
Fort Collins, CO +1 970 490 1511
Holland, MI +1 616 399 6070
Houston, TX +1 281 530 5656
Middletown, PA +1 717 944 5541
Spring City, PA +1 610 948 4903
Salt Lake City, UT +1 801 266 7700
South Charleston, WV +1 304 356 3168
York, PA +1 717 505 5280

Chain of Custody Form

Page 2 of 3

COC ID: 221597

ALS Project Manager:

ALS Work Order #:

Customer Information		Project Information		Parameter/Method Request for Analysis	
Purchase Order	0543408-02	Project Name	FLTG French Limited	A	8260_W (VOC 8260)
Work Order		Project Number		B	ICP_TW (As, Cr, Pb)
Company Name	Environmental Resources Managemen	Bill To Company	Environmental Resources Managemen	C	
Send Report To	Rob Jaros	Invoice Attn	ermsoutherndivisionap@erm.com	D	
Address	CityCentre Four 840 W. Sam Houston Pkwy., Suite 6	Address	CityCentre Four 840 W. Sam Houston Pkwy., Suite 6	E F	
City/State/Zip	Houston, TX 77024	City/State/Zip	Houston TX 77024	G	
Phone	(281) 600-1000	Phone	(281) 600-1000	H	
Fax	(281) 600-1001	Fax	(281) 600-1001	I	
e-Mail Address	rob.jaros@erm.com	e-Mail Address	ermsoutherndivisionap@erm.com	J	

HS20030405
Environmental Resources Management
FLTG French Limited

No.	Sample Description	Date	Time	Matrix	Pres.	# Bottles	A	B	C	D	E	F	G	H	I	J	Hold
1	SI - 138	3/9	1050	W	1,8	3	X										
2	SI - 139		0918														
3	SI - 160		1130														
4	INT - 120		1108														
5	INT - 123		1148														
6	INT - 166		1028														
7	INT - 167		1358														
8	INT - 169		1345														
9	DUP1		1600														
10	INT - 239		1455														

Sampler(s) Please Print & Sign: Reece Thompson [signature]

Shipment Method:

Required Turnaround Time: (Check Box) [X] STD 10 Wk Days [ ] 5 Wk Days [ ] 2 Wk Days [ ] 24 Hour [ ] Other

Results Due Date:

Relinquished by:	Date:	Time:	Received by:	
[signature]			[signature]	0800
Relinquished by: [signature]	Date: 3/10/20	Time: 1200	Received by (Laboratory): D.S.	
Logged by (Laboratory): D.S.	Date: 3/10/20	Time: 1255	Checked by (Laboratory): D.S.	

Notes: ERM - FLTG 0184582-B

Cooler ID	Cooler Temp.
	UIC
BLUE	1.3

QC Package: (Check One Box Below)
[X] Level II Std QC
[ ] Level III Std QC/Raw Data
[ ] Level IV S-7/48/QC
[ ] TRRP Checklist
[ ] TRRP Level IV

Preservative Key: 1-HCl 2-HNO_3 3-H_2SO_4 4-NaOH 5-$Na_2S_2O_3$ 6-$NaHSO_4$ 7-Other 8-4°C 9-5035

IR 11

Note: 1. Any changes must be made in writing once samples and COC Form have been submitted to ALS Environmental.
2. Unless otherwise agreed in a formal contract, services provided by ALS Environmental are expressly limited to the terms and conditions stated on the reverse.
3. The Chain of Custody is a legal document. All information must be completed accurately.

Copyright 2011 by ALS Environmental.

RIGHT SOLUTIONS | RIGHT PARTNER

Cincinnati, OH +1 513 733 5336 | Fort Collins, CO +1 970 490 1511 | Everett, WA +1 425 356 2600 | Holland, MI +1 616 399 6070

Chain of Custody Form

Page 3 of 3

COC ID: 221599

Houston, TX +1 281 530 5656 | Spring City, PA +1 610 948 4903 | South Charleston, WV +1 304 356 3168 | Middletown, PA +1 717 944 5541 | Salt Lake City, UT +1 801 266 7700 | York, PA +1 717 505 5280

ALS Project Manager: | ALS Work Order #:

Customer Information		Project Information		Parameter/Method Request for Analysis	
Purchase Order	0343408-02	Project Name	FLTG French Limited	A	8260_W(VOC 8260)
Work Order		Project Number		B	ICP_TW(As, Cr, Pb)
Company Name	Environmental Resources Managemen	Bill To Company	Environmental Resources Managemen	C	
Send Report To	Rob Jaros	Invoice Attn	ermsoutherndivisionap@erm.com	D	
Address	CityCentre Four 840 W. Sam Houston Pkwy., Suite 6	Address	CityCentre Four 840 W. Sam Houston Pkwy., Suite 6	E F	
City/State/Zip	Houston, TX 77024	City/State/Zip	Houston TX 77024	G	
Phone	(281) 600-1000	Phone	(281) 600-1000	H	
Fax	(281) 600-1001	Fax	(281) 600-1001	I	
e-Mail Address	rob.jaros@erm.com	e-Mail Address	ermsoutherndivisionap@erm.com	J	

HS20030405

Environmental Resources Management

FLTG French Limited

No.	Sample Description	Date	Time	Matrix	Pres.	# Bottles	A	B	C	D	E	F	G	H	I	J	Hold
1	S1 - 121	3/9	1443	W	1,8	3	X										
2	S1 - 143	|	1455	|	|	|	|									
3	S1 - 159	|	1220	|	|	|	|									
4	S1 - 164	|	1425		|	|	|									
5	CG-021720-62	3/9	–	W	1,8	2	X										
6																	
7																	
8																	
9																	
10																	

Sampler(s) Please Print & Sign: Reece Thompson

Shipment Method:

Required Turnaround Time: (Check Box) [X] 10 Wk Days [ ] 5 Wk Days [ ] 2 Wk Days [ ] 24 Hour [ ] Other

Results Due Date:

Relinquished by: | Date: | Time: | Received by: 0800 3/10/20

Relinquished by: | Date: 3/10/20 | Time: 1200 | Received by (Laboratory): D.

Logged by (Laboratory): | Date: 3/10/20 | Time: 1255 | Checked by (Laboratory): D.

Notes: ERM - FLTG 0184582-B

Cooler ID	Cooler Temp.
Blue	1.3

QC Package: (Check One Box Below)

[X] Level II Std QC
[ ] Level III Std QC/Raw Data
[ ] Level IV SW846/CLP
[ ] Other
[ ] TRRP Checklist
[ ] TRRP Level IV

IRH

Preservative Key: 1-HCl 2-HNO_3 3-H_2SO_4 4-NaOH 5-$Na_2S_2O_3$ 6-$NaHSO_4$ 7-Other 8-4°C 9-5035

Note: 1. Any changes must be made in writing once samples and COC Form have been submitted to ALS Environmental.
2. Unless otherwise agreed in a formal contract, services provided by ALS Environmental are expressly limited to the terms and conditions stated on the reverse.
3. The Chain of Custody is a legal document. All information must be completed accurately.

Copyright 2011 by ALS Environmental.

RIGHT SOLUTIONS | RIGHT PARTNER

ALS 10450 Stancliff Rd., Suite 210 Houston, Texas 77099 Tel. +1 281 530 5656 Fax. +1 281 530 5887 Blue	**CUSTODY SEAL** Date: 3/10/20 Time: 0800 Name: Company:	Seal Broken By: NJ Date: Mar/10/'20

RIGHT SOLUTIONS | RIGHT PARTNER

ERM has over 160 offices across the following countries and territories worldwide

Argentina
Australia
Belgium
Brazil
Canada
Chile
China
Colombia
France
Germany
Guyana
Hong Kong
India
Indonesia
Ireland
Italy
Japan
Kazakhstan
Kenya
Malaysia
Mexico
Mozambique
Myanmar
The Netherlands
New Zealand
Norway
Panama
Peru
Poland
Portugal
Puerto Rico
Romania
Russia
Singapore
South Africa
South Korea
Spain
Sweden
Switzerland
Taiwan
Tanzania
Thailand
UK
US
Vietnam

ERM's Houston Office

CityCentre Four
840 West Sam Houston Parkway
North, Suite 600
Houston, Texas 77024-3920
281-600-1000 (T)
281-520-4625 (F)

www.erm.com

ERM

The business of sustainability