CALIFORNIA ENVIRONMENTAL REPORTING SYSTEM (CERS) CONSOLIDATED EMERGENCY RESPONSE / CONTINGENCY PLAN Prior to completing this Plan, please refer to the INSTRUCTIONS FOR COMPLETING A CONSOLIDATED CONTINGENCY PLAN							
				D OPERATION			
FACILITY ID #						EPARATION/REVISION	A3.
BUSINESS NAME (Same as I	Facility Name or DBA	- Doing Business As)	1		· · · · /		A4.
BUSINESS SITE ADDRESS							A5.
BUSINESS SITE CITY				A6.	CA ZIP CC	DE	A7.
TYPE OF BUSINESS (e.g., Pa	ainting Contractor)		A8.	INCIDENTAL OPERA		intenance)	A9.
THIS PLAN COVERS CHEM	IICAL SPILLS, FIRES	, AND EARTHQUA	KES INVO	DLVING (Check all that a	apply):		A10.
☐ 1. HAZARDOUS MATE							
	B IN	TERNAL R	ESPON	ISE			
INTERNAL FACILITY EME 1. CALLING PUBLIC EM 2. CALLING HAZARDOU 3. ACTIVATING IN-HOU	RGENCY RESPONSE ERGENCY RESPONI JS WASTE CONTRAC	WILL OCCUR BY DERS (e.g., 9-1-1) CTOR					B1.
				HONE NUMBE		IFICATIONS	
In the event of an emergency ir 1. Notify facility personnel and 2. Notify local emergency resp 3. Notify the local Unified Pro- 4. Notify the State Warning Ce	evacuate if necessary a onders by calling 9-1-1 gram Agency (UPA) at	in accordance with th ; the phone number be	e Emerger			lations §3220);	
<ul> <li>Facilities that generate, treat, st is an imminent or actual emerge of facility and type of release in 1. Title 22 California Code of 1</li> <li>2. Title 22 California Code of 1</li> <li>3. Title 40 Code of Federal Rej</li> <li>4. Title 22 California Code of hazardous waste in any cale</li> <li>Following notification and bef and the local fire department's</li> <li>1. Provide for proper storage and</li> </ul>	ency situation such as a nvolved: Regulations §66265.56 Regulations §66265.19 gulations §302.6. Notif Regulations §66262.34 ndar month. Yore facility operations hazardous materials pri	n explosion, fire, or n . Emergency Procedu 6. Response to Leaks Teation requirements 4(d)(2) and Title 40 ( are resumed in areas ogram, if necessary, t	release, the ures for ger s or Spills a for a releas Code of Fe of the facil that the fac	Emergency Coordinator nerators of 1,000 kilogram and Disposition of Leakin se of a hazardous substan- ederal Regulations §262.3 hity affected by the incider ility is in compliance with	must follow the approp ns or more of hazardous g or Unfit-for-Use Tanl ce equal to or greater th 84(d)(5)(ii) for generato nt, the Emergency Coo h requirements to:	riate requirements for the ca waste in any calendar mon c Systems. an the reportable quantity. ors of less than 1000 kilogra rdinator shall notify the loca	ategory 1th. rams of al UPA
<ol> <li>Thorac for proper storage at the facility; and</li> <li>Ensure that no material that is procedures are completed.</li> </ol>	*					<b>•</b> • • •	
EMERGENCY RESPONSE PHONE NUMBERS:	AMBULANCE, FIR	E, POLICE AND CH	НР			. 9-1-1	
	CALIFORNIA STATE WARNING CENTER (CSWC)/CAL OES					(800) 852-7550	
	NATIONAL RESPONSE CENTER (NRC)				(800) 424-8802		
	POISON CONTROI	CENTER				(800) 222-1222	
LOCAL UNIFIED PROGRAM AGENCY (UPA)					C1.		
OTHER (Specify):					C3.		
NEAREST MEDICAL FACIL		ME:			C4.		C5.
AGENCY NOTIFICATION P	HONE NUMBERS:	NE NUMBERS: CALIFORNIA DEPT. OF TOXIC SUBSTANCES CONTROL (DTSC) REGIONAL WATER QUALITY CONTROL BOARD (RWQCB)		(916) 255-3545			
				LITY CONTROL BOARI	D (RWQCB)		C6.
		U.S. ENVIRONMENTAL PROTECTION AGENCY (US EPA)			(US EPA)	. (800) 300-2193	
		CALIFORNIA DEPT. OF FISH AND WILDLIFE (CDFW)			. (916) 358-2900		
		U.S. COAST GUA	ARD (USC	G)		(202) 267-2180	
		CAL OSHA		· · · · · · · · · · · · · · · · · · ·		(916) 263-2800	
					(916) 323-7390		
		OTHER (Specify)	:		C7.		C8.
		OTHER (Specify)	:		C9		C10.

CERS Consolidated Emergency Response / Contingency Plan

INTERNAL FACILITY EMERGENCY C	OMMUNICATIONS OR ALARM NO	TIFICATION WILL OCC	UR BY (Check all that apply):	C11.	
□ 1. VERBAL WARNINGS;	2. PUBLIC ADDRESS OR INTER	RCOM SYSTEM;	$\Box$ 3. TELEPHONE;		
4. PAGERS;	5. ALARM SYSTEM;	ED BY AN OFF-SITE RE	6. PORTABLE RADIO LEASE WILL OCCUR BY (Check all that apply):	C12.	
□ 1. VERBAL WARNINGS;	2. PUBLIC ADDRESS OR INTE		□ 3. TELEPHONE;		
4. PAGERS;	5. ALARM SYSTEM;		6. PORTABLE RADIO		
EMERGENCY COORDINATOR CONTA	CT INFORMATION:			C13.	
PRIMARY EMERGENCY COORDINATO	OR NAME:	PHONE NO.:	PHONE NO .:		
ALTERNATE EMERGENCY COORDINATOR NAME: PHONE NO.: PHONE NO.:					
Check if additional Emergency Coordin	ator contact and address information is	available onsite or by calli	ng PHONE NO.:		
Note: If more than one alternate emergenc					
	GENCY CONTAINMEN				
Check the applicable boxes to indicate your	facility's procedures for containing sp	ills and preventing and mit	igating releases, fires and/or explosions.	D1.	
☐ 1. MONITOR FOR LEAKS, RUPTUR	ES, PRESSURE BUILD-UP, ETC.;			D1.	
□ 2. PROVIDE STRUCTURAL PHYSIC	CAL BARRIERS (e.g., Portable spill co	ontainment walls, built-in b	erms);		
□ 3. PROVIDE ABSORBENT PHYSIC.	AL BARRIERS (e.g., Pads, spill pigs, s	pill pillows);			
4. COVER OR BLOCK FLOOR AND	-				
$\Box$ 5. LINED TRENCH DRAINS AND/O	,				
6. AUTOMATIC FIRE SUPPRESSIO					
☐ 7. ELIMINATE SOURCES OF IGNIT		;			
8. STOP PROCESSES AND/OR OPE	,				
9. AUTOMATIC / ELECTRONIC EQ					
10. SHUT OFF WATER, GAS, ELECT		AND/OR MEDICAL AID.			
□ 11. CALL 9-1-1 FOR PUBLIC EMERC □ 12. NOTIFY AND EVACUATE PERS					
□ 12. NOTIFY AND EVACUATE PERS					
☐ 14. PROVIDE PROTECTIVE EQUIPMENT FOR ON-SITE EMERGENCY RESPONSE TEAM; ☐ 15. PEMOVE CONTAINERS AND/OP ISOLATE APEAS:					
☐ 15. REMOVE CONTAINERS AND/OR ISOLATE AREAS; ☐ 16. HIRE LICENSED HAZARDOUS WASTE CONTRACTOR;					
$\square$ 10. HIKE EICENSED HAZARDOOS $\bigcirc$ $\square$ 17. USE ABSORBENT MATERIAL FO	, ,				
$\square$ 18. VACUUM SUCTION USING APP.	-	lly safe) FOR SPILL CON	TROL AND/OR CLEANUP:		
			POSE OF WASTEWATER AS HAZARDOUS WA	STE:	
20. PROVIDE SAFE TEMPORARY ST					
21. OTHER (Specify):				D2.	
	E. FACILITY	EVACUATION			
THE FOLLOWING ALARM SIGNAL(S)	WILL BE USED TO BEGIN EVACUA	ATION OF THE FACILIT	Y (Check all that apply):	E1.	
$\Box$ 1. BELLS;				E2.	
$\square 2. \text{ HORNS/SIRENS;} $					
☐ 3. VERBAL (i.e., Shouting); ☐ 4. OTHER (Specify):					
THE FOLLOWING LOCATION(S) WILL	BE USED FOR AN EMERGENCY A	SSEMBLY AREA(S) (e.g	Parking lot street corner):	E3.	
			., i arking lot, street corner).		
Note: The Emergency Coordinator must ac	count for all onsite employees and visit.	ors after evacuation			
EVACUATION ROUTE S AND ALTERN			WS:	E4.	
1. WRITTEN PROCEDURES DESCRI					
2. EVACUATION MAP(S) DEPICTIN	G ROUTES, EXITS, AND ASSEMBL	Y AREAS;			
3. OTHER (Specify):			E5.		
Note: Evacuation procedures and/or maps s	hould be posted in visible facility locat	ions and must be included i	in the Contingency Plan.		
F. ARRANGEMENTS FOR EMERGENCY SERVICES					
ADVANCE ARRANGEMENTS FOR LO	CAL EMERGENCY SERVICES (Chec	k one of the following):		F1.	
□ 1. HAVE BEEN DETERMINED NOT	NECESSARY;				
$\square$ 2. THE FOLLOWING ARRANGEME				F2.	
Note: Advance arrangements with local fir	e and police departments, hospitals, stat	e and local emergency resr	oonse teams, and/or emergency services		

contractors should be made for your facility, if necessary. Large Quantity Generators must describe arrangements in the Contingency Plan.

Check the a	pplicable boxes to list emergency response equipment available	NCY EQUIPMENT at the facility, identify the location(	s) where the equipment is kept, and indicate th
	s capability, if applicable.		· · · · · · · · · · · · · · · · · · ·
TYPE	EQUIPMENT AVAILABLE G1.	LOCATION G2	2. <b>CAPABILITY</b> G
EXAMPLE	CHEMICAL PROTECTIVE GLOVES	SPILL RESPONSE KIT	SINGLE USE, OIL RESISTANT ONLY
Safety	1. CHEMICAL PROTECTIVE SUITS, APRONS, AND/OR VESTS		
ınd First Aid	2. CHEMICAL PROTECTIVE GLOVES		
FIISTAIU	3. CHEMICAL PROTECTIVE BOOTS		
	4. SAFETY GLASSES, GOGGLES, AND FACE SHIELDS		
	5. HARD HATS		
	6. AIR-PURIFYING RESPIRATORS		
	7. SELF-CONTAINED BREATHING APPARATUS (SCBA)		
	8.		
	9. PLUMBED EYEWASH FOUNTAIN AND/OR SHOWER		
	10.  PORTABLE EYEWASH KITS AND/OR		
	STATION		
	11. OTHER		
Fire Fighting	12.  PORTABLE FIRE EXTINGUISHERS		
0 0	13. FIXED FIRE SUPPRESSION SYSTEMS AND/ OR SPRINKLERS		
	14. T FIRE ALARM BOXES		
	15. OTHER		
Spill	16. ALL-IN-ONE SPILL KIT		
Control and	17. ABSORBENT MATERIAL		
Clean-Up	18. CONTAINER FOR USED ABSORBENT		
	19. 🔲 BERM AND/OR DIKING EQUIPMENT		
	20. BROOM		
	21. SHOVEL		
	22. 🗌 VACUUM		
	23. 🗌 EXHAUST HOOD		
	24. SUMP AND/OR HOLDING TANK		
	25.  CHEMICAL NEUTRALIZERS		
	26. 🔲 GAS CYLINDER LEAK REPAIR KIT		
	27. SPILL OVERPACK DRUMS		
	28. 🗌 OTHER		
Communi-	29. TELEPHONES (e.g., Cellular)		
ations and	30.  INTERCOM AND/OR PA SYSTEM		
Alarm Systems	31.  PORTABLE RADIOS		
	32. AUTOMATIC ALARM CHEMICAL MONITORING EQUIPMENT		
Other	33. OTHER		
	34. 🔲 OTHER		

H. EARTHQUAKE VULN	ERABILITY			
Identify areas of the facility that are vulnerable to hazardous materials releases due to seismic m				
VULNERABLE AREAS (Check all that apply):       H1.         1. HAZARDOUS MATERIALS AND/OR WASTE STORAGE AREAS       2.         2. PROCESS LINES AND PIPING       3.         4. WASTE TREATMENT AREA       4.	LOCATIONS (e.g., Shop, outdoor shed, lab): H2.			
	and systems require immediate isolation and inspection			
Identify mechanical systems vulnerable to releases / spills due to earthquake-related motion. The         VULNERABLE SYSTEMS AND/OR EQUIPMENT (Check all that apply):         H3.         1. SHELVES, CABINETS AND/OR RACKS         2. TANKS AND SHUT-OFF VALVES         3. PORTABLE GAS CYLINDERS         4. EMERGENCY SHUT-OFF AND/OR UTILITY VALVES         5. SPRINKLER SYSTEMS         6. STATIONARY PRESSURIZED CONTAINERS (e.g., Propane tank)	LOCATIONS: H4.			
I. EMPLOYEE TRA	INING			
<ul> <li>Employee training is required for all employees and/or contractors handling hazardous materials Most facilities will need to submit a separate Training Plan. However, your CUPA may accept the Employee training plans may include the following content:</li> <li>Applicable laws and regulations;</li> <li>Emergency response plans and procedures;</li> <li>Safety Data Sheets;</li> <li>Hazard communication related to health and safety;</li> <li>Methods for safe handling of hazardous substances;</li> <li>Hazards of materials and processes (e.g., fire, explosion, asphyxiation);</li> <li>Hazard mitigation, prevention and abatement procedures;</li> <li>Coordination of emergency response actions;</li> <li>Notification procedures for local emergency responders, CUPA, Cal OES, and onsite personnel;</li> </ul>	and/or hazardous wastes during normal and/or emergency operations. his section as the Training Plan for some small facilities. Communication and alarm systems; Personal protective equipment; Use and maintenance of emergency response equipment and supplies (e.g. Fire extinguishers, respirators, spill control materials); Decontamination procedures; Evacuation procedures and evacuation staging locations; Identification of facility areas, equipment, and systems vulnerable to earthquakes and other natural disasters. OTHER (Specify):			
Check the applicable boxes below to indicate how the employee training program is administere	d.			
Image: 1. FORMAL CLASSROOM       Image: 2. VIDEOS       Image: 3. SAFETY MEETING         Image: 5. OTHER (Specify):       Image: 3. SAFETY MEETING	NGS 4. STUDY GUIDES / MANUALS <sup>II.</sup> 12.			
<ul> <li>6. NOT APPLICABLE SINCE FACILITY HAS NO EMPLOYEES</li> <li>7. CHECK IF A SEPARATE EMPLOYEE TRAINING PLAN IS USED AND UPLOADED</li> <li>8. CHECK IF EMPLOYEE TRAINING IS COVERED BY THE ABOVE REFERENCED</li> </ul>				
<ul> <li>EMPLOYEE TRAINING FREQUENCY AND RECORDKEEPING TRAINING MUST BE:</li> <li>Provided initially for new employees as soon as possible following the date of hire. New employees should not work in an unsupervised position that involves hazardous materials handling and/or hazardous waste management without proper training;</li> <li>Provided within six months from the date of hire for new employees at a large quantity generator;</li> <li>Ongoing and provided at least annually;</li> <li>Amended prior to a change in process or work assignment;</li> <li>Given upon modification to the Emergency Response/Contingency Plan.</li> </ul>				
<ul> <li>Large Quantity Generator Training: Large quantity generators (1,000 kg or more) must retain</li> <li>A written description of the type and amount of both initial and ongoing training that will be giv waste management and/or emergency response.</li> <li>The name, job title and job description for each position at the facility related to hazardous w.</li> <li>Current employee training records must be retained until closure of the facility and former of termination of employment.</li> </ul>	en to persons filling each job position having responsibility for hazardous aste management.			
Small Quantity Generator Training: Small quantity generators (less than 1,000 kg) must include basic hazardous waste management and emergency response procedures but a written employee training plan and training records are not required. In order to show that the facility has met the small quantity generator employee training requirement, an employee training plan and training records may be made available.				
Hazardous Materials Business Plan Training: Businesses must provide initial and annual em may be based on the job position and training records must be made available for a period of at b				
J. LIST OF ATTACHMENTS				
Check one of the following:	Л.			
□ 1. NO ATTACHMENTS ARE REQUIRED; or □ 2. THE FOLLOWING DOCUMENTS ARE ATTACHED:	J2.			